

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001 WISCONSIN

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2

CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	No. of Benes							No. of Bene Mos											
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown	
All	358,728	1,786	72,367	103,872	180,703	0	2,055,332	17,097	774,668	401,303	862,264	0	2,055,332	17,097	774,668	401,303	862,264	0	
Age																			
5 and younger	78,901	1	5,288	8	73,604	0	379,854	12	52,328	43	327,471	0	379,854	12	52,328	43	327,471	0	
6-14	90,068	2	12,903	35	77,128	0	524,885	24	143,004	179	381,678	0	524,885	24	143,004	179	381,678	0	
15-20	49,117	1	8,306	11,241	29,569	0	285,305	12	89,942	43,614	151,737	0	285,305	12	89,942	43,614	151,737	0	
21-44	108,127	5	23,676	84,126	320	0	577,212	41	254,558	321,486	1,127	0	577,212	41	254,558	321,486	1,127	0	
45-64	29,750	25	21,280	8,439	6	0	260,732	90	224,728	35,878	36	0	260,732	90	224,728	35,878	36	0	
65-74	1,442	699	727	16	0	0	15,193	6,929	8,188	76	0	0	15,193	6,929	8,188	76	0	0	
75-84	766	623	136	7	0	0	7,706	6,185	1,494	27	0	0	7,706	6,185	1,494	27	0	0	
85 and older	486	430	51	0	5	0	4,263	3,804	426	0	33	0	4,263	3,804	426	0	33	0	
Unknown	71	0	0	0	71	0	182	0	0	0	182	0	182	0	0	0	182	0	
Gender																			
Female	204,364	1,134	36,605	78,183	88,442	0	1,129,179	10,768	396,007	302,846	419,558	0	1,129,179	10,768	396,007	302,846	419,558	0	
Male	154,362	652	35,762	25,689	92,259	0	926,129	6,329	378,661	98,457	442,682	0	926,129	6,329	378,661	98,457	442,682	0	
Unknown	2	0	0	0	2	0	24	0	0	0	24	0	24	0	0	0	24	0	
Race																			
White	147,707	579	5,210	61,831	80,087	0	721,057	5,064	48,249	260,960	406,784	0	721,057	5,064	48,249	260,960	406,784	0	
African American	46,092	56	1,279	15,441	29,316	0	164,685	486	11,803	40,615	111,781	0	164,685	486	11,803	40,615	111,781	0	
Other/unknown	164,929	1,151	65,878	26,600	71,300	0	1,169,590	11,547	714,616	99,728	343,699	0	1,169,590	11,547	714,616	99,728	343,699	0	
Use of Nursing Facilities^c																			
Entire year	964	347	616	1	0	0	9,958	3,408	6,547	3	0	0	9,958	3,408	6,547	3	0	0	
Part year	957	127	813	14	3	0	9,368	1,107	8,138	95	28	0	9,368	1,107	8,138	95	28	0	
None	356,807	1,312	70,938	103,857	180,700	0	2,036,006	12,582	759,983	401,205	862,236	0	2,036,006	12,582	759,983	401,205	862,236	0	
Maintenance Assistance Status																			
Cash	132,143	847	61,217	26,226	43,853	0	934,351	9,217	665,612	94,211	165,311	0	934,351	9,217	665,612	94,211	165,311	0	
Medically needy	16,654	130	1,414	2,208	12,902	0	76,011	927	11,195	7,872	56,017	0	76,011	927	11,195	7,872	56,017	0	
Poverty-related	67,763	9	293	9,002	58,459	0	293,034	81	2,753	32,796	257,404	0	293,034	81	2,753	32,796	257,404	0	
Other/unknown	142,168	800	9,443	66,436	65,489	0	751,936	6,872	95,108	266,424	383,532	0	751,936	6,872	95,108	266,424	383,532	0	
Managed Care Status																			
FFS all year	190,880	1,778	70,135	40,741	78,226	0	1,587,529	17,037	759,957	235,155	575,380	0	1,587,529	17,037	759,957	235,155	575,380	0	
FFS part year, with Rx claims	53,274	4	1,706	26,711	24,853	0	184,462	27	11,730	82,510	90,195	0	184,462	27	11,730	82,510	90,195	0	
FFS part year, no Rx claims	114,574	4	526	36,420	77,624	0	283,341	33	2,981	83,638	196,689	0	283,341	33	2,981	83,638	196,689	0	

Table ND2

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	44.6 %	6.7	\$370	\$56	\$3,568	10.4 %	358,728
Age							
5 and younger	35.1	1.6	68	42	2,024	3.3	78,901
6-14	36.3	3.2	185	57	2,212	8.3	90,068
15-20	43.2	3.9	235	61	3,107	7.6	49,117
21-44	51.1	7.5	455	61	4,230	10.8	108,127
45-64	70.9	29.8	1,569	53	9,218	17.0	29,750
65-74	73.2	29.9	1,316	44	11,812	11.1	1,442
75-84	73.8	32.8	1,328	41	14,238	9.3	766
85 and older	75.1	34.2	1,153	34	18,385	6.3	486
Unknown	1.4	0.0	0	10	16	2.6	71
Basis of Eligibility^c							
Aged	71.9	29.3	1,177	40	13,732	8.6	1,786
Disabled	74.1	24.2	1,466	61	11,534	12.7	72,367
Adults	45.1	2.9	118	41	1,654	7.1	103,872
Children	32.2	1.6	69	44	1,377	5.0	180,703
Unknown	0.0	0.0	0	0	0	0.0	0
Gender							
Female	47.2	7.3	381	52	3,401	11.2	204,364
Male	41.1	5.8	356	62	3,789	9.4	154,362
Unknown	50.0	3.5	86	25	1,161	7.4	2
Race							
White	43.3	3.7	173	47	2,082	8.3	147,707
African American	30.3	1.6	70	43	1,881	3.7	46,092
Other/unknown	49.7	10.8	632	59	5,370	11.8	164,929
Use of Nursing Facilities^d							
Entire year	95.1	74.6	3,657	49	42,043	8.7	964
Part year	96.7	68.7	3,675	54	46,857	7.8	957
None	44.3	6.3	353	56	3,348	10.5	356,807
Maintenance Assistance Status							
Cash	53.1	12.6	740	59	6,034	12.3	132,143
Medically needy	36.2	3.6	182	51	1,997	9.1	16,654
Poverty related	31.6	1.2	44	36	1,196	3.7	67,763
Other/unknown	43.9	4.1	204	49	2,590	7.9	142,168

Table ND3

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	1.2	\$65	10.4 %	55.4 %	30.1 %	5.7 %	5.7 %	2.4 %	0.7 %	\$623	358,728	2,055,332
Age												
5 and younger	0.3	14	3.3	64.9	31.0	2.8	1.2	0.1	0.0	420	78,901	379,854
6-14	0.6	32	8.3	63.7	28.4	4.3	3.2	0.4	0.0	380	90,068	524,885
15-20	0.7	41	7.6	56.8	33.5	5.1	3.8	0.7	0.1	535	49,117	285,305
21-44	1.4	85	10.8	48.9	31.7	8.0	7.8	2.9	0.7	792	108,127	577,212
45-64	3.4	179	17.0	29.1	21.7	10.0	19.9	14.3	5.0	1,052	29,750	260,732
65-74	2.8	125	11.1	26.8	24.8	10.9	19.2	14.2	4.0	1,121	1,442	15,193
75-84	3.3	132	9.3	26.2	21.3	9.4	20.2	17.8	5.1	1,415	766	7,706
85 and older	3.9	132	6.3	24.9	14.6	6.8	25.3	24.7	3.7	2,096	486	4,263
Unknown	0.0	0	2.6	98.6	0.0	1.4	0.0	0.0	0.0	6	71	182
Basis of Eligibility^c												
Aged	3.1	123	8.6	28.1	21.8	9.3	20.5	16.2	4.0	1,434	1,786	17,097
Disabled	2.3	137	12.7	25.9	33.7	10.8	16.9	9.5	3.0	1,078	72,367	774,668
Adults	0.7	31	7.1	54.9	31.6	7.1	5.2	1.2	0.2	428	103,872	401,303
Children	0.3	15	5.0	67.8	27.8	2.8	1.4	0.1	0.0	289	180,703	862,264
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Gender												
Female	1.3	69	11.2	52.8	31.3	6.1	6.1	2.8	0.9	616	204,364	1,129,179
Male	1.0	59	9.4	58.9	28.5	5.2	5.2	1.8	0.4	632	154,362	926,129
Unknown	0.3	7	7.4	50.0	50.0	0.0	0.0	0.0	0.0	97	2	24
Race												
White	0.7	35	8.3	56.7	32.3	5.2	4.2	1.3	0.3	427	147,707	721,057
African American	0.4	20	3.7	69.7	23.0	4.2	2.5	0.6	0.1	526	46,092	164,685
Other/unknown	1.5	89	11.8	50.3	30.0	6.6	8.0	3.9	1.2	757	164,929	1,169,590
Use of Nursing Facilities^d												
Entire year	7.2	354	8.7	4.9	4.8	5.9	24.5	38.7	21.3	4,070	964	9,958
Part year	7.0	375	7.8	3.3	8.6	8.7	26.4	32.7	20.3	4,787	957	9,368
None	1.1	62	10.5	55.7	30.2	5.7	5.6	2.2	0.6	587	356,807	2,036,006
Maintenance Assistance Status												
Cash	1.8	105	12.3	46.9	30.0	7.3	9.4	4.8	1.5	853	132,143	934,351
Medically needy	0.8	40	9.1	63.8	27.9	2.8	3.2	1.7	0.5	438	16,654	76,011
Poverty related	0.3	10	3.7	68.4	27.9	2.5	1.1	0.1	0.0	277	67,763	293,034
Other/unknown	0.8	39	7.9	56.1	31.4	6.0	4.9	1.3	0.3	490	142,168	751,936

Table ND4

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a,b,c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	All Rx		Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs			
	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx
All	1.2	\$65	\$56	0.5	\$51	\$96	0.1	\$5	\$60	0.6	\$9	\$16
Age												
5 and younger	0.3	14	42	0.1	11	79	0.0	0	28	0.2	3	15
6-14	0.6	32	57	0.3	26	86	0.0	2	58	0.2	4	17
15-20	0.7	41	61	0.3	32	93	0.0	3	67	0.3	5	19
21-44	1.4	85	61	0.6	67	109	0.1	7	69	0.7	12	17
45-64	3.4	179	53	1.5	140	92	0.2	14	57	1.6	25	16
65-74	2.8	125	44	1.3	97	77	0.2	7	36	1.4	21	15
75-84	3.3	132	41	1.4	103	74	0.3	9	28	1.5	20	13
85 and older	3.9	132	34	1.4	94	67	0.5	11	23	2.0	26	13
Unknown	0.0	0	10	0.0	0	0	0.0	0	0	0.0	0	10
Basis of Eligibility^d												
Aged	3.1	123	40	1.3	94	73	0.3	8	28	1.5	21	14
Disabled	2.3	137	61	1.0	108	103	0.2	10	64	1.1	19	18
Adults	0.7	31	41	0.3	24	78	0.0	2	48	0.4	5	12
Children	0.3	15	44	0.2	12	72	0.0	1	49	0.2	2	14
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Gender												
Female	1.3	69	52	0.6	54	90	0.1	5	58	0.6	10	15
Male	1.0	59	62	0.5	47	104	0.1	4	64	0.4	8	19
Unknown	0.3	7	25	0.3	7	25	0.0	0	0	0.0	0	0
Race												
White	0.7	35	47	0.3	28	83	0.0	2	48	0.4	5	14
African American	0.4	20	43	0.2	16	80	0.0	1	39	0.2	3	13
Other/unknown	1.5	89	59	0.7	70	100	0.1	7	64	0.7	12	17
Use of Nursing Facilities^e												
Entire year	7.2	354	49	2.9	270	93	0.7	25	36	3.6	59	16
Part year	7.0	375	54	2.8	289	101	0.6	30	49	3.5	56	16
None	1.1	62	56	0.5	49	95	0.1	4	62	0.5	9	16
Maintenance Assistance												
Status												
Cash	1.8	105	59	0.8	82	102	0.1	8	65	0.8	15	17
Medically needy	0.8	40	51	0.3	32	92	0.0	2	48	0.4	6	15
Poverty related	0.3	10	36	0.1	8	66	0.0	1	37	0.1	2	13
Other/unknown	0.8	39	49	0.4	31	83	0.0	2	49	0.4	5	15

Table ND5

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wisconsin, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Generic	Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos		
																Brand-Name	Brand-Name
Anti-infective Agents	0.3	0.1	0.0	0.1	\$14	\$12	\$0	\$1	\$50	\$93	\$130	\$10	215,530	\$10,852,856	87,854	24.5 %	765,987
Biologicals	0.4	0.4	0.0	0.0	486	438	8	39	1117	1,116	962	1,176	1,401	1,565,599	358	0.1	3,222
Antineoplastic Agents	0.6	0.3	0.1	0.2	131	115	10	6	227	419	148	26	6,470	1,467,334	1,151	0.3	11,229
Endocrine/Metabolic Drugs	0.7	0.4	0.1	0.2	27	23	2	2	41	62	21	12	200,899	8,149,384	33,296	9.3	299,882
Cardiovascular Agents	1.2	0.4	0.1	0.7	35	25	2	8	29	56	29	12	293,353	8,567,945	25,003	7.0	247,361
Respiratory Agents	0.5	0.3	0.0	0.2	24	19	0	4	45	63	30	20	247,851	11,092,713	51,572	14.4	463,412
Gastrointestinal Agents	0.6	0.3	0.0	0.2	43	38	2	3	76	121	121	13	118,677	9,019,629	21,227	5.9	208,426
Genitourinary Agents	0.3	0.2	0.0	0.1	14	12	0	1	42	55	38	14	29,475	1,236,031	10,167	2.8	90,250
CNS Drugs	1.1	0.6	0.1	0.5	90	70	9	10	80	120	110	23	487,419	39,013,327	45,889	12.8	434,901
Stimulants/Anti-obesity/Anorexia	0.7	0.4	0.0	0.2	36	29	2	5	53	64	48	28	84,270	4,437,000	12,947	3.6	122,744
Miscellaneous Psychological/Neurological Agents	0.3	0.2	0.0	0.1	40	34	0	6	134	165	64	65	5,135	689,496	1,730	0.5	17,218
Analgesics and Anesthetics	0.6	0.1	0.0	0.4	26	18	3	5	45	124	97	12	261,783	11,872,783	51,724	14.4	463,558
Neuromuscular Agents	0.9	0.4	0.1	0.4	55	46	3	5	61	106	49	14	226,276	13,800,012	24,643	6.9	249,246
Nutritional Products	0.4	0.0	0.1	0.3	10	1	3	6	21	34	29	18	53,919	1,150,271	15,807	4.4	119,929
Hematological Agents	0.6	0.1	0.1	0.4	92	68	2	21	144	501	24	53	34,076	4,911,044	5,497	1.5	53,271
Topical Products	0.3	0.1	0.0	0.1	8	5	1	2	30	54	38	14	107,729	3,268,172	45,697	12.7	420,504
Miscellaneous Products	0.4	0.2	0.0	0.2	58	46	7	6	141	242	254	29	11,850	1,668,890	2,959	0.8	28,782
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	7	0	0	0	29	0	0	0	4,280	124,523	1,739	0.5	18,413
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	2,390,393	132,887,009	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wisconsin, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIPSYCHOTICS	\$21,490,956	19,646	211,437	0.7	\$137	\$102	
ANTIDEPRESSANTS	14,041,307	43,290	414,975	0.5	63	34	
ANTICONVULSANT	12,519,336	20,499	216,456	0.8	75	58	
ULCER DRUGS	7,258,376	20,158	201,743	0.4	80	36	
ANALGESICS - Narcotic	6,906,094	53,234	500,665	0.3	41	14	
ANTIASTHMATIC	6,202,033	41,027	386,442	0.4	45	16	
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	4,436,907	14,687	141,800	0.6	53	31	
ANTIDIABETIC	4,373,105	12,199	121,925	0.7	52	36	
ANTIVIRAL	3,536,690	3,497	33,421	0.4	287	106	
ANALGESICS - ANTI-INFLAMMATORY	3,211,204	28,641	273,762	0.3	44	12	
Total	83,976,008	256,878	2,502,626	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a,b,c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTIDEPRESSANTS				
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	Mean No. of Rx	Mean Rx \$	
All	1,195,452	\$83,976,008	19,646	5.5 %	0.7	\$102	43,290	12.1 %	0.5	\$34	414,975	12.1 %	0.5	\$34	
Female	714,516	48,093,927	10,033	4.9	0.7	94	29,546	14.5	0.5	34	277,125	14.5	0.5	34	
Disabled	546,070	39,515,018	7,837	21.4	0.7	103	16,445	44.9	0.6	37	185,683	44.9	0.6	37	
5 and younger	6,605	343,296	19	0.9	0.5	53	21	1.0	0.6	11	232	1.0	0.6	11	
6-14	25,487	1,666,241	427	9.7	0.6	70	580	13.1	0.5	23	6,562	13.1	0.5	23	
15-20	23,476	1,725,099	461	14.1	0.6	84	804	24.6	0.5	30	9,187	24.6	0.5	30	
21-44	197,029	15,479,981	3,598	27.9	0.7	100	7,063	54.7	0.5	37	79,631	54.7	0.5	37	
45-64	283,820	19,701,691	3,223	24.4	0.8	113	7,801	59.1	0.6	40	88,079	59.1	0.6	40	
65-74	7,896	495,513	82	16.0	0.8	106	133	26.0	0.6	37	1,530	26.0	0.6	37	
75-84	1,395	86,156	22	22.7	0.8	101	31	32.0	0.6	43	333	32.0	0.6	43	
85 and older	362	17,041	5	12.8	0.6	45	12	30.8	0.7	20	129	30.8	0.7	20	
Other Eligibles	168,446	8,578,909	2,196	1.3	0.5	51	13,101	7.8	0.4	29	91,442	7.8	0.4	29	
5 and younger	5,422	178,135	23	0.1	0.3	26	30	0.1	0.2	7	301	0.1	0.2	7	
6-14	27,326	1,585,097	467	1.2	0.5	69	1,271	3.3	0.4	24	12,279	3.3	0.4	24	
15-20	21,702	1,116,675	466	1.9	0.4	48	1,847	7.4	0.4	27	15,248	7.4	0.4	27	
21-44	87,631	4,220,859	992	1.6	0.3	33	8,545	13.6	0.4	29	53,640	13.6	0.4	29	
45-64	13,835	755,888	96	2.0	0.4	49	1,097	23.2	0.5	36	6,768	23.2	0.5	36	
65-74	3,980	234,215	37	8.9	1.0	101	82	19.8	0.6	35	909	19.8	0.6	35	
75-84	4,664	276,339	54	13.8	0.7	76	120	30.7	0.7	35	1,243	30.7	0.7	35	
85 and older	3,886	211,701	61	18.9	0.7	68	109	33.7	0.8	39	1,054	33.7	0.8	39	
Male	480,936	35,882,081	9,613	6.2	0.8	109	13,744	8.9	0.5	33	137,850	8.9	0.5	33	
Disabled	365,357	29,351,359	7,654	21.4	0.8	117	8,648	24.2	0.6	35	96,454	24.2	0.6	35	
5 and younger	10,496	581,415	72	2.3	0.5	66	70	2.3	0.3	10	767	2.3	0.3	10	
6-14	64,582	4,416,474	1,552	18.3	0.6	77	1,614	19.0	0.5	26	18,435	19.0	0.5	26	
15-20	38,821	3,146,750	1,000	19.8	0.7	103	1,111	22.0	0.5	34	12,770	22.0	0.5	34	
21-44	131,226	12,384,480	3,307	30.7	0.9	136	3,104	28.8	0.6	40	34,361	28.8	0.6	40	
45-64	117,332	8,656,128	1,689	20.9	0.9	129	2,697	33.3	0.6	38	29,551	33.3	0.6	38	
65-74	2,352	136,623	24	11.1	0.9	101	47	21.8	0.5	28	518	21.8	0.5	28	
75-84	456	24,742	8	20.5	0.8	46	4	10.3	0.3	25	43	10.3	0.3	25	
85 and older	92	4,747	2	16.7	0.9	52	1	8.3	0.4	63	9	8.3	0.4	63	
Other Eligibles	115,578	6,530,717	1,959	1.7	0.6	71	5,096	4.3	0.5	27	41,396	4.3	0.5	27	
5 and younger	9,414	361,506	61	0.2	0.4	42	58	0.2	0.3	7	585	0.2	0.3	7	
6-14	50,857	2,979,300	1,031	2.6	0.6	74	1,930	4.9	0.5	24	18,107	4.9	0.5	24	
15-20	19,170	1,199,626	514	3.2	0.6	67	1,154	7.3	0.5	30	10,076	7.3	0.5	30	
21-44	22,322	1,186,958	229	1.1	0.4	52	1,449	6.8	0.4	29	8,726	6.8	0.4	29	
45-64	7,687	452,019	41	1.1	0.5	60	363	9.7	0.5	29	2,382	9.7	0.5	29	
65-74	2,863	168,662	41	13.6	0.9	129	54	17.9	0.5	22	621	17.9	0.5	22	
75-84	2,298	136,305	28	11.7	0.8	107	56	23.4	0.6	33	597	23.4	0.6	33	
85 and older	967	46,341	14	12.5	0.4	44	32	28.6	0.7	37	302	28.6	0.7	37	
Unknown	1	5	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	ANTICONVULSANT					ULCER DRUGS					ANALGESICS - Narcotic				
	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$
All	20,499	5.7 %	216,456	0.8	\$58	20,158	5.6 %	201,743	0.4	\$36	53,234	14.8 %	500,665	0.3	\$14
Female	11,603	5.7	121,211	0.7	55	13,511	6.6	135,353	0.4	37	37,124	18.2	346,224	0.3	13
Disabled	8,998	24.6	102,202	0.8	58	9,214	25.2	104,551	0.5	40	19,135	52.3	216,826	0.4	17
5 and younger	233	10.7	2,615	0.7	51	289	13.3	3,141	0.4	16	165	7.6	1,859	0.1	4
6-14	802	18.2	9,244	0.7	57	247	5.6	2,818	0.4	30	415	9.4	4,790	0.1	2
15-20	752	23.0	8,620	0.8	67	310	9.5	3,549	0.3	24	763	23.4	8,763	0.2	8
21-44	3,846	29.8	43,640	0.8	63	3,053	23.7	34,798	0.4	36	8,196	63.5	93,129	0.4	19
45-64	3,276	24.8	37,080	0.8	51	5,098	38.7	57,763	0.5	46	9,292	70.5	104,826	0.4	18
65-74	75	14.7	861	0.9	45	179	35.0	2,037	0.5	43	253	49.5	2,852	0.4	11
75-84	11	11.3	119	0.7	33	35	36.1	409	0.6	40	34	35.1	408	0.3	5
85 and older	3	7.7	23	0.8	25	3	7.7	36	0.8	39	17	43.6	199	0.4	21
Other Eligibles	2,605	1.6	19,009	0.6	41	4,297	2.6	30,802	0.3	25	17,989	10.7	129,398	0.3	6
5 and younger	47	0.1	386	0.4	16	234	0.7	1,515	0.3	14	310	0.9	2,702	0.1	1
6-14	371	1.0	3,610	0.6	46	222	0.6	2,005	0.3	20	810	2.1	7,293	0.1	2
15-20	371	1.5	3,342	0.6	48	449	1.8	3,693	0.2	12	2,459	9.9	19,150	0.2	2
21-44	1,503	2.4	9,246	0.5	38	2,604	4.1	17,366	0.3	25	12,922	20.5	88,831	0.3	6
45-64	217	4.6	1,380	0.6	41	459	9.7	2,757	0.5	36	1,082	22.8	7,338	0.4	11
65-74	40	9.7	463	1.0	39	97	23.4	1,077	0.4	37	120	29.0	1,320	0.3	6
75-84	36	9.2	368	0.9	43	131	33.5	1,367	0.6	42	147	37.6	1,467	0.5	26
85 and older	20	6.2	214	0.9	35	101	31.3	1,022	0.6	43	139	43.0	1,297	0.5	20
Male	8,896	5.8	95,245	0.8	61	6,647	4.3	66,390	0.5	34	16,110	10.4	154,441	0.3	15
Disabled	7,257	20.3	81,957	0.8	65	4,751	13.3	52,560	0.5	36	9,482	26.5	105,062	0.3	18
5 and younger	328	10.6	3,724	0.6	47	369	11.9	4,008	0.4	18	225	7.2	2,536	0.1	1
6-14	1,464	17.2	16,874	0.7	53	353	4.2	4,056	0.4	25	586	6.9	6,785	0.1	2
15-20	1,070	21.2	12,435	0.8	69	293	5.8	3,336	0.4	26	749	14.9	8,566	0.1	3
21-44	2,866	26.6	32,244	1.0	76	1,591	14.8	17,710	0.5	39	3,754	34.9	41,603	0.3	22
45-64	1,505	18.6	16,399	0.8	55	2,061	25.5	22,485	0.5	40	4,063	50.2	44,395	0.4	22
65-74	20	9.3	233	0.9	44	66	30.6	756	0.4	28	90	41.7	997	0.3	7
75-84	3	7.7	36	0.9	46	15	38.5	173	0.7	47	15	38.5	180	0.3	3
85 and older	1	8.3	12	1.8	41	3	25.0	36	1.0	50	0	0.0	0	0.0	0
Other Eligibles	1,639	1.4	13,288	0.6	39	1,896	1.6	13,830	0.4	27	6,628	5.6	49,379	0.3	9
5 and younger	98	0.3	778	0.5	31	302	0.8	2,084	0.3	13	440	1.2	3,784	0.1	1
6-14	600	1.5	5,625	0.6	35	175	0.4	1,595	0.3	17	875	2.2	7,853	0.1	1
15-20	349	2.2	3,019	0.6	45	200	1.3	1,704	0.3	13	929	5.8	7,867	0.2	2
21-44	424	2.0	2,509	0.5	37	772	3.6	4,893	0.4	31	3,468	16.2	22,932	0.4	13
45-64	115	3.1	785	0.6	55	273	7.3	1,694	0.5	45	733	19.6	5,034	0.4	18
65-74	27	9.0	296	1.1	50	71	23.6	775	0.5	33	90	29.9	947	0.3	15
75-84	21	8.8	227	1.0	38	70	29.3	748	0.5	38	55	23.0	605	0.3	6
85 and older	5	4.5	49	1.0	22	33	29.5	337	0.6	40	38	33.9	357	0.3	6
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table ND7B

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	ANTI-ASTHMATIC					STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ANTI-DIABETIC				
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	41,027	11.4 %	386,442	0.4	\$16	14,687	4.1 %	141,800	0.6	\$31	12,199	3.4 %	121,925	0.7	\$36
Female	24,327	11.9	229,780	0.4	17	4,702	2.3	46,217	0.6	31	8,229	4.0	82,695	0.7	37
Disabled	13,031	35.6	147,938	0.4	19	2,052	5.6	23,472	0.5	32	6,323	17.3	70,980	0.7	37
5 and younger	815	37.4	9,023	0.3	13	52	2.4	583	0.3	13	6	0.3	67	0.7	23
6-14	1,031	23.3	11,817	0.3	15	784	17.8	8,885	0.6	28	59	1.3	653	0.8	39
15-20	615	18.8	7,112	0.3	13	274	8.4	3,186	0.6	26	79	2.4	884	0.7	34
21-44	4,126	32.0	47,036	0.3	16	558	4.3	6,393	0.5	33	1,388	10.8	15,657	0.6	32
45-64	6,238	47.3	70,642	0.5	23	377	2.9	4,341	0.5	45	4,547	34.5	50,967	0.7	40
65-74	169	33.1	1,917	0.5	24	6	1.2	72	0.3	17	195	38.2	2,171	0.7	33
75-84	33	34.0	347	0.4	17	0	0.0	0	0.0	0	38	39.2	449	0.7	28
85 and older	4	10.3	44	0.4	30	1	2.6	12	0.3	11	11	28.2	132	0.5	24
Other Eligibles	11,296	6.7	81,842	0.3	12	2,650	1.6	22,745	0.6	30	1,906	1.1	11,715	0.6	32
5 and younger	2,072	5.8	15,803	0.2	7	83	0.2	735	0.4	18	13	0.0	93	0.6	31
6-14	2,275	6.0	18,522	0.3	12	1,646	4.3	14,820	0.6	29	68	0.2	451	0.8	42
15-20	1,512	6.1	11,681	0.3	10	377	1.5	3,491	0.5	28	96	0.4	672	0.6	30
21-44	4,628	7.3	29,688	0.3	13	484	0.8	3,269	0.4	38	1,035	1.6	5,471	0.6	32
45-64	563	11.9	3,569	0.4	19	58	1.2	410	0.5	39	433	9.1	2,346	0.6	34
65-74	87	21.0	966	0.6	27	1	0.2	12	0.1	9	118	28.5	1,223	0.7	30
75-84	94	24.0	931	0.5	24	1	0.3	8	0.4	9	104	26.6	1,059	0.7	31
85 and older	65	20.1	682	0.7	29	0	0.0	0	0.0	0	39	12.1	400	0.7	23
Male	16,700	10.8	156,662	0.3	15	9,985	6.5	95,583	0.6	32	3,970	2.6	39,230	0.7	34
Disabled	8,158	22.8	91,789	0.4	18	4,062	11.4	46,029	0.6	32	2,917	8.2	32,323	0.7	34
5 and younger	1,398	45.0	15,525	0.3	14	140	4.5	1,519	0.4	19	11	0.4	102	0.7	62
6-14	2,335	27.5	27,083	0.3	16	2,829	33.3	32,074	0.6	32	44	0.5	469	0.7	32
15-20	761	15.1	8,785	0.3	15	771	15.3	8,843	0.7	36	80	1.6	944	0.7	33
21-44	1,422	13.2	16,061	0.4	17	228	2.1	2,541	0.7	36	709	6.6	7,949	0.7	36
45-64	2,171	26.8	23,628	0.5	24	94	1.2	1,052	0.6	36	1,977	24.4	21,747	0.7	34
65-74	58	26.9	586	0.4	17	0	0.0	0	0.0	0	85	39.4	982	0.7	34
75-84	11	28.2	119	0.3	14	0	0.0	0	0.0	0	11	28.2	130	0.7	40
85 and older	2	16.7	2	1.0	69	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	8,541	7.2	64,871	0.3	12	5,923	5.0	49,554	0.6	31	1,053	0.9	6,907	0.7	34
5 and younger	3,284	8.7	25,234	0.2	9	273	0.7	2,458	0.4	15	19	0.1	134	0.6	35
6-14	3,092	7.9	24,109	0.3	13	4,537	11.6	37,854	0.6	31	83	0.2	650	0.9	40
15-20	912	5.7	7,171	0.3	12	962	6.0	8,301	0.6	33	73	0.5	598	0.7	29
21-44	874	4.1	5,480	0.3	15	124	0.6	730	0.5	36	416	1.9	2,148	0.7	34
45-64	250	6.7	1,498	0.5	27	23	0.6	168	0.4	27	308	8.2	1,730	0.7	38
65-74	57	18.9	585	0.4	18	0	0.0	0	0.0	0	83	27.6	882	0.7	29
75-84	56	23.4	637	0.5	19	3	1.3	35	0.6	40	45	18.8	495	0.8	34
85 and older	16	14.3	157	0.3	6	1	0.9	8	0.1	8	26	23.2	270	0.7	19
Unknown	1	1.4	2	0.5	3	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table ND7C

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	ANTIVIRAL				ANALGESICS - ANTI-INFLAMMATORY				Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	No. of Bene Mos
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Users	No. of Bene Mos among Users											
All	3,497	1.0 %	33,421	0.4	\$106	28,641	8.0 %	273,762	0.3	\$12	358,728	2,055,332							
Female	2,231	1.1	20,635	0.3	77	19,946	9.8	188,507	0.3	13	204,333	1,129,102							
Disabled	1,189	3.2	13,414	0.3	97	10,700	29.2	123,218	0.3	17	36,605	396,007							
5 and younger	22	1.0	255	0.5	51	95	4.4	1,078	0.2	2	2,179	21,582							
6-14	60	1.4	699	0.4	123	276	6.3	3,171	0.2	6	4,416	48,875							
15-20	53	1.6	610	0.3	46	537	16.4	6,191	0.2	7	3,266	35,616							
21-44	626	4.8	7,051	0.3	103	4,243	32.9	48,773	0.3	11	12,908	140,861							
45-64	421	3.2	4,715	0.3	93	5,331	40.4	61,424	0.4	22	13,189	141,864							
65-74	5	1.0	60	0.1	9	184	36.0	2,176	0.4	28	511	5,803							
75-84	2	2.1	24	0.1	9	29	29.9	345	0.3	14	97	1,080							
85 and older	0	0.0	0	0.0	0	5	12.8	60	0.4	23	39	326							
Other Eligibles	1,042	0.6	7,221	0.3	41	9,246	5.5	65,289	0.2	6	167,728	733,095							
5 and younger	36	0.1	244	0.3	31	342	1.0	2,267	0.2	2	35,974	159,454							
6-14	85	0.2	861	0.3	70	588	1.5	4,886	0.2	2	37,947	185,888							
15-20	164	0.7	1,265	0.2	19	1,504	6.0	11,889	0.2	2	24,898	114,726							
21-44	696	1.1	4,414	0.3	44	5,851	9.3	38,673	0.2	5	63,045	242,401							
45-64	47	1.0	292	0.3	33	691	14.6	4,621	0.3	17	4,736	19,873							
65-74	7	1.7	74	0.1	6	109	26.3	1,237	0.3	26	414	4,088							
75-84	5	1.3	47	0.1	9	101	25.8	1,104	0.4	22	391	3,827							
85 and older	2	0.6	24	0.2	18	60	18.6	612	0.6	36	323	2,838							
Male	1,266	0.8	12,786	0.4	152	8,695	5.6	85,255	0.2	9	154,322	926,024							
Disabled	1,004	2.8	10,732	0.5	165	5,133	14.4	58,338	0.3	11	35,762	378,661							
5 and younger	19	0.6	214	0.4	44	151	4.9	1,748	0.1	2	3,109	30,746							
6-14	73	0.9	818	0.4	91	418	4.9	4,853	0.1	7	8,487	94,129							
15-20	43	0.9	451	0.4	134	473	9.4	5,463	0.1	4	5,040	54,326							
21-44	549	5.1	5,825	0.5	181	1,850	17.2	20,893	0.2	8	10,768	113,697							
45-64	315	3.9	3,364	0.5	169	2,189	27.1	24,759	0.3	16	8,091	82,864							
65-74	3	1.4	36	0.1	118	41	19.0	490	0.3	16	216	2,385							
75-84	1	2.6	12	0.1	1	10	25.6	120	0.3	19	39	414							
85 and older	1	8.3	12	0.1	2	1	8.3	12	0.6	41	12	100							
Other Eligibles	262	0.2	2,054	0.3	85	3,562	3.0	26,917	0.2	5	118,560	547,363							
5 and younger	38	0.1	301	0.1	3	383	1.0	2,877	0.2	2	37,639	168,072							
6-14	56	0.1	543	0.3	64	509	1.3	4,327	0.1	2	39,217	195,981							
15-20	31	0.2	268	0.3	124	647	4.1	5,492	0.2	1	15,912	80,625							
21-44	107	0.5	695	0.3	128	1,533	7.2	10,293	0.2	6	21,406	80,253							
45-64	20	0.5	145	0.4	108	368	9.9	2,568	0.3	13	3,734	16,131							
65-74	3	1.0	36	0.1	8	62	20.6	687	0.3	13	301	2,917							
75-84	5	2.1	44	0.1	11	40	16.7	456	0.4	27	239	2,385							
85 and older	2	1.8	22	0.1	3	20	17.9	217	0.4	28	112	999							
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	73	206							

Table ND7D

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$354	7.2	964	9,958
Age				
0-64	418	7.9	578	6,138
65-74	402	7.6	76	811
75-84	251	6.1	118	1,204
85 and older	184	5.5	192	1,805
Unknown	0	0.0	0	0
Gender				
Female	367	7.6	618	6,379
Male	331	6.6	346	3,579
Unknown	0	0.0	0	0
Race				
White	287	6.6	436	4,282
African American	269	5.7	20	202
Other/unknown	409	7.8	508	5,474
Basis of Eligibility^c				
Aged	237	6.0	347	3,408
Disabled	415	7.9	616	6,547
Adults	778	10.3	1	3
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 957 beneficiaries who were in nursing facilities for part of their enrollment and their 9,368 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	No. of Bene Mos						
	Patented			Patented								Generic	Generic	As % of All-Year NF Residents	No. of Bene Mos		
	Total	Off-Patent	Brand-Name	Total	Off-Patent	Brand-Name											
Anti-infective Agents	0.5	0.3	0.0	0.2	\$27	\$24	\$0	\$3	\$58	\$92	\$77	\$15	3,042	\$175,163	604	62.7 %	6,405
Biologicals	0.1	0.1	0.0	0.0	1	1	0	0	9	9	0	0	1	9	1	0.1	12
Antineoplastic Agents	0.6	0.3	0.1	0.2	178	157	16	5	287	467	148	29	273	78,223	41	4.3	439
Endocrine/Metabolic Drugs	1.3	0.7	0.2	0.4	42	35	4	4	33	53	16	10	5,519	184,761	416	43.2	4,395
Cardiovascular Agents	1.9	0.6	0.2	1.2	43	27	3	14	22	47	17	11	11,549	257,686	584	60.6	6,039
Respiratory Agents	1.1	0.5	0.0	0.5	42	29	1	12	40	56	26	24	3,577	142,023	312	32.4	3,378
Gastrointestinal Agents	1.1	0.5	0.0	0.6	60	51	2	8	55	108	54	13	5,109	281,770	453	47.0	4,666
Genitourinary Agents	0.8	0.5	0.0	0.3	38	31	0	7	48	66	13	21	1,679	79,847	192	19.9	2,084
CNS Drugs	2.2	1.1	0.1	0.9	172	138	13	22	80	121	94	25	15,368	1,230,192	672	69.7	7,133
Stimulants/Anti-obesity/Anorexia	0.8	0.3	0.1	0.5	31	20	3	7	37	71	49	15	175	6,485	19	2.0	212
Miscellaneous Psychological/Neurological Agents	0.6	0.6	0.0	0.0	86	85	0	1	138	140	0	66	296	40,826	45	4.7	477
Analgesics and Anesthetics	1.2	0.5	0.1	0.6	49	39	3	6	41	84	36	10	5,810	240,480	477	49.5	4,904
Neuromuscular Agents	1.8	0.7	0.2	1.0	89	64	5	20	49	97	35	20	8,937	435,930	445	46.2	4,902
Nutritional Products	0.9	0.0	0.2	0.7	18	0	7	12	20	25	28	18	2,430	49,784	260	27.0	2,709
Hematological Agents	1.4	0.2	0.4	0.7	63	50	6	7	47	247	14	10	3,777	177,081	270	28.0	2,797
Topical Products	0.6	0.2	0.1	0.4	20	10	4	5	31	56	45	14	3,786	117,243	542	56.2	5,939
Miscellaneous Products	0.3	0.1	0.0	0.2	21	18	0	3	62	166	0	14	316	19,716	91	9.4	929
Unknown Therapeutic Category	0.4	0.0	0.0	0.0	10	0	0	0	26	0	0	0	309	8,008	77	8.0	835
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	71,953	3,525,227	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 957 beneficiaries who were in nursing facilities for part of their enrollment and their 9,368 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

In Wisconsin, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$788,679	498	51.7 %	5,538	1.1	\$133	\$142
ANTIDEPRESSANTS	368,587	655	67.9	7,051	0.9	59	52
ANTICONVULSANT	327,684	435	45.1	4,790	1.3	54	68
ULCER DRUGS	235,329	424	44.0	4,351	0.8	70	54
ANALGESICS - Narcotic	160,134	526	54.6	5,349	0.7	40	30
ANTIDIABETIC	133,865	335	34.8	3,566	0.9	41	38
ANTICOAGULANTS	90,503	193	20.0	1,948	1.3	36	46
DERMATOLOGICAL	89,520	961	99.7	10,744	0.3	29	8
ANTIASTHMATIC	85,649	330	34.2	3,435	0.6	39	25
ANTINEOPLASTICS	78,223	41	4.3	439	0.6	287	178
Total	2,358,173	4,398		47,211	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 957 beneficiaries who were in nursing facilities for part of their enrollment and their 9,368 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d} NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ANTIDEPRESSANTS			
	No. of Rx	Rx.\$	No. of Users	Mean No. of Rx	Users as % of All-Year Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx.\$	Users as % of All-Year Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx.\$
All	36,916	\$2,358,173	498	1.1	51.7 %	5,538	1.1	\$142	67.9 %	7,051	0.9	\$52
Female	24,283	1,519,929	317	1.0	51.3	3,513	1.0	136	71.7	4,750	0.9	51
Disabled	18,131	1,214,883	234	1.0	61.4	2,630	1.0	153	80.8	3,387	0.9	53
64 or younger	16,796	1,111,379	210	1.0	59.8	2,350	1.0	149	80.6	3,125	0.9	54
65-74	1,136	85,159	21	1.2	87.5	244	1.2	173	83.3	202	0.7	45
75-84	155	15,681	2	2.2	40.0	24	2.2	356	40.0	24	1.1	100
85 and older	44	2,664	1	0.9	100.0	12	0.9	159	300.0	36	0.6	14
Other Eligibles	6,152	305,046	83	0.9	35.0	883	0.9	87	57.0	1,363	0.8	44
64 or younger	6	54	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0
65-74	1,024	54,402	12	1.7	63.2	134	1.7	113	63.2	134	0.9	84
75-84	1,949	104,319	29	0.8	40.8	299	0.8	85	66.2	461	0.9	41
85 and older	3,173	146,271	42	0.8	28.8	450	0.8	80	52.1	768	0.8	39
Male	12,633	838,244	181	1.2	52.3	2,025	1.2	153	61.3	2,301	0.9	56
Disabled	9,802	677,150	130	1.3	55.3	1,492	1.3	163	65.5	1,722	0.9	60
64 or younger	9,468	662,104	122	1.3	54.2	1,396	1.3	169	66.7	1,674	0.9	61
65-74	230	11,622	7	1.0	100.0	84	1.0	78	57.1	48	1.1	41
75-84	59	2,334	1	1.6	50.0	12	1.6	15	0.0	0	0.0	0
85 and older	45	1,090	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0
Other Eligibles	2,831	161,094	51	0.9	45.9	533	0.9	126	52.3	579	0.8	41
64 or younger	7	540	0	0.0	0.0	0	0.0	0	100.0	9	0.8	60
65-74	1,087	76,288	25	1.1	96.2	259	1.1	149	46.2	144	0.7	27
75-84	1,124	59,429	18	0.9	45.0	195	0.9	132	60.0	230	0.8	43
85 and older	613	24,837	8	0.4	18.2	79	0.4	31	47.7	196	0.9	48
Unknown	0	0	0	0.0	0.0	0	0.0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 957 beneficiaries who were in nursing facilities for part of their enrollment and their 9,368 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	ANTICONVULSANT						ULCER DRUGS						ANALGESICS - Narcotic						
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %			
	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	
All	435	4,790	1.3	424	4,351	0.8	424	4,351	0.8	424	4,351	0.8	526	5,349	0.7	526	5,349	0.7	\$30
Female	285	3,175	1.2	275	2,786	0.7	275	2,786	0.7	275	2,786	0.7	388	3,926	0.8	388	3,926	0.8	30
Disabled	244	2,733	1.2	188	1,932	0.8	188	1,932	0.8	188	1,932	0.8	252	2,631	0.8	252	2,631	0.8	29
64 or younger	219	2,467	1.2	175	1,802	0.8	175	1,802	0.8	175	1,802	0.8	243	2,541	0.8	243	2,541	0.8	30
65-74	24	254	1.0	10	94	0.6	10	41.7	0.6	94	0.6	80	8	78	1.2	8	78	1.2	13
75-84	1	12	1.2	3	36	1.0	3	60.0	1.0	36	1.0	79	0	0	0.0	0	0	0.0	0
85 and older	0	0	0.0	0	0	0.0	0	0.0	0.0	0	0.0	0	1	12	1.0	1	12	1.0	20
Other Eligibles	41	442	1.1	87	854	0.7	87	36.7	0.7	854	0.7	42	136	1,295	0.7	136	1,295	0.7	30
64 or younger	0	0	0.0	1	3	1.0	1	100.0	1.0	3	1.0	10	0	0	0.0	0	0	0.0	0
65-74	11	132	1.5	6	72	0.8	6	31.6	0.8	72	0.8	78	10	120	0.5	10	120	0.5	12
75-84	16	158	1.1	33	324	0.7	33	46.5	0.7	324	0.7	45	40	357	0.8	40	357	0.8	44
85 and older	14	152	0.9	47	455	0.7	47	32.2	0.7	455	0.7	34	86	818	0.6	86	818	0.6	27
Male	150	1,615	1.4	149	1,565	0.8	149	43.1	0.8	1,565	0.8	55	138	1,423	0.6	138	1,423	0.6	31
Disabled	127	1,380	1.4	102	1,088	0.8	102	43.4	0.8	1,088	0.8	58	102	1,051	0.6	102	1,051	0.6	34
64 or younger	123	1,332	1.4	101	1,076	0.8	101	44.9	0.8	1,076	0.8	58	98	1,014	0.6	98	1,014	0.6	35
65-74	2	24	1.0	0	0	0.0	0	0.0	0.0	0	0.0	0	3	25	0.3	3	25	0.3	5
75-84	1	12	1.1	1	12	1.0	1	50.0	1.0	12	1.0	35	1	12	0.3	1	12	0.3	3
85 and older	1	12	1.8	0	0	0.0	0	0.0	0.0	0	0.0	0	0	0	0.0	0	0	0.0	0
Other Eligibles	23	235	1.1	47	477	0.8	47	42.3	0.8	477	0.8	48	36	372	0.7	36	372	0.7	23
64 or younger	0	0	0.0	0	0	0.0	0	0.0	0.0	0	0.0	0	0	0	0.0	0	0	0.0	0
65-74	13	145	1.1	14	157	0.9	14	53.8	0.9	157	0.9	58	12	144	0.8	12	144	0.8	44
75-84	7	65	1.2	17	166	0.8	17	42.5	0.8	166	0.8	42	7	81	0.9	7	81	0.9	20
85 and older	3	25	0.9	16	154	0.7	16	36.4	0.7	154	0.7	46	17	147	0.4	17	147	0.4	5
Unknown	0	0	0.0	0	0	0.0	0	0.0	0.0	0	0.0	0	0	0	0.0	0	0	0.0	0

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 957 beneficiaries who were in nursing facilities for part of their enrollment and their 9,368 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	ANTIDIABETIC					ANTICOAGULANTS					DERMATOLOGICAL							
	Users as %					Users as %					Users as %							
	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$
All	335	3,566	0.9	\$38	1.3	193	1,948	1.3	\$47	1.3	961	10,744	0.3	\$8	99.7	99.7	99.7	\$8
Female	223	2,328	0.9	39	1.3	129	1,318	1.3	48	1.3	641	7,211	0.3	8	103.7	103.7	103.7	8
Disabled	162	1,712	1.0	43	1.3	89	896	1.3	58	1.3	441	5,057	0.3	9	115.7	115.7	115.7	9
64 or younger	151	1,620	1.0	44	1.3	83	844	1.3	60	1.3	423	4,841	0.3	9	120.5	120.5	120.5	9
65-74	10	80	1.1	40	1.2	6	52	1.2	15	1.2	17	204	0.3	10	70.8	70.8	70.8	10
75-84	1	12	1.1	11	0.0	0	0	0.0	0	0.0	1	12	0.1	1	20.0	20.0	20.0	1
85 and older	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0	0.0	0
Other Eligibles	61	616	0.7	28	1.3	40	422	1.3	28	1.3	200	2,154	0.3	7	84.4	84.4	84.4	7
64 or younger	0	0	0.0	0	0.0	0	0	0.0	0	0.0	2	6	0.5	4	200.0	200.0	200.0	4
65-74	10	120	0.8	40	1.8	3	36	1.8	25	1.8	23	276	0.3	12	121.1	121.1	121.1	12
75-84	29	262	0.8	32	1.1	12	119	1.1	21	1.1	65	681	0.2	5	91.5	91.5	91.5	5
85 and older	22	234	0.6	17	1.4	25	267	1.4	31	1.4	110	1,191	0.3	7	75.3	75.3	75.3	7
Male	112	1,238	0.8	35	1.2	64	630	1.2	43	1.2	320	3,533	0.3	8	92.5	92.5	92.5	8
Disabled	78	862	0.9	36	1.2	49	476	1.2	53	1.2	242	2,719	0.3	9	103.0	103.0	103.0	9
64 or younger	74	814	0.9	37	1.2	49	476	1.2	53	1.2	226	2,538	0.3	10	100.4	100.4	100.4	10
65-74	4	48	0.5	19	0.0	0	0	0.0	0	0.0	10	109	0.3	4	142.9	142.9	142.9	4
75-84	0	0	0.0	0	0.0	0	0	0.0	0	0.0	3	36	0.3	8	150.0	150.0	150.0	8
85 and older	0	0	0.0	0	0.0	0	0	0.0	0	0.0	3	36	0.6	17	300.0	300.0	300.0	17
Other Eligibles	34	376	0.8	31	1.0	15	154	1.0	13	1.0	78	814	0.3	4	70.3	70.3	70.3	4
64 or younger	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0	0.0	0
65-74	16	174	0.9	38	0.4	3	30	0.4	6	0.4	22	247	0.2	5	84.6	84.6	84.6	5
75-84	7	81	0.9	32	1.3	8	81	1.3	17	1.3	26	287	0.3	5	65.0	65.0	65.0	5
85 and older	11	121	0.8	21	0.9	4	43	0.9	11	0.9	30	280	0.2	4	68.2	68.2	68.2	4
Unknown	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0.0	0.0	0

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 957 beneficiaries who were in nursing facilities for part of their enrollment and their 9,368 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	ANTI-ASTHMATIC					ANTINEOPLASTICS						
	Users as %		Users as %		Mean Rx \$	Users as %		Users as %		Mean Rx \$		
	No. of Users	%	No. of Users	%		No. of Users	%	No. of Users	%			
All	330	34.2 %	3,435	0.6	\$25	41	4.3 %	439	0.6	\$178	964	9,958
Female	210	34.0	2,231	0.6	27	33	5.3	355	0.6	168	618	6,379
Disabled	126	33.1	1,365	0.7	25	25	6.6	273	0.6	209	381	4,073
64 or younger	111	31.6	1,203	0.7	27	21	6.0	225	0.6	236	351	3,750
65-74	12	50.0	126	0.3	9	3	12.5	36	1.0	113	24	251
75-84	3	60.0	36	0.3	12	1	20.0	12	0.3	8	5	60
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
Other Eligibles	84	35.4	866	0.6	29	8	3.4	82	0.3	31	237	2,306
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	3
65-74	11	57.9	132	0.8	31	1	5.3	12	0.3	37	19	208
75-84	26	36.6	237	0.5	29	2	2.8	16	0.9	55	71	717
85 and older	47	32.2	497	0.6	29	5	3.4	54	0.2	22	146	1,378
Male	120	34.7	1,204	0.6	22	8	2.3	84	0.8	221	346	3,579
Disabled	76	32.3	768	0.6	23	5	2.1	59	0.8	277	235	2,474
64 or younger	70	31.1	740	0.6	23	5	2.2	59	0.8	277	225	2,376
65-74	5	71.4	27	0.4	15	0	0.0	0	0.0	0	7	73
75-84	1	50.0	1	1.0	41	0	0.0	0	0.0	0	2	13
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
Other Eligibles	44	39.6	436	0.6	20	3	2.7	25	0.8	87	111	1,105
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	9
65-74	10	38.5	88	0.6	26	0	0.0	0	0.0	0	26	279
75-84	25	62.5	267	0.7	21	2	5.0	24	0.8	90	40	414
85 and older	9	20.5	81	0.3	8	1	2.3	1	1.0	16	44	403
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 957 beneficiaries who were in nursing facilities for part of their enrollment and their 9,368 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 WISCONSIN, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene	Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Rx \$	Total No. of Benes
All	45,819	12.8 %	0.6	213,205	\$4,204,969	\$20	3.2 %	358,728
Age								
5 and younger	7,326	9.3	0.2	16,752	251,822	15	4.7	78,901
6-14	6,591	7.3	0.2	18,389	422,603	23	2.5	90,068
15-20	4,240	8.6	0.2	11,769	356,153	30	3.1	49,117
21-44	16,049	14.8	0.7	74,776	1,472,402	20	3.0	108,127
45-64	10,514	35.3	2.8	82,496	1,579,791	19	3.4	29,750
65-74	547	37.9	3.2	4,603	64,342	14	3.4	1,442
75-84	335	43.7	3.6	2,771	37,167	13	3.7	766
85 and older	216	44.4	3.4	1,648	20,684	13	3.7	486
Unknown	1	1.4	0.0	1	5	5	17.2	71
Basis of Eligibility^c								
Aged	695	38.9	2.9	5,155	68,170	13	3.2	1,786
Disabled	23,590	32.6	2.3	164,683	3,408,101	21	3.2	72,367
Adults	9,842	9.5	0.2	22,890	420,605	18	3.4	103,872
Children	11,692	6.5	0.1	20,477	308,093	15	2.5	180,703
Unknown	0	0.0	0.0	0	0	0	0.0	0
Gender								
Female	29,032	14.2	0.7	141,377	2,867,911	20	3.7	204,364
Male	16,786	10.9	0.5	71,821	1,336,886	19	2.4	154,362
Unknown	1	50.0	3.5	7	172	25	100.0	2
Race								
White	13,433	9.1	0.3	41,577	800,140	19	3.1	147,707
African American	3,623	7.9	0.2	7,487	111,921	15	3.5	46,092
Other/unknown	28,763	17.4	1.0	164,141	3,292,908	20	3.2	164,929
Use of Nursing Facilities^d								
Entire year	635	65.9	7.8	7,548	120,630	16	3.4	964
Part year	666	69.6	6.5	6,212	100,023	16	2.8	957
None	44,518	12.5	0.6	199,445	3,984,316	20	3.2	356,807
Maintenance Assistance Status								
Cash	26,310	19.9	1.2	156,370	3,106,767	20	3.2	132,143
Medically needy	1,384	8.3	0.3	4,742	72,350	15	2.4	16,654
Poverty related	3,520	5.2	0.1	5,906	85,568	14	2.9	67,763
Other/unknown	14,605	10.3	0.3	46,187	940,284	20	3.2	142,168

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 WISCONSIN, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.1	\$2	\$20	\$0	\$1	2,055,332
Age						
5 and younger	0.0	1	15	0	0	379,854
6-14	0.0	1	23	0	0	524,885
15-20	0.0	1	30	0	0	285,305
21-44	0.1	3	20	0	1	577,212
45-64	0.3	6	19	0	2	260,732
65-74	0.3	4	14	0	1	15,193
75-84	0.4	5	13	0	1	7,706
85 and older	0.4	5	13	0	1	4,263
Unknown	0.0	0	5	0	0	182
Basis of Eligibility^c						
Aged	0.3	4	13	0	1	17,097
Disabled	0.2	4	21	0	2	774,668
Adults	0.1	1	18	0	0	401,303
Children	0.0	0	15	0	0	862,264
Unknown	0.0	0	0	0	0	0
Gender						
Female	0.1	3	20	0	1	1,129,179
Male	0.1	1	19	0	0	926,129
Unknown	0.3	7	25	0	0	24
Race						
White	0.1	1	19	0	0	721,057
African American	0.0	1	15	0	0	164,685
Other/unknown	0.1	3	20	0	1	1,169,590
Use of Nursing Facilities^d						
Entire year	0.8	12	16	0	4	9,958
Part year	0.7	11	16	0	3	9,368
None	0.1	2	20	0	1	2,036,006
Maintenance Assistance Status						
Cash	0.2	3	20	0	1	934,351
Medically needy	0.1	1	15	0	0	76,011
Poverty related	0.0	0	14	0	0	293,034
Other/unknown	0.1	1	20	0	0	751,936

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.13
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 WISCONSIN, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	59,223	\$71	\$4,204,969	100.0 %	213,205	\$20	100.0 %
Anorexia or weight loss/gain	110	92	10,111	0.2	329	31	0.2
Fertility drugs	0	0	0	0.0	0	0	0.0
Drugs for cosmetic purposes	90	12	1,106	0.0	108	10	0.1
Cough and cold medications	20,172	55	1,101,093	26.2	39,191	28	18.4
Vitamins and minerals	4,933	138	679,926	16.2	32,068	21	15.0
Non-prescription drugs	17,092	21	352,298	8.4	43,285	8	20.3
Barbiturates	945	64	60,362	1.4	7,982	8	3.7
Benzodiazepines	13,350	99	1,326,211	31.5	79,950	17	37.5
Other Part D Excl Rx Drugs	2,531	266	673,862	16.0	10,292	65	4.8

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all non-dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility, those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, WISCONSIN, 2001

Beneficiary Characteristics	No. of Benes					No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
All	561,862	1,787	72,435	161,666	325,974	0	5,164,233	17,133	785,692	1,350,636	3,010,772	0
Age												
5 and younger	142,058	2	5,327	15	136,714	0	1,281,263	16	55,004	106	1,226,137	0
6-14	152,035	2	12,915	55	139,063	0	1,484,868	24	146,138	317	1,338,389	0
15-20	72,673	1	8,309	14,704	49,659	0	650,618	12	90,723	116,448	443,435	0
21-44	156,981	5	23,687	132,838	451	0	1,372,603	41	257,706	1,112,344	2,512	0
45-64	35,335	25	21,283	14,021	6	0	347,352	95	226,013	121,199	45	0
65-74	1,447	699	727	21	0	0	15,296	6,956	8,188	152	0	0
75-84	771	623	136	12	0	0	7,749	6,185	1,494	70	0	0
85 and older	486	430	51	0	5	0	4,263	3,804	426	0	33	0
Unknown	76	0	0	0	76	0	221	0	0	0	221	0
Gender												
Female	322,602	1,134	36,645	123,883	160,940	0	2,974,025	10,782	402,138	1,069,678	1,491,427	0
Male	239,258	653	35,790	37,783	165,032	0	2,190,184	6,351	383,554	280,958	1,519,321	0
Unknown	2	0	0	0	2	0	24	0	0	0	24	0
Race												
White	223,493	579	5,215	89,819	127,880	0	1,929,802	5,069	48,925	739,345	1,136,463	0
African American	103,198	57	1,279	31,662	70,200	0	1,006,538	490	12,180	289,827	704,041	0
Other/unknown	235,171	1,151	65,941	40,185	127,894	0	2,227,893	11,574	724,587	321,464	1,170,268	0
Use of Nursing Facilities^c												
Entire year	964	347	616	1	0	0	9,958	3,408	6,547	3	0	0
Part year	957	127	813	14	3	0	9,433	1,112	8,172	116	33	0
None	559,941	1,313	71,006	161,651	325,971	0	5,144,842	12,613	770,973	1,350,517	3,010,739	0
Maintenance Assistance Status												
Cash	194,215	847	61,284	42,067	90,017	0	1,914,340	9,238	675,843	370,220	859,039	0
Medically needy	26,900	130	1,414	2,476	22,880	0	220,467	927	11,298	13,163	195,079	0
Poverty related	114,029	9	293	10,502	103,225	0	1,028,903	81	2,769	63,045	963,008	0
Other/unknown	226,718	801	9,444	106,621	109,852	0	2,000,523	6,887	95,782	904,208	993,646	0
Managed Care Status												
FFS all year	190,880	1,778	70,135	40,741	78,226	0	1,587,529	17,037	759,957	235,155	575,380	0
FFS part year, with Rx claims	53,274	4	1,706	26,711	24,853	0	510,819	44	19,523	245,787	245,465	0
FFS part year, no Rx claims	114,574	4	526	36,420	77,624	0	1,036,117	48	5,750	308,515	721,804	0
MC all year, with Rx claims	60	0	0	15	45	0	542	0	0	158	384	0
MC all year, no Rx claims	203,074	1	68	57,779	145,226	0	2,029,226	4	462	561,021	1,467,739	0

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
 - b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
 - c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 NONDUAL BENEFICIARIES, WISCONSIN, 2001

	Bene Mos in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	561,862	5,164,233	358,728	2,055,332	0	3,108,901
FFS all year	190,880	1,587,529	190,880	1,587,529	0	0
FFS part year, with Rx claims	53,274	510,819	53,274	184,462	0	326,357
FFS part year, with no Rx claims	114,574	1,036,117	114,574	283,341	0	752,776
MC all year, with Rx claims	60	542	0	0	0	542
MC all year, with no Rx claims	203,074	2,029,226	0	0	0	2,029,226

Source: Data for this table are from the MAX 2001 file for Wisconsin, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.