

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2001 WYOMING

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	No. of Benes							No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown		
All	51,055	69	4,835	10,687	35,464	0	419,267	518	49,927	70,240	298,582	0		
Age														
5 and younger	16,617	0	295	1	16,321	0	137,828	0	3,003	2	134,823	0		
6-14	14,906	0	716	6	14,184	0	130,698	0	7,794	23	122,881	0		
15-20	6,701	0	564	1,218	4,919	0	53,313	0	5,957	6,643	40,713	0		
21-44	10,756	0	1,788	8,932	36	0	78,461	0	18,550	59,768	143	0		
45-64	1,995	0	1,470	525	0	0	18,405	0	14,614	3,791	0	0		
65-74	26	24	2	0	0	0	229	220	9	0	0	0		
75-84	23	23	0	0	0	0	194	194	0	0	0	0		
85 and older	23	22	0	1	0	0	105	104	0	1	0	0		
Unknown	8	0	0	4	4	0	34	0	0	12	22	0		
Gender														
Female	29,027	52	2,619	9,021	17,335	0	234,512	382	27,485	59,987	146,658	0		
Male	21,985	17	2,216	1,666	18,086	0	184,539	136	22,442	10,253	151,708	0		
Unknown	43	0	0	0	43	0	216	0	0	0	216	0		
Race														
White	39,477	55	3,819	8,461	27,142	0	319,297	385	39,654	54,513	224,745	0		
African American	1,051	1	100	140	810	0	9,479	8	1,002	1,070	7,399	0		
Other/unknown	10,527	13	916	2,086	7,512	0	90,491	125	9,271	14,657	66,438	0		
Use of Nursing Facilities^c														
Entire year	88	18	70	0	0	0	745	149	596	0	0	0		
Part year	82	9	67	4	2	0	699	77	578	20	24	0		
None	50,885	42	4,698	10,683	35,462	0	417,823	292	48,753	70,220	298,558	0		
Maintenance Assistance Status														
Cash	16,352	20	3,609	4,944	7,779	0	138,083	204	37,103	32,315	68,461	0		
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0		
Poverty-related	26,930	0	4	3,223	23,703	0	208,421	0	45	17,442	190,934	0		
Other/unknown	7,773	49	1,222	2,520	3,982	0	72,763	314	12,779	20,483	39,187	0		
Managed Care Status														
FFS all year	51,055	69	4,835	10,687	35,464	0	419,267	518	49,927	70,240	298,582	0		
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0		
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0		

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	63.2 %	6.1	\$317	\$52	\$2,722	11.7 %	51,055
Age							
5 and younger	64.6	3.4	105	31	1,628	6.4	16,617
6-14	56.5	3.9	208	54	1,500	13.9	14,906
15-20	62.5	5.9	337	57	2,679	12.6	6,701
21-44	68.6	9.0	495	55	4,661	10.6	10,756
45-64	75.8	29.8	1,838	62	10,372	17.7	1,995
65-74	57.7	37.6	1,899	51	12,254	15.5	26
75-84	82.6	38.3	1,444	38	13,498	10.7	23
85 and older	47.8	18.7	604	32	5,710	10.6	23
Unknown	50.0	1.3	29	23	769	3.8	8
Basis of Eligibility^c							
Aged	63.8	33.1	1,397	42	10,966	12.7	69
Disabled	78.2	24.4	1,735	71	13,605	12.7	4,835
Adults	67.3	6.2	248	40	2,475	10.0	10,687
Children	60.0	3.5	143	40	1,296	11.0	35,464
Unknown	0.0	0.0	0	0	0	0.0	0
Gender							
Female	66.1	6.9	330	48	2,786	11.9	29,027
Male	59.6	5.1	301	59	2,642	11.4	21,985
Unknown	23.3	1.2	25	21	406	6.1	43
Race							
White	65.3	6.7	351	53	2,796	12.5	39,477
African American	62.6	5.4	253	47	2,174	11.6	1,051
Other/unknown	55.4	4.1	198	48	2,498	7.9	10,527
Use of Nursing Facilities^d							
Entire year	95.5	61.8	3,250	53	33,400	9.7	88
Part year	93.9	50.1	2,890	58	37,571	7.7	82
None	63.1	5.9	308	52	2,613	11.8	50,885
Maintenance Assistance Status							
Cash	64.0	8.9	511	58	2,962	17.2	16,352
Medically needy	0.0	0.0	0	0	0	0.0	0
Poverty related	60.3	3.2	116	37	1,392	8.4	26,930
Other/unknown	71.6	10.5	606	58	6,823	8.9	7,773

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	0.7	\$39	11.7 %	36.8 %	51.4 %	5.7 %	4.5 %	1.3 %	0.3 %	\$331	51,055	419,267
Age												
5 and younger	0.4	13	6.4	35.4	60.5	3.2	0.9	0.1	0.0	196	16,617	137,828
6-14	0.4	24	13.9	43.5	49.5	4.2	2.5	0.3	0.0	171	14,906	130,698
15-20	0.7	42	12.6	37.5	49.4	7.4	4.8	0.8	0.1	337	6,701	53,313
21-44	1.2	68	10.6	31.4	46.9	9.7	8.9	2.6	0.5	639	10,756	78,461
45-64	3.2	199	17.7	24.2	23.7	9.9	23.4	14.2	4.7	1,124	1,995	18,405
65-74	4.3	216	15.5	42.3	15.4	7.7	11.5	7.7	15.4	1,391	26	229
75-84	4.5	171	10.7	17.4	13.0	4.3	21.7	39.1	4.3	1,600	23	194
85 and older	4.1	132	10.6	52.2	13.0	4.3	8.7	13.0	8.7	1,251	23	105
Unknown	0.3	7	3.8	50.0	50.0	0.0	0.0	0.0	0.0	181	8	34
Basis of Eligibility^c												
Aged	4.4	186	12.7	36.2	13.0	5.8	14.5	20.3	10.1	1,461	69	518
Disabled	2.4	168	12.7	21.8	33.8	11.7	20.2	9.9	2.6	1,318	4,835	49,927
Adults	0.9	38	10.0	32.7	49.9	9.2	6.6	1.3	0.3	377	10,687	70,240
Children	0.4	17	11.0	40.0	54.4	3.8	1.7	0.1	0.0	154	35,464	298,582
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Gender												
Female	0.9	41	11.9	33.9	52.6	6.3	5.1	1.7	0.4	345	29,027	234,512
Male	0.6	36	11.4	40.4	50.0	4.9	3.7	0.9	0.2	315	21,985	184,539
Unknown	0.2	5	6.1	76.7	23.3	0.0	0.0	0.0	0.0	81	43	216
Race												
White	0.8	43	12.5	34.7	52.1	6.3	5.0	1.5	0.4	346	39,477	319,297
African American	0.6	28	11.6	37.4	53.8	3.4	4.2	1.0	0.2	241	1,051	9,479
Other/unknown	0.5	23	7.9	44.6	48.6	3.6	2.4	0.6	0.1	291	10,527	90,491
Use of Nursing Facilities^d												
Entire year	7.3	384	9.7	4.5	11.4	3.4	22.7	33.0	25.0	3,945	88	745
Part year	5.9	339	7.7	6.1	8.5	9.8	32.9	29.3	13.4	4,408	82	699
None	0.7	38	11.8	36.9	51.6	5.7	4.4	1.2	0.3	318	50,885	417,823
Maintenance Assistance Status												
Cash	1.1	61	17.2	36.0	46.0	7.1	7.7	2.7	0.6	351	16,352	138,083
Medically needy	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Poverty related	0.4	15	8.4	39.7	54.9	3.9	1.4	0.1	0.0	180	26,930	208,421
Other/unknown	1.1	65	8.9	28.4	51.0	8.8	8.2	2.7	0.8	729	7,773	72,763

Table ND4

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx
All	0.7	\$39	\$52	0.3	\$30	\$88	0.0	\$3	\$60	0.4	\$6	\$17
Age												
5 and younger	0.4	13	31	0.2	9	56	0.0	1	29	0.2	3	13
6-14	0.4	24	54	0.2	19	84	0.0	1	50	0.2	3	18
15-20	0.7	42	57	0.4	32	91	0.1	4	81	0.3	6	18
21-44	1.2	68	55	0.5	53	101	0.1	6	63	0.6	10	16
45-64	3.2	199	62	1.5	150	99	0.3	18	69	1.4	31	21
65-74	4.3	216	51	1.9	165	85	0.2	6	33	2.1	44	21
75-84	4.5	171	38	1.6	114	70	0.3	11	34	2.6	46	18
85 and older	4.1	132	32	1.2	77	66	1.0	20	20	1.9	36	18
Unknown	0.3	7	23	0.1	5	35	0.0	0	0	0.1	2	12
Basis of Eligibility^d												
Aged	4.4	186	42	1.7	131	77	0.4	11	27	2.3	44	19
Disabled	2.4	168	71	1.1	131	114	0.2	16	79	1.0	22	21
Adults	0.9	38	40	0.4	28	77	0.1	3	50	0.5	7	13
Children	0.4	17	40	0.2	13	68	0.0	1	38	0.2	3	15
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Gender												
Female	0.9	41	48	0.4	31	83	0.1	3	56	0.4	7	16
Male	0.6	36	59	0.3	29	97	0.0	2	69	0.3	5	17
Unknown	0.2	5	21	0.1	4	37	0.0	0	31	0.1	1	9
Race												
White	0.8	43	53	0.4	34	88	0.1	3	62	0.4	7	17
African American	0.6	28	47	0.3	21	79	0.0	2	58	0.3	5	16
Other/unknown	0.5	23	48	0.2	18	89	0.0	2	51	0.2	4	16
Use of Nursing Facilities^e												
Entire year	7.3	384	53	2.8	287	102	0.6	19	29	3.8	77	20
Part year	5.9	339	58	2.6	256	99	0.4	18	44	2.9	65	23
None	0.7	38	52	0.3	29	88	0.0	3	61	0.3	6	16
Maintenance Assistance												
Status												
Cash	1.1	61	58	0.5	47	98	0.1	5	71	0.5	9	17
Medically needy	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Poverty related	0.4	15	37	0.2	11	66	0.0	1	32	0.2	3	14
Other/unknown	1.1	65	58	0.5	50	92	0.1	5	63	0.5	9	19

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wyoming, 1.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users				\$ per Bene Mo among Users				Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos				
	Patented		Off-Patent		Patented		Off-Patent										
	Total	Brand-Name	Generic	Total	Brand-Name	Generic	Total	Brand-Name						Generic			
Anti-infective Agents	0.3	0.1	0.0	0.1	\$9	\$7	\$0	\$2	\$33	\$54	\$32	\$12	58,567	\$1,945,568	23,264	45.6 %	227,676
Biologics	0.2	0.2	0.0	0.0	248	181	57	11	1147	969	2,946	995	404	463,316	191	0.4	1,865
Antineoplastic Agents	0.5	0.3	0.0	0.1	213	198	8	7	442	595	196	64	629	278,055	128	0.3	1,306
Endocrine/Metabolic Drugs	0.4	0.2	0.1	0.1	18	14	2	2	45	66	33	16	22,034	991,584	5,670	11.1	55,084
Cardiovascular Agents	0.8	0.3	0.1	0.5	28	17	2	8	34	62	36	17	18,518	628,735	2,277	4.5	22,718
Respiratory Agents	0.3	0.2	0.0	0.2	14	10	0	3	40	63	26	20	48,532	1,942,688	14,347	28.1	143,207
Gastrointestinal Agents	0.4	0.3	0.0	0.1	36	31	3	3	89	119	117	22	13,031	1,161,758	3,253	6.4	32,273
Genitourinary Agents	0.2	0.2	0.0	0.1	9	8	0	1	40	51	33	15	3,982	158,967	1,946	3.8	17,941
CNS Drugs	0.8	0.4	0.1	0.3	64	50	8	6	83	112	117	23	45,405	3,755,093	6,049	11.8	59,103
Stimulants/Anti-obesity/Anorexia	0.7	0.4	0.1	0.2	37	28	2	7	54	66	43	33	11,873	643,821	1,688	3.3	17,300
Miscellaneous Psychological/Neurological Agents	0.4	0.3	0.0	0.1	108	106	0	1	247	314	32	12	274	67,711	57	0.1	628
Analgesics and Anesthetics	0.4	0.1	0.0	0.3	13	8	1	3	32	97	57	12	35,834	1,142,351	9,201	18.0	87,646
Neuromuscular Agents	0.6	0.3	0.1	0.2	44	37	2	5	73	119	46	19	20,292	1,479,839	3,267	6.4	33,354
Nutritional Products	0.2	0.0	0.0	0.2	4	0	1	3	18	55	22	15	9,123	161,887	4,465	8.7	39,176
Hematological Agents	0.5	0.1	0.1	0.2	158	149	4	4	331	1,429	28	19	2,291	758,772	505	1.0	4,813
Topical Products	0.2	0.1	0.0	0.1	5	3	0	2	27	50	34	13	19,214	511,379	10,123	19.8	101,625
Miscellaneous Products	0.2	0.1	0.0	0.1	16	10	2	4	79	89	199	50	1,044	82,516	502	1.0	5,167
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	6	0	0	0	33	0	0	0	714	23,738	368	0.7	3,774
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	311,761	16,197,778	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wyoming, 1.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIDEPRESSANTS	\$1,858,258	5,663	11.1 %	55,989	0.5	\$71	\$33
ANTIPSYCHOTICS	1,672,326	1,753	3.4	18,343	0.6	162	91
ANTICONVULSANT	1,310,470	2,122	4.2	22,013	0.6	93	60
ULCER DRUGS	965,761	2,980	5.8	29,861	0.3	98	32
ANTIASTHMATIC	934,829	6,872	13.5	69,655	0.3	49	13
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	643,821	1,908	3.7	19,755	0.6	54	33
MISC. HEMATOLOGICAL	597,665	70	0.1	758	0.4	1,885	788
ANALGESICS - Narcotic	562,672	10,047	19.7	96,852	0.3	23	6
PENICILLINS	550,625	17,180	33.6	174,435	0.1	22	3
ANTIHISTAMINES	516,530	5,660	11.1	58,152	0.2	45	9
Total	9,612,957	54,255		545,813	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a,b,c}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIDEPRESSANTS				ANTIPSYCHOTICS			
	No. of Rx	Rx \$	No. of Users	Users as % of All Mos among Benes	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Mos among Benes	No. of Users	Users as % of All Mos among Benes	No. of Rx	Mean Rx \$
All	152,374	\$9,612,957	5,663	11.1 %	0.5	\$33	1,753	3.4 %	18,343	0.6	\$91	
Female	91,080	5,218,688	3,945	13.6	0.4	33	954	3.3	9,833	0.5	76	
Disabled	37,325	2,946,083	1,296	49.5	0.6	40	521	19.9	5,830	0.6	102	
5 and younger	565	29,064	5	3.9	0.1	8	2	1.6	24	0.2	14	
6-14	1,844	152,439	42	15.4	0.4	31	18	6.6	215	0.7	82	
15-20	2,587	190,583	96	43.2	0.6	42	38	17.1	438	0.9	125	
21-44	14,831	1,156,243	565	54.4	0.5	40	271	26.1	3,043	0.5	88	
45-64	17,497	1,417,740	588	61.4	0.6	40	192	20.0	2,110	0.6	120	
65-74	1	14	0	0.0	0.0	0	0	0.0	0	0.0	0	
75-84	0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	
85 and older	0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	
Other Eligibles	53,754	2,272,597	2,649	10.0	0.4	28	433	1.6	4,003	0.3	39	
5 and younger	9,182	223,695	9	0.1	0.2	8	5	0.1	53	0.1	1	
6-14	11,362	550,314	356	5.1	0.4	27	96	1.4	972	0.5	78	
15-20	7,919	351,902	516	13.8	0.4	27	92	2.5	858	0.4	31	
21-44	22,918	1,010,267	1,633	21.8	0.4	28	225	3.0	1,983	0.3	25	
45-64	1,746	99,963	117	34.3	0.5	35	11	3.2	108	0.4	40	
65-74	369	23,694	7	50.0	0.8	80	1	7.1	12	0.2	4	
75-84	203	9,495	6	31.6	0.8	40	2	10.5	15	0.4	50	
85 and older	55	3,267	5	26.3	0.5	21	1	5.3	2	1.0	154	
Male	61,278	4,394,077	1,718	7.8	0.5	35	799	3.6	8,510	0.6	109	
Disabled	21,665	2,283,887	632	28.5	0.6	40	474	21.4	5,231	0.7	127	
5 and younger	1,031	49,568	8	4.8	0.5	18	3	1.8	36	0.4	36	
6-14	4,357	321,946	98	22.1	0.6	43	90	20.3	1,014	0.7	97	
15-20	3,686	492,384	119	34.8	0.5	42	91	26.6	1,023	0.7	123	
21-44	7,625	993,509	240	32.0	0.6	41	201	26.8	2,204	0.7	151	
45-64	4,966	426,480	167	32.6	0.5	36	89	17.4	954	0.7	114	
65-74	0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	
75-84	0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	
85 and older	0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	
Other Eligibles	39,612	2,110,176	1,086	5.5	0.5	31	325	1.6	3,279	0.6	78	
5 and younger	11,782	361,979	23	0.3	0.3	10	14	0.2	166	0.3	44	
6-14	17,826	1,105,065	560	7.8	0.5	29	168	2.3	1,733	0.5	68	
15-20	6,536	459,105	308	12.8	0.6	40	111	4.6	1,139	0.6	105	
21-44	2,832	147,650	164	11.0	0.4	26	27	1.8	202	0.4	54	
45-64	556	31,011	28	15.2	0.4	27	3	1.6	16	0.4	77	
65-74	54	3,495	2	20.0	0.7	60	2	20.0	23	0.7	26	
75-84	26	1,871	1	25.0	0.8	43	0	0.0	0	0.0	0	
85 and older	0	0	0	0.0	0.0	0	0	0.0	0	0.0	0	
Unknown	18	214	0	0.0	0.0	0	0	0.0	0	0.0	0	

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	ANTICONVULSANT					ULCER DRUGS					ANTIASTHMATIC				
	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean Rx	Mean No. of Rx	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean Rx	Mean No. of Rx	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean Rx	Mean No. of Rx
All	2,122	4.2 %	22,013	\$60	0.6	2,980	5.8 %	29,861	\$32	0.3	6,872	13.5 %	69,655	\$13	0.3
Female	1,255	4.3	12,907	57	0.6	2,039	7.0	20,351	57	0.3	3,853	13.3	38,874	15	0.3
Disabled	782	29.9	8,695	68	0.7	802	30.6	8,849	52	0.5	962	36.7	10,655	27	0.4
5 and younger	19	15.0	201	66	0.6	25	19.7	277	13	0.3	46	36.2	537	8	0.2
6-14	69	25.3	773	100	0.7	22	8.1	261	29	0.4	48	17.6	574	10	0.2
15-20	68	30.6	781	70	0.8	29	13.1	314	20	0.3	40	18.0	466	14	0.3
21-44	341	32.9	3,828	69	0.7	289	27.8	3,264	45	0.4	284	27.4	3,149	24	0.4
45-64	285	29.7	3,112	59	0.7	437	45.6	4,733	63	0.5	544	56.8	5,929	32	0.5
65-74	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0.0
75-84	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0.0
85 and older	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0.0
Other Eligibles	473	1.8	4,212	35	0.4	1,237	4.7	11,502	20	0.2	2,891	10.9	28,219	10	0.2
5 and younger	29	0.4	250	13	0.3	171	2.2	1,529	7	0.2	837	10.7	8,512	7	0.2
6-14	82	1.2	821	42	0.5	148	2.1	1,584	13	0.2	644	9.2	6,708	11	0.2
15-20	84	2.2	772	35	0.4	211	5.6	2,018	14	0.2	437	11.7	4,252	10	0.2
21-44	259	3.5	2,213	33	0.4	642	8.6	5,820	25	0.3	886	11.8	7,925	11	0.3
45-64	16	4.7	138	67	0.6	48	14.1	400	51	0.5	62	18.2	583	13	0.3
65-74	1	7.1	12	14	0.8	7	50.0	69	62	0.7	12	85.7	144	1.4	0.8
75-84	2	10.5	6	27	0.7	7	36.8	55	63	0.7	9	47.4	75	0.7	2.3
85 and older	0	0.0	0	0	0.0	3	15.8	27	52	0.5	4	21.1	20	0.2	1.3
Male	867	3.9	9,106	63	0.7	941	4.3	9,510	29	0.3	3,019	13.7	30,781	12	0.3
Disabled	527	23.8	5,752	73	0.8	363	16.4	3,974	45	0.5	428	19.3	4,640	24	0.4
5 and younger	32	19.0	357	37	0.6	30	17.9	351	30	0.4	70	41.7	795	17	0.3
6-14	112	25.3	1,292	61	0.8	27	6.1	312	24	0.3	83	18.7	910	14	0.3
15-20	101	29.5	1,168	71	0.8	30	8.8	342	33	0.4	50	14.6	551	0.4	0.4
21-44	205	27.3	2,161	82	0.8	129	17.2	1,445	53	0.5	92	12.3	1,052	0.5	0.5
45-64	77	15.0	774	84	0.7	147	28.7	1,524	49	0.5	133	26.0	1,332	0.5	0.5
65-74	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0.0
75-84	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0.0
85 and older	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0.0
Other Eligibles	340	1.7	3,354	45	0.5	578	2.9	5,536	18	0.2	2,591	13.1	26,141	10	0.2
5 and younger	32	0.4	355	38	0.5	212	2.5	1,939	7	0.2	1,323	15.6	13,311	7	0.2
6-14	140	1.9	1,462	34	0.5	136	1.9	1,495	11	0.2	961	13.3	9,792	13	0.3
15-20	104	4.3	1,064	63	0.6	90	3.8	932	17	0.2	203	8.5	2,166	15	0.3
21-44	50	3.4	364	44	0.4	110	7.4	927	42	0.4	89	6.0	736	0.3	0.3
45-64	14	7.6	109	50	0.6	26	14.1	198	45	0.4	14	7.6	124	0.2	0.2
65-74	0	0.0	0	0	0.0	3	30.0	33	12	0.2	0	0.0	0	0.0	0.0
75-84	0	0.0	0	0	0.0	1	25.0	12	116	1.0	1	25.0	12	0.1	1.1
85 and older	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0.0
Unknown	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0.0

Table ND7B Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	STIMULANTS/ANTI-OBESITY/ANOREXIANTS				MISC. HEMATOLOGICAL				ANALGESICS - Narcotic				
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	Mean No. of Rx
All	1,908	3.7 %	19,755	\$33	0.6	70	0.1 %	\$789	0.4	758	10,047	19.7 %	98,852
Female													
Disabled													
5 and younger	108	4.1	1,248	33	0.6	42	1.6	42	0.5	466	1,629	62.2	18,145
6-14	8	6.3	94	8	0.3	0	0.0	0	0.0	0	13	10.2	155
15-20	42	15.4	473	31	0.6	2	0.7	56	0.1	24	36	13.2	428
21-44	22	9.9	260	34	0.7	0	0.0	0	0.0	0	61	27.5	683
45-64	29	2.8	337	42	0.6	5	0.5	41	0.4	60	804	77.5	8,996
65-74	7	0.7	84	25	0.5	35	3.7	41	0.5	382	714	74.5	7,881
75-84	0	0.0	0	0	0.0	0	0.0	0	0.0	0	1	100.0	2
85 and older	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0
Other Eligibles													
5 and younger	425	1.6	4,382	28	0.5	9	0.0	43	0.4	92	6,092	23.1	55,335
6-14	27	0.3	309	14	0.4	0	0.0	0	0.0	0	231	3.0	2,409
15-20	324	4.6	3,365	29	0.6	0	0.0	0	0.0	0	520	7.5	5,505
21-44	45	1.2	425	32	0.5	0	0.0	0	0.0	0	1,184	31.7	10,718
45-64	25	0.3	249	23	0.4	5	0.1	51	0.4	52	3,964	53.0	34,921
65-74	4	1.2	34	19	0.3	1	0.3	8	0.2	6	173	50.7	1,588
75-84	0	0.0	0	0	0.0	1	7.1	22	0.3	12	7	50.0	75
85 and older	0	0.0	0	0	0.0	1	5.3	91	0.9	10	8	42.1	80
Male													
Disabled													
5 and younger	1,375	6.3	14,125	34	0.6	19	0.1	2,871	0.4	200	2,325	10.6	23,370
6-14	206	9.3	2,321	45	0.8	14	0.6	2,408	0.4	153	622	28.1	6,791
15-20	6	3.6	65	27	0.5	1	0.6	10	0.2	12	24	14.3	279
21-44	123	27.8	1,369	43	0.8	0	0.0	0	0.0	0	37	8.4	435
45-64	51	14.9	599	49	0.8	1	0.3	14,168	0.5	11	71	20.8	805
65-74	20	2.7	225	48	0.6	4	0.5	4,357	0.2	48	232	30.9	2,536
75-84	6	1.2	63	64	0.4	8	1.6	41	0.5	82	258	50.4	2,736
85 and older	0	0.0	0	0	0.0	0	0.0	0	0.0	0	0	0.0	0
Other Eligibles													
5 and younger	1,169	5.9	11,804	32	0.6	5	0.0	4,378	0.3	47	1,703	8.6	16,579
6-14	73	0.9	799	17	0.4	1	0.0	2,755	0.6	12	335	4.0	3,515
15-20	919	12.7	9,316	32	0.6	2	0.0	10,140	0.3	17	452	6.3	4,745
21-44	164	6.8	1,612	38	0.6	0	0.0	0	0.0	0	382	15.9	3,852
45-64	13	0.9	77	47	0.6	1	0.1	43	0.5	6	458	30.8	3,811
65-74	0	0.0	0	0	0.0	1	0.5	8	0.1	12	70	38.0	589
75-84	0	0.0	0	0	0.0	0	0.0	0	0.0	0	4	40.0	45
85 and older	0	0.0	0	0	0.0	0	0.0	0	0.0	0	2	50.0	22
Unknown													
	0	0.0	0	0	0.0	0	0.0	0	0.0	0	1	2.0	2

Table ND7C
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	PENICILLINS				ANTIHISTAMINES				Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Users	No. of Mos among Users	Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Users	No. of Mos among Users	Mean Rx \$	Mean No. of Rx	No. of Benes	No. of Mos
	No. of Users	Users as % of All Benes	No. of Mos among Users	Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Users	No. of Mos among Users														
All	17,180	33.6 %	174,435	0.1	\$3	5,660	11.1 %	58,152	0.2	\$9	51,055	419,267										
Female	9,554	32.9	95,941	0.1	3	3,437	11.8	34,882	0.2	9	29,022	234,494										
Disabled	841	32.1	9,639	0.1	4	571	21.8	6,448	0.3	15	2,619	27,485										
5 and younger	89	70.1	1,023	0.2	4	27	21.3	313	0.1	6	127	1,316										
6-14	128	46.9	1,503	0.1	4	61	22.3	707	0.2	11	273	3,062										
15-20	81	36.5	921	0.1	4	40	18.0	451	0.3	14	222	2,363										
21-44	338	32.6	3,862	0.1	4	229	22.1	2,580	0.3	13	1,038	10,909										
45-64	205	21.4	2,330	0.1	6	214	22.3	2,397	0.4	20	958	9,833										
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	2										
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0										
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0										
Other Eligibles	8,713	33.0	86,302	0.1	3	2,866	10.9	28,434	0.2	8	26,403	207,009										
5 and younger	3,743	47.9	37,692	0.2	3	735	9.4	7,744	0.1	5	7,819	64,636										
6-14	2,235	32.1	23,376	0.1	3	773	11.1	8,109	0.2	10	6,973	60,595										
15-20	957	25.6	9,110	0.1	3	462	12.4	4,446	0.2	7	3,737	27,966										
21-44	1,715	22.9	15,503	0.1	4	861	11.5	7,815	0.2	8	7,481	50,837										
45-64	60	17.6	585	0.1	4	29	8.5	274	0.2	15	341	2,593										
65-74	2	14.3	24	0.4	2	2	14.3	24	0.1	5	14	138										
75-84	0	0.0	0	0.0	0	3	15.8	16	0.3	17	19	148										
85 and older	1	5.3	12	0.1	9	1	5.3	6	0.2	12	19	96										
Male	7,615	34.6	78,393	0.1	3	2,222	10.1	23,258	0.2	9	21,982	184,523										
Disabled	611	27.6	7,004	0.1	4	273	12.3	3,089	0.3	15	2,216	22,442										
5 and younger	109	64.9	1,240	0.2	4	29	17.3	338	0.2	5	168	1,687										
6-14	197	44.5	2,291	0.1	3	68	15.3	783	0.3	12	443	4,732										
15-20	87	25.4	993	0.1	5	52	15.2	604	0.4	17	342	3,594										
21-44	144	19.2	1,681	0.1	4	81	10.8	903	0.4	20	750	7,641										
45-64	74	14.5	799	0.1	6	43	8.4	461	0.2	13	512	4,781										
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	7										
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0										
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0										
Other Eligibles	7,003	35.4	71,383	0.1	3	1,949	9.9	20,169	0.2	8	19,766	162,081										
5 and younger	4,314	51.0	43,501	0.2	3	933	11.0	9,676	0.1	5	8,460	69,973										
6-14	2,056	28.5	21,744	0.1	3	793	11.0	8,304	0.2	11	7,217	62,309										
15-20	442	18.4	4,537	0.1	3	164	6.8	1,690	0.2	13	2,400	19,390										
21-44	177	11.9	1,481	0.1	4	52	3.5	436	0.2	11	1,487	9,074										
45-64	12	6.5	96	0.1	8	5	2.7	41	0.1	4	184	1,198										
65-74	1	10.0	12	0.1	0	1	10.0	12	0.1	0	10	82										
75-84	1	25.0	12	0.1	0	1	25.0	10	0.1	1	4	46										
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	4	9										
Unknown	12	23.5	107	0.1	2	1	2.0	12	0.1	2	51	250										

Table ND7D

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2001. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$384	7.3	88	745
Age				
0-64	407	7.1	70	596
65-74	478	11.1	4	39
75-84	212	7.1	8	63
85 and older	243	7.0	6	47
Unknown	0	0.0	0	0
Gender				
Female	404	8.6	54	434
Male	355	5.5	34	311
Unknown	0	0.0	0	0
Race				
White	370	7.4	75	644
African American	0	0	0	0
Other/unknown	474	6.6	13	101
Basis of Eligibility^c				
Aged	291	8.1	18	149
Disabled	407	7.1	70	596
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2001 Medicaid enrollment. A total of 82 beneficiaries who were in nursing facilities for part of their enrollment and their 699 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users			
	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	
												No.	%
Anti-infective Agents	0.5	0.2	0.0	0.3	\$22	\$17	\$5	\$18	261	\$11,469	52	59.1	%
Biologicals	0.1	0.1	0.0	0.1	3	0	2	33	2	40	2	2.3	
Antineoplastic Agents	0.6	0.6	0.0	0.0	317	311	6	0	16	8,245	3	3.4	
Endocrine/Metabolic Drugs	1.2	0.5	0.1	0.6	46	38	1	12	465	17,343	39	44.3	
Cardiovascular Agents	2.1	0.5	0.3	1.3	50	23	5	17	842	19,980	43	48.9	
Respiratory Agents	1.4	0.5	0.0	0.8	68	33	2	40	505	24,289	37	42.0	
Gastrointestinal Agents	1.1	0.5	0.0	0.5	70	54	2	26	470	30,694	50	56.8	
Genitourinary Agents	0.8	0.3	0.0	0.5	35	24	0	24	173	7,758	20	22.7	
CNS Drugs	1.7	0.9	0.1	0.7	134	115	5	19	1,027	80,522	65	73.9	
Stimulants/Anti-obesity/Anorexia	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0.0	
Miscellaneous Psychological/Neurological Agents	0.6	0.6	0.0	0.0	267	267	0	0	29	12,821	4	4.5	
Analgesics and Anesthetics	1.0	0.4	0.0	0.5	49	40	1	16	407	19,668	47	53.4	
Neuromuscular Agents	1.3	0.4	0.3	0.6	85	65	8	20	467	29,808	39	44.3	
Nutritional Products	0.7	0.0	0.1	0.5	14	0	4	19	149	3,234	26	29.5	
Hematological Agents	1.0	0.1	0.5	0.5	37	25	8	9	278	9,960	28	31.8	
Topical Products	0.6	0.3	0.0	0.3	18	12	1	19	258	8,229	44	50.0	
Miscellaneous Products	0.4	0.0	0.0	0.3	10	1	0	26	34	847	8	9.1	
Unknown Therapeutic Category	0.7	0.0	0.0	0.0	15	0	0	0	51	1,047	7	8.0	
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	5,434	285,954	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 82 beneficiaries who were in nursing facilities for part of their enrollment and their 699 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2001. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

In Wyoming, 1.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$46,577	36	40.9 %	391	0.8	\$150	\$119
ULCER DRUGS	28,931	56	63.6	515	0.7	82	56
ANTIDEPRESSANTS	27,071	56	63.6	509	0.9	58	53
ANTIASTHMATIC	18,460	38	43.2	424	0.9	48	44
MUSCULOSKELETAL THERAPY AGENTS	17,084	18	20.5	166	1.1	93	103
ANALGESICS - Narcotic	13,012	39	44.3	331	0.8	49	39
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	12,821	4	4.5	48	0.6	442	267
ANTICONVULSANT	11,204	29	33.0	229	1.0	50	49
ANTIDIABETIC	9,652	22	25.0	202	0.7	67	48
ANTINEOPLASTICS	8,245	3	3.4	26	0.6	515	317
Total	193,057	301		2,841	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 82 beneficiaries who were in nursing facilities for part of their enrollment and their 699 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d} NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ULCER DRUGS						
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Rx	No. of Bene Mos among Users	Users as %			Mean Rx \$	No. of Rx	No. of Bene Mos among Users	Users as %		
			No. of Users	Residents	NF				No. of Users	Residents	NF				No. of Users	Residents	NF
All	2,369	\$193,057	36	40.9 %	391	0.8	\$119	56	63.6 %	515	0.7	\$56					
Female	1,582	111,479	17	31.5	178	0.6	75	34	63.0	279	0.8	69					
Disabled	1,207	92,419	14	36.8	152	0.6	81	26	68.4	212	0.8	66					
64 or younger	1,207	92,419	14	36.8	152	0.6	81	26	68.4	212	0.8	66					
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
Other Eligibles	375	19,060	3	18.8	26	0.3	40	8	50.0	67	0.9	79					
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
65-74	170	10,105	1	33.3	12	0.2	4	2	66.7	15	1.0	114					
75-84	173	6,579	1	12.5	12	0.3	57	4	50.0	37	0.8	60					
85 and older	32	2,376	1	20.0	2	1.0	154	2	40.0	15	0.8	92					
Male	787	81,578	19	55.9	213	1.0	156	22	64.7	236	0.6	41					
Disabled	758	79,710	18	56.3	201	1.0	163	22	68.8	236	0.6	41					
64 or younger	758	79,710	18	56.3	201	1.0	163	22	68.8	236	0.6	41					
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
Other Eligibles	29	1,868	1	50.0	12	1.2	48	0	0.0	0	0.0	0					
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
65-74	29	1,868	1	100.0	12	1.2	48	0	0.0	0	0.0	0					
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 82 beneficiaries who were in nursing facilities for part of their enrollment and their 699 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	ANTIDEPRESSANTS						ANTI-ASTHMATIC						MUSCULOSKELETAL THERAPY AGENTS					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx
All	56	63.6 %	0.9	509	0.9	\$53	38	43.2 %	0.9	424	\$44	18	20.5 %	1.1	166	1.1	\$103	
Female	40	74.1	0.9	330	0.9	47	28	51.9	1.0	306	46	11	20.4	1.1	110	1.1	26	
Disabled	30	78.9	0.9	249	0.9	42	17	44.7	0.8	186	46	10	26.3	1.1	98	1.1	28	
64 or younger	30	78.9	0.9	249	0.9	42	17	44.7	0.8	186	46	10	26.3	1.1	98	1.1	28	
65-74	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
75-84	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
85 and older	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
Other Eligibles	10	62.5	1.0	81	1.0	63	11	68.8	1.3	120	47	1	6.3	1.3	12	1.3	16	
64 or younger	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
65-74	3	100.0	1.1	27	1.1	112	5	166.7	1.8	60	72	0	0.0	0.0	0	0.0	0	
75-84	4	50.0	0.9	37	0.9	41	4	50.0	0.9	48	25	1	12.5	1.3	12	1.3	16	
85 and older	3	60.0	0.8	17	0.8	34	2	40.0	0.2	12	7	0	0.0	0.0	0	0.0	0	
Male	16	47.1	0.9	179	0.9	64	10	29.4	0.7	118	37	7	20.6	1.0	56	1.0	253	
Disabled	15	46.9	0.9	167	0.9	61	10	31.3	0.7	118	37	7	21.9	1.0	56	1.0	253	
64 or younger	15	46.9	0.9	167	0.9	61	10	31.3	0.7	118	37	7	21.9	1.0	56	1.0	253	
65-74	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
75-84	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
85 and older	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
Other Eligibles	1	50.0	1.3	12	1.3	108	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
64 or younger	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
65-74	1	100.0	1.3	12	1.3	108	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
75-84	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
85 and older	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	
Unknown	0	0.0	0.0	0	0.0	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0.0	0	

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 82 beneficiaries who were in nursing facilities for part of their enrollment and their 699 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	ANALGESICS - Narcotic						MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL						ANTICONVULSANT					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene Users	Mean Rx \$	No. of Users	No. of Bene Users	Mean Rx \$	No. of Users	No. of Bene Users	Mean Rx \$	No. of Users	No. of Bene Users	Mean Rx \$	No. of Users	No. of Bene Users	Mean Rx \$	No. of Users	No. of Bene Users	Mean Rx \$
All	39	331	0.8	4	48	\$267	4	48	0.6	29	229	\$267	29	229	0.6	29	229	\$49
Female	32	274	0.8	4	48	37	4	48	0.6	20	157	267	20	157	0.6	20	157	45
Disabled	23	192	0.9	4	48	48	4	48	0.6	18	151	267	18	151	0.6	18	151	46
64 or younger	23	192	0.9	4	48	48	4	48	0.6	18	151	267	18	151	0.6	18	151	46
65-74	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
75-84	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
85 and older	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
Other Eligibles	9	82	0.6	0	0	11	0	0	0.0	2	6	0	2	6	12.5	2	6	27
64 or younger	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
65-74	1	3	2.7	0	0	164	0	0	0.0	0	0	0	0	0	0.0	0	0	0
75-84	6	68	0.5	0	0	5	0	0	0.0	2	6	0	2	6	25.0	2	6	27
85 and older	2	11	0.2	0	0	3	0	0	0.0	0	0	0	0	0	0.0	0	0	0
Male	7	57	0.8	0	0	52	0	0	0.0	9	72	0	9	72	26.5	9	72	58
Disabled	7	57	0.8	0	0	52	0	0	0.0	9	72	0	9	72	28.1	9	72	58
64 or younger	7	57	0.8	0	0	52	0	0	0.0	9	72	0	9	72	28.1	9	72	58
65-74	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
75-84	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
85 and older	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
Other Eligibles	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
64 or younger	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
65-74	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
75-84	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
85 and older	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0
Unknown	0	0	0.0	0	0	0	0	0	0.0	0	0	0	0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 82 beneficiaries who were in nursing facilities for part of their enrollment and their 699 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	ANTIDIABETIC					ANTINEOPLASTICS					Mean Rx \$	Mean No. of Rx	All-Year NF Residents	Bene Mos among All-Year NF Residents		
	Users as %		No. of Bene		Users as %		No. of Bene		Mean Rx \$	Mean No. of Rx					All-Year NF Residents	Bene Mos among All-Year NF Residents
	No. of Users	Residents	NF Residents	Users	No. of Users	Residents	NF Residents	Users								
All	22	25.0 %	202	0.7	\$48	3	3.4 %	26	0.6	\$317	88	745				
Female	14	25.9	125	0.9	65	3	5.6	26	0.6	317	54	434				
Disabled	10	26.3	99	0.9	74	3	7.9	26	0.6	317	38	303				
64 or younger	10	26.3	99	0.9	74	3	7.9	26	0.6	317	38	303				
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
Other Eligibles	4	25.0	26	0.6	29	0	0.0	0	0.0	0	16	131				
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
65-74	2	66.7	6	1.0	82	0	0.0	0	0.0	0	3	27				
75-84	2	25.0	20	0.5	13	0	0.0	0	0.0	0	8	63				
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	5	41				
Male	8	23.5	77	0.4	20	0	0.0	0	0.0	0	34	311				
Disabled	8	25.0	77	0.4	20	0	0.0	0	0.0	0	32	293				
64 or younger	8	25.0	77	0.4	20	0	0.0	0	0.0	0	32	293				
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
Other Eligibles	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	18				
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12				
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	6				
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0				

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2001. A total of 82 beneficiaries who were in nursing facilities for part of their enrollment and their 699 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2001. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2001 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 WYOMING, 2001

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene	Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Rx \$	Total No. of Benes
	12,402	24.3 %	0.7	36,006	\$1,110,367	\$31	6.9 %	51,055
Age								
5 and younger	4,650	28.0	0.6	9,191	180,368	20	10.3	16,617
6-14	2,833	19.0	0.4	6,652	294,704	44	9.5	14,906
15-20	1,436	21.4	0.6	3,958	195,073	49	8.6	6,701
21-44	2,652	24.7	0.9	9,916	249,704	25	4.7	10,756
45-64	802	40.2	3.0	6,012	184,590	31	5.0	1,995
65-74	10	38.5	5.9	153	3,849	25	7.8	26
75-84	12	52.2	3.7	84	1,090	13	3.3	23
85 and older	6	26.1	1.7	38	961	25	6.9	23
Unknown	1	12.5	0.3	2	28	14	12.1	8
Basis of Eligibility^c								
Aged	28	40.6	4.0	275	5,900	21	6.1	69
Disabled	1,988	41.1	3.2	15,273	758,628	50	9.0	4,835
Adults	2,309	21.6	0.5	5,725	102,145	18	3.8	10,687
Children	8,077	22.8	0.4	14,733	243,694	17	4.8	35,464
Unknown	0	0.0	0.0	0	0	0	0.0	0
Gender								
Female	7,440	25.6	0.8	22,203	611,409	28	6.4	29,027
Male	4,961	22.6	0.6	13,799	498,928	36	7.6	21,985
Unknown	1	2.3	0.1	4	30	8	2.8	43
Race								
White	9,829	24.9	0.7	29,305	894,622	31	6.5	39,477
African American	239	22.7	0.7	752	41,044	55	15.4	1,051
Other/unknown	2,334	22.2	0.6	5,949	174,701	29	8.4	10,527
Use of Nursing Facilities^d								
Entire year	43	48.9	4.3	378	10,104	27	3.5	88
Part year	62	75.6	6.7	548	24,327	44	10.3	82
None	12,297	24.2	0.7	35,080	1,075,936	31	6.9	50,885
Maintenance Assistance Status								
Cash	4,308	26.3	0.9	14,838	410,647	28	4.9	16,352
Medically needy	0	0.0	0.0	0	0	0	0.0	0
Poverty related	5,796	21.5	0.4	10,143	172,175	17	5.5	26,930
Other/unknown	2,298	29.6	1.4	11,025	527,545	48	11.2	7,773

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS AMONG NONDUALS PER BENEFIT MONTH
 BY BENEFICIARY CHARACTERISTIC^{a,b}
 WYOMING, 2001

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.1	\$3	\$31	\$0	\$0	419,267
Age						
5 and younger	0.1	1	20	0	0	137,828
6-14	0.1	2	44	0	0	130,698
15-20	0.1	4	49	0	0	53,313
21-44	0.1	3	25	0	1	78,461
45-64	0.3	10	31	0	2	18,405
65-74	0.7	17	25	0	6	229
75-84	0.4	6	13	0	0	194
85 and older	0.4	9	25	0	0	105
Unknown	0.1	1	14	0	0	34
Basis of Eligibility^c						
Aged	0.5	11	21	0	3	518
Disabled	0.3	15	50	0	2	49,927
Adults	0.1	1	18	0	0	70,240
Children	0.0	1	17	0	0	298,582
Unknown	0.0	0	0	0	0	0
Gender						
Female	0.1	3	28	0	0	234,512
Male	0.1	3	36	0	0	184,539
Unknown	0.0	0	8	0	0	216
Race						
White	0.1	3	31	0	0	319,297
African American	0.1	4	55	0	0	9,479
Other/unknown	0.1	2	29	0	0	90,491
Use of Nursing Facilities^d						
Entire year	0.5	14	27	0	4	745
Part year	0.8	35	44	0	5	699
None	0.1	3	31	0	0	417,823
Maintenance Assistance Status						
Cash	0.1	3	28	0	1	138,083
Medically needy	0.0	0	0	0	0	0
Poverty related	0.0	1	17	0	0	208,421
Other/unknown	0.2	7	48	0	1	72,763

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001.
- b. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.13
 USE OF AND REIMBURSEMENT FOR PART D EXCLUDED DRUGS FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 WYOMING, 2001

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	14,981	\$74	\$1,110,367	100.0 %	36,006	\$31	100.0 %
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0
Fertility drugs	0	0	0	0.0	0	0	0.0
Drugs for cosmetic purposes	16	15	236	0.0	21	11	0.1
Cough and cold medications	8,182	33	273,545	24.6	14,024	20	38.9
Vitamins and minerals	1,109	50	55,072	5.0	3,136	18	8.7
Non-prescription drugs	4,027	123	496,620	44.7	11,630	43	32.3
Barbiturates	102	50	5,087	0.5	625	8	1.7
Benzodiazepines	1,295	95	122,660	11.0	5,749	21	16.0
Other Part D Excl Rx Drugs	250	629	157,147	14.2	821	191	2.3

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all non-dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2001. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2001. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility, those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, WYOMING, 2001

Beneficiary Characteristics	No. of Beneficiaries				No. of Beneficiaries							
	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
All	51,055	69	4,835	10,687	35,464	0	419,267	518	49,927	70,240	298,582	0
Age												
5 and younger	16,617	0	295	1	16,321	0	137,828	0	3,003	2	134,823	0
6-14	14,906	0	716	6	14,184	0	130,698	0	7,794	23	122,881	0
15-20	6,701	0	564	1,218	4,919	0	53,313	0	5,957	6,643	40,713	0
21-44	10,756	0	1,788	8,932	36	0	78,461	0	18,550	59,768	143	0
45-64	1,995	0	1,470	525	0	0	18,405	0	14,614	3,791	0	0
65-74	26	24	2	0	0	0	229	220	9	0	0	0
75-84	23	23	0	0	0	0	194	194	0	0	0	0
85 and older	23	22	0	1	0	0	105	104	0	1	0	0
Unknown	8	0	0	4	4	0	34	0	0	12	22	0
Gender												
Female	29,027	52	2,619	9,021	17,335	0	234,512	382	27,485	59,987	146,658	0
Male	21,985	17	2,216	1,666	18,086	0	184,539	136	22,442	10,253	151,708	0
Unknown	43	0	0	0	43	0	216	0	0	0	216	0
Race												
White	39,477	55	3,819	8,461	27,142	0	319,297	385	39,654	54,513	224,745	0
African American	1,051	1	100	140	810	0	9,479	8	1,002	1,070	7,399	0
Other/unknown	10,527	13	916	2,086	7,512	0	90,491	125	9,271	14,657	66,438	0
Use of Nursing Facilities^c												
Entire year	88	18	70	0	0	0	745	149	596	0	0	0
Part year	82	9	67	4	2	0	699	77	578	20	24	0
None	50,885	42	4,698	10,683	35,462	0	417,823	292	48,753	70,220	298,558	0
Maintenance Assistance Status												
Cash	16,352	20	3,609	4,944	7,779	0	138,083	204	37,103	32,315	68,461	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty related	26,930	0	4	3,223	23,703	0	208,421	0	45	17,442	190,934	0
Other/unknown	7,773	49	1,222	2,520	3,982	0	72,763	314	12,779	20,483	39,187	0
Managed Care Status												
FFS all year	51,055	69	4,835	10,687	35,464	0	419,267	518	49,927	70,240	298,582	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

- a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
 - b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
 - c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 NONDUAL BENEFICIARIES, WYOMING, 2001

	Bene Mos in Cell J of Table 1		Bene Mos and		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	51,055	419,267	51,055	419,267	0	0	0	0
FFS all year	51,055	419,267	51,055	419,267	0	0	0	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0
MC all year, with no Rx claims	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2001 file for Wyoming, released by CMS in 06/2005. This table was produced on 09/19/2006.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.