

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2002 KENTUCKY

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE 1
OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION
KENTUCKY, 2002

| Inclusion Criteria (2002) | No. of Dual and Non-dual Eligible Benes (Cell) | No. of Dual Eligible Benes (Cell) ^g | No. of Non-dual Eligible Benes (Cell) |
|---|--|--|---------------------------------------|
| 1. Benes who were eligible for Medicaid during at least one month ^a | 788,947 (A) | 153,609 (E) | 635,338 (I) |
| 2. Benes who had Medicaid pharmacy benefits during at least one month ^b | 748,245 (B) | 113,661 (F) | 634,584 (J) |
| 3. Benes who had fee-for-service pharmacy benefit coverage during at least one month ^{c, d, e} | 604,349 (C) | 100,579 (G) | 503,770 (K) |
| 4. Benes who were all-year nursing facility residents ^f | 16,149 (D) | 15,050 (H) | 1,099 (L) |

Source: Data for this table are from the MAX 2002 file for Kentucky, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. MAX data element "Eligible Months Count" was used to determine an individual's Medicaid eligibility. All individuals who had a value greater than zero were considered as beneficiaries and counted in Cell A.
- b. Counts in Cell B were obtained by excluding from Cell A beneficiaries who never had pharmacy benefit coverage during their Medicaid enrollment in 2002 (based on MAX data element "Eligible Restricted Benefits Flag").
- c. Cell C represents the study population for Tables 2 through 7D. Cell C was obtained by excluding from Cell B beneficiaries who were under MC plans during all months of Medicaid eligibility in 2002, because the MAX files would not include separate prescription drug claims for those beneficiaries. MC plans include HMOs, PHPs, or other MC organizations that provided pharmacy benefits under capitation arrangements. Beneficiaries included are those who were in fee-for-service, PCCM, or PHP plans in selected states. Beneficiaries in PHPs were included if they were in one of 19 states where no PHP in the state provided a pharmacy benefit (see footnote e). For all other states, beneficiaries in PHPs were excluded. For example, if a beneficiary was under fee-for-service, PCCM, or PHPs in one of the 19 states for three months of the year but enrolled in an MC plan for the remaining nine months, only the three months were counted toward the number of benefit months associated with the beneficiary. Therefore, benefit months included represent the benefit months with fee-for-service pharmacy benefits.
- d. The total Medicaid pharmacy reimbursement for Kentucky in 2002 was \$679,910,307, of which \$27,744,683 was excluded from our analysis because those claims were made for beneficiaries who were outside the study population or took place during months that were excluded from the analysis.
- e. Enrollees in prepaid health plans (PHP) that did not provide a pharmacy benefit are treated as having fee-for-service pharmacy benefit coverage. There were 19 states in 2002 that had PHPs that did not include a pharmacy benefit: AL, AR, CA, CO, FL, GA, IA, KY, MA, MI, NY, OR, PA, SD, TN, TX, UT, WA, and WI. This list was constructed from the CMS 2002 Medicaid Managed Care Enrollment Report [<http://www.cms.hhs.gov/MedicaidDataSourcesGenInfo/Downloads/mmcer02.pdf>] and by checking PHP pharmacy coverage as necessary through state and PHP web sites.
- f. Cell H represents the study population for Tables D.8 through D.10D. Cell L represents the study population for Tables ND.8 through ND.10D. All-year nursing facility residents are the beneficiaries who resided in nursing facilities throughout their enrollment in 2002. These beneficiaries were identified by comparing the number of months during which the MAX files contained at least one claim from nursing facilities to the number of Medicaid eligible months. If the former is greater than or equal to the latter, the beneficiary was considered an all-year resident. If the former is less than the latter but not equal to zero, the beneficiary was considered a part-year resident. Part-year residents were excluded from the analysis because they are likely to be short-term residents and the level and pattern of their pharmacy benefit use may differ substantially from longer-term residents. The number of part-year residents and their benefit months are presented in footnotes to Tables D.8 through D.10D and ND.8 through ND.10D. Residents of mental hospitals for the aged, inpatient psychiatric facilities for individuals under age 21, or intermediate care facilities for the mentally retarded were excluded from the analysis.
- g. Pharmacy benefit use and reimbursement among full dual eligible beneficiaries are presented in Tables D.2 through D.7D, Tables D.11 through D.13, and Supplemental Tables 1 through 1E corresponding to the sample of beneficiaries in Cell G. To determine Medicaid-Medicare dual eligibility status, two MAX data elements ("Eligible Medicare Crossover Code -- Annual New Values" and "Eligible Restricted Benefits Flag") were used in combination. Pharmacy benefit use and reimbursement among non-dual eligibles are presented in Tables ND.2 through ND.7D and Tables ND.11 through ND.13, corresponding to the sample of beneficiaries in Cell K.
- Beneficiaries represented in Cell G, the dual study population, include all dual eligible beneficiaries who had a fee-for-service pharmacy benefit at least during one month in 2002. All benefit months of such dual eligible beneficiaries, of which 2.4 percent were restricted benefit months without a pharmacy benefit in Kentucky, were used in the dual tables.
- Characteristics of non-dual eligible beneficiaries represented by Cell J are shown in Appendix Table A.1 and characteristics of non-dual eligible beneficiaries and their benefit months included in Cell J but excluded from Cell K are shown in Appendix Table A.2. Characteristics of dual eligible beneficiaries represented by Cell F are shown in Appendix Table A.3, and characteristics of dual eligible beneficiaries and their benefit months included in Cell F but excluded from Cell G are shown in Appendix Table A.4.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; HMO = health maintenance organization; MAX = Medicaid Analytic Extract; MC = managed care; PCCM = primary care case management; PHP = prepaid health plan.

TABLE 2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 KENTUCKY, 2002

| Beneficiary Characteristics | No. of Benes | | | | | | | No. of Bene Mos | | | | | | | | | |
|--|----------------|---------------|----------------|---------------|----------------|-------------------|------------------|-----------------|------------------|----------------|------------------|-------------------|-----|------|----------|--------|----------|
| | All | Aged | Disabled | Adults | Children | Other/ Unknown | All | Aged | Disabled | Adults | Children | Other/ Unknown | All | Aged | Disabled | Adults | Children |
| All | 604,349 | 46,563 | 168,939 | 91,352 | 297,402 | 93 | 5,725,698 | 450,947 | 1,794,569 | 678,639 | 2,801,236 | 307 | | | | | |
| Age | | | | | | | | | | | | | | | | | |
| 5 and younger | 118,622 | 1 | 3,894 | 15 | 114,712 | 0 | 1,074,749 | 12 | 41,270 | 51 | 1,033,416 | 0 | | | | | |
| 6-14 | 143,646 | 0 | 12,354 | 28 | 131,264 | 0 | 1,434,440 | 0 | 137,994 | 158 | 1,296,288 | 0 | | | | | |
| 15-20 | 70,870 | 0 | 9,304 | 10,659 | 50,907 | 0 | 645,655 | 0 | 100,162 | 76,518 | 468,975 | 0 | | | | | |
| 21-44 | 133,407 | 13 | 57,100 | 75,758 | 476 | 60 | 1,173,538 | 92 | 605,465 | 565,393 | 2,385 | 203 | | | | | |
| 45-64 | 71,858 | 71 | 66,844 | 4,878 | 32 | 33 | 727,893 | 564 | 690,635 | 36,456 | 134 | 104 | | | | | |
| 65-74 | 25,952 | 11,357 | 14,580 | 13 | 2 | 0 | 276,588 | 111,599 | 164,914 | 62 | 13 | 0 | | | | | |
| 75-84 | 22,896 | 18,836 | 4,059 | 1 | 0 | 0 | 233,117 | 187,615 | 45,501 | 1 | 0 | 0 | | | | | |
| 85 and older | 17,089 | 16,284 | 804 | 0 | 1 | 0 | 159,692 | 151,055 | 8,628 | 0 | 9 | 0 | | | | | |
| Unknown | 9 | 1 | 0 | 0 | 8 | 0 | 26 | 10 | 0 | 0 | 16 | 0 | | | | | |
| Gender | | | | | | | | | | | | | | | | | |
| Female | 349,947 | 33,956 | 90,671 | 78,824 | 146,403 | 93 | 3,283,425 | 334,935 | 975,676 | 589,283 | 1,383,224 | 307 | | | | | |
| Male | 254,395 | 12,606 | 78,263 | 12,528 | 150,998 | 0 | 2,442,236 | 116,005 | 818,864 | 89,356 | 1,418,011 | 0 | | | | | |
| Unknown | 7 | 1 | 5 | 0 | 1 | 0 | 37 | 7 | 29 | 0 | 1 | 0 | | | | | |
| Race | | | | | | | | | | | | | | | | | |
| White | 517,421 | 40,065 | 135,793 | 80,801 | 260,676 | 86 | 4,893,335 | 384,532 | 1,442,531 | 605,693 | 2,460,287 | 292 | | | | | |
| African American | 47,749 | 3,527 | 8,709 | 8,037 | 27,473 | 3 | 445,990 | 34,796 | 90,721 | 62,106 | 258,360 | 7 | | | | | |
| Other/unknown | 39,179 | 2,971 | 24,437 | 2,514 | 9,253 | 4 | 386,373 | 31,619 | 261,317 | 10,840 | 82,589 | 8 | | | | | |
| Use of Nursing Facilities^c | | | | | | | | | | | | | | | | | |
| Entire year | 16,149 | 13,562 | 2,587 | 0 | 0 | 0 | 164,191 | 136,392 | 27,799 | 0 | 0 | 0 | | | | | |
| Part year | 9,627 | 7,510 | 2,098 | 10 | 9 | 0 | 84,217 | 64,003 | 20,044 | 71 | 99 | 0 | | | | | |
| None | 578,573 | 25,491 | 164,254 | 91,342 | 297,393 | 93 | 5,477,290 | 250,552 | 1,746,726 | 678,568 | 2,801,137 | 307 | | | | | |
| Maintenance Assistance Status | | | | | | | | | | | | | | | | | |
| Cash | 292,203 | 17,081 | 155,875 | 43,224 | 76,023 | 0 | 2,973,736 | 187,436 | 1,682,563 | 350,902 | 752,835 | 0 | | | | | |
| Medically needy | 29,248 | 3,420 | 3,762 | 11,037 | 11,029 | 0 | 224,941 | 22,319 | 16,204 | 79,883 | 106,535 | 0 | | | | | |
| Poverty-related | 212,721 | 710 | 1,209 | 23,691 | 187,018 | 93 | 1,865,191 | 6,563 | 11,009 | 139,649 | 1,707,663 | 307 | | | | | |
| Other/unknown | 70,177 | 25,352 | 8,093 | 13,400 | 23,332 | 0 | 661,830 | 234,629 | 84,793 | 108,205 | 234,203 | 0 | | | | | |
| Dual Medicare Status^d | | | | | | | | | | | | | | | | | |
| Full dual, all year | 96,309 | 42,127 | 53,561 | 612 | 9 | 0 | 1,003,162 | 415,409 | 583,712 | 3,982 | 59 | 0 | | | | | |
| Full dual, part year | 4,270 | 2,183 | 2,053 | 29 | 5 | 0 | 42,273 | 22,211 | 19,739 | 278 | 45 | 0 | | | | | |
| Non-dual, all year | 503,770 | 2,253 | 113,325 | 90,711 | 297,388 | 93 | 4,680,263 | 13,327 | 1,191,118 | 674,379 | 2,801,132 | 307 | | | | | |
| Managed Care Status | | | | | | | | | | | | | | | | | |
| FFS all year | 598,167 | 45,969 | 167,000 | 90,260 | 294,845 | 93 | 5,697,342 | 447,811 | 1,784,503 | 675,264 | 2,789,457 | 307 | | | | | |
| FFS part year, with Rx claims | 3,533 | 456 | 1,470 | 380 | 1,227 | 0 | 20,121 | 2,563 | 8,302 | 1,978 | 7,278 | 0 | | | | | |
| FFS part year, no Rx claims | 2,649 | 138 | 469 | 712 | 1,330 | 0 | 8,235 | 573 | 1,764 | 1,397 | 4,501 | 0 | | | | | |

Table 2

All Medicaid Beneficiaries

Source: Data for this table are from the MAX 2002 file for Kentucky, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table 2 includes the beneficiaries represented by Cell C of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 2002. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. The "Non-dual, all year" group includes beneficiaries who were never dually eligible or dually eligible but never had Medicaid fee-for-service pharmacy benefits. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE 3
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a, b}
 KENTUCKY, 2002

| Beneficiary Characteristics | % with at Least One Rx | Mean No. of Rx | Mean Rx \$ | \$ per Rx | Mean \$, All Services | Rx \$ as % of All Services | No. of Benes |
|--|------------------------|----------------|------------|-----------|-----------------------|----------------------------|--------------|
| All | 78.2 % | 21.0 | \$1,079 | \$51 | \$4,980 | 21.7 % | 604,349 |
| Age | | | | | | | |
| 5 and younger | 75.4 | 5.8 | 240 | 41 | 2,072 | 11.6 | 118,622 |
| 6-14 | 72.4 | 6.5 | 342 | 53 | 1,970 | 17.4 | 143,646 |
| 15-20 | 72.5 | 7.3 | 389 | 53 | 3,168 | 12.3 | 70,870 |
| 21-44 | 80.2 | 19.7 | 1,152 | 59 | 5,148 | 22.4 | 133,407 |
| 45-64 | 86.2 | 53.5 | 2,972 | 56 | 9,643 | 30.8 | 71,858 |
| 65-74 | 88.6 | 61.3 | 2,901 | 47 | 9,450 | 30.7 | 25,952 |
| 75-84 | 90.1 | 65.0 | 2,808 | 43 | 14,095 | 19.9 | 22,896 |
| 85 and older | 89.7 | 59.4 | 2,354 | 40 | 18,053 | 13.0 | 17,089 |
| Unknown | 33.3 | 1.7 | 31 | 19 | 4,327 | 0.7 | 9 |
| Basis of Eligibility^c | | | | | | | |
| Aged | 87.9 | 59.9 | 2,558 | 43 | 15,085 | 17.0 | 46,563 |
| Disabled | 86.4 | 43.2 | 2,489 | 58 | 8,964 | 27.8 | 168,939 |
| Adults | 77.0 | 10.4 | 456 | 44 | 3,009 | 15.1 | 91,352 |
| Children | 72.5 | 5.6 | 238 | 42 | 1,740 | 13.7 | 297,402 |
| Unknown | 57.0 | 3.5 | 155 | 44 | 3,870 | 4.0 | 93 |
| Gender | | | | | | | |
| Female | 80.7 | 24.5 | 1,203 | 49 | 5,403 | 22.3 | 349,947 |
| Male | 74.8 | 16.3 | 909 | 56 | 4,397 | 20.7 | 254,395 |
| Unknown | 42.9 | 5.6 | 324 | 58 | 10,666 | 3.0 | 7 |
| Race | | | | | | | |
| White | 79.2 | 21.1 | 1,072 | 51 | 4,936 | 21.7 | 517,421 |
| African American | 67.0 | 12.9 | 661 | 51 | 4,505 | 14.7 | 47,749 |
| Other/unknown | 78.9 | 30.3 | 1,682 | 56 | 6,136 | 27.4 | 39,179 |
| Use of Nursing Facilities^d | | | | | | | |
| Entire year | 98.4 | 93.9 | 3,962 | 42 | 34,259 | 11.6 | 16,149 |
| Part year | 95.2 | 63.2 | 2,828 | 45 | 21,417 | 13.2 | 9,627 |
| None | 77.4 | 18.3 | 970 | 53 | 3,889 | 24.9 | 578,573 |

Table 3

All Medicaid Beneficiaries

| Beneficiary Characteristics | % with at Least One Rx | Mean No. of Rx | Mean Rx \$ | \$ per Rx | Mean \$, All Services | Rx \$ as % of All Services | No. of Benes |
|--------------------------------------|------------------------|----------------|------------|-----------|-----------------------|----------------------------|--------------|
| Maintenance Assistance Status | | | | | | | |
| Cash | 82.6 | 29.1 | 1,579 | 54 | 5,411 | 29.2 | 292,203 |
| Medically needy | 70.4 | 14.3 | 715 | 50 | 4,418 | 16.2 | 29,248 |
| Poverty related | 72.1 | 5.4 | 220 | 41 | 1,725 | 12.8 | 212,721 |
| Other/unknown | 82.1 | 37.9 | 1,752 | 46 | 13,281 | 13.2 | 70,177 |

Source: Data for this table are from the MAX 2002 file for Kentucky, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table 3 includes beneficiaries represented by Cell C of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Table 3

TABLE 4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 KENTUCKY, 2002

| Beneficiary Characteristics | Mean No. of Rx | Rx \$ as % of All Services | | | | | | No. of Rx, % with: | | | | Mean \$, All Services | Bene Mos | No. |
|--|----------------|----------------------------|---------------|---------------|-------------|----------------------------|--------------|----------------------------|--------------|--------------|--------------|-----------------------|------------------|-----|
| | | Mean Rx \$ | 21.7 % | 21.8 % | None | More than 0, but 1 or Less | 8.9 % | More than 2, but 5 or Less | 12.0 % | 8.4 % | More than 10 | | | |
| All | 2.2 | \$114 | 21.7 % | 21.8 % | None | 45.6 % | 8.9 % | 12.0 % | 8.4 % | 3.4 % | \$526 | 604,349 | 5,725,698 | |
| Age | | | | | | | | | | | | | | |
| 5 and younger | 0.6 | 26 | 11.6 | 24.6 | 65.3 | 7.1 | 2.8 | 0.1 | 0.0 | 0.0 | 229 | 118,622 | 1,074,749 | |
| 6-14 | 0.7 | 34 | 17.4 | 27.6 | 61.0 | 6.7 | 4.3 | 0.4 | 0.1 | 0.1 | 197 | 143,646 | 1,434,440 | |
| 15-20 | 0.8 | 43 | 12.3 | 27.5 | 57.2 | 8.9 | 5.4 | 0.8 | 0.1 | 0.1 | 348 | 70,870 | 645,655 | |
| 21-44 | 2.2 | 131 | 22.4 | 19.8 | 40.5 | 13.4 | 17.1 | 7.4 | 1.7 | 1.7 | 585 | 133,407 | 1,173,538 | |
| 45-64 | 5.3 | 293 | 30.8 | 13.8 | 13.8 | 9.1 | 26.3 | 25.8 | 11.2 | 11.2 | 952 | 71,858 | 727,893 | |
| 65-74 | 5.7 | 272 | 30.7 | 11.4 | 10.7 | 7.8 | 26.3 | 30.0 | 13.7 | 13.7 | 887 | 25,952 | 276,588 | |
| 75-84 | 6.4 | 276 | 19.9 | 9.9 | 8.4 | 6.9 | 25.3 | 33.0 | 16.4 | 16.4 | 1,384 | 22,896 | 233,117 | |
| 85 and older | 6.4 | 252 | 13.0 | 10.3 | 6.9 | 7.3 | 27.5 | 32.9 | 15.1 | 15.1 | 1,932 | 17,089 | 159,692 | |
| Unknown | 0.6 | 11 | 0.7 | 66.7 | 33.3 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1,498 | 9 | 26 | |
| Basis of Eligibility^c | | | | | | | | | | | | | | |
| Aged | 6.2 | 264 | 17.0 | 12.1 | 8.8 | 7.2 | 25.7 | 30.6 | 15.5 | 15.5 | 1,558 | 46,563 | 450,947 | |
| Disabled | 4.1 | 234 | 27.8 | 13.6 | 23.6 | 11.3 | 24.3 | 19.7 | 7.6 | 7.6 | 844 | 168,939 | 1,794,569 | |
| Adults | 1.4 | 61 | 15.1 | 23.0 | 49.3 | 13.0 | 11.4 | 2.9 | 0.4 | 0.4 | 405 | 91,352 | 678,639 | |
| Children | 0.6 | 25 | 13.7 | 27.5 | 62.7 | 6.6 | 3.0 | 0.2 | 0.0 | 0.0 | 185 | 297,402 | 2,801,236 | |
| Unknown | 1.1 | 47 | 4.0 | 43.0 | 32.3 | 11.8 | 10.8 | 1.1 | 1.1 | 1.1 | 1,172 | 93 | 307 | |
| Gender | | | | | | | | | | | | | | |
| Female | 2.6 | 128 | 22.3 | 19.3 | 43.9 | 9.2 | 13.1 | 10.2 | 4.3 | 4.3 | 576 | 349,947 | 3,283,425 | |
| Male | 1.7 | 95 | 20.7 | 25.2 | 47.9 | 8.5 | 10.4 | 5.9 | 2.1 | 2.1 | 458 | 254,395 | 2,442,236 | |
| Unknown | 1.1 | 61 | 3.0 | 57.1 | 0.0 | 14.3 | 28.6 | 0.0 | 0.0 | 0.0 | 2,018 | 7 | 37 | |
| Race | | | | | | | | | | | | | | |
| White | 2.2 | 113 | 21.7 | 20.8 | 46.5 | 9.1 | 11.9 | 8.3 | 3.5 | 3.5 | 522 | 517,421 | 4,893,335 | |
| African American | 1.4 | 71 | 14.7 | 33.0 | 46.5 | 5.9 | 7.9 | 5.0 | 1.6 | 1.6 | 482 | 47,749 | 445,990 | |
| Other/unknown | 3.1 | 171 | 27.4 | 21.1 | 32.7 | 10.2 | 18.1 | 13.4 | 4.6 | 4.6 | 622 | 39,179 | 386,373 | |
| Use of Nursing Facilities^d | | | | | | | | | | | | | | |
| Entire year | 9.2 | 390 | 11.6 | 1.6 | 2.7 | 4.0 | 19.9 | 37.8 | 34.0 | 34.0 | 3,370 | 16,149 | 164,191 | |
| Part year | 7.2 | 323 | 13.2 | 4.8 | 7.2 | 7.1 | 26.3 | 35.2 | 19.5 | 19.5 | 2,448 | 9,627 | 84,217 | |
| None | 1.9 | 102 | 24.9 | 22.6 | 47.4 | 9.1 | 11.5 | 7.1 | 2.3 | 2.3 | 411 | 578,573 | 5,477,290 | |

Table 4

All Medicaid Beneficiaries

| Beneficiary Characteristics | Mean No. of Rx | Mean Rx \$ | Rx \$ as % of All Services | No. of Rx, % with: | | | | | Mean \$, All Services | Benes | Bene Mos | |
|--------------------------------------|----------------|------------|----------------------------|--------------------|----------------------------|----------------------------|----------------------------|-----------------------------|-----------------------|-------|----------|-----------|
| | | | | None | More than 0, but 1 or Less | More than 1, but 2 or Less | More than 2, but 5 or Less | More than 5, but 10 or Less | | | | |
| Maintenance Assistance Status | | | | | | | | | | | | |
| Cash | 2.9 | 155 | 29.2 | 17.4 | 37.6 | 10.5 | 17.7 | 12.6 | 4.2 | 532 | 292,203 | 2,973,736 |
| Medically needy | 1.9 | 93 | 16.2 | 29.6 | 39.3 | 9.5 | 12.3 | 6.6 | 2.6 | 575 | 29,248 | 224,941 |
| Poverty related | 0.6 | 25 | 12.8 | 27.9 | 61.6 | 7.0 | 3.2 | 0.3 | 0.0 | 197 | 212,721 | 1,865,191 |
| Other/unknown | 4.0 | 186 | 13.2 | 17.9 | 33.0 | 7.8 | 14.5 | 16.3 | 10.5 | 1,408 | 70,177 | 661,830 |

Source: Data for this table are from the MAX 2002 file for Kentucky, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table 4 includes the beneficiaries represented by Cell C of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Table 4

TABLE 5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 KENTUCKY, 2002

| Beneficiary Characteristics | All Rx | | Patented Brand-Name Drugs | | Off-Patent Brand-Name Drugs | | Generic Drugs | |
|--|------------|--------------|---------------------------|-------------|-----------------------------|------------|---------------|-------------|
| | No. of Rx | Rx \$ | No. of Rx | Rx \$ | No. of Rx | Rx \$ | No. of Rx | Rx \$ |
| All | 2.2 | \$114 | 1.0 | \$83 | 0.2 | \$7 | 1.1 | \$24 |
| Age | | | | | | | | |
| 5 and younger | 0.6 | 26 | 0.3 | 20 | 0.1 | 2 | 0.3 | 4 |
| 6-14 | 0.7 | 34 | 0.3 | 25 | 0.1 | 3 | 0.3 | 6 |
| 15-20 | 0.8 | 43 | 0.3 | 32 | 0.1 | 4 | 0.4 | 7 |
| 21-44 | 2.2 | 131 | 1.0 | 98 | 0.1 | 8 | 1.1 | 25 |
| 45-64 | 5.3 | 293 | 2.4 | 216 | 0.3 | 15 | 2.6 | 62 |
| 65-74 | 5.7 | 272 | 2.4 | 194 | 0.4 | 15 | 2.9 | 64 |
| 75-84 | 6.4 | 276 | 2.6 | 190 | 0.5 | 16 | 3.3 | 68 |
| 85 and older | 6.4 | 252 | 2.3 | 166 | 0.5 | 18 | 3.5 | 68 |
| Unknown | 0.6 | 11 | 0.1 | 3 | 0.0 | 0 | 0.4 | 6 |
| Basis of Eligibility^d | | | | | | | | |
| Aged | 6.2 | 264 | 2.5 | 182 | 0.5 | 16 | 3.2 | 66 |
| Disabled | 4.1 | 234 | 1.8 | 174 | 0.3 | 13 | 2.0 | 48 |
| Adults | 1.4 | 61 | 0.6 | 44 | 0.1 | 4 | 0.7 | 14 |
| Children | 0.6 | 25 | 0.3 | 19 | 0.1 | 2 | 0.3 | 4 |
| Unknown | 1.1 | 47 | 0.4 | 32 | 0.0 | 0 | 0.7 | 14 |
| Gender | | | | | | | | |
| Female | 2.6 | 128 | 1.1 | 93 | 0.2 | 8 | 1.3 | 28 |
| Male | 1.7 | 95 | 0.7 | 70 | 0.1 | 6 | 0.8 | 19 |
| Unknown | 1.1 | 61 | 0.5 | 43 | 0.0 | 0 | 0.5 | 18 |
| Race | | | | | | | | |
| White | 2.2 | 113 | 1.0 | 82 | 0.2 | 7 | 1.1 | 24 |
| African American | 1.4 | 71 | 0.6 | 52 | 0.1 | 4 | 0.7 | 15 |
| Other/unknown | 3.1 | 171 | 1.4 | 127 | 0.2 | 10 | 1.5 | 33 |
| Use of Nursing Facilities^e | | | | | | | | |
| Entire year | 9.2 | 390 | 3.5 | 261 | 0.7 | 25 | 5.0 | 103 |
| Part year | 7.2 | 323 | 2.8 | 220 | 0.6 | 21 | 3.9 | 82 |
| None | 1.9 | 102 | 0.9 | 76 | 0.1 | 6 | 0.9 | 21 |

Table 5

All Medicaid Beneficiaries

| Beneficiary Characteristics | All Rx | | Patented Brand-Name Drugs | | Off-Patent Brand-Name Drugs | | Generic Drugs | |
|--------------------------------------|-----------|-------|---------------------------|-------|-----------------------------|-------|---------------|-------|
| | No. of Rx | Rx \$ | No. of Rx | Rx \$ | No. of Rx | Rx \$ | No. of Rx | Rx \$ |
| Maintenance Assistance Status | | | | | | | | |
| Cash | 2.9 | 155 | 1.3 | 115 | 0.2 | 9 | 1.4 | 32 |
| Medically needy | 1.9 | 93 | 0.8 | 66 | 0.1 | 6 | 0.9 | 21 |
| Poverty related | 0.6 | 25 | 0.3 | 18 | 0.1 | 2 | 0.3 | 5 |
| Other/unknown | 4.0 | 186 | 1.6 | 130 | 0.3 | 12 | 2.1 | 44 |

Source: Data for this table are from the MAX 2002 file for Kentucky, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table 5 includes the beneficiaries represented by Cell C of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Kentucky, 0.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 6
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 KENTUCKY, 2002

| Therapeutic Category | No. of Rx per Bene Mo among Users | | | \$ per Bene Mo among Users | | | \$ per Rx | | | Users | | | | | | | |
|---|-----------------------------------|---------------------|-----------------------|----------------------------|---------------------|-----------------------|-----------|---------------------|-----------------------|---------|-----------------|-------------|------------|-------------------|-----------------|---------------------|-----------------------|
| | Total | Patented Brand-Name | Off-Patent Brand-Name | Total | Patented Brand-Name | Off-Patent Brand-Name | Total | Patented Brand-Name | Off-Patent Brand-Name | Generic | Total No. of Rx | Total Rx \$ | No. Benes | As % of All Benes | No. of Bene Mos | | |
| | | | | | | | | | | | | | | | | Patented Brand-Name | Off-Patent Brand-Name |
| Anti-infective Agents | 0.3 | 0.2 | 0.0 | 0.1 | \$14 | \$11 | \$1 | \$2 | \$44 | \$66 | \$82 | \$16 | 1,210,030 | \$53,810,982 | 362,316 | 60.0 % | 3,829,792 |
| Biologics | 0.3 | 0.2 | 0.0 | 0.0 | 246 | 192 | 11 | 43 | 936 | 834 | 3,292 | 1,447 | 8,403 | 7,861,998 | 3,115 | 0.5 | 31,902 |
| Antineoplastic Agents | 0.6 | 0.2 | 0.1 | 0.3 | 119 | 79 | 11 | 29 | 198 | 422 | 155 | 85 | 51,883 | 10,291,606 | 8,596 | 1.4 | 86,700 |
| Endocrine/Metabolic Drugs | 0.7 | 0.4 | 0.1 | 0.2 | 30 | 22 | 3 | 5 | 42 | 61 | 23 | 23 | 1,131,243 | 48,044,788 | 148,506 | 24.6 | 1,591,448 |
| Cardiovascular Agents | 1.7 | 0.6 | 0.1 | 0.9 | 61 | 38 | 5 | 18 | 36 | 60 | 35 | 19 | 2,398,913 | 85,335,219 | 129,654 | 21.5 | 1,400,759 |
| Respiratory Agents | 0.6 | 0.3 | 0.1 | 0.2 | 29 | 22 | 2 | 5 | 48 | 67 | 34 | 23 | 1,821,037 | 87,358,188 | 283,015 | 46.8 | 3,032,818 |
| Gastrointestinal Agents | 0.6 | 0.2 | 0.0 | 0.4 | 35 | 23 | 1 | 11 | 55 | 112 | 122 | 26 | 873,226 | 47,849,074 | 127,286 | 21.1 | 1,383,334 |
| Genitourinary Agents | 0.3 | 0.2 | 0.0 | 0.1 | 17 | 15 | 0 | 2 | 51 | 63 | 37 | 20 | 174,248 | 8,962,384 | 48,294 | 8.0 | 512,677 |
| CNS Drugs | 1.0 | 0.5 | 0.0 | 0.5 | 81 | 65 | 2 | 14 | 79 | 121 | 82 | 30 | 1,636,620 | 129,631,623 | 149,478 | 24.7 | 1,599,176 |
| Stimulants/Anti-obesity/Anorexia | 0.6 | 0.4 | 0.1 | 0.2 | 40 | 28 | 5 | 8 | 66 | 76 | 73 | 43 | 127,245 | 8,457,979 | 19,132 | 3.2 | 210,007 |
| Miscellaneous Psychological/Neurological Agents | 0.7 | 0.6 | 0.0 | 0.0 | 88 | 88 | 0 | 1 | 130 | 136 | 11 | 22 | 49,487 | 6,439,795 | 7,090 | 1.2 | 72,946 |
| Analgesics and Anesthetics | 0.5 | 0.2 | 0.0 | 0.3 | 23 | 17 | 1 | 5 | 44 | 99 | 62 | 15 | 1,266,625 | 56,362,683 | 229,215 | 37.9 | 2,446,271 |
| Neuromuscular Agents | 0.7 | 0.3 | 0.1 | 0.4 | 46 | 32 | 4 | 9 | 63 | 112 | 55 | 25 | 769,806 | 48,503,770 | 96,944 | 16.0 | 1,052,498 |
| Nutritional Products | 0.6 | 0.0 | 0.1 | 0.5 | 12 | 1 | 1 | 10 | 20 | 36 | 20 | 23 | 317,527 | 6,428,135 | 55,363 | 9.2 | 555,533 |
| Hematological Agents | 0.8 | 0.3 | 0.1 | 0.4 | 71 | 60 | 2 | 9 | 92 | 208 | 20 | 23 | 283,734 | 26,216,153 | 34,566 | 5.7 | 368,170 |
| Topical Products | 0.3 | 0.1 | 0.0 | 0.2 | 8 | 5 | 1 | 2 | 32 | 59 | 53 | 15 | 513,658 | 16,340,731 | 181,061 | 30.0 | 1,953,307 |
| Miscellaneous Products | 0.4 | 0.1 | 0.0 | 0.2 | 45 | 29 | 8 | 8 | 117 | 280 | 252 | 31 | 27,566 | 3,231,776 | 6,938 | 1.1 | 72,164 |
| Unknown Therapeutic Category | 0.2 | 0.0 | 0.0 | 0.0 | 4 | 0 | 0 | 0 | 20 | 0 | 0 | 0 | 53,001 | 1,038,740 | 20,859 | 3.5 | 233,022 |
| TOTAL NO. OF RX AND RX \$ | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | 12,714,252 | 652,165,624 | n.a. | n.a. | n.a. |

Source: Data for this table are from the MAX 2002 file for Kentucky, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table 6 includes the beneficiaries represented by Cell C of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Kentucky, 0.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE 7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 KENTUCKY, 2002

| Top 10 Drug Groups | Users | | | Among Users | | |
|--------------------------------|----------------------|-----------------------|-----------------|-----------------------|-----------|-------------------|
| | Total Medicaid Rx \$ | No. As % of All Benes | No. of Bene Mos | No. of Rx per Bene Mo | \$ per Rx | Rx \$ per Bene Mo |
| ANTIPSYCHOTICS | \$61,571,835 | 54,938 | 603,331 | 0.6 | \$173 | \$102 |
| ANTIDEPRESSANTS | 58,046,426 | 160,371 | 1,738,650 | 0.5 | 64 | 33 |
| ANTIASTHMATIC | 50,333,712 | 200,331 | 2,197,915 | 0.4 | 60 | 23 |
| ULCER DRUGS | 39,343,751 | 161,358 | 1,797,945 | 0.4 | 60 | 22 |
| ANTICONVULSANT | 37,001,635 | 68,459 | 753,495 | 0.7 | 73 | 49 |
| ANALGESICS - ANTI-INFLAMMATORY | 32,316,247 | 182,976 | 2,005,478 | 0.3 | 56 | 16 |
| ANTIDIABETIC | 30,179,775 | 64,716 | 712,846 | 0.7 | 60 | 42 |
| ANTHYPERLIPIDEMIC | 26,881,509 | 47,208 | 532,789 | 0.6 | 78 | 50 |
| ANTIHISTAMINES | 23,939,214 | 257,481 | 2,832,753 | 0.2 | 35 | 8 |
| ANTIHYPERTENSIVE | 23,082,439 | 83,600 | 920,694 | 0.7 | 38 | 25 |
| Total | 382,696,543 | 1,281,438 | 14,095,896 | n.a. | n.a. | n.a. |

Source: Data for this table are from the MAX 2002 file for Kentucky, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table 7 includes the beneficiaries represented by Cell C of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.