

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2002 GEORGIA

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE D.2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	No. of Benes							No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown		
All	164,640	77,749	86,099	699	32	61	1,670,209	767,583	896,825	4,980	307	514		
Age														
5 and younger	13	0	9	0	4	0	118	0	78	0	40	0		
6-14	47	0	40	0	7	0	497	0	426	0	71	0		
15-20	356	0	345	2	9	0	3,828	0	3,730	16	82	0		
21-44	25,521	1	25,029	482	3	6	264,718	12	261,211	3,413	36	46		
45-64	36,346	1	36,127	173	5	40	355,243	1	353,661	1,217	32	332		
65-74	37,387	21,369	15,963	37	3	15	387,607	206,620	180,531	286	34	136		
75-84	37,419	30,835	6,579	5	0	0	386,142	311,242	74,852	48	0	0		
85 and older	27,551	25,543	2,007	0	1	0	272,056	249,708	22,336	0	12	0		
Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
Gender														
Female	111,376	59,200	51,586	515	14	61	1,155,133	598,594	552,156	3,732	137	514		
Male	53,264	18,549	34,513	184	18	0	515,076	168,989	344,669	1,248	170	0		
Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
Race														
White	78,702	41,377	36,959	325	13	28	771,143	391,454	377,068	2,256	119	246		
African American	67,319	27,744	39,184	351	16	24	702,244	283,733	415,626	2,513	152	220		
Other/unknown	18,619	8,628	9,956	23	3	9	196,822	92,396	104,131	211	36	48		
Use of Nursing Facilities^c														
Entire year	24,326	21,369	2,957	0	0	0	246,872	214,511	32,361	0	0	0		
Part year	12,639	10,987	1,651	1	0	0	115,280	98,558	16,710	12	0	0		
None	127,675	45,393	81,491	698	32	61	1,308,057	454,514	847,754	4,968	307	514		
Maintenance Assistance Status														
Cash	94,801	31,275	63,126	399	1	0	1,057,158	349,227	704,971	2,956	4	0		
Medically needy	8,813	4,396	4,417	0	0	0	48,232	25,798	22,434	0	0	0		
Poverty-related	5,665	2,471	2,917	196	20	61	51,770	23,012	26,801	1,272	171	514		
Other/unknown	55,361	39,607	15,639	104	11	0	513,049	369,546	142,619	752	132	0		
Dual Medicare Status^d														
Full dual, all year	155,651	73,092	81,798	670	31	60	1,584,278	722,698	856,095	4,673	303	509		
Full dual, part year	8,989	4,657	4,301	29	1	1	85,931	44,885	40,730	307	4	5		
Managed Care Status														
FFS all year	164,640	77,749	86,099	699	32	61	1,670,209	767,583	896,825	4,980	307	514		
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0		
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0		

Table D2

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.2 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 2002. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE D.3
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	87.2 %	39.3	\$1,966	\$50	\$9,757	20.2 %	164,640
Age							
5 and younger	76.9	34.5	3,553	103	36,949	9.6	13
6-14	89.4	38.3	4,082	107	17,414	23.4	47
15-20	77.0	17.6	1,286	73	7,563	17.0	356
21-44	79.7	25.4	1,906	75	7,804	24.4	25,521
45-64	83.0	39.6	2,211	56	8,558	25.8	36,346
65-74	87.5	41.5	1,912	46	7,235	26.4	37,387
75-84	91.5	44.7	1,979	44	10,840	18.3	37,419
85 and older	93.3	41.6	1,759	42	15,102	11.6	27,551
Unknown	0.0	0.0	0	0	0	0.0	0
Basis of Eligibility^c							
Aged	89.8	41.0	1,826	45	11,999	15.2	77,749
Disabled	84.8	37.8	2,099	56	7,770	27.0	86,099
Adults	79.7	19.8	1,167	59	4,489	26.0	699
Children	59.4	25.0	2,771	111	14,169	19.6	32
Unknown	90.2	29.2	2,144	73	15,396	13.9	61
Gender							
Female	90.6	43.7	2,079	48	9,952	20.9	111,376
Male	80.0	30.0	1,731	58	9,349	18.5	53,264
Unknown	0.0	0.0	0	0	0	0.0	0
Race							
White	88.3	44.6	2,270	51	12,285	18.5	78,702
African American	86.2	33.8	1,667	49	8,317	20.0	67,319
Other/unknown	85.5	36.5	1,764	48	4,277	41.2	18,619
Use of Nursing Facilities^d							
Entire year	98.2	56.1	2,688	48	28,074	9.6	24,326
Part year	96.2	45.3	2,124	47	16,815	12.6	12,639
None	84.1	35.5	1,813	51	5,569	32.6	127,675
Maintenance Assistance Status							
Cash	88.9	39.3	1,970	50	5,401	36.5	94,801
Medically needy	76.2	24.2	1,319	55	6,258	21.1	8,813
Poverty related	76.4	22.7	1,230	54	5,440	22.6	5,665
Other/unknown	87.0	43.3	2,137	49	18,216	11.7	55,361

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.3 includes beneficiaries represented by Cell G of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	3.9	\$194	20.2 %	12.8 %	16.8 %	12.1 %	32.8 %	21.6 %	3.9 %	\$962	164,640	1,670,209
Age												
5 and younger	3.8	391	9.6	23.1	7.7	7.7	53.8	0.0	7.7	4,071	13	118
6-14	3.6	386	23.4	10.6	21.3	8.5	40.4	17.0	2.1	1,647	47	497
15-20	1.6	120	17.0	23.0	42.7	11.0	19.4	3.7	0.3	703	356	3,828
21-44	2.4	184	24.4	20.3	29.4	13.8	25.1	9.9	1.5	752	25,521	264,718
45-64	4.1	226	25.8	17.0	15.4	11.2	30.1	21.4	4.9	876	36,346	355,243
65-74	4.0	184	26.4	12.5	15.7	11.9	33.2	22.4	4.2	698	37,387	387,607
75-84	4.3	192	18.3	8.5	13.0	11.7	35.9	26.3	4.6	1,051	37,419	386,142
85 and older	4.2	178	11.6	6.7	13.2	12.5	38.6	25.8	3.3	1,529	27,551	272,056
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Basis of Eligibility^c												
Aged	4.2	185	15.2	10.2	14.2	12.0	35.0	24.4	4.2	1,215	77,749	767,583
Disabled	3.6	202	27.0	15.2	19.0	12.2	30.8	19.2	3.6	746	86,099	896,825
Adults	2.8	164	26.0	20.3	28.6	11.9	24.6	11.6	3.0	630	699	4,980
Children	2.6	289	19.6	40.6	9.4	0.0	43.8	6.3	0.0	1,477	32	307
Unknown	3.5	254	13.9	9.8	19.7	21.3	32.8	13.1	3.3	1,827	61	514
Gender												
Female	4.2	200	20.9	9.4	14.7	12.0	34.9	24.4	4.5	960	111,376	1,155,133
Male	3.1	179	18.5	20.0	21.1	12.3	28.2	15.9	2.6	967	53,264	515,076
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Race												
White	4.6	232	18.5	11.7	12.8	10.3	32.5	26.8	6.0	1,254	78,702	771,143
African American	3.2	160	20.0	13.8	20.7	13.9	33.1	16.8	1.8	797	67,319	702,244
Other/unknown	3.4	167	41.2	14.5	19.4	13.1	32.9	17.5	2.6	405	18,619	196,822
use of nursing Facilities^d												
Entire year	5.5	265	9.6	1.8	7.1	9.0	37.1	36.5	8.5	2,766	24,326	246,872
Part year	5.0	233	12.6	3.8	10.5	11.0	38.0	31.1	5.5	1,844	12,639	115,280
None	3.5	177	32.6	15.9	19.3	12.8	31.4	17.9	2.8	544	127,675	1,308,057
Maintenance Assistance Status												
Cash	3.5	177	36.5	11.1	19.7	13.5	34.0	19.0	2.7	484	94,801	1,057,158
Medically needy	4.4	241	21.1	23.8	10.5	9.2	28.7	22.5	5.2	1,143	8,813	48,232
Poverty related	2.5	135	22.6	23.6	28.9	13.7	21.3	10.6	1.9	595	5,665	51,770
Other/unknown	4.7	231	11.7	13.0	11.5	9.9	32.5	27.2	5.8	1,966	55,361	513,049

Table D4

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.4 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx
All	3.9	\$194	\$50	1.6	\$141	\$87	0.3	\$13	\$41	1.9	\$40	\$21
Age												
5 and younger	3.8	391	103	1.9	335	177	0.1	5	34	1.8	47	27
6-14	3.6	386	107	1.3	305	230	0.3	29	89	2.0	53	27
15-20	1.6	120	73	0.7	97	136	0.1	8	62	0.8	14	18
21-44	2.4	184	75	1.1	143	134	0.2	12	65	1.2	29	24
45-64	4.1	226	56	1.8	169	96	0.3	14	48	2.0	43	22
65-74	4.0	184	46	1.7	133	77	0.3	11	38	2.0	39	20
75-84	4.3	192	44	1.8	136	76	0.4	13	35	2.2	43	20
85 and older	4.2	178	42	1.6	122	76	0.4	13	33	2.2	42	19
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Basis of Eligibility^d												
Aged	4.2	185	45	1.7	131	77	0.4	13	35	2.1	41	20
Disabled	3.6	202	56	1.5	150	97	0.3	13	48	1.8	39	22
Adults	2.8	164	59	1.2	127	105	0.2	9	50	1.4	27	20
Children	2.6	289	111	1.3	255	201	0.1	8	55	1.2	23	20
Unknown	3.5	254	73	1.6	215	138	0.2	9	49	1.7	31	18
Gender												
Female	4.2	200	48	1.8	145	82	0.3	13	39	2.1	42	20
Male	3.1	179	58	1.3	133	104	0.2	11	45	1.6	35	22
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Race												
White	4.6	232	51	1.9	168	89	0.4	16	41	2.3	48	21
African American	3.2	160	49	1.3	118	87	0.2	10	40	1.6	32	20
Other/unknown	3.4	167	48	1.5	123	81	0.2	10	41	1.7	34	20
Use of Nursing Facilities^e												
Entire year	5.5	265	48	2.2	188	86	0.5	19	36	2.8	58	21
Part year	5.0	233	47	2.0	165	84	0.5	17	35	2.5	51	20
None	3.5	177	51	1.5	130	88	0.3	11	43	1.7	35	21
Maintenance Assistance Status												
Cash	3.5	177	50	1.5	130	86	0.3	11	42	1.8	36	20
Medically needy	4.4	241	55	1.9	178	94	0.4	15	42	2.2	48	22
Poverty related	2.5	135	54	1.1	101	95	0.2	9	43	1.2	25	21
Other/unknown	4.7	231	49	1.9	165	88	0.4	16	38	2.3	49	21

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.5 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Georgia, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Total No. of Rx	Total Rx \$	No. Dual Benes	As % of Benes	No. of Bene Mos		
																Generic	Generic
Anti-infective Agents	0.3	0.2	0.0	0.1	\$22	\$19	\$1	\$2	\$70	\$113	\$78	\$17	308,190	\$21,657,478	88,398	53.7 %	968,097
Biologics	0.8	0.0	0.3	0.6	####	0	1,160	####	4559	104	4,421	4,650	250	1,139,671	29	0.0	305
Antineoplastic Agents	0.5	0.2	0.0	0.2	86	57	5	23	187	299	145	101	30,257	5,656,418	6,503	3.9	65,936
Endocrine/Metabolic Drugs	0.9	0.5	0.1	0.3	35	28	3	5	40	58	21	17	648,870	25,796,957	67,923	41.3	734,215
Cardiovascular Agents	1.6	0.6	0.1	0.9	56	35	4	17	35	58	30	19	1,836,910	63,488,104	106,018	64.4	1,134,907
Respiratory Agents	0.5	0.3	0.0	0.2	25	19	1	6	47	69	55	23	350,234	16,431,477	59,230	36.0	647,198
Gastrointestinal Agents	0.6	0.1	0.0	0.5	29	16	2	10	46	118	96	22	445,809	20,464,658	65,648	39.9	711,439
Genitourinary Agents	0.4	0.3	0.0	0.1	24	23	0	1	59	68	37	17	102,918	6,054,055	22,734	13.8	250,586
CNS Drugs	1.0	0.5	0.0	0.4	76	63	3	10	78	121	88	24	850,537	66,225,529	81,551	49.5	870,664
Stimulants/Anti-obesity/Anorexia	0.5	0.2	0.0	0.2	42	32	3	7	87	142	82	30	6,093	529,483	1,182	0.7	12,715
Miscellaneous Psychological/Neurological Agents	0.6	0.6	0.0	0.1	77	75	0	1	123	133	9	22	68,173	8,418,070	10,614	6.4	110,030
Analgesics and Anesthetics	0.8	0.3	0.0	0.5	37	27	2	8	49	103	58	17	744,510	36,605,055	91,074	55.3	989,040
Neuromuscular Agents	0.8	0.3	0.1	0.4	44	30	4	10	58	105	47	26	382,718	22,279,072	46,119	28.0	502,661
Nutritional Products	0.5	0.0	0.1	0.5	9	0	1	7	16	41	21	15	195,048	3,161,099	34,236	20.8	365,458
Hematological Agents	0.7	0.3	0.2	0.2	48	39	4	5	70	152	20	21	194,986	13,592,868	27,125	16.5	285,329
Topical Products	0.4	0.2	0.0	0.2	16	11	1	3	39	54	46	19	270,549	10,496,284	60,571	36.8	669,292
Miscellaneous Products	0.3	0.1	0.0	0.2	51	36	6	8	172	387	288	46	7,620	1,307,780	2,448	1.5	25,588
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	5	0	0	0	21	0	0	0	18,855	399,815	6,666	4.0	74,183
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	6,462,527	323,703,873	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.6 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Georgia, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No.	As % of Dual Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$37,240,580	38,019	23.1 %	409,839	0.6	\$158	\$91
ANTIDEPRESSANTS	23,520,005	67,208	40.8	724,716	0.6	59	32
ANTIHYPERTENSIVE	19,367,840	80,611	49.0	880,706	0.6	37	22
ANTIDIABETIC	18,728,190	54,072	32.8	587,023	0.6	51	32
ANALGESICS - ANTI-INFLAMMATORY	17,690,425	60,205	36.6	678,734	0.4	69	26
ANTICONVULSANT	17,001,262	34,595	21.0	377,707	0.6	70	45
ANALGESICS - Narcotic	16,877,055	105,971	64.4	1,162,470	0.4	40	15
ULCER DRUGS	16,235,261	79,352	48.2	875,784	0.4	48	19
ANTHYPERLIPIDEMIC	15,905,716	30,312	18.4	336,516	0.6	81	47
CALCIUM BLOCKERS	13,826,644	39,843	24.2	435,696	0.7	48	32
Total	196,392,978	590,188		6,469,191	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.7 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

TABLE D.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ANTIDEPRESSANTS			
	No. of Rx	Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	3,274,757	\$196,392,978	38,019	23.1 %	409,839	0.6	\$91	67,208	40.8 %	724,716	0.6	\$33
Female	2,435,223	140,990,125	24,652	22.1	266,395	0.6	83	50,593	45.4	550,136	0.6	33
Disabled	1,202,582	75,108,723	11,548	22.4	131,402	0.6	94	26,155	50.7	295,103	0.5	31
5 and younger	11	962	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	254	9,463	0	0.0	0	0.0	0	2	11.1	24	0.5	6
15-20	1,119	71,098	21	14.9	243	0.6	91	32	22.7	364	0.5	24
21-44	185,122	14,291,096	3,792	32.5	43,265	0.5	98	6,332	54.3	71,389	0.5	32
45-64	523,732	34,021,658	4,919	23.1	55,354	0.6	100	12,949	60.8	144,010	0.5	32
65-74	320,956	17,828,458	1,632	14.4	19,058	0.6	85	4,637	40.9	54,027	0.5	26
75-84	134,278	7,052,416	866	16.2	9,957	0.6	70	1,755	32.8	20,319	0.5	27
85 and older	37,110	1,833,572	318	17.9	3,525	0.5	66	448	25.2	4,970	0.5	26
Other Eligibles	1,232,641	65,881,402	13,104	21.9	134,993	0.6	72	24,438	40.9	255,033	0.6	35
5 and younger	15	436	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	14	594	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	23	612	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	3,504	239,183	69	18.1	560	0.4	60	181	47.4	1,570	0.4	30
45-64	2,228	134,029	32	22.1	285	0.3	53	107	73.8	912	0.4	25
65-74	291,182	16,085,306	2,207	15.8	23,135	0.6	85	5,412	38.7	57,354	0.6	32
75-84	538,524	28,918,167	5,474	23.2	56,594	0.6	73	10,035	42.5	106,092	0.6	35
85 and older	397,151	20,503,075	5,322	24.6	54,419	0.6	66	8,703	40.2	89,105	0.6	37
Male	839,534	55,402,853	13,367	25.1	143,444	0.6	106	16,615	31.2	174,580	0.5	32
Disabled	537,024	39,076,895	9,097	26.4	102,248	0.6	119	10,596	30.7	115,458	0.5	31
5 and younger	60	1,817	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	251	12,741	1	4.5	12	0.3	26	0	0.0	0	0.0	0
15-20	1,542	130,886	53	26.0	617	0.4	96	53	26.0	628	0.3	21
21-44	167,801	15,114,000	4,605	34.4	52,411	0.6	126	4,335	32.4	48,384	0.5	31
45-64	250,123	17,565,953	3,652	24.6	40,212	0.7	119	4,829	32.6	50,659	0.5	33
65-74	90,170	4,881,809	526	11.3	6,054	0.6	82	1,061	22.9	12,207	0.5	25
75-84	23,169	1,176,223	217	17.7	2,435	0.6	65	271	22.1	3,066	0.5	25
85 and older	3,908	193,466	43	18.9	507	0.6	54	47	20.7	514	0.6	30
Other Eligibles	302,510	16,325,958	4,270	22.8	41,196	0.6	73	6,019	32.1	59,122	0.6	35
5 and younger	2	77	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	15	573	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	43	1,531	1	25.0	12	0.4	64	2	50.0	24	0.5	8
21-44	1,370	96,925	16	14.5	134	0.4	79	62	56.4	549	0.4	22
45-64	1,242	75,753	6	8.1	57	0.5	114	33	44.6	293	0.5	32
65-74	117,364	6,603,785	1,386	18.6	13,903	0.6	83	2,123	28.5	21,366	0.6	35
75-84	124,116	6,532,319	1,765	24.5	16,920	0.6	70	2,422	33.6	24,009	0.6	34
85 and older	58,358	3,014,995	1,096	28.0	10,170	0.5	64	1,377	35.2	12,881	0.6	37
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.7A includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	ANTIHYPERTENSIVE					ANTI-DIABETIC					ANALGESICS - ANTI-INFLAMMATORY				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean No. of Rx	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean No. of Rx	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean No. of Rx
All	80,611	49.0 %	880,706	\$22	0.6	54,072	32.8 %	587,023	\$32	0.6	60,205	36.6 %	678,734	\$26	0.4
Female	59,570	53.5	658,535	22	0.6	41,206	37.0	453,611	32	0.6	45,910	41.2	520,670	27	0.4
Disabled	27,226	52.8	309,978	22	0.6	20,848	40.4	236,879	35	0.6	24,984	48.4	288,801	24	0.3
5 and younger	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0
6-14	17	94.4	188	15	0.5	2	11.1	24	17	0.4	4	22.2	48	0.1	4
15-20	26	18.4	294	17	0.5	2	1.4	24	5	0.1	35	24.8	396	0.2	5
21-44	2,649	22.7	29,932	17	0.5	2,021	17.3	22,841	34	0.5	4,750	40.8	54,548	0.2	14
45-64	11,365	53.3	126,268	21	0.6	9,467	44.4	105,301	35	0.6	10,456	49.1	119,028	0.3	25
65-74	8,462	74.7	99,059	23	0.6	6,514	57.5	76,070	35	0.6	6,344	56.0	74,924	0.4	28
75-84	3,644	68.0	42,184	23	0.6	2,363	44.1	27,190	31	0.6	2,640	49.3	31,081	0.4	31
85 and older	1,063	59.7	12,053	24	0.6	479	26.9	5,429	26	0.6	755	42.4	8,776	0.4	32
Other Eligibles	32,344	54.1	348,557	23	0.6	20,358	34.0	216,732	29	0.7	20,926	35.0	231,869	0.4	31
5 and younger	1	50.0	11	9	0.3	0	0.0	0	0	0.0	0	0.0	0	0.0	0
6-14	3	150.0	27	13	0.4	0	0.0	0	0	0.0	0	0.0	0	0.0	0
15-20	2	28.6	24	7	0.4	0	0.0	0	0	0.0	0	0.0	0	0.0	0
21-44	68	17.8	600	14	0.4	44	11.5	358	29	0.5	150	39.3	1,336	0.2	11
45-64	66	45.5	533	19	0.5	53	36.6	334	37	0.7	66	45.5	602	0.4	28
65-74	8,173	58.4	88,360	22	0.6	6,056	43.3	64,420	31	0.6	5,383	38.5	60,034	0.4	27
75-84	13,968	59.1	152,819	23	0.6	9,183	38.9	99,175	30	0.7	8,927	37.8	100,418	0.4	32
85 and older	10,063	46.5	106,183	23	0.6	5,022	23.2	52,445	25	0.7	6,400	29.6	69,479	0.5	34
Male	21,041	39.5	222,171	21	0.6	12,866	24.2	133,412	32	0.6	14,295	26.8	158,064	0.3	22
Disabled	12,108	35.1	131,567	21	0.6	7,272	21.1	77,932	35	0.6	9,605	27.8	108,246	0.3	19
5 and younger	3	42.9	36	23	0.6	0	0.0	0	0	0.0	1	14.3	4	0.3	3
6-14	14	63.6	158	17	0.5	1	4.5	12	7	0.2	2	9.1	24	0.3	6
15-20	40	19.6	459	15	0.5	6	2.9	66	27	0.7	26	12.7	311	0.2	6
21-44	2,695	20.2	29,688	19	0.5	1,416	10.6	15,686	34	0.6	3,140	23.5	35,700	0.2	12
45-64	5,929	40.0	61,933	21	0.6	3,917	26.4	40,184	35	0.6	4,094	27.6	44,837	0.3	21
65-74	2,648	57.1	30,359	22	0.6	1,562	33.7	17,778	36	0.6	1,786	38.5	20,941	0.4	25
75-84	666	54.4	7,662	21	0.6	326	26.6	3,699	31	0.6	481	39.3	5,555	0.4	24
85 and older	113	49.8	1,272	23	0.6	44	19.4	507	28	0.7	75	33.0	874	0.4	30
Other Eligibles	8,933	47.6	90,604	22	0.6	5,594	29.8	55,480	29	0.6	4,690	25.0	49,818	0.4	27
5 and younger	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0
6-14	4	80.0	48	5	0.2	0	0.0	0	0	0.0	0	0.0	0	0.0	0
15-20	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0
21-44	35	31.8	238	15	0.5	17	15.5	108	48	0.7	44	40.0	390	0.3	19
45-64	39	52.7	345	23	0.6	34	45.9	273	42	0.7	29	39.2	245	0.4	23
65-74	3,588	48.2	36,551	22	0.6	2,418	32.5	24,225	31	0.6	1,795	24.1	19,010	0.4	24
75-84	3,646	50.6	37,526	22	0.6	2,233	31.0	22,270	28	0.7	1,875	26.0	20,340	0.4	29
85 and older	1,621	41.4	15,896	22	0.6	892	22.8	8,604	25	0.6	947	24.2	9,833	0.4	29
Unknown	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0.0	0

Dual Eligible Beneficiaries

Table D7B

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.7B includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	ANTICONVULSANT					ANALGESICS - Narcotic					ULCER DRUGS				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	34,595	21.0 %	377,707	0.6	\$45	105,971	64.4 %	1,162,470	0.4	\$15	79,352	48.2 %	875,784	0.4	\$19
Female	22,466	20.2	247,077	0.6	42	78,697	70.7	872,209	0.4	14	59,653	53.6	663,395	0.4	19
Disabled	13,399	26.0	151,488	0.6	47	44,347	86.0	504,927	0.4	15	29,082	56.4	333,691	0.3	18
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	150.0	32	0.3	30
6-14	2	11.1	24	0.8	29	4	22.2	48	0.2	1	5	27.8	60	0.3	14
15-20	30	21.3	343	0.6	55	62	44.0	691	0.2	5	25	17.7	286	0.4	14
21-44	4,014	34.4	45,518	0.6	57	9,793	84.0	111,228	0.3	15	4,290	36.8	49,320	0.3	16
45-64	6,396	30.0	71,348	0.6	48	19,449	91.3	217,979	0.4	17	12,736	59.8	143,860	0.3	19
65-74	1,967	17.4	22,892	0.6	36	9,658	85.3	112,772	0.3	11	7,565	66.8	88,805	0.4	19
75-84	810	15.1	9,317	0.5	27	4,161	77.7	48,408	0.3	10	3,381	63.1	39,172	0.4	18
85 and older	180	10.1	2,046	0.6	27	1,220	68.5	13,801	0.4	11	1,077	60.5	12,156	0.4	18
Other Eligibles	9,067	15.2	95,589	0.6	33	34,350	57.5	367,282	0.4	13	30,571	51.1	329,704	0.4	19
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	100.0	23	0.1	4
6-14	0	0.0	0	0.0	0	1	50.0	9	0.1	1	1	50.0	9	0.2	27
15-20	0	0.0	0	0.0	0	2	28.6	24	0.1	1	0	0.0	0	0.0	0
21-44	84	22.0	796	0.5	45	351	91.9	3,118	0.4	21	83	21.7	791	0.3	16
45-64	39	26.9	364	0.4	27	131	90.3	1,243	0.4	15	64	44.1	576	0.3	18
65-74	2,438	17.4	25,890	0.6	39	8,492	60.7	91,847	0.4	12	6,783	48.5	73,999	0.4	18
75-84	3,881	16.4	41,276	0.6	32	13,832	58.5	150,740	0.4	13	12,571	53.2	137,836	0.4	19
85 and older	2,625	12.1	27,263	0.6	30	11,541	53.4	120,301	0.4	13	11,067	51.2	116,470	0.5	19
Male	12,129	22.8	130,630	0.7	51	27,274	51.2	290,261	0.4	16	19,699	37.0	212,389	0.4	19
Disabled	8,940	25.9	99,122	0.7	56	18,983	55.0	206,580	0.4	18	11,717	33.9	130,612	0.4	18
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	4	57.1	48	0.5	14
6-14	0	0.0	0	0.0	0	9	40.9	108	0.2	3	8	36.4	96	0.3	29
15-20	50	24.5	574	0.5	52	79	38.7	934	0.2	5	32	15.7	363	0.3	14
21-44	4,008	30.0	45,175	0.7	62	6,771	50.6	75,309	0.3	18	3,195	23.9	36,372	0.3	18
45-64	4,016	27.1	43,439	0.7	55	8,382	56.6	87,597	0.4	21	5,487	37.0	59,387	0.4	19
65-74	683	14.7	7,852	0.6	32	2,868	61.9	32,769	0.4	13	2,216	47.8	25,524	0.4	18
75-84	160	13.1	1,817	0.6	30	753	61.5	8,485	0.4	12	655	53.5	7,420	0.4	18
85 and older	23	10.1	265	0.5	27	121	53.3	1,378	0.4	13	120	52.9	1,402	0.4	14
Other Eligibles	3,189	17.0	31,508	0.7	36	8,291	44.2	83,681	0.4	12	7,982	42.6	81,777	0.4	19
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	0	0.0	0	0.0	0	2	50.0	24	0.1	1	0	0.0	0	0.0	0
21-44	31	28.2	276	0.5	58	112	101.8	912	0.5	35	31	28.2	277	0.3	20
45-64	16	21.6	129	0.5	41	59	79.7	516	0.5	28	24	32.4	214	0.4	19
65-74	1,386	18.6	14,040	0.7	41	3,203	43.1	32,498	0.4	14	2,744	36.9	28,183	0.4	19
75-84	1,206	16.7	11,915	0.7	33	3,224	44.8	33,109	0.4	11	3,287	45.6	34,240	0.4	19
85 and older	550	14.1	5,148	0.6	27	1,691	43.2	16,622	0.3	10	1,896	48.4	18,863	0.5	19
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table D7C

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.7C includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	ANTIHYPERTENSIVE					CALCIUM BLOCKERS						
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Benes	No. of Bene Mos
All	30,312	18.4 %	336,516	0.6	\$47	39,843	24.2 %	435,696	0.7	\$32	164,640	1,670,209
Female	22,555	20.3	254,027	0.6	48	30,729	27.6	339,291	0.7	32	111,376	1,155,133
Disabled	12,073	23.4	138,377	0.6	47	13,153	25.5	150,172	0.6	32	51,586	552,156
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	20
6-14	0	0.0	0	0.0	0	13	72.2	136	0.6	32	18	196
15-20	6	4.3	69	0.4	24	15	10.6	180	0.5	29	141	1,503
21-44	884	7.6	10,080	0.5	35	1,090	9.4	12,173	0.5	27	11,655	123,301
45-64	5,644	26.5	63,198	0.6	46	5,033	23.6	55,971	0.6	31	21,309	216,418
65-74	3,931	34.7	46,289	0.6	50	4,313	38.1	50,597	0.7	33	11,326	129,715
75-84	1,389	25.9	16,194	0.6	51	2,030	37.9	23,586	0.7	33	5,355	61,187
85 and older	219	12.3	2,547	0.6	44	659	37.0	7,529	0.7	32	1,780	19,816
Other Eligibles	10,482	17.5	115,650	0.6	48	17,576	29.4	189,119	0.7	32	59,790	602,977
5 and younger	0	0.0	0	0.0	0	2	100.0	23	0.4	11	2	23
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	21
15-20	0	0.0	0	0.0	0	1	14.3	12	0.9	36	7	57
21-44	19	5.0	125	0.5	35	31	8.1	274	0.4	18	382	2,766
45-64	23	15.9	199	0.5	41	35	24.1	306	0.7	31	145	1,056
65-74	3,742	26.8	41,036	0.6	47	3,923	28.1	42,218	0.7	31	13,985	139,850
75-84	4,998	21.1	55,768	0.6	50	7,592	32.1	83,216	0.7	32	23,637	244,476
85 and older	1,700	7.9	18,522	0.6	48	5,992	27.7	63,070	0.7	32	21,630	214,728
Male	7,757	14.6	82,489	0.6	46	9,114	17.1	96,405	0.6	32	53,264	515,076
Disabled	4,997	14.5	54,286	0.6	46	5,110	14.8	55,416	0.6	32	34,513	344,669
5 and younger	0	0.0	0	0.0	0	2	28.6	24	0.5	13	7	58
6-14	2	9.1	21	0.8	42	12	54.5	141	0.6	40	22	230
15-20	2	1.0	24	0.5	13	20	9.8	221	0.6	37	204	2,227
21-44	1,003	7.5	11,264	0.5	37	1,040	7.8	11,354	0.5	30	13,374	137,910
45-64	2,626	17.7	27,353	0.6	46	2,463	16.6	25,638	0.6	32	14,818	137,243
65-74	1,134	24.5	12,971	0.6	52	1,205	26.0	13,845	0.7	33	4,637	50,816
75-84	210	17.2	2,418	0.6	52	313	25.6	3,570	0.7	34	1,224	13,665
85 and older	20	8.8	235	0.7	62	55	24.2	623	0.7	35	227	2,520
Other Eligibles	2,760	14.7	28,203	0.6	47	4,004	21.4	40,989	0.7	31	18,751	170,407
5 and younger	0	0.0	0	0.0	0	1	50.0	5	0.4	15	2	17
6-14	0	0.0	0	0.0	0	1	20.0	12	0.5	28	5	50
15-20	0	0.0	0	0.0	0	2	50.0	24	0.9	23	4	41
21-44	18	16.4	106	0.4	30	8	7.3	53	0.6	34	110	741
45-64	18	24.3	141	0.6	48	10	13.5	103	0.7	43	74	526
65-74	1,339	18.0	13,616	0.6	46	1,500	20.2	15,405	0.7	32	7,439	67,226
75-84	1,113	15.5	11,610	0.6	48	1,667	23.1	17,194	0.7	31	7,203	66,814
85 and older	272	6.9	2,730	0.6	46	815	20.8	8,193	0.7	31	3,914	34,992
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Table D7D

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.7D includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	Bene Mos among All-Year NF Residents	All-Year NF Residents
All	\$265	5.5	24,326	246,872
Age				
0-64	338	6.0	1,912	20,792
65-74	315	6.1	3,502	36,430
75-84	279	5.8	8,398	84,752
85 and older	222	5.0	10,514	104,898
Unknown	0	0.0	0	0
Gender				
Female	261	5.6	18,125	185,902
Male	277	5.4	6,201	60,970
Unknown	0	0.0	0	0
Race				
White	277	5.8	16,931	169,015
African American	237	4.8	7,222	76,269
Other/unknown	263	5.4	173	1,588
Basis of Eligibility^c				
Aged	257	5.5	21,369	214,511
Disabled	314	5.7	2,957	32,361
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.8 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their 2002 Medicaid enrollment. A total of 12,639 beneficiaries who were in nursing facilities for part of their enrollment and their 115,280 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.9
**MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}**
DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users										\$ per Bene Mo among Users										Total # of Rx		Total Rx \$		Users							
	Patented					Off-Patent					Generic					Patented					Off-Patent					Generic					No. of Bene Mos	As % of Dual All-Year NF Residents
	Total	Patented	Off-Patent	Brand-Name	Generic	Total	Patented	Off-Patent	Brand-Name	Generic	Total	Patented	Off-Patent	Brand-Name	Generic	Total	Patented	Off-Patent	Brand-Name	Generic	Total	Patented	Off-Patent	Brand-Name	Generic	No.	\$	No.	\$			
Anti-infective Agents	0.3	0.2	0.0	0.1	\$17	\$14	\$1	\$2	\$53	\$78	\$74	\$16	\$16	\$16	56,007	\$2,951,805	16,204	66.6 %	171,387													
Biologics	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0	0													
Antineoplastic Agents	0.5	0.1	0.1	0.3	79	35	9	36	155	283	153	108	108	108	9,345	1,445,852	1,859	7.6	18,200													
Endocrine/Metabolic Drugs	1.0	0.5	0.1	0.4	36	27	3	6	35	55	20	15	15	15	116,937	4,149,590	11,149	45.8	115,643													
Cardiovascular Agents	1.8	0.5	0.2	1.1	52	25	6	21	29	55	30	19	19	19	328,606	9,690,639	18,122	74.5	186,034													
Respiratory Agents	0.6	0.2	0.0	0.3	21	13	1	7	37	64	46	22	22	22	61,712	2,294,751	10,369	42.6	109,365													
Gastrointestinal Agents	0.9	0.1	0.0	0.7	31	14	2	15	35	105	76	21	21	21	108,078	3,793,227	11,721	48.2	122,144													
Genitourinary Agents	0.6	0.5	0.0	0.1	36	33	1	2	63	72	44	21	21	21	26,409	1,661,212	4,420	18.2	46,785													
CNS Drugs	1.3	0.8	0.1	0.5	104	88	4	12	78	111	71	25	25	25	238,327	18,628,035	17,303	71.1	178,883													
Stimulants/Anti-obesity/Anorexia	0.6	0.2	0.0	0.4	29	21	1	7	49	118	37	17	17	17	1,277	63,120	212	0.9	2,196													
Miscellaneous Psychological/Neurological Agents	0.7	0.7	0.0	0.0	93	93	0	0	128	129	0	20	20	20	31,328	4,018,020	4,246	17.5	43,039													
Analgesics and Anesthetics	0.9	0.4	0.1	0.5	42	32	3	7	48	88	45	15	15	15	115,931	5,509,168	12,649	52.0	131,345													
Neuromuscular Agents	1.0	0.4	0.1	0.5	53	31	6	16	52	85	44	31	31	31	83,699	4,357,063	7,711	31.7	81,596													
Nutritional Products	0.7	0.0	0.1	0.6	10	0	1	9	16	22	24	15	15	15	51,152	793,287	7,467	30.7	77,009													
Hematological Agents	1.0	0.3	0.4	0.3	55	44	6	4	57	140	16	17	17	17	60,557	3,461,916	6,149	25.3	63,002													
Topical Products	0.5	0.2	0.0	0.2	17	10	2	4	34	49	45	18	18	18	69,610	2,383,884	13,411	55.1	144,029													
Miscellaneous Products	0.2	0.0	0.0	0.2	12	5	1	6	52	135	320	32	32	32	2,094	108,471	830	3.4	8,774													
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	5	0	0	0	21	0	0	0	0	0	3,106	65,683	1,126	4.6	12,231													
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	1,364,175	65,375,723	n.a.	n.a.	n.a.													

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.9 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 12,639 beneficiaries who were in nursing facilities for part of their enrollment and their 115,280 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003). In Georgia, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Table D9

Dual Eligible Beneficiaries

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$10,375,934	10,895	44.8 %	115,020	0.7	\$137	\$90
ANTIDEPRESSANTS	6,799,753	14,376	59.1	150,996	0.7	62	45
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	4,018,020	4,125	17.0	42,349	0.7	128	95
ANTICONVULSANT	3,278,374	6,932	28.5	74,188	0.8	54	44
ULCER DRUGS	3,234,199	14,351	59.0	153,428	0.6	38	21
ANTIHYPERTENSIVE	3,071,174	10,832	44.5	112,879	0.7	37	27
ANTIDIABETIC	2,839,343	8,532	35.1	90,081	0.8	40	32
ANALGESICS - ANTI-INFLAMMATORY	2,754,697	6,283	25.8	67,759	0.6	71	41
ANALGESICS - Narcotic	2,518,755	12,171	50.0	127,001	0.5	37	20
CALCIUM BLOCKERS	2,280,273	5,981	24.6	62,664	0.8	46	36
Total	41,170,522	94,478		996,365	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.10 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 12,639 beneficiaries who were in nursing facilities for part of their enrollment and their 115,280 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTIDEPRESSANTS				
	No. of Rx	Rx \$	No. of Users	Users as %		Mean Rx \$	Mean No. of Rx	No. of Bene Mos among Users	NF Residents	All-Year Residents	No. of Bene Mos among Users	NF Residents	All-Year Residents	No. of Bene Mos among Users	Mean Rx \$
				44.8 %	44.8 %										
All	672,139	\$41,170,522	10,895	44.8 %	115,020	0.7	0.7	14,376	59.1 %	150,996	0.7	0.7	14,376	59.1 %	\$45
Female	506,069	30,702,031	7,847	43.3	83,779	0.7	0.7	11,010	60.7	116,429	0.7	0.7	11,010	60.7	45
Disabled	54,537	3,601,429	913	56.7	10,375	0.7	0.7	1,017	63.2	11,356	0.7	0.7	1,017	63.2	49
64 or younger	31,037	2,041,438	477	55.8	5,354	0.7	0.7	629	73.6	6,981	0.8	0.8	629	73.6	51
65-74	9,402	661,860	164	66.7	1,932	0.7	0.7	144	58.5	1,681	0.7	0.7	144	58.5	47
75-84	9,671	620,814	187	57.7	2,102	0.7	0.7	177	54.6	1,955	0.7	0.7	177	54.6	47
85 and older	4,427	277,317	85	46.2	987	0.6	0.6	67	36.4	739	0.7	0.7	67	36.4	43
Other Eligibles	451,532	27,100,602	6,934	42.0	73,404	0.7	0.7	9,993	60.5	105,073	0.7	0.7	9,993	60.5	45
64 or younger	0	0	0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0.0	0
65-74	64,800	4,076,712	1,037	58.9	11,321	0.7	0.7	1,314	74.6	14,094	0.7	0.7	1,314	74.6	48
75-84	183,911	11,192,738	2,823	47.4	29,836	0.7	0.7	3,951	66.3	41,764	0.7	0.7	3,951	66.3	46
85 and older	202,821	11,831,152	3,074	34.9	32,247	0.6	0.6	4,728	53.7	49,215	0.7	0.7	4,728	53.7	43
Male	166,070	10,468,491	3,048	49.2	31,241	0.7	0.7	3,366	54.3	34,567	0.7	0.7	3,366	54.3	45
Disabled	44,192	3,082,238	801	59.4	8,867	0.7	0.7	763	56.6	8,384	0.7	0.7	763	56.6	50
64 or younger	36,099	2,532,342	615	58.2	6,765	0.7	0.7	638	60.4	6,967	0.8	0.8	638	60.4	51
65-74	4,354	305,922	93	65.0	1,064	0.8	0.8	64	44.8	752	0.7	0.7	64	44.8	45
75-84	2,626	176,012	75	71.4	826	0.7	0.7	42	40.0	475	0.6	0.6	42	40.0	40
85 and older	1,113	67,962	18	41.9	212	0.8	0.8	19	44.2	190	0.7	0.7	19	44.2	39
Other Eligibles	121,878	7,386,253	2,247	46.3	22,374	0.7	0.7	2,603	53.6	26,183	0.7	0.7	2,603	53.6	44
64 or younger	0	0	0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0.0	0
65-74	41,026	2,578,182	704	52.1	7,398	0.7	0.7	769	56.9	8,093	0.7	0.7	769	56.9	48
75-84	51,586	3,069,280	961	47.7	9,501	0.7	0.7	1,152	57.2	11,588	0.7	0.7	1,152	57.2	42
85 and older	29,266	1,738,791	582	39.1	5,475	0.6	0.6	682	45.9	6,502	0.7	0.7	682	45.9	44
Unknown	0	0	0	0.0	0	0.0	0.0	0	0.0	0	0.0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.10A includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 12,639 beneficiaries who were in nursing facilities for part of their enrollment and their 115,280 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a,b,c,d}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL						ANTICONVULSANT						ULCER DRUGS					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx
All	4,125	17.0 %	0.7	6,932	28.5 %	0.8	14,351	59.0 %	\$95	\$44	\$44	14,351	59.0 %	153,428	0.6	\$21		
Female	3,180	17.5	0.7	4,614	25.5	0.8	10,815	59.7	95	42	42	10,815	59.7	116,373	0.5	21		
Disabled	120	7.5	0.7	814	50.6	0.9	1,002	62.3	109	51	51	1,002	62.3	11,177	0.5	21		
64 or younger	50	5.8	0.7	575	67.3	0.9	551	64.4	134	55	55	551	64.4	6,194	0.5	22		
65-74	16	6.5	0.8	110	44.7	0.9	141	57.3	103	51	51	141	57.3	1,620	0.6	23		
75-84	31	9.6	0.7	106	32.7	0.8	210	64.8	92	35	35	210	64.8	2,287	0.6	20		
85 and older	23	12.5	0.6	23	12.5	0.8	100	54.3	86	36	36	100	54.3	1,076	0.6	18		
Other Eligibles	3,060	18.5	0.7	3,800	23.0	0.8	9,813	59.4	94	39	39	9,813	59.4	105,196	0.5	21		
64 or younger	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0	0	0	0.0	0	0.0	0		
65-74	277	15.7	0.7	834	47.4	0.8	1,157	65.7	92	48	48	1,157	65.7	12,654	0.5	21		
75-84	1,265	21.2	0.8	1,633	27.4	0.8	3,629	60.9	96	39	39	3,629	60.9	39,116	0.6	21		
85 and older	1,518	17.3	0.7	1,333	15.1	0.7	5,027	57.1	93	34	34	5,027	57.1	53,426	0.5	21		
Male	945	15.2	0.7	2,318	37.4	0.8	3,536	57.0	95	50	50	3,536	57.0	37,055	0.6	22		
Disabled	75	5.6	0.6	846	62.8	0.9	795	59.0	99	63	63	795	59.0	8,810	0.6	23		
64 or younger	58	5.5	0.7	752	71.1	0.9	616	58.3	110	66	66	616	58.3	6,838	0.6	23		
65-74	9	6.3	0.5	58	40.6	0.8	83	58.0	61	37	37	83	58.0	932	0.5	23		
75-84	6	5.7	0.4	27	25.7	1.0	66	62.9	54	55	55	66	62.9	704	0.5	24		
85 and older	2	4.7	0.9	9	20.9	0.7	30	69.8	117	45	45	30	69.8	336	0.5	18		
Other Eligibles	870	17.9	0.7	1,472	30.3	0.8	2,741	56.5	94	41	41	2,741	56.5	28,245	0.6	21		
64 or younger	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0	0	0	0.0	0	0.0	0		
65-74	191	14.1	0.7	632	46.7	0.8	775	57.3	88	47	47	775	57.3	8,328	0.6	23		
75-84	394	19.6	0.8	588	29.2	0.8	1,177	58.4	97	39	39	1,177	58.4	12,156	0.5	21		
85 and older	285	19.2	0.7	252	16.9	0.7	789	53.1	94	32	32	789	53.1	7,861	0.6	21		
Unknown	0	0.0	0.0	0	0.0	0.0	0	0.0	0	0	0	0	0.0	0	0.0	0		

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.10B includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 12,639 beneficiaries who were in nursing facilities for part of their enrollment and their 115,280 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	ANTIHYPERTENSIVE					ANTIDIABETIC					ANALGESICS - ANTI-INFLAMMATORY				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	10,832	44.5 %	112,879	0.7	\$27	8,532	35.1 %	90,081	0.8	\$32	6,283	25.8 %	67,759	0.6	\$41
Female	7,877	43.5	82,743	0.7	27	6,286	34.7	67,009	0.8	31	4,955	27.3	53,688	0.6	42
Disabled	689	42.8	7,562	0.7	29	728	45.2	8,089	0.8	37	419	26.0	4,804	0.6	40
64 or younger	351	41.1	3,813	0.7	29	374	43.7	4,107	0.9	42	216	25.3	2,448	0.6	36
65-74	126	51.2	1,450	0.7	31	141	57.3	1,667	0.8	38	74	30.1	876	0.6	42
75-84	145	44.8	1,560	0.7	28	154	47.5	1,656	0.7	29	90	27.8	1,046	0.6	45
85 and older	67	36.4	739	0.7	28	59	32.1	659	0.8	27	39	21.2	434	0.6	46
Other Eligibles	7,188	43.5	75,181	0.7	27	5,558	33.7	58,920	0.8	30	4,536	27.5	48,884	0.6	42
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	896	50.9	9,646	0.7	28	943	53.5	10,087	0.8	36	512	29.1	5,629	0.6	40
75-84	2,829	47.5	29,572	0.7	27	2,496	41.9	26,563	0.8	31	1,758	29.5	19,207	0.6	43
85 and older	3,463	39.4	35,963	0.7	26	2,119	24.1	22,270	0.7	27	2,266	25.8	24,048	0.6	42
Male	2,955	47.7	30,136	0.7	27	2,246	36.2	23,072	0.8	32	1,328	21.4	14,071	0.5	37
Disabled	664	49.3	7,306	0.7	30	531	39.4	5,837	0.8	36	256	19.0	2,914	0.6	36
64 or younger	539	51.0	5,910	0.7	29	393	37.2	4,254	0.9	36	201	19.0	2,295	0.6	35
65-74	68	47.6	760	0.7	34	79	55.2	926	0.8	40	23	16.1	255	0.5	32
75-84	40	38.1	460	0.7	28	46	43.8	513	0.6	22	18	17.1	198	0.6	49
85 and older	17	39.5	176	0.9	39	13	30.2	144	0.9	50	14	32.6	166	0.6	40
Other Eligibles	2,291	47.2	22,830	0.7	27	1,715	35.3	17,235	0.8	31	1,072	22.1	11,157	0.5	37
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	754	55.8	7,866	0.7	28	595	44.0	6,296	0.8	34	282	20.9	3,092	0.5	34
75-84	965	47.9	9,454	0.7	26	735	36.5	7,143	0.8	30	458	22.7	4,782	0.6	40
85 and older	572	38.5	5,510	0.7	26	385	25.9	3,796	0.7	29	332	22.3	3,283	0.5	35
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.10C includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 12,639 beneficiaries who were in nursing facilities for part of their enrollment and their 115,280 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Benefit Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	ANALGESICS - Narcotic										CALCIUM BLOCKERS									
	Users as %					Users as %					Users as %					Users as %				
	No. of Users	No. of Users	Residents	NF	All-Year	No. of Bene Mos among Users	No. of Rx	Mean Rx \$	No. of Rx	Mean Rx \$	No. of Bene Mos among Users	No. of Rx	Mean Rx \$	No. of Rx	Mean Rx \$	All-Year NF Residents	All-Year NF Residents	Bene Mos among All-Year NF Residents		
All	12,171	50.0 %	127,001	0.5	\$20	5,981	24.6 %	62,664	0.8	\$36	24,326	246,872								
Female	9,602	53.0	100,924	0.5	21	4,655	25.7	48,956	0.8	36	18,125	185,902								
Disabled	821	51.0	8,991	0.6	22	382	23.7	4,286	0.8	40	1,609	17,793								
64 or younger	460	53.8	5,073	0.6	21	166	19.4	1,847	0.8	42	855	9,417								
65-74	124	50.4	1,415	0.6	24	78	31.7	931	0.8	42	246	2,814								
75-84	137	42.3	1,473	0.5	21	91	28.1	993	0.8	37	324	3,585								
85 and older	100	54.3	1,030	0.6	23	47	25.5	515	0.8	36	184	1,977								
Other Eligibles	8,781	53.2	91,933	0.5	21	4,273	25.9	44,670	0.8	36	16,516	168,109								
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
65-74	1,069	60.7	11,492	0.6	21	483	27.4	5,171	0.8	39	1,761	18,282								
75-84	3,267	54.9	34,680	0.6	23	1,628	27.3	17,180	0.8	36	5,955	61,031								
85 and older	4,445	50.5	45,761	0.5	19	2,162	24.6	22,319	0.8	35	8,800	88,796								
Male	2,569	41.4	26,077	0.5	17	1,326	21.4	13,708	0.8	38	6,201	60,970								
Disabled	552	40.9	5,983	0.5	19	258	19.1	2,799	0.8	43	1,348	14,568								
64 or younger	452	42.8	4,935	0.6	20	189	17.9	2,031	0.8	45	1,057	11,375								
65-74	40	28.0	448	0.4	12	37	25.9	426	0.8	42	143	1,623								
75-84	42	40.0	403	0.4	9	20	19.0	217	0.8	35	105	1,101								
85 and older	18	41.9	197	0.5	23	12	27.9	125	0.8	38	43	469								
Other Eligibles	2,017	41.6	20,094	0.5	16	1,068	22.0	10,909	0.8	36	4,853	46,402								
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								
65-74	569	42.1	5,928	0.5	19	339	25.1	3,616	0.8	39	1,352	13,711								
75-84	832	41.3	8,279	0.5	17	452	22.4	4,553	0.8	35	2,014	19,035								
85 and older	616	41.4	5,887	0.4	12	277	18.6	2,740	0.8	35	1,487	13,656								
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0								

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.10D includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 12,639 beneficiaries who were in nursing facilities for part of their enrollment and their 115,280 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG DUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 GEORGIA, 2002

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx		No. of Part D Excl Rx per Bene		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx as % of All Dual Rx		Total No. of Benes
		42.4 %	2.6	2.6	\$			\$	2.3 %	
All	69,780	42.4 %	2.6	2.6	\$46	433,847	\$7,577,865	\$17	2.3 %	164,640
Age										
5 and younger	9	69.2	10.5	10.5	284	136	3,696	27	8.0	13
6-14	30	63.8	5.8	5.8	164	274	7,689	28	4.0	47
15-20	127	35.7	1.5	1.5	36	536	12,931	24	2.8	356
21-44	7,886	30.9	1.5	1.5	54	38,565	1,387,454	36	2.9	25,521
45-64	15,138	41.6	2.6	2.6	53	92,994	1,917,542	21	2.4	36,346
65-74	15,600	41.7	2.6	2.6	40	97,926	1,501,470	15	2.1	37,387
75-84	17,475	46.7	3.1	3.1	43	115,953	1,616,076	14	2.2	37,419
85 and older	13,515	49.1	3.2	3.2	41	87,463	1,131,007	13	2.3	27,551
Unknown	0	0.0	0.0	0.0	0	0	0	0	0.0	0
Basis of Eligibility^c										
Aged	34,840	44.8	2.9	2.9	40	224,186	3,103,420	14	2.2	77,749
Disabled	34,681	40.3	2.4	2.4	52	208,681	4,459,004	21	2.5	86,099
Adults	221	31.6	1.1	1.1	15	791	10,484	13	1.3	699
Children	10	31.3	2.0	2.0	30	64	961	15	1.1	32
Unknown	28	45.9	2.0	2.0	66	125	3,996	32	3.1	61
Gender										
Female	52,149	46.8	3.0	3.0	51	329,729	5,729,556	17	2.5	111,376
Male	17,631	33.1	2.0	2.0	35	104,118	1,848,309	18	2.0	53,264
Unknown	0	0.0	0.0	0.0	0	0	0	0	0.0	0
Race										
White	36,460	46.3	3.0	3.0	59	236,142	4,678,218	20	2.6	78,702
African American	26,424	39.3	2.4	2.4	34	158,313	2,265,117	14	2.0	67,319
Other/unknown	6,896	37.0	2.1	2.1	34	39,392	634,530	16	1.9	18,619
Use of Nursing Facilities^d										
Entire year	13,241	54.4	4.3	4.3	62	104,416	1,504,634	14	2.3	24,326
Part year	7,483	59.2	3.4	3.4	49	43,077	623,676	14	2.3	12,639
None	49,056	38.4	2.2	2.2	43	286,354	5,449,555	19	2.4	127,675
Maintenance Assistance Status										
Cash	38,520	40.6	2.5	2.5	40	232,984	3,760,583	16	2.0	94,801
Medically needy	3,388	38.4	1.8	1.8	68	15,736	599,650	38	5.2	8,813
Poverty related	2,000	35.3	1.6	1.6	29	9,033	165,780	18	2.4	5,665
Other/unknown	25,872	46.7	3.2	3.2	55	176,094	3,051,852	17	2.6	55,361

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.11 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
- b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.12
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 GEORGIA, 2002

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazapine \$ per Bene Mo.	No. of Bene Mos
All	0.3	\$5	\$17	\$0	\$1	1,670,209
Age						
5 and younger	1.2	31	27	1	0	118
6-14	0.6	15	28	0	0	497
15-20	0.1	3	24	0	1	3,828
21-44	0.1	5	36	0	1	264,718
45-64	0.3	5	21	0	1	355,243
65-74	0.3	4	15	0	1	387,607
75-84	0.3	4	14	0	1	386,142
85 and older	0.3	4	13	0	1	272,056
Unknown	0.0	0	0	0	0	0
Basis of Eligibility^c						
Aged	0.3	4	14	0	1	767,583
Disabled	0.2	5	21	0	1	896,825
Adults	0.2	2	13	0	1	4,980
Children	0.2	3	15	0	0	307
Unknown	0.2	8	32	0	3	514
Gender						
Female	0.3	5	17	0	1	1,155,133
Male	0.2	4	18	0	1	515,076
Unknown	0.0	0	0	0	0	0
Race						
White	0.3	6	20	0	2	771,143
African American	0.2	3	14	0	0	702,244
Other/unknown	0.2	3	16	0	1	196,822
Use of Nursing Facilities^d						
Entire year	0.4	6	14	0	2	246,872
Part year	0.4	5	14	0	2	115,280
None	0.2	4	19	0	1	1,308,057
Maintenance Assistance Status						
Cash	0.2	4	16	0	1	1,057,158
Medically needy	0.3	12	38	0	2	48,232
Poverty related	0.2	3	18	0	1	51,770
Other/unknown	0.3	6	17	0	2	513,049

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.12 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
- b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract, OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.13

USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
FOR SELECTED DRUG CATEGORIES AMONG DUALS^{a,b,c}
GEORGIA, 2002

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	92,875	\$82	\$7,577,865	100.0 %	433,847	\$17	100.0 %
Anorexia or weight loss/gain	1	321	321	0.0	3	107	0.0
Fertility drugs	0	0	0	0.0	0	0	0.0
Drugs for cosmetic purposes	25	22	558	0.0	58	10	0.0
Cough and cold medications	3,697	58	215,173	2.8	4,325	50	1.0
Vitamins and minerals	33,746	92	3,104,838	41.0	194,221	16	44.8
Non-prescription drugs	19,056	25	476,754	6.3	90,806	5	20.9
Barbiturates	2,560	49	124,164	1.6	22,380	6	5.2
Benzodiazepines	28,207	67	1,897,857	25.0	104,111	18	24.0
Other Part D Excl Rx Drugs	5,583	315	1,758,200	23.2	17,943	98	4.1

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.13 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2002. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table D11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

SUPPLEMENTAL TABLE 1
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES^{a, b}
 GEORGIA, 2002

Total Number of Dual Eligible Beneficiaries 164,640
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries \$323,703,873
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary \$1,966

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	21,155	12.8 %	\$0	0.0 %
1-500	32,182	19.5	7,100,121	2.2
501-1,000	21,592	13.1	16,034,244	5.0
1,001-1,500	17,175	10.4	21,322,813	6.6
1,501-2,000	14,192	8.6	24,711,621	7.6
2,001-2,500	11,545	7.0	25,896,876	8.0
2,501-3,000	9,518	5.8	26,082,369	8.1
3,001-3,500	7,660	4.7	24,817,125	7.7
3,501-4,000	6,227	3.8	23,297,931	7.2
4,001-4,500	4,767	2.9	20,216,236	6.2
4,501-5,000	3,715	2.3	17,613,339	5.4
5,001-5,500	3,077	1.9	16,118,370	5.0
5,501-6,000	2,257	1.4	12,940,773	4.0
6,001-6,500	1,798	1.1	11,219,733	3.5
6,501-7,000	1,424	0.9	9,608,684	3.0
7,001-7,500	1,143	0.7	8,277,400	2.6
7,501-8,000	889	0.5	6,890,268	2.1
8,001-8,500	683	0.4	5,634,335	1.7
8,501-9,000	571	0.3	4,990,841	1.5
9,001-9,500	453	0.3	4,184,879	1.3
9,501-10,000	383	0.2	3,734,490	1.2
10,001+	2,234	1.4	33,011,425	10.2

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2002.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1C
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74 ^{a, b}
 GEORGIA, 2002

Total Number of Dual Eligible Beneficiaries, Age 65-74 37,387
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 65-74 \$71,491,692
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 65-74 \$1,912

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 65-74	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	4,683	12.5 %	0	0.0 %
1-500	6,865	18.4	1,550,206	2.2
501-1,000	4,974	13.3	3,693,052	5.2
1,001-1,500	4,000	10.7	4,979,243	7.0
1,501-2,000	3,390	9.1	5,903,164	8.3
2,001-2,500	2,766	7.4	6,211,364	8.7
2,501-3,000	2,309	6.2	6,325,453	8.8
3,001-3,500	1,800	4.8	5,842,096	8.2
3,501-4,000	1,470	3.9	5,486,423	7.7
4,001-4,500	1,215	3.2	5,157,137	7.2
4,501-5,000	837	2.2	3,970,292	5.6
5,001-5,500	695	1.9	3,641,394	5.1
5,501-6,000	495	1.3	2,836,993	4.0
6,001-6,500	398	1.1	2,483,978	3.5
6,501-7,000	319	0.9	2,154,736	3.0
7,001-7,500	253	0.7	1,834,752	2.6
7,501-8,000	183	0.5	1,418,437	2.0
8,001-8,500	135	0.4	1,110,433	1.6
8,501-9,000	125	0.3	1,090,390	1.5
9,001-9,500	104	0.3	961,646	1.3
9,501-10,000	69	0.2	671,237	0.9
10,001+	302	0.8	4,169,266	5.8

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2002.
 b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1D

MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84^{a, b}
 GEORGIA, 2002

Total Number of Dual Eligible Beneficiaries, Age 75-84 37,419
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 75-84 \$74,049,805
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 75-84 \$1,979

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 75-84	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	3,169	8.5 %	0	0.0 %
1-500	6,224	16.6	1,491,515	2.0
501-1,000	5,148	13.8	3,853,548	5.2
1,001-1,500	4,569	12.2	5,679,841	7.7
1,501-2,000	3,813	10.2	6,631,320	9.0
2,001-2,500	3,103	8.3	6,964,746	9.4
2,501-3,000	2,590	6.9	7,100,706	9.6
3,001-3,500	2,096	5.6	6,779,134	9.2
3,501-4,000	1,634	4.4	6,115,816	8.3
4,001-4,500	1,223	3.3	5,184,451	7.0
4,501-5,000	944	2.5	4,475,465	6.0
5,001-5,500	802	2.1	4,200,133	5.7
5,501-6,000	528	1.4	3,024,921	4.1
6,001-6,500	427	1.1	2,661,142	3.6
6,501-7,000	289	0.8	1,943,899	2.6
7,001-7,500	209	0.6	1,514,390	2.0
7,501-8,000	164	0.4	1,272,178	1.7
8,001-8,500	109	0.3	898,341	1.2
8,501-9,000	80	0.2	697,304	0.9
9,001-9,500	64	0.2	591,331	0.8
9,501-10,000	43	0.1	418,544	0.6
10,001+	191	0.5	2,551,080	3.4

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2002.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1E
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER^{a, b}
 GEORGIA, 2002

Total Number of Dual Eligible Beneficiaries, Age 85+ 27,551
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 85+ \$48,459,243
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 85+ \$1,759

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 85+	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	1,833	6.7 %	0	0.0 %
1-500	5,352	19.4	1,279,043	2.6
501-1,000	4,442	16.1	3,308,807	6.8
1,001-1,500	3,499	12.7	4,339,195	9.0
1,501-2,000	2,913	10.6	5,072,098	10.5
2,001-2,500	2,336	8.5	5,232,996	10.8
2,501-3,000	1,846	6.7	5,055,785	10.4
3,001-3,500	1,431	5.2	4,635,422	9.6
3,501-4,000	1,120	4.1	4,192,802	8.7
4,001-4,500	772	2.8	3,273,623	6.8
4,501-5,000	591	2.1	2,801,553	5.8
5,001-5,500	419	1.5	2,186,556	4.5
5,501-6,000	306	1.1	1,755,308	3.6
6,001-6,500	187	0.7	1,167,354	2.4
6,501-7,000	126	0.5	849,385	1.8
7,001-7,500	112	0.4	810,645	1.7
7,501-8,000	74	0.3	572,221	1.2
8,001-8,500	58	0.2	478,048	1.0
8,501-9,000	41	0.1	358,865	0.7
9,001-9,500	23	0.1	212,386	0.4
9,501-10,000	15	0.1	146,341	0.3
10,001+	55	0.2	730,810	1.5

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2002.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

APPENDIX TABLE A.3

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	No. of Benes					No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	All	Aged	Disabled	Adults	Children	Unknown
All	164,846	77,830	86,223	700	32	1,667,007	763,794	897,435	4,980	283	515
Age											
5 and younger	13	0	9	0	4	118	0	78	0	40	0
6-14	47	0	40	0	7	495	0	424	0	71	0
15-20	356	0	345	2	9	3,825	0	3,730	16	79	0
21-44	25,542	1	25,050	482	3	264,871	9	261,378	3,411	27	46
45-64	36,435	1	36,216	173	5	355,906	1	354,328	1,218	26	333
65-74	37,443	21,414	15,973	38	3	386,553	205,671	180,428	287	31	136
75-84	37,454	30,866	6,583	5	0	384,378	309,560	74,770	48	0	0
85 and older	27,556	25,548	2,007	0	1	270,861	248,553	22,299	0	9	0
Unknown	0	0	0	0	0	0	0	0	0	0	0
Gender											
Female	111,467	59,241	51,636	515	14	1,152,140	595,411	552,356	3,733	125	515
Male	53,379	18,589	34,587	185	18	514,867	168,383	345,079	1,247	158	0
Unknown	0	0	0	0	0	0	0	0	0	0	0
Race											
White	78,854	41,438	37,050	325	13	769,725	389,466	377,655	2,257	101	246
African American	67,373	27,764	39,217	352	16	700,536	281,995	415,662	2,512	146	221
Other/unknown	18,619	8,628	9,956	23	3	196,746	92,333	104,118	211	36	48
Use of Nursing Facilities^c											
Entire year	24,326	21,369	2,957	0	0	246,707	214,384	32,323	0	0	0
Part year	12,639	10,987	1,651	1	0	114,293	97,874	16,407	12	0	0
None	127,881	45,474	81,615	699	32	1,306,007	451,536	848,705	4,968	283	515
Maintenance Assistance Status											
Cash	94,801	31,275	63,126	399	1	1,056,409	348,848	704,600	2,957	4	0
Medically needy	9,016	4,476	4,540	0	0	49,488	26,195	23,293	0	0	0
Poverty related	5,667	2,472	2,918	196	20	52,114	23,088	27,067	1,273	171	515
Other/unknown	55,362	39,607	15,639	105	11	508,996	365,663	142,475	750	108	0
Dual Status^d											
Full dual, all year	155,857	73,173	81,922	671	31	1,580,742	718,942	856,338	4,673	279	510
Full dual, part year	8,989	4,657	4,301	29	1	86,265	44,852	41,097	307	4	5
Managed Care Status											
FFS all year	164,640	77,749	86,099	699	32	1,666,694	763,695	897,222	4,979	283	515
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table A.3 includes the beneficiaries represented by Cell F of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid pharmacy benefits during all months of Medicaid enrollment in 2002. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.4
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 DUAL ELIGIBLE BENEFICIARIES, GEORGIA, 2002

Beneficiary Characteristics	Bene Mos in Cell F of Table 1		Included in Cell G of Table 1		Excluded from Cell G of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	164,846	1,667,007	164,640	1,670,209	0	-3,202
FFS all year	164,640	1,666,694	164,640	1,670,209	0	-3,515
FFS part year, with Rx claims	0	0	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0
MC all year, with no Rx claims	0	0	0	0	0	0

Source: Data for this table are from the MAX 2002 file for Georgia, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.