

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2002 LOUISIANA

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE D.2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	No. of Benes						No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	110,240	69,459	40,645	130	6	0	1,201,583	746,269	454,226	1,016	72	0
Age												
5 and younger	8	0	8	0	0	0	80	0	80	0	0	0
6-14	22	0	18	0	4	0	247	0	199	0	48	0
15-20	331	0	326	3	2	0	3,667	0	3,625	18	24	0
21-44	18,825	0	18,739	86	0	0	211,146	0	210,481	665	0	0
45-64	21,515	0	21,475	40	0	0	239,774	0	239,448	326	0	0
65-74	26,218	26,139	78	1	0	0	291,920	291,521	392	7	0	0
75-84	24,850	24,849	1	0	0	0	267,473	267,472	1	0	0	0
85 and older	18,471	18,471	0	0	0	0	187,276	187,276	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	73,499	52,770	20,641	86	2	0	806,177	572,365	233,104	684	24	0
Male	36,739	16,689	20,002	44	4	0	395,382	173,904	221,098	332	48	0
Unknown	2	0	2	0	0	0	24	0	24	0	0	0
Race												
White	46,118	29,839	16,206	72	1	0	489,155	308,393	180,244	506	12	0
African American	49,800	29,177	20,562	58	3	0	554,247	322,864	230,837	510	36	0
Other/unknown	14,322	10,443	3,877	0	2	0	158,181	115,012	43,145	0	24	0
Use of Nursing Facilities^c												
Entire year	19,483	17,695	1,787	1	0	0	197,878	178,324	19,547	7	0	0
Part year	8,390	7,534	855	0	1	0	82,976	74,103	8,861	0	12	0
None	82,367	44,230	38,003	129	5	0	920,729	493,842	425,818	1,009	60	0
Maintenance Assistance Status												
Cash	70,496	41,084	29,312	100	0	0	795,381	467,311	327,260	810	0	0
Medically needy	338	150	179	9	0	0	3,258	1,450	1,737	71	0	0
Poverty-related	3,619	1,866	1,736	13	4	0	37,662	19,093	18,458	63	48	0
Other/unknown	35,787	26,359	9,418	8	2	0	365,282	258,415	106,771	72	24	0
Dual Medicare Status^d												
Full dual, all year	106,141	67,155	38,854	126	6	0	1,156,078	720,791	434,242	973	72	0
Full dual, part year	4,099	2,304	1,791	4	0	0	45,505	25,478	19,984	43	0	0
Managed Care Status												
FFS all year	110,240	69,459	40,645	130	6	0	1,201,583	746,269	454,226	1,016	72	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Table D2

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.2 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 2002. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE D.3
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	89.2 %	49.9	\$2,692	\$54	\$11,347	23.7 %	110,240
Age							
5 and younger	87.5	38.4	3,986	104	31,145	12.8	8
6-14	95.5	41.2	5,681	138	23,405	24.3	22
15-20	74.9	21.6	2,313	107	11,584	20.0	331
21-44	79.7	29.3	2,115	72	10,644	19.9	18,825
45-64	88.0	51.6	3,009	58	12,745	23.6	21,515
65-74	89.9	53.4	2,707	51	8,321	32.5	26,218
75-84	92.9	57.4	2,887	50	11,339	25.5	24,850
85 and older	94.5	54.5	2,628	48	14,713	17.9	18,471
Unknown	0.0	0.0	0	0	0	0.0	0
Basis of Eligibility^c							
Aged	92.2	55.1	2,752	50	11,100	24.8	69,459
Disabled	84.1	41.0	2,592	63	11,780	22.0	40,645
Adults	84.6	29.9	1,726	58	5,636	30.6	130
Children	100.0	49.2	8,087	165	53,550	15.1	6
Unknown	0.0	0.0	0	0	0	0.0	0
Gender							
Female	92.5	55.0	2,837	52	10,962	25.9	73,499
Male	82.7	39.8	2,402	60	12,115	19.8	36,739
Unknown	100.0	9.5	452	48	14,812	3.1	2
Race							
White	90.4	58.5	3,219	55	15,644	20.6	46,118
African American	87.8	42.3	2,255	53	8,538	26.4	49,800
Other/unknown	90.3	48.6	2,512	52	7,275	34.5	14,322
Use of Nursing Facilities^d							
Entire year	98.1	76.3	4,108	54	25,899	15.9	19,483
Part year	98.5	60.5	3,318	55	18,860	17.6	8,390
None	86.2	42.6	2,293	54	7,139	32.1	82,367
Maintenance Assistance Status							
Cash	88.4	45.4	2,397	53	5,440	44.1	70,496
Medically needy	73.1	27.9	1,594	57	6,358	25.1	338
Poverty related	79.1	24.4	1,296	53	4,208	30.8	3,619
Other/unknown	92.0	61.6	3,424	56	23,751	14.4	35,787

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.3 includes beneficiaries represented by Cell G of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	4.6	\$247	23.7 %	10.8 %	16.0 %	10.3 %	28.3 %	26.3 %	8.4 %	\$1,041	110,240	1,201,583
Age												
5 and younger	3.8	399	12.8	12.5	0.0	12.5	75.0	0.0	0.0	3,115	8	80
6-14	3.7	506	24.3	4.5	4.5	27.3	45.5	18.2	0.0	2,085	22	247
15-20	2.0	209	20.0	25.1	35.0	13.6	18.7	6.0	1.5	1,046	331	3,667
21-44	2.6	189	19.9	20.3	30.9	12.1	21.8	12.0	3.0	949	18,825	211,146
45-64	4.6	270	23.6	12.0	16.0	10.4	27.5	25.0	9.0	1,144	21,515	239,774
65-74	4.8	243	32.5	10.1	14.3	10.7	28.7	27.2	9.1	747	26,218	291,920
75-84	5.3	268	25.5	7.1	11.1	9.1	30.3	31.6	10.8	1,053	24,850	267,473
85 and older	5.4	259	17.9	5.5	9.8	9.1	32.6	34.2	8.9	1,451	18,471	187,276
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Basis of Eligibility^c												
Aged	5.1	256	24.8	7.8	11.9	9.7	30.3	30.6	9.7	1,033	69,459	746,269
Disabled	3.7	232	22.0	15.9	23.0	11.2	24.8	18.8	6.2	1,054	40,645	454,226
Adults	3.8	221	30.6	15.4	20.0	12.3	25.4	22.3	4.6	721	130	1,016
Children	4.1	674	15.1	0.0	0.0	16.7	50.0	33.3	0.0	4,463	6	72
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Gender												
Female	5.0	259	25.9	7.5	13.6	10.2	30.1	29.1	9.5	999	73,499	806,177
Male	3.7	223	19.8	17.3	20.9	10.4	24.6	20.6	6.1	1,126	36,739	395,382
Unknown	0.8	38	3.1	0.0	100.0	0.0	0.0	0.0	0.0	1,234	2	24
Race												
White	5.5	304	20.6	9.6	11.6	8.2	26.4	31.5	12.7	1,475	46,118	489,155
African American	3.8	203	26.4	12.2	20.0	11.7	29.5	21.8	4.8	767	49,800	554,247
Other/unknown	4.4	227	34.5	9.7	16.5	11.6	30.2	25.1	6.9	659	14,322	158,181
use of nursing Facilities^d												
Entire year	7.5	404	15.9	1.9	3.3	4.7	25.7	43.7	20.6	2,550	19,483	197,878
Part year	6.1	336	17.6	1.5	7.7	8.9	32.6	37.7	11.6	1,907	8,390	82,976
None	3.8	205	32.1	13.8	19.9	11.7	28.5	21.0	5.2	639	82,367	920,729
Maintenance Assistance Status												
Cash	4.0	213	44.1	11.6	19.0	11.7	29.4	22.4	5.8	482	70,496	795,381
Medically needy	2.9	165	25.1	26.9	24.6	9.5	21.0	14.5	3.6	660	338	3,258
Poverty related	2.3	125	30.8	20.9	33.1	13.4	20.5	9.9	2.2	404	3,619	37,662
Other/unknown	6.0	335	14.4	8.0	8.3	7.1	26.9	35.6	14.2	2,327	35,787	365,282

Table D4

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.4 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx	No. of Rx	Rx \$	\$ per Rx
All	4.6	\$247	\$54	2.0	\$179	\$88	0.4	\$18	\$49	2.2	\$50	\$23
Age												
5 and younger	3.8	399	104	1.8	337	185	0.2	6	30	1.8	56	31
6-14	3.7	506	138	1.5	443	303	0.3	16	47	1.8	47	26
15-20	2.0	209	107	0.9	162	184	0.1	18	123	0.9	29	31
21-44	2.6	189	72	1.1	142	126	0.2	14	66	1.3	32	25
45-64	4.6	270	58	2.1	198	96	0.3	18	53	2.2	53	24
65-74	4.8	243	51	2.2	176	80	0.4	17	48	2.2	50	22
75-84	5.3	268	50	2.4	192	81	0.4	20	46	2.5	56	22
85 and older	5.4	259	48	2.2	181	81	0.5	20	43	2.7	59	22
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Basis of Eligibility^d												
Aged	5.1	256	50	2.3	183	81	0.4	19	46	2.4	54	22
Disabled	3.7	232	63	1.6	172	106	0.3	16	58	1.8	43	25
Adults	3.8	221	58	1.6	164	103	0.3	15	50	1.9	42	22
Children	4.1	674	165	2.0	608	298	0.1	14	99	1.9	52	28
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Gender												
Female	5.0	259	52	2.2	187	84	0.4	19	47	2.4	53	22
Male	3.7	223	60	1.6	163	102	0.3	16	57	1.8	44	25
Unknown	0.8	38	48	0.5	29	57	0.0	1	34	0.3	8	30
Race												
White	5.5	304	55	2.4	221	90	0.4	22	49	2.6	60	23
African American	3.8	203	53	1.7	146	88	0.3	14	50	1.8	43	23
Other/unknown	4.4	227	52	2.0	166	83	0.3	16	48	2.0	45	22
Use of Nursing Facilities^e												
Entire year	7.5	404	54	3.2	289	90	0.6	29	47	3.7	86	24
Part year	6.1	336	55	2.6	238	91	0.5	24	46	3.0	73	25
None	3.8	205	54	1.7	150	87	0.3	15	51	1.8	40	22
Maintenance Assistance Status												
Cash	4.0	213	53	1.8	155	86	0.3	15	51	1.9	43	22
Medically needy	2.9	165	57	1.2	120	99	0.2	9	49	1.5	37	25
Poverty related	2.3	125	53	1.0	91	89	0.2	8	47	1.1	25	22
Other/unknown	6.0	335	56	2.6	242	92	0.5	24	48	2.9	69	24

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.5 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Louisiana, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total No. of Rx			Total Rx \$			Users				
	Total	Patented		Total	Patented		Total	Patented		Total Rx \$	No. Dual Benes	As % of Bene Mos	Users				
		Off-Patent	Brand-Name		Off-Patent	Brand-Name		Off-Patent	Brand-Name				Generic	Generic			
Anti-infective Agents	0.3	0.2	0.0	0.1	\$22	\$18	\$1	\$3	\$67	\$110	\$78	\$18	227,481	\$15,244,158	62,571	56.8 %	705,262
Biologics	0.3	0.1	0.1	0.1	####	15	712	517	3704	241	5,759	3,488	220	814,887	56	0.1	655
Antineoplastic Agents	0.5	0.2	0.1	0.3	76	41	9	26	153	242	157	96	29,190	4,452,964	5,634	5.1	58,469
Endocrine/Metabolic Drugs	0.9	0.5	0.1	0.3	42	32	3	7	45	63	25	23	513,009	23,233,809	49,093	44.5	551,199
Cardiovascular Agents	1.8	0.7	0.1	0.9	66	41	5	20	37	60	37	21	1,441,337	53,765,023	73,637	66.8	818,645
Respiratory Agents	0.7	0.3	0.1	0.2	33	21	6	6	49	63	64	24	389,206	19,159,146	51,892	47.1	585,847
Gastrointestinal Agents	0.8	0.4	0.0	0.3	56	48	1	8	75	117	91	23	414,407	31,050,047	49,443	44.9	549,982
Genitourinary Agents	0.5	0.4	0.0	0.1	30	27	0	2	60	72	39	21	99,926	5,949,341	17,907	16.2	201,222
CNS Drugs	1.2	0.6	0.0	0.6	88	70	4	14	75	123	91	25	738,582	55,340,042	56,679	51.4	627,945
Stimulants/Anti-obesity/Anorexia	0.4	0.2	0.0	0.1	30	25	1	4	82	115	61	28	7,858	643,676	1,902	1.7	21,604
Miscellaneous Psychological/Neurological Agents	0.7	0.6	0.0	0.1	76	73	0	3	116	127	68	34	61,086	7,116,329	8,726	7.9	93,698
Analgesics and Anesthetics	0.8	0.3	0.1	0.4	40	29	3	9	52	100	53	20	555,080	28,666,489	62,734	56.9	708,395
Neuromuscular Agents	0.8	0.3	0.1	0.4	47	31	5	11	57	101	54	26	292,516	16,815,011	31,676	28.7	357,181
Nutritional Products	0.7	0.1	0.1	0.6	16	1	1	14	23	25	21	23	248,026	5,785,577	32,896	29.8	362,820
Hematological Agents	0.7	0.3	0.1	0.3	56	46	4	7	77	150	38	21	217,743	16,860,605	27,247	24.7	298,967
Topical Products	0.5	0.3	0.0	0.2	20	14	2	4	43	56	49	22	245,264	10,446,672	46,868	42.5	529,522
Miscellaneous Products	0.4	0.1	0.0	0.2	46	30	4	12	128	268	234	52	8,172	1,045,940	2,073	1.9	22,804
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	7	0	0	0	26	0	0	0	13,619	352,578	4,300	3.9	48,471
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	5,502,722	296,742,294	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.6 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Louisiana, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Top 10 Drug Groups	Users			Among Users			
	Total Medicaid Rx \$	No.	As % of Dual Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$30,810,704	27,768	25.2 %	307,673	0.7	\$153	\$100
ULCER DRUGS	25,723,399	48,290	43.8	542,130	0.5	93	47
ANTIDEPRESSANTS	17,636,224	45,931	41.7	511,219	0.6	59	34
ANTI-DIABETIC	16,577,446	41,323	37.5	466,222	0.6	57	36
ANALGESICS - ANTI-INFLAMMATORY	16,320,227	47,259	42.9	546,340	0.4	77	30
ANTIHYPERTENSIVE	15,431,580	58,160	52.8	656,842	0.6	39	23
ANTIHYPERTENSIVE	13,286,884	23,495	21.3	270,508	0.6	81	49
ANTICONVULSANT	12,312,258	23,018	20.9	258,889	0.7	69	48
CALCIUM BLOCKERS	11,206,939	28,716	26.0	324,369	0.7	51	35
ANALGESICS - Narcotic	10,650,081	70,179	63.7	796,434	0.4	36	13
Total	169,955,742	414,139		4,680,626	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.7 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

TABLE D.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ULCER DRUGS			
	No. of Rx	Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	2,537,535	\$169,955,742	27,768	25.2 %	307,673	0.7	\$100	48,290	43.8 %	542,130	0.5	\$47
Female	1,843,332	119,071,343	16,926	23.0	187,315	0.6	89	35,627	48.5	401,921	0.5	48
Disabled	488,127	35,352,318	5,770	28.0	67,259	0.6	103	9,321	45.2	108,090	0.4	42
5 and younger	18	466	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	43	1,950	0	0.0	0	0.0	0	3	50.0	36	0.2	4
15-20	1,325	112,330	22	15.3	264	0.6	101	27	18.8	316	0.4	27
21-44	133,654	10,677,308	2,585	31.3	30,271	0.6	106	2,606	31.5	30,410	0.4	35
45-64	352,557	24,525,358	3,157	25.9	36,673	0.6	102	6,660	54.7	77,166	0.4	44
65-74	530	34,906	6	14.0	51	0.7	96	25	58.1	162	0.5	39
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	1,355,205	83,719,025	11,156	21.1	120,056	0.6	80	26,306	49.8	293,831	0.5	50
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	20	1,524	0	0.0	0	0.0	0	1	100.0	12	0.8	90
15-20	19	1,131	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	623	40,392	11	18.0	86	0.3	41	19	31.1	186	0.4	37
45-64	397	24,050	2	9.5	12	0.6	18	12	57.1	124	0.3	33
65-74	508,259	31,729,681	2,845	15.7	31,869	0.7	93	9,147	50.4	105,751	0.5	46
75-84	516,850	31,948,236	4,288	22.2	46,235	0.6	81	9,698	50.2	108,752	0.5	51
85 and older	329,037	19,974,011	4,010	26.2	41,854	0.6	71	7,429	48.5	79,006	0.6	55
Male	694,196	50,884,035	10,842	29.5	120,358	0.7	118	12,661	34.5	140,185	0.5	46
Disabled	345,758	28,871,739	6,786	33.9	78,552	0.7	134	5,512	27.6	63,019	0.4	41
5 and younger	9	322	0	0.0	0	0.0	0	2	40.0	24	0.2	9
6-14	160	7,486	1	8.3	12	0.1	0	5	41.7	60	0.4	36
15-20	1,702	176,358	47	25.8	554	0.8	156	32	17.6	380	0.3	31
21-44	139,732	12,929,848	3,538	33.8	41,265	0.7	134	2,270	21.7	26,190	0.4	38
45-64	203,799	15,718,351	3,185	34.3	36,622	0.7	133	3,195	34.4	36,331	0.5	44
65-74	356	39,374	15	42.9	99	0.5	187	8	22.9	34	0.7	51
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	348,438	22,012,296	4,056	24.2	41,806	0.7	89	7,149	42.7	77,166	0.6	51
5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	28	1,223	0	0.0	0	0.0	0	1	33.3	12	0.2	9
15-20	4	206	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	583	42,723	2	8.0	11	0.4	15	10	40.0	103	0.5	63
45-64	310	16,890	0	0.0	0	0.0	0	5	26.3	44	0.4	17
65-74	174,730	11,153,296	1,625	20.3	17,819	0.7	103	3,190	39.8	35,678	0.5	48
75-84	116,594	7,335,075	1,518	27.4	15,223	0.7	85	2,489	44.9	26,641	0.6	51
85 and older	56,189	3,462,883	911	29.0	8,753	0.6	65	1,454	46.3	14,688	0.6	57
Unknown	7	364	0	0.0	0	0.0	0	2	100.0	24	0.2	11

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.7A includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	ANTIDEPRESSANTS					ANTI-DIABETIC					ANALGESICS - ANTI-INFLAMMATORY				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean Rx	Mean Rx \$
All	45,931	41.7 %	511,219	0.6	\$35	41,323	37.5 %	466,222	0.6	\$36	47,259	42.9 %	546,340	0.4	\$30
Female	33,793	46.0	378,040	0.6	34	31,279	42.6	355,341	0.6	36	35,454	48.2	410,820	0.4	32
Disabled	11,678	56.6	134,930	0.5	32	7,671	37.2	88,832	0.6	37	10,633	51.5	124,409	0.3	25
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	46	31.9	549	0.4	22	10	6.9	115	0.3	16	36	25.0	432	0.2	33
21-44	4,121	49.9	47,824	0.5	32	1,316	15.9	15,358	0.5	34	3,482	42.2	40,859	0.2	15
45-64	7,485	61.4	86,400	0.5	32	6,328	51.9	73,241	0.6	38	7,106	58.3	83,069	0.3	30
65-74	26	60.5	157	0.6	41	17	39.5	118	0.6	39	9	20.9	49	0.3	33
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	22,115	41.8	243,110	0.6	36	23,608	44.7	266,509	0.6	35	24,821	47.0	286,411	0.4	35
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	2	50.0	24	0.5	39	0	0.0	0	0.0	0	1	25.0	12	0.1	1
21-44	40	65.6	408	0.3	24	3	4.9	28	0.8	48	30	49.2	257	0.3	18
45-64	14	66.7	135	0.4	33	11	52.4	111	0.4	36	16	76.2	165	0.2	11
65-74	7,485	41.3	85,471	0.6	31	10,426	57.5	120,726	0.6	37	9,937	54.8	116,582	0.4	32
75-84	8,238	42.7	90,364	0.6	36	8,966	46.4	100,875	0.7	35	9,210	47.7	106,513	0.4	36
85 and older	6,336	41.3	66,708	0.7	40	4,202	27.4	44,769	0.7	30	5,627	36.7	62,882	0.5	38
Male	12,137	33.0	133,167	0.6	35	10,044	27.3	110,881	0.6	35	11,804	32.1	135,508	0.3	25
Disabled	6,578	32.9	74,908	0.5	34	4,091	20.5	46,419	0.6	36	5,936	29.7	68,865	0.3	19
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	3	25.0	36	1.4	38	1	8.3	6	0.7	37	0	0.0	0	0.0	0
15-20	42	23.1	498	0.5	31	8	4.4	94	0.8	71	26	14.3	310	0.1	2
21-44	3,182	30.4	36,610	0.5	34	1,128	10.8	12,975	0.6	34	2,723	26.0	31,784	0.2	12
45-64	3,343	36.0	37,714	0.6	34	2,942	31.7	33,270	0.6	37	3,182	34.2	36,743	0.3	24
65-74	8	22.9	50	0.5	27	12	34.3	74	0.4	29	5	14.3	28	0.6	41
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	5,559	33.2	58,259	0.6	37	5,953	35.6	64,462	0.6	35	5,868	35.1	66,643	0.4	32
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	21	84.0	183	0.5	37	1	4.0	7	0.3	19	11	44.0	103	0.3	19
45-64	5	26.3	40	0.2	17	11	57.9	102	0.5	34	10	52.6	94	0.3	20
65-74	2,370	29.6	26,171	0.6	35	3,236	40.4	36,121	0.6	36	3,021	37.7	35,208	0.4	30
75-84	2,032	36.7	20,749	0.7	38	1,962	35.4	21,000	0.6	33	1,874	33.8	20,954	0.4	32
85 and older	1,131	36.0	11,116	0.7	39	743	23.6	7,232	0.7	33	952	30.3	10,284	0.5	36
Unknown	1	50.0	12	0.1	5	0	0.0	0	0.0	0	1	50.0	12	0.1	2

Table D7B

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.7B includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	ANTIHYPERTENSIVE					ANTIHYPERLIPIDEMIC					ANTICONVULSANT				
	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of Dual Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	58,160	52.8 %	656,842	0.6	\$24	23,495	21.3 %	270,508	0.6	\$49	23,018	20.9 %	258,889	0.7	\$48
Female	42,665	58.0	484,305	0.6	24	17,714	24.1	204,616	0.6	49	14,487	19.7	162,958	0.7	43
Disabled	9,317	45.1	107,815	0.5	21	4,365	21.1	50,776	0.5	45	6,242	30.2	72,163	0.7	56
5 and younger	2	66.7	24	0.1	2	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	3	50.0	36	0.4	12	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	19	13.2	225	0.4	16	3	2.1	31	0.6	49	36	25.0	432	0.7	73
21-44	1,807	21.9	20,834	0.5	18	670	8.1	7,826	0.5	39	2,476	30.0	28,816	0.7	64
45-64	7,465	61.3	86,563	0.6	22	3,685	30.2	42,874	0.6	47	3,717	30.5	42,833	0.7	50
65-74	21	48.8	133	0.5	22	7	16.3	45	0.5	41	13	30.2	82	0.6	32
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	33,348	63.1	376,490	0.6	25	13,349	25.3	153,840	0.6	51	8,245	15.6	90,795	0.6	33
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	1	100.0	12	0.1	4	0	0.0	0	0.0	0	1	100.0	12	0.1	1
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	6	9.8	41	0.4	16	4	6.6	25	0.5	36	16	26.2	148	0.5	35
45-64	12	57.1	114	0.6	27	6	28.6	67	0.4	35	6	28.6	67	0.2	10
65-74	13,086	72.2	151,613	0.6	24	6,448	35.6	75,047	0.6	49	3,158	17.4	35,838	0.6	37
75-84	12,446	64.5	140,989	0.6	25	5,166	26.8	59,506	0.6	52	3,237	16.8	35,505	0.7	33
85 and older	7,797	50.9	83,721	0.7	25	1,725	11.3	19,195	0.6	51	1,827	11.9	19,225	0.7	29
Male	15,494	42.2	172,525	0.6	23	5,781	15.7	65,892	0.6	49	8,531	23.2	95,931	0.8	55
Disabled	6,330	31.6	71,896	0.6	21	2,703	13.5	31,148	0.6	46	5,767	28.8	66,254	0.8	62
5 and younger	2	40.0	24	0.1	1	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	1	8.3	12	0.2	13	0	0.0	0	0.0	0
15-20	27	14.8	322	0.5	19	3	1.6	34	0.5	33	43	23.6	505	0.7	67
21-44	2,066	19.7	23,631	0.5	19	827	7.9	9,671	0.5	40	2,921	27.9	33,816	0.8	66
45-64	4,223	45.5	47,852	0.6	23	1,868	20.1	21,412	0.6	48	2,793	30.1	31,874	0.8	58
65-74	12	34.3	67	0.5	17	4	11.4	19	0.7	46	10	28.6	59	0.8	63
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	9,164	54.8	100,629	0.6	24	3,078	18.4	34,744	0.6	51	2,764	16.5	29,677	0.7	39
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	2	66.7	24	0.6	20	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	1	100.0	12	0.1	3	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	12	48.0	101	0.6	26	4	16.0	26	0.5	33	6	24.0	43	0.4	16
45-64	13	68.4	112	0.7	22	13	68.4	100	0.7	57	1	5.3	12	0.3	68
65-74	4,681	58.5	53,071	0.6	23	1,861	23.2	21,408	0.6	51	1,407	17.6	15,743	0.7	42
75-84	3,045	55.0	32,853	0.6	24	930	16.8	10,286	0.7	52	938	16.9	9,764	0.7	37
85 and older	1,410	44.9	14,456	0.6	23	270	8.6	2,924	0.7	49	412	13.1	4,115	0.7	31
Unknown	1	50.0	12	0.1	1	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table D7C

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.7C includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	CALCIUM BLOCKERS				ANALGESICS - Narcotic				Mean Rx \$	Mean No. of Rx	Users as % of Dual Benes	No. of Benes among Users	Users as % of Dual Benes	No. of Benes among Users	Mean Rx \$	Mean No. of Rx	No. of Benes	No. of Benes Mos
	No. of Users	Users as % of Dual Benes	No. of Benes among Users	Mean Rx \$	Mean No. of Rx	Users as % of Dual Benes	No. of Benes among Users	Mean Rx \$										
All	28,716	26.0 %	324,369	0.7	\$35	70,179	63.7 %	796,434	0.4	\$13	110,240	1,201,583						
Female																		
Disabled	21,981	29.9	249,556	0.7	35	51,218	69.7	583,871	0.4	13	73,499	806,177						
5 and younger	4,246	20.6	49,084	0.6	33	18,025	87.3	208,941	0.4	14	20,641	233,104						
6-14	3	100.0	30	0.5	14	0	0.0	0	0.0	0	3	30						
15-20	4	66.7	48	0.4	29	2	33.3	24	0.1	1	6	61						
21-44	14	9.7	165	0.7	58	70	48.6	833	0.2	4	144	1,584						
45-64	810	9.8	9,356	0.5	30	6,507	78.8	75,603	0.3	13	8,260	93,683						
65-74	3,407	28.0	39,433	0.6	33	11,420	93.7	132,330	0.4	15	12,184	137,523						
75-84	8	18.6	52	0.6	24	26	60.5	151	0.5	16	43	222						
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	1						
Other Eligibles	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0						
5 and younger	17,735	33.6	200,472	0.7	35	33,193	62.8	374,930	0.4	12	52,858	573,073						
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0						
15-20	1	100.0	12	0.8	32	0	0.0	0	0.0	0	1	12						
21-44	4	6.6	24	0.8	46	4	100.0	48	0.1	4	4	30						
45-64	2	9.5	24	0.4	15	57	93.4	503	0.4	13	61	469						
65-74	6,366	35.1	73,840	0.7	36	26	123.8	277	0.4	11	21	190						
75-84	6,821	35.3	77,424	0.7	36	13,197	72.8	152,636	0.4	11	18,132	204,193						
85 and older	4,541	29.6	49,148	0.7	34	7,852	51.2	85,173	0.4	12	15,329	210,855						
Male																		
Disabled	6,735	18.3	74,813	0.7	34	18,961	51.6	212,563	0.4	16	36,739	395,382						
5 and younger	2,657	13.3	30,110	0.6	34	10,760	53.8	122,950	0.4	18	20,002	221,098						
6-14	1	20.0	12	0.1	5	2	40.0	24	0.1	1	5	50						
15-20	8	66.7	90	0.7	37	6	50.0	72	0.2	3	12	138						
21-44	17	9.3	204	0.7	49	53	29.1	622	0.2	7	182	2,041						
45-64	830	7.9	9,454	0.6	33	5,258	50.2	60,586	0.4	16	10,477	116,774						
65-74	1,793	19.3	20,304	0.6	35	5,421	58.3	61,526	0.4	19	9,291	101,925						
75-84	8	22.9	46	0.5	26	20	57.1	120	0.7	64	35	170						
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0						
Other Eligibles	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0						
5 and younger	4,078	24.4	44,703	0.7	33	8,201	49.0	89,613	0.4	12	16,737	174,284						
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0						
15-20	1	33.3	12	1.0	54	0	0.0	0	0.0	0	3	36						
21-44	1	100.0	12	0.2	13	1	100.0	12	0.1	2	1	12						
45-64	4	16.0	34	0.6	27	34	136.0	319	0.9	69	25	196						
65-74	0	0.0	0	0.0	0	20	105.3	160	0.4	8	19	136						
75-84	1,964	24.5	22,279	0.7	34	4,157	51.9	46,952	0.4	13	8,008	87,335						
85 and older	1,401	25.3	15,141	0.7	33	2,616	47.2	28,100	0.4	11	5,539	56,617						
Unknown	707	22.5	7,225	0.7	33	1,373	43.7	14,070	0.4	12	3,142	29,952						
	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	24						

Table D7D

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.7D includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$404	7.5	19,483	197,878
Age				
0-64	521	8.2	1,771	19,476
65-74	475	8.3	3,125	33,094
75-84	421	7.8	6,415	64,677
85 and older	334	6.8	8,172	80,631
Unknown	0	0.0	0	0
Gender				
Female	394	7.6	13,770	140,800
Male	429	7.4	5,713	57,078
Unknown	0	0.0	0	0
Race				
White	420	7.9	13,031	130,947
African American	372	6.7	5,119	53,628
Other/unknown	379	7.2	1,333	13,303
Basis of Eligibility^c				
Aged	392	7.4	17,695	178,324
Disabled	522	8.2	1,787	19,547
Adults	515	7.7	1	7
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.8 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their 2002 Medicaid enrollment. A total of 8,390 beneficiaries who were in nursing facilities for part of their enrollment and their 82,976 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users										\$ per Bene Mo among Users										Users				
	Patented					Off-Patent					Patented					Off-Patent					Total # of Rx	Total Rx \$	No. Residents	As % of Dual All-Year NF Residents	No. of Bene Mos
	Total	Brand-Name	Off-Brand-Name	Generic	Total	Brand-Name	Off-Brand-Name	Generic	Total	Brand-Name	Off-Brand-Name	Generic	Total	Brand-Name	Off-Brand-Name	Generic									
Anti-infective Agents	0.3	0.2	0.0	0.1	\$19	\$15	\$1	\$3	\$55	\$84	\$73	\$18	47,763	\$2,641,252	13,278	68.2 %	140,670								
Biologics	0.3	0.0	0.3	0.0	###	0	2,143	1	7,780	0	7,960	206	43	334,524	14	0.1	156								
Antineoplastic Agents	0.6	0.1	0.1	0.4	80	28	12	39	137	226	157	103	11,666	1,593,680	2,039	10.5	19,960								
Endocrine/Metabolic Drugs	1.2	0.6	0.2	0.4	53	40	5	8	45	67	22	22	118,984	5,347,252	9,702	49.8	101,793								
Cardiovascular Agents	2.1	0.6	0.2	1.3	66	34	6	27	32	56	30	21	322,807	10,192,399	14,897	76.5	153,434								
Respiratory Agents	0.8	0.3	0.1	0.4	40	22	7	11	49	63	65	30	92,478	4,500,441	10,639	54.6	112,796								
Gastrointestinal Agents	1.1	0.5	0.0	0.6	71	56	1	14	64	109	73	24	134,490	8,635,472	11,610	59.6	121,468								
Genitourinary Agents	0.7	0.5	0.0	0.2	45	40	1	4	62	74	38	24	38,854	2,392,236	4,978	25.6	53,131								
CNS Drugs	1.7	0.9	0.1	0.6	133	109	6	17	80	115	79	27	248,333	19,752,639	14,223	73.0	148,383								
Stimulants/Anti-obesity/Anorexia	0.6	0.2	0.0	0.4	31	20	1	11	50	115	39	24	1,998	99,230	300	1.5	3,157								
Miscellaneous Psychological/Neurological Agents	0.8	0.8	0.0	0.0	105	104	0	1	125	128	0	39	33,864	4,236,036	3,891	20.0	40,381								
Analgesics and Anesthetics	0.9	0.4	0.1	0.4	49	38	3	8	54	92	46	19	98,718	5,328,826	10,333	53.0	108,966								
Neuromuscular Agents	1.2	0.4	0.1	0.6	65	39	6	19	54	87	49	31	82,096	4,457,198	6,455	33.1	68,761								
Nutritional Products	0.9	0.1	0.1	0.8	17	1	1	14	17	14	23	17	95,730	1,670,703	9,651	49.5	101,087								
Hematological Agents	1.0	0.4	0.2	0.5	73	57	7	9	72	149	44	19	78,171	5,597,955	7,367	37.8	76,182								
Topical Products	0.6	0.3	0.1	0.2	24	16	3	5	40	53	50	22	73,221	2,964,403	11,633	59.7	124,788								
Miscellaneous Products	0.3	0.1	0.0	0.3	26	5	0	20	75	76	238	75	2,180	164,422	609	3.1	6,420								
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	9	0	0	0	28	0	0	0	4,284	119,586	1,251	6.4	13,572								
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	1,485,680	80,028,254	n.a.	n.a.	n.a.								

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.9 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 8,390 beneficiaries who were in nursing facilities for part of their enrollment and their 82,976 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003). In Louisiana, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$11,477,379	9,829	50.4 %	105,540	0.8	\$136	\$109
ULCER DRUGS	7,076,573	10,253	52.6	108,344	0.7	88	65
ANTIDEPRESSANTS	6,410,515	12,044	61.8	127,198	0.8	61	50
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	4,236,036	3,921	20.1	40,732	0.8	125	104
ANTIDIABETIC	3,369,181	8,013	41.1	84,884	0.8	51	40
ANALGESICS - ANTI-INFLAMMATORY	3,327,791	6,243	32.0	68,492	0.6	77	49
ANTICONVULSANT	3,018,298	5,578	28.6	60,224	0.9	56	50
ANTIHYPERTENSIVE	3,004,808	9,497	48.7	99,237	0.8	38	30
MISC. HEMATOLOGICAL	2,747,288	3,622	18.6	37,704	0.8	97	73
ANTIASTHMATIC	2,230,480	8,720	44.8	91,612	0.5	53	24
Total	46,898,349	77,720		823,967	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.10 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 8,390 beneficiaries who were in nursing facilities for part of their enrollment and their 82,976 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ULCER DRUGS						
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Users as % of All-Year Residents	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Users as % of All-Year Residents	No. of Users	No. of Bene Mos among Users	Mean No. of Rx
			50.4 %	46.9	46.9												
All	615,290	\$46,898,349	9,829	105,540	0.8	10,253	108,344	0.7	52.6 %	10,253	108,344	0.7	52.6 %	10,253	108,344	0.7	\$65
Female	428,844	32,146,986	6,458	69,677	0.8	7,345	78,004	0.7	53.3	7,345	78,004	0.7	53.3	7,345	78,004	0.7	65
Disabled	29,450	2,461,118	520	6,030	0.9	387	4,367	0.8	58.1	387	4,367	0.8	58.1	387	4,367	0.8	66
64 or younger	29,363	2,456,125	519	6,022	0.9	383	4,353	0.8	58.1	383	4,353	0.8	58.1	383	4,353	0.8	66
65-74	87	4,993	1	8	0.8	4	14	0.6	66.7	4	14	0.6	66.7	4	14	0.6	62
75-84	0	0	0	0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0
85 and older	0	0	0	0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0
Other Eligibles	399,394	29,685,868	5,938	63,647	0.8	6,958	73,637	0.7	53.1	6,958	73,637	0.7	53.1	6,958	73,637	0.7	65
64 or younger	0	0	0	0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0
65-74	73,018	5,640,214	1,154	12,854	0.9	970	10,647	0.8	56.4	970	10,647	0.8	56.4	970	10,647	0.8	65
75-84	159,127	11,918,900	2,325	24,978	0.8	2,593	27,701	0.7	56.0	2,593	27,701	0.7	56.0	2,593	27,701	0.7	66
85 and older	167,249	12,126,754	2,459	25,815	0.7	3,395	35,289	0.8	50.3	3,395	35,289	0.8	50.3	3,395	35,289	0.8	65
Male	186,446	14,751,363	3,371	35,863	0.8	2,908	30,340	0.7	50.9	2,908	30,340	0.7	50.9	2,908	30,340	0.7	66
Disabled	46,188	4,109,263	1,001	11,331	0.9	571	6,284	0.7	50.9	571	6,284	0.7	50.9	571	6,284	0.7	60
64 or younger	46,039	4,084,045	990	11,261	0.9	567	6,271	0.7	51.0	567	6,271	0.7	51.0	567	6,271	0.7	60
65-74	149	25,218	11	70	0.7	4	13	0.9	44.4	4	13	0.9	44.4	4	13	0.9	60
75-84	0	0	0	0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0
85 and older	0	0	0	0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0
Other Eligibles	140,258	10,642,100	2,370	24,532	0.8	2,337	24,056	0.7	50.9	2,337	24,056	0.7	50.9	2,337	24,056	0.7	67
64 or younger	0	0	0	0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0
65-74	51,826	4,161,398	885	9,777	0.8	717	7,654	0.7	51.6	717	7,654	0.7	51.6	717	7,654	0.7	67
75-84	53,670	3,971,203	913	9,244	0.8	893	9,198	0.7	50.0	893	9,198	0.7	50.0	893	9,198	0.7	67
85 and older	34,762	2,509,499	572	5,511	0.7	727	7,204	0.7	51.3	727	7,204	0.7	51.3	727	7,204	0.7	68
Unknown	0	0	0	0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.10A includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 8,390 beneficiaries who were in nursing facilities for part of their enrollment and their 82,976 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	ANTIDEPRESSANTS					MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL					ANTIDIABETIC				
	Users as %			Mean		Users as %			Mean		Users as %			Mean	
	No. of Users	No. of Bene Mos among Users	No. of All-Year NF Residents	No. of Rx	Rx \$	No. of Users	No. of Bene Mos among Users	No. of All-Year NF Residents	No. of Rx	Rx \$	No. of Users	No. of Bene Mos among Users	No. of All-Year NF Residents	No. of Rx	Rx \$
All	12,044	61.8 %	127,198	0.8	\$50	3,921	20.1 %	40,732	0.8	\$104	8,013	41.1 %	84,584	0.8	\$40
Female	8,680	63.0	92,096	0.8	50	2,986	21.7	31,386	0.8	104	5,688	41.3	60,817	0.8	39
Disabled	509	76.4	5,778	0.9	59	45	6.8	519	0.7	110	362	54.4	4,029	0.8	44
64 or younger	504	76.5	5,753	0.9	59	45	6.8	519	0.7	110	360	54.6	4,021	0.8	44
65-74	5	83.3	25	1.0	57	0	0.0	0	0.0	0	2	33.3	8	1.1	56
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	8,171	62.4	86,318	0.8	50	2,941	22.4	30,867	0.8	104	5,326	40.6	56,788	0.8	39
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	1,326	77.0	14,266	0.8	53	303	17.6	3,236	0.8	100	1,150	66.8	12,790	0.8	43
75-84	3,229	69.8	34,199	0.8	50	1,223	26.4	12,763	0.8	106	2,265	48.9	24,141	0.8	40
85 and older	3,616	53.5	37,853	0.8	48	1,415	20.9	14,868	0.8	103	1,911	28.3	19,857	0.7	35
Male	3,364	58.9	35,102	0.8	50	935	16.4	9,346	0.8	105	2,325	40.7	24,067	0.8	41
Disabled	761	67.9	8,388	0.8	53	70	6.2	750	0.8	100	484	43.2	5,354	0.8	42
64 or younger	759	68.3	8,376	0.8	53	69	6.2	738	0.8	100	481	43.3	5,339	0.8	42
65-74	2	22.2	12	0.5	29	1	11.1	12	1.0	129	3	33.3	15	0.9	36
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	2,603	56.7	26,714	0.8	50	865	18.8	8,596	0.8	105	1,841	40.1	18,713	0.8	41
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	850	61.2	9,155	0.8	53	186	13.4	1,940	0.8	102	727	52.3	7,716	0.8	44
75-84	1,058	59.2	10,663	0.8	49	367	20.5	3,593	0.8	105	737	41.3	7,470	0.7	38
85 and older	695	49.0	6,896	0.8	47	312	22.0	3,063	0.9	107	377	26.6	3,527	0.8	39
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.10B includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 8,390 beneficiaries who were in nursing facilities for part of their enrollment and their 82,976 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	ANALGESICS - ANTI-INFLAMMATORY					ANTICONVULSANT					ANTIHYPERTENSIVE				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	%	No. of Users	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	%	No. of Users	No. of Bene among Users	Mean No. of Rx	Mean Rx \$	%
All	6,243	68,492	0.6	\$49	32.0	5,578	60,224	0.9	\$50	48.7	9,497	99,237	0.8	\$30	
Female	4,703	51,761	0.6	49	34.2	3,550	38,248	0.9	45	47.7	6,563	68,796	0.8	30	
Disabled	269	3,111	0.6	44	40.4	505	5,707	1.0	66	48.5	323	3,602	0.8	32	
64 or younger	269	3,111	0.6	44	40.8	500	5,683	1.0	66	48.3	318	3,586	0.8	32	
65-74	0	0	0.0	0	0.0	5	24	0.7	39	83.3	5	16	0.8	17	
75-84	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	
85 and older	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	
Other Eligibles	4,434	48,650	0.6	50	33.8	3,045	32,541	0.8	41	47.6	6,240	65,194	0.8	30	
64 or younger	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	
65-74	651	7,358	0.6	51	37.8	800	8,794	0.9	54	56.1	965	10,441	0.8	31	
75-84	1,738	19,182	0.6	51	37.6	1,281	13,730	0.8	39	51.0	2,362	25,034	0.8	31	
85 and older	2,045	22,110	0.6	48	30.3	964	10,017	0.8	33	43.1	2,913	29,719	0.8	29	
Male	1,540	16,731	0.6	46	27.0	2,028	21,976	0.9	59	51.4	2,934	30,441	0.8	31	
Disabled	296	3,284	0.6	45	26.4	769	8,675	1.0	75	52.5	589	6,463	0.8	33	
64 or younger	295	3,279	0.6	45	26.5	764	8,645	1.0	75	53.0	589	6,463	0.8	33	
65-74	1	5	0.8	62	11.1	5	30	0.9	83	0.0	0	0	0.0	0	
75-84	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	
85 and older	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	
Other Eligibles	1,244	13,447	0.6	46	27.1	1,259	13,301	0.9	49	51.1	2,345	23,978	0.8	30	
64 or younger	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	
65-74	382	4,371	0.6	50	27.5	565	6,260	0.9	55	61.6	856	9,310	0.8	31	
75-84	468	4,955	0.6	45	26.2	470	4,821	0.9	45	50.5	902	8,952	0.8	30	
85 and older	394	4,121	0.6	44	27.8	224	2,220	0.8	38	41.4	587	5,716	0.8	28	
Unknown	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.10C includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 8,390 beneficiaries who were in nursing facilities for part of their enrollment and their 82,976 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	MISC. HEMATOLOGICAL					ANTIASTHMATIC						
	Users as %		Users as %		Mean Rx \$	Users as %		Users as %		Mean Rx \$		
	No. of Users	No. of Bene Mos among Users	No. of Residents	No. of Bene Mos among Users		No. of Residents	No. of Bene Mos among Users	No. of Residents	No. of Bene Mos among Users			
All	3,622	18.6 %	37,704	0.8	\$73	8,720	44.8 %	91,612	0.5	\$24	19,483	197,878
Female	2,497	18.1	26,150	0.8	74	5,789	42.0	61,366	0.4	24	13,770	140,800
Disabled	75	11.3	813	0.8	72	262	39.3	2,930	0.5	26	666	7,414
64 or younger	73	11.1	807	0.8	72	260	39.5	2,924	0.5	26	659	7,389
65-74	2	33.3	6	0.8	80	2	33.3	6	0.8	10	6	24
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	1
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	2,422	18.5	25,337	0.8	74	5,527	42.2	58,436	0.4	23	13,104	133,386
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	296	17.2	3,202	0.8	86	901	52.4	9,799	0.5	28	1,721	18,425
75-84	909	19.6	9,580	0.8	76	2,084	45.0	21,912	0.5	26	4,628	47,454
85 and older	1,217	18.0	12,555	0.7	69	2,542	37.6	26,725	0.4	19	6,755	67,507
Male	1,125	19.7	11,554	0.7	71	2,931	51.3	30,246	0.5	26	5,713	57,078
Disabled	113	10.1	1,248	0.8	69	459	40.9	5,017	0.5	24	1,121	12,133
64 or younger	111	10.0	1,236	0.8	69	456	41.0	4,995	0.5	24	1,112	12,087
65-74	2	22.2	12	0.8	59	3	33.3	22	0.8	29	9	46
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	1,012	22.0	10,306	0.7	71	2,472	53.8	25,229	0.5	27	4,592	44,945
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	306	22.0	3,293	0.7	90	723	52.1	7,600	0.5	28	1,389	14,599
75-84	392	21.9	3,890	0.8	64	981	54.9	9,966	0.5	26	1,786	17,222
85 and older	314	22.2	3,123	0.7	60	768	54.2	7,663	0.5	25	1,417	13,124
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.10D includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 8,390 beneficiaries who were in nursing facilities for part of their enrollment and their 82,976 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG DUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 LOUISIANA, 2002

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx as % of All Dual Rx \$	Total No. of Benes
			2.2	36.1 %					
All	39,751	36.1 %	2.2	36.1 %	243,527	\$9,062,185	\$37	3.1 %	110,240
Age									
5 and younger	3	37.5	2.0	37.5	16	1,562	98	4.9	8
6-14	7	31.8	1.3	31.8	29	1,678	58	1.3	22
15-20	98	29.6	1.7	29.6	567	30,597	54	4.0	331
21-44	6,030	32.0	1.9	32.0	36,074	1,433,847	40	3.6	18,825
45-64	8,225	38.2	2.6	38.2	55,687	1,983,921	36	3.1	21,515
65-74	9,110	34.7	2.1	34.7	55,722	1,857,717	33	2.6	26,218
75-84	9,161	36.9	2.3	36.9	56,270	2,167,567	39	3.0	24,850
85 and older	7,117	38.5	2.1	38.5	39,162	1,585,296	40	3.3	18,471
Unknown	0	0.0	0.0	0.0	0	0	0	0.0	0
Basis of Eligibility^c									
Aged	25,358	36.5	2.2	36.5	151,038	5,601,176	37	2.9	69,459
Disabled	14,343	35.3	2.3	35.3	92,239	3,433,292	37	3.3	40,645
Adults	46	35.4	1.8	35.4	238	27,436	115	12.2	130
Children	4	66.7	2.0	66.7	12	281	23	0.6	6
Unknown	0	0.0	0.0	0.0	0	0	0	0.0	0
Gender									
Female	28,481	38.8	2.3	38.8	170,927	6,064,450	35	2.9	73,499
Male	11,270	30.7	2.0	30.7	72,600	2,997,735	41	3.4	36,739
Unknown	0	0.0	0.0	0.0	0	0	0	0.0	2
Race									
White	20,502	44.5	3.1	44.5	142,273	4,737,968	33	3.2	46,118
African American	14,308	28.7	1.5	28.7	73,221	3,434,182	47	3.1	49,800
Other/unknown	4,941	34.5	2.0	34.5	28,033	890,035	32	2.5	14,322
Use of Nursing Facilities^d									
Entire year	9,481	48.7	3.5	48.7	67,580	2,676,102	40	3.3	19,483
Part year	4,356	51.9	3.0	51.9	25,209	971,860	39	3.5	8,390
None	25,914	31.5	1.8	31.5	150,738	5,414,223	36	2.9	82,367
Maintenance Assistance Status									
Cash	22,920	32.5	1.9	32.5	133,938	5,063,917	38	3.0	70,496
Medically needy	91	26.9	1.6	26.9	545	14,048	26	2.6	338
Poverty related	998	27.6	1.2	27.6	4,388	122,454	28	2.6	3,619
Other/unknown	15,742	44.0	2.9	44.0	104,656	3,861,766	37	3.2	35,787

Table D11

Dual Eligible Beneficiaries

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.11 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
- b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.12
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 LOUISIANA, 2002

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazapine \$ per Bene Mo.	No. of Bene Mos
All	0.2	\$8	\$37	\$0	\$2	1,201,583
Age						
5 and younger	0.2	20	98	0	0	80
6-14	0.1	7	58	0	0	247
15-20	0.2	8	54	0	1	3,667
21-44	0.2	7	40	0	2	211,146
45-64	0.2	8	36	0	3	239,774
65-74	0.2	6	33	0	2	291,920
75-84	0.2	8	39	0	2	267,473
85 and older	0.2	8	40	0	2	187,276
Unknown	0.0	0	0	0	0	0
Basis of Eligibility^c						
Aged	0.2	8	37	0	2	746,269
Disabled	0.2	8	37	0	2	454,226
Adults	0.2	27	115	0	1	1,016
Children	0.2	4	23	0	0	72
Unknown	0.0	0	0	0	0	0
Gender						
Female	0.2	8	35	0	2	806,177
Male	0.2	8	41	0	2	395,382
Unknown	0.0	0	0	0	0	24
Race						
White	0.3	10	33	0	3	489,155
African American	0.1	6	47	0	1	554,247
Other/unknown	0.2	6	32	0	2	158,181
Use of Nursing Facilities^d						
Entire year	0.3	14	40	0	3	197,878
Part year	0.3	12	39	0	3	82,976
None	0.2	6	36	0	2	920,729
Maintenance Assistance Status						
Cash	0.2	6	38	0	2	795,381
Medically needy	0.2	4	26	0	1	3,258
Poverty related	0.1	3	28	0	1	37,662
Other/unknown	0.3	11	37	0	3	365,282

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table D.12 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
 - b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract, OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.13
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 FOR SELECTED DRUG CATEGORIES AMONG DUALS^{a,b,c}
 LOUISIANA, 2002

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	50,281	\$180	\$9,062,185	100.0 %	243,527	\$37	100.0 %
Anorexia or weight loss/gain	3,097	219	677,775	7.5	6,257	108	2.6
Fertility drugs	50	16,285	814,251	9.0	210	3,877	0.1
Drugs for cosmetic purposes	909	1,201	1,091,415	12.0	5,119	213	2.1
Cough and cold medications	1,891	232	438,828	4.8	3,856	114	1.6
Vitamins and minerals	403	910	366,839	4.0	638	575	0.3
Non-prescription drugs	21,622	134	2,898,913	32.0	77,167	38	31.7
Barbiturates	39	14	557	0.0	45	12	0.0
Benzodiazepines	22,244	121	2,694,963	29.7	150,142	18	61.7
Other Part D Excl Rx Drugs	26	3,025	78,644	0.9	93	846	0.0

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table D.13 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2002. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table D11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

SUPPLEMENTAL TABLE 1E
 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER^{a, b}
 LOUISIANA, 2002

Total Number of Dual Eligible Beneficiaries, Age 85+ 18,471
 Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 85+ \$48,547,316
 Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 85+ \$2,628

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries, Age 85+ 5.5 %	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	1,007	5.5 %	0	0.0 %
1-500	2,462	13.3	593,495	1.2
501-1,000	2,175	11.8	1,635,943	3.4
1,001-1,500	1,910	10.3	2,386,324	4.9
1,501-2,000	1,716	9.3	2,989,499	6.2
2,001-2,500	1,483	8.0	3,329,412	6.9
2,501-3,000	1,361	7.4	3,731,948	7.7
3,001-3,500	1,164	6.3	3,773,136	7.8
3,501-4,000	1,006	5.4	3,768,127	7.8
4,001-4,500	852	4.6	3,613,415	7.4
4,501-5,000	668	3.6	3,167,305	6.5
5,001-5,500	566	3.1	2,966,411	6.1
5,501-6,000	428	2.3	2,463,689	5.1
6,001-6,500	365	2.0	2,276,648	4.7
6,501-7,000	283	1.5	1,908,124	3.9
7,001-7,500	219	1.2	1,587,821	3.3
7,501-8,000	173	0.9	1,339,354	2.8
8,001-8,500	132	0.7	1,086,033	2.2
8,501-9,000	116	0.6	1,012,257	2.1
9,001-9,500	79	0.4	729,980	1.5
9,501-10,000	61	0.3	592,070	1.2
10,001+	245	1.3	3,596,325	7.4

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2002.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

APPENDIX TABLE A.3

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	No. of Benes					No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	All	Aged	Disabled	Adults	Children	Unknown
All	110,240	69,459	40,645	130	6	1,201,583	746,269	454,226	1,016	72	0
Age											
5 and younger	8	0	8	0	0	80	0	80	0	0	0
6-14	22	0	18	0	4	247	0	199	0	48	0
15-20	331	0	326	3	2	3,667	0	3,625	18	24	0
21-44	18,825	0	18,739	86	0	211,146	0	210,481	665	0	0
45-64	21,515	0	21,475	40	0	239,774	0	239,448	326	0	0
65-74	26,218	26,139	78	1	0	291,920	291,521	392	7	0	0
75-84	24,850	24,849	1	0	0	267,473	267,472	1	0	0	0
85 and older	18,471	18,471	0	0	0	187,276	187,276	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0
Gender											
Female	73,499	52,770	20,641	86	2	806,177	572,365	233,104	684	24	0
Male	36,739	16,689	20,002	44	4	395,382	173,904	221,098	332	48	0
Unknown	2	0	2	0	0	24	0	24	0	0	0
Race											
White	46,118	29,839	16,206	72	1	489,155	308,393	180,244	506	12	0
African American	49,800	29,177	20,562	58	3	554,247	322,864	230,837	510	36	0
Other/unknown	14,322	10,443	3,877	0	2	158,181	115,012	43,145	0	24	0
Use of Nursing Facilities^c											
Entire year	19,483	17,695	1,787	1	0	197,878	178,324	19,547	7	0	0
Part year	8,390	7,534	855	0	1	82,976	74,103	8,861	0	12	0
None	82,367	44,230	38,003	129	5	920,729	493,842	425,818	1,009	60	0
Maintenance Assistance Status											
Cash	70,496	41,084	29,312	100	0	795,381	467,311	327,260	810	0	0
Medically needy	338	150	179	9	0	3,258	1,450	1,737	71	0	0
Poverty related	3,619	1,866	1,736	13	4	37,662	19,093	18,458	63	48	0
Other/unknown	35,787	26,359	9,418	8	2	365,282	258,415	106,771	72	24	0
Dual Status^d											
Full dual, all year	106,141	67,155	38,854	126	6	1,156,078	720,791	434,242	973	72	0
Full dual, part year	4,099	2,304	1,791	4	0	45,505	25,478	19,984	43	0	0
Managed Care Status											
FFS all year	110,240	69,459	40,645	130	6	1,201,583	746,269	454,226	1,016	72	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table A.3 includes the beneficiaries represented by Cell F of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid pharmacy benefits during all months of Medicaid enrollment in 2002. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.4
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2002

Beneficiary Characteristics	Beneficiary Characteristics			
	Bene Mos in Cell F of Table 1 No. of Benes	Bene Mos in Cell G of Table 1 No. of Benes	Bene Mos in Cell H of Table 1 No. of Benes	Bene Mos in Cell I of Table 1 No. of Benes
All	110,240	1,201,583	110,240	1,201,583
FFS all year	110,240	1,201,583	110,240	1,201,583
FFS part year, with Rx claims	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0
MC all year, with Rx claims	0	0	0	0
MC all year, with no Rx claims	0	0	0	0

Source: Data for this table are from the MAX 2002 file for Louisiana, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.