

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2002 FLORIDA

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	No. of Benes							No. of Bene Mos										
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	1,786,950	16,866	227,745	445,694	1,096,532	113	12,715,004	135,325	2,095,595	3,160,986	7,322,280	818	1,786,950	16,866	227,745	445,694	1,096,532	113
Age																		
5 and younger	502,907	0	14,635	1	488,271	0	3,321,319	0	135,656	4	3,185,659	0	502,907	0	14,635	1	488,271	0
6-14	482,175	0	39,585	0	442,590	0	3,415,599	0	394,936	0	3,020,663	0	482,175	0	39,585	0	442,590	0
15-20	230,810	0	23,343	43,233	164,234	0	1,666,121	0	227,207	329,638	1,109,276	0	230,810	0	23,343	43,233	164,234	0
21-44	442,055	0	63,769	377,018	1,268	0	3,268,775	0	572,494	2,689,995	6,286	0	442,055	0	63,769	377,018	1,268	0
45-64	107,674	19	82,179	25,351	12	113	864,867	88	723,178	140,722	61	818	107,674	19	82,179	25,351	12	113
65-74	12,511	9,287	3,162	62	0	0	99,690	66,658	32,634	398	0	0	12,511	9,287	3,162	62	0	0
75-84	6,367	5,661	682	24	0	0	57,533	50,955	6,386	192	0	0	6,367	5,661	682	24	0	0
85 and older	2,294	1,899	390	5	0	0	20,765	17,624	3,104	37	0	0	2,294	1,899	390	5	0	0
Unknown	157	0	0	0	157	0	335	0	0	0	335	0	157	0	0	0	157	0
Gender																		
Female	1,056,479	11,029	111,176	387,985	546,176	113	7,670,070	88,435	1,038,651	2,889,972	3,652,194	818	1,056,479	11,029	111,176	387,985	546,176	113
Male	728,347	5,831	116,564	57,706	548,246	0	5,037,125	46,842	1,056,913	270,997	3,662,373	0	728,347	5,831	116,564	57,706	548,246	0
Unknown	2,124	6	5	3	2,110	0	7,809	48	31	17	7,713	0	2,124	6	5	3	2,110	0
Race																		
White	652,426	2,055	85,185	184,390	380,727	69	4,815,519	18,230	766,401	1,397,355	2,633,070	463	652,426	2,055	85,185	184,390	380,727	69
African American	527,527	2,217	58,979	131,790	334,524	17	3,739,234	18,254	547,418	932,542	2,240,884	136	527,527	2,217	58,979	131,790	334,524	17
Other/unknown	606,997	12,594	83,581	129,514	381,281	27	4,160,251	98,841	781,776	831,089	2,448,326	219	606,997	12,594	83,581	129,514	381,281	27
Use of Nursing Facilities^c																		
Entire year	3,587	481	3,101	1	4	0	34,423	4,674	29,689	12	48	0	3,587	481	3,101	1	4	0
Part year	3,977	324	3,584	44	25	0	33,592	2,812	30,221	348	211	0	3,977	324	3,584	44	25	0
None	1,779,386	16,061	221,060	445,649	1,096,503	113	12,646,989	127,839	2,035,685	3,160,626	7,322,021	818	1,779,386	16,061	221,060	445,649	1,096,503	113
Maintenance Assistance Status																		
Cash	707,634	10,342	210,196	172,499	314,597	0	5,300,905	89,933	1,964,590	1,004,340	2,242,042	0	707,634	10,342	210,196	172,499	314,597	0
Medically needy	17,538	1	1,712	11,231	4,594	0	106,145	2	12,987	64,841	28,315	0	17,538	1	1,712	11,231	4,594	0
Poverty-related	660,202	6,255	10,093	48,453	595,288	113	4,154,474	43,188	64,070	311,461	3,734,937	818	660,202	6,255	10,093	48,453	595,288	113
Other/unknown	401,576	268	5,744	213,511	182,053	0	3,153,480	2,202	53,948	1,780,344	1,316,986	0	401,576	268	5,744	213,511	182,053	0
Managed Care Status																		
FFS all year	1,264,773	13,093	192,374	334,949	724,244	113	10,785,528	120,628	1,917,816	2,690,022	6,056,244	818	1,264,773	13,093	192,374	334,949	724,244	113
FFS part year, with Rx claims	170,175	2,099	21,612	44,957	101,507	0	863,296	10,029	126,479	239,584	487,204	0	170,175	2,099	21,612	44,957	101,507	0
FFS part year, no Rx claims	352,002	1,674	13,759	65,788	270,781	0	1,066,180	4,668	51,300	231,380	778,832	0	352,002	1,674	13,759	65,788	270,781	0

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	49.6 %	6.3	\$411	\$66	\$2,562	16.0 %	1,786,950
Age							
5 and younger	53.1	3.5	159	45	1,926	8.2	502,907
6-14	42.4	3.3	235	72	1,429	16.5	482,175
15-20	44.6	3.5	236	67	2,135	11.0	230,810
21-44	49.6	6.7	493	73	3,015	16.3	442,055
45-64	71.8	32.5	2,220	68	8,674	25.6	107,674
65-74	74.1	25.6	1,379	54	6,793	20.3	12,511
75-84	77.9	28.1	1,386	49	7,741	17.9	6,367
85 and older	76.9	30.1	1,310	44	11,500	11.4	2,294
Unknown	0.0	0.0	0	0	69	0.0	157
Basis of Eligibility^c							
Aged	73.8	22.6	1,127	50	6,135	18.4	16,866
Disabled	72.8	26.0	2,170	84	10,893	19.9	227,745
Adults	47.1	4.0	180	45	1,639	11.0	445,694
Children	45.5	2.8	128	45	1,151	11.1	1,096,532
Unknown	81.4	18.4	1,709	93	10,661	16.0	113
Gender							
Female	50.6	6.5	375	58	2,405	15.6	1,056,479
Male	48.3	6.0	463	78	2,793	16.6	728,347
Unknown	23.7	0.8	36	45	1,522	2.4	2,124
Race							
White	52.5	7.5	453	61	2,658	17.0	652,426
African American	44.0	4.5	312	70	2,315	13.5	527,527
Other/unknown	51.5	6.6	450	69	2,673	16.8	606,997
Use of Nursing Facilities^d							
Entire year	97.0	75.2	4,001	53	50,827	7.9	3,587
Part year	95.3	55.6	3,688	66	41,854	8.8	3,977
None	49.4	6.0	396	66	2,377	16.7	1,779,386
Maintenance Assistance Status							
Cash	56.4	10.7	782	73	4,081	19.2	707,634
Medically needy	57.6	10.0	751	76	3,680	20.4	17,538
Poverty related	45.0	3.1	141	46	1,250	11.2	660,202
Other/unknown	45.1	3.5	185	53	1,993	9.3	401,576

Table ND3

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	0.9	\$58	16.0 %	50.4 %	37.1 %	5.3 %	4.8 %	2.0 %	0.4 %	\$360	1,786,950	12,715,004
Age												
5 and younger	0.5	24	8.2	46.9	45.6	5.3	2.0	0.2	0.0	292	502,907	3,321,319
6-14	0.5	33	16.5	57.6	35.7	3.9	2.4	0.3	0.0	202	482,175	3,415,599
15-20	0.5	33	11.0	55.4	37.5	4.1	2.5	0.4	0.0	296	230,810	1,666,121
21-44	0.9	67	16.3	50.4	34.6	5.8	6.3	2.4	0.4	408	442,055	3,268,775
45-64	4.0	276	25.6	28.2	16.0	9.7	23.0	18.4	4.7	1,080	107,674	864,867
65-74	3.2	173	20.3	25.9	20.4	12.5	26.4	12.8	2.0	853	12,511	99,690
75-84	3.1	153	17.9	22.1	19.1	13.1	29.3	14.7	1.7	857	6,367	57,533
85 and older	3.3	145	11.4	23.1	16.3	12.6	26.8	18.7	2.6	1,270	2,294	20,765
Unknown	0.0	0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	32	157	335
Basis of Eligibility^c												
Aged	2.8	141	18.4	26.2	21.4	13.4	26.9	11.1	1.0	765	16,866	135,325
Disabled	2.8	236	19.9	27.2	26.7	10.5	19.7	12.7	3.1	1,184	227,745	2,095,595
Adults	0.6	25	11.0	52.9	36.8	5.1	4.1	1.0	0.1	231	445,694	3,160,986
Children	0.4	19	11.1	54.5	39.6	4.1	1.7	0.1	0.0	172	1,096,532	7,322,280
Unknown	2.5	236	16.0	18.6	29.2	9.7	33.6	8.0	0.9	1,473	113	818
Gender												
Female	0.9	52	15.6	49.4	38.0	5.1	4.8	2.2	0.5	331	1,056,479	7,670,070
Male	0.9	67	16.6	51.7	35.9	5.5	4.8	1.8	0.4	404	728,347	5,037,125
Unknown	0.2	10	2.4	76.3	20.5	2.4	0.8	0.0	0.0	414	2,124	7,809
Race												
White	1.0	61	17.0	47.5	37.7	5.7	5.7	2.7	0.6	360	652,426	4,815,519
African American	0.6	44	13.5	56.0	35.3	3.9	3.3	1.3	0.2	327	527,527	3,739,234
Other/unknown	1.0	66	16.8	48.5	37.9	6.0	5.2	2.0	0.4	390	606,997	4,160,251
Use of Nursing Facilities^d												
Entire year	7.8	417	7.9	3.0	3.9	5.7	25.0	37.5	24.9	5,296	3,587	34,423
Part year	6.6	437	8.8	4.7	9.0	8.9	28.4	32.1	17.1	4,955	3,977	33,592
None	0.8	56	16.7	50.6	37.2	5.3	4.7	1.9	0.3	334	1,779,386	12,646,989
Maintenance Assistance Status												
Cash	1.4	104	19.2	43.6	35.5	6.9	8.7	4.4	0.9	545	707,634	5,300,905
Medically needy	1.6	124	20.4	42.4	33.4	7.6	10.3	5.2	1.1	608	17,538	106,145
Poverty related	0.5	22	11.2	55.0	38.3	4.2	2.0	0.4	0.1	199	660,202	4,154,474
Other/unknown	0.4	24	9.3	54.9	38.1	4.0	2.5	0.5	0.1	254	401,576	3,153,480

Table ND4

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	All Rx		Patented Brand-Name Drugs		Off-Patent Brand-Name Drugs		Generic Drugs	
	No. of Rx	Rx \$	No. of Rx	Rx \$	No. of Rx	Rx \$	No. of Rx	Rx \$
All	0.9	\$58	0.4	\$45	0.1	\$3	0.4	\$10
		\$ per Rx		\$ per Rx		\$ per Rx		\$ per Rx
Age								
5 and younger	0.5	24	0.2	19	0.0	2	0.3	4
6-14	0.5	33	0.2	26	0.0	3	0.2	4
15-20	0.5	33	0.2	26	0.0	3	0.2	5
21-44	0.9	67	0.4	53	0.1	3	0.5	11
45-64	4.0	276	1.8	213	0.2	11	2.1	52
65-74	3.2	173	1.5	129	0.1	7	1.6	37
75-84	3.1	153	1.4	114	0.1	6	1.5	33
85 and older	3.3	145	1.3	101	0.2	7	1.8	37
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
Basis of Eligibility^d								
Aged	2.8	141	1.3	105	0.1	5	1.4	30
Disabled	2.8	236	1.3	189	0.1	10	1.4	37
Adults	0.6	25	0.2	18	0.0	2	0.3	6
Children	0.4	19	0.2	14	0.0	2	0.2	3
Unknown	2.5	236	1.1	203	0.1	3	1.3	29
Gender								
Female	0.9	52	0.4	39	0.1	3	0.5	10
Male	0.9	67	0.4	54	0.1	4	0.4	10
Unknown	0.2	10	0.1	8	0.0	0	0.1	2
Race								
White	1.0	61	0.4	47	0.1	4	0.5	11
African American	0.6	44	0.3	35	0.0	2	0.3	7
Other/unknown	1.0	66	0.4	51	0.1	3	0.5	11
Use of Nursing Facilities^e								
Entire year	7.8	417	2.9	306	0.5	22	4.4	88
Part year	6.6	437	2.5	335	0.4	18	3.7	83
None	0.8	56	0.4	43	0.1	3	0.4	9
Maintenance Assistance								
Status								
Cash	1.4	104	0.6	82	0.1	5	0.7	17
Medically needy	1.6	124	0.7	101	0.1	5	0.8	18
Poverty related	0.5	22	0.2	16	0.0	2	0.2	4
Other/unknown	0.4	24	0.2	18	0.0	2	0.2	4

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Florida, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos			
		Brand-Name	Generic		Brand-Name	Generic		Brand-Name	Generic								
Anti-infective Agents	0.3	0.2	0.0	0.1	\$25	\$22	\$1	\$2	\$86	\$136	\$75	\$16	1,611,422	\$138,226,300	572,334	32.0 %	5,492,177
Biologics	0.4	0.3	0.0	0.0	416	327	17	72	1142	1,022	1,947	2,036	24,539	28,033,385	7,351	0.4	67,346
Antineoplastic Agents	0.5	0.2	0.0	0.3	142	108	4	30	286	505	181	116	36,970	10,566,773	7,464	0.4	74,354
Endocrine/Metabolic Drugs	0.4	0.2	0.1	0.1	21	16	1	3	50	74	25	22	871,074	43,218,043	211,545	11.8	2,105,739
Cardiovascular Agents	1.1	0.5	0.0	0.6	41	28	2	11	37	62	42	18	1,231,311	44,955,147	110,670	6.2	1,088,854
Respiratory Agents	0.4	0.2	0.0	0.2	20	12	2	6	48	70	56	27	1,762,469	84,307,780	433,345	24.3	4,170,781
Gastrointestinal Agents	0.5	0.3	0.0	0.2	36	30	2	5	76	116	214	22	537,427	40,659,265	114,419	6.4	1,133,605
Genitourinary Agents	0.2	0.2	0.0	0.0	8	8	0	1	41	48	35	17	141,937	5,861,746	71,977	4.0	691,700
CNS Drugs	0.9	0.4	0.0	0.4	79	66	2	11	86	146	102	24	1,578,868	135,941,093	174,110	9.7	1,730,791
Stimulants/Anti-obesity/Anorexia	0.6	0.4	0.1	0.1	37	27	4	5	63	74	67	35	234,915	14,832,723	40,222	2.3	404,830
Miscellaneous Psychological/Neurological Agents	0.4	0.3	0.0	0.1	45	40	0	4	126	157	59	44	17,365	2,183,900	4,637	0.3	48,982
Analgesics and Anesthetics	0.4	0.1	0.0	0.3	20	14	1	5	48	138	71	17	1,109,861	53,117,034	274,183	15.3	2,687,432
Neuromuscular Agents	0.7	0.3	0.0	0.4	46	36	2	8	66	121	54	21	671,584	44,085,892	95,277	5.3	960,880
Nutritional Products	0.3	0.0	0.0	0.2	3	0	0	3	12	11	12	12	293,223	3,479,126	115,307	6.5	1,072,693
Hematological Agents	0.5	0.1	0.0	0.3	129	118	1	10	278	821	40	34	174,828	48,679,087	39,131	2.2	376,245
Topical Products	0.3	0.1	0.0	0.1	9	5	1	3	34	52	54	19	826,940	28,197,356	337,648	18.9	3,285,011
Miscellaneous Products	0.4	0.1	0.0	0.2	58	45	4	9	147	323	270	38	42,260	6,219,193	10,910	0.6	106,383
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	6	0	0	0	27	0	0	0	39,405	1,044,520	16,545	0.9	177,098
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	11,206,398	733,608,363	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Florida, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIPSYCHOTICS	\$84,485,198	72,558 4.1 %	770,832	0.5	\$200	\$110	
ANTIVIRAL	77,893,236	40,972 2.3	422,551	0.5	375	184	
ANTIASTHMATIC	46,690,767	288,139 16.1	2,868,414	0.3	60	16	
ANTIDEPRESSANTS	40,192,872	136,572 7.6	1,380,963	0.4	65	29	
ANTICONVULSANT	37,554,276	69,139 3.9	719,736	0.6	85	52	
MISC. HEMATOLOGICAL	36,414,463	13,608 0.8	141,049	0.4	580	258	
ULCER DRUGS	32,951,031	117,261 6.6	1,183,181	0.4	78	28	
ANALGESICS - Narcotic	30,097,279	243,447 13.6	2,429,474	0.3	48	12	
PASSIVE IMMUNIZING AGENTS	27,907,010	5,991 0.3	52,050	0.4	1,211	536	
DERMATOLOGICAL	19,906,605	332,593 18.6	3,361,392	0.2	37	6	
Total	434,092,737	1,320,280	13,329,642	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a,b,c}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTIVIRAL						
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	4,146,178	\$434,092,737	72,558	4.1 %	770,832	0.5	\$110	40,972	2.3 %	422,551	0.5	\$184					
Female	2,461,321	219,943,843	38,953	3.7	413,076	0.5	102	23,122	2.2	239,476	0.4	159					
Disabled	1,464,231	153,510,783	29,698	26.7	324,010	0.6	111	12,924	11.6	140,440	0.5	202					
5 and younger	29,618	5,492,644	76	1.3	823	0.4	51	170	2.9	1,951	0.7	127					
6-14	69,780	7,110,456	1,413	10.6	15,521	0.5	80	650	4.9	7,617	0.7	215					
15-20	51,700	5,228,212	1,408	16.1	15,498	0.5	89	308	3.5	3,453	0.5	187					
21-44	455,278	55,111,001	11,436	34.6	123,130	0.5	109	7,173	21.7	77,100	0.5	195					
45-64	820,114	77,759,224	14,710	31.1	161,875	0.6	118	4,544	9.6	49,422	0.5	216					
65-74	29,377	2,284,629	459	22.1	5,164	0.7	122	68	3.3	795	0.4	169					
75-84	5,574	383,495	123	25.9	1,322	0.7	102	6	1.3	72	0.1	11					
85 and older	2,790	141,122	73	27.8	677	0.5	60	5	1.9	30	0.2	11					
Other Eligibles	997,090	66,433,060	9,255	1.0	89,066	0.3	68	10,198	1.1	99,036	0.3	98					
5 and younger	195,559	13,432,651	154	0.1	1,654	0.3	46	810	0.3	8,095	0.3	42					
6-14	157,593	9,542,028	1,572	0.7	16,500	0.4	65	1,098	0.5	11,769	0.5	121					
15-20	110,550	6,570,300	1,668	1.3	16,667	0.4	60	1,345	1.1	13,168	0.2	61					
21-44	411,490	27,952,596	4,503	1.4	41,454	0.3	70	6,392	1.9	60,781	0.3	104					
45-64	58,111	4,661,808	633	3.7	5,637	0.4	83	437	2.6	3,961	0.4	205					
65-74	28,765	2,016,683	315	5.3	2,955	0.4	74	57	1.0	595	0.1	32					
75-84	25,389	1,672,736	258	6.8	2,733	0.5	70	45	1.2	512	0.2	31					
85 and older	9,633	584,258	152	11.2	1,466	0.5	56	14	1.0	155	0.2	12					
Male	1,684,261	214,098,195	33,601	4.6	357,708	0.6	119	17,850	2.5	183,075	0.6	218					
Disabled	1,076,243	167,399,050	27,183	23.3	294,652	0.6	127	15,089	12.9	156,285	0.6	233					
5 and younger	43,806	9,940,960	224	2.6	2,464	0.4	67	173	2.0	1,909	0.6	82					
6-14	133,155	29,421,634	4,512	17.2	50,100	0.5	92	756	2.9	8,700	0.7	206					
15-20	78,311	12,959,683	2,906	19.9	31,866	0.6	109	244	1.7	2,771	0.5	185					
21-44	339,401	56,790,081	10,563	34.4	113,019	0.7	138	7,590	24.7	75,796	0.6	224					
45-64	460,389	56,262,877	8,506	24.4	92,016	0.6	140	6,266	18.0	66,445	0.6	253					
65-74	16,900	1,696,009	380	35.1	4,252	0.7	147	56	5.2	634	0.5	200					
75-84	2,714	240,241	60	28.8	652	0.7	155	4	1.9	30	0.3	113					
85 and older	1,587	87,565	32	25.2	283	0.6	70	0	0.0	0	0.0	0					
Other Eligibles	608,018	46,699,145	6,418	1.0	63,056	0.4	79	2,761	0.5	26,790	0.4	128					
5 and younger	233,312	17,026,649	303	0.1	3,124	0.4	61	746	0.3	7,248	0.3	42					
6-14	184,420	14,011,360	3,152	1.4	32,814	0.5	75	914	0.4	9,832	0.5	128					
15-20	78,824	6,538,024	1,750	2.1	17,032	0.4	75	325	0.4	3,373	0.3	84					
21-44	57,624	4,651,065	607	1.3	4,413	0.4	97	502	1.1	3,856	0.5	250					
45-64	20,898	1,991,112	173	2.1	1,335	0.4	104	186	2.2	1,516	0.6	348					
65-74	16,528	1,340,129	232	6.8	2,246	0.5	126	54	1.6	578	0.4	130					
75-84	11,987	865,183	135	7.1	1,443	0.5	95	29	1.5	327	0.2	29					
85 and older	4,425	275,623	66	12.0	649	0.4	62	5	0.9	60	0.1	6					
Unknown	596	50,699	4	0.2	48	0.3	46	0	0.0	0	0.0	0					

Table ND7A
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	ANTI-ASTHMATIC				ANTI-DEPRESSANTS				ANTI-CONVULSANT						
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	288,139	16.1 %	2,868,414	0.3	\$16	136,572	7.6 %	1,380,963	0.4	\$29	69,139	3.9 %	719,736	0.6	\$52
Female	149,205	14.1	1,496,085	0.3	17	93,415	8.8	942,122	0.4	29	39,909	3.8	413,659	0.6	49
Disabled	45,240	40.7	495,122	0.4	27	50,225	45.2	538,404	0.5	35	28,554	25.7	308,115	0.7	56
5 and younger	3,592	61.2	39,460	0.3	21	52	0.9	579	0.4	21	590	10.1	6,522	0.7	72
6-14	4,297	32.3	48,850	0.3	19	1,691	12.7	18,621	0.4	24	2,302	17.3	25,822	0.7	72
15-20	1,784	20.4	19,799	0.3	20	1,954	22.4	21,271	0.4	30	1,804	20.6	19,869	0.7	74
21-44	10,546	31.9	113,821	0.4	25	17,047	51.5	179,937	0.5	34	10,920	33.0	116,128	0.7	61
45-64	23,920	50.5	260,932	0.4	31	28,537	60.3	307,682	0.5	36	12,487	26.4	134,817	0.6	45
65-74	894	43.0	10,057	0.5	30	712	34.2	8,007	0.6	32	350	16.8	3,945	0.7	34
75-84	134	28.3	1,508	0.4	21	134	28.3	1,392	0.6	32	71	15.0	735	0.7	28
85 and older	73	27.8	695	0.3	8	98	37.3	915	0.6	31	30	11.4	277	0.7	34
Other Eligibles	103,965	11.0	1,000,963	0.2	12	43,190	4.6	403,718	0.3	21	11,355	1.2	105,544	0.4	31
5 and younger	46,159	19.4	444,548	0.2	9	243	0.1	2,539	0.3	15	412	0.2	4,240	0.4	30
6-14	25,726	11.6	255,058	0.2	12	4,332	2.0	44,528	0.4	21	1,582	0.7	15,917	0.5	43
15-20	8,181	6.5	79,969	0.2	11	6,240	5.0	61,477	0.3	21	1,619	1.3	15,751	0.4	37
21-44	19,161	5.8	177,444	0.2	14	26,837	8.1	244,962	0.3	21	6,190	1.9	55,080	0.4	27
45-64	2,440	14.3	21,051	0.3	24	3,563	20.9	30,309	0.4	28	906	5.3	7,945	0.4	34
65-74	1,089	18.3	10,326	0.4	32	988	16.6	9,617	0.4	24	309	5.2	3,039	0.5	27
75-84	907	24.0	9,533	0.4	28	718	19.0	7,523	0.5	24	266	7.1	2,811	0.5	21
85 and older	302	22.3	3,034	0.3	21	269	19.9	2,763	0.5	26	71	5.3	761	0.6	23
Male	138,797	19.1	1,371,581	0.3	16	43,155	5.9	438,825	0.5	29	29,228	4.0	306,053	0.7	56
Disabled	33,684	28.9	365,099	0.4	26	28,039	24.1	295,698	0.5	32	23,252	19.9	250,089	0.7	60
5 and younger	5,998	68.4	65,701	0.3	22	143	1.6	1,591	0.3	13	860	9.8	9,575	0.6	58
6-14	8,400	32.0	94,340	0.3	19	4,138	15.8	45,863	0.4	26	4,029	15.3	45,006	0.7	61
15-20	2,336	16.0	26,300	0.3	19	2,594	17.8	28,356	0.5	33	2,609	17.9	29,061	0.7	72
21-44	4,366	14.2	46,505	0.4	25	9,025	29.4	93,387	0.5	34	8,480	27.6	89,998	0.8	69
45-64	11,917	34.2	125,045	0.5	34	11,687	33.6	121,638	0.5	33	7,028	20.2	73,784	0.7	47
65-74	540	49.9	5,911	0.5	39	323	29.9	3,544	0.6	34	200	18.5	2,187	0.7	37
75-84	78	37.5	828	0.6	46	73	35.1	768	0.5	28	30	14.4	308	0.6	24
85 and older	49	38.6	469	0.3	14	56	44.1	551	0.6	30	16	12.6	170	0.6	20
Other Eligibles	105,113	17.2	1,006,482	0.2	12	15,116	2.5	143,127	0.4	24	5,976	1.0	55,964	0.5	37
5 and younger	61,875	25.0	589,498	0.2	11	375	0.2	3,855	0.3	14	624	0.3	6,179	0.4	30
6-14	33,269	15.0	325,213	0.2	13	6,252	2.8	64,146	0.4	22	2,225	1.0	22,665	0.5	38
15-20	5,870	7.1	56,940	0.3	14	3,841	4.7	36,947	0.4	27	1,422	1.7	13,391	0.5	45
21-44	2,047	4.5	15,429	0.3	20	2,911	6.4	22,493	0.4	24	1,089	2.4	8,082	0.4	32
45-64	669	7.9	5,657	0.4	26	931	11.0	7,481	0.4	25	323	3.8	2,627	0.4	28
65-74	698	20.5	6,970	0.4	34	439	12.9	4,388	0.4	24	171	5.0	1,715	0.5	24
75-84	515	27.0	5,138	0.4	27	261	13.7	2,775	0.5	26	87	4.6	917	0.5	15
85 and older	170	30.9	1,637	0.4	25	106	19.2	1,042	0.5	29	35	6.4	388	0.6	18
Unknown	137	6.0	748	0.2	9	2	0.1	16	0.4	35	2	0.1	24	0.5	9

Table ND7B
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	MISC. HEMATOLOGICAL				ULCER DRUGS				ANALGESICS - Narcotic						
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	13,608	0.8 %	141,049	0.4	\$258	117,261	6.6 %	1,183,181	0.4	\$28	243,447	13.6 %	2,429,474	0.3	\$12
Female	8,384	0.8	88,052	0.4	34	77,767	7.4	792,933	0.3	28	175,546	16.6	1,765,961	0.2	10
Disabled	5,342	4.8	58,699	0.5	37	39,218	35.3	429,941	0.4	35	58,330	52.5	630,999	0.4	20
5 and younger	2	0.0	23	0.1	6	921	15.7	9,650	0.4	20	426	7.3	4,840	0.1	1
6-14	12	0.1	137	0.4	108	979	7.4	11,219	0.4	31	1,263	9.5	14,530	0.2	3
15-20	9	0.1	85	0.4	28	933	10.7	10,370	0.3	27	2,071	23.7	22,787	0.2	4
21-44	640	1.9	7,004	0.3	42	10,241	31.0	111,609	0.4	31	21,403	64.7	229,489	0.3	20
45-64	4,325	9.1	47,520	0.5	36	24,808	52.4	272,275	0.5	38	31,867	67.3	344,956	0.4	23
65-74	265	12.7	3,041	0.5	39	1,080	51.9	12,212	0.5	38	1,019	49.0	11,562	0.3	13
75-84	68	14.3	716	0.6	50	157	33.1	1,665	0.6	41	189	39.9	2,003	0.4	14
85 and older	21	8.0	173	0.6	42	99	37.6	941	0.6	32	92	35.0	832	0.5	10
Other Eligibles	3,042	0.3	29,353	0.4	27	38,549	4.1	362,992	0.2	18	117,216	12.4	1,134,962	0.2	5
5 and younger	8	0.0	75	0.1	17	4,617	1.9	39,246	0.2	8	3,827	1.6	39,581	0.1	2
6-14	15	0.0	146	0.3	17	3,804	1.7	39,601	0.2	10	7,064	3.2	71,903	0.1	1
15-20	23	0.0	230	0.1	6	3,966	3.2	39,777	0.2	11	18,124	14.5	180,629	0.1	2
21-44	1,040	0.3	9,766	0.3	17	18,319	5.5	170,490	0.2	19	80,776	24.3	774,579	0.2	6
45-64	355	2.1	3,213	0.4	27	3,196	18.7	27,746	0.3	30	5,302	31.1	46,115	0.3	13
65-74	780	13.1	7,464	0.4	29	2,471	41.6	23,426	0.4	31	929	15.7	9,258	0.2	5
75-84	604	16.0	6,175	0.5	38	1,653	43.8	17,238	0.4	31	885	23.5	9,610	0.3	8
85 and older	217	16.1	2,284	0.5	39	523	38.7	5,468	0.5	34	309	22.9	3,287	0.3	7
Male	5,224	0.7	52,997	0.5	631	39,448	5.4	390,001	0.4	29	67,894	9.3	663,453	0.3	18
Disabled	3,736	3.2	39,041	0.5	759	22,299	19.1	235,551	0.5	36	34,476	29.6	357,265	0.4	28
5 and younger	31	0.4	325	0.8	7,164	1,233	14.1	12,940	0.4	21	748	8.5	8,503	0.1	1
6-14	71	0.3	793	1.0	20,043	1,383	5.3	15,840	0.4	32	2,256	8.6	25,949	0.1	2
15-20	43	0.3	485	0.7	9,153	1,064	7.3	12,038	0.4	34	2,119	14.5	24,012	0.2	4
21-44	377	1.2	3,888	0.4	1,428	5,817	19.0	61,542	0.4	35	11,254	36.7	115,025	0.4	30
45-64	2,986	8.6	30,960	0.5	42	12,129	34.8	125,911	0.5	38	17,592	50.5	178,553	0.5	35
65-74	175	16.2	2,003	0.5	35	537	49.6	5,949	0.5	39	389	36.0	4,149	0.4	21
75-84	36	17.3	415	0.5	38	87	41.8	880	0.5	43	67	32.2	647	0.3	8
85 and older	17	13.4	172	0.6	49	49	38.6	451	0.6	39	51	40.2	427	0.6	25
Other Eligibles	1,488	0.2	13,956	0.4	274	17,149	2.8	154,450	0.3	18	33,418	5.5	306,188	0.2	7
5 and younger	47	0.0	477	0.3	854	5,726	2.3	48,997	0.2	9	6,025	2.4	62,272	0.1	1
6-14	40	0.0	391	0.6	4,675	3,110	1.4	32,222	0.2	11	7,913	3.6	80,898	0.1	2
15-20	33	0.0	300	0.4	3,529	1,839	2.2	18,100	0.2	15	6,315	7.7	60,921	0.1	2
21-44	215	0.5	1,689	0.3	92	3,159	7.0	24,136	0.3	29	10,051	22.2	75,036	0.3	15
45-64	235	2.8	1,913	0.4	33	1,220	14.5	9,893	0.4	33	2,145	25.5	17,161	0.4	26
65-74	484	14.2	4,640	0.4	31	1,129	33.1	10,994	0.4	30	506	14.8	4,930	0.2	8
75-84	323	16.9	3,394	0.5	38	746	39.1	7,862	0.4	33	355	18.6	3,832	0.2	9
85 and older	111	20.1	1,152	0.5	36	220	39.9	2,246	0.5	35	108	19.6	1,138	0.3	11
Unknown	0	0.0	0	0.0	0	46	2.0	247	0.3	14	7	0.3	60	0.2	3

Table ND7C
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	PASSIVE IMMUNIZING AGENTS				DERMATOLOGICAL							
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Benes	No. of Bene Mos
All	5,991	0.3 %	52,050	0.4	\$536	332,593	18.6 %	3,361,392	0.2	\$6	1,786,950	12,715,004
Female	3,423	0.3	29,955	0.4	420	192,199	18.2	1,950,814	0.2	6	1,056,393	7,669,880
Disabled	844	0.8	8,152	0.5	748	44,358	39.9	501,676	0.2	8	111,176	1,038,651
5 and younger	701	11.9	6,532	0.5	549	2,556	43.6	28,432	0.1	5	5,868	54,096
6-14	31	0.2	359	0.8	804	4,396	33.0	50,720	0.2	7	13,319	134,374
15-20	9	0.1	104	0.5	972	2,687	30.8	30,698	0.2	7	8,737	85,034
21-44	71	0.2	803	0.7	1,703	12,033	36.4	134,770	0.2	8	33,085	303,674
45-64	30	0.1	330	0.8	2,249	21,411	45.2	242,813	0.2	8	47,351	433,143
65-74	2	0.1	24	0.2	461	911	43.8	10,496	0.2	8	2,079	21,726
75-84	0	0.0	0	0.0	0	184	38.8	1,962	0.2	9	474	4,509
85 and older	0	0.0	0	0.0	0	180	68.4	1,785	0.2	7	263	2,095
Other Eligibles	2,579	0.3	21,803	0.3	298	147,841	15.6	1,449,138	0.1	5	945,217	6,631,229
5 and younger	1,424	0.6	10,863	0.5	553	62,457	26.2	599,205	0.1	4	238,190	1,554,067
6-14	6	0.0	72	0.4	365	34,118	15.4	347,562	0.1	5	220,851	1,505,488
15-20	324	0.3	3,022	0.1	15	17,062	13.6	170,697	0.2	7	125,016	894,041
21-44	823	0.2	7,828	0.1	48	27,262	8.2	263,146	0.2	6	333,033	2,490,665
45-64	2	0.0	18	0.4	1,741	2,934	17.2	27,191	0.2	7	17,068	98,326
65-74	0	0.0	0	0.0	0	1,974	33.3	19,376	0.2	8	5,935	42,256
75-84	0	0.0	0	0.0	0	1,464	38.8	15,812	0.2	8	3,772	33,945
85 and older	0	0.0	0	0.0	0	570	42.2	6,149	0.2	8	1,352	12,441
Male	2,555	0.4	22,031	0.5	694	140,180	19.2	1,409,440	0.2	6	728,282	5,036,993
Disabled	991	0.9	9,931	0.6	841	34,409	29.5	382,903	0.2	8	116,564	1,056,913
5 and younger	817	9.3	7,970	0.5	605	3,500	39.9	38,802	0.1	5	8,766	81,559
6-14	33	0.1	385	0.8	1,046	6,346	24.2	72,844	0.2	6	26,266	260,562
15-20	9	0.1	104	0.7	1,367	3,828	26.2	43,878	0.2	8	14,606	142,173
21-44	66	0.2	724	0.8	2,304	8,339	27.2	91,692	0.2	10	30,684	268,820
45-64	64	0.2	724	0.6	1,737	11,655	33.5	127,454	0.2	10	34,825	290,017
65-74	2	0.2	24	0.9	2,734	538	49.7	6,094	0.2	10	1,082	10,896
75-84	0	0.0	0	0.0	0	129	62.0	1,371	0.2	8	208	1,877
85 and older	0	0.0	0	0.0	0	74	58.3	768	0.2	6	127	1,009
Other Eligibles	1,564	0.3	12,100	0.5	573	105,771	17.3	1,026,537	0.1	5	611,718	3,980,080
5 and younger	1,538	0.6	11,827	0.5	576	60,517	24.4	577,331	0.1	4	247,987	1,623,942
6-14	21	0.0	222	0.6	462	26,404	11.9	268,874	0.1	5	221,732	1,515,142
15-20	5	0.0	51	0.5	503	12,502	15.2	123,804	0.2	9	82,450	544,872
21-44	0	0.0	0	0.0	0	3,060	6.8	24,061	0.2	9	45,250	205,589
45-64	0	0.0	0	0.0	0	1,094	13.0	9,608	0.2	9	8,426	43,361
65-74	0	0.0	0	0.0	0	1,181	34.6	11,819	0.2	8	3,412	24,776
75-84	0	0.0	0	0.0	0	731	38.3	8,022	0.2	9	1,910	17,179
85 and older	0	0.0	0	0.0	0	282	51.2	3,018	0.2	8	551	5,219
Unknown	13	0.6	64	0.5	501	214	9.4	1,138	0.2	5	2,275	8,131

Table ND7D

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$417	7.8	3,587	34,423
Age				
0-64	473	8.5	2,568	24,513
65-74	345	6.7	322	3,324
75-84	269	6.0	339	3,329
85 and older	220	5.5	358	3,257
Unknown	0	0.0	0	0
Gender				
Female	398	8.0	1,824	18,210
Male	439	7.7	1,761	16,208
Unknown	159	3.2	2	5
Race				
White	403	8.3	1,785	16,498
African American	454	7.3	1,096	11,007
Other/unknown	390	7.6	706	6,918
Basis of Eligibility^c				
Aged	261	6.0	481	4,674
Disabled	442	8.1	3,101	29,689
Adults	213	13.3	1	12
Children	199	6.4	4	48
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2002 Medicaid enrollment. A total of 3,977 beneficiaries who were in nursing facilities for part of their enrollment and their 33,592 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	No. of Bene Mos			
Anti-infective Agents	0.7	0.4	0.0	0.3	\$88	\$79	\$3	\$6	\$125	\$193	\$84	\$25	18,019	\$2,244,172	2,508	69.9 %	25,378
Biologicals	0.1	0.1	0.0	0.0	6	5	0	0	58	65	0	21	661	38,501	594	16.6	6,672
Antineoplastic Agents	0.5	0.1	0.0	0.5	94	41	0	52	172	461	99	116	2,010	346,429	374	10.4	3,690
Endocrine/Metabolic Drugs	1.1	0.5	0.2	0.4	44	32	3	8	42	68	22	20	15,302	637,729	1,434	40.0	14,401
Cardiovascular Agents	2.0	0.6	0.1	1.3	64	35	4	24	32	61	37	18	46,283	1,459,363	2,339	65.2	22,930
Respiratory Agents	1.0	0.3	0.1	0.6	38	21	3	13	38	65	62	21	17,018	638,338	1,651	46.0	16,867
Gastrointestinal Agents	1.0	0.4	0.0	0.6	59	45	1	13	57	107	53	22	20,990	1,196,900	2,068	57.7	20,395
Genitourinary Agents	0.6	0.4	0.0	0.2	31	28	1	3	53	69	33	18	3,594	190,977	569	15.9	6,079
CNS Drugs	1.9	0.9	0.1	0.9	122	100	5	17	64	108	62	19	49,939	3,211,245	2,638	73.5	26,429
Stimulants/Anti-obesity/Anorexia	0.8	0.0	0.0	0.8	22	0	2	20	27	0	63	25	137	3,680	16	0.4	168
Miscellaneous Psychological/Neurological Agents	0.7	0.7	0.0	0.0	93	92	0	1	140	141	0	91	1,520	212,624	225	6.3	2,284
Analgesics and Anesthetics	1.5	0.5	0.1	0.9	58	43	4	12	40	92	40	13	26,499	1,053,949	1,864	52.0	18,167
Neuromuscular Agents	1.5	0.5	0.1	0.9	86	56	7	23	56	112	58	25	28,314	1,587,333	1,752	48.8	18,456
Nutritional Products	0.8	0.0	0.0	0.7	14	0	0	14	19	14	14	19	9,135	170,791	1,230	34.3	12,180
Hematological Agents	1.0	0.3	0.2	0.6	57	48	3	6	56	174	18	11	13,930	773,511	1,426	39.8	13,504
Topical Products	0.6	0.2	0.1	0.3	21	12	3	6	37	51	58	20	13,528	498,285	2,239	62.4	23,499
Miscellaneous Products	0.4	0.0	0.0	0.4	10	5	0	5	27	286	102	14	1,797	49,157	475	13.2	4,764
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	10	0	0	0	35	0	0	0	1,098	38,445	346	9.6	3,707
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	269,774	14,351,429	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 3,977 beneficiaries who were in nursing facilities for part of their enrollment and their 33,592 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

In Florida, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$1,892,620	1,695	47.3 %	18,098	0.7	\$150	\$105
ANTICONVULSANT	1,291,853	1,865	52.0	20,186	1.0	62	64
ANTIVIRAL	1,169,146	447	12.5	4,452	0.7	371	263
ULCER DRUGS	998,011	2,230	62.2	22,417	0.7	64	45
ANTIDEPRESSANTS	953,635	2,156	60.1	22,220	0.7	58	43
ANALGESICS - Narcotic	701,592	2,239	62.4	21,551	0.9	34	33
ANTIDIABETIC	567,826	1,638	45.7	16,707	0.9	39	34
ANTIHYPERTENSIVE	438,302	1,781	49.7	17,698	0.7	33	25
ANTIASTHMATIC	431,644	1,837	51.2	18,825	0.6	36	23
DERMATOLOGICAL	369,672	3,685	102.7	39,815	0.2	38	9
Total	8,814,301	19,573		201,969	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 3,977 beneficiaries who were in nursing facilities for part of their enrollment and their 33,592 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTICONVULSANT				
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Users	Residents	NF	Mos among Users	No. of Bene Users	Users as %			
			of All-Year	of All-Year	of All-Year							of All-Year	of All-Year	of All-Year	of All-Year
All	138,310	\$8,814,301	1,695	47.3 %	18,098	0.7	\$105	1,865	52.0 %	20,186	1.0	\$64			
Female	73,164	4,345,949	890	48.8	9,625	0.7	106	923	50.6	10,023	1.0	61			
Disabled	64,257	3,914,342	775	51.6	8,384	0.7	111	845	56.3	9,224	1.0	62			
64 or younger	54,041	3,279,690	593	51.5	6,466	0.7	108	727	63.1	7,921	1.1	65			
65-74	4,907	349,783	79	63.7	850	0.8	155	68	54.8	786	1.0	54			
75-84	2,625	157,951	46	51.1	517	0.8	118	29	32.2	316	0.8	34			
85 and older	2,684	126,918	57	42.2	551	0.6	68	21	15.6	201	0.8	41			
Other Eligibles	8,907	431,607	115	35.6	1,241	0.6	70	78	24.1	799	1.0	49			
64 or younger	137	3,099	0	0.0	0	0.0	0	1	25.0	12	2.1	23			
65-74	2,191	110,193	21	33.3	227	0.7	83	27	42.9	292	1.0	63			
75-84	4,261	206,810	59	45.0	664	0.6	68	39	29.8	393	0.9	37			
85 and older	2,318	111,505	35	28.0	350	0.6	63	11	8.8	102	1.1	59			
Male	65,137	4,468,045	805	45.7	8,473	0.7	103	942	53.5	10,163	1.0	67			
Disabled	60,899	4,252,212	734	45.9	7,748	0.7	106	908	56.8	9,791	1.0	67			
64 or younger	55,907	3,942,578	632	44.9	6,668	0.7	105	847	60.1	9,108	1.0	69			
65-74	3,193	214,271	67	75.3	738	0.7	119	42	47.2	475	1.0	60			
75-84	1,036	54,993	22	37.9	221	0.7	95	13	22.4	147	0.7	32			
85 and older	763	40,370	13	30.2	121	0.8	97	6	14.0	61	0.7	23			
Other Eligibles	4,238	215,833	71	43.8	725	0.6	79	34	21.0	372	0.9	52			
64 or younger	92	2,707	0	0.0	0	0.0	0	1	50.0	12	1.3	38			
65-74	1,511	83,848	30	65.2	331	0.5	84	18	39.1	209	1.0	68			
75-84	1,562	78,525	25	41.7	258	0.6	80	9	15.0	85	0.9	34			
85 and older	1,073	50,753	16	29.6	136	0.6	66	6	11.1	66	0.8	25			
Unknown	9	307	0	0.0	0	0.0	0	0	0.0	0	0.0	0			

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 3,977 beneficiaries who were in nursing facilities for part of their enrollment and their 33,592 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a,b,c,d}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	ANTIVIRAL					ULCER DRUGS					ANTIDEPRESSANTS				
	Users as %			Mean		Users as %			Mean		Users as %			Mean	
	No. of Users	No. of Bene Users	No. of Bene Mos among Users	No. of Rx	Rx \$	Residents	NF	No. of Bene Mos among Users	No. of Rx	Rx \$	Residents	NF	No. of Bene Mos among Users	No. of Rx	Rx \$
All	447	12.5 %	4,452	0.7	\$263	2,230	62.2 %	22,417	0.7	\$45	2,156	60.1 %	22,220	0.7	\$43
Female	136	7.5	1,381	0.6	220	1,126	61.7	11,725	0.7	45	1,174	64.4	12,442	0.8	45
Disabled	129	8.6	1,305	0.7	232	939	62.6	9,715	0.7	46	1,020	68.0	10,351	0.8	45
64 or younger	121	10.5	1,223	0.7	240	765	66.4	7,898	0.7	47	827	71.8	8,843	0.8	46
65-74	3	2.4	26	0.8	356	66	53.2	725	0.7	49	61	49.2	685	0.8	48
75-84	3	3.3	36	0.1	8	38	42.2	397	0.6	42	56	62.2	602	0.7	39
85 and older	2	1.5	20	0.1	3	70	51.9	695	0.7	34	76	56.3	721	0.6	32
Other Eligibles	7	2.2	76	0.2	8	187	57.9	2,010	0.7	41	154	47.7	1,591	0.7	41
64 or younger	0	0.0	0	0.0	0	3	75.0	36	0.6	26	0	0.0	0	0.0	0
65-74	1	1.6	12	0.1	13	40	63.5	415	0.7	42	35	55.6	361	0.8	49
75-84	1	0.8	12	0.3	6	83	63.4	923	0.6	41	67	51.1	720	0.7	38
85 and older	5	4.0	52	0.2	8	61	48.8	636	0.7	42	52	41.6	510	0.7	38
Male	311	17.7	3,071	0.7	282	1,103	62.6	10,691	0.7	44	981	55.7	9,774	0.7	41
Disabled	311	19.4	3,071	0.7	282	989	61.9	9,563	0.7	45	906	56.7	9,019	0.7	41
64 or younger	307	21.8	3,025	0.8	286	911	64.7	8,832	0.7	45	812	57.6	8,080	0.7	42
65-74	4	4.5	46	0.1	16	50	56.2	516	0.6	40	43	48.3	460	0.7	43
75-84	0	0.0	0	0.0	0	11	19.0	91	0.7	48	26	44.8	240	0.6	34
85 and older	0	0.0	0	0.0	0	17	39.5	124	0.9	57	25	58.1	239	0.7	42
Other Eligibles	0	0.0	0	0.0	0	114	70.4	1,128	0.6	35	75	46.3	755	0.6	35
64 or younger	0	0.0	0	0.0	0	4	200.0	48	0.7	32	0	0.0	0	0.0	0
65-74	0	0.0	0	0.0	0	34	73.9	358	0.7	28	23	50.0	244	0.6	35
75-84	0	0.0	0	0.0	0	45	75.0	413	0.5	35	32	53.3	313	0.6	35
85 and older	0	0.0	0	0.0	0	31	57.4	309	0.7	43	20	37.0	198	0.6	35
Unknown	0	0.0	0	0.0	0	1	50.0	1	1.0	10	1	50.0	4	0.5	31

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 3,977 beneficiaries who were in nursing facilities for part of their enrollment and their 33,592 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	ANALGESICS - Narcotic						ANTIIDIABETIC						ANTIHYPERTENSIVE					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean No. of Rx	No. of Users	Mean No. of Rx	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	Mean No. of Rx	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	Mean No. of Rx	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	Mean No. of Rx
All	2,239	62.4 %	0.9	\$33	1,638	45.7 %	16,707	0.9	\$34	1,781	49.7 %	17,698	0.7	\$25				
Female	1,165	63.9	0.9	30	960	52.6	10,073	0.9	35	919	50.4	9,314	0.7	24				
Disabled	1,031	68.7	1.0	31	804	53.6	8,467	0.9	36	732	48.8	7,307	0.7	25				
64 or younger	878	76.2	1.0	33	658	57.1	6,870	0.9	37	565	49.0	5,646	0.7	25				
65-74	57	46.0	0.6	30	87	70.2	978	0.9	33	69	55.6	741	0.8	29				
75-84	44	48.9	0.7	20	32	35.6	341	0.9	36	43	47.8	407	0.7	22				
85 and older	52	38.5	0.6	13	27	20.0	278	0.6	22	55	40.7	513	0.6	17				
Other Eligibles	134	41.5	0.6	16	156	48.3	1,606	0.8	27	187	57.9	2,007	0.7	22				
64 or younger	2	50.0	0.1	1	0	0.0	0	0.0	0	0	0.0	0	0.0	0				
65-74	28	44.4	0.7	11	45	71.4	470	0.9	30	47	74.6	500	0.6	18				
75-84	59	45.0	0.7	22	83	63.4	861	0.8	30	89	67.9	971	0.7	22				
85 and older	45	36.0	0.5	11	28	22.4	275	0.6	14	51	40.8	536	0.7	26				
Male	1,073	60.9	1.0	36	678	38.5	6,634	0.8	33	860	48.8	8,376	0.8	25				
Disabled	1,019	63.7	1.0	37	604	37.8	5,822	0.8	35	775	48.5	7,447	0.8	26				
64 or younger	937	66.5	1.1	39	526	37.3	5,019	0.8	35	691	49.0	6,612	0.8	26				
65-74	35	39.3	0.6	19	51	57.3	545	0.8	36	51	57.3	527	0.7	24				
75-84	21	36.2	0.4	10	22	37.9	214	0.8	25	22	37.9	209	0.7	22				
85 and older	26	60.5	0.5	16	5	11.6	44	0.7	17	11	25.6	99	0.9	29				
Other Eligibles	54	33.3	0.5	17	74	45.7	812	0.8	24	85	52.5	929	0.7	22				
64 or younger	1	50.0	0.1	1	1	50.0	12	0.1	2	0	0.0	0	0.0	0				
65-74	10	21.7	0.8	8	27	58.7	310	0.7	21	33	71.7	364	0.7	27				
75-84	26	43.3	0.4	9	25	41.7	276	1.0	31	35	58.3	383	0.6	20				
85 and older	17	31.5	0.6	36	21	38.9	214	0.6	18	17	31.5	182	0.6	18				
Unknown	1	50.0	2.0	43	0	0.0	0	0.0	0	2	100.0	8	0.4	9				

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 3,977 beneficiaries who were in nursing facilities for part of their enrollment and their 33,592 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	ANTI-ASTHMATIC					DERMATOLOGICAL				
	Users as %		Users as %		Mean Rx \$	Users as %		Users as %		Mean Rx \$
	No. of Users	%	No. of Users	%		No. of Users	%	No. of Users	%	
	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	All-Year NF Residents	Bene Mos among All-Year NF Residents
All	1,837	18,825	0.6	\$23	3,685	39,815	0.2	\$9	3,587	34,423
Female	945	9,960	0.6	22	1,891	20,723	0.2	9	1,824	18,210
Disabled	787	8,296	0.6	24	1,626	17,877	0.2	9	1,501	15,024
64 or younger	639	6,673	0.7	26	1,311	14,459	0.2	9	1,152	11,559
65-74	58	656	0.4	22	119	1,374	0.2	9	124	1,339
75-84	38	444	0.4	20	58	613	0.3	12	90	901
85 and older	52	523	0.3	7	138	1,431	0.2	7	135	1,225
Other Eligibles	158	1,664	0.4	15	265	2,846	0.2	8	323	3,186
64 or younger	6	72	1.0	22	6	72	0.2	4	4	37
65-74	32	344	0.5	22	49	490	0.2	8	63	610
75-84	51	555	0.4	15	114	1,270	0.2	9	131	1,359
85 and older	69	693	0.4	11	96	1,014	0.2	7	125	1,180
Male	892	8,865	0.7	24	1,793	19,088	0.3	10	1,761	16,208
Disabled	804	8,034	0.7	25	1,617	17,173	0.2	10	1,599	14,661
64 or younger	733	7,362	0.7	26	1,446	15,321	0.3	10	1,409	12,889
65-74	41	424	0.5	23	80	908	0.2	9	89	904
75-84	12	96	0.4	12	49	510	0.2	7	58	502
85 and older	18	152	0.2	5	42	434	0.2	6	43	366
Other Eligibles	88	831	0.4	11	176	1,915	0.3	9	162	1,547
64 or younger	2	24	1.6	25	2	24	0.2	3	2	24
65-74	25	277	0.4	10	51	571	0.2	6	46	471
75-84	38	355	0.3	10	68	716	0.3	11	60	567
85 and older	23	175	0.4	9	55	604	0.3	9	54	485
Unknown	0	0	0.0	0	1	4	0.3	14	2	5

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 3,977 beneficiaries who were in nursing facilities for part of their enrollment and their 33,592 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 FLORIDA, 2002

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Nonduals Rx \$	Total No. of Benes
			Excl Rx	Bene					
All	356,098	19.9 %	0.7	1,221,629	\$18	\$32,409,232	\$27	4.4 %	1,786,950
Age									
5 and younger	148,776	29.6	0.7	353,130	12	5,990,338	17	7.5	502,907
6-14	75,545	15.7	0.3	165,014	13	6,408,661	39	5.6	482,175
15-20	25,619	11.1	0.3	57,919	10	2,310,651	40	4.3	230,810
21-44	57,584	13.0	0.6	261,026	20	8,668,425	33	4.0	442,055
45-64	40,988	38.1	3.1	335,005	76	8,229,036	25	3.4	107,674
65-74	4,347	34.7	2.2	27,965	39	490,834	18	2.8	12,511
75-84	2,314	36.3	2.4	15,034	35	222,433	15	2.5	6,367
85 and older	925	40.3	2.8	6,536	39	88,854	14	3.0	2,294
Unknown	0	0.0	0.0	0	0	0	0	0.0	157
Basis of Eligibility^c									
Aged	5,616	33.3	1.9	32,281	26	444,099	14	2.3	16,866
Disabled	80,890	35.5	2.5	577,621	93	21,084,545	37	4.3	227,745
Adults	45,690	10.3	0.3	136,047	6	2,677,430	20	3.3	445,694
Children	223,861	20.4	0.4	475,507	7	8,199,845	17	5.9	1,096,532
Unknown	41	36.3	1.5	173	29	3,313	19	1.7	113
Gender									
Female	203,009	19.2	0.7	729,024	17	17,669,125	24	4.5	1,056,479
Male	152,912	21.0	0.7	492,325	20	14,736,317	30	4.4	728,347
Unknown	177	8.3	0.1	280	2	3,790	14	5.0	2,124
Race									
White	130,926	20.1	0.8	499,478	18	11,552,030	23	3.9	652,426
African American	77,955	14.8	0.4	214,211	13	6,790,857	32	4.1	527,527
Other/unknown	147,217	24.3	0.8	507,940	23	14,066,345	28	5.1	606,997
Use of Nursing Facilities^d									
Entire year	2,218	61.8	8.1	29,035	137	492,500	17	3.4	3,587
Part year	2,755	69.3	6.2	24,625	145	577,666	23	3.9	3,977
None	351,125	19.7	0.7	1,167,969	18	31,339,066	27	4.4	1,779,386
Maintenance Assistance Status									
Cash	171,776	24.3	1.1	784,704	34	23,734,595	30	4.3	707,634
Medically needy	3,786	21.6	0.9	15,823	21	362,674	23	2.8	17,538
Poverty related	127,556	19.3	0.4	289,449	8	4,958,222	17	5.3	660,202
Other/unknown	52,980	13.2	0.3	131,653	8	3,353,741	25	4.5	401,576

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
- b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12

USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 FLORIDA, 2002

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.1	\$3	\$27	\$0	\$1	12,715,004
Age						
5 and younger	0.1	2	17	0	0	3,321,319
6-14	0.0	2	39	0	0	3,415,599
15-20	0.0	1	40	0	0	1,666,121
21-44	0.1	3	33	0	1	3,268,775
45-64	0.4	10	25	0	4	864,867
65-74	0.3	5	18	0	2	99,690
75-84	0.3	4	15	0	2	57,533
85 and older	0.3	4	14	0	2	20,765
Unknown	0.0	0	0	0	0	335
Basis of Eligibility^c						
Aged	0.2	3	14	0	1	135,325
Disabled	0.3	10	37	0	3	2,095,595
Adults	0.0	1	20	0	0	3,160,986
Children	0.1	1	17	0	0	7,322,280
Unknown	0.2	4	19	0	1	818
Gender						
Female	0.1	2	24	0	1	7,670,070
Male	0.1	3	30	0	0	5,037,125
Unknown	0.0	0	14	0	0	7,809
Race						
White	0.1	2	23	0	1	4,815,519
African American	0.1	2	32	0	0	3,739,234
Other/unknown	0.1	3	28	0	1	4,160,251
Use of Nursing Facilities^d						
Entire year	0.8	14	17	1	7	34,423
Part year	0.7	17	23	0	5	33,592
None	0.1	2	27	0	1	12,646,989
Maintenance Assistance Status						
Cash	0.1	4	30	0	1	5,300,905
Medically needy	0.1	3	23	0	1	106,145
Poverty related	0.1	1	17	0	0	4,154,474
Other/unknown	0.0	1	25	0	0	3,153,480

Table ND12

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
 - b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.13
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 FLORIDA, 2002

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	434,544	\$75	\$32,409,232	100.0 %	1,221,629	\$27	100.0 %
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0
Fertility drugs	6	82	489	0.0	7	70	0.0
Drugs for cosmetic purposes	187	16	2,991	0.0	270	11	0.0
Cough and cold medications	233,866	41	9,661,816	29.8	441,281	22	36.1
Vitamins and minerals	54,101	41	2,205,522	6.8	155,602	14	12.7
Non-prescription drugs	59,709	104	6,209,061	19.2	139,050	45	11.4
Barbiturates	3,896	61	236,516	0.7	30,855	8	2.5
Benzodiazepines	66,501	105	6,986,428	21.6	407,391	17	33.3
Other Part D Excl Rx Drugs	16,278	437	7,106,409	21.9	47,173	151	3.9

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2002. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.
- b. Includes OTC drugs as well as prescription drugs.
- c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, FLORIDA, 2002

Beneficiary Characteristics	No. of Benes					No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	All	Aged	Disabled	Adults	Children	Unknown	
All	2,196,610	19,817	285,638	502,615	1,388,427	113	19,753,877	187,184	2,937,794	4,239,896	12,388,185	818
Age												
5 and younger	620,752	0	16,877	1	603,874	0	5,509,135	0	174,325	4	5,334,806	0
6-14	632,140	0	54,813	0	577,327	0	5,881,025	0	612,599	0	5,268,426	0
15-20	284,365	0	31,500	47,560	205,305	0	2,533,047	0	339,140	419,712	1,774,195	0
21-44	506,392	0	80,096	424,549	1,747	0	4,418,147	0	810,033	3,597,778	10,336	0
45-64	127,877	19	97,330	30,402	13	113	1,171,558	111	948,979	221,570	80	818
65-74	14,682	10,759	3,850	73	0	0	138,468	95,911	41,961	596	0	0
75-84	7,586	6,792	770	24	0	0	76,535	68,856	7,487	192	0	0
85 and older	2,655	2,247	402	6	0	0	25,620	22,306	3,270	44	0	0
Unknown	161	0	0	0	161	0	342	0	0	0	342	0
Gender												
Female	1,279,218	13,011	139,404	433,794	692,896	113	11,566,633	123,003	1,450,477	3,789,892	6,202,443	818
Male	914,576	6,800	146,229	68,818	692,729	0	8,173,840	64,133	1,487,286	449,984	6,172,437	0
Unknown	2,816	6	5	3	2,802	0	13,404	48	31	20	13,305	0
Race												
White	758,276	2,415	99,533	201,722	454,537	69	6,689,002	23,643	981,114	1,742,214	3,941,568	463
African American	711,728	2,795	83,085	157,816	468,015	17	6,782,676	27,919	882,524	1,412,096	4,460,001	136
Other/unknown	726,606	14,607	103,020	143,077	465,875	27	6,282,199	135,622	1,074,156	1,085,586	3,986,616	219
Use of Nursing Facilities^c												
Entire year	3,594	482	3,106	1	5	0	34,641	4,703	29,877	12	49	0
Part year	4,093	331	3,688	47	27	0	37,945	3,156	34,110	425	254	0
None	2,188,923	19,004	278,844	502,567	1,388,395	113	19,681,291	179,325	2,873,807	4,239,459	12,387,882	818
Maintenance Assistance Status												
Cash	922,123	12,170	267,206	210,981	431,766	0	8,815,379	120,148	2,784,433	1,699,436	4,211,362	0
Medically needy	17,538	1	1,712	11,231	4,594	0	127,698	2	14,906	78,514	34,276	0
Poverty related	795,223	7,374	10,749	50,597	726,390	113	6,644,355	64,757	80,861	346,251	6,151,668	818
Other/unknown	461,726	272	5,971	229,806	225,677	0	4,166,445	2,277	57,594	2,115,695	1,990,879	0
Managed Care Status												
FFS all year	1,264,773	13,093	192,374	334,949	724,244	113	10,785,528	120,628	1,917,816	2,690,022	6,056,244	818
FFS part year, with Rx claims	170,175	2,099	21,612	44,957	101,507	0	1,693,700	19,688	228,684	447,108	998,220	0
FFS part year, no Rx claims	352,002	1,674	13,759	65,788	270,781	0	3,199,669	14,207	135,387	585,655	2,464,420	0
MC all year, with Rx claims	229	10	9	38	172	0	998	38	57	122	781	0
MC all year, no Rx claims	409,431	2,941	57,884	56,883	291,723	0	4,073,982	32,623	655,850	516,989	2,868,520	0

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
NONDUAL BENEFICIARIES, FLORIDA, 2002

	Bene Mos in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	2,196,610	19,753,877	1,786,950	12,715,004	0	7,038,873
FFS all year	1,264,773	10,785,528	1,264,773	10,785,528	0	0
FFS part year, with Rx claims	170,175	1,693,700	170,175	863,296	0	830,404
FFS part year, with no Rx claims	352,002	3,199,669	352,002	1,066,180	0	2,133,489
MC all year, with Rx claims	229	998	0	0	0	998
MC all year, with no Rx claims	409,431	4,073,982	0	0	0	4,073,982

Source: Data for this table are from the MAX 2002 file for Florida, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.