

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2002 MISSISSIPPI

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2

CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	No. of Benes							No. of Bene Mos									
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children
All	566,812	1,304	88,387	85,832	391,269	20	5,444,325	11,834	954,804	685,170	3,792,338	179					
Age																	
5 and younger	171,014	0	5,338	0	165,676	0	1,605,029	0	56,405	0	1,548,624	0					
6-14	176,691	0	14,210	0	162,479	2	1,809,527	0	162,016	0	1,647,497	14					
15-20	83,051	0	10,321	9,644	63,081	5	785,965	0	113,131	76,839	595,946	49					
21-44	99,700	0	26,956	72,706	33	5	869,322	0	290,989	578,023	271	39					
45-64	33,879	1	30,394	3,477	0	7	349,189	1	318,864	30,259	0	65					
65-74	1,432	434	993	4	0	1	15,531	4,072	11,402	45	0	12					
75-84	660	520	140	0	0	0	6,530	4,926	1,604	0	0	0					
85 and older	385	349	35	1	0	0	3,232	2,835	393	4	0	0					
Unknown	0	0	0	0	0	0	0	0	0	0	0	0					
Gender																	
Female	327,171	769	46,518	81,988	197,887	9	3,092,192	6,921	508,306	656,570	1,920,338	57					
Male	239,628	525	41,867	3,843	193,382	11	2,351,991	4,797	446,474	28,598	1,872,000	122					
Unknown	13	10	2	1	0	0	142	116	24	2	0	0					
Race																	
White	181,477	610	23,669	30,086	127,104	8	1,620,169	5,369	246,194	215,922	1,152,608	76					
African American	356,779	540	45,618	54,620	255,991	10	3,537,330	4,959	501,098	461,938	2,569,246	89					
Other/unknown	28,556	154	19,100	1,126	8,174	2	286,826	1,506	207,512	7,310	70,484	14					
Use of Nursing Facilities^c																	
Entire year	776	172	604	0	0	0	8,214	1,723	6,491	0	0	0					
Part year	498	56	439	2	1	0	4,963	542	4,387	22	12	0					
None	565,538	1,076	87,344	85,830	391,268	20	5,431,148	9,569	943,926	685,148	3,792,326	179					
Maintenance Assistance Status																	
Cash	246,220	342	80,894	56,065	108,919	0	2,531,106	3,535	883,093	505,436	1,139,042	0					
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0					
Poverty-related	315,345	619	5,841	29,735	279,150	0	2,857,568	5,347	54,858	179,393	2,617,970	0					
Other/unknown	5,247	343	1,652	32	3,200	20	55,651	2,952	16,853	341	35,326	179					
Managed Care Status																	
FFS all year	566,812	1,304	88,387	85,832	391,269	20	5,444,325	11,834	954,804	685,170	3,792,338	179					
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0					
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0					

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	70.2 %	7.5	\$388	\$52	\$2,353	16.5 %	566,812
Age							
5 and younger	73.4	5.6	208	37	1,634	12.7	171,014
6-14	61.5	4.1	214	52	1,159	18.5	176,691
15-20	64.9	4.9	242	49	2,003	12.1	83,051
21-44	78.7	10.6	591	56	3,940	15.0	99,700
45-64	88.2	31.1	1,882	61	7,989	23.6	33,879
65-74	78.8	29.3	1,570	54	7,525	20.9	1,432
75-84	75.8	30.3	1,539	51	8,403	18.3	660
85 and older	61.3	26.5	1,367	52	8,441	16.2	385
Unknown	0.0	0.0	0	0	0	0.0	0
Basis of Eligibility^c							
Aged	66.8	27.9	1,476	53	7,517	19.6	1,304
Disabled	82.7	21.3	1,453	68	7,353	19.8	88,387
Adults	77.9	7.5	283	38	2,673	10.6	85,832
Children	65.8	4.4	167	38	1,136	14.7	391,269
Unknown	35.0	14.1	925	66	3,265	28.3	20
Gender							
Female	73.2	8.4	408	49	2,472	16.5	327,171
Male	66.2	6.3	361	57	2,190	16.5	239,628
Unknown	92.3	43.9	2,798	64	9,831	28.5	13
Race							
White	74.6	9.0	490	54	2,625	18.7	181,477
African American	68.0	6.3	295	47	2,006	14.7	356,779
Other/unknown	71.1	13.4	900	67	4,958	18.1	28,556
Use of Nursing Facilities^d							
Entire year	98.7	75.1	4,382	58	43,914	10.0	776
Part year	98.8	48.9	3,212	66	36,215	8.9	498
None	70.2	7.4	380	51	2,266	16.8	565,538
Maintenance Assistance Status							
Cash	75.1	10.9	617	57	3,341	18.5	246,220
Medically needy	0.0	0.0	0	0	0	0.0	0
Poverty related	66.5	4.8	196	41	1,470	13.3	315,345
Other/unknown	71.5	16.1	1,145	71	9,036	12.7	5,247

Table ND3

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	0.8	\$40	16.5 %	29.8 %	55.6 %	7.4 %	5.9 %	1.3 %	0.0 %	\$245	566,812	5,444,325
Age												
5 and younger	0.6	22	12.7	26.6	63.8	7.5	2.1	0.0	0.0	174	171,014	1,605,029
6-14	0.4	21	18.5	38.5	55.7	3.8	1.8	0.1	0.0	113	176,691	1,809,527
15-20	0.5	26	12.1	35.1	56.5	5.5	2.5	0.2	0.0	212	83,051	785,965
21-44	1.2	68	15.0	21.3	53.1	12.5	11.3	1.9	0.0	452	99,700	869,322
45-64	3.0	183	23.6	11.8	21.8	15.4	36.6	14.0	0.4	775	33,879	349,189
65-74	2.7	145	20.9	21.2	19.0	15.2	32.8	11.0	0.8	694	1,432	15,531
75-84	3.1	156	18.3	24.2	14.2	16.4	29.1	13.8	2.3	849	660	6,530
85 and older	3.2	163	16.2	38.7	10.9	7.3	28.3	13.2	1.6	1,006	385	3,232
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Basis of Eligibility^c												
Aged	3.1	163	19.6	33.2	12.1	12.0	27.5	13.1	2.1	828	1,304	11,834
Disabled	2.0	135	19.8	17.3	37.5	14.0	23.8	7.3	0.2	681	88,387	954,804
Adults	0.9	36	10.6	22.1	58.6	11.4	7.1	0.7	0.0	335	85,832	685,170
Children	0.5	17	14.7	34.2	59.2	5.1	1.5	0.0	0.0	117	391,269	3,792,338
Unknown	1.6	103	28.3	65.0	0.0	5.0	15.0	15.0	0.0	365	20	179
Gender												
Female	0.9	43	16.5	26.8	56.4	8.2	6.9	1.7	0.0	262	327,171	3,092,192
Male	0.6	37	16.5	33.8	54.4	6.5	4.5	0.7	0.0	223	239,628	2,351,991
Unknown	4.0	256	28.5	7.7	23.1	23.1	30.8	7.7	7.7	900	13	142
Race												
White	1.0	55	18.7	25.4	55.3	9.4	7.8	2.0	0.1	294	181,477	1,620,169
African American	0.6	30	14.7	32.0	56.7	6.2	4.3	0.8	0.0	202	356,779	3,537,330
Other/unknown	1.3	90	18.1	28.9	43.3	10.6	13.4	3.8	0.1	494	28,556	286,826
Use of Nursing Facilities^d												
Entire year	7.1	414	10.0	1.3	4.3	6.7	26.9	42.0	18.8	4,149	776	8,214
Part year	4.9	322	8.9	1.2	9.4	12.4	40.2	31.5	5.2	3,634	498	4,963
None	0.8	40	16.8	29.8	55.7	7.4	5.8	1.2	0.0	236	565,538	5,431,148
Maintenance Assistance Status												
Cash	1.1	60	18.5	24.9	53.2	9.3	10.0	2.5	0.1	325	246,220	2,531,106
Medically needy	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Poverty related	0.5	22	13.3	33.5	57.7	6.0	2.5	0.3	0.0	162	315,345	2,857,568
Other/unknown	1.5	108	12.7	28.5	42.2	9.1	13.2	5.7	1.4	852	5,247	55,651

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	All Rx		Patented Brand-Name Drugs		Off-Patent Brand-Name Drugs		Generic Drugs	
	No. of Rx	Rx \$	No. of Rx	\$ per Rx	No. of Rx	Rx \$	No. of Rx	Rx \$
All	0.8	\$40	0.4	\$52	0.1	\$3	0.4	\$7
Age								
5 and younger	0.6	22	0.3	37	0.1	2	0.2	3
6-14	0.4	21	0.2	52	0.0	3	0.2	3
15-20	0.5	26	0.2	49	0.1	3	0.2	5
21-44	1.2	68	0.5	56	0.1	5	0.6	12
45-64	3.0	183	1.4	61	0.2	11	1.4	35
65-74	2.7	145	1.2	54	0.2	9	1.3	30
75-84	3.1	156	1.4	51	0.2	8	1.5	34
85 and older	3.2	163	1.3	52	0.2	8	1.6	38
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
Basis of Eligibility^d								
Aged	3.1	163	1.4	53	0.2	8	1.4	33
Disabled	2.0	135	0.9	68	0.1	8	0.9	22
Adults	0.9	36	0.3	38	0.1	3	0.5	8
Children	0.5	17	0.2	38	0.1	2	0.2	3
Unknown	1.6	103	0.7	66	0.1	11	0.7	16
Gender								
Female	0.9	43	0.4	49	0.1	4	0.4	8
Male	0.6	37	0.3	57	0.1	3	0.3	6
Unknown	4.0	256	1.8	64	0.2	7	2.0	41
Race								
White	1.0	55	0.5	54	0.1	5	0.4	10
African American	0.6	30	0.3	47	0.1	3	0.3	6
Other/unknown	1.3	90	0.6	67	0.1	7	0.6	13
Use of Nursing Facilities^e								
Entire year	7.1	414	3.0	58	0.5	23	3.6	88
Part year	4.9	322	2.1	66	0.3	18	2.4	60
None	0.8	40	0.3	51	0.1	3	0.4	7
Maintenance Assistance								
Status								
Cash	1.1	60	0.5	57	0.1	4	0.5	11
Medically needy	0.0	0	0.0	0	0.0	0	0.0	0
Poverty related	0.5	22	0.2	41	0.1	2	0.2	4
Other/unknown	1.5	108	0.8	71	0.1	9	0.6	15

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Mississippi, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users						
	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Generic	Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos	
																Brand-Name
Anti-infective Agents	0.3	0.1	0.0	0.1	\$11	\$8	\$1	\$1	\$44	\$63	\$67	\$15	800,700	299,808	52.9%	3,158,146
Biologicals	0.3	0.3	0.0	0.0	272	258	9	5	932	921	2,190	660	7,834	2,726	0.5	26,871
Antineoplastic Agents	0.5	0.2	0.0	0.2	127	107	4	16	279	458	132	84	7,743	1,639	0.3	17,089
Endocrine/Metabolic Drugs	0.3	0.2	0.0	0.1	14	10	2	2	45	61	35	22	322,104	95,231	16.8	1,004,211
Cardiovascular Agents	0.9	0.4	0.1	0.5	37	25	2	9	40	62	41	20	435,892	44,474	7.8	475,207
Respiratory Agents	0.3	0.2	0.1	0.1	13	9	2	2	42	59	33	20	779,741	233,657	41.2	2,486,121
Gastrointestinal Agents	0.3	0.1	0.0	0.1	21	17	1	4	76	132	120	25	161,689	54,926	9.7	584,957
Genitourinary Agents	0.2	0.1	0.0	0.0	7	7	0	1	41	48	32	16	54,434	29,468	5.2	297,538
CNS Drugs	0.6	0.3	0.0	0.2	55	46	2	7	97	144	103	31	401,237	65,299	11.5	702,642
Stimulants/Anti-obesity/Anorexia	0.5	0.3	0.1	0.1	35	24	6	6	74	85	74	49	69,865	13,291	2.3	146,427
Miscellaneous Psychological/Neurological Agents	0.4	0.1	0.0	0.2	26	16	0	10	73	144	51	40	8,377	2,111	0.4	23,603
Analgesics and Anesthetics	0.3	0.0	0.0	0.2	9	5	1	4	31	112	44	15	496,477	162,579	28.7	1,719,157
Neuromuscular Agents	0.5	0.2	0.0	0.2	34	27	2	5	67	122	49	22	226,580	40,731	7.2	443,889
Nutritional Products	0.2	0.0	0.1	0.2	4	0	1	3	18	21	19	18	81,678	36,322	6.4	356,640
Hematological Agents	0.3	0.1	0.0	0.1	42	35	1	7	137	262	33	46	56,243	18,363	3.2	182,903
Topical Products	0.2	0.1	0.0	0.1	6	4	1	2	32	49	44	17	331,714	156,576	27.6	1,675,290
Miscellaneous Products	0.2	0.1	0.0	0.1	27	21	4	3	131	187	324	30	10,638	4,787	0.8	50,876
Unknown Therapeutic Category	0.1	0.0	0.0	0.0	3	0	0	0	21	0	0	0	17,273	11,161	2.0	122,479
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	4,270,219	219,836,851	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Mississippi, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIPSYCHOTICS	\$22,800,901	22.615	253,502	0.5	\$191	\$90	
ANTIASTHMATIC	14,858,278	18.3	1,128,034	0.2	63	13	
ANTIDEPRESSANTS	13,279,048	50,162	540,064	0.3	70	25	
ANTICONVULSANT	12,736,161	23,398	259,376	0.6	89	49	
ULCER DRUGS	10,111,134	53,863	583,047	0.2	84	17	
ANTIHISTAMINES	9,952,481	158,134	1,723,275	0.2	38	6	
ANTIDIABETIC	8,320,284	21,149	232,709	0.5	71	36	
CEPHALOSPORINS	8,021,358	135,444	1,477,799	0.1	45	5	
PENICILLINS	7,773,830	199,123	2,145,748	0.1	28	4	
ANALGESICS - Narcotic	7,448,890	145,061	1,529,458	0.2	25	5	
Total	115,302,365	912,652	9,873,012	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a,b,c}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTI-PSYCHOTICS					ANTI-ASTHMATIC						
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	1,930,532	\$115,302,365	22,615	4.0 %	253,502	0.5	\$90	103,703	18.3 %	1,128,034	0.2	\$13					
Female	1,196,263	69,092,972	12,239	3.7	136,954	0.4	84	53,446	16.3	581,846	0.2	13					
Disabled	551,513	43,080,017	9,221	19.8	105,528	0.5	96	15,082	32.4	173,532	0.3	19					
5 and younger	12,497	704,248	18	0.8	204	0.4	38	1,404	63.4	16,094	0.2	20					
6-14	28,291	2,112,268	611	12.7	7,182	0.5	67	1,506	31.4	17,672	0.3	18					
15-20	24,084	1,978,898	609	16.2	6,971	0.5	79	665	17.7	7,803	0.2	16					
21-44	176,178	14,235,108	3,874	25.0	44,260	0.4	95	3,939	25.4	45,500	0.2	15					
45-64	301,206	23,426,874	3,995	20.6	45,584	0.5	105	7,353	37.8	84,029	0.3	21					
65-74	8,220	560,765	95	13.5	1,107	0.8	104	190	26.9	2,159	0.3	17					
75-84	931	57,531	18	17.0	208	0.7	92	24	22.6	263	0.3	12					
85 and older	106	4,325	1	4.0	12	0.5	43	1	4.0	12	0.1	2					
Other Eligibles	644,750	26,012,955	3,018	1.1	31,426	0.3	43	38,364	13.7	408,314	0.2	10					
5 and younger	193,041	6,704,523	42	0.1	467	0.2	30	18,005	22.0	191,915	0.2	10					
6-14	134,717	6,196,894	683	0.8	7,669	0.3	43	10,161	12.4	113,477	0.2	11					
15-20	80,981	3,109,255	571	1.3	6,103	0.3	42	3,500	8.0	37,030	0.2	9					
21-44	211,657	8,520,429	1,521	2.2	15,134	0.2	39	6,044	8.7	59,140	0.2	10					
45-64	17,349	1,000,303	98	3.4	977	0.3	52	496	17.3	5,089	0.2	14					
65-74	2,128	158,768	25	10.3	248	0.7	126	56	23.1	628	0.4	26					
75-84	3,122	202,597	46	14.5	479	0.7	102	57	18.0	582	0.4	21					
85 and older	1,755	120,186	32	15.1	349	0.7	86	45	21.2	453	0.3	20					
Male	734,025	46,186,831	10,373	4.3	116,512	0.5	97	50,249	21.0	546,096	0.2	14					
Disabled	312,599	27,364,771	8,038	19.2	90,971	0.5	109	10,268	24.5	116,741	0.3	21					
5 and younger	18,780	1,120,903	59	1.9	700	0.3	48	2,180	69.8	25,102	0.2	22					
6-14	55,494	4,649,845	1,818	19.3	21,318	0.5	78	2,915	31.0	34,360	0.3	19					
15-20	32,355	3,022,363	1,221	18.6	13,957	0.5	93	1,055	16.1	12,134	0.3	17					
21-44	90,942	9,422,876	3,139	27.4	34,902	0.6	128	1,219	10.6	13,717	0.3	17					
45-64	112,153	8,934,545	1,752	16.0	19,518	0.6	119	2,825	25.8	30,551	0.4	24					
65-74	2,607	198,255	43	15.0	504	0.8	128	70	24.4	829	0.4	20					
75-84	171	10,728	1	2.9	12	0.4	101	1	2.9	12	0.2	115					
85 and older	97	5,256	5	50.0	60	0.2	16	3	30.0	36	0.4	35					
Other Eligibles	421,426	18,822,060	2,335	1.2	25,541	0.4	57	39,981	20.2	429,355	0.2	12					
5 and younger	221,170	8,302,410	86	0.1	948	0.3	35	24,010	28.6	253,632	0.2	11					
6-14	143,188	7,442,896	1,497	1.9	16,628	0.4	54	13,084	16.3	144,777	0.2	13					
15-20	37,235	1,915,453	566	1.9	6,212	0.4	60	2,459	8.4	26,733	0.2	12					
21-44	11,940	655,186	104	3.4	921	0.3	56	255	8.4	2,365	0.2	14					
45-64	3,364	184,349	21	3.4	203	0.2	38	97	15.8	1,008	0.3	21					
65-74	1,634	126,508	16	8.2	165	1.2	203	40	20.6	453	0.4	27					
75-84	1,776	124,979	24	12.2	243	0.7	135	20	10.2	213	0.3	15					
85 and older	1,119	70,279	21	15.3	221	0.6	59	16	11.7	174	0.4	22					
Unknown	244	22,562	3	23.1	36	1.0	222	8	61.5	92	0.4	21					

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	ANTIDEPRESSANTS					ANTICONVULSANT					ULCER DRUGS				
	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among	Mean No. of Rx	Mean Rx \$
All	50,162	8.8 %	540,064	0.3	\$25	23,398	4.1 %	259,376	0.6	\$49	53,863	9.5 %	583,047	0.2	\$17
Female	37,170	11.4	397,252	0.3	25	14,204	4.3	156,885	0.5	46	37,366	11.4	406,371	0.2	18
Disabled	19,599	42.1	222,605	0.4	29	10,097	21.7	114,678	0.6	53	17,772	38.2	206,029	0.3	26
5 and younger	20	0.9	233	0.3	14	212	9.6	2,414	0.6	46	232	10.5	2,548	0.2	15
6-14	714	14.9	8,388	0.4	24	765	15.9	8,868	0.7	65	467	9.7	5,510	0.2	18
15-20	875	23.3	10,071	0.4	27	681	18.2	7,860	0.7	79	508	13.5	5,870	0.2	17
21-44	7,699	49.7	87,587	0.4	28	3,957	25.6	44,964	0.6	55	5,413	35.0	62,954	0.2	21
45-64	10,110	52.0	114,199	0.4	31	4,379	22.5	49,367	0.5	45	10,776	55.4	124,761	0.3	29
65-74	162	22.9	1,899	0.5	28	92	13.0	1,073	0.6	45	333	47.2	3,875	0.3	26
75-84	15	14.2	180	0.3	19	10	9.4	120	0.7	23	39	36.8	463	0.4	30
85 and older	4	16.0	48	0.4	20	1	4.0	12	0.8	9	4	16.0	48	0.3	15
Other Eligibles	17,571	6.3	174,647	0.3	19	4,107	1.5	42,207	0.4	28	19,594	7.0	200,342	0.2	10
5 and younger	108	0.1	1,176	0.2	9	237	0.3	2,577	0.4	20	4,207	5.1	40,579	0.1	4
6-14	1,980	2.4	22,118	0.3	18	616	0.8	6,717	0.4	28	3,231	3.9	36,186	0.1	6
15-20	2,954	6.8	30,499	0.2	17	580	1.3	6,183	0.3	34	2,993	6.9	31,642	0.1	8
21-44	11,451	16.4	110,042	0.3	19	2,384	3.4	23,745	0.3	26	8,091	11.6	80,567	0.2	14
45-64	911	31.7	9,038	0.3	24	214	7.5	2,179	0.3	28	813	28.3	8,538	0.2	21
65-74	39	16.1	428	0.4	25	28	11.6	291	0.8	74	82	33.9	916	0.3	32
75-84	83	26.2	872	0.6	32	33	10.4	359	0.7	33	112	35.3	1,225	0.4	36
85 and older	45	21.2	474	0.6	38	15	7.1	156	0.7	63	65	30.7	689	0.5	38
Male	12,986	5.4	142,740	0.4	25	9,192	3.8	102,467	0.6	54	16,492	6.9	176,616	0.2	16
Disabled	7,970	19.0	89,011	0.4	28	7,198	17.2	81,196	0.7	60	7,377	17.6	83,440	0.3	25
5 and younger	39	1.2	448	0.3	14	250	8.0	2,890	0.5	49	331	10.6	3,719	0.2	11
6-14	1,555	16.5	18,300	0.4	26	1,421	15.1	16,629	0.6	60	576	6.1	6,805	0.2	16
15-20	1,119	17.0	12,855	0.4	28	950	14.5	10,866	0.7	62	520	7.9	5,967	0.2	18
21-44	2,543	22.2	27,906	0.4	31	2,579	22.5	28,932	0.7	71	2,066	18.0	23,415	0.3	25
45-64	2,654	24.2	28,804	0.4	27	1,964	17.9	21,485	0.6	46	3,787	34.6	42,380	0.3	29
65-74	55	19.2	642	0.5	24	30	10.5	346	0.8	45	90	31.4	1,070	0.3	31
75-84	3	8.8	32	0.6	42	3	8.8	36	1.0	53	6	17.6	72	0.3	33
85 and older	2	20.0	24	0.2	8	1	10.0	12	0.3	8	1	10.0	12	0.4	63
Other Eligibles	5,016	2.5	53,729	0.3	20	1,994	1.0	21,271	0.4	31	9,115	4.6	93,176	0.1	7
5 and younger	162	0.2	1,820	0.2	8	320	0.4	3,497	0.4	20	4,551	5.4	43,136	0.2	4
6-14	2,829	3.5	31,259	0.3	19	938	1.2	10,379	0.4	32	2,692	3.3	30,235	0.1	5
15-20	1,185	4.1	12,764	0.3	21	382	1.3	4,075	0.4	31	1,136	3.9	12,425	0.1	9
21-44	589	19.4	5,406	0.3	22	245	8.1	2,205	0.4	41	425	14.0	4,015	0.2	21
45-64	132	21.5	1,204	0.3	20	54	8.8	528	0.3	33	140	22.8	1,396	0.2	21
65-74	40	20.6	433	0.5	33	17	8.8	182	0.7	61	67	34.5	768	0.3	33
75-84	45	22.8	496	0.5	27	28	14.2	306	0.5	24	63	32.0	717	0.4	42
85 and older	34	24.8	347	0.7	41	10	7.3	99	0.8	26	41	29.9	484	0.4	42
Unknown	6	46.2	72	0.6	27	2	15.4	24	1.1	15	5	38.5	60	0.4	57

Table ND7B
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	ANTIHIISTAMINES				ANTIIDIABETIC				CEPHALOSPORINS						
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	158,134	27.9 %	1,723,275	0.2	\$6	21,149	3.7 %	232,709	0.5	\$36	135,444	23.9 %	1,477,799	0.1	\$5
Female	92,401	28.2	999,771	0.2	6	16,435	5.0	181,739	0.5	36	76,977	23.5	833,616	0.1	5
Disabled	16,627	35.7	192,565	0.2	9	12,770	27.5	145,280	0.5	37	11,877	25.5	138,291	0.1	5
5 and younger	1,030	46.5	11,857	0.1	4	5	0.2	59	0.5	170	1,068	48.2	12,378	0.1	6
6-14	1,803	37.5	21,276	0.2	9	64	1.3	749	0.5	34	1,401	29.2	16,577	0.1	6
15-20	1,087	29.0	12,678	0.2	8	117	3.1	1,318	0.5	43	925	24.7	10,839	0.1	5
21-44	5,437	35.1	63,109	0.2	8	2,648	17.1	30,628	0.4	33	4,007	25.9	46,717	0.1	4
45-64	7,044	36.2	81,027	0.2	11	9,607	49.4	108,696	0.5	39	4,344	22.4	50,220	0.1	5
65-74	196	27.8	2,273	0.2	12	301	42.6	3,510	0.6	42	117	16.6	1,390	0.1	5
75-84	27	25.5	309	0.2	11	25	23.6	284	0.5	28	11	10.4	122	0.1	3
85 and older	3	12.0	36	0.3	23	3	12.0	36	0.6	20	4	16.0	48	0.1	5
Other Eligibles	75,774	27.0	807,206	0.1	5	3,665	1.3	36,459	0.4	28	65,100	23.2	695,325	0.1	5
5 and younger	30,197	36.9	326,876	0.1	3	16	0.0	179	0.3	14	29,053	35.5	315,832	0.1	6
6-14	21,103	25.7	235,727	0.1	7	225	0.3	2,502	0.5	31	15,947	19.4	178,332	0.1	6
15-20	9,072	20.8	95,239	0.1	5	344	0.8	3,433	0.5	29	7,534	17.3	78,991	0.1	4
21-44	14,520	20.8	140,097	0.2	6	2,266	3.3	22,033	0.4	25	12,007	17.2	116,285	0.1	4
45-64	730	25.4	7,570	0.2	10	613	21.4	6,120	0.5	33	443	15.4	4,593	0.1	5
65-74	48	19.8	534	0.3	18	67	27.7	728	0.6	41	28	11.6	322	0.1	3
75-84	63	19.9	693	0.2	12	97	30.6	1,078	0.6	31	58	18.3	647	0.1	6
85 and older	41	19.3	470	0.3	10	37	17.5	386	0.6	29	30	14.2	323	0.1	6
Male	65,731	27.4	723,480	0.1	6	4,710	2.0	50,922	0.5	37	58,463	24.4	644,139	0.1	6
Disabled	9,768	23.3	113,218	0.2	9	4,019	9.6	43,948	0.5	38	8,727	20.8	101,161	0.1	6
5 and younger	1,529	48.9	17,924	0.1	4	6	0.2	66	0.3	21	1,685	53.9	19,638	0.1	7
6-14	3,245	34.5	38,244	0.2	9	45	0.5	527	0.6	38	2,550	27.1	30,149	0.1	7
15-20	1,233	18.8	14,380	0.2	9	78	1.2	903	0.5	41	1,124	17.1	13,155	0.1	6
21-44	1,832	16.0	21,023	0.2	9	826	7.2	9,209	0.5	33	1,720	15.0	19,801	0.1	4
45-64	1,868	17.0	20,925	0.2	11	2,998	27.4	32,467	0.5	39	1,607	14.7	17,930	0.1	5
65-74	48	16.7	566	0.2	13	64	22.3	752	0.5	42	35	12.2	416	0.1	3
75-84	8	23.5	96	0.3	13	1	2.9	12	1.0	67	3	8.8	36	0.1	3
85 and older	5	50.0	60	0.3	15	1	10.0	12	1.0	26	3	30.0	36	0.1	3
Other Eligibles	55,963	28.3	610,262	0.1	5	691	0.3	6,974	0.5	32	49,736	25.1	542,978	0.1	6
5 and younger	31,777	37.9	342,223	0.1	4	45	0.1	479	0.5	21	31,197	37.2	337,667	0.1	6
6-14	20,265	25.2	225,494	0.1	7	118	0.1	1,276	0.6	33	14,710	18.3	164,300	0.1	6
15-20	3,449	11.8	37,847	0.1	7	127	0.4	1,291	0.6	42	3,277	11.2	35,710	0.1	4
21-44	298	9.8	2,850	0.2	6	171	5.6	1,561	0.5	30	393	12.9	3,627	0.1	4
45-64	81	13.2	769	0.2	12	115	18.7	1,060	0.4	29	92	15.0	916	0.1	5
65-74	31	16.0	366	0.3	15	47	24.2	538	0.5	23	20	10.3	224	0.1	4
75-84	35	17.8	401	0.3	15	47	23.9	521	0.7	38	25	12.7	293	0.1	4
85 and older	27	19.7	312	0.2	6	21	15.3	248	0.6	27	22	16.1	241	0.1	6
Unknown	2	15.4	24	0.1	5	4	30.8	48	0.3	7	4	30.8	44	0.2	2

Table ND7C
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	PENICILLINS					ANALGESICS - Narcotic						
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Benes	No. of Bene Mos
All	199,123	35.1 %	2,145,748	0.1	\$4	145,061	25.6 %	1,529,458	0.2	\$5	566,812	5,444,325
Female	113,661	34.7	1,215,707	0.1	4	107,410	32.8	1,116,471	0.2	5	327,171	3,092,192
Disabled	14,100	30.3	163,893	0.1	4	31,900	68.6	365,917	0.3	9	46,518	508,306
5 and younger	1,542	69.6	17,714	0.2	4	278	12.6	3,236	0.1	1	2,214	23,070
6-14	1,976	41.1	23,243	0.1	5	777	16.2	9,178	0.1	2	4,803	54,723
15-20	1,306	34.8	15,224	0.1	4	1,369	36.5	15,912	0.2	3	3,750	41,471
21-44	4,880	31.5	56,882	0.1	3	13,043	84.3	150,466	0.2	8	15,479	169,559
45-64	4,263	21.9	49,253	0.1	4	16,006	82.4	182,137	0.3	11	19,435	209,858
65-74	119	16.9	1,409	0.1	3	378	53.5	4,412	0.2	5	706	8,128
75-84	14	13.2	168	0.1	3	44	41.5	516	0.3	6	106	1,219
85 and older	0	0.0	0	0.0	0	5	20.0	60	0.2	4	25	278
Other Eligibles	99,561	35.5	1,051,814	0.1	3	75,510	26.9	750,554	0.2	2	280,653	2,583,886
5 and younger	44,162	54.0	470,663	0.1	4	5,197	6.4	57,701	0.1	1	81,754	766,361
6-14	24,724	30.1	275,014	0.1	4	8,705	10.6	97,605	0.1	1	82,027	833,498
15-20	11,290	25.9	118,346	0.1	3	15,224	35.0	153,802	0.1	2	43,523	395,805
21-44	18,658	26.8	180,174	0.1	3	44,276	63.5	419,756	0.2	3	69,708	555,931
45-64	651	22.7	6,750	0.1	4	1,820	63.4	18,503	0.2	6	2,870	25,346
65-74	33	13.6	381	0.1	4	91	37.6	1,006	0.3	8	242	2,317
75-84	31	9.8	347	0.1	4	134	42.3	1,482	0.3	7	317	2,992
85 and older	12	5.7	139	0.1	7	63	29.7	699	0.3	12	212	1,636
Male	85,461	35.7	930,029	0.1	4	37,642	15.7	412,879	0.2	6	239,628	2,351,991
Disabled	11,003	26.3	127,366	0.1	4	15,191	36.3	169,041	0.3	11	41,867	446,474
5 and younger	2,193	70.2	25,344	0.2	5	442	14.1	5,207	0.1	1	3,124	33,335
6-14	3,339	35.5	39,453	0.1	4	1,401	14.9	16,551	0.1	2	9,407	107,293
15-20	1,480	22.5	17,220	0.1	5	1,446	22.0	16,675	0.1	3	6,571	71,660
21-44	2,215	19.3	25,456	0.1	4	5,106	44.5	57,139	0.3	10	11,476	121,418
45-64	1,738	15.9	19,444	0.1	5	6,682	61.0	72,160	0.3	17	10,958	108,994
65-74	36	12.5	425	0.1	3	101	35.2	1,153	0.3	10	287	3,274
75-84	1	2.9	12	0.1	1	9	26.5	108	0.2	3	34	385
85 and older	1	10.0	12	0.1	1	4	40.0	48	0.5	15	10	115
Other Eligibles	74,458	37.7	802,663	0.1	4	22,451	11.4	243,838	0.1	2	197,761	1,905,517
5 and younger	47,011	56.0	499,797	0.1	4	6,444	7.7	71,561	0.1	1	83,922	782,263
6-14	21,968	27.3	244,273	0.1	4	8,428	10.5	94,079	0.1	1	80,454	814,013
15-20	4,784	16.4	51,982	0.1	3	5,058	17.3	54,596	0.1	2	29,207	277,029
21-44	551	18.2	5,164	0.1	4	1,911	63.0	17,410	0.3	10	3,035	22,400
45-64	89	14.5	860	0.1	4	420	68.3	4,059	0.3	9	615	4,979
65-74	18	9.3	198	0.1	5	74	38.1	848	0.3	12	194	1,780
75-84	27	13.7	306	0.1	3	72	36.5	805	0.4	13	197	1,862
85 and older	10	7.3	83	0.1	7	44	32.1	480	0.3	13	137	1,191
Unknown	1	7.7	12	0.1	0	9	69.2	108	0.5	59	13	142

Table ND7D

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$414	7.1	776	8,214
Age				
0-64	432	7.3	549	5,864
65-74	438	7.1	66	735
75-84	353	6.7	85	870
85 and older	321	5.8	76	745
Unknown	0	0.0	0	0
Gender				
Female	428	7.2	431	4,634
Male	395	6.9	342	3,544
Unknown	526	9.5	3	36
Race				
White	458	7.9	339	3,482
African American	375	6.3	363	3,926
Other/unknown	414	7.3	74	806
Basis of Eligibility^c				
Aged	368	6.8	172	1,723
Disabled	426	7.2	604	6,491
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2002 Medicaid enrollment. A total of 498 beneficiaries who were in nursing facilities for part of their enrollment and their 4,963 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	No. of Bene Mos			
		Generic	Generic		Generic	Generic		Generic	Generic								
Anti-infective Agents	0.4	0.2	0.0	0.2	\$28	\$23	\$2	\$3	\$69	\$98	\$99	\$22	2,370	\$164,526	540	69.6 %	5,837
Biologicals	0.1	0.1	0.0	0.0	2	1	0	1	18	17	0	24	197	3,608	166	21.4	1,877
Antineoplastic Agents	0.5	0.0	0.0	0.5	87	25	7	55	160	515	184	121	418	66,991	76	9.8	770
Endocrine/Metabolic Drugs	1.2	0.7	0.1	0.4	56	42	3	10	47	64	34	24	4,382	205,364	343	44.2	3,696
Cardiovascular Agents	2.1	0.7	0.2	1.3	71	40	5	26	34	61	30	20	11,694	393,090	523	67.4	5,543
Respiratory Agents	0.7	0.3	0.1	0.3	32	19	4	9	50	64	56	33	2,688	133,838	382	49.2	4,127
Gastrointestinal Agents	1.1	0.4	0.0	0.7	60	40	1	19	56	114	94	26	5,305	295,550	467	60.2	4,916
Genitourinary Agents	0.7	0.5	0.0	0.2	42	37	1	5	64	78	41	27	1,208	77,515	164	21.1	1,845
CNS Drugs	1.8	1.0	0.1	0.7	163	138	6	19	92	138	79	28	11,084	1,023,606	590	76.0	6,288
Stimulants/Anti-obesity/Anorexia	0.5	0.1	0.0	0.4	41	31	1	9	79	285	32	24	61	4,846	11	1.4	118
Miscellaneous Psychological/Neurological Agents	0.7	0.7	0.0	0.0	96	95	0	1	132	136	0	42	709	93,751	92	11.9	975
Analgesics and Anesthetics	0.9	0.3	0.1	0.6	42	29	3	10	47	108	43	18	3,683	172,462	383	49.4	4,109
Neuromuscular Agents	1.4	0.5	0.2	0.7	84	55	9	19	59	106	40	28	6,471	378,916	415	53.5	4,515
Nutritional Products	0.7	0.0	0.0	0.7	15	0	1	13	20	42	19	20	1,969	39,068	246	31.7	2,649
Hematological Agents	1.0	0.4	0.1	0.5	71	61	2	8	70	149	24	15	3,049	212,911	283	36.5	3,019
Topical Products	0.5	0.2	0.0	0.2	21	14	3	4	45	66	68	21	2,235	101,589	430	55.4	4,759
Miscellaneous Products	0.4	0.2	0.0	0.2	48	38	0	10	133	231	0	52	143	19,005	37	4.8	397
Unknown Therapeutic Category	0.4	0.0	0.0	0.0	9	0	0	0	24	0	0	0	577	13,582	144	18.6	1,592
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	58,243	3,400,218	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 498 beneficiaries who were in nursing facilities for part of their enrollment and their 4,963 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003). In Mississippi, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$701,927	460	59.3 %	5,069	0.9	\$158	\$138
ANTICONVULSANT	314,652	420	54.1	4,663	1.0	66	67
ANTIDEPRESSANTS	258,427	448	57.7	4,824	0.8	63	54
ULCER DRUGS	247,803	487	62.8	5,245	0.6	73	47
ANTIDIABETIC	176,674	362	46.6	4,030	0.8	52	44
ANTIHYPERTENSIVE	125,564	363	46.8	3,899	0.9	37	32
CALCIUM BLOCKERS	100,055	191	24.6	2,047	0.9	53	49
MISC. HEMATOLOGICAL	96,843	111	14.3	1,234	0.8	93	78
ANALGESICS - Narcotic	92,832	421	54.3	4,545	0.5	40	20
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	94,618	101	13.0	1,082	0.7	130	87
Total	2,209,395	3,364		36,638	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 498 beneficiaries who were in nursing facilities for part of their enrollment and their 4,963 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mdmb.asp (May 13 2003).
- Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d} NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTICONVULSANT				
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Users	Users as %			Mean Rx \$	No. of Users	Users as %		
			No. of Bene Mos among	No. of Bene Residents	of All-Year NF Residents			No. of Bene Mos among	No. of Bene Residents	of All-Year NF Residents			No. of Bene Mos among	No. of Bene Residents	of All-Year NF Residents
All	29,454	\$2,209,395	460	59.3 %	0.9	5,069	0.9	\$139	420	54.1 %	4,663	1.0	\$68		
Female	17,014	1,346,196	284	65.9	0.9	3,211	0.9	149	225	52.2	2,514	1.1	68		
Disabled	13,884	1,115,902	224	67.5	0.9	2,559	0.9	158	197	59.3	2,219	1.0	68		
64 or younger	12,421	994,669	197	67.2	0.9	2,249	0.9	158	178	60.8	2,010	1.0	67		
65-74	1,223	105,514	22	71.0	0.9	250	0.9	169	16	51.6	173	1.1	89		
75-84	240	15,719	5	62.5	1.2	60	1.2	109	3	37.5	36	0.9	25		
85 and older	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
Other Eligibles	3,130	230,294	60	60.6	0.8	652	0.8	117	28	28.3	295	1.1	68		
64 or younger	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
65-74	546	45,815	10	100.0	0.9	115	0.9	151	7	70.0	79	1.4	116		
75-84	1,379	99,101	25	55.6	0.9	257	0.9	136	13	28.9	129	1.1	49		
85 and older	1,205	85,378	25	56.8	0.7	280	0.7	86	8	18.2	87	0.9	54		
Male	12,281	852,317	175	51.2	0.9	1,846	0.9	119	194	56.7	2,137	1.0	67		
Disabled	10,179	699,385	134	49.3	0.9	1,429	0.9	122	177	65.1	1,951	1.0	70		
64 or younger	9,609	646,485	119	46.5	0.9	1,255	0.9	119	168	65.6	1,846	1.0	70		
65-74	499	48,757	14	107.7	1.0	162	1.0	151	6	46.2	69	1.2	77		
75-84	62	3,578	0	0.0	0.0	0	0.0	0	3	150.0	36	1.0	53		
85 and older	9	565	1	100.0	0.8	12	0.8	47	0	0.0	0	0.0	0		
Other Eligibles	2,102	152,932	41	58.6	0.9	417	0.9	107	17	24.3	186	0.7	34		
64 or younger	0	0	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0		
65-74	511	41,403	12	109.1	1.2	117	1.2	176	4	36.4	39	1.0	50		
75-84	894	61,678	14	48.3	0.8	133	0.8	114	9	31.0	108	0.6	32		
85 and older	697	49,851	15	50.0	0.7	167	0.7	53	4	13.3	39	0.7	26		
Unknown	159	10,882	1	33.3	1.3	12	1.3	226	1	33.3	12	2.1	29		

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 498 beneficiaries who were in nursing facilities for part of their enrollment and their 4,963 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a,b,c,d}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	ANTIDEPRESSANTS					ULCER DRUGS					ANTIDIABETIC					
	No. of Users	Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	Users as % of All-Year NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	Users as % of All-Year NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	Users as % of All-Year NF Residents	No. of Bene Mos among Users	Mean No. of Rx
All	448	57.7 %	4,824	0.8	\$54	487	62.8 %	5,245	0.6	\$47	362	46.6 %	4,030	0.8	\$44	
Female	256	59.4	2,746	0.9	56	267	61.9	2,873	0.6	48	221	51.3	2,444	0.9	47	
Disabled	202	60.8	2,230	0.9	58	203	61.1	2,243	0.6	49	176	53.0	1,972	0.9	49	
64 or younger	184	62.8	2,023	0.9	58	179	61.1	1,983	0.6	48	156	53.2	1,740	0.9	51	
65-74	18	58.1	207	0.7	53	17	54.8	176	0.6	59	20	64.5	232	0.9	35	
75-84	0	0.0	0	0.0	0	7	87.5	84	0.7	45	0	0.0	0	0.0	0	
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
Other Eligibles	54	54.5	516	0.8	47	64	64.6	630	0.6	45	45	45.5	472	0.8	39	
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
65-74	5	50.0	55	0.5	23	10	100.0	105	0.6	45	9	90.0	108	0.9	46	
75-84	24	53.3	216	1.0	57	26	57.8	244	0.7	55	20	44.4	199	0.7	34	
85 and older	25	56.8	245	0.8	45	28	63.6	281	0.6	37	16	36.4	165	0.7	39	
Male	188	55.0	2,030	0.8	51	218	63.7	2,348	0.7	45	139	40.6	1,562	0.8	39	
Disabled	147	54.0	1,580	0.8	51	173	63.6	1,827	0.7	45	121	44.5	1,368	0.8	41	
64 or younger	142	55.5	1,520	0.8	52	171	66.8	1,803	0.7	44	120	46.9	1,356	0.8	40	
65-74	5	38.5	60	0.8	23	2	15.4	24	0.9	114	1	7.7	12	0.9	130	
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
Other Eligibles	41	58.6	450	0.8	53	45	64.3	521	0.6	48	18	25.7	194	0.7	25	
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
65-74	7	63.6	84	0.9	66	7	63.6	74	0.8	39	3	27.3	26	0.5	15	
75-84	17	58.6	188	0.6	41	19	65.5	221	0.6	49	14	48.3	156	0.7	28	
85 and older	17	56.7	178	0.9	60	19	63.3	226	0.5	50	1	3.3	12	1.0	5	
Unknown	4	133.3	48	0.8	37	2	66.7	24	0.8	142	2	66.7	24	0.5	12	

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 498 beneficiaries who were in nursing facilities for part of their enrollment and their 4,963 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	ANTIHYPERTENSIVE					CALCIUM BLOCKERS					MISC. HEMATOLOGICAL				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene Users	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	363	3,899	0.9	0.9	\$32	191	2,047	2.0	0.9	\$49	111	1,234	0.8	\$79	
Female	207	2,268	0.9	0.9	35	106	1,141	0.9	0.9	49	56	620	0.8	78	
Disabled	167	1,872	0.9	0.9	36	82	894	0.9	0.9	51	35	395	0.8	79	
64 or younger	150	1,677	0.9	0.9	36	75	813	0.9	0.9	53	29	325	0.9	83	
65-74	15	171	1.1	1.1	42	6	69	0.7	0.7	30	3	34	0.9	98	
75-84	2	24	0.8	0.8	28	1	12	1.0	1.0	40	3	36	0.6	24	
85 and older	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0	0	0.0	0	
Other Eligibles	40	396	0.8	0.8	28	24	247	0.8	0.8	38	21	225	0.8	76	
64 or younger	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0	0	0.0	0	
65-74	5	60	0.9	0.9	29	2	24	1.0	1.0	38	2	19	0.9	105	
75-84	17	156	0.9	0.9	34	10	104	0.8	0.8	34	9	102	0.9	80	
85 and older	18	180	0.7	0.7	21	12	119	0.8	0.8	42	10	104	0.7	67	
Male	154	1,607	0.8	0.8	29	85	906	1.0	1.0	49	55	614	0.9	79	
Disabled	123	1,287	0.9	0.9	30	64	681	1.0	1.0	52	45	496	0.8	75	
64 or younger	116	1,203	0.9	0.9	30	61	645	1.0	1.0	53	43	472	0.8	73	
65-74	6	72	0.8	0.8	25	3	36	1.0	1.0	37	1	12	1.0	111	
75-84	1	12	1.0	1.0	35	0	0	0.0	0.0	0	1	12	0.9	102	
85 and older	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0	0	0.0	0	
Other Eligibles	31	320	0.7	0.7	26	21	225	0.9	0.9	42	10	118	0.9	98	
64 or younger	0	0	0.0	0.0	0	0	0	0.0	0.0	0	0	0	0.0	0	
65-74	6	52	1.0	1.0	31	4	38	1.1	1.1	54	1	12	1.8	187	
75-84	13	138	0.6	0.6	26	9	101	1.0	1.0	48	7	82	0.8	83	
85 and older	12	130	0.6	0.6	23	8	86	0.8	0.8	30	2	24	0.9	106	
Unknown	2	24	0.7	0.7	16	0	0	0.0	0.0	0	0	0	0.0	0	

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 498 beneficiaries who were in nursing facilities for part of their enrollment and their 4,963 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Benefit Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	ANALGESICS - Narcotic				MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL				Mean Rx \$	Mean No. of Rx	Mean No. of Bene Users	Mean No. of Bene Users among NF Residents	Mean No. of Bene Users among Rx Residents	All-Year NF Residents	Bene Mos among All-Year NF Residents
	Users as %		Users as %		Users as %		Users as %								
	No. of Users	No. of Bene Users among NF Residents	No. of Users	No. of Bene Users among Rx Residents	No. of Users	No. of Bene Users among NF Residents	No. of Users	No. of Bene Users among Rx Residents							
All	421	54.3 %	4,545	0.5	101	13.0 %	1,082	0.7	\$87	776	8,214				
Female	229	53.1	2,474	0.5	59	13.7	651	0.7	90	431	4,634				
Disabled	175	52.7	1,933	0.5	34	10.2	390	0.7	100	332	3,666				
64 or younger	166	56.7	1,845	0.5	27	9.2	308	0.6	100	293	3,228				
65-74	7	22.6	64	0.3	5	16.1	58	0.9	96	31	342				
75-84	2	25.0	24	0.2	2	25.0	24	0.8	103	8	96				
85 and older	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0				
Other Eligibles	54	54.5	541	0.4	25	25.3	261	0.6	76	99	968				
64 or younger	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0				
65-74	7	70.0	74	0.2	3	30.0	36	0.9	96	10	115				
75-84	27	60.0	255	0.4	12	26.7	118	0.5	57	45	433				
85 and older	20	45.5	212	0.3	10	22.7	107	0.7	91	44	420				
Male	189	55.3	2,035	0.6	41	12.0	419	0.7	81	342	3,544				
Disabled	151	55.5	1,625	0.6	25	9.2	259	0.7	86	272	2,825				
64 or younger	144	56.3	1,544	0.6	22	8.6	223	0.7	78	256	2,636				
65-74	6	46.2	69	0.4	3	23.1	36	1.1	138	13	153				
75-84	1	50.0	12	0.3	0	0.0	0	0.0	0	2	24				
85 and older	0	0.0	0	0.0	0	0.0	0	0.0	0	1	12				
Other Eligibles	38	54.3	410	0.4	16	22.9	160	0.6	74	70	719				
64 or younger	0	0.0	0	0.0	0	0.0	0	0.0	0	0	0				
65-74	6	54.5	62	0.9	2	18.2	14	0.7	94	11	113				
75-84	15	51.7	172	0.4	6	20.7	65	0.5	59	29	305				
85 and older	17	56.7	176	0.3	8	26.7	81	0.6	83	30	301				
Unknown	3	100.0	36	0.5	1	33.3	12	1.2	149	3	36				

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 498 beneficiaries who were in nursing facilities for part of their enrollment and their 4,963 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 MISSISSIPPI, 2002

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D		Total No. Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Nondual Rx \$	Total No. of Benes
			Excl Rx	Bene					
All	183,821	32.4 %	0.8	467,714	\$16	\$9,009,558	\$19	4.1 %	566,812
Age									
5 and younger	79,025	46.2	1.2	197,857	15	2,621,112	13	7.4	171,014
6-14	42,553	24.1	0.5	81,144	9	1,640,611	20	4.3	176,691
15-20	17,635	21.2	0.4	34,299	13	1,065,623	31	5.3	83,051
21-44	29,055	29.1	0.8	79,846	20	1,949,000	24	3.3	99,700
45-64	14,636	43.2	2.0	69,251	48	1,636,549	24	2.6	33,879
65-74	543	37.9	2.0	2,902	39	56,127	19	2.5	1,432
75-84	251	38.0	2.4	1,560	42	27,618	18	2.7	660
85 and older	123	31.9	2.2	855	34	12,918	15	2.5	385
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Basis of Eligibility^c									
Aged	428	32.8	2.1	2,711	36	47,501	18	2.5	1,304
Disabled	34,029	38.5	1.6	139,759	45	3,939,623	28	3.1	88,387
Adults	22,819	26.6	0.6	47,437	12	989,289	21	4.1	85,832
Children	126,541	32.3	0.7	277,797	10	4,032,616	15	6.2	391,269
Unknown	4	20.0	0.5	10	26	529	53	2.9	20
Gender									
Female	109,544	33.5	0.9	281,897	17	5,536,314	20	4.2	327,171
Male	74,272	31.0	0.8	185,785	14	3,472,548	19	4.0	239,628
Unknown	5	38.5	2.5	32	54	696	22	1.9	13
Race									
White	58,092	32.0	0.8	148,214	17	3,145,962	21	3.5	181,477
African American	115,551	32.4	0.8	285,122	14	4,841,380	17	4.6	356,779
Other/unknown	10,178	35.6	1.2	34,378	36	1,022,216	30	4.0	28,556
Use of Nursing Facilities^d									
Entire year	538	69.3	7.3	5,640	113	87,482	16	2.6	776
Part year	336	67.5	3.9	1,967	101	50,189	26	3.1	498
None	182,947	32.3	0.8	460,107	16	8,871,887	19	4.1	565,538
Maintenance Assistance Status									
Cash	86,988	35.3	1.0	257,444	23	5,654,122	22	3.7	246,220
Medically needy	0	0.0	0.0	0	0	0	0	0.0	0
Poverty related	95,232	30.2	0.6	202,998	10	3,108,495	15	5.0	315,345
Other/unknown	1,601	30.5	1.4	7,272	47	246,941	34	4.1	5,247

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
- b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12

USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 MISSISSIPPI, 2002

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.1	\$2	\$19	\$0	\$0	5,444,325
Age						
5 and younger	0.1	2	13	0	0	1,605,029
6-14	0.0	1	20	0	0	1,809,527
15-20	0.0	1	31	0	0	785,965
21-44	0.1	2	24	0	0	869,322
45-64	0.2	5	24	0	1	349,189
65-74	0.2	4	19	0	1	15,531
75-84	0.2	4	18	0	1	6,530
85 and older	0.3	4	15	0	1	3,232
Unknown	0.0	0	0	0	0	0
Basis of Eligibility^c						
Aged	0.2	4	18	0	1	11,834
Disabled	0.1	4	28	0	1	954,804
Adults	0.1	1	21	0	0	685,170
Children	0.1	1	15	0	0	3,792,338
Unknown	0.1	3	53	0	0	179
Gender						
Female	0.1	2	20	0	0	3,092,192
Male	0.1	1	19	0	0	2,351,991
Unknown	0.2	5	22	0	0	142
Race						
White	0.1	2	21	0	0	1,620,169
African American	0.1	1	17	0	0	3,537,330
Other/unknown	0.1	4	30	0	1	286,826
Use of Nursing Facilities^d						
Entire year	0.7	11	16	0	3	8,214
Part year	0.4	10	26	0	3	4,963
None	0.1	2	19	0	0	5,431,148
Maintenance Assistance Status						
Cash	0.1	2	22	0	0	2,531,106
Medically needy	0.0	0	0	0	0	0
Poverty related	0.1	1	15	0	0	2,857,568
Other/unknown	0.1	4	34	0	1	55,651

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
 - b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.13
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 MISSISSIPPI, 2002

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	230,684	\$39	\$9,009,558	100.0 %	467,714	\$19	100.0 %
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0
Fertility drugs	1	377	377	0.0	2	189	0.0
Drugs for cosmetic purposes	81	12	977	0.0	101	10	0.0
Cough and cold medications	136,163	35	4,811,364	53.4	256,071	19	54.7
Vitamins and minerals	14,206	60	856,238	9.5	42,011	20	9.0
Non-prescription drugs	57,837	24	1,408,629	15.6	93,626	15	20.0
Barbiturates	1,740	50	87,719	1.0	11,957	7	2.6
Benzodiazepines	10,664	92	984,742	10.9	44,118	22	9.4
Other Part D Excl Rx Drugs	9,992	86	859,512	9.5	19,828	43	4.2

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2002. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.
- b. Includes OTC drugs as well as prescription drugs.
- c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

Beneficiary Characteristics	No. of Benes					No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
All	566,812	1,304	88,387	85,832	391,269	20	5,444,325	11,834	954,804	685,170	3,792,338	179
Age												
5 and younger	171,014	0	5,338	0	165,676	0	1,605,029	0	56,405	0	1,548,624	0
6-14	176,691	0	14,210	0	162,479	2	1,809,527	0	162,016	0	1,647,497	14
15-20	83,051	0	10,321	9,644	63,081	5	785,965	0	113,131	76,839	595,946	49
21-44	99,700	0	26,956	72,706	33	5	869,322	0	290,989	578,023	271	39
45-64	33,879	1	30,394	3,477	0	7	349,189	1	318,864	30,259	0	65
65-74	1,432	434	993	4	0	1	15,531	4,072	11,402	45	0	12
75-84	660	520	140	0	0	0	6,530	4,926	1,604	0	0	0
85 and older	385	349	35	1	0	0	3,232	2,835	393	4	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	327,171	769	46,518	81,988	197,887	9	3,092,192	6,921	508,306	656,570	1,920,338	57
Male	239,628	525	41,867	3,843	193,382	11	2,351,991	4,797	446,474	28,598	1,872,000	122
Unknown	13	10	2	1	0	0	142	116	24	2	0	0
Race												
White	181,477	610	23,669	30,086	127,104	8	1,620,169	5,369	246,194	215,922	1,152,608	76
African American	356,779	540	45,618	54,620	255,991	10	3,537,330	4,959	501,098	461,938	2,569,246	89
Other/unknown	28,556	154	19,100	1,126	8,174	2	286,826	1,506	207,512	7,310	70,484	14
Use of Nursing Facilities^c												
Entire year	776	172	604	0	0	0	8,214	1,723	6,491	0	0	0
Part year	498	56	439	2	1	0	4,963	542	4,387	22	12	0
None	565,538	1,076	87,344	85,830	391,268	20	5,431,148	9,569	943,926	685,148	3,792,326	179
Maintenance Assistance Status												
Cash	246,220	342	80,894	56,065	108,919	0	2,531,106	3,535	883,093	505,436	1,139,042	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty related	315,345	619	5,841	29,735	279,150	0	2,857,568	5,347	54,858	179,393	2,617,970	0
Other/unknown	5,247	343	1,652	32	3,200	20	55,651	2,952	16,853	341	35,326	179
Managed Care Status												
FFS all year	566,812	1,304	88,387	85,832	391,269	20	5,444,325	11,834	954,804	685,170	3,792,338	179
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 NONDUAL BENEFICIARIES, MISSISSIPPI, 2002

	Bene Mos in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	566,812	5,444,325	566,812	5,444,325	0	0
FFS all year	566,812	5,444,325	566,812	5,444,325	0	0
FFS part year, with Rx claims	0	0	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0
MC all year, with no Rx claims	0	0	0	0	0	0

Source: Data for this table are from the MAX 2002 file for Mississippi, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.