

**STATISTICAL COMPENDIUM:
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2002
NEW HAMPSHIRE**

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2

CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	No. of Benes							No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown		
All	93,325	860	7,120	16,064	69,281	0	766,244	7,509	67,531	115,391	575,813	0		
Age														
5 and younger	24,720	0	31	0	24,689	0	197,672	0	351	0	197,321	0		
6-14	31,054	0	74	0	30,980	0	269,421	0	870	0	268,551	0		
15-20	13,858	0	400	0	13,458	0	113,018	0	3,716	0	109,302	0		
21-44	18,163	0	3,212	14,800	151	0	137,815	0	30,945	106,235	635	0		
45-64	4,636	0	3,387	1,249	0	0	40,637	0	31,502	9,135	0	0		
65-74	399	384	14	1	0	0	3,980	3,852	123	5	0	0		
75-84	265	263	2	0	0	0	2,437	2,413	24	0	0	0		
85 and older	213	213	0	0	0	0	1,244	1,244	0	0	0	0		
Unknown	17	0	0	14	3	0	20	0	0	16	4	0		
Gender														
Female	52,825	585	4,091	13,925	34,224	0	430,112	5,122	39,980	102,412	282,598	0		
Male	40,500	275	3,029	2,139	35,057	0	336,132	2,387	27,551	12,979	293,215	0		
Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
Race														
White	85,024	642	6,851	14,624	62,907	0	701,176	5,307	65,042	105,628	525,199	0		
African American	1,934	9	82	395	1,448	0	15,867	80	786	2,779	12,222	0		
Other/unknown	6,367	209	187	1,045	4,926	0	49,201	2,122	1,703	6,984	38,392	0		
Use of Nursing Facilities^c														
Entire year	181	99	78	0	4	0	1,763	1,004	723	0	36	0		
Part year	208	53	135	0	20	0	1,976	477	1,264	0	235	0		
None	92,936	708	6,907	16,064	69,257	0	762,505	6,028	65,544	115,391	575,542	0		
Maintenance Assistance Status														
Cash	21,928	375	4,323	5,727	11,503	0	194,948	4,148	43,775	43,904	103,121	0		
Medically needy	3,753	200	658	1,566	1,329	0	28,312	1,272	4,927	10,510	11,603	0		
Poverty-related	50,594	5	2	3,258	47,329	0	391,968	36	14	17,297	374,621	0		
Other/unknown	17,050	280	2,137	5,513	9,120	0	151,016	2,053	18,815	43,680	86,468	0		
Managed Care Status														
FFS all year	85,941	860	7,089	15,482	62,510	0	732,048	7,509	67,374	112,779	544,386	0		
FFS part year, with Rx claims	5,076	0	27	510	4,539	0	24,269	0	138	2,357	21,774	0		
FFS part year, no Rx claims	2,308	0	4	72	2,232	0	9,927	0	19	255	9,653	0		

Table ND2

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	61.2 %	7.7	\$422	\$55	\$3,450	12.2 %	93,325
Age							
5 and younger	58.0	2.6	79	30	1,489	5.3	24,720
6-14	55.8	4.2	235	56	2,534	9.3	31,054
15-20	60.4	5.9	328	56	3,608	9.1	13,858
21-44	71.0	13.1	763	58	5,293	14.4	18,163
45-64	78.4	38.1	2,247	59	10,902	20.6	4,636
65-74	79.7	36.5	1,831	50	11,111	16.5	399
75-84	67.5	34.3	1,549	45	12,096	12.8	265
85 and older	42.3	20.5	760	37	10,314	7.4	213
Unknown	0.0	0.0	0	0	0	0.0	17
Basis of Eligibility^c							
Aged	66.9	31.8	1,475	46	11,169	13.2	860
Disabled	80.3	37.2	2,449	66	16,455	14.9	7,120
Adults	69.1	9.9	468	47	2,485	18.8	16,064
Children	57.4	3.9	190	49	2,242	8.5	69,281
Unknown	0.0	0.0	0	0	0	0.0	0
Gender							
Female	63.6	8.8	453	52	3,224	14.1	52,825
Male	58.2	6.3	381	61	3,746	10.2	40,500
Unknown	0.0	0.0	0	0	0	0.0	0
Race							
White	62.1	8.0	442	55	3,606	12.2	85,024
African American	54.9	4.8	257	53	1,831	14.0	1,934
Other/unknown	52.1	4.2	209	50	1,860	11.3	6,367
Use of Nursing Facilities^d							
Entire year	97.8	71.3	3,631	51	53,621	6.8	181
Part year	95.2	58.1	3,010	52	40,747	7.4	208
None	61.1	7.5	410	55	3,269	12.5	92,936
Maintenance Assistance Status							
Cash	69.4	13.1	758	58	5,195	14.6	21,928
Medically needy	66.3	14.3	856	60	5,532	15.5	3,753
Poverty related	54.4	3.1	138	45	1,470	9.4	50,594
Other/unknown	69.9	13.1	737	56	6,624	11.1	17,050

Table ND3

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less				More than 10
All	0.9	\$51	12.2 %	38.8 %	46.0 %	6.1 %	6.0 %	2.5 %	0.7 %	\$420	93,325	766,244
Age												
5 and younger	0.3	10	5.3	42.0	54.3	2.3	1.1	0.3	0.1	186	24,720	197,672
6-14	0.5	27	9.3	44.2	46.7	4.7	3.4	0.8	0.2	292	31,054	269,421
15-20	0.7	40	9.1	39.6	46.4	7.3	5.4	1.0	0.3	442	13,858	113,018
21-44	1.7	101	14.4	29.0	41.5	11.2	12.2	4.9	1.2	698	18,163	137,815
45-64	4.3	256	20.6	21.6	18.9	10.8	23.7	18.4	6.5	1,244	4,636	40,637
65-74	3.7	184	16.5	20.3	22.1	12.3	23.8	16.0	5.5	1,114	399	3,980
75-84	3.7	168	12.8	32.5	12.5	9.8	22.6	14.7	7.9	1,315	265	2,437
85 and older	3.5	130	7.4	57.7	6.6	7.5	14.6	8.0	5.6	1,766	213	1,244
Unknown	0.0	0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0	17	20
Basis of Eligibility^c												
Aged	3.6	169	13.2	33.1	15.5	10.5	21.4	13.4	6.2	1,279	860	7,509
Disabled	3.9	258	14.9	19.7	20.7	11.9	24.9	17.3	5.5	1,735	7,120	67,531
Adults	1.4	65	18.8	30.9	44.0	10.9	10.1	3.4	0.8	346	16,064	115,391
Children	0.5	23	8.5	42.6	49.4	4.3	2.9	0.6	0.2	270	69,281	575,813
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Gender												
Female	1.1	56	14.1	36.4	46.5	6.6	6.6	2.9	1.0	396	52,825	430,112
Male	0.8	46	10.2	41.8	45.3	5.4	5.1	1.9	0.4	451	40,500	336,132
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Race												
White	1.0	54	12.2	37.9	46.2	6.3	6.2	2.6	0.8	437	85,024	701,176
African American	0.6	31	14.0	45.1	45.6	3.9	4.0	1.2	0.2	223	1,934	15,867
Other/unknown	0.5	27	11.3	47.9	43.8	3.8	3.2	1.0	0.2	241	6,367	49,201
Use of Nursing Facilities^d												
Entire year	7.3	373	6.8	2.2	3.3	6.1	32.6	29.3	26.5	5,505	181	1,763
Part year	6.1	317	7.4	4.8	11.5	9.6	23.1	36.5	14.4	4,289	208	1,976
None	0.9	50	12.5	38.9	46.1	6.1	5.9	2.3	0.7	399	92,936	762,505
Maintenance Assistance Status												
Cash	1.5	85	14.6	30.6	45.3	8.1	9.7	5.0	1.4	584	21,928	194,948
Medically needy	1.9	114	15.5	33.7	35.5	9.4	12.7	6.8	2.0	733	3,753	28,312
Poverty related	0.4	18	9.4	45.6	47.8	3.8	2.1	0.5	0.2	190	50,594	391,968
Other/unknown	1.5	83	11.1	30.1	43.7	9.6	11.2	4.2	1.3	748	17,050	151,016

Table ND4

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	All Rx		Patented Brand-Name Drugs		Off-Patent Brand-Name Drugs		Generic Drugs	
	No. of Rx	Rx \$	No. of Rx	Rx \$	No. of Rx	Rx \$	No. of Rx	Rx \$
All	0.9	\$51	0.4	\$39	0.1	\$4	0.5	\$8
		\$ per Rx		\$ per Rx		\$ per Rx		\$ per Rx
Age								
5 and younger	0.3	10	0.1	7	0.0	1	0.2	2
6-14	0.5	27	0.2	21	0.0	3	0.2	4
15-20	0.7	40	0.4	31	0.1	4	0.3	5
21-44	1.7	101	0.7	77	0.1	7	0.9	17
45-64	4.3	256	1.9	195	0.3	17	2.2	44
65-74	3.7	184	1.6	140	0.3	11	1.8	32
75-84	3.7	168	1.6	121	0.3	14	1.8	34
85 and older	3.5	130	1.2	96	0.3	7	2.0	27
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
Basis of Eligibility^d								
Aged	3.6	169	1.6	126	0.3	11	1.8	32
Disabled	3.9	258	1.7	199	0.3	18	1.9	41
Adults	1.4	65	0.5	49	0.1	4	0.8	12
Children	0.5	23	0.2	17	0.0	2	0.2	3
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
Gender								
Female	1.1	56	0.5	42	0.1	4	0.6	9
Male	0.8	46	0.3	35	0.1	4	0.4	7
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
Race								
White	1.0	54	0.4	41	0.1	4	0.5	9
African American	0.6	31	0.3	25	0.0	2	0.3	5
Other/unknown	0.5	27	0.2	21	0.0	2	0.3	4
Use of Nursing Facilities^e								
Entire year	7.3	373	2.9	268	0.6	24	3.8	81
Part year	6.1	317	2.5	222	0.4	30	3.2	64
None	0.9	50	0.4	38	0.1	4	0.5	8
Maintenance Assistance								
Status								
Cash	1.5	85	0.6	65	0.1	6	0.8	14
Medically needy	1.9	114	0.8	85	0.1	10	0.9	18
Poverty related	0.4	18	0.2	13	0.0	2	0.2	3
Other/unknown	1.5	83	0.7	64	0.1	6	0.7	13

Table ND5

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In New Hampshire, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users								
	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Generic	Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos			
																Brand-Name	Brand-Name	Brand-Name
Anti-infective Agents	0.2	0.1	0.0	0.1	\$11	\$8	\$1	\$2	\$45	\$95	\$81	\$12	83,481	\$3,798,251	35,563	38.1 %	348,846	
Biologicals	0.2	0.2	0.0	0.0	205	120	72	13	822	620	2,132	586	399	327,888	157	0.2	1,599	
Antineoplastic Agents	0.6	0.3	0.0	0.2	166	154	5	8	280	446	91	40	1,623	454,133	280	0.3	2,729	
Endocrine/Metabolic Drugs	0.5	0.2	0.1	0.2	26	20	2	3	51	84	28	19	59,778	3,052,722	12,189	13.1	119,612	
Cardiovascular Agents	1.0	0.4	0.1	0.6	33	23	2	8	32	64	38	12	66,017	2,087,570	6,273	6.7	64,183	
Respiratory Agents	0.5	0.2	0.0	0.2	24	17	3	3	52	71	75	20	83,884	4,374,738	18,669	20.0	184,869	
Gastrointestinal Agents	0.5	0.2	0.0	0.2	39	31	3	5	78	132	173	20	30,371	2,356,197	5,993	6.4	60,533	
Genitourinary Agents	0.3	0.2	0.0	0.1	11	10	0	1	43	54	35	14	7,754	331,609	3,017	3.2	29,802	
CNS Drugs	1.0	0.6	0.0	0.4	81	67	4	10	79	112	109	26	140,559	11,172,427	14,084	15.1	138,493	
Stimulants/Anti-obesity/Anorexia	0.7	0.4	0.1	0.2	43	31	4	8	64	78	59	39	30,491	1,948,237	4,525	4.8	45,326	
Miscellaneous Psychological/Neurological Agents	0.3	0.2	0.0	0.1	32	25	0	7	124	148	0	80	1,987	246,112	738	0.8	7,668	
Analgesics and Anesthetics	0.5	0.1	0.0	0.4	19	12	1	6	37	133	55	14	83,831	3,068,686	16,587	17.8	160,935	
Neuromuscular Agents	0.8	0.4	0.1	0.3	51	41	4	6	65	106	66	18	56,807	3,675,605	7,041	7.5	71,626	
Nutritional Products	0.3	0.0	0.0	0.2	3	0	0	3	12	33	13	11	21,659	262,461	8,681	9.3	83,039	
Hematological Agents	0.6	0.1	0.1	0.4	50	42	2	6	88	330	26	16	6,035	529,078	1,077	1.2	10,675	
Topical Products	0.2	0.1	0.0	0.1	7	4	1	2	33	58	72	14	41,074	1,349,637	19,151	20.5	191,843	
Miscellaneous Products	0.2	0.1	0.0	0.1	25	16	4	5	131	128	349	95	2,543	332,380	1,308	1.4	13,550	
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	8	0	0	0	37	0	0	0	174	6,522	82	0.1	863	
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	718,467	39,374,253	n.a.	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In New Hampshire, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIPSYCHOTICS	\$5,247,013	5.004	53,495	0.7	\$148	\$98	
ANTIDEPRESSANTS	4,909,386	14,222	144,671	0.5	66	34	
ANTICONVULSANT	3,236,994	5,731	60,597	0.7	74	53	
ANTIASTHMATIC	2,095,074	14,153	145,455	0.3	50	14	
ANALGESICS - Narcotic	1,861,523	18,244	184,715	0.3	34	10	
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	1,849,431	4,793	50,119	0.6	64	37	
ULCER DRUGS	1,631,601	5,852	60,927	0.4	74	27	
ANTIVIRAL	1,332,498	1,029	10,707	0.3	374	124	
MISC. ENDOCRINE	1,307,626	916	10,143	0.5	257	129	
ANTIHISTAMINES	1,212,864	8,489	89,052	0.3	52	14	
Total	24,684,010	78,433	809,881	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a,b,c}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTIDEPRESSANTS				
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	Mean No. of Rx	Mean Rx \$	
All	333,701	\$24,684,010	5,004	5.4 %	0.7	\$98	14,222	15.2 %	0.5	\$34	144,671	15.2 %	0.5	\$34	
Female	206,138	14,201,182	2,822	5.3	0.6	87	10,286	19.5	0.5	34	104,150	19.5	0.5	34	
Disabled	89,769	7,180,141	1,486	36.3	0.8	116	16,442	77.3	0.6	42	34,306	77.3	0.6	42	
5 and younger	222	28,824	1	6.7	0.1	2	12	6.7	0.4	7	12	6.7	0.4	7	
6-14	349	64,939	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	
15-20	1,590	121,829	44	25.3	0.5	70	436	43.7	0.6	38	817	43.7	0.6	38	
21-44	36,555	3,106,685	783	44.3	0.7	106	8,628	82.4	0.6	41	15,693	82.4	0.6	41	
45-64	50,874	3,848,645	655	31.3	0.9	130	7,335	77.7	0.7	44	17,775	77.7	0.7	44	
65-74	179	9,219	3	30.0	0.9	86	31	20.0	1.9	54	9	20.0	1.9	54	
75-84	0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	
85 and older	0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	
Other Eligibles	116,369	7,021,041	1,336	2.7	0.5	53	13,722	14.6	0.4	30	69,844	14.6	0.4	30	
5 and younger	4,431	238,769	10	0.1	0.2	13	104	0.1	0.4	14	162	0.1	0.4	14	
6-14	22,473	1,657,196	249	1.7	0.6	72	2,660	5.0	0.5	28	7,974	5.0	0.5	28	
15-20	17,501	1,058,471	267	3.6	0.5	48	2,834	18.4	0.4	27	13,574	18.4	0.4	27	
21-44	58,691	3,195,952	648	4.9	0.3	38	6,434	33.5	0.4	30	42,187	33.5	0.4	30	
45-64	6,786	438,265	62	7.3	0.4	46	640	51.5	0.5	36	4,236	51.5	0.5	36	
65-74	3,265	232,223	38	15.6	0.9	145	413	29.6	0.7	35	834	29.6	0.7	35	
75-84	2,314	151,088	42	23.6	0.9	102	428	32.0	0.7	39	625	32.0	0.7	39	
85 and older	908	49,077	20	12.2	0.6	67	209	15.2	0.9	33	252	15.2	0.9	33	
Male	127,563	10,482,828	2,182	5.4	0.7	113	23,331	9.7	0.6	35	40,521	9.7	0.6	35	
Disabled	44,542	4,349,543	911	30.1	0.9	154	9,747	42.2	0.6	41	13,284	42.2	0.6	41	
5 and younger	120	8,183	0	0.0	0.0	0	0	6.3	0.8	14	12	6.3	0.8	14	
6-14	633	66,804	1	2.2	0.1	1	5	11.1	0.8	50	51	11.1	0.8	50	
15-20	2,157	185,857	72	31.9	0.6	99	733	27.0	0.5	29	657	27.0	0.5	29	
21-44	21,453	2,353,549	551	38.1	0.9	162	5,884	42.2	0.7	45	6,332	42.2	0.7	45	
45-64	20,142	1,726,802	284	22.0	0.9	154	3,100	46.4	0.6	39	6,214	46.4	0.6	39	
65-74	37	8,348	3	75.0	0.6	22	18	50.0	0.3	8	18	50.0	0.3	8	
75-84	0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	
85 and older	0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	
Other Eligibles	83,021	6,133,285	1,271	3.4	0.6	83	13,584	7.1	0.5	32	27,237	7.1	0.5	32	
5 and younger	7,948	395,047	46	0.4	0.4	46	520	0.2	0.3	14	329	0.2	0.3	14	
6-14	46,427	3,433,408	750	4.7	0.6	84	8,194	8.3	0.5	31	14,224	8.3	0.5	31	
15-20	19,008	1,597,174	381	6.2	0.7	88	3,988	13.7	0.5	35	8,613	13.7	0.5	35	
21-44	6,172	385,209	62	3.6	0.4	81	543	18.0	0.4	24	2,641	18.0	0.4	24	
45-64	1,593	200,869	9	2.3	0.3	38	92	23.0	0.5	35	849	23.0	0.5	35	
65-74	986	70,090	13	9.2	0.8	103	151	15.5	0.7	47	235	15.5	0.7	47	
75-84	536	34,103	7	8.2	0.5	59	78	29.4	0.5	24	265	29.4	0.5	24	
85 and older	351	17,385	3	6.1	0.2	4	18	18.4	1.1	49	81	18.4	1.1	49	
Unknown	0	0	0	0.0	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0	

Table ND7A

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	ANTICONVULSANT				ANTIASTHMATIC				ANALGESICS - Narcotic			
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean Rx \$
All	5,731	6.1 %	60,597	0.7	14,153	15.2 %	145,455	0.3	18,244	19.5 %	184,715	0.3
Female	3,567	6.8	37,569	0.7	8,295	15.7	84,900	0.3	13,750	26.0	138,982	0.3
Disabled	1,665	40.7	18,256	0.8	1,970	48.2	21,823	0.5	3,033	74.1	33,331	0.5
5 and younger	7	46.7	84	0.9	5	33.3	60	0.5	3	20.0	36	0.3
6-14	18	62.1	216	0.9	6	20.7	72	0.2	5	17.2	60	0.1
15-20	63	36.2	717	0.8	18	10.3	205	0.2	47	27.0	489	0.2
21-44	834	47.2	9,120	0.8	709	40.1	7,837	0.3	1,417	80.2	15,635	0.4
45-64	737	35.2	8,070	0.8	1,227	58.5	13,605	0.5	1,557	74.3	17,073	0.5
65-74	6	60.0	49	0.7	5	50.0	44	0.7	4	40.0	38	0.4
75-84	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
85 and older	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other Eligibles	1,902	3.9	19,313	0.6	6,325	13.0	63,077	0.2	10,717	22.0	105,651	0.2
5 and younger	66	0.6	741	0.6	1,136	9.6	11,613	0.2	267	2.3	2,893	0.1
6-14	329	2.2	3,612	0.7	1,612	10.8	16,930	0.2	780	5.2	8,427	0.1
15-20	287	3.9	2,982	0.6	977	13.3	9,701	0.2	1,619	22.1	16,176	0.2
21-44	1,047	7.9	10,194	0.5	2,212	16.7	20,990	0.3	7,434	56.3	71,821	0.3
45-64	118	13.8	1,157	0.6	235	27.5	2,141	0.4	433	50.7	4,290	0.4
65-74	36	14.8	407	0.9	85	35.0	950	0.6	101	41.6	1,176	0.3
75-84	15	8.4	175	0.9	55	30.9	609	0.8	55	30.9	606	0.4
85 and older	4	2.4	45	1.2	13	7.9	143	0.4	28	17.1	262	0.7
Male	2,164	5.3	23,028	0.8	5,858	14.5	60,555	0.3	4,494	11.1	45,733	0.3
Disabled	969	32.0	10,578	0.9	760	25.1	8,165	0.4	1,368	45.2	14,443	0.5
5 and younger	6	37.5	72	0.8	5	31.3	60	0.1	1	6.3	12	0.1
6-14	24	53.3	288	1.1	15	33.3	180	0.4	4	8.9	48	0.1
15-20	76	33.6	860	0.8	43	19.0	478	0.3	42	18.6	444	0.2
21-44	539	37.3	5,828	0.9	267	18.5	2,882	0.4	594	41.1	6,274	0.4
45-64	324	25.1	3,530	0.9	430	33.3	4,565	0.5	725	56.2	7,647	0.6
65-74	0	0.0	0	0.0	0	0.0	0	0.0	2	50.0	18	0.9
75-84	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
85 and older	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other Eligibles	1,195	3.2	12,450	0.7	5,098	13.6	52,390	0.2	3,126	8.3	31,290	0.2
5 and younger	79	0.6	869	0.5	1,919	14.9	19,723	0.2	375	2.9	3,996	0.1
6-14	610	3.8	6,619	0.7	2,239	13.9	23,446	0.3	821	5.1	8,911	0.1
15-20	322	5.3	3,319	0.7	655	10.7	6,659	0.3	846	13.8	8,855	0.1
21-44	126	7.2	1,085	0.5	173	9.9	1,499	0.4	862	49.5	7,362	0.4
45-64	31	7.8	274	0.6	45	11.4	316	0.3	155	39.2	1,446	0.4
65-74	20	14.1	210	0.8	31	21.8	354	0.7	36	25.4	380	0.1
75-84	3	3.5	36	0.3	20	23.5	234	0.4	20	23.5	224	0.2
85 and older	4	8.2	38	0.6	16	32.7	159	0.6	11	22.4	116	0.5
Unknown	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

Table ND7B
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ULCER DRUGS					ANTIVIRAL				
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	4,793	5.1 %	50,119	0.6	\$37	5,852	6.3 %	60,927	0.4	\$27	1,029	1.1 %	10,707	0.3	\$125
Female	1,382	2.6	14,641	0.5	35	4,139	7.8	43,200	0.4	26	778	1.5	8,047	0.3	94
Disabled	143	3.5	1,589	0.5	43	1,757	42.9	19,553	0.4	34	215	5.3	2,459	0.4	153
5 and younger	0	0.0	0	0.0	0	9	60.0	108	0.4	38	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	11	37.9	132	0.5	27	0	0.0	0	0.0	0
15-20	6	3.4	67	0.5	27	24	13.8	263	0.3	26	1	0.6	11	0.2	18
21-44	78	4.4	878	0.5	39	662	37.5	7,382	0.4	27	123	7.0	1,381	0.4	171
45-64	58	2.8	637	0.6	52	1,047	50.0	11,628	0.5	39	91	4.3	1,067	0.3	132
65-74	1	10.0	7	0.3	4	4	40.0	40	0.7	13	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	1,239	2.5	13,052	0.5	34	2,382	4.9	23,647	0.3	20	563	1.2	5,588	0.3	67
5 and younger	24	0.2	244	0.4	17	160	1.4	1,534	0.3	15	17	0.1	170	0.1	22
6-14	795	5.3	8,480	0.6	34	198	1.3	2,150	0.3	17	47	0.3	523	0.3	62
15-20	229	3.1	2,460	0.5	36	332	4.5	3,347	0.2	9	83	1.1	814	0.2	19
21-44	167	1.3	1,643	0.5	37	1,299	9.8	12,528	0.3	19	386	2.9	3,782	0.3	77
45-64	21	2.5	193	0.6	45	187	21.9	1,784	0.3	30	21	2.5	203	0.3	159
65-74	1	0.4	12	0.5	56	122	50.2	1,398	0.5	38	2	0.8	24	0.1	12
75-84	1	0.6	12	0.1	7	62	34.8	699	0.5	36	4	2.2	41	0.1	15
85 and older	1	0.6	8	1.8	24	22	13.4	207	0.7	42	3	1.8	31	0.1	5
Male	3,411	8.4	35,478	0.6	38	1,713	4.2	17,727	0.4	28	251	0.6	2,660	0.4	218
Disabled	102	3.4	1,039	0.5	35	778	25.7	8,459	0.5	37	136	4.5	1,495	0.6	295
5 and younger	0	0.0	0	0.0	0	5	31.3	57	0.6	35	1	6.3	12	0.1	0
6-14	3	6.7	27	0.4	17	12	26.7	144	0.6	44	0	0.0	0	0.0	0
15-20	16	7.1	155	0.6	30	34	15.0	372	0.5	37	3	1.3	33	0.2	8
21-44	59	4.1	608	0.5	33	297	20.5	3,247	0.5	37	77	5.3	841	0.6	310
45-64	24	1.9	249	0.6	43	429	33.2	4,633	0.5	36	55	4.3	609	0.6	294
65-74	0	0.0	0	0.0	0	1	25.0	6	0.2	3	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	3,309	8.8	34,439	0.6	38	935	2.5	9,268	0.3	21	115	0.3	1,165	0.3	120
5 and younger	127	1.0	1,362	0.4	17	251	2.0	2,377	0.3	13	22	0.2	224	0.3	55
6-14	2,509	15.6	26,061	0.6	38	218	1.4	2,441	0.3	21	37	0.2	419	0.2	37
15-20	647	10.6	6,766	0.6	39	156	2.5	1,627	0.3	19	23	0.4	204	0.2	46
21-44	19	1.1	183	0.7	67	174	10.0	1,476	0.3	25	17	1.0	153	0.2	212
45-64	4	1.0	31	0.8	57	71	18.0	626	0.3	29	12	3.0	117	0.8	594
65-74	1	0.7	12	0.8	13	31	21.8	360	0.4	32	1	0.7	12	0.1	1
75-84	2	2.4	24	0.2	2	26	30.6	288	0.4	31	3	3.5	36	0.1	12
85 and older	0	0.0	0	0.0	0	8	16.3	73	0.7	63	0	0.0	0	0.0	0
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table ND7C
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	MISC. ENDOCRINE				ANTI-HISTAMINES							
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Bene Mos	
All	916	1.0 %	10,143	0.5	\$129	8,489	9.1 %	89,052	0.3	\$14	93,325	766,244
Female	492	0.9	5,492	0.5	112	5,215	9.9	54,324	0.3	14	52,821	430,108
Disabled	227	5.5	2,540	0.5	56	914	22.3	10,266	0.4	20	4,091	39,980
5 and younger	4	26.7	48	0.8	451	3	20.0	36	0.5	8	15	171
6-14	5	17.2	60	0.7	533	2	6.9	24	0.5	11	29	340
15-20	6	3.4	64	0.7	34	23	13.2	258	0.2	12	174	1,662
21-44	41	2.3	463	0.4	54	419	23.7	4,645	0.3	16	1,766	17,457
45-64	169	8.1	1,881	0.5	32	466	22.2	5,299	0.4	24	2,096	20,252
65-74	2	20.0	24	1.0	63	1	10.0	4	0.5	36	10	86
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	265	0.5	2,952	0.5	160	4,301	8.8	44,058	0.2	13	48,730	390,128
5 and younger	19	0.2	208	0.7	239	545	4.6	5,750	0.2	6	11,823	93,992
6-14	123	0.8	1,355	0.5	211	1,473	9.9	15,765	0.2	14	14,922	129,291
15-20	23	0.3	250	0.7	391	722	9.8	7,299	0.2	14	7,335	58,706
21-44	18	0.1	187	0.4	41	1,390	10.5	13,398	0.2	12	13,211	96,468
45-64	9	1.1	87	0.4	30	105	12.3	1,102	0.3	19	854	6,549
65-74	36	14.8	424	0.6	38	38	15.6	448	0.4	24	243	2,559
75-84	29	16.3	347	0.4	27	20	11.2	222	0.3	17	178	1,651
85 and older	8	4.9	94	0.7	40	8	4.9	74	0.3	14	164	912
Male	424	1.0	4,651	0.5	149	3,274	8.1	34,728	0.3	13	40,487	336,116
Disabled	55	1.8	611	0.7	85	301	9.9	3,362	0.4	21	3,029	27,551
5 and younger	1	6.3	12	0.8	26	0	0.0	0	0.0	0	16	180
6-14	7	15.6	84	1.1	201	5	11.1	51	0.4	11	45	530
15-20	8	3.5	88	0.8	77	25	11.1	295	0.4	16	226	2,054
21-44	22	1.5	250	0.5	71	159	11.0	1,782	0.4	20	1,446	13,488
45-64	17	1.3	177	0.7	59	111	8.6	1,228	0.4	23	1,291	11,250
65-74	0	0.0	0	0.0	0	1	25.0	6	0.3	15	4	37
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	369	1.0	4,040	0.5	158	2,973	7.9	31,366	0.2	12	37,458	308,565
5 and younger	23	0.2	255	0.5	113	740	5.8	7,982	0.2	6	12,866	103,329
6-14	266	1.7	2,904	0.4	115	1,640	10.2	17,416	0.3	14	16,058	139,260
15-20	61	1.0	667	0.5	400	480	7.8	4,965	0.3	15	6,123	50,596
21-44	0	0.0	0	0.0	0	75	4.3	615	0.2	13	1,740	10,402
45-64	2	0.5	24	0.3	12	15	3.8	139	0.3	21	395	2,586
65-74	5	3.5	60	0.4	27	9	6.3	96	0.4	27	142	1,298
75-84	7	8.2	79	0.7	71	10	11.8	113	0.3	12	85	762
85 and older	5	10.2	51	0.6	33	4	8.2	40	0.2	6	49	332
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	17	20

Table ND7D

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$373	7.3	181	1,763
Age				
0-64	476	8.3	80	750
65-74	482	8.3	19	188
75-84	311	6.9	34	335
85 and older	215	5.7	48	490
Unknown	0	0.0	0	0
Gender				
Female	369	7.3	125	1,267
Male	383	7.3	56	496
Unknown	0	0.0	0	0
Race				
White	375	7.4	179	1,739
African American	0	0	0	0
Other/unknown	202	5	2	24
Basis of Eligibility^c				
Aged	297	6.6	99	1,004
Disabled	474	8.4	78	723
Adults	0	0.0	0	0
Children	451	6.9	4	36
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2002 Medicaid enrollment. A total of 208 beneficiaries who were in nursing facilities for part of their enrollment and their 1,976 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e} NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	No. of Bene Mos						
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name											
Anti-infective Agents	0.4	0.2	0.0	0.2	\$24	\$14	\$5	\$4	\$57	\$78	\$121	\$23	486	\$27,701	110	60.8 %	1,150
Biologicals	0.1	0.1	0.0	0.0	1	1	0	0	10	9	0	13	40	402	37	20.4	425
Antineoplastic Agents	0.6	0.3	0.0	0.2	358	343	0	15	624	1,030	0	61	31	19,333	6	3.3	54
Endocrine/Metabolic Drugs	1.3	0.5	0.3	0.5	38	25	6	8	29	49	17	16	1,082	31,134	82	45.3	817
Cardiovascular Agents	2.1	0.4	0.2	1.5	46	19	5	22	22	48	30	15	2,294	51,248	112	61.9	1,114
Respiratory Agents	0.9	0.4	0.1	0.4	37	26	2	9	44	62	32	25	581	25,387	70	38.7	683
Gastrointestinal Agents	1.0	0.3	0.0	0.7	48	27	0	21	49	86	44	32	1,043	51,563	107	59.1	1,064
Genitourinary Agents	0.8	0.5	0.0	0.3	37	29	1	7	47	64	24	23	288	13,424	35	19.3	364
CNS Drugs	2.0	1.0	0.1	0.9	146	121	3	21	72	116	47	23	2,770	199,721	137	75.7	1,371
Stimulants/Anti-obesity/Anorexia	0.7	0.2	0.0	0.5	16	9	0	7	23	59	0	13	67	1,554	9	5.0	99
Miscellaneous Psychological/Neurological Agents	0.7	0.7	0.0	0.0	129	127	0	2	184	185	0	132	112	20,587	16	8.8	160
Analgesics and Anesthetics	1.1	0.5	0.0	0.6	49	40	2	7	44	82	53	12	1,069	47,221	99	54.7	969
Neuromuscular Agents	1.8	0.8	0.1	0.8	120	75	15	30	66	89	113	36	1,427	94,528	82	45.3	787
Nutritional Products	0.8	0.0	0.0	0.8	18	0	0	18	22	7	23	22	332	7,334	39	21.5	403
Hematological Agents	1.1	0.3	0.5	0.4	90	80	6	4	80	258	13	11	465	37,306	44	24.3	416
Topical Products	0.6	0.2	0.1	0.3	22	15	2	4	35	68	38	13	786	27,773	122	67.4	1,285
Miscellaneous Products	0.5	0.0	0.0	0.4	11	1	0	10	24	27	0	23	25	591	5	2.8	52
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	12	0	0	0	35	0	0	0	10	350	3	1.7	30
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	12,908	657,157	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 208 beneficiaries who were in nursing facilities for part of their enrollment and their 1,976 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

In New Hampshire, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Top 10 Drug Groups in Nursing Facilities	Users				Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo
ANTIPSYCHOTICS	\$116,788	82	45.3 %	822	0.9	\$158	\$142
ANTICONVULSANT	74,499	97	53.6	950	1.2	64	78
ANTIDEPRESSANTS	69,549	128	70.7	1,295	1.0	55	54
ULCER DRUGS	43,072	80	44.2	767	0.7	77	56
ANALGESICS - Narcotic	31,093	98	54.1	1,003	0.7	45	31
HEMATOPOIETIC AGENTS	29,086	40	22.1	421	0.7	94	69
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	20,606	16	8.8	164	0.7	182	126
DERMATOLOGICAL	19,745	293	161.9	3,227	0.3	20	6
ANTINEOPLASTICS	19,333	6	3.3	54	0.6	624	358
ANTIASTHMATIC	17,262	68	37.6	665	0.5	49	26
Total	441,033	908		9,368	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 208 beneficiaries who were in nursing facilities for part of their enrollment and their 1,976 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d} NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTICONVULSANT				
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Bene Mos among Users	Mean No. of Rx	Users as %			Mean No. of Rx	No. of Bene Mos among Users	Mean Rx \$	
			No. of Users	Residents	NF				No. of Users	Residents	NF				
All	6,204	\$441,033	82	45.3 %	822	0.9	\$142	97	53.6 %	950	1.2	\$78			
Female	4,507	320,889	70	56.0	709	0.9	144	66	52.8	705	1.3	81			
Disabled	2,172	179,931	23	50.0	235	0.8	186	50	108.7	531	1.3	85			
64 or younger	2,139	178,397	22	50.0	228	0.8	188	48	109.1	522	1.3	86			
65-74	33	1,534	1	50.0	7	1.1	112	2	100.0	9	0.3	14			
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
Other Eligibles	2,335	140,958	47	59.5	474	0.9	123	16	20.3	174	1.3	68			
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
65-74	537	42,534	11	73.3	108	0.9	194	7	46.7	74	1.6	91			
75-84	865	57,841	23	88.5	223	1.0	120	6	23.1	67	1.1	66			
85 and older	933	40,583	13	34.2	143	0.7	74	3	7.9	33	1.2	21			
Male	1,697	120,144	12	21.4	113	1.2	131	31	55.4	245	1.0	71			
Disabled	1,120	67,192	9	28.1	80	1.5	167	26	81.3	229	1.1	71			
64 or younger	1,120	67,192	9	28.1	80	1.5	167	26	81.3	229	1.1	71			
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
Other Eligibles	577	52,952	3	12.5	33	0.4	43	5	20.8	16	0.7	85			
64 or younger	81	3,342	0	0.0	0	0.0	0	2	50.0	12	0.3	101			
65-74	57	12,653	0	0.0	0	0.0	0	2	100.0	2	2.0	64			
75-84	193	10,492	3	37.5	33	0.4	43	0	0.0	0	0.0	0			
85 and older	246	26,465	0	0.0	0	0.0	0	1	10.0	2	1.5	8			
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 208 beneficiaries who were in nursing facilities for part of their enrollment and their 1,976 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	ANTIDEPRESSANTS						ULCER DRUGS						ANALGESICS - Narcotic					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx
All	128	70.7 %	1,295	1.0	\$54	80	44.2 %	767	0.7	\$56	98	54.1 %	1,003	0.7	\$31			
Female	85	68.0	907	1.0	50	53	42.4	528	0.7	62	74	59.2	765	0.7	33			
Disabled	38	82.6	402	1.0	54	25	54.3	250	0.7	59	31	67.4	304	0.6	35			
64 or younger	36	81.8	393	0.9	54	25	56.8	250	0.7	59	30	68.2	302	0.6	35			
65-74	2	100.0	9	1.9	54	0	0.0	0	0.0	0	1	50.0	2	1.0	11			
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
Other Eligibles	47	59.5	505	1.0	47	28	35.4	278	0.8	65	43	54.4	461	0.7	31			
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
65-74	9	60.0	100	1.0	49	6	40.0	58	1.0	103	9	60.0	104	0.2	2			
75-84	20	76.9	205	0.9	57	9	34.6	97	0.7	61	16	61.5	171	0.7	32			
85 and older	18	47.4	200	1.0	37	13	34.2	123	0.8	50	18	47.4	186	1.0	47			
Male	43	76.8	388	1.0	62	27	48.2	239	0.7	43	24	42.9	238	0.7	26			
Disabled	27	84.4	229	1.1	57	19	59.4	164	0.7	47	16	50.0	142	0.9	39			
64 or younger	27	84.4	229	1.1	57	19	59.4	164	0.7	47	16	50.0	142	0.9	39			
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
Other Eligibles	16	66.7	159	1.0	68	8	33.3	75	0.7	34	8	33.3	96	0.4	6			
64 or younger	1	25.0	12	1.3	77	3	75.0	30	0.7	27	2	50.0	24	0.2	2			
65-74	2	100.0	24	1.2	211	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
75-84	8	100.0	80	0.8	41	4	50.0	43	0.6	38	2	25.0	24	0.3	2			
85 and older	5	50.0	43	1.2	38	1	10.0	2	1.5	63	4	40.0	48	0.5	10			
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 208 beneficiaries who were in nursing facilities for part of their enrollment and their 1,976 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	HEMATOPOIETIC AGENTS					MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL					DERMATOLOGICAL				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	No. of Bene NF Residents	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	40	22.1 %	421	0.7	\$69	16	8.8 %	164	0.7	\$126	293	161.9 %	3,227	0.3	\$6
Female	24	19.2	263	0.6	4	9	7.2	94	0.7	165	203	162.4	2,246	0.3	5
Disabled	7	15.2	84	0.4	3	4	8.7	46	0.5	231	88	191.3	970	0.3	8
64 or younger	7	15.9	84	0.4	3	4	9.1	46	0.5	231	85	193.2	959	0.3	8
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	150.0	11	0.3	11
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	17	21.5	179	0.7	4	5	6.3	48	0.9	101	115	145.6	1,276	0.3	3
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	3	20.0	26	0.3	2	1	6.7	12	1.0	122	29	193.3	332	0.3	3
75-84	6	23.1	62	0.8	3	2	7.7	14	0.6	53	36	138.5	394	0.2	3
85 and older	8	21.1	91	0.8	5	2	5.3	22	1.0	120	50	131.6	550	0.3	3
Male	16	28.6	158	0.9	178	7	12.5	70	0.7	74	90	160.7	981	0.3	9
Disabled	6	18.8	65	0.6	3	5	15.6	49	0.7	79	43	134.4	455	0.3	8
64 or younger	6	18.8	65	0.6	3	5	15.6	49	0.7	79	43	134.4	455	0.3	8
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	10	41.7	93	1.2	301	2	8.3	21	0.6	61	47	195.8	526	0.3	10
64 or younger	1	25.0	6	1.2	3	0	0.0	0	0.0	0	7	175.0	78	0.1	2
65-74	2	100.0	13	1.2	563	0	0.0	0	0.0	0	3	150.0	36	0.3	4
75-84	5	62.5	50	0.8	45	2	25.0	21	0.6	61	11	137.5	116	0.3	4
85 and older	2	20.0	24	1.9	766	0	0.0	0	0.0	0	26	260.0	296	0.3	15
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 208 beneficiaries who were in nursing facilities for part of their enrollment and their 1,976 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	ANTINEOPLASTICS					ANTIASTHMATIC						
	Users as %		Users as %		Mean Rx \$	Users as %		Users as %		Mean Rx \$		
	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean No. of Rx		No. of Users	No. of Bene Mos among Users	Mean No. of Rx	Mean No. of Rx			
All	6	3.3 %	54	0.6	\$358	68	37.6 %	665	0.5	\$26	181	1,763
Female	6	4.8	54	0.6	358	44	35.2	417	0.6	28	125	1,267
Disabled	4	8.7	40	0.7	480	18	39.1	163	0.8	40	46	450
64 or younger	4	9.1	40	0.7	480	18	40.9	163	0.8	40	44	441
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	9
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	2	2.5	14	0.4	9	26	32.9	254	0.4	21	79	817
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	1	6.7	2	0.5	6	11	73.3	92	0.3	14	15	166
75-84	0	0.0	0	0.0	0	7	26.9	74	0.7	24	26	255
85 and older	1	2.6	12	0.3	10	8	21.1	88	0.4	25	38	396
Male	0	0.0	0	0.0	0	24	42.9	248	0.4	22	56	496
Disabled	0	0.0	0	0.0	0	13	40.6	125	0.5	30	32	273
64 or younger	0	0.0	0	0.0	0	13	40.6	125	0.5	30	32	273
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	0	0.0	0	0.0	0	11	45.8	123	0.4	14	24	223
64 or younger	0	0.0	0	0.0	0	3	75.0	36	0.5	5	4	36
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	13
75-84	0	0.0	0	0.0	0	2	25.0	24	0.1	6	8	80
85 and older	0	0.0	0	0.0	0	6	60.0	63	0.4	23	10	94
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 208 beneficiaries who were in nursing facilities for part of their enrollment and their 1,976 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NEW HAMPSHIRE, 2002

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D		Total No. Part D Excl Rx	\$ per Part D Excl Rx	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Nondual Rx \$	Total No. of Benes
			Excl Rx	Bene						
All	19,976	21.4 %	1.1	100,980	\$19	\$1,792,473	\$18	4.6 %	93,325	
Age										
5 and younger	5,015	20.3	0.5	12,077	8	205,157	17	10.5	24,720	
6-14	4,393	14.1	0.4	13,233	12	359,621	27	4.9	31,054	
15-20	2,198	15.9	0.5	6,715	13	182,029	27	4.0	13,858	
21-44	5,679	31.3	1.8	32,821	31	559,197	17	4.0	18,163	
45-64	2,291	49.4	6.1	28,281	89	414,115	15	4.0	4,636	
65-74	193	48.4	7.6	3,022	82	32,781	11	4.5	399	
75-84	130	49.1	10.2	2,706	91	24,158	9	5.9	265	
85 and older	77	36.2	10.0	2,125	72	15,415	7	9.5	213	
Unknown	0	0.0	0.0	0	0	0	0	0.0	17	
Basis of Eligibility^c										
Aged	392	45.6	9.0	7,753	82	70,518	9	5.6	860	
Disabled	3,673	51.6	6.3	45,043	98	697,604	15	4.0	7,120	
Adults	4,461	27.8	1.1	18,273	20	323,493	18	4.3	16,064	
Children	11,450	16.5	0.4	29,911	10	700,858	23	5.3	69,281	
Unknown	0	0.0	0.0	0	0	0	0	0.0	0	
Gender										
Female	12,634	23.9	1.3	67,090	21	1,108,821	17	4.6	52,825	
Male	7,342	18.1	0.8	33,890	17	683,652	20	4.4	40,500	
Unknown	0	0.0	0.0	0	0	0	0	0.0	0	
Race										
White	18,301	21.5	1.1	96,028	20	1,716,545	18	4.6	85,024	
African American	412	21.3	0.7	1,295	9	16,618	13	3.3	1,934	
Other/unknown	1,263	19.8	0.6	3,657	9	59,310	16	4.4	6,367	
Use of Nursing Facilities^d										
Entire year	175	96.7	36.1	6,531	342	61,850	9	9.4	181	
Part year	181	87.0	15.3	3,184	160	33,256	10	5.3	208	
None	19,620	21.1	1.0	91,265	18	1,697,367	19	4.5	92,936	
Maintenance Assistance Status										
Cash	6,966	31.8	2.1	45,280	32	707,202	16	4.3	21,928	
Medically needy	1,130	30.1	2.3	8,732	46	171,929	20	5.4	3,753	
Poverty related	6,953	13.7	0.3	15,910	6	319,694	20	4.6	50,594	
Other/unknown	4,927	28.9	1.8	31,058	35	593,648	19	4.7	17,050	

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
- b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12

USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NEW HAMPSHIRE, 2002

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.1	\$2	\$18	\$0	\$1	766,244
Age						
5 and younger	0.1	1	17	0	0	197,672
6-14	0.0	1	27	0	0	269,421
15-20	0.1	2	27	0	0	113,018
21-44	0.2	4	17	0	1	137,815
45-64	0.7	10	15	0	4	40,637
65-74	0.8	8	11	0	3	3,980
75-84	1.1	10	9	0	2	2,437
85 and older	1.7	12	7	0	2	1,244
Unknown	0.0	0	0	0	0	20
Basis of Eligibility^c						
Aged	1.0	9	9	0	2	7,509
Disabled	0.7	10	15	0	4	67,531
Adults	0.2	3	18	0	1	115,391
Children	0.1	1	23	0	0	575,813
Unknown	0.0	0	0	0	0	0
Gender						
Female	0.2	3	17	0	1	430,112
Male	0.1	2	20	0	0	336,132
Unknown	0.0	0	0	0	0	0
Race						
White	0.1	2	18	0	1	701,176
African American	0.1	1	13	0	0	15,867
Other/unknown	0.1	1	16	0	0	49,201
Use of Nursing Facilities^d						
Entire year	3.7	35	9	0	11	1,763
Part year	1.6	17	10	0	4	1,976
None	0.1	2	19	0	1	762,505
Maintenance Assistance Status						
Cash	0.2	4	16	0	1	194,948
Medically needy	0.3	6	20	0	1	28,312
Poverty related	0.0	1	20	0	0	391,968
Other/unknown	0.2	4	19	0	1	151,016

Table ND12

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
 - b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.13
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 NEW HAMPSHIRE, 2002

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	25,734	\$70	\$1,792,473	100.0 %	100,980	\$18	100.0 %
Anorexia or weight loss/gain	28	127	3,565	0.2	65	55	0.1
Fertility drugs	0	0	0	0.0	0	0	0.0
Drugs for cosmetic purposes	82	11	895	0.0	103	9	0.1
Cough and cold medications	5,255	63	330,461	18.4	10,254	32	10.2
Vitamins and minerals	3,262	50	161,878	9.0	10,322	16	10.2
Non-prescription drugs	11,489	53	605,841	33.8	48,955	12	48.5
Barbiturates	190	52	9,950	0.6	1,621	6	1.6
Benzodiazepines	4,463	106	472,821	26.4	26,402	18	26.1
Other Part D Excl Rx Drugs	965	215	207,062	11.6	3,258	64	3.2

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2002. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

Beneficiary Characteristics	No. of Benes					No. of Bene Mos					
	All	Aged	Disabled	Adults	Unknown	All	Aged	Disabled	Adults	Unknown	
All	99,770	860	7,123	16,499	75,288	874,785	7,509	67,735	122,663	676,878	0
Age											
5 and younger	26,295	0	32	0	26,263	225,703	0	363	0	225,340	0
6-14	34,402	0	75	0	34,327	325,670	0	889	0	324,781	0
15-20	14,943	0	401	0	14,542	129,893	0	3,778	0	126,115	0
21-44	18,569	0	3,212	15,204	153	144,745	0	31,038	113,069	638	0
45-64	4,667	0	3,387	1,280	0	41,087	0	31,520	9,567	0	0
65-74	399	384	14	1	0	3,986	3,852	123	11	0	0
75-84	265	263	2	0	0	2,437	2,413	24	0	0	0
85 and older	213	213	0	0	0	1,244	1,244	0	0	0	0
Unknown	17	0	0	14	3	20	0	0	16	4	0
Gender											
Female	56,218	585	4,091	14,338	37,204	486,917	5,122	40,113	109,215	332,467	0
Male	43,552	275	3,032	2,161	38,084	387,868	2,387	27,622	13,448	344,411	0
Unknown	0	0	0	0	0	0	0	0	0	0	0
Race											
White	90,976	642	6,854	15,017	68,463	801,544	5,307	65,232	112,263	618,742	0
African American	2,071	9	82	410	1,570	18,174	80	796	3,004	14,294	0
Other/unknown	6,723	209	187	1,072	5,255	55,067	2,122	1,707	7,396	43,842	0
Use of Nursing Facilities^c											
Entire year	181	99	78	0	4	1,763	1,004	723	0	36	0
Part year	208	53	135	0	20	1,976	477	1,264	0	235	0
None	99,381	708	6,910	16,499	75,264	871,046	6,028	65,748	122,663	676,607	0
Maintenance Assistance Status											
Cash	22,986	375	4,325	5,872	12,414	213,316	4,148	43,931	46,657	118,580	0
Medically needy	3,868	200	658	1,591	1,419	30,532	1,272	4,934	11,053	13,273	0
Poverty related	54,963	5	2	3,288	51,668	465,446	36	14	17,769	447,627	0
Other/unknown	17,953	280	2,138	5,748	9,787	165,491	2,053	18,856	47,184	97,398	0
Managed Care Status											
FFS all year	85,941	860	7,089	15,482	62,510	732,048	7,509	67,374	112,779	544,386	0
FFS part year, with Rx claims	5,076	0	27	510	4,539	52,986	0	286	5,159	47,541	0
FFS part year, no Rx claims	2,308	0	4	72	2,232	21,007	0	39	546	20,422	0
MC all year, with Rx claims	4,668	0	2	377	4,289	52,053	0	24	3,811	48,218	0
MC all year, no Rx claims	1,777	0	1	58	1,718	16,691	0	12	368	16,311	0

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 NONDUAL BENEFICIARIES, NEW HAMPSHIRE, 2002

	Bene Mos in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	99,770	874,785	93,325	766,244	0	108,541
FFS all year	85,941	732,048	85,941	732,048	0	0
FFS part year, with Rx claims	5,076	52,986	5,076	24,269	0	28,717
FFS part year, with no Rx claims	2,308	21,007	2,308	9,927	0	11,080
MC all year, with Rx claims	4,668	52,053	0	0	0	52,053
MC all year, with no Rx claims	1,777	16,691	0	0	0	16,691

Source: Data for this table are from the MAX 2002 file for New Hampshire, released by CMS in 07/2006. This table was produced on 04/19/2007.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.