

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2002 WISCONSIN

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

- TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
- TABLE D.3. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
- TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.5. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
- TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
- TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
- TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
- TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
- TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
- TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

- SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
- SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
- SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
- SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
- SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
- SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE

- APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
- APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
- APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2
 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a,b}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	No. of Benes							No. of Bene Mos						
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown		
All	373,556	1,833	74,632	111,400	185,586	105	2,248,624	17,434	788,727	477,491	964,176	796		
Age														
5 and younger	80,885	1	5,573	5	75,306	0	421,460	12	54,131	33	367,284	0		
6-14	91,578	0	13,203	16	78,359	0	567,935	0	145,340	76	422,519	0		
15-20	51,632	1	8,653	11,588	31,390	0	314,378	7	93,798	48,193	172,380	0		
21-44	113,658	3	23,503	89,661	469	22	634,015	27	249,526	382,554	1,766	142		
45-64	32,938	53	22,688	10,107	7	83	282,309	199	234,893	46,537	26	654		
65-74	1,492	700	779	13	0	0	15,605	6,753	8,782	70	0	0		
75-84	830	657	165	8	0	0	8,221	6,540	1,657	24	0	0		
85 and older	491	418	67	2	4	0	4,520	3,896	599	4	21	0		
Unknown	52	0	1	0	51	0	181	0	1	0	180	0		
Gender														
Female	210,652	1,148	37,454	81,215	90,731	104	1,234,096	11,001	401,630	352,264	468,408	793		
Male	162,904	685	37,178	30,185	94,855	1	1,014,528	6,433	387,097	125,227	495,768	3		
Unknown	0	0	0	0	0	0	0	0	0	0	0	0		
Race														
White	181,333	645	7,139	74,905	98,604	40	934,034	5,751	65,786	341,727	520,480	290		
African American	50,058	82	1,988	15,847	32,139	2	215,924	749	19,281	50,846	145,036	12		
Other/unknown	142,165	1,106	65,505	20,648	54,843	63	1,098,666	10,934	703,660	84,918	298,660	494		
Use of Nursing Facilities^c														
Entire year	970	345	624	0	1	0	10,016	3,463	6,541	0	12	0		
Part year	998	116	861	20	1	0	9,680	937	8,589	150	4	0		
None	371,588	1,372	73,147	111,380	185,584	105	2,228,928	13,034	773,597	477,341	964,160	796		
Maintenance Assistance Status														
Cash	139,757	853	62,499	29,638	46,767	0	1,007,927	9,151	670,984	121,842	205,950	0		
Medically needy	16,961	129	1,433	2,217	13,182	0	82,709	1,010	11,054	8,040	62,605	0		
Poverty-related	64,313	6	733	8,011	55,458	105	305,371	63	6,728	29,791	267,993	796		
Other/unknown	152,525	845	9,967	71,534	70,179	0	852,617	7,210	99,961	317,818	427,628	0		
Managed Care Status														
FFS all year	208,972	1,830	72,017	46,814	88,207	104	1,782,435	17,410	771,974	306,450	685,810	791		
FFS part year, with Rx claims	53,913	1	1,976	27,592	24,344	0	191,323	6	13,436	86,127	91,754	0		
FFS part year, no Rx claims	110,671	2	639	36,994	73,035	1	274,866	18	3,317	84,914	186,612	5		

Table ND2

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	% with at Least One Rx	Mean No. of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Services	Rx \$ as % of All Services	No. of Benes
All	46.3 %	7.2	\$433	\$61	\$3,819	11.3 %	373,556
Age							
5 and younger	36.9	1.8	90	50	2,260	4.0	80,885
6-14	38.3	3.5	228	65	2,033	11.2	91,578
15-20	44.9	4.3	277	65	3,074	9.0	51,632
21-44	52.4	7.9	512	65	4,515	11.3	113,658
45-64	70.5	30.0	1,728	58	10,380	16.6	32,938
65-74	72.1	31.0	1,488	48	13,360	11.1	1,492
75-84	73.4	32.9	1,430	44	15,816	9.0	830
85 and older	77.6	38.0	1,442	38	21,858	6.6	491
Unknown	0.0	0.0	0	0	5	0.0	52
Basis of Eligibility^c							
Aged	72.0	30.1	1,298	43	15,491	8.4	1,833
Disabled	74.0	25.2	1,662	66	12,477	13.3	74,632
Adults	47.3	3.6	168	47	2,026	8.3	111,400
Children	34.3	1.8	88	50	1,294	6.8	185,586
Unknown	77.1	14.5	1,002	69	10,432	9.6	105
Gender							
Female	49.1	8.0	448	56	3,742	12.0	210,652
Male	42.7	6.1	414	68	3,919	10.6	162,904
Unknown	0.0	0.0	0	0	0	0.0	0
Race							
White	44.2	4.0	210	52	2,259	9.3	181,333
African American	33.8	2.2	110	50	2,187	5.0	50,058
Other/unknown	53.4	12.8	831	65	6,384	13.0	142,165
Use of Nursing Facilities^d							
Entire year	96.6	79.1	4,082	52	44,988	9.1	970
Part year	97.0	74.3	3,970	53	57,529	6.9	998
None	46.0	6.8	414	61	3,567	11.6	371,588
Maintenance Assistance Status							
Cash	54.0	12.9	828	64	6,407	12.9	139,757
Medically needy	37.5	3.8	209	55	2,244	9.3	16,961
Poverty related	33.7	1.6	74	45	1,162	6.4	64,313
Other/unknown	45.6	4.6	247	54	2,743	9.0	152,525

Table ND3

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	Mean No. of Rx	Mean Rx \$	Rx \$ as % of All Services	No. of Rx, % with:					Mean \$, All Services	Benes	Bene Mos	
				53.7 % None	30.9 % More than 0, 1, but 2 or Less	5.9 % More than 2, but 5 or Less	6.2 % More than 2, but 5 or Less	2.6 % Less than 5, but 10 or More				0.8 % More than 10
All	1.2	\$72	11.3 %	53.7 %	30.9 %	5.9 %	6.2 %	2.6 %	0.8 %	\$634	373,556	2,248,624
Age												
5 and younger	0.3	17	4.0	63.1	32.9	2.6	1.3	0.1	0.0	434	80,885	421,460
6-14	0.6	37	11.2	61.7	29.8	4.5	3.6	0.4	0.0	328	91,578	567,935
15-20	0.7	46	9.0	55.1	34.5	5.5	4.2	0.8	0.1	505	51,632	314,378
21-44	1.4	92	11.3	47.6	31.7	8.4	8.4	3.1	0.7	809	113,658	634,015
45-64	3.5	202	16.6	29.5	21.3	9.8	19.7	14.4	5.3	1,211	32,938	282,309
65-74	3.0	142	11.1	27.9	25.0	9.5	18.5	14.5	4.6	1,277	1,492	15,605
75-84	3.3	144	9.0	26.6	20.4	9.0	19.8	18.9	5.3	1,597	830	8,221
85 and older	4.1	157	6.6	22.4	13.0	6.5	28.7	22.8	6.5	2,374	491	4,520
Unknown	0.0	0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	1	52	181
Basis of Eligibility^c												
Aged	3.2	137	8.4	28.0	21.8	8.8	20.2	16.3	4.9	1,629	1,833	17,434
Disabled	2.4	157	13.3	26.0	32.5	10.7	17.5	10.0	3.3	1,181	74,632	788,727
Adults	0.8	39	8.3	52.7	32.1	7.6	6.0	1.4	0.2	473	111,400	477,491
Children	0.3	17	6.8	65.7	29.6	3.0	1.6	0.1	0.0	249	185,586	964,176
Unknown	1.9	132	9.6	22.9	32.4	19.0	21.0	4.8	0.0	1,376	105	796
Gender												
Female	1.4	76	12.0	50.9	32.1	6.4	6.6	3.1	1.0	639	210,652	1,234,096
Male	1.0	66	10.6	57.3	29.4	5.2	5.7	1.9	0.5	629	162,904	1,014,528
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Race												
White	0.8	41	9.3	55.8	32.4	5.4	4.5	1.4	0.3	439	181,333	934,034
African American	0.5	26	5.0	66.2	25.8	4.3	3.0	0.6	0.1	507	50,058	215,924
Other/unknown	1.7	108	13.0	46.6	30.7	7.1	9.4	4.7	1.5	826	142,165	1,098,666
Use of Nursing Facilities^d												
Entire year	7.7	395	9.1	3.4	4.9	5.3	23.2	39.7	23.5	4,357	970	10,016
Part year	7.7	409	6.9	3.0	6.8	7.5	23.7	33.4	25.6	5,931	998	9,680
None	1.1	69	11.6	54.0	31.0	5.9	6.1	2.4	0.6	595	371,588	2,228,928
Maintenance Assistance Status												
Cash	1.8	115	12.9	46.0	30.6	7.3	9.6	4.9	1.6	888	139,757	1,007,927
Medically needy	0.8	43	9.3	62.5	28.9	3.1	3.2	1.8	0.5	460	16,961	82,709
Poverty related	0.3	16	6.4	66.3	29.1	2.9	1.5	0.3	0.0	245	64,313	305,371
Other/unknown	0.8	44	9.0	54.4	32.2	6.3	5.3	1.5	0.3	491	152,525	852,617

Table ND4

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	All Rx		Patented Brand-Name Drugs		Off-Patent Brand-Name Drugs		Generic Drugs	
	No. of Rx	Rx \$	No. of Rx	\$ per Rx	No. of Rx	Rx \$	No. of Rx	Rx \$
All	1.2	\$72	0.5	\$57	0.1	\$5	0.6	\$10
Age								
5 and younger	0.3	17	0.1	14	0.0	1	0.2	2
6-14	0.6	37	0.3	30	0.0	3	0.2	4
15-20	0.7	46	0.3	36	0.1	4	0.3	5
21-44	1.4	92	0.6	73	0.1	6	0.7	12
45-64	3.5	202	1.5	159	0.2	13	1.7	29
65-74	3.0	142	1.3	112	0.2	8	1.5	23
75-84	3.3	144	1.4	112	0.3	10	1.7	23
85 and older	4.1	157	1.5	115	0.4	12	2.2	29
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
Basis of Eligibility^d								
Aged	3.2	137	1.3	106	0.2	8	1.6	23
Disabled	2.4	157	1.1	126	0.2	11	1.1	20
Adults	0.8	39	0.3	30	0.1	3	0.5	6
Children	0.3	17	0.2	13	0.0	2	0.2	2
Unknown	1.9	132	0.9	115	0.0	3	1.0	15
Gender								
Female	1.4	76	0.6	60	0.1	6	0.7	11
Male	1.0	66	0.4	54	0.1	5	0.5	8
Unknown	0.0	0	0.0	0	0.0	0	0.0	0
Race								
White	0.8	41	0.3	32	0.1	3	0.4	6
African American	0.5	26	0.2	20	0.0	2	0.3	4
Other/unknown	1.7	108	0.7	86	0.1	8	0.8	14
Use of Nursing Facilities^e								
Entire year	7.7	395	3.0	305	0.7	25	3.9	65
Part year	7.7	409	3.0	317	0.5	24	4.1	67
None	1.1	69	0.5	55	0.1	5	0.5	9
Maintenance Assistance Status								
Cash	1.8	115	0.8	92	0.1	8	0.9	15
Medically needy	0.8	43	0.3	35	0.1	2	0.4	6
Poverty related	0.3	16	0.1	12	0.0	2	0.2	3
Other/unknown	0.8	44	0.4	35	0.1	3	0.4	6
\$ per Rx								
All		\$72	0.5	\$57	0.1	\$5	0.6	\$10
								\$17

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wisconsin, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Total	Patented	Off-Patent	Generic	Total No. of Rx	Total Rx \$	No.	As % of All Benes	No. of Bene Mos		
																Brand-Name	Brand-Name
Anti-infective Agents	0.3	0.1	0.0	0.1	\$15	\$12	\$1	\$2	\$55	\$101	\$86	\$14	231,623	\$12,701,666	94,115	25.2 %	849,730
Biologicals	0.5	0.4	0.0	0.0	572	526	13	33	1227	1,240	751	1,333	1,931	2,369,534	466	0.1	4,140
Antineoplastic Agents	0.6	0.3	0.0	0.3	156	143	4	9	269	477	128	36	7,625	2,047,984	1,358	0.4	13,107
Endocrine/Metabolic Drugs	0.7	0.3	0.1	0.2	28	21	3	4	42	69	26	16	231,320	9,830,023	38,584	10.3	350,398
Cardiovascular Agents	1.2	0.4	0.1	0.7	38	27	3	9	32	64	41	12	326,497	10,453,372	27,744	7.4	272,371
Respiratory Agents	0.5	0.3	0.0	0.2	27	21	3	3	51	73	71	17	275,806	14,002,238	56,658	15.2	520,635
Gastrointestinal Agents	0.6	0.3	0.0	0.2	48	43	2	4	85	129	135	16	141,013	12,014,244	25,498	6.8	249,576
Genitourinary Agents	0.3	0.2	0.0	0.1	16	14	0	1	48	60	38	15	33,256	1,592,719	11,000	2.9	101,305
CNS Drugs	1.1	0.6	0.0	0.5	92	78	4	9	83	128	103	20	539,696	44,781,291	51,615	13.8	486,901
Stimulants/Anti-obesity/Anorexia	0.7	0.4	0.1	0.2	43	28	6	9	63	79	62	38	96,323	6,026,363	14,700	3.9	140,961
Miscellaneous Psychological/Neurological Agents	0.3	0.2	0.0	0.1	44	36	0	8	156	195	0	81	7,374	1,150,152	2,624	0.7	26,033
Analgesics and Anesthetics	0.6	0.1	0.0	0.4	28	20	2	6	48	140	79	14	304,381	14,634,355	57,718	15.5	527,864
Neuromuscular Agents	0.9	0.4	0.1	0.4	61	51	4	6	70	119	60	16	242,115	16,847,513	27,400	7.3	276,789
Nutritional Products	0.4	0.0	0.0	0.4	9	1	1	7	20	41	23	19	58,248	1,177,987	16,772	4.5	130,711
Hematological Agents	0.7	0.2	0.1	0.4	98	91	2	6	150	549	21	14	39,515	5,940,820	6,186	1.7	60,403
Topical Products	0.3	0.1	0.0	0.1	9	5	1	2	34	57	61	15	119,859	4,023,651	49,844	13.3	471,389
Miscellaneous Products	0.7	0.3	0.1	0.3	131	103	18	11	191	357	242	32	10,384	1,981,444	1,482	0.4	15,121
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	5	0	0	0	23	0	0	0	3,986	91,194	1,776	0.5	18,890
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	2,670,952	161,666,550	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wisconsin, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Top 10 Drug Groups	Users				Among Users		
	Total Medicaid Rx \$	No. As % of All Benes	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIPSYCHOTICS	\$26,211,062	22,606	6.1 %	243,251	0.7	\$154	\$108
ANTIDEPRESSANTS	15,460,168	49,953	13.4	476,760	0.5	61	32
ANTICONVULSANT	15,242,266	22,638	6.1	238,266	0.8	85	64
ULCER DRUGS	9,568,657	23,695	6.3	236,411	0.5	90	40
ANALGESICS - Narcotic	8,431,381	61,348	16.4	584,670	0.3	43	14
ANTIASTHMATIC	7,708,645	45,762	12.3	435,623	0.3	51	18
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	6,026,169	16,461	4.4	160,464	0.6	63	38
ANTIDIABETIC	4,892,228	13,558	3.6	135,219	0.7	52	36
ANTIVIRAL	4,487,657	3,937	1.1	38,158	0.4	332	118
ANTHYPERLIPIDEMIC	3,795,256	7,849	2.1	80,284	0.6	76	47
Total	101,823,489	267,807		2,629,106	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BOE, AND AGE^{a,b,c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTIDEPRESSANTS						
	No. of Rx	Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	1,311,363	\$101,823,489	22,606	6.1 %	243,251	0.7	\$108	49,953	13.4 %	476,760	0.5	\$32					
Female	775,018	57,256,368	11,456	5.4	122,026	0.6	98	34,441	16.4	322,593	0.5	33					
Disabled	572,133	45,432,557	8,720	23.3	98,462	0.7	109	17,695	47.2	198,569	0.6	36					
5 and younger	7,010	464,507	25	1.1	292	0.5	51	26	1.2	297	0.5	12					
6-14	27,407	2,168,422	531	11.9	6,057	0.6	79	632	14.2	7,136	0.5	22					
15-20	25,126	1,973,206	567	16.6	6,540	0.6	77	926	27.2	10,740	0.5	28					
21-44	192,524	16,707,987	3,864	30.4	43,351	0.7	107	7,288	57.4	81,480	0.5	35					
45-64	308,506	23,321,134	3,608	25.9	40,818	0.8	119	8,585	61.6	96,271	0.6	38					
65-74	9,428	662,473	91	16.2	1,042	0.9	148	186	33.1	2,151	0.6	33					
75-84	1,686	106,765	33	28.2	350	0.7	84	35	29.9	361	0.7	45					
85 and older	446	28,063	1	1.9	12	0.8	106	17	32.1	133	0.6	36					
Other Eligibles	202,885	11,823,811	2,736	1.6	23,564	0.4	55	16,746	9.7	124,024	0.4	28					
5 and younger	6,303	263,704	21	0.1	206	0.3	32	34	0.1	351	0.4	11					
6-14	31,042	2,036,857	587	1.5	5,997	0.6	74	1,412	3.7	13,661	0.4	24					
15-20	23,684	1,369,891	491	1.9	4,331	0.5	55	2,298	8.9	19,490	0.4	24					
21-44	109,546	6,118,852	1,318	2.0	10,056	0.3	38	11,232	17.2	77,781	0.4	28					
45-64	18,850	1,207,872	160	2.9	1,267	0.4	49	1,437	25.8	9,258	0.6	39					
65-74	4,204	263,304	39	9.1	453	1.0	130	76	17.7	838	0.5	27					
75-84	5,256	346,659	61	15.1	672	0.7	94	136	33.7	1,448	0.7	39					
85 and older	4,000	216,672	59	19.9	582	0.7	80	121	40.9	1,197	0.8	37					
Male	536,345	44,567,121	11,150	6.8	121,225	0.8	117	15,512	9.5	154,167	0.5	32					
Disabled	394,726	35,220,501	8,697	23.4	98,379	0.8	126	9,310	25.0	103,771	0.6	33					
5 and younger	10,903	727,343	92	2.7	965	0.5	63	66	2.0	679	0.4	12					
6-14	70,860	5,577,487	1,907	21.8	21,823	0.6	86	1,782	20.4	20,431	0.5	26					
15-20	41,825	3,743,263	1,190	22.7	13,721	0.7	110	1,193	22.8	13,744	0.6	32					
21-44	134,098	13,921,926	3,513	32.5	39,680	0.9	147	3,226	29.9	35,879	0.6	36					
45-64	133,917	11,024,962	1,954	22.3	21,738	0.9	142	2,995	34.2	32,497	0.6	36					
65-74	2,490	190,479	30	13.8	330	0.9	145	37	17.1	417	0.7	36					
75-84	507	28,532	9	18.8	98	0.8	68	7	14.6	82	0.8	41					
85 and older	126	6,509	2	14.3	24	0.6	89	4	28.6	42	0.5	32					
Other Eligibles	141,619	9,346,620	2,453	2.0	22,846	0.6	79	6,202	4.9	50,396	0.5	29					
5 and younger	10,827	514,253	69	0.2	682	0.4	57	70	0.2	705	0.3	11					
6-14	58,365	3,995,383	1,317	3.3	13,120	0.6	83	2,058	5.2	19,272	0.5	25					
15-20	22,934	1,612,142	580	3.4	5,333	0.6	77	1,395	8.1	12,175	0.5	31					
21-44	29,999	1,910,348	328	1.3	2,235	0.4	60	1,979	7.9	13,061	0.4	29					
45-64	12,597	890,638	67	1.4	525	0.4	69	549	11.7	3,692	0.5	36					
65-74	2,902	182,367	29	10.2	327	0.9	129	44	15.5	456	0.7	32					
75-84	2,655	156,579	41	15.6	401	0.8	94	56	21.4	551	0.8	36					
85 and older	1,340	84,910	22	17.2	223	0.7	88	51	39.8	484	0.7	39					
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					

Table ND7A

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	ANTICONVULSANT					ULCER DRUGS					ANALGESICS - Narcotic				
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	22,638	6.1 %	238,266	0.8	\$64	23,695	6.3 %	236,411	0.5	\$41	61,348	16.4 %	584,670	0.3	\$14
Female	12,975	6.2	134,837	0.7	61	15,784	7.5	158,051	0.4	41	42,696	20.3	406,448	0.3	14
Disabled	9,680	25.8	109,532	0.8	65	10,126	27.0	114,525	0.5	47	20,643	55.1	233,255	0.4	19
5 and younger	260	11.7	2,978	0.6	55	342	15.4	3,736	0.4	18	150	6.8	1,748	0.1	7
6-14	903	20.2	10,329	0.7	76	290	6.5	3,333	0.4	31	440	9.9	5,156	0.2	2
15-20	799	23.4	9,284	0.8	71	382	11.2	4,446	0.4	30	825	24.2	9,499	0.2	6
21-44	3,976	31.3	44,796	0.8	71	3,261	25.7	36,946	0.4	40	8,517	67.1	96,406	0.3	18
45-64	3,635	26.1	40,919	0.8	57	5,595	40.1	63,176	0.5	54	10,357	74.3	116,436	0.4	21
65-74	95	16.9	1,096	0.8	49	201	35.8	2,335	0.5	51	290	51.6	3,352	0.4	12
75-84	9	7.7	108	1.0	33	43	36.8	454	0.7	49	47	40.2	462	0.5	14
85 and older	3	5.7	22	0.6	16	12	22.6	99	0.9	39	17	32.1	196	0.3	27
Other Eligibles	3,295	1.9	25,305	0.5	44	5,658	3.3	43,526	0.3	28	22,053	12.7	173,193	0.3	7
5 and younger	77	0.2	619	0.4	34	279	0.8	2,035	0.3	10	334	0.9	2,973	0.1	1
6-14	393	1.0	3,805	0.5	47	322	0.8	3,014	0.2	17	944	2.4	8,717	0.1	2
15-20	435	1.7	3,971	0.5	49	635	2.5	5,277	0.2	13	3,052	11.8	25,299	0.2	2
21-44	1,988	3.0	13,671	0.5	41	3,480	5.3	25,411	0.3	28	15,850	24.3	121,264	0.3	7
45-64	294	5.3	2,069	0.6	52	602	10.8	4,138	0.5	43	1,443	25.9	10,452	0.4	15
65-74	39	9.1	446	1.1	46	104	24.2	1,154	0.5	44	137	31.9	1,489	0.3	7
75-84	44	10.9	472	0.8	44	146	36.2	1,571	0.6	51	163	40.4	1,682	0.5	24
85 and older	25	8.4	252	0.8	41	90	30.4	926	0.7	51	130	43.9	1,317	0.6	21
Male	9,663	5.9	103,429	0.8	67	7,911	4.9	78,360	0.5	39	18,652	11.5	178,222	0.3	17
Disabled	7,756	20.9	87,514	0.8	72	5,329	14.3	58,822	0.5	41	10,345	27.8	112,990	0.4	21
5 and younger	349	10.4	3,811	0.6	55	411	12.2	4,220	0.4	21	257	7.7	2,870	0.1	1
6-14	1,641	18.8	18,923	0.7	60	398	4.6	4,588	0.4	31	668	7.6	7,749	0.1	3
15-20	1,101	21.0	12,827	0.8	76	355	6.8	4,114	0.4	28	777	14.8	8,904	0.1	3
21-44	2,961	27.4	33,460	0.9	84	1,787	16.5	20,017	0.5	41	3,960	36.7	43,207	0.3	23
45-64	1,680	19.2	18,226	0.8	63	2,321	26.5	25,228	0.5	48	4,590	52.5	49,179	0.5	26
65-74	19	8.8	207	0.9	102	42	19.4	478	0.5	45	75	34.6	868	0.3	14
75-84	4	8.3	48	0.9	44	12	25.0	141	0.8	47	12	25.0	141	0.3	3
85 and older	1	7.1	12	2.6	61	3	21.4	36	1.0	51	6	42.9	72	0.3	5
Other Eligibles	1,907	1.5	15,915	0.6	44	2,582	2.1	19,538	0.4	32	8,307	6.6	65,232	0.3	9
5 and younger	113	0.3	990	0.5	34	377	1.0	2,758	0.3	13	544	1.4	4,896	0.1	1
6-14	613	1.5	5,954	0.6	42	242	0.6	2,348	0.3	16	975	2.5	9,112	0.1	1
15-20	415	2.4	3,633	0.6	52	265	1.5	2,307	0.3	18	1,172	6.8	10,042	0.2	2
21-44	549	2.2	3,619	0.5	39	1,108	4.4	7,445	0.4	35	4,412	17.7	31,550	0.4	14
45-64	159	3.4	1,091	0.6	51	415	8.9	2,823	0.5	54	1,011	21.6	7,652	0.4	17
65-74	27	9.5	298	1.0	50	66	23.2	717	0.5	36	88	31.0	938	0.3	9
75-84	19	7.3	203	1.0	36	63	24.0	665	0.6	55	72	27.5	724	0.4	10
85 and older	12	9.4	127	0.8	22	46	35.9	475	0.7	60	33	25.8	318	0.4	15
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table ND7B Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	ANTI-ASTHMATIC					STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ANTI-DIABETIC				
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	Mean Rx \$
All	45,762	12.3 %	435,623	0.3	\$18	16,461	4.4 %	160,464	0.6	\$38	13,558	3.6 %	135,219	0.7	\$36
Female	27,006	12.8	257,910	0.4	18	5,437	2.6	53,213	0.6	36	9,059	4.3	91,762	0.7	36
Disabled	13,510	36.1	152,946	0.4	22	2,220	5.9	25,295	0.5	38	6,814	18.2	76,494	0.7	37
5 and younger	880	39.7	9,796	0.3	19	40	1.8	428	0.5	22	8	0.4	86	0.8	22
6-14	1,037	23.3	11,927	0.3	18	819	18.4	9,388	0.6	34	60	1.3	644	0.7	37
15-20	719	21.1	8,363	0.3	13	319	9.4	3,684	0.6	33	108	3.2	1,197	0.7	35
21-44	4,137	32.6	46,892	0.4	18	574	4.5	6,495	0.5	40	1,457	11.5	16,372	0.7	34
45-64	6,502	46.7	73,336	0.5	26	461	3.3	5,222	0.5	45	4,896	35.1	54,834	0.7	39
65-74	189	33.6	2,137	0.5	28	7	1.2	78	0.4	18	241	42.9	2,850	0.6	30
75-84	33	28.2	351	0.3	17	0	0.0	0	0.0	0	36	30.8	424	0.7	31
85 and older	13	24.5	144	0.6	35	0	0.0	0	0.0	0	8	15.1	87	0.9	48
Other Eligibles	13,496	7.8	104,964	0.3	13	3,217	1.9	27,918	0.6	35	2,245	1.3	15,268	0.6	33
5 and younger	2,514	6.8	20,594	0.2	8	84	0.2	825	0.4	19	20	0.1	137	0.5	27
6-14	2,759	7.1	23,681	0.3	13	1,906	4.9	17,294	0.6	36	93	0.2	687	0.8	44
15-20	1,671	6.5	13,593	0.2	10	485	1.9	4,419	0.6	33	123	0.5	886	0.7	46
21-44	5,569	8.5	39,454	0.3	14	647	1.0	4,697	0.4	36	1,263	1.9	7,848	0.6	32
45-64	728	13.1	4,888	0.4	23	91	1.6	643	0.5	47	481	8.6	2,850	0.6	31
65-74	91	21.2	1,043	0.6	26	0	0.0	0	0.0	0	119	27.7	1,239	0.7	31
75-84	96	23.8	1,034	0.5	26	3	0.7	28	0.8	7	103	25.6	1,159	0.7	29
85 and older	68	23.0	677	0.7	30	1	0.3	12	0.1	5	43	14.5	462	0.7	20
Male	18,756	11.5	177,713	0.3	17	11,024	6.8	107,251	0.6	38	4,499	2.8	43,457	0.7	36
Disabled	8,565	23.0	95,601	0.4	21	4,421	11.9	50,229	0.6	39	3,124	8.4	34,266	0.7	36
5 and younger	1,471	43.8	16,053	0.3	19	166	4.9	1,703	0.4	19	9	0.3	98	0.7	50
6-14	2,374	27.2	27,307	0.3	18	2,977	34.1	33,894	0.6	39	54	0.6	611	0.7	42
15-20	928	17.7	10,716	0.3	17	878	16.7	10,122	0.7	42	86	1.6	1,004	0.7	44
21-44	1,469	13.6	16,397	0.4	20	282	2.6	3,206	0.6	41	754	7.0	8,350	0.7	37
45-64	2,268	25.9	24,518	0.5	27	118	1.3	1,304	0.7	42	2,127	24.3	23,110	0.7	34
65-74	43	19.8	467	0.4	21	0	0.0	0	0.0	0	85	39.2	987	0.7	34
75-84	11	22.9	131	0.4	20	0	0.0	0	0.0	0	9	18.8	106	0.8	39
85 and older	1	7.1	12	0.1	7	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Other Eligibles	10,191	8.1	82,112	0.3	13	6,603	5.3	57,022	0.6	38	1,375	1.1	9,191	0.7	36
5 and younger	3,866	10.0	31,459	0.2	11	280	0.7	2,518	0.4	21	15	0.0	112	0.8	37
6-14	3,640	9.2	30,531	0.3	14	4,921	12.4	42,597	0.6	38	91	0.2	571	0.8	42
15-20	1,100	6.4	8,842	0.3	14	1,163	6.8	10,299	0.6	39	72	0.4	615	0.8	44
21-44	1,096	4.4	7,406	0.3	16	194	0.8	1,258	0.5	41	548	2.2	3,200	0.7	35
45-64	343	7.3	2,383	0.4	23	42	0.9	314	0.5	40	493	10.5	3,087	0.7	38
65-74	45	15.8	480	0.4	25	1	0.4	12	0.3	38	89	31.3	938	0.8	33
75-84	72	27.5	730	0.6	21	2	0.8	24	1.0	79	46	17.6	447	0.8	25
85 and older	29	22.7	281	0.4	13	0	0.0	0	0.0	0	21	16.4	221	0.7	23
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Table ND7C
 Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BOE, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	ANTIVIRAL				ANTIHYPERTENSIVE				Mean Rx \$	Mean No. of Rx	Users as % of All Benes	No. of Mos among Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	No. of Bene Users	No. of Bene Mos
	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	Users as % of All Benes	No. of Bene Mos among Users	Mean No. of Rx									
All	3,937	1.1 %	38,158	0.4	\$118	7,849	2.1 %	80,284	0.6	\$47	373,556	2,248,624					
Female																	
Disabled	2,557	1.2	24,206	0.3	88	4,704	2.2	49,607	0.6	47	210,620	1,233,991					
5 and younger	1,215	3.2	13,669	0.4	123	3,746	10.0	42,480	0.6	49	37,454	401,630					
6-14	26	1.2	303	0.5	39	2	0.1	24	0.2	2	2,214	21,880					
15-20	61	1.4	686	0.4	109	5	0.1	54	0.3	19	4,460	49,088					
21-44	61	1.8	728	0.3	73	13	0.4	149	0.4	16	3,410	37,083					
45-64	562	4.4	6,211	0.4	149	582	4.6	6,714	0.5	41	12,701	137,421					
65-74	494	3.5	5,609	0.3	108	3,010	21.6	33,996	0.6	50	13,937	148,144					
75-84	10	1.8	120	0.1	9	114	20.3	1,318	0.7	60	562	6,375					
85 and older	1	0.9	12	0.1	3	17	14.5	191	0.6	53	117	1,187					
Other Eligibles	0	0.0	0	0.0	0	3	5.7	34	1.0	101	53	452					
Other Eligibles	1,342	0.8	10,537	0.3	44	958	0.6	7,127	0.5	38	173,166	832,361					
5 and younger	51	0.1	433	0.3	37	5	0.0	49	0.1	5	36,819	179,387					
6-14	93	0.2	942	0.2	64	2	0.0	15	0.2	6	38,598	205,501					
15-20	209	0.8	1,763	0.2	26	8	0.0	75	0.4	25	25,823	127,629					
21-44	903	1.4	6,658	0.3	47	497	0.8	3,457	0.5	31	65,221	283,385					
45-64	66	1.2	506	0.3	50	305	5.5	2,020	0.5	43	5,577	25,542					
65-74	1	0.2	12	0.1	11	73	17.0	782	0.6	45	429	4,106					
75-84	7	1.7	84	0.1	5	52	12.9	560	0.6	46	403	4,041					
85 and older	12	4.1	139	0.2	4	16	5.4	169	0.8	57	296	2,770					
Male																	
Disabled	1,380	0.8	13,952	0.4	169	3,145	1.9	30,677	0.6	48	162,884	1,014,452					
5 and younger	1,016	2.7	10,793	0.5	188	2,166	5.8	23,835	0.7	49	37,177	387,096					
6-14	27	0.8	283	0.4	61	5	0.1	54	0.1	2	3,359	32,251					
15-20	78	0.9	885	0.3	80	5	0.1	56	0.1	3	8,743	96,252					
21-44	48	0.9	566	0.2	43	9	0.2	104	0.6	40	5,243	56,715					
45-64	552	5.1	5,690	0.5	207	520	4.8	5,794	0.6	42	10,802	112,105					
65-74	309	3.5	3,345	0.5	219	1,585	18.1	17,350	0.7	52	8,751	86,749					
75-84	2	0.9	24	0.3	69	39	18.0	451	0.7	61	217	2,407					
85 and older	0	0.0	0	0.0	0	3	6.3	26	1.0	105	48	470					
Other Eligibles	0	0.0	0	0.0	0	0	0.0	0	0.0	0	14	147					
Other Eligibles	364	0.3	3,159	0.3	104	979	0.8	6,842	0.6	42	125,707	627,356					
5 and younger	49	0.1	392	0.1	3	10	0.0	68	0.3	13	38,493	187,942					
6-14	65	0.2	638	0.2	61	3	0.0	36	0.1	9	39,777	217,094					
15-20	59	0.3	586	0.2	54	6	0.0	57	0.2	18	17,156	92,951					
21-44	131	0.5	1,006	0.4	192	419	1.7	2,627	0.5	36	24,934	101,104					
45-64	48	1.0	409	0.5	156	445	9.5	3,055	0.6	45	4,673	21,874					
65-74	4	1.4	39	0.1	3	55	19.4	586	0.7	57	284	2,717					
75-84	4	1.5	47	0.1	6	37	14.1	369	0.6	52	262	2,523					
85 and older	4	3.1	42	0.1	6	4	3.1	44	0.6	31	128	1,151					
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	52	181					

Nondual Beneficiaries

Table ND7D

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2002. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	Rx \$ per Bene Mo	No. of Rx per Bene Mo	No. of All-Year NF Residents	Bene Mos among All-Year NF Residents
All	\$395	7.7	970	10,016
Age				
0-64	455	8.3	580	6,099
65-74	462	7.4	71	751
75-84	334	7.3	118	1,219
85 and older	220	5.9	201	1,947
Unknown	0	0.0	0	0
Gender				
Female	397	8.1	613	6,406
Male	393	6.9	357	3,610
Unknown	0	0.0	0	0
Race				
White	314	6.9	472	4,606
African American	362	7.2	24	248
Other/unknown	469	8.3	474	5,162
Basis of Eligibility^c				
Aged	267	6.4	345	3,463
Disabled	464	8.3	624	6,541
Adults	0	0.0	0	0
Children	220	5.4	1	12
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2002 Medicaid enrollment. A total of 998 beneficiaries who were in nursing facilities for part of their enrollment and their 9,680 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Therapeutic Category	No. of Rx per Bene Mo among Users			\$ per Bene Mo among Users			\$ per Rx			Users							
	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total	Patented Brand-Name	Off-Patent Brand-Name	Total # of Rx	Total Rx \$	No.	As % of All-Year NF Residents	No. of Bene Mos			
Anti-infective Agents	0.5	0.2	0.0	0.2	\$28	\$23	\$2	\$3	\$62	\$103	\$71	\$17	2,966	\$183,043	613	63.2 %	6,537
Biologicals	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Antineoplastic Agents	0.8	0.4	0.1	0.3	195	166	15	14	250	406	163	51	390	97,500	48	4.9	500
Endocrine/Metabolic Drugs	1.3	0.6	0.3	0.5	42	31	6	5	32	54	20	12	5,763	184,418	413	42.6	4,373
Cardiovascular Agents	2.0	0.4	0.2	1.3	45	24	6	15	23	54	27	12	12,199	278,318	603	62.2	6,199
Respiratory Agents	1.0	0.4	0.1	0.5	45	30	6	9	43	68	66	17	3,763	162,684	342	35.3	3,609
Gastrointestinal Agents	1.2	0.5	0.0	0.6	69	58	1	10	59	107	74	16	5,966	353,613	494	50.9	5,162
Genitourinary Agents	0.8	0.5	0.0	0.3	42	36	1	5	54	70	73	20	1,862	100,506	217	22.4	2,394
CNS Drugs	2.2	1.2	0.1	0.9	183	157	4	21	84	131	62	23	16,170	1,362,505	712	73.4	7,450
Stimulants/Anti-obesity/Anorexia	0.6	0.2	0.1	0.3	39	30	4	6	65	130	43	20	143	9,288	22	2.3	237
Miscellaneous Psychological/Neurological Agents	0.8	0.8	0.0	0.0	108	105	0	2	139	140	0	90	480	66,672	60	6.2	620
Analgesics and Anesthetics	1.3	0.5	0.1	0.6	57	46	3	7	44	86	28	11	6,948	305,093	522	53.8	5,380
Neuromuscular Agents	1.8	0.6	0.1	1.0	100	69	9	23	56	107	61	22	9,439	527,064	483	49.8	5,266
Nutritional Products	0.8	0.0	0.0	0.8	15	0	1	14	17	15	27	17	2,364	40,732	272	28.0	2,808
Hematological Agents	1.3	0.3	0.3	0.7	49	39	4	6	38	148	12	9	3,857	146,488	294	30.3	3,010
Topical Products	0.6	0.2	0.1	0.4	19	10	4	5	31	54	55	14	3,809	117,892	564	58.1	6,168
Miscellaneous Products	0.4	0.1	0.0	0.3	22	12	5	6	58	216	233	18	318	18,595	80	8.2	849
Unknown Therapeutic Category	0.4	0.0	0.0	0.0	8	0	0	0	20	0	0	0	243	4,974	55	5.7	588
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	76,680	3,959,385	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 998 beneficiaries who were in nursing facilities for part of their enrollment and their 9,680 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2002. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

In Wisconsin, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Top 10 Drug Groups in Nursing Facilities	Users					Among Users		
	Total Medicaid Rx \$	No. of Users	As % of All-Year NF Residents	No. of Bene Mos	No. of Rx per Bene Mo	\$ per Rx	Rx \$ per Bene Mo	
ANTIPSYCHOTICS	\$921,199	531	54.7 %	5,744	1.0	\$154	\$160	
ANTICONVULSANT	394,726	467	48.1	5,159	1.3	61	77	
ANTIDEPRESSANTS	385,343	696	71.8	7,342	1.0	55	52	
ULCER DRUGS	286,037	434	44.7	4,520	0.8	77	63	
ANALGESICS - Narcotic	194,342	567	58.5	5,832	0.8	39	33	
ANTIDIABETIC	128,427	332	34.2	3,516	0.9	40	37	
ANTIASTHMATIC	100,743	357	36.8	3,697	0.7	40	27	
ANTINEOPLASTICS	97,500	49	5.1	512	0.8	250	190	
DERMATOLOGICAL	87,878	968	99.8	10,795	0.3	27	8	
ANALGESICS - ANTI-INFLAMMATORY	83,800	227	23.4	2,452	0.6	59	34	
Total	2,679,995	4,628		49,569	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 998 beneficiaries who were in nursing facilities for part of their enrollment and their 9,680 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).
- Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	All Top 10 Drug Groups					ANTIPSYCHOTICS					ANTICONVULSANT						
	No. of Rx	Rx \$	Users as %			Mean Rx \$	No. of Users	No. of Bene Mos among	Mean No. of Rx	Users as %	No. of Users	No. of Bene Mos among	Mean No. of Rx	Users as %	No. of Users	No. of Bene Mos among	Mean No. of Rx
			Residents	NF	All-Year												
All	38,973	\$2,679,995	531	54.7 %	5,744	1.0	467	48.1 %	5,159	1.3	\$77						
Female	25,646	1,676,900	317	51.7	3,456	1.0	296	48.3	3,254	1.3	70						
Disabled	18,930	1,291,986	223	58.8	2,455	1.0	245	64.6	2,707	1.3	73						
64 or younger	17,417	1,137,418	193	55.9	2,136	1.0	221	64.1	2,450	1.3	73						
65-74	1,181	131,555	21	80.8	236	1.3	22	84.6	233	1.2	67						
75-84	332	23,013	9	112.5	83	0.9	2	25.0	24	1.8	56						
85 and older	0	0	0	0.0	0	0.0	0	0.0	0	0.0	0						
Other Eligibles	6,716	384,914	94	40.2	1,001	0.9	51	21.8	547	1.1	56						
64 or younger	16	669	0	0.0	0	0.0	1	50.0	12	0.8	45						
65-74	791	46,415	8	50.0	96	2.1	9	56.3	103	1.8	86						
75-84	2,310	149,233	38	57.6	423	0.8	19	28.8	204	1.0	54						
85 and older	3,599	188,597	48	32.0	482	0.8	22	14.7	228	0.9	45						
Male	13,327	1,003,095	214	59.9	2,288	1.1	171	47.9	1,905	1.2	88						
Disabled	10,227	809,700	161	65.7	1,720	1.2	141	57.6	1,605	1.2	93						
64 or younger	9,717	766,923	147	63.4	1,574	1.2	136	58.6	1,552	1.2	91						
65-74	294	30,165	11	122.2	110	1.1	3	33.3	29	1.1	208						
75-84	145	10,387	3	100.0	36	0.9	1	33.3	12	1.1	123						
85 and older	71	2,225	0	0.0	0	0.0	1	100.0	12	2.6	61						
Other Eligibles	3,100	193,395	53	47.3	568	0.9	30	26.8	300	1.4	61						
64 or younger	19	889	1	100.0	8	0.6	1	100.0	8	1.5	16						
65-74	780	57,455	15	75.0	169	1.0	12	60.0	126	1.5	93						
75-84	1,459	82,941	23	56.1	251	0.9	11	26.8	108	1.4	49						
85 and older	842	52,110	14	28.0	140	0.6	6	12.0	58	0.9	21						
Unknown	0	0	0	0.0	0	0.0	0	0.0	0	0.0	0						

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 998 beneficiaries who were in nursing facilities for part of their enrollment and their 9,680 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a,b,c,d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	ANTIDEPRESSANTS						ULCER DRUGS						ANALGESICS - Narcotic					
	Users as %			Users as %			Users as %			Users as %			Users as %			Users as %		
	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx	No. of Users	No. of Bene Mos among Users	Mean No. of Rx
All	696	71.8 %	1.0	7,342	1.0	\$53	434	44.7 %	4,520	0.8	\$63	567	58.5 %	5,932	0.8	\$33		
Female	461	75.2	1.0	4,896	1.0	52	277	45.2	2,901	0.8	60	410	66.9	4,249	0.9	33		
Disabled	313	82.6	1.0	3,363	1.0	57	184	48.5	1,930	0.8	62	276	72.8	2,879	0.9	35		
64 or younger	295	85.5	1.0	3,178	1.0	56	169	49.0	1,779	0.8	60	253	73.3	2,656	1.0	37		
65-74	12	46.2	1.1	122	1.1	75	10	38.5	98	1.0	104	19	73.1	182	0.5	6		
75-84	6	75.0	0.9	63	0.9	54	5	62.5	53	0.8	54	4	50.0	41	0.9	69		
85 and older	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
Other Eligibles	148	63.2	0.8	1,533	0.8	43	93	39.7	971	0.8	54	134	57.3	1,370	0.8	29		
64 or younger	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
65-74	5	31.3	0.7	60	0.7	25	4	25.0	48	0.9	107	6	37.5	72	0.6	6		
75-84	47	71.2	1.0	507	1.0	58	32	48.5	352	0.8	57	42	63.6	416	0.8	34		
85 and older	96	64.0	0.8	966	0.8	36	57	38.0	571	0.8	48	86	57.3	882	0.8	28		
Male	235	65.8	0.9	2,446	0.9	53	157	44.0	1,619	0.8	70	157	44.0	1,583	0.8	34		
Disabled	169	69.0	0.9	1,802	0.9	55	108	44.1	1,141	0.8	68	114	46.5	1,216	0.8	39		
64 or younger	161	69.4	1.0	1,723	1.0	57	103	44.4	1,083	0.8	69	104	44.8	1,104	0.9	42		
65-74	6	66.7	0.7	57	0.7	22	2	22.2	24	0.8	88	7	77.8	76	0.1	1		
75-84	2	66.7	0.7	22	0.7	28	3	100.0	34	1.0	51	1	33.3	12	0.3	3		
85 and older	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	200.0	24	0.4	4		
Other Eligibles	66	58.9	1.0	644	1.0	46	49	43.8	478	0.9	74	43	38.4	367	0.7	18		
64 or younger	0	0.0	0.0	0	0.0	0	1	100.0	8	0.1	2	0	0.0	0	0.0	0		
65-74	11	55.0	0.9	108	0.9	36	10	50.0	96	0.8	45	9	45.0	75	0.8	9		
75-84	26	63.4	1.0	267	1.0	47	18	43.9	186	0.9	80	20	48.8	175	0.9	30		
85 and older	29	58.0	0.9	269	0.9	48	20	40.0	188	0.9	86	14	28.0	117	0.4	5		
Unknown	0	0.0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 998 beneficiaries who were in nursing facilities for part of their enrollment and their 9,680 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	ANTI-DIABETIC					ANTI-ASTHMATIC					ANTI-NEOPLASTICS				
	Users as %					Users as %					Users as %				
	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx	No. of Users	No. of Bene Users	Mean No. of Rx	Mean Rx \$	Mean No. of Rx
All	332	3,516	0.9	\$37	0.9	357	3,697	0.7	\$27	0.7	49	512	\$190	0.8	\$190
Female	227	2,470	0.9	38	0.9	238	2,512	0.6	27	0.6	32	320	212	0.8	212
Disabled	169	1,826	1.0	40	1.0	147	1,568	0.6	25	0.6	23	241	254	0.7	254
64 or younger	155	1,669	1.0	41	1.0	133	1,434	0.6	26	0.6	19	193	295	0.7	295
65-74	11	121	0.9	33	0.9	10	86	0.4	11	0.4	3	36	93	0.8	93
75-84	3	36	0.7	6	0.7	4	48	0.3	14	0.3	1	12	75	1.3	75
85 and older	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0
Other Eligibles	58	644	0.8	31	0.8	91	944	0.7	30	0.7	9	79	84	0.8	84
64 or younger	0	0	0.0	0	0.0	1	12	0.3	7	0.3	0	0	0	0.0	0
65-74	12	144	0.9	48	0.9	6	52	0.5	17	0.5	1	12	151	1.1	151
75-84	23	259	0.8	32	0.8	25	278	0.6	31	0.6	2	24	66	0.9	66
85 and older	23	241	0.7	19	0.7	59	602	0.7	32	0.7	6	43	74	0.6	74
Male	105	1,046	0.9	34	0.9	119	1,185	0.8	28	0.8	17	192	155	0.8	155
Disabled	77	775	0.9	36	0.9	70	706	0.9	33	0.9	9	108	185	0.7	185
64 or younger	73	736	0.9	34	0.9	69	701	0.9	33	0.9	9	108	185	0.7	185
65-74	3	29	1.4	80	1.4	1	5	0.4	26	0.4	0	0	0	0.0	0
75-84	1	10	0.7	19	0.7	0	0	0.0	0	0.0	0	0	0	0.0	0
85 and older	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0
Other Eligibles	28	271	0.9	28	0.9	49	479	0.6	21	0.6	8	84	115	0.9	115
64 or younger	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0
65-74	11	114	0.9	30	0.9	7	75	0.6	36	0.6	1	6	308	0.8	308
75-84	8	78	1.0	29	1.0	24	240	0.8	28	0.8	3	36	111	1.2	111
85 and older	9	79	0.8	25	0.8	18	164	0.2	4	0.2	4	42	91	0.7	91
Unknown	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0	0.0	0

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 998 beneficiaries who were in nursing facilities for part of their enrollment and their 9,680 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BOE, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	DERMATOLOGICAL					ANALGESICS - ANTI-INFLAMMATORY					Bene Mos among All-Year NF Residents	
	Users as %		No. of Bene		Mean Rx	Users as %		No. of Bene		Mean Rx \$		
	No. of Users	Residents	NF Residents	All-Year NF Residents		Users	Mos among Users	Users	Mos among Users			
All	968	99.8 %	10,795	0.3	\$8	227	23.4 %	2,452	0.6	\$34	970	10,016
Female	657	107.2	7,404	0.3	8	160	26.1	1,748	0.6	35	613	6,406
Disabled	461	121.6	5,227	0.3	9	102	26.9	1,112	0.6	29	379	4,033
64 or younger	433	125.5	4,899	0.3	9	91	26.4	1,007	0.6	28	345	3,691
65-74	25	96.2	292	0.3	8	7	26.9	68	0.6	30	26	273
75-84	3	37.5	36	0.1	2	4	50.0	37	0.7	48	8	69
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Other Eligibles	196	83.8	2,177	0.2	5	58	24.8	636	0.6	46	234	2,373
64 or younger	2	100.0	24	0.1	2	0	0.0	0	0.0	0	2	24
65-74	18	112.5	211	0.5	19	2	12.5	24	0.7	53	16	187
75-84	72	109.1	814	0.2	4	20	30.3	215	0.6	46	66	692
85 and older	104	69.3	1,128	0.2	4	36	24.0	397	0.7	46	150	1,470
Male	311	87.1	3,391	0.3	9	67	18.8	704	0.6	32	357	3,610
Disabled	223	91.0	2,464	0.4	11	53	21.6	567	0.6	30	245	2,508
64 or younger	207	89.2	2,293	0.4	11	49	21.1	519	0.6	29	232	2,376
65-74	9	100.0	87	0.2	4	1	11.1	12	0.5	40	9	86
75-84	3	100.0	36	0.7	14	2	66.7	24	0.6	30	3	34
85 and older	4	400.0	48	0.4	14	1	100.0	12	0.9	59	1	12
Other Eligibles	88	78.6	927	0.3	6	14	12.5	137	0.5	39	112	1,102
64 or younger	1	100.0	8	0.1	1	0	0.0	0	0.0	0	1	8
65-74	14	70.0	150	0.2	5	1	5.0	12	0.8	117	20	205
75-84	34	82.9	348	0.4	8	5	12.2	55	0.6	40	41	424
85 and older	39	78.0	421	0.2	4	8	16.0	70	0.4	26	50	465
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2002. A total of 998 beneficiaries who were in nursing facilities for part of their enrollment and their 9,680 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2002. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2002 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.Medi-Span.com/products/product_mddb.asp (May 13 2003).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Center for Medicare and Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 WISCONSIN, 2002

Beneficiary Characteristics	No. of Benes with at Least One Part D Excl Rx	% Benes with at Least One Part D Excl Rx	No. of Part D Excl Rx per Bene	Total No. Part D Excl Rx	Part D Excl Rx \$ per Bene	Total Part D Excl Rx \$	\$ per Part D Excl Rx	Part D Excl Rx \$ as % of All Nondual Rx \$	Total No. of Benes
All	43,989	11.8 %	0.4	164,688	\$17	\$6,350,708	\$39	3.9 %	373,556
Age									
5 and younger	7,997	9.9	0.2	17,637	8	634,327	36	8.7	80,885
6-14	6,857	7.5	0.2	16,574	11	999,260	60	4.8	91,578
15-20	4,192	8.1	0.2	10,476	15	769,325	73	5.4	51,632
21-44	14,934	13.1	0.5	56,639	17	1,913,656	34	3.3	113,658
45-64	9,253	28.1	1.8	58,574	58	1,904,784	33	3.3	32,938
65-74	379	25.4	1.6	2,385	53	78,454	33	3.5	1,492
75-84	220	26.5	1.8	1,462	34	28,254	19	2.4	830
85 and older	157	32.0	1.9	941	46	22,648	24	3.2	491
Unknown	0	0.0	0.0	0	0	0	0	0.0	52
Basis of Eligibility^c									
Aged	471	25.7	1.6	2,861	41	75,859	27	3.2	1,833
Disabled	20,994	28.1	1.6	117,004	65	4,856,506	42	3.9	74,632
Adults	9,984	9.0	0.2	22,914	6	715,010	31	3.8	111,400
Children	12,507	6.7	0.1	21,773	4	692,192	32	4.2	185,586
Unknown	33	31.4	1.3	136	106	11,141	82	10.6	105
Gender									
Female	27,240	12.9	0.5	106,653	18	3,722,716	35	3.9	210,652
Male	16,749	10.3	0.4	58,035	16	2,627,992	45	3.9	162,904
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Race									
White	15,932	8.8	0.2	42,738	9	1,678,282	39	4.4	181,333
African American	3,681	7.4	0.1	7,501	5	226,245	30	4.1	50,058
Other/unknown	24,376	17.1	0.8	114,449	31	4,446,181	39	3.8	142,165
Use of Nursing Facilities^d									
Entire year	494	50.9	4.9	4,720	149	145,002	31	3.7	970
Part year	565	56.6	4.5	4,444	232	231,852	52	5.9	998
None	42,930	11.6	0.4	155,524	16	5,973,854	38	3.9	371,588
Maintenance Assistance Status									
Cash	24,061	17.2	0.8	113,636	30	4,244,592	37	3.7	139,757
Medically needy	1,377	8.1	0.3	4,496	14	232,270	52	6.5	16,961
Poverty related	3,687	5.7	0.1	6,644	3	224,095	34	4.7	64,313
Other/unknown	14,864	9.7	0.3	39,912	11	1,649,751	41	4.4	152,525

Table ND11

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
- b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12

USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 WISCONSIN, 2002

Beneficiary Characteristics	No. Rx per Bene Mo.	Rx \$ per Bene Mo.	\$ per Rx	Barbiturate \$ per Bene Mo.	Benzodiazepine \$ per Bene Mo.	No. of Bene Mos
All	0.1	\$3	\$39	\$0	\$0	2,248,624
Age						
5 and younger	0.0	2	36	0	0	421,460
6-14	0.0	2	60	0	0	567,935
15-20	0.0	2	73	0	0	314,378
21-44	0.1	3	34	0	1	634,015
45-64	0.2	7	33	0	2	282,309
65-74	0.2	5	33	0	1	15,605
75-84	0.2	3	19	0	1	8,221
85 and older	0.2	5	24	0	1	4,520
Unknown	0.0	0	0	0	0	181
Basis of Eligibility^c						
Aged	0.2	4	27	0	1	17,434
Disabled	0.1	6	42	0	1	788,727
Adults	0.0	1	31	0	0	477,491
Children	0.0	1	32	0	0	964,176
Unknown	0.2	14	82	0	1	796
Gender						
Female	0.1	3	35	0	1	1,234,096
Male	0.1	3	45	0	0	1,014,528
Unknown	0.0	0	0	0	0	0
Race						
White	0.0	2	39	0	0	934,034
African American	0.0	1	30	0	0	215,924
Other/unknown	0.1	4	39	0	1	1,098,666
Use of Nursing Facilities^d						
Entire year	0.5	14	31	0	2	10,016
Part year	0.5	24	52	0	3	9,680
None	0.1	3	38	0	0	2,228,928
Maintenance Assistance Status						
Cash	0.1	4	37	0	1	1,007,927
Medically needy	0.1	3	52	0	0	82,709
Poverty related	0.0	1	34	0	0	305,371
Other/unknown	0.0	2	41	0	0	852,617

Table ND12

Nondual Beneficiaries

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002.
 - b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
 - c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.13
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 WISCONSIN, 2002

Drug Category	No. Users	Rx \$ per User	Total Rx \$	Rx \$ as % of All Part D Excl Rx \$	Total No. Rx.	\$ per Rx	No. Rx as % of All Part D Excl Rx
All	49,165	\$129	\$6,350,708	100.0 %	164,688	\$39	100.0 %
Anorexia or weight loss/gain	1,351	433	585,286	9.2	3,602	162	2.2
Fertility drugs	14	14,088	197,225	3.1	177	1,114	0.1
Drugs for cosmetic purposes	664	1,032	685,465	10.8	3,456	198	2.1
Cough and cold medications	655	1,047	685,847	10.8	1,964	349	1.2
Vitamins and minerals	27	12,710	343,169	5.4	208	1,650	0.1
Non-prescription drugs	32,837	78	2,548,675	40.1	81,422	31	49.4
Barbiturates	316	14	4,284	0.1	362	12	0.2
Benzodiazepines	13,220	69	916,895	14.4	73,122	13	44.4
Other Part D Excl Rx Drugs	81	4,739	383,862	6.0	375	1,024	0.2

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2002. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2002. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Center for Medicare and Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

APPENDIX TABLE A.1

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, WISCONSIN, 2002

Beneficiary Characteristics	No. of Benes					No. of Bene Mos					
	All	Aged	Disabled	Adults	Children	All	Aged	Disabled	Adults	Children	Unknown
All	629,187	1,835	74,768	188,760	363,719	105	17,448	802,235	1,666,150	3,414,424	801
Age											
5 and younger	158,526	3	5,643	7	152,873	0	17	57,658	39	1,377,855	0
6-14	166,920	0	13,231	21	153,668	0	0	148,818	156	1,512,640	0
15-20	81,478	1	8,655	16,420	56,402	0	7	94,793	138,546	519,314	0
21-44	178,631	3	23,525	154,384	697	22	29	253,218	1,367,350	4,292	142
45-64	40,732	53	22,702	17,887	7	83	199	236,709	159,764	34	659
65-74	1,501	700	779	22	0	0	6,760	8,782	214	0	0
75-84	839	657	165	17	0	0	6,540	1,657	70	0	0
85 and older	491	418	67	2	4	0	3,896	599	11	21	0
Unknown	69	0	1	0	68	0	0	1	0	268	0
Gender											
Female	359,063	1,149	37,520	141,324	178,966	104	11,013	408,787	1,290,702	1,685,949	798
Male	270,124	686	37,248	47,436	184,753	1	6,435	393,448	375,448	1,728,475	3
Unknown	0	0	0	0	0	0	0	0	0	0	0
Race											
White	295,781	647	7,152	116,521	171,421	40	5,756	66,943	1,023,866	1,581,352	295
African American	128,683	82	1,997	37,416	89,186	2	755	19,850	357,524	900,025	12
Other/unknown	204,723	1,106	65,619	34,823	103,112	63	10,937	715,442	284,760	933,047	494
Use of Nursing Facilities^c											
Entire year	970	345	624	0	1	0	3,463	6,541	0	12	0
Part year	998	116	861	20	1	0	937	8,634	186	4	0
None	627,219	1,374	73,283	188,740	363,717	105	13,048	787,060	1,665,964	3,414,408	801
Maintenance Assistance Status											
Cash	221,328	853	62,628	52,384	105,463	0	9,151	683,474	477,621	1,003,055	0
Medically needy	28,772	130	1,434	2,516	24,692	0	1,011	11,189	13,827	216,322	0
Poverty related	117,814	6	733	9,638	107,332	105	63	6,872	61,829	1,024,346	801
Other/unknown	261,273	846	9,973	124,222	126,232	0	7,223	100,700	1,112,873	1,170,701	0
Managed Care Status											
FFS all year	208,972	1,830	72,017	46,814	88,207	104	17,410	771,974	306,450	685,810	791
FFS part year, with Rx claims	53,913	1	1,976	27,592	24,344	0	12	22,384	256,893	242,954	0
FFS part year, no Rx claims	110,671	2	639	36,994	73,035	1	21	6,847	318,248	675,905	10
MC all year, with Rx claims	89	0	1	29	59	0	0	9	308	453	0
MC all year, no Rx claims	255,542	2	135	77,331	178,074	0	5	1,021	784,251	1,809,302	0

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

- a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
 - b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
 - c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene Mo(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 NONDUAL BENEFICIARIES, WISCONSIN, 2002

	Bene Mos in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos	No. of Benes	No. of Bene Mos
All	629,187	5,901,058	373,556	2,248,624	0	3,652,434
FFS all year	208,972	1,782,435	208,972	1,782,435	0	0
FFS part year, with Rx claims	53,913	522,243	53,913	191,323	0	330,920
FFS part year, with no Rx claims	110,671	1,001,031	110,671	274,866	0	726,165
MC all year, with Rx claims	89	770	0	0	0	770
MC all year, with no Rx claims	255,542	2,594,579	0	0	0	2,594,579

Source: Data for this table are from the MAX 2002 file for Wisconsin, released by CMS in 05/2006. This table was produced on 04/19/2007.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Center for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.