

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2005 LOUISIANA

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES. BY BASIS OF ELIGIBILITY

TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE NO.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND

BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND

THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY

BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH,

BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES

AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND

THERAPEUTIC CATEGORY

TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP 10 DRUG GROUP

TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY

BENEFICIARY CHARACTERISTIC

TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES

SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65

SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER

SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74 SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84

SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLES

APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES

APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES

APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES

APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL

ELIGIBLE BENEFICIARIES

TABLE D.2

CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a, b}

DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

		N	umber of B			ES, LOUISIA	, 2000	Num	ber of Ben	efit Mon	ths	
Beneficiary						Other/						Other/
Characteristics	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
All	111,676	66,181	45,000	453	9	33	1,227,498	710,037	513,054	4,007	101	299
Age												
5 and younger	11	0	10	0	1	0	132	0	120	0	12	0
6-14	24	0	18	0	6	0	274	0	209	0	65	0
15-20	349	0	342	5	2	0	4,048	0	3,980	44	24	0
21-44	20,084	2	19,738	338	0	6	229,381	4	226,371	2,953	0	53
45-64	24,768	3	24,634	110	0	21	281,268	20	280,037	1,010	0	201
65-74	25,835	25,571	258	0	0	6	287,972	285,590	2,337	0	0	45
75-84	23,465	23,465	0	0	0	0	252,425	252,425	0	0	0	0
85 and older	17,140	17,140	0	0	0	0	171,998	171,998	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	73,465	49,815	23,309	305	3	33	809,377	539,155	267,136	2,753	34	299
Male	38,211	16,366	21,691	148	6	0	418,121	170,882	245,918	1,254	67	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Race												
White	46,149	27,542	18,391	197	3	16	496,899	286,208	208,841	1,690	31	129
African American	50,950	27,744	22,961	224	5	16	573,313	308,043	263,010	2,044	58	158
Other/unknown	14,577	10,895	3,648	32	1	1	157,286	115,786	41,203	273	12	12
Use of Nursing Facilities ^c												
Entire year	15,546	13,939	1,607	0	0	0	157,088	139,342	17,746	0	0	0
Part year	10,653	9,473	1,179	0	0	1	106,819	94,300	12,512	0	0	7
None	85,477	42,769	42,214	453	9	32	963,591	476,395	482,796	4,007	101	292
Maintenance Assistance Status	s											
Cash	66,749	36,781	29,683	285	0	0	760,619	418,536	339,468	2,615	0	0
Medically needy	79	53	16	10	0	0	732	498	133	101	0	0
Poverty-related	5,850	2,399	3,280	132	6	33	65,485	27,360	36,732	1,029	65	299
Other/unknown	38,998	26,948	12,021	26	3	0	400,662	263,643	136,721	262	36	0
Dual Medicare Status ^d												
Full dual, all year	103,507	62,030	41,017	418	9	33	1,135,746	663,348	468,379	3,619	101	299
Full dual, part year	8,169	4,151	3,983	35	0	0	91,752	46,689	44,675	388	0	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	111,676	66,181	45,000	453	9	33	1,227,498	710,037	513,054	4,007	101	299
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

a. Table D.2 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefits during all months of Medicaid enrollment in 2005. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual elicibility status.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE D.3 ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a, b} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

Beneficiary	•	Mean Number of	Mara Duck	¢ D	Mean \$, All	Rx \$ as a Percentage of All Medicaid	Number of
Characteristics All	at Least One Rx 89.5		Mean Rx \$	\$ per Rx	Medicaid FFS \$c	FFS \$ ^d	Beneficiaries 111,676
	09.5	51.0	\$3,300	209	\$13,724	25.9	111,676
Age	400.0	40.4	7.007	454	00.704	40.4	44
5 and younger	100.0		7,387	151	38,724	19.1	11
6-14	91.7		3,762	105	13,747	27.4	24
15-20	81.1	19.3	1,651	85	10,665	15.5	349
21-44	81.9	30.6	2,856	94	12,204	23.4	20,084
45-64	88.9	52.2	4,000	77	15,814	25.3	24,768
65-74	90.1	55.4	3,528	64	10,258	34.4	25,835
75-84	92.7		3,803	63	13,768	27.6	23,465
85 and older	94.1	58.3	3,499	60	17,692	19.8	17,140
Unknown	0.0	0.0	0	0	0	0.0	0
Basis of Eligibility							
Aged	92.1	58.0	3,619	62	13,428	27.0	66,181
Disabled	85.7		3,485	82	14,245	24.5	45,000
Adults	86.8		1,990	78	4,658	42.7	453
Children	88.9		4,869	115	13,972	34.8	9
Unknown	90.9	53.9	6,262	116	19,744	31.7	33
Gender							
Female	92.6	56.9	3,740	66	13,242	28.2	73,465
Male	83.5	41.6	3,214	77	14,649	21.9	38,211
Unknown	0.0	0.0	0	0	0	0.0	0
Race							
White	90.8	61.4	4,295	70	18,784	22.9	46,149
African American	88.1	43.6	2,987	69	10,379	28.8	50,950
Other/unknown	90.0	49.0	3,236	66	9,392	34.5	14,577
Use of Nursing Fa	acilities ^f						
Entire year	97.6	84.0	5,715	68	31,407	18.2	15,546
Part year	97.4	64.7	4,389	68	21,377	20.5	10,653
None	87.0	44.1	3,064	70	9,554	32.1	85,477
Maintenance Assi	istance Status						
Cash	88.8	47.1	3,184	68	6,880	46.3	66,749
Medically needy	92.4	57.2	3,369	59	16,690	20.2	79
Poverty related	83.0	25.3	1,770	70	3,353	52.8	5,850
Other/unknown	91.7	63.3	4,472	71	26,986	16.6	38,998

a. Table D.3 includes beneficiaries represented by Cell G of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.4

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{A, b}

DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

,			_		Num	ber of Rx, P	ercentage w	ith:		_	Numb	er
Beneficiary Characteristics	Mean Number of Rx	Mean Rx \$	Rx \$ as a Percentage of All Medicaid FFS \$ ^c	None		More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10		Beneficiaries	Benefit Months
All	4.7	\$324	25.9	10.5	15.5	9.9	27.8	27.5	8.7	\$1,249	111,676	1,227,498
Age												
5 and younger	4.1	616	19.1	0.0	0.0	27.3	45.5	27.3	0.0	3,227	11	132
6-14	3.1	330	27.4	8.3	16.7	20.8	50.0	0.0	4.2	1,204	24	274
15-20	1.7	142	15.5	18.9	45.8	12.0	16.9	5.7	0.6	919	349	4,048
21-44	2.7	250	23.4	18.1	30.5	12.5	23.1	13.1	2.7	1,069	20,084	229,381
45-64	4.6	352	25.3	11.1	15.6	10.2	28.4	26.4	8.2	1,393	24,768	281,268
65-74	5.0	317	34.4	9.9	13.2	9.8	28.6	29.0	9.6	920	25,835	287,972
75-84	5.6	354	27.6	7.3	9.7	8.8	28.9	33.2	12.1	1,280	23,465	252,425
85 and older	5.8	349	19.8	5.9	8.4	8.3	30.0	36.5	10.8	1,763	17,140	171,998
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Basis of Eligibility	_/ e											
Aged	5.4	337	27.0	7.9	10.8	9.0	29.1	32.4	10.8	1,252	66,181	710,037
Disabled	3.7	306	24.5	14.3	22.3	11.2	26.0	20.4	5.8	1,249	45,000	513,054
Adults	2.9	225	42.7	13.2	31.6	15.0	23.2	16.1	0.9	527	453	4,007
Children	3.8	434	34.8	11.1	22.2	11.1	33.3	11.1	11.1	1,245	9	101
Unknown	5.9	691	31.7	9.1	12.1	6.1	33.3	30.3	9.1	2,179	33	299
Gender												
Female	5.2	339	28.2	7.4	13.0	9.8	29.3	30.6	10.0	1,202	73,465	809,377
Male	3.8	294	21.9	16.5	20.3	10.3	25.0	21.7	6.3	1,339	38,211	418,121
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Race												
White	5.7	399	22.9	9.2	11.3	7.8	25.5	32.7	13.5	1,745	46,149	496,899
African American	3.9	265	28.8	11.9	19.4	11.6	29.5	22.9	4.8	922	50,950	573,313
Other/unknown	4.5	300	34.5	10.0	15.1	11.0	29.5	27.2	7.2	871	14,577	157,286
Use of Nursing Fa	cilitiesf											
Entire year	8.3	566	18.2	2.4	2.5	3.7	21.4	44.4	25.7	3,108	15,546	157,088
Part year	6.5	438	20.5	2.6	7.2	7.4	29.0	39.8	14.1	2,132	10,653	106,819
None	3.9	272	32.1	13.0	18.9	11.4	28.8	22.9	5.0	848	85,477	963,591
Maintenance Assi	stance Status	5										
Cash	4.1	279	46.3	11.2	17.9	11.1	29.4	24.7	5.6	604	66,749	760,619
Medically needy	6.2	364	20.2	7.6	12.7	7.6	21.5	41.8	8.9	1,801	79	732
Poverty related	2.3	158	52.8	17.0	31.9	15.4	25.7	9.1	0.8	300	5,850	65,485
Other/unknown	6.2	435	16.6	8.3	8.9	7.1	25.5	35.1	15.2	2,627	38,998	400,662

a. Table D.4 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would be the plans.

d. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.5 AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

				Patente		d-Name	Off-Pater		id-Name			
		All Rx			Drugs			Drugs			eric Dr	ugs
Beneficiary Characteristics	Number of Rx	Rx\$	\$ per Rx	Number of Rx	Rx\$	\$ per Rx	Number of Rx	Rx\$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx
All	4.7	\$324	\$69	1.9	\$236	\$121	0.2	\$17	\$74	2.5	\$71	\$28
Age												
5 and younger	4.1	616	151	2.0	532	261	0.3	16	54	1.7	68	39
6-14	3.1	330	105	1.3	272	217	0.1	5	68	1.8	50	28
15-20	1.7	142	85	0.6	103	162	0.1	7	74	0.9	33	35
21-44	2.7	250	94	1.1	188	178	0.1	16	105	1.5	46	31
45-64	4.6	352	77	1.9	256	136	0.2	19	87	2.5	78	31
65-74	5.0	317	64	2.1	232	110	0.2	13	61	2.6	71	27
75-84	5.6	354	63	2.4	255	107	0.3	19	69	2.9	79	27
85 and older	5.8	349	60	2.4	248	105	0.3	18	59	3.1	82	26
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	(
Basis of Eligibility	rd											
Aged	5.4	337	62	2.3	244	108	0.3	17	63	2.9	77	27
Disabled	3.7	306	82	1.5	225	149	0.2	17	93	2.0	63	31
Adults	2.9	225	78	1.0	150	151	0.1	23	160	1.7	52	30
Children	3.8	434	115	1.5	351	241	0.1	9	90	2.2	74	33
Unknown	5.9	691	116	2.4	535	227	0.3	22	73	3.3	134	41
Gender												
Female	5.2	339	66	2.1	245	115	0.3	18	68	2.8	76	28
Male	3.8	294	77	1.6	217	137	0.2	15	89	2.0	61	30
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	(
Race												
White	5.7	399	70	2.4	288	121	0.3	23	77	3.0	88	29
African American	3.9	265	69	1.6	195	123	0.2	12	72	2.1	58	28
Other/unknown	4.5	300	66	1.9	221	114	0.2	14	63	2.4	65	27
Use of Nursing Fa	cilitiese											
Entire year	8.3	566	68	3.5	405	117	0.4	32	78	4.4	128	29
Part year	6.5	438	68	2.6	312	119	0.3	23	71	3.5	102	29
None	3.9	272	70	1.6	200	123	0.2	14	73	2.1	58	28
Maintenance Assi	stance Sta	tus										
Cash	4.1	279	68	1.7	203	119	0.2	14	74	2.2	61	28
Medically needy	6.2	364	59	2.5	254	100	0.3	11	33	3.3	98	30
Poverty related	2.3	158	70	0.9	117	130	0.1	8	76	1.3	34	27
Other/unknown	6.2	435	71	2.6	317	123	0.3	23	73	3.3	95	29

a. Table D.5 includes the beneficiaries represented by Cell G of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies combined. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9ad778d7b6615 (October 26, 2007).

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or hidness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.6 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

			x per Ben ong User		\$ per l	Benefit M Use		ong		\$ per	r Rx					Userse	
Therapeutic Category	F Total	atented Brand- Name	Off- Patent Brand- Name G	Seneric	F Total	atented Brand- Name	Off- Patent Brand- Name G	eneric	P Total	atented Brand- Name	Brand-	Generic	Total Number of Rx	Total Rx \$		As a Percentage of Dual Benes	Number of Benefit Months
Anti-infective Agents	0.3	0.1	0.0	0.2	\$27	\$18	\$3	\$5	\$82	\$195	\$87	\$28	234,774	\$19,231,239	63,848	57.2	723,644
Biologicals	0.3	0.1	0.2	0.1	1,830	18	1,295	517	5926	240	8,461	6,547	438	2,595,483	122	0.1	1,418
Antineoplastic Agents	0.5	0.1	0.0	0.4	78	37	1	40	164	474	158	103	34,675	5,691,070	7,053	6.3	73,341
Endocrine/Metabolic Drugs	0.9	0.4	0.1	0.4	52	37	5	9	57	107	39	22	523,847	30,050,919	51,049	45.7	575,408
Cardiovascular Agents	1.8	0.7	0.0	1.0	84	57	3	24	47	79	62	24	1,538,807	71,790,369	76,686	68.7	857,133
Respiratory Agents	0.6	0.4	0.0	0.2	38	32	2	4	61	85	43	21	359,030	21,835,386	50,573	45.3	573,090
Gastrointestinal Agents	0.8	0.4	0.0	0.3	73	64	1	8	96	144	59	28	445,647	42,907,801	52,352	46.9	584,186
Genitourinary Agents	0.5	0.3	0.0	0.2	37	30	1	6	71	87	78	38	110,752	7,875,311	18,909	16.9	211,878
CNS Drugs	1.2	0.6	0.0	0.6	113	95	1	17	95	161	117	29	784,362	74,611,785	59,128	52.9	659,193
Stimulants/Anti-obesity/Anorexia	0.4	0.3	0.0	0.1	58	54	1	3	144	179	83	30	9,151	1,314,646	1,993	1.8	22,636
Miscellaneous Psychological/ Neurological Agents	0.9	0.8	0.0	0.0	125	124	0	2	145	149	114	46	110,877	16,095,866	12,071	10.8	128,365
Analgesics and Anesthetics	0.7	0.1	0.0	0.6	43	20	7	16	59	139	177	29	529,900	31,076,095	63,294	56.7	717,888
Neuromuscular Agents	8.0	0.2	0.1	0.6	61	31	4	25	75	148	81	46	333,285	24,931,118	35,710	32.0	405,963
Nutritional Products	0.7	0.1	0.0	0.6	17	3	0	14	25	49	21	23	233,804	5,867,364	31,823	28.5	351,436
Hematological Agents	0.8	0.3	0.1	0.3	77	67	3	8	102	198	30	23	251,786	25,577,565	30,194	27.0	333,492
Topical Products	0.5	0.2	0.0	0.2	26	18	1	6	57	80	57	30	242,052	13,778,929	47,289	42.3	535,110
Miscellaneous Products	0.3	0.1	0.0	0.2	76	55	5	17	236	564	258	81	7,945	1,878,247	2,227	2.0	24,801
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	8	0	0	0	29	0	0	0	14,599	425,282	4,623	4.1	52,368
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	5,765,731	397,534,475	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table D.6 includes the beneficiaries represented by Cell G of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Louisiana, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2005.

TABLE D.7 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

			Users		An	nong Use	rs
Top 10 Drug Groups	Total Medicaid Rx \$	Number of Users	As a Percentage of Dual Beneficiaries	Number of Benefit Months		\$ per Rx	Rx \$ per Benefit Month
ANTIPSYCHOTICS	\$46,353,229	29,821	26.7	333,729	0.7	\$211	\$139
ULCER DRUGS	34,360,103	48,916	43.8	549,438	0.5	114	63
ANTIHYPERLIPIDEMIC	23,731,013	36,313	32.5	418,008	0.6	99	57
ANTIDIABETIC	21,566,575	45,591	40.8	516,857	0.6	68	42
ANTIHYPERTENSIVE	20,410,040	65,178	58.4	738,818	0.6	46	28
ANTIDEPRESSANTS	19,847,901	49,269	44.1	552,482	0.6	62	36
ANTICONVULSANT MISC PSYCHOTHERAPEUTIC AND	19,052,688	27,196	24.4	308,380	0.7	91	62
NEUROLOGICAL	16,096,008	15,662	14.0	166,531	0.7	145	97
ANALGESICS - Narcotic	14,921,921	76,208	68.2	869,689	0.4	45	17
MISC. HEMATOLOGICAL	12,977,484	15,956	14.3	178,026	0.6	119	73
Total	229,316,962	410,110		4,631,958	n.a.	n.a.	n.a.

a. Table D.7 includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan. com/marketing/ContentPage.aspx?contentId=09e011ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$

⁼ Medicaid reimbursement; n.a. = not applicable.

TABLE D.7A MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

All Top 10 Drug Groups ANTIPSYCHOTICS ULCER DRUGS

Female	Beneficiary Characteristics	Number of Rx	Rx \$	Number of Users	Users as % of Dual Benes	Number of Benefit Months Among Users	of Rx	Mean Rx \$ per Benefit Month	Number of Users	Users as % of Dual Benes	Number of Benefit Months Among Users	of Rx per Benefit	Mean Rx \$ per Benefit Month
All Females	All	2,601,320	\$229,316,962	29,821	26.7	333,729	0.7	\$139	48,916	43.8	549,438	0.5	\$63
Female, Disabled All Ages 530,355 50,744,452 6,930 29.7 80,854 0.6 147 10,232 43.9 119,216 0.5 5 and younger 19 1,626 0 0.0 0 0.0 0 0 0 1 25.0 12 0.1 15-20 1,124 124,162 24 16.8 288 0.6 145 29 20.3 341 0.3 31 31.4	Female												
All Ages 530,355 50,744,452 6,930 29.7 80,854 0.6 147 10,232 43.9 119,216 0.5 5 and younger 19 1,626 0 0.0 0.0 0.0 0.0 1 25.0 12 0.1 6-14 15 1,056 0 0.0 0.0 0.0 0.0 1 20.0 9 0.4 5 15-20 1,124 124,62 24 16.8 288 0.6 145 29 20.3 341 0.3 12 14-44 140,860 15,206,807 2,910 32.5 34,080 0.6 144 2,825 31.6 33,127 0.4 4 45-64 384,281 35,083,923 3,963 28.2 46,173 0.6 149 7,308 52.1 84,994 0.5 65-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 5-74 4,056 326,878 33 10.7 10.7 10.7 10.7 10.7 10.7 10.7 10.7	All Females	1,852,450	155,666,796	17,726	24.1	197,788	0.6	123	35,850	48.8	404,149	0.5	63
5 and younger 19 1,626 0 0.0 0 0.0 0 1 25.0 12 0.1 6-14 15 1,056 0 0.0 0 0 0 1 25.0 9 0.4 3 15-20 1,124 124,162 24 16.8 288 0.6 145 29 20.3 341 0.3 3 21-44 140,860 15,068,07 2,910 32.5 34,080 0.6 144 2,825 31.6 33,177 0.4 45-64 384,281 35,083,923 3,963 28.2 46,173 0.6 144 2,825 31.6 33,177 0.4 65-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 0.5 65-74 4,056 326,878 33 19.1 313 0.7 106 25,618 51.1 284,933 0.6	Female, Disabled												
6-14	All Ages	530,355	50,744,452	6,930	29.7	80,854	0.6	147	10,232	43.9	119,216	0.5	56
15-20	5 and younger	19	1,626	0	0.0	0	0.0	0	1	25.0	12	0.1	11
21-44	6-14	15	1,056	0	0.0	0	0.0	0	1	20.0	9	0.4	55
45-64 384,281 35,083,923 3,963 28.2 46,173 0.6 149 7,308 52.1 84,994 0.5 65-74 4,056 326,878 33 19.1 313 0.7 114 68 39.3 733 0.6 75-84 0 0 0 0 0 0.0 0.0 0 0.0 0 0 0 0.0 0 0 0.0 0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0.0 0	15-20	1,124	124,162	24	16.8	288	0.6	145	29	20.3	341	0.3	32
65-74	21-44	140,860	15,206,807	2,910	32.5	34,080	0.6	144	2,825	31.6	33,127	0.4	45
75-84 0 0 0 0.0 0 0.0 0 0 0.0 0 0 0.0 <	45-64	384,281	35,083,923	3,963	28.2	46,173	0.6	149	7,308	52.1	84,994	0.5	60
85 and older 0 0 0 0.0 0	65-74	4,056	326,878	33	19.1	313	0.7	114	68	39.3	733	0.6	72
Female, Other Eligibles All Ages 1,322,095 104,922,344 10,796 21.5 116,934 0.7 106 25,618 51.1 284,933 0.6 6 5 and younger 0 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 <td>75-84</td> <td>0</td> <td>0</td> <td>0</td> <td>0.0</td> <td>0</td> <td>0.0</td> <td>0</td> <td>0</td> <td>0.0</td> <td>0</td> <td>0.0</td> <td>0</td>	75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
All Ages 1,322,095 104,922,344 10,796 21.5 116,934 0.7 106 25,618 51.1 284,933 0.6 6 5 and younger 0 0 0 0 0 0 0.0 0 0.0 0 0 0 0 0 0 0.0 0 0.0 6-14 64 2,753 0 0.0 0 0 0.0 0 0 0 0 2 66.7 24 0.9 5 15-20 20 321 0 0.0 0 0 0 0.0 0 0 1 20.0 12 0.4 21-44 2,280 198,507 45 17.4 478 0.4 86 60 23.2 637 0.3 3 45-64 1,593 133,578 10 14.5 101 0.4 70 32 46.4 357 0.4 65-74 478,975 37,395,028 2,930 16.8 33,296 0.7 123 8,972 51.4 103,136 0.5 6 65-74 499,513 39,808,556 4,057 22.5 44,193 0.7 108 9,281 51.6 103,929 0.6 6 85 and older 339,650 27,383,601 3,754 26.2 38,866 0.6 91 7,270 50.7 76,838 0.6 3 Male, Disabled All Ages 384,173 43,782,591 8,068 37.2 94,073 0.7 183 5,999 27.7 69,279 0.5 5 5 and younger 45 2,485 0 0.0 0.0 0 0.0 0 0 5 83.3 60 0.4 3 6-14 48 2,839 0 0.0 0.0 0 0.0 0 0 4 30.8 48 0.3 5 6-14	85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
5 and younger 0 0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0 0.0 0	Female, Other Eligibles												
6-14 64 2,753 0 0.0 0 0.0 0 0 2 66.7 24 0.9 5 15-20 20 321 0 0.0 0.0 0 0.0 0 1 20.0 12 0.4 21-44 2,280 198,507 45 17.4 478 0.4 86 60 23.2 637 0.3 3 45-64 1,593 133,578 10 14.5 101 0.4 70 32 46.4 357 0.4 65-74 478,975 37,395,028 2,930 16.8 33,296 0.7 123 8,972 51.4 103,136 0.5 6 65-74 499,513 39,808,556 4,057 22.5 44,193 0.7 108 9,281 51.6 103,929 0.6 85 and older 339,650 27,383,601 3,754 26.2 38,866 0.6 91 7,270 50.7 76,838 0.6 3 Male All Males 748,870 73,650,166 12,095 31.7 135,941 0.7 162 13,066 34.2 145,289 0.5 6 Male, Disabled All Ages 384,173 43,782,591 8,068 37.2 94,073 0.7 183 5,999 27.7 69,279 0.5 5 and younger 45 2,485 0 0.0 0 0 0 0 0 0 5 83.3 60 0.4 5 6-14 48 2,839 0 0 0.0 0 0 0 0 0 0 4 30.8 48 0.3	All Ages	1,322,095	104,922,344	10,796	21.5	116,934	0.7	106	25,618	51.1	284,933	0.6	66
15-20	5 and younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44 2,280 198,507 45 17.4 478 0.4 86 60 23.2 637 0.3 3 45-64 1,593 133,578 10 14.5 101 0.4 70 32 46.4 357 0.4 46 65-74 478,975 37,395,028 2,930 16.8 33,296 0.7 123 8,972 51.4 103,136 0.5 6 75-84 499,513 39,808,556 4,057 22.5 44,193 0.7 108 9,281 51.6 103,929 0.6 6 85 and older 339,650 27,383,601 3,754 26.2 38,866 0.6 91 7,270 50.7 76,838 0.6 3 Male All Males 748,870 73,650,166 12,095 31.7 135,941 0.7 162 13,066 34.2 145,289 0.5 0 Male, Disabled All Ages 384,173 43,782,591 8,068 37.2 94,073 0.7 183 5,999	6-14	64	2,753	0	0.0	0	0.0	0	2	66.7	24	0.9	50
45-64	15-20	20	321	0	0.0	0	0.0	0	1	20.0	12	0.4	6
65-74	21-44	2,280	198,507	45	17.4	478	0.4	86	60	23.2	637	0.3	30
75-84 499,513 39,808,556 4,057 22.5 44,193 0.7 108 9,281 51.6 103,929 0.6 85 and older 339,650 27,383,601 3,754 26.2 38,866 0.6 91 7,270 50.7 76,838 0.6 34.2 Male Male All Males 748,870 73,650,166 12,095 31.7 135,941 0.7 162 13,066 34.2 145,289 0.5 6 6 6 6 6 7 6 7 6 7 7 6 7 7 7 7 7 7 7	45-64	1,593	133,578	10	14.5	101	0.4	70	32	46.4	357	0.4	49
85 and older 339,650 27,383,601 3,754 26.2 38,866 0.6 91 7,270 50.7 76,838 0.6 Male Male All Males 748,870 73,650,166 12,095 31.7 135,941 0.7 162 13,066 34.2 145,289 0.5 6 Male, Disabled All Ages 384,173 43,782,591 8,068 37.2 94,073 0.7 183 5,999 27.7 69,279 0.5 5 and younger 45 2,485 0 0.0 0 0 0.0 0 5 83.3 60 0.4 3 6-14 48 2,839 0 0.0 0 0 0.0 0 0 4 30.8 48 0.3	65-74	478,975	37,395,028	2,930	16.8	33,296	0.7	123	8,972	51.4	103,136	0.5	64
Male All Males 748,870 73,650,166 12,095 31.7 135,941 0.7 162 13,066 34.2 145,289 0.5 0.5 Male, Disabled All Ages 384,173 43,782,591 8,068 37.2 94,073 0.7 183 5,999 27.7 69,279 0.5 9 5 and younger 45 2,485 0 0.0 0 0 0 5 83.3 60 0.4 3 6-14 48 2,839 0 0.0 0 0 0 4 30.8 48 0.3 6	75-84	499,513	39,808,556	4,057	22.5	44,193	0.7	108	9,281	51.6	103,929	0.6	66
All Males 748,870 73,650,166 12,095 31.7 135,941 0.7 162 13,066 34.2 145,289 0.5 Male, Disabled All Ages 384,173 43,782,591 8,068 37.2 94,073 0.7 183 5,999 27.7 69,279 0.5 5 and younger 45 2,485 0 0.0 0 0 0.0 0 5 83.3 60 0.4 5 6-14 48 2,839 0 0.0 0 0 0.0 0 0 4 30.8 48 0.3	85 and older	339,650	27,383,601	3,754	26.2	38,866	0.6	91	7,270	50.7	76,838	0.6	70
Male, Disabled All Ages 384,173 43,782,591 8,068 37.2 94,073 0.7 183 5,999 27.7 69,279 0.5 5 5 and younger 45 2,485 0 0.0 0 0 0 5 83.3 60 0.4 3 6-14 48 2,839 0 0.0 0 0 0 4 30.8 48 0.3	Male												
All Ages 384,173 43,782,591 8,068 37.2 94,073 0.7 183 5,999 27.7 69,279 0.5 5 and younger 45 2,485 0 0.0 0 0.0 0 5 83.3 60 0.4 5 6-14 48 2,839 0 0.0 0 0.0 0 4 30.8 48 0.3	All Males	748,870	73,650,166	12,095	31.7	135,941	0.7	162	13,066	34.2	145,289	0.5	61
5 and younger 45 2,485 0 0.0 0 0.0 0 5 83.3 60 0.4 3 6-14 48 2,839 0 0.0 0 0.0 0 4 30.8 48 0.3	Male, Disabled												
6-14 48 2,839 0 0.0 0 0.0 0 4 30.8 48 0.3	All Ages	384,173	43,782,591	8,068	37.2	94,073	0.7	183	5,999	27.7	69,279	0.5	57
·	5 and younger	45	2,485	0	0.0	0	0.0	0	5	83.3	60	0.4	33
15-20 1,278 139,822 66 33.2 788 0.4 102 23 11.6 275 0.4	6-14	48	2,839	0	0.0	0	0.0	0	4	30.8	48	0.3	15
	15-20	1,278	139,822	66	33.2	788	0.4	102	23	11.6	275	0.4	45
21-44 146,462 19,167,558 3,890 36.0 45,605 0.7 185 2,292 21.2 26,686 0.5	21-44	146,462	19,167,558	3,890	36.0	45,605	0.7	185	2,292	21.2	26,686	0.5	52
	45-64				38.7		0.7	182		34.4			60
	65-74			12	14.1	104	0.6	114	31	36.5	330	0.6	56
75-84 0 0 0 0.0 0 0.0 0 0.0 0 0.0	75-84	0		0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older 0 0 0 0.0 0 0.0 0 0.0 0 0.0	85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

TABLE D.7A MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

All Top 10 Drug Groups ANTIPSYCHOTICS ULCER DRUGS

Beneficiary Characteristics	Number of Rx	Rx \$	Number of Users	Users as % of Dual Benes	Number of Benefit Months Among Users	of Rx	Mean Rx \$ per Benefit Month	Number of Users	Users as % of Dual Benes	Number of Benefit Months Among Users	of Rx	Mean Rx \$ per Benefit Month
Male, Other Eligibles												
All Ages	364,697	29,867,575	4,027	24.4	41,868	0.7	116	7,067	42.8	76,010	0.6	65
5 and younger	2	79	0	0.0	0	0.0	0	2	200.0	24	0.1	3
6-14	1	13	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	12	736	0	0.0	0	0.0	0	0	0.0	0	0.0	0
21-44	1,285	119,469	12	13.8	125	0.6	116	21	24.1	204	0.5	69
45-64	1,018	95,387	4	6.2	39	0.5	61	24	36.9	253	0.4	55
65-74	183,858	15,130,953	1,684	20.8	18,530	0.7	141	3,251	40.1	36,503	0.6	64
75-84	123,843	10,040,355	1,490	27.3	14,986	0.7	104	2,441	44.7	25,731	0.6	64
85 and older	54,678	4,480,583	837	30.0	8,188	0.6	83	1,328	47.5	13,295	0.6	69
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

a. Table D.7A includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7B MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS

SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

		ANTIHY	PERLIPIDE			DEIVE TODAY		NTIDIABETIC				ANTIF	IYPERTENSI'	VE	
Beneficiary Characteristics	Number of Users	Users as % of Dual	Number of Benefit N Months Among Users	Mean Number of Rx per F Benefit Month		Number of Users	Users as % of Dual Benes	Months Among			Number of Users	Users as % of Dual Benes	Number of Benefit N Months Among Users		Mean Rx \$ per Benefit Month
All	36,313	32.5	418,008	0.6	\$57	45,591	40.8	516,857	0.6	\$42	65,178	58.4	738,818	0.6	\$28
Female															
All Females	26,515	36.1	305,956	0.6	56	34,018	46.3	387,690	0.6	42	47,157	64.2	536,299	0.6	28
Female, Disabled															
All Ages	7,188	30.8	84,012	0.5	50	9,151	39.3	107,008	0.6	42	11,521	49.4	134,156	0.5	25
5 and younger	1	25.0	12	0.6	24	2	50.0	24	0.3	49	1	25.0	12	0.2	: 1
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	4	80.0	39	0.2	14
15-20	6	4.2	72	0.3	24	11	7.7	126	0.3	24	20	14.0	224	0.4	23
21-44	1,089	12.2	12,799	0.4	41	1,679	18.8	19,771	0.5	40	2,291	25.6	26,718	0.5	21
45-64	5,996	42.7	70,103	0.5	51	7,351	52.4	86,006	0.6	43	9,074	64.6	105,717	0.6	26
65-74	96	55.5	1,026	0.6	60	108	62.4	1,081	0.6	45	131	75.7	1,446	0.6	30
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	(
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	(
Female, Other Eligibles															
All Ages	19,327	38.5	221,944	0.6	59	24,867	49.6	280,682	0.6	41	35,636	71.1	402,143	0.6	29
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	(
6-14	1	33.3	12	1.0	76	0	0.0	0	0.0	0	2	66.7	24	0.5	10
15-20	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	20.0	12	0.3	. 4
21-44	19	7.3	205	0.3	24	31	12.0	316	0.3	18	51	19.7	540	0.4	17
45-64	26	37.7	272	0.5	56	28	40.6	316	0.5	62	36	52.2	382	0.6	33
65-74	8,926	51.1	103,976	0.6	57	11,061	63.3	128,060	0.6	43	13,897	79.5	160,777	0.6	29
75-84	7,348	40.8	84,147	0.6	60	9,204	51.1	103,442	0.7	41	13,272	73.7	150,258	0.6	30
85 and older	3,007	21.0	33,332	0.6	63	4,543	31.7	48,548	0.7	38	8,377	58.4	90,150	0.7	30
Male															
All Males	9,798	25.6	112,052	0.6	58	11,573	30.3	129,167	0.6	42	18,021	47.2	202,519	0.6	26
Male, Disabled															
All Ages	4,626	21.3	54,014	0.6	54	4,931	22.7	56,751	0.6	42	7,903	36.4	90,757	0.6	24
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	5	83.3	60	0.3	8
6-14	1	7.7	12	1.1	109	0	0.0	0	0.0	0	4	30.8	48	0.3	13
15-20	4	2.0	47	0.4	38	6	3.0	72	0.5	29	28	14.1	316	0.6	16
21-44	1,377	12.8	16,252	0.5	49	1,350	12.5	15,810	0.5	38	2,568	23.8	29,646	0.5	22
45-64	3,220	30.4	37,480	0.6	57	3,540	33.4	40,521	0.6	44	5,241	49.5	60,142	0.6	26
65-74	24	28.2	223	0.6	61	35	41.2	348	0.7	37	57	67.1	545	0.6	27
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	(
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	(

TABLE D.7B MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS

SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

		ANTIHY	PERLIPIDE	MIC			AN	TIDIABETIC				ANTIF	HYPERTENSI	VE	
			Number of	Mean				Number of	Mean				Number of	Mean	
		Users	Benefit N	lumber of	Mean		Users	Benefit N	lumber of	Mean		Users	Benefit N	Number of	Mean
		as %	Months		Rx \$ per		as %	Months		Rx \$ per		as %	Months	Rx per F	
Deposition of Characteristics	Number of	of Dual	Among	Benefit			of Dual	Among				of Dual	Among	Benefit	
Beneficiary Characteristics	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month
Male, Other Eligibles															
All Ages	5,172	31.3	58,038	0.6	61	6,642	40.2	72,416	0.6	42	10,118	61.2	111,762	0.6	27
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	0	0.0	0	0.0	0	2	100.0	24	0.3	24	0	0.0	0	0.0	0
21-44	8	9.2	79	0.7	66	12	13.8	127	0.3	31	17	19.5	169	0.4	19
45-64	18	27.7	169	0.5	60	18	27.7	174	0.6	61	35	53.8	317	0.5	26
65-74	2,995	36.9	34,510	0.6	61	3,706	45.7	41,706	0.6	43	5,283	65.2	60,137	0.6	27
75-84	1,675	30.7	18,396	0.6	63	2,088	38.2	22,408	0.7	42	3,447	63.1	37,492	0.6	27
85 and older	476	17.0	4,884	0.6	58	816	29.2	7,977	0.6	37	1,336	47.8	13,647	0.6	26
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table D.7B includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

TABLE D.7C MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

		ΔNTID	EPRESSAN	TS			ΔΝΤΙ	CONVULSAN	JT		MIS		OTHERAPE JROLOGICA		
		Users as %	Number of Benefit N Months	Mean lumber of Rx per f	Mean Rx \$ per		Users as %	Number of Benefit N Months	Mean lumber of Rx per	Mean Rx \$ per		Users as %	Number of Benefit Months	Mean Number of Rx per F	Mean Rx \$ per
Beneficiary Characteristics	Number of Users		Among Users	Benefit Month	Benefit Month	Number of Users	of Dual Benes	Among Users	Benefit Month		Number of Users	of Dual Benes	Among Users	Benefit Month	Benefit Month
All	49,269	44.1	552,482	0.6	\$36	27,196	24.4	308,380	0.7	\$62	15,662	14.0	166,531	0.7	\$97
Female															
All Females	36,170	49.2	406,531	0.6	36	17,472	23.8	197,989	0.7	56	11,875	16.2	127,393	0.7	99
Female, Disable	d														
All Ages	13,959	59.9	162,230	0.5	33	8,001	34.3	93,004	0.7	73	871	3.7	10,060	0.5	171
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	38	26.6	450	0.4	29	33	23.1	388	0.6	74	1	0.7	12	0.1	10
21-44	4,731	52.9	55,466	0.5	33	2,974	33.2	34,767	0.7	84	206	2.3	2,425	0.4	221
45-64	9,110	64.9	105,537	0.5	34	4,958	35.3	57,519	0.7	67	653	4.7	7,491	0.5	157
65-74	80	46.2	777	0.5	31	36	20.8	330	0.6	46	11	6.4	132	0.5	57
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	O
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	O
Female, Other E	ligibles														
All Ages	22,211	44.3	244,301	0.6	37	9,471	18.9	104,985	0.6	42	11,004	21.9	117,333	0.7	92
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	O
6-14	1	33.3	12	0.7	20	0	0.0	0	0.0	0	0	0.0	0	0.0	0
15-20	2	40.0	19	0.1	4	0	0.0	0	0.0	0	0	0.0	0	0.0	C
21-44	109	42.1	1,068	0.3	27	58	22.4	601	0.5	53	5	1.9	51	0.2	160
45-64	65	94.2	703	0.4	28	22	31.9	235	0.4	66	2	2.9	24	0.1	12
65-74	7,701	44.1	87,877	0.6	33	3,686	21.1	41,965	0.6	45	1,584	9.1	17,722	0.6	82
75-84	8,102	45.0	89,207	0.6	38	3,590	19.9	39,682	0.6	40	4,557	25.3	48,687	0.7	93
85 and older	6,231	43.4	65,415	0.7	41	2,115	14.7	22,502	0.7	37	4,856	33.8	50,849	0.7	96
Male															
All Males	13,099	34.3	145,951	0.6	37	9,724	25.4	110,391	0.7	71	3,787	9.9	39,138	0.6	90
Male, Disabled															
All Ages	7,491	34.5	86,546	0.5	36	6,643	30.6	77,197	0.7	82	638	2.9	7,361	0.5	93
5 and younger	1	16.7	12	0.3	4	0	0.0	0	0.0	0	0	0.0	0	0.0	0
6-14	0	0.0	0	0.0	0	3	23.1	36	0.2	6	0	0.0	0	0.0	0
15-20	41	20.6	484	0.4	27	30	15.1	360	0.6	56	0	0.0	0	0.0	C
21-44	3,437	31.9	40,006	0.5	36	3,119	28.9	36,453	0.7	90	180	1.7	2,113	0.4	124
45-64	3,992	37.7	45,883	0.6	37	3,480	32.8	40,234	0.8	75	454	4.3	5,215	0.5	81
65-74	20	23.5	161	0.6	30	11	12.9	114	0.5	41	4	4.7	33	0.7	98
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

TABLE D.7C MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGEA, b, c

DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

		ANTI	DEPRESSAN'	TS				CONVULSAN			MIS		OTHERAPEL JROLOGICAL		
		Llaava	Number of	Mean lumber of	Mean		Lleeve	Number of Benefit N	Mean	Maan		Llaara	Number of Benefit N	Mean	Maar
		Users as %	Months		Rx \$ per		Users as %	Months		Mean Rx \$ per		Users as %	Months	Rx per F	Mear
Beneficiary	Number of		Among	Benefit		Number of	of Dual	Among	Benefit		Number of	of Dual	Among		Benefit
Characteristics	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month
Male, Other Eligi	ibles														
All Ages	5,608	33.9	59,405	0.6	38	3,081	18.7	33,194	0.7	47	3,149	19.1	31,777	0.7	90
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	(
6-14	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	(
15-20	1	50.0	12	0.3	12	0	0.0	0	0.0	0	0	0.0	0	0.0	(
21-44	52	59.8	467	0.5	35	25	28.7	238	0.4	48	2	2.3	15	0.9	12
45-64	26	40.0	271	0.5	30	10	15.4	107	0.5	38	1	1.5	12	0.2	2
65-74	2,512	31.0	27,888	0.6	37	1,648	20.3	18,442	0.7	52	845	10.4	9,107	0.6	83
75-84	1,974	36.1	20,389	0.6	38	993	18.2	10,312	0.7	43	1,374	25.2	13,744	0.7	9
85 and older	1,043	37.3	10,378	0.7	40	405	14.5	4,095	0.7	36	927	33.2	8,899	0.7	94
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	(

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

a. Table D.7C includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.7D MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE $^{\rm a,\,b,\,c}$

DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

ANALGESICS - Narcotic MISC. HEMATOLOGICAL Number of Mean Number of Mean Users Benefit Number of Mean Users Benefit Number of Mean Rx per Rx \$ per as % Rx per Rx \$ per as % Months Months Benefit Benefit Number of Beneficiary Number of of Dual Among Benefit Number of of Dual Among Benefit Number of Characteristics Benes Users Month Beneficiaries Benefit Months Users Users Month Month Benes Users Month ΑII 76.208 68.2 869.689 0.4 \$17 15,956 14.3 178,026 0.6 \$73 111.676 1.227.498 Female All Females 55,074 75.0 629,807 0.4 16 11,564 15.7 129,521 0.6 69 73,465 809,377 Female, Disabled All Ages 21,011 90.1 245,494 0.4 20 1,884 8.1 21,842 0.5 61 23,309 267,136 0.1 1 0.0 5 and younger 1 25.0 12 0 0 0.0 0 4 48 3 33 57 6-14 60.0 0.1 1 0 0.0 0 0.0 0 5 1,261 15-20 108 75.5 0.2 16 0 0.0 0 0.0 0 143 1.665 177 47 21-44 7,324 81.9 86,012 0.3 19 2.0 2,051 0.4 8,947 103,136 45-64 13,478 96.0 157,117 0.4 21 1,680 12.0 19,516 0.5 63 14,037 160,669 65-74 97 173 56.1 1,059 0.3 15 27 15.6 275 0.7 79 1,561 75-84 0 0 0 0.0 0 0.0 0 0 0.0 0.0 0 0 0 0.0 0 0 0 0 85 and older 0.0 0 0.0 0 0 0.0 Female, Other Eligibles 542,241 All Ages 34,063 67.9 384,313 0.4 14 9,680 19.3 107,679 0.6 70 50,156 0 0.0 0.0 0 0.0 0 0.0 0 0 0 0 0 5 and younger 6-14 3 100.0 34 0.3 5 0 0.0 0 0.0 0 3 34 15-20 6 120.0 67 0.1 2 0 0.0 0 0.0 0 5 44 8.0 21-44 250 96.5 2,546 0.4 19 2 18 0.9 110 259 2,303 45-64 93 134.8 1,023 0.4 23 4 5.8 38 0.6 75 69 665 65-74 13.410 76.8 155.059 0.4 13 3.062 17.5 35.085 0.6 68 17.470 196,819 75-84 12,206 67.8 138,151 0.4 13 3,718 20.7 41,561 71 18,003 196,456 0.6 85 and older 8,095 56.4 87,433 0.4 14 2,894 20.2 30,977 0.7 72 14,347 145,920 Male All Males 21,134 239,882 20 4,392 48,505 0.6 84 38,211 418,121 55.3 0.4 11.5 Male. Disabled All Ages 12,284 142,360 24 1,165 5.4 13,273 121 21,691 245,918 56.6 0.4 0.6 0 0.0 0 0.0 0 0 0.0 0 0.0 6 72 5 and younger 0 0.0 6-14 1 7.7 12 0.1 1 0 0 0.0 0 13 152 5 15-20 94 47.2 1,087 0.2 0 0.0 0 0.0 0 199 2,315 21-44 5.655 52.4 65.851 23 172 1.991 0.5 435 10.791 123.235 0.4 1.6 45-64 6,490 61.2 74,938 0.4 25 979 9.2 11,159 0.6 66 10,597 119,368 65-74 44 51.8 472 0.4 9 14 16.5 123 0.7 74 85 776 75-84 0 0.0 0 0.0 0 0 0.0 0 0.0 0 0 0 0 0.0 0 0.0 0 0 0 85 and older 0.0 0 0.0 0 0

TABLE D.7D MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS

SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

	ANALGESICS - Narcotic MISC. HEMATO							HEMATOLOG	ICAL			
		Users	Number of Benefit N	Mean lumber of	Mean		Users	Number of Benefit N	Mean lumber of	Mean		
5 ".		as %	Months	Rx per l			as %			Rx \$ per		
Beneficiary Characteristics	Number of Users	of Dual Benes	Among Users	Benefit Month	Benefit Month	Number of Users	of Dual Benes	Among Users	Benefit Month	Benefit Month	Number of Beneficiaries E	Number of Benefit Months
Male, Other Elig	ibles											
All Ages	8,850	53.6	97,522	0.4	14	3,227	19.5	35,232	0.6	70	16,520	172,203
5 and younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
6-14	1	33.3	12	0.1	1	0	0.0	0	0.0	0	3	31
15-20	1	50.0	12	0.1	1	0	0.0	0	0.0	0	2	24
21-44	108	124.1	1,013	0.6	46	6	6.9	63	0.4	49	87	707
45-64	57	87.7	575	0.6	61	3	4.6	32	0.5	82	65	566
65-74	4,615	56.9	52,530	0.4	15	1,533	18.9	17,204	0.6	68	8,107	88,816
75-84	2,844	52.1	30,702	0.4	11	1,132	20.7	12,300	0.7	74	5,462	55,969
85 and older	1,224	43.8	12,678	0.4	12	553	19.8	5,633	0.7	70	2,793	26,078
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

a. Table D.7D includes the beneficiaries represented by Cell G of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.8 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,

BY BENEFICIARY CHARACTERISTIC^{a, b} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

Panafician/		Number of Dy per Penefit	Number of All Veer Nursing	Benefit Months Among All-
Beneficiary Characteristics	Rx \$ per Benefit Month	Month	Number of All-Year Nursing Facility Residents	Year Nursing Facility Residents
All	\$566	8.3	,	157,088
Age				
0-64	728	8.9	1,583	17,520
65-74	641	9.0	2,698	28,760
75-84	580	8.6	5,067	50,717
85 and older	470	7.5	6,198	60,091
Unknown	0	0.0	0	0
Gender				
Female	562	8.5	10,894	110,434
Male	573	7.9	4,652	46,654
Unknown	0	0.0	0	0
Race				
White	583	8.8	9,816	99,395
African American	539	7.4	4,097	43,285
Other/unknown	524	7.8	1,633	14,408
Basis of Eligibility	;			
Aged	545	8.2	13,939	139,342
Disabled	727	8.9	1,607	17,746
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

a. Table D.8 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their 2005 Medicaid enrollment. A total of 10,653 beneficiaries who were in nursing facilities for part of their enrollment and their 106,819 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible ebecause of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE D.9 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}

DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

Number of Rx per Benefit

Month Among Users \$ per Benefit Month Among Users \$ per Rx Users

Therapeutic		Brand-	Off- Patent Brand-			atented Brand-	Off- Patent Brand-				Brand-		Total Number		Number of	As a Percentage of Dual All-Year Nursing Facility	Number of Benefit
Category	Total	Name	Name G		Total	Name	Name G		Total	Name	Name G		of Rx	Total Rx \$	Users	Residents	Months
Anti-infective Agents	0.3	0.1	0.0	0.2	\$22	\$13	\$3	\$6	\$64	\$131	\$87	\$28	38,448	\$2,474,041	10,460	67.3	111,365
Biologicals	1.1	0.0	1.1	0.0	10,204	0	10,204	0	9470	0	9,470	0	139	1,316,308	12	0.1	129
Antineoplastic Agents	0.6	0.0	0.0	0.5	76	18	0	57	132	376	106	110	11,823	1,559,880	2,099	13.5	20,594
Endocrine/Metabolic Drugs	1.2	0.5	0.2	0.5	66	47	9	10	55	103	37	20	102,330	5,605,768	8,106	52.1	84,996
Cardiovascular Agents	2.2	0.7	0.1	1.5	92	51	6	35	41	76	109	23	285,479	11,760,054	12,413	79.8	127,892
Respiratory Agents	0.8	0.5	0.0	0.3	47	39	1	7	58	83	41	22	72,296	4,219,957	8,400	54.0	89,514
Gastrointestinal Agents	1.2	0.6	0.0	0.6	93	76	1	16	81	134	40	28	119,350	9,631,574	9,869	63.5	103,609
Genitourinary Agents	0.8	0.5	0.0	0.2	54	43	1	10	71	86	83	40	36,265	2,590,952	4,502	29.0	47,857
CNS Drugs	1.7	1.0	0.0	0.7	168	143	1	25	96	144	74	33	212,875	20,469,962	11,673	75.1	121,904
Stimulants/Anti-obesity/Anorexia	0.7	0.4	0.0	0.3	80	74	1	6	122	190	43	22	1,843	224,666	272	1.7	2,812
Miscellaneous Psychological/																	
Neurological Agents	1.1	1.1	0.0	0.0	158	158	0	0	140	141	137	49	56,196	7,874,997	4,813	31.0	49,737
Analgesics and Anesthetics	0.9	0.2	0.0	0.6	51	24	7	20	57	111	137	32	78,035	4,437,962	8,321	53.5	87,835
Neuromuscular Agents	1.2	0.3	0.1	8.0	86	41	4	41	69	125	58	48	73,450	5,041,684	5,486	35.3	58,956
Nutritional Products	0.9	0.1	0.0	0.8	20	2	0	17	21	31	21	20	74,594	1,560,242	7,578	48.7	79,455
Hematological Agents	1.1	0.4	0.1	0.5	93	80	3	10	87	186	23	20	72,462	6,274,825	6,501	41.8	67,431
Topical Products	0.6	0.3	0.0	0.3	34	24	2	8	55	76	56	30	63,995	3,525,690	9,652	62.1	103,435
Miscellaneous Products	0.3	0.0	0.0	0.3	34	6	1	28	105	126	151	101	1,822	191,298	525	3.4	5,577
Unknown Therapeutic Category	0.4	0.0	0.0	0.0	9	0	0	0	24	0	0	0	3,711	90,447	956	6.1	10,401
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	1,305,113	88,850,307	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

In Louisiana, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table D.9 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 10,653 beneficiaries who were

in nursing facilities for part of their enrollment and their 106,819 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2005. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

TABLE D.10 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP-10 DRUG GROUP^{a, b, c, d} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

	-		Users				Among Users
		Number of	As a Percentage of All-Year Nursing Facility	Number of	Number of Rx		Rx \$ per Benefit
Top 10 Drug Groups in Nursing Facilities	Total Medicaid Rx \$	Users	Residents	Benefit Monthsp	er Benefit Month	\$ per Rx	Month
ANTIPSYCHOTICS	\$13,103,126	8,253	53.1	89,013	0.8	\$179	\$147
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	7,874,997	6,501	41.8	67,452	0.8	140	117
ULCER DRUGS	7,616,202	8,653	55.7	91,457	0.8	106	83
ANTIDEPRESSANTS	5,661,890	10,281	66.1	109,650	0.8	63	52
ANTIDIABETIC	3,783,745	7,153	46.0	76,170	0.8	59	50
ANTICONVULSANT	3,636,842	5,078	32.7	55,237	0.9	72	66
ANTIHYPERTENSIVE	3,169,794	8,808	56.7	92,967	0.8	43	34
ANTIHYPERLIPIDEMIC	3,136,697	3,765	24.2	40,386	0.8	98	78
MISC. HEMATOLOGICAL	2,798,665	3,018	19.4	31,706	0.8	109	88
HEMATOPOIETIC AGENTS	2,683,576	5,314	34.2	56,226	0.6	74	48
Total	53,465,534	66,824		710,264	n.a.	n.a.	n.a.

Medicaid reimbursement.

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

a. Table D.10 includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 10,653 beneficiaries who were in nursing facilities for part of their enrollment and their 106,819 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. wedicald relinious/serient and action of the control of the con Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$=

All	Top 10 Drug Groups			ANTIPS)	CHOTICS			MIS	C PSYCHOTI NEURC	HERAPEUTI LOGICAL	C AND	
Beneficiary Characteristics	Number of Rx	Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months Among	Mean Number of Rx		Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months Among	Mean Number of Rx	
All	573,923	\$53,465,534	8,253	53.1	89,013	0.8	\$147	6,501	41.8	67,452	0.8	\$117
Female												
All Females	403,322	37,042,241	5,459	50.1	59,084	0.8	139	4,911	45.1	51,402	0.8	118
Female, Disabled												
All Ages	31,500	3,489,910	515	82.1	5,836	0.9	198	117	18.7	1,322	0.8	229
64 or younger	30,871	3,425,168	501	81.6	5,686	0.9	199	113	18.4	1,274	0.8	233
65-74	629	64,742	14	107.7	150	0.6	143	4	30.8	48	0.8	115
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligible	es											
All Ages	371,822	33,552,331	4,944	48.2	53,248	0.8	133	4,794	46.7	50,080	0.8	115
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	70,857	6,769,996	1,096	74.2	12,413	0.8	165	479	32.4	5,185	0.8	115
75-84	146,316	13,322,408	1,871	51.4	20,206	0.8	139	1,933	53.1	20,126	0.9	117
85 and older	154,649	13,459,927	1,977	38.4	20,629	0.8	108	2,382	46.2	24,769	0.8	113
Male												
All Males	170,601	16,423,293	2,794	60.1	29,929	0.8	163	1,590	34.2	16,050	0.8	114
Male, Disabled												
All Ages	44,115	4,804,309	837	85.4	9,573	0.9	203	123	12.6	1,418	0.7	136
64 or younger	43,759	4,771,635	834	86.1	9,548	0.9	203	121	12.5	1,394	0.7	136
65-74	356	32,674	3	27.3	25	0.8	144	2	18.2	24	0.8	110
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles												
All Ages	126,486	11,618,984	1,957	53.3	20,356	0.8	144	1,467	40.0	14,632	0.8	112
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	51,168	4,810,499	786	65.7	8,800	0.9	175	359	30.0	3,816	0.8	106
75-84	47,775	4,321,626	759	53.1	7,614	0.8	129	650	45.5	6,433	0.8	113
85 and older	27,543	2,486,859	412	39.4	3,942	0.8	105	458	43.8	4,383	0.8	115
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Веле Mo(s) = benefit month(s); BDE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$=\$ Medicaid reimbursement.

a. Table D.10A includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 10,653 beneficiaries who were in nursing facilities for part of their enrollment and their 106,819 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

TABLE D.10B

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY

AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGEA, b, c, d

DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

		ULCE	R DRUGS				ANTIDE	PRESSANTS	3			ANTI	DIABETIC		
Beneficiary Characteristics	Number of Users	Year Nursing Facility	Number of Benefit Months Among Users			Number of Users	Users as % of All- Year Nursing Facility Residents	Number of Benefit Months Among Users			Number of Users	Users as % of All- Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	
All	8,653	55.7			\$83	10,281	66.1	109,650			7,153	46.0	76,170		
Female	•												•		
All Females	6,233	57.2	66,235	0.8	84	7,412	68.0	79,174	0.8	52	5,062	46.5	54,340	0.8	4
Female, Disable	ed														
All Ages	415	66.2	4,704	0.8	80	535	85.3	6,043	0.8	55	384	61.2	4,252	0.9	5-
64 or younger	410	66.8	4,644	0.8	80	523	85.2	5,919	0.8	55	373	60.7	4,174	0.9	5-
65-74	5	38.5	60	1.0	115	12	92.3	124	0.7	39	11	84.6	78	0.9	5
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0) (
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0) (
Female, Other E	Eligibles														
All Ages	5,818	56.7	61,531	0.8	84	6,877	67.0	73,131	0.8	51	4,678	45.6	50,088	0.8	48
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0) (
65-74	894	60.5	9,866	0.8	87	1,216	82.3	13,493	0.8	53	1,071	72.5	11,976	0.9	5′
75-84	2,123	58.4	22,820	0.8	85	2,719	74.7	29,024	0.8	53	1,892	52.0	20,189	0.8	5
85 and older	2,801	54.4	28,845	0.8	83	2,942	57.1	30,614	0.8	50	1,715	33.3	17,923	0.8	4
Male															
All Males	2,420	52.0	25,222	0.8	82	2,869	61.7	30,476	0.8	52	2,091	44.9	21,830	0.9	52
Male, Disabled															
All Ages	537	54.8	5,956	0.8	79	719	73.4	8,071	0.8	55	491	50.1	5,487	0.9	5
64 or younger	529	54.6	5,879	0.8	78	714	73.7	8,022	0.8	55	486	50.2	5,443	0.9	5
65-74	8	72.7	77	1.0	103	5	45.5	49	0.9	52	5	45.5	44	1.0	102
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0) (
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0) (
Male, Other Elig	gibles														
All Ages	1,883	51.3	19,266	0.8	83	2,150	58.6	22,405	0.8	51	1,600	43.6	16,343	0.8	5
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0) (
65-74	642	53.6	6,964	0.8	81	816	68.2	8,955	0.8	52	636	53.1	6,920	0.9	5-
75-84	713	49.9	, -		82		57.9	8,409			630	44.1	6,319		
85 and older	528	50.5	,		86		48.5	5,041			334	31.9	3,104		
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0) (

a. Table D.10B includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 10,653 beneficiaries who were in nursing facilities for part of their enrollment and their 106,819 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each

group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.10C MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND $AGE^{a, b, c, d}$

DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

		ANTICO	NVULSANT				ANTIHYP	ERTENSIVE				ANTIHYPE	RLIPIDEMIC	;	
Beneficiary Characteristics	Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months Among			Number of Users	Users as % of All-Year Nursing Facility Residents				Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months Among	Mean Number of Rx	
All	5,078	32.7	55,237	0.9	\$66	8,808	56.7	92,967	0.8	\$34	3,765	24.2	40,386	0.8	\$78
Female															
All Females	3,264	30.0	35,470	0.9	62	6,113	56.1	64,616	0.8	35	2,602	23.9	27,990	0.8	77
Female, Disable	ed														
All Ages	505	80.5	5,795	1.0	96	359	57.3	4,042	0.8	35	207	33.0	2,318	0.8	78
64 or younger	497	80.9	5,711	1.0	97	347	56.5	3,910	0.8	35	202	32.9	2,278	0.8	78
65-74	8	61.5	84	0.9	74	12	92.3	132	0.7	33	5	38.5	40	1.0	103
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other E	Eligibles														
All Ages	2,759	26.9	29,675	0.9	56	5,754	56.0	60,574	0.8	35	2,395	23.3	25,672	0.8	77
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	731	49.5	8,175	0.9	69	935	63.3	10,252	0.8	36	536	36.3	5,810	0.8	78
75-84	1,124	30.9	12,091	0.9	55	2,186	60.1	23,196	0.8	35	1,015	27.9	10,891	0.8	78
85 and older	904	17.5	9,409	0.8	45	2,633	51.1	27,126	0.8	34	844	16.4	8,971	0.8	75
Male															
All Males	1,814	39.0	19,767	0.9	72	2,695	57.9	28,351	0.8	33	1,163	25.0	12,396	0.8	80
Male, Disabled															
All Ages	707	72.1	8,023	1.0	92	591	60.3	6,597	0.8	33	280	28.6	3,169	0.8	80
64 or younger	706	72.9	8,011	1.0	92	585	60.4	6,539	0.8	33	277	28.6	3,133	0.8	79
65-74	1	9.1	12	0.9	160	6	54.5	58	1.0	32	3	27.3	36	0.9	107
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Elig	gibles														
All Ages	1,107	30.1	11,744	0.9	59	2,104	57.3	21,754	0.8	33	883	24.0	9,227	0.8	80
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	510	42.6	5,741	1.0	68	795	66.4	8,679	0.8	34	374	31.2	4,162	0.8	83
75-84	403	28.2	4,093	0.9	53	860	60.2	8,729	0.8	31	353	24.7	3,512	0.8	84
85 and older	194	18.5	1,910	0.8	42	449	42.9	4,346	0.8	33	156	14.9	1,553	0.8	65
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table D.10C includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 10,653 beneficiaries who were in nursing facilities for part of their enrollment and their 106,819 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. wedicald relinibisherient and action of the control of the cont

TABLE D.10D MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS

SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

MISC. HEMATOLOGICAL

HEMATOPOIETIC AGENTS

Beneficiary Characteristics	Number of Users	Users as % of All-Year Nursing Facility Residents		Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months Among	Mean Number of Rx		All-Year Nursing Facility Residents	Benefit Months Among All- Year Nursing Facility Residents
All	3,018	19.4		0.8	\$88	5,314	34.2	56,226	0.6	\$48	15,546	157,088
Female												
All Females	2,097	19.2	22,039	0.8	88	3,881	35.6	41,409	0.6	47	10,894	110,434
Female, Disable	ed											
All Ages	84	13.4	943	0.7	83	212	33.8	2,378	0.6	58	627	6,933
64 or younger	80	13.0	909	0.7	83	205	33.4	2,305	0.6	58	614	6,820
65-74	4	30.8	34	0.8	100	7	53.8	73	0.7	53	13	113
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Female, Other E	ligibles											
All Ages	2,013	19.6	21,096	0.8	88	3,669	35.7	39,031	0.6	46	10,267	103,501
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	317	21.5	3,366	0.8	92	510	34.5	5,660	0.7	47	1,477	15,803
75-84	716	19.7	7,609	0.8	90	1,333	36.6	14,210	0.6	48	3,638	37,062
85 and older	980	19.0	10,121	0.8	86	1,826	35.4	19,161	0.6	44	5,152	50,636
Male												
All Males	921	19.8	9,667	0.8	89	1,433	30.8	14,817	0.7	50	4,652	46,654
Male, Disabled												
All Ages	120	12.2	1,337	0.8	90	233	23.8	2,572	0.7	52	980	10,813
64 or younger	117	12.1	1,301	0.8	89	231	23.8	2,548	0.7	52	969	10,700
65-74	3	27.3	36	0.8	100	2	18.2	24	0.9	11	11	113
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Male, Other Elig	jibles											
All Ages	801	21.8	8,330	0.8	89	1,200	32.7	12,245	0.7	50	3,672	35,841
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	285	23.8	3,125	0.8	89	376	31.4	4,049	0.7	38	1,197	12,731
75-84	314	22.0	3,253	0.8	90	453	31.7	4,534	0.6	47	1,429	13,655
85 and older	202	19.3	1,952	0.8	85	371	35.5	3,662	0.7	68	1,046	9,455
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

a. Table D.10D includes the beneficiaries represented by Cell H of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 10,653 beneficiaries who were in nursing facilities for part of their enrollment and their 106,819 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each

group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.11 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC^{a,b} LOUISIANA, 2005

Beneficiary Characteristics	Number of Beneficiaries with at Least One Part D Excluded Rx	Percentage of Beneficiaries with at Least One Part D Excluded Rx	Number of Part D Excluded Rx per Beneficiary	Part D	\$ per	Total Part D Excluded Rx \$	\$ per Part D Per		Total Number of Beneficiaries
All	57,841	51.8	4.5	506,777	\$123	\$13,722,084	\$27	3.5	111,676
Age									
5 and younger	10	90.9	6.5	72	347	3,820	53	4.7	11
6-14	16	66.7	7.5	179	311	7,467	42	8.3	24
15-20	115	33.0	1.8	637	90	31,531	49	5.5	349
21-44	7,982	39.7	3.0	59,559	85	1,715,732	29	3.0	20,084
45-64	12,887	52.0	4.8	117,837	155	3,828,363	32	3.9	24,768
65-74	13,057	50.5	4.3	111,711	97	2,508,018	22	2.8	25,835
75-84	13,276	56.6	5.1	120,678	151	3,539,959	29	4.0	23,465
85 and older	10,498	61.2	5.6	96,104	122	2,087,194	22	3.5	17,140
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Basis of Eligibility	c								
Aged	36,712	55.5	5.0	327,696	123	8,118,020	25	3.4	66,181
Disabled	20,913	46.5	3.9	177,733	124	5,566,156	31	3.5	45,000
Adults	191	42.2	2.4	1,098	61	27,776	25	3.1	453
Children	5	55.6	12.0	108	804	7,233	67	16.5	9
Unknown	20	60.6	4.3	142	88	2,899	20	1.4	33
Gender									
Female	41,570	56.6	5.0	367,321	136	9,988,044	27	3.6	73,465
Male	16,271	42.6	3.6	139,456	98	3,734,040	27	3.0	38,211
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Race									
White	26,623	57.7	5.7	263,806	141	6,491,113	25	3.3	46,149
African American	23,845	46.8	3.6	185,453	116	5,897,704	32	3.9	50,950
Other/unknown	7,373	50.6	3.9	57,518	91	1,333,267	23	2.8	14,577
Use of Nursing Fa	cilities ^d								
Entire year	11,001	70.8	8.6	133,165	251	3,901,812	29	4.4	15,546
Part year	7,836	73.6	6.4	68,352	153	1,625,897	24	3.5	10,653
None	39,004	45.6	3.6	305,260	96	8,194,375	27	3.1	85,477
Maintenance Assis	stance Status								
Cash	31,728	47.5	3.8	254,786	108	7,202,508	28	3.4	66,749
Medically needy	52	65.8	5.0	393	89	7,024	18	2.6	79
Poverty related	2,177	37.2	1.9	11,040	42	248,091	22	2.4	5,850
Other/unknown	23,884	61.2	6.2	240,558	161	6,264,461	26	3.6	38,998

a. Table D.11 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2005.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE D.12 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b} LOUISIANA, 2005

Beneficiary Characteristics	Number Rx per Benefit Month	Rx \$ per Benefit Month	\$ per Rx	Barbiturate \$ per Benefit Month	Benzodiazapine \$ per Benefit Month	Number of Benefit Months
All	0.4	\$11	\$27	\$0	\$3	1,227,498
Age						
5 and younger	0.5	29	53	0	0	132
6-14	0.7	27	42	0	0	274
15-20	0.2	8	49	0	1	4,048
21-44	0.3	7	29	0	3	229,381
45-64	0.4	14	32	0	3	281,268
65-74	0.4	9	22	0	2	287,972
75-84	0.5	14	29	0	2	252,425
85 and older	0.6	12	22	0	2	171,998
Unknown	0.0	0	0	0	0	0
Basis of Eligibility ^c						
Aged	0.5	11	25	0	2	710,037
Disabled	0.3	11	31	0	3	513,054
Adults	0.3	7	25	0	3	4,007
Children	1.1	72	67	0	0	101
Unknown	0.5	10	20	0	7	299
Gender						
Female	0.5	12	27	0	3	809,377
Male	0.3	9	27	0	2	418,121
Unknown	0.0	0	0	0	0	0
Race						
White	0.5	13	25	0	4	496,899
African American	0.3	10	32	0	1	573,313
Other/unknown	0.4	8	23	0	2	157,286
Use of Nursing Faci	lities ^d					
Entire year	0.8	25	29	0	5	157,088
Part year	0.6	15	24	0	3	106,819
None	0.3	9	27	0	2	963,591
Maintenance Assista	ance Status					
Cash	0.3	9	28	0	2	760,619
Medically needy	0.5	10	18	0	3	732
Poverty related	0.2	4	22	0	1	65,485
Other/unknown	0.6	16	26	0	4	400,662

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table D.12 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2005.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE D.13 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS a,b,c LOUISIANA, 2005

Drug Category	Number of Users	Rx \$ per User	Total Rx \$	Rx \$ as a Percentage of All Part D Excluded Rx \$	Total Number Rx.	\$ per Rx	Number Rx as a Percentage of All Part D Excluded Rx
All	85,908	\$160	\$13,722,084	100.0	506,777	\$27	100.0
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0
Fertility drugs	1	41	41	0.0	1	41	0.0
Drugs for cosmetic purposes	0	0	0	0.0	0	0	0.0
Cough and cold medications	10,669	56	596,669	4.3	23,763	25	4.7
Vitamins and minerals	30,383	128	3,898,036	28.4	213,206	18	42.1
Non-prescription drugs	12,915	43	555,649	4.0	54,728	10	10.8
Barbiturates	1,803	102	183,566	1.3	17,197	11	3.4
Benzodiazepines	25,198	135	3,393,721	24.7	171,528	20	33.8
Other Part D Excl Rx Drugs	4,939	1,031	5,094,402	37.1	26,354	193	5.2

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table D.13 includes the beneficiaries represented by Cell G of Table 1. Beneficiaries include all dual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2005. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2005. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table D11.
b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription strains and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

SUPPLEMENTAL TABLE 1 MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES^{a, b} LOUISIANA, 2005

Total Number of Dual Eligible Beneficiaries: 111,676
Total Pharmacy Reimbursement for Dual Eligible Beneficiaries: \$397,534,475
Mean Pharmacy Reimbursement per Dual Eligible Beneficiary: \$3,559

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Percent of Dual Beneficiaries	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	11,736	10.5	\$0	0.0
1-500	14,849	13.3	3,184,448	0.8
501-1,000	9,930	8.9	7,351,166	1.8
1,001-1,500	8,267	7.4	10,302,773	2.6
1,501-2,000	7,391	6.6	12,900,873	3.2
2,001-2,500	6,787	6.1	15,255,587	3.8
2,501-3,000	6,012	5.4	16,489,391	4.1
3,001-3,500	5,466	4.9	17,742,187	4.5
3,501-4,000	4,880	4.4	18,275,879	4.6
4,001-4,500	4,550	4.1	19,320,140	4.9
4,501-5,000	3,989	3.6	18,945,122	4.8
5,001-5,500	3,416	3.1	17,913,387	4.5
5,501-6,000	2,993	2.7	17,186,400	4.3
6,001-6,500	2,720	2.4	16,989,436	4.3
6,501-7,000	2,310	2.1	15,584,864	3.9
7,001-7,500	2,097	1.9	15,189,666	3.8
7,501-8,000	1,696	1.5	13,135,056	3.3
8,001-8,500	1,521	1.4	12,538,322	3.2
8,501-9,000	1,338	1.2	11,702,209	2.9
9,001-9,500	1,155	1.0	10,678,390	2.7
9,501-10,000	1,001	0.9	9,749,059	2.5
10,001+	7,572	6.8	117,100,120	29.5

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1A MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE $65^{\rm a},\,{\rm b},\,{\rm c}$ LOUISIANA, 2005

Total Number of Disabled Dual Eligible Beneficiaries, Age < 65: 44,742 Total Pharmacy Reimbursement for Disabled Dual Eligible Beneficiaries, Age < 65: \$156,059,543 Mean Pharmacy Reimbursement per Disabled Dual Eligible Beneficiary, Age < 65: \$3,488

		Percent of Disabled Dual Beneficiaries,		Percent of Total Pharmacy
Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	Age < 65	Pharmacy Reimbursement	Reimbursement
\$0	6,395	14.3	0	0.0
1-500	7,863	17.6	1,545,123	1.0
501-1,000	4,100	9.2	3,015,519	1.9
1,001-1,500	3,071	6.9	3,816,602	2.4
1,501-2,000	2,616	5.8	4,557,890	2.9
2,001-2,500	2,274	5.1	5,111,821	3.3
2,501-3,000	1,934	4.3	5,300,719	3.4
3,001-3,500	1,801	4.0	5,844,199	3.7
3,501-4,000	1,583	3.5	5,922,865	3.8
4,001-4,500	1,376	3.1	5,838,997	3.7
4,501-5,000	1,259	2.8	5,975,051	3.8
5,001-5,500	1,041	2.3	5,449,898	3.5
5,501-6,000	913	2.0	5,242,371	3.4
6,001-6,500	857	1.9	5,347,070	3.4
6,501-7,000	751	1.7	5,067,738	3.2
7,001-7,500	713	1.6	5,162,552	3.3
7,501-8,000	579	1.3	4,486,808	2.9
8,001-8,500	561	1.3	4,626,940	3.0
8,501-9,000	502	1.1	4,389,926	2.8
9,001-9,500	412	0.9	3,810,868	2.4
9,501-10,000	387	0.9	3,772,366	2.4
10,001+	3,754	8.4	61,774,220	39.6

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.
c. This table is limited to dual eligible beneficiaries who were under age 65 and also indicated as disabled in the MAX files. Therefore, dual eligible beneficiaries under age 65 in "adults" or "children" basis-of-eligibility categories in Table D.2 are excluded because they were not classified as disabled in the MAX files. Disabled dual eligible beneficiaries age 65 and older are included in Supplemental Tables 1B through 1E, depending on their age.

SUPPLEMENTAL TABLE 1B MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER^{A, b} LOUISIANA, 2005

Total Number of Dual Eligible Beneficiaries, Age 65+: 66,440
Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 65+: \$240,357,520
Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 65+: \$3,617

	Per	rcent of Dual Beneficiaries, Age 65		Percent of Total Pharmacy
Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	+	Pharmacy Reimbursement	Reimbursement
\$0	5,274	7.9	0	0.0
1-500	6,826	10.3	1,607,811	0.7
501-1,000	5,779	8.7	4,299,198	1.8
1,001-1,500	5,157	7.8	6,437,870	2.7
1,501-2,000	4,751	7.2	8,301,349	3.5
2,001-2,500	4,488	6.8	10,089,529	4.2
2,501-3,000	4,058	6.1	11,133,344	4.6
3,001-3,500	3,652	5.5	11,855,448	4.9
3,501-4,000	3,279	4.9	12,285,532	5.1
4,001-4,500	3,165	4.8	13,443,225	5.6
4,501-5,000	2,724	4.1	12,940,863	5.4
5,001-5,500	2,370	3.6	12,437,075	5.2
5,501-6,000	2,077	3.1	11,926,557	5.0
6,001-6,500	1,859	2.8	11,617,209	4.8
6,501-7,000	1,558	2.3	10,510,232	4.4
7,001-7,500	1,379	2.1	9,990,746	4.2
7,501-8,000	1,116	1.7	8,640,604	3.6
8,001-8,500	957	1.4	7,886,768	3.3
8,501-9,000	833	1.3	7,286,036	3.0
9,001-9,500	740	1.1	6,839,429	2.8
9,501-10,000	608	0.9	5,918,001	2.5
10,001+	3,790	5.7	54,910,694	22.8

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2005.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1C MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74^{a, b} LOUISIANA, 2005

Total Number of Dual Eligible Beneficiaries, Age 65-74: 25,835

Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 65-74: \$91,142,385

Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 65-74: \$3,527

		Percent of Dual Beneficiaries, Age		Percent of Total Pharmacy
Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	65-74	Pharmacy Reimbursement	Reimbursement
\$0	2,554	9.9	0	0.0
1-500	2,864	11.1	650,498	0.7
501-1,000	2,210	8.6	1,644,183	1.8
1,001-1,500	1,971	7.6	2,467,167	2.7
1,501-2,000	1,836	7.1	3,203,027	3.5
2,001-2,500	1,673	6.5	3,759,776	4.1
2,501-3,000	1,451	5.6	3,974,046	4.4
3,001-3,500	1,363	5.3	4,424,747	4.9
3,501-4,000	1,243	4.8	4,655,857	5.1
4,001-4,500	1,161	4.5	4,930,921	5.4
4,501-5,000	987	3.8	4,685,790	5.1
5,001-5,500	864	3.3	4,532,997	5.0
5,501-6,000	762	2.9	4,376,036	4.8
6,001-6,500	702	2.7	4,384,328	4.8
6,501-7,000	554	2.1	3,737,954	4.1
7,001-7,500	537	2.1	3,891,175	4.3
7,501-8,000	397	1.5	3,072,040	3.4
8,001-8,500	337	1.3	2,775,408	3.0
8,501-9,000	283	1.1	2,477,212	2.7
9,001-9,500	271	1.0	2,506,804	2.8
9,501-10,000	236	0.9	2,293,424	2.5
10,001+	1,579	6.1	22,698,995	24.9

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1D MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO $84^{\rm A,\ b}$ LOUISIANA, 2005

Total Number of Dual Eligible Beneficiaries, Age 75-84: 23,465

Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 75-84: \$89,239,098

Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 75-84: \$3,803

Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries Percent of Dual Ben	eficiaries Age 75-84	Pharmacy Reimbursement	Percent of Total Pharmacy Reimbursement
\$0	1,705	7.3	0	0.0
1-500	2,158	9.2	517,549	0.6
501-1,000	1,928	8.2	1,446,766	1.6
1,001-1,500	1,770	7.5	2,207,277	2.5
1,501-2,000	1,657	7.1	2,900,268	3.2
2,001-2,500	1,644	7.0	3,693,915	4.1
2,501-3,000	1,519	6.5	4,169,419	4.7
3,001-3,500	1,316	5.6	4,274,137	4.8
3,501-4,000	1,176	5.0	4,406,058	4.9
4,001-4,500	1,141	4.9	4,848,234	5.4
4,501-5,000	985	4.2	4,685,388	5.3
5,001-5,500	847	3.6	4,442,038	5.0
5,501-6,000	749	3.2	4,298,556	4.8
6,001-6,500	696	3.0	4,348,149	4.9
6,501-7,000	552	2.4	3,724,854	4.2
7,001-7,500	493	2.1	3,576,194	4.0
7,501-8,000	437	1.9	3,384,032	3.8
8,001-8,500	365	1.6	3,007,773	3.4
8,501-9,000	344	1.5	3,008,822	3.4
9,001-9,500	291	1.2	2,688,539	3.0
9,501-10,000	231	1.0	2,252,176	2.5
10,001+	1,461	6.2	21,358,954	23.9

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2005.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

SUPPLEMENTAL TABLE 1E MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER^{a, b} LOUISIANA, 2005

Total Number of Dual Eligible Beneficiaries, Age 85+: 17,140
Total Pharmacy Reimbursement for Dual Eligible Beneficiaries, Age 85+: \$59,976,037
Mean Pharmacy Reimbursement per Dual Eligible Beneficiary, Age 85+: \$3,499

	Percent of Du	al Beneficiaries, Age 85		Percent of Total Pharmacy	
Annual Pharmacy Reimbursement per Beneficiary	Number of Beneficiaries	+	Pharmacy Reimbursement	Reimbursement	
\$0	1,015	5.9	0	0.0	
1-500	1,804	10.5	439,764	0.7	
501-1,000	1,641	9.6	1,208,249	2.0	
1,001-1,500	1,416	8.3	1,763,426	2.9	
1,501-2,000	1,258	7.3	2,198,054	3.7	
2,001-2,500	1,171	6.8	2,635,838	4.4	
2,501-3,000	1,088	6.3	2,989,879	5.0	
3,001-3,500	973	5.7	3,156,564	5.3	
3,501-4,000	860	5.0	3,223,617	5.4	
4,001-4,500	863	5.0	3,664,070	6.1	
4,501-5,000	752	4.4	3,569,685	6.0	
5,001-5,500	659	3.8	3,462,040	5.8	
5,501-6,000	566	3.3	3,251,965	5.4	
6,001-6,500	461	2.7	2,884,732	4.8	
6,501-7,000	452	2.6	3,047,424	5.1	
7,001-7,500	349	2.0	2,523,377	4.2	
7,501-8,000	282	1.6	2,184,532	3.6	
8,001-8,500	255	1.5	2,103,587	3.5	
8,501-9,000	206	1.2	1,800,002	3.0	
9,001-9,500	178	1.0	1,644,086	2.7	
9,501-10,000	141	0.8	1,372,401	2.3	
10,001+	750	4.4	10,852,745	18.1	

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

a. This table is based on prescription drug claims for beneficiaries who had Medicare as well as Medicaid fee-for-service pharmacy benefit coverage during some or all months of Medicaid enrollment in 2005.

b. Medicaid reimbursement amounts in this table do not reflect federally required rebates from drug manufacturers to states.

APPENDIX TABLE A.3

CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b} DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

		Number of Beneficiaries						Number of Benefit Months				
Beneficiary Characteristics	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown
All	111,676	66,181	45,000	453	9	33	1,227,498	710,037	513,054	4,007	101	299
Age												
5 and younger	11	0	10	0	1	0	132	0	120	0	12	0
6-14	24	0	18	0	6	0	274	0	209	0	65	0
15-20	349	0	342	5	2	0	4,048	0	3,980	44	24	0
21-44	20,084	2	19,738	338	0	6	229,381	4	226,371	2,953	0	53
45-64	24,768	3	24,634	110	0	21	281,268	20	280,037	1,010	0	201
65-74	25,835	25,571	258	0	0	6	287,972	285,590	2,337	0	0	45
75-84	23,465	23,465	0	0	0	0	252,425	252,425	0	0	0	0
85 and older	17,140	17,140	0	0	0	0	171,998	171,998	0	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	73,465	49,815	23,309	305	3	33	809,377	539,155	267,136	2,753	34	299
Male	38,211	16,366	21,691	148	6	0	418,121	170,882	245,918	1,254	67	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Race												
White	46,149	27,542	18,391	197	3	16	496,899	286,208	208,841	1,690	31	129
African American	50,950	27,744	22,961	224	5	16	573,313	308,043	263,010	2,044	58	158
Other/unknown	14,577	10,895	3,648	32	1	1	157,286	115,786	41,203	273	12	12
Use of Nursing Facilities ^c												
Entire year	15,546	13,939	1,607	0	0	0	157,088	139,342	17,746	0	0	0
Part year	10,653	9,473	1,179	0	0	1	106,819	94,300	12,512	0	0	7
None	85,477	42,769	42,214	453	9	32	963,591	476,395	482,796	4,007	101	292
Maintenance Assistance Statu	s											
Cash	66,749	36,781	29,683	285	0	0	760,619	418,536	339,468	2,615	0	0
Medically needy	79	53	16	10	0	0	732	498	133	101	0	0
Poverty related	5,850	2,399	3,280	132	6	33	65,485	27,360	36,732	1,029	65	299
Other/unknown	38,998	26,948	12,021	26	3	0	400,662	263,643	136,721	262	36	0
Dual Status ^d												
Full dual, all year	103,507	62,030	41,017	418	9	33	1,135,746	663,348	468,379	3,619	101	299
Full dual, part year	8,169	4,151	3,983	35	0	0	91,752	46,689	44,675	388	0	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	111,676	66,181	45,000	453	9	33	1,227,498	710,037	513,054	4,007	101	299
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

a. Table A.3 includes the beneficiaries represented by Cell F of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

are not consistent with basis or engionity.

C. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

d. The "Full dual, all year" group contains beneficiaries who had Medicare as well as Medicaid pharmacy benefits during all months of Medicaid enrollment in 2005. The "Full dual, part year" group contains beneficiaries who had such benefits for some, but not all, months of their enrollment. Refer to footnote g of Table 1 for more information about how we determined dual eligibility status. Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.4

MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a DUAL ELIGIBLE BENEFICIARIES, LOUISIANA, 2005

	Beneficia Benefit Month	aries and as in Cell F of					
	Tab		Included in Cell G of Table 1 Excluded from			Cell G of Table 1	
Beneficiary Characteristics	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months	
All	111,676	1,227,498	111,676	1,227,498	0	0	
Fee-for-service (FFS) all year	111,676	1,227,498	111,676	1,227,498	0	0	
FFS part year, with Rx claims	0	0	0	0	0	0	
FFS part year, with no Rx claims	0	0	0	0	0	0	
Managed care (MC) all year, with Rx claims	0	0	0	0	0	0	
MC all year, with no Rx claims	0	0	0	0	0	0	

Source: Data for this table are from the MAX 2005 file for Louisiana, released by CMS in 3/2009. This table was produced on 04/23/2009.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare and Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.