

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2005 MISSOURI

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES. BY BASIS OF ELIGIBILITY

TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE NO.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND

BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND

THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY

BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH,

BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES

AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND

BENEFICIARY CHARACTERISTIC

TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND

THERAPEUTIC CATEGORY

TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP 10 DRUG GROUP

TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY

BENEFICIARY CHARACTERISTIC

TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES

SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65

SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER

SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74 SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84

SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLES

APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES

APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES

APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES

APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL

ELIGIBLE BENEFICIARIES

TABLE ND.2 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY $^{a,\ b}$ NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | ı | Number of | Beneficiar | ies | | | 1 | Number of E | enefit Month | าร | |
|--|---------|-------|-----------|------------|----------|---------|-----------|--------|-------------|--------------|-----------|---------|
| Beneficiary | | | | | | Other/ | | | | | | Other/ |
| Characteristics | All | Aged | Disabled | | Children | Unknown | All | Aged | Disabled | Adults | Children | Unknown |
| All | 604,002 | 4,407 | 103,730 | 163,557 | 331,773 | 535 | 4,874,761 | 43,884 | 1,031,856 | 1,107,207 | 2,687,049 | 4,765 |
| Age | | | | | | | | | | | | |
| 5 and younger | 125,854 | 0 | 816 | 15 | 125,023 | 0 | 972,686 | 0 | 7,225 | 40 | 965,421 | 0 |
| 6-14 | 142,649 | 0 | 2,742 | 38 | 139,869 | 0 | 1,240,241 | 0 | 28,730 | 197 | 1,211,314 | 0 |
| 15-20 | 89,264 | 0 | 4,998 | 17,704 | 66,562 | 0 | 667,605 | 0 | 49,442 | 110,028 | 508,135 | 0 |
| 21-44 | 178,333 | 0 | 41,835 | 136,020 | 298 | 180 | 1,348,024 | 0 | 416,051 | 928,383 | 2,034 | 1,556 |
| 45-64 | 63,133 | 0 | 52,998 | 9,769 | 11 | 355 | 599,839 | 0 | 528,046 | 68,503 | 81 | 3,209 |
| 65-74 | 2,973 | 2,639 | 324 | 10 | 0 | 0 | 30,422 | 28,136 | 2,236 | 50 | 0 | 0 |
| 75-84 | 1,065 | 1,055 | 9 | 1 | 0 | 0 | 9,853 | 9,778 | 69 | 6 | 0 | 0 |
| 85 and older | 722 | 713 | 8 | 0 | 1 | 0 | 6,039 | 5,970 | 57 | 0 | 12 | 0 |
| Unknown | 9 | 0 | 0 | 0 | 9 | 0 | 52 | 0 | 0 | 0 | 52 | 0 |
| Gender | | | | | | | | | | | | |
| Female | 348,420 | 2,873 | 55,706 | 128,668 | 160,638 | 535 | 2,771,352 | 28,836 | 567,077 | 866,954 | 1,303,720 | 4,765 |
| Male | 255,580 | 1,534 | 48,022 | 34,889 | 171,135 | 0 | 2,103,399 | 15,048 | 464,769 | 240,253 | 1,383,329 | 0 |
| Unknown | 2 | 0 | 2 | 0 | 0 | 0 | 10 | 0 | 10 | 0 | 0 | 0 |
| Race | | | | | | | | | | | | |
| White | 494,167 | 2,205 | 76,055 | 135,845 | 279,664 | 398 | 4,147,231 | 21,841 | 753,294 | 972,639 | 2,396,022 | 3,435 |
| African American | 87,525 | 1,089 | 23,387 | 20,271 | 42,674 | 104 | 573,101 | 10,754 | 237,608 | 89,803 | 233,902 | 1,034 |
| Other/unknown | 22,310 | 1,113 | 4,288 | 7,441 | 9,435 | 33 | 154,429 | 11,289 | 40,954 | 44,765 | 57,125 | 296 |
| Use of Nursing Facilities ^c | | | | | | | | | | | | |
| Entire year | 1,844 | 436 | 1,408 | 0 | 0 | 0 | 20,056 | 4,677 | 15,379 | 0 | 0 | 0 |
| Part year | 1,777 | 199 | 1,572 | 4 | 1 | 1 | 17,838 | 1,836 | 15,932 | 48 | 12 | 10 |
| None | 600,381 | 3,772 | 100,750 | 163,553 | 331,772 | 534 | 4,836,867 | 37,371 | 1,000,545 | 1,107,159 | 2,687,037 | 4,755 |
| Maintenance Assistance Statu | s | | | | | | | | | | | |
| Cash | 302,413 | 1,659 | 47,190 | 115,895 | 137,669 | 0 | 2,549,958 | 18,941 | 519,234 | 834,108 | 1,177,675 | 0 |
| Medically needy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Poverty-related | 135,769 | 108 | 61 | 27,228 | 107,837 | 535 | 990,535 | 837 | 487 | 122,350 | 862,096 | 4,765 |
| Other/unknown | 165,820 | 2,640 | 56,479 | 20,434 | 86,267 | 0 | 1,334,268 | 24,106 | 512,135 | 150,749 | 647,278 | 0 |
| Managed Care (MC) Status | | | | | | | | | | | | |
| Fee-for-service (FFS) all year | 470,197 | 4,392 | 100,923 | 118,275 | 246,077 | 530 | 4,437,286 | 43,796 | 1,016,256 | 980,322 | 2,392,179 | 4,733 |
| FFS part year, with Rx claims | 43,276 | 11 | 2,159 | 16,113 | 24,990 | 3 | 221,309 | 72 | 12,845 | 54,575 | 153,798 | 19 |
| FFS part year, no Rx claims | 90,529 | 4 | 648 | 29,169 | 60,706 | 2 | 216,166 | 16 | 2,755 | 72,310 | 141,072 | 13 |

a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3 ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a, b} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | Percentage with | Mean Number | Mara Du C | 6 D | Mean \$, All Medicaid | Rx \$ as a Percentage of All Medicaid | Number of |
|-----------------------|-------------------------|-------------|-----------|------------|--------------------------|---------------------------------------|---------------|
| Characteristics All | at Least One Rx 62.9 | of Rx | | \$ per Rx | | FFS \$ ^d | Beneficiaries |
| | 62.9 | 11.7 | \$823 | \$71 | \$3,524 | 23.4 | 604,002 |
| Age | 00.0 | | 044 | 50 | 0.040 | 40.0 | 405.054 |
| 5 and younger | 60.9 | 4.1 | 214 | 52 | 2,016 | 10.6 | 125,854 |
| 6-14 | 58.3 | 5.0 | 370 | 74 | 1,514 | 24.4 | 142,649 |
| 15-20 | 56.9 | 5.9 | 463 | 79 | 2,619 | 17.7 | 89,264 |
| 21-44 | 64.8 | 13.2 | 947 | 72 | 4,099 | 23.1 | 178,333 |
| 45-64 | 80.6 | 43.9 | 3,127 | 71 | 10,202 | 30.7 | 63,133 |
| 65-74 | 78.3 | 43.8 | 2,593 | 59 | 12,033 | 21.6 | 2,973 |
| 75-84 | 59.0 | 26.2 | 1,422 | 54 | 8,087 | 17.6 | 1,065 |
| 85 and older | 41.3 | 19.7 | 983 | 50 | 8,193 | 12.0 | 722 |
| Unknown | 11.1 | 0.2 | 2 | 11 | 219 | 1.1 | 9 |
| Basis of Eligibilitye | | | | | | | |
| Aged | 68.2 | 37.0 | 2,142 | 58 | 10,777 | 19.9 | 4,407 |
| Disabled | 81.3 | 39.7 | 3,173 | 80 | 11,483 | 27.6 | 103,730 |
| Adults | 60.5 | 7.5 | 358 | 48 | 1,926 | 18.6 | 163,557 |
| Children | 58.3 | 4.6 | 293 | 64 | 1,713 | 17.1 | 331,773 |
| Unknown | 86.7 | 30.7 | 5,365 | 175 | 12,944 | 41.4 | 535 |
| Gender | | | | | | | |
| Female | 65.4 | 13.0 | 828 | 64 | 3,452 | 24.0 | 348,420 |
| Male | 59.6 | 9.9 | 816 | 83 | 3,623 | 22.5 | 255,580 |
| Unknown | 100.0 | 47.0 | 2,974 | 63 | 4,262 | 69.8 | 2 |
| Race | | | | | | | |
| White | 66.3 | 12.0 | 835 | 69 | 3,347 | 24.9 | 494,167 |
| African American | 46.7 | 9.7 | 777 | 80 | 4,621 | 16.8 | 87,525 |
| Other/unknown | 51.8 | 11.2 | 744 | 66 | 3,159 | 23.6 | 22,310 |
| Use of Nursing Facil | ities ^f | | | | | | |
| Entire year | 98.5 | 100.0 | 7,378 | 74 | 47,860 | 15.4 | 1,844 |
| Part year | 97.9 | 78.1 | 5,849 | 75 | 47,355 | 12.4 | 1,777 |
| None | 62.7 | 11.2 | 788 | 70 | 3,259 | 24.2 | 600,381 |
| Maintenance Assista | ance Status | | | | | | |
| Cash | 66.0 | 13.5 | 913 | 68 | 3,588 | 25.4 | 302,413 |
| Medically needy | 0.0 | 0.0 | 0 | 0 | 0 | 0.0 | 0 |
| Poverty related | 57.4 | 4.1 | 246 | 60 | 1,614 | 15.2 | 135,769 |
| Other/unknown | 61.8 | 14.6 | 1,133 | 78 | 4,972 | 22.8 | 165,820 |

a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving fost care and adoptive services. f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a, b} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | | | | Nur | mber of Rx, F | Percentage w | vith: | | _ | Numbe | er |
|--------------------------------|-------------------------|------------|---|------|------|----------------------------------|----------------------------------|-------|------|-------------------------------------|---------------|-------------------|
| Beneficiary Characteristics | Mean Number of Rx | Mean Rx \$ | Rx \$ as a Percentage of All Medicaid FFS \$ ^c | None | | More than 1, but 2 or Less | More than 2, but 5 or Less | | | Mean \$, All Medicaid FFS \$d | Beneficiaries | Benefit Months |
| All | 1.4 | \$102 | 23.4 | 37.1 | 42.5 | 7.2 | 7.8 | 4.1 | 1.4 | \$437 | 604,002 | 4,874,761 |
| Age | | | | | | | | | | | | |
| 5 and younger | 0.5 | 28 | 10.6 | 39.1 | 54.1 | 4.8 | 1.8 | 0.1 | 0.0 | 261 | 125,854 | 972,686 |
| 6-14 | 0.6 | 43 | 24.4 | 41.7 | 49.1 | 5.0 | 3.6 | 0.5 | 0.1 | 174 | 142,649 | 1,240,241 |
| 15-20 | 0.8 | 62 | 17.7 | 43.1 | 43.9 | 7.1 | 4.7 | 1.0 | 0.2 | 350 | 89,264 | 667,605 |
| 21-44 | 1.7 | 125 | 23.1 | 35.2 | 37.9 | 9.7 | 11.0 | 4.9 | 1.3 | 542 | 178,333 | 1,348,024 |
| 45-64 | 4.6 | 329 | 30.7 | 19.4 | 17.6 | 9.5 | 23.6 | 20.9 | 8.9 | 1,074 | 63,133 | 599,839 |
| 65-74 | 4.3 | 253 | 21.6 | 21.7 | 16.9 | 9.9 | 22.9 | 20.1 | 8.5 | 1,176 | 2,973 | 30,422 |
| 75-84 | 2.8 | 154 | 17.6 | 41.0 | 16.9 | 7.9 | 18.2 | 12.3 | 3.7 | 874 | 1,065 | 9,853 |
| 85 and older | 2.4 | 118 | 12.0 | 58.7 | 6.5 | 5.8 | 14.8 | 11.4 | 2.8 | 980 | 722 | 6,039 |
| Unknown | 0.0 | 0 | 1.1 | 88.9 | 11.1 | 0.0 | 0.0 | 0.0 | 0.0 | 38 | 9 | 52 |
| Basis of Eligibility | е | | | | | | | | | | | |
| Aged | 3.7 | 215 | 19.9 | 31.8 | 15.2 | 8.8 | 20.5 | 17.0 | 6.6 | 1,082 | 4,407 | 43,884 |
| Disabled | 4.0 | 319 | 27.6 | 18.7 | 22.2 | 10.7 | 23.0 | 18.1 | 7.3 | 1,154 | 103,730 | 1,031,856 |
| Adults | 1.1 | 53 | 18.6 | 39.5 | 41.4 | 8.9 | 7.7 | 2.2 | 0.3 | 285 | 163,557 | 1,107,207 |
| Children | 0.6 | 36 | 17.1 | 41.7 | 49.8 | 5.2 | 2.9 | 0.4 | 0.1 | 211 | 331,773 | 2,687,049 |
| Unknown | 3.5 | 602 | 41.4 | 13.3 | 26.7 | 14.8 | 22.4 | 17.2 | 5.6 | 1,453 | 535 | 4,765 |
| Gender | | | | | | | | | | | | |
| Female | 1.6 | 104 | 24.0 | 34.6 | 43.0 | 7.8 | 8.3 | 4.6 | 1.8 | 434 | 348,420 | 2,771,352 |
| Male | 1.2 | 99 | 22.5 | 40.4 | 41.9 | 6.4 | 7.1 | 3.3 | 1.0 | 440 | 255,580 | 2,103,399 |
| Unknown | 9.4 | 595 | 69.8 | 0.0 | 50.0 | 0.0 | 0.0 | 50.0 | 0.0 | 852 | 2 | 10 |
| Race | | | | | | | | | | | | |
| White | 1.4 | 100 | 24.9 | 33.7 | 45.5 | 7.4 | 7.9 | 4.1 | 1.5 | 399 | 494,167 | 4,147,231 |
| African American | 1.5 | 119 | 16.8 | 53.3 | 28.7 | 6.1 | 7.2 | 3.7 | 1.1 | 706 | 87,525 | 573,101 |
| Other/unknown | 1.6 | 108 | 23.6 | 48.2 | 30.6 | 6.4 | 8.9 | 4.9 | 1.1 | 456 | 22,310 | 154,429 |
| Use of Nursing Fa | cilities ^f | | | | | | | | | | | |
| Entire year | 9.2 | 678 | 15.4 | 1.5 | 2.4 | 4.0 | 19.7 | 39.2 | 33.4 | 4,400 | 1,844 | 20,056 |
| Part year | 7.8 | 583 | 12.4 | 2.1 | 7.5 | 7.6 | 25.0 | 31.9 | 25.9 | 4,717 | 1,777 | 17,838 |
| None | 1.4 | 98 | 24.2 | 37.3 | 42.7 | 7.2 | 7.7 | 3.9 | 1.2 | 405 | 600,381 | 4,836,867 |
| Maintenance Assi | stance Status | ; | | | | | | | | | | |
| Cash | 1.6 | 108 | 25.4 | 34.0 | 42.9 | 8.1 | 8.8 | 4.6 | 1.7 | 426 | 302,413 | 2,549,958 |
| Medically needy | 0.0 | 0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0 | 0 | 0 |
| Poverty related | 0.6 | 34 | 15.2 | 42.6 | 48.8 | 5.4 | 2.8 | 0.3 | 0.1 | 221 | 135,769 | 990,535 |
| Other/unknown | 1.8 | 141 | 22.8 | 38.2 | 36.5 | 7.0 | 10.1 | 6.2 | 2.1 | 618 | 165,820 | 1,334,268 |

a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
c. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5 AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | All Rx | | Patented | d Brand Drugs | d-Name | Off-Pater | nt Bran Drugs | id-Name | Gen | eric Dr | illus |
|----------------------|------------|-----------|-----------|----------|------------------|-----------|-----------|------------------|-----------|--------|---------|-----------|
| Beneficiary | Number | 7 III TXX | | Number | Drugs | | Number | Diago | | Number | CHC DI | ugs |
| Characteristics | of Rx | Rx\$ | \$ per Rx | of Rx | Rx\$ | \$ per Rx | of Rx | Rx\$ | \$ per Rx | of Rx | Rx\$ | \$ per Rx |
| All | 1.4 | \$102 | \$71 | 0.5 | \$75 | \$149 | 0.1 | \$6 | \$85 | 0.9 | \$21 | \$24 |
| Age | | | | | | | | | | | | |
| 5 and younger | 0.5 | 28 | 52 | 0.2 | 20 | 121 | 0.0 | 2 | 42 | 0.3 | 6 | 19 |
| 6-14 | 0.6 | 43 | 74 | 0.3 | 34 | 130 | 0.0 | 3 | 71 | 0.3 | 6 | 23 |
| 15-20 | 0.8 | 62 | 79 | 0.3 | 48 | 168 | 0.1 | 4 | 65 | 0.4 | 10 | 23 |
| 21-44 | 1.7 | 125 | 72 | 0.6 | 91 | 163 | 0.1 | 7 | 87 | 1.1 | 27 | 24 |
| 45-64 | 4.6 | 329 | 71 | 1.6 | 238 | 147 | 0.2 | 19 | 109 | 2.8 | 72 | 25 |
| 65-74 | 4.3 | 253 | 59 | 1.6 | 185 | 119 | 0.2 | 12 | 78 | 2.6 | 56 | 22 |
| 75-84 | 2.8 | 154 | 54 | 1.1 | 113 | 106 | 0.1 | 6 | 56 | 1.6 | 33 | 20 |
| 85 and older | 2.4 | 118 | 50 | 0.8 | 82 | 99 | 0.1 | 7 | 55 | 1.4 | 28 | 20 |
| Unknown | 0.0 | 0 | 11 | 0.0 | 0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 11 |
| Basis of Eligibility | rd | | | | | | | | | | | |
| Aged | 3.7 | 215 | 58 | 1.4 | 158 | 115 | 0.1 | 10 | 72 | 2.2 | 47 | 2 |
| Disabled | 4.0 | 319 | 80 | 1.4 | 238 | 167 | 0.2 | 17 | 110 | 2.4 | 63 | 26 |
| Adults | 1.1 | 53 | 48 | 0.3 | 34 | 110 | 0.1 | 4 | 65 | 0.7 | 15 | 2 |
| Children | 0.6 | 36 | 64 | 0.2 | 28 | 127 | 0.0 | 2 | 57 | 0.3 | 7 | 2 |
| Unknown | 3.5 | 602 | 175 | 1.2 | 516 | 445 | 0.2 | 24 | 135 | 2.1 | 57 | 27 |
| Gender | | | | | | | | | | | | |
| Female | 1.6 | 104 | 64 | 0.5 | 74 | 136 | 0.1 | 6 | 78 | 1.0 | 23 | 23 |
| Male | 1.2 | 99 | 83 | 0.4 | 76 | 169 | 0.1 | 5 | 98 | 0.7 | 18 | 26 |
| Unknown | 9.4 | 595 | 63 | 4.1 | 470 | 115 | 0.6 | 19 | 32 | 4.7 | 106 | 23 |
| Race | | | | | | | | | | | | |
| White | 1.4 | 100 | 69 | 0.5 | 73 | 146 | 0.1 | 6 | 85 | 0.9 | 21 | 24 |
| African American | 1.5 | 119 | 80 | 0.5 | 91 | 172 | 0.1 | 5 | 87 | 0.9 | 22 | 24 |
| Other/unknown | 1.6 | 108 | 66 | 0.6 | 80 | 140 | 0.1 | 5 | 76 | 1.0 | 23 | 23 |
| Use of Nursing Fa | cilitiese | | | | | | | | | | | |
| Entire year | 9.2 | 678 | 74 | 3.4 | 516 | 152 | 0.3 | 27 | 82 | 5.4 | 135 | 25 |
| Part year | 7.8 | 583 | 75 | 2.6 | 431 | 166 | 0.3 | 30 | 99 | 4.9 | 121 | 25 |
| None | 1.4 | 98 | 70 | 0.5 | 72 | 149 | 0.1 | 6 | 84 | 0.8 | 20 | 24 |
| Maintenance Assi | stance Sta | tus | | | | | | | | | | |
| Cash | 1.6 | 108 | 68 | 0.5 | 79 | 146 | 0.1 | 6 | 80 | 1.0 | 23 | 24 |
| Medically needy | 0.0 | 0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | (|
| Poverty related | 0.6 | 34 | 60 | 0.2 | 25 | 128 | 0.0 | 2 | 57 | 0.3 | 7 | 20 |
| Other/unknown | 1.8 | 141 | 78 | 0.7 | 105 | 159 | 0.1 | 8 | 102 | 1.1 | 27 | 26 |

a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Missouri, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9ad778d7b6615 (October 26, 2007).

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}

NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | nber of R Nonth Am | | | \$ per | Benefit N Us | Month Amers | nong | | \$ pei | r Rx | | | | | Users ^e | |
|---|------------|----------------------------|------------------------------------|---------|-----------|---------------------------|-------------|---------|------------|---------------------------|------------------------------------|----------|--------------------|-------------------------|------------------|--------------------|--------------------------------|
| Therapeutic Category | F Total | Patented Brand- Name | Off- Patent Brand- Name (| Seneric | | atented Brand- Name | | Seneric | P Total | atented Brand- Name | Off- Patent Brand- Name (| Seneric | Total Number of Rx | Total Rx \$ | Number of | of All | Number of Benefit Months |
| Anti-infective Agents | 0.3 | 0.1 | 0.0 | 0.2 | \$18 | \$11 | \$3 | \$5 | \$64 | \$148 | \$69 | \$27 | 769,306 | \$49,446,314 | 268,130 | 44.4 | 2,776,919 |
| Biologicals | 0.1 | 0.1 | 0.0 | 0.0 | 78 | 66 | 2 | 9 | 538 | 523 | 547 | 671 | 15,703 | 8,442,700 | 10,046 | 1.7 | 108,061 |
| Antineoplastic Agents | 8.0 | 0.3 | 0.1 | 0.4 | 396 | 327 | 35 | 34 | 526 | 1,142 | 592 | 82 | 25,085 | 13,196,442 | 3,309 | 0.5 | 33,311 |
| Endocrine/Metabolic Drugs | 0.5 | 0.2 | 0.1 | 0.3 | 31 | 21 | 3 | 7 | 56 | 102 | 53 | 23 | 665,768 | 37,520,989 | 118,208 | 19.6 | 1,220,996 |
| Cardiovascular Agents | 1.3 | 0.5 | 0.0 | 0.8 | 55 | 39 | 0 | 15 | 42 | 86 | 28 | 18 | 930,291 | 39,167,507 | 67,373 | 11.2 | 709,309 |
| Respiratory Agents | 0.4 | 0.2 | 0.0 | 0.2 | 25 | 20 | 1 | 4 | 57 | 103 | 41 | 17 | 882,323 | 50,214,833 | 189,555 | 31.4 | 1,997,752 |
| Gastrointestinal Agents | 0.5 | 0.1 | 0.0 | 0.4 | 27 | 21 | 0 | 6 | 59 | 209 | 51 | 17 | 297,580 | 17,492,271 | 61,501 | 10.2 | 650,082 |
| Genitourinary Agents | 0.3 | 0.1 | 0.0 | 0.1 | 18 | 14 | 1 | 3 | 65 | 96 | 67 | 25 | 80,919 | 5,233,297 | 28,778 | 4.8 | 295,053 |
| CNS Drugs | 1.1 | 0.5 | 0.0 | 0.5 | 101 | 87 | 0 | 14 | 96 | 172 | 77 | 25 | 1,227,000 | 117,469,509 | 111,824 | 18.5 | 1,157,743 |
| Stimulants/Anti-obesity/Anorexia | 0.7 | 0.6 | 0.0 | 0.1 | 72 | 67 | 0 | 5 | 100 | 113 | 57 | 39 | 142,467 | 14,212,551 | 18,620 | 3.1 | 196,589 |
| Miscellaneous Psychological/ Neurological Agents Analgesics and Anesthetics | 0.5 0.5 | 0.5 0.1 | 0.0 | 0.0 | 181 27 | 180 9 | 0 | 1 11 | 347 49 | 367 160 | 68 218 | 41 24 | 16,314 858,655 | 5,664,535 41,925,031 | 2,899 151,980 | | 31,303 1,576,221 |
| Neuromuscular Agents | 0.7 | 0.2 | 0.0 | 0.4 | 60 | 41 | 3 | 16 | 86 | 173 | 99 | 37 | 513,546 | 43,967,224 | 69,441 | 11.5 | 734,901 |
| Nutritional Products | 0.3 | 0.0 | 0.0 | 0.3 | 6 | 0 | 0 | 5 | 18 | 25 | 17 | 17 | 149,621 | 2,664,330 | 45,793 | | 437,066 |
| Hematological Agents | 0.8 | 0.4 | 0.0 | 0.3 | 178 | 170 | 2 | 7 | 236 | 455 | 35 | 21 | 129,155 | 30,479,112 | 16,277 | 2.7 | 170,772 |
| Topical Products | 0.2 | 0.1 | 0.0 | 0.1 | 11 | 7 | 0 | 4 | 52 | 109 | 54 | 25 | 305.615 | 15.821.762 | , | | 1,423,880 |
| Miscellaneous Products | 0.3 | 0.1 | 0.0 | 0.2 | 59 | 42 | 5 | 13 | 176 | 353 | 287 | 65 | 19,616 | 3,448,638 | 5.489 | | 58,113 |
| Unknown Therapeutic Category | 0.2 | 0.0 | 0.0 | 0.0 | 9 | 0 | 0 | 0 | 50 | 000 | 0 | 0 | 18,268 | 905,462 | 9,469 | | 103,684 |
| TOTAL NO. OF RX AND RX \$ | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | 7,047,232 | 497,272,507 | n.a. | n.a. | n.a. |

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum

of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Missouri, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2005.

TABLE ND.7 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | | Users | | An | nong Use | rs |
|-------------------------------------|-------------------|--------------------|---|-----------------------------|--------------------------------------|-----------|----------------------------|
| Top 10 Drug Groups | Total Medicaid Rx | Number of Users | As a Percentage of All Beneficiaries | Number of Benefit Months | Number of Rx per Benefit Month | \$ per Rx | Rx \$ per Benefit Month |
| ANTIPSYCHOTICS | \$68,458,878 | 47,851 | 7.9 | 522,960 | 0.6 | \$225 | \$131 |
| ANTIDEPRESSANTS | 38,641,983 | 115,418 | 19.1 | 1,230,141 | 0.5 | 65 | 31 |
| ANTICONVULSANT | 36,789,047 | 47,209 | 7.8 | 512,030 | 0.6 | 115 | 72 |
| ANTIASTHMATIC | 31,872,043 | 126,037 | 20.9 | 1,363,634 | 0.3 | 76 | 23 |
| ANALGESICS - Narcotic | 25,311,944 | 177,705 | 29.4 | 1,896,722 | 0.3 | 46 | 13 |
| ANTIVIRAL | 17,737,711 | 13,567 | 2.2 | 144,694 | 0.3 | 427 | 123 |
| ANTIDIABETIC | 17,400,593 | 35,843 | 5.9 | 387,152 | 0.6 | 70 | 45 |
| ANTIHYPERLIPIDEMIC | 16,302,190 | 30,180 | 5.0 | 330,873 | 0.6 | 87 | 49 |
| MISC. HEMATOLOGICAL | 15,934,168 | 5,576 | 0.9 | 60,608 | 0.6 | 440 | 263 |
| STIMULANTS/ANTI-OBESITY/ANOREXIANTS | 13,881,967 | 21,344 | 3.5 | 232,205 | 0.6 | 100 | 60 |
| Total | 282,330,524 | 620,730 | | 6,681,019 | n.a. | n.a. | n.a. |

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.
a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$

⁼ Medicaid reimbursement.

TABLE ND.7A MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | All Top 1 | 10 Drug Groups | | ANT | IPSYCHOTI | CS | | | AN ⁻ | TIDEPRESS | ANTS | |
|--------------------------------|--------------|----------------|--------------------|----------------------------------|--|-----|---------------------------------------|--------------------|----------------------------------|--|---|---------------------------------------|
| Beneficiary Characteristics | Number of Rx | Rx \$ | Number of Users | Users as % of All Benes | Number of Benefit Months Among Users | | Mean Rx \$ per Benefit Month | Number of Users | Users as % of All Benes | Number of Benefit Months Among Users | Mean Number of Rx per Benefit Month | Mean Rx \$ per Benefit Month |
| All | 2,845,579 | \$282,330,524 | 47,851 | 7.9 | 522,960 | 0.6 | \$131 | 115,418 | 19.1 | 1,230,141 | 0.5 | |
| Female | ,,. | , ,,,,,,,, | , | | , | | • | -, | | ,, | | , , |
| All Females | 1,739,547 | 152,362,200 | 25,598 | 7.3 | 280,514 | 0.5 | 118 | 80,636 | 23.1 | 859,441 | 0.5 | 32 |
| Female, Disabled | | | | | | | | | | | | |
| All Ages | 1,167,956 | 111,393,204 | 17,556 | 31.5 | 197,577 | 0.6 | 136 | 43,886 | 78.8 | 487,651 | 0.6 | 37 |
| 5 and younger | 1,155 | 115,884 | 4 | 1.1 | 46 | 0.4 | 43 | 3 | 0.8 | 32 | 0.6 | 28 |
| 6-14 | 7,219 | 879,699 | | 15.3 | 1,656 | 0.7 | 139 | 125 | 12.8 | 1,387 | 0.6 | 23 |
| 15-20 | 16,502 | 2,012,957 | 504 | 26.3 | 5,626 | 0.6 | 125 | 797 | 41.5 | 8,736 | 0.4 | 29 |
| 21-44 | 383,211 | 40,206,452 | 8,612 | 40.1 | 96,305 | 0.6 | 129 | 17,555 | 81.7 | 193,729 | 0.5 | 35 |
| 45-64 | 757,752 | 68,040,722 | 8,271 | 26.9 | 93,797 | 0.6 | 144 | 25,345 | 82.3 | 283,214 | 0.6 | 39 |
| 65-74 | 2,052 | 133,278 | 15 | 8.3 | 147 | 0.6 | 94 | 60 | 33.1 | 541 | 0.7 | 41 |
| 75-84 | 6 | 611 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 85 and older | 59 | 3,601 | 0 | 0.0 | 0 | 0.0 | 0 | 1 | 16.7 | 12 | 0.3 | 3 |
| Female, Other Eligibles | | | | | | | | | | | | |
| All Ages | 571,591 | 40,968,996 | 8,042 | 2.7 | 82,937 | 0.4 | 76 | 36,750 | 12.6 | 371,790 | 0.4 | 24 |
| 5 and younger | 27,032 | 1,963,798 | 138 | 0.2 | 1,522 | 0.3 | 54 | 65 | 0.1 | 713 | 0.3 | 13 |
| 6-14 | 93,996 | 8,678,699 | 1,584 | 2.3 | 17,253 | 0.5 | 98 | 2,686 | 3.9 | 29,499 | 0.4 | 20 |
| 15-20 | 76,813 | 5,989,946 | 1,796 | 3.8 | 17,993 | 0.5 | 81 | 5,951 | 12.4 | 61,679 | 0.3 | 20 |
| 21-44 | 297,377 | 18,609,244 | 3,778 | 3.5 | 38,284 | 0.3 | 55 | 24,957 | 23.3 | 249,007 | 0.3 | 25 |
| 45-64 | 36,533 | 2,626,486 | 291 | 4.9 | 2,726 | 0.4 | 75 | 2,222 | 37.7 | 20,990 | 0.5 | 34 |
| 65-74 | 31,711 | 2,540,803 | 340 | 20.1 | 3,909 | 0.8 | 161 | 625 | 36.9 | 7,241 | 0.7 | 36 |
| 75-84 | 5,521 | 382,866 | 56 | 8.7 | 625 | 0.7 | 109 | 152 | 23.7 | 1,701 | 0.6 | 30 |
| 85 and older | 2,608 | 177,154 | 59 | 10.9 | 625 | 0.6 | 68 | 92 | 17.0 | 960 | 0.7 | 36 |
| Male | | | | | | | | | | | | |
| All Males | 1,105,985 | 129,963,727 | 22,250 | 8.7 | 242,419 | 0.6 | 145 | 34,781 | 13.6 | 370,691 | 0.5 | 31 |
| Male, Disabled | | | | | | | | | | | | |
| All Ages | 701,820 | 89,733,775 | 14,413 | 30.0 | 160,422 | 0.7 | 163 | 22,103 | 46.0 | 241,098 | 0.5 | 34 |
| 5 and younger | 1,833 | 329,028 | 16 | 3.5 | 176 | 0.7 | 125 | 4 | 0.9 | 38 | 0.4 | 9 |
| 6-14 | 19,500 | 3,002,858 | 575 | 32.6 | 6,354 | 0.7 | 163 | 346 | 19.6 | 3,902 | 0.6 | 26 |
| 15-20 | 28,579 | 7,202,799 | 1,114 | 36.2 | 12,367 | 0.6 | 158 | 943 | 30.6 | 10,417 | 0.5 | 33 |
| 21-44 | 267,478 | 37,991,491 | 7,823 | 38.4 | 87,345 | 0.6 | 163 | 10,161 | 49.9 | 110,531 | 0.5 | 33 |
| 45-64 | 383,326 | 41,122,831 | 4,872 | 21.9 | 54,051 | 0.7 | 165 | 10,624 | 47.8 | 116,033 | 0.6 | 35 |
| 65-74 | 1,081 | 83,495 | 13 | 9.1 | 129 | 0.9 | 101 | 25 | 17.5 | 177 | 0.8 | 45 |
| 75-84 | 23 | 1,273 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| 85 and older | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |

TABLE ND.7A MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | All Top 10 | Drug Groups | | ANTI | PSYCHOTIC | S | | | AN ⁻ | TIDEPRESSA | NTS | |
|--------------------------------|--------------|-------------|--------------------|----------------------------------|--|---|---------------------------------------|-----------------|----------------------------------|-----------------|---|---------------------------------------|
| Beneficiary Characteristics | Number of Rx | Rx \$ | Number of Users | Users as % of All Benes | Number of Benefit N Months Among Users | Mean lumber of Rx per I Benefit Month | Mean Rx \$ per Benefit Month | Number of Users | Users as % of All Benes | Months Among | Mean Number of Rx per Benefit Month | Mean Rx \$ per Benefit Month |
| Male, Other Eligibles | | | | | | | | | | | | |
| All Ages | 404,165 | 40,229,952 | 7,837 | 3.8 | 81,997 | 0.6 | 111 | 12,678 | 6.1 | 129,593 | 0.4 | 25 |
| 5 and younger | 41,655 | 3,460,832 | 318 | 0.5 | 3,505 | 0.4 | 71 | 120 | 0.2 | 1,317 | 0.3 | 11 |
| 6-14 | 178,295 | 18,421,137 | 3,840 | 5.4 | 41,762 | 0.6 | 113 | 3,952 | 5.5 | 43,400 | 0.5 | 23 |
| 15-20 | 72,550 | 9,709,605 | 2,337 | 6.4 | 23,346 | 0.6 | 125 | 3,294 | 9.0 | 33,105 | 0.5 | 26 |
| 21-44 | 72,513 | 5,438,928 | 937 | 3.2 | 9,115 | 0.3 | 68 | 4,063 | 13.7 | 39,087 | 0.4 | 26 |
| 45-64 | 20,560 | 1,552,762 | 143 | 3.4 | 1,340 | 0.4 | 70 | 866 | 20.4 | 8,486 | 0.4 | 30 |
| 65-74 | 14,038 | 1,301,788 | 190 | 19.9 | 2,184 | 0.8 | 182 | 272 | 28.5 | 3,061 | 0.7 | 38 |
| 75-84 | 3,474 | 265,973 | 46 | 11.1 | 490 | 0.6 | 113 | 73 | 17.6 | 786 | 0.7 | 36 |
| 85 and older | 1,080 | 78,927 | 26 | 15.0 | 255 | 0.7 | 100 | 38 | 22.0 | 351 | 0.6 | 30 |
| Unknown | 47 | 4,597 | 3 | 27.3 | 27 | 0.6 | 57 | 1 | 9.1 | 9 | 0.9 | 91 |

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

${\sf TABLE\;ND.7B}\\ {\sf MEDICAID\;PHARMACY\;BENEFIT\;USE\;AND\;REIMBURSEMENT\;FOR\;THIRD\;TO\;FIFTH\;TOP\;DRUG\;GROUPS\;SEPARATELY,}$

BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | ANTIO | CONVULSA | NT | | | AN | TIASTHMATIC | С | | | ANALG | ESICS - Nar | cotic | |
|-----------------------------|--------------------|----------------------------------|--|---|------|--------------------|----------------------------------|--|---|---------------------------------------|--------------------|----------------------------------|--|---|---------------------------------------|
| Beneficiary Characteristics | Number of Users | Users as % of All Benes | Number of Benefit N Months Among Users | Mean Number of Rx per F Benefit Month | | Number of Users | Users as % of All Benes | Number of Benefit N Months Among Users | Mean Number of Rx per Benefit Month | Mean Rx \$ per Benefit Month | Number of Users | Users as % of All Benes | Number of Benefit N Months Among Users | Mean lumber of Rx per Benefit Month | Mean Rx \$ per Benefit Month |
| All | 47,209 | 7.8 | 512,030 | 0.6 | \$72 | 126,037 | 20.9 | 1,363,634 | 0.3 | \$23 | 177,705 | 29.4 | 1,896,722 | 0.3 | \$13 |
| Female | | | | | | | | | | | | | | | |
| All Females | 29,217 | 8.4 | 316,698 | 0.6 | 69 | 74,201 | 21.3 | 803,778 | 0.3 | 24 | 121,601 | 34.9 | 1,301,628 | 0.3 | 12 |
| Female, Disabled | | | | | | | | | | | | | | | |
| All Ages | 19,510 | 35.0 | 217,092 | 0.7 | 78 | 30,440 | 54.6 | 341,180 | 0.4 | 34 | 50,525 | 90.7 | 562,775 | 0.4 | 21 |
| 5 and younger | 67 | 18.8 | 699 | 0.7 | 88 | 163 | 45.8 | 1,710 | 0.3 | 24 | 37 | 10.4 | 409 | 0.1 | 2 |
| 6-14 | 238 | 24.3 | 2,637 | 0.9 | 132 | 339 | 34.6 | 3,864 | 0.4 | 30 | 121 | 12.3 | 1,396 | 0.2 | 2 |
| 15-20 | 533 | 27.8 | 5,917 | 0.7 | 121 | 493 | 25.7 | 5,464 | 0.3 | 24 | 750 | 39.1 | 8,300 | 0.2 | 5 |
| 21-44 | 8,819 | 41.1 | 97,720 | 0.7 | 83 | 9,779 | 45.5 | 109,191 | 0.4 | 27 | 20,168 | 93.9 | 224,064 | 0.4 | 17 |
| 45-64 | 9,831 | 31.9 | 109,942 | 0.7 | 69 | 19,613 | 63.7 | 220,437 | 0.5 | 39 | 29,360 | 95.4 | 327,840 | 0.4 | 24 |
| 65-74 | 22 | 12.2 | 177 | 0.8 | 38 | 52 | 28.7 | 502 | 0.8 | 49 | 88 | 48.6 | 754 | 0.4 | 14 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 1 | 16.7 | 12 | 1.2 | 17 | 1 | 16.7 | 12 | 0.3 | 5 |
| Female, Other Eligibles | | | | | | | | | | | | | | | |
| All Ages | 9,707 | 3.3 | 99,606 | 0.5 | 52 | 43,761 | 15.0 | 462,598 | 0.2 | 17 | 71,076 | 24.3 | 738,853 | 0.2 | 5 |
| 5 and younger | 298 | 0.5 | 3,096 | 0.5 | 71 | 11,156 | 18.3 | 119,535 | 0.2 | 13 | 1,818 | 3.0 | 20,328 | 0.1 | 1 |
| 6-14 | 1,216 | 1.8 | 13,361 | 0.6 | 83 | 11,072 | 16.2 | 121,777 | 0.2 | 19 | 4,889 | 7.2 | 54,960 | 0.1 | 2 |
| 15-20 | 1,483 | 3.1 | 15,270 | 0.5 | 67 | 5,923 | 12.4 | 62,343 | 0.2 | 16 | 12,003 | 25.1 | 127,293 | 0.1 | 2 |
| 21-44 | 5,854 | 5.5 | 59,024 | 0.4 | 40 | 13,343 | 12.5 | 135,286 | 0.3 | 16 | 48,303 | 45.2 | 495,025 | 0.2 | 6 |
| 45-64 | 527 | 8.9 | 5,124 | 0.5 | 45 | 1,362 | 23.1 | 13,232 | 0.4 | 27 | 2,916 | 49.5 | 28,224 | 0.3 | 13 |
| 65-74 | 266 | 15.7 | 3,035 | 0.8 | 52 | 699 | 41.3 | 8,169 | 0.5 | 40 | 883 | 52.2 | 10,126 | 0.4 | 15 |
| 75-84 | 45 | 7.0 | 520 | 0.8 | 67 | 135 | 21.0 | 1,523 | 0.5 | 34 | 167 | 26.0 | 1,844 | 0.4 | 9 |
| 85 and older | 18 | 3.3 | 176 | 0.6 | 28 | 71 | 13.1 | 733 | 0.4 | 26 | 97 | 17.9 | 1,053 | 0.4 | 18 |
| Male | | | | | | | | | | | | | | | |
| All Males | 17,992 | 7.0 | 195,332 | 0.7 | 76 | 51,835 | 20.3 | 559,855 | 0.3 | 22 | 56,103 | 22.0 | 595,085 | 0.3 | 17 |
| Male, Disabled | | | | | | | | | | | | | | | |
| All Ages | 12,827 | 26.7 | 141,699 | 0.7 | 82 | 13,888 | 28.9 | 152,658 | 0.5 | 36 | 28,774 | 59.9 | 311,402 | 0.4 | 26 |
| 5 and younger | 95 | 20.7 | 1,052 | 0.7 | 92 | 248 | 53.9 | 2,630 | 0.3 | 24 | 52 | 11.3 | 566 | 0.1 | 1 |
| 6-14 | 511 | 29.0 | 5,838 | 0.8 | 114 | 654 | 37.1 | 7,408 | 0.4 | 27 | 205 | 11.6 | 2,365 | 0.1 | 3 |
| 15-20 | 792 | 25.7 | 8,835 | 0.8 | 122 | 562 | 18.3 | 6,301 | 0.3 | 32 | 750 | 24.4 | 8,245 | 0.2 | 5 |
| 21-44 | 6,297 | 30.9 | 69,560 | 0.7 | 87 | 3,845 | 18.9 | 42,671 | 0.4 | 25 | 11,857 | 58.3 | 128,117 | 0.4 | 22 |
| 45-64 | 5,117 | 23.0 | 56,286 | 0.7 | 67 | 8,541 | 38.4 | 93,340 | 0.5 | 43 | 15,867 | 71.4 | 171,764 | 0.4 | 30 |
| 65-74 | 13 | 9.1 | 104 | 0.5 | 43 | 37 | 25.9 | 296 | 0.5 | 35 | 42 | 29.4 | 333 | 0.5 | 35 |
| 75-84 | 2 | 40.0 | 24 | 0.5 | 18 | 1 | 20.0 | 12 | 0.3 | 20 | 1 | 20.0 | 12 | 0.4 | 7 |
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | O |

TABLE ND.7B MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,

BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | ANTIC | CONVULSA | NT | | | ANT | TASTHMATIC |) | | | ANALO | SESICS - Nar | cotic | |
|------------------------------|-----------|--------|-----------|-----------|-----------|-----------|--------|------------|-----------|-----------|--------|--------|--------------|-----------|-----------|
| | | ı | Number of | Mean | | | | Number of | Mean | | | | Number of | Mean | |
| | | Users | Benefit N | lumber of | Mean | | Users | Benefit N | lumber of | Mean | | Users | Benefit N | lumber of | Mean |
| | | as % | Months | Rx per | Rx \$ per | | as % | Months | Rx per | Rx \$ per | | as % | Months | Rx per f | Rx \$ per |
| Danafiaiam - Obanastaniatiaa | Number of | of All | Among | Benefit | | Number of | of All | Among | Benefit | Benefit | | of All | Among | | Benefit |
| Beneficiary Characteristics | Users | Benes | Users | Month | Month | Users | Benes | Users | Month | Month | Users | Benes | Users | Month | Month |
| Male, Other Eligibles | | | | | | | | | | | | | | | |
| All Ages | 5,165 | 2.5 | 53,633 | 0.5 | 59 | 37,947 | 18.3 | 407,197 | 0.2 | 17 | 27,329 | 13.2 | 283,683 | 0.2 | 7 |
| 5 and younger | 388 | 0.6 | 4,168 | 0.4 | 57 | 15,744 | 24.5 | 169,112 | 0.2 | 14 | 2,421 | 3.8 | 27,063 | 0.1 | 1 |
| 6-14 | 1,793 | 2.5 | 19,704 | 0.6 | 67 | 14,300 | 20.0 | 156,756 | 0.3 | 20 | 4,904 | 6.9 | 54,714 | 0.1 | 1 |
| 15-20 | 1,153 | 3.2 | 11,574 | 0.6 | 73 | 4,273 | 11.7 | 44,577 | 0.3 | 17 | 5,694 | 15.6 | 59,857 | 0.1 | 2 |
| 21-44 | 1,373 | 4.6 | 13,435 | 0.4 | 39 | 2,557 | 8.6 | 25,623 | 0.3 | 17 | 11,962 | 40.4 | 118,147 | 0.3 | 10 |
| 45-64 | 278 | 6.6 | 2,719 | 0.4 | 42 | 615 | 14.5 | 6,154 | 0.3 | 25 | 1,872 | 44.1 | 18,661 | 0.4 | 18 |
| 65-74 | 135 | 14.1 | 1,563 | 0.9 | 59 | 339 | 35.5 | 3,765 | 0.5 | 41 | 337 | 35.3 | 3,784 | 0.3 | 19 |
| 75-84 | 30 | 7.2 | 348 | 0.6 | 38 | 90 | 21.7 | 950 | 0.5 | 38 | 99 | 23.9 | 1,090 | 0.4 | 23 |
| 85 and older | 15 | 8.7 | 122 | 0.4 | 20 | 29 | 16.8 | 260 | 0.5 | 37 | 40 | 23.1 | 367 | 0.5 | 20 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 1 | 9.1 | 1 | 1.0 | 94 | 1 | 9.1 | 9 | 0.1 | 1 |

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

${\it TABLE~ND.7C}\\ {\it MEDICAID~PHARMACY~BENEFIT~USE~AND~REIMBURSEMENT~FOR~SIXTH~TO~EIGHTH~TOP~DRUG~GROUPS~SEPARATELY,}$

BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | P | ANTIVIRAL | | | | | TIDIABETIC | | | | ANTIH' | YPERLIPIDE | MIC | |
|------------------|-----------|----------------|-----------------|-------------------|-----------|-----------|----------------|-----------------|-------------------|-----------|-----------|----------------|-----------------|-------------------|----------------------|
| | | Users | | Mean lumber of | Mean | | Users | | Mean lumber of | Mean | | Users | | Mean Number of | Mean |
| Beneficiary | Number of | as % of All | Months Among | | Rx \$ per | Number of | as % of All | Months Among | | Rx \$ per | Number of | as % of All | Months Among | | Rx \$ per Benefit |
| Characteristics | Users | Benes | Users | Month | Month | Users | Benes | Users | Month | | Users | Benes | Users | Month | |
| All | 13,567 | 2.2 | 144,694 | 0.3 | \$123 | 35,843 | 5.9 | 387,152 | 0.6 | \$45 | 30,180 | 5.0 | 330,873 | 0.6 | \$49 |
| Female | | | | | | | | | | | | | | | |
| All Females | 8,120 | 2.3 | 86,317 | 0.2 | 79 | 23,874 | 6.9 | 259,898 | 0.6 | 45 | 18,617 | 5.3 | 205,926 | 0.6 | 49 |
| Female, Disable | d | | | | | | | | | | | | | | |
| All Ages | 2,820 | 5.1 | 31,463 | 0.4 | 165 | 18,143 | 32.6 | 202,268 | 0.7 | 47 | 15,215 | 27.3 | 170,632 | 0.6 | 51 |
| 5 and younger | 8 | 2.2 | 86 | 0.3 | 49 | 3 | 0.8 | 28 | 0.3 | 19 | 0 | 0.0 | 0 | 0.0 | C |
| 6-14 | 23 | 2.3 | 257 | 0.3 | 142 | 23 | 2.3 | 259 | 0.8 | 75 | 2 | 0.2 | 15 | 0.3 | 21 |
| 15-20 | 54 | 2.8 | 608 | 0.2 | 66 | 104 | 5.4 | 1,175 | 0.5 | 36 | 15 | 0.8 | 166 | 0.4 | 30 |
| 21-44 | 1,328 | 6.2 | 14,696 | 0.4 | 168 | 3,896 | 18.1 | 43,134 | 0.6 | 41 | 2,786 | 13.0 | 31,171 | 0.5 | 41 |
| 45-64 | 1,404 | 4.6 | 15,793 | 0.3 | 167 | 14,054 | 45.7 | 157,099 | 0.7 | 49 | 12,360 | 40.2 | 138,790 | 0.6 | 53 |
| 65-74 | 3 | 1.7 | 23 | 0.2 | 42 | 59 | 32.6 | 525 | 0.8 | 35 | 51 | 28.2 | 478 | 0.7 | 63 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 1 | 25.0 | 12 | 0.5 | 51 |
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 4 | 66.7 | 48 | 0.6 | 41 | 0 | 0.0 | 0 | 0.0 | C |
| Female, Other El | ligibles | | | | | | | | | | | | | | |
| All Ages | 5,300 | 1.8 | 54,854 | 0.2 | 29 | 5,731 | 2.0 | 57,630 | 0.5 | 37 | 3,402 | 1.2 | 35,294 | 0.5 | 41 |
| 5 and younger | 612 | 1.0 | 6,686 | 0.1 | 5 | 21 | 0.0 | 239 | 0.9 | 75 | 42 | 0.1 | 455 | 0.1 | 3 |
| 6-14 | 1,033 | 1.5 | 11,549 | 0.1 | 11 | 278 | 0.4 | 3,077 | 0.6 | 53 | 18 | 0.0 | 191 | 0.4 | 37 |
| 15-20 | 829 | 1.7 | 8,687 | 0.1 | 16 | 464 | 1.0 | 4,786 | 0.5 | 38 | 59 | 0.1 | 617 | 0.3 | 23 |
| 21-44 | 2,624 | 2.5 | 25,921 | 0.2 | 44 | 3,222 | 3.0 | 31,198 | 0.5 | 31 | 1,768 | 1.7 | 17,752 | 0.4 | 32 |
| 45-64 | 149 | 2.5 | 1,399 | 0.2 | 103 | 701 | 11.9 | 6,413 | 0.6 | 45 | 664 | 11.3 | 6,471 | 0.5 | 45 |
| 65-74 | 37 | 2.2 | 440 | 0.2 | 47 | 846 | 50.0 | 9,728 | 0.7 | 44 | 678 | 40.0 | 7,867 | 0.6 | 57 |
| 75-84 | 10 | 1.6 | 110 | 0.1 | 12 | 148 | 23.1 | 1,668 | 0.7 | 32 | 139 | 21.7 | 1,553 | 0.6 | 48 |
| 85 and older | 6 | 1.1 | 62 | 0.1 | 5 | 51 | 9.4 | 521 | 0.7 | 36 | 34 | 6.3 | 388 | 0.6 | 55 |
| Male | | | | | | | | | | | | | | | |
| All Males | 5,447 | 2.1 | 58,377 | 0.4 | 188 | 11,967 | 4.7 | 127,236 | 0.7 | 46 | 11,561 | 4.5 | 124,929 | 0.6 | 50 |
| Male, Disabled | | | | | | | | | | | | | | | |
| All Ages | 3,007 | 6.3 | 32,038 | 0.6 | 320 | 9,526 | 19.8 | 103,103 | 0.7 | 45 | 9,480 | 19.7 | 104,015 | 0.6 | 51 |
| 5 and younger | 14 | 3.0 | 160 | 0.1 | 7 | 0 | 0.0 | 0 | 0.0 | 0 | 3 | 0.7 | 27 | 0.3 | 11 |
| 6-14 | 36 | 2.0 | 401 | 0.3 | 119 | 28 | 1.6 | 308 | 0.6 | 48 | 8 | 0.5 | 90 | 0.5 | 39 |
| 15-20 | 49 | 1.6 | 570 | 0.2 | 115 | 81 | 2.6 | 913 | 0.7 | 56 | 37 | 1.2 | 408 | 0.5 | 40 |
| 21-44 | 1,620 | 8.0 | 16,871 | 0.6 | 313 | 2,321 | 11.4 | 25,506 | 0.6 | 47 | 2,327 | 11.4 | 26,019 | 0.5 | 44 |
| 45-64 | 1,282 | 5.8 | 14,004 | 0.6 | 346 | 7,062 | 31.8 | 76,110 | 0.7 | 45 | 7,065 | 31.8 | 77,137 | 0.6 | 54 |
| 65-74 | 6 | 4.2 | 32 | 0.2 | 44 | 34 | 23.8 | 266 | 0.6 | 28 | 40 | 28.0 | 334 | 0.7 | 59 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | C |
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | C |

TABLE ND.7C MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,

BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | P | NTIVIRAL | | | | AN | ITIDIABETIC | | | | ANTIF | YPERLIPIDE | MIC | |
|------------------|-----------|--------|-----------|-----------|-----------|-----------|--------|-------------|-----------|-----------|-----------|--------|------------|-----------|-----------|
| | | | Number of | Mean | | | | Number of | Mean | | | | Number of | Mean | |
| | | Users | Benefit N | lumber of | Mean | | Users | Benefit N | lumber of | Mean | | Users | Benefit N | Number of | Mean |
| | | as % | Months | Rx per l | Rx \$ per | | as % | Months | Rx per l | Rx \$ per | | as % | Months | Rx per | Rx \$ per |
| Beneficiary | Number of | of All | Among | Benefit | Benefit | Number of | of All | Among | Benefit | Benefit | Number of | of All | Among | Benefit | Benefit |
| Characteristics | Users | Benes | Users | Month | Month | Users | Benes | Users | Month | Month | Users | Benes | Users | Month | Month |
| Male, Other Elig | ibles | | | | | | | | | | | | | | |
| All Ages | 2,440 | 1.2 | 26,339 | 0.1 | 27 | 2,441 | 1.2 | 24,133 | 0.6 | 47 | 2,081 | 1.0 | 20,914 | 0.5 | 43 |
| 5 and younger | 644 | 1.0 | 7,101 | 0.1 | 4 | 30 | 0.0 | 306 | 0.6 | 52 | 47 | 0.1 | 476 | 0.1 | 2 |
| 6-14 | 947 | 1.3 | 10,497 | 0.1 | 12 | 276 | 0.4 | 2,894 | 0.7 | 62 | 15 | 0.0 | 160 | 0.3 | 30 |
| 15-20 | 384 | 1.1 | 4,111 | 0.1 | 13 | 203 | 0.6 | 2,021 | 0.8 | 75 | 41 | 0.1 | 447 | 0.4 | 30 |
| 21-44 | 369 | 1.2 | 3,636 | 0.2 | 102 | 975 | 3.3 | 9,088 | 0.5 | 40 | 1,034 | 3.5 | 10,216 | 0.4 | 36 |
| 45-64 | 62 | 1.5 | 614 | 0.2 | 95 | 481 | 11.3 | 4,474 | 0.6 | 48 | 582 | 13.7 | 5,598 | 0.5 | 47 |
| 65-74 | 25 | 2.6 | 287 | 0.4 | 264 | 341 | 35.7 | 3,899 | 0.7 | 38 | 279 | 29.2 | 3,122 | 0.7 | 60 |
| 75-84 | 7 | 1.7 | 78 | 0.1 | 8 | 103 | 24.9 | 1,153 | 0.7 | 36 | 71 | 17.1 | 767 | 0.7 | 55 |
| 85 and older | 2 | 1.2 | 15 | 0.2 | 7 | 32 | 18.5 | 298 | 0.6 | 26 | 12 | 6.9 | 128 | 0.8 | 67 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 2 | 18.2 | 18 | 0.7 | 77 | 2 | 18.2 | 18 | 0.5 | 42 |

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

TABLE ND.7D MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS

SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

MISC. HEMATOLOGICAL STIMULANTS/ANTI-OBESITY/ANOREXIANTS

| | | IVIISC. F | TEIVIA I OLOG | ICAL | | STIWIULA | N I S/AIN | II-OBESII Y/F | ANOREXIA | 1112 | | |
|------------------|-----------|-------------------------|---|--|--------|-----------|-------------------------|---|----------|------------------------------|-----------------|----------------|
| Beneficiary | Number of | Users as % of All | Number of Benefit N Months Among | Mean lumber of Rx per F Benefit | | Number of | Users as % of All | Number of Benefit N Months Among | Rx per F | Mean Rx \$ per Benefit | Number of | Number of |
| Characteristics | Users | Benes | Users | Month | Month | Users | Benes | Users | Month | Month | Beneficiaries I | Benefit Months |
| All | 5,576 | 0.9 | 60,608 | 0.6 | \$263 | 21,344 | 3.5 | 232,205 | 0.6 | \$60 | 604,002 | 4,874,761 |
| Female | | | | | | | | | | | | |
| All Females | 3,047 | 0.9 | 33,669 | 0.6 | 87 | 6,022 | 1.7 | 65,369 | 0.6 | 56 | 348,415 | 2,771,325 |
| Female, Disabled | i | | | | | | | | | | | |
| All Ages | 2,668 | 4.8 | 29,645 | 0.6 | 83 | 590 | 1.1 | 6,392 | 0.6 | 60 | 55,706 | 567,077 |
| 5 and younger | 2 | 0.6 | 15 | 0.7 | 225 | 6 | 1.7 | 68 | 0.5 | 32 | 356 | 3,132 |
| 6-14 | 2 | 0.2 | 24 | 0.8 | 72 | 165 | 16.8 | 1,812 | 0.6 | 51 | 980 | 10,231 |
| 15-20 | 3 | 0.2 | 33 | 0.3 | 6 | 136 | 7.1 | 1,481 | 0.6 | 55 | 1,920 | 19,110 |
| 21-44 | 295 | 1.4 | 3,304 | 0.5 | 158 | 203 | 0.9 | 2,178 | 0.5 | 69 | 21,480 | 218,568 |
| 45-64 | 2,349 | 7.6 | 26,134 | 0.6 | 73 | 80 | 0.3 | 853 | 0.6 | 67 | 30,779 | 314,667 |
| 65-74 | 15 | 8.3 | 111 | 0.5 | 55 | 0 | 0.0 | 0 | 0.0 | 0 | 181 | 1,292 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 4 | 31 |
| 85 and older | 2 | 33.3 | 24 | 0.5 | 55 | 0 | 0.0 | 0 | 0.0 | 0 | 6 | 46 |
| Female, Other El | igibles | | | | | | | | | | | |
| All Ages | 379 | 0.1 | 4,024 | 0.6 | 119 | 5,432 | 1.9 | 58,977 | 0.6 | 56 | 292,709 | 2,204,248 |
| 5 and younger | 5 | 0.0 | 46 | 0.1 | 20 | 223 | 0.4 | 2,466 | 0.4 | 35 | 60,872 | 468,773 |
| 6-14 | 5 | 0.0 | 60 | 0.3 | 1,429 | 4,121 | 6.0 | 45,094 | 0.6 | 57 | 68,347 | 590,632 |
| 15-20 | 6 | 0.0 | 63 | 0.2 | 2,074 | 886 | 1.9 | 9,409 | 0.5 | 58 | 47,800 | 346,156 |
| 21-44 | 104 | 0.1 | 1,044 | 0.5 | 58 | 189 | 0.2 | 1,879 | 0.5 | 54 | 106,921 | 728,825 |
| 45-64 | 80 | 1.4 | 763 | 0.4 | 48 | 13 | 0.2 | 129 | 0.6 | 77 | 5,893 | 41,012 |
| 65-74 | 121 | 7.1 | 1,399 | 0.7 | 81 | 0 | 0.0 | 0 | 0.0 | 0 | 1,693 | 18,267 |
| 75-84 | 38 | 5.9 | 420 | 0.6 | 78 | 0 | 0.0 | 0 | 0.0 | 0 | 642 | 6,034 |
| 85 and older | 20 | 3.7 | 229 | 0.8 | 73 | 0 | 0.0 | 0 | 0.0 | 0 | 541 | 4,549 |
| Male | | | | | | | | | | | | |
| All Males | 2,529 | 1.0 | 26,939 | 0.6 | 483 | 15,322 | 6.0 | 166,836 | 0.6 | 61 | 255,576 | 2,103,374 |
| Male, Disabled | | | | | | | | | | | | |
| All Ages | 2,204 | 4.6 | 23,671 | 0.6 | 379 | 1,330 | 2.8 | 14,755 | 0.7 | 71 | 48,022 | 464,769 |
| 5 and younger | 1 | 0.2 | 12 | 1.6 | 11,605 | 23 | 5.0 | 222 | 0.3 | 26 | 460 | 4,093 |
| 6-14 | 5 | 0.3 | 60 | 0.7 | 7,926 | 588 | 33.4 | 6,496 | 0.7 | 70 | 1,762 | 18,499 |
| 15-20 | 8 | 0.3 | 96 | 0.8 | 32,205 | 435 | 14.1 | 4,843 | 0.7 | 75 | 3,078 | 30,332 |
| 21-44 | 250 | 1.2 | 2,629 | 0.5 | 921 | 242 | 1.2 | 2,728 | 0.6 | 68 | 20,355 | 197,483 |
| 45-64 | 1,926 | 8.7 | 20,761 | 0.6 | 137 | 42 | 0.2 | 466 | 0.7 | 90 | 22,217 | 213,369 |
| 65-74 | 13 | 9.1 | 101 | 0.6 | 76 | 0 | 0.0 | 0 | 0.0 | 0 | 143 | 944 |
| 75-84 | 1 | 20.0 | 12 | 0.3 | 44 | 0 | 0.0 | 0 | 0.0 | 0 | 5 | 38 |
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 2 | 11 |

TABLE ND.7D

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS

SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSOURI, 2005

MISC. HEMATOLOGICAL

STIMULANTS/ANTI-OBESITY/ANOREXIANTS

| | | | Number of | Mean | | | | Number of | Mean | | | |
|-------------------|-----------|--------|-----------|----------|-----------|-----------|--------|-----------|----------|-----------|-----------------|----------------|
| | | Users | Benefit N | umber of | Mean | | Users | Benefit N | umber of | Mean | | |
| | | as % | Months | Rx per l | Rx \$ per | | as % | Months | Rx per l | Rx \$ per | | |
| Beneficiary | Number of | of All | Among | Benefit | Benefit | Number of | of All | Among | Benefit | Benefit | Number of | Number of |
| Characteristics | Users | Benes | Users | Month | Month | Users | Benes | Users | Month | Month | Beneficiaries E | Benefit Months |
| Male, Other Eligi | bles | | | | | | | | | | | |
| All Ages | 325 | 0.2 | 3,268 | 0.6 | 1,234 | 13,992 | 6.7 | 152,081 | 0.6 | 60 | 207,554 | 1,638,605 |
| 5 and younger | 10 | 0.0 | 110 | 0.8 | 2,927 | 685 | 1.1 | 7,515 | 0.4 | 34 | 64,166 | 496,688 |
| 6-14 | 11 | 0.0 | 125 | 0.8 | 6,310 | 10,789 | 15.1 | 118,218 | 0.6 | 61 | 71,560 | 620,879 |
| 15-20 | 14 | 0.0 | 141 | 0.9 | 16,395 | 2,427 | 6.7 | 25,465 | 0.6 | 66 | 36,466 | 272,007 |
| 21-44 | 97 | 0.3 | 942 | 0.5 | 498 | 83 | 0.3 | 803 | 0.5 | 71 | 29,577 | 203,148 |
| 45-64 | 84 | 2.0 | 727 | 0.6 | 71 | 8 | 0.2 | 80 | 0.4 | 42 | 4,242 | 30,781 |
| 65-74 | 73 | 7.6 | 824 | 0.7 | 70 | 0 | 0.0 | 0 | 0.0 | 0 | 956 | 9,919 |
| 75-84 | 28 | 6.8 | 311 | 0.7 | 78 | 0 | 0.0 | 0 | 0.0 | 0 | 414 | 3,750 |
| 85 and older | 8 | 4.6 | 88 | 0.6 | 80 | 0 | 0.0 | 0 | 0.0 | 0 | 173 | 1,433 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 11 | 62 |

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy; \$ = Medicaid reimbursement.

a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

TABLE ND.8 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC^{a, b}

NONDUAL BENEFICIARIES, MISSOURI, 2005

| Deneficient | | Number of Dynas Deposit | Number of All Veer Number | Benefit Months Among All- |
|--------------------------------|-------------------------|-------------------------|---|------------------------------------|
| Beneficiary Characteristics | Rx \$ per Benefit Month | Month | Number of All-Year Nursing Facility Residents | Year Nursing Facility Residents |
| All | \$678 | 9.2 | | 20,056 |
| Age | | | | |
| 0-64 | 741 | 9.7 | 1,394 | 15,285 |
| 65-74 | 581 | 8.4 | 229 | 2,518 |
| 75-84 | 421 | 7.2 | 106 | 1,090 |
| 85 and older | 304 | 5.9 | 115 | 1,163 |
| Unknown | 0 | 0.0 | 0 | 0 |
| Gender | | | | |
| Female | 682 | 9.8 | 914 | 9,981 |
| Male | 675 | 8.6 | 930 | 10,075 |
| Unknown | 0 | 0.0 | 0 | 0 |
| Race | | | | |
| White | 701 | 9.7 | 1,223 | 13,094 |
| African American | 644 | 8.3 | 571 | 6,433 |
| Other/unknown | 543 | 7.2 | 50 | 529 |
| Basis of Eligibility | : | | | |
| Aged | 476 | 7.5 | 436 | 4,677 |
| Disabled | 740 | 9.7 | 1,408 | 15,379 |
| Adults | 0 | 0.0 | 0 | 0 |
| Children | 0 | 0.0 | 0 | 0 |
| Unknown | 0 | 0.0 | 0 | 0 |

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.
a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2005 Medicaid enrollment. A total of 1,777 beneficiaries who were in nursing facilities for part of their enrollment and their 17,838 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,

BY BRAND STATUS AND THERAPEUTIC CATEGORYA, b, c, d, e NONDUAL BENEFICIARIES, MISSOURI, 2005

NONDUAL BENEFICIAL

Number of Rx per Benefit \$ per Benefit Month Among

Month Among Users \$ per Rx Users

Users

| | | | | | | | | | | | | | | | | As a | |
|----------------------------------|-------|---------|----------------|--------|-------|---------|--------|--------|-------|---------|--------|------|--------------|-------------|-----------|------------------------|-----------|
| | | | 0" | | | | 0" | | | | 0" | | | | | Percentage | |
| | Б | atented | Off- Patent | | | atented | Off- | | | atented | Off- | | | | | of All-Year Nursing | Number of |
| Therapeutic | г | | Brand- | | Г | Brand- | | | - | Brand- | | | Total Number | | Number of | Facility | Benefit |
| Category | Total | Name | Name G | eneric | Total | Name | Name G | eneric | Total | Name | Name G | | of Rx | Total Rx \$ | Users | Residents | |
| Anti-infective Agents | 0.5 | 0.2 | 0.0 | 0.3 | \$55 | \$39 | \$6 | \$11 | \$112 | \$238 | \$136 | \$36 | 6,994 | \$780,354 | 1,263 | 68.5 | 14,118 |
| Biologicals | 0.1 | 0.1 | 0.0 | 0.0 | 3 | 2 | 0 | 1 | 28 | 25 | 18 | 34 | 376 | 10,414 | 301 | 16.3 | 3,528 |
| Antineoplastic Agents | 0.6 | 0.0 | 0.0 | 0.5 | 110 | 30 | 26 | 53 | 184 | 708 | 664 | 103 | 570 | 104,834 | 91 | 4.9 | 956 |
| Endocrine/Metabolic Drugs | 1.5 | 0.6 | 0.2 | 0.7 | 75 | 52 | 9 | 14 | 50 | 90 | 48 | 19 | 15,387 | 770,560 | 928 | 50.3 | 10,311 |
| Cardiovascular Agents | 2.1 | 0.6 | 0.0 | 1.5 | 74 | 47 | 0 | 27 | 34 | 78 | 16 | 17 | 30,875 | 1,057,695 | 1,308 | 70.9 | 14,384 |
| Respiratory Agents | 0.9 | 0.5 | 0.0 | 0.4 | 57 | 49 | 1 | 7 | 60 | 99 | 68 | 16 | 9,034 | 543,185 | 864 | 46.9 | 9,526 |
| Gastrointestinal Agents | 1.0 | 0.2 | 0.0 | 0.9 | 35 | 22 | 1 | 12 | 34 | 142 | 65 | 14 | 11,125 | 381,698 | 977 | 53.0 | 10,813 |
| Genitourinary Agents | 8.0 | 0.5 | 0.0 | 0.2 | 55 | 47 | 1 | 7 | 73 | 92 | 84 | 31 | 3,585 | 261,003 | 415 | 22.5 | 4,715 |
| CNS Drugs | 2.5 | 1.3 | 0.0 | 1.2 | 313 | 277 | 2 | 34 | 126 | 212 | 64 | 30 | 43,312 | 5,455,833 | 1,570 | 85.1 | 17,419 |
| Stimulants/Anti-obesity/Anorexia | 1.1 | 0.5 | 0.0 | 0.6 | 106 | 87 | 0 | 19 | 97 | 185 | 0 | 31 | 70 | 6,800 | 6 | 0.3 | 64 |
| Miscellaneous Psychological/ | | | | | | | | | | | | | | | | | |
| Neurological Agents | 1.1 | 1.1 | 0.0 | 0.0 | 176 | 176 | 0 | 0 | 166 | 166 | 0 | 87 | 3,106 | 515,912 | 265 | 14.4 | 2,931 |
| Analgesics and Anesthetics | 1.3 | 0.2 | 0.1 | 0.9 | 67 | 31 | 17 | 19 | 52 | 126 | 160 | 20 | 15,057 | 786,848 | 1,079 | 58.5 | 11,825 |
| Neuromuscular Agents | 1.7 | 0.5 | 0.1 | 1.1 | 131 | 80 | 4 | 48 | 77 | 152 | 65 | 43 | 21,178 | 1,632,789 | 1,096 | 59.4 | 12,434 |
| Nutritional Products | 8.0 | 0.0 | 0.0 | 0.8 | 18 | 1 | 1 | 16 | 22 | 74 | 24 | 21 | 6,307 | 137,158 | 693 | 37.6 | 7,620 |
| Hematological Agents | 1.4 | 0.6 | 0.0 | 0.7 | 122 | 109 | 1 | 12 | 89 | 186 | 25 | 17 | 8,746 | 781,346 | 586 | 31.8 | 6,395 |
| Topical Products | 0.6 | 0.2 | 0.0 | 0.4 | 28 | 18 | 2 | 9 | 47 | 80 | 59 | 25 | 7,260 | 340,523 | 1,078 | 58.5 | 12,109 |
| Miscellaneous Products | 0.4 | 0.1 | 0.0 | 0.3 | 12 | 5 | 1 | 7 | 32 | 60 | 170 | 23 | 868 | 27,950 | 220 | 11.9 | 2,361 |
| Unknown Therapeutic Category | 0.4 | 0.0 | 0.0 | 0.0 | 8 | 0 | 0 | 0 | 21 | 0 | 0 | 0 | 505 | 10,819 | 127 | 6.9 | 1,430 |
| TOTAL NO. OF RX AND RX \$ | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | n.a. | 184,355 | 13,605,721 | n.a. | n.a. | n.a. |

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 1,777 beneficiaries who were

in nursing facilities for part of their enrollment and their 17,838 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2005. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

In Missouri, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP-10 DRUG GROUPa, b, c, d NONDUAL BENEFICIARIES, MISSOURI, 2005

| | - | | Users | | | | Among Users |
|--|----------------------|-----------|--|-----------------|------------------|-----------|-------------------|
| | | Number of | As a Percentage of All-Year Nursing Facility | Number of | Number of Rx | | Rx \$ per Benefit |
| Top 10 Drug Groups in Nursing Facilities | Total Medicaid Rx \$ | Users | Residents | Benefit Monthsp | er Benefit Month | \$ per Rx | Month |
| ANTIPSYCHOTICS | \$4,183,536 | 1,640 | 88.9 | 18,824 | 0.9 | \$239 | \$222 |
| ANTICONVULSANT | 1,390,544 | 1,218 | 66.1 | 13,900 | 1.1 | 92 | 100 |
| ANTIDEPRESSANTS | 1,053,986 | 1,806 | 97.9 | 20,387 | 0.8 | 61 | 52 |
| ANTIDIABETIC | 570,334 | 1,039 | 56.3 | 11,716 | 0.9 | 52 | 49 |
| MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL | 515,912 | 335 | 18.2 | 3,724 | 0.8 | 166 | 139 |
| HEMATOPOIETIC AGENTS | 444,853 | 435 | 23.6 | 4,874 | 1.0 | 96 | 91 |
| ANTIASTHMATIC | 429,030 | 963 | 52.2 | 10,622 | 0.6 | 67 | 40 |
| ANTIHYPERLIPIDEMIC | 414,124 | 612 | 33.2 | 6,886 | 0.8 | 79 | 60 |
| ANALGESICS - Narcotic | 389,952 | 1,193 | 64.7 | 12,975 | 0.7 | 40 | 30 |
| ANTIVIRAL | 376,274 | 160 | 8.7 | 1,856 | 0.5 | 436 | 203 |
| Total | 9,768,545 | 9,401 | | 105,764 | n.a. | n.a. | n.a. |

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$= Medicaid reimbursement.

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 1,777 beneficiaries who were in nursing facilities for part of their enrollment and their 17,838 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. wedicald relinious/serient and action of the control of the con

TABLE ND.10A

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}

| | All Top 10 | Drug Groups | | ANTIPSY | CHOTICS | | | | ANTICON | NVULSANT | | |
|--------------------------------|--------------|-------------|--------------------|---|--------------------------------|-----|-------|--------------------|---------|--------------------------------|-------------------------|---------------|
| Beneficiary Characteristics | Number of Rx | Rx \$ | Number of Users | Users as % of All-Year Nursing Facility Residents | Number of Benefit Months | | | Number of Users | | Number of Benefit Months | Mean Number of Rx | Mean Rx \$ |
| All | 90,804 | \$9,768,545 | 1,640 | 88.9 | 18,824 | 0.9 | \$222 | 1,218 | 66.1 | 13,900 | 1.1 | \$100 |
| Female | | | | | | | | | | | | |
| All Females | 46,754 | 4,843,220 | 861 | 94.2 | 10,005 | 0.9 | 209 | 605 | 66.2 | 6,900 | 1.1 | 101 |
| Female, Disabled | | | | | | | | | | | | |
| All Ages | 37,798 | 4,016,566 | 694 | 106.8 | 8,086 | 1.0 | 219 | 522 | 80.3 | 5,952 | 1.1 | 105 |
| 64 or younger | 37,638 | 4,000,729 | 692 | 108.1 | 8,072 | 1.0 | 219 | 519 | 81.1 | 5,937 | 1.1 | 106 |
| 65-74 | 134 | 12,599 | 2 | 22.2 | 14 | 1.0 | 308 | 3 | 33.3 | 15 | 0.6 | 33 |
| 75-84 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 85 and older | 26 | 3,238 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |
| Female, Other Eligibles | | | | | | | | | | | | |
| All Ages | 8,956 | 826,654 | 167 | 63.3 | 1,919 | 0.8 | 165 | 83 | 31.4 | 948 | 1.0 | 75 |
| 64 or younger | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 65-74 | 5,431 | 556,492 | 99 | 83.2 | 1,162 | 0.9 | 206 | 54 | 45.4 | 620 | 1.1 | 78 |
| 75-84 | 1,776 | 132,821 | 30 | 50.0 | 336 | 0.7 | 125 | 19 | 31.7 | 228 | 1.0 | 86 |
| 85 and older | 1,749 | 137,341 | 38 | 44.7 | 421 | 0.6 | 83 | 10 | 11.8 | 100 | 0.5 | 32 |
| Male | | | | | | | | | | | | |
| All Males | 44,050 | 4,925,325 | 779 | 83.8 | 8,819 | 0.9 | 238 | 613 | 65.9 | 7,000 | 1.1 | 99 |
| Male, Disabled | | | | | | | | | | | | |
| All Ages | 37,622 | 4,293,958 | 659 | 86.9 | 7,475 | 0.9 | 248 | 544 | 71.8 | 6,227 | 1.1 | 102 |
| 64 or younger | 37,471 | 4,282,066 | 657 | 87.1 | 7,451 | 0.9 | 248 | 544 | 72.1 | 6,227 | 1.1 | 102 |
| 65-74 | 151 | 11,892 | 2 | 50.0 | 24 | 1.7 | 253 | 0 | 0.0 | 0 | 0.0 | 0 |
| 75-84 | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 85 and older | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |
| Male, Other Eligibles | | | | | | | | | | | | |
| All Ages | 6,428 | 631,367 | 120 | 69.8 | 1,344 | 0.8 | 182 | 69 | 40.1 | 773 | 1.0 | 73 |
| 64 or younger | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |
| 65-74 | 4,173 | 441,393 | 83 | 85.6 | 960 | 0.9 | 204 | 52 | 53.6 | 602 | 1.1 | 80 |
| 75-84 | 1,652 | 141,009 | 23 | 50.0 | 248 | 0.8 | 133 | 10 | 21.7 | 120 | 0.9 | 58 |
| 85 and older | 603 | 48,965 | 14 | 48.3 | 136 | 0.7 | 117 | 7 | 24.1 | 51 | 0.5 | 24 |
| Unknown | 0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 |

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 1,777 beneficiaries who were in nursing facilities for part of their enrollment and their 17,838 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters

Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicard Services; MAX = Medicard Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicard reimbursement.

TABLE ND.10B

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}

NONDUAL BENEFICIARIES, MISSOURI, 2005

| | | ANTIDEP | RESSANTS | | ANTIDIABETIC | | | | | | MIS | C PSYCHOTH NEURO | HERAPEUTIO LOGICAL | C AND | |
|--------------------------------|--------------------|---|-------------------|-------------------------|--------------|--------------------|---|-------------------|-----|------|--------------------|---|-----------------------|-------------------------|-------|
| Beneficiary Characteristics | Number of Users | Users as % of All-Year Nursing Facility Residents | Benefit Months | Mean Number of Rx | | Number of Users | Users as % of All-Year Nursing Facility Residents | Benefit Months | | | Number of Users | Users as % of All-Year Nursing Facility Residents | Benefit Months | Mean Number of Rx | |
| All | 1,806 | 97.9 | 20,387 | 0.8 | \$52 | 1,039 | 56.3 | 11,716 | 0.9 | \$49 | 335 | 18.2 | 3,724 | 0.8 | \$139 |
| Female | | | | | | | | | | | | | | | |
| All Females | 918 | 100.4 | 10,464 | 0.9 | 53 | 558 | 61.1 | 6,339 | 1.0 | 48 | 169 | 18.5 | 1,861 | 0.8 | 155 |
| Female, Disable | d | | | | | | | | | | | | | | |
| All Ages | 728 | 112.0 | 8,292 | 0.9 | 55 | 411 | 63.2 | 4,695 | 1.0 | 50 | 79 | 12.2 | 858 | 0.8 | 198 |
| 64 or younger | 725 | 113.3 | 8,268 | 0.9 | 55 | 409 | 63.9 | 4,689 | 1.0 | 50 | 76 | 11.9 | 832 | 0.8 | 200 |
| 65-74 | 3 | 33.3 | 24 | 0.7 | 19 | 2 | 22.2 | 6 | 1.2 | 56 | 1 | 11.1 | 2 | 0.5 | 79 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 |) (|
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 2 | 200.0 | 24 | 1.0 | 133 |
| Female, Other E | ligibles | | | | | | | | | | | | | | |
| All Ages | 190 | 72.0 | 2,172 | 0.8 | 46 | 147 | 55.7 | 1,644 | 0.9 | 42 | 90 | 34.1 | 1,003 | 0.9 | 119 |
| 64 or younger | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 |) (|
| 65-74 | 85 | 71.4 | 993 | 0.9 | 55 | 95 | 79.8 | 1,094 | 0.9 | 48 | 34 | 28.6 | 403 | 0.9 | 129 |
| 75-84 | 47 | 78.3 | 536 | 0.8 | 38 | 33 | 55.0 | 351 | 0.8 | 26 | 18 | 30.0 | 210 | 0.9 | 118 |
| 85 and older | 58 | 68.2 | 643 | 0.7 | 38 | 19 | 22.4 | 199 | 0.8 | 39 | 38 | 44.7 | 390 | 0.8 | 109 |
| Male | | | | | | | | | | | | | | | |
| All Males | 888 | 95.5 | 9,923 | 0.8 | 50 | 481 | 51.7 | 5,377 | 0.9 | 49 | 166 | 17.8 | 1,863 | 0.8 | 122 |
| Male, Disabled | | | | | | | | | | | | | | | |
| All Ages | 760 | 100.3 | 8,506 | 0.9 | 50 | 390 | 51.5 | 4,343 | 0.9 | 51 | 103 | 13.6 | 1,154 | 0.8 | 122 |
| 64 or younger | 758 | 100.5 | 8,482 | 0.8 | 50 | 387 | 51.3 | 4,318 | 0.9 | 51 | 103 | 13.7 | 1,154 | 0.8 | 122 |
| 65-74 | 2 | 50.0 | 24 | 1.5 | 122 | 3 | 75.0 | 25 | 1.0 | 24 | 0 | 0.0 | 0 | 0.0 |) (|
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 |) (|
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 |) (|
| Male, Other Elig | ibles | | | | | | | | | | | | | | |
| All Ages | 128 | 74.4 | 1,417 | 0.8 | 51 | 91 | 52.9 | 1,034 | 0.9 | 44 | 63 | 36.6 | 709 | 0.9 | 121 |
| 64 or younger | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 |) (|
| 65-74 | 80 | 82.5 | 910 | 0.8 | 53 | 53 | 54.6 | 618 | 0.9 | 46 | 31 | 32.0 | 354 | 0.8 | 119 |
| 75-84 | 35 | 76.1 | 382 | 0.8 | 50 | 25 | 54.3 | 290 | 0.9 | 46 | 22 | 47.8 | 244 | 0.9 | 123 |
| 85 and older | 13 | 44.8 | 125 | 0.8 | 38 | 13 | 44.8 | 126 | 0.7 | 29 | 10 | 34.5 | 111 | 0.9 | 125 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 |) (|

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.

Веле Mo(s) = benefit month(s); BDE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$=\$ Medicaid reimbursement.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 1,777 beneficiaries who were

in nursing facilities for part of their enrollment and their 17,838 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all year pursion facility residents in this state. For information about these drugs are the control of the

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

TABLE ND.10C

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGEA, b, c, d

NONDUAL BENEFICIARIES, MISSOURI, 2005

| | HEMATOPOIETIC AGENTS | | | | | ANTIASTHMATIC | | | | | | ANTIHYPE | ERLIPIDEMI | С | |
|--------------------------------|----------------------|---|--|-----|------|--------------------|---|--|-----|-----|-----------------|---|--|-------------------------|-----|
| Beneficiary Characteristics | Number of Users | Users as % of All- Year Nursing Facility Residents | Number of Benefit Months Among Users | | | Number of Users | Users as % of All- Year Nursing Facility Residents | Number of Benefit Months Among Users | | | Number of Users | Users as % of All- Year Nursing Facility Residents | Number of Benefit Months Among Users | Mean Number of Rx | |
| All | 435 | 23.6 | | | \$91 | 963 | 52.2 | | | | 612 | 33.2 | | | |
| Female | | | | | | | | | | | | | | | |
| All Females | 218 | 23.9 | 2,467 | 0.8 | 82 | 523 | 57.2 | 5,836 | 0.5 | 37 | 311 | 34.0 | 3,491 | 0.8 | 5 |
| Female, Disable | d | | | | | | | | | | | | | | |
| All Ages | 157 | 24.2 | 1,764 | 0.9 | 95 | 404 | 62.2 | 4,492 | 0.6 | 40 | 249 | 38.3 | 2,802 | 0.7 | 5 |
| 64 or younger | 157 | 24.5 | 1,764 | 0.9 | 95 | 399 | 62.3 | 4,452 | 0.6 | 39 | 248 | 38.8 | 2,791 | 0.7 | 5 |
| 65-74 | 0 | 0.0 | 0 | 0.0 | 0 | 5 | 55.6 | 40 | 0.9 | 90 | 1 | 11.1 | 11 | 0.3 | 3 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| Female, Other E | ligibles | | | | | | | | | | | | | | |
| All Ages | 61 | 23.1 | 703 | 0.6 | 47 | 119 | 45.1 | 1,344 | 0.4 | 28 | 62 | 23.5 | 689 | 0.8 | 5 |
| 64 or younger | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| 65-74 | 29 | 24.4 | 348 | 0.5 | 88 | 59 | 49.6 | 693 | 0.5 | 40 | 42 | 35.3 | 478 | 0.8 | 5 |
| 75-84 | 11 | 18.3 | 130 | 0.6 | 6 | 22 | 36.7 | 254 | 0.2 | 14 | 14 | 23.3 | 146 | 0.8 | 5 |
| 85 and older | 21 | 24.7 | 225 | 0.6 | 7 | 38 | 44.7 | 397 | 0.3 | 18 | 6 | 7.1 | 65 | 0.9 | 6 |
| Male | | | | | | | | | | | | | | | |
| All Males | 217 | 23.3 | 2,407 | 1.1 | 101 | 440 | 47.3 | 4,786 | 0.7 | 44 | 301 | 32.4 | 3,395 | 0.8 | 62 |
| Male, Disabled | | | | | | | | | | | | | | | |
| All Ages | 184 | 24.3 | 2,056 | 1.2 | 107 | 355 | 46.8 | 3,825 | 0.7 | 44 | 257 | 33.9 | 2,912 | 0.8 | 6 |
| 64 or younger | 184 | 24.4 | 2,056 | 1.2 | 107 | 354 | 46.9 | 3,824 | 0.7 | 44 | 255 | 33.8 | 2,888 | 0.8 | 6 |
| 65-74 | 0 | 0.0 | 0 | 0.0 | 0 | 1 | 25.0 | 1 | 1.0 | 122 | 2 | 50.0 | 24 | 1.0 | 7 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | |
| Male, Other Elig | ibles | | | | | | | | | | | | | | |
| All Ages | 33 | 19.2 | 351 | 1.0 | 66 | 85 | 49.4 | 961 | 0.6 | 44 | 44 | 25.6 | 483 | 0.8 | 7 |
| 64 or younger | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 |) (|
| 65-74 | 23 | 23.7 | 257 | 1.1 | 88 | 47 | 48.5 | 545 | 0.7 | 50 | 27 | 27.8 | 301 | 0.8 | 7 |
| 75-84 | 9 | 19.6 | 90 | 0.6 | 5 | 29 | 63.0 | 337 | 0.6 | 34 | 13 | 28.3 | 144 | 0.8 | 6 |
| 85 and older | 1 | 3.4 | | | 3 | 9 | 31.0 | 79 | | | 4 | 13.8 | 38 | | 8 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 |) (|

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 1,777 beneficiaries who were in nursing facilities for part of their enrollment and their 17,838 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each

group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d} NONDUAL BENEFICIARIES, MISSOURI, 2005

ANALGESICS - Narcotic

ANTIVIRAL

| Beneficiary Characteristics | Number of Users | Users as % of All-Year Nursing Facility Residents | Benefit Months | Mean Number of Rx | Mean Rx \$ | Number of Users | Users as % of All-Year Nursing Facility Residents | Benefit Months | Mean Number of Rx | | All-Year Nursing Facility Residents | Benefit Months Among All- Year Nursing Facility Residents |
|--------------------------------|--------------------|---|-------------------|-------------------------|---------------|-----------------|---|-------------------|-------------------------|-------|--|---|
| All | 1,193 | 64.7 | 12,975 | 0.7 | \$30 | 160 | 8.7 | 1,856 | 0.5 | \$203 | 1,844 | 20,056 |
| Female | | | | | | | | | | | | |
| All Females | 617 | 67.5 | 6,736 | 0.8 | 32 | 72 | 7.9 | 827 | 0.3 | 82 | 914 | 9,981 |
| Female, Disable | ed | | | | | | | | | | | |
| All Ages | 476 | 73.2 | 5,182 | 0.9 | 34 | 58 | 8.9 | 669 | 0.3 | 100 | 650 | 7,138 |
| 64 or younger | 468 | 73.1 | 5,129 | 0.9 | 34 | 58 | 9.1 | 669 | 0.3 | 100 | 640 | 7,081 |
| 65-74 | 7 | 77.8 | 41 | 1.2 | 71 | 0 | 0.0 | 0 | 0.0 | 0 | 9 | 45 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 |
| 85 and older | 1 | 100.0 | 12 | 0.3 | 5 | 0 | 0.0 | 0 | 0.0 | 0 | 1 | 12 |
| Female, Other E | ligibles | | | | | | | | | | | |
| All Ages | 141 | 53.4 | 1,554 | 0.6 | 25 | 14 | 5.3 | 158 | 0.1 | 7 | 264 | 2,843 |
| 64 or younger | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 |
| 65-74 | 69 | 58.0 | 778 | 0.7 | 30 | 5 | 4.2 | 60 | 0.1 | 7 | 119 | 1,355 |
| 75-84 | 29 | 48.3 | 304 | 0.5 | 16 | 5 | 8.3 | 50 | 0.2 | 10 | 60 | 615 |
| 85 and older | 43 | 50.6 | 472 | 0.5 | 24 | 4 | 4.7 | 48 | 0.1 | 5 | 85 | 873 |
| Male | | | | | | | | | | | | |
| All Males | 576 | 61.9 | 6,239 | 0.7 | 28 | 88 | 9.5 | 1,029 | 0.6 | 300 | 930 | 10,075 |
| Male, Disabled | | | | | | | | | | | | |
| All Ages | 488 | 64.4 | 5,288 | 0.7 | 28 | 80 | 10.6 | 942 | 0.6 | 327 | 758 | 8,241 |
| 64 or younger | 486 | 64.5 | 5,275 | 0.7 | 28 | 80 | 10.6 | 942 | 0.6 | 327 | 754 | 8,204 |
| 65-74 | 2 | 50.0 | 13 | 1.9 | 26 | 0 | 0.0 | 0 | 0.0 | 0 | 4 | 37 |
| 75-84 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 |
| 85 and older | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 |
| Male, Other Elig | jibles | | | | | | | | | | | |
| All Ages | 88 | 51.2 | 951 | 0.5 | 27 | 8 | 4.7 | 87 | 0.1 | 4 | 172 | 1,834 |
| 64 or younger | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 |
| 65-74 | 48 | 49.5 | 527 | 0.4 | 12 | 6 | 6.2 | 63 | 0.1 | 4 | 97 | 1,081 |
| 75-84 | 28 | 60.9 | 308 | 0.6 | 55 | 2 | 4.3 | 24 | 0.1 | 4 | 46 | 475 |
| 85 and older | 12 | 41.4 | 116 | 0.8 | 24 | 0 | 0.0 | 0 | 0.0 | 0 | 29 | 278 |
| Unknown | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0.0 | 0 | 0.0 | 0 | 0 | 0 |

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 1,777 beneficiaries who were in nursing facilities for part of their enrollment and their 17,838 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTICa,b MISSOURI, 2005

| Beneficiary | Number of Beneficiaries with at Least One Part D | Percentage of Beneficiaries with at Least One Part D | Number of Part D Excluded Rx per | Total Number Part D | Part D Excluded Rx \$ per | Total Part D | | Part D Excluded Rx \$ as a Percentage of All | Total Number of |
|----------------------|---|---|---|------------------------|---------------------------------|----------------|-------------|--|-----------------|
| Characteristics | Excluded Rx | Excluded Rx | Beneficiary | Excluded Rx | | Excluded Rx \$ | Excluded Rx | Nondual Rx \$ | Beneficiaries |
| All | 205,955 | 34.1 | 1.7 | 1,000,601 | \$30 | \$18,320,529 | \$18 | 3.7 | 604,002 |
| Age | | | | | | | | | |
| 5 and younger | 46,890 | 37.3 | 1.0 | 125,276 | 16 | 2,071,289 | 17 | 7.7 | 125,854 |
| 6-14 | 42,231 | 29.6 | 0.8 | 108,456 | 16 | 2,280,434 | 21 | 4.3 | 142,649 |
| 15-20 | 22,408 | 25.1 | 0.7 | 62,714 | 15 | 1,304,176 | 21 | 3.2 | 89,264 |
| 21-44 | 57,687 | 32.3 | 1.8 | 321,367 | 34 | 6,070,078 | 19 | 3.6 | 178,333 |
| 45-64 | 34,571 | 54.8 | 5.7 | 359,936 | 99 | 6,253,973 | 17 | 3.2 | 63,133 |
| 65-74 | 1,574 | 52.9 | 6.0 | 17,962 | 90 | 266,799 | 15 | 3.5 | 2,973 |
| 75-84 | 384 | 36.1 | 3.0 | 3,219 | 44 | 46,902 | 15 | 3.1 | 1,065 |
| 85 and older | 209 | 28.9 | 2.3 | 1,670 | 37 | 26,866 | 16 | 3.8 | 722 |
| Unknown | 1 | 11.1 | 0.1 | 1 | 1 | 12 | 12 | 54.5 | 9 |
| Basis of Eligibility | С | | | | | | | | |
| Aged | 2,007 | 45.5 | 4.9 | 21,474 | 73 | 320,862 | 15 | 3.4 | 4,407 |
| Disabled | 55,596 | 53.6 | 5.3 | 548,196 | 100 | 10,388,496 | 19 | 3.2 | 103,730 |
| Adults | 43,615 | 26.7 | 1.0 | 158,363 | 16 | 2,661,806 | 17 | 4.5 | 163,557 |
| Children | 104,435 | 31.5 | 0.8 | 270,241 | 15 | 4,919,833 | 18 | 5.1 | 331,773 |
| Unknown | 302 | 56.4 | 4.3 | 2,327 | 55 | 29,532 | 13 | 1.0 | 535 |
| Gender | | | | | | | | | |
| Female | 125,724 | 36.1 | 1.9 | 653,722 | 34 | 11,795,254 | 18 | 4.1 | 348,420 |
| Male | 80,229 | 31.4 | 1.4 | 346,863 | 26 | 6,525,018 | 19 | 3.1 | 255,580 |
| Unknown | 2 | 100.0 | 8.0 | 16 | 129 | 257 | 16 | 4.3 | 2 |
| Race | | | | | | | | | |
| White | 177,842 | 36.0 | 1.7 | 846,465 | 32 | 15,821,885 | 19 | 3.8 | 494,167 |
| African American | 21,961 | 25.1 | 1.4 | 121,057 | 22 | 1,901,674 | 16 | 2.8 | 87,525 |
| Other/unknown | 6,152 | 27.6 | 1.5 | 33,079 | 27 | 596,970 | 18 | 3.6 | 22,310 |
| Use of Nursing Fa | cilities ^d | | | | | | | | |
| Entire year | 1,442 | 78.2 | 10.4 | 19,262 | 193 | 356,431 | 19 | 2.6 | 1,844 |
| Part year | 1,486 | 83.6 | 10.4 | 18,534 | | 355,480 | 19 | 3.4 | 1,777 |
| None | 203,027 | 33.8 | 1.6 | | | 17,608,618 | 18 | 3.7 | 600,381 |
| Maintenance Assis | stance Status | | | | | | | | |
| Cash | 113,903 | 37.7 | 2.0 | 603,926 | 35 | 10,566,189 | 17 | 3.8 | 302,413 |
| Medically needy | 0 | 0.0 | 0.0 | 0 | 0 | 0 | 0 | 0.0 | 0 |
| Poverty related | 38,289 | 28.2 | 0.7 | 93,156 | 12 | 1,626,466 | 17 | 4.9 | 135,769 |
| Other/unknown | 53,763 | 32.4 | 1.8 | 303,519 | 37 | 6,127,874 | 20 | 3.3 | 165,820 |

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b} MISSOURI, 2005

| Beneficiary Maracteristics | Number Rx per Benefit Month | Rx \$ per Benefit Month | \$ per Rx | Barbiturate \$ per Benefit Month | Benzodiazepine \$ per Benefit Month | Number of Benefit Months |
|-----------------------------------|--------------------------------|----------------------------|-----------|-------------------------------------|-------------------------------------|-----------------------------|
| All | 0.2 | \$4 | \$18 | \$0 | \$1 | 4,874,761 |
| Age | | | | | | |
| 5 and younger | 0.1 | 2 | 17 | 0 | 0 | 972,686 |
| 6-14 | 0.1 | 2 | 21 | 0 | 0 | 1,240,241 |
| 15-20 | 0.1 | 2 | 21 | 0 | 0 | 667,605 |
| 21-44 | 0.2 | 5 | 19 | 0 | 1 | 1,348,024 |
| 45-64 | 0.6 | 10 | 17 | 0 | 3 | 599,839 |
| 65-74 | 0.6 | 9 | 15 | 0 | 2 | 30,422 |
| 75-84 | 0.3 | 5 | 15 | 0 | 1 | 9,853 |
| 85 and older | 0.3 | 4 | 16 | 0 | 1 | 6,039 |
| Unknown | 0.0 | 0 | 12 | 0 | 0 | 52 |
| Basis of Eligibility ^c | | | | | | |
| Aged | 0.5 | 7 | 15 | 0 | 1 | 43,884 |
| Disabled | 0.5 | 10 | 19 | 0 | 3 | 1,031,856 |
| Adults | 0.1 | 2 | 17 | 0 | 1 | 1,107,207 |
| Children | 0.1 | 2 | 18 | 0 | 0 | 2,687,049 |
| Unknown | 0.5 | 6 | 13 | 0 | 2 | 4,765 |
| Gender | | | | | | |
| Female | 0.2 | 4 | 18 | 0 | 1 | 2,771,352 |
| Male | 0.2 | 3 | 19 | 0 | 1 | 2,103,399 |
| Unknown | 1.6 | 26 | 16 | 0 | 22 | 10 |
| Race | | | | | | |
| White | 0.2 | 4 | 19 | 0 | 1 | 4,147,231 |
| African American | 0.2 | 3 | 16 | 0 | 0 | 573,101 |
| Other/unknown | 0.2 | 4 | 18 | 0 | 1 | 154,429 |
| Use of Nursing Facil | ities ^d | | | | | |
| Entire year | 1.0 | 18 | 19 | 0 | 6 | 20,056 |
| Part year | 1.0 | 20 | 19 | 0 | 5 | 17,838 |
| None | 0.2 | 4 | 18 | 0 | 1 | 4,836,867 |
| Maintenance Assista | nce Status | | | | | |
| Cash | 0.2 | 4 | 17 | 0 | 1 | 2,549,958 |
| Medically needy | 0.0 | 0 | 0 | 0 | 0 | 0 |
| Poverty related | 0.1 | 2 | 17 | 0 | 0 | 990,535 |
| Other/unknown | 0.2 | 5 | 20 | 0 | 1 | 1,334,268 |

a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2005.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include they barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE ND.13

USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,C}
MISSOURI, 2005

| Drug Category | Number of Users | Rx \$ per User | Total Rx \$ | Rx \$ as a Percentage of All Part D Excluded Rx \$ | Total Number Rx. | \$ per Rx | Number Rx as a Percentage of All Part D Excluded Rx |
|------------------------------|-----------------|----------------|--------------|---|------------------|-----------|--|
| All | 295,766 | \$62 | \$18,320,529 | 100.0 | 1,000,601 | \$18 | 100.0 |
| Anorexia or weight loss/gain | 0 | 0 | 0 | 0.0 | 0 | 0 | 0.0 |
| Fertility drugs | 0 | 0 | 0 | 0.0 | 0 | 0 | 0.0 |
| Drugs for cosmetic purposes | 282 | 23 | 6,479 | 0.0 | 411 | 16 | 0.0 |
| Cough and cold medications | 121,455 | 43 | 5,205,817 | 28.4 | 250,224 | 21 | 25.0 |
| Vitamins and minerals | 19,504 | 87 | 1,691,037 | 9.2 | 91,982 | 18 | 9.2 |
| Non-prescription drugs | 104,069 | 50 | 5,203,405 | 28.4 | 357,851 | 15 | 35.8 |
| Barbiturates | 1,112 | 90 | 99,898 | 0.5 | 9,570 | 10 | 1.0 |
| Benzodiazepines | 40,034 | 107 | 4,299,116 | 23.5 | 262,369 | 16 | 26.2 |
| Other Part D Excl Rx Drugs | 9,310 | 195 | 1,814,777 | 9.9 | 28,194 | 64 | 2.8 |

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table ND.13 includes the beneficaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2005. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2005. A beneficiary who sused drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

APPENDIX TABLE A.1 CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b} NONDUAL BENEFICIARIES, MISSOURI, 2005

| | Number of Beneficiaries | | | | | | Number of Benefit Months | | | | | |
|--|-------------------------|-------|-----------------|---------|----------|----------------|--------------------------|--------|-----------------|-----------|-----------|----------------|
| Beneficiary Characteristics | All | Aged | Blind/ Disabled | Adults | Children | Other/ Unknown | All | Aged | Blind/ Disabled | Adults | Children | Other/ Unknown |
| All | 1,030,039 | 4,411 | 104,142 | 262,830 | 658,121 | 535 | 10,103,406 | 43,953 | 1,052,400 | 2,323,681 | 6,678,590 | 4,782 |
| Age | | | | | | | | | | | | |
| 5 and younger | 242,156 | 0 | 841 | 17 | 241,298 | 0 | 2,363,983 | 0 | 8,490 | 95 | 2,355,398 | 0 |
| 6-14 | 292,479 | 0 | 2,823 | 45 | 289,611 | 0 | 3,106,086 | 0 | 31,552 | 345 | 3,074,189 | 0 |
| 15-20 | 155,406 | 0 | 5,087 | 23,565 | 126,754 | 0 | 1,510,091 | 0 | 53,818 | 210,718 | 1,245,555 | 0 |
| 21-44 | 263,459 | 0 | 41,984 | 220,869 | 426 | 180 | 2,383,557 | 0 | 424,478 | 1,954,317 | 3,190 | 1,572 |
| 45-64 | 71,751 | 0 | 53,066 | 18,312 | 18 | 355 | 693,116 | 0 | 531,692 | 158,049 | 165 | 3,210 |
| 65-74 | 2,987 | 2,642 | 324 | 21 | 0 | 0 | 30,582 | 28,187 | 2,244 | 151 | 0 | 0 |
| 75-84 | 1,065 | 1,055 | 9 | 1 | 0 | 0 | 9,862 | 9,787 | 69 | 6 | 0 | 0 |
| 85 and older | 723 | 714 | 8 | 0 | 1 | 0 | 6,048 | 5,979 | 57 | 0 | 12 | 0 |
| Unknown | 13 | 0 | 0 | 0 | 13 | 0 | 81 | 0 | 0 | 0 | 81 | 0 |
| Gender | | | | | | | | | | | | |
| Female | 590,625 | 2,876 | 55,957 | 210,446 | 320,811 | 535 | 5,765,233 | 28,881 | 579,951 | 1,886,787 | 3,264,832 | 4,782 |
| Male | 439,412 | 1,535 | 48,183 | 52,384 | 337,310 | 0 | 4,338,163 | 15,072 | 472,439 | 436,894 | 3,413,758 | 0 |
| Unknown | 2 | 0 | 2 | 0 | 0 | 0 | 10 | 0 | 10 | 0 | 0 | 0 |
| Race | | | | | | | | | | | | |
| White | 721,409 | 2,205 | 76,289 | 189,428 | 453,089 | 398 | 6,965,275 | 21,841 | 765,593 | 1,644,225 | 4,530,168 | 3,448 |
| African American | 269,347 | 1,091 | 23,550 | 60,150 | 184,452 | 104 | 2,775,644 | 10,786 | 245,048 | 566,723 | 1,952,049 | 1,038 |
| Other/unknown | 39,283 | 1,115 | 4,303 | 13,252 | 20,580 | 33 | 362,487 | 11,326 | 41,759 | 112,733 | 196,373 | 296 |
| Use of Nursing Facilities ^c | | | | | | | | | | | | |
| Entire year | 1,845 | 436 | 1,409 | 0 | 0 | 0 | 20,069 | 4,677 | 15,392 | 0 | 0 | 0 |
| Part year | 1,782 | 199 | 1,576 | 5 | 1 | 1 | 17,985 | 1,836 | 16,067 | 60 | 12 | 10 |
| None | 1,026,412 | 3,776 | 101,157 | 262,825 | 658,120 | 534 | 10,065,352 | 37,440 | 1,020,941 | 2,323,621 | 6,678,578 | 4,772 |
| Maintenance Assistance Statu | s | | | | | | | | | | | |
| Cash | 561,050 | 1,661 | 47,356 | 211,707 | 300,326 | 0 | 5,589,694 | 18,979 | 528,062 | 1,934,947 | 3,107,706 | 0 |
| Medically needy | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Poverty related | 228,191 | 108 | 61 | 29,819 | 197,668 | 535 | 2,193,988 | 837 | 487 | 192,954 | 1,994,928 | 4,782 |
| Other/unknown | 240,798 | 2,642 | 56,725 | 21,304 | 160,127 | 0 | 2,319,724 | 24,137 | 523,851 | 195,780 | 1,575,956 | 0 |
| Managed Care (MC) Status | | | | | | | | | | | | |
| Fee-for-service (FFS) all year | 470,197 | 4,392 | 100,923 | 118,275 | 246,077 | 530 | 4,437,286 | 43,796 | 1,016,256 | 980,322 | 2,392,179 | 4,733 |
| FFS part year, with Rx claims | 43,276 | 11 | 2,159 | 16,113 | 24,990 | 3 | 442,928 | 93 | 24,635 | 149,761 | 268,410 | 29 |
| FFS part year, no Rx claims | 90,529 | 4 | 648 | 29,169 | 60,706 | 2 | 803,513 | 30 | 6,830 | 247,548 | 549,085 | 20 |
| MC all year, with Rx claims | 9,917 | 0 | 171 | 3,577 | 6,169 | 0 | 104,826 | 0 | 1,953 | 35,026 | 67,847 | 0 |
| MC all year, no Rx claims | 416,120 | 4 | 241 | 95,696 | 320,179 | 0 | 4,314,853 | 34 | 2,726 | 911,024 | 3,401,069 | 0 |

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories

are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2

MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a NONDUAL BENEFICIARIES, MISSOURI, 2005

| | Beneficia Benefit Month | aries and hs in Cell J of | | | | | |
|--|----------------------------|------------------------------|----------------------------|-----------------------------|---------------------------------|-----------------------------|--|
| | Tab | ole 1 | Included in Ce | ell K of Table 1 | Excluded from Cell K of Table 1 | | |
| | Number of Beneficiaries | Number of Benefit Months | Number of Beneficiaries | Number of Benefit Months | Number of Beneficiaries | Number of Benefit Months | |
| All | 1,030,039 | 10,103,406 | 604,002 | 4,874,761 | 0 | 5,228,645 | |
| Fee-for-service (FFS) all year | 470,197 | 4,437,286 | 470,197 | 4,437,286 | 0 | 0 | |
| FFS part year, with Rx claims | 43,276 | 442,928 | 43,276 | 221,309 | 0 | 221,619 | |
| FFS part year, with no Rx claims | 90,529 | 803,513 | 90,529 | 216,166 | 0 | 587,347 | |
| Managed care (MC) all year, with Rx claims | 9,917 | 104,826 | 0 | C | 0 | 104,826 | |
| MC all year, with no Rx claims | 416,120 | 4,314,853 | 0 | C | 0 | 4,314,853 | |

Source: Data for this table are from the MAX 2005 file for Missouri, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.