

STATISTICAL COMPENDIUM: MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2005 **MISSISSIPPI**

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES. BY BASIS OF ELIGIBILITY

TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND

BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT. BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND

THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY

BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH,

BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES

AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH. BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS. BY BENEFICIARY CHARACTERISTIC

TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS. BY BRAND STATUS AND

THERAPEUTIC CATEGORY

TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP 10 DRUG GROUP

TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS. BY BENEFICIARY CHARACTERISTIC

TABLE D.12, USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY

BENEFICIARY CHARACTERISTIC

TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES

SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65

SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER

SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74 SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84

SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES

APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES

APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES

APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL

ELIGIBLE BENEFICIARIES

TABLE ND.2 CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY $^{a,\ b}$ NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

		1	Number of	Beneficiar	ies				Number of E	enefit Month	าร	
Beneficiary						Other/						Other/
Characteristics	All	Aged	Disabled	Adults	Children	Unknown	All	Aged	Disabled	Adults	Children	Unknown
All	606,010	1,737	95,872	130,062	378,165	174	6,080,926	18,091	1,012,506	1,262,368	3,786,666	1,295
Age												
5 and younger	166,157	0	6,179	5	159,973	0	1,583,249	0	64,281	60	1,518,908	0
6-14	170,368	0	15,495	101	154,772	0	1,803,588	0	173,065	719	1,629,804	0
15-20	91,642	0	11,448	16,841	63,353	0	914,850	0	122,938	154,400	637,512	0
21-44	135,898	0	27,045	108,731	67	55	1,354,867	0	287,166	1,066,895	442	364
45-64	39,734	8	35,229	4,379	0	118	401,453	96	360,195	40,242	0	920
65-74	987	639	342	5	0	1	10,131	6,672	3,396	52	0	11
75-84	760	654	106	0	0	0	8,030	6,864	1,166	0	0	0
85 and older	464	436	28	0	0	0	4,758	4,459	299	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	356,986	995	48,942	125,640	181,235	174	3,596,052	10,338	525,699	1,224,736	1,833,984	1,295
Male	230,551	697	46,838	4,417	178,599	0	2,336,432	7,293	485,841	37,580	1,805,718	0
Unknown	18,473	45	92	5	18,331	0	148,442	460	966	52	146,964	0
Race												
White	183,175	610	27,219	40,893	114,374	79	1,794,924	6,201	278,332	382,125	1,127,676	590
African American	345,233	968	50,563	66,319	227,297	86	3,568,053	10,318	541,804	651,855	2,363,460	616
Other/unknown	77,602	159	18,090	22,850	36,494	9	717,949	1,572	192,370	228,388	295,530	89
Use of Nursing Facilities ^c												
Entire year	834	179	654	1	0	0	8,572	1,636	6,931	5	0	O
Part year	645	109	531	4	1	0	6,653	1,038	5,572	36	7	0
None	604,531	1,449	94,687	130,057	378,164	174	6,065,701	15,417	1,000,003	1,262,327	3,786,659	1,295
Maintenance Assistance Statu	s											
Cash	245,176	699	88,385	56,761	99,331	0	2,570,351	7,259	939,867	568,335	1,054,890	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty-related	296,942	481	3,851	19,950	272,486	174	2,859,781	5,199	33,457	143,107	2,676,723	1,295
Other/unknown	63,892	557	3,636	53,351	6,348	0	650,794	5,633	39,182	550,926	55,053	C
Managed Care (MC) Status												
Fee-for-service (FFS) all year	606,010	1,737	95,872	130,062	378,165	174	6,080,926	18,091	1,012,506	1,262,368	3,786,666	1,295
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	C
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3 ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a, b} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

Beneficiary	Percentage with	Mean Number			Mean \$, All Medicaid	Rx \$ as a Percentage of All Medicaid	Number of
Characteristics	at Least One Rx	of Rx		\$ per Rx	FFS \$c	FFS \$d	Beneficiaries
All	64.2	6.8	\$420	\$62	\$2,598	16.2	606,010
Age							
5 and younger	64.6	4.6	224	48	1,710	13.1	166,157
6-14	63.5	4.6	309	67	1,504	20.6	170,368
15-20	62.7	4.9	316	65	2,296	13.8	91,642
21-44	61.1	7.6	474	62	3,393	14.0	135,898
45-64	79.0	25.2	1,712	68	8,659	19.8	39,734
65-74	69.2	25.3	1,583	63	8,454	18.7	987
75-84	66.7	26.3	1,557	59	7,454	20.9	760
85 and older	62.7	23.5	1,306	56	9,791	13.3	464
Unknown	0.0	0.0	0	0	0	0.0	0
Basis of Eligibilitye							
Aged	62.8	24.8	1,513	61	9,325	16.2	1,737
Disabled	76.1	18.1	1,507	83	8,122	18.6	95,872
Adults	57.8	5.4	220	40	2,166	10.1	130,062
Children	63.3	4.3	208	49	1,311	15.9	378,165
Unknown	76.4	12.6	1,139	90	11,441	10.0	174
Gender							
Female	66.1	7.3	404	55	2,607	15.5	356,986
Male	65.7	6.4	477	75	2,754	17.3	230,551
Unknown	9.5	0.6	35	59	483	7.3	18,473
Race							
White	71.9	8.7	576	66	3,121	18.4	183,175
African American	66.5	6.2	354	57	2,441	14.5	345,233
Other/unknown	35.8	4.6	350	77	2,062	17.0	77,602
Use of Nursing Faci	ilities ^f						
Entire year	97.7	74.7	5,388	72	55,658	9.7	834
Part year	96.4	49.4	3,596	73	47,064	7.6	645
None	64.1	6.6	410	62	2,478	16.5	604,531
Maintenance Assist	ance Status						
Cash	73.4	10.5	714	68	3,983	17.9	245,176
Medically needy	0.0	0.0	0	0	0	0.0	0
Poverty related	62.7	4.3	212	49	1,491	14.3	296,942
Other/unknown	35.6	3.7	261	71	2,433	10.7	63,892

a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving fost care and adoptive services. f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a, b} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

						nber of Rx, F	Percentage w	/ith:			Numb	er
Beneficiary Characteristics	Mean Number of Rx	Mean Rx \$	Rx \$ as a Percentage of All Medicaid FFS \$ ^c	None		More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10	Mean \$, All Medicaid FFS \$d	Beneficiaries	Benefit Months
All	0.7	\$42	16.2	35.8	51.5	6.3	5.8	0.6	0.0	\$259	606,010	6,080,926
Age												
5 and younger	0.5	24	13.1	35.4	57.9	5.2	1.5	0.0	0.0	180	166,157	1,583,249
6-14	0.4	29	20.6	36.5	56.6	4.6	2.3	0.1	0.0	142	170,368	1,803,588
15-20	0.5	32	13.8	37.3	54.7	5.3	2.4	0.2	0.0	230	91,642	914,850
21-44	0.8	48	14.0	38.9	44.5	8.3	7.9	0.4	0.0	340	135,898	1,354,867
45-64	2.5	170	19.8	21.0	21.8	13.6	37.7	5.5	0.4	857	39,734	401,453
65-74	2.5	154	18.7	30.8	12.3	11.4	37.0	7.4	1.1	824	987	10,131
75-84	2.5	147	20.9	33.3	10.7	10.5	37.0	6.7	1.8	706	760	8,030
85 and older	2.3	127	13.3	37.3	12.5	10.3	30.2	8.4	1.3	955	464	4,758
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Basis of Eligibility	/ ^e											
Aged	2.4	145	16.2	37.2	10.6	9.9	33.0	7.5	1.8	895	1,737	18,091
Disabled	1.7	143	18.6	23.9	35.8	12.8	24.2	3.1	0.2	769	95,872	1,012,506
Adults	0.6	23	10.1	42.2	46.6	6.7	4.5	0.1	0.0	223	130,062	1,262,368
Children	0.4	21	15.9	36.7	57.4	4.5	1.4	0.0	0.0	131	378,165	3,786,666
Unknown	1.7	153	10.0	23.6	30.5	24.1	21.3	0.6	0.0	1,537	174	1,295
Gender												
Female	0.7	40	15.5	33.9	52.1	6.6	6.6	0.6	0.0	259	356,986	3,596,052
Male	0.6	47	17.3	34.3	54.0	6.3	4.9	0.5	0.1	272	230,551	2,336,432
Unknown	0.1	4	7.3	90.5	8.3	0.8	0.4	0.0	0.0	60	18,473	148,442
Race												
White	0.9	59	18.4	28.1	54.2	8.4	8.4	0.9	0.1	319	183,175	1,794,924
African American	0.6	34	14.5	33.5	55.7	5.7	4.6	0.4	0.0	236	345,233	3,568,053
Other/unknown	0.5	38	17.0	64.2	26.5	3.9	4.9	0.6	0.0	223	77,602	717,949
Use of Nursing Fa	acilities ^f											
Entire year	7.3	524	9.7	2.3	4.1	5.4	29.1	37.5	21.6	5,415	834	8,572
Part year	4.8	349	7.6	3.6	10.1	10.5	43.7	27.1	5.0	4,563	645	6,653
None	0.7	41	16.5	35.9	51.6	6.3	5.7	0.5	0.0	247	604,531	6,065,701
Maintenance Ass	istance Status	3										
Cash	1.0	68	17.9	26.6	51.7	9.1	11.3	1.2	0.1	380	245,176	2,570,351
Medically needy	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Poverty related	0.4	22	14.3	37.3	56.0	4.9	1.8	0.0	0.0	155	296,942	2,859,781
Other/unknown	0.4	26	10.7	64.4	30.0	2.3	2.7	0.6	0.1	239	63,892	650,794

a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
c. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5

AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{A, b, c}

NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

		All Rx		Patented	d Brand Drugs	d-Name	Off-Pater	nt Bran Drugs	id-Name	Gen	eric Dı	rugs
Beneficiary	Number			Number			Number			Number		
Characteristics	of Rx	Rx\$	\$ per Rx	of Rx	Rx\$	\$ per Rx	of Rx	Rx\$	\$ per Rx	of Rx	Rx\$	\$ per Rx
All	0.7	\$42	\$62	0.2	\$31	\$123	0.0	\$2	\$54	0.4	\$10	\$2
Age												
5 and younger	0.5	24	48	0.2	17	95	0.0	1	41	0.3	6	20
6-14	0.4	29	67	0.2	23	111	0.0	2	63	0.2	5	2
15-20	0.5	32	65	0.2	24	136	0.0	2	53	0.3	6	23
21-44	0.8	48	62	0.2	34	146	0.0	2	51	0.5	12	2
45-64	2.5	170	68	0.9	119	132	0.1	4	69	1.5	46	30
65-74	2.5	154	63	0.9	111	118	0.1	3	53	1.5	40	2
75-84	2.5	147	59	1.0	106	109	0.0	2	48	1.5	40	2
85 and older	2.3	127	56	0.9	92	103	0.1	3	41	1.3	33	2
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	(
Basis of Eligibility	rd											
Aged	2.4	145	61	0.9	105	113	0.1	3	49	1.4	37	2
Disabled	1.7	143	83	0.7	109	166	0.1	4	75	1.0	30	30
Adults	0.6	23	40	0.2	14	89	0.0	1	40	0.4	7	20
Children	0.4	21	49	0.2	15	89	0.0	1	48	0.2	5	2
Unknown	1.7	153	90	0.5	121	229	0.0	2	53	1.1	30	2
Gender												
Female	0.7	40	55	0.3	28	111	0.0	2	50	0.4	11	2
Male	0.6	47	75	0.3	37	141	0.0	2	62	0.3	9	20
Unknown	0.1	4	59	0.0	3	137	0.0	0	33	0.0	1	20
Race												
White	0.9	59	66	0.3	43	125	0.0	2	59	0.5	14	2
African American	0.6	34	57	0.2	25	117	0.0	1	50	0.4	8	2
Other/unknown	0.5	38	77	0.2	29	145	0.0	1	62	0.3	7	2
Use of Nursing Fa	cilitiese											
Entire year	7.3	524	72	2.7	379	139	0.2	13	77	4.3	130	30
Part year	4.8	349	73	1.7	251	144	0.1	8	85	2.9	89	30
None	0.7	41	62	0.2	30	123	0.0	2	54	0.4	9	24
Maintenance Assi	stance Sta	tus										
Cash	1.0	68	68	0.4	50	139	0.0	2	60	0.6	16	20
Medically needy	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	(
Poverty related	0.4	22	49	0.2	16	91	0.0	1	48	0.3	5	2
Other/unknown	0.4	26	71	0.1	20	132	0.0	1	47	0.2	5	20

a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Mississippi, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}

NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

		nber of R Month Am			\$ per	Benefit N Us	Month Amers	nong		\$ per	·Rx					Userse	
Therapeutic Category	F Total	Patented Brand- Name	Off- Patent Brand- Name (Seneric		atented Brand- Name		Seneric	F Total	Patented Brand- Name	Brand-	Generic	Total Number of Rx	Total Rx \$	Number of	of All	Number of Benefit Months
Anti-infective Agents	0.2	0.1	0.0	0.1	\$12	\$7	\$1	\$3	\$51	\$102	\$62	\$24	720,713	\$36,497,670	279,826	46.2	3,054,543
Biologicals	0.4	0.4	0.0	0.0	503	464	6	32	1322	1,249	1,865	5,989	5,832	7,711,498	1,628	0.3	15,329
Antineoplastic Agents	0.4	0.1	0.0	0.3	130	109	1	20	325	886	145	73	7,369	2,393,393	1,743	0.3	18,385
Endocrine/Metabolic Drugs	0.3	0.1	0.0	0.2	16	10	1	4	52	89	48	27	363,781	18,917,633	105,715	17.4	1,161,630
Cardiovascular Agents	0.9	0.4	0.0	0.5	38	28	0	10	44	74	27	21	450,924	19,894,053	47,734	7.9	523,390
Respiratory Agents	0.3	0.2	0.0	0.1	15	13	0	2	49	77	25	17	717,445	35,174,874	206,572	34.1	2,270,672
Gastrointestinal Agents	0.2	0.1	0.0	0.2	15	11	0	4	64	158	63	24	132,759	8,450,960	50,420	8.3	550,394
Genitourinary Agents	0.2	0.1	0.0	0.1	8	5	1	3	47	80	57	28	47,278	2,212,932	25,257	4.2	270,416
CNS Drugs	0.6	0.3	0.0	0.3	62	53	0	9	109	194	105	30	413,558	44,953,936	65,322	10.8	722,674
Stimulants/Anti-obesity/Anorexia	0.5	0.5	0.0	0.1	51	49	0	3	98	105	99	45	117,542	11,500,591	19,932	3.3	223,368
Miscellaneous Psychological/ Neurological Agents Analgesics and Anesthetics	0.4	0.3	0.0	0.1 0.3	85 8	79 3	0	6	212 30	314 148	123 108	39 19	9,678 472,443	2,050,660 14,265,828	2,130 155,567	0.4 25.7	24,027 1,703,144
Neuromuscular Agents	0.5	0.0	0.0	0.3	43	28	2	13	87	174	85	42	216,079	18,788,341	39,651	6.5	441,491
Nutritional Products	0.2	0.1	0.0	0.2	5	2	0	3	23	29	25	20	73,876	1,688,405	29,682	4.9	314,454
Hematological Agents	0.4	0.2	0.0	0.2	126	121	1	4	323	730	29	21	48,504	15,678,172	,	1.9	124,630
Topical Products	0.2	0.1	0.0	0.1	8	4	0	3	43	88	40	25	283.664	12,075,055	140.183		1,541,576
Miscellaneous Products	0.3	0.1	0.0	0.2	92	57	9	27	264	508	432	123	8,007	2,113,568	2,225	0.4	22,935
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	4	0	0	0	31	0	-0	0	9,443	297.128	5,970	1.0	67,152
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	4,098,895	254,664,697	0,970 n.a.	n.a.	n.a.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum

of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Mississippi, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2005.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

			Users		An	nong Use	S
Top 10 Drug Groups	Total Medicaid Rx	Number of Users	As a Percentage of All Beneficiaries	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month
ANTIPSYCHOTICS	\$31,055,857	25,469	4.2	289,634	0.5	\$238	\$107
ANTIASTHMATIC	20,732,569	111,295	18.4	1,244,916	0.2	75	17
ANTICONVULSANT	16,781,270	24,477	4.0	275,126	0.5	117	61
MISC. HEMATOLOGICAL	12,339,332	3,613	0.6	39,793	0.5	633	310
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	11,500,591	24,204	4.0	272,809	0.4	98	42
ANTIDEPRESSANTS	11,182,607	45,931	7.6	509,034	0.3	65	22
ANTIDIABETIC	9,805,591	23,586	3.9	263,805	0.5	80	37
ANTIVIRAL	8,878,115	19,676	3.2	217,246	0.2	263	41
CEPHALOSPORINS	8,532,500	120,381	19.9	1,348,142	0.1	54	6
DERMATOLOGICAL	7,835,906	127,144	21.0	1,415,025	0.1	44	6
Total	138,644,338	525,776		5,875,530	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$

⁼ Medicaid reimbursement.

TABLE ND.7A MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

	All Top 1	10 Drug Groups		ANTI	PSYCHOTIC	CS			1A	NTIASTHMA ^T	TIC	
Beneficiary Characteristics	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit I Months Among Users		Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit N Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	1,352,572	\$138,644,338	25,469	4.2	289,634	0.5	\$107	111,295	18.4	1,244,916	0.2	\$17
Female												
All Females	757,045	69,327,765	12,902	3.6	146,778	0.4	102	55,670	15.6	622,515	0.2	16
Female, Disabled												
All Ages	368,885	41,492,494	9,038	18.5	104,121	0.5	120	14,369	29.4	165,607	0.3	21
5 and younger	8,775	725,392	18	0.7	208	0.5	53	1,361	52.0	15,646	0.2	23
6-14	27,562	2,889,817	606	11.9	7,147	0.4	81	1,840	36.0	21,619	0.3	23
15-20	20,805	2,569,877	735	18.0	8,618	0.5	105	765	18.8	8,854	0.3	19
21-44	101,525	13,215,070	3,422	22.8	39,315	0.4	118	3,331	22.2	38,476	0.3	17
45-64	208,105	21,924,773	4,225	19.4	48,483	0.5	130	7,001	32.1	80,236	0.3	23
65-74	1,449	120,255	18	8.1	191	0.5	86	55	24.7	584	0.3	22
75-84	587	41,136	11	13.8	132	0.4	44	10	12.5	120	0.5	35
85 and older	77	6,174	3	15.0	27	0.2	35	6	30.0	72	0.3	27
Female, Other Eligibles												
All Ages	388,160	27,835,271	3,864	1.3	42,657	0.3	60	41,301	13.4	456,908	0.2	14
5 and younger	107,571	6,090,946	73	0.1	820	0.3	47	16,213	23.1	180,561	0.2	13
6-14	114,422	8,804,788	1,036	1.3	11,836	0.4	65	13,588	17.4	152,781	0.2	16
15-20	46,836	3,389,475	750	1.5	8,374	0.3	62	4,446	9.0	48,944	0.2	12
21-44	101,055	8,002,957	1,748	1.7	18,892	0.2	52	6,315	6.0	66,805	0.2	10
45-64	12,581	1,046,689	134	3.7	1,476	0.3	70	583	16.0	6,198	0.2	16
65-74	2,461	217,245	47	13.4	491	0.7	143	79	22.6	787	0.4	32
75-84	2,139	194,075	39	10.0	422	0.7	103	54	13.9	574	0.3	24
85 and older	1,095	89,096	37	14.4	346	0.6	79	23	8.9	258	0.3	21
Male												
All Males	592,058	69,080,167	12,533	5.4	142,468	0.5	112	55,208	23.9	618,434	0.2	18
Male, Disabled												
All Ages	262,379	42,824,572	9,150	19.5	104,481	0.5	127	11,147	23.8	127,700	0.3	24
5 and younger	13,707	1,426,034	65	1.8	767	0.4	69	2,157	60.6	25,059	0.2	25
6-14	67,421	9,325,231	2,097	20.2	24,682	0.4	92	3,778	36.4	44,409	0.3	24
15-20	33,059	8,624,357	1,585	21.5	18,222	0.5	108	1,242	16.8	14,449	0.3	18
21-44	66,157	13,309,800	3,272	27.2	36,882	0.5	149	1,227	10.2	14,041	0.3	19
45-64	81,310	10,078,692	2,115	15.8	23,775	0.6	147	2,716	20.3	29,509	0.4	27
65-74	606	51,524	16	13.8	153	0.4	67	24	20.7	197	0.3	31
75-84	82	5,906	0	0.0	0	0.0	0	1	4.0	12	0.4	13
85 and older	37	3,028	0	0.0	0	0.0	0	2	25.0	24	0.8	64

TABLE ND.7A MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

					IXILO, MIOGIO							
	All Top 10	Drug Groups		ANTI	PSYCHOTIC	S			A	NTIASTHMA	TIC	
Beneficiary Characteristics	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit N Months Among Users	Mean lumber of Rx per l Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Months Among	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
Male, Other Eligibles												
All Ages	329,679	26,255,595	3,383	1.8	37,987	0.4	72	44,061	24.0	490,734	0.2	16
5 and younger	126,477	8,121,858	141	0.2	1,606	0.3	53	22,585	31.6	251,340	0.2	15
6-14	156,781	13,913,732	2,144	2.8	24,341	0.4	71	17,540	22.9	196,135	0.2	18
15-20	33,636	2,887,353	846	2.8	9,368	0.4	73	3,452	11.3	38,140	0.2	15
21-44	5,756	664,667	139	4.0	1,451	0.3	59	250	7.2	2,679	0.2	11
45-64	2,533	245,767	24	2.8	254	0.2	41	104	12.0	1,073	0.3	20
65-74	1,784	185,936	29	10.5	323	0.8	202	51	18.4	592	0.3	27
75-84	1,610	146,200	31	12.6	320	0.6	157	48	19.5	453	0.4	30
85 and older	1,102	90,082	29	17.0	324	0.7	92	31	18.1	322	0.4	22
Unknown	3,469	236,406	34	0.2	388	0.5	120	417	2.3	3,967	0.2	13

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

${\sf TABLE\;ND.7B}\\ {\sf MEDICAID\;PHARMACY\;BENEFIT\;USE\;AND\;REIMBURSEMENT\;FOR\;THIRD\;TO\;FIFTH\;TOP\;DRUG\;GROUPS\;SEPARATELY,}$

BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

		ANTI	CONVULSA		50,1252	NEFICIARIES,		EMATOLOG	SICAL		STIMULA	NTS/AN	TI-OBESITY/	ANOREXIA	NTS
Beneficiary Characteristics	Number of Users	Users as % of All Benes	Number of Benefit N Months Among Users	Mean Number of Rx per F Benefit Month		Number of Users	Users as % of All Benes	Number of Benefit N Months Among Users	Mean Number of Rx per F Benefit Month		Number of Users	Users as % of All Benes	Number of Benefit N Months Among Users		Mean Rx \$ per Benefit Month
All	24,477	4.0	275,126	0.5	\$61	3,613	0.6	39,793	0.5	\$310	24,204	4.0	272,809	0.4	\$42
Female	,		,	0.0		0,0.0	0.0	00,.00	0.0	40.0	,		,	• • • • • • • • • • • • • • • • • • • •	¥ ·-
All Females	15,129	4.2	170,234	0.5	57	2,183	0.6	24,505	0.5	57	6,919	1.9	77,730	0.4	41
Female, Disabled	-, -		-, -			,		,			-,-		,		
All Ages	10,148	20.7	116,229	0.6	66	1,900	3.9	21,422	0.5	57	1,808	3.7	21,005	0.4	44
5 and younger	209	8.0	2,483	0.6	71	0	0.0	0	0.0	0	48	1.8	571	0.3	31
6-14	730	14.3	8,476	0.7	84	0	0.0	0	0.0	0	1,045	20.5	12,213	0.5	44
15-20	677	16.6	7,901	0.7	109	2	0.0	21	0.2	24	334	8.2	3,901	0.4	40
21-44	3,591	23.9	41,070	0.6	71	170	1.1	1,929	0.4	47	193	1.3	2,183	0.3	51
45-64	4,908	22.5	55,972	0.5	53	1,687	7.7	19,052	0.5	59	188	0.9	2,137	0.4	52
65-74	24	10.8	219	0.5	37	24	10.8	231	0.5	60	0	0.0	0	0.0	O
75-84	9	11.3	108	0.3	24	15	18.8	171	0.4	40	0	0.0	0	0.0	O
85 and older	0	0.0	0	0.0	0	2	10.0	18	0.6	68	0	0.0	0	0.0	C
Female, Other Eligibles															
All Ages	4,981	1.6	54,005	0.3	36	283	0.1	3,083	0.4	52	5,111	1.7	56,725	0.4	40
5 and younger	193	0.3	2,072	0.4	28	4	0.0	29	0.3	125	277	0.4	3,129	0.3	26
6-14	665	0.8	7,413	0.4	50	4	0.0	48	0.2	20	3,854	4.9	42,995	0.4	42
15-20	690	1.4	7,517	0.4	47	3	0.0	35	0.1	8	572	1.2	6,257	0.4	37
21-44	3,016	2.9	32,495	0.3	31	97	0.1	1,083	0.3	39	385	0.4	4,108	0.3	39
45-64	327	9.0	3,545	0.4	37	73	2.0	778	0.5	53	22	0.6	234	0.3	28
65-74	41	11.7	437	0.5	43	30	8.6	308	0.5	62	0	0.0	0	0.0	0
75-84	38	9.8	413	0.6	41	42	10.8	474	0.6	70	0	0.0	0	0.0	O
85 and older	11	4.3	113	0.5	23	30	11.7	328	0.5	57	1	0.4	2	0.5	48
Male															
All Males	9,311	4.0	104,491	0.6	68	1,421	0.6	15,191	0.5	721	17,272	7.5	194,925	0.4	43
Male, Disabled															
All Ages	7,091	15.1	80,125	0.6	76	1,239	2.6	13,224	0.5	724	5,547	11.8	64,624	0.4	44
5 and younger	273	7.7	3,171	0.7	94	6	0.2	71	0.4	2,389	163	4.6	1,878	0.3	30
6-14	1,223	11.8	14,328	0.6	81	20	0.2	239	0.6	7,839	4,108	39.6	48,064	0.5	44
15-20	976	13.2	11,267	0.6	88	21	0.3	245	0.8	17,589	1,094	14.8	12,675	0.4	43
21-44	2,429	20.2	27,304	0.7	87	122	1.0	1,290	0.4	1,974	131	1.1	1,474	0.5	62
45-64	2,173	16.3	23,866	0.6	53	1,050	7.9	11,153	0.5	59	51	0.4	533	0.3	55
65-74	16	13.8	177	0.4	19	15	12.9	166	0.5	53	0	0.0	0	0.0	0
75-84	1	4.0	12	0.3	24	4	16.0	48	0.6	68	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	1	12.5	12	0.7	84	0	0.0	0	0.0	0

TABLE ND.7B MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,

BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

		ANTIC	CONVULSAN	NT			MISC. H	EMATOLOG	ICAL		STIMULA	NTS/AN	TI-OBESITY//	ANOREXIA	ANTS
		1	Number of	Mean				Number of	Mean				Number of	Mean	
		Users	Benefit N	lumber of	Mean		Users	Benefit N	lumber of	Mean		Users	Benefit N	lumber of	Mean
		as %	Months	Rx per l	Rx \$ per		as %	Months		Rx \$ per		as %	Months	Rx per l	
Baraco Catalan Olaman (and adaptive	Number of	of All	Among	Benefit			of All	Among		Benefit	Number of	of All	Among		
Beneficiary Characteristics	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month
Male, Other Eligibles															
All Ages	2,220	1.2	24,366	0.4	43	182	0.1	1,967	0.5	699	11,725	6.4	130,301	0.4	42
5 and younger	303	0.4	3,361	0.4	32	12	0.0	129	0.3	1,773	638	0.9	7,218	0.3	27
6-14	998	1.3	11,241	0.4	46	10	0.0	117	0.4	7,576	9,758	12.7	108,308	0.5	43
15-20	462	1.5	5,044	0.4	46	8	0.0	96	0.2	566	1,275	4.2	14,201	0.4	41
21-44	277	8.0	2,880	0.4	38	42	1.2	461	0.4	268	45	1.3	472	0.4	45
45-64	83	9.5	831	0.3	29	37	4.3	379	0.5	64	6	0.7	66	0.4	50
65-74	43	15.5	463	0.7	65	21	7.6	245	0.6	72	1	0.4	12	0.2	3
75-84	37	15.0	357	0.6	34	31	12.6	323	0.7	77	1	0.4	12	0.1	9
85 and older	17	9.9	189	0.7	58	21	12.3	217	0.6	66	1	0.6	12	0.1	15
Unknown	37	0.2	401	0.5	71	9	0.0	97	0.6	74	13	0.1	154	0.2	40

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

${\it TABLE~ND.7C}\\ {\it MEDICAID~PHARMACY~BENEFIT~USE~AND~REIMBURSEMENT~FOR~SIXTH~TO~EIGHTH~TOP~DRUG~GROUPS~SEPARATELY,}$

BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

		ANTI	DEPRESSAN	TS	HONE	ONE BENEFIC		NTIDIABETIC				,	ANTIVIRAL		
Beneficiary Characteristics	Number of Users	Users as % of All Benes	Number of Benefit N Months Among Users		Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit N Months Among Users			Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Benefit	Mean Rx \$ per Benefit Month
All	45,931	7.6	509,034	0.3	\$22	23,586	3.9	263,805	0.5	\$37	19,676	3.2	217,246	0.2	\$41
Female															
All Females	34,239	9.6	379,041	0.3	22	18,020	5.0	203,071	0.5	37	12,053	3.4	132,545	0.2	40
Female, Disable	d														
All Ages	17,317	35.4	198,581	0.4	27	13,122	26.8	151,190	0.5	40	2,399	4.9	27,642	0.3	110
5 and younger	12	0.5	142	0.3	13	1	0.0	12	1.0	432	87	3.3	975	0.1	5
6-14	501	9.8	5,920	0.3	18	54	1.1	620	0.6	45	240	4.7	2,836	0.2	66
15-20	826	20.3	9,664	0.4	23	128	3.1	1,498	0.5	50	175	4.3	2,046	0.2	32
21-44	6,249	41.6	71,833	0.4	25	2,626	17.5	30,429	0.4	35	1,052	7.0	12,012	0.3	137
45-64	9,671	44.3	110,390	0.4	28	10,160	46.6	116,936	0.5	41	834	3.8	9,644	0.3	116
65-74	42	18.8	440	0.4	21	108	48.4	1,170	0.5	37	5	2.2	59	0.4	208
75-84	15	18.8	180	0.4	19	38	47.5	449	0.6	36	4	5.0	48	0.1	11
85 and older	1	5.0	12	0.1	1	7	35.0	76	0.3	16	2	10.0	22	0.1	6
Female, Other El	ligibles														
All Ages	16,922	5.5	180,460	0.3	17	4,898	1.6	51,881	0.4	30	9,654	3.1	104,903	0.1	22
5 and younger	72	0.1	797	0.2	6	26	0.0	270	0.7	33	2,112	3.0	23,548	0.1	4
6-14	1,673	2.1	18,838	0.3	16	260	0.3	2,877	0.6	44	2,695	3.4	30,010	0.1	13
15-20	2,817	5.7	30,495	0.3	15	411	0.8	4,407	0.4	34	1,588	3.2	16,999	0.1	19
21-44	11,156	10.6	117,545	0.2	17	3,098	2.9	32,544	0.4	26	3,119	3.0	32,826	0.2	41
45-64	1,030	28.3	10,902	0.3	23	812	22.3	8,590	0.4	33	122	3.4	1,319	0.2	53
65-74	64	18.3	698	0.5	23	152	43.4	1,665	0.5	37	6	1.7	71	0.1	13
75-84	68	17.5	763	0.4	22	104	26.7	1,127	0.6	46	9	2.3	94	0.3	146
85 and older	42	16.3	422	0.6	31	35	13.6	401	0.5	39	3	1.2	36	0.1	9
Male															
All Males	11,639	5.0	129,405	0.4	22	5,533	2.4	60,369	0.5	38	7,606	3.3	84,581	0.1	42
Male, Disabled															
All Ages	7,285	15.6	81,416	0.4	25	4,606	9.8	50,511	0.5	37	1,890	4.0	21,136	0.3	142
5 and younger	22	0.6	260	0.3	9	5	0.1	56	0.6	123	126	3.5	1,492	0.1	8
6-14	1,145	11.0	13,477	0.4	19	53	0.5	636	0.5	37	400	3.9	4,667	0.2	40
15-20	1,069	14.5	12,300	0.3	23	93	1.3	1,087	0.5	49	205	2.8	2,338	0.1	39
21-44	2,417	20.1	26,675	0.4	28	995	8.3	11,125	0.5	34	642	5.3	7,050	0.3	177
45-64	2,608	19.5	28,447	0.4	26	3,414	25.5	37,120	0.5	38	516	3.9	5,577	0.5	264
65-74	17	14.7	173	0.5	22	40	34.5	415	0.5	43	1	0.9	12	0.1	6
75-84	5	20.0	60	0.2	5	6	24.0	72	0.4	25	0	0.0	0	0.0	0
85 and older	2	25.0	24	0.3	16	0	0.0	0	0.0	0	0	0.0	0	0.0	0

TABLE ND.7C MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,

BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

		ANTI	DEPRESSAN	TS			1A	NTIDIABETIC					ANTIVIRAL		
		Users	Number of Benefit N	Mean	Mean		Users	Number of Benefit N	Mean	Mean		Users	Number of	Mean Number of	Mean
		as %			Rx \$ per		as %	Months		Rx \$ per		as %			Rx \$ per
Beneficiary	Number of	of All		Benefit	Benefit	Number of	of All	Among	Benefit	Benefit	Number of	of All		Benefit	Benefit
Characteristics	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month
Male, Other Elig	ibles														
All Ages	4,354	2.4	47,989	0.3	17	927	0.5	9,858	0.5	38	5,716	3.1	63,445	0.1	9
5 and younger	83	0.1	989	0.2	9	29	0.0	311	0.4	26	2,263	3.2	25,198	0.1	6
6-14	2,211	2.9	24,965	0.3	16	192	0.3	2,108	0.5	38	2,554	3.3	28,543	0.1	7
15-20	1,202	3.9	13,090	0.3	18	137	0.4	1,440	0.6	50	773	2.5	8,340	0.1	9
21-44	561	16.2	5,758	0.3	18	228	6.6	2,309	0.5	37	88	2.5	957	0.2	80
45-64	177	20.3	1,863	0.3	24	177	20.3	1,801	0.5	33	28	3.2	301	0.2	161
65-74	44	15.9	510	0.5	36	68	24.5	794	0.6	39	5	1.8	58	0.1	29
75-84	47	19.1	491	0.5	31	75	30.5	861	0.5	33	3	1.2	28	0.1	8
85 and older	29	17.0	323	0.5	27	21	12.3	234	0.7	52	2	1.2	20	0.1	10
Unknown	53	0.3	588	0.5	31	33	0.2	365	0.4	27	17	0.1	120	0.2	5

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

TABLE ND.7D

75-84

85 and older

2

3

8.0

37.5

24

36

0.1

0.1

3

3

2

8.0

12.5

24

12

0.1

0.1

4

0

25

8

266

96

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS

SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}

NONDUAL BENEFICIARIES, MISSISSIPPI, 2005 CEPHALOSPORINS DERMATOLOGICAL Number of Mean Number of Mean Users Benefit Number of Mean Users Benefit Number of Mean Rx per Rx \$ per as % Months as % Months Rx per Rx \$ per Beneficiary Number of of All Among Benefit Benefit Number of of All Among Benefit Benefit Number of Number of Characteristics Benes Users Beneficiaries Benefit Months Users Users Month Month Benes Users Month Month ΑII 120.381 19.9 1.348.142 0.1 \$6 127,144 21.0 1,415,025 0.1 \$6 606.010 6.080.926 Female All Females 68,254 19.1 761,524 0.1 6 73,039 20.5 812,021 0.1 6 356,986 3,596,052 Female, Disabled All Ages 9,779 20.0 114,394 0.1 5 10,357 21.2 121,006 0.1 7 48,942 525,699 1,037 12,072 0.1 7 2,617 5 and younger 39.6 1,041 39.8 12,054 0.1 5 26,886 7 6-14 1,401 27.4 16,606 0.1 8 1,508 29.5 17,889 0.1 5,106 57,059 15-20 889 21.8 10.488 0.1 5 1.002 24.6 11.792 0.1 5 4.074 44,588 21-44 2,945 19.6 34,498 0.1 4 2,869 19.1 33,636 0.1 6 15,006 162,641 45-64 3,460 15.9 40,208 0.1 4 3,873 17.8 44,935 0.1 8 21,816 231,138 65-74 24 10.8 258 0.1 4 45 20.2 490 0.1 6 223 2,296 17 3 80 75-84 21.3 203 0.1 14 17.5 165 0.2 5 888 7 25.0 7 20 85 and older 30.0 61 0.1 45 0.1 203 Female, Other Eligibles All Ages 58,475 19.0 647,130 0.1 6 62,682 20.3 691,015 0.1 6 308,044 3,070,353 23,363 33.3 261,613 0.1 7 28,838 41.1 0.1 70,207 677,785 316,149 5 5 and younger 16,127 20.6 181,351 0.1 7 17,454 22.3 197,630 0.1 7 78,293 824,596 6-14 15-20 7,211 14.6 78,949 0.1 4 6,806 13.7 75,239 0.1 6 49,532 485,583 21-44 11,168 10.6 118,709 0.1 4 8,936 8.5 95,013 0.1 5 105,381 1,038,242 45-64 504 13.9 5,403 0.1 4 499 13.7 5,473 0.1 7 3,635 33,798 65-74 39 11.1 420 0.2 5 55 15.7 565 0.2 9 350 3,656 75-84 27 6.9 304 0.1 4 55 0.2 7 389 14.1 560 4,066 85 and older 36 14.0 381 0.1 5 39 15.2 386 0.2 11 257 2,627 Male All Males 51,603 581,853 7 53,201 23.1 594,608 0.1 5 230,551 2,336,432 22.4 0.1 Male. Disabled All Ages 7,698 89,573 7,847 16.8 6 46,838 485,841 16.4 0.1 6 91,554 0.1 1,455 40.9 17,068 0.1 1,344 37.8 3,558 37,347 5 and younger 8 15,709 0.1 5 6-14 2,401 23.1 28,364 0.1 8 2,520 24.3 29,832 0.1 6 10,379 115,887 15-20 1,036 14.1 12,110 0.1 5 1,060 14.4 12,472 0.1 5 7,371 78,314 21-44 1,464 12.2 16.976 1.437 12.0 7 12.016 124,274 0.1 4 16,651 0.1 45-64 1,326 9.9 14,865 0.1 6 1,469 11.0 16,703 0.2 8 13,365 128,579 65-74 11 9.5 130 0.1 3 14 12.1 151 0.1 6 116 1,078

TABLE ND.7D MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS

SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGEa, b, c

NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

	CEPHALOSPORINS DERMATOLOGICAL											
		Users	Number of	Mean lumber of	Mean		Users	Number of Benefit N	Mean	Mean		
		as %	Months		Rx \$ per		as %			Rx \$ per		
Beneficiary	Number of	of All	Among	Benefit	Benefit	Number of	of All		Benefit	Benefit	Number of	Number of
Characteristics	Users	Benes	Users	Month	Month	Users	Benes	Users	Month	Month	Beneficiaries E	Benefit Months
Male, Other Elig	ibles											
All Ages	43,905	23.9	492,280	0.1	7	45,354	24.7	503,054	0.1	5	183,713	1,850,591
5 and younger	25,106	35.1	281,908	0.1	7	27,533	38.5	300,953	0.1	5	71,446	694,278
6-14	14,647	19.1	164,801	0.1	7	14,299	18.7	163,005	0.1	5	76,578	805,904
15-20	3,666	12.0	40,416	0.1	5	3,082	10.1	34,416	0.1	6	30,655	306,265
21-44	340	9.8	3,560	0.1	4	257	7.4	2,678	0.1	8	3,470	29,435
45-64	77	8.9	833	0.1	6	77	8.9	834	0.1	6	870	7,460
65-74	30	10.8	356	0.1	5	40	14.4	438	0.2	9	277	2,876
75-84	13	5.3	125	0.1	5	29	11.8	321	0.2	5	246	2,609
85 and older	26	15.2	281	0.1	9	37	21.6	409	0.2	10	171	1,764
Unknown	524	2.8	4.765	0.1	7	904	4.9	8.396	0.1	4	18.473	148.442

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2005. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC^{a, b}

NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

Beneficiary		Number of Dy per Benefit	Number of All-Year Nursing	Benefit Months Among All- Year Nursing Facility
Characteristics	Rx \$ per Benefit Month	Month		Residents
All	\$524	7.3	834	8,572
Age				
0-64	543	7.4	653	6,936
65-74	571	7.2	48	455
75-84	443	7.3	61	556
85 and older	356	5.8	72	625
Unknown	0	0.0	0	0
Gender				
Female	505	7.4	422	4,392
Male	546	7.1	407	4,121
Unknown	424	7.6	5	59
Race				
White	541	7.8	343	3,420
African American	521	6.9	440	4,588
Other/unknown	452	6.8	51	564
Basis of Eligibility	;			
Aged	446	6.7	179	1,636
Disabled	542	7.4	654	6,931
Adults	1,446	20.6	1	5
Children	0	0.0	0	0
Unknown	0	0.0	0	0

c. inedicate basis or eligibility is classified as, aged, disabled, adultis, and children't ne disabled group includes behaliciant or all yage who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicard Services; MAX = Medicard Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicard reimbursement.

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2005 Medicaid enrollment. A total of 645 beneficiaries who were

in nursing facilities for part of their enrollment and their 6,653 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

TABLE ND.9 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,

BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

Number of Rx per Benefit \$ per Benefit Month Among
Month Among Users \$ per Benefit Month Among

	N	Month Am	ong Use	rs		Us	ers			\$ per	·Rx					Users	
Therapeutic Category	F Total	Patented Brand- Name	Brand-	Generic		atented Brand- Name	Off- Patent Brand- Name G	Generic		Patented Brand- Name	Brand-	Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months
Anti-infective Agents	0.5	0.2	0.0	0.3	\$49	\$35	\$4	\$10	\$105	\$214	\$107	\$37	2,796	\$292,321	559	67.0	5,985
Biologicals	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Antineoplastic Agents	0.4	0.0	0.0	0.4	71	14	0	56	159	1,510	0	130	328	52,142	76	9.1	739
Endocrine/Metabolic Drugs	1.2	0.5	0.1	0.6	71	54	4	13	60	103	43	23	4,720	284,346	373	44.7	3,991
Cardiovascular Agents	2.2	0.7	0.0	1.4	85	58	0	26	39	77	17	19	13,073	512,280	582	69.8	6,055
Respiratory Agents	0.7	0.3	0.0	0.4	38	30	1	8	54	88	46	21	2,728	146,418	365	43.8	3,826
Gastrointestinal Agents	1.0	0.2	0.0	0.8	48	25	0	22	46	141	105	26	5,247	243,577	479	57.4	5,102
Genitourinary Agents	0.7	0.5	0.0	0.2	52	44	0	8	76	93	77	37	1,415	107,605	186	22.3	2,075
CNS Drugs	1.7	1.0	0.0	0.7	195	170	1	24	112	172	120	32	11,819	1,324,892	640	76.7	6,787
Stimulants/Anti-obesity/Anorexia	0.6	0.2	0.0	0.4	33	26	0	6	59	136	0	17	60	3,515	11	1.3	108
Miscellaneous Psychological/ Neurological Agents Analgesics and Anesthetics	0.9 1.0	0.9	0.0	0.0	158 54	157 19	0 7	1 29	170 56	171 118	0 181	59 37	1,451 4,545	246,860 252,897	146 443	17.5 53.1	1,562 4,688
Neuromuscular Agents	1.3	0.2	0.0	0.9	105	56	3	46	80	164	80	50	6,619	532,751	473	56.7	5,060
Nutritional Products	0.8	0.0	0.0	0.8	15	0	0	15	19	5	37	18	1,959	36,503	231	27.7	2,408
Hematological Agents	1.0	0.4	0.1	0.6	107	93	2	12	109	264	28	21	2,748	300,807	269	32.3	2,400
Topical Products	0.5	0.4	0.0	0.3	23	13	1	8	50	78	77	31	2,740	110,690	448	53.7	4,821
Miscellaneous Products	0.5	0.2	0.0	0.3		95	0	10	224	371	0	48	141	31,632	29	3.5	,
Unknown Therapeutic Category	0.3	0.0	0.0	0.2	103	0	0	0	30	0	0	0	465	13,943	108	12.9	1,165
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	62,318	,	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

Heare

a. Table ND: includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 645 beneficiaries who were in nursing facilities for part of their enrollment and their 6,653 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2005. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other the original patent holder. For information about this classification method, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

In Mississippi, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. Bene Mo(s) = benefit month(s); CMS = Centers for Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,

BY TOP-10 DRUG GROUP^{a, b, c, d} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

	-		Users				Among Users
Top 10 Drug Groups in Nursing Facilities	Total Medicaid Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Monthspo	Number of Rx er Benefit Month	\$ per Rx	Rx \$ per Benefit Month
ANTIPSYCHOTICS	\$934,310	471	56.5	5,112	0.9	\$212	\$183
ANTICONVULSANT	444,431	497	59.6	5,299	0.9	89	84
ANTIDEPRESSANTS	326,636	576	69.1	6,253	0.8	65	52
ANTIDIABETIC	266,312	454	54.4	4,881	0.9	61	55
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	247,333	189	22.7	2,014	0.7	168	123
ULCER DRUGS	163,035	477	57.2	5,100	0.7	45	32
ANTIHYPERTENSIVE	158,196	469	56.2	4,869	0.8	40	32
ANTIHYPERLIPIDEMIC	151,445	177	21.2	1,934	0.8	97	78
ANALGESICS - Narcotic	149,968	479	57.4	5,107	0.6	51	29
HEMATOPOIETIC AGENTS	128,396	177	21.2	1,853	0.6	111	69
Total	2,970,062	3,966		42,422	n.a.	n.a.	n.a.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$= Medicaid reimbursement.

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 645 beneficiaries who were in nursing facilities for part of their enrollment and their 6,653 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. wedicald relinious/serient and action of the control of the con

TABLE ND.10A MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST

AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGEA, b, c, d NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

	All Top 10	Drug Groups		ANTIPS	CHOTICS				ANTICO	NVULSANT		
Beneficiary Characteristics	Number of Rx	Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months	Mean Number of Rx		Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months Among	Mean Number of Rx	
All	33,449	\$2,970,062	471	56.5	5,112	0.9	\$183	497	59.6	5,299	0.9	\$84
Female												
All Females	18,017	1,553,563	242	57.3	2,606	0.9	180	251	59.5	2,750	1.0	90
Female, Disabled												
All Ages	15,305	1,336,542	193	59.8	2,131	0.9	190	227	70.3	2,531	1.0	91
64 or younger	15,305	1,336,542	193	59.8	2,131	0.9	190	227	70.3	2,531	1.0	91
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles												
All Ages	2,712	217,021	49	49.5	475	0.8	139	24	24.2	219	0.8	75
64 or younger	88	4,982	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	982	90,975	17	65.4	186	1.0	186	11	42.3	107	0.9	96
75-84	1,058	81,346	14	41.2	156	0.8	128	8	23.5	71	0.8	77
85 and older	584	39,718	18	48.6	133	0.6	84	5	13.5	41	0.5	16
Male												
All Males	15,238	1,400,632	225	55.3	2,458	0.9	188	242	59.5	2,503	0.9	79
Male, Disabled												
All Ages	12,643	1,147,021	188	57.1	2,044	0.9	185	209	63.5	2,223	0.9	81
64 or younger	12,591	1,144,920	188	57.7	2,044	0.9	185	207	63.5	2,209	0.9	81
65-74	52	2,101	0	0.0	0	0.0	0	2	66.7	14	0.2	10
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles												
All Ages	2,595	253,611	37	47.4	414	0.9	201	33	42.3	280	0.9	60
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	629	87,081	12	63.2	142	1.0	243	8	42.1	61	0.9	41
75-84	930	77,084	9	34.6	94	1.0	330	15	57.7	110	0.8	48
85 and older	1,036	89,446	16	48.5	178	0.7	99	10	30.3	109	0.9	
Unknown	194	15,867	4	80.0	48	0.5	69	4	80.0	46	0.5	38

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 645 beneficiaries who were

a. Table No. To includes the beneficiales represented by Cell LO in the presented in the presented in the presented in the presented by Cell LO in the presented in the presente

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state. d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters

Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007). Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY

AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGEa, b, c, d NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

	_	ANTIDEP	RESSANTS				ANTID	IABETIC			MIS	C PSYCHOTH NEURO	HERAPEUTI LOGICAL	C AND	
Beneficiary Characteristics	Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months Among			Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months	Number		Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months	Mean Number of Rx	
All	576	69.1	6,253	0.8	\$52	454	54.4	4,881	0.9	\$55	189	22.7	2,014	0.7	\$123
Female															
All Females	324	76.8	3,578	0.8	51	259	61.4	2,786	0.9	53	97	23.0	1,045	0.7	118
Female, Disable	ed														
All Ages	271	83.9	3,071	0.8	53	214	66.3	2,340	0.9	55	55	17.0	630	0.7	132
64 or younger	271	83.9	3,071	0.8	53	214	66.3	2,340	0.9	55	55	17.0	630	0.7	132
65-74	0	0.0	0	0.0	0	0	0.0	C	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	C	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	C	0.0	0	0	0.0	0	0.0	0
Female, Other E	ligibles														
All Ages	53	53.5	507	0.7	40	45	45.5	446	0.7	39	42	42.4	415	0.7	98
64 or younger	2	100.0	17	1.1	55	3	150.0	36	0.3	9	0	0.0	0	0.0	0
65-74	13	50.0	129	0.7	40	17	65.4	168	0.8	30	9	34.6	91	0.7	95
75-84	22	64.7	229	0.7	40	18	52.9	167	0.7	49	18	52.9	208	0.7	100
85 and older	16	43.2	132	0.7	38	7	18.9	75	0.7	50	15	40.5	116	0.7	98
Male															
All Males	247	60.7	2,615	0.8	54	195	47.9	2,095	0.9	57	85	20.9	887	0.7	132
Male, Disabled															
All Ages	206	62.6	2,188	0.8	54	163	49.5	1,739	0.9	57	55	16.7	582	0.7	141
64 or younger	205	62.9	2,181	0.8	54	159	48.8	1,715	0.9	57	55	16.9	582	0.7	141
65-74	1	33.3	7	0.4	19	4	133.3	24	0.5	25	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	C	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	C	0.0	0	0	0.0	0	0.0	0
Male, Other Elig	ibles														
All Ages	41	52.6	427	0.8	52	32	41.0	356	1.0	59	30	38.5	305	0.8	114
64 or younger	0	0.0	0	0.0	0	0	0.0	C	0.0	0	0	0.0	0	0.0	0
65-74	8	42.1	94	0.8	71	10	52.6	108	1.0	54	3	15.8	36	1.0	138
75-84	17	65.4	162	0.8	51	14	53.8	154	1.0	47	6	23.1	50	0.8	102
85 and older	16	48.5	171	0.8	42	8	24.2	94	1.0	85	21	63.6	219	0.8	112
Unknown	5	100.0	60	0.9	29	0	0.0	C	0.0	0	7	140.0	82	0.7	84

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

Веле Mo(s) = benefit month(s); BDE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$=\$ Medicaid reimbursement.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 645 beneficiaries who were in nursing facilities for part of their enrollment and their 6,653 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state. d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters

Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

TABLE ND.10C

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY

AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

		ULCE	R DRUGS				ANTIHYF	PERTENSIVI				ANTIHYPE	ERLIPIDEMI	С	
Beneficiary Characteristics	Number of Users	Year Nursing Facility				Number of Users	Users as % of All- Year Nursing Facility Residents	Number of Benefit Months Among Users			Number of Users	Users as % of All- Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	
All	477	57.2	5,100	0.7	\$32		56.2	4,869			177	21.2	1,934	0.8	
Female															
All Females	232	55.0	2,552	0.7	32	260	61.6	2,727	0.8	33	95	22.5	1,032	0.8	7
Female, Disable	ed														
All Ages	185	57.3	2,095	0.8	35	207	64.1	2,214	0.8	34	80	24.8	874	0.8	7
64 or younger	185	57.3	2,095	0.8	35	207	64.1	2,214	0.8	34	80	24.8	874	0.8	7
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0)
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0)
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	1
Female, Other E	ligibles														
All Ages	47	47.5	457	0.6	17	53	53.5	513	0.8	30	15	15.2	158	0.8	7
64 or younger	3	150.0	22	0.7	17	0	0.0	0	0.0	0	1	50.0	5	0.2	2
65-74	10	38.5	112	0.7	24	23	88.5	235	0.7	34	6	23.1	65	0.9	9
75-84	20	58.8	203	0.6	12	17	50.0	168	0.9	33	6	17.6	64	0.7	7
85 and older	14	37.8	120	0.7	21	13	35.1	110	0.7	20	2	5.4	24	0.7	6
Male															
All Males	243	59.7	2,524	0.7	33	209	51.4	2,142	0.8	32	81	19.9	890	0.8	7
Male, Disabled															
All Ages	197	59.9	2,091	0.7	33	179	54.4	1,845	0.8	32	63	19.1	709	0.8	7
64 or younger	194	59.5	2,079	0.7	33	170	52.1	1,805	0.8	32	61	18.7	695	0.8	8
65-74	3	100.0	12	0.6	22	9	300.0	40	0.5	17	2	66.7	14	0.4	. 2
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	1
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	1
Male, Other Elig	jibles														
All Ages	46	59.0	433	0.7	31	30	38.5	297	0.9	32	18	23.1	181	0.9	7
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	1
65-74	12	63.2	132	0.7	32	7	36.8	66	1.0	30	3	15.8	35	0.7	. 5
75-84	15	57.7	116	0.8	26	12	46.2	110	0.9	37	5	19.2	45	1.1	10
85 and older	19	57.6	185	0.7	33	11	33.3	121	0.8	28	10	30.3	101	0.9	6
Unknown	2	40.0	24	0.5	23	0	0.0	0	0.0	0	1	20.0	12	0.8	10

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 645 beneficiaries who were in nursing facilities for part of their enrollment and their 6,653 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each

group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D

MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

ANALGESICS - Narcotic

HEMATOPOIETIC AGENTS

Beneficiary Characteristics	Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Benefit Months	Mean Number of Rx	Mean Rx \$	All-Year Nursing Facility Residents	Benefit Months Among All- Year Nursing Facility Residents
All	479	57.4	5,107	0.6	\$29	177	21.2	1,853	0.6	\$69	834	8,572
Female												
All Females	232	55.0	2,501	0.6	32	86	20.4	915	0.6	56	422	4,392
Female, Disable	ed											
All Ages	175	54.2	1,967	0.6	34	71	22.0	772	0.6	56	323	3,515
64 or younger	175	54.2	1,967	0.6	34	71	22.0	772	0.6	56	323	3,515
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Female, Other E	ligibles											
All Ages	57	57.6	534	0.5	25	15	15.2	143	0.5	52	99	877
64 or younger	5	250.0	39	1.1	82	0	0.0	0	0.0	0	2	17
65-74	17	65.4	171	0.5	19	5	19.2	36	0.7	199	26	266
75-84	25	73.5	215	0.5	26	6	17.6	72	0.4	2	34	314
85 and older	10	27.0	109	0.5	13	4	10.8	35	0.7	4	37	280
Male												
All Males	244	60.0	2,570	0.6	27	90	22.1	926	0.7	84	407	4,121
Male, Disabled												
All Ages	203	61.7	2,144	0.6	26	75	22.8	794	0.7	63	329	3,392
64 or younger	203	62.3	2,144	0.6	26	74	22.7	787	0.7	64	326	3,380
65-74	0	0.0	0	0.0	0	1	33.3	7	0.4	2	3	12
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Male, Other Elig	jibles											
All Ages	41	52.6	426	0.5	29	15	19.2	132	0.7	208	78	729
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	8	42.1	86	0.3	35	3	15.8	24	0.7	897	19	177
75-84	18	69.2	182	0.8	34	5	19.2	32	0.9	69	26	230
85 and older	15	45.5	158	0.3	21	7	21.2	76	0.6	48	33	322
Unknown	3	60.0	36	0.4	11	1	20.0	12	0.2	1	5	59

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2005. A total of 645 beneficiaries who were in nursing facilities for part of their enrollment and their 6,653 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2005. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2005 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, http://www.medispan.com/marketing/ContentPage.aspx?contentId=09e0f1ed-80a9-4a87-8bc9-ad778d7b6615 (October 26, 2007).

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{9,b} MISSISSIPPI, 2005

Beneficiary Characteristics	Number of Beneficiaries with at Least One Part D Excluded Rx	Percentage of Beneficiaries with at Least One Part D Excluded Rx	Number of Part D Excluded Rx per Beneficiary	Total Number Part D Excluded Rx	\$ per	Total Part D Excluded Rx \$		Part D Excluded Rx \$ as a ercentage of All Nondual Rx \$	Total Number of Beneficiaries
All	166,595	27.5	0.7	453,252	\$14	\$8,478,004	\$19	3.3	606,010
Age									
5 and younger	60,524	36.4	0.9	149,580	11	1,833,907	12	4.9	166,157
6-14	40,885	24.0	0.5	82,113	10	1,772,385	22	3.4	170,368
15-20	18,320	20.0	0.4	37,370	9	864,128	23	3.0	91,642
21-44	29,890	22.0	0.7	94,239	14	1,893,063	20	2.9	135,898
45-64	16,175	40.7	2.1	85,261	51	2,038,174	24	3.0	39,734
65-74	358	36.3	1.9	1,894	31	30,647	16	2.0	987
75-84	274	36.1	2.3	1,715	38	29,030	17	2.5	760
85 and older	169	36.4	2.3	1,080	36	16,670	15	2.8	464
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Basis of Eligibility	С								
Aged	599	34.5	2.1	3,695	33	57,732	16	2.2	1,737
Disabled	34,365	35.8	1.6	155,596	47	4,550,034	29	3.1	95,872
Adults	24,767	19.0	0.5	61,606	7	925,749	15	3.2	130,062
Children	106,815	28.2	0.6	232,192	8	2,942,268	13	3.7	378,165
Unknown	49	28.2	0.9	163	13	2,221	14	1.1	174
Gender									
Female	100,399	28.1	0.8	280,404	14	5,038,479	18	3.5	356,986
Male	65,434	28.4	0.7	171,167	15	3,419,977	20	3.1	230,551
Unknown	762	4.1	0.1	1,681	1	19,548	12	3.0	18,473
Race									
White	53,662	29.3	0.9	159,450	19	3,533,748	22	3.4	183,175
African American	101,311	29.3	0.7	256,838	11	3,899,538	15	3.2	345,233
Other/unknown	11,622	15.0	0.5	36,964	13	1,044,718	28	3.8	77,602
Use of Nursing Fa	cilities ^d								
Entire year	590	70.7	8.1	6,792	142	118,156	17	2.6	834
Part year	471	73.0	5.2	3,370	105	67,435	20	2.9	645
None	165,534	27.4	0.7	443,090	14	8,292,413	19	3.3	604,531
Maintenance Assis	stance Status								
Cash	82,305	33.6	1.1	269,742	24	5,811,722	22	3.3	245,176
Medically needy	0	0.0	0.0	0	0	0	0	0.0	0
Poverty related	78,448	26.4	0.6	165,828	7	2,147,442	13	3.4	296,942
Other/unknown	5,842	9.1	0.3	17,682	8	518,840	29	3.1	63,892

a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2005.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.
d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b} MISSISSIPPI, 2005

Beneficiary I Characteristics	Number Rx per Benefit Month	Rx \$ per Benefit Month	\$ per Rx	Barbiturate \$ per Benefit Month	Benzodiazepine \$ per Benefit Month	Number of Benefit Months
All	0.1	\$1	\$19	\$0	\$0	6,080,926
Age						
5 and younger	0.1	1	12	0	0	1,583,249
6-14	0.0	1	22	0	0	1,803,588
15-20	0.0	1	23	0	0	914,850
21-44	0.1	1	20	0	0	1,354,867
45-64	0.2	5	24	0	1	401,453
65-74	0.2	3	16	0	1	10,131
75-84	0.2	4	17	0	1	8,030
85 and older	0.2	4	15	0	1	4,758
Unknown	0.0	0	0	0	0	0
Basis of Eligibility ^c						
Aged	0.2	3	16	0	1	18,091
Disabled	0.2	4	29	0	1	1,012,506
Adults	0.0	1	15	0	0	1,262,368
Children	0.1	1	13	0	0	3,786,666
Unknown	0.1	2	14	0	1	1,295
Gender						
Female	0.1	1	18	0	0	3,596,052
Male	0.1	1	20	0	0	2,336,432
Unknown	0.0	0	12	0	0	148,442
Race						
White	0.1	2	22	0	1	1,794,924
African American	0.1	1	15	0	0	3,568,053
Other/unknown	0.1	1	28	0	0	717,949
Use of Nursing Facil	lities ^d					
Entire year	0.8	14	17	0	5	8,572
Part year	0.5	10	20	0	3	6,653
None	0.1	1	19	0	0	6,065,701
Maintenance Assista	ance Status					
Cash	0.1	2	22	0	0	2,570,351
Medically needy	0.0	0	0	0	0	0
Poverty related	0.1	1	13	0	0	2,859,781
Other/unknown	0.0	1	29	0	0	650,794

a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2005.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include they barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE ND.13

USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,C}

MISSISSIPPI, 2005

Drug Category	Number of Users	Rx \$ per User	Total Rx \$	Rx \$ as a Percentage of All Part D Excluded Rx \$	Total Number Rx.	\$ per Rx	Number Rx as a Percentage of All Part D Excluded Rx
All	215,118	\$39	\$8,478,004	100.0	453,252	\$19	100.0
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0
Fertility drugs	0	0	0	0.0	0	0	0.0
Drugs for cosmetic purposes	0	0	0	0.0	0	0	0.0
Cough and cold medications	96,690	28	2,664,596	31.4	167,882	16	37.0
Vitamins and minerals	11,396	62	701,802	8.3	36,576	19	8.1
Non-prescription drugs	82,537	28	2,326,019	27.4	152,092	15	33.6
Barbiturates	1,376	48	65,607	0.8	9,717	7	2.1
Benzodiazepines	15,185	98	1,483,889	17.5	72,488	20	16.0
Other Part D Excl Rx Drugs	7,934	156	1,236,091	14.6	14,497	85	3.2

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

a. Table ND.13 includes the beneficaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2005. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2005. A beneficiary who sused drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

APPENDIX TABLE A.1 CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b} NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

			Number of			CIARIES, MISSISSIF	F1, 2005		Number of	Benefit Mon	ths	
Beneficiary Characteristics	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown
All	606,010	1,737	95,872	130,062	378,165	174	6,080,926	18,091	1,012,506	1,262,368	3,786,666	1,295
Age												
5 and younger	166,157	0	6,179	5	159,973	0	1,583,249	0	64,281	60	1,518,908	0
6-14	170,368	0	15,495	101	154,772	0	1,803,588	0	173,065	719	1,629,804	0
15-20	91,642	0	11,448	16,841	63,353	0	914,850	0	122,938	154,400	637,512	0
21-44	135,898	0	27,045	108,731	67	55	1,354,867	0	287,166	1,066,895	442	364
45-64	39,734	8	35,229	4,379	0	118	401,453	96	360,195	40,242	0	920
65-74	987	639	342	5	0	1	10,131	6,672	3,396	52	0	11
75-84	760	654	106	0	0	0	8,030	6,864	1,166	0	0	0
85 and older	464	436	28	0	0	0	4,758	4,459	299	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	356,986	995	48,942	125,640	181,235	174	3,596,052	10,338	525,699	1,224,736	1,833,984	1,295
Male	230,551	697	46,838	4,417	178,599	0	2,336,432	7,293	485,841	37,580	1,805,718	0
Unknown	18,473	45	92	5	18,331	0	148,442	460	966	52	146,964	0
Race												
White	183,175	610	27,219	40,893	114,374	79	1,794,924	6,201	278,332	382,125	1,127,676	590
African American	345,233	968	50,563	66,319	227,297	86	3,568,053	10,318	541,804	651,855	2,363,460	616
Other/unknown	77,602	159	18,090	22,850	36,494	9	717,949	1,572	192,370	228,388	295,530	89
Use of Nursing Facilities ^c												
Entire year	834	179	654	1	0	0	8,572	1,636	6,931	5	0	0
Part year	645	109	531	4	1	0	6,653	1,038	5,572	36	7	0
None	604,531	1,449	94,687	130,057	378,164	174	6,065,701	15,417	1,000,003	1,262,327	3,786,659	1,295
Maintenance Assistance Statu	s											
Cash	245,176	699	88,385	56,761	99,331	0	2,570,351	7,259	939,867	568,335	1,054,890	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty related	296,942	481	3,851	19,950	272,486	174	2,859,781	5,199	33,457	143,107	2,676,723	1,295
Other/unknown	63,892	557	3,636	53,351	6,348	0	650,794	5,633	39,182	550,926	55,053	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	606,010	1,737	95,872	130,062	378,165	174	6,080,926	18,091	1,012,506	1,262,368	3,786,666	1,295
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability

or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories

are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2

MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a NONDUAL BENEFICIARIES, MISSISSIPPI, 2005

	Benefit Month					
	Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months
All	606,010	6,080,926	606,010	6,080,926	0	0
Fee-for-service (FFS) all year	606,010	6,080,926	606,010	6,080,926	0	0
FFS part year, with Rx claims	0	0	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0	0	0
Managed care (MC) all year, with Rx claims	0	0	0	0	0	0
MC all year, with no Rx claims	0	0	0	0	0	0

Source: Data for this table are from the MAX 2005 file for Mississippi, released by CMS in 1/2009. This table was produced on 04/23/2009.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.