

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through e-mail at ORDI_508_Compliance@cms.hhs.gov.

**STATISTICAL COMPENDIUM:
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2006
FLORIDA**

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC
TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLES

APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2
CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	1,722,641	14,588	209,615	396,308	1,101,805	325	11,649,889	105,032	1,956,883	2,096,884	7,488,376	2,714
Age												
5 and younger	516,636	0	13,426	0	503,210	0	3,394,715	0	125,813	0	3,268,902	0
6-14	453,522	0	36,902	0	416,620	0	3,362,736	0	389,075	0	2,973,661	0
15-20	245,629	0	26,924	38,812	179,893	0	1,738,517	0	278,749	224,137	1,235,631	0
21-44	384,170	0	51,427	330,723	2,012	8	2,217,189	0	474,298	1,732,936	9,901	54
45-64	105,899	9	78,849	26,709	20	312	811,529	37	669,209	139,565	83	2,635
65-74	9,780	8,113	1,607	55	0	5	70,957	55,740	14,963	229	0	25
75-84	5,194	4,801	386	7	0	0	40,068	36,132	3,924	12	0	0
85 and older	1,761	1,665	94	2	0	0	13,980	13,123	852	5	0	0
Unknown	50	0	0	0	50	0	198	0	0	0	198	0
Gender												
Female	994,935	9,473	99,092	336,425	549,620	325	6,550,388	68,488	924,173	1,820,072	3,734,941	2,714
Male	725,828	5,026	110,466	59,855	550,481	0	5,090,374	36,212	1,032,384	276,705	3,745,073	0
Unknown	1,878	89	57	28	1,704	0	9,127	332	326	107	8,362	0
Race												
White	581,591	1,560	69,239	149,810	360,769	213	4,035,342	11,473	621,690	853,802	2,546,597	1,780
African American	495,704	2,593	50,891	115,194	326,976	50	3,365,663	18,243	475,511	615,266	2,256,256	387
Other/unknown	645,346	10,435	89,485	131,304	414,060	62	4,248,884	75,316	859,682	627,816	2,685,523	547
Use of Nursing Facilities^c												
Entire year	3,164	512	2,642	3	7	0	32,571	4,648	27,833	11	79	0
Part year	3,251	319	2,892	24	15	1	27,139	2,440	24,397	164	132	6
None	1,716,226	13,757	204,081	396,281	1,101,783	324	11,590,179	97,944	1,904,653	2,096,709	7,488,165	2,708
Maintenance Assistance Status												
Cash	672,759	5,925	187,755	173,337	305,742	0	4,951,703	49,247	1,800,907	905,570	2,195,979	0
Medically needy	25,166	62	1,846	17,568	5,690	0	127,625	374	13,027	86,219	28,005	0
Poverty-related	703,523	7,923	12,835	109,341	573,099	325	4,563,241	51,013	75,807	648,900	3,784,807	2,714
Other/unknown	321,193	678	7,179	96,062	217,274	0	2,007,320	4,398	67,142	456,195	1,479,585	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	1,189,194	9,608	158,899	286,576	733,789	322	9,741,122	83,643	1,655,468	1,747,167	6,252,161	2,683
FFS part year, with Rx claims	180,982	2,810	36,066	42,158	99,945	3	958,605	15,704	242,026	197,930	502,914	31
FFS part year, no Rx claims	352,465	2,170	14,650	67,574	268,071	0	950,162	5,685	59,389	151,787	733,301	0

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3
ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a, b}
NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	Percentage with at Least One Rx	Mean Number of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Medicaid FFS \$ ^c	Rx \$ as a Percentage of All Medicaid	Number of Beneficiaries
						FFS \$ ^d	
All	49.6	6.2	\$505	\$82	\$3,397	14.9	1,722,641
Age							
5 and younger	51.3	3.3	223	69	2,517	8.9	516,636
6-14	42.7	3.3	329	101	1,747	18.8	453,522
15-20	43.9	3.5	364	104	2,809	12.9	245,629
21-44	52.9	6.7	531	79	4,358	12.2	384,170
45-64	70.7	34.1	2,718	80	11,749	23.1	105,899
65-74	65.9	25.1	1,555	62	8,647	18.0	9,780
75-84	62.0	22.0	1,257	57	8,816	14.3	5,194
85 and older	59.8	21.5	1,113	52	12,056	9.2	1,761
Unknown	6.0	0.3	7	20	992	0.7	50
Basis of Eligibility^e							
Aged	63.6	22.1	1,270	58	8,186	15.5	14,588
Disabled	72.7	26.4	2,693	102	14,504	18.6	209,615
Adults	50.3	4.4	211	48	2,567	8.2	396,308
Children	44.8	2.7	183	67	1,516	12.1	1,101,805
Unknown	84.9	24.8	2,596	105	13,405	19.4	325
Gender							
Female	51.4	6.5	450	70	3,269	13.8	994,935
Male	47.2	5.7	581	101	3,578	16.2	725,828
Unknown	27.2	1.5	124	81	1,783	7.0	1,878
Race							
White	53.5	7.5	551	74	3,531	15.6	581,591
African American	44.0	4.4	375	85	3,112	12.0	495,704
Other/unknown	50.4	6.4	563	89	3,496	16.1	645,346
Use of Nursing Facilities^f							
Entire year	95.1	87.5	5,487	63	66,097	8.3	3,164
Part year	92.6	57.1	3,973	70	60,277	6.6	3,251
None	49.5	5.9	489	83	3,174	15.4	1,716,226
Maintenance Assistance Status							
Cash	53.9	10.3	927	90	5,133	18.1	672,759
Medically needy	50.9	8.5	747	88	4,903	15.2	25,166
Poverty related	47.1	3.2	196	61	1,926	10.2	703,523
Other/unknown	46.1	3.7	277	75	2,868	9.6	321,193

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	Number of Rx, Percentage with:										Number	
	Mean Number of Rx	Mean Rx \$	Rx \$ as a Percentage of All Medicaid FFS \$ ^c	None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10	Mean \$, All Medicaid FFS \$ ^d	Beneficiaries	Benefit Months
All	0.9	\$75	14.9	50.4	37.2	5.1	4.5	1.9	0.8	\$502	1,722,641	11,649,889
Age												
5 and younger	0.5	34	8.9	48.7	44.4	4.6	2.0	0.3	0.1	383	516,636	3,394,715
6-14	0.4	44	18.8	57.3	36.0	3.7	2.5	0.4	0.1	236	453,522	3,362,736
15-20	0.5	51	12.9	56.1	36.8	4.1	2.5	0.5	0.1	397	245,629	1,738,517
21-44	1.2	92	12.2	47.1	36.0	7.1	6.7	2.3	0.7	755	384,170	2,217,189
45-64	4.4	355	23.1	29.3	16.2	8.6	19.6	16.6	9.7	1,533	105,899	811,529
65-74	3.5	214	18.0	34.1	17.2	9.7	20.4	13.3	5.3	1,192	9,780	70,957
75-84	2.9	163	14.3	38.0	18.1	8.9	18.3	12.4	4.4	1,143	5,194	40,068
85 and older	2.7	140	9.2	40.2	18.1	7.4	17.0	13.5	3.8	1,519	1,761	13,980
Unknown	0.1	2	0.7	94.0	6.0	0.0	0.0	0.0	0.0	251	50	198
Basis of Eligibility^e												
Aged	3.1	176	15.5	36.4	17.8	9.6	19.9	12.4	4.0	1,137	14,588	105,032
Disabled	2.8	289	18.6	27.3	28.4	9.9	17.1	11.4	5.9	1,554	209,615	1,956,883
Adults	0.8	40	8.2	49.7	37.3	6.5	5.0	1.3	0.3	485	396,308	2,096,884
Children	0.4	27	12.1	55.2	39.2	3.7	1.7	0.2	0.1	223	1,101,805	7,488,376
Unknown	3.0	311	19.4	15.1	28.6	18.8	24.3	11.4	1.8	1,605	325	2,714
Gender												
Female	1.0	68	13.8	48.6	38.5	5.3	4.6	2.1	1.0	497	994,935	6,550,388
Male	0.8	83	16.2	52.8	35.6	5.0	4.3	1.7	0.7	510	725,828	5,090,374
Unknown	0.3	26	7.0	72.8	23.2	2.1	1.3	0.4	0.2	367	1,878	9,127
Race												
White	1.1	80	15.6	46.5	38.3	6.0	5.6	2.5	1.1	509	581,591	4,035,342
African American	0.6	55	12.0	56.0	35.2	3.9	3.2	1.3	0.5	458	495,704	3,365,663
Other/unknown	1.0	86	16.1	49.6	37.8	5.3	4.5	1.9	0.9	531	645,346	4,248,884
Use of Nursing Facilities^f												
Entire year	8.5	533	8.3	4.9	3.9	3.5	20.3	37.5	30.0	6,421	3,164	32,571
Part year	6.8	476	6.6	7.4	8.4	7.6	25.4	31.1	20.2	7,221	3,251	27,139
None	0.9	72	15.4	50.5	37.4	5.1	4.4	1.8	0.8	470	1,716,226	11,590,179
Maintenance Assistance Status												
Cash	1.4	126	18.1	46.1	34.5	6.3	7.4	3.9	1.9	697	672,759	4,951,703
Medically needy	1.7	147	15.2	49.1	29.3	6.9	9.2	4.2	1.3	967	25,166	127,625
Poverty related	0.5	30	10.2	52.9	40.0	4.2	2.2	0.5	0.2	297	703,523	4,563,241
Other/unknown	0.6	44	9.6	53.9	37.4	4.8	3.1	0.7	0.2	459	321,193	2,007,320

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
 AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx
All	0.9	\$75	\$82	0.3	\$60	\$190	0.0	\$4	\$84	0.5	\$11	\$20
Age												
5 and younger	0.5	34	69	0.1	27	203	0.0	1	48	0.3	6	17
6-14	0.4	44	101	0.2	38	193	0.0	1	71	0.2	5	23
15-20	0.5	51	104	0.2	44	238	0.0	2	78	0.3	6	21
21-44	1.2	92	79	0.3	72	207	0.1	5	87	0.8	15	19
45-64	4.4	355	80	1.6	277	171	0.3	26	101	2.6	51	20
65-74	3.5	214	62	1.4	167	119	0.2	17	90	1.8	30	16
75-84	2.9	163	57	1.2	127	107	0.1	12	82	1.5	24	16
85 and older	2.7	140	52	1.0	106	104	0.2	11	71	1.5	23	15
Unknown	0.1	2	20	0.0	1	57	0.0	0	0	0.1	1	12
Basis of Eligibility^d												
Aged	3.1	176	58	1.3	137	108	0.2	14	84	1.6	25	16
Disabled	2.8	289	102	1.1	239	220	0.2	15	98	1.6	34	22
Adults	0.8	40	48	0.2	27	130	0.0	3	81	0.6	10	17
Children	0.4	27	67	0.1	21	163	0.0	1	56	0.2	5	18
Unknown	3.0	311	105	1.1	264	235	0.2	18	97	1.7	28	17
Gender												
Female	1.0	68	70	0.3	53	163	0.1	4	83	0.6	11	19
Male	0.8	83	101	0.3	70	225	0.0	3	86	0.5	10	21
Unknown	0.3	26	81	0.1	16	153	0.0	2	101	0.2	8	41
Race												
White	1.1	80	74	0.4	61	170	0.1	5	88	0.7	13	20
African American	0.6	55	85	0.2	45	211	0.0	2	82	0.4	8	19
Other/unknown	1.0	86	89	0.4	71	198	0.0	4	80	0.6	11	19
Use of Nursing Facilities^e												
Entire year	8.5	533	63	2.6	389	147	0.5	47	87	5.3	96	18
Part year	6.8	476	70	2.1	357	174	0.4	31	86	4.4	87	20
None	0.9	72	83	0.3	58	191	0.0	4	84	0.5	10	20
Maintenance Assistance Status												
Cash	1.4	126	90	0.5	102	202	0.1	7	91	0.8	17	20
Medically needy	1.7	147	88	0.6	116	207	0.1	9	100	1.0	21	21
Poverty related	0.5	30	61	0.2	23	153	0.0	2	64	0.3	6	17
Other/unknown	0.6	44	75	0.2	36	175	0.0	2	71	0.4	7	18

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Florida, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx			Users ^e					
	Total	Patented	Off-Patent	Generic	Total	Patented	Off-Patent	Generic	Total	Patented	Off-Patent	Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All Benes	Number of Benefit Months
		Brand-Name	Brand-Name			Brand-Name	Brand-Name										
Anti-infective Agents	0.3	0.1	0.0	0.2	\$27	\$21	\$1	\$5	\$95	\$331	\$59	\$25	1,453,064	\$137,832,580	538,872	31.3	5,014,326
Biologicals	0.4	0.4	0.0	0.0	491	490	1	0	1167	1,178	1,812	72	33,106	38,637,626	8,867	0.5	78,626
Antineoplastic Agents	0.5	0.2	0.0	0.4	184	156	1	27	352	940	264	76	31,462	11,077,060	6,324	0.4	60,244
Endocrine/Metabolic Drugs	0.4	0.1	0.0	0.2	30	23	1	6	69	158	30	23	808,262	55,512,571	204,229	11.9	1,871,382
Cardiovascular Agents	1.3	0.4	0.1	0.7	54	34	11	10	43	76	115	13	1,261,225	54,563,108	110,651	6.4	1,004,041
Respiratory Agents	0.4	0.2	0.0	0.2	26	22	1	3	63	121	62	16	1,497,078	94,555,502	379,102	22.0	3,576,928
Gastrointestinal Agents	0.5	0.3	0.0	0.2	53	49	1	3	101	145	208	15	616,980	62,184,648	126,091	7.3	1,176,174
Genitourinary Agents	0.2	0.1	0.0	0.1	10	5	2	3	44	78	68	24	130,849	5,715,452	65,651	3.8	558,997
CNS Drugs	1.0	0.4	0.1	0.5	102	84	8	9	103	226	99	17	1,496,619	154,598,693	160,323	9.3	1,521,849
Stimulants/Anti-obesity/Anorexia	0.6	0.5	0.0	0.1	59	56	0	3	94	107	163	28	295,691	27,914,772	46,357	2.7	470,522
Miscellaneous Psychological/Neurological Agents	0.6	0.5	0.0	0.0	148	145	0	3	259	276	73	65	27,195	7,045,068	4,834	0.3	47,667
Analgesics and Anesthetics	0.4	0.0	0.0	0.4	16	7	2	8	38	194	253	20	1,034,094	39,227,489	266,394	15.5	2,412,378
Neuromuscular Agents	0.8	0.3	0.0	0.5	62	49	1	12	83	182	108	26	650,980	53,971,929	90,218	5.2	863,911
Nutritional Products	0.3	0.1	0.0	0.3	6	2	0	3	17	34	26	12	257,968	4,339,637	96,202	5.6	779,631
Hematological Agents	0.6	0.2	0.0	0.4	257	252	0	5	422	1,088	25	13	183,464	77,426,791	33,995	2.0	301,393
Topical Products	0.3	0.1	0.0	0.2	11	7	0	3	42	100	57	18	772,482	32,768,126	319,729	18.6	3,020,561
Miscellaneous Products	0.6	0.3	0.0	0.3	220	182	7	32	363	635	236	109	30,407	11,041,601	4,976	0.3	50,248
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	10	0	0	0	41	0	0	0	27,015	1,110,053	11,509	0.7	113,411
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	10,607,941	869,522,706	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Florida, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2006.

Benef(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Top 10 Drug Groups	Users			Among Users				
	Total Medicaid Rx \$	Number of Users	As a Percentage of All Beneficiaries	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month	
ANTIPSYCHOTICS	\$107,588,923	73,406	4.3	752,336	0.6	\$251	\$143	
ANTIVIRAL	78,879,837	31,154	1.8	294,187	0.6	484	268	
ANTIASTHMATIC	66,629,931	312,463	18.1	3,027,858	0.3	81	22	
MISC. HEMATOLOGICAL	62,328,798	12,685	0.7	120,311	0.6	910	518	
ULCER DRUGS	46,576,212	114,846	6.7	1,092,064	0.4	107	43	
ANTICONVULSANT	46,024,445	61,745	3.6	625,029	0.7	112	74	
PASSIVE IMMUNIZING AGENTS	37,951,750	7,442	0.4	62,867	0.5	1,212	604	
ANTIDEPRESSANTS	31,871,346	109,977	6.4	1,060,810	0.5	62	30	
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	27,614,840	52,079	3.0	536,946	0.5	94	51	
MISC. ENDOCRINE	23,766,484	12,014	0.7	124,346	0.5	380	191	
Total	529,232,566	787,811	n.a.	7,696,754	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ANTIVIRAL			
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	3,229,396	\$529,232,566	73,406	4.3	752,336	0.6	\$143	31,154	1.8	294,187	0.6	\$268
Female												
All Females	1,756,980	241,699,351	37,303	3.7	375,648	0.5	137	18,665	1.9	174,734	0.5	226
Female, Disabled												
All Ages	1,075,533	159,816,653	27,095	27.3	280,781	0.6	153	8,895	9.0	89,688	0.6	319
5 and younger	28,216	9,285,492	63	1.1	723	0.3	74	137	2.4	1,563	0.5	93
6-14	75,102	13,185,842	1,522	12.8	17,098	0.5	127	452	3.8	5,278	0.7	272
15-20	57,849	10,008,092	1,813	18.3	20,018	0.6	142	483	4.9	5,481	0.6	295
21-44	262,737	43,781,744	8,890	34.3	92,554	0.6	148	3,655	14.1	36,119	0.6	317
45-64	639,918	82,205,567	14,529	32.7	147,495	0.6	161	4,141	9.3	40,998	0.7	338
65-74	10,772	1,243,047	246	26.6	2,558	0.6	166	27	2.9	249	0.7	388
75-84	879	97,534	29	11.8	310	0.8	153	0	0.0	0	0.0	0
85 and older	60	9,335	3	4.7	25	0.8	300	0	0.0	0	0.0	0
Female, Other Eligibles												
All Ages	681,446	81,882,630	10,208	1.1	94,867	0.4	88	9,770	1.1	85,046	0.4	128
5 and younger	130,909	21,261,795	128	0.1	1,381	0.4	66	808	0.3	7,965	0.2	29
6-14	157,735	17,606,082	2,095	1.0	22,322	0.5	102	987	0.5	10,540	0.5	157
15-20	74,966	9,053,892	2,041	1.6	20,315	0.4	98	1,414	1.1	13,466	0.3	95
21-44	218,672	23,822,479	4,734	1.7	39,686	0.3	74	6,003	2.1	48,320	0.3	131
45-64	49,847	5,733,974	710	3.9	6,141	0.5	109	489	2.7	4,055	0.6	318
65-74	28,056	2,586,619	253	4.8	2,579	0.5	83	43	0.8	409	0.3	136
75-84	14,925	1,306,721	147	4.8	1,425	0.4	60	24	0.8	271	0.2	54
85 and older	6,336	511,068	100	8.7	1,018	0.5	68	2	0.2	20	0.1	1
Male												
All Males	1,471,847	287,456,407	36,090	5.0	376,593	0.6	150	12,486	1.7	119,437	0.6	330
Male, Disabled												
All Ages	887,478	195,709,501	27,541	24.9	290,946	0.6	163	9,646	8.7	91,985	0.7	382
5 and younger	41,069	13,097,283	220	2.8	2,400	0.4	81	123	1.6	1,329	0.5	90
6-14	172,705	42,284,941	5,027	20.1	56,420	0.5	133	542	2.2	6,182	0.7	261
15-20	95,206	29,588,518	3,585	21.1	39,764	0.6	151	326	1.9	3,659	0.6	302
21-44	224,771	52,055,230	9,268	36.4	97,202	0.7	180	3,406	13.4	30,746	0.7	378
45-64	345,100	57,539,770	9,163	26.6	92,347	0.7	169	5,220	15.2	49,774	0.8	415
65-74	7,600	1,013,429	245	36.0	2,487	0.7	188	25	3.7	247	0.5	275
75-84	1,023	130,274	33	23.4	326	0.7	156	4	2.8	48	0.6	235
85 and older	4	56	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Nondual Medicaid Beneficiaries

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	All Top 10 Drug Groups			ANTIPSYCHOTICS						ANTIVIRAL		
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
Male, Other Eligibles												
All Ages	584,369	91,746,906	8,549	1.4	85,647	0.5	105	2,840	0.5	27,452	0.4	154
5 and younger	178,772	32,522,651	367	0.1	3,798	0.4	72	864	0.3	8,450	0.2	18
6-14	267,643	36,697,977	4,564	2.2	47,630	0.5	108	850	0.4	9,089	0.5	162
15-20	75,802	15,104,907	2,506	2.8	25,269	0.5	109	522	0.6	5,270	0.5	222
21-44	26,642	3,370,706	631	1.3	4,672	0.4	90	366	0.8	2,668	0.5	265
45-64	14,361	1,898,082	193	2.2	1,525	0.4	93	178	2.0	1,437	0.7	420
65-74	12,221	1,313,409	181	6.3	1,743	0.5	105	43	1.5	378	0.6	285
75-84	6,909	668,810	85	5.0	795	0.5	96	13	0.8	112	0.1	15
85 and older	2,019	170,364	22	4.4	215	0.5	52	4	0.8	48	0.1	2
Unknown	570	76,876	13	0.7	95	0.5	55	3	0.2	16	1.0	571

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	ANTIASTHMATIC					MISC. HEMATOLOGICAL					ULCER DRUGS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ Benefit Month
All	312,463	18.1	3,027,858	0.3	\$22	12,685	0.7	120,311	0.6	\$518	114,846	6.7	1,092,064	0.4	\$43
Female															
All Females	160,074	16.1	1,542,509	0.3	22	7,415	0.7	71,196	0.6	63	74,644	7.5	707,634	0.4	43
Female, Disabled															
All Ages	41,294	41.7	425,304	0.4	35	5,210	5.3	51,128	0.6	69	33,155	33.5	339,719	0.5	59
5 and younger	3,540	62.8	39,087	0.3	32	11	0.2	106	0.2	298	1,274	22.6	13,478	0.4	29
6-14	4,242	35.6	48,112	0.3	29	11	0.1	131	0.8	194	1,114	9.3	12,846	0.4	48
15-20	2,177	21.9	24,628	0.3	25	19	0.2	209	0.4	230	1,125	11.3	12,818	0.4	41
21-44	7,864	30.3	80,737	0.4	29	452	1.7	4,517	0.5	159	7,050	27.2	74,018	0.4	50
45-64	23,066	51.9	228,742	0.5	40	4,587	10.3	44,928	0.6	58	22,138	49.8	222,113	0.6	65
65-74	375	40.5	3,743	0.5	40	111	12.0	1,074	0.6	64	418	45.1	4,131	0.6	63
75-84	30	12.2	255	0.4	29	18	7.3	159	0.6	75	33	13.5	289	0.6	65
85 and older	0	0.0	0	0.0	0	1	1.6	4	0.8	96	3	4.7	26	0.6	19
Female, Other Eligibles															
All Ages	118,779	13.3	1,117,202	0.2	17	2,205	0.2	20,068	0.5	46	41,489	4.6	367,915	0.3	28
5 and younger	53,877	21.9	517,475	0.2	17	17	0.0	171	0.2	216	7,708	3.1	64,767	0.2	13
6-14	30,164	14.6	296,284	0.2	18	27	0.0	260	0.3	138	4,352	2.1	44,909	0.2	19
15-20	9,978	7.7	95,558	0.2	14	21	0.0	201	0.2	199	4,775	3.7	45,966	0.2	18
21-44	20,004	7.0	165,803	0.3	18	649	0.2	5,429	0.3	25	18,029	6.3	152,339	0.3	30
45-64	3,024	16.7	25,048	0.4	31	387	2.1	3,219	0.5	50	3,217	17.8	27,285	0.4	52
65-74	941	17.8	9,287	0.4	35	598	11.3	5,893	0.5	45	1,986	37.6	18,954	0.5	57
75-84	574	18.6	5,593	0.4	33	351	11.4	3,341	0.6	51	1,053	34.1	10,104	0.5	54
85 and older	217	19.0	2,154	0.4	28	155	13.5	1,554	0.6	54	369	32.2	3,591	0.5	51
Male															
All Males	152,234	21.0	1,484,177	0.3	22	5,265	0.7	49,087	0.6	1,179	40,161	5.5	384,172	0.4	42
Male, Disabled															
All Ages	32,215	29.2	340,096	0.4	32	3,993	3.6	38,164	0.6	1,136	20,112	18.2	206,430	0.5	56
5 and younger	5,555	71.4	61,349	0.3	32	28	0.4	316	0.7	6,717	1,510	19.4	16,040	0.4	31
6-14	8,669	34.7	97,821	0.3	26	61	0.2	715	0.9	23,047	1,610	6.4	18,638	0.4	50
15-20	3,251	19.1	36,470	0.3	28	44	0.3	504	0.8	26,587	1,226	7.2	13,947	0.4	46
21-44	3,513	13.8	36,112	0.4	29	340	1.3	3,211	0.5	2,848	4,446	17.5	46,085	0.5	56
45-64	10,900	31.7	105,206	0.5	40	3,380	9.8	32,098	0.6	67	10,992	32.0	108,481	0.6	63
65-74	294	43.2	2,852	0.5	37	117	17.2	1,079	0.6	52	286	42.1	2,811	0.6	67
75-84	33	23.4	286	0.4	17	23	16.3	241	0.5	48	41	29.1	421	0.7	82
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	3.4	7	0.1	2

Nondual Medicaid Beneficiaries

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	ANTIASTHMATIC					MISC. HEMATOLOGICAL					ULCER DRUGS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
Male, Other Eligibles															
All Ages	120,019	19.5	1,144,081	0.2	19	1,272	0.2	10,923	0.6	1,330	20,049	3.3	177,742	0.3	25
5 and younger	69,938	27.3	664,405	0.2	18	68	0.0	662	0.6	7,319	9,174	3.6	77,048	0.2	15
6-14	38,848	18.6	375,550	0.2	19	50	0.0	506	0.7	11,410	3,523	1.7	36,063	0.2	21
15-20	7,275	8.1	71,292	0.2	18	32	0.0	336	0.5	9,627	2,178	2.4	21,651	0.2	24
21-44	2,058	4.4	15,987	0.3	24	185	0.4	1,307	0.5	179	2,569	5.5	19,932	0.4	43
45-64	799	8.9	6,532	0.4	36	286	3.2	1,951	0.5	61	1,141	12.7	8,903	0.5	55
65-74	620	21.6	5,885	0.4	35	367	12.8	3,433	0.5	51	866	30.2	8,317	0.5	57
75-84	373	22.1	3,469	0.4	42	210	12.5	2,043	0.6	55	481	28.6	4,703	0.5	53
85 and older	108	21.7	961	0.4	23	74	14.9	685	0.6	51	117	23.5	1,125	0.6	61
Unknown	156	8.1	1,175	0.2	22	5	0.3	28	0.6	76	41	2.1	258	0.3	16

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.
 a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	ANTICONVULSANT					PASSIVE IMMUNIZING AGENTS					ANTIDEPRESSANTS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	61,745	3.6	625,029	0.7	\$74	7,442	0.4	62,867	0.5	\$604	109,977	6.4	1,060,810	0.5	\$30
Female															
All Females	35,506	3.6	353,385	0.6	68	4,190	0.4	35,106	0.4	500	76,971	7.7	730,374	0.5	30
Female, Disabled															
All Ages	24,305	24.5	254,223	0.7	77	902	0.9	8,999	0.6	726	39,935	40.3	408,271	0.6	36
5 and younger	579	10.3	6,470	0.6	86	868	15.4	8,627	0.6	703	21	0.4	244	0.4	12
6-14	2,127	17.9	24,212	0.8	128	9	0.1	103	0.6	732	965	8.1	10,954	0.5	21
15-20	1,809	18.2	20,477	0.8	121	7	0.1	83	0.3	550	1,714	17.3	19,190	0.5	26
21-44	7,748	29.9	81,789	0.7	89	11	0.0	116	0.3	2,011	11,054	42.6	114,339	0.5	33
45-64	11,847	26.7	119,285	0.7	52	7	0.0	70	0.4	1,650	25,828	58.1	259,951	0.6	38
65-74	176	19.0	1,783	0.7	35	0	0.0	0	0.0	0	331	35.7	3,392	0.6	39
75-84	17	6.9	183	0.6	22	0	0.0	0	0.0	0	20	8.2	188	0.7	34
85 and older	2	3.1	24	0.4	2	0	0.0	0	0.0	0	2	3.1	13	0.8	70
Female, Other Eligibles															
All Ages	11,201	1.3	99,162	0.4	45	3,288	0.4	26,107	0.4	423	37,036	4.1	322,103	0.4	23
5 and younger	552	0.2	5,474	0.4	47	2,116	0.9	16,647	0.5	648	165	0.1	1,685	0.3	12
6-14	1,447	0.7	14,803	0.5	76	9	0.0	93	0.5	495	2,819	1.4	29,820	0.4	19
15-20	1,334	1.0	13,008	0.5	70	277	0.2	2,334	0.1	47	5,097	4.0	48,416	0.3	20
21-44	6,251	2.2	51,286	0.4	35	886	0.3	7,033	0.1	13	23,747	8.3	196,493	0.4	23
45-64	1,039	5.7	8,801	0.5	33	0	0.0	0	0.0	0	3,604	19.9	30,091	0.5	32
65-74	351	6.7	3,505	0.5	23	0	0.0	0	0.0	0	988	18.7	9,626	0.5	29
75-84	156	5.1	1,603	0.5	20	0	0.0	0	0.0	0	419	13.6	4,053	0.5	26
85 and older	71	6.2	682	0.6	14	0	0.0	0	0.0	0	197	17.2	1,919	0.6	27
Male															
All Males	26,231	3.6	271,593	0.7	81	3,241	0.4	27,709	0.6	735	32,990	4.5	330,324	0.5	30
Male, Disabled															
All Ages	20,827	18.9	220,953	0.7	86	973	0.9	9,760	0.6	767	22,428	20.3	230,483	0.5	32
5 and younger	827	10.6	9,186	0.7	87	944	12.1	9,415	0.6	732	45	0.6	512	0.4	18
6-14	3,373	13.5	38,159	0.7	104	17	0.1	203	0.7	910	2,292	9.2	25,814	0.5	22
15-20	2,624	15.4	29,341	0.8	116	4	0.0	48	0.5	1,010	2,276	13.4	25,310	0.5	28
21-44	6,962	27.3	73,838	0.8	96	4	0.0	48	1.3	6,859	6,566	25.8	67,555	0.5	34
45-64	6,908	20.1	69,017	0.7	53	4	0.0	46	0.4	868	11,028	32.1	109,100	0.6	35
65-74	113	16.6	1,200	0.7	34	0	0.0	0	0.0	0	202	29.7	1,993	0.6	40
75-84	19	13.5	200	0.7	51	0	0.0	0	0.0	0	19	13.5	199	0.5	30
85 and older	1	3.4	12	0.3	4	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Nondual Medicaid Beneficiaries

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	ANTICONVULSANT					PASSIVE IMMUNIZING AGENTS					ANTIDEPRESSANTS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean		Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean		Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean	
				Rx per Benefit Month	Mean Rx \$ per Benefit Month				Rx per Benefit Month	Mean Rx \$ per Benefit Month				Rx per Benefit Month	Mean Rx \$ per Benefit Month
Male, Other Eligibles															
All Ages	5,404	0.9	50,640	0.5	59	2,268	0.4	17,949	0.6	717	10,562	1.7	99,841	0.4	23
5 and younger	743	0.3	7,370	0.4	51	2,239	0.9	17,636	0.6	712	244	0.1	2,486	0.3	13
6-14	1,888	0.9	18,987	0.5	69	20	0.0	211	0.7	836	3,495	1.7	36,274	0.4	21
15-20	1,201	1.3	11,916	0.5	71	8	0.0	90	0.7	1,621	3,173	3.5	31,253	0.4	24
21-44	965	2.1	7,072	0.5	41	1	0.0	12	0.1	108	2,219	4.7	17,126	0.4	25
45-64	348	3.9	2,790	0.5	32	0	0.0	0	0.0	0	866	9.7	7,186	0.5	28
65-74	147	5.1	1,395	0.5	28	0	0.0	0	0.0	0	347	12.1	3,386	0.5	29
75-84	77	4.6	764	0.7	27	0	0.0	0	0.0	0	162	9.6	1,574	0.5	31
85 and older	35	7.0	346	0.6	21	0	0.0	0	0.0	0	56	11.2	556	0.5	31
Unknown	8	0.4	51	0.7	36	11	0.6	52	0.4	420	16	0.8	112	0.5	27

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.
 a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	STIMULANTS/ANTI-OBESITY/ANOREXIANTS					MISC. ENDOCRINE						
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Beneficiaries	Number of Benefit Months
All	52,079	3.0	536,946	0.5	\$51	12,014	0.7	124,346	0.5	\$191	1,722,641	11,649,889
Female												
All Females	15,143	1.5	155,393	0.5	49	8,080	0.8	82,716	0.5	127	994,910	6,550,290
Female, Disabled												
All Ages	4,089	4.1	45,228	0.5	50	5,198	5.2	54,408	0.6	126	99,092	924,173
5 and younger	147	2.6	1,544	0.3	42	126	2.2	1,381	0.6	517	5,641	52,920
6-14	2,424	20.3	27,155	0.6	53	384	3.2	4,393	0.6	622	11,915	126,787
15-20	846	8.5	9,519	0.5	53	176	1.8	2,010	0.6	424	9,934	103,078
21-44	343	1.3	3,649	0.5	44	502	1.9	5,570	0.5	86	25,943	242,246
45-64	328	0.7	3,349	0.5	38	3,895	8.8	39,894	0.6	51	44,424	387,525
65-74	1	0.1	12	0.1	1	110	11.9	1,120	0.6	45	926	8,586
75-84	0	0.0	0	0.0	0	5	2.0	40	0.5	37	245	2,464
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	64	567
Female, Other Eligibles												
All Ages	11,054	1.2	110,165	0.5	48	2,882	0.3	28,308	0.5	129	895,818	5,626,117
5 and younger	576	0.2	5,882	0.3	33	106	0.0	1,105	0.3	238	246,161	1,603,884
6-14	7,841	3.8	79,641	0.5	50	937	0.5	9,656	0.3	195	207,274	1,482,233
15-20	1,688	1.3	17,007	0.5	48	146	0.1	1,572	0.5	508	128,821	839,395
21-44	857	0.3	6,792	0.4	41	216	0.1	1,918	0.4	37	285,964	1,534,986
45-64	90	0.5	823	0.5	39	324	1.8	2,894	0.5	45	18,089	96,999
65-74	1	0.0	8	1.0	12	651	12.3	6,329	0.6	45	5,275	36,270
75-84	0	0.0	0	0.0	0	380	12.3	3,638	0.6	46	3,089	23,192
85 and older	1	0.1	12	0.1	1	122	10.7	1,196	0.6	45	1,145	9,158
Male												
All Males	36,924	5.1	381,471	0.6	53	3,930	0.5	41,602	0.5	319	725,803	5,090,274
Male, Disabled												
All Ages	12,262	11.1	137,004	0.6	54	1,890	1.7	20,867	0.5	289	110,466	1,032,384
5 and younger	472	6.1	5,066	0.4	34	129	1.7	1,438	0.5	253	7,785	72,893
6-14	8,695	34.8	97,133	0.6	56	648	2.6	7,373	0.5	417	24,984	262,252
15-20	2,601	15.3	29,550	0.5	55	280	1.6	3,195	0.6	510	16,990	175,671
21-44	353	1.4	3,813	0.6	46	284	1.1	3,166	0.6	126	25,468	231,949
45-64	138	0.4	1,411	0.5	32	534	1.6	5,531	0.5	100	34,389	281,510
65-74	3	0.4	31	0.5	33	13	1.9	140	0.4	46	680	6,365
75-84	0	0.0	0	0.0	0	2	1.4	24	0.6	46	141	1,460
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	29	284

Nondual Medicaid Beneficiaries

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	STIMULANTS/ANTI-OBESITY/ANOREXIANTS						MISC. ENDOCRINE					
	Number of Users	Users as %	Number of Benefit Months Among Users	Mean		Number of Users	Users as %	Number of Benefit Months Among Users	Mean		Number of Beneficiaries	Number of Benefit Months
		of All Benes		Rx per Benefit Month	Mean Rx \$ per Benefit Month		of All Benes		Rx per Benefit Month	Mean Rx \$ per Benefit Month		
Male, Other Eligibles												
All Ages	24,662	4.0	244,467	0.5	52	2,040	0.3	20,735	0.4	349	615,337	4,057,890
5 and younger	1,503	0.6	15,593	0.4	33	173	0.1	1,705	0.3	312	255,909	1,659,260
6-14	19,401	9.3	191,678	0.6	53	1,489	0.7	15,302	0.3	267	208,938	1,489,555
15-20	3,562	4.0	35,688	0.5	53	235	0.3	2,371	0.5	1,068	89,717	619,591
21-44	164	0.4	1,254	0.4	38	18	0.0	146	0.3	30	46,764	207,851
45-64	28	0.3	223	0.5	38	17	0.2	138	0.5	48	8,959	45,319
65-74	2	0.1	13	0.2	5	48	1.7	496	0.6	73	2,868	19,573
75-84	0	0.0	0	0.0	0	47	2.8	455	0.5	39	1,684	12,851
85 and older	2	0.4	18	0.2	6	13	2.6	122	0.6	74	498	3,890
Unknown	12	0.6	82	0.5	42	4	0.2	28	0.5	26	1,928	9,325

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	Rx \$ per Benefit Month	Number of Rx per Benefit Month	Number of All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
All	\$533	8.5	3,164	32,571
Age				
0-64	580	9.1	2,515	26,431
65-74	469	7.9	237	2,432
75-84	278	5.3	213	2,035
85 and older	202	4.6	199	1,673
Unknown	0	0.0	0	0
Gender				
Female	535	8.8	1,565	16,487
Male	532	8.2	1,587	16,045
Unknown	155	3.2	12	39
Race				
White	510	8.8	1,452	14,817
African American	572	8.4	1,059	11,021
Other/unknown	520	8.1	653	6,733
Basis of Eligibility^c				
Aged	313	6.0	512	4,648
Disabled	570	8.9	2,642	27,833
Adults	386	5.3	3	11
Children	626	8.8	7	79
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2006 Medicaid enrollment. A total of 3,251 beneficiaries who were in nursing facilities for part of their enrollment and their 27,139 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx				Users				
	Total	Off-Brand-		Patent Brand-Name Generic	Total	Off-Brand-		Patent Brand-Name Generic	Total	Off-Brand-		Patent Brand-Name Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months
		Patent Brand-Name	Patent Brand-Name			Patent Brand-Name	Patent Brand-Name										
Anti-infective Agents	0.7	0.3	0.0	0.4	\$106	\$93	\$1	\$12	\$155	\$360	\$118	\$28	15,369	\$2,376,664	2,067	65.3	22,350
Biologicals	0.1	0.1	0.0	0.0	17	17	0	1	162	190	0	34	738	119,265	605	19.1	6,919
Antineoplastic Agents	0.4	0.1	0.0	0.4	59	28	0	30	132	372	93	83	1,089	143,678	236	7.5	2,455
Endocrine/Metabolic Drugs	1.2	0.5	0.2	0.5	57	44	4	8	49	96	23	16	16,873	826,193	1,350	42.7	14,598
Cardiovascular Agents	2.2	0.6	0.2	1.4	87	42	25	21	39	71	119	14	51,554	2,007,472	2,162	68.3	23,008
Respiratory Agents	1.0	0.4	0.0	0.6	52	43	2	7	54	112	75	13	14,365	775,488	1,374	43.4	14,782
Gastrointestinal Agents	1.1	0.6	0.0	0.5	74	64	1	9	68	115	42	17	23,403	1,602,333	2,010	63.5	21,686
Genitourinary Agents	0.5	0.2	0.0	0.3	26	17	1	7	50	83	64	25	3,307	164,123	574	18.1	6,315
CNS Drugs	2.1	0.7	0.1	1.2	156	127	11	18	76	174	83	15	53,766	4,061,006	2,421	76.5	25,969
Stimulants/Anti-obesity/Anorexia	1.0	0.1	0.0	0.9	23	10	0	12	23	92	0	14	182	4,148	19	0.6	184
Miscellaneous Psychological/ Neurological Agents	0.9	0.8	0.0	0.0	180	180	0	0	212	213	32	68	3,330	705,605	357	11.3	3,911
Analgesics and Anesthetics	1.5	0.1	0.2	1.2	52	13	22	18	35	110	139	14	26,078	904,256	1,643	51.9	17,239
Neuromuscular Agents	1.6	0.4	0.0	1.2	97	61	1	35	63	159	76	30	29,566	1,852,655	1,740	55.0	19,050
Nutritional Products	0.7	0.0	0.0	0.7	14	0	0	13	19	17	13	20	7,429	144,078	965	30.5	10,524
Hematological Agents	1.2	0.4	0.0	0.8	82	75	0	7	70	193	13	10	14,654	1,028,107	1,200	37.9	12,476
Topical Products	0.6	0.1	0.1	0.4	26	13	6	7	42	87	57	20	13,059	551,574	1,937	61.2	21,286
Miscellaneous Products	0.3	0.0	0.0	0.3	13	9	0	4	42	190	27	15	1,543	64,770	461	14.6	4,858
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	12	0	0	0	46	0	0	0	669	30,656	239	7.6	2,612
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	276,974	17,362,071	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.
 a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 3,251 beneficiaries who were in nursing facilities for part of their enrollment and their 27,139 benefit months were excluded from the analysis.
 b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2006. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 d. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 In Florida, 0.3 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.
 Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Top 10 Drug Groups in Nursing Facilities	Users			Among Users			
	Total Medicaid Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month
ANTIPSYCHOTICS	\$2,803,167	1,635	51.7	18,208	0.7	\$209	\$154
ANTIVIRAL	1,612,165	397	12.5	4,182	0.8	476	386
ANTICONVULSANT	1,580,588	1,927	60.9	21,224	1.0	73	74
ULCER DRUGS	1,281,367	2,086	65.9	22,796	0.7	80	56
ANTIDEPRESSANTS	1,026,676	2,161	68.3	23,726	0.8	57	43
ANTIDIABETIC	875,804	1,732	54.7	18,686	1.0	48	47
ANTIHYPERLIPIDEMIC	798,363	1,035	32.7	11,457	0.7	102	70
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	706,533	439	13.9	4,764	0.7	209	148
ANALGESICS - Narcotic	686,875	2,108	66.6	22,233	1.0	31	31
ANTIASTHMATIC	600,615	1,725	54.5	18,546	0.6	53	32
Total	11,972,153	15,245	n.a.	165,822	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 3,251 beneficiaries who were in nursing facilities for part of their enrollment and their 27,139 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.10A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST
 AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	All Top 10 Drug Groups								ANTIPSYCHOTICS				ANTIVIRAL	
	Number of Rx	Rx \$	Number of Users	Users as % of		Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Users as % of		Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	
				Nursing Facility Residents	All-Year Nursing Facility Residents				Users	All-Year Nursing Facility Residents				
All	135,520	\$11,972,153	1,635	51.7	18,208	0.7	\$154	397	12.5	4,182	0.8	\$386		
Female														
All Females	71,188	6,160,770	837	53.5	9,444	0.7	158	159	10.2	1,736	0.8	376		
Female, Disabled														
All Ages	62,532	5,556,607	718	57.7	8,127	0.8	168	157	12.6	1,712	0.8	381		
64 or younger	59,449	5,274,124	672	58.2	7,594	0.8	166	154	13.3	1,676	0.8	378		
65-74	2,528	236,298	34	61.8	405	0.8	206	3	5.5	36	1.0	535		
75-84	555	46,185	12	42.9	128	0.9	131	0	0.0	0	0.0	0		
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
Female, Other Eligibles														
All Ages	8,656	604,163	119	37.1	1,317	0.6	97	2	0.6	24	0.1	2		
64 or younger	98	3,805	1	20.0	2	2.0	19	0	0.0	0	0.0	0		
65-74	3,301	259,084	45	57.7	527	0.7	136	0	0.0	0	0.0	0		
75-84	2,588	169,658	29	28.7	296	0.6	84	2	2.0	24	0.1	2		
85 and older	2,669	171,616	44	32.1	492	0.5	64	0	0.0	0	0.0	0		
Male														
All Males	64,284	5,808,727	797	50.2	8,762	0.7	150	238	15.0	2,446	0.8	392		
Male, Disabled														
All Ages	60,111	5,500,327	732	52.4	8,115	0.7	154	231	16.5	2,380	0.8	397		
64 or younger	58,363	5,364,478	701	52.1	7,743	0.7	155	230	17.1	2,368	0.9	399		
65-74	1,471	113,796	27	73.0	324	0.7	127	0	0.0	0	0.0	0		
75-84	277	22,053	4	36.4	48	1.3	146	1	9.1	12	0.2	40		
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
Male, Other Eligibles														
All Ages	4,173	308,400	65	34.0	647	0.6	94	7	3.7	66	0.7	205		
64 or younger	241	15,612	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
65-74	2,132	176,753	40	59.7	375	0.7	121	5	7.5	50	0.9	270		
75-84	1,352	89,448	20	28.6	222	0.4	48	2	2.9	16	0.1	2		
85 and older	448	26,587	5	10.6	50	0.8	101	0	0.0	0	0.0	0		
Unknown	48	2,656	1	8.3	2	1.0	127	0	0.0	0	0.0	0		

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 3,251 beneficiaries who were in nursing facilities for part of their enrollment and their 27,139 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	ANTICONVULSANT					ULCER DRUGS					ANTIDEPRESSANTS				
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
All	1,927	60.9	21,224	1.0	\$75	2,086	65.9	22,796	0.7	\$56	2,161	68.3	23,726	0.8	\$43
Female															
All Females	947	60.5	10,492	1.0	71	1,061	67.8	11,731	0.7	56	1,184	75.7	13,150	0.8	44
Female, Disabled															
All Ages	861	69.2	9,602	1.0	74	890	71.5	9,885	0.7	58	1,020	82.0	11,432	0.8	45
64 or younger	816	70.6	9,082	1.0	75	844	73.1	9,392	0.7	58	972	84.2	10,881	0.8	45
65-74	41	74.5	472	0.8	49	36	65.5	410	0.7	56	39	70.9	460	0.7	38
75-84	4	14.3	48	0.8	55	10	35.7	83	0.6	58	9	32.1	91	0.7	41
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	86	26.8	890	0.9	47	171	53.3	1,846	0.7	49	164	51.1	1,718	0.7	35
64 or younger	2	40.0	6	0.3	33	5	100.0	60	0.7	17	0	0.0	0	0.0	0
65-74	41	52.6	450	0.9	61	53	67.9	593	0.7	49	60	76.9	654	0.7	43
75-84	18	17.8	184	1.0	48	50	49.5	528	0.7	56	54	53.5	548	0.7	31
85 and older	25	18.2	250	0.8	21	63	46.0	665	0.6	47	50	36.5	516	0.7	28
Male															
All Males	978	61.6	10,726	1.0	78	1,022	64.4	11,056	0.7	56	977	61.6	10,576	0.7	43
Male, Disabled															
All Ages	924	66.2	10,202	1.0	79	938	67.2	10,213	0.7	57	900	64.5	9,789	0.7	43
64 or younger	904	67.2	9,962	1.0	79	911	67.7	9,900	0.7	56	877	65.2	9,524	0.7	43
65-74	16	43.2	192	1.3	71	24	64.9	277	0.8	58	21	56.8	241	0.9	57
75-84	4	36.4	48	1.1	107	3	27.3	36	0.9	84	2	18.2	24	0.5	41
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	54	28.3	524	0.9	49	84	44.0	843	0.8	53	77	40.3	787	0.7	39
64 or younger	1	14.3	12	0.4	33	6	85.7	72	1.1	46	2	28.6	20	1.0	23
65-74	28	41.8	250	1.0	72	38	56.7	365	0.8	65	35	52.2	346	0.9	45
75-84	17	24.3	182	0.9	29	26	37.1	280	0.7	41	25	35.7	271	0.7	38
85 and older	8	17.0	80	0.8	26	14	29.8	126	0.8	51	15	31.9	150	0.5	27
Unknown	2	16.7	6	1.0	18	3	25.0	9	0.8	26	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.
 a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 3,251 beneficiaries who were in nursing facilities for part of their enrollment and their 27,139 benefit months were excluded from the analysis.
 b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	ANTIDIABETIC					ANTHYPERLIPIDEMIC					MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL				
	Number of Users	Users as %	Number of	Mean	Mean	Number of Users	Users as %	Number of	Mean	Mean	Number of Users	Users as %	Number of	Mean	Mean
		of All-Year					Benefit Months					Rx			
All	1,732	54.7	18,686	1.0	\$47	1,035	32.7	11,457	0.7	\$70	439	13.9	4,764	0.7	\$148
Female															
All Females	923	59.0	10,160	1.0	49	535	34.2	6,022	0.7	73	242	15.5	2,651	0.7	167
Female, Disabled															
All Ages	756	60.8	8,367	1.1	50	456	36.7	5,161	0.7	75	156	12.5	1,752	0.7	207
64 or younger	700	60.6	7,742	1.1	50	426	36.9	4,819	0.7	76	144	12.5	1,608	0.8	218
65-74	48	87.3	549	1.0	50	22	40.0	263	0.6	52	9	16.4	108	0.5	71
75-84	8	28.6	76	0.8	18	8	28.6	79	0.6	79	3	10.7	36	0.7	105
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	167	52.0	1,793	0.9	41	79	24.6	861	0.6	61	86	26.8	899	0.7	90
64 or younger	3	60.0	8	1.0	39	1	20.0	4	0.3	13	0	0.0	0	0.0	0
65-74	64	82.1	725	0.8	38	31	39.7	363	0.6	66	20	25.6	236	0.7	103
75-84	52	51.5	521	1.0	45	31	30.7	311	0.7	64	25	24.8	234	0.7	90
85 and older	48	35.0	539	0.9	42	16	11.7	183	0.5	48	41	29.9	429	0.8	83
Male															
All Males	807	50.9	8,517	0.9	45	499	31.4	5,431	0.7	67	197	12.4	2,113	0.7	125
Male, Disabled															
All Ages	721	51.6	7,717	1.0	46	451	32.3	4,944	0.7	67	151	10.8	1,640	0.7	135
64 or younger	692	51.4	7,384	1.0	47	437	32.5	4,778	0.7	67	145	10.8	1,572	0.7	136
65-74	26	70.3	297	0.9	35	13	35.1	154	0.8	83	4	10.8	44	0.5	77
75-84	3	27.3	36	1.1	43	1	9.1	12	0.1	12	2	18.2	24	0.9	121
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	86	45.0	800	0.8	33	48	25.1	487	0.6	62	46	24.1	473	0.6	91
64 or younger	0	0.0	0	0.0	0	1	14.3	12	0.8	119	0	0.0	0	0.0	0
65-74	48	71.6	472	0.9	36	26	38.8	256	0.7	69	17	25.4	167	0.8	112
75-84	32	45.7	296	0.8	30	17	24.3	187	0.6	60	21	30.0	229	0.6	82
85 and older	6	12.8	32	0.6	20	4	8.5	32	0.3	8	8	17.0	77	0.5	71
Unknown	2	16.7	9	1.1	60	1	8.3	4	0.8	43	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.
 a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 3,251 beneficiaries who were in nursing facilities for part of their enrollment and their 27,139 benefit months were excluded from the analysis.
 b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	ANALGESICS - Narcotic						ANTIASTHMATIC						
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$		Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
All	2,108	66.6	22,233	1.0	\$31		1,725	54.5	18,546	0.6	\$32	3,164	32,571
Female													
All Females	1,115	71.2	12,034	1.0	31		857	54.8	9,335	0.6	31	1,565	16,487
Female, Disabled													
All Ages	979	78.7	10,681	1.0	33		715	57.5	7,813	0.6	31	1,244	13,416
64 or younger	932	80.7	10,166	1.0	33		670	58.0	7,316	0.6	31	1,155	12,467
65-74	35	63.6	400	0.7	31		32	58.2	358	0.4	26	55	611
75-84	12	42.9	115	0.9	15		13	46.4	139	0.4	37	28	290
85 and older	0	0.0	0	0.0	0		0	0.0	0	0.0	0	6	48
Female, Other Eligibles													
All Ages	136	42.4	1,353	0.7	23		142	44.2	1,522	0.6	30	321	3,071
64 or younger	4	80.0	12	0.4	3		5	100.0	60	0.6	36	5	32
65-74	40	51.3	446	0.8	22		36	46.2	418	0.7	41	78	842
75-84	45	44.6	436	0.6	21		51	50.5	530	0.6	30	101	963
85 and older	47	34.3	459	0.6	26		50	36.5	514	0.5	20	137	1,234
Male													
All Males	988	62.3	10,177	1.0	30		863	54.4	9,195	0.6	34	1,587	16,045
Male, Disabled													
All Ages	927	66.4	9,668	1.0	31		781	55.9	8,456	0.6	34	1,396	14,410
64 or younger	907	67.4	9,428	1.0	32		770	57.2	8,348	0.6	35	1,346	13,861
65-74	15	40.5	180	0.9	11		9	24.3	84	0.2	9	37	408
75-84	5	45.5	60	0.8	6		2	18.2	24	0.3	21	11	125
85 and older	0	0.0	0	0.0	0		0	0.0	0	0.0	0	2	16
Male, Other Eligibles													
All Ages	61	31.9	509	0.8	17		82	42.9	739	0.5	33	191	1,635
64 or younger	1	14.3	8	1.8	13		8	114.3	86	1.3	115	7	64
65-74	26	38.8	224	1.0	18		16	23.9	134	0.3	27	67	571
75-84	21	30.0	172	0.8	20		38	54.3	376	0.3	24	70	648
85 and older	13	27.7	105	0.5	7		20	42.6	143	0.4	14	47	352
Unknown	5	41.7	22	0.6	49		5	41.7	16	0.4	18	12	39

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 3,251 beneficiaries who were in nursing facilities for part of their enrollment and their 27,139 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 FLORIDA, 2006

Beneficiary Characteristics	Number of Beneficiaries with at Least One Part D Excluded Rx	Percentage of Beneficiaries with at Least One Part D Excluded Rx	Number of Part D Excluded Rx per Beneficiary	Total Number Part D Excluded Rx	Part D Excluded Rx \$ per Beneficiary	Total Part D Excluded Rx \$	\$ per Part D Excluded Rx	Part D Excluded Rx \$ as a Percentage of All Nondual Rx \$	Total Number of Beneficiaries	
All	290,749	16.9	0.6	1,080,072	\$8	\$14,455,219	\$13	1.7	1,722,641	
Age										
5 and younger	106,440	20.6	0.4	217,886	6	2,928,630	13	2.5	516,636	
6-14	60,021	13.2	0.3	128,068	6	2,549,082	20	1.7	453,522	
15-20	24,591	10.0	0.2	58,883	5	1,105,383	19	1.2	245,629	
21-44	52,150	13.6	0.6	238,664	8	3,045,952	13	1.5	384,170	
45-64	41,710	39.4	3.7	391,091	42	4,441,950	11	1.5	105,899	
65-74	3,474	35.5	2.9	27,915	25	240,797	9	1.6	9,780	
75-84	1,724	33.2	2.5	12,846	21	106,604	8	1.6	5,194	
85 and older	637	36.2	2.7	4,716	21	36,784	8	1.9	1,761	
Unknown	2	4.0	0.1	3	1	37	12	11.0	50	
Basis of Eligibility^c										
Aged	4,813	33.0	2.4	34,854	19	279,938	8	1.5	14,588	
Disabled	71,619	34.2	2.8	579,726	40	8,386,318	14	1.5	209,615	
Adults	44,729	11.3	0.4	142,767	4	1,444,711	10	1.7	396,308	
Children	169,474	15.4	0.3	322,119	4	4,337,706	13	2.1	1,101,805	
Unknown	114	35.1	1.9	606	20	6,546	11	0.8	325	
Gender										
Female	169,662	17.1	0.7	663,100	8	8,368,226	13	1.9	994,935	
Male	120,955	16.7	0.6	416,695	8	6,082,504	15	1.4	725,828	
Unknown	132	7.0	0.1	277	2	4,489	16	1.9	1,878	
Race										
White	103,527	17.8	0.7	432,323	10	5,675,833	13	1.8	581,591	
African American	60,380	12.2	0.4	173,839	4	2,189,074	13	1.2	495,704	
Other/unknown	126,842	19.7	0.7	473,910	10	6,590,312	14	1.8	645,346	
Use of Nursing Facilities^d										
Entire year	1,991	62.9	9.9	31,184	116	366,899	12	2.1	3,164	
Part year	2,233	68.7	6.3	20,377	84	272,098	13	2.1	3,251	
None	286,525	16.7	0.6	1,028,511	8	13,816,222	13	1.6	1,716,226	
Maintenance Assistance Status										
Cash	139,049	20.7	1.1	734,331	15	10,002,373	14	1.6	672,759	
Medically needy	4,354	17.3	0.8	19,042	10	239,852	13	1.3	25,166	
Poverty related	107,245	15.2	0.3	225,971	4	2,834,744	13	2.1	703,523	
Other/unknown	40,101	12.5	0.3	100,728	4	1,378,250	14	1.6	321,193	

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 FLORIDA, 2006

Beneficiary Characteristics	Number Rx per Benefit Month	Rx \$ per Benefit Month	\$ per Rx	Barbiturate \$ per Benefit Month	Benzodiazepine \$ per Benefit Month	Number of Benefit Months
All	0.1	\$1	\$13	\$0	\$0	11,649,889
Age						
5 and younger	0.1	1	13	0	0	3,394,715
6-14	0.0	1	20	0	0	3,362,736
15-20	0.0	1	19	0	0	1,738,517
21-44	0.1	1	13	0	1	2,217,189
45-64	0.5	5	11	0	3	811,529
65-74	0.4	3	9	0	2	70,957
75-84	0.3	3	8	0	1	40,068
85 and older	0.3	3	8	0	1	13,980
Unknown	0.0	0	12	0	0	198
Basis of Eligibility^c						
Aged	0.3	3	8	0	1	105,032
Disabled	0.3	4	14	0	2	1,956,883
Adults	0.1	1	10	0	0	2,096,884
Children	0.0	1	13	0	0	7,488,376
Unknown	0.2	2	11	0	2	2,714
Gender						
Female	0.1	1	13	0	0	6,550,388
Male	0.1	1	15	0	0	5,090,374
Unknown	0.0	0	16	0	0	9,127
Race						
White	0.1	1	13	0	1	4,035,342
African American	0.1	1	13	0	0	3,365,663
Other/unknown	0.1	2	14	0	0	4,248,884
Use of Nursing Facilities^d						
Entire year	1.0	11	12	1	6	32,571
Part year	0.8	10	13	0	4	27,139
None	0.1	1	13	0	0	11,590,179
Maintenance Assistance Status						
Cash	0.1	2	14	0	1	4,951,703
Medically needy	0.1	2	13	0	1	127,625
Poverty related	0.0	1	13	0	0	4,563,241
Other/unknown	0.1	1	14	0	0	2,007,320

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth; for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE ND.13
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 FLORIDA, 2006

Drug Category	Number of Users	Rx \$ per User	Total Rx \$	Rx \$ as a Percentage of All Part D Excluded Rx \$	Total Number Rx.	\$ per Rx	Number Rx as a Percentage of All Part D Excluded Rx
All	345,606	\$42	\$14,455,219	100.0	1,080,072	\$13	100.0
Anorexia or weight loss/gain	1	22	22	0.0	1	22	0.0
Fertility drugs	2	42	83	0.0	2	42	0.0
Drugs for cosmetic purposes	236	17	3,899	0.0	371	11	0.0
Cough and cold medications	150,037	24	3,637,243	25.2	248,822	15	23.0
Vitamins and minerals	32,964	46	1,503,959	10.4	105,568	14	9.8
Non-prescription drugs	81,099	32	2,612,280	18.1	214,213	12	19.8
Barbiturates	3,211	65	207,488	1.4	26,405	8	2.4
Benzodiazepines	66,299	72	4,793,064	33.2	449,947	11	41.7
Other Part D Excl Rx Drugs	11,757	144	1,697,181	11.7	34,743	49	3.2

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2006. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

APPENDIX TABLE A.1
CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, FLORIDA, 2006

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown
All	2,345,350	19,056	291,530	492,266	1,542,173	325	20,607,339	180,419	3,135,251	3,441,760	13,847,190	2,719
Age												
5 and younger	692,343	0	16,284	0	676,059	0	6,167,012	0	172,490	0	5,994,522	0
6-14	663,469	0	54,749	0	608,720	0	6,269,549	0	628,457	0	5,641,092	0
15-20	339,754	0	39,536	46,137	254,081	0	2,958,903	0	444,390	321,576	2,192,937	0
21-44	485,418	0	72,568	409,601	3,241	8	3,646,440	0	775,036	2,853,036	18,314	54
45-64	142,397	10	105,614	36,441	20	312	1,354,702	49	1,085,262	266,647	104	2,640
65-74	12,936	10,615	2,240	76	0	5	123,302	98,878	23,934	465	0	25
75-84	6,829	6,385	435	9	0	0	67,182	62,464	4,687	31	0	0
85 and older	2,152	2,046	104	2	0	0	20,028	19,028	995	5	0	0
Unknown	52	0	0	0	52	0	221	0	0	0	221	0
Gender												
Female	1,333,538	12,475	139,021	411,584	770,133	325	11,452,810	119,476	1,506,687	2,904,927	6,919,001	2,719
Male	1,009,566	6,486	152,450	80,651	769,979	0	9,139,501	60,445	1,628,135	536,687	6,914,234	0
Unknown	2,246	95	59	31	2,061	0	15,028	498	429	146	13,955	0
Race												
White	748,668	1,965	90,296	180,731	475,463	213	6,423,565	17,515	934,247	1,286,613	4,183,406	1,784
African American	737,819	3,527	78,784	154,632	500,826	50	6,856,627	33,290	859,394	1,177,854	4,785,701	388
Other/unknown	858,863	13,564	122,450	156,903	565,884	62	7,327,147	129,614	1,341,610	977,293	4,878,083	547
Use of Nursing Facilities^c												
Entire year	3,170	513	2,647	3	7	0	32,755	4,668	27,995	13	79	0
Part year	3,375	327	3,007	24	16	1	32,345	2,798	29,171	203	167	6
None	2,338,805	18,216	285,876	492,239	1,542,150	324	20,542,239	172,953	3,078,085	3,441,544	13,846,944	2,713
Maintenance Assistance Status												
Cash	955,160	7,490	267,827	230,748	449,095	0	9,163,647	76,253	2,937,851	1,762,482	4,387,061	0
Medically needy	25,167	62	1,846	17,569	5,690	0	166,954	491	15,461	111,959	39,043	0
Poverty related	937,700	10,816	14,543	115,380	796,636	325	7,901,952	98,984	110,162	728,823	6,961,264	2,719
Other/unknown	427,323	688	7,314	128,569	290,752	0	3,374,786	4,691	71,777	838,496	2,459,822	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	1,189,194	9,608	158,899	286,576	733,789	322	9,741,122	83,643	1,655,468	1,747,167	6,252,161	2,683
FFS part year, with Rx claims	180,982	2,810	36,066	42,158	99,945	3	1,813,423	29,641	401,757	389,443	992,546	36
FFS part year, no Rx claims	352,465	2,170	14,650	67,574	268,071	0	3,130,450	18,554	140,927	512,227	2,458,742	0
MC all year, with Rx claims	15,916	319	7,679	790	7,128	0	170,605	3,577	89,650	7,484	69,894	0
MC all year, no Rx claims	606,793	4,149	74,236	95,168	433,240	0	5,751,739	45,004	847,449	785,439	4,073,847	0

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 NONDUAL BENEFICIARIES, FLORIDA, 2006

	Beneficiaries and		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	Benefit Months in Cell J of Table 1	Benefit Months	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months
All	2,345,350	20,607,339	1,722,641	11,649,889	0	8,957,450
Fee-for-service (FFS) all year	1,189,194	9,741,122	1,189,194	9,741,122	0	0
FFS part year, with Rx claims	180,982	1,813,423	180,982	958,605	0	854,818
FFS part year, with no Rx claims	352,465	3,130,450	352,465	950,162	0	2,180,288
Managed care (MC) all year, with Rx claims	15,916	170,605	0	0	0	170,605
MC all year, with no Rx claims	606,793	5,751,739	0	0	0	5,751,739

Source: Data for this table are from the MAX 2006 file for Florida, released by CMS in 8/2009. This table was produced on 02/11/2010.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

Nondual Medicaid Beneficiaries