

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through e-mail at [ORDI\\_508\\_Compliance@cms.hhs.gov](mailto:ORDI_508_Compliance@cms.hhs.gov).

**STATISTICAL COMPENDIUM:  
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2006  
GEORGIA**

**LIST OF TABLES**

**OVERVIEW OF STUDY POPULATION**

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

**FOR ALL MEDICAID BENEFICIARIES**

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY  
TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC  
TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC  
TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC  
TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY  
TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

**FOR ALL NONDUAL BENEFICIARIES**

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY  
TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC  
TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC  
TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC  
TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY  
TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP  
TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC  
TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY  
TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP  
TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC  
TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC  
TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

**FOR DUAL ELIGIBLE BENEFICIARIES**

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY  
TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC  
TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC  
TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC  
TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY  
TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP  
TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC  
TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY  
TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP  
TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC  
TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC  
TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

**SUPPLEMENTAL TABLES**

SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES  
SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65  
SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER  
SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74  
SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84  
SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

**APPENDIX TABLES**

APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES  
APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES  
APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES  
APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2  
CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY<sup>a, b</sup>  
NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
<b>All</b>	<b>1,444,692</b>	<b>3,032</b>	<b>155,100</b>	<b>287,357</b>	<b>996,677</b>	<b>2,526</b>	<b>8,767,898</b>	<b>28,868</b>	<b>1,639,581</b>	<b>1,355,595</b>	<b>5,729,231</b>	<b>14,623</b>
<b>Age</b>												
5 and younger	448,158	0	10,397	37	437,724	0	2,539,407	0	105,750	173	2,433,484	0
6-14	426,382	0	24,900	176	401,305	1	2,641,351	0	271,233	795	2,369,320	3
15-20	209,507	0	17,642	35,311	156,459	95	1,281,446	0	193,261	168,572	919,066	547
21-44	280,048	0	41,580	235,976	1,173	1,319	1,569,301	0	444,835	1,109,440	7,277	7,749
45-64	75,477	0	58,523	15,834	13	1,107	685,303	0	602,393	76,539	69	6,302
65-74	2,802	1,205	1,576	17	0	4	28,017	11,219	16,721	55	0	22
75-84	1,565	1,180	382	3	0	0	15,925	11,593	4,319	13	0	0
85 and older	750	647	100	3	0	0	7,133	6,056	1,069	8	0	0
Unknown	3	0	0	0	3	0	15	0	0	0	15	0
<b>Gender</b>												
Female	840,182	1,975	77,932	264,152	493,597	2,526	4,962,284	18,722	833,614	1,253,625	2,841,700	14,623
Male	604,459	1,057	77,168	23,202	503,032	0	3,805,442	10,146	805,967	101,956	2,887,373	0
Unknown	51	0	0	3	48	0	172	0	0	14	158	0
<b>Race</b>												
White	579,482	978	48,746	121,082	407,374	1,302	3,469,133	8,942	501,510	569,952	2,380,927	7,802
African American	744,322	1,127	67,377	160,377	514,479	962	4,476,408	10,799	719,152	761,412	2,979,632	5,413
Other/unknown	120,888	927	38,977	5,898	74,824	262	822,357	9,127	418,919	24,231	368,672	1,408
<b>Use of Nursing Facilities<sup>c</sup></b>												
Entire year	2,246	430	1,811	5	0	0	23,218	4,372	18,836	10	0	0
Part year	1,373	267	1,099	5	1	1	13,302	2,431	10,826	37	6	2
None	1,441,073	2,335	152,190	287,347	996,676	2,525	8,731,378	22,065	1,609,919	1,355,548	5,729,225	14,621
<b>Maintenance Assistance Status</b>												
Cash	485,398	972	136,330	124,662	223,434	0	3,399,361	10,183	1,489,931	616,108	1,283,139	0
Medically needy	3,710	890	2,735	5	80	0	21,554	8,302	12,817	14	421	0
Poverty-related	710,263	35	54	110,798	596,850	2,526	3,838,920	328	481	466,585	3,356,903	14,623
Other/unknown	245,321	1,135	15,981	51,892	176,313	0	1,508,063	10,055	136,352	272,888	1,088,768	0
<b>Managed Care (MC) Status</b>												
Fee-for-service (FFS) all year	511,465	3,023	151,390	104,632	252,101	319	3,318,132	28,846	1,612,904	389,955	1,285,007	1,420
FFS part year, with Rx claims	553,937	5	3,114	133,899	415,093	1,826	3,449,877	13	23,033	747,934	2,667,935	10,962
FFS part year, no Rx claims	379,290	4	596	48,826	329,483	381	1,999,889	9	3,644	217,706	1,776,289	2,241

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Benef(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3  
ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>  
NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	Percentage with at Least One Rx	Mean Number of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Medicaid FFS \$ <sup>c</sup>	Rx \$ as a Percentage of All Medicaid		Number of Beneficiaries
						FFS \$ <sup>d</sup>		
<b>All</b>	<b>57.4</b>	<b>6.0</b>	<b>\$397</b>	<b>\$66</b>	<b>\$2,919</b>	<b>13.6</b>		<b>1,444,692</b>
<b>Age</b>								
5 and younger	59.2	3.1	155	49	2,109	7.3		448,158
6-14	48.8	3.2	237	74	1,503	15.8		426,382
15-20	51.7	3.8	306	80	2,595	11.8		209,507
21-44	66.4	7.9	536	68	4,221	12.7		280,048
45-64	77.0	36.7	2,406	66	11,168	21.5		75,477
65-74	71.0	30.4	1,825	60	12,862	14.2		2,802
75-84	52.6	16.6	882	53	10,254	8.6		1,565
85 and older	44.9	9.9	441	44	14,659	3.0		750
Unknown	33.3	4.7	324	70	2,508	12.9		3
<b>Basis of Eligibility<sup>e</sup></b>								
Aged	59.6	18.1	968	53	10,849	8.9		3,032
Disabled	76.3	28.0	2,324	83	11,122	20.9		155,100
Adults	65.7	5.1	215	42	3,081	7.0		287,357
Children	52.0	2.8	146	53	1,544	9.5		996,677
Unknown	80.3	12.4	820	66	14,241	5.8		2,526
<b>Gender</b>								
Female	59.9	6.6	385	59	3,028	12.7		840,182
Male	53.9	5.2	414	79	2,768	14.9		604,459
Unknown	27.5	0.9	28	30	1,946	1.5		51
<b>Race</b>								
White	63.4	7.1	440	62	2,977	14.8		579,482
African American	52.7	4.7	299	64	2,585	11.6		744,322
Other/unknown	57.6	8.9	792	89	4,699	16.8		120,888
<b>Use of Nursing Facilities<sup>f</sup></b>								
Entire year	86.5	67.0	4,573	68	51,736	8.8		2,246
Part year	87.4	55.3	3,747	68	54,121	6.9		1,373
None	57.3	5.9	387	66	2,795	13.8		1,441,073
<b>Maintenance Assistance Status</b>								
Cash	60.4	11.1	821	74	4,444	18.5		485,398
Medically needy	65.5	20.0	1,444	72	11,875	12.2		3,710
Poverty related	54.3	2.7	128	47	1,668	7.7		710,263
Other/unknown	60.4	5.2	320	62	3,390	9.4		245,321

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote I of Table 1 for methodology used to determine nursing facility residence.

Benet(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	Mean Number of Rx	Mean Rx \$	Rx \$ as a Percentage of All Medicaid FFS <sup>c</sup>	Number of Rx, Percentage with:						Mean \$, All Medicaid FFS <sup>d</sup>	Number	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10		Beneficiaries	Benefit Months
<b>All</b>	<b>1.0</b>	<b>\$65</b>	<b>13.6</b>	<b>42.6</b>	<b>42.6</b>	<b>7.1</b>	<b>5.4</b>	<b>1.9</b>	<b>0.5</b>	<b>\$481</b>	<b>1,444,692</b>	<b>8,767,898</b>
<b>Age</b>												
5 and younger	0.6	27	7.3	40.8	50.2	6.4	2.5	0.1	0.0	372	448,158	2,539,407
6-14	0.5	38	15.8	51.2	40.7	4.8	2.9	0.4	0.0	243	426,382	2,641,351
15-20	0.6	50	11.8	48.3	41.1	6.2	3.8	0.6	0.1	424	209,507	1,281,446
21-44	1.4	96	12.7	33.6	41.3	11.4	10.1	3.1	0.5	753	280,048	1,569,301
45-64	4.0	265	21.5	23.0	17.8	10.1	23.8	19.2	6.3	1,230	75,477	685,303
65-74	3.0	183	14.2	29.0	20.4	9.2	21.7	15.4	4.2	1,286	2,802	28,017
75-84	1.6	87	8.6	47.4	23.8	6.1	12.5	8.4	1.7	1,008	1,565	15,925
85 and older	1.0	46	3.0	55.1	24.3	5.3	10.1	4.8	0.4	1,541	750	7,133
Unknown	0.9	65	12.9	66.7	0.0	33.3	0.0	0.0	0.0	502	3	15
<b>Basis of Eligibility<sup>e</sup></b>												
Aged	1.9	102	8.9	40.4	25.1	8.0	16.5	8.3	1.6	1,140	3,032	28,868
Disabled	2.7	220	20.9	23.7	30.4	10.8	19.3	12.2	3.6	1,052	155,100	1,639,581
Adults	1.1	46	7.0	34.3	43.7	11.4	8.4	2.1	0.3	653	287,357	1,355,595
Children	0.5	26	9.5	48.0	44.2	5.2	2.4	0.2	0.0	269	996,677	5,729,231
Unknown	2.1	142	5.8	19.7	33.1	15.4	21.9	8.4	1.5	2,460	2,526	14,623
<b>Gender</b>												
Female	1.1	65	12.7	40.1	43.4	7.7	6.0	2.2	0.6	513	840,182	4,962,284
Male	0.8	66	14.9	46.1	41.3	6.2	4.7	1.4	0.3	440	604,459	3,805,442
Unknown	0.3	8	1.5	72.5	23.5	3.9	0.0	0.0	0.0	577	51	172
<b>Race</b>												
White	1.2	73	14.8	36.6	45.1	8.5	6.8	2.5	0.7	497	579,482	3,469,133
African American	0.8	50	11.6	47.3	41.1	5.9	4.1	1.3	0.2	430	744,322	4,476,408
Other/unknown	1.3	116	16.8	42.4	39.4	7.4	7.1	2.9	0.8	691	120,888	822,357
<b>Use of Nursing Facilities<sup>f</sup></b>												
Entire year	6.5	442	8.8	13.5	8.9	4.5	19.9	33.9	19.3	5,005	2,246	23,218
Part year	5.7	387	6.9	12.6	13.0	6.9	22.1	30.2	15.2	5,586	1,373	13,302
None	1.0	64	13.8	42.7	42.6	7.1	5.4	1.8	0.4	461	1,441,073	8,731,378
<b>Maintenance Assistance Status</b>												
Cash	1.6	117	18.5	39.6	37.9	7.8	9.0	4.5	1.2	635	485,398	3,399,361
Medically needy	3.4	249	12.2	34.5	14.3	8.9	23.4	15.1	3.8	2,044	3,710	21,554
Poverty related	0.5	24	7.7	45.7	44.9	6.3	2.8	0.2	0.0	309	710,263	3,838,920
Other/unknown	0.8	52	9.4	39.6	45.4	7.9	5.6	1.3	0.2	552	245,321	1,508,063

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5  
 AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx
<b>All</b>	<b>1.0</b>	<b>\$65</b>	<b>\$66</b>	<b>0.3</b>	<b>\$49</b>	<b>\$149</b>	<b>0.1</b>	<b>\$5</b>	<b>\$91</b>	<b>0.6</b>	<b>\$12</b>	<b>\$19</b>
<b>Age</b>												
5 and younger	0.6	27	49	0.1	19	131	0.0	2	38	0.4	6	18
6-14	0.5	38	74	0.2	31	133	0.0	2	58	0.3	6	22
15-20	0.6	50	80	0.2	40	170	0.0	3	93	0.4	7	20
21-44	1.4	96	68	0.4	71	173	0.1	8	127	0.9	16	18
45-64	4.0	265	66	1.3	189	144	0.2	25	127	2.5	50	20
65-74	3.0	183	60	1.1	132	125	0.2	19	112	1.8	31	17
75-84	1.6	87	53	0.6	62	101	0.1	9	110	0.9	16	17
85 and older	1.0	46	44	0.3	32	92	0.0	5	93	0.6	10	15
Unknown	0.9	65	70	0.3	55	163	0.0	0	0	0.6	10	17
<b>Basis of Eligibility<sup>d</sup></b>												
Aged	1.9	102	53	0.7	72	102	0.1	12	111	1.1	18	16
Disabled	2.7	220	83	0.9	171	182	0.1	15	120	1.6	33	21
Adults	1.1	46	42	0.3	27	99	0.1	7	128	0.8	11	15
Children	0.5	26	53	0.2	19	114	0.0	2	47	0.3	5	19
Unknown	2.1	142	66	0.6	100	164	0.1	17	145	1.4	24	17
<b>Gender</b>												
Female	1.1	65	59	0.3	46	133	0.1	6	100	0.7	13	18
Male	0.8	66	79	0.3	52	171	0.0	4	76	0.5	10	21
Unknown	0.3	8	30	0.1	5	48	0.0	1	36	0.2	3	18
<b>Race</b>												
White	1.2	73	62	0.4	53	134	0.1	7	95	0.7	14	19
African American	0.8	50	64	0.2	37	151	0.0	4	85	0.5	9	19
Other/unknown	1.3	116	89	0.5	94	193	0.1	7	96	0.7	15	21
<b>Use of Nursing Facilities<sup>e</sup></b>												
Entire year	6.5	442	68	2.1	326	157	0.3	36	113	4.1	80	20
Part year	5.7	387	68	1.8	280	158	0.3	31	117	3.7	74	20
None	1.0	64	66	0.3	48	148	0.1	5	91	0.6	11	19
<b>Maintenance Assistance Status</b>												
Cash	1.6	117	74	0.5	89	168	0.1	8	109	1.0	19	20
Medically needy	3.4	249	72	1.1	180	159	0.2	23	133	2.1	45	21
Poverty related	0.5	24	47	0.2	16	102	0.0	3	68	0.3	5	17
Other/unknown	0.8	52	62	0.3	40	132	0.0	3	69	0.5	9	18

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Georgia, 0.4 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx				Users <sup>e</sup>				
	Total	Patented	Off-Patent	Generic	Total	Patented	Off-Patent	Generic	Total	Patented	Off-Patent	Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All Benes	Number of Benefit Months
		Brand-Name	Brand-Name			Brand-Name	Brand-Name			Brand-Name	Brand-Name						
Anti-infective Agents	0.3	0.1	0.0	0.2	\$18	\$13	\$1	\$5	\$59	\$192	\$44	\$22	1,147,973	\$67,720,591	511,037	35.4	3,663,534
Biologicals	0.6	0.6	0.0	0.0	799	778	18	3	1430	1,404	5,526	2,253	13,178	18,838,294	2,924	0.2	23,574
Antineoplastic Agents	0.5	0.1	0.0	0.3	122	100	0	22	260	737	102	66	19,098	4,972,808	4,428	0.3	40,675
Endocrine/Metabolic Drugs	0.5	0.2	0.0	0.3	28	21	1	6	58	119	74	21	659,188	38,074,352	175,694	12.2	1,340,087
Cardiovascular Agents	1.2	0.4	0.1	0.8	54	31	13	11	43	78	130	14	1,045,794	45,219,913	92,818	6.4	836,726
Respiratory Agents	0.5	0.2	0.0	0.2	24	17	2	4	52	108	47	17	1,338,628	70,090,294	413,497	28.6	2,970,765
Gastrointestinal Agents	0.5	0.2	0.0	0.3	34	23	6	4	73	132	244	15	446,942	32,656,699	120,122	8.3	965,345
Genitourinary Agents	0.3	0.1	0.0	0.2	13	8	2	3	47	79	72	22	126,777	5,926,251	62,267	4.3	441,465
CNS Drugs	0.9	0.4	0.1	0.4	89	73	7	8	103	188	98	21	1,020,494	105,458,698	138,604	9.6	1,191,092
Stimulants/Anti-obesity/Anorexia	0.7	0.6	0.0	0.1	69	66	0	3	97	107	196	30	315,386	30,678,311	53,780	3.7	443,211
Miscellaneous Psychological/ Neurological Agents	0.6	0.6	0.0	0.0	225	223	0	2	369	386	0	55	12,599	4,649,032	2,058	0.1	20,669
Analgesics and Anesthetics	0.5	0.0	0.0	0.5	16	7	2	7	31	182	264	15	1,009,736	31,684,759	260,467	18.0	1,973,538
Neuromuscular Agents	0.7	0.3	0.0	0.4	63	49	1	13	85	175	77	28	550,884	46,873,859	81,772	5.7	744,070
Nutritional Products	0.4	0.1	0.0	0.2	8	4	0	3	19	30	15	14	188,330	3,638,688	74,770	5.2	483,894
Hematological Agents	0.6	0.2	0.0	0.4	190	181	0	10	329	958	31	25	98,720	32,483,000	18,128	1.3	170,549
Topical Products	0.3	0.1	0.0	0.2	12	8	0	4	41	82	53	20	622,798	25,511,144	299,845	20.8	2,175,553
Miscellaneous Products	0.2	0.2	0.0	0.1	61	53	2	6	255	296	438	106	29,181	7,440,795	16,340	1.1	122,871
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	11	0	0	0	57	0	0	0	19,877	1,128,132	11,869	0.8	98,792
<b>TOTAL NO. OF RX AND RX \$</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>8,665,583</b>	<b>573,045,620</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Georgia, 0.4 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2006.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Top 10 Drug Groups	Users			Among Users				
	Total Medicaid Rx \$	Number of Users	As a Percentage of All Beneficiaries	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month	
ANTIPSYCHOTICS	\$72,792,175	51,091	3.5	519,228	0.6	\$225	\$140	
ANTIASTHMATIC	45,517,342	229,426	15.9	1,793,256	0.3	79	25	
ANTICONVULSANT	40,970,191	55,350	3.8	541,271	0.7	116	76	
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	30,401,913	59,544	4.1	497,505	0.6	97	61	
ANTIVIRAL	29,874,494	27,439	1.9	223,844	0.4	377	133	
ANTIDEPRESSANTS	26,518,205	99,319	6.9	889,633	0.5	60	30	
MISC. HEMATOLOGICAL	25,752,166	6,343	0.4	65,708	0.6	662	392	
ULCER DRUGS	21,749,817	105,974	7.3	910,093	0.3	68	24	
ANTIDIABETIC	19,029,901	44,828	3.1	429,973	0.6	70	44	
PASSIVE IMMUNIZING AGENTS	18,767,175	2,875	0.2	23,311	0.6	1,431	805	
Total	331,373,379	682,189	n.a.	5,893,822	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries



TABLE ND.7A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED  
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	All Top 10 Drug Groups			ANTIPSYCHOTICS				ANTIASTHMATIC				
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
<b>All</b>	<b>2,734,850</b>	<b>\$331,373,379</b>	<b>51,091</b>	<b>3.5</b>	<b>519,228</b>	<b>0.6</b>	<b>\$140</b>	<b>229,426</b>	<b>15.9</b>	<b>1,793,256</b>	<b>0.3</b>	<b>\$25</b>
<b>Female</b>												
All Females	1,564,579	167,085,737	26,332	3.1	263,771	0.6	132	117,213	14.0	931,303	0.3	26
<b>Female, Disabled</b>												
All Ages	999,461	114,104,145	16,956	21.8	193,069	0.6	148	32,220	41.3	365,388	0.4	35
5 and younger	18,483	5,016,168	60	1.4	651	0.4	56	2,573	58.7	28,625	0.3	27
6-14	53,657	6,581,969	964	11.6	10,775	0.6	117	3,022	36.5	34,672	0.3	29
15-20	41,249	5,618,143	1,136	17.2	12,925	0.6	132	1,527	23.1	17,533	0.3	27
21-44	242,057	32,571,262	6,245	28.2	70,877	0.6	144	6,504	29.4	73,957	0.4	29
45-64	628,337	62,941,986	8,321	23.7	95,224	0.7	156	18,181	51.8	206,098	0.5	40
65-74	14,365	1,276,778	200	18.1	2,283	0.8	179	374	33.9	4,056	0.5	33
75-84	1,223	92,226	28	10.7	319	0.5	71	33	12.6	375	0.3	31
85 and older	90	5,613	2	2.5	15	0.3	15	6	7.5	72	0.2	13
<b>Female, Other Eligibles</b>												
All Ages	565,118	52,981,592	9,376	1.2	70,702	0.5	90	84,993	11.2	565,915	0.3	20
5 and younger	83,157	10,008,949	172	0.1	1,519	0.4	62	34,588	16.0	234,106	0.2	20
6-14	151,139	13,737,628	2,383	1.2	21,305	0.6	101	24,640	12.3	168,419	0.3	21
15-20	80,558	7,700,490	2,024	1.8	18,121	0.6	101	8,593	7.7	58,872	0.3	17
21-44	199,554	17,545,822	4,037	1.8	24,678	0.4	76	14,841	6.8	89,436	0.3	19
45-64	40,555	3,304,719	618	4.7	3,625	0.5	75	2,097	15.9	12,655	0.4	33
65-74	4,896	337,730	47	5.8	502	0.8	144	95	11.7	979	0.5	38
75-84	3,904	264,645	58	7.8	594	0.5	70	98	13.2	1,068	0.4	25
85 and older	1,355	81,609	37	8.5	358	0.5	60	41	9.4	380	0.4	19
<b>Male</b>												
All Males	1,170,260	164,287,256	24,759	4.1	255,457	0.7	149	112,211	18.6	861,943	0.3	25
<b>Male, Disabled</b>												
All Ages	675,422	111,380,154	15,953	20.7	181,191	0.7	162	22,663	29.4	254,110	0.4	32
5 and younger	27,768	6,682,968	251	4.2	2,842	0.5	75	4,011	66.7	44,461	0.3	26
6-14	131,791	19,140,721	3,306	19.9	37,449	0.6	126	6,141	37.0	70,229	0.3	26
15-20	71,510	16,718,466	2,411	21.9	27,555	0.6	146	2,113	19.2	24,462	0.3	27
21-44	167,792	36,666,908	5,745	29.5	65,759	0.7	190	2,555	13.1	29,024	0.4	28
45-64	271,691	31,692,936	4,160	17.7	46,681	0.7	167	7,696	32.8	84,446	0.5	43
65-74	4,570	450,890	70	14.8	785	0.9	199	134	28.4	1,366	0.4	33
75-84	273	21,546	8	6.6	96	0.6	74	13	10.7	122	0.6	36
85 and older	27	5,719	2	10.0	24	1.0	237	0	0.0	0	0.0	0

Nondual Medicaid Beneficiaries

TABLE ND.7A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED  
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ANTIASTHMATIC			
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
<b>Male, Other Eligibles</b>												
All Ages	494,834	52,906,294	8,806	1.7	74,266	0.6	115	89,546	17.0	607,815	0.3	22
5 and younger	119,023	14,306,843	438	0.2	3,675	0.4	65	48,427	21.8	327,568	0.3	22
6-14	265,037	26,238,092	5,233	2.6	44,122	0.6	115	32,930	16.4	224,644	0.3	22
15-20	77,825	9,337,723	2,554	3.2	22,697	0.6	125	6,598	8.3	45,438	0.3	21
21-44	19,236	1,874,848	436	2.2	2,633	0.4	91	974	5.0	5,803	0.4	31
45-64	8,460	752,987	85	2.3	511	0.5	108	440	11.7	2,537	0.4	33
65-74	2,697	203,121	31	7.4	313	0.8	183	63	15.1	607	0.5	40
75-84	1,988	154,731	22	5.0	247	0.9	142	87	19.8	925	0.5	39
85 and older	568	37,949	7	3.3	68	0.4	68	27	12.7	293	0.4	20
<b>Unknown</b>	15	1,194	0	0.0	0	0.0	0	4	7.4	28	0.2	36

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	ANTICONVULSANT					STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ANTIVIRAL				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ Benefit Month
<b>All</b>	<b>55,350</b>	<b>3.8</b>	<b>541,271</b>	<b>0.7</b>	<b>\$76</b>	<b>59,544</b>	<b>4.1</b>	<b>497,505</b>	<b>0.6</b>	<b>\$61</b>	<b>27,439</b>	<b>1.9</b>	<b>223,844</b>	<b>0.4</b>	<b>\$134</b>
<b>Female</b>															
All Females	34,515	4.1	328,723	0.6	72	17,814	2.1	149,038	0.6	59	17,877	2.1	139,851	0.3	114
<b>Female, Disabled</b>															
All Ages	21,000	26.9	237,995	0.7	77	3,230	4.1	36,431	0.6	58	5,107	6.6	57,577	0.4	200
5 and younger	515	11.7	5,765	0.7	103	114	2.6	1,258	0.3	28	133	3.0	1,477	0.2	19
6-14	1,579	19.0	18,012	0.8	123	1,767	21.3	19,803	0.6	58	281	3.4	3,284	0.3	78
15-20	1,293	19.6	14,710	0.8	119	769	11.6	8,796	0.5	57	266	4.0	3,064	0.3	114
21-44	6,693	30.2	75,625	0.7	89	320	1.4	3,622	0.6	62	2,123	9.6	23,671	0.5	223
45-64	10,666	30.4	121,074	0.6	58	256	0.7	2,904	0.5	64	2,279	6.5	25,795	0.5	216
65-74	222	20.1	2,443	0.6	37	3	0.3	36	0.6	41	23	2.1	263	0.4	168
75-84	27	10.3	324	0.5	33	1	0.4	12	0.3	4	2	0.8	23	0.1	4
85 and older	5	6.3	42	0.7	31	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Female, Other Eligibles</b>															
All Ages	13,515	1.8	90,728	0.5	58	14,584	1.9	112,607	0.6	60	12,770	1.7	82,274	0.3	54
5 and younger	489	0.2	3,633	0.5	54	559	0.3	4,623	0.4	40	2,015	0.9	14,564	0.2	9
6-14	1,687	0.8	13,284	0.6	84	10,887	5.4	83,761	0.6	59	2,093	1.0	15,121	0.2	26
15-20	1,806	1.6	14,216	0.5	80	2,377	2.1	19,616	0.6	65	1,937	1.7	13,199	0.2	44
21-44	8,099	3.7	49,953	0.5	47	688	0.3	4,163	0.6	66	6,361	2.9	37,071	0.3	82
45-64	1,287	9.7	8,091	0.5	44	72	0.5	437	0.7	66	335	2.5	1,995	0.4	166
65-74	61	7.5	663	0.5	36	0	0.0	0	0.0	0	17	2.1	188	0.1	6
75-84	58	7.8	646	0.6	32	1	0.1	7	1.0	13	9	1.2	104	0.3	112
85 and older	28	6.4	242	0.6	24	0	0.0	0	0.0	0	3	0.7	32	0.1	4
<b>Male</b>															
All Males	20,835	3.4	212,548	0.7	82	41,730	6.9	348,467	0.6	62	9,561	1.6	83,991	0.4	166
<b>Male, Disabled</b>															
All Ages	15,139	19.6	170,279	0.7	85	9,502	12.3	107,689	0.6	61	4,380	5.7	47,183	0.5	268
5 and younger	685	11.4	7,606	0.7	87	353	5.9	3,923	0.4	38	184	3.1	2,099	0.2	20
6-14	2,673	16.1	30,595	0.7	101	6,531	39.3	73,702	0.6	62	418	2.5	4,765	0.2	59
15-20	1,842	16.7	20,915	0.7	109	2,199	19.9	25,284	0.6	64	198	1.8	2,247	0.3	84
21-44	4,822	24.8	54,483	0.8	98	324	1.7	3,771	0.6	58	1,732	8.9	17,794	0.6	297
45-64	5,040	21.5	55,866	0.7	54	93	0.4	993	0.6	75	1,832	7.8	20,086	0.6	337
65-74	70	14.8	734	0.7	47	2	0.4	16	0.6	32	15	3.2	180	0.7	318
75-84	7	5.8	80	0.4	8	0	0.0	0	0.0	0	1	0.8	12	0.1	4
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Nondual Medicaid Beneficiaries

TABLE ND.7B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	ANTICONVULSANT					STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ANTIVIRAL				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
<b>Male, Other Eligibles</b>															
All Ages	5,696	1.1	42,269	0.6	70	32,228	6.1	240,778	0.6	62	5,181	1.0	36,808	0.2	35
5 and younger	667	0.3	4,811	0.5	57	1,380	0.6	11,108	0.4	37	2,160	1.0	15,307	0.2	9
6-14	2,481	1.2	19,425	0.6	80	25,737	12.8	189,433	0.7	63	2,039	1.0	14,746	0.2	32
15-20	1,227	1.5	9,826	0.6	83	5,000	6.3	39,596	0.6	66	693	0.9	4,987	0.2	54
21-44	957	4.9	5,681	0.5	41	91	0.5	521	0.6	59	219	1.1	1,305	0.4	236
45-64	296	7.9	1,781	0.5	37	20	0.5	120	0.7	89	62	1.7	375	0.5	252
65-74	31	7.4	326	0.7	27	0	0.0	0	0.0	0	4	1.0	46	0.1	10
75-84	27	6.2	299	0.7	42	0	0.0	0	0.0	0	1	0.2	10	0.1	19
85 and older	10	4.7	120	0.5	16	0	0.0	0	0.0	0	3	1.4	32	0.4	199
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	1.9	2	1.0	16

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	ANTIDEPRESSANTS					MISC. HEMATOLOGICAL					ULCER DRUGS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
<b>All</b>	<b>99,319</b>	<b>6.9</b>	<b>889,633</b>	<b>0.5</b>	<b>\$30</b>	<b>6,343</b>	<b>0.4</b>	<b>65,708</b>	<b>0.6</b>	<b>\$392</b>	<b>105,974</b>	<b>7.3</b>	<b>910,093</b>	<b>0.3</b>	<b>\$24</b>
<b>Female</b>															
All Females	73,299	8.7	635,166	0.5	30	3,656	0.4	38,398	0.6	87	70,890	8.4	611,994	0.3	24
<b>Female, Disabled</b>															
All Ages	32,932	42.3	372,499	0.5	32	3,121	4.0	34,797	0.6	88	30,130	38.7	344,741	0.4	30
5 and younger	28	0.6	315	0.4	9	4	0.1	47	0.4	576	858	19.6	9,194	0.3	23
6-14	725	8.7	8,173	0.5	22	8	0.1	86	0.5	939	900	10.9	10,370	0.4	34
15-20	1,282	19.4	14,567	0.5	28	7	0.1	84	0.4	486	858	13.0	9,899	0.3	19
21-44	10,346	46.8	116,621	0.5	31	268	1.2	2,951	0.5	63	7,378	33.3	84,432	0.3	23
45-64	20,205	57.6	228,989	0.6	34	2,733	7.8	30,512	0.6	87	19,614	55.9	224,885	0.5	33
65-74	314	28.4	3,459	0.6	34	85	7.7	932	0.7	72	472	42.8	5,409	0.5	31
75-84	29	11.1	348	0.6	30	13	5.0	149	0.6	59	45	17.2	501	0.4	28
85 and older	3	3.8	27	0.4	10	3	3.8	36	0.3	40	5	6.3	51	0.2	11
<b>Female, Other Eligibles</b>															
All Ages	40,367	5.3	262,667	0.4	28	535	0.1	3,601	0.5	76	40,760	5.3	267,253	0.3	16
5 and younger	128	0.1	1,132	0.4	10	2	0.0	13	1.4	1,300	9,856	4.6	60,565	0.3	12
6-14	3,305	1.7	27,599	0.5	23	8	0.0	59	0.9	451	5,315	2.7	38,486	0.2	15
15-20	6,101	5.4	47,248	0.4	26	7	0.0	40	0.3	17	5,037	4.5	36,163	0.2	10
21-44	26,955	12.3	161,975	0.4	28	228	0.1	1,379	0.4	73	17,279	7.9	109,414	0.3	18
45-64	3,586	27.2	21,742	0.5	35	197	1.5	1,131	0.6	68	2,761	20.9	17,139	0.4	32
65-74	139	17.2	1,426	0.5	23	32	4.0	369	0.6	59	275	34.0	2,944	0.3	22
75-84	107	14.4	1,090	0.5	27	38	5.1	393	0.5	54	175	23.5	1,906	0.4	25
85 and older	46	10.5	455	0.4	18	23	5.3	217	0.5	46	62	14.2	636	0.5	21
<b>Male</b>															
All Males	26,020	4.3	254,467	0.5	28	2,687	0.4	27,310	0.6	821	35,079	5.8	298,079	0.4	24
<b>Male, Disabled</b>															
All Ages	15,619	20.2	174,483	0.5	30	2,304	3.0	24,836	0.6	836	14,717	19.1	164,495	0.4	31
5 and younger	85	1.4	966	0.4	12	16	0.3	159	0.5	2,761	1,142	19.0	12,222	0.3	26
6-14	1,930	11.6	21,860	0.5	21	34	0.2	381	0.6	9,389	1,264	7.6	14,632	0.3	30
15-20	1,738	15.8	19,790	0.5	28	33	0.3	381	0.5	17,197	922	8.4	10,683	0.3	23
21-44	4,792	24.6	53,933	0.5	32	153	0.8	1,592	0.6	5,423	3,365	17.3	37,849	0.4	27
45-64	6,982	29.8	76,995	0.5	31	2,028	8.6	21,895	0.6	70	7,875	33.6	87,480	0.5	34
65-74	86	18.2	887	0.6	29	37	7.8	392	0.6	65	139	29.4	1,519	0.5	25
75-84	4	3.3	38	0.8	50	3	2.5	36	0.3	33	9	7.4	98	0.4	30
85 and older	2	10.0	14	0.1	2	0	0.0	0	0.0	0	1	5.0	12	0.1	1

Nondual Medicaid Beneficiaries

TABLE ND.7C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	ANTIDEPRESSANTS						MISC. HEMATOLOGICAL					ULCER DRUGS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Month	Mean Rx \$ per Benefit	Mean Rx \$ per Benefit	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Month	Mean Rx \$ per Benefit	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Month	Mean Rx \$ per Benefit
<b>Male, Other Eligibles</b>																
All Ages	10,401	2.0	79,984	0.5	26	383	0.1	2,474	0.6	665	20,362	3.9	133,584	0.3	15	
5 and younger	171	0.1	1,510	0.4	11	21	0.0	149	0.3	1,474	11,438	5.2	70,351	0.3	13	
6-14	4,583	2.3	37,473	0.5	23	19	0.0	136	0.3	4,222	4,567	2.3	33,655	0.2	14	
15-20	3,031	3.8	25,258	0.5	27	13	0.0	102	0.5	6,894	2,017	2.5	14,512	0.2	14	
21-44	1,983	10.1	11,555	0.5	31	105	0.5	535	0.6	73	1,580	8.0	9,482	0.3	27	
45-64	547	14.6	3,249	0.5	32	156	4.2	819	0.7	79	559	14.9	3,424	0.4	37	
65-74	44	10.6	467	0.6	30	25	6.0	275	0.7	66	110	26.4	1,156	0.4	22	
75-84	27	6.2	308	0.5	19	34	7.7	372	0.6	64	74	16.9	832	0.4	25	
85 and older	15	7.0	164	0.5	22	10	4.7	86	0.5	41	17	8.0	172	0.5	31	
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	5	9.3	20	0.4	8	

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Benef(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	ANTIDIABETIC					PASSIVE IMMUNIZING AGENTS					Number of Beneficiaries	Number of Benefit Months
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month		
<b>All</b>	<b>44,828</b>	<b>3.1</b>	<b>429,973</b>	<b>0.6</b>	<b>\$44</b>	<b>2,875</b>	<b>0.2</b>	<b>23,311</b>	<b>0.6</b>	<b>\$805</b>	<b>1,444,692</b>	<b>8,767,898</b>
<b>Female</b>												
All Females	33,282	4.0	316,291	0.6	44	1,414	0.2	11,209	0.6	785	840,181	4,962,282
<b>Female, Disabled</b>												
All Ages	21,393	27.5	242,599	0.6	46	490	0.6	5,145	0.5	859	77,932	833,614
5 and younger	8	0.2	92	1.2	95	465	10.6	4,849	0.5	681	4,385	44,643
6-14	114	1.4	1,302	0.6	57	3	0.0	36	0.8	971	8,289	90,553
15-20	242	3.7	2,738	0.6	40	4	0.1	48	0.8	2,151	6,612	72,576
21-44	3,777	17.1	42,916	0.6	41	9	0.0	104	1.2	5,563	22,128	238,900
45-64	16,656	47.5	188,878	0.7	47	9	0.0	108	1.1	3,697	35,073	371,199
65-74	543	49.2	6,113	0.6	41	0	0.0	0	0.0	0	1,104	11,870
75-84	48	18.4	509	0.5	27	0	0.0	0	0.0	0	261	3,003
85 and older	5	6.3	51	0.3	18	0	0.0	0	0.0	0	80	870
<b>Female, Other Eligibles</b>												
All Ages	11,889	1.6	73,692	0.6	37	924	0.1	6,064	0.6	722	762,249	4,128,668
5 and younger	59	0.0	447	0.7	71	844	0.4	5,566	0.6	722	215,733	1,199,917
6-14	613	0.3	4,365	0.7	71	3	0.0	21	0.2	831	200,284	1,182,228
15-20	927	0.8	6,410	0.6	43	9	0.0	62	0.5	693	112,231	624,363
21-44	7,310	3.3	42,729	0.5	33	67	0.0	406	0.2	716	218,807	1,037,775
45-64	2,449	18.5	14,300	0.6	36	1	0.0	9	0.1	918	13,204	65,606
65-74	296	36.6	3,070	0.6	27	0	0.0	0	0.0	0	809	7,498
75-84	189	25.4	1,917	0.7	35	0	0.0	0	0.0	0	744	7,258
85 and older	46	10.5	454	0.6	35	0	0.0	0	0.0	0	437	4,023
<b>Male</b>												
All Males	11,546	1.9	113,682	0.7	46	1,461	0.2	12,102	0.6	824	604,457	3,805,429
<b>Male, Disabled</b>												
All Ages	8,736	11.3	95,773	0.7	45	516	0.7	5,579	0.5	892	77,168	805,967
5 and younger	14	0.2	144	0.6	71	485	8.1	5,210	0.5	711	6,012	61,107
6-14	126	0.8	1,447	0.7	55	8	0.0	96	0.9	1,868	16,611	180,680
15-20	207	1.9	2,344	0.6	51	15	0.1	180	0.9	2,701	11,030	120,685
21-44	1,595	8.2	17,868	0.6	41	7	0.0	84	0.9	5,175	19,452	205,935
45-64	6,637	28.3	72,353	0.7	45	1	0.0	9	1.2	19,405	23,450	231,194
65-74	148	31.4	1,519	0.7	45	0	0.0	0	0.0	0	472	4,851
75-84	9	7.4	98	0.4	34	0	0.0	0	0.0	0	121	1,316
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	20	199

Nondual Medicaid Beneficiaries

TABLE ND.7D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	ANTIDIABETIC					PASSIVE IMMUNIZING AGENTS					Number of Beneficiaries	Number of Benefit Months
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month		
<b>Male, Other Eligibles</b>												
All Ages	2,810	0.5	17,909	0.7	53	945	0.2	6,523	0.6	766	527,289	2,999,462
5 and younger	55	0.0	451	0.6	60	939	0.4	6,491	0.6	757	221,980	1,233,582
6-14	442	0.2	3,258	0.8	78	3	0.0	24	1.3	2,476	201,198	1,187,890
15-20	451	0.6	2,979	0.7	72	2	0.0	7	1.1	3,161	79,634	463,822
21-44	984	5.0	5,335	0.6	43	1	0.0	1	1.0	3,604	19,658	86,677
45-64	656	17.5	3,577	0.6	41	0	0.0	0	0.0	0	3,750	17,304
65-74	139	33.3	1,423	0.8	39	0	0.0	0	0.0	0	417	3,798
75-84	65	14.8	689	0.6	29	0	0.0	0	0.0	0	439	4,348
85 and older	18	8.5	197	0.7	34	0	0.0	0	0.0	0	213	2,041
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	54	187

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries



TABLE ND.8  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	Rx \$ per Benefit Month	Number of Rx per Benefit Month	Number of All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
<b>All</b>	<b>\$442</b>	<b>6.5</b>	<b>2,246</b>	<b>23,218</b>
<b>Age</b>				
0-64	536	7.6	1,636	16,977
65-74	336	5.5	219	2,299
75-84	143	2.5	204	2,114
85 and older	53	1.3	187	1,828
Unknown	0	0.0	0	0
<b>Gender</b>				
Female	448	6.7	1,197	12,514
Male	436	6.2	1,049	10,704
Unknown	0	0.0	0	0
<b>Race</b>				
White	457	6.9	861	8,757
African American	428	6	1,199	12,524
Other/unknown	470	7.7	186	1,937
<b>Basis of Eligibility<sup>c</sup></b>				
Aged	124	2.3	430	4,372
Disabled	517	7.4	1,811	18,836
Adults	37	0.5	5	10
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2006 Medicaid enrollment. A total of 1,373 beneficiaries who were in nursing facilities for part of their enrollment and their 13,302 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.9  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d, e</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx				Users				
	Patented Brand-Name		Off-Patent Brand-Name		Patented Brand-Name		Off-Patent Brand-Name		Patented Brand-Name		Off-Patent Brand-Name		Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months
	Total	Name	Total	Name	Total	Name	Total	Name	Total	Name							
Anti-infective Agents	0.5	0.2	0.0	0.3	\$69	\$60	\$1	\$9	\$138	\$300	\$80	\$30	6,451	\$892,655	1,192	53.1	12,844
Biologicals	0.8	0.8	0.0	0.0	1,811	1,811	0	0	2,415	2,415	0	0	9	21,732	1	0.0	12
Antineoplastic Agents	0.6	0.1	0.0	0.5	50	17	0	34	91	278	30	69	559	50,810	97	4.3	1,008
Endocrine/Metabolic Drugs	1.3	0.6	0.0	0.7	67	52	4	10	53	95	178	15	11,119	592,915	819	36.5	8,836
Cardiovascular Agents	2.1	0.5	0.2	1.5	79	34	21	24	37	75	132	16	28,768	1,066,735	1,285	57.2	13,526
Respiratory Agents	0.9	0.3	0.0	0.6	38	27	3	8	43	104	77	14	7,338	318,841	790	35.2	8,451
Gastrointestinal Agents	1.1	0.3	0.0	0.8	52	38	4	10	47	131	181	12	12,874	607,743	1,101	49.0	11,713
Genitourinary Agents	0.7	0.4	0.0	0.2	48	36	4	8	72	90	91	36	2,433	175,270	334	14.9	3,662
CNS Drugs	1.9	0.9	0.1	0.9	204	172	12	20	106	193	91	23	31,025	3,302,914	1,511	67.3	16,207
Stimulants/Anti-obesity/Anorexia	1.2	0.3	0.0	0.9	70	54	0	16	57	176	0	18	202	11,469	16	0.7	163
Miscellaneous Psychological/Neurological Agents	0.8	0.8	0.0	0.0	201	201	0	0	243	244	0	55	2,082	505,143	233	10.4	2,507
Analgesics and Anesthetics	1.2	0.2	0.1	0.9	53	24	16	13	45	140	165	14	13,092	590,854	1,047	46.6	11,177
Neuromuscular Agents	1.5	0.4	0.0	1.0	100	68	0	32	69	160	36	31	17,833	1,225,580	1,124	50.0	12,199
Nutritional Products	0.7	0.0	0.0	0.7	11	0	0	11	15	16	19	15	4,162	62,555	540	24.0	5,719
Hematological Agents	1.0	0.3	0.0	0.6	88	74	0	13	88	213	45	21	6,002	529,049	574	25.6	6,043
Topical Products	0.5	0.1	0.1	0.3	23	12	4	6	45	93	59	20	5,855	260,747	1,046	46.6	11,416
Miscellaneous Products	0.4	0.1	0.0	0.3	50	39	0	12	118	371	0	36	417	49,107	91	4.1	978
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	12	0	0	0	42	0	0	0	166	6,994	54	2.4	580
<b>TOTAL NO. OF RX AND RX \$</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>150,387</b>	<b>10,271,113</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.  
 a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 1,373 beneficiaries who were in nursing facilities for part of their enrollment and their 13,302 benefit months were excluded from the analysis.  
 b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2006. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.  
 c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.  
 d. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.  
 e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.  
 In Georgia, 0.4 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.  
 Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY TOP-10 DRUG GROUP<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Top 10 Drug Groups in Nursing Facilities	Users				Among Users			
	Total Medicaid Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month	
ANTIPSYCHOTICS	\$2,490,336	1,197	53.3	13,333	0.9	\$208	\$187	
ANTICONVULSANT	1,053,246	1,221	54.4	13,565	1.0	77	78	
ANTIDEPRESSANTS	683,960	1,250	55.7	13,794	0.8	60	50	
ANTIVIRAL	574,580	175	7.8	1,857	0.6	520	309	
ANTIDIABETIC	583,219	1,041	46.3	11,416	1.0	51	51	
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	505,143	267	11.9	2,887	0.7	243	175	
ULCER DRUGS	469,984	1,241	55.3	13,651	0.7	48	34	
ANTHYPERLIPIDEMIC	397,130	487	21.7	5,346	0.7	101	74	
ANALGESICS - Narcotic	299,829	1,107	49.3	11,926	0.8	33	25	
ANTIHYPERTENSIVE	256,378	918	40.9	9,819	0.8	32	26	
Total	7,313,805	8,904	n.a.	97,594	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 1,373 beneficiaries who were in nursing facilities for part of their enrollment and their 13,302 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.10A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST  
 AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	All Top 10 Drug Groups								ANTIPSYCHOTICS				ANTICONVULSANT				
	Number of Rx	Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
<b>All</b>	<b>82,658</b>	<b>\$7,313,805</b>	<b>1,197</b>	<b>53.3</b>	<b>13,333</b>	<b>0.9</b>	<b>\$187</b>	<b>1,221</b>	<b>54.4</b>	<b>13,565</b>	<b>1.0</b>	<b>\$78</b>					
<b>Female</b>																	
All Females	46,487	4,059,390	664	55.5	7,466	0.9	186	662	55.3	7,440	1.0	81					
<b>Female, Disabled</b>																	
All Ages	43,475	3,848,939	597	63.5	6,753	0.9	194	625	66.5	7,072	1.0	82					
64 or younger	39,222	3,543,688	539	65.4	6,099	0.9	198	571	69.3	6,469	1.0	85					
65-74	3,430	241,049	44	57.9	496	0.9	179	44	57.9	483	0.8	45					
75-84	823	64,202	14	43.8	158	0.8	100	10	31.3	120	0.7	43					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
<b>Female, Other Eligibles</b>																	
All Ages	3,012	210,451	67	26.1	713	0.7	112	37	14.4	368	0.8	55					
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
65-74	1,224	98,648	27	52.9	301	0.9	171	12	23.5	125	1.0	93					
75-84	1,106	73,607	26	30.6	259	0.6	79	15	17.6	155	0.8	45					
85 and older	682	38,196	14	11.9	153	0.5	49	10	8.5	88	0.7	20					
<b>Male</b>																	
All Males	36,171	3,254,415	533	50.8	5,867	0.9	188	559	53.3	6,125	1.0	74					
<b>Male, Disabled</b>																	
All Ages	34,208	3,084,416	498	57.2	5,490	0.9	186	536	61.5	5,868	1.0	75					
64 or younger	32,374	2,928,606	465	57.6	5,125	0.9	183	521	64.6	5,715	1.0	75					
65-74	1,731	147,489	31	63.3	341	0.9	230	15	30.6	153	1.0	74					
75-84	103	8,321	2	15.4	24	1.1	204	0	0.0	0	0.0	0					
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
<b>Male, Other Eligibles</b>																	
All Ages	1,963	169,999	35	19.7	377	1.0	216	23	12.9	257	1.0	55					
64 or younger	1	48	0	0.0	0	0.0	0	0	0.0	0	0.0	0					
65-74	901	84,699	20	46.5	205	1.0	231	10	23.3	117	0.9	31					
75-84	801	68,720	13	17.6	148	1.2	208	9	12.2	92	1.1	97					
85 and older	260	16,532	2	3.4	24	0.5	147	4	6.8	48	1.0	30					
<b>Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>					

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 1,373 beneficiaries who were in nursing facilities for part of their enrollment and their 13,302 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	ANTIDEPRESSANTS					ANTIVIRAL					ANTIDIABETIC				
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
<b>All</b>	<b>1,250</b>	<b>55.7</b>	<b>13,794</b>	<b>0.8</b>	<b>\$50</b>	<b>175</b>	<b>7.8</b>	<b>1,857</b>	<b>0.6</b>	<b>\$309</b>	<b>1,041</b>	<b>46.3</b>	<b>11,416</b>	<b>1.0</b>	<b>\$51</b>
<b>Female</b>															
All Females	729	60.9	8,074	0.8	50	72	6.0	760	0.5	208	646	54.0	7,085	1.0	51
<b>Female, Disabled</b>															
All Ages	657	69.9	7,331	0.8	51	65	6.9	680	0.5	232	604	64.3	6,648	1.0	53
64 or younger	606	73.5	6,743	0.9	52	60	7.3	621	0.5	253	521	63.2	5,766	1.0	54
65-74	41	53.9	468	0.8	42	5	6.6	59	0.1	3	66	86.8	710	0.9	45
75-84	10	31.3	120	0.7	43	0	0.0	0	0.0	0	17	53.1	172	0.8	41
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Female, Other Eligibles</b>															
All Ages	72	28.0	743	0.6	33	7	2.7	80	0.1	4	42	16.3	437	0.7	24
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	24	47.1	254	0.8	45	3	5.9	36	0.1	4	16	31.4	182	0.7	22
75-84	24	28.2	239	0.6	35	1	1.2	12	0.1	3	16	18.8	160	0.7	24
85 and older	24	20.3	250	0.5	20	3	2.5	32	0.1	4	10	8.5	95	0.5	27
<b>Male</b>															
All Males	521	49.7	5,720	0.8	49	103	9.8	1,097	0.7	380	395	37.7	4,331	1.0	52
<b>Male, Disabled</b>															
All Ages	498	57.2	5,452	0.8	50	103	11.8	1,097	0.7	380	364	41.8	3,986	1.0	52
64 or younger	477	59.1	5,220	0.8	50	103	12.8	1,097	0.7	379	326	40.4	3,611	1.0	53
65-74	18	36.7	206	0.8	51	0	0.0	0	0.0	0	36	73.5	361	0.9	46
75-84	3	23.1	26	0.7	56	0	0.0	0	0.0	0	2	15.4	14	0.5	33
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male, Other Eligibles</b>															
All Ages	23	12.9	268	0.7	35	0	0.0	0	0.0	0	31	17.4	345	0.9	47
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	9	20.9	108	0.7	34	0	0.0	0	0.0	0	16	37.2	192	1.0	49
75-84	8	10.8	88	0.8	37	0	0.0	0	0.0	0	6	8.1	64	0.9	51
85 and older	6	10.2	72	0.6	35	0	0.0	0	0.0	0	9	15.3	89	0.7	42
<b>Unknown</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 1,373 beneficiaries who were in nursing facilities for part of their enrollment and their 13,302 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL					ULCER DRUGS					ANTHYPERLIPIDEMIC				
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
<b>All</b>	<b>267</b>	<b>11.9</b>	<b>2,887</b>	<b>0.7</b>	<b>\$175</b>	<b>1,241</b>	<b>55.3</b>	<b>13,651</b>	<b>0.7</b>	<b>\$34</b>	<b>487</b>	<b>21.7</b>	<b>5,346</b>	<b>0.7</b>	<b>\$74</b>
<b>Female</b>															
All Females	172	14.4	1,863	0.7	197	662	55.3	7,385	0.7	32	273	22.8	3,053	0.7	76
<b>Female, Disabled</b>															
All Ages	130	13.8	1,453	0.8	233	606	64.5	6,800	0.7	33	254	27.0	2,846	0.8	77
64 or younger	103	12.5	1,131	0.8	266	554	67.2	6,206	0.7	33	221	26.8	2,478	0.8	77
65-74	14	18.4	166	0.7	108	41	53.9	482	0.8	29	28	36.8	308	0.7	77
75-84	13	40.6	156	0.9	124	11	34.4	112	0.7	30	5	15.6	60	0.7	65
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Female, Other Eligibles</b>															
All Ages	42	16.3	410	0.5	71	56	21.8	585	0.6	25	19	7.4	207	0.7	63
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	6	11.8	70	0.7	94	12	23.5	128	0.8	34	6	11.8	72	1.0	67
75-84	20	23.5	197	0.6	77	24	28.2	252	0.7	26	9	10.6	95	0.6	49
85 and older	16	13.6	143	0.4	52	20	16.9	205	0.5	18	4	3.4	40	0.7	90
<b>Male</b>															
All Males	95	9.1	1,024	0.7	135	579	55.2	6,266	0.7	37	214	20.4	2,293	0.7	72
<b>Male, Disabled</b>															
All Ages	79	9.1	838	0.7	141	552	63.4	5,968	0.7	38	199	22.8	2,130	0.7	71
64 or younger	71	8.8	754	0.7	149	520	64.4	5,620	0.7	39	192	23.8	2,061	0.7	71
65-74	7	14.3	72	0.5	68	30	61.2	334	0.8	25	7	14.3	69	0.9	71
75-84	1	7.7	12	0.9	68	2	15.4	14	0.3	11	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male, Other Eligibles</b>															
All Ages	16	9.0	186	0.7	107	27	15.2	298	0.6	27	15	8.4	163	0.7	81
64 or younger	0	0.0	0	0.0	0	1	50.0	4	0.3	12	0	0.0	0	0.0	0
65-74	6	14.0	72	0.8	124	8	18.6	96	0.7	28	7	16.3	76	0.6	80
75-84	6	8.1	72	0.8	99	13	17.6	148	0.6	31	6	8.1	72	0.8	96
85 and older	4	6.8	42	0.6	92	5	8.5	50	0.7	16	2	3.4	15	0.3	12
<b>Unknown</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 1,373 beneficiaries who were in nursing facilities for part of their enrollment and their 13,302 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	ANALGESICS - Narcotic						ANTIHYPERTENSIVE						
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$		Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
<b>All</b>	<b>1,107</b>	<b>49.3</b>	<b>11,926</b>	<b>0.8</b>	<b>\$25</b>		<b>918</b>	<b>40.9</b>	<b>9,819</b>	<b>0.8</b>	<b>\$26</b>	<b>2,246</b>	<b>23,218</b>
<b>Female</b>													
All Females	616	51.5	6,705	0.8	26		502	41.9	5,404	0.8	26	1,197	12,514
<b>Female, Disabled</b>													
All Ages	559	59.5	6,129	0.8	27		450	47.9	4,860	0.8	27	940	9,978
64 or younger	507	61.5	5,569	0.8	27		399	48.4	4,309	0.8	28	824	8,742
65-74	47	61.8	504	0.9	24		41	53.9	455	0.8	25	76	797
75-84	5	15.6	56	1.0	28		10	31.3	96	0.8	31	32	352
85 and older	0	0.0	0	0.0	0		0	0.0	0	0.0	0	8	87
<b>Female, Other Eligibles</b>													
All Ages	57	22.2	576	0.6	15		52	20.2	544	0.7	18	257	2,536
64 or younger	0	0.0	0	0.0	0		0	0.0	0	0.0	0	3	5
65-74	19	37.3	193	0.7	9		14	27.5	153	0.9	16	51	540
75-84	17	20.0	179	0.6	16		24	28.2	239	0.6	20	85	839
85 and older	21	17.8	204	0.5	20		14	11.9	152	0.6	16	118	1,152
<b>Male</b>													
All Males	491	46.8	5,221	0.8	24		416	39.7	4,415	0.9	26	1,049	10,704
<b>Male, Disabled</b>													
All Ages	467	53.6	4,962	0.8	25		383	44.0	4,067	0.9	27	871	8,858
64 or younger	443	54.9	4,725	0.8	25		360	44.6	3,821	0.9	27	807	8,225
65-74	23	46.9	225	0.9	30		21	42.9	222	0.8	21	49	492
75-84	1	7.7	12	0.8	6		2	15.4	24	1.1	19	13	126
85 and older	0	0.0	0	0.0	0		0	0.0	0	0.0	0	2	15
<b>Male, Other Eligibles</b>													
All Ages	24	13.5	259	0.4	5		33	18.5	348	0.8	17	178	1,846
64 or younger	0	0.0	0	0.0	0		0	0.0	0	0.0	0	2	5
65-74	8	18.6	96	0.5	7		13	30.2	153	0.7	15	43	470
75-84	13	17.6	132	0.4	4		16	21.6	168	0.9	20	74	797
85 and older	3	5.1	31	0.3	3		4	6.8	27	0.9	13	59	574
<b>Unknown</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>		<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 1,373 beneficiaries who were in nursing facilities for part of their enrollment and their 13,302 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11  
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D  
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 GEORGIA, 2006

Beneficiary Characteristics	Number of Beneficiaries with at Least One Part D Excluded Rx	Percentage of Beneficiaries with at Least One Part D Excluded Rx	Number of Part D Excluded Rx per Beneficiary	Total Number Part D Excluded Rx	Part D Excluded Rx \$ per Beneficiary	Total Part D Excluded Rx \$	\$ per Part D Excluded Rx	Part D Excluded Rx \$ as a Percentage of All Nondual Rx \$	Total Number of Beneficiaries	
<b>All</b>	<b>291,248</b>	<b>20.2</b>	<b>0.5</b>	<b>707,095</b>	<b>\$7</b>	<b>\$10,588,982</b>	<b>\$15</b>	<b>1.8</b>	<b>1,444,692</b>	
<b>Age</b>										
5 and younger	109,850	24.5	0.4	192,081	6	2,695,339	14	3.9	448,158	
6-14	74,031	17.4	0.3	135,658	5	2,289,477	17	2.3	426,382	
15-20	32,030	15.3	0.3	63,919	6	1,312,824	21	2.0	209,507	
21-44	45,761	16.3	0.5	131,713	7	1,993,016	15	1.3	280,048	
45-64	27,975	37.1	2.3	174,409	29	2,211,667	13	1.2	75,477	
65-74	954	34.0	2.1	5,754	20	55,591	10	1.1	2,802	
75-84	437	27.9	1.6	2,487	14	21,801	9	1.6	1,565	
85 and older	209	27.9	1.4	1,071	12	9,242	9	2.8	750	
Unknown	1	33.3	1.0	3	8	25	8	2.6	3	
<b>Basis of Eligibility<sup>c</sup></b>										
Aged	795	26.2	1.4	4,170	13	38,388	9	1.3	3,032	
Disabled	53,253	34.3	1.8	283,416	31	4,777,715	17	1.3	155,100	
Adults	43,019	15.0	0.3	88,991	3	924,099	10	1.5	287,357	
Children	193,536	19.4	0.3	328,781	5	4,832,629	15	3.3	996,677	
Unknown	645	25.5	0.7	1,737	6	16,151	9	0.8	2,526	
<b>Gender</b>										
Female	170,793	20.3	0.5	433,449	7	6,217,305	14	1.9	840,182	
Male	120,453	19.9	0.5	273,644	7	4,371,652	16	1.7	604,459	
Unknown	2	3.9	0.0	2	0	25	13	1.7	51	
<b>Race</b>										
White	138,170	23.8	0.6	345,091	9	5,268,911	15	2.1	579,482	
African American	124,972	16.8	0.4	277,110	5	3,924,620	14	1.8	744,322	
Other/unknown	28,106	23.2	0.7	84,894	12	1,395,451	16	1.5	120,888	
<b>Use of Nursing Facilities<sup>d</sup></b>										
Entire year	1,315	58.5	6.1	13,744	71	160,134	12	1.6	2,246	
Part year	882	64.2	4.8	6,562	77	105,334	16	2.0	1,373	
None	289,051	20.1	0.5	686,789	7	10,323,514	15	1.9	1,441,073	
<b>Maintenance Assistance Status</b>										
Cash	111,372	22.9	0.8	386,321	12	6,016,087	16	1.5	485,398	
Medically needy	1,076	29.0	1.2	4,485	24	90,849	20	1.7	3,710	
Poverty related	132,096	18.6	0.3	217,912	4	3,015,161	14	3.3	710,263	
Other/unknown	46,704	19.0	0.4	98,377	6	1,466,885	15	1.9	245,321	

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.12  
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D  
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 GEORGIA, 2006

Beneficiary Characteristics	Number Rx per Benefit Month	Rx \$ per Benefit Month	\$ per Rx	Barbiturate \$ per Benefit Month	Benzodiazepine \$ per Benefit Month	Number of Benefit Months
<b>All</b>	<b>0.1</b>	<b>\$1</b>	<b>\$15</b>	<b>\$0</b>	<b>\$0</b>	<b>8,767,898</b>
<b>Age</b>						
5 and younger	0.1	1	14	0	0	2,539,407
6-14	0.1	1	17	0	0	2,641,351
15-20	0.0	1	21	0	0	1,281,446
21-44	0.1	1	15	0	0	1,569,301
45-64	0.3	3	13	0	1	685,303
65-74	0.2	2	10	0	0	28,017
75-84	0.2	1	9	0	0	15,925
85 and older	0.2	1	9	0	0	7,133
Unknown	0.2	2	8	0	0	15
<b>Basis of Eligibility<sup>c</sup></b>						
Aged	0.1	1	9	0	0	28,868
Disabled	0.2	3	17	0	1	1,639,581
Adults	0.1	1	10	0	0	1,355,595
Children	0.1	1	15	0	0	5,729,231
Unknown	0.1	1	9	0	1	14,623
<b>Gender</b>						
Female	0.1	1	14	0	0	4,962,284
Male	0.1	1	16	0	0	3,805,442
Unknown	0.0	0	13	0	0	172
<b>Race</b>						
White	0.1	2	15	0	0	3,469,133
African American	0.1	1	14	0	0	4,476,408
Other/unknown	0.1	2	16	0	0	822,357
<b>Use of Nursing Facilities<sup>d</sup></b>						
Entire year	0.6	7	12	0	3	23,218
Part year	0.5	8	16	0	2	13,302
None	0.1	1	15	0	0	8,731,378
<b>Maintenance Assistance Status</b>						
Cash	0.1	2	16	0	0	3,399,361
Medically needy	0.2	4	20	0	1	21,554
Poverty related	0.1	1	14	0	0	3,838,920
Other/unknown	0.1	1	15	0	0	1,508,063

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE ND.13  
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS<sup>a,b,c</sup>  
 GEORGIA, 2006

Drug Category	Number of Users	Rx \$ per User	Total Rx \$	Rx \$ as a Percentage of All Part D Excluded Rx \$	Total Number Rx.	\$ per Rx	Number Rx as a Percentage of All Part D Excluded Rx
<b>All</b>	<b>332,637</b>	<b>\$32</b>	<b>\$10,588,982</b>	<b>100.0</b>	<b>707,095</b>	<b>\$15</b>	<b>100.0</b>
Anorexia or weight loss/gain	15	237	3,555	0.0	28	127	0.0
Fertility drugs	1	98	98	0.0	1	98	0.0
Drugs for cosmetic purposes	300	13	3,793	0.0	406	9	0.1
Cough and cold medications	171,300	23	4,023,429	38.0	262,856	15	37.2
Vitamins and minerals	17,587	70	1,238,938	11.7	75,879	16	10.7
Non-prescription drugs	93,085	18	1,704,549	16.1	185,195	9	26.2
Barbiturates	2,512	44	111,659	1.1	19,547	6	2.8
Benzodiazepines	37,592	45	1,706,665	16.1	140,692	12	19.9
Other Part D Excl Rx Drugs	10,245	175	1,796,296	17.0	22,491	80	3.2

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2006. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Benef(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

APPENDIX TABLE A.1  
 CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY<sup>a, b</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown
<b>All</b>	<b>1,479,681</b>	<b>3,032</b>	<b>155,237</b>	<b>287,736</b>	<b>1,031,148</b>	<b>2,528</b>	<b>12,936,545</b>	<b>28,881</b>	<b>1,653,314</b>	<b>2,064,489</b>	<b>9,165,124</b>	<b>24,737</b>
<b>Age</b>												
5 and younger	479,971	0	10,482	38	469,451	0	4,113,712	0	109,508	209	4,003,995	0
6-14	428,543	0	24,931	180	403,431	1	4,035,518	0	275,300	1,126	3,759,086	6
15-20	210,391	0	17,655	35,567	157,074	95	1,840,760	0	194,615	251,520	1,393,788	837
21-44	280,159	0	41,585	236,081	1,173	1,320	2,159,737	0	447,601	1,691,072	8,106	12,958
45-64	75,495	0	58,526	15,847	14	1,108	735,655	0	604,181	120,457	115	10,902
65-74	2,802	1,205	1,576	17	0	4	28,057	11,225	16,721	77	0	34
75-84	1,565	1,180	382	3	0	0	15,939	11,600	4,319	20	0	0
85 and older	750	647	100	3	0	0	7,133	6,056	1,069	8	0	0
Unknown	5	0	0	0	5	0	34	0	0	0	34	0
<b>Gender</b>												
Female	857,717	1,975	77,977	264,512	510,725	2,528	7,349,510	18,729	840,792	1,913,377	4,551,875	24,737
Male	621,887	1,057	77,260	23,221	520,349	0	5,586,477	10,152	812,522	151,098	4,612,705	0
Unknown	77	0	0	3	74	0	558	0	0	14	544	0
<b>Race</b>												
White	593,749	978	48,769	121,274	421,425	1,303	5,022,920	8,950	504,009	837,044	3,660,185	12,732
African American	760,843	1,127	67,403	160,555	530,795	963	6,810,129	10,801	724,147	1,194,360	4,871,326	9,495
Other/unknown	125,089	927	39,065	5,907	78,928	262	1,103,496	9,130	425,158	33,085	633,613	2,510
<b>Use of Nursing Facilities<sup>c</sup></b>												
Entire year	2,246	430	1,811	5	0	0	23,218	4,372	18,836	10	0	0
Part year	1,373	267	1,099	5	1	1	13,331	2,431	10,834	47	10	9
None	1,476,062	2,335	152,327	287,726	1,031,147	2,527	12,899,996	22,078	1,623,644	2,064,432	9,165,114	24,728
<b>Maintenance Assistance Status</b>												
Cash	488,019	972	136,438	124,742	225,867	0	4,596,767	10,195	1,503,246	968,222	2,115,104	0
Medically needy	3,710	890	2,735	5	80	0	21,632	8,302	12,839	14	477	0
Poverty related	718,372	35	54	111,088	604,667	2,528	6,077,415	328	482	680,380	5,371,488	24,737
Other/unknown	269,580	1,135	16,010	51,901	200,534	0	2,240,731	10,056	136,747	415,873	1,678,055	0
<b>Managed Care (MC) Status</b>												
Fee-for-service (FFS) all year	511,465	3,023	151,390	104,632	252,101	319	3,318,132	28,846	1,612,904	389,955	1,285,007	1,420
FFS part year, with Rx claims	553,937	5	3,114	133,899	415,093	1,826	5,805,851	19	34,118	1,265,955	4,486,463	19,296
FFS part year, no Rx claims	379,290	4	596	48,826	329,483	381	3,691,771	16	5,864	407,230	3,274,646	4,015
MC all year, with Rx claims	1,587	0	19	86	1,480	2	5,092	0	69	305	4,712	6
MC all year, no Rx claims	33,402	0	118	293	32,991	0	115,699	0	359	1,044	114,296	0

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.  
 b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.  
 c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.  
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2  
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS<sup>a</sup>  
 NONDUAL BENEFICIARIES, GEORGIA, 2006

	Beneficiaries and		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	Benefit Months in Cell J of Table 1					
	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months
<b>All</b>	<b>1,479,681</b>	<b>12,936,545</b>	<b>1,444,692</b>	<b>8,767,898</b>	<b>0</b>	<b>4,168,647</b>
Fee-for-service (FFS) all year	511,465	3,318,132	511,465	3,318,132	0	0
FFS part year, with Rx claims	553,937	5,805,851	553,937	3,449,877	0	2,355,974
FFS part year, with no Rx claims	379,290	3,691,771	379,290	1,999,889	0	1,691,882
Managed care (MC) all year, with Rx claims	1,587	5,092	0	0	0	5,092
MC all year, with no Rx claims	33,402	115,699	0	0	0	115,699

Source: Data for this table are from the MAX 2006 file for Georgia, released by CMS in 6/2009. This table was produced on 03/24/2010.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

Nondual Medicaid Beneficiaries