

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through e-mail at ORDI_508_Compliance@cms.hhs.gov.

**STATISTICAL COMPENDIUM:
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2006
WYOMING**

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC
TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY
TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC
TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC
TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP
TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC
TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY
TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP
TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL ELIGIBLE BENEFICIARIES UNDER AGE 65
SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 AND OLDER
SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 65 TO 74
SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 75 TO 84
SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE 85 AND OLDER

APPENDIX TABLES

APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2
CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	69,615	67	5,112	11,845	52,405	186	625,427	419	53,368	85,956	484,052	1,632
Age												
5 and younger	22,376	0	281	0	22,095	0	209,711	0	2,945	0	206,766	0
6-14	20,174	0	774	0	19,400	0	195,826	0	8,704	0	187,122	0
15-20	10,834	0	641	53	10,130	10	95,018	0	6,981	144	87,803	90
21-44	12,819	0	1,655	10,975	93	96	97,488	0	17,183	78,988	576	741
45-64	2,648	0	1,753	815	0	80	25,133	0	17,522	6,810	0	801
65-74	30	20	8	2	0	0	232	185	33	14	0	0
75-84	18	18	0	0	0	0	96	96	0	0	0	0
85 and older	29	29	0	0	0	0	138	138	0	0	0	0
Unknown	687	0	0	0	687	0	1,785	0	0	0	1,785	0
Gender												
Female	38,103	41	2,707	9,681	25,488	186	338,099	228	28,618	70,006	237,615	1,632
Male	30,212	26	2,405	2,163	25,618	0	282,630	191	24,750	15,948	241,741	0
Unknown	1,300	0	0	1	1,299	0	4,698	0	0	2	4,696	0
Race												
White	53,704	58	4,083	9,431	39,963	169	478,215	338	42,734	67,453	366,215	1,475
African American	1,346	1	115	158	1,071	1	12,242	12	1,187	1,110	9,921	12
Other/unknown	14,565	8	914	2,256	11,371	16	134,970	69	9,447	17,393	107,916	145
Use of Nursing Facilities^c												
Entire year	71	14	57	0	0	0	658	114	544	0	0	0
Part year	65	8	57	0	0	0	600	72	528	0	0	0
None	69,479	45	4,998	11,845	52,405	186	624,169	233	52,296	85,956	484,052	1,632
Maintenance Assistance Status												
Cash	15,086	18	3,857	5,118	6,093	0	137,777	187	40,062	38,852	58,676	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty-related	37,423	0	0	3,333	33,904	186	338,410	0	0	19,340	317,438	1,632
Other/unknown	17,106	49	1,255	3,394	12,408	0	149,240	232	13,306	27,764	107,938	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	69,615	67	5,112	11,845	52,405	186	625,427	419	53,368	85,956	484,052	1,632
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3
ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a, b}
NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	Percentage with at Least One Rx	Mean Number of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Medicaid FFS \$ ^c	Rx \$ as a Percentage of All Medicaid FFS \$ ^d	Number of Beneficiaries
All	62.2	6.3	\$441	\$70	\$3,661	12.1	69,615
Age							
5 and younger	63.4	3.3	166	50	2,363	7.0	22,376
6-14	57.6	4.4	346	79	2,252	15.4	20,174
15-20	62.6	6.2	460	75	3,952	11.6	10,834
21-44	67.4	9.5	671	71	6,232	10.8	12,819
45-64	76.8	31.5	2,408	76	12,391	19.4	2,648
65-74	50.0	24.8	1,485	60	13,413	11.1	30
75-84	27.8	3.5	121	35	9,309	1.3	18
85 and older	20.7	6.8	461	68	12,316	3.7	29
Unknown	0.0	0.0	0	0	181	0.0	687
Basis of Eligibility^e							
Aged	31.3	12.1	686	57	12,992	5.3	67
Disabled	78.7	27.4	2,641	96	18,960	13.9	5,112
Adults	65.9	7.7	399	52	3,605	11.1	11,845
Children	59.7	3.9	234	61	2,154	10.9	52,405
Unknown	69.4	13.1	893	68	8,051	11.1	186
Gender							
Female	65.9	7.2	458	64	3,850	11.9	38,103
Male	60.1	5.4	438	82	3,571	12.3	30,212
Unknown	0.5	0.0	0	18	236	0.1	1,300
Race							
White	64.5	6.9	485	71	3,773	12.9	53,704
African American	61.1	5.8	414	72	3,281	12.6	1,346
Other/unknown	53.7	4.1	283	69	3,284	8.6	14,565
Use of Nursing Facilities^f							
Entire year	85.9	71.0	4,990	70	49,568	10.1	71
Part year	95.4	55.2	3,985	72	51,975	7.7	65
None	62.1	6.2	433	70	3,569	12.1	69,479
Maintenance Assistance Status							
Cash	64.5	11.7	916	79	5,223	17.5	15,086
Medically needy	0.0	0.0	0	0	0	0.0	0
Poverty related	62.0	3.8	218	57	1,777	12.3	37,423
Other/unknown	60.4	6.8	510	75	6,405	8.0	17,106

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	Number of Rx, Percentage with:										Number	
	Mean Number of Rx	Mean Rx \$	Rx \$ as a Percentage of All Medicaid FFS \$ ^c	None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10	Mean \$, All Medicaid FFS \$ ^d	Beneficiaries	Benefit Months
All	0.7	\$49	12.1	37.8	50.4	5.6	4.5	1.4	0.3	\$408	69,615	625,427
Age												
5 and younger	0.4	18	7.0	36.6	59.7	2.9	0.8	0.0	0.0	252	22,376	209,711
6-14	0.5	36	15.4	42.4	49.9	4.3	3.0	0.4	0.0	232	20,174	195,826
15-20	0.7	52	11.6	37.4	49.2	7.3	5.1	0.9	0.0	451	10,834	95,018
21-44	1.3	88	10.8	32.6	44.4	10.1	9.5	2.9	0.4	820	12,819	97,488
45-64	3.3	254	19.4	23.2	23.3	10.6	22.1	16.2	4.5	1,306	2,648	25,133
65-74	3.2	192	11.1	50.0	16.7	0.0	10.0	16.7	6.7	1,734	30	232
75-84	0.7	23	1.3	72.2	11.1	0.0	11.1	5.6	0.0	1,745	18	96
85 and older	1.4	97	3.7	79.3	3.4	3.4	3.4	10.3	0.0	2,588	29	138
Unknown	0.0	0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	70	687	1,785
Basis of Eligibility^e												
Aged	1.9	110	5.3	68.7	9.0	1.5	7.5	11.9	1.5	2,078	67	419
Disabled	2.6	253	13.9	21.3	30.7	11.6	21.0	12.5	2.9	1,816	5,112	53,368
Adults	1.1	55	11.1	34.1	45.3	10.0	8.4	2.0	0.2	497	11,845	85,956
Children	0.4	25	10.9	40.3	53.6	3.9	2.0	0.2	0.0	233	52,405	484,052
Unknown	1.5	102	11.1	30.6	35.5	15.1	16.1	2.2	0.5	918	186	1,632
Gender												
Female	0.8	52	11.9	34.1	52.1	6.4	5.2	1.9	0.4	434	38,103	338,099
Male	0.6	47	12.3	39.9	50.4	4.7	3.9	0.9	0.1	382	30,212	282,630
Unknown	0.0	0	0.1	99.5	0.5	0.0	0.0	0.0	0.0	65	1,300	4,698
Race												
White	0.8	54	12.9	35.5	51.3	6.1	5.1	1.6	0.3	424	53,704	478,215
African American	0.6	46	12.6	38.9	51.9	4.0	3.6	1.4	0.2	361	1,346	12,242
Other/unknown	0.4	31	8.6	46.3	46.8	3.6	2.4	0.7	0.1	354	14,565	134,970
Use of Nursing Facilities^f												
Entire year	7.7	538	10.1	14.1	4.2	1.4	22.5	32.4	25.4	5,349	71	658
Part year	6.0	432	7.7	4.6	7.7	9.2	33.8	29.2	15.4	5,631	65	600
None	0.7	48	12.1	37.9	50.5	5.6	4.5	1.4	0.2	397	69,479	624,169
Maintenance Assistance Status												
Cash	1.3	100	17.5	35.5	42.0	7.7	9.6	4.3	0.9	572	15,086	137,777
Medically needy	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Poverty related	0.4	24	12.3	38.0	55.2	4.5	2.1	0.2	0.0	197	37,423	338,410
Other/unknown	0.8	58	8.0	39.6	47.1	6.0	5.5	1.6	0.3	734	17,106	149,240

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In ten states (DE, IA, IL, NC, NE, NY, TN, TX, UT, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
 AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx
All	0.7	\$49	\$70	0.2	\$37	\$152	0.0	\$3	\$93	0.4	\$10	\$22
Age												
5 and younger	0.4	18	50	0.1	12	121	0.0	1	44	0.2	4	19
6-14	0.5	36	79	0.2	29	135	0.0	1	72	0.2	5	23
15-20	0.7	52	75	0.3	40	146	0.0	3	122	0.4	9	23
21-44	1.3	88	71	0.4	66	179	0.0	5	125	0.8	17	21
45-64	3.3	254	76	1.0	182	175	0.1	15	133	2.2	56	26
65-74	3.2	192	60	0.9	128	147	0.0	7	191	2.3	56	25
75-84	0.7	23	35	0.1	16	125	0.0	0	0	0.5	7	13
85 and older	1.4	97	68	0.5	85	157	0.0	1	35	0.9	11	12
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Basis of Eligibility^d												
Aged	1.9	110	57	0.5	83	152	0.0	2	86	1.4	25	18
Disabled	2.6	253	96	1.0	200	203	0.1	12	122	1.5	42	27
Adults	1.1	55	52	0.3	36	134	0.0	4	131	0.8	15	19
Children	0.4	25	61	0.2	19	123	0.0	1	64	0.2	5	21
Unknown	1.5	102	68	0.5	75	158	0.1	7	123	1.0	20	20
Gender												
Female	0.8	52	64	0.3	37	147	0.0	3	103	0.5	11	21
Male	0.6	47	82	0.2	38	159	0.0	2	77	0.3	8	24
Unknown	0.0	0	18	0.0	0	33	0.0	0	0	0.0	0	12
Race												
White	0.8	54	71	0.3	41	150	0.0	3	96	0.5	11	22
African American	0.6	46	72	0.2	34	153	0.0	2	86	0.4	10	24
Other/unknown	0.4	31	69	0.1	23	169	0.0	1	78	0.3	6	21
Use of Nursing Facilities^e												
Entire year	7.7	538	70	2.5	417	168	0.3	20	59	4.8	101	21
Part year	6.0	432	72	1.7	296	172	0.2	21	114	4.1	113	28
None	0.7	48	70	0.2	36	152	0.0	3	93	0.4	9	22
Maintenance Assistance Status												
Cash	1.3	100	79	0.4	76	179	0.0	5	120	0.8	20	24
Medically needy	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Poverty related	0.4	24	57	0.1	18	119	0.0	1	73	0.3	5	20
Other/unknown	0.8	58	75	0.3	46	154	0.0	3	89	0.5	10	22

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wyoming, 1.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx				Users ^e				
	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All Benes	Number of Benefit Months
Anti-infective Agents	0.2	0.0	0.0	0.2	\$9	\$4	\$1	\$4	\$41	\$123	\$44	\$25	74,400	\$3,021,141	30,935	44.4	319,165
Biologicals	0.3	0.3	0.0	0.0	287	286	0	0	1026	1,031	0	58	866	888,563	310	0.4	3,101
Antineoplastic Agents	0.5	0.2	0.0	0.3	243	233	1	10	504	1,175	1,472	34	919	462,959	177	0.3	1,905
Endocrine/Metabolic Drugs	0.4	0.1	0.0	0.2	27	20	1	6	70	162	42	26	34,146	2,396,824	8,832	12.7	88,618
Cardiovascular Agents	0.8	0.2	0.0	0.6	33	19	3	12	42	105	102	20	26,909	1,125,329	3,306	4.7	33,703
Respiratory Agents	0.3	0.2	0.0	0.2	19	16	0	3	56	97	48	19	68,425	3,838,389	19,096	27.4	199,164
Gastrointestinal Agents	0.3	0.2	0.0	0.2	34	24	7	3	100	137	460	21	18,353	1,833,219	5,239	7.5	53,412
Genitourinary Agents	0.2	0.1	0.0	0.1	11	5	2	3	47	102	91	22	5,349	253,968	2,503	3.6	24,144
CNS Drugs	0.8	0.4	0.1	0.4	86	70	7	8	108	184	119	24	63,121	6,791,838	7,895	11.3	78,934
Stimulants/Anti-obesity/Anorexia	0.8	0.7	0.0	0.1	86	83	0	3	113	125	180	29	24,083	2,732,682	3,020	4.3	31,806
Miscellaneous Psychological/Neurological Agents	0.5	0.5	0.0	0.0	340	340	0	0	666	667	0	50	653	434,951	122	0.2	1,278
Analgesics and Anesthetics	0.4	0.0	0.0	0.4	13	6	0	7	32	213	167	19	48,691	1,559,549	12,527	18.0	122,861
Neuromuscular Agents	0.7	0.3	0.0	0.3	73	60	1	12	110	186	83	36	27,918	3,065,179	4,058	5.8	42,067
Nutritional Products	0.2	0.0	0.0	0.2	3	1	0	3	16	52	26	13	10,166	165,167	5,007	7.2	48,089
Hematological Agents	0.5	0.1	0.0	0.4	120	111	1	9	234	880	35	24	3,705	866,005	727	1.0	7,203
Topical Products	0.2	0.1	0.0	0.1	7	5	0	2	40	85	59	18	26,364	1,066,432	13,818	19.8	147,515
Miscellaneous Products	0.2	0.1	0.0	0.1	15	12	1	2	90	114	217	39	2,093	188,684	1,172	1.7	12,610
Unknown Therapeutic Category	0.1	0.0	0.0	0.0	8	0	0	0	58	0	0	0	351	20,291	230	0.3	2,416
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	436,512	30,711,170	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.
 a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Wyoming, 1.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.
 For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2006.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Top 10 Drug Groups	Users			Among Users				
	Total Medicaid Rx \$	Number of Users	As a Percentage of All Beneficiaries	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month	
ANTIPSYCHOTICS	\$4,056,220	2,753	4.0	29,391	0.6	\$247	\$138	
ANTICONVULSANT	2,878,564	2,979	4.3	31,764	0.6	140	91	
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	2,732,682	3,567	5.1	37,903	0.6	113	72	
ANTIASTHMATIC	2,582,765	13,324	19.1	140,631	0.2	73	18	
ANTIDEPRESSANTS	2,400,814	7,331	10.5	74,369	0.5	70	32	
ULCER DRUGS	1,190,347	4,747	6.8	48,877	0.3	80	24	
MISC. ENDOCRINE	1,118,286	409	0.6	4,485	0.4	561	249	
PASSIVE IMMUNIZING AGENTS	884,423	250	0.4	2,428	0.3	1,104	364	
ANALGESICS - Narcotic	851,085	14,652	21.0	145,170	0.3	23	6	
MACROLIDE ANTIBIOTICS	750,772	13,152	18.9	139,412	0.1	41	5	
Total	19,445,958	63,164	n.a.	654,430	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ANTICONVULSANT			
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	203,284	\$19,445,958	2,753	4.0	29,391	0.6	\$138	2,979	4.3	31,764	0.6	\$91
Female												
All Females	120,565	10,209,733	1,445	3.8	15,306	0.5	125	1,897	5.0	20,165	0.6	87
Female, Disabled												
All Ages	43,791	4,763,114	634	23.4	7,084	0.6	176	934	34.5	10,529	0.8	109
5 and younger	547	127,637	3	2.4	36	0.4	17	11	8.9	132	0.6	61
6-14	2,805	385,254	40	13.9	470	0.6	144	81	28.1	950	0.8	139
15-20	3,128	484,555	69	26.4	785	0.6	133	93	35.6	1,045	0.9	188
21-44	13,201	1,465,326	231	25.2	2,478	0.6	177	336	36.7	3,734	0.7	112
45-64	24,076	2,297,371	291	26.1	3,315	0.7	191	413	37.0	4,668	0.8	86
65-74	34	2,971	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles												
All Ages	76,774	5,446,619	811	2.3	8,222	0.4	80	963	2.7	9,636	0.5	62
5 and younger	8,724	791,797	6	0.1	70	0.3	22	25	0.2	267	0.4	71
6-14	15,454	1,321,271	141	1.5	1,502	0.4	109	115	1.2	1,239	0.5	95
15-20	15,124	1,125,465	281	4.9	2,916	0.5	94	198	3.4	2,022	0.5	84
21-44	33,049	1,912,368	348	3.8	3,372	0.3	58	557	6.0	5,407	0.4	49
45-64	4,174	274,618	33	5.6	338	0.3	59	62	10.6	629	0.5	46
65-74	204	15,087	1	8.3	12	1.0	265	4	33.3	48	0.7	31
75-84	5	266	0	0.0	0	0.0	0	1	10.0	12	0.1	0
85 and older	40	5,747	1	4.8	12	0.8	303	1	4.8	12	0.1	34
Male												
All Males	82,717	9,236,197	1,308	4.3	14,085	0.6	153	1,082	3.6	11,599	0.7	97
Male, Disabled												
All Ages	26,902	3,950,145	611	25.4	6,769	0.7	195	597	24.8	6,606	0.8	116
5 and younger	889	184,912	6	3.8	71	0.5	119	23	14.6	262	0.6	133
6-14	5,470	794,298	102	21.0	1,171	0.7	160	119	24.5	1,345	0.9	118
15-20	4,374	675,207	128	33.7	1,457	0.7	179	106	27.9	1,207	0.8	126
21-44	8,742	1,523,855	272	36.8	2,994	0.7	219	216	29.2	2,408	0.9	118
45-64	7,390	768,235	103	16.2	1,076	0.8	191	133	20.9	1,384	0.7	99
65-74	37	3,638	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Nondual Medicaid Beneficiaries

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	All Top 10 Drug Groups			ANTIPSYCHOTICS					ANTICONVULSANT				
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	
Male, Other Eligibles													
All Ages	55,815	5,286,052	697	2.5	7,316	0.5	114	485	1.7	4,993	0.5	72	
5 and younger	11,802	979,695	15	0.1	169	0.6	127	42	0.4	457	0.3	39	
6-14	26,697	2,691,291	331	3.3	3,555	0.6	123	173	1.7	1,886	0.6	86	
15-20	11,532	1,264,294	302	6.9	3,222	0.6	108	166	3.8	1,716	0.5	78	
21-44	4,696	283,669	39	2.1	299	0.4	67	96	5.1	844	0.5	50	
45-64	1,027	62,913	6	1.9	42	0.2	17	8	2.6	90	0.6	51	
65-74	9	326	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
75-84	2	260	1	12.5	8	0.1	32	0	0.0	0	0.0	0	
85 and older	50	3,604	3	37.5	21	0.5	95	0	0.0	0	0.0	0	
Unknown	2	28	0	0.0	0	0.0	0	0	0.0	0	0.0	0	

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ANTIASTHMATIC					ANTIDEPRESSANTS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	3,567	5.1	37,903	0.6	\$72	13,324	19.1	140,631	0.2	\$18	7,331	10.5	74,369	0.5	\$32
Female															
All Females	1,170	3.1	12,382	0.6	71	7,071	18.6	73,680	0.3	19	5,333	14.0	53,521	0.4	33
Female, Disabled															
All Ages	218	8.1	2,454	0.7	91	1,151	42.5	12,778	0.4	35	1,461	54.0	16,278	0.6	42
5 and younger	0	0.0	0	0.0	0	59	47.6	650	0.2	18	2	1.6	24	0.9	5
6-14	72	25.0	816	0.8	89	83	28.8	938	0.3	24	52	18.1	592	0.6	29
15-20	39	14.9	451	0.8	88	60	23.0	705	0.3	22	97	37.2	1,102	0.6	41
21-44	57	6.2	636	0.6	79	299	32.7	3,236	0.3	26	537	58.7	5,974	0.5	43
45-64	50	4.5	551	0.6	108	648	58.1	7,235	0.5	43	772	69.2	8,583	0.6	42
65-74	0	0.0	0	0.0	0	2	66.7	14	0.7	7	1	33.3	3	0.3	33
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	952	2.7	9,928	0.6	66	5,920	16.7	60,902	0.2	15	3,872	10.9	37,243	0.4	29
5 and younger	24	0.2	255	0.3	34	1,833	17.8	19,783	0.2	12	11	0.1	127	0.4	18
6-14	611	6.5	6,520	0.6	64	1,551	16.5	16,661	0.3	18	411	4.4	4,479	0.5	23
15-20	154	2.7	1,618	0.6	73	1,007	17.4	10,183	0.2	13	958	16.6	9,496	0.4	26
21-44	151	1.6	1,406	0.5	75	1,390	15.0	12,949	0.3	17	2,251	24.3	20,712	0.4	30
45-64	12	2.1	129	0.4	41	123	21.0	1,196	0.3	25	234	40.0	2,354	0.5	40
65-74	0	0.0	0	0.0	0	15	125.0	129	0.5	40	5	41.7	51	0.6	52
75-84	0	0.0	0	0.0	0	1	10.0	1	1.0	123	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	9.5	24	0.5	47
Male															
All Males	2,397	7.9	25,521	0.7	73	6,251	20.7	66,932	0.2	18	1,998	6.6	20,848	0.5	32
Male, Disabled															
All Ages	306	12.7	3,464	0.8	92	674	28.0	7,415	0.4	32	678	28.2	7,410	0.6	41
5 and younger	7	4.5	78	0.7	41	86	54.8	976	0.3	16	1	0.6	11	0.1	1
6-14	159	32.7	1,796	0.8	87	189	38.9	2,188	0.4	34	76	15.6	879	0.6	26
15-20	85	22.4	964	0.8	89	69	18.2	777	0.3	20	114	30.0	1,280	0.7	38
21-44	46	6.2	521	0.7	114	123	16.6	1,357	0.3	28	248	33.5	2,723	0.6	48
45-64	9	1.4	105	0.7	141	205	32.2	2,099	0.5	43	237	37.2	2,499	0.6	40
65-74	0	0.0	0	0.0	0	2	40.0	18	0.2	42	2	40.0	18	1.0	92
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Nondual Medicaid Beneficiaries

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ANTIASTHMATIC					ANTIDEPRESSANTS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of		Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of		Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of	
				Rx per Month	Mean Rx \$ per Benefit Month				Rx per Month	Mean Rx \$ per Benefit Month				Rx per Month	Mean Rx \$ per Benefit Month
Male, Other Eligibles															
All Ages	2,091	7.5	22,057	0.6	70	5,577	20.1	59,517	0.2	16	1,320	4.7	13,438	0.5	27
5 and younger	101	0.9	1,086	0.3	29	2,582	23.0	27,778	0.2	13	12	0.1	135	0.2	7
6-14	1,554	15.6	16,452	0.7	72	2,210	22.2	23,996	0.3	20	549	5.5	5,911	0.5	21
15-20	400	9.1	4,204	0.6	73	586	13.3	6,071	0.2	18	464	10.5	4,791	0.5	30
21-44	33	1.8	295	0.5	54	165	8.8	1,382	0.3	22	247	13.1	2,182	0.4	33
45-64	3	1.0	20	0.7	197	30	9.7	268	0.3	31	44	14.2	399	0.5	41
65-74	0	0.0	0	0.0	0	1	10.0	9	0.1	3	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	3	37.5	13	1.1	32	4	50.0	20	0.7	38
Unknown	0	0.0	0	0.0	0	2	0.2	19	0.1	2	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	ULCER DRUGS					MISC. ENDOCRINE					PASSIVE IMMUNIZING AGENTS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	4,747	6.8	48,877	0.3	\$24	409	0.6	4,485	0.4	\$249	250	0.4	2,428	0.3	\$364
Female															
All Females	3,241	8.5	33,069	0.3	25	215	0.6	2,360	0.5	111	166	0.4	1,581	0.3	299
Female, Disabled															
All Ages	867	32.0	9,695	0.5	38	138	5.1	1,528	0.5	115	20	0.7	203	0.4	619
5 and younger	26	21.0	278	0.3	20	2	1.6	20	0.6	137	17	13.7	171	0.5	557
6-14	30	10.4	360	0.4	25	18	6.3	210	0.6	288	0	0.0	0	0.0	0
15-20	42	16.1	483	0.4	38	7	2.7	71	0.4	348	1	0.4	8	1.0	3,779
21-44	269	29.4	2,941	0.4	36	17	1.9	181	0.6	54	2	0.2	24	0.1	9
45-64	499	44.7	5,626	0.5	41	93	8.3	1,039	0.4	74	0	0.0	0	0.0	0
65-74	1	33.3	7	0.1	7	1	33.3	7	0.7	54	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	2,374	6.7	23,374	0.2	19	77	0.2	832	0.4	105	146	0.4	1,378	0.3	252
5 and younger	404	3.9	3,998	0.2	13	0	0.0	0	0.0	0	71	0.7	716	0.4	475
6-14	332	3.5	3,648	0.2	16	41	0.4	440	0.3	160	0	0.0	0	0.0	0
15-20	501	8.7	4,995	0.2	16	5	0.1	54	0.3	74	25	0.4	232	0.1	11
21-44	1,021	11.0	9,626	0.3	23	17	0.2	172	0.3	34	50	0.5	430	0.1	11
45-64	110	18.8	1,055	0.5	42	14	2.4	166	0.6	41	0	0.0	0	0.0	0
65-74	3	25.0	27	0.6	69	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	1	10.0	1	1.0	112	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	2	9.5	24	0.6	22	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male															
All Males	1,506	5.0	15,808	0.3	24	194	0.6	2,125	0.4	403	84	0.3	847	0.4	486
Male, Disabled															
All Ages	445	18.5	4,897	0.5	37	51	2.1	579	0.6	922	16	0.7	176	0.5	496
5 and younger	37	23.6	400	0.4	32	4	2.5	48	0.9	398	16	10.2	176	0.5	496
6-14	41	8.4	489	0.5	35	21	4.3	234	0.5	717	0	0.0	0	0.0	0
15-20	43	11.3	492	0.3	27	10	2.6	109	0.5	797	0	0.0	0	0.0	0
21-44	151	20.4	1,665	0.5	37	12	1.6	140	0.9	1,849	0	0.0	0	0.0	0
45-64	172	27.0	1,842	0.5	40	4	0.6	48	0.2	20	0	0.0	0	0.0	0
65-74	1	20.0	9	0.9	127	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Nondual Medicaid Beneficiaries

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	ULCER DRUGS					MISC. ENDOCRINE					PASSIVE IMMUNIZING AGENTS					
	Number of Users	Users as %	Number of Benefit Months Among Users	Mean Number of		Number of Users	Users as %	Number of Benefit Months Among Users	Mean Number of		Number of Users	Users as %	Number of Benefit Months Among Users	Mean Number of		
		of All Benes		Rx per Month	Mean Rx \$ per Benefit		of All Benes		Rx per Month	Mean Rx \$ per Benefit		of All Benes		Rx per Month	Mean Rx \$ per Benefit	
Male, Other Eligibles																
All Ages	1,061	3.8	10,911	0.2	18	143	0.5	1,546	0.4	209	68	0.2	671	0.4	483	
5 and younger	502	4.5	5,016	0.2	12	5	0.0	54	0.3	48	68	0.6	671	0.4	483	
6-14	229	2.3	2,581	0.2	17	110	1.1	1,198	0.4	149	0	0.0	0	0.0	0	
15-20	167	3.8	1,762	0.2	22	22	0.5	240	0.6	575	0	0.0	0	0.0	0	
21-44	126	6.7	1,188	0.3	32	5	0.3	42	0.2	32	0	0.0	0	0.0	0	
45-64	35	11.3	352	0.4	36	1	0.3	12	0.3	135	0	0.0	0	0.0	0	
65-74	1	10.0	9	0.9	33	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
85 and older	1	12.5	3	1.0	30	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.
 a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	ANALGESICS - Narcotic					MACROLIDE ANTIBIOTICS						
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Beneficiaries	Number of Benefit Months
All	14,652	21.0	145,170	0.3	\$6	13,152	18.9	139,412	0.1	\$5	69,615	625,427
Female												
All Females	10,912	28.6	106,474	0.3	5	7,548	19.8	79,138	0.1	6	38,102	338,097
Female, Disabled												
All Ages	1,847	68.2	20,329	0.4	15	696	25.7	8,007	0.1	6	2,707	28,618
5 and younger	20	16.1	226	0.1	1	48	38.7	550	0.2	6	124	1,294
6-14	44	15.3	501	0.1	1	70	24.3	832	0.1	5	288	3,271
15-20	77	29.5	899	0.2	6	59	22.6	694	0.1	7	261	2,893
21-44	710	77.6	7,805	0.4	11	225	24.6	2,550	0.1	6	915	9,646
45-64	993	89.0	10,877	0.5	19	294	26.3	3,381	0.1	6	1,116	11,497
65-74	3	100.0	21	0.8	112	0	0.0	0	0.0	0	3	17
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Female, Other Eligibles												
All Ages	9,065	25.6	86,145	0.2	3	6,852	19.4	71,131	0.1	5	35,395	309,479
5 and younger	357	3.5	3,956	0.1	1	2,338	22.8	25,360	0.1	5	10,275	97,237
6-14	771	8.2	8,482	0.1	1	1,625	17.2	17,806	0.1	5	9,425	91,064
15-20	2,051	35.4	20,091	0.2	2	1,174	20.3	11,902	0.1	6	5,787	49,161
21-44	5,478	59.0	49,456	0.3	4	1,601	17.3	14,807	0.1	6	9,280	66,668
45-64	398	68.0	4,060	0.3	9	110	18.8	1,216	0.1	6	585	5,107
65-74	8	66.7	85	0.4	8	3	25.0	28	0.2	4	12	93
75-84	1	10.0	3	0.7	9	0	0.0	0	0.0	0	10	56
85 and older	1	4.8	12	0.1	1	1	4.8	12	0.1	3	21	93
Male												
All Males	3,740	12.4	38,696	0.2	7	5,604	18.5	60,274	0.1	5	30,211	282,629
Male, Disabled												
All Ages	798	33.2	8,439	0.4	21	433	18.0	4,950	0.1	6	2,405	24,750
5 and younger	20	12.7	236	0.1	1	55	35.0	642	0.2	5	157	1,651
6-14	59	12.1	693	0.1	1	122	25.1	1,443	0.1	7	486	5,433
15-20	67	17.6	748	0.2	8	72	18.9	826	0.1	7	380	4,088
21-44	258	34.9	2,710	0.3	12	109	14.7	1,235	0.1	5	740	7,537
45-64	392	61.5	4,034	0.5	35	73	11.5	786	0.1	6	637	6,025
65-74	2	40.0	18	0.3	3	2	40.0	18	0.1	3	5	16
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Nondual Medicaid Beneficiaries

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	ANALGESICS - Narcotic					MACROLIDE ANTIBIOTICS					Number of Beneficiaries	Number of Benefit Months
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean		Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean			
				Rx per Benefit Month	Mean Rx \$ per Benefit Month				Rx per Benefit Month	Mean Rx \$ per Benefit Month		
Male, Other Eligibles												
All Ages	2,942	10.6	30,257	0.2	3	5,171	18.6	55,324	0.1	5	27,806	257,879
5 and younger	467	4.2	5,181	0.1	1	2,797	25.0	30,088	0.1	5	11,207	106,627
6-14	758	7.6	8,275	0.1	1	1,574	15.8	17,011	0.1	5	9,974	96,046
15-20	848	19.2	8,959	0.1	1	630	14.3	6,651	0.1	5	4,406	38,876
21-44	712	37.8	6,441	0.3	9	136	7.2	1,239	0.1	6	1,883	13,635
45-64	153	49.4	1,374	0.3	9	33	10.6	328	0.1	7	310	2,504
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	10	106
75-84	1	12.5	8	0.1	1	0	0.0	0	0.0	0	8	40
85 and older	3	37.5	19	0.2	7	1	12.5	7	0.1	10	8	45
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1,302	4,701

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2006. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription (s) or pharmacy; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.8
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BENEFICIARY CHARACTERISTIC^{a, b}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	Rx \$ per Benefit Month	Number of Rx per Benefit Month	Number of All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
All	\$538	7.7	71	658
Age				
0-64	603	8.8	56	543
65-74	1,089	8.8	2	13
75-84	10	0.6	4	33
85 and older	180	1.9	9	69
Unknown	0	0.0	0	0
Gender				
Female	575	8.4	40	394
Male	484	6.5	31	264
Unknown	0	0.0	0	0
Race				
White	513	7.7	61	568
African American	0	0	0	0
Other/unknown	702	7.6	10	90
Basis of Eligibility^c				
Aged	236	2.3	14	114
Disabled	602	8.8	57	544
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2006 Medicaid enrollment. A total of 65 beneficiaries who were in nursing facilities for part of their enrollment and their 600 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.9
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
 BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx				Users				
	Total	Patented Brand-Name		Off-Patent Brand-Name	Total	Patented Brand-Name		Off-Patent Brand-Name	Total	Patented Brand-Name		Off-Patent Brand-Name	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months
		Generic	Generic	Generic		Generic	Generic	Generic		Generic	Generic						
Anti-infective Agents	0.5	0.2	0.0	0.3	\$37	\$31	\$0	\$6	\$81	\$192	\$71	\$22	197	\$15,890	42	59.2	426
Biologicals	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Antineoplastic Agents	0.9	0.9	0.0	0.0	239	239	0	0	260	260	0	0	11	2,862	1	1.4	12
Endocrine/Metabolic Drugs	1.3	0.3	0.2	0.7	51	40	3	9	41	113	13	13	449	18,323	38	53.5	358
Cardiovascular Agents	1.8	0.2	0.1	1.6	62	14	10	38	34	80	126	24	701	23,867	41	57.7	384
Respiratory Agents	1.2	0.8	0.0	0.4	93	84	1	8	78	104	60	22	320	25,023	26	36.6	269
Gastrointestinal Agents	1.0	0.5	0.0	0.6	56	45	1	10	54	97	39	17	411	22,069	38	53.5	396
Genitourinary Agents	1.2	0.4	0.0	0.7	64	49	2	13	55	110	82	18	233	12,849	20	28.2	202
CNS Drugs	1.9	1.0	0.1	0.8	220	193	10	16	117	194	94	21	997	116,214	54	76.1	529
Stimulants/Anti-obesity/Anorexia	0.3	0.0	0.0	0.3	2	0	0	2	8	0	0	8	1	8	1	1.4	4
Miscellaneous Psychological/Neurological Agents	0.7	0.7	0.0	0.0	553	553	0	0	830	830	0	0	28	23,243	4	5.6	42
Analgesics and Anesthetics	1.4	0.1	0.0	1.3	54	30	0	24	37	306	6	18	629	23,480	43	60.6	434
Neuromuscular Agents	1.6	0.6	0.1	0.9	166	127	2	37	107	212	31	41	496	52,906	31	43.7	318
Nutritional Products	0.8	0.0	0.0	0.8	14	0	0	14	17	0	0	17	135	2,318	18	25.4	164
Hematological Agents	1.4	0.2	0.0	1.2	45	30	0	15	32	174	0	12	238	7,588	18	25.4	170
Topical Products	0.5	0.2	0.0	0.3	24	16	3	5	46	85	59	19	153	7,076	28	39.4	294
Miscellaneous Products	0.5	0.0	0.0	0.5	2	0	0	2	5	0	0	5	19	90	4	5.6	39
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	6	0	0	0	24	0	0	0	21	494	9	12.7	82
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	5,039	354,300	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.
 a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 65 beneficiaries who were in nursing facilities for part of their enrollment and their 600 benefit months were excluded from the analysis.
 b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2006. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 d. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 In Wyoming, 1.6 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.
 Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^a, b, c, d
 NONDUAL BENEFICIARIES, WYOMING, 2006

Top 10 Drug Groups in Nursing Facilities	Users				Among Users			
	Total Medicaid Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month	
ANTIPSYCHOTICS	\$77,202	30	42.3	331	0.9	\$251	\$233	
ANTIDEPRESSANTS	31,975	55	77.5	582	0.9	64	55	
ANTICONVULSANT	29,290	30	42.3	314	1.1	81	93	
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	23,243	5	7.0	48	0.6	830	484	
ANTIASTHMATIC	20,272	34	47.9	373	0.6	94	54	
ULCER DRUGS	19,572	38	53.5	385	0.8	64	51	
ANTIHYPERLIPIDEMIC	14,394	13	18.3	149	0.9	111	97	
MUSCULOSKELETAL THERAPY AGENTS	12,636	5	7.0	46	0.9	301	275	
ANTIDIABETIC	11,741	22	31.0	221	0.9	59	53	
ANALGESICS - ANTI-INFLAMMATORY	11,925	13	18.3	132	0.6	153	90	
Total	252,250	245	n.a.	2,581	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 65 beneficiaries who were in nursing facilities for part of their enrollment and their 600 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.10A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST
 AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	All Top 10 Drug Groups							ANTIPSYCHOTICS			ANTIDEPRESSANTS		
	Number of Rx	Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	
All	2,166	\$252,250	30	42.3	331	0.9	\$233	55	77.5	582	0.9	\$55	
Female													
All Females	1,445	159,478	15	37.5	180	1.0	260	38	95.0	412	0.9	53	
Female, Disabled													
All Ages	1,362	148,307	13	40.6	156	1.0	256	36	112.5	388	0.9	50	
64 or younger	1,362	148,307	13	40.6	156	1.0	256	36	112.5	388	0.9	50	
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
Female, Other Eligibles													
All Ages	83	11,171	2	25.0	24	0.9	284	2	25.0	24	1.0	99	
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
65-74	48	5,526	1	100.0	12	1.0	265	1	100.0	12	1.1	108	
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
85 and older	35	5,645	1	25.0	12	0.8	303	1	25.0	12	0.8	90	
Male													
All Males	721	92,772	15	48.4	151	0.9	201	17	54.8	170	0.8	59	
Male, Disabled													
All Ages	687	89,728	12	48.0	130	0.9	218	15	60.0	160	0.8	58	
64 or younger	687	89,728	12	50.0	130	0.9	218	15	62.5	160	0.8	58	
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
Male, Other Eligibles													
All Ages	34	3,044	3	50.0	21	0.5	95	2	33.3	10	1.0	75	
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	
85 and older	34	3,044	3	60.0	21	0.5	95	2	40.0	10	1.0	75	
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0	

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.
 a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 65 beneficiaries who were in nursing facilities for part of their enrollment and their 600 benefit months were excluded from the analysis.
 b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	ANTICONVULSANT					MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL					ANTIASTHMATIC				
	Number of Users	Users as %	Number of	Mean	Mean Rx \$	Number of Users	Users as %	Number of	Mean	Mean Rx \$	Number of Users	Users as %	Number of	Mean	Mean Rx \$
		of All-Year					Benefit Months					of Rx			
All	30	42.3	314	1.1	\$93	5	7.0	48	0.6	\$484	34	47.9	373	0.6	\$54
Female															
All Females	23	57.5	256	1.2	92	5	12.5	48	0.6	484	19	47.5	226	0.6	54
Female, Disabled															
All Ages	20	62.5	220	1.3	101	5	15.6	48	0.6	484	18	56.3	214	0.6	57
64 or younger	20	62.5	220	1.3	101	5	15.6	48	0.6	484	18	56.3	214	0.6	57
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	3	37.5	36	0.6	38	0	0.0	0	0.0	0	1	12.5	12	0.1	5
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	2	200.0	24	0.9	41	0	0.0	0	0.0	0	1	100.0	12	0.1	5
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	1	25.0	12	0.1	34	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male															
All Males	7	22.6	58	1.1	97	0	0.0	0	0.0	0	15	48.4	147	0.6	55
Male, Disabled															
All Ages	7	28.0	58	1.1	97	0	0.0	0	0.0	0	12	48.0	134	0.6	58
64 or younger	7	29.2	58	1.1	97	0	0.0	0	0.0	0	12	50.0	134	0.6	58
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	50.0	13	0.8	17
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	60.0	13	0.8	17
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.
 a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 65 beneficiaries who were in nursing facilities for part of their enrollment and their 600 benefit months were excluded from the analysis.
 b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	ULCER DRUGS					ANTHYPERLIPIDEMIC					MUSCULOSKELETAL THERAPY AGENTS				
	Number of Users	Users as % of All-Year	Number of Benefit Months	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year	Number of Benefit Months	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year	Number of Benefit Months	Mean Number of Rx	Mean Rx \$
		Nursing Facility Residents					Nursing Facility Residents					Nursing Facility Residents			
All	38	53.5	385	0.8	\$51	13	18.3	149	0.9	\$97	5	7.0	46	0.9	\$275
Female															
All Females	23	57.5	245	0.9	56	7	17.5	77	1.0	132	3	7.5	28	0.9	22
Female, Disabled															
All Ages	21	65.6	221	0.9	60	7	21.9	77	1.0	132	3	9.4	28	0.9	22
64 or younger	21	65.6	221	0.9	60	7	21.9	77	1.0	132	3	9.4	28	0.9	22
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	2	25.0	24	0.6	22	0	0.0	0	0.0	0	0	0.0	0	0.0	0
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	2	50.0	24	0.6	22	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male															
All Males	15	48.4	140	0.7	41	6	19.4	72	0.7	58	2	6.5	18	1.0	668
Male, Disabled															
All Ages	14	56.0	137	0.6	42	6	24.0	72	0.7	58	2	8.0	18	1.0	668
64 or younger	14	58.3	137	0.6	42	6	25.0	72	0.7	58	2	8.3	18	1.0	668
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	1	16.7	3	1.0	30	0	0.0	0	0.0	0	0	0.0	0	0.0	0
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	1	20.0	3	1.0	30	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.
 a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 65 beneficiaries who were in nursing facilities for part of their enrollment and their 600 benefit months were excluded from the analysis.
 b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	ANTIDIABETIC					ANALGESICS - ANTI-INFLAMMATORY						
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
All	22	31.0	221	0.9	\$53	13	18.3	132	0.6	\$90	71	658
Female												
All Females	10	25.0	86	1.0	78	7	17.5	76	0.6	5	40	394
Female, Disabled												
All Ages	10	31.3	86	1.0	78	7	21.9	76	0.6	5	32	319
64 or younger	10	31.3	86	1.0	78	7	21.9	76	0.6	5	32	319
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Female, Other Eligibles												
All Ages	0	0.0	0	0.0	0	0	0.0	0	0.0	0	8	75
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	21
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	4	42
Male												
All Males	12	38.7	135	0.8	37	6	19.4	56	0.6	207	31	264
Male, Disabled												
All Ages	12	48.0	135	0.8	37	6	24.0	56	0.6	207	25	225
64 or younger	12	50.0	135	0.8	37	6	25.0	56	0.6	207	24	224
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	1
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Male, Other Eligibles												
All Ages	0	0.0	0	0.0	0	0	0.0	0	0.0	0	6	39
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	5	27
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2006. A total of 65 beneficiaries who were in nursing facilities for part of their enrollment and their 600 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2006. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2006 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 WYOMING, 2006

Beneficiary Characteristics	Number of Beneficiaries with at Least One Part D Excluded Rx	Percentage of Beneficiaries with at Least One Part D Excluded Rx	Number of Part D Excluded Rx per Beneficiary	Total Number Part D Excluded Rx	Part D Excluded Rx \$ per Beneficiary	Total Part D Excluded Rx \$	\$ per Part D Excluded Rx	Part D Excluded Rx as a Percentage of All Nondual Rx \$	Total Number of Beneficiaries	
All	16,517	23.7	0.7	50,221	\$18	\$1,266,601	\$25	4.1	69,615	
Age										
5 and younger	5,564	24.9	0.5	10,418	10	222,789	21	6.0	22,376	
6-14	4,019	19.9	0.5	9,427	17	334,569	35	4.8	20,174	
15-20	2,409	22.2	0.5	5,811	18	195,954	34	3.9	10,834	
21-44	3,345	26.1	1.1	14,648	25	320,866	22	3.7	12,819	
45-64	1,158	43.7	3.7	9,731	71	189,294	19	3.0	2,648	
65-74	12	40.0	4.3	128	75	2,248	18	5.0	30	
75-84	4	22.2	1.4	25	15	263	11	12.1	18	
85 and older	6	20.7	1.1	33	21	618	19	4.6	29	
Unknown	0	0.0	0.0	0	0	0	0	0.0	687	
Basis of Eligibility^c										
Aged	18	26.9	2.5	168	36	2,425	14	5.3	67	
Disabled	2,287	44.7	3.9	19,895	145	741,085	37	5.5	5,112	
Adults	2,805	23.7	0.7	8,857	11	126,654	14	2.7	11,845	
Children	11,361	21.7	0.4	21,155	8	394,693	19	3.2	52,405	
Unknown	46	24.7	0.8	146	9	1,744	12	1.0	186	
Gender										
Female	9,919	26.0	0.8	31,729	19	716,598	23	4.1	38,103	
Male	6,596	21.8	0.6	18,490	18	549,984	30	4.2	30,212	
Unknown	2	0.2	0.0	2	0	19	10	10.6	1,300	
Race										
White	13,077	24.4	0.8	41,682	19	1,044,327	25	4.0	53,704	
African American	297	22.1	0.5	719	11	14,257	20	2.6	1,346	
Other/unknown	3,143	21.6	0.5	7,820	14	208,017	27	5.1	14,565	
Use of Nursing Facilities^d										
Entire year	47	66.2	7.5	529	117	8,276	16	2.3	71	
Part year	44	67.7	6.9	449	145	9,437	21	3.6	65	
None	16,426	23.6	0.7	49,243	18	1,248,888	25	4.1	69,479	
Maintenance Assistance Status										
Cash	4,467	29.6	1.4	20,948	37	551,214	26	4.0	15,086	
Medically needy	0	0.0	0.0	0	0	0	0	0.0	0	
Poverty related	7,991	21.4	0.4	14,590	7	262,954	18	3.2	37,423	
Other/unknown	4,059	23.7	0.9	14,683	26	452,433	31	5.2	17,106	

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote 1 on Table 1 for methodology used to determine use of nursing facilities.

Benef(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 WYOMING, 2006

Beneficiary Characteristics	Number Rx per Benefit Month	Rx \$ per Benefit Month	\$ per Rx	Barbiturate \$ per Benefit Month	Benzodiazepine \$ per Benefit Month	Number of Benefit Months
All	0.1	\$2	\$25	\$0	\$0	625,427
Age						
5 and younger	0.0	1	21	0	0	209,711
6-14	0.0	2	35	0	0	195,826
15-20	0.1	2	34	0	0	95,018
21-44	0.2	3	22	0	0	97,488
45-64	0.4	8	19	0	1	25,133
65-74	0.6	10	18	0	3	232
75-84	0.3	3	11	0	2	96
85 and older	0.2	4	19	0	0	138
Unknown	0.0	0	0	0	0	1,785
Basis of Eligibility^c						
Aged	0.4	6	14	0	2	419
Disabled	0.4	14	37	0	1	53,368
Adults	0.1	1	14	0	0	85,956
Children	0.0	1	19	0	0	484,052
Unknown	0.1	1	12	0	0	1,632
Gender						
Female	0.1	2	23	0	0	338,099
Male	0.1	2	30	0	0	282,630
Unknown	0.0	0	10	0	0	4,698
Race						
White	0.1	2	25	0	0	478,215
African American	0.1	1	20	0	0	12,242
Other/unknown	0.1	2	27	0	0	134,970
Use of Nursing Facilities^d						
Entire year	0.8	13	16	0	3	658
Part year	0.7	16	21	0	1	600
None	0.1	2	25	0	0	624,169
Maintenance Assistance Status						
Cash	0.2	4	26	0	0	137,777
Medically needy	0.0	0	0	0	0	0
Poverty related	0.0	1	18	0	0	338,410
Other/unknown	0.1	3	31	0	0	149,240

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006.

b. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE ND.13
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 WYOMING, 2006

Drug Category	Number of Users	Rx \$ per User	Total Rx \$	Rx \$ as a Percentage of All Part D		Total Number Rx.	\$ per Rx	Number Rx as a Percentage of All Part D Excluded Rx	
				Excluded Rx \$	Total Number Rx.			Excluded Rx	Excluded Rx
All	20,267	\$62	\$1,266,601	100.0	50,221	\$25	100.0	100.0	
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0	0.0	
Fertility drugs	0	0	0	0.0	0	0	0.0	0.0	
Drugs for cosmetic purposes	27	12	333	0.0	31	11	0.1	0.1	
Cough and cold medications	9,004	30	268,374	21.2	14,327	19	28.5	28.5	
Vitamins and minerals	1,488	34	51,126	4.0	3,587	14	7.1	7.1	
Non-prescription drugs	7,413	109	804,648	63.5	21,906	37	43.6	43.6	
Barbiturates	77	55	4,214	0.3	536	8	1.1	1.1	
Benzodiazepines	1,954	47	92,453	7.3	9,159	10	18.2	18.2	
Other Part D Excl Rx Drugs	304	150	45,453	3.6	675	67	1.3	1.3	

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2006. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2006. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND.11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2006 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2006 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

APPENDIX TABLE A.1
 CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
 NONDUAL BENEFICIARIES, WYOMING, 2006

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown
All	69,615	67	5,112	11,845	52,405	186	625,427	419	53,368	85,956	484,052	1,632
Age												
5 and younger	22,376	0	281	0	22,095	0	209,711	0	2,945	0	206,766	0
6-14	20,174	0	774	0	19,400	0	195,826	0	8,704	0	187,122	0
15-20	10,834	0	641	53	10,130	10	95,018	0	6,981	144	87,803	90
21-44	12,819	0	1,655	10,975	93	96	97,488	0	17,183	78,988	576	741
45-64	2,648	0	1,753	815	0	80	25,133	0	17,522	6,810	0	801
65-74	30	20	8	2	0	0	232	185	33	14	0	0
75-84	18	18	0	0	0	0	96	96	0	0	0	0
85 and older	29	29	0	0	0	0	138	138	0	0	0	0
Unknown	687	0	0	0	687	0	1,785	0	0	0	1,785	0
Gender												
Female	38,103	41	2,707	9,681	25,488	186	338,099	228	28,618	70,006	237,615	1,632
Male	30,212	26	2,405	2,163	25,618	0	282,630	191	24,750	15,948	241,741	0
Unknown	1,300	0	0	1	1,299	0	4,698	0	0	2	4,696	0
Race												
White	53,704	58	4,083	9,431	39,963	169	478,215	338	42,734	67,453	366,215	1,475
African American	1,346	1	115	158	1,071	1	12,242	12	1,187	1,110	9,921	12
Other/unknown	14,565	8	914	2,256	11,371	16	134,970	69	9,447	17,393	107,916	145
Use of Nursing Facilities^c												
Entire year	71	14	57	0	0	0	658	114	544	0	0	0
Part year	65	8	57	0	0	0	600	72	528	0	0	0
None	69,479	45	4,998	11,845	52,405	186	624,169	233	52,296	85,956	484,052	1,632
Maintenance Assistance Status												
Cash	15,086	18	3,857	5,118	6,093	0	137,777	187	40,062	38,852	58,676	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty related	37,423	0	0	3,333	33,904	186	338,410	0	0	19,340	317,438	1,632
Other/unknown	17,106	49	1,255	3,394	12,408	0	149,240	232	13,306	27,764	107,938	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	69,615	67	5,112	11,845	52,405	186	625,427	419	53,368	85,956	484,052	1,632
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
 b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
 c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
 NONDUAL BENEFICIARIES, WYOMING, 2006

	Beneficiaries and		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	Benefit Months in Cell J of Table 1					
	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months
All	69,615	625,427	69,615	625,427	0	0
Fee-for-service (FFS) all year	69,615	625,427	69,615	625,427	0	0
FFS part year, with Rx claims	0	0	0	0	0	0
FFS part year, with no Rx claims	0	0	0	0	0	0
Managed care (MC) all year, with Rx claims	0	0	0	0	0	0
MC all year, with no Rx claims	0	0	0	0	0	0

Source: Data for this table are from the MAX 2006 file for Wyoming, released by CMS in 7/2009. This table was produced on 02/12/2010.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

Nondual Medicaid Beneficiaries