

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through e-mail at ORDI_508_Compliance@cms.hhs.gov.

STATISTICAL COMPENDIUM:
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2007
GEORGIA

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D

FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES

**SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL
ELIGIBLE BENEFICIARIES UNDER AGE 65**

**SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE
65 AND OLDER**

**SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE
65 TO 74**

**SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE
75 TO 84**

**SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE
85 AND OLDER**

APPENDIX TABLES

**APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH
OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES**

**APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-
FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES**

**APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH
OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES**

**APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-
FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES**

TABLE ND.2
CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	828,078	3,251	150,206	183,753	489,542	1,326	3,687,940	30,550	1,581,674	458,669	1,613,094	3,953
Age												
5 and younger	231,668	0	10,107	18	221,543	0	773,665	0	97,189	51	676,425	0
6-14	220,322	0	24,147	136	196,039	0	909,559	0	260,648	312	648,599	0
15-20	116,866	0	18,201	27,371	71,210	84	548,918	0	195,864	71,692	281,126	236
21-44	189,394	0	39,938	148,042	746	668	802,829	0	427,271	366,837	6,924	1,797
45-64	64,248	0	55,497	8,177	4	570	597,509	0	575,844	19,758	20	1,887
65-74	3,120	1,281	1,826	9	0	4	31,346	11,753	19,541	19	0	33
75-84	1,641	1,254	387	0	0	0	16,478	12,240	4,238	0	0	0
85 and older	819	716	103	0	0	0	7,636	6,557	1,079	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	492,344	2,141	74,855	170,183	243,839	1,326	2,048,297	20,252	798,933	426,094	799,065	3,953
Male	335,723	1,110	75,351	13,570	245,692	0	1,639,612	10,298	782,741	32,575	813,998	0
Unknown	11	0	0	0	11	0	31	0	0	0	31	0
Race												
White	333,074	1,122	44,917	77,499	208,878	658	1,366,676	9,962	466,435	192,076	696,338	1,865
African American	430,141	1,162	64,194	102,592	261,665	528	1,810,804	11,143	682,325	257,798	857,880	1,658
Other/unknown	64,863	967	41,095	3,662	18,999	140	510,460	9,445	432,914	8,795	58,876	430
Use of Nursing Facilities^c												
Entire year	1,959	431	1,528	0	0	0	19,611	4,321	15,290	0	0	0
Part year	1,315	237	1,078	0	0	0	12,146	2,132	10,014	0	0	0
None	824,804	2,583	147,600	183,753	489,542	1,326	3,656,183	24,097	1,556,370	458,669	1,613,094	3,953
Maintenance Assistance Status												
Cash	330,949	914	131,618	81,026	117,391	0	1,972,421	9,822	1,432,474	207,394	322,731	0
Medically needy	3,287	1,009	2,192	8	78	0	20,890	9,352	11,363	10	165	0
Poverty-related	361,004	28	38	79,571	280,041	1,326	986,800	278	311	196,804	785,454	3,953
Other/unknown	132,838	1,300	16,358	23,148	92,032	0	707,829	11,098	137,526	54,461	504,744	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	266,127	3,239	145,585	34,974	82,135	194	2,145,903	30,484	1,554,827	78,505	481,200	887
FFS part year, with Rx claims	182,471	8	3,437	74,285	103,950	791	563,690	51	21,201	202,233	338,054	2,151
FFS part year, no Rx claims	379,480	4	1,184	74,494	303,457	341	978,347	15	5,646	177,931	793,840	915

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.
a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3
ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a, b}
NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	Percentage with at Least One Rx	Mean Number of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Medicaid FFS \$ ^c	Rx \$ as a Percentage of All Medicaid FFS \$ ^d	Number of Beneficiaries
All	40.4	6.1	\$468	\$77	\$3,943	11.9	828,078
Age							
5 and younger	31.5	1.4	105	76	2,371	4.4	231,668
6-14	29.2	2.5	252	100	1,784	14.1	220,322
15-20	38.9	3.4	363	107	3,419	10.6	116,866
21-44	51.6	6.2	523	85	5,447	9.6	189,394
45-64	78.9	38.6	2,485	64	12,818	19.4	64,248
65-74	70.0	30.7	1,681	55	12,362	13.6	3,120
75-84	45.9	16.4	804	49	10,803	7.4	1,641
85 and older	34.1	8.5	363	43	13,874	2.6	819
Unknown	0.0	0.0	0	0	0	0.0	0
Basis of Eligibility^e							
Aged	54.6	16.9	807	48	10,681	7.6	3,251
Disabled	77.0	27.1	2,203	81	11,343	19.4	150,206
Adults	46.0	1.7	57	34	3,748	1.5	183,753
Children	26.8	1.2	89	72	1,675	5.3	489,542
Unknown	66.1	4.2	254	60	13,389	1.9	1,326
Gender							
Female	42.3	6.4	427	66	4,029	10.6	492,344
Male	37.5	5.6	528	94	3,817	13.8	335,723
Unknown	27.3	0.5	9	17	1,023	0.9	11
Race							
White	43.1	6.7	468	70	3,941	11.9	333,074
African American	35.4	4.5	345	77	3,474	9.9	430,141
Other/unknown	59.1	13.6	1,288	95	7,058	18.2	64,863
Use of Nursing Facilities^f							
Entire year	83.7	60.6	3,804	63	53,840	7.1	1,959
Part year	87.1	51.7	3,365	65	59,549	5.7	1,315
None	40.2	5.9	456	77	3,735	12.2	824,804
Maintenance Assistance Status							
Cash	49.0	12.1	953	79	5,663	16.8	330,949
Medically needy	68.8	20.7	1,377	66	12,937	10.6	3,287
Poverty related	31.3	0.9	43	47	2,108	2.0	361,004
Other/unknown	42.5	4.8	394	82	4,422	8.9	132,838

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a, b}
NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	Mean Number of Rx	Mean Rx \$	Rx \$ as a Percentage of All Medicaid FFS ^c	Number of Rx, Percentage with:						Mean \$, All Medicaid FFS ^d	Number	
				None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10		Beneficiaries	Benefit Months
All	1.4	\$105	11.9	59.6	25.0	6.2	6.0	2.5	0.7	\$885	828,078	3,687,940
Age												
5 and younger	0.4	31	4.4	68.5	25.1	4.1	2.0	0.2	0.0	710	231,668	773,665
6-14	0.6	61	14.1	70.8	21.3	4.2	3.1	0.5	0.1	432	220,322	909,559
15-20	0.7	77	10.6	61.1	27.8	6.0	4.1	0.8	0.1	728	116,866	548,918
21-44	1.5	123	9.6	48.4	29.6	9.6	9.0	2.9	0.5	1,285	189,394	802,829
45-64	4.2	267	19.4	21.1	18.6	10.3	23.9	19.4	6.8	1,378	64,248	597,509
65-74	3.1	167	13.6	30.0	19.3	9.8	21.6	15.2	4.2	1,231	3,120	31,346
75-84	1.6	80	7.4	54.1	17.2	5.5	13.0	8.3	1.9	1,076	1,641	16,478
85 and older	0.9	39	2.6	65.9	17.1	4.0	7.4	5.0	0.5	1,488	819	7,636
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Basis of Eligibility^e												
Aged	1.8	86	7.6	45.4	21.5	8.1	15.3	8.2	1.4	1,137	3,251	30,550
Disabled	2.6	209	19.4	23.0	32.5	10.7	18.5	11.6	3.6	1,077	150,206	1,581,674
Adults	0.7	23	1.5	54.0	29.3	9.2	6.2	1.2	0.1	1,502	183,753	458,669
Children	0.4	27	5.3	73.2	21.0	3.6	2.0	0.2	0.0	508	489,542	1,613,094
Unknown	1.4	85	1.9	33.9	28.1	14.3	17.3	5.4	1.0	4,491	1,326	3,953
Gender												
Female	1.5	103	10.6	57.7	25.6	6.7	6.3	2.9	0.9	968	492,344	2,048,297
Male	1.1	108	13.8	62.5	24.0	5.5	5.6	2.1	0.5	782	335,723	1,639,612
Unknown	0.2	3	0.9	72.7	27.3	0.0	0.0	0.0	0.0	363	11	31
Race												
White	1.6	114	11.9	56.9	25.7	6.7	6.7	3.1	1.0	960	333,074	1,366,676
African American	1.1	82	9.9	64.6	23.0	5.5	4.8	1.8	0.4	825	430,141	1,810,804
Other/unknown	1.7	164	18.2	40.9	34.0	8.4	10.3	4.9	1.4	897	64,863	510,460
Use of Nursing Facilities^f												
Entire year	6.1	380	7.1	16.3	13.0	3.9	17.5	28.9	20.4	5,378	1,959	19,611
Part year	5.6	364	5.7	12.9	14.3	6.1	24.9	26.6	15.3	6,447	1,315	12,146
None	1.3	103	12.2	59.8	25.0	6.2	5.9	2.4	0.6	843	824,804	3,656,183
Maintenance Assistance Status												
Cash	2.0	160	16.8	51.0	25.0	7.3	9.8	5.3	1.5	950	330,949	1,972,421
Medically needy	3.3	217	10.6	31.2	16.9	10.4	23.2	14.3	4.0	2,036	3,287	20,890
Poverty related	0.3	16	2.0	68.7	23.6	5.1	2.4	0.2	0.0	771	361,004	986,800
Other/unknown	0.9	74	8.9	57.5	28.7	6.1	5.8	1.6	0.4	830	132,838	707,829

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx
All	1.4	\$105	\$77	0.4	\$82	\$190	0.1	\$7	\$124	0.9	\$16	\$18
Age												
5 and younger	0.4	31	76	0.1	24	248	0.0	1	70	0.3	6	20
6-14	0.6	61	100	0.3	51	177	0.0	3	107	0.3	7	24
15-20	0.7	77	107	0.3	64	219	0.0	4	143	0.4	9	22
21-44	1.5	123	85	0.4	98	234	0.1	8	149	1.0	17	17
45-64	4.2	267	64	1.2	196	165	0.2	23	122	2.8	47	17
65-74	3.1	167	55	0.9	119	131	0.2	16	106	2.0	31	16
75-84	1.6	80	49	0.5	58	111	0.1	8	96	1.0	14	14
85 and older	0.9	39	43	0.3	27	95	0.0	4	80	0.6	8	14
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Basis of Eligibility^d												
Aged	1.8	86	48	0.6	62	108	0.1	8	95	1.1	16	14
Disabled	2.6	209	81	0.8	165	201	0.1	14	124	1.6	30	18
Adults	0.7	23	34	0.1	12	96	0.0	4	211	0.5	6	12
Children	0.4	27	72	0.1	21	156	0.0	1	92	0.2	5	20
Unknown	1.4	85	60	0.2	57	233	0.1	13	211	1.1	16	14
Gender												
Female	1.5	103	66	0.5	77	169	0.1	8	127	1.0	18	17
Male	1.1	108	94	0.4	88	221	0.0	6	119	0.7	14	20
Unknown	0.2	3	17	0.0	0	0	0.0	0	0	0.2	3	17
Race												
White	1.6	114	70	0.5	86	168	0.1	9	133	1.0	19	18
African American	1.1	82	77	0.3	64	202	0.0	5	114	0.7	12	18
Other/unknown	1.7	164	95	0.6	133	218	0.1	9	123	1.0	21	20
Use of Nursing Facilities^e												
Entire year	6.1	380	63	1.7	282	162	0.2	26	112	4.1	72	18
Part year	5.6	364	65	1.5	260	171	0.3	34	135	3.8	69	18
None	1.3	103	77	0.4	80	191	0.1	7	124	0.9	15	18
Maintenance Assistance Status												
Cash	2.0	160	79	0.6	125	199	0.1	11	124	1.3	24	18
Medically needy	3.3	217	66	0.9	160	170	0.2	20	122	2.2	36	17
Poverty related	0.3	16	47	0.1	10	124	0.0	2	163	0.2	4	16
Other/unknown	0.9	74	82	0.3	60	172	0.0	4	104	0.5	10	19

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Georgia, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions

combined. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
NONDUAL BENEFICIARIES, GEORGIA, 2007

Therapeutic Category	Number of Rx per Benefit Month Among Users			\$ per Benefit Month Among Users			\$ per Rx			Users ^e							
	Total	Patented Brand-Name	Off-Patent Brand-Name Generic	Total	Patented Brand-Name	Off-Patent Brand-Name Generic	Total	Patented Brand-Name	Off-Patent Brand-Name Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All Benes	Number of Benefit Months			
Anti-infective Agents	0.3	0.1	0.0	0.3	\$32	\$26	\$1	\$6	\$93	\$384	\$104	\$22	438,999	\$40,638,521	178,651	21.6	1,259,723
Biologicals	0.5	0.5	0.0	0.0	917	917	0	0	1745	1,745	0	0	6,096	10,637,269	1,383	0.2	11,605
Antineoplastic Agents	0.4	0.1	0.0	0.3	112	93	1	18	256	901	1,991	55	14,129	3,613,548	3,294	0.4	32,164
Endocrine/Metabolic Drugs	0.6	0.2	0.0	0.4	41	33	0	7	64	141	96	18	403,597	25,775,185	75,943	9.2	624,848
Cardiovascular Agents	1.4	0.3	0.1	1.0	49	24	11	15	36	92	95	15	866,360	31,568,147	66,116	8.0	638,062
Respiratory Agents	0.5	0.2	0.0	0.3	37	29	3	5	68	118	82	18	524,168	35,544,400	133,694	16.1	957,012
Gastrointestinal Agents	0.6	0.2	0.0	0.3	43	30	8	6	76	151	225	17	304,658	23,155,993	60,249	7.3	536,276
Genitourinary Agents	0.4	0.1	0.0	0.2	20	14	2	4	55	94	99	22	66,813	3,702,166	28,058	3.4	185,900
CNS Drugs	1.0	0.4	0.0	0.6	110	96	5	10	106	224	99	17	783,333	83,367,386	81,840	9.9	756,453
Stimulants/Anti-obesity/Anorexia	0.7	0.6	0.0	0.1	73	70	1	2	106	122	44	25	162,419	17,208,938	27,824	3.4	234,494
Miscellaneous Psychological/Neurological Agents	0.6	0.6	0.0	0.0	247	246	0	2	395	407	0	72	10,924	4,319,217	1,644	0.2	17,467
Analgesics and Anesthetics	0.6	0.0	0.0	0.6	21	7	4	10	32	288	363	16	566,691	18,404,663	112,273	13.6	887,355
Neuromuscular Agents	0.8	0.3	0.0	0.5	79	62	6	11	94	187	185	23	468,705	44,165,973	57,585	7.0	561,568
Nutritional Products	0.5	0.1	0.0	0.4	11	4	0	6	23	48	183	16	105,573	2,458,508	42,483	5.1	233,052
Hematological Agents	0.6	0.2	0.0	0.3	173	169	0	4	296	697	59	12	85,735	25,350,702	14,681	1.8	146,251
Topical Products	0.3	0.1	0.0	0.2	13	8	0	4	42	101	75	20	215,097	9,140,011	93,578	11.3	717,632
Miscellaneous Products	0.3	0.2	0.0	0.1	149	136	1	11	435	591	488	101	17,386	7,563,896	6,050	0.7	50,868
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	25	0	0	0	121	0	0	0	8,173	985,826	3,817	0.5	38,834
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	5,048,856	387,600,349	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

- a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 - d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Georgia, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.
 - e. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
- e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2007.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Top 10 Drug Groups	Users			Among Users			
	Total Medicaid Rx \$	Number of Users	As a Percentage of All Beneficiaries	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month
ANTIPSYCHOTICS	\$63,585,516	40,618	4.9	429,556	0.6	\$238	\$148
ANTICONVULSANT	40,148,506	47,235	5.7	485,255	0.7	126	83
ANTIVIRAL	26,642,923	12,270	1.5	111,177	0.5	494	240
ANTIASTHMATIC	25,882,379	96,380	11.6	824,121	0.4	86	31
MISC. HEMATOLOGICAL	21,317,823	5,670	0.7	60,474	0.6	611	353
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	17,208,460	30,638	3.7	264,851	0.6	106	65
ULCER DRUGS	16,675,857	59,079	7.1	574,569	0.4	72	29
ANTIDIABETIC	15,634,095	35,202	4.3	359,081	0.6	73	44
ANTIDEPRESSANTS	14,866,999	62,191	7.5	600,886	0.5	49	25
ANALGESICS - Narcotic	11,383,289	126,912	15.3	1,104,524	0.4	28	10
Total	253,345,847	516,195	n.a.	4,814,494	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.
 a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIPSYCHOTICS				ANTICONVULSANT			
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	2,290,854	\$253,345,847	40,618	4.9	429,556	0.6	\$148	47,235	5.7	485,255	0.7	\$83
Female												
All Females	1,357,617	127,270,587	20,263	4.1	211,709	0.6	141	27,659	5.6	277,233	0.6	78
Female, Disabled												
All Ages	1,153,105	112,256,750	15,897	21.2	180,202	0.6	147	22,108	29.5	249,624	0.6	79
5 and younger	15,507	1,650,911	54	1.2	557	0.4	62	481	11.0	5,210	0.7	108
6-14	50,837	6,346,061	822	10.2	9,188	0.6	118	1,587	19.8	18,024	0.8	132
15-20	43,400	5,739,692	1,065	15.9	11,973	0.6	136	1,403	21.0	15,826	0.7	118
21-44	281,045	31,632,400	5,811	27.7	65,945	0.6	142	6,962	33.2	78,646	0.7	93
45-64	740,517	65,166,125	7,911	23.9	89,890	0.6	155	11,385	34.3	128,735	0.6	58
65-74	20,416	1,626,241	214	16.9	2,419	0.7	170	278	21.9	3,045	0.6	48
75-84	1,347	93,936	20	7.4	230	0.8	166	10	3.7	116	0.6	39
85 and older	36	1,384	0	0.0	0	0.0	0	2	2.5	22	0.8	13
Female, Other Eligibles												
All Ages	204,512	15,013,837	4,366	1.0	31,507	0.6	106	5,551	1.3	27,609	0.6	70
5 and younger	17,927	1,325,258	95	0.1	872	0.5	86	227	0.2	1,511	0.5	82
6-14	54,027	5,552,277	1,336	1.4	12,627	0.6	111	844	0.9	6,624	0.6	88
15-20	42,520	4,044,351	1,309	2.1	12,473	0.6	113	1,026	1.6	8,099	0.6	88
21-44	70,428	3,002,486	1,315	1.0	3,831	0.5	84	2,925	2.1	8,490	0.5	50
45-64	8,331	449,866	205	3.1	638	0.5	60	360	5.4	1,108	0.5	36
65-74	5,367	306,701	40	4.5	405	0.5	80	89	10.0	910	0.4	21
75-84	4,644	268,399	38	4.8	416	0.6	80	54	6.9	604	0.5	31
85 and older	1,268	64,499	28	5.9	245	0.7	77	26	5.5	263	0.6	27
Male												
All Males	933,234	126,075,184	20,355	6.1	217,847	0.6	155	19,576	5.8	208,022	0.7	89
Male, Disabled												
All Ages	755,971	105,386,963	15,441	20.5	174,654	0.6	161	16,586	22.0	186,019	0.7	89
5 and younger	23,510	3,014,179	200	3.5	2,168	0.5	77	638	11.2	6,930	0.6	80
6-14	122,106	18,306,863	3,078	19.1	34,623	0.6	126	2,716	16.9	30,850	0.7	109
15-20	76,573	14,712,647	2,456	21.3	27,839	0.6	146	2,192	19.0	24,868	0.7	112
21-44	190,773	34,454,920	5,667	29.9	64,692	0.7	186	5,483	28.9	62,060	0.7	103
45-64	336,507	34,325,566	3,958	17.7	44,396	0.6	166	5,484	24.5	60,474	0.6	55
65-74	6,177	547,364	73	13.1	828	0.7	185	70	12.6	801	0.8	54
75-84	319	25,156	8	6.9	96	0.5	56	2	1.7	24	1.0	142
85 and older	6	268	1	4.3	12	0.2	1	1	4.3	12	0.1	8
Male, Other Eligibles												
All Ages	177,263	20,688,221	4,914	1.9	43,193	0.7	130	2,990	1.1	22,003	0.6	90
5 and younger	26,506	2,549,504	202	0.2	1,650	0.5	77	267	0.2	1,870	0.5	73
6-14	89,820	10,894,352	2,738	2.8	23,273	0.7	128	1,249	1.3	10,014	0.7	99
15-20	44,684	6,361,856	1,730	4.9	17,087	0.7	138	872	2.5	7,654	0.7	101
21-44	8,076	359,231	156	1.4	526	0.5	102	402	3.5	1,267	0.5	42
45-64	2,386	131,717	30	1.5	74	0.6	107	117	5.7	311	0.6	29
65-74	2,704	162,834	23	5.7	231	0.8	143	35	8.7	380	0.6	24
75-84	2,339	180,781	24	5.1	240	0.7	137	30	6.4	316	0.6	41
85 and older	748	47,946	11	4.5	112	0.6	53	18	7.4	191	0.5	18
Unknown	3	76	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.
 a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	ANTIVIRAL					ANTIASTHMATIC					MISC. HEMATOLOGICAL				
	Number of Users	Users as % of All Benes	Number of Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	12,270	1.5	111,177	0.5	\$240	96,380	11.6	824,121	0.4	\$31	5,670	0.7	60,474	0.6	\$353
Female															
All Females	7,429	1.5	62,514	0.4	204	52,508	10.7	461,086	0.4	32	3,197	0.6	34,639	0.6	88
Female, Disabled															
All Ages	4,461	6.0	50,390	0.5	231	32,178	43.0	364,804	0.4	35	2,979	4.0	33,326	0.6	89
5 and younger	78	1.8	867	0.2	24	2,494	56.8	26,909	0.3	25	6	0.1	64	1.2	580
6-14	218	2.7	2,515	0.3	102	2,914	36.3	33,442	0.3	30	10	0.1	109	0.7	224
15-20	240	3.6	2,670	0.3	128	1,452	21.7	16,878	0.3	27	13	0.2	142	0.4	1,979
21-44	1,762	8.4	19,758	0.5	246	6,278	29.9	71,519	0.3	28	226	1.1	2,514	0.5	74
45-64	2,139	6.5	24,305	0.5	252	18,541	55.9	210,384	0.4	40	2,599	7.8	29,100	0.6	81
65-74	24	1.9	275	0.4	178	477	37.6	5,415	0.4	37	113	8.9	1,262	0.6	68
75-84	0	0.0	0	0.0	0	22	8.1	257	0.4	32	12	4.4	135	0.6	61
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	2,968	0.7	12,124	0.4	92	20,330	4.9	96,282	0.3	24	218	0.1	1,313	0.6	63
5 and younger	289	0.3	1,502	0.3	29	7,669	7.0	36,946	0.3	22	3	0.0	23	0.7	310
6-14	319	0.3	2,165	0.4	111	5,613	5.7	30,324	0.3	26	1	0.0	12	1.0	19
15-20	484	0.8	2,766	0.3	81	2,250	3.6	13,032	0.3	20	1	0.0	1	1.0	134
21-44	1,778	1.3	5,271	0.5	105	3,990	2.9	11,779	0.4	25	61	0.0	169	0.5	57
45-64	78	1.2	214	0.6	241	558	8.3	1,599	0.5	41	67	1.0	186	0.6	61
65-74	11	1.2	127	0.1	11	127	14.2	1,327	0.3	27	38	4.3	418	0.5	50
75-84	8	1.0	77	0.1	10	104	13.3	1,083	0.3	26	32	4.1	351	0.6	66
85 and older	1	0.2	2	0.5	48	19	4.0	192	0.2	18	15	3.2	153	0.8	63
Male															
All Males	4,841	1.4	48,663	0.5	285	43,872	13.1	363,035	0.4	30	2,473	0.7	25,835	0.6	707
Male, Disabled															
All Ages	3,993	5.3	43,294	0.6	306	22,703	30.1	253,744	0.4	32	2,266	3.0	24,727	0.6	653
5 and younger	117	2.0	1,263	0.2	46	3,628	63.4	39,352	0.3	26	15	0.3	173	0.8	4,056
6-14	320	2.0	3,760	0.2	66	6,157	38.2	70,590	0.3	25	37	0.2	436	0.5	8,148
15-20	210	1.8	2,413	0.3	128	2,294	19.9	26,537	0.3	28	29	0.3	336	0.5	12,778
21-44	1,504	7.9	15,579	0.6	323	2,582	13.6	29,029	0.4	29	155	0.8	1,698	0.4	3,582
45-64	1,825	8.2	20,075	0.7	376	7,854	35.1	86,214	0.5	43	1,979	8.9	21,551	0.6	69
65-74	17	3.1	204	0.8	341	176	31.6	1,879	0.4	36	50	9.0	521	0.7	75
75-84	0	0.0	0	0.0	0	12	10.3	143	0.4	46	1	0.9	12	0.5	65
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	848	0.3	5,369	0.4	115	21,169	8.1	109,291	0.3	25	207	0.1	1,108	0.6	1,908
5 and younger	293	0.3	1,591	0.3	25	11,192	10.0	54,930	0.3	24	5	0.0	20	1.4	24,535
6-14	321	0.3	2,086	0.4	120	7,748	7.9	40,091	0.3	26	15	0.0	94	0.6	9,320
15-20	159	0.4	1,413	0.4	200	1,661	4.7	11,227	0.3	27	7	0.0	68	0.5	10,047
21-44	47	0.4	141	0.5	158	289	2.5	877	0.5	31	53	0.5	150	0.5	56
45-64	20	1.0	48	0.7	382	107	5.2	316	0.5	43	68	3.3	187	0.6	68
65-74	6	1.5	66	0.1	8	60	14.9	616	0.5	46	20	5.0	197	0.7	70
75-84	1	0.2	12	0.1	18	87	18.5	943	0.6	50	27	5.7	278	0.7	83
85 and older	1	0.4	12	1.0	364	25	10.3	291	0.5	32	12	5.0	114	0.5	56
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.
 a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ULCER DRUGS					ANTI-DIABETIC				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	30,638	3.7	264,851	0.6	\$65	59,079	7.1	574,569	0.4	\$29	35,202	4.3	359,081	0.6	\$44
Female															
All Females	9,219	1.9	79,843	0.6	63	39,497	8.0	382,244	0.4	29	25,349	5.1	257,679	0.6	43
Female, Disabled															
All Ages	3,102	4.1	34,910	0.5	61	29,823	39.8	339,751	0.4	30	21,008	28.1	239,101	0.6	43
5 and younger	82	1.9	818	0.3	43	920	21.0	9,391	0.4	30	14	0.3	140	0.7	63
6-14	1,648	20.5	18,358	0.6	56	849	10.6	9,672	0.4	37	123	1.5	1,427	0.6	57
15-20	747	11.2	8,613	0.5	62	884	13.2	10,149	0.3	20	253	3.8	2,843	0.5	40
21-44	312	1.5	3,564	0.6	64	7,115	33.9	81,544	0.3	23	3,634	17.3	41,403	0.5	37
45-64	309	0.9	3,525	0.5	78	19,472	58.7	222,356	0.4	33	16,303	49.2	185,552	0.6	45
65-74	4	0.3	32	0.7	209	554	43.7	6,312	0.5	29	639	50.4	7,275	0.6	43
75-84	0	0.0	0	0.0	0	29	10.7	327	0.5	31	39	14.4	425	0.8	35
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	3.8	36	0.3	27
Female, Other Eligibles															
All Ages	6,117	1.5	44,933	0.6	65	9,674	2.3	42,493	0.4	19	4,341	1.0	18,578	0.6	41
5 and younger	247	0.2	1,928	0.5	42	1,847	1.7	8,396	0.3	19	27	0.0	178	0.8	81
6-14	4,328	4.4	30,922	0.7	67	974	1.0	5,775	0.3	22	244	0.2	1,533	0.8	84
15-20	1,256	2.0	11,223	0.6	64	1,339	2.1	7,949	0.3	12	374	0.6	2,209	0.6	59
21-44	267	0.2	786	0.6	61	4,364	3.2	12,830	0.4	20	2,404	1.7	6,622	0.6	36
45-64	17	0.3	50	0.5	46	599	8.9	1,715	0.5	27	728	10.9	2,115	0.6	31
65-74	1	0.1	12	0.3	2	304	34.1	3,176	0.4	23	316	35.4	3,262	0.6	28
75-84	1	0.1	12	0.1	20	194	24.7	2,159	0.4	27	212	27.0	2,295	0.6	32
85 and older	0	0.0	0	0.0	0	53	11.2	493	0.5	18	36	7.6	364	0.7	28
Male															
All Males	21,419	6.4	185,008	0.6	66	19,580	5.8	192,319	0.4	30	9,853	2.9	101,402	0.6	45
Male, Disabled															
All Ages	8,988	11.9	101,432	0.6	62	15,211	20.2	169,229	0.4	30	8,642	11.5	94,675	0.6	45
5 and younger	299	5.2	3,150	0.4	32	1,174	20.5	12,208	0.4	32	12	0.2	115	0.5	80
6-14	5,948	36.9	66,845	0.6	63	1,291	8.0	14,821	0.3	30	114	0.7	1,299	0.7	66
15-20	2,271	19.7	26,025	0.6	64	983	8.5	11,255	0.3	25	215	1.9	2,447	0.6	51
21-44	358	1.9	4,175	0.6	53	3,298	17.4	37,194	0.4	27	1,523	8.0	17,069	0.6	41
45-64	111	0.5	1,225	0.6	86	8,285	37.1	91,803	0.4	32	6,631	29.7	72,201	0.6	45
65-74	1	0.2	12	0.6	13	170	30.5	1,828	0.5	27	142	25.5	1,484	0.7	48
75-84	0	0.0	0	0.0	0	9	7.8	108	0.6	37	5	4.3	60	1.0	67
85 and older	0	0.0	0	0.0	0	1	4.3	12	0.1	11	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	12,431	4.8	83,576	0.7	71	4,369	1.7	23,090	0.4	23	1,211	0.5	6,727	0.6	52
5 and younger	628	0.6	4,538	0.4	41	2,204	2.0	10,236	0.4	23	26	0.0	188	0.4	41
6-14	9,534	9.7	59,916	0.7	71	849	0.9	5,392	0.3	23	205	0.2	1,387	0.7	95
15-20	2,226	6.3	18,968	0.7	77	495	1.4	3,422	0.3	19	156	0.4	997	0.6	74
21-44	35	0.3	136	0.6	69	431	3.7	1,239	0.4	27	348	3.0	976	0.6	39
45-64	8	0.4	18	0.6	40	168	8.2	472	0.4	32	224	10.9	628	0.6	33
65-74	0	0.0	0	0.0	0	107	26.6	1,120	0.4	25	144	35.8	1,471	0.6	28
75-84	0	0.0	0	0.0	0	86	18.3	904	0.4	30	84	17.9	826	0.6	36
85 and older	0	0.0	0	0.0	0	29	12.0	305	0.4	34	24	9.9	254	0.5	20
Unknown	0	0.0	0	0.0	0	2	18.2	6	0.5	13	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.
 a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	ANTIDEPRESSANTS					ANALGESICS - Narcotic					Number of Beneficiaries	Number of Benefit Months
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month		
All	62,191	7.5	600,886	0.5	\$25	126,912	15.3	1,104,524	0.4	\$10	828,078	3,687,940
Female												
All Females	43,239	8.8	405,042	0.5	26	89,791	18.2	743,810	0.4	10	492,344	2,048,297
Female, Disabled												
All Ages	30,569	40.8	345,624	0.5	26	54,302	72.5	616,849	0.4	11	74,855	798,933
5 and younger	33	0.8	363	0.3	6	391	8.9	4,281	0.1	1	4,387	42,070
6-14	619	7.7	7,020	0.5	14	995	12.4	11,369	0.1	1	8,031	86,587
15-20	1,182	17.7	13,111	0.5	21	2,077	31.1	23,864	0.2	2	6,688	72,409
21-44	9,026	43.0	102,107	0.5	26	16,941	80.8	192,754	0.3	9	20,979	226,506
45-64	19,296	58.2	218,349	0.5	28	33,065	99.7	375,077	0.4	14	33,150	353,718
65-74	391	30.8	4,415	0.6	31	794	62.6	9,062	0.4	10	1,269	13,844
75-84	21	7.7	247	0.9	32	37	13.7	418	0.4	5	271	2,960
85 and older	1	1.3	12	0.3	8	2	2.5	24	0.1	1	80	839
Female, Other Eligibles												
All Ages	12,670	3.0	59,418	0.5	22	35,489	8.5	126,961	0.4	4	417,489	1,249,364
5 and younger	56	0.1	515	0.4	8	775	0.7	4,171	0.2	1	109,237	332,197
6-14	1,429	1.5	12,135	0.5	18	1,517	1.5	8,800	0.2	1	98,237	323,053
15-20	2,465	3.9	19,640	0.5	23	5,524	8.7	27,229	0.2	2	63,242	211,838
21-44	7,497	5.4	21,605	0.5	23	25,280	18.3	75,281	0.5	5	137,925	345,270
45-64	953	14.2	2,702	0.5	24	1,827	27.3	5,429	0.6	12	6,698	16,714
65-74	118	13.2	1,222	0.4	15	314	35.2	3,363	0.2	5	892	8,209
75-84	108	13.8	1,193	0.5	20	214	27.3	2,344	0.2	4	784	7,701
85 and older	44	9.3	406	0.4	12	38	8.0	344	0.3	4	474	4,382
Male												
All Males	18,952	5.6	195,844	0.5	23	37,121	11.1	360,714	0.3	11	335,723	1,639,612
Male, Disabled												
All Ages	14,680	19.5	163,434	0.5	23	29,016	38.5	320,468	0.4	12	75,351	782,741
5 and younger	80	1.4	892	0.4	15	583	10.2	6,549	0.1	1	5,720	55,119
6-14	1,546	9.6	17,376	0.5	15	1,717	10.7	19,911	0.1	1	16,116	174,061
15-20	1,619	14.1	18,385	0.5	21	2,389	20.8	27,305	0.2	2	11,513	123,455
21-44	4,693	24.8	52,324	0.5	25	8,119	42.8	89,873	0.3	9	18,959	200,765
45-64	6,633	29.7	73,247	0.5	25	15,997	71.6	174,568	0.4	16	22,347	222,126
65-74	104	18.7	1,150	0.6	23	206	37.0	2,202	0.4	12	557	5,697
75-84	5	4.3	60	0.4	11	4	3.4	48	0.8	7	116	1,278
85 and older	0	0.0	0	0.0	0	1	4.3	12	0.2	2	23	240
Male, Other Eligibles												
All Ages	4,272	1.6	32,410	0.5	21	8,105	3.1	40,246	0.3	4	260,372	856,871
5 and younger	78	0.1	632	0.3	9	1,077	1.0	6,109	0.2	1	112,313	344,248
6-14	1,790	1.8	14,816	0.5	18	1,611	1.6	9,492	0.2	2	97,938	325,858
15-20	1,507	4.3	13,686	0.5	25	1,981	5.6	12,932	0.2	1	35,423	141,216
21-44	627	5.4	1,876	0.5	23	2,635	22.9	7,629	0.6	9	11,531	30,288
45-64	179	8.7	505	0.5	22	578	28.2	1,699	0.6	13	2,053	4,951
65-74	41	10.2	434	0.5	13	94	23.4	1,015	0.3	3	402	3,596
75-84	32	6.8	303	0.4	15	97	20.6	1,050	0.3	3	470	4,539
85 and older	18	7.4	158	0.3	17	32	13.2	320	0.2	2	242	2,175
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	11	31

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.
 a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.8
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
BY BENEFICIARY CHARACTERISTIC^{a, b}
NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	Rx \$ per Benefit Month	Number of Rx per Benefit Month	Number of All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
All	\$380	6.1	1,959	19,611
Age				
0-64	477	7.4	1,371	13,680
65-74	285	4.9	202	2,079
75-84	136	2.5	196	1,970
85 and older	38	1.1	190	1,882
Unknown	0	0.0	0	0
Gender				
Female	389	6.2	1,032	10,399
Male	370	5.9	927	9,212
Unknown	0	0.0	0	0
Race				
White	402	6.7	732	7,136
African American	358	5.5	1,075	10,862
Other/unknown	433	7.3	152	1,613
Basis of Eligibility^c				
Aged	84	1.8	431	4,321
Disabled	464	7.3	1,528	15,290
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2007 Medicaid enrollment. A total of 1,315 beneficiaries who were in nursing facilities for part of their enrollment and their 12,146 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
NONDUAL BENEFICIARIES, GEORGIA, 2007

Therapeutic Category	Number of Rx per Benefit Month Among Users			\$ per Benefit Month Among Users			\$ per Rx			Users			Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months
	Patented Brand-Name	Off-Patent Brand-Name	Generic	Patented Brand-Name	Off-Patent Brand-Name	Generic	Patented Brand-Name	Off-Patent Brand-Name	Generic	Patented Brand-Name	Off-Patent Brand-Name	Generic					
Anti-infective Agents	0.5	0.2	0.0	0.3	\$75	\$67	\$0	\$9	\$139	\$315	\$96	\$26	5,286	\$737,117	956	48.8	9,787
Biologicals	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0.0	0
Antineoplastic Agents	0.5	0.0	0.0	0.5	73	39	0	34	137	1,056	0	69	437	59,746	84	4.3	816
Endocrine/Metabolic Drugs	1.3	0.6	0.0	0.7	74	63	1	10	57	103	77	15	8,853	506,065	673	34.4	6,812
Cardiovascular Agents	2.1	0.2	0.1	1.8	61	19	13	28	29	87	93	16	23,395	671,697	1,088	55.5	11,020
Respiratory Agents	0.9	0.3	0.0	0.6	42	30	4	8	47	112	84	14	5,814	274,237	639	32.6	6,536
Gastrointestinal Agents	1.1	0.2	0.0	0.8	48	31	5	12	44	131	164	14	10,554	465,971	953	48.6	9,791
Genitourinary Agents	0.7	0.4	0.1	0.2	47	33	7	7	70	94	98	28	1,972	138,381	288	14.7	2,964
CNS Drugs	1.8	0.7	0.1	1.0	153	131	6	16	87	177	88	17	22,542	1,965,425	1,244	63.5	12,842
Stimulants/Anti-obesity/Anorexia	0.9	0.4	0.0	0.5	97	90	0	8	105	202	0	16	264	27,850	26	1.3	286
Miscellaneous Psychological/Neurological Agents	1.0	1.0	0.0	0.0	223	222	0	1	226	226	0	138	2,149	485,465	208	10.6	2,180
Analgesics and Anesthetics	1.2	0.0	0.1	1.0	35	3	18	13	30	106	164	13	9,604	284,896	824	42.1	8,252
Neuromuscular Agents	1.5	0.5	0.0	1.0	117	88	2	27	77	174	174	27	14,844	1,141,504	931	47.5	9,739
Nutritional Products	0.7	0.0	0.0	0.7	11	0	0	11	16	25	17	16	3,396	53,707	462	23.6	4,675
Hematological Agents	1.0	0.4	0.0	0.7	85	78	0	8	82	201	0	12	5,220	426,994	504	25.7	4,998
Topical Products	0.5	0.2	0.0	0.3	22	16	0	6	44	92	86	19	4,065	180,552	762	38.9	8,072
Miscellaneous Products	0.3	0.1	0.0	0.2	20	12	0	7	65	150	0	33	288	18,737	98	5.0	960
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	29	0	0	0	128	0	0	0	99	12,639	43	2.2	438
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	118,782	7,450,983	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,315 beneficiaries who were in nursing facilities for part of their enrollment and their 12,146 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2007. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

In Georgia, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Top 10 Drug Groups in Nursing Facilities	Users		Among Users				
	Total Medicaid Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month
ANTIPSYCHOTICS	\$1,348,264	765	39.1	8,070	0.9	\$191	\$167
ANTICONVULSANT	966,472	997	50.9	10,827	1.0	88	89
ANTIDIABETIC	494,130	809	41.3	8,592	1.0	58	58
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	476,003	241	12.3	2,589	0.8	228	184
ANTIDEPRESSANTS	410,360	981	50.1	10,314	0.8	48	40
ANTIVIRAL	484,730	99	5.1	1,012	0.9	523	479
ULCER DRUGS	339,911	1,013	51.7	10,835	0.7	46	31
ANALGESICS - Narcotic	233,548	912	46.6	9,519	0.8	31	25
ANTIASTHMATIC	209,786	601	30.7	6,308	0.6	52	33
ANTIHYPERTENSIVE	194,662	766	39.1	7,899	0.8	32	25
Total	5,157,866	7,184	n.a.	75,965	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,315 beneficiaries who were in nursing facilities for part of their enrollment and their 12,146 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.10A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST
 AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	All Top 10 Drug Groups			ANTIPSYCHOTICS				ANTICONVULSANT				
	Number of Rx	Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
All	63,337	\$5,157,866	765	39.1	8,070	0.9	\$167	997	50.9	10,827	1.0	\$89
Female												
All Females	34,442	2,772,653	408	39.5	4,291	0.9	156	544	52.7	5,860	1.0	90
Female, Disabled												
All Ages	32,114	2,641,111	374	48.2	3,926	0.9	161	512	66.0	5,529	1.0	94
64 or younger	28,666	2,370,615	332	49.0	3,474	0.9	164	474	70.0	5,118	1.0	95
65-74	2,733	208,693	29	42.6	306	0.7	101	35	51.5	375	0.9	78
75-84	715	61,803	13	59.1	146	0.8	193	3	13.6	36	0.7	52
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles												
All Ages	2,328	131,542	34	13.3	365	0.8	105	32	12.5	331	0.7	29
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	683	44,201	11	22.0	132	0.6	120	11	22.0	107	0.6	24
75-84	1,079	58,189	13	13.7	147	0.8	80	12	12.6	130	0.7	41
85 and older	566	29,152	10	9.0	86	1.2	125	9	8.1	94	0.7	18
Male												
All Males	28,895	2,385,213	357	38.5	3,779	0.9	180	453	48.9	4,967	1.0	88
Male, Disabled												
All Ages	27,349	2,275,186	325	43.2	3,444	0.9	183	431	57.3	4,722	1.0	90
64 or younger	25,731	2,158,233	300	43.2	3,167	0.9	184	417	60.1	4,554	1.0	90
65-74	1,413	101,268	18	40.9	193	0.8	220	12	27.3	144	1.3	91
75-84	202	15,568	7	58.3	84	0.4	63	1	8.3	12	1.0	255
85 and older	3	117	0	0.0	0	0.0	0	1	50.0	12	0.1	8
Male, Other Eligibles												
All Ages	1,546	110,027	32	18.3	335	0.8	146	22	12.6	245	0.8	44
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	614	48,363	17	42.5	168	0.8	159	8	20.0	83	0.9	40
75-84	577	43,171	12	17.9	131	0.9	141	7	10.4	84	0.7	67
85 and older	355	18,493	3	4.4	36	0.8	99	7	10.3	78	0.8	24
Unknown	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

- a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,315 beneficiaries who were in nursing facilities for part of their enrollment and their 12,146 benefit months were excluded from the analysis.
- b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	ANTI-DIABETIC					MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL					ANTIDEPRESSANTS				
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
All	809	41.3	8,592	1.0	\$58	241	12.3	2,589	0.8	\$184	981	50.1	10,314	0.8	\$40
Female															
All Females	488	47.3	5,155	1.0	61	154	14.9	1,618	0.8	214	541	52.4	5,665	0.9	42
Female, Disabled															
All Ages	443	57.1	4,740	1.0	62	123	15.9	1,311	0.9	245	489	63.0	5,136	0.9	44
64 or younger	374	55.2	3,988	1.1	65	100	14.8	1,081	0.8	250	441	65.1	4,621	0.9	43
65-74	54	79.4	593	0.9	51	14	20.6	136	1.0	293	41	60.3	436	0.9	52
75-84	15	68.2	159	1.0	46	9	40.9	94	0.8	119	7	31.8	79	1.0	61
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	45	17.6	415	0.8	42	31	12.1	307	0.7	80	52	20.3	529	0.6	23
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	16	32.0	151	0.8	40	7	14.0	84	0.5	71	15	30.0	151	0.5	24
75-84	23	24.2	221	0.8	38	14	14.7	149	0.9	88	20	21.1	222	0.7	30
85 and older	6	5.4	43	1.2	67	10	9.0	74	0.6	74	17	15.3	156	0.5	12
Male															
All Males	321	34.6	3,437	0.9	53	87	9.4	971	0.8	135	440	47.5	4,649	0.8	37
Male, Disabled															
All Ages	288	38.3	3,093	1.0	55	64	8.5	718	0.8	155	411	54.7	4,368	0.8	37
64 or younger	263	37.9	2,813	1.0	54	60	8.6	670	0.9	159	392	56.5	4,189	0.8	37
65-74	22	50.0	244	1.1	75	3	6.8	36	0.9	129	17	38.6	155	1.0	48
75-84	3	25.0	36	1.1	62	1	8.3	12	0.2	13	2	16.7	24	0.4	11
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	33	18.9	344	0.6	28	23	13.1	253	0.6	77	29	16.6	281	0.7	24
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	17	42.5	187	0.5	22	10	25.0	97	0.6	75	13	32.5	121	0.7	20
75-84	7	10.4	61	0.6	35	8	11.9	96	0.6	96	10	14.9	103	0.7	24
85 and older	9	13.2	96	0.7	33	5	7.4	60	0.3	50	6	8.8	57	0.4	33
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,315 beneficiaries who were in nursing facilities for part of their enrollment and their 12,146 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	ANTIVIRAL					ULCER DRUGS					ANALGESICS - Narcotic				
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
All	99	5.1	1,012	0.9	\$479	1,013	51.7	10,835	0.7	\$31	912	46.6	9,519	0.8	\$25
Female															
All Females	38	3.7	398	1.0	441	520	50.4	5,527	0.7	30	472	45.7	4,943	0.8	25
Female, Disabled															
All Ages	36	4.6	383	1.0	458	468	60.3	4,986	0.7	31	434	55.9	4,563	0.8	26
64 or younger	35	5.2	371	1.0	473	422	62.3	4,509	0.7	31	389	57.5	4,044	0.8	24
65-74	1	1.5	12	0.1	1	37	54.4	374	0.7	29	36	52.9	418	1.0	49
75-84	0	0.0	0	0.0	0	9	40.9	103	0.6	30	9	40.9	101	0.8	8
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	2	0.8	15	0.2	4	52	20.3	541	0.6	20	38	14.8	380	0.6	12
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	0	0.0	0	0.0	0	19	38.0	202	0.6	31	15	30.0	168	0.6	4
75-84	2	2.1	15	0.2	4	19	20.0	212	0.5	14	13	13.7	131	0.7	20
85 and older	0	0.0	0	0.0	0	14	12.6	127	0.6	11	10	9.0	81	0.6	13
Male															
All Males	61	6.6	614	0.9	504	493	53.2	5,308	0.7	33	440	47.5	4,576	0.8	24
Male, Disabled															
All Ages	61	8.1	614	0.9	504	473	62.9	5,100	0.7	33	423	56.3	4,395	0.8	25
64 or younger	61	8.8	614	0.9	504	440	63.4	4,771	0.7	34	401	57.8	4,151	0.8	26
65-74	0	0.0	0	0.0	0	29	65.9	281	0.8	29	19	43.2	208	0.9	15
75-84	0	0.0	0	0.0	0	4	33.3	48	0.6	22	2	16.7	24	0.9	5
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	50.0	12	0.2	2
Male, Other Eligibles															
All Ages	0	0.0	0	0.0	0	20	11.4	208	0.5	24	17	9.7	181	0.6	7
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	0	0.0	0	0.0	0	9	22.5	92	0.4	10	4	10.0	33	0.8	17
75-84	0	0.0	0	0.0	0	6	9.0	56	0.7	35	10	14.9	112	0.7	6
85 and older	0	0.0	0	0.0	0	5	7.4	60	0.5	36	3	4.4	36	0.2	1
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,315 beneficiaries who were in nursing facilities for part of their enrollment and their 12,146 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state.

For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	ANTIASTHMATIC					ANTIHYPERTENSIVE					Benefit Months Among All-Year Nursing Facility Residents	
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	All-Year Nursing Facility Residents	Nursing Facility Residents
All	601	30.7	6,308	0.6	\$33	766	39.1	7,899	0.8	\$25	1,959	19,611
Female												
All Females	304	29.5	3,214	0.6	31	420	40.7	4,350	0.7	26	1,032	10,399
Female, Disabled												
All Ages	279	36.0	3,004	0.6	32	369	47.6	3,851	0.8	26	776	7,824
64 or younger	248	36.6	2,662	0.6	31	321	47.4	3,331	0.8	26	677	6,800
65-74	26	38.2	282	0.5	41	39	57.4	417	0.7	30	68	687
75-84	5	22.7	60	0.4	34	9	40.9	103	0.9	25	22	240
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	9	97
Female, Other Eligibles												
All Ages	25	9.8	210	0.4	17	51	19.9	499	0.7	22	256	2,575
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	4	8.0	43	0.4	29	14	28.0	121	0.7	17	50	544
75-84	15	15.8	129	0.4	17	22	23.2	241	0.6	20	95	941
85 and older	6	5.4	38	0.3	4	15	13.5	137	0.7	29	111	1,090
Male												
All Males	297	32.0	3,094	0.7	35	346	37.3	3,549	0.8	23	927	9,212
Male, Disabled												
All Ages	280	37.2	2,904	0.7	36	309	41.1	3,183	0.8	25	752	7,466
64 or younger	259	37.3	2,705	0.7	37	290	41.8	2,983	0.8	25	694	6,880
65-74	19	43.2	175	0.4	8	15	34.1	152	1.0	18	44	429
75-84	2	16.7	24	0.8	118	4	33.3	48	0.8	12	12	133
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	24
Male, Other Eligibles												
All Ages	17	9.7	190	0.6	22	37	21.1	366	0.5	12	175	1,746
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	3	7.5	22	0.4	23	19	47.5	170	0.5	14	40	419
75-84	4	6.0	48	0.3	28	14	20.9	154	0.6	9	67	656
85 and older	10	14.7	120	0.8	20	4	5.9	42	0.5	11	68	671
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,315 beneficiaries who were in nursing facilities for part of their enrollment and their 12,146 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state. d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state.

For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
 GEORGIA, 2007

Beneficiary Characteristics	Number of Beneficiaries with at Least One Part D Excluded Rx	Percentage of Beneficiaries with at Least One Part D Excluded Rx	Number of Part D Excluded Rx per Beneficiary	Total Number Part D Excluded Rx	Part D Excluded Rx \$ per Beneficiary	Total Part D Excluded Rx \$	\$ per Part D Excluded Rx	Part D Excluded Rx \$ as a Percentage of All Nondual Rx \$	Total Number of Beneficiaries
All	93,484	11.3	0.4	360,569	\$6	\$4,748,983	\$13	1.2	828,078
Age									
5 and younger	18,804	8.1	0.1	30,266	3	608,148	20	2.5	231,668
6-14	18,075	8.2	0.2	38,362	3	718,949	19	1.3	220,322
15-20	9,874	8.4	0.2	24,160	4	515,568	21	1.2	116,866
21-44	20,376	10.8	0.4	78,882	5	983,218	12	1.0	189,394
45-64	24,804	38.6	2.8	179,466	29	1,838,544	10	1.2	64,248
65-74	1,025	32.9	2.1	6,523	19	58,953	9	1.1	3,120
75-84	352	21.5	1.3	2,067	11	18,323	9	1.4	1,641
85 and older	174	21.2	1.0	843	9	7,280	9	2.4	819
Unknown	0	0.0	0.0	0	0	0	0	0.0	0
Basis of Eligibility^c									
Aged	733	22.5	1.1	3,574	9	30,627	9	1.2	3,251
Disabled	49,286	32.8	1.9	292,497	26	3,931,481	13	1.2	150,206
Adults	11,677	6.4	0.1	16,962	1	170,715	10	1.6	183,753
Children	31,585	6.5	0.1	47,191	1	612,744	13	1.4	489,542
Unknown	203	15.3	0.3	345	3	3,416	10	1.0	1,326
Gender									
Female	56,856	11.5	0.5	232,190	6	2,852,270	12	1.4	492,344
Male	36,628	10.9	0.4	128,379	6	1,896,713	15	1.1	335,723
Unknown	0	0.0	0.0	0	0	0	0	0.0	11
Race									
White	41,390	12.4	0.5	169,862	6	2,054,025	12	1.3	333,074
African American	37,456	8.7	0.3	127,088	3	1,489,581	12	1.0	430,141
Other/unknown	14,638	22.6	1.0	63,619	19	1,205,377	19	1.4	64,863
Use of Nursing Facilities^d									
Entire year	1,050	53.6	5.2	10,093	58	113,892	11	1.5	1,959
Part year	796	60.5	4.3	5,625	53	69,086	12	1.6	1,315
None	91,638	11.1	0.4	344,851	6	4,566,005	13	1.2	824,804
Maintenance Assistance Status									
Cash	57,761	17.5	0.9	291,706	11	3,759,730	13	1.2	330,949
Medically needy	923	28.1	1.2	4,048	14	46,188	11	1.0	3,287
Poverty related	20,571	5.7	0.1	26,030	1	328,024	13	2.1	361,004
Other/unknown	14,229	10.7	0.3	38,785	5	615,041	16	1.2	132,838

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

- a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007.
- b. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.
- c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
- d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.
- Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 GEORGIA, 2007

Beneficiary Characteristics	Number Rx per Benefit Month	Rx \$ per Benefit Month	\$ per Rx	Barbiturate \$ per Benefit Month	Benzodiazepine \$ per Benefit Month	Number of Benefit Months
All	0.1	\$1	\$13	\$0	\$0	3,687,940
Age						
5 and younger	0.0	1	20	0	0	773,665
6-14	0.0	1	19	0	0	909,559
15-20	0.0	1	21	0	0	548,918
21-44	0.1	1	12	0	0	802,829
45-64	0.3	3	10	0	1	597,509
65-74	0.2	2	9	0	0	31,346
75-84	0.1	1	9	0	0	16,478
85 and older	0.1	1	9	0	0	7,636
Unknown	0.0	0	0	0	0	0
Basis of Eligibility^c						
Aged	0.1	1	9	0	0	30,550
Disabled	0.2	2	13	0	1	1,581,674
Adults	0.0	0	10	0	0	458,669
Children	0.0	0	13	0	0	1,613,094
Unknown	0.1	1	10	0	0	3,953
Gender						
Female	0.1	1	12	0	0	2,048,297
Male	0.1	1	15	0	0	1,639,612
Unknown	0.0	0	0	0	0	31
Race						
White	0.1	2	12	0	1	1,366,676
African American	0.1	1	12	0	0	1,810,804
Other/unknown	0.1	2	19	0	0	510,460
Use of Nursing Facilities^d						
Entire year	0.5	6	11	0	2	19,611
Part year	0.5	6	12	0	2	12,146
None	0.1	1	13	0	0	3,656,183
Maintenance Assistance Status						
Cash	0.1	2	13	0	1	1,972,421
Medically needy	0.2	2	11	0	1	20,890
Poverty related	0.0	0	13	0	0	986,800
Other/unknown	0.1	1	16	0	0	707,829

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007.

b. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE ND.13
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
 GEORGIA, 2007

Drug Category	Number of Users	Rx \$ per User	Total Rx \$	Rx \$ as a Percentage of All Part D		Total Number Rx.	\$ per Rx	Number Rx as a Percentage of All Part D Excluded Rx
				Excluded Rx \$	Total Number Rx.			
All	110,476	\$43	\$4,748,983	100.0		360,569	\$13	100.0
Anorexia or weight loss/gain	0	0	0	0.0		0	0	0.0
Fertility drugs	1	53	53	0.0		1	53	0.0
Drugs for cosmetic purposes	81	11	889	0.0		112	8	0.0
Cough and cold medications	32,815	19	633,464	13.3		45,864	14	12.7
Vitamins and minerals	12,590	81	1,018,027	21.4		60,347	17	16.7
Non-prescription drugs	32,813	21	679,509	14.3		87,120	8	24.2
Barbiturates	2,022	46	93,878	2.0		15,947	6	4.4
Benzodiazepines	26,109	48	1,259,951	26.5		139,143	9	38.6
Other Part D Excl Rx Drugs	4,045	263	1,063,212	22.4		12,035	88	3.3

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2007. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

APPENDIX TABLE A.1
CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, GEORGIA, 2007

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown
All	1,388,907	3,277	150,948	268,101	963,228	3,353	11,975,039	30,860	1,610,469	1,901,479	8,398,041	34,190
Age												
5 and younger	454,197	0	10,321	22	443,854	0	3,890,143	0	105,736	101	3,784,306	0
6-14	397,140	0	24,271	157	372,712	0	3,638,905	0	268,237	900	3,369,768	0
15-20	199,239	0	18,244	35,158	145,728	109	1,673,214	0	198,619	238,875	1,234,838	882
21-44	261,119	0	40,040	218,386	922	1,771	2,007,867	0	431,390	1,549,351	9,003	18,123
45-64	71,552	0	55,716	14,363	12	1,461	708,458	0	581,098	112,160	126	15,074
65-74	3,173	1,291	1,855	15	0	12	32,034	11,891	19,940	92	0	111
75-84	1,661	1,265	396	0	0	0	16,692	12,346	4,346	0	0	0
85 and older	826	721	105	0	0	0	7,726	6,623	1,103	0	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
Gender												
Female	806,949	2,158	75,266	248,636	477,536	3,353	6,812,351	20,442	813,443	1,771,625	4,172,651	34,190
Male	581,828	1,119	75,682	19,465	485,562	0	5,161,977	10,418	797,026	129,854	4,224,679	0
Unknown	130	0	0	0	130	0	711	0	0	0	711	0
Race												
White	560,613	1,136	45,102	113,308	399,354	1,713	4,709,170	10,132	472,210	777,523	3,431,952	17,353
African American	719,863	1,174	64,447	149,996	502,957	1,289	6,346,267	11,280	691,582	1,098,108	4,532,080	13,217
Other/unknown	108,431	967	41,399	4,797	60,917	351	919,602	9,448	446,677	25,848	434,009	3,620
Use of Nursing Facilities^c												
Entire year	2,209	450	1,759	0	0	0	22,879	4,552	18,327	0	0	0
Part year	1,332	239	1,092	1	0	0	12,790	2,168	10,619	3	0	0
None	1,385,366	2,588	148,097	268,100	963,228	3,353	11,939,370	24,140	1,581,523	1,901,476	8,398,041	34,190
Maintenance Assistance Status												
Cash	455,460	914	132,307	115,673	206,566	0	4,279,116	9,825	1,459,543	885,668	1,924,080	0
Medically needy	3,289	1,009	2,192	8	80	0	21,240	9,353	11,519	10	358	0
Poverty related	675,004	28	38	110,391	561,194	3,353	5,581,886	278	316	664,024	4,883,078	34,190
Other/unknown	255,154	1,326	16,411	42,029	195,388	0	2,092,797	11,404	139,091	351,777	1,590,525	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	266,127	3,239	145,585	34,974	82,135	194	2,145,903	30,484	1,554,827	78,505	481,200	887
FFS part year, with Rx claims	182,471	8	3,437	74,285	103,950	791	1,655,817	76	36,449	608,497	1,003,975	6,820
FFS part year, no Rx claims	379,480	4	1,184	74,494	303,457	341	3,435,285	30	11,980	605,153	2,815,176	2,946
MC all year, with Rx claims	2,979	18	270	139	2,535	17	26,996	199	2,922	779	23,000	96
MC all year, no Rx claims	557,850	8	472	84,209	471,151	2,010	4,711,038	71	4,291	608,545	4,074,690	23,441

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.

- a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
 - b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
 - c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
NONDUAL BENEFICIARIES, GEORGIA, 2007

	Beneficiaries and					
	Benefit Months in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months
All	1,388,907	11,975,039	828,078	3,687,940	0	8,287,099
Fee-for-service (FFS) all year	266,127	2,145,903	266,127	2,145,903	0	0
FFS part year, with Rx claims	182,471	1,655,817	182,471	563,690	0	1,092,127
FFS part year, with no Rx claims	379,480	3,435,285	379,480	978,347	0	2,456,938
Managed care (MC) all year, with Rx claims	2,979	26,996	0	0	0	26,996
MC all year, with no Rx claims	557,850	4,711,038	0	0	0	4,711,038

Source: Data for this table are from the MAX 2007 file for Georgia, released by CMS in 4/2010. This table was produced on 10/06/2010.
a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

Nondual Medicaid Beneficiaries