

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through e-mail at [ORDI\\_508\\_Compliance@cms.hhs.gov](mailto:ORDI_508_Compliance@cms.hhs.gov).

STATISTICAL COMPENDIUM:  
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2007  
IDAHO

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS, BY BENEFICIARY CHARACTERISTIC

TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D

**FOR SELECTED DRUG CATEGORIES AMONG DUALS**

**SUPPLEMENTAL TABLES**

**SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES**

**SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL**

**ELIGIBLE BENEFICIARIES UNDER AGE 65**

**SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE**

**65 AND OLDER**

**SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE**

**65 TO 74**

**SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE**

**75 TO 84**

**SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE**

**85 AND OLDER**

**APPENDIX TABLES**

**APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES**

**APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES**

**APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES**

**APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES**

**TABLE ND.2**  
**CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY<sup>a, b</sup>**  
**NONDUAL BENEFICIARIES, IDAHO, 2007**

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
<b>All</b>	<b>197,686</b>	<b>382</b>	<b>21,150</b>	<b>29,018</b>	<b>147,136</b>	<b>0</b>	<b>1,822,956</b>	<b>3,863</b>	<b>225,352</b>	<b>195,249</b>	<b>1,398,492</b>	<b>0</b>
<b>Age</b>												
5 and younger	64,005	0	1,670	20	62,315	0	584,635	0	17,131	66	567,438	0
6-14	65,642	0	4,549	14	61,079	0	660,421	0	50,784	80	609,557	0
15-20	29,353	0	2,892	2,750	23,711	0	270,894	0	31,411	18,061	221,422	0
21-44	30,799	1	6,029	24,739	30	0	229,904	11	64,339	165,482	72	0
45-64	7,527	53	5,997	1,476	1	0	73,677	580	61,610	11,484	3	0
65-74	240	212	13	15	0	0	2,399	2,250	77	72	0	0
75-84	82	80	0	2	0	0	746	744	0	2	0	0
85 and older	38	36	0	2	0	0	280	278	0	2	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Gender</b>												
Female	109,321	245	10,674	25,709	72,693	0	979,815	2,518	113,947	172,545	690,805	0
Male	88,365	137	10,476	3,309	74,443	0	843,141	1,345	111,405	22,704	707,687	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Race</b>												
White	187,403	317	20,140	26,525	140,421	0	1,736,738	3,207	214,452	183,921	1,335,158	0
African American	2,672	6	234	405	2,027	0	24,653	57	2,473	2,732	19,391	0
Other/unknown	7,611	59	776	2,088	4,688	0	61,565	599	8,427	8,596	43,943	0
<b>Use of Nursing Facilities<sup>c</sup></b>												
Entire year	158	18	140	0	0	0	1,641	187	1,454	0	0	0
Part year	233	12	215	4	2	0	2,412	88	2,259	41	24	0
None	197,295	352	20,795	29,014	147,134	0	1,818,903	3,588	221,639	195,208	1,398,468	0
<b>Maintenance Assistance Status</b>												
Cash	32,641	158	18,996	11,348	2,139	0	304,881	1,803	202,392	89,295	11,391	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty-related	152,547	0	5	12,153	140,389	0	1,412,651	0	35	64,081	1,348,535	0
Other/unknown	12,498	224	2,149	5,517	4,608	0	105,424	2,060	22,925	41,873	38,566	0
<b>Managed Care (MC) Status</b>												
Fee-for-service (FFS) all year	197,685	381	21,150	29,018	147,136	0	1,822,949	3,856	225,352	195,249	1,398,492	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	1	1	0	0	0	0	7	7	0	0	0	0

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

**TABLE ND.3**  
**ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>**  
**NONDUAL BENEFICIARIES, IDAHO, 2007**

Beneficiary Characteristics	Percentage with at Least One Rx	Mean Number of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Medicaid FFS \$ <sup>c</sup>	Rx \$ as a Percentage of All Medicaid FFS \$ <sup>d</sup>	Number of Beneficiaries
<b>All</b>	<b>58.4</b>	<b>7.0</b>	<b>\$491</b>	<b>\$70</b>	<b>\$3,954</b>	<b>12.4</b>	<b>197,686</b>
<b>Age</b>							
5 and younger	57.9	2.5	115	46	2,246	5.1	64,005
6-14	52.1	3.6	283	78	2,546	11.1	65,642
15-20	59.2	5.7	425	74	3,782	11.2	29,353
21-44	65.8	13.6	1,008	74	7,406	13.6	30,799
45-64	82.8	50.9	3,579	70	16,837	21.3	7,527
65-74	77.5	36.7	2,057	56	13,826	14.9	240
75-84	69.5	21.8	1,095	50	12,545	8.7	82
85 and older	42.1	17.6	631	36	13,962	4.5	38
Unknown	0.0	0.0	0	0	0	0.0	0
<b>Basis of Eligibility<sup>e</sup></b>							
Aged	76.7	38.0	2,116	56	14,761	14.3	382
Disabled	80.6	33.8	2,899	86	19,311	15.0	21,150
Adults	61.6	7.9	387	49	3,833	10.1	29,018
Children	54.5	2.9	161	56	1,742	9.2	147,136
Unknown	0.0	0.0	0	0	0	0.0	0
<b>Gender</b>							
Female	59.9	8.0	511	64	3,927	13.0	109,321
Male	56.5	5.7	466	82	3,986	11.7	88,365
Unknown	0.0	0.0	0	0	0	0.0	0
<b>Race</b>							
White	58.9	7.1	498	71	3,952	12.6	187,403
African American	53.7	5.3	422	80	3,183	13.3	2,672
Other/unknown	47.3	5.6	335	59	4,267	7.8	7,611
<b>Use of Nursing Facilities<sup>f</sup></b>							
Entire year	93.7	107.2	8,098	76	78,497	10.3	158
Part year	95.7	96.3	6,142	64	76,009	8.1	233
None	58.3	6.8	478	70	3,809	12.5	197,295
<b>Maintenance Assistance Status</b>							
Cash	73.9	25.8	2,066	80	12,993	15.9	32,641
Medically needy	0.0	0.0	0	0	0	0.0	0
Poverty related	54.6	2.8	146	53	1,891	7.7	152,547
Other/unknown	63.6	9.0	577	64	5,522	10.4	12,498

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

**TABLE ND.4**  
**MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>**  
**NONDUAL BENEFICIARIES, IDAHO, 2007**

Beneficiary Characteristics	Number of Rx, Percentage with:										Number	
	Mean Number of Rx	Mean Rx \$	Rx \$ as a Percentage of All Medicaid FFS \$ <sup>c</sup>		More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10	Mean \$, All Medicaid FFS \$ <sup>d</sup>	Beneficiaries	Benefit Months
<b>All</b>	<b>0.8</b>	<b>\$53</b>	<b>12.4</b>	<b>41.6</b>	<b>47.5</b>	<b>4.2</b>	<b>4.1</b>	<b>1.9</b>	<b>0.7</b>	<b>\$429</b>	<b>197,686</b>	<b>1,822,956</b>
<b>Age</b>												
5 and younger	0.3	13	5.1	42.1	55.8	1.6	0.5	0.0	0.0	246	64,005	584,635
6-14	0.4	28	11.1	47.9	46.2	3.1	2.4	0.3	0.0	253	65,642	660,421
15-20	0.6	46	11.2	40.8	48.3	5.6	4.4	0.8	0.1	410	29,353	270,894
21-44	1.8	135	13.6	34.2	39.6	9.1	10.5	5.1	1.5	992	30,799	229,904
45-64	5.2	366	21.3	17.2	17.0	9.2	22.7	21.7	12.1	1,720	7,527	73,677
65-74	3.7	206	14.9	22.5	21.3	12.1	21.3	14.6	8.3	1,383	240	2,399
75-84	2.4	120	8.7	30.5	23.2	8.5	25.6	12.2	0.0	1,379	82	746
85 and older	2.4	86	4.5	57.9	18.4	2.6	15.8	2.6	2.6	1,895	38	280
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
<b>Basis of Eligibility<sup>e</sup></b>												
Aged	3.8	209	14.3	23.3	20.7	10.5	23.8	14.7	7.1	1,460	382	3,863
Disabled	3.2	272	15.0	19.4	31.1	10.9	19.7	13.0	6.0	1,812	21,150	225,352
Adults	1.2	58	10.1	38.4	42.9	8.1	7.5	2.6	0.5	570	29,018	195,249
Children	0.3	17	9.2	45.5	50.8	2.4	1.2	0.1	0.0	183	147,136	1,398,492
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
<b>Gender</b>												
Female	0.9	57	13.0	40.1	47.4	4.6	4.6	2.3	1.0	438	109,321	979,815
Male	0.6	49	11.7	43.5	47.5	3.7	3.6	1.3	0.3	418	88,365	843,141
Unknown	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
<b>Race</b>												
White	0.8	54	12.6	41.1	47.9	4.2	4.2	1.9	0.7	426	187,403	1,736,738
African American	0.6	46	13.3	46.3	45.1	3.4	3.6	1.3	0.3	345	2,672	24,653
Other/unknown	0.7	41	7.8	52.7	38.5	3.3	3.3	1.7	0.5	528	7,611	61,565
<b>Use of Nursing Facilities<sup>f</sup></b>												
Entire year	10.3	780	10.3	6.3	3.8	0.6	17.7	24.7	46.8	7,558	158	1,641
Part year	9.3	593	8.1	4.3	7.3	5.6	19.7	30.5	32.6	7,343	233	2,412
None	0.7	52	12.5	41.7	47.5	4.2	4.1	1.8	0.7	413	197,295	1,818,903
<b>Maintenance Assistance Status</b>												
Cash	2.8	221	15.9	26.1	33.6	10.0	16.0	10.0	4.2	1,391	32,641	304,881
Medically needy	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0
Poverty related	0.3	16	7.7	45.4	50.8	2.5	1.2	0.1	0.0	204	152,547	1,412,651
Other/unknown	1.1	68	10.4	36.4	42.2	9.0	9.6	2.3	0.4	655	12,498	105,424

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

**TABLE ND.5**  
**AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC<sup>a, b, c</sup>**  
**NONDUAL BENEFICIARIES, IDAHO, 2007**

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx
<b>All</b>	<b>0.8</b>	<b>\$53</b>	<b>\$70</b>	<b>0.2</b>	<b>\$41</b>	<b>\$165</b>	<b>0.0</b>	<b>\$3</b>	<b>\$108</b>	<b>0.5</b>	<b>\$9</b>	<b>\$19</b>
<b>Age</b>												
5 and younger	0.3	13	46	0.1	8	152	0.0	1	70	0.2	4	18
6-14	0.4	28	78	0.2	23	140	0.0	1	100	0.2	4	22
15-20	0.6	46	74	0.2	35	159	0.0	3	130	0.4	7	20
21-44	1.8	135	74	0.6	105	189	0.1	8	121	1.2	22	18
45-64	5.2	366	70	1.7	279	167	0.2	22	111	3.3	64	19
65-74	3.7	206	56	1.1	155	138	0.1	11	75	2.4	38	16
75-84	2.4	120	50	0.6	86	134	0.1	9	80	1.6	26	16
85 and older	2.4	86	36	0.6	54	87	0.1	10	70	1.6	22	14
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
<b>Basis of Eligibility<sup>d</sup></b>												
Aged	3.8	209	56	1.2	158	136	0.2	12	76	2.4	38	16
Disabled	3.2	272	86	1.2	218	186	0.1	16	122	1.9	38	20
Adults	1.2	58	49	0.3	40	143	0.0	4	106	0.9	14	16
Children	0.3	17	56	0.1	12	131	0.0	1	87	0.2	4	19
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
<b>Gender</b>												
Female	0.9	57	64	0.3	43	158	0.0	4	107	0.6	11	18
Male	0.6	49	82	0.2	39	174	0.0	3	110	0.3	7	21
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
<b>Race</b>												
White	0.8	54	71	0.3	41	165	0.0	3	109	0.5	9	19
African American	0.6	46	80	0.2	37	183	0.0	2	114	0.4	7	19
Other/unknown	0.7	41	59	0.2	31	161	0.0	2	90	0.5	8	18
<b>Use of Nursing Facilities<sup>e</sup></b>												
Entire year	10.3	780	76	3.2	602	190	0.3	39	114	6.7	130	19
Part year	9.3	593	64	2.5	421	167	0.3	42	127	6.4	127	20
None	0.7	52	70	0.2	40	164	0.0	3	108	0.5	9	19
<b>Maintenance Assistance Status</b>												
Cash	2.8	221	80	1.0	175	184	0.1	13	120	1.7	33	20
Medically needy	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Poverty related	0.3	16	53	0.1	11	129	0.0	1	88	0.2	4	19
Other/unknown	1.1	68	64	0.4	53	134	0.0	4	97	0.6	11	18

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Idaho, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions

combined. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

**TABLE ND.6**  
**MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d</sup>**  
**NONDUAL BENEFICIARIES, IDAHO, 2007**

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx			Users <sup>e</sup>					
	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All Benes	Number of Benefit Months
Anti-infective Agents	0.2	0.0	0.0	0.2	\$8	\$3	\$1	\$4	\$38	\$231	\$98	\$22	174,798	\$6,601,060	75,811	38.3	795,769
Biologicals	0.3	0.3	0.0	0.0	250	250	0	0	969	969	0	0	1,751	1,696,979	665	0.3	6,785
Antineoplastic Agents	0.6	0.2	0.0	0.4	199	187	0	13	326	765	47	35	3,003	979,817	462	0.2	4,912
Endocrine/Metabolic Drugs	0.5	0.2	0.0	0.3	31	23	1	8	59	123	54	24	120,965	7,118,917	22,098	11.2	228,649
Cardiovascular Agents	1.1	0.2	0.1	0.8	38	22	5	11	36	97	63	15	115,938	4,181,844	10,175	5.1	108,821
Respiratory Agents	0.4	0.2	0.0	0.2	22	18	1	3	61	101	72	19	152,365	9,353,922	40,201	20.3	427,481
Gastrointestinal Agents	0.5	0.2	0.0	0.2	42	36	2	4	89	148	185	18	65,903	5,897,585	13,323	6.7	139,630
Genitourinary Agents	0.3	0.1	0.0	0.2	14	8	1	5	52	95	103	30	16,581	863,254	6,057	3.1	61,718
CNS Drugs	1.1	0.5	0.1	0.5	121	104	6	11	110	208	108	20	273,082	29,987,309	23,733	12.0	247,837
Stimulants/Anti-obesity/Anorexia	0.7	0.6	0.0	0.1	73	70	1	2	101	116	48	21	61,127	6,149,928	7,619	3.9	84,518
Miscellaneous Psychological/Neurological Agents	0.5	0.5	0.0	0.0	286	286	0	0	553	558	0	49	2,504	1,384,606	436	0.2	4,839
Analgesics and Anesthetics	0.5	0.0	0.0	0.4	17	9	1	7	36	282	406	16	162,146	5,891,826	34,152	17.3	346,941
Neuromuscular Agents	0.8	0.3	0.1	0.4	80	62	10	9	99	179	182	21	108,462	10,706,015	12,401	6.3	133,658
Nutritional Products	0.2	0.0	0.0	0.2	3	0	0	3	13	16	10	12	26,727	334,377	11,371	5.8	114,458
Hematological Agents	0.7	0.2	0.0	0.5	140	133	0	6	211	727	44	13	11,043	2,334,170	1,565	0.8	16,714
Topical Products	0.2	0.0	0.0	0.1	6	4	0	2	34	88	62	15	77,812	2,644,950	40,361	20.4	429,714
Miscellaneous Products	0.6	0.3	0.0	0.3	178	146	6	26	294	465	330	96	2,027	595,755	312	0.2	3,347
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	22	0	0	0	102	0	0	0	2,464	251,557	1,028	0.5	11,258
<b>TOTAL NO. OF RX AND RX \$</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>1,378,698</b>	<b>96,973,871</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

- a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
  - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
  - c. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
  - d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Idaho, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.
  - e. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
- e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2007.  
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.



TABLE ND.7  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Top 10 Drug Groups	Users			Among Users			
	Total Medicaid Rx \$	Number of Users	As a Percentage of All Beneficiaries	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month
ANTIPSYCHOTICS	\$20,866,226	11,890	6.0	132,018	0.6	\$243	\$158
ANTICONVULSANT	10,043,444	9,922	5.0	109,135	0.7	129	92
ANTIDEPRESSANTS	7,587,098	23,802	12.0	252,278	0.5	57	30
ANTIASTHMATIC	6,569,490	27,760	14.0	299,225	0.3	75	22
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	6,149,928	8,875	4.5	98,923	0.6	101	62
ULCER DRUGS	4,838,229	12,616	6.4	133,538	0.4	89	36
ANTIDIABETIC	3,522,212	6,203	3.1	66,877	0.7	80	53
ANALGESICS - Narcotic	3,349,675	39,496	20.0	405,885	0.3	28	8
ANTIHYPERTENSIVE	1,830,586	3,537	1.8	39,379	0.6	73	46
MISC. ENDOCRINE	1,803,255	1,309	0.7	14,863	0.5	247	121
Total	66,560,143	145,410	n.a.	1,552,121	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.7A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED  
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Beneficiary Characteristics	All Top 10 Drug Groups							ANTIPSYCHOTICS				ANTICONVULSANT			
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month			
<b>All</b>	<b>694,692</b>	<b>\$66,560,143</b>	<b>11,890</b>	<b>6.0</b>	<b>132,018</b>	<b>0.6</b>	<b>\$158</b>	<b>9,922</b>	<b>5.0</b>	<b>109,135</b>	<b>0.7</b>	<b>\$92</b>			
<b>Female</b>															
All Females	419,953	36,797,729	6,081	5.6	67,130	0.6	149	6,141	5.6	66,987	0.7	86			
<b>Female, Disabled</b>															
All Ages	247,557	24,860,350	3,672	34.4	41,706	0.7	183	3,880	36.4	43,967	0.8	102			
5 and younger	2,255	246,230	19	2.8	208	0.4	54	106	15.8	1,165	0.6	82			
6-14	12,395	1,597,127	315	19.8	3,649	0.7	138	277	17.4	3,201	0.8	122			
15-20	13,284	1,553,243	371	31.6	4,224	0.6	138	342	29.2	3,955	0.8	124			
21-44	85,519	9,439,061	1,665	48.7	18,880	0.7	190	1,596	46.7	18,089	0.8	119			
45-64	134,051	12,022,567	1,301	34.1	14,741	0.8	202	1,557	40.8	17,549	0.8	77			
65-74	53	2,122	1	14.3	4	2.0	135	2	28.6	8	0.8	15			
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
<b>Female, Other Eligibles</b>															
All Ages	172,396	11,937,379	2,409	2.4	25,424	0.4	92	2,261	2.3	23,020	0.5	54			
5 and younger	9,727	619,504	16	0.1	183	0.4	70	64	0.2	698	0.3	28			
6-14	33,022	2,933,459	605	2.0	6,857	0.5	104	326	1.1	3,578	0.5	65			
15-20	29,169	2,022,475	635	4.2	6,757	0.4	84	411	2.7	4,285	0.4	64			
21-44	83,659	5,121,834	1,036	4.7	10,392	0.4	83	1,274	5.8	12,607	0.5	50			
45-64	13,102	948,165	95	8.8	985	0.5	131	162	15.1	1,577	0.6	55			
65-74	3,094	249,553	21	14.5	238	0.9	238	18	12.4	216	0.8	52			
75-84	463	36,014	0	0.0	0	0.0	0	5	12.5	47	0.6	25			
85 and older	160	6,375	1	4.2	12	1.1	5	1	4.2	12	1.1	11			
<b>Male</b>															
All Males	274,739	29,762,414	5,809	6.6	64,888	0.7	168	3,781	4.3	42,148	0.8	102			
<b>Male, Disabled</b>															
All Ages	162,374	19,598,058	3,714	35.5	42,453	0.8	193	2,739	26.1	31,318	0.8	117			
5 and younger	2,984	289,223	36	3.6	410	0.5	79	104	10.4	1,171	0.6	74			
6-14	34,010	4,237,856	1,087	36.7	12,777	0.7	148	559	18.9	6,574	0.7	107			
15-20	23,804	3,235,189	749	43.6	8,674	0.7	169	484	28.2	5,611	0.9	135			
21-44	48,231	6,795,006	1,281	49.1	14,375	0.8	232	1,004	38.5	11,400	0.9	147			
45-64	53,238	5,030,166	560	25.6	6,215	0.9	239	586	26.8	6,548	0.8	69			
65-74	107	10,618	1	16.7	2	3.0	892	2	33.3	14	0.2	2			
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0			
<b>Male, Other Eligibles</b>															
All Ages	112,365	10,164,356	2,095	2.7	22,435	0.6	119	1,042	1.3	10,830	0.5	60			
5 and younger	15,354	968,836	51	0.2	595	0.3	62	95	0.3	1,015	0.4	35			
6-14	58,438	5,976,708	1,212	3.9	13,380	0.6	125	429	1.4	4,708	0.5	66			
15-20	24,093	2,241,762	641	5.6	6,765	0.6	115	294	2.6	3,040	0.5	74			
21-44	9,529	635,528	144	5.2	1,261	0.4	99	166	6.0	1,516	0.4	39			
45-64	3,539	233,860	32	7.0	279	0.6	97	41	9.0	382	0.4	28			
65-74	1,016	77,545	10	12.2	95	1.3	251	13	15.9	123	0.6	23			
75-84	306	24,619	5	11.9	60	0.7	93	3	7.1	34	0.1	1			
85 and older	90	5,498	0	0.0	0	0.0	0	1	7.1	12	0.1	1			
<b>Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>			

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.  
 a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.  
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.  
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.  
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Beneficiary Characteristics	ANTIDEPRESSANTS					ANTIASTHMATIC					STIMULANTS/ANTI-OBESITY/ANOREXIANTS				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month
<b>All</b>	<b>23,802</b>	<b>12.0</b>	<b>252,278</b>	<b>0.5</b>	<b>\$30</b>	<b>27,760</b>	<b>14.0</b>	<b>299,225</b>	<b>0.3</b>	<b>\$22</b>	<b>8,875</b>	<b>4.5</b>	<b>98,923</b>	<b>0.6</b>	<b>\$62</b>
<b>Female</b>															
All Females	16,802	15.4	175,557	0.5	32	14,781	13.5	158,389	0.3	23	2,791	2.6	31,204	0.6	60
<b>Female, Disabled</b>															
All Ages	7,074	66.3	80,354	0.7	40	4,553	42.7	51,535	0.4	35	849	8.0	9,786	0.6	70
5 and younger	9	1.3	108	0.2	2	185	27.6	2,072	0.3	28	6	0.9	72	0.5	36
6-14	340	21.4	3,947	0.5	15	349	21.9	4,039	0.3	25	371	23.3	4,274	0.7	66
15-20	526	44.8	6,071	0.5	25	214	18.2	2,493	0.3	20	169	14.4	1,934	0.6	63
21-44	2,770	81.0	31,371	0.6	41	1,458	42.6	16,576	0.4	27	187	5.5	2,187	0.6	75
45-64	3,427	89.9	38,851	0.7	46	2,343	61.5	26,345	0.5	43	116	3.0	1,319	0.6	89
65-74	2	28.6	6	1.0	41	4	57.1	10	0.8	41	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Female, Other Eligibles</b>															
All Ages	9,728	9.9	95,203	0.4	25	10,228	10.4	106,854	0.2	17	1,942	2.0	21,418	0.6	56
5 and younger	26	0.1	292	0.3	5	2,990	9.9	31,885	0.2	12	48	0.2	526	0.4	38
6-14	1,146	3.8	12,819	0.4	15	3,063	10.2	33,417	0.3	18	1,244	4.1	14,034	0.6	57
15-20	2,196	14.6	22,562	0.4	18	1,525	10.1	15,989	0.2	15	357	2.4	3,863	0.5	56
21-44	5,694	25.9	52,878	0.4	28	2,279	10.4	21,778	0.3	21	265	1.2	2,715	0.5	55
45-64	604	56.2	5,962	0.6	38	317	29.5	3,174	0.5	39	28	2.6	280	0.5	47
65-74	48	33.1	541	0.7	30	45	31.0	523	0.7	59	0	0.0	0	0.0	0
75-84	9	22.5	89	0.4	18	9	22.5	88	0.4	38	0	0.0	0	0.0	0
85 and older	5	20.8	60	0.8	20	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male</b>															
All Males	7,000	7.9	76,721	0.5	26	12,979	14.7	140,836	0.3	21	6,084	6.9	67,719	0.6	63
<b>Male, Disabled</b>															
All Ages	3,777	36.1	42,930	0.6	31	2,546	24.3	28,945	0.4	35	1,905	18.2	22,131	0.7	70
5 and younger	17	1.7	178	0.3	3	263	26.3	3,032	0.3	22	39	3.9	449	0.5	41
6-14	868	29.3	10,171	0.5	18	620	21.0	7,235	0.3	24	1,179	39.9	13,726	0.7	71
15-20	636	37.0	7,305	0.6	26	261	15.2	3,009	0.4	25	478	27.8	5,538	0.7	72
21-44	1,143	43.8	12,914	0.7	38	530	20.3	6,006	0.4	29	161	6.2	1,864	0.6	62
45-64	1,109	50.8	12,340	0.7	40	869	39.8	9,627	0.6	52	48	2.2	554	0.7	87
65-74	4	66.7	22	0.3	3	3	50.0	36	1.2	80	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male, Other Eligibles</b>															
All Ages	3,223	4.1	33,791	0.4	19	10,433	13.4	111,891	0.2	18	4,179	5.4	45,588	0.6	60
5 and younger	45	0.1	529	0.3	2	4,720	14.7	50,297	0.2	13	167	0.5	1,861	0.4	31
6-14	1,431	4.6	15,777	0.4	16	4,228	13.6	46,056	0.3	22	3,258	10.5	35,734	0.6	60
15-20	1,126	9.9	11,849	0.4	21	1,164	10.2	12,445	0.3	19	694	6.1	7,466	0.6	66
21-44	471	17.0	4,194	0.4	25	215	7.8	2,035	0.3	23	51	1.8	457	0.4	45
45-64	124	27.3	1,156	0.4	26	66	14.5	606	0.4	36	9	2.0	70	0.8	71
65-74	21	25.6	227	0.6	33	21	25.6	241	0.3	36	0	0.0	0	0.0	0
75-84	4	9.5	47	0.4	19	13	31.0	139	0.3	21	0	0.0	0	0.0	0
85 and older	1	7.1	12	1.1	95	6	42.9	72	0.9	47	0	0.0	0	0.0	0
<b>Unknown</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.  
 a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.  
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.  
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.  
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,  
 BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Beneficiary Characteristics	ULCER DRUGS					ANTIDIABETIC					ANALGESICS - Narcotic				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month
<b>All</b>	<b>12,616</b>	<b>6.4</b>	<b>133,538</b>	<b>0.4</b>	<b>\$36</b>	<b>6,203</b>	<b>3.1</b>	<b>66,877</b>	<b>0.7</b>	<b>\$53</b>	<b>39,496</b>	<b>20.0</b>	<b>405,885</b>	<b>0.3</b>	<b>\$8</b>
<b>Female</b>															
All Females	8,418	7.7	89,313	0.4	37	4,474	4.1	48,201	0.6	49	27,935	25.6	281,677	0.3	8
<b>Female, Disabled</b>															
All Ages	3,698	34.6	42,289	0.6	52	2,690	25.2	30,588	0.7	56	7,477	70.0	84,448	0.5	18
5 and younger	129	19.3	1,402	0.4	29	1	0.1	12	0.1	13	88	13.1	973	0.1	2
6-14	123	7.7	1,402	0.4	31	25	1.6	291	0.7	41	169	10.6	1,985	0.1	2
15-20	154	13.1	1,790	0.4	37	82	7.0	949	0.6	46	390	33.2	4,516	0.2	2
21-44	1,271	37.2	14,574	0.5	47	775	22.7	8,905	0.6	49	3,032	88.6	34,363	0.4	13
45-64	2,020	53.0	23,120	0.6	59	1,804	47.3	20,428	0.7	60	3,792	99.5	42,587	0.6	25
65-74	1	14.3	1	1.0	149	3	42.9	3	1.0	78	6	85.7	24	0.8	11
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Female, Other Eligibles</b>															
All Ages	4,720	4.8	47,024	0.3	23	1,784	1.8	17,613	0.5	38	20,458	20.7	197,229	0.2	4
5 and younger	908	3.0	8,330	0.2	15	23	0.1	248	0.7	64	1,162	3.8	12,660	0.1	1
6-14	721	2.4	8,019	0.2	15	185	0.6	1,969	0.6	52	2,323	7.7	25,794	0.1	1
15-20	885	5.9	9,356	0.2	14	279	1.9	2,871	0.5	36	4,702	31.3	47,324	0.2	1
21-44	1,887	8.6	18,026	0.3	30	1,027	4.7	9,737	0.5	32	11,467	52.1	103,380	0.3	6
45-64	253	23.5	2,556	0.5	51	189	17.6	1,866	0.7	47	710	66.0	7,016	0.4	9
65-74	47	32.4	527	0.7	64	69	47.6	806	0.8	54	72	49.7	831	0.4	7
75-84	16	40.0	174	0.5	62	11	27.5	104	0.8	28	19	47.5	188	0.3	5
85 and older	3	12.5	36	0.6	32	1	4.2	12	1.0	11	3	12.5	36	0.4	5
<b>Male</b>															
All Males	4,198	4.8	44,225	0.4	35	1,729	2.0	18,676	0.7	61	11,561	13.1	124,208	0.3	9
<b>Male, Disabled</b>															
All Ages	1,819	17.4	20,696	0.6	51	1,137	10.9	12,715	0.7	62	3,764	35.9	42,229	0.4	21
5 and younger	155	15.5	1,744	0.4	30	5	0.5	60	0.6	45	142	14.2	1,624	0.1	1
6-14	175	5.9	2,031	0.5	40	28	0.9	336	0.7	42	352	11.9	4,137	0.1	1
15-20	199	11.6	2,293	0.5	44	57	3.3	641	0.7	65	415	24.1	4,771	0.2	2
21-44	574	22.0	6,598	0.6	51	311	11.9	3,496	0.7	60	1,267	48.6	14,112	0.4	17
45-64	714	32.7	8,016	0.6	60	733	33.5	8,158	0.7	63	1,586	72.6	17,561	0.6	36
65-74	2	33.3	14	0.2	12	3	50.0	24	0.6	100	2	33.3	24	0.1	1
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male, Other Eligibles</b>															
All Ages	2,379	3.1	23,529	0.2	21	592	0.8	5,961	0.6	61	7,797	10.0	81,979	0.2	3
5 and younger	1,091	3.4	10,232	0.2	15	13	0.0	114	0.5	46	1,600	5.0	17,403	0.1	1
6-14	556	1.8	6,146	0.2	18	162	0.5	1,684	0.7	76	2,357	7.6	26,248	0.1	1
15-20	379	3.3	4,012	0.2	19	138	1.2	1,497	0.6	63	2,441	21.4	25,838	0.1	1
21-44	239	8.6	2,026	0.4	42	149	5.4	1,334	0.6	51	1,111	40.2	9,803	0.4	10
45-64	78	17.1	716	0.5	52	92	20.2	891	0.7	57	236	51.9	2,125	0.5	11
65-74	27	32.9	299	0.4	33	27	32.9	320	0.7	41	39	47.6	412	0.3	3
75-84	9	21.4	98	0.5	52	11	26.2	121	0.5	27	11	26.2	126	0.1	1
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	14.3	24	0.1	1
<b>Unknown</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.  
 a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.  
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.  
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.  
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Beneficiary Characteristics	ANTIHYPERLIPIDEMIC					MISC. ENDOCRINE					Number of Beneficiaries	Number of Benefit Months
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month		
<b>All</b>	<b>3,537</b>	<b>1.8</b>	<b>39,379</b>	<b>0.6</b>	<b>\$47</b>	<b>1,309</b>	<b>0.7</b>	<b>14,863</b>	<b>0.5</b>	<b>\$121</b>	<b>197,686</b>	<b>1,822,956</b>
<b>Female</b>												
All Females	2,379	2.2	26,596	0.6	46	671	0.6	7,569	0.5	110	109,321	979,815
<b>Female, Disabled</b>												
All Ages	1,818	17.0	20,764	0.7	49	452	4.2	5,166	0.6	113	10,674	113,947
5 and younger	2	0.3	24	0.1	3	13	1.9	140	0.7	265	670	6,861
6-14	6	0.4	62	0.2	9	35	2.2	398	0.5	510	1,591	17,559
15-20	12	1.0	144	0.7	38	32	2.7	375	0.5	99	1,173	12,730
21-44	392	11.5	4,518	0.6	43	70	2.0	818	0.6	91	3,421	36,735
45-64	1,406	36.9	16,016	0.7	51	301	7.9	3,433	0.6	68	3,812	40,029
65-74	0	0.0	0	0.0	0	1	14.3	2	1.0	79	7	33
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Female, Other Eligibles</b>												
All Ages	561	0.6	5,832	0.5	36	219	0.2	2,403	0.4	104	98,647	865,868
5 and younger	8	0.0	79	0.2	4	11	0.0	122	0.5	349	30,334	276,329
6-14	10	0.0	105	0.2	9	132	0.4	1,463	0.3	96	29,994	299,730
15-20	21	0.1	207	0.3	17	11	0.1	128	0.4	106	15,031	132,362
21-44	282	1.3	2,875	0.4	30	24	0.1	249	0.3	57	22,004	146,715
45-64	156	14.5	1,596	0.6	42	23	2.1	225	0.6	84	1,075	8,698
65-74	71	49.0	828	0.7	51	11	7.6	132	0.8	73	145	1,512
75-84	12	30.0	130	0.8	45	4	10.0	48	0.7	196	40	346
85 and older	1	4.2	12	0.7	62	3	12.5	36	0.9	76	24	176
<b>Male</b>												
All Males	1,158	1.3	12,783	0.7	48	638	0.7	7,294	0.5	133	88,365	843,141
<b>Male, Disabled</b>												
All Ages	948	9.0	10,735	0.7	50	261	2.5	3,076	0.6	181	10,476	111,405
5 and younger	3	0.3	36	0.1	3	12	1.2	138	0.6	196	1,000	10,270
6-14	3	0.1	36	0.4	8	110	3.7	1,302	0.4	159	2,958	33,225
15-20	19	1.1	204	0.5	27	54	3.1	644	0.7	306	1,719	18,681
21-44	255	9.8	2,902	0.7	45	48	1.8	567	0.7	160	2,608	27,604
45-64	664	30.4	7,525	0.7	53	37	1.7	425	0.7	81	2,185	21,581
65-74	4	66.7	32	0.9	101	0	0.0	0	0.0	0	6	44
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Male, Other Eligibles</b>												
All Ages	210	0.3	2,048	0.5	36	377	0.5	4,218	0.4	98	77,889	731,736
5 and younger	5	0.0	54	0.2	5	18	0.1	188	0.3	28	32,001	291,175
6-14	6	0.0	66	0.3	20	331	1.1	3,708	0.4	92	31,099	309,907
15-20	14	0.1	158	0.4	19	24	0.2	276	0.6	214	11,430	107,121
21-44	79	2.9	703	0.5	34	1	0.0	11	1.0	481	2,766	18,850
45-64	74	16.3	714	0.5	38	1	0.2	12	0.3	27	455	3,369
65-74	20	24.4	228	0.6	43	1	1.2	12	0.5	42	82	810
75-84	11	26.2	113	0.7	57	1	2.4	11	0.1	27	42	400
85 and older	1	7.1	12	0.9	78	0	0.0	0	0.0	0	14	104
<b>Unknown</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.  
 a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.  
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.  
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.  
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

**TABLE ND.8**  
**MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,**  
**BY BENEFICIARY CHARACTERISTIC<sup>a, b</sup>**  
**NONDUAL BENEFICIARIES, IDAHO, 2007**

Beneficiary Characteristics	Rx \$ per Benefit Month	Number of Rx per Benefit Month	Number of All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
<b>All</b>	<b>\$780</b>	<b>10.3</b>	<b>158</b>	<b>1,641</b>
<b>Age</b>				
0-64	820	10.8	142	1,478
65-74	531	8.0	9	98
75-84	436	5.3	3	27
85 and older	110	2.6	4	38
Unknown	0	0.0	0	0
<b>Gender</b>				
Female	841	10.6	94	1,063
Male	667	9.8	64	578
Unknown	0	0.0	0	0
<b>Race</b>				
White	802	10.6	144	1,493
African American	313	5.2	1	12
Other/unknown	575	8.1	13	136
<b>Basis of Eligibility<sup>c</sup></b>				
Aged	415	6.9	18	187
Disabled	827	10.8	140	1,454
Adults	0	0.0	0	0
Children	0	0.0	0	0
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2007 Medicaid enrollment. A total of 233 beneficiaries who were in nursing facilities for part of their enrollment and their 2,412 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

**TABLE ND.9**  
**MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,**  
**BY BRAND STATUS AND THERAPEUTIC CATEGORY<sup>a, b, c, d, e</sup>**  
**NONDUAL BENEFICIARIES, IDAHO, 2007**

Therapeutic Category	Number of Rx per Benefit												Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months
	Month Among Users				\$ per Benefit Month Among Users				\$ per Rx								
	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic					
Anti-infective Agents	0.6	0.1	0.0	0.4	\$39	\$27	\$2	\$10	\$66	\$191	\$145	\$22	658	\$43,282	100	63.3	1,119
Biologicals	0.1	0.1	0.0	0.0	3	3	0	0	37	37	0	0	3	111	3	1.9	34
Antineoplastic Agents	0.7	0.3	0.0	0.5	220	156	0	64	296	575	0	135	52	15,383	7	4.4	70
Endocrine/Metabolic Drugs	1.9	0.9	0.1	0.9	111	95	5	12	59	105	85	13	1,911	112,591	90	57.0	1,013
Cardiovascular Agents	2.1	0.3	0.2	1.6	57	27	8	23	28	79	49	14	2,354	65,168	103	65.2	1,138
Respiratory Agents	0.9	0.4	0.1	0.4	56	45	5	6	65	107	87	16	556	35,976	57	36.1	641
Gastrointestinal Agents	1.2	0.4	0.0	0.8	66	52	1	13	55	131	98	16	1,156	63,872	86	54.4	972
Genitourinary Agents	0.9	0.3	0.0	0.6	59	26	5	28	64	84	103	50	510	32,403	47	29.7	553
CNS Drugs	2.5	1.2	0.0	1.3	301	271	4	26	121	232	98	21	3,503	425,093	129	81.6	1,412
Stimulants/Anti-obesity/Anorexia	0.6	0.0	0.0	0.6	5	0	0	5	9	0	0	9	19	168	3	1.9	34
Miscellaneous Psychological/Neurological Agents	1.2	1.2	0.0	0.0	1,107	1,107	0	0	913	913	0	0	160	146,066	11	7.0	132
Analgesics and Anesthetics	1.9	0.1	0.1	1.7	61	14	18	29	32	114	179	17	2,095	66,817	99	62.7	1,097
Neuromuscular Agents	2.0	0.6	0.1	1.3	158	112	15	32	81	176	232	25	2,198	176,969	101	63.9	1,121
Nutritional Products	0.9	0.0	0.0	0.9	17	0	0	17	19	11	0	19	500	9,393	50	31.6	547
Hematological Agents	1.5	0.3	0.0	1.3	110	99	0	11	73	392	0	9	589	42,859	37	23.4	388
Topical Products	0.5	0.1	0.0	0.4	18	11	0	6	35	100	72	16	510	17,830	89	56.3	1,007
Miscellaneous Products	0.9	0.6	0.0	0.3	198	137	0	61	222	225	0	214	50	11,094	5	3.2	56
Unknown Therapeutic Category	0.4	0.0	0.0	0.0	58	0	0	0	132	0	0	0	109	14,437	22	13.9	249
<b>TOTAL NO. OF RX AND RX \$</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>	<b>16,933</b>	<b>1,279,512</b>	<b>n.a.</b>	<b>n.a.</b>	<b>n.a.</b>

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 233 beneficiaries who were in nursing facilities for part of their enrollment and their 2,412 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2007. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

In Idaho, 0.5 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,  
 BY TOP-10 DRUG GROUP<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Top 10 Drug Groups in Nursing Facilities	Users				Among Users			
	Total Medicaid Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month	
ANTIPSYCHOTICS	\$340,128	111	70.3	1,221	1.1	\$255	\$279	
ANTICONVULSANT	158,630	116	73.4	1,284	1.2	104	124	
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	146,066	14	8.9	168	1.0	913	869	
ANTIDIABETIC	81,028	90	57.0	1,024	1.1	71	79	
ANTIDEPRESSANTS	74,643	140	88.6	1,629	1.0	47	46	
ANALGESICS - Narcotic	60,824	119	75.3	1,318	1.3	34	46	
ULCER DRUGS	54,900	73	46.2	838	0.8	80	66	
ANTIHYPERLIPIDEMIC	27,903	43	27.2	499	0.9	65	56	
ANTIASTHMATIC	25,648	50	31.6	548	0.6	83	47	
HEMATOPOIETIC AGENTS	24,826	29	18.4	328	0.7	106	76	
Total	994,596	785	n.a.	8,857	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 233 beneficiaries who were in nursing facilities for part of their enrollment and their 2,412 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state.

For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries



TABLE ND.10A  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST  
 AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Beneficiary Characteristics	All Top 10 Drug Groups			ANTIPSYCHOTICS				ANTICONVULSANT				
	Number of Rx	Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
<b>All</b>	<b>9,181</b>	<b>\$994,596</b>	<b>111</b>	<b>70.3</b>	<b>1,221</b>	<b>1.1</b>	<b>\$279</b>	<b>116</b>	<b>73.4</b>	<b>1,284</b>	<b>1.2</b>	<b>\$124</b>
<b>Female</b>												
All Females	6,108	720,269	69	73.4	817	1.1	296	77	81.9	883	1.1	102
<b>Female, Disabled</b>												
All Ages	5,745	704,799	67	78.8	793	1.1	297	76	89.4	871	1.1	103
64 or younger	5,745	704,799	67	78.8	793	1.1	297	76	89.4	871	1.1	103
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Female, Other Eligibles</b>												
All Ages	363	15,470	2	22.2	24	1.5	276	1	11.1	12	0.5	8
64 or younger	101	3,231	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	180	10,323	2	66.7	24	1.5	276	0	0.0	0	0.0	0
75-84	51	1,444	0	0.0	0	0.0	0	1	50.0	12	0.5	8
85 and older	31	472	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male</b>												
All Males	3,073	274,327	42	65.6	404	1.0	243	39	60.9	401	1.3	171
<b>Male, Disabled</b>												
All Ages	2,783	245,936	37	67.3	362	1.0	234	36	65.5	377	1.3	177
64 or younger	2,783	245,936	37	67.3	362	1.0	234	36	65.5	377	1.3	177
65-74	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male, Other Eligibles</b>												
All Ages	290	28,391	5	55.6	42	1.0	320	3	33.3	24	1.2	69
64 or younger	70	4,324	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	220	24,067	5	83.3	42	1.0	320	3	50.0	24	1.2	69
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Unknown</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 233 beneficiaries who were in nursing facilities for part of their enrollment and their 2,412 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state.

For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Beneficiary Characteristics	MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL						ANTIDIABETIC					ANTIDEPRESSANTS					
	Users as % of All-Year Nursing Facility Residents		Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents		Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents		Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
	Number of Users	Facility Residents					Number of Users	Facility Residents					Number of Users	Facility Residents			
<b>All</b>	<b>14</b>	<b>8.9</b>	<b>168</b>	<b>1.0</b>	<b>\$869</b>	<b>90</b>	<b>57.0</b>	<b>1,024</b>	<b>1.1</b>	<b>\$79</b>	<b>140</b>	<b>88.6</b>	<b>1,629</b>	<b>1.0</b>	<b>\$46</b>		
<b>Female</b>																	
All Females	12	12.8	144	1.0	996	56	59.6	650	1.2	87	93	98.9	1,092	1.0	50		
<b>Female, Disabled</b>																	
All Ages	12	14.1	144	1.0	996	51	60.0	590	1.2	89	88	103.5	1,032	1.0	52		
64 or younger	12	14.1	144	1.0	996	51	60.0	590	1.2	89	88	103.5	1,032	1.0	52		
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
<b>Female, Other Eligibles</b>																	
All Ages	0	0.0	0	0.0	0	5	55.6	60	1.3	64	5	55.6	60	1.1	18		
64 or younger	0	0.0	0	0.0	0	3	300.0	36	1.5	80	2	200.0	24	1.2	8		
65-74	0	0.0	0	0.0	0	2	66.7	24	1.1	38	1	33.3	12	1.1	42		
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	66.7	24	1.0	16		
<b>Male</b>																	
All Males	2	3.1	24	0.8	111	34	53.1	374	1.0	66	47	73.4	537	1.0	38		
<b>Male, Disabled</b>																	
All Ages	2	3.6	24	0.8	111	26	47.3	282	1.0	70	43	78.2	493	1.0	37		
64 or younger	2	3.6	24	0.8	111	26	47.3	282	1.0	70	43	78.2	493	1.0	37		
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
<b>Male, Other Eligibles</b>																	
All Ages	0	0.0	0	0.0	0	8	88.9	92	0.8	53	4	44.4	44	0.8	42		
64 or younger	0	0.0	0	0.0	0	3	300.0	36	1.0	51	1	100.0	12	0.3	8		
65-74	0	0.0	0	0.0	0	5	83.3	56	0.7	55	3	50.0	32	1.0	55		
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0		

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 233 beneficiaries who were in nursing facilities for part of their enrollment and their 2,412 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.10C  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY  
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Beneficiary Characteristics	ANALGESICS - Narcotic					ULCER DRUGS					ANTIHYPERLIPIDEMIC				
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
<b>All</b>	<b>119</b>	<b>75.3</b>	<b>1,318</b>	<b>1.3</b>	<b>\$46</b>	<b>73</b>	<b>46.2</b>	<b>838</b>	<b>0.8</b>	<b>\$66</b>	<b>43</b>	<b>27.2</b>	<b>499</b>	<b>0.9</b>	<b>\$56</b>
<b>Female</b>															
All Females	78	83.0	902	1.3	53	46	48.9	532	0.8	56	29	30.9	348	0.8	56
<b>Female, Disabled</b>															
All Ages	73	85.9	842	1.3	56	43	50.6	496	0.8	59	25	29.4	300	0.8	57
64 or younger	73	85.9	842	1.3	56	43	50.6	496	0.8	59	25	29.4	300	0.8	57
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Female, Other Eligibles</b>															
All Ages	5	55.6	60	1.0	12	3	33.3	36	1.1	8	4	44.4	48	0.8	49
64 or younger	0	0.0	0	0.0	0	1	100.0	12	1.1	7	1	100.0	12	0.6	6
65-74	2	66.7	24	1.9	20	1	33.3	12	1.0	6	2	66.7	24	0.8	52
75-84	1	50.0	12	0.5	10	1	50.0	12	1.1	10	1	50.0	12	1.1	86
85 and older	2	66.7	24	0.3	4	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male</b>															
All Males	41	64.1	416	1.4	31	27	42.2	306	0.9	82	14	21.9	151	1.0	57
<b>Male, Disabled</b>															
All Ages	36	65.5	376	1.5	34	24	43.6	280	0.9	81	11	20.0	115	1.1	65
64 or younger	36	65.5	376	1.5	34	24	43.6	280	0.9	81	11	20.0	115	1.1	65
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Male, Other Eligibles</b>															
All Ages	5	55.6	40	0.5	4	3	33.3	26	1.0	99	3	33.3	36	0.5	29
64 or younger	0	0.0	0	0.0	0	1	100.0	12	1.0	124	1	100.0	12	0.3	22
65-74	5	83.3	40	0.5	4	2	33.3	14	1.0	77	2	33.3	24	0.6	32
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
<b>Unknown</b>	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 233 beneficiaries who were in nursing facilities for part of their enrollment and their 2,412 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state.

For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D  
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS  
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE<sup>a, b, c, d</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

Beneficiary Characteristics	ANTIASTHMATIC					HEMATOPOIETIC AGENTS						
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
<b>All</b>	<b>50</b>	<b>31.6</b>	<b>548</b>	<b>0.6</b>	<b>\$47</b>	<b>29</b>	<b>18.4</b>	<b>328</b>	<b>0.7</b>	<b>\$76</b>	<b>158</b>	<b>1,641</b>
<b>Female</b>												
All Females	24	25.5	288	0.4	44	21	22.3	244	0.7	100	94	1,063
<b>Female, Disabled</b>												
All Ages	23	27.1	276	0.4	44	19	22.4	220	0.7	111	85	955
64 or younger	23	27.1	276	0.4	44	19	22.4	220	0.7	111	85	955
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Female, Other Eligibles</b>												
All Ages	1	11.1	12	0.8	31	2	22.2	24	1.2	7	9	108
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
65-74	1	33.3	12	0.8	31	1	33.3	12	1.3	8	3	36
75-84	0	0.0	0	0.0	0	1	50.0	12	1.1	7	2	24
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	36
<b>Male</b>												
All Males	26	40.6	260	0.7	50	8	12.5	84	0.7	4	64	578
<b>Male, Disabled</b>												
All Ages	21	38.2	206	0.8	51	6	10.9	72	0.6	4	55	499
64 or younger	21	38.2	206	0.8	51	6	10.9	72	0.6	4	55	499
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
<b>Male, Other Eligibles</b>												
All Ages	5	55.6	54	0.6	50	2	22.2	12	1.0	7	9	79
64 or younger	2	200.0	24	0.6	26	0	0.0	0	0.0	0	1	12
65-74	3	50.0	30	0.5	68	2	33.3	12	1.0	7	6	62
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	3
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	2
<b>Unknown</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0.0</b>	<b>0</b>	<b>0</b>	<b>0</b>

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 233 beneficiaries who were in nursing facilities for part of their enrollment and their 2,412 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state. d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11  
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D  
 AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 IDAHO, 2007

Beneficiary Characteristics	Number of Beneficiaries with at Least One Part D Excluded Rx	Percentage of Beneficiaries with at Least One Part D Excluded Rx	Number of Part D Excluded Rx per Beneficiary	Total Number Part D Excluded Rx	Part D Excluded Rx \$ per Beneficiary	Total Part D Excluded Rx \$	\$ per Part D Excluded Rx	Part D Excluded Rx \$ as a Percentage of All Nondual Rx \$	Total Number of Beneficiaries	
<b>All</b>	<b>25,731</b>	<b>13.0</b>	<b>0.4</b>	<b>87,988</b>	<b>\$6</b>	<b>\$1,210,130</b>	<b>\$14</b>	<b>1.2</b>	<b>197,686</b>	
<b>Age</b>										
5 and younger	6,352	9.9	0.2	10,524	3	165,628	16	2.3	64,005	
6-14	6,404	9.8	0.2	12,066	3	184,994	15	1.0	65,642	
15-20	3,509	12.0	0.3	7,597	4	113,089	15	0.9	29,353	
21-44	6,063	19.7	0.9	29,194	12	366,105	13	1.2	30,799	
45-64	3,286	43.7	3.7	27,835	49	371,554	13	1.4	7,527	
65-74	80	33.3	2.4	580	27	6,562	11	1.3	240	
75-84	27	32.9	1.6	128	19	1,524	12	1.7	82	
85 and older	10	26.3	1.7	64	18	674	11	2.8	38	
Unknown	0	0.0	0.0	0	0	0	0	0.0	0	
<b>Basis of Eligibility<sup>c</sup></b>										
Aged	137	35.9	2.7	1,026	32	12,231	12	1.5	382	
Disabled	6,810	32.2	2.3	48,502	31	656,388	14	1.1	21,150	
Adults	4,357	15.0	0.5	14,490	6	175,167	12	1.6	29,018	
Children	14,427	9.8	0.2	23,970	2	366,344	15	1.6	147,136	
Unknown	0	0.0	0.0	0	0	0	0	0.0	0	
<b>Gender</b>										
Female	15,728	14.4	0.6	60,164	7	812,971	14	1.5	109,321	
Male	10,003	11.3	0.3	27,824	4	397,159	14	1.0	88,365	
Unknown	0	0.0	0.0	0	0	0	0	0.0	0	
<b>Race</b>										
White	24,682	13.2	0.5	84,631	6	1,166,879	14	1.3	187,403	
African American	278	10.4	0.3	880	4	11,993	14	1.1	2,672	
Other/unknown	771	10.1	0.3	2,477	4	31,258	13	1.2	7,611	
<b>Use of Nursing Facilities<sup>d</sup></b>										
Entire year	105	66.5	7.6	1,195	105	16,603	14	1.3	158	
Part year	167	71.7	8.3	1,944	104	24,164	12	1.7	233	
None	25,459	12.9	0.4	84,849	6	1,169,363	14	1.2	197,295	
<b>Maintenance Assistance Status</b>										
Cash	9,221	28.2	1.8	57,998	23	762,724	13	1.1	32,641	
Medically needy	0	0.0	0.0	0	0	0	0	0.0	0	
Poverty related	14,669	9.6	0.2	24,153	2	364,649	15	1.6	152,547	
Other/unknown	1,841	14.7	0.5	5,837	7	82,757	14	1.1	12,498	

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007.

b. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12  
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D  
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC<sup>a,b</sup>  
 IDAHO, 2007

Beneficiary Characteristics	Number Rx per Benefit Month	Rx \$ per Benefit Month	\$ per Rx	Barbiturate \$ per Benefit Month	Benzodiazepine \$ per Benefit Month	Number of Benefit Months
<b>All</b>	<b>0.0</b>	<b>\$1</b>	<b>\$14</b>	<b>\$0</b>	<b>\$0</b>	<b>1,822,956</b>
<b>Age</b>						
5 and younger	0.0	0	16	0	0	584,635
6-14	0.0	0	15	0	0	660,421
15-20	0.0	0	15	0	0	270,894
21-44	0.1	2	13	0	1	229,904
45-64	0.4	5	13	0	2	73,677
65-74	0.2	3	11	0	1	2,399
75-84	0.2	2	12	0	0	746
85 and older	0.2	2	11	0	0	280
Unknown	0.0	0	0	0	0	0
<b>Basis of Eligibility<sup>c</sup></b>						
Aged	0.3	3	12	0	1	3,863
Disabled	0.2	3	14	0	1	225,352
Adults	0.1	1	12	0	0	195,249
Children	0.0	0	15	0	0	1,398,492
Unknown	0.0	0	0	0	0	0
<b>Gender</b>						
Female	0.1	1	14	0	0	979,815
Male	0.0	0	14	0	0	843,141
Unknown	0.0	0	0	0	0	0
<b>Race</b>						
White	0.0	1	14	0	0	1,736,738
African American	0.0	0	14	0	0	24,653
Other/unknown	0.0	1	13	0	0	61,565
<b>Use of Nursing Facilities<sup>d</sup></b>						
Entire year	0.7	10	14	0	2	1,641
Part year	0.8	10	12	0	3	2,412
None	0.0	1	14	0	0	1,818,903
<b>Maintenance Assistance Status</b>						
Cash	0.2	3	13	0	1	304,881
Medically needy	0.0	0	0	0	0	0
Poverty related	0.0	0	15	0	0	1,412,651
Other/unknown	0.1	1	14	0	0	105,424

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007.

b. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE ND.13  
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS<sup>a,b,c</sup>  
 IDAHO, 2007

Drug Category	Number of Users	Rx \$ per User	Total Rx \$	Rx \$ as a Percentage of All Part D Excluded Rx \$	Total Number Rx.	\$ per Rx	Number Rx as a Percentage of All Part D Excluded Rx
<b>All</b>	<b>30,270</b>	<b>\$40</b>	<b>\$1,210,130</b>	<b>100.0</b>	<b>87,988</b>	<b>\$14</b>	<b>100.0</b>
Anorexia or weight loss/gain	1	148	148	0.0	4	37	0.0
Fertility drugs	0	0	0	0.0	0	0	0.0
Drugs for cosmetic purposes	143	16	2,351	0.2	218	11	0.2
Cough and cold medications	12,941	31	407,435	33.7	19,823	21	22.5
Vitamins and minerals	3,724	52	193,273	16.0	12,400	16	14.1
Non-prescription drugs	6,581	36	238,885	19.7	16,176	15	18.4
Barbiturates	168	65	10,837	0.9	1,314	8	1.5
Benzodiazepines	6,300	52	329,530	27.2	36,870	9	41.9
Other Part D Excl Rx Drugs	412	67	27,671	2.3	1,183	23	1.3

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2007. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

**APPENDIX TABLE A.1**  
**CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY<sup>a, b</sup>**  
**NONDUAL BENEFICIARIES, IDAHO, 2007**

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown
<b>All</b>	<b>197,686</b>	<b>382</b>	<b>21,150</b>	<b>29,018</b>	<b>147,136</b>	<b>0</b>	<b>1,822,961</b>	<b>3,868</b>	<b>225,352</b>	<b>195,249</b>	<b>1,398,492</b>	<b>0</b>
<b>Age</b>												
5 and younger	64,005	0	1,670	20	62,315	0	584,635	0	17,131	66	567,438	0
6-14	65,642	0	4,549	14	61,079	0	660,421	0	50,784	80	609,557	0
15-20	29,353	0	2,892	2,750	23,711	0	270,894	0	31,411	18,061	221,422	0
21-44	30,799	1	6,029	24,739	30	0	229,904	11	64,339	165,482	72	0
45-64	7,527	53	5,997	1,476	1	0	73,677	580	61,610	11,484	3	0
65-74	240	212	13	15	0	0	2,399	2,250	77	72	0	0
75-84	82	80	0	2	0	0	751	749	0	2	0	0
85 and older	38	36	0	2	0	0	280	278	0	2	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Gender</b>												
Female	109,321	245	10,674	25,709	72,693	0	979,820	2,523	113,947	172,545	690,805	0
Male	88,365	137	10,476	3,309	74,443	0	843,141	1,345	111,405	22,704	707,687	0
Unknown	0	0	0	0	0	0	0	0	0	0	0	0
<b>Race</b>												
White	187,403	317	20,140	26,525	140,421	0	1,736,743	3,212	214,452	183,921	1,335,158	0
African American	2,672	6	234	405	2,027	0	24,653	57	2,473	2,732	19,391	0
Other/unknown	7,611	59	776	2,088	4,688	0	61,565	599	8,427	8,596	43,943	0
<b>Use of Nursing Facilities<sup>c</sup></b>												
Entire year	158	18	140	0	0	0	1,641	187	1,454	0	0	0
Part year	233	12	215	4	2	0	2,412	88	2,259	41	24	0
None	197,295	352	20,795	29,014	147,134	0	1,818,908	3,593	221,639	195,208	1,398,468	0
<b>Maintenance Assistance Status</b>												
Cash	32,641	158	18,996	11,348	2,139	0	304,881	1,803	202,392	89,295	11,391	0
Medically needy	0	0	0	0	0	0	0	0	0	0	0	0
Poverty related	152,547	0	5	12,153	140,389	0	1,412,651	0	35	64,081	1,348,535	0
Other/unknown	12,498	224	2,149	5,517	4,608	0	105,429	2,065	22,925	41,873	38,566	0
<b>Managed Care (MC) Status</b>												
Fee-for-service (FFS) all year	197,685	381	21,150	29,018	147,136	0	1,822,949	3,856	225,352	195,249	1,398,492	0
FFS part year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
FFS part year, no Rx claims	1	1	0	0	0	0	12	12	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.

- a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
  - b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
  - c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.



APPENDIX TABLE A.2  
 MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS<sup>a</sup>  
 NONDUAL BENEFICIARIES, IDAHO, 2007

	Beneficiaries and					
	Benefit Months in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months
<b>All</b>	<b>197,686</b>	<b>1,822,961</b>	<b>197,686</b>	<b>1,822,956</b>	<b>0</b>	<b>5</b>
Fee-for-service (FFS) all year	197,685	1,822,949	197,685	1,822,949	0	0
FFS part year, with Rx claims	0	0	0	0	0	0
FFS part year, with no Rx claims	1	12	1	7	0	5
Managed care (MC) all year, with Rx claims	0	0	0	0	0	0
MC all year, with no Rx claims	0	0	0	0	0	0

Source: Data for this table are from the MAX 2007 file for Idaho, released by CMS in 4/2010. This table was produced on 10/06/2010.  
 a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.  
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

Nondual Medicaid Beneficiaries