

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through e-mail at ORDI_508_Compliance@cms.hhs.gov.

STATISTICAL COMPENDIUM:
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT IN 2007
LOUISIANA

LIST OF TABLES

OVERVIEW OF STUDY POPULATION

TABLE 1. OVERVIEW OF BENEFICIARY SELECTION CRITERIA FOR STUDY POPULATION

FOR ALL MEDICAID BENEFICIARIES

TABLE 2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE 3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE 4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE 5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE 6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE 7. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

FOR ALL NONDUAL BENEFICIARIES

TABLE ND.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE ND.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE ND.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE ND.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE ND.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE ND.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE ND.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC

TABLE ND.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE ND.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS

FOR DUAL ELIGIBLE BENEFICIARIES

TABLE D.2. CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY

TABLE D.3. ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC

TABLE D.4. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC

TABLE D.5. AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC

TABLE D.6. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.7-7D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP

TABLE D.8. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BENEFICIARY CHARACTERISTIC

TABLE D.9. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS, BY BRAND STATUS AND THERAPEUTIC CATEGORY

TABLE D.10-10D. MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY TOP 10 DRUG GROUP

TABLE D.11. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D

AMONG DUALS, BY BENEFICIARY CHARACTERISTIC
TABLE D.12. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
AMONG DUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC
TABLE D.13. USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
FOR SELECTED DRUG CATEGORIES AMONG DUALS

SUPPLEMENTAL TABLES

SUPPLEMENTAL TABLE 1. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES
SUPPLEMENTAL TABLE 1A. MEDICAID PHARMACY REIMBURSEMENT FOR DISABLED DUAL
ELIGIBLE BENEFICIARIES UNDER AGE 65
SUPPLEMENTAL TABLE 1B. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE
65 AND OLDER
SUPPLEMENTAL TABLE 1C. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE
65 TO 74
SUPPLEMENTAL TABLE 1D. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE
75 TO 84
SUPPLEMENTAL TABLE 1E. MEDICAID PHARMACY REIMBURSEMENT FOR DUAL ELIGIBLE BENEFICIARIES AGE
85 AND OLDER

APPENDIX TABLES

APPENDIX TABLE A.1. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH
OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, NONDUAL BENEFICIARIES
APPENDIX TABLE A.2. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-
FOR-SERVICE PHARMACY BENEFITS, NONDUAL BENEFICIARIES
APPENDIX TABLE A.3. CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH
OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY, DUAL ELIGIBLE BENEFICIARIES
APPENDIX TABLE A.4. MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-
FOR-SERVICE PHARMACY BENEFITS, DUAL ELIGIBLE BENEFICIARIES

TABLE ND.2
CHARACTERISTICS OF MEDICAID STUDY POPULATION BENEFICIARIES, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Disabled	Adults	Children	Other/ Unknown	All	Aged	Disabled	Adults	Children	Other/ Unknown
All	970,154	2,358	125,885	157,391	683,401	1,119	9,916,228	24,961	1,371,414	1,347,752	7,162,611	9,490
Age												
5 and younger	262,364	0	7,893	0	254,471	0	2,628,426	0	86,968	0	2,541,458	0
6-14	311,418	0	19,925	16	291,477	0	3,434,084	0	230,268	117	3,203,699	0
15-20	170,143	0	15,214	17,679	137,245	5	1,736,316	0	171,043	148,524	1,416,719	30
21-44	169,090	0	35,218	133,326	207	339	1,529,156	0	382,157	1,143,613	733	2,653
45-64	54,749	124	47,491	6,366	0	768	563,526	1,426	499,863	55,462	0	6,775
65-74	1,296	1,153	133	3	0	7	13,566	12,522	988	24	0	32
75-84	642	636	6	0	0	0	6,644	6,572	72	0	0	0
85 and older	451	445	5	1	0	0	4,508	4,441	55	12	0	0
Unknown	1	0	0	0	1	0	2	0	0	0	2	0
Gender												
Female	556,078	1,440	61,920	150,807	340,792	1,119	5,590,898	15,461	682,436	1,296,748	3,586,763	9,490
Male	413,969	907	63,959	6,580	342,523	0	4,324,315	9,413	688,927	50,968	3,575,007	0
Unknown	107	11	6	4	86	0	1,015	87	51	36	841	0
Race												
White	359,830	699	39,175	61,500	257,920	536	3,597,579	7,219	418,473	505,520	2,661,765	4,602
African American	533,775	1,185	72,856	85,979	373,251	504	5,565,099	12,957	801,686	762,452	3,983,803	4,201
Other/unknown	76,549	474	13,854	9,912	52,230	79	753,550	4,785	151,255	79,780	517,043	687
Use of Nursing Facilities^c												
Entire year	2,334	509	1,823	1	1	0	24,494	5,175	19,306	1	12	0
Part year	1,493	221	1,263	6	3	0	14,172	2,144	11,947	48	33	0
None	966,327	1,628	122,799	157,384	683,397	1,119	9,877,562	17,642	1,340,161	1,347,703	7,162,566	9,490
Maintenance Assistance Status												
Cash	273,390	1,564	117,644	63,588	90,594	0	2,885,717	17,590	1,303,680	598,640	965,807	0
Medically needy	1,395	3	259	878	255	0	13,494	31	1,958	8,668	2,837	0
Poverty-related	569,283	10	13	42,011	526,130	1,119	5,969,007	112	95	268,939	5,690,371	9,490
Other/unknown	126,086	781	7,969	50,914	66,422	0	1,048,010	7,228	65,681	471,505	503,596	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	970,152	2,358	125,883	157,391	683,401	1,119	9,916,208	24,961	1,371,394	1,347,752	7,162,611	9,490
FFS part year, with Rx claims	2	0	2	0	0	0	20	0	20	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.
a. Table ND.2 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.

c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; Rx = pharmacy benefit.

TABLE ND.3
ANNUAL MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFICIARY, BY BENEFICIARY CHARACTERISTIC^{a, b}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	Percentage with at Least One Rx	Mean Number of Rx	Mean Rx \$	\$ per Rx	Mean \$, All Medicaid FFS \$ ^c	Rx \$ as a Percentage of All Medicaid FFS \$ ^d	Number of Beneficiaries
All	71.1	9.1	\$696	\$76	\$3,166	22.0	970,154
Age							
5 and younger	77.9	7.0	511	73	2,491	20.5	262,364
6-14	67.1	5.8	445	77	1,341	33.2	311,418
15-20	65.3	5.9	427	72	2,152	19.8	170,143
21-44	70.2	11.2	840	75	5,100	16.5	169,090
45-64	82.9	41.4	3,346	81	13,337	25.1	54,749
65-74	72.5	38.9	2,891	74	16,918	17.1	1,296
75-84	51.2	19.9	1,116	56	16,710	6.7	642
85 and older	50.1	13.0	628	48	19,954	3.1	451
Unknown	0.0	0.0	0	0	0	0.0	1
Basis of Eligibility^e							
Aged	63.1	29.7	1,994	67	17,240	11.6	2,358
Disabled	78.7	27.6	2,647	96	12,529	21.1	125,885
Adults	69.7	8.2	430	52	2,751	15.6	157,391
Children	70.1	5.8	389	67	1,465	26.5	683,401
Unknown	85.7	25.0	3,480	139	17,173	20.3	1,119
Gender							
Female	72.4	9.8	675	69	3,137	21.5	556,078
Male	69.4	8.2	724	88	3,205	22.6	413,969
Unknown	57.9	5.0	276	55	4,568	6.0	107
Race							
White	78.0	11.7	894	77	3,523	25.4	359,830
African American	66.6	7.3	546	74	2,853	19.2	533,775
Other/unknown	70.0	9.6	806	84	3,668	22.0	76,549
Use of Nursing Facilities^f							
Entire year	93.3	85.5	7,351	86	53,438	13.8	2,334
Part year	94.0	59.0	5,159	87	61,453	8.4	1,493
None	71.0	8.9	673	76	2,954	22.8	966,327
Maintenance Assistance Status							
Cash	75.0	16.8	1,440	86	6,364	22.6	273,390
Medically needy	82.9	14.4	1,088	76	9,058	12.0	1,395
Poverty related	71.1	5.9	379	64	1,403	27.0	569,283
Other/unknown	62.7	6.9	508	73	4,129	12.3	126,086

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.3 includes beneficiaries represented by Cell K of Table 1.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.

d. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.

e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.4
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a, b}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	Number of Rx, Percentage with:										Number	
	Mean Number of Rx	Mean Rx \$	Rx \$ as a Percentage of All Medicaid FFS \$ ^c	None	More than 0, but 1 or Less	More than 1, but 2 or Less	More than 2, but 5 or Less	More than 5, but 10 or Less	More than 10	Mean \$, All Medicaid FFS \$ ^d	Beneficiaries	Benefit Months
All	0.9	\$68	22.0	28.9	55.4	7.6	5.7	1.9	0.5	\$310	970,154	9,916,228
Age												
5 and younger	0.7	51	20.5	22.1	65.5	8.7	3.5	0.2	0.0	249	262,364	2,628,426
6-14	0.5	40	33.2	32.9	58.0	5.5	3.2	0.4	0.0	122	311,418	3,434,084
15-20	0.6	42	19.8	34.7	55.2	6.2	3.4	0.5	0.0	211	170,143	1,736,316
21-44	1.2	93	16.5	29.8	47.3	10.0	9.5	3.0	0.4	564	169,090	1,529,156
45-64	4.0	325	25.1	17.1	19.0	11.1	26.3	20.2	6.3	1,296	54,749	563,526
65-74	3.7	276	17.1	27.5	14.7	8.1	21.5	20.3	7.8	1,616	1,296	13,566
75-84	1.9	108	6.7	48.8	20.2	5.6	11.1	11.2	3.1	1,615	642	6,644
85 and older	1.3	63	3.1	49.9	28.4	4.0	9.1	6.9	1.8	1,996	451	4,508
Unknown	0.0	0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	0	1	2
Basis of Eligibility^e												
Aged	2.8	188	11.6	36.9	19.2	6.7	17.1	15.1	4.9	1,629	2,358	24,961
Disabled	2.5	243	21.1	21.3	33.5	11.2	19.1	11.6	3.3	1,150	125,885	1,371,414
Adults	1.0	50	15.6	30.3	51.4	9.5	7.1	1.5	0.1	321	157,391	1,347,752
Children	0.6	37	26.5	29.9	60.5	6.5	2.9	0.2	0.0	140	683,401	7,162,611
Unknown	2.9	410	20.3	14.3	27.0	17.2	28.8	11.9	0.8	2,025	1,119	9,490
Gender												
Female	1.0	67	21.5	27.6	55.7	7.8	6.0	2.3	0.6	312	556,078	5,590,898
Male	0.8	69	22.6	30.6	55.0	7.4	5.3	1.5	0.3	307	413,969	4,324,315
Unknown	0.5	29	6.0	42.1	47.7	5.6	4.7	0.0	0.0	482	107	1,015
Race												
White	1.2	90	25.4	22.0	56.6	10.2	8.0	2.6	0.7	352	359,830	3,597,579
African American	0.7	52	19.2	33.4	54.8	5.9	4.2	1.4	0.3	274	533,775	5,565,099
Other/unknown	1.0	82	22.0	30.0	54.1	7.2	5.8	2.3	0.7	373	76,549	753,550
Use of Nursing Facilities^f												
Entire year	8.1	700	13.8	6.7	5.7	2.5	17.7	39.2	28.2	5,092	2,334	24,494
Part year	6.2	544	8.4	6.0	9.8	7.6	28.2	31.7	16.7	6,474	1,493	14,172
None	0.9	66	22.8	29.0	55.6	7.6	5.7	1.8	0.4	289	966,327	9,877,562
Maintenance Assistance Status												
Cash	1.6	136	22.6	25.0	46.3	9.5	11.9	5.8	1.5	603	273,390	2,885,717
Medically needy	1.5	112	12.0	17.1	49.8	13.5	14.5	4.4	0.7	937	1,395	13,494
Poverty related	0.6	36	27.0	28.9	61.1	6.7	3.0	0.2	0.0	134	569,283	5,969,007
Other/unknown	0.8	61	12.3	37.3	49.2	7.1	4.8	1.3	0.4	497	126,086	1,048,010

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

- a. Table ND.4 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the expenditures in this column include only Rx drug expenditures for those enrolled in capitated managed care plans, and not expenditures for other services covered by the plans or long-term-care services not covered by the plans. As a result, the amounts shown in this column for all Medicaid fee-for-service expenditures are lower than they would otherwise be.
 - d. In eight states (DE, IA, IL, NE, NY, TN, TX, and WV) the Rx share of expenditures for all Medicaid services shown in this column is higher than it would be if all expenditures for these other services, including services provided in capitated managed care plans and long-term-care services, were included.
 - e. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
 - f. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.5
AVERAGE MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH, BY BRAND STATUS AND BENEFICIARY CHARACTERISTIC^{a, b, c}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	All Rx			Patented Brand-Name Drugs			Off-Patent Brand-Name Drugs			Generic Drugs		
	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx	Number of Rx	Rx \$	\$ per Rx
All	0.9	\$68	\$76	0.3	\$49	\$151	0.0	\$4	\$80	0.5	\$16	\$30
Age												
5 and younger	0.7	51	73	0.2	38	157	0.0	2	43	0.4	11	27
6-14	0.5	40	77	0.2	30	125	0.0	2	67	0.3	8	32
15-20	0.6	42	72	0.2	30	141	0.0	3	80	0.3	10	29
21-44	1.2	93	75	0.4	63	167	0.1	6	109	0.8	24	30
45-64	4.0	325	81	1.3	222	169	0.2	23	106	2.5	79	32
65-74	3.7	276	74	1.2	188	151	0.2	17	82	2.3	71	31
75-84	1.9	108	56	0.6	67	105	0.1	7	70	1.2	34	28
85 and older	1.3	63	48	0.4	37	95	0.1	3	53	0.9	23	27
Unknown	0.0	0	0	0.0	0	0	0.0	0	0	0.0	0	0
Basis of Eligibility^d												
Aged	2.8	188	67	0.9	125	134	0.1	12	78	1.7	51	30
Disabled	2.5	243	96	0.9	178	201	0.1	15	109	1.5	49	33
Adults	1.0	50	52	0.3	29	106	0.0	3	95	0.6	18	27
Children	0.6	37	67	0.2	27	122	0.0	2	54	0.3	9	28
Unknown	2.9	410	139	0.9	329	353	0.1	17	134	1.9	64	34
Gender												
Female	1.0	67	69	0.3	46	139	0.1	4	79	0.6	17	29
Male	0.8	69	88	0.3	52	169	0.0	4	81	0.4	14	31
Unknown	0.5	29	55	0.2	20	104	0.0	2	57	0.3	7	24
Race												
White	1.2	90	77	0.4	63	146	0.1	6	84	0.7	21	31
African American	0.7	52	74	0.2	38	154	0.0	3	74	0.4	12	29
Other/unknown	1.0	82	84	0.4	60	165	0.1	5	84	0.6	17	31
Use of Nursing Facilities^e												
Entire year	8.1	700	86	2.6	477	184	0.4	40	106	5.2	183	35
Part year	6.2	544	87	1.9	363	191	0.3	38	119	4.0	142	36
None	0.9	66	76	0.3	47	150	0.0	4	79	0.5	15	30
Maintenance Assistance Status												
Cash	1.6	136	86	0.5	98	182	0.1	8	101	1.0	30	31
Medically needy	1.5	112	76	0.4	67	171	0.1	7	104	1.0	38	37
Poverty related	0.6	36	64	0.2	25	115	0.0	2	55	0.3	9	29
Other/unknown	0.8	61	73	0.3	44	151	0.0	3	73	0.5	14	28

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.5 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. The Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Louisiana, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

d. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

e. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.

CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.6
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx				Users ^e				
	Total	Patented	Off-Patent	Generic	Total	Patented	Off-Patent	Generic	Total	Patented	Off-Patent	Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All Beneficiaries	Number of Benefit Months
		Brand-Name	Brand-Name			Brand-Name	Brand-Name			Brand-Name	Brand-Name						
Anti-infective Agents	0.3	0.0	0.0	0.2	\$14	\$6	\$1	\$7	\$54	\$217	\$102	\$33	1,378,446	\$74,818,209	491,093	50.6	5,469,311
Biologicals	0.5	0.5	0.0	0.0	850	850	0	0	1596	1,596	0	0	32,381	51,670,623	6,155	0.6	60,756
Antineoplastic Agents	0.5	0.2	0.0	0.3	177	151	1	25	372	878	180	83	17,686	6,580,984	3,477	0.4	37,206
Endocrine/Metabolic Drugs	0.3	0.1	0.0	0.2	20	14	1	6	61	113	45	29	688,821	42,255,822	188,514	19.4	2,088,873
Cardiovascular Agents	1.0	0.3	0.1	0.7	50	24	6	20	49	93	71	29	863,590	42,061,807	76,936	7.9	844,182
Respiratory Agents	0.4	0.2	0.0	0.1	24	19	2	2	64	86	43	24	1,638,780	104,746,225	395,442	40.8	4,436,272
Gastrointestinal Agents	0.3	0.2	0.0	0.1	36	26	2	7	109	156	134	51	399,658	43,665,863	112,241	11.6	1,221,277
Genitourinary Agents	0.2	0.1	0.0	0.1	12	6	0	5	56	82	84	41	103,337	5,822,393	46,120	4.8	488,729
CNS Drugs	0.6	0.3	0.0	0.4	70	56	3	11	108	216	115	29	861,727	93,049,229	120,254	12.4	1,332,551
Stimulants/Anti-obesity/Anorexia	0.6	0.5	0.0	0.1	67	63	1	2	121	130	88	45	338,684	40,815,332	53,530	5.5	613,642
Miscellaneous Psychological/Neurological Agents	0.3	0.2	0.0	0.0	55	53	0	1	212	220	151	90	21,177	4,488,907	7,428	0.8	81,970
Analgesics and Anesthetics	0.3	0.0	0.0	0.3	11	3	2	6	36	230	284	21	930,162	33,070,086	276,654	28.5	3,065,556
Neuromuscular Agents	0.6	0.2	0.0	0.4	57	37	6	14	95	175	156	41	468,960	44,739,499	70,132	7.2	778,934
Nutritional Products	0.2	0.1	0.0	0.2	6	3	0	3	26	42	24	18	213,954	5,538,618	86,623	8.9	915,559
Hematological Agents	0.4	0.2	0.0	0.2	98	94	1	4	259	474	28	23	126,490	32,808,354	31,723	3.3	333,320
Topical Products	0.2	0.1	0.0	0.1	12	7	1	4	55	100	62	30	732,352	40,204,212	306,566	31.6	3,434,453
Miscellaneous Products	0.1	0.1	0.0	0.0	36	32	1	3	253	267	258	169	31,279	7,925,105	19,232	2.0	219,544
Unknown Therapeutic Category	0.2	0.0	0.0	0.0	9	0	0	0	58	0	0	0	15,218	879,569	8,832	0.9	100,800
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	8,862,702	675,140,837	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

- a. Table ND.6 includes the beneficiaries represented by Cell K of Table 1. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - c. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 - d. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. In Louisiana, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.
 - For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 - e. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2007.
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT, BY TOP 10 DRUG GROUP^{a, b, c}
 NONDUAL BENEFICIARIES, LOUISIANA, 2007

Top 10 Drug Groups	Total Medicaid Rx \$	Users		Among Users			
		Number of Users	As a Percentage of All Beneficiaries	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month
ANTIASTHMATIC	\$63,630,335	265,033	27.3	3,003,428	0.2	\$97	\$21
ANTIPSYCHOTICS	60,327,157	38,610	4.0	440,560	0.5	266	137
PASSIVE IMMUNIZING AGENTS	50,141,129	6,074	0.6	59,934	0.5	1,554	837
STIMULANTS/ANTI-OBESITY/ANOREXIANTS	40,815,332	66,443	6.8	765,615	0.4	121	53
ANTICONVULSANT	38,492,010	45,629	4.7	512,424	0.6	132	75
ULCER DRUGS	32,372,584	91,216	9.4	989,646	0.3	116	33
DERMATOLOGICAL	27,985,546	312,100	32.2	3,531,634	0.1	60	8
ANTIDEPRESSANTS	22,555,196	77,956	8.0	860,294	0.4	68	26
MISC. HEMATOLOGICAL	22,103,661	6,225	0.6	68,863	0.6	574	321
ANTIVIRAL	21,807,315	25,804	2.7	288,406	0.2	372	76
Total	380,230,265	935,090	n.a.	10,520,804	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.
 a. Table ND.7 includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.7A
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS COMBINED
 AND FIRST AND SECOND GROUPS SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	All Top 10 Drug Groups				ANTIASTHMATIC				ANTIPSYCHOTICS			
	Number of Rx	Rx \$	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	2,726,990	\$380,230,265	265,033	27.3	3,003,428	0.2	\$21	38,610	4.0	440,560	0.5	\$137
Female												
All Females	1,466,489	185,961,135	132,678	23.9	1,501,089	0.2	21	19,919	3.6	225,983	0.5	126
Female, Disabled												
All Ages	657,859	94,236,600	27,340	44.2	315,571	0.3	31	13,052	21.1	150,460	0.6	153
5 and younger	18,012	7,444,627	2,228	68.1	25,615	0.2	26	41	1.3	476	0.5	95
6-14	37,846	5,047,282	2,533	39.4	30,050	0.3	28	654	10.2	7,741	0.5	116
15-20	30,493	4,942,178	1,320	23.7	15,539	0.3	26	848	15.2	9,913	0.5	108
21-44	168,078	25,518,536	5,550	30.6	64,366	0.3	25	4,525	24.9	52,122	0.5	156
45-64	402,654	51,172,233	15,662	55.2	179,655	0.4	34	6,972	24.6	80,097	0.6	161
65-74	753	109,643	47	62.7	346	0.5	44	12	16.0	111	0.6	258
75-84	23	2,101	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles												
All Ages	808,630	91,724,535	105,338	21.3	1,185,518	0.2	18	6,867	1.4	75,523	0.3	71
5 and younger	226,335	33,220,200	44,702	35.8	500,638	0.2	18	145	0.1	1,696	0.2	37
6-14	255,024	24,846,663	34,796	23.8	404,069	0.2	20	1,633	1.1	19,140	0.4	83
15-20	116,328	11,210,081	12,520	14.4	141,334	0.2	16	1,541	1.8	17,288	0.3	72
21-44	173,097	18,232,647	11,618	9.0	121,618	0.2	14	3,021	2.3	31,986	0.3	60
45-64	26,759	3,027,344	1,323	22.6	13,695	0.3	26	320	5.5	3,139	0.3	67
65-74	8,052	934,761	294	40.3	3,261	0.4	38	141	19.3	1,572	0.8	187
75-84	1,831	165,700	50	13.7	539	0.4	40	36	9.9	406	0.8	119
85 and older	1,204	87,139	35	12.8	364	0.3	21	30	10.9	296	0.7	67
Male												
All Males	1,260,353	194,252,779	132,330	32.0	1,502,078	0.2	22	18,689	4.5	214,557	0.5	149
Male, Disabled												
All Ages	483,823	97,427,711	19,553	30.6	223,992	0.3	31	12,574	19.7	144,359	0.6	176
5 and younger	25,520	10,026,710	3,679	79.6	42,541	0.2	28	136	2.9	1,584	0.4	75
6-14	97,824	17,353,546	5,590	41.4	66,012	0.3	29	2,308	17.1	27,091	0.5	118
15-20	53,257	11,127,887	2,130	22.1	24,993	0.3	30	1,740	18.1	20,235	0.5	147
21-44	128,792	28,308,603	2,376	13.9	26,756	0.3	24	4,675	27.4	53,375	0.6	207
45-64	177,854	30,531,694	5,744	30.1	63,388	0.4	37	3,707	19.4	41,980	0.7	192
65-74	576	79,271	34	58.6	302	0.5	36	8	13.8	94	1.1	356
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles												
All Ages	776,530	96,825,068	112,777	32.2	1,278,086	0.2	20	6,115	1.7	70,198	0.4	92
5 and younger	263,513	39,899,386	57,374	44.3	640,121	0.2	19	310	0.2	3,598	0.3	59
6-14	392,459	43,011,007	44,257	30.4	512,903	0.2	21	3,763	2.6	43,912	0.4	93
15-20	100,650	11,596,639	10,182	15.0	115,495	0.2	19	1,723	2.5	19,592	0.4	95
21-44	10,158	1,231,888	494	9.4	4,811	0.2	17	157	3.0	1,460	0.4	85
45-64	4,902	566,478	295	21.0	2,878	0.3	27	50	3.6	486	0.3	67
65-74	3,741	420,784	122	28.2	1,358	0.5	38	74	17.1	816	0.9	179
75-84	908	82,858	48	18.1	480	0.3	24	26	9.8	220	0.5	90
85 and older	199	16,028	5	3.0	40	0.4	34	12	7.1	114	0.2	24
Unknown	148	16,351	25	23.1	261	0.2	25	2	1.9	20	0.3	23

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.7A includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare &

Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7B
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY,
BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	PASSIVE IMMUNIZING AGENTS					STIMULANTS/ANTI-OBESITY/ANOREXIANTS					ANTICONVULSANT				
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	6,074	0.6	59,934	0.5	\$837	66,443	6.8	765,615	0.4	\$53	45,629	4.7	512,424	0.6	\$75
Female															
All Females	3,120	0.6	30,680	0.5	781	20,967	3.8	240,567	0.4	51	27,741	5.0	310,344	0.5	68
Female, Disabled															
All Ages	676	1.1	7,222	0.6	919	3,615	5.8	42,384	0.4	55	16,848	27.2	193,233	0.6	83
5 and younger	648	19.8	6,912	0.6	860	122	3.7	1,339	0.3	61	232	7.1	2,694	0.7	123
6-14	7	0.1	74	0.7	1,143	1,646	25.6	19,401	0.4	51	907	14.1	10,664	0.7	132
15-20	12	0.2	144	1.0	2,511	606	10.9	7,127	0.4	56	992	17.8	11,514	0.7	117
21-44	8	0.0	89	0.7	2,686	515	2.8	6,011	0.3	48	5,506	30.3	63,299	0.7	90
45-64	1	0.0	3	1.0	2,643	725	2.6	8,494	0.3	67	9,187	32.4	104,867	0.6	69
65-74	0	0.0	0	0.0	0	1	1.3	12	0.1	2	23	30.7	183	0.7	137
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	50.0	12	0.8	118
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	2,444	0.5	23,458	0.5	739	17,352	3.5	198,183	0.4	50	10,893	2.2	117,111	0.4	44
5 and younger	2,111	1.7	20,237	0.6	845	769	0.6	8,530	0.3	42	285	0.2	3,280	0.4	64
6-14	9	0.0	106	0.7	1,070	12,178	8.3	140,722	0.5	52	1,479	1.0	17,243	0.5	68
15-20	94	0.1	933	0.1	76	3,098	3.6	35,075	0.4	48	1,844	2.1	20,498	0.4	53
21-44	230	0.2	2,182	0.1	21	1,220	0.9	12,935	0.2	41	6,223	4.8	65,042	0.3	33
45-64	0	0.0	0	0.0	0	77	1.3	801	0.3	61	850	14.5	8,738	0.4	41
65-74	0	0.0	0	0.0	0	9	1.2	108	0.5	84	147	20.1	1,622	0.7	67
75-84	0	0.0	0	0.0	0	1	0.3	12	0.2	60	41	11.3	442	0.6	39
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	24	8.8	246	0.7	25
Male															
All Males	2,954	0.7	29,254	0.6	895	45,473	11.0	525,020	0.5	54	17,885	4.3	202,058	0.6	86
Male, Disabled															
All Ages	693	1.1	7,365	0.5	876	8,710	13.6	102,204	0.5	58	12,548	19.6	142,276	0.7	96
5 and younger	668	14.5	7,075	0.5	847	356	7.7	4,013	0.3	49	286	6.2	3,278	0.6	83
6-14	15	0.1	170	0.7	1,706	6,145	45.5	72,452	0.5	57	1,893	14.0	22,228	0.6	102
15-20	7	0.1	84	0.5	974	1,783	18.5	20,909	0.4	59	1,606	16.7	18,700	0.7	107
21-44	3	0.0	36	0.8	2,428	289	1.7	3,308	0.5	70	4,295	25.2	48,542	0.8	115
45-64	0	0.0	0	0.0	0	137	0.7	1,522	0.3	70	4,459	23.4	49,465	0.6	72
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	9	15.5	63	0.8	117
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	2,261	0.6	21,889	0.6	901	36,763	10.5	422,816	0.5	54	5,337	1.5	59,782	0.5	61
5 and younger	2,244	1.7	21,685	0.6	897	1,970	1.5	22,377	0.3	36	405	0.3	4,652	0.4	65
6-14	14	0.0	168	0.8	1,336	29,351	20.2	338,925	0.5	55	2,577	1.8	29,965	0.5	62
15-20	3	0.0	36	0.6	1,282	5,388	8.0	60,972	0.4	55	1,535	2.3	17,126	0.5	67
21-44	0	0.0	0	0.0	0	47	0.9	461	0.3	46	569	10.9	5,450	0.4	44
45-64	0	0.0	0	0.0	0	7	0.5	81	0.2	45	156	11.1	1,537	0.4	41
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	74	17.1	842	0.8	74
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	17	6.4	168	0.8	45
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	4	2.4	42	0.7	10
Unknown	0	0.0	0	0.0	0	3	2.8	28	0.2	26	3	2.8	22	0.3	46

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.
a. Table ND.7B includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.7C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY,
 BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	ULCER DRUGS					DERMATOLOGICAL					ANTIDEPRESSANTS				
	Number of Users	Users as % of All Benes	Number of Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month
All	91,216	9.4	989,646	0.3	\$33	312,100	32.2	3,531,634	0.1	\$8	77,956	8.0	860,294	0.4	\$26
Female															
All Females	59,019	10.6	644,448	0.3	34	173,653	31.2	1,964,996	0.1	8	57,762	10.4	633,894	0.4	26
Female, Disabled															
All Ages	20,679	33.4	238,064	0.4	59	22,090	35.7	258,105	0.2	12	25,838	41.7	296,068	0.5	33
5 and younger	577	17.6	6,320	0.3	23	2,067	63.2	24,048	0.1	7	21	0.6	242	0.4	19
6-14	577	9.0	6,776	0.3	42	2,573	40.0	30,598	0.1	9	539	8.4	6,254	0.4	22
15-20	709	12.7	8,359	0.3	32	1,741	31.2	20,621	0.1	9	1,150	20.6	13,392	0.4	23
21-44	5,080	28.0	58,969	0.4	47	5,435	29.9	63,820	0.2	10	7,966	43.9	91,268	0.4	30
45-64	13,699	48.2	157,348	0.5	67	10,253	36.1	118,846	0.2	14	16,132	56.8	184,673	0.5	36
65-74	37	49.3	292	0.6	82	21	28.0	172	0.3	22	29	38.7	227	0.5	41
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	50.0	12	0.9	51
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	38,340	7.8	406,384	0.2	20	151,563	30.7	1,706,891	0.1	8	31,924	6.5	337,826	0.3	20
5 and younger	9,577	7.7	92,778	0.2	11	71,108	56.9	789,781	0.1	7	117	0.1	1,357	0.2	8
6-14	7,423	5.1	86,758	0.1	15	45,255	31.0	529,249	0.1	8	3,178	2.2	36,898	0.3	17
15-20	7,016	8.0	78,719	0.2	17	18,285	21.0	208,512	0.1	8	6,802	7.8	75,205	0.3	18
21-44	12,328	9.6	127,439	0.2	26	15,335	11.9	162,476	0.1	8	19,509	15.2	200,586	0.3	20
45-64	1,611	27.5	16,389	0.4	52	1,281	21.9	13,492	0.2	11	2,002	34.2	20,327	0.4	28
65-74	274	37.5	3,119	0.5	70	201	27.5	2,256	0.2	12	230	31.5	2,529	0.6	35
75-84	74	20.3	797	0.5	48	55	15.1	639	0.1	6	49	13.5	542	0.7	38
85 and older	37	13.5	385	0.7	66	43	15.7	486	0.2	9	37	13.5	382	0.7	41
Male															
All Males	32,196	7.8	345,190	0.3	30	138,419	33.4	1,566,318	0.1	8	20,187	4.9	226,320	0.4	27
Male, Disabled															
All Ages	10,448	16.3	116,582	0.4	57	17,692	27.7	205,109	0.2	10	11,713	18.3	131,582	0.5	31
5 and younger	743	16.1	8,102	0.3	25	2,801	60.6	32,637	0.1	7	47	1.0	556	0.3	11
6-14	863	6.4	10,151	0.3	37	4,722	35.0	56,085	0.1	8	1,348	10.0	15,815	0.4	23
15-20	684	7.1	8,034	0.3	40	2,102	21.8	24,791	0.1	9	1,400	14.5	16,163	0.4	27
21-44	2,607	15.3	29,214	0.4	55	3,489	20.5	40,115	0.2	12	3,750	22.0	41,970	0.5	34
45-64	5,531	29.0	60,932	0.5	67	4,556	23.9	51,297	0.2	14	5,160	27.0	57,018	0.5	33
65-74	20	34.5	149	0.7	86	22	37.9	184	0.2	16	8	13.8	60	0.9	44
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	21,748	6.2	228,608	0.2	17	120,727	34.5	1,361,209	0.1	7	8,474	2.4	94,738	0.3	21
5 and younger	11,117	8.6	107,619	0.2	12	69,614	53.8	768,439	0.1	7	156	0.1	1,818	0.2	6
6-14	6,175	4.2	72,208	0.2	16	39,413	27.1	460,452	0.1	7	4,182	2.9	48,527	0.4	20
15-20	3,366	5.0	37,964	0.2	21	10,791	15.9	123,053	0.1	9	2,902	4.3	32,441	0.3	21
21-44	623	11.9	6,015	0.3	47	523	10.0	5,242	0.1	13	808	15.4	7,694	0.3	24
45-64	305	21.7	3,106	0.4	54	248	17.6	2,576	0.2	13	312	22.2	3,079	0.4	26
65-74	107	24.8	1,171	0.6	74	96	22.2	1,066	0.2	11	72	16.7	800	0.7	34
75-84	45	17.0	437	0.5	54	29	10.9	285	0.2	8	32	12.1	289	0.6	35
85 and older	10	5.9	88	0.3	47	13	7.7	96	0.2	8	10	5.9	90	0.7	33
Unknown	1	0.9	8	0.4	43	28	25.9	320	0.1	6	7	6.5	80	0.2	9

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.7C includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.7D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c}
 NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	MISC. HEMATOLOGICAL						ANTIVIRAL					
	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Users	Users as % of All Benes	Number of Benefit Months Among Users	Mean Number of Rx per Benefit Month	Mean Rx \$ per Benefit Month	Number of Beneficiaries	Number of Benefit Months
All	6,225	0.6	68,863	0.6	\$321	25,804	2.7	288,406	0.2	\$76	970,154	9,916,228
Female												
All Females	3,823	0.7	42,955	0.6	78	15,798	2.8	175,432	0.2	66	556,078	5,590,898
Female, Disabled												
All Ages	3,335	5.4	37,848	0.6	79	3,240	5.2	36,853	0.4	188	61,920	682,436
5 and younger	2	0.1	24	0.5	99	112	3.4	1,316	0.2	38	3,272	35,740
6-14	3	0.0	36	0.6	54	176	2.7	2,094	0.2	58	6,432	74,512
15-20	5	0.1	58	0.4	6,792	203	3.6	2,386	0.2	91	5,580	63,632
21-44	247	1.4	2,846	0.5	52	1,387	7.6	15,705	0.4	207	18,158	200,980
45-64	3,070	10.8	34,818	0.6	70	1,362	4.8	15,352	0.4	215	28,398	306,913
65-74	7	9.3	54	0.8	72	0	0.0	0	0.0	0	75	604
75-84	1	50.0	12	0.2	6	0	0.0	0	0.0	0	2	24
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	3	31
Female, Other Eligibles												
All Ages	488	0.1	5,107	0.5	74	12,558	2.5	138,579	0.2	33	494,158	4,908,462
5 and younger	5	0.0	60	0.1	222	2,606	2.1	29,964	0.1	5	125,033	1,248,966
6-14	4	0.0	48	0.3	961	3,311	2.3	38,533	0.1	11	146,065	1,607,300
15-20	2	0.0	24	0.1	11	2,275	2.6	25,238	0.1	20	87,212	878,179
21-44	188	0.1	1,933	0.4	69	4,155	3.2	42,687	0.2	73	128,631	1,107,626
45-64	179	3.1	1,799	0.5	60	193	3.3	1,949	0.3	185	5,849	51,808
65-74	71	9.7	813	0.6	68	14	1.9	160	0.4	55	730	7,938
75-84	21	5.8	239	0.7	62	3	0.8	36	0.1	3	364	3,836
85 and older	18	6.6	191	0.6	42	1	0.4	12	0.2	18	274	2,809
Male												
All Males	2,402	0.6	25,908	0.6	724	10,002	2.4	112,942	0.2	91	413,968	4,324,313
Male, Disabled												
All Ages	2,166	3.4	23,647	0.6	719	2,874	4.5	31,047	0.5	299	63,959	688,927
5 and younger	10	0.2	120	1.1	14,582	154	3.3	1,820	0.2	28	4,621	51,228
6-14	23	0.2	276	0.7	15,485	271	2.0	3,213	0.2	33	13,493	155,756
15-20	16	0.2	186	0.6	15,944	165	1.7	1,950	0.2	80	9,634	107,411
21-44	163	1.0	1,694	0.5	2,152	1,044	6.1	10,660	0.5	333	17,057	181,152
45-64	1,946	10.2	21,294	0.6	204	1,237	6.5	13,386	0.6	404	19,090	192,924
65-74	8	13.8	77	0.7	91	3	5.2	18	0.3	124	58	384
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	4	48
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	2	24
Male, Other Eligibles												
All Ages	236	0.1	2,261	0.6	780	7,128	2.0	81,895	0.1	13	350,009	3,635,386
5 and younger	6	0.0	62	0.3	322	2,845	2.2	32,776	0.1	7	129,400	1,292,111
6-14	24	0.0	251	0.5	6,089	3,132	2.2	36,350	0.1	9	145,391	1,596,138
15-20	8	0.0	80	0.5	1,077	1,014	1.5	11,439	0.1	22	67,706	687,012
21-44	48	0.9	433	0.6	76	96	1.8	920	0.3	212	5,238	39,341
45-64	88	6.3	774	0.5	68	36	2.6	367	0.3	157	1,408	11,851
65-74	44	10.2	475	0.6	67	4	0.9	38	0.3	100	432	4,634
75-84	14	5.3	144	0.5	56	1	0.4	5	0.2	4	265	2,679
85 and older	4	2.4	42	0.5	87	0	0.0	0	0.0	0	169	1,620
Unknown	0	0.0	0	0.0	0	4	3.7	32	0.3	150	108	1,017

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.7D includes the beneficiaries represented by Cell K of Table 1. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

c. The top 10 drug groups were determined based on total Medicaid reimbursement in the state for 2007. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.8
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
BY BENEFICIARY CHARACTERISTIC^{a, b}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	Rx \$ per Benefit Month	Number of Rx per Benefit Month	Number of All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
All	\$700	8.1	2,334	24,494
Age				
0-64	803	9.1	1,809	19,200
65-74	624	7.3	181	1,855
75-84	232	4.2	176	1,788
85 and older	105	2.1	168	1,651
Unknown	0	0.0	0	0
Gender				
Female	731	8.7	1,143	12,225
Male	672	7.6	1,187	12,237
Unknown	6	0.8	4	32
Race				
White	725	8.7	970	10,092
African American	691	7.8	1,089	11,674
Other/unknown	647	7.6	275	2,728
Basis of Eligibility^c				
Aged	300	4.5	509	5,175
Disabled	807	9.1	1,823	19,306
Adults	668	7.0	1	1
Children	1,686	7.3	1	12
Unknown	0	0.0	0	0

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.
a. Table ND.8 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their 2007 Medicaid enrollment. A total of 1,493 beneficiaries who were in nursing facilities for part of their enrollment and their 14,172 benefit months were excluded from the analysis. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
b. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.
Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy; \$ = Medicaid reimbursement.

TABLE ND.9
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR ALL-YEAR NURSING FACILITY RESIDENTS,
BY BRAND STATUS AND THERAPEUTIC CATEGORY^{a, b, c, d, e}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Therapeutic Category	Number of Rx per Benefit Month Among Users				\$ per Benefit Month Among Users				\$ per Rx				Users				
	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total	Patented Brand-Name	Off-Patent Brand-Name	Generic	Total Number of Rx	Total Rx \$	Number of Users	As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months
Anti-infective Agents	0.5	0.2	0.0	0.4	\$80	\$63	\$2	\$15	\$149	\$385	\$240	\$42	8,000	\$1,194,103	1,379	59.1	14,962
Biologicals	0.2	0.2	0.0	0.0	320	320	0	0	1919	1,919	0	0	7	13,433	4	0.2	42
Antineoplastic Agents	0.6	0.1	0.0	0.5	124	58	0	66	221	909	58	133	1,085	240,083	185	7.9	1,932
Endocrine/Metabolic Drugs	1.3	0.5	0.1	0.7	92	69	5	18	70	135	79	24	14,260	999,777	1,011	43.3	10,923
Cardiovascular Agents	2.3	0.4	0.1	1.8	105	32	10	62	45	91	69	35	39,991	1,815,802	1,626	69.7	17,369
Respiratory Agents	1.0	0.3	0.1	0.5	57	39	5	13	59	112	72	23	10,379	614,151	1,008	43.2	10,868
Gastrointestinal Agents	1.2	0.5	0.1	0.6	108	82	7	20	92	148	141	34	17,059	1,574,777	1,356	58.1	14,537
Genitourinary Agents	0.8	0.3	0.0	0.4	60	27	4	29	77	92	82	66	4,548	348,619	526	22.5	5,842
CNS Drugs	2.0	1.0	0.1	1.0	277	229	10	38	138	239	112	39	38,631	5,317,294	1,772	75.9	19,230
Stimulants/Anti-obesity/Anorexia	0.5	0.3	0.0	0.1	77	74	0	3	158	212	0	25	187	29,492	36	1.5	383
Miscellaneous Psychological/Neurological Agents	0.9	0.9	0.0	0.0	187	187	0	1	199	199	0	149	2,762	548,535	268	11.5	2,926
Analgesics and Anesthetics	1.0	0.0	0.1	0.9	43	6	14	23	43	199	280	25	12,495	536,939	1,160	49.7	12,400
Neuromuscular Agents	1.5	0.5	0.1	1.0	133	79	9	45	88	168	132	46	21,571	1,896,760	1,295	55.5	14,293
Nutritional Products	1.0	0.1	0.0	0.9	19	1	0	17	19	19	15	19	10,669	206,417	1,018	43.6	11,019
Hematological Agents	1.0	0.5	0.0	0.5	130	119	1	10	127	259	22	20	9,354	1,190,655	867	37.1	9,138
Topical Products	0.6	0.2	0.1	0.4	35	18	5	12	60	101	91	34	7,825	465,812	1,218	52.2	13,415
Miscellaneous Products	0.4	0.1	0.0	0.3	114	11	0	103	324	204	0	345	418	135,321	111	4.8	1,188
Unknown Therapeutic Category	0.3	0.0	0.0	0.0	25	0	0	0	77	0	0	0	374	28,767	101	4.3	1,167
TOTAL NO. OF RX AND RX \$	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	199,615	17,156,737	n.a.	n.a.	n.a.

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

- a. Table ND.9 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,493 beneficiaries who were in nursing facilities for part of their enrollment and their 14,172 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given therapeutic category during 2007. A beneficiary who used drugs from two or more categories was counted as a user for each category. Therefore, the sum of users across categories may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. For information about these therapeutic categories, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 - e. Brand-name drugs, sometimes called "innovator single-source drugs," are drugs whose patents have not yet expired. Off-patent brand-name drugs, sometimes called "innovator multiple-source drugs," are brand-name drugs whose patents have expired. Generic drugs, sometimes called "non-innovator multiple-source drugs," are off-patent drugs manufactured and sold by companies other than the original patent holder. For information about this classification method, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
- In Louisiana, 0.2 percent of drug claims have missing values for brand status. Thus, the sum of the three groups in this table may be smaller than all prescriptions combined.
- Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; CNS = Central Nervous System; MAX = Medicaid Analytic Extract; n.a. = not applicable; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT FOR TOP 10 DRUG GROUPS AMONG ALL-YEAR NURSING FACILITY RESIDENTS,
 BY TOP-10 DRUG GROUP^{a, b, c, d}
 NONDUAL BENEFICIARIES, LOUISIANA, 2007

Top 10 Drug Groups in Nursing Facilities	Total Medicaid Rx \$	Number of Users	Users				Among Users	
			As a Percentage of All-Year Nursing Facility Residents	Number of Benefit Months	Number of Rx per Benefit Month	\$ per Rx	Rx \$ per Benefit Month	
ANTIPSYCHOTICS	\$4,046,611	1,585	67.9	18,013	0.9	\$248	\$225	
ANTICONVULSANT	1,639,234	1,434	61.4	15,963	1.0	105	103	
ULCER DRUGS	1,187,930	1,240	53.1	13,399	0.8	116	89	
ANTIDIABETIC	874,698	1,296	55.5	14,322	0.9	70	61	
ANTIDEPRESSANTS	832,254	1,354	58.0	15,019	0.8	69	55	
ANTIVIRAL	728,461	145	6.2	1,579	0.8	566	461	
ANTIHYPERLIPIDEMIC	628,984	731	31.3	8,146	0.8	99	77	
MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL	548,535	340	14.6	3,708	0.7	199	148	
ANTIHYPERTENSIVE	542,645	1,409	60.4	15,108	0.8	45	36	
HEMATOPOIETIC AGENTS	474,805	731	31.3	8,074	0.7	90	59	
Total	11,504,157	10,265	n.a.	113,331	n.a.	n.a.	n.a.	

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.10 includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,493 beneficiaries who were in nursing facilities for part of their enrollment and their 14,172 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement; n.a. = not applicable.

Nondual Medicaid Beneficiaries

TABLE ND.10A
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR TOP 10 DRUG GROUPS COMBINED AND FIRST
AND SECOND TOP DRUG GROUPS SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^a, b, c, d
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	All Top 10 Drug Groups			ANTIPSYCHOTICS				ANTICONVULSANT				
	Number of Rx	Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
All	94,294	\$11,504,157	1,585	67.9	18,013	0.9	\$225	1,434	61.4	15,963	1.0	\$103
Female												
All Females	50,115	5,994,399	865	75.7	9,937	0.9	221	728	63.7	8,187	1.0	105
Female, Disabled												
All Ages	43,246	5,379,614	755	88.3	8,743	0.9	227	655	76.6	7,396	1.0	108
64 or younger	43,152	5,372,967	754	88.8	8,740	0.9	227	650	76.6	7,358	1.0	108
65-74	73	4,620	1	20.0	3	0.3	65	4	80.0	26	0.8	50
75-84	21	2,027	0	0.0	0	0.0	0	1	100.0	12	0.8	118
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles												
All Ages	6,869	614,785	110	38.2	1,194	0.9	175	73	25.3	791	0.9	75
64 or younger	76	7,952	0	0.0	0	0.0	0	3	100.0	25	1.6	120
65-74	3,366	359,966	56	62.2	620	1.1	237	32	35.6	353	1.0	108
75-84	2,137	164,119	30	32.6	335	0.9	132	23	25.0	237	0.7	56
85 and older	1,290	82,748	24	23.3	239	0.7	74	15	14.6	176	0.7	28
Male												
All Males	44,172	5,509,712	720	60.7	8,076	0.9	229	706	59.5	7,776	0.9	100
Male, Disabled												
All Ages	40,162	5,189,467	659	68.1	7,476	0.9	236	660	68.2	7,283	1.0	102
64 or younger	39,827	5,088,384	654	68.3	7,418	0.9	236	658	68.8	7,264	1.0	102
65-74	335	101,083	5	50.0	58	1.1	355	2	20.0	19	0.8	91
75-84	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles												
All Ages	4,010	320,245	61	27.9	600	0.8	142	46	21.0	493	0.8	72
64 or younger	0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	2,628	235,446	38	50.0	409	1.0	168	31	40.8	350	0.8	85
75-84	1,188	76,980	20	25.0	161	0.6	95	12	15.0	113	0.9	51
85 and older	194	7,819	3	4.8	30	0.3	35	3	4.8	30	0.7	8
Unknown	7	46	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.10A includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,493 beneficiaries who were in nursing facilities for part of their enrollment and their 14,172 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10B
MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR THIRD TO FIFTH TOP DRUG GROUPS SEPARATELY
AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	ULCER DRUGS					ANTI-DIABETIC					ANTIDEPRESSANTS				
	Users as % of All-Year Nursing Facility Residents		Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Users as % of All-Year Nursing Facility Residents		Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Users as % of All-Year Nursing Facility Residents		Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
	Number of Users	Facility Residents			Number of Users	Facility Residents					Number of Users	Facility Residents			
All	1,240	53.1	13,399	0.8	\$89	1,296	55.5	14,322	0.9	\$61	1,354	58.0	15,019	0.8	\$55
Female															
All Females	634	55.5	6,946	0.8	90	705	61.7	7,772	0.9	61	749	65.5	8,337	0.8	59
Female, Disabled															
All Ages	539	63.0	5,935	0.8	93	605	70.8	6,683	0.9	63	638	74.6	7,158	0.8	61
64 or younger	533	62.8	5,902	0.8	94	603	71.0	6,677	0.9	63	634	74.7	7,135	0.8	61
65-74	6	120.0	33	0.8	48	2	40.0	6	0.8	68	3	60.0	11	0.6	64
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	100.0	12	0.9	51
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	95	33.0	1,011	0.7	72	100	34.7	1,089	0.8	44	111	38.5	1,179	0.8	44
64 or younger	4	133.3	27	0.8	130	2	66.7	3	3.0	312	1	33.3	2	1.0	92
65-74	36	40.0	409	0.8	99	54	60.0	578	0.9	50	51	56.7	534	0.8	51
75-84	34	37.0	358	0.6	40	30	32.6	360	0.7	32	33	35.9	362	0.8	33
85 and older	21	20.4	217	0.7	67	14	13.6	148	0.8	42	26	25.2	281	0.8	45
Male															
All Males	606	51.1	6,453	0.7	87	591	49.8	6,550	0.9	62	605	51.0	6,682	0.8	51
Male, Disabled															
All Ages	555	57.3	5,954	0.8	88	525	54.2	5,833	0.9	63	544	56.2	6,064	0.8	52
64 or younger	550	57.5	5,910	0.8	88	516	53.9	5,738	0.9	63	543	56.7	6,052	0.8	52
65-74	5	50.0	44	0.9	110	9	90.0	95	0.7	53	1	10.0	12	1.0	28
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	51	23.3	499	0.7	76	66	30.1	717	0.9	56	61	27.9	618	0.8	39
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	25	32.9	266	0.8	97	48	63.2	517	0.9	60	34	44.7	373	0.8	41
75-84	23	28.8	213	0.5	56	18	22.5	200	0.8	48	22	27.5	202	0.7	38
85 and older	3	4.8	20	0.2	15	0	0.0	0	0.0	0	5	7.9	43	0.5	28
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

- a. Table ND.10B includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,493 beneficiaries who were in nursing facilities for part of their enrollment and their 14,172 benefit months were excluded from the analysis.
 - b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
 - c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
 - d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
- Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

TABLE ND.10C
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR SIXTH TO EIGHTH TOP DRUG GROUPS SEPARATELY
 AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	ANTIVIRAL					ANTIHYPERTENSIVE					MISC PSYCHOTHERAPEUTIC AND NEUROLOGICAL				
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$
All	145	6.2	1,579	0.8	\$461	731	31.3	8,146	0.8	\$77	340	14.6	3,708	0.7	\$148
Female															
All Females	59	5.2	628	0.7	344	377	33.0	4,156	0.8	79	185	16.2	2,069	0.8	173
Female, Disabled															
All Ages	54	6.3	568	0.7	379	315	36.8	3,515	0.8	80	120	14.0	1,361	0.7	211
64 or younger	54	6.4	568	0.7	379	315	37.1	3,515	0.8	80	120	14.1	1,361	0.7	211
65-74	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Female, Other Eligibles															
All Ages	5	1.7	60	0.1	6	62	21.5	641	0.8	71	65	22.6	708	0.8	101
64 or younger	0	0.0	0	0.0	0	1	33.3	2	1.0	133	0	0.0	0	0.0	0
65-74	1	1.1	12	0.1	2	29	32.2	296	0.9	81	25	27.8	262	0.8	130
75-84	3	3.3	36	0.1	3	27	29.3	314	0.8	65	20	21.7	230	0.8	93
85 and older	1	1.0	12	0.2	18	5	4.9	29	0.7	34	20	19.4	216	0.8	75
Male															
All Males	86	7.2	951	0.9	539	354	29.8	3,990	0.7	76	155	13.1	1,639	0.7	116
Male, Disabled															
All Ages	84	8.7	934	0.9	549	316	32.6	3,581	0.8	78	110	11.4	1,198	0.7	128
64 or younger	84	8.8	934	0.9	549	314	32.8	3,562	0.8	78	109	11.4	1,186	0.7	128
65-74	0	0.0	0	0.0	0	2	20.0	19	0.5	50	1	10.0	12	1.0	165
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
Male, Other Eligibles															
All Ages	2	0.9	17	0.1	3	38	17.4	409	0.6	58	45	20.5	441	0.7	84
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0
65-74	1	1.3	12	0.1	3	22	28.9	250	0.7	61	20	26.3	219	0.8	112
75-84	1	1.3	5	0.2	4	14	17.5	141	0.5	49	21	26.3	186	0.6	57
85 and older	0	0.0	0	0.0	0	2	3.2	18	0.7	89	4	6.3	36	0.4	57
Unknown	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0.0	0	0.0	0

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.10C includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,493 beneficiaries who were in nursing facilities for part of their enrollment and their 14,172 benefit months were excluded from the analysis.

b. A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.

c. Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.

d. The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state.

For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.

Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.10D
 MEDICAID PHARMACY BENEFIT USE AND REIMBURSEMENT PER BENEFIT MONTH FOR NINTH AND TENTH TOP DRUG GROUPS
 SEPARATELY AMONG ALL-YEAR NURSING FACILITY RESIDENTS, BY SEX, BASIS OF ELIGIBILITY, AND AGE^{a, b, c, d}
 NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	ANTIHYPERTENSIVE					HEMATOPOIETIC AGENTS						
	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	Number of Users	Users as % of All-Year Nursing Facility Residents	Number of Benefit Months Among Users	Mean Number of Rx	Mean Rx \$	All-Year Nursing Facility Residents	Benefit Months Among All-Year Nursing Facility Residents
All	1,409	60.4	15,108	0.8	\$36	731	31.3	8,074	0.7	\$59	2,334	24,494
Female												
All Females	695	60.8	7,427	0.8	38	368	32.2	4,163	0.6	41	1,143	12,225
Female, Disabled												
All Ages	581	68.0	6,240	0.8	39	298	34.9	3,357	0.7	47	855	9,245
64 or younger	578	68.1	6,221	0.8	39	297	35.0	3,354	0.7	47	849	9,206
65-74	3	60.0	19	0.7	22	1	20.0	3	0.3	10	5	27
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
Female, Other Eligibles												
All Ages	114	39.6	1,187	0.8	34	70	24.3	806	0.6	20	288	2,980
64 or younger	1	33.3	2	1.0	25	0	0.0	0	0.0	0	3	15
65-74	54	60.0	549	0.7	31	25	27.8	300	0.6	10	90	963
75-84	40	43.5	445	0.8	37	21	22.8	243	0.6	45	92	974
85 and older	19	18.4	191	0.8	38	24	23.3	263	0.6	8	103	1,028
Male												
All Males	714	60.2	7,681	0.8	34	362	30.5	3,899	0.7	78	1,187	12,237
Male, Disabled												
All Ages	627	64.8	6,818	0.8	35	291	30.1	3,122	0.7	92	968	10,061
64 or younger	618	64.6	6,716	0.8	35	288	30.1	3,097	0.7	73	957	9,979
65-74	9	90.0	102	0.8	38	3	30.0	25	1.1	2,468	10	70
75-84	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
85 and older	0	0.0	0	0.0	0	0	0.0	0	0.0	0	1	12
Male, Other Eligibles												
All Ages	87	39.7	863	0.7	24	71	32.4	777	0.6	19	219	2,176
64 or younger	0	0.0	0	0.0	0	0	0.0	0	0.0	0	0	0
65-74	55	72.4	558	0.8	28	21	27.6	250	0.7	38	76	795
75-84	30	37.5	289	0.7	17	33	41.3	353	0.6	12	80	771
85 and older	2	3.2	16	0.1	4	17	27.0	174	0.6	8	63	610
Unknown	0	0.0	0	0.0	0	1	25.0	12	0.6	4	4	32

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

- Table ND.10D includes the beneficiaries represented by Cell L of Table 1, those who resided in nursing facilities throughout their Medicaid enrollment in 2007. A total of 1,493 beneficiaries who were in nursing facilities for part of their enrollment and their 14,172 benefit months were excluded from the analysis.
- A user is a beneficiary who had at least one prescription filled in a given drug group during 2007. A beneficiary who used drugs from two or more drug groups was counted as a user for each group. Therefore, the sum of users across drug groups may exceed the total number of individual users. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits.
- Medicaid reimbursement amounts presented in this table do not reflect federally required rebates from drug manufacturers to the state.
- The top 10 drug groups were determined based on total 2007 Medicaid reimbursement for all-year nursing facility residents in this state. For information about these drug groups, see Wolters Kluwer Health, <http://www.medi-span.com/master-drug-database.aspx>.
 Bene Mo(s) = benefit month(s); BOE = basis of eligibility; CMS = Centers for Medicare & Medicaid Services; MAX = Medicaid Analytic Extract; NF = nursing facility; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.11
USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
AMONG NONDUALS, BY BENEFICIARY CHARACTERISTIC^{a,b}
LOUISIANA, 2007

Beneficiary Characteristics	Number of Beneficiaries with at Least One Part D Excluded Rx	Percentage of Beneficiaries with at Least One Part D Excluded Rx	Number of Part D Excluded Rx per Beneficiary	Total Number Part D Excluded Rx	Part D Excluded Rx \$ per Beneficiary	Total Part D Excluded Rx \$	\$ per Part D Excluded Rx \$	Part D Excluded Rx \$ as a Percentage of All Nondual Rx \$	Total Number of Beneficiaries	
All	166,001	17.1	0.5	529,924	\$11	\$10,288,770	\$19	1.5	970,154	
Age										
5 and younger	47,126	18.0	0.3	83,688	5	1,339,970	16	1.0	262,364	
6-14	37,163	11.9	0.2	71,692	4	1,337,309	19	1.0	311,418	
15-20	24,068	14.1	0.3	48,991	7	1,238,572	25	1.7	170,143	
21-44	33,521	19.8	0.8	142,652	16	2,780,945	19	2.0	169,090	
45-64	23,179	42.3	3.2	175,253	63	3,458,511	20	1.9	54,749	
65-74	544	42.0	3.5	4,591	68	88,249	19	2.4	1,296	
75-84	221	34.4	2.8	1,799	45	29,098	16	4.1	642	
85 and older	179	39.7	2.8	1,258	36	16,116	13	5.7	451	
Unknown	0	0.0	0.0	0	0	0	0	0.0	1	
Basis of Eligibility^c										
Aged	926	39.3	3.2	7,635	57	135,565	18	2.9	2,358	
Disabled	40,178	31.9	2.1	265,176	44	5,556,153	21	1.7	125,885	
Adults	26,554	16.9	0.5	85,114	10	1,553,819	18	2.3	157,391	
Children	98,012	14.3	0.2	170,608	4	3,020,593	18	1.1	683,401	
Unknown	331	29.6	1.2	1,391	20	22,640	16	0.6	1,119	
Gender										
Female	101,503	18.3	0.6	346,926	12	6,883,010	20	1.8	556,078	
Male	64,484	15.6	0.4	182,938	8	3,404,887	19	1.1	413,969	
Unknown	14	13.1	0.6	60	8	873	15	3.0	107	
Race										
White	71,871	20.0	0.7	260,839	14	4,982,585	19	1.5	359,830	
African American	81,435	15.3	0.4	223,689	8	4,318,551	19	1.5	533,775	
Other/unknown	12,695	16.6	0.6	45,396	13	987,634	22	1.6	76,549	
Use of Nursing Facilities^d										
Entire year	1,627	69.7	9.7	22,523	186	433,430	19	2.5	2,334	
Part year	1,068	71.5	5.9	8,774	115	172,018	20	2.2	1,493	
None	163,306	16.9	0.5	498,627	10	9,683,322	19	1.5	966,327	
Maintenance Assistance Status										
Cash	67,622	24.7	1.2	336,758	25	6,837,636	20	1.7	273,390	
Medically needy	424	30.4	1.1	1,570	24	33,102	21	2.2	1,395	
Poverty related	81,234	14.3	0.2	141,934	4	2,541,098	18	1.2	569,283	
Other/unknown	16,721	13.3	0.4	49,662	7	876,934	18	1.4	126,086	

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.11 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007.

b. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

TABLE ND.12
 USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D
 AMONG NONDUALS PER BENEFIT MONTH, BY BENEFICIARY CHARACTERISTIC^{a,b}
 LOUISIANA, 2007

Beneficiary Characteristics	Number Rx per Benefit Month	Rx \$ per Benefit Month	\$ per Rx	Barbiturate \$ per Benefit Month	Benzodiazepine \$ per Benefit Month	Number of Benefit Months
All	0.1	\$1	\$19	\$0	\$0	9,916,228
Age						
5 and younger	0.0	1	16	0	0	2,628,426
6-14	0.0	0	19	0	0	3,434,084
15-20	0.0	1	25	0	0	1,736,316
21-44	0.1	2	19	0	1	1,529,156
45-64	0.3	6	20	0	2	563,526
65-74	0.3	7	19	0	3	13,566
75-84	0.3	4	16	0	2	6,644
85 and older	0.3	4	13	0	1	4,508
Unknown	0.0	0	0	0	0	2
Basis of Eligibility^c						
Aged	0.3	5	18	0	2	24,961
Disabled	0.2	4	21	0	2	1,371,414
Adults	0.1	1	18	0	0	1,347,752
Children	0.0	0	18	0	0	7,162,611
Unknown	0.1	2	16	0	1	9,490
Gender						
Female	0.1	1	20	0	0	5,590,898
Male	0.0	1	19	0	0	4,324,315
Unknown	0.1	1	15	0	0	1,015
Race						
White	0.1	1	19	0	1	3,597,579
African American	0.0	1	19	0	0	5,565,099
Other/unknown	0.1	1	22	0	0	753,550
Use of Nursing Facilities^d						
Entire year	0.9	18	19	0	7	24,494
Part year	0.6	12	20	0	5	14,172
None	0.1	1	19	0	0	9,877,562
Maintenance Assistance Status						
Cash	0.1	2	20	0	1	2,885,717
Medically needy	0.1	2	21	0	1	13,494
Poverty related	0.0	0	18	0	0	5,969,007
Other/unknown	0.0	1	18	0	0	1,048,010

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.12 includes the beneficiaries represented by Cell K of Table 1. Benefit months are months during which beneficiaries had fee-for-service pharmacy benefits. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007.

b. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

c. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services.

d. Please refer to footnote f on Table 1 for methodology used to determine use of nursing facilities.

TABLE ND.13
USE AND REIMBURSEMENT FOR DRUGS EXCLUDED BY STATUTE FROM MEDICARE PART D FOR SELECTED DRUG CATEGORIES AMONG NONDUALS^{a,b,c}
LOUISIANA, 2007

Drug Category	Number of Users	Rx \$ per User	Total Rx \$	Rx \$ as a		Number Rx as a	
				Percentage of All Part D Excluded Rx \$	Total Number Rx. \$ per Rx	Percentage of All Part D Excluded Rx	Excluded Rx
All	199,522	\$52	\$10,288,770	100.0	529,924	\$19	100.0
Anorexia or weight loss/gain	0	0	0	0.0	0	0	0.0
Fertility drugs	4	62	248	0.0	4	62	0.0
Drugs for cosmetic purposes	0	0	0	0.0	0	0	0.0
Cough and cold medications	58,169	35	2,040,866	19.8	87,961	23	16.6
Vitamins and minerals	43,009	47	2,013,010	19.6	115,873	17	21.9
Non-prescription drugs	51,537	25	1,309,209	12.7	101,234	13	19.1
Barbiturates	2,866	74	211,658	2.1	22,352	9	4.2
Benzodiazepines	31,650	92	2,905,233	28.2	174,405	17	32.9
Other Part D Excl Rx Drugs	12,287	147	1,808,546	17.6	28,095	64	5.3

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Table ND.13 includes the beneficiaries represented by Cell K of Table 1. Beneficiaries include all nondual Medicaid beneficiaries who had Medicaid pharmacy benefits during at least one month in 2007. A user is a beneficiary who had at least one prescription filled for a Part D excluded drug in 2007. A beneficiary who used drugs from two or more Part D excluded categories was counted as a user for each category. Therefore, the sum of users across drug categories may exceed the total number of individual users as noted on Table ND11.

b. Includes OTC drugs as well as prescription drugs.

c. The statute establishing the Medicare Part D prescription program that started in 2007 excludes several types of drugs from coverage. State Medicaid programs have been allowed to exclude these drugs since 1990, but many states have chosen to cover them, and if states cover them for any Medicaid beneficiaries they must also cover them for dual eligibles, who as of 2007 receive the remainder of their prescription drug coverage through Part D. Excluded drugs include benzodiazepines; barbiturates; nonprescription (OTC) medications; prescription vitamins and minerals (not including prenatal vitamins and fluoride preparations); and drugs used for anorexia, weight loss, or weight gain. Other excluded drugs include those that promote fertility; those used for cosmetic purposes or hair growth, for symptomatic relief of coughs and colds; or drugs for which the manufacturer requires that associated tests or monitoring services be purchased exclusively from the manufacturer.

Bene(s) = beneficiary (or beneficiaries); CMS = Centers for Medicare & Medicaid Services; Excl = excluded; MAX = Medicaid Analytic Extract; OTC = over-the-counter; Rx = prescription(s) or pharmacy benefit; \$ = Medicaid reimbursement.

Nondual Medicaid Beneficiaries

APPENDIX TABLE A.1
CHARACTERISTICS OF MEDICAID BENEFICIARIES WITH AT LEAST ONE MONTH OF PHARMACY BENEFIT COVERAGE, BY BASIS OF ELIGIBILITY^{a, b}
NONDUAL BENEFICIARIES, LOUISIANA, 2007

Beneficiary Characteristics	Number of Beneficiaries						Number of Benefit Months					
	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown	All	Aged	Blind/ Disabled	Adults	Children	Other/ Unknown
All	970,156	2,358	125,887	157,391	683,401	1,119	9,916,238	24,961	1,371,424	1,347,752	7,162,611	9,490
Age												
5 and younger	262,364	0	7,893	0	254,471	0	2,628,426	0	86,968	0	2,541,458	0
6-14	311,418	0	19,925	16	291,477	0	3,434,084	0	230,268	117	3,203,699	0
15-20	170,143	0	15,214	17,679	137,245	5	1,736,316	0	171,043	148,524	1,416,719	30
21-44	169,090	0	35,218	133,326	207	339	1,529,156	0	382,157	1,143,613	733	2,653
45-64	54,751	124	47,493	6,366	0	768	563,536	1,426	499,873	55,462	0	6,775
65-74	1,296	1,153	133	3	0	7	13,566	12,522	988	24	0	32
75-84	642	636	6	0	0	0	6,644	6,572	72	0	0	0
85 and older	451	445	5	1	0	0	4,508	4,441	55	12	0	0
Unknown	1	0	0	0	1	0	2	0	0	0	2	0
Gender												
Female	556,080	1,440	61,922	150,807	340,792	1,119	5,590,908	15,461	682,446	1,296,748	3,586,763	9,490
Male	413,969	907	63,959	6,580	342,523	0	4,324,315	9,413	688,927	50,968	3,575,007	0
Unknown	107	11	6	4	86	0	1,015	87	51	36	841	0
Race												
White	359,830	699	39,175	61,500	257,920	536	3,597,579	7,219	418,473	505,520	2,661,765	4,602
African American	533,776	1,185	72,857	85,979	373,251	504	5,565,107	12,957	801,694	762,452	3,983,803	4,201
Other/unknown	76,550	474	13,855	9,912	52,230	79	753,552	4,785	151,257	79,780	517,043	687
Use of Nursing Facilities^c												
Entire year	2,334	509	1,823	1	1	0	24,494	5,175	19,306	1	12	0
Part year	1,493	221	1,263	6	3	0	14,172	2,144	11,947	48	33	0
None	966,329	1,628	122,801	157,384	683,397	1,119	9,877,572	17,642	1,340,171	1,347,703	7,162,566	9,490
Maintenance Assistance Status												
Cash	273,390	1,564	117,644	63,588	90,594	0	2,885,721	17,590	1,303,684	598,640	965,807	0
Medically needy	1,395	3	259	878	255	0	13,494	31	1,958	8,668	2,837	0
Poverty related	569,283	10	13	42,011	526,130	1,119	5,969,007	112	95	268,939	5,690,371	9,490
Other/unknown	126,088	781	7,971	50,914	66,422	0	1,048,016	7,228	65,687	471,505	503,596	0
Managed Care (MC) Status												
Fee-for-service (FFS) all year	970,152	2,358	125,883	157,391	683,401	1,119	9,916,208	24,961	1,371,394	1,347,752	7,162,611	9,490
FFS part year, with Rx claims	2	0	2	0	0	0	24	0	24	0	0	0
FFS part year, no Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, with Rx claims	0	0	0	0	0	0	0	0	0	0	0	0
MC all year, no Rx claims	2	0	2	0	0	0	6	0	6	0	0	0

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

- a. Table A.1 includes the beneficiaries represented by Cell J of Table 1. Benefit months are months during which beneficiaries had pharmacy benefit coverage.
- b. Medicaid basis of eligibility is classified as: aged, disabled, adults, and children. The disabled group includes beneficiaries of any age who were determined to be eligible because of disability or blindness. The children's group includes children receiving foster care and adoptive services. The total includes some beneficiaries with unknown basis of eligibility and some whose age categories are not consistent with basis of eligibility.
- c. Please refer to footnote f of Table 1 for methodology used to determine nursing facility residence.
- Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

APPENDIX TABLE A.2
MEDICAID BENEFICIARIES AND THEIR BENEFIT MONTHS WITH OR WITHOUT FEE-FOR-SERVICE PHARMACY BENEFITS^a
NONDUAL BENEFICIARIES, LOUISIANA, 2007

	Beneficiaries and Benefit Months in Cell J of Table 1		Included in Cell K of Table 1		Excluded from Cell K of Table 1	
	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months	Number of Beneficiaries	Number of Benefit Months
All	970,156	9,916,238	970,154	9,916,228	0	10
Fee-for-service (FFS) all year	970,152	9,916,208	970,152	9,916,208	0	0
FFS part year, with Rx claims	2	24	2	20	0	4
FFS part year, with no Rx claims	0	0	0	0	0	0
Managed care (MC) all year, with Rx claims	0	0	0	0	0	0
MC all year, with no Rx claims	2	6	0	0	0	6

Source: Data for this table are from the MAX 2007 file for Louisiana, released by CMS in 5/2010. This table was produced on 10/06/2010.

a. Benefit months are months during which beneficiaries had pharmacy benefit coverage.

Bene(s) = beneficiary (or beneficiaries); Bene Mo(s) = benefit month(s); CMS = Centers for Medicare & Medicaid Services; FFS = fee-for-service pharmacy benefit; MAX = Medicaid Analytic Extract; MC = managed care; Rx = pharmacy benefit.

Nondual Medicaid Beneficiaries