





Rhonda Buckholtz, CPC, CPMA, CPC-I, CGSC, COBGC, CPEDC, CENTC Vice President, Business and Member Development

### ICD-10 Changes

- ■From 14,000 codes to approximately 69,000 ICD-10 codes
- •All codes have full descriptions for both ICD-10-CM and ICD-10-PCS



### Physician Practices: What Will Change?



#### Manager's Office

• New Policies and Procedures:

Any policy or procedure tied to a diagnosis code, disease management, tracking or PQRI must be changed.

• Vendor and Payer Contracts:


All contracts must be evaluated and updated as needed.


• Budgets:


All of these changes—software, training, new contracts, new paperwork—will have to be paid for.


• Training Plan:


Everyone in your practice will need training. You'll need to determine how much and how you will get it done.




















### **Coding Transitions**



#### **Diabetes mellitus**

- Significant Change to Diabetes Mellitus
- There are six (6) Diabetes Mellitus categories in the ICD-10-CM. They are:
  - E08 Diabetes Mellitus due to an underlying condition
  - E09 Drug or chemical induced diabetes mellitus
  - E10 Type I diabetes mellitus
  - E11 Type 2 diabetes mellitus
  - E13 Other specified diabetes mellitus
  - E14 Unspecified diabetes mellitus



#### **Diabetes Mellitus**

- Diabetes mellitus codes expanded to include the classification of the diabetes and the manifestation.
- Category for diabetes mellitus has been updated to reflect the current clinical classification of diabetes
- No longer classified as controlled/uncontrolled:
  - E08.22, Diabetes mellitus due to an underlying condition with diabetic chronic kidney disease
  - E09.52, Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene
  - E10.11, Type 1 diabetes mellitus with ketoacidosis with coma
  - E11.41, Type 2 diabetes mellitus with diabetic mononeuropathy



#### **Combination Codes**

- ICD-10-CM consists of greater specificity. Sample
- Examples
  - 125.110, Arteriosclerotic heart disease of native coronary artery with unstable angina pectoris
  - K50.013, Crohn's disease of small intestine with fistula
  - K71.51, Toxic liver disease with chronic active hepatitis with ascites



### **Complication Example**

- ICD-10-CM provides 50 different codes for "complications of foreign body accidently left in body following a procedure
- Only one code in ICD-9-CM



### **Complication Example**

- T81.535-Perforation due to foreign body accidently left in body following heart catheterization
- T81.530-Perforation due to foreign body accidently left in body following surgical operation
- T81.524-Obstruction due to foreign body accidently left in body following endoscopic examination
- T81.516-Adhesions due to foreign body accidently left in body following aspiration, puncture or other catheterization



#### **Fractures**

- Fracture codes require seventh character to identify if fracture is open or closed
- The fracture extensions are:
  - A Initial encounter for closed fracture
  - B Initial encounter for open fracture
  - D Subsequent encounter for fracture with routine healing
  - G Subsequent encounter for fracture with delayed healing
  - K Subsequent encounter for fracture with nonunion
  - P Subsequent encounter for fracture with malunion
  - S Sequelae
- S42.022-Displaced fracture of shaft of left clavicle initial encounter for closed fracture
  - Requires 7<sup>th</sup> character A for initial encounter
  - S42.022A



### Fracture Coding

- A patient underwent surgery for an open burst fracture of the lumbar vertebra which became unstable
- First listed diagnosis: S32.012B
  - Seventh character "B" identifies the initial encounter for the open fracture



### Case Examples

- Fracture Clavicle
- 24 choices for fracture of clavical (only 1 in ICD-9-CM)
- Documentation must include:
  - Laterality
  - Displaced (anterior or posterior displacements)
  - Nondisplaced
  - Location; sternal end, shaft, lateral end, unspecified
  - 7<sup>th</sup> digit extender; A, B, D, G, K, P, S
  - Example: S42.011B Anterior displaced fracture of sternal end of right clavicle initial encounter open fracture



### Case Examples

- Malignant Neoplasm Breast
- 54 choices for male/female breast
- Documentation must include:
  - Laterality
  - Location
  - Use of an additional code to identify estrogen receptor status
  - Example: C50.422 Malignant neoplasm of upper-outer quadrant of the left male breast



### Case Example

- Large and small intestine
- 26 choices available
- Documentation must include:
  - Specific site
    - Appendix, caput coli, cecum, colon and rectum, ascending, caput, descending, distal, left, overlapping, pelvic, right, sigmoid, hepatic flexure, sigmoid flexure, duodenum, ileum, jejunum...
    - Example: C18.5 Malignant neoplasm of splenic flexure



### Case Examples

PROBLEM: Foreign body in nose.

HISTORY OF PRESENT ILLNESS: The patient is a 3-year-4-month-old child who comes in today after having put a raisin in her left nostril. Grandmother was unable to remove this.

EMERGENCY DEPARTMENT COURSE: The raisin was grasped with bayonet forceps and removed atraumatically. Examination of the nostril fails to reveal any further foreign body or problems.

DIAGNOSIS: Foreign body removal, nostril.



### Case Examples

Enter Code: 932 Lookup

ICD-9 932 > ICD-10

<u>CODE</u> <u>DESCRIPTOR</u>

T17.ØXXA Foreign body in nasal sinus, initial encounter

T17.1XXA Foreign body in nostril, initial encounter



# What Can Today's Practices Do To Prepare?



#### 16 steps for successful ICD-10 implementation

- 1: Organize the implementation effort
- 2: Develop ICD-10 communications plan
- 3: Conduct impact analysis
- 4: Organize cross-functional efforts
- 5: Budget development
- 6: Internal system design and development
- 7: Develop training plan
- 8: Contact system vendors
- 9: Implementation planning
- 10: Phase I training
- 11: Business process analysis
- 12: Phase II Education and training
- 13: Policy change development
- 14: Outcomes measurement
- 15: Deployment of code by vendors to customers
- 16: Go live—implementation compliance



#### ICD-10 Resources

There's a lot to do before ICD-10 takes effect in 2013, and AAPC wants to help you get it done. We have gathered many resources that will aid in your implementation efforts, and we'll continue to add useful news, tools, and links as they become available.



#### What is ICD-10?

A brief history and explanation



#### Naming Conventions

Explanation of ICD-10 name system



#### News/Articles

Important ICD-10 news and info



#### FAQ

Frequently asked questions



#### Code Translator

Convert ICD-9 codes to ICD-10



#### Benchmark Tracker

Track your progress to implementation



#### ICD-10 Implementation

Get help transitioning to ICD-10



#### **Provider Training Timeline**

Watch for future training options



#### **Health Plan Training Timeline**

Watch for future training options



#### Links

ICD-10 studies and reports



#### Discussion

Discuss ICD-10




### **AAPC Training Options**

#### Implementation Training

Comprehensive training programs to help you transition your office or facility to the new ICD-10 requirements.

#### Code-Set Training

Learn the full guidelines and code set.









#### Resources

www.aapc.com/ICD-10/resources.aspx

Resources for all medical practices solo practitioners-large medical groups

www.cms.hhs.gov/ICD10

Complete list of code sets for ICD-10-CM and ICD-10 PCS; final rule and Official ICD-10-CM Guidelines



# Questions?



