



Medicare-Coordination of Benefits

---

***Coordination of Benefits Agreement (COBA)  
Companion Guide for***

***Health Insurance Portability and Accountability Act (HIPAA)  
837 Institutional and Professional Medicare Coordination of Benefits  
Version 5010 (COB)/Crossover Claim Transactions***

***Revised to Include Updates for the 5010 Errata Version***

***For Use by  
All COBA Trading Partners***

***Developed by  
The Division of Medicare Benefits Coordination within the  
Centers for Medicare & Medicaid Services (CMS)***

***Revised March 8, 2011  
Version 4.0***

# TABLE OF CONTENTS

<b>Introduction.....</b>	<b>1</b>
<b>Getting Started—Preparing to Test Medicare HIPAA 5010 Claims .....</b>	<b>1</b>
<b>Overview of Important Changes between HIPAA 4010A1 and HIPAA 5010 (Pre-Errata)</b>	
<b>Medicare COB Transactions .....</b>	<b>2</b>
A. Removal of Numerous AMT Segments.....	2
B. Creation of New Present on Admission (POA) Indicator Fields.....	5
C. Limited Use of Secondary Provider Reference Identifier (REF) Segments.....	5
D. Removal of Restrictions on Provider Taxonomy Codes.....	6
E. Requirements for Balancing of HIPAA 837 5010 Claims .....	6
F. Changes for Reporting of Anesthesia Timed Values.....	6
G. Discontinuance of “QTY” Segments .....	7
<b>Overview of Important Changes Between HIPAA 5010 (Pre-Errata) and HIPAA 5010 (Errata)</b>	
<b>Medicare COB Transactions .....</b>	<b>7</b>
A. Admission Type Code Now Required.....	7
B. Certain City, State, and Zip Code (N4) Elements Made Situational .....	7
C. Loop 2430 SVD Becomes Situational .....	8
<b>837 Institutional Claim Elements, Including Possible Gap-Fill Values .....</b>	<b>8</b>
<b>837 Professional Claim Elements, Including Possible Gap-Fill Values .....</b>	<b>15</b>
<b>Reverse Mapping (5010 Errata or Pre-Errata Mapped to 4010A1) Considerations .....</b>	<b>22</b>
<b>Gap-Filling Standards Applied to 837 “Skinny” COB Claims .....</b>	<b>24</b>
<b>Segments That Will Not be Created on Medicare 837 COB Claims.....</b>	<b>27</b>
<b>Other Helpful Information .....</b>	<b>28</b>

## **I. Introduction**

The Coordination of Benefits Agreement (COBA) Companion Guide for Health Insurance Portability and Accountability Act (HIPAA) 837 Institutional and Professional Medicare Coordination of Benefits Version 5010 (COB)/Crossover Claim Transactions provides COBA trading partners information for preparing and testing Medicare HIPAA 5010 COB transactions with the Coordination of Benefits Contractor (COBC). This guide includes nine sections. Referenced documents and forms are available for download at [http://www.cms.hhs.gov/COBAgreement/01\\_overview.asp](http://www.cms.hhs.gov/COBAgreement/01_overview.asp).

## **II. Getting Started—Preparing to Test Medicare HIPAA 5010 Claims**

As a COBA trading partner representative that is preparing your organization for testing either the pre-Errata or Errata versions of the HIPAA 5010 institutional and professional coordination of benefits (COB)/crossover claims with CMS' COB Contractor (COBC) prior to April 4, 2011, or as of or after April 4, 2011, your first step is to complete the “Technical Readiness Assessment Document.” This document may be referenced at: [http://www.cms.gov/COBAgreement/Downloads/5010\\_TECH\\_READINESS.pdf](http://www.cms.gov/COBAgreement/Downloads/5010_TECH_READINESS.pdf). This will help you and CMS to gauge your readiness and indicate when you expect to begin testing the HIPAA 5010 pre-Errata or Errata versions of the COB transactions with the COBC.

The CMS offered pre-Errata version 5010 COB testing opportunities to all external Coordination of Benefits Agreement (COBA) trading partners on September 27, 2010. As has been communicated by CMS's COBA team, CMS encourages COBA trading partners to test with the COBC in the pre-Errata HIPAA 5010 COB claim version prior to April 4, 2011. The CMS will not be making the Errata version of HIPAA 5010 COB 837 institutional and professional claims available for testing until April 4, 2011. All COBA trading partners will be required to test the Errata version of the HIPAA 5010 837 institutional and professional claims with the COBC prior to moving into production.

COBA trading partners will most likely not need to obtain new COBA identifiers (IDs) to test HIPAA 5010 (pre-Errata or Errata versions) COB transactions with the COBC. Potential reasons for needing to obtain “test” COBA IDs may include the COBA trading partner's desire to vary claims selection criteria for receipt of HIPAA 5010 COB claims as compared with the criteria selected for HIPAA 4010A1 crossover claims. Your designated COBC electronic data interchange (EDI) representative should be able to assist you with set-up for HIPAA 5010 COB pre-Errata or Errata version testing.

Questions concerning what connectivity options are available to you in connection with HIPAA 5010 COB testing may be referenced in the COBA Implementation User Guide. At this point in time, CMS is offering the same options available to COBA trading partners as part of the current 4010A1 crossover process.

COBA trading partners that have questions about available claims selection criteria should consult Chapter 2 of the COBA Implementation User Guide.

As has always been the case, COBA trading partners should not make payment on Medicare-transmitted HIPAA 5010 “test” pre-Errata or Errata 837 institutional or professional claims. They should, however, use these claims to gauge the possible need for front or back-end systems changes that will enable them to receive HIPAA 5010 COB claims in production mode.

### **III. Overview of Important Changes between HIPAA 4010A1 and HIPAA 5010 (Pre-Errata) Medicare COB Transactions**

#### **A. Removal of Numerous AMT Segments**

The HIPAA X12 Committee has determined that the HIPAA American National Standards Institute (ANSI) 837 version 4010A1 institutional and professional claims transactions contain numerous redundancies in terms of AMT segments. As a covered entity under HIPAA, Medicare must abide by the new ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 (TR-3) requirements. One of the most important changes that COBA trading partners will notice under HIPAA 5010 is the elimination of all allowed and approved amounts, formerly qualified by AMT\*B6 or AMT\*AAE within the 837 institutional and professional claim formats.

**IMPORTANT:** As CMS has mentioned on many occasions during individual or group conference calls with COBA trading partners, currently, the Medicare Part A shared system maps the “total submitted allowable charges” to the AMT\*B6 on 837 institutional 4010A1 crossover claims. COBA trading partners that may wish to determine Medicare’s actual allowed amount on version 4010A1 837 institutional **inpatient** hospital crossover claims would need to take the total submitted Medicare charges, qualified by T3, at the 2320 claim level and subtract the CO\*45 if present from that figure **or** add the CO\*94 amount if reflected to that

figure to determine Medicare’s “actual” approved amount. If attempting to determine Medicare’s allowed amount on version 4010A1 837 institutional **outpatient-oriented** crossover claims, the COBA trading partner will want to use the suggested formula provided directly below for version 5010 837 institutional outpatient-oriented and 837 professional claims to determine the Medicare allowed amount on version 4010A1 837 institutional outpatient-oriented claims.

**Possible Methodology for Determining Medicare’s Allowed/Approved Amount**

As a result of some detailed input received from our commercial Medigap payer community, CMS has learned that COBA trading partners that are interested in determining Medicare’s allowed or approved amount will find, in the majority of instances, they can derive this amount for 837 professional or 837 institutional outpatient-oriented claims, which Medicare adjudicates at the service line level, by:

Taking the Medicare paid amount, as may be found in 2430 SVD02, and adding the following CAS\*PR elements, PR\*1 (deductible applied), PR\*2 (co-insurance), PR\*66 blood deductible, and PR\*122 (psychiatric reduction), as applicable as well as CAS\*CO\*B4 (late filing penalty) if reflected).

**IMPORTANT:** For non-assigned claims, COBA trading partners would **not** want to include CAS\*PR\*45 (the amount of the limiting charge by which the non-participating physician is bound) as part of their formula to derive the Medicare approved amount. For such claims, the COBA trading partner can derive the approved amount by taking the Medicare paid amount in 2430 SVD02 and adding the following, if present on the claim, to that amount: PR\*1 (deductible amount owed), PR\*2 (co-insurance amount), PR\*66 (blood deductible amount), and PR\*122 (psychiatric reduction), if applicable, as well as CO\*B4 (late filing penalty) if reflected.

COBA trading partners that are interested in determining Medicare’s allowed or approved amount will find, in the majority of instances, they can derive this amount for Part A 837 institutional inpatient-oriented claims, which Medicare adjudicates at the claim level, by:

Taking the Medicare paid amount, as reflected in 2320 AMT\*D, and adding any CAS\*PR elements, such as PR\*1 (deductible) and PR\*2 (co-insurance), and any instance of CAS\*CO\*B4 (late filing penalty) if reported.

For balancing purposes, COBA trading partners should note that amounts reflected as CAS\*CO\*94 most often represent instances where Medicare's inpatient prospective payment system (IPPS) paid amount is greater than the amount billed. As such, Medicare will reflect this amount with a negative symbol (-) beside it, which means the amount needs to be added as part of the balancing formula rather than subtracted. COBA trading partners will want to subtract from the Medicare total billed amount any instance of CAS\*CO\*45 as well as any instance of CAS\*PR to arrive at the Medicare paid amount.

Medicare will be creating the following AMT segments within the HIPAA 837 pre-Errata and Errata versions of the 5010 institutional and professional claim formats:

- 2300 AMT\*F3 (Patient Estimated Amount Due) [unchanged from HIPAA 4010A1];
- 2320 AMT\*D (COB Payer Amount Paid) [now standard for all claim formats].

**NOTE:** As previously indicated, Medicare will also reflect the total amount paid in association with 837 professional and 837 institutional outpatient-oriented claims in 2430 SVD02. This will **not** be true for 837 institutional inpatient-oriented claims, which are adjudicated at the claim level.

In addition, Medicare will continue to create the 2300 AMT\*F5 (Patient Paid Amount), unchanged, as part of the HIPAA 837 pre-Errata and Errata version 5010 professional claim.

**\*\*NOTE:** For claims that Medicare adjudicates at the service line level, such as Part B physician (837 professional) and outpatient-oriented facility (837 institutional) claims, COBA trading partners will continue to see total Medicare paid amounts reported in the 2430 SVD02. Such information is needed for balancing the claim at the service line level as compared to the claim level (2320 AMT02).

Within HIPAA 5010 TR3 Guide, the numerous 2320 level AMT segments for COB Total Submitted Charges (qualified by T3), Medicare Paid Amount—100% (qualified by KF), Medicare Paid Amount—80% (qualified by PG), COB Medicare A Trust Fund Paid Amount

(qualified by AA), COB Medicare Part B Trust Fund Paid Amount (qualified by B1), and COB Total Denied Amount (qualified by YT) are discontinued on 837 institutional claims. The HIPAA 5010 TR3 also eliminates the 2300 loop AMT segment for Payer Estimated Amount Due.

**SPECIAL NOTE:** Medicare is planning to create 2400 level AMT segments tied to service tax amounts, qualified by GT, associated with 837 institutional version 5010 claims if this information is received on incoming electronic claims. At this time, Medicare is not planning to create 2400 level AMT segments tied to facility tax amounts, qualified by N8.

## B. Creation of New Present on Admission (POA) Indicator Fields

With HIPAA 837 institutional version 4010A1 claims, Medicare has been reporting POA indicators within the 2300 K3 (File Information) segment. The X12 Committee has agreed to the creation of new fields within the 2300 HI segment for POA indicators for HIPAA 5010. Thus, COBA trading partners will find POA indicators reported within the 2300 HI segments of their 837 institutional COB/crossover claims as indicated:

- Within 2300 HI01-9 (Principal Diagnosis Code)
  - Valid values, as per the TR3 Guide, are as follows:
    - N—condition not present at admission;
    - U—unknown;
    - W—not applicable; and
    - Y—condition was present at admission.
  
- Within 2300 HI01-9 through HI12-9 (External Cause of Injury), as applicable.
  - POA indicators will be listed in accordance with number of diagnosis codes.

## C. Limited Use of Secondary Provider Reference Identifier (REF) Segments

Currently, most COBA trading partners are accustomed to Medicare's inclusion of a very limited range of "non-legacy" secondary provider identifiers within the various REF segments of outbound 837 institutional and professional version 4010A1 crossover claims. The Centers for Medicare & Medicaid Services (CMS) is following this practice due to the in-force HIPAA 4010A1 Implementation Guides' language concerning primacy of the National Provider Identifier (NPI) within the NM109 segment.

Similarly, all COBA trading partners should note that the CMS takes the TR3 Guide's statements concerning non-validity of various secondary provider REF segments once the use of the NPI is mandated very seriously. Given that the NPI became mandatory on all Medicare claims as of May 23, 2008, the only REF segment that Medicare will create within HIPAA 5010 COB claims is the 2010AA (Billing Provider) REF01 and REF02, with the latter containing either the billing provider's employer identification number (EIN) or social security number (SSN), where appropriate, as derived from the Medicare contractor's internal provider file.

#### **D. Removal of Restrictions on Provider Taxonomy Codes**

Currently with HIPAA 837 4010A1 professional claims, Medicare does not allow the provider to report his taxonomy code at both the 2000A PRV and the 2310B PRV. In addition, from Medicare's perspective, the "NOTES" accompanying 2000A PRV do not permit provider group taxonomy to be reported at the 2000A PRV level. Under HIPAA 5010, these restrictions have been removed. The provider's taxonomy code may be reported at any level without restriction for both 837 institutional and professional claims.

#### **E. Requirements for Balancing of HIPAA 837 5010 Claims**

The CMS, through its Medicare program, acknowledges that the TR3 Guide establishes claim balancing as mandatory. Therefore, COBA trading partners should always encounter claims where the **total charges less any claim adjustment segment (CAS) amounts results in the Medicare paid amount.**

COBA trading partners should note that because providers are not allowed to modify 835 Electronic Remittance Advice (ERA) payment data as received from insurers that pay before Medicare, they will be required to "force-balance" Medicare Secondary Payer (MSP) claims that they transmit to Medicare. COBA trading partners may identify forced-balancing by the presence of CAS\*OA\*A7 within either the 2320 or 2430 loops of the outbound claim. The forced-balance monetary amount fits into the above referenced balancing formula appropriately, thereby ensuring that Medicare's outbound 837 COB version 5010 claims balance as required.

#### **F. Changes for Reporting of Anesthesia Timed Values**

Through specific notes provided within the TR3 Guide, our Medicare Part B contractors will now be required to generate anesthesia timed units exclusively in terms of minutes rather than in terms of units. Under HIPAA 4010A1, CMS issues 837 professional crossover claims with units represented for anesthesia timed values based upon Medicare's adjudication of anesthesia claims. This will be changed for HIPAA 5010 COB, in accordance with the TR3 Guide.



## G. Discontinuance of “QTY” Segments

Under the HIPAA 4010A1 format, the Medicare Part A contractors reflected actual covered days, co-insurance/co-insured days, life-time reserve (LTR) days, and non-covered days within loop 2300 QTY (“Claim Quantity”) in QTY02, with QTY01=CA (covered-actual), CD (co-insurance/insured-actual), LA (LTR-actual), and NA (non-covered actual), as applicable. The TR3 Guide eliminated usage of the 2300 QTY segments. Therefore, effective with CMS’s implementation of the 5010 Errata version for the 837 institutional claim on April 4, 2011, Medicare will now reflect day count information within the 2300 Health Insurance (HI) portion of the 837 institutional claim as follows:

2300 HI\*BE (denoting value code)

2300 HI01-2= 80 (for covered days)  
81 (for non-covered days)  
82 (for co-insurance days)  
83 (for LTR days)

The accompanying 2300\*HI01-5 will reflect the day count associated to 2300 HI01-2 as a whole number.

## **IV. Overview of Important Changes Between HIPAA 5010 (Pre-Errata) and HIPAA 5010 (Errata) Medicare COB Transactions**

### A. Admission Type Code Now Required

Through changes made within version 005010X223A2 of the Technical Report 3 (TR3), the Admission Type Code element within loop 2300 CL101 is now required. Previously, this element was situational. For instances where Medicare is taking incoming 837 institutional version 4010A1 or other claim format content and building a 5010 Errata claim, the Part A shared system will need to gap-fill the value “9” (Information Not Available) when this element needed for the creation of a compliant 5010 Errata 837 institutional claim was not present on the incoming claim to Medicare.

### B. Certain City, State, and Zip Code (N4) Elements Made Situational

As a result of changes made within versions 005010X223A2 (837 institutional) and 005010X222A1 (837 professional) of the TR3, the 2010BA, 2330A, and 2330B N401, N402, and N403 segments are now situational. Previously, these elements were required.

### C. Loop 2430 SVD Becomes Situational

Under the pre-Errata 5010 claim formats, loop 2430 SVD is required, which means all composite elements are also required. The CMS elected not to temporarily gap-fill various elements within the 837 pre-Errata institutional claims that are required for HIPAA compliance. Thus, as was previously communicated by the CMS COBA team, CMS will remain unable to transmit pre-Errata 5010 837 “test” institutional claims where the 2430 SVD composite does not contain a CPT-4 or HCPCS per claim service detail line.

The changes made within version 005010X223A2 of the TR3, which make the 2430 SVD situational, will bring the HIPAA compliance rules for the 2430 SVD composite into alignment with those in force under the HIPAA 4010A1 Implementation Guide for 837 institutional claims.

## V. 837 Institutional Claim Elements, Including Possible Gap-Fill Values

As the result of Medicare Part A shared system coding for HIPAA 837 version 5010, the Centers for Medicare & Medicaid Services (CMS), through its Coordination of Benefits Contractor (COBC), will be passing the elements indicated below on outbound 837 institutional claims. **\*\*IMPORTANT:** Where specific loops and segments are not cited, this means that the Part A shared system will create any HIPAA 5010 pre-Errata and Errata required loops and segments with the singular values prescribed by the TR3 Guide or referenced code source within the Guide. Please also consult Section VI of this Companion Guide to determine Medicare’s policy concerning non-creation of certain situational loops

**SPECIAL NOTES:** As is true currently with HIPAA 4010A1 COB claims, COBA trading partners will note the presence of CAS reporting at the 2320 claim level when the Medicare claims are considered “inpatient” (e.g., type of bill=11x, 12x, 21x). Medicare outpatient-oriented claims (e.g., 13x, 34x, 71x, 72x, 73x, 74x, 75x, 79x, and 85x) will feature CAS reporting at the 2430 service line level.

### A. ST—Transaction Set Header

ST01 - 837;

ST02 – Will begin with 000000001 and increment with each interchange; and

ST03 - 005010X223A1 [pre-Errata version]; 005010X223A2 [Errata version]

### B. BHT – Beginning of the Hierarchical Transaction

BHT01 – 0019;

BHT02 ---Normally will be 00; for cases of claim repairs, value will be 18;

BHT03-- Unique 22-byte indicator developed by CMS prior to April 4, 2011; unique 23-byte indicator effective for April 4, 2011, and after.

**1. For normal COBA crossover claim files, the BHT03 will be formatted as follows:**

Bytes 1-9—Medicare contractor ID (5 bytes, left-justified, followed by 4 spaces);

Bytes 10-14—Julian date (5 bytes, expressed as YYDDD);

Bytes 15-19---Sequence number (5 bytes, starting with 00001, incremented for each ST-SE);

Bytes 20-21—Claim version indicator (2 bytes; valid values for 837 institutional COB claim=40 [for 4010A1] or 50 [for 5010]); and

Byte 22—Test/Production indicator (1 byte; valid values=T (test) or P (production)).

**Effective April 4, 2011:** Byte 23—claim adjustment indicator (will apply to all claims herein).

- Valid values=
  - O Original claims;
  - P ACA/ other congressional imperative mass adjustments;
  - M Non-ACA mass adjustments ties to Medicare Physician Fee Schedule (MPFS);
  - S Mass adjustment claims-all others;
  - R RAC adjustment claims; and
  - A Routine adjustment claims, not previously classified

**2. For COBA claims recovery files, the BHT03 will be formatted as follows:**

Bytes 1-9—Medicare contractor ID (5 bytes, left-justified, followed by 4 spaces);

Bytes 10-14—Julian date (5 bytes, expressed as YYDDD);

Bytes 15-19—Sequence number (5 bytes, starting with 00001, incremented for each ST-SE);

Bytes 20-21—Claim version indicator (2 bytes; valid values=40 [for 4010A1] or 50 [for 5010]);

Byte 22—COBA recovery indicator (1 byte; indicator=R); and

**As of April 4, 2011:** Byte 23—Claim Adjustment Indicator (possible values reflected above).

BHT04 —Transaction set creation date expressed as CCYYMMDD;

BHT05—Time; will be expressed as HHMM; and

BHT06—Will always be CH.

**C. 1000A NM1- Submitter Name**

NM101—Will always be 41;

NM102—Will always be 2 (non-person);

NM103—Name of the Medicare contractor adjudicating the incoming claim;  
NM108—Will always be 46; and  
NM109—Will always be the 5-byte Medicare contractor number of the contractor that adjudicated the claim (e.g., 14001); this alpha-numeric value will be left-justified with no trailing spaces.

**D. 1000A PER (Submitter EDI Contact Information)**

PER01—Will always be IC;  
PER02—Will always be COBC EDI Department;  
PER03—Will always be TE; and  
PER04—Will be 6464586740, unless changed with appropriate notice.

**E. 1000B NM1 (Receiver Name)**

NM101—Will always be 40;  
NM102—Will always be 2 (non-person entity);  
NM103—Will be the COBA trading partner's name, as specified in the executed COBA Attachment;  
NM108—Will always be 46; and  
NM109—Will be the 5-byte COBA ID for the trading partner.

**F. 2000A HL-Billing Provider Hierarchical Level**

HL01—Will be 1;  
HL03—Will be 20; and  
HL04—Will be 1.

**G. 2000A PRV and 2310A PRV--Billing Provider Specialty Information (Provider Taxonomy Codes)**

Loop 2000A PRV01=BI;  
Loop 2310A PRV01=AT;  
PRV02=PXC; and  
PRV03= Provider taxonomy code as received on incoming claim.

**\*\*NOTE:** The Part A shared system will transfer these values, **unchanged**, from incoming Medicare claim to outbound 837 institutional COB claim as long as the taxonomy code values are syntactically correct

**H. 2010AA NM1 (Billing Provider Name)**

NM101—Will always be 85;  
NM102—Will always be 2 (non-person entity);  
NM103—Facility name;  
NM108—Will always contain XX; and

NM109—Will be the provider’s national provider identifier (NPI), as derived from the incoming claim.

**I. 2010AA N3 and N4 (Billing Provider Address, City, State, Zip Code)**

\*\*Derived from Medicare contractor’s internal provider files, based upon provider’s completion of CMS form 855.

**Special Notes:** 1) For the N403, where 9-digit zip code is required, as in the case of this loop’s N403 segment, our Medicare Part A shared systems will output the complete zip code as obtained from the internal provider files. If only a base-5 zip code is available (which would be very infrequently), the Part A shared system will output an additional 9998 to realize HIPAA compliance for the 9-byte zip code **when required** for specified provider loops and associated N403 segments (See item K within “Section VIII. Gap-Filling Standards” for more information); 2) for N404 (Country Code), the Part A shared system will only populate a 2-digit code when the beneficiary is traveling in Canada or Mexico and requires urgent medical attention and a Canadian or Mexican facility is the closest one available. **NOTE:** This kind of scenario will be rare.

**J. 2010AA REF – Billing Provider Tax Identification (ID)**

REF01— Will always be EI; and

REF02—Will be the Billing Provider’s Tax ID, as derived from the Medicare contractor’s internal provider files.

**K. 2010AA PER—Billing Provider Contact Information**

PER01=IC;

PER02= Billing Provider Contact Name;

PER03=Created based upon what Medicare has on file; and

PER04=Element to be mapped from Medicare provider file.

**SPECIAL NOTE:** The shared system will **only** create the above 2010AA PER elements if the provider has supplied Medicare with complete contact information. No attempt will be made to gap-fill telephone numbers or other billing provider contact information for COB purposes.

**L. 2010AB NM1 – Pay-to Address Name**

NM101=87; and

NM102= 2 (non-person entity).

**M. 2010AB N3 & N4 segments**

\*\*Elements created from Medicare contractor’s internal provider files.

**SPECIAL NOTE:** In accordance with the TR3 Guide, Medicare will only create the 2010AB loop when the address information in the 2010AB N3 and N4 segments differs from that in the 2010AA N3 and N4 segments.

**N. 2000B- SBR –Subscriber Information [Destination Payer After Medicare]**

SBR01—Will be U;

SBR02—Will always be 18;

SBR03—Populated as situation may require; and

SBR09—Will be ZZ, unless the COBA trading partner is Medicaid; then it will be MC.

**O. 2010BA NM1—Subscriber Name And Attendant Elements**

NM101—Will always be IL;

NM102—Will always be 1;

NM103—Surname of beneficiary as determined by Medicare’s internal entitlement records;

NM104—First name of beneficiary as determined by Medicare’s internal entitlement records;

NM105—Middle name of beneficiary, as applicable, as determined by Medicare’s internal entitlement records, if available;

NM108—Will be MI; and

NM109—Will be the member’s identification number, as provided to the COBC via the COBA eligibility file; otherwise, the Medicare Health Insurance Claim Number (HICN) will be populated.

**2010BA N3—Subscriber Address**

N301—Line 1 of beneficiary’s address, as derived from Medicare’s entitlement records.

**SPECIAL NOTE:** If the address line 1 on file is incomplete, the Part A shared system will map “Xs” to satisfy the minimum field length requirement.

N302—Line 2 of beneficiary’s address, as applicable, as derived from Medicare’s internal entitlement records.

**2010BA N4—City, State, Zip Code**

Elements N401, N402, N403, and N407 will be derived from Medicare’s internal entitlement records.

**SPECIAL NOTE:** With Medicare’s implementation of the 5010 Errata changes, the elements comprising the N4 will not be gap-filled. If the Medicare shared system cannot create a full-content N4 segment, it will likewise not create the N3 segment. This is because, effective with the Errata changes, both segments are now situational.

**P. 2010BA-DMG- Subscriber Demographic Information**

**DMG01**—Will be D8;

**DMG02**—Will be expressed as CCYYMMDD, as derived from internal beneficiary entitlement records; and

**DMG03**—Will be F, M, or U, as appropriate, based upon internal beneficiary entitlement records

**Q. 2010BB NM1-Payer Name and Attendant Elements**

NM101—Will always be PR;

NM102—Will always be 2;

NM103—COBA trading partner's organizational name;

NM108—Will be PI; and

NM109—Will be 5-byte COBA ID of trading partner

**2010BB N3 & N4**—(Payer Address, including City, State, Zip Code)

\*\*Derived from information provided by COBA trading partner via executed COBA contract.

**R. 2300-CLM- Claim Information**

CLM01—Created, as per TR3 IG;

CLM02—Created, as per incoming Medicare claim;

CLM05—1 through CLM05-3—Created based upon type of claim.

\*\*For CLM05-3, the value designates original (1) versus adjustment/replacement (7 or some other NUBC-prescribed alpha code);

CLM07—Will always be A (provider accepts assignment under **Medicare**);

CLM08—Mapped based upon incoming claim; and

CLM09—Mapped based upon incoming claim.

**2300- DTP-Discharge Hour**

\*\*Created only for all final inpatient-oriented claims, as per the TR-3 Guide.

DTP01—Will always be 096;

DTP02—Will always be TM; and

DTP03—Will be expressed as HHMM.

**S. 2300 DTP- Statement Dates**

DTP01—Will be 434;

DTP02—Will be RD8; and

DTP03—Range of dates expressed as CCYYMMDD – CCYYMMDD.

**U. 2300 DTP- Admission Date/Hour**

DTP01—Will always be 435;

DTP02—Will be DT in association with inpatient hospital claims; and  
DPT03—Will be expressed as CCYYMMDDHHMM, with true hour and minute reflected as received on the incoming claim. (\*\*See item K within the “VIII. Standards” section of this Guide for more information about the gap-filling of admission hour and minute values that may appear on 837 institutional version 5010 claims when this required information cannot otherwise be derived from incoming UB04 paper claims or DDE screen entry data. \*\*)

**V. 2300 REF—Demonstration Project Identifier**

REF01—Will always be P4; and

REF02—The demonstration project identifier (e.g., 54)

**W. 2300 HI – Value Codes (BE-Qualified)**

Co-insurance amounts relating to covered skilled nursing facility (SNF) types of bills and of Medicare life-time reserve days (LTR) will be reported with BE-qualified value codes. Value codes 08, 09, 10, and 11 are applicable for these two scenarios.

In addition, the Part B co-insurance for the physician component portion of acute care episode (ACE) demonstration claims is reported within the 2300 HI with the BE-qualified value code of Y3. **NOTE:** The CMS will apprise all COBA trading partners if any changes to this reporting occur in the future.

**X. 2320- MIA- Inpatient Adjudication Information and MOA-Outpatient Adjudication Information**

Remark code MA18 and/or N89 will be noted within MIA20 through MIA23 and within MOA04 through MOA07. Typically other remark codes will precede MA18 or N89. Each of these remark codes indicates that Medicare selected the affected claim for crossover to a COBA trading partner. Remark code N89 is used when Medicare simultaneously crosses a claim to multiple payers, whereas remark code MA18 is used to designate crossover to an individual COBA trading partner.

**Y. 2320 SBR (Subscriber Information—Medicare’s Payment Loop)**

SBR01—Will always be P or S (Medicare is either the primary or secondary payer for the claim);

SBR02—Will always be 18 (self);

SBR03—Will always be populated as the situation may require; and

SBR09—Will always be MA (Medicare Part A).

**Z. 2320 SBR (Subscriber Information—All Destination Payers After Medicare)**

SBR01—Will always be U (unknown);

SBR02—Will always be 18 (self);



SBR03—Will always be populated as the situation may require; and  
SBR09—For commercial payers, this value will always be ZZ (mutually defined); for Medicaid COBA payers, this element will always reflect MC.

**AA. 2330-A NM1—Other Subscriber Name**

NM101—Will always be IL;  
NM102—Will always be 1;  
NM103—NM105—Elements will be derived from the Medicare contractor’s internal Medicare eligibility records;  
NM108—Will always be MI; and  
NM109—Will be the Medicare beneficiary’s HICN.

**2330A—N3 and N4 segments**—Information derived from Medicare contractor’s internal Medicare eligibility records.

**NOTE:** When the beneficiary’s line 1 address is incomplete, the Medicare shared systems will map all “Xs” to satisfy the minimum requirements of 2330A N301.

**SPECIAL NOTE:** With Medicare’s implementation of the 5010 Errata changes, the elements comprising the N4 will not be gap-filled. If the Medicare shared system cannot create a full-content N4 segment, it will likewise not create the N3 segment. This is because, effective with the Errata changes, both segments are now situational.

**AB. 2410-LIN – Drug Identification**

\*\*For HIPAA 5010 claims, Medicare will place the national drug code (NDC) in the 2410 LIN03, with LIN02=N4, for COB purposes irrespective of the format.

**SPECIAL NOTE:** For current 4010A1 COB processes and with concurrence from the Medicaid directorship, if a provider enters an NDC on the paper UB04 claim form to Medicare, the Part A shared system moves the NDC to a 2300 NTE segment for outbound COB mapping. This practice will discontinue in association with output of HIPAA 837 5010 COB claims.

## **VI. 837 Professional Claim Elements, Including Possible Gap-Fill Values**

Through Medicare Part B Medicare Administrative Contractor (MAC) and Durable Medical Equipment Medicare Administrative Contractor (DME MAC) shared system coding changes for HIPAA 837 version 5010, CMS, via its COBC, will be passing the elements indicated below on outbound 837 professional claims. **\*\*IMPORTANT:** Where specific loops and segments are **not** cited, this means that the Part B or DME MAC shared systems will create any HIPAA 5010 pre-Errata or Errata required loops and segments with the singular values prescribed by the TR3

Guide or referenced code source within the Guide. Please also consult Section VI of this Companion Guide to determine Medicare's policy concerning non-creation of certain situational loops.

**SPECIAL NOTE:** As is true currently with HIPAA 4010A1 COB claims, COBA trading partners will note the presence of CAS reporting for 837 professional claims at the 2430 service line level. Medicare always adjudicates such claims at the service line level, however.

**A. ST—Transaction Set Header**

ST01— 837;

ST02—Will begin with 000000001 and increment with each interchange; and

ST03—005010X222 [for pre-Errata]; 005010X222A1 [for Errata version]

**B. BHT – Beginning of the Hierarchical Transaction**

BHT01—0019;

BHT02—Normally will be 00; for cases of claim repairs, value will be 18;

BHT03—Unique 22-byte indicator developed by CMS prior to April 4, 2011; unique 23-byte indicator effective for April 4, 2011, and after.

**1. For normal COBA crossover claim files, the BHT03 will be formatted as follows:**

Bytes 1-9—Medicare contractor ID (5 bytes, left-justified, followed by 4 spaces);

Bytes 10-14—Julian date (5 bytes, expressed as YYDDD);

Bytes 15-19---Sequence number (5 bytes, starting with 00001, incremented for each ST-SE);

Bytes 20-21— Claim version indicator (2 bytes; valid values=40 [for 4010A1], 50 [for 5010], 11 [for NCPDP version 5.1, batch 1.1], and 20 [for NCPDP version D.0, batch 1.2]); and

Byte 22—Test/Production indicator (1 byte; valid values=T (test) or P (production).

**Effective April 4, 2011:** Byte 23—Claim Adjustment Indicator (will apply to all claims herein).

- Valid values=
  - O Original claims;
  - P ACA/ other congressional imperative mass adjustments;
  - M Non-ACA mass adjustments ties to Medicare Physician Fee Schedule (MPFS);
  - S Mass adjustment claims-all others;
  - R RAC adjustment claims; and
  - A Routine adjustment claims, not previously classified

**2. For COBA claims recovery files, the BHT03 will be formatted as follows:**

- Bytes 1-9—Medicare contractor ID (5 bytes, left-justified, followed by 4 spaces);
- Bytes 10-14—Julian date (5 bytes, expressed as YYDDD);
- Bytes 15-19---Sequence number (5 bytes, starting with 00001, incremented for each ST-SE);
- Bytes 20-21— Claim version indicator (2 bytes; valid values=40 [for 4010A1], 50 [for 5010], 11 [for NCPDP version 5.1, batch 1.1], and 20 [for NCPDP version D.0, batch 1.2]);
- Byte 22—COBA recovery indicator (1 byte; indicator=R); and
- Byte 23—Claim Adjustment Indicator (possible values reflected above).

BHT04—Transaction set creation date expressed as CCYYMMDD;

BHT05—Time; will be expressed as HHMM; and

BHT06—Will always be CH

**C. 1000A NM1- Submitter Name**

NM101—Will always be 41;

NM102— Will always be 2 (non-person);

NM103— Name of Medicare contractor adjudicating the incoming claim;

NM108—Will always be 46; and

NM109—Will always be the 5-byte Medicare contractor number of the contractor that adjudicated the claim (e.g., 14001); value will be left-justified followed by spaces.

**D. 1000A PER (Submitter EDI Contact Information)**

PER01—Will always be IC;

PER02—Will always be COBC EDI Department;

PER03—Will always be TE; and

PER04—Will be 6464586740, unless changed with appropriate notice.

**E. 1000B NM1 (Receiver Name)**

NM101—Will always be 40;

NM102—Will always be 2 (non-person entity);

NM103—Will be the COBA trading partner's name, as specified in the executed COBA Attachment;

NM108—Will always be 46; and

NM109—Will be the 5-byte COBA ID for the trading partner.

**F. 2000A HL-Billing Provider Hierarchical Level**

HL01—Will be 1;

HL03—Will be 20; and

HL04—Will be 1.

**G. 2000A PRV, 2310B PRV, and 2420A PRV—Billing Provider Specialty Information (Provider Taxonomy Codes)**

Loop 2000A PRV01 value=BI;

For Loops 2310B and 2420A, the PRV01 value=PE;

PRV02=PXC; and

PRV03= Provider taxonomy code as received on the incoming Medicare claim.

**\*\*NOTE:** The shared systems will transfer these values, **unchanged**, from incoming claims to outbound COB claims as long as the taxonomy code values are syntactically correct.

**H. 2010AA NM1 (Billing Provider Name)**

NM101—Will always be 85;

NM102—Will be 1 (person) **or** 2 (non-person entity);

NM103—Facility name;

NM108—Will always contain XX; and

NM109—Will be the provider’s NPI, as derived from Medicare’s claims adjudication system.

**I. 2010AA N3 and N4 (Billing Provider Address, City, State, Zip Code)**

**\*\*Derived from Medicare contractor’s internal provider files, based upon provider’s completion of CMS form 855.**

**Special Notes:** 1) For the N403, where 9-digit zip code is required, as in the case of this loop’s N403 segment, our Medicare Part B and DME MAC shared systems will output the complete zip code as obtained from the internal provider files. If only a base-5 zip code is available, the Medicare Part B and DME MAC systems will output an additional 9998 to realize HIPAA compliance for the 9-byte zip code **when required** in association with specified provider loops and associated N403 segments (See item K within “Section VIII. Gap-Filling Standards” for more information); 2) for N404 (Country Code), the Part B and DME MAC shared systems will only populate a 2-digit code when the physician or supplier is located outside the United States (e.g., Mexico or Canada. **NOTE:** This will be extremely rare).

**J. 2010AA REF – Billing Provider Tax Identification (ID)**

REF01- Will either be EI or SY for physician-oriented claims; will be EI for DME MAC supplier oriented claims; and

REF02—For 837 professional physician claims, the shared system will map the physician’s EIN if available in lieu of his/her SSN. For DME MAC supplier-oriented claims, the shared system will map the supplier’s EIN/TAX ID.

**K. 2010AA PER—Billing Provider Contact Information**

PER01=IC;  
PER02= Billing Provider Contact Name;  
PER03=Created based upon what Medicare has on file; and  
PER04=Element to be mapped from Medicare provider file.

**SPECIAL NOTE:** The shared systems will **only** create the above 2010AA PER elements if the provider has supplied Medicare with complete contact information. No attempt will be made to gap-fill telephone numbers or other billing provider contact information for COB purposes.

**L. 2010AB NM1 – Pay-to Address Name**

NM101=87; and  
NM102= 1 (person) **or** 2 (non-person entity).

**2010AB N3 & N4 segments**

\*\*Elements created from Medicare contractor's internal provider files.

**SPECIAL NOTE:** Medicare Part B and DME MAC shared systems will only create the 2010AB loop for COB purposes when the Pay-to address elements (N3 and N4 segments) for the physician or supplier differ from the 2010AA loop N3 and N4 information.

**M. 2000B- SBR –Subscriber Information [Destination Payer After Medicare]**

SBR01—Will be U;  
SBR02—Will always be 18;  
SBR03—Populated as situation may require; and  
SBR09—Will be ZZ, unless the COBA trading partner is Medicaid; then it will be MC.

**N. 2010BA NM1—Subscriber Name And Attendant Elements**

NM101—Will always be IL;  
NM102—Will always be 1;  
NM103—Surname of beneficiary as determined by Medicare's internal entitlement records;  
NM104—First name of beneficiary as determined by Medicare's internal entitlement records;  
NM105—Middle name of beneficiary, as applicable, as determined by Medicare's internal entitlement records, if available;  
NM108—Will be MI; and  
NM109—Will be the member's identification number, as provided to the COBC via the COBA eligibility file, with the exception of Medigap claim-based crossovers.

For non-Medigap claim-based crossover situations, if the supplemental payer does **not** provide the member's identification number via the COBA eligibility file, the COBC will map the beneficiary's Medicare HICN to this field.

**SPECIAL NOTE:** For Medigap claim-based crossovers, Medicare will send the beneficiary's policy number, as derived from item 9-D of the paper CMS-1500 or 2330A NM109 of the incoming 837 professional claim, in 2010BA NM109.

**2010BA N3—Subscriber Address**

N301—Line 1 of beneficiary's address, as derived from Medicare's entitlement records.

**SPECIAL NOTE:** If the address line 1 on file is incomplete, the Part B and DME MAC shared systems will map "Xs" to satisfy the minimum field length requirement.

N302—Line 2 of beneficiary's address, as applicable, as derived from Medicare's internal entitlement records.

**2010BA N4—City, State, Zip Code**

Elements N401, N402, N403, and N407 will be derived from Medicare's internal entitlement records.

**SPECIAL NOTE:** With Medicare's implementation of the 5010 Errata changes, the elements comprising the N4 will not be gap-filled. If the Medicare shared system cannot create a full-content N4 segment, it will likewise not create the N3 segment. This is because, effective with the Errata changes, both segments are now situational.

**O. 2010BA-DMG- Subscriber Demographic Information**

**DMG01**—Will be D8;

**DMG02**—Will be expressed as CCYYMMDD, as derived from internal beneficiary entitlement records; and

**DMG03**—Will be F, M, or U, as appropriate, based upon internal beneficiary entitlement records.

**P. 2010BB NM1-Payer Name and Attendant Elements**

NM101—Will always be PR;

NM102—Will always be 2;

NM103—COBA trading partner's organizational name;

NM108—Will be PI; and

NM109—Will be 5-byte COBA ID of trading partner.

**2010BB N3 & N4**—(Payer Address, including City, State, Zip Code)

\*\*Derived from information provided by the COBA trading partner via executed COBA contract.

**Q. 2300-CLM- Claim Information**

CLM01—Created, as per TR3 IG;

CLM02—Created, as per incoming Medicare claim;

CLM05-1 through CLM05-3 – Created based upon type of claim.

\*\*For CLM05-3, the value designates original (1) versus adjustment/replacement (7);

CLM07—Will be mapped depending upon provider's **Medicare** assignment for the claim;

CLM08—Mapped based upon incoming claim; and

CLM09—Mapped based upon incoming claim.

**R. 2300-REF—Mandatory Medicare (Section 4081) Crossover Indicator**

REF01—Will always be F5; and

REF02—Will be N when the COBA trading partner sends an eligibility file to trigger crossover claims; will be Y when the COBA trading partner is a Medigap plan that participates in the Medigap claim-based crossover process (COBA ID=55000 to 59999).

**S. 2320—MOA-Outpatient Adjudication Information**

Remark code MA18 and/or N89 will be noted within MOA04 through MOA07. Typically other remark codes will precede MA18 or N89. Each of these remark codes indicates that Medicare selected the affected claim for crossover to a COBA trading partner. Remark code N89 is used when Medicare simultaneously crosses a claim to multiple payers, whereas remark code MA18 is used to designate crossover to an individual COBA trading partner.

**T. 2320 SBR (Subscriber Information—Medicare's Payment Loop)**

SBR01—Will always be P or S (Medicare is either the primary or secondary payer for the claim);

SBR02—Will always be 18 (self);

SBR03—Will always be populated as the situation may require; and

SBR09—Will always be MB (Medicare Part B).

**U. 2320 SBR (Subscriber Information—All Destination Payers After Medicare)**

SBR01—Will always be U (unknown);

SBR02—Will always be 18 (self);

SBR03—Will always be populated as the situation may require; and

SBR09—For commercial payers, this value will always be ZZ (mutually defined); for Medicaid COB payers, this value will always be MC.

**V. 2330-A NM1—Other Subscriber Name**

NM101—Will always be IL;  
NM102—Will always be 1;  
NM103—NM105—Elements will be derived from the Medicare contractor’s internal Medicare eligibility records;  
NM108—Will always be MI; and  
NM109—Will be the Medicare beneficiary’s HICN.

**2330A—N3 and N4 segments**—Information derived from Medicare contractor’s internal Medicare eligibility records.

**NOTE:** When the beneficiary’s line 1 address is incomplete, the Medicare shared systems will map all “Xs” to satisfy the minimum requirements of 2330A N301.

**SPECIAL NOTE:** With Medicare’s implementation of the 5010 Errata changes, the elements comprising the N4 will not be gap-filled. If the Medicare shared system cannot create a full-content N4 segment, it will likewise not create the N3 segment. This is because, effective with the Errata changes, both segments are now situational.

**W. 2410-LIN – Drug Identification**

\*\*For HIPAA 5010 claims, Medicare will place the national drug code (NDC) in the 2410 LIN03, with LIN02=N4, for COB purposes irrespective of the format.

**SPECIAL NOTE:** For current 4010A1 COB processes and with concurrence from the Medicaid directorship, if a provider enters an NDC on the paper CMS-1500 claim form to Medicare, the shared system moves the NDC to a 2300 NTE segment for outbound COB mapping. This practice will discontinue in association with output of HIPAA 837 5010 COB professional claims.

**VII. Reverse Mapping (5010 Errata or Pre-Errata Mapped to 4010A1) Considerations**

Once physicians/suppliers/providers begin to bill Medicare in the HIPAA 5010 Errata claim versions, there will be many situations, prior to January 1, 2012, where COBA trading partners have **not** as yet moved into production on the HIPAA 5010 Errata COB claim versions (versions 005010X223A2 for 837 institutional claims or 005010X222A1 for 837 professional claims) with the COBC. For the most part, COBA trading partners will find strong degrees of correlation between their 4010A1 production claims received prior to testing and the “skinny” 4010A1 production claims created while testing the pre-Errata or Errata 5010 COB claims with the COBC. Below are two (2) noted exceptions.

**A. Differences in AMT Allowed Amounts Created on the 4010A1 “Skinny” Claim**



**Scenario:** On June 1, 2011, hospital A sends a HIPAA 837 5010 Errata version institutional claim to its Medicare contractor, contractor XYZ. As contractor XYZ adjudicates the claim and transmits it to the Common Working File (CWF) for payment authorization, CWF returns a 5010 “T” indicator and a 4010A1 “P” indicator to contractor XYZ’s claims system via the 29-trailer. Since the 29-trailer contained a “T” value for 5010 and a “P” value for 4010A1, the contractor takes the incoming 5010 Errata claim and reverse maps it to a 4010A1 “skinny” claim format for claims crossover purposes.

Question: Since the outbound claim is 4010A1, how will the AMT allowed amounts on the claim be reflected?

Answer: The Part A shared system will create only one (1) instance of an allowed amount within the 2320 AMT\*B6. This is all that is required to satisfy HIPAA 4010A1 compliance requirements.

## **B. Creation of the 2010AB Loop N3 and N4 Elements**

**SPECIAL NOTE:** As we know, the TR3 makes it clear that the 2010AB N3 and N4 segments are only to be created when the provider’s Pay-To Address differs from the physical address present within the 2010AA (Bill-To Provider) N3 and N4 segments. The usage of the 2010AB loop within the 5010 pre-Errata and Errata claim version varies considerably as compared to its prior usage as outlined within the 4010A1 Implementation Guides. Under 4010A1, the entity within the 2010AB NM101 may itself be different from that present within the 2010AB NM101. Indeed, the differences under 4010A1 were not necessarily limited to address.

**Scenario:** On June 1, 2011, a physician or provider submits an Errata version 5010 claim to Medicare that includes 2010AA and 2010AB segments, which signifies that the Pay-to Address for the physician or provider differs from the Bill-to Address. The COBA trading partner is still testing 5010 with the COBC. Therefore, the Medicare shared system will create a 4010A1 production claim for transmission to the COBC.

Question: Within the 4010A1 “skinny” 837 institutional or professional claim, what will be created in terms of 2010AA and 2010AB N3 and N4 segments?

Answer: The Medicare shared systems will only be able to create the 2010AA loop and related N3 and N4 segment address information.

## VIII. Gap-Filling Standards Applied to 837 “Skinny” COB Claims

During the transitional period, where providers will be able to submit Medicare claims in the 4010A1 or in the 5010 pre-Errata or Errata formats, CMS will create outbound 837 COB files based upon the COBA trading partner’s test or production status with respect to these transactions. For example, if a provider submits a pre-Errata 5010 claim to Medicare in February 2011, but COBA trading partner A is **not** in 5010 COB claim production at that time, the Medicare shared system will output to the COBC 1) a production “skinny” 4010A1 COB claim and 2) a full-content 5010 test COB claim. If, by contrast, the provider submits a 4010A1 claim to Medicare in June 2011, and the COBA trading partner has moved to 5010 Errata version production, the Medicare shared system will output to the COBC 1) a production “skinny” 5010 Errata version COB claim and 2) nothing in terms of the 4010A1 claim.

The term “skinny claim” means that Medicare takes the incoming claim down the same path that it would normally follow if the physician/supplier/provider had submitted the claim to Medicare as hard-copy/paper UB04 or CMS-1500. Since Medicare takes the claim down the hard-copy/paper COB path, the shared system will frequently map “Submitted but not Forwarded” for required fields to satisfy compliance requirements for elements that normally could be retrieved from Medicare’s store-and-forward repository (SFR) had the claim gone down the electronically submitted path.

COBA trading partners may reference CMS’ previous direction for HIPAA 4010A1 gap-filling by activating the following link:

<<http://www.cms.hhs.gov/Transmittals/downloads/R83OTN.pdf>>. This document is termed “CMS’ Medicare Companion Document,” but theoretically it has served, and continues to serve, as a scaled-down Companion Guide for 4010A1 COB transactions. NOTE: Medicare will apply these gap-fill standards during the transitional period, prior to January 1, 2012, in cases where Medicare creates a “skinny” 4010A1 claim format for COBA trading partners that have not moved to HIPAA 5010 production.

**IMPORTANT:** COBA trading partners should note that even after the January 1, 2012 mandatory cutover date, if Medicare adjusts a claim that it originally processed in version 4010A1, it will create an outbound 5010 “skinny” claim for COB purposes. This would occur because as of January 1, 2012, Medicare and all other health care plans would have cut over to the HIPAA 5010 claims transactions.

The following gap-fill standards will be applied to “skinny” 837 5010 COB claims:

- A. For all instances of the N403 (Postal/Zip Code) segment, **where required, as specified in the TR-3 Guide**, the Medicare shared systems shall populate a 9-byte zip code. If only 5 core zip code bytes are available, the remaining 4 digits will be gap-filled/system-filled with 9998, **when required, as per the TR-3. IMPORTANT NOTE:** There should be very few occasions where this kind of gap-filling will be necessary. When it does become necessary, the following loops are the only ones where the “9998” will be reported as the +4 component of the N403 segment to fulfill the requirements specified in the TR-3 Guide:

**For 837 Institutional Claims:** Will only be present in the N403 segment of the 2010AA and 2310E loops.

**For 837 Professional Claims (Affecting Physician Claims as well as Claims for DMEPOS):** Will only be present in the N403 segment of the 2010AA, 2310C, and 2420C.

- B. For the rare occasions where there is not a valid zip code available to complete an N403 segment when required, the shared system will default to a base 5-digit zip code 96941. **IMPORTANT NOTE:** When the base 5-digit zip code cannot be obtained for the N403 segment within the 2010AA and 2310E loops of the 837 institutional claim and for the 2010AA, 2310C, and 2420C loops of the 837 professional claim, Medicare will, **just for those specific loop segments**, report 9998 as the gap-filled +4 zip code component.
- C. If the incoming claim to the Medicare Part A/B MAC or DME MAC contractor is paper **or** entered via DDE, as applicable, and the dosage information necessary to populate 2410 CTP05-1 is not available, the shared system will always map F2 for outbound 837 institutional and professional COB claims.
- D. For Medicare institutional version 5010 COB claims, if the incoming claim to Medicare is paper, the shared systems shall map “non-specific procedure code” in 2400 SV202-7 if a non-specific procedure code description is required.
- E. For Medicare professional COB claims, the Part B shared system shall map “not otherwise classified” within loop 2400 SV101-7 (composite medical procedure—description) if the physician submitted the claim to Medicare on a hard copy/paper CMS-1500 form and the needed information is not otherwise obtainable.
- F. The DME MAC shared system will the value “X” to the field corresponding to 2430 SVD03-2 when the value for this segment on the incoming claim is missing or invalid. **(NOTE:** This should be extremely rare, as Medicare will require valid HCPCS at the point that suppliers submit claims for Medicare adjudication.)

- G. For instances where the date of admission, when required, must be gap-filled, the Part B system will use the claim's earliest service date to satisfy the 2330 DTP03 requirement when the claim's place of service (loop 2300 CLM05-1 on the 837 professional claim) is 21, 41, 51, or 61.
- H. For outbound 837 professional claims, place of service 99 will be mapped to CLM05-1 as a gap-fill measure.
- I. Special requirements for **ambulance claims** when the ambulance supplier submits the claim to Medicare as 837 professional version 4010A1 but the COBA trading partner has moved to 5010 production for 837 professional claims are as follows:
- 1) The Part B shared system will map the 2310E and 2310F N3 and N4 segments as follows:
    - a. For the required N301 segment, the shared system will map all "Xs" to meet the minimum required standard.
    - b. For the N4 segments, the shared system shall map the following values:
      - N401 (City) —will contain Cityville;
      - N402 (State Code)—will contain MD; and
      - N403 (Postal Zone/Zip Code)—will contain 96941 (**NOTE:** The +4 zip code is **not** required for this segment loop.)
  - 2) The Part B shared system will map LB in the field corresponding to 2400 CR101 when the patient's weight is indicated on the incoming Medicare claim in 2400 CR102. The Part B shared system will **not** map LB in 2400 CR101 if 2400 CR102 on the incoming Medicare claim contains spaces.
- J. If providers submit claims to Medicare via UB-04 paper claim or DDE screen that do **not** contain minutes in association with Admission Date/Hour, the Part A shared system internally defaults to "00" for minutes for adjudication purposes. If, however, the incoming paper or DDE claim also contains "00" for the admission hour, the Part A system will output the Admission Date/Hour DTP03 segment as CCYYMMDD0001, where minutes will be gap-filled as "01." Otherwise, if the incoming paper or DDE claim contains a true hour but does not contain minutes, the Part A shared system will gap-fill the minutes portion of the DTP03 with "00."
- K. If an institutional provider submits a 837 institutional 4010A1 claim or other Part A claim format to its Medicare Part A contractor but the COBA trading partner is requesting the 5010 Errata claim (version 005010X223A2) from the COBC for crossover purposes, the Medicare shared system shall gap fill "9" (Information Not Available) to 2300 CL101 (Admission Type Code) when the incoming claim to Medicare did not contain this required

information. {**NOTE:** This gap-fill convention is specific to version 005010X223A2 [HIPAA Errata 5010] claims only.}

- L. With the adoption of the HIPAA 5010 Errata changes, in situations where Medicare is the secondary payer but the institutional provider included a qualifier in 2330A NM108 segment but did not populate 2330A NM109 with a payer identification code, the Medicare Part A shared system will gap-fill the 2330A NM109 segment with all Xs to satisfy the minimum bytes requirement (e.g., XX).
- M. With the adoption of the HIPAA 5010 Errata changes, in situations where Medicare is the secondary payer but the institutional provider included a qualifier in the 2330B NM108 segment but did not populate 2330B NM109 with a payer identification code, the Medicare Part A shared system will gap-fill the 2330B NM109 segment with all Xs to satisfy the minimum bytes requirement (e.g., XX).

**IMPORTANT:** In such situations where Medicare is the secondary payer, the Medicare Part A shared system will ensure that the value reflected in the 2330B NM109 segment matches the value populated in the 2430 SVD01, as required.

## **IX. Segments That Will Not be Created on Medicare 837 COB Claims**

Medicare will never create the segments indicated below on HIPAA 837 5010 pre-Errata and Errata version COB claims. This is because Medicare will not accept incoming claims that contain these segments.

- 2000A CUR (Foreign Currency Information), unless the claim contains monetary amounts expressed as foreign currency, which should be non-applicable to Medicare claims;
- 2010BB REF—Payer Secondary Identifier;
- 2010BB REF—Billing Provider Secondary Identifier;
- 2000C HL—Patient Hierarchical Level;
- 2000C PAT—Patient Information --**NOTE:** For Medicare, the subscriber and patient are always the same;
- 2010CA—Patient Name;
- 2300 PWK—Claims Supplemental Information for COB purposes; and
- 2320 AMT (COB Total Non-Covered)

### **Specifics for 837 Institutional COB Claims**

In addition, the Part A shared system governing institutional and facility claims will not map the following:

- 2320 AMT (Remaining Patient Liability) for COB purposes; and
- 2420E N3 and N4 segments if the information on the incoming claim is either incomplete or missing [**note:** applicable to 5010 Errata claims only.]

### **Specifics for 837 Professional DMEPOS COB Claims**

In addition, the VMS system governing DMEPOS claims will **not** create the following segments on outbound 837 professional COB claims:

- 2300 DTP—Date—Repricer Received Date;
- 2320 AMT Remaining Patient Liability; and
- 2420E N3 and N4 segments if the information on the incoming claim is either incomplete or missing [**note:** applicable to 5010 Errata claims only.]

## **X. Other Helpful Information**

- A. IMPORTANT:** As previously mentioned in Section II of this Guide, the Medicare shared systems will only create secondary provider identifier values within the various REF (Reference Identification) segments that represent the provider's EIN/TAX ID or SSN, with the latter only being allowed on 837 professional claims. Thus, the Medicare shared systems will only create the 2010AA REF within all outbound HIPAA 5010 pre-Errata and Errata version COB claims.