

CHAPTER VII

SURGERY: URINARY, MALE GENITAL, FEMALE GENITAL, MATERNITY CARE AND DELIVERY SYSTEMS CPT CODES 50000 -59999

MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL

**Current Procedural Terminology (CPT) codes, descriptions and other data only are
copyright 2023 American Medical Association. All rights reserved.**

CPT® is a registered trademark of the American Medical Association.

Applicable FARS/DFARS Restrictions Apply to Government Use.

**Fee schedules, relative value units, conversion factors, and/or related components aren't
assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The
AMA doesn't directly or indirectly practice medicine or dispense medical services. The
AMA assumes no liability for the data contained or not contained herein.**

**CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory
Surgical Center (ASC) Payment System.**

Revision Date (Medicaid): 1/1/2024

Table of Contents

Chapter VII VII-3

 Surgery: Urinary, Male Genital, Female Genital, Maternity Care and Delivery Systems .. VII-3

 CPT Codes 50000 - 59999 VII-3

 A. Introduction VII-3

 B. Evaluation & Management (E&M) Services VII-3

 C. Urinary System..... VII-5

 D. Male Genital System..... VII-9

 E. Female Genital System..... VII-10

 F. Laparoscopy..... VII-11

 G. Maternity Care and Delivery..... VII-12

 H. Medically Unlikely Edits (MUEs) VII-13

 I. General Policy Statements..... VII-13

Revision Date (Medicaid): 1/1/2024

Chapter VII

Surgery: Urinary, Male Genital, Female Genital, Maternity Care and Delivery Systems CPT Codes 50000 - 59999

A. Introduction

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 50000-59999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/ Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

The HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this Chapter.

B. Evaluation & Management (E&M) Services

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage.

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for the most recent version of the fee schedule. In the zip file, select document “PPRRVU....xlsx” and refer to “Column O, Global Days.”

Revision Date (Medicaid): 1/1/2024

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed unless related to a complication of surgery may be reported separately on the same day as a surgical procedure with modifier 24 (“Unrelated Evaluation and Management Service by the same Physician or Other Qualified Health Care Professional during a Postoperative Period”).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical procedure is correct coding.

Revision Date (Medicaid): 1/1/2024

C. Urinary System

1. Insertion of a urinary bladder catheter is a component of the global package. Urinary bladder catheterization (CPT codes 51701, 51702, and 51703) is not separately reportable with a surgical procedure when performed at the time of or just before the procedure.

Additionally, many procedures involving the urinary tract include the placement of a urethral/bladder catheter for postoperative drainage. Because this is integral to the procedure, placement of a urinary catheter is not separately reportable.

2. Cystourethroscopy, with biopsy(s) (CPT code 52204) includes all biopsies during the procedure and shall be reported with one unit of service.
3. Some lesions of the genitourinary tract occur at mucocutaneous borders. The *CPT Professional* contains integumentary system (CPT codes 10000-19999) and genitourinary system (CPT codes 50000-59899) codes to describe various procedures such as biopsy, excision, or destruction. A single code from 1 of these 2 sections of the *CPT Professional* that best describes the biopsy, excision, destruction, or other procedure performed on 1 or multiple similar lesions at a mucocutaneous border shall be reported. Separate codes from the integumentary system and genitourinary system sections of the *CPT Professional* may only be reported if separate procedures are performed on completely separate lesions on the skin and genitourinary tract. Modifier 59 or XS should be used to indicate that the procedures are on separate lesions. The medical record **must** accurately describe the precise locations of the lesions.
4. If an irrigation or drainage procedure is necessary and integral to complete a genitourinary or other procedure, only the more extensive procedure shall be reported. The irrigation or drainage procedure is not separately reportable.
5. The CPT code descriptor for some genitourinary procedures includes a hernia repair. A HCPCS/CPT code for a hernia repair is not separately reportable unless the hernia repair is performed at a different site through a separate incision. In the latter case, the hernia repair may be reported with modifier 59 or XS.
6. In general, multiple methods of performing a procedure (e.g., prostatectomy) cannot be performed at the same patient encounter. (See general policy on mutually exclusive services.) Therefore, only one method of accomplishing a given procedure may be reported. If an initial approach fails and is followed by an alternative approach, only the completed or last uncompleted approach may be reported.
7. If a diagnostic endoscopy leads to the performance of a laparoscopic or open procedure, the diagnostic endoscopy may be separately reportable. Modifier 58 may be reported to indicate that the diagnostic endoscopy and non-endoscopic therapeutic procedures were staged or planned procedures. The medical record must indicate the medical necessity for the diagnostic endoscopy. However, if an endoscopic procedure is performed as an integral part of an open procedure, only the open procedure is reportable. If the

Revision Date (Medicaid): 1/1/2024

endoscopy is confirmatory or is performed to assess the surgical field, the endoscopy does not represent a separate diagnostic or surgical endoscopy. The endoscopy represents exploration of the surgical field and shall not be reported separately with a diagnostic or surgical endoscopy code.

8. If an endoscopic procedure is performed at the same patient encounter as a non-endoscopic procedure to ensure no intraoperative injury occurred or verify the procedure was performed correctly, the endoscopic procedure is not separately reportable with the non-endoscopic procedure.
9. If an endoscopic procedure is converted to an open procedure, only the open procedure may be reported. Neither a surgical endoscopy nor a diagnostic endoscopy code shall be reported with the open procedure code when an endoscopic procedure is converted to an open procedure.
10. Surgical endoscopy includes diagnostic endoscopy, which is not separately reportable. If a diagnostic endoscopy leads to a surgical endoscopy at the same patient encounter, only the surgical endoscopy may be reported.
11. When multiple endoscopic procedures are performed at the same patient encounter, the most comprehensive code accurately describing the service(s) performed shall be reported. If several procedures not included in a more comprehensive code are performed at the same endoscopic session, multiple HCPCS/CPT codes may be reported with modifier 51. (For example, if renal endoscopy is performed through an established nephrostomy with biopsy, fulguration of a lesion, and foreign body (calculus) removal, the appropriate CPT coding would be CPT codes 50557 and 50561-51, not CPT codes 50551, 50555, 50557, and 50561.) This policy applies to all endoscopic procedures, not only those of the genitourinary system.
12. The CPT code 51700 (Bladder irrigation, simple, lavage and/or instillation) is used to report irrigation with therapeutic agents or as an independent therapeutic procedure. It is not separately reportable if bladder irrigation is part of a more comprehensive service, such as to gain access to or visualize the urinary system. Irrigation of a urinary catheter is included in the global package. The CPT code 51700 shall not be misused to report irrigation of a urinary catheter.
13. The CPT codes 51784 and 51785 describe diagnostic electromyography (EMG). When EMG is performed as part of a biofeedback session, neither CPT code 51784 nor 51785 shall be reported unless a significant, separately identifiable diagnostic EMG service is provided. If either CPT code 51784 or CPT code 51785 is reported for a diagnostic electromyogram, a separate report must be available in the medical record to indicate this service was performed for diagnostic purposes.
14. When endoscopic visualization of the urinary system involves several regions (e.g., kidney, renal pelvis, calyx, and ureter), the appropriate CPT code is defined by the approach (e.g., nephrostomy, pyelostomy, ureterostomy, etc.) as indicated in the CPT

Revision Date (Medicaid): 1/1/2024

descriptor. When multiple endoscopic approaches at the same patient encounter are medically reasonable and necessary (e.g., renal endoscopy through a nephrostomy and cystourethroscopy) to perform different procedures, they may be separately reported appending modifier 51 to the less extensive procedure codes. However, when multiple endoscopic approaches are used to attempt the same procedure, only the completed approach shall be reported.

15. Endoscopic procedures include all minor related functions performed at the same encounter. Although CPT codes may exist to describe these functions, they shall not be reported separately. For example, transurethral resection of the prostate includes meatotomy, urethral calibration and/or dilation, urethroscopy, and cystoscopy. Codes for the included procedures shall not be reported separately.
16. A provider/supplier shall not unbundle services that are integral to a more comprehensive procedure. For example, surgical access is integral to a surgical procedure. When urethral catheterization or urethral dilation (e.g., CPT codes 51701-51703) is necessary to complete a more extensive procedure, the urethral catheterization/dilation is not separately reportable.
17. Ureteral anastomosis procedures are described by CPT codes 50740-50825, and 50860. In general, they represent mutually exclusive procedures that are not reported together. If one type of anastomosis is performed on one ureter, and a different type of anastomosis is performed on the contralateral ureter, the appropriate modifier (e.g., LT, RT) shall be reported with the CPT code to describe the service performed on each ureter. For example, the procedure described by CPT code 50860 (Ureterostomy, transplantation of ureter to skin) is mutually exclusive with the procedures described by CPT codes 50800-50830 (e.g., Ureteroenterostomy, Ureterocolon conduit, Urinary undiversion) unless performed on contralateral ureters in which case anatomic modifiers shall be reported.
18. The CPT codes 53502-53515 describe urethral repair codes for urethral wounds or injuries (urethrorrhaphy). When an urethroplasty is performed, codes for urethrorrhaphy shall not be reported in addition since "suture to repair wound or injury" is included in the urethroplasty service.
19. The CPT code 78730 (Urinary bladder, residual study) is a nuclear medicine procedure requiring use of a radio-pharmaceutical. This CPT code shall not be used to report measurement of residual urine in the urinary bladder determined by other methods.
20. The CPT code 52332 (Cystourethroscopy, with insertion of indwelling ureteral stent) (e.g., Gibbons or double-J type) describes insertion of a self-retaining indwelling stent during cystourethroscopy with ureteroscopy and/or pyeloscopy and shall not be reported to describe insertion and removal of a temporary ureteral stent during diagnostic or therapeutic cystourethroscopy with ureteroscopy and/or pyeloscopy (e.g., CPT codes 52320-52330, 52334-52355). The insertion and removal of a temporary ureteral catheter (stent) during these procedures is not separately reportable and shall not be reported with CPT codes 52005 (Cystourethroscopy, with ureteral catheterization, with or without

Revision Date (Medicaid): 1/1/2024

irrigation, instillation, or ureteropyelography, exclusive of radiologic service;) or 52007 (Cystourethroscopy, with ureteral catheterization, with or without irrigation, instillation, or ureteropyelography, exclusive of radiologic service; with brush biopsy of ureter and/or renal pelvis).

CPT codes 52332 and 52005 are not separately reportable for the same ureter for the same patient encounter.

21. Prostatectomy procedures (CPT codes 55801-55845) include cystoplasty or cystourethroplasty as a standard of surgical practice. The CPT code 51800 (cystoplasty or cystourethroplasty...) shall not be reported separately with prostatectomy procedures.
22. The CPT code 50650 (ureterectomy, with bladder cuff (separate procedure)) shall not be reported with other procedures on the ipsilateral ureter. Since CPT code 50650 includes the “separate procedure” designation, the NCCI program does not allow additional payment for the procedure when it is performed with other procedures in an anatomically related area.
23. The code descriptors for CPT codes 52310 and 52315 (Cystourethroscopy, with removal of foreign body, calculus, or ureteral stent from urethra or bladder (separate procedure) ...) include the “separate procedure” designation. Per NCCI policy for procedures with the “separate procedure” designation, these codes shall not be reported with other cystourethroscopy CPT codes for the same patient encounter.
24. Fluoroscopy (CPT code 76000) is an integral component of all endoscopic procedures when performed. The CPT code 76000 shall not be reported separately with an endoscopic procedure.
25. Cystourethroscopy and transurethral procedures include fluoroscopy when performed. The CPT codes describing fluoroscopy or fluoroscopic guidance (e.g., 76000, 77002) shall not be reported separately with a cystourethroscopy or transurethral procedure CPT code.
26. A ureteral stent is commonly inserted at the site of an anastomosis of a ureter and another structure to maintain patency of the ureter. A ureteral stent is also often inserted into a ureter if the ureter is incised during a procedure (e.g., nephrectomy, cystectomy, ureteral anastomosis). With these procedures, insertion of the ureteral stent is integral to the procedure and is not separately reportable. For example, CPT code 50605 (Ureterotomy for insertion of indwelling stent, all types) shall not be reported with CPT codes describing cystectomy, urinary diversion, or ureteral anastomosis for insertion of a ureteral stent to maintain patency at the site of a ureteral anastomosis.
27. Pelvic exenteration procedures (CPT codes 45126, 51597, 58240) include extensive removal of structures from the pelvis. Physicians shall not separately report codes for the removal of pelvic structures (e.g., colon, rectum, urinary bladder, uterine body and/or cervix, fallopian tubes, ovaries, lymph nodes, prostate gland).

Revision Date (Medicaid): 1/1/2024

28. CPT code 50435 (Exchange nephrostomy catheter. . . , percutaneous, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance and/or fluoroscopy) and all associated radiologic supervision and interpretation) describes exchange of a percutaneous nephrostomy catheter, including diagnostic nephrostogram. CPT codes 50430 and 50431 should not be reported separately with 50435.
29. CPT codes 52317 and 52318 describe litholapaxy (crushing/fragmentation and removal) of calculus in the urinary bladder. These codes may be reported for crushing/fragmentation with removal of calculi originating de novo in the urinary bladder. These codes shall not be reported for crushing/fragmentation and removal of calculi in the urinary bladder that result from a procedure to remove, manipulate, and/or fragment calculi higher up in the urinary tract.
30. The procedure described by CPT codes 51700 (bladder irrigation, simple) and 51701-51703 (insertion of bladder catheter) include the catheter and any needed insertion supplies. HCPCS codes A4310-A4355 and A5112 are not separately reportable with CPT codes 51700-51703.

D. Male Genital System

1. Transurethral drainage of a prostatic abscess (e.g., CPT code 52700) is included in male transurethral prostatic procedures and shall not be reported separately.
2. The puncture aspiration of a hydrocele (e.g., CPT code 55000) is included in services involving the tunica vaginalis and proximate anatomy (e.g., scrotum, vas deferens) and in inguinal hernia repairs and shall not be reported separately.
3. The *CPT Professional* contains many codes (e.g., CPT codes 52601-52649, 53850-53853, 55801-55845, 55866, and 55880) which describe various methods of removing or destroying prostate tissue. These procedures are mutually exclusive, and two codes from these code ranges shall not be reported together.
4. Scrotal exploration (CPT code 55110) is not separately reportable with procedures of the scrotum, scrotal sac, or its contents, including the testes and epididymis. Exploration of the surgical field is not separately reportable.
5. If a prostatectomy procedure necessitates reconstruction of the bladder neck, the bladder neck reconstruction is not separately reportable. For example, CPT code 51800 (Cystoplasty or cystourethroplasty, plastic operation on bladder and/or vesical neck...) shall not be reported with a prostatectomy CPT code where the cystoplasty or cystourethroplasty is necessitated by the prostatectomy procedure.

Revision Date (Medicaid): 1/1/2024

E. Female Genital System

1. When a pelvic examination is performed in conjunction with a gynecologic procedure, either as a necessary part of the procedure or as a confirmatory examination, the pelvic examination is not separately reportable. A diagnostic pelvic examination may be performed to decide to perform a procedure. This examination is included in the E&M service at the time the decision to perform the procedure is made.
2. All surgical laparoscopic, hysteroscopic or peritoneoscopic procedures include diagnostic procedures. Therefore, CPT code 49320 is included in CPT codes 38120, 38570-38572, 43280, 43651-43653, 44180-44227, 44970, 47562-47570, 49321-49323, 49650-49651, 54690-54692, 55550, 58545-58554, 58660-58673, and 60650. The CPT code 58555 is included in CPT codes 58558-58565.
3. Pelvic examination under anesthesia (CPT code 57410) is included in all major and most minor gynecological procedures and is not separately reportable. This procedure represents routine evaluation of the surgical field.
4. Dilation of vagina or cervix (CPT codes 57400 or 57800) are generally not reportable in conjunction with vaginal approach procedures.
5. Colposcopy (CPT codes 56820, 57420, 57452) shall not be reported separately when performed as a procedure to confirm a lesion or to assess the surgical field before a surgical procedure. A diagnostic colposcopy resulting in the decision to perform a non-colposcopic procedure may be reported separately with modifier 58 appended to the non-colposcopic procedure code. Diagnostic colposcopies (CPT codes 56820, 57420, 57452) are not separately reportable with other colposcopic procedures.
6. Pelvic exenteration procedures (CPT codes 45126, 51597, 58240) include extensive removal of structures from the pelvis. Physicians shall not separately report codes for the removal of pelvic structures (e.g., colon, rectum, urinary bladder, uterine body and/or cervix, fallopian tubes, ovaries, lymph nodes, prostate gland).
7. CPT code 57250 describes posterior colporrhaphy for repair of rectocele including perineorrhaphy if performed. If a vaginal hysterectomy is accompanied by additional dissection to repair a rectocele (with perineorrhaphy if performed), the vaginal hysterectomy CPT code and CPT code 57250 may be reported together with an NCCI PTP-associated modifier.
8. CPT code 57240 describes anterior colporrhaphy for repair of cystocele including repair of urethrocele if performed. If a vaginal hysterectomy is accompanied by additional dissection to repair a cystocele (with repair of urethrocele if performed), the vaginal hysterectomy CPT code and CPT code 57240 may be reported together with an NCCI PTP-associated modifier.
9. CPT code 57260 describes a combined anteroposterior colporrhaphy. If a vaginal

Revision Date (Medicaid): 1/1/2024

hysterectomy is accompanied by additional dissection to repair a rectocele (with perineorrhaphy if performed) and repair a cystocele (with repair of urethrocele if performed), the vaginal hysterectomy CPT code and CPT code 57260 may be reported together with an NCCI PTP-associated modifier.

10. A vaginal hysterectomy normally includes fixation of the vagina to surrounding tissues. It is a misuse of CPT code 57282 (Colpopexy, vaginal; extra-peritoneal approach (sacrospinous, iliococcygeus)) or 57283 (Colpopexy, vaginal; intra-peritoneal approach (uterosacral, levator myorrhaphy)) to report this fixation of the vagina to describe the fixation that routinely occurs during a vaginal hysterectomy. If a more extensive colpopexy consistent with the requirements of CPT code 57282 or 57283 is performed, CPT codes 57282 or 57283 may be reported with the vaginal hysterectomy CPT code using an NCCI PTP-associated modifier.
11. Radiofrequency ablation of uterine fibroid(s) (e.g., CPT codes 58674, 58580, 0404T) and myomectomy of leiomyoma(ta) (e.g., CPT codes 58140-58146, 58545, 58546, 58561) shall not be reported for a procedure on the same leiomyoma. For example, if a physician initiates a laparoscopic radiofrequency ablation of a uterine fibroid but must complete the procedure by laparoscopic myomectomy, only the completed procedure, laparoscopic myomectomy, may be reported. In the unusual circumstance where a physician performs radiofrequency ablation on one or more leiomyoma(ta) and it is medically reasonable and necessary to perform a myomectomy on a different leiomyoma, the physician may report both procedures. (CPT code 0404T was deleted January 1, 2024.)

F. Laparoscopy

1. Surgical laparoscopy includes diagnostic laparoscopy which is not separately reportable. If a diagnostic laparoscopy leads to a surgical laparoscopy at the same patient encounter, only the surgical laparoscopy may be reported.
2. If a laparoscopy is performed to assess the surgical field or extent of disease, it is not separately reportable. If the finding of a diagnostic laparoscopy leads to the decision to perform an open procedure, the diagnostic laparoscopy may be separately reportable. Modifier 58 may be reported to indicate that the diagnostic laparoscopy and non-laparoscopic therapeutic procedures were staged or planned procedures. The medical record must indicate the medical necessity for the diagnostic laparoscopy.
3. CPT code 49321 describes a laparoscopic biopsy. If this procedure is performed for diagnostic purposes and the decision to proceed with an open or laparoscopic –ectomy procedure is based on this biopsy, CPT code 49321 may be reported in addition to the CPT code for the –ectomy procedure. However, if the laparoscopic biopsy is performed for a different purpose such as assessing the margins of resection, CPT code 49321 is not separately reportable.
4. If a laparoscopic procedure is converted to an open procedure, only the open procedure may be reported. Neither a surgical laparoscopy nor a diagnostic laparoscopy code shall

Revision Date (Medicaid): 1/1/2024

be reported with the open procedure code when a laparoscopic procedure is converted to an open procedure.

5. Laparoscopic lysis of adhesions (CPT codes 44180 or 58660) is not separately reportable with other surgical laparoscopic procedures.
6. The CPT code 44970 describes a laparoscopic appendectomy and may be reported separately with another laparoscopic procedure code when a diseased appendix is removed. Since removal of a normal appendix with another laparoscopic procedure is not separately reportable, this code shall not be reported for an incidental laparoscopic appendectomy.
7. Fluoroscopy (CPT code 76000) is an integral component of all laparoscopic procedures when performed. The CPT code 76000 shall not be reported separately with a laparoscopic procedure.
8. A diagnostic laparoscopy includes “washing,” infusion and/or removal of fluid from the body cavity. A physician shall not report CPT codes 49082-49083 (abdominal paracentesis) or 49084 (Peritoneal lavage) for infusion and/or removal of fluid from the body cavity performed during a diagnostic or surgical laparoscopic procedure.
9. Injection of air into the abdominal or pelvic cavity is integral to many laparoscopic procedures. Physicians shall not separately report CPT code 49400 (injection of air or contrast into peritoneal cavity (separate procedure)) for this service.

G. Maternity Care and Delivery

1. The total obstetrical packages (e.g., CPT codes 59400 and 59510) include antepartum care, the delivery, and postpartum care. They do not include other services such as ultrasound, amniocentesis, special screening tests for genetic disorders, visits for unrelated conditions (incidental to pregnancy), or additional frequent visits due to high risk conditions.
2. The CPT codes 59050 and 59051 (Fetal monitoring during labor), 59300 (Episiotomy) and 59414 (Delivery of placenta) are included in CPT codes 59400 (Routine obstetric care, vaginal delivery), 59409 (Vaginal delivery only), 59410 (Vaginal delivery and postpartum care), 59510 (routine obstetric care, cesarean delivery), 59514 (Cesarean delivery only), 59515 (Cesarean delivery and postpartum care), 59610 (Routine obstetric care, vaginal delivery, after previous cesarean delivery), 59612 (Vaginal delivery only after previous cesarean delivery), 59614 (Vaginal delivery and postpartum care after previous cesarean delivery), 59618 (Routine obstetric care, cesarean delivery, after previous cesarean delivery), 59620 (Cesarean delivery only after previous cesarean delivery), and 59622 (Cesarean delivery and postpartum care after previous cesarean delivery). They are not separately reportable.
3. Antepartum care includes urinalysis which is not separately reportable.

Revision Date (Medicaid): 1/1/2024

4. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.

H. Medically Unlikely Edits (MUEs)

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. The unit of service for a procedure describing destruction or removal of renal system calculus(i) is one. The unit of service is not each calculus. If a procedure for destruction or removal of renal system calculi is performed bilaterally, the CPT code may be reported with modifier 50 and one unit of service.

For example, CPT code 52353 (Cystourethroscopy, with ureteroscopy and/or pyeloscopy; with lithotripsy (ureteral catheterization is included)) shall be reported with only one unit of service per ureter regardless of the number of calculi in the ureter. If the procedure is performed on bilateral ureters, it may be reported with modifier 50 and one unit of service. This code shall not be reported with a separate unit of service for each calculus.

4. The MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.

I. General Policy Statements

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the

Revision Date (Medicaid): 1/1/2024

term “physician” would not include some of these entities because specific rules do not apply to them.

3. In 2010, the *CPT Professional* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual* use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional*.
4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional*.
5. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. The CPT codes

Revision Date (Medicaid): 1/1/2024

36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

6. The global package includes insertion of urinary catheters. The CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with a surgical procedure.
7. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.
8. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
9. For more information regarding biopsies, see Chapter I, Section A, Introduction.
10. Fine needle aspiration (FNA) biopsies (CPT codes 10004-10012, and 10021) shall not be reported with a biopsy procedure code for the same lesion. For example, a FNA specimen is usually examined for adequacy when the specimen is aspirated. If the specimen is adequate for diagnosis, it is not necessary to obtain an additional biopsy specimen. However, if the specimen is not adequate and another type of biopsy (e.g., needle, open) is subsequently performed at the same patient encounter, the physician shall report only one code, either the biopsy code or the FNA code.
11. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.
12. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, lungs) allow use of NCCI PTP-associated modifiers (**Correct Coding Modifier Indicator (CCMI)** of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated

Revision Date (Medicaid): 1/1/2024

modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.

13. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
14. If the code descriptor for a HCPCS/CPT code, *CPT Professional* instruction for a code, or Medicaid NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography, or magnetic resonance imaging codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
15. A cystourethroscopy (e.g., CPT code 52000) or cystourethroscopy with ureteroscopy (e.g., CPT code 52351) performed near the termination of an intra-abdominal, intra-pelvic, or retroperitoneal surgical procedure to assure that there was no intraoperative injury to the ureters or urinary bladder and that they are functioning properly is not separately reportable with the surgical procedure.
16. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. That is, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
17. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

Revision Date (Medicaid): 1/1/2024