

REQUIRED FACE-TO-FACE ENCOUNTER AND WRITTEN ORDER PRIOR TO DELIVERY LIST

As defined in 42 CFR 410.38(c)(8)

Effective date: 04/17/2023

DMEPOS ITEMS (NON-POWER MOBILITY DEVICE CODES) ADDED TO THE REQUIRED FACE-TO-FACE ENCOUNTER AND WRITTEN ORDER PRIOR TO DELIVERY LIST

| HCPCS | Description |
|--------------|--|
| E0748 | Osteogenesis Stimulator, Electrical, Non-Invasive, Spinal Applications |
| L0648 | Lumbar-Sacral Orthosis, Sagittal Control, With Rigid Anterior And Posterior Panels, Posterior Extends From Sacrococcygeal Junction To T-9 Vertebra, Produces Intracavitary Pressure To Reduce Load On The Intervertebral Discs, Includes Straps, Closures, May Include Padding, Shoulder Straps, Pendulous Abdomen Design, Prefabricated, Off-The-Shelf |
| L0650 | Lumbar-Sacral Orthosis, Sagittal-Coronal Control, With Rigid Anterior And Posterior Frame/Panel(S), Posterior Extends From Sacrococcygeal Junction To T-9 Vertebra, Lateral Strength Provided By Rigid Lateral Frame/Panel(S), Produces Intracavitary Pressure To Reduce Load On Intervertebral Discs, Includes Straps, Closures, May Include Padding, Shoulder Straps, Pendulous Abdomen Design, Prefabricated, Off-The-Shelf |
| L1832 | Knee Orthosis, Adjustable Knee Joints (Unicentric Or Polycentric), Positional Orthosis, Rigid Support, Prefabricated Item That Has Been Trimmed, Bent, Molded, Assembled, Or Otherwise Customized To Fit A Specific Patient By An Individual With Expertise |
| L1833 | Knee Orthosis, Adjustable Knee Joints (Unicentric Or Polycentric), Positional Orthosis, Rigid Support, Prefabricated, Off-The Shelf |
| L1851 | Knee Orthosis (KO), Single Upright, Thigh And Calf, With Adjustable Flexion And Extension Joint (Unicentric Or Polycentric), Medial-Lateral And Rotation Control, With Or Without Varus/Valgus Adjustment, Prefabricated, Off-The-Shelf |
| L3960 | Shoulder Elbow Wrist Hand Orthosis, Abduction Positioning, Airplane Design, Prefabricated, Includes Fitting And Adjustment |
| L0631 | Lumbar-Sacral Orthosis, Sagittal Control, With Rigid Anterior And Posterior Panels, Posterior Extends From Sacrococcygeal Junction To T-9 Vertebra, Produces Intracavitary Pressure To Reduce Load On The Intervertebral Discs, Includes Straps, Closures, May Include Padding, Shoulder Straps, Pendulous Abdomen Design, Prefabricated Item That Has Been Trimmed, Bent, Molded, Assembled, Or Otherwise Customized To Fit A Specific Patient By An Individual With Expertise |
| L0637 | Lumbar-Sacral Orthosis, Sagittal-Coronal Control, With Rigid Anterior And Posterior Frame/Panels, Posterior Extends From Sacrococcygeal Junction To T-9 Vertebra, Lateral Strength Provided By Rigid Lateral Frame/Panels, Produces Intracavitary Pressure To Reduce Load On Intervertebral Discs, Includes Straps, Closures, May Include Padding, Shoulder Straps, Pendulous Abdomen Design, Prefabricated Item That Has Been Trimmed, Bent, Molded, Assembled, Or Otherwise Customized To Fit A Specific Patient By An Individual With Expertise |
| L1843 | Knee Orthosis, Single Upright, Thigh And Calf, With Adjustable Flexion And Extension Joint (Unicentric Or Polycentric), Medial-Lateral And Rotation Control, With Or Without Varus/Valgus Adjustment, Prefabricated Item That Has Been Trimmed, Bent, Molded, |

**REQUIRED FACE-TO-FACE ENCOUNTER AND WRITTEN ORDER PRIOR TO
DELIVERY LIST**

As defined in 42 CFR 410.38(c)(8)

| HCPCS | Description |
|--------------|--|
| | Assembled, Or Otherwise Customized To Fit A Specific Patient By An Individual With Expertise |
| L1932 | Ankle Foot Orthosis, Rigid Anterior Tibial Section, Total Carbon Fiber Or Equal Material, Prefabricated, Includes Fitting And Adjustment |
| L1940 | Ankle Foot Orthosis, Plastic Or Other Material, Custom-Fabricated |
| L1951 | Ankle Foot Orthosis, Spiral, (Institute Of Rehabilitative Medicine Type), Plastic Or Other Material, Prefabricated, Includes Fitting And Adjustment |
| L1960 | Ankle Foot Orthosis, Posterior Solid Ankle, Plastic, Custom-Fabricated |
| L1970 | Ankle Foot Orthosis, Plastic With Ankle Joint, Custom-Fabricated |
| L2005 | Knee Ankle Foot Orthosis, Any Material, Single Or Double Upright, Stance Control, Automatic Lock And Swing Phase Release, Any Type Activation, Includes Ankle Joint, Any Type, Custom Fabricated |
| L2036 | Knee Ankle Foot Orthosis, Full Plastic, Double Upright, With Or Without Free Motion Knee, With Or Without Free Motion Ankle, Custom Fabricated |

**POWER MOBILITY DEVICES, REQUIRING A FACE-TO-FACE ENCOUNTER
AND ORDER PER EXISTING STATUTE**

| HCPCS | Description |
|--------------|---|
| K0800 | Power Operated Vehicle, Group 1 Standard, Patient Weight Capacity Up To And Including 300 Pounds |
| K0801 | Power Operated Vehicle, Group 1 Heavy Duty, Patient Weight Capacity, 301 To 450 Pounds |
| K0802 | Power Operated Vehicle, Group 1 Very Heavy Duty, Patient Weight Capacity 451 To 600 Pounds |
| K0806 | Power Operated Vehicle, Group 2 Standard, Patient Weight Capacity Up To And Including 300 Pounds |
| K0807 | Power Operated Vehicle, Group 2 Heavy Duty, Patient Weight Capacity 301 To 450 Pounds |
| K0808 | Power Operated Vehicle, Group 2 Very Heavy Duty, Patient Weight Capacity 451 To 600 Pounds |
| K0813 | Power Wheelchair, Group 1 Standard, Portable, Sling/Solid Seat And Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0814 | Power Wheelchair, Group 1 Standard, Portable, Captains Chair, Patient Weight Capacity Up To And Including 300 Pounds |

**REQUIRED FACE-TO-FACE ENCOUNTER AND WRITTEN ORDER PRIOR TO
DELIVERY LIST**

As defined in 42 CFR 410.38(c)(8)

| HCPCS | Description |
|--------------|--|
| K0815 | Power Wheelchair, Group 1 Standard, Sling/Solid Seat And Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0816 | Power Wheelchair, Group 1 Standard, Captains Chair, Patient Weight Capacity Up To And Including 300 Pounds |
| K0820 | Power Wheelchair, Group 2 Standard, Portable, Sling/Solid Seat/Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0821 | Power Wheelchair, Group 2 Standard, Portable, Captains Chair, Patient Weight Capacity Up To And Including 300 Pounds |
| K0822 | Power Wheelchair, Group 2 Standard, Sling/Solid Seat/Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0823 | Power Wheelchair, Group 2 Standard, Captains Chair, Patient Weight Capacity Up To And Including 300 Pounds |
| K0824 | Power Wheelchair, Group 2 Heavy Duty, Sling/Solid Seat/Back, Patient Weight Capacity 301 To 450 Pounds |
| K0825 | Power Wheelchair, Group 2 Heavy Duty, Captains Chair, Patient Weight Capacity 301 To 450 Pounds |
| K0826 | Power Wheelchair, Group 2 Very Heavy Duty, Sling/Solid Seat/Back, Patient Weight Capacity 451 To 600 Pounds |
| K0827 | Power Wheelchair, Group 2 Very Heavy Duty, Captains Chair, Patient Weight Capacity 451 To 600 Pounds |
| K0828 | Power Wheelchair, Group 2 Extra Heavy Duty, Sling/Solid Seat/Back, Patient Weight Capacity 601 Pounds Or More |
| K0829 | Power Wheelchair, Group 2 Extra Heavy Duty, Captains Chair, Patient Weight Capacity 601 Pounds Or More |
| K0835 | Power Wheelchair, Group 2 Standard, Single Power Option, Sling/Solid Seat/Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0836 | Power Wheelchair, Group 2 Standard, Single Power Option, Captains Chair, Patient Weight Capacity Up To And Including 300 Pounds |
| K0837 | Power Wheelchair, Group 2 Heavy Duty, Single Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 301 To 450 Pounds |
| K0838 | Power Wheelchair, Group 2 Heavy Duty, Single Power Option, Captains Chair, Patient Weight Capacity 301 To 450 Pounds |
| K0839 | Power Wheelchair, Group 2 Very Heavy Duty, Single Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 451 To 600 Pounds |
| K0840 | Power Wheelchair, Group 2 Extra Heavy Duty, Single Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 601 Pounds Or More |
| K0841 | Power Wheelchair, Group 2 Standard, Multiple Power Option, Sling/Solid Seat/Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0842 | Power Wheelchair, Group 2 Standard, Multiple Power Option, Captains Chair, Patient Weight Capacity Up To And Including 300 Pounds |

REQUIRED FACE-TO-FACE ENCOUNTER AND WRITTEN ORDER PRIOR TO DELIVERY LIST

As defined in 42 CFR 410.38(c)(8)

| HCPCS | Description |
|--------------|--|
| K0843 | Power Wheelchair, Group 2 Heavy Duty, Multiple Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 301 To 450 Pounds |
| K0848 | Power Wheelchair, Group 3 Standard, Sling/Solid Seat/Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0849 | Power Wheelchair, Group 3 Standard, Captains Chair, Patient Weight Capacity Up To And Including 300 Pounds |
| K0850 | Power Wheelchair, Group 3 Heavy Duty, Sling/Solid Seat/Back, Patient Weight Capacity 301 To 450 Pounds |
| K0851 | Power Wheelchair, Group 3 Heavy Duty, Captains Chair, Patient Weight Capacity 301 To 450 Pounds |
| K0852 | Power Wheelchair, Group 3 Very Heavy Duty, Sling/Solid Seat/Back, Patient Weight Capacity 451 To 600 Pounds |
| K0853 | Power Wheelchair, Group 3 Very Heavy Duty, Captains Chair, Patient Weight Capacity, 451 To 600 Pounds |
| K0854 | Power Wheelchair, Group 3 Extra Heavy Duty, Sling/Solid Seat/Back, Patient Weight Capacity 601 Pounds Or More |
| K0855 | Power Wheelchair, Group 3 Extra Heavy Duty, Captains Chair, Patient Weight Capacity 601 Pounds Or More |
| K0856 | Power Wheelchair, Group 3 Standard, Single Power Option, Sling/Solid Seat/Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0857 | Power Wheelchair, Group 3 Standard, Single Power Option, Captains Chair, Patient Weight Capacity Up To And Including 300 Pounds |
| K0858 | Power Wheelchair, Group 3 Heavy Duty, Single Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 301 To 450 Pounds |
| K0859 | Power Wheelchair, Group 3 Heavy Duty, Single Power Option, Captains Chair, Patient Weight Capacity 301 To 450 Pounds |
| K0860 | Power Wheelchair, Group 3 Very Heavy Duty, Single Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 451 To 600 Pounds |
| K0861 | Power Wheelchair, Group 3 Standard, Multiple Power Option, Sling/Solid Seat/Back, Patient Weight Capacity Up To And Including 300 Pounds |
| K0862 | Power Wheelchair, Group 3 Heavy Duty, Multiple Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 301 To 450 Pounds |
| K0863 | Power Wheelchair, Group 3 Very Heavy Duty, Multiple Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 451 To 600 Pounds |
| K0864 | Power Wheelchair, Group 3 Extra Heavy Duty, Multiple Power Option, Sling/Solid Seat/Back, Patient Weight Capacity 601 Pounds Or More |