



## **2023 CMS Web Interface**

**PREV-6 (NQF 0034): Colorectal Cancer Screening**

**Measure Steward: NCQA**

## Contents

<b>INTRODUCTION .....</b>	<b>3</b>
<b>CMS WEB INTERFACE SAMPLING INFORMATION.....</b>	<b>4</b>
BENEFICIARY SAMPLING .....	4
<b>NARRATIVE MEASURE SPECIFICATION .....</b>	<b>5</b>
DESCRIPTION .....	5
IMPROVEMENT NOTATION .....	5
INITIAL POPULATION .....	5
DENOMINATOR.....	5
DENOMINATOR EXCLUSIONS.....	5
DENOMINATOR EXCEPTIONS.....	5
NUMERATOR .....	5
NUMERATOR EXCLUSIONS .....	6
DEFINITION .....	6
GUIDANCE.....	6
<b>SUBMISSION GUIDANCE.....</b>	<b>7</b>
PATIENT CONFIRMATION.....	7
<b>SUBMISSION GUIDANCE.....</b>	<b>8</b>
DENOMINATOR CONFIRMATION .....	8
<b>SUBMISSION GUIDANCE.....</b>	<b>9</b>
NUMERATOR SUBMISSION .....	9
<b>DOCUMENTATION REQUIREMENTS .....</b>	<b>10</b>
<b>APPENDIX I: PERFORMANCE CALCULATION FLOW.....</b>	<b>11</b>
<b>APPENDIX II: DOWNLOADABLE RESOURCE MAPPING TABLE .....</b>	<b>17</b>
<b>APPENDIX III: MEASURE RATIONALE AND CLINICAL RECOMMENDATION STATEMENTS.....</b>	<b>20</b>
RATIONALE .....	20
CLINICAL RECOMMENDATION STATEMENTS.....	20
<b>APPENDIX IV: USE NOTICES, COPYRIGHTS, AND DISCLAIMERS .....</b>	<b>21</b>
COPYRIGHT .....	21

**INTRODUCTION**

There are a total of 10 individual measures included in the 2023 CMS Web Interface targeting high-cost chronic conditions, preventive care, and patient safety. The measures documents are represented individually and contain measure specific information. The corresponding coding documents are posted separately in an Excel format.

The measure documents are being provided to allow organizations an opportunity to better understand each of the 10 individual measures included in the 2023 CMS Web Interface data submission method. Each measure document contains information necessary to submit data through the CMS Web Interface.

Narrative specifications, supporting submission documentation, and calculation flows are provided within each document. Please review all of the measure documentation in its entirety to ensure complete understanding of these measures.

**CMS WEB INTERFACE SAMPLING INFORMATION****BENEFICIARY SAMPLING**

For more information on the sampling process and methodology please refer to the 2023 CMS Web Interface Sampling Document, which will be made available during the performance year at CMS.gov.

**NARRATIVE MEASURE SPECIFICATION****DESCRIPTION:**

Percentage of adults 45 - 75 years of age who had appropriate screening for colorectal cancer

**IMPROVEMENT NOTATION:**

Higher score indicates better quality

**INITIAL POPULATION:**

Patients 45 - 75 years of age with a visit during the measurement period

**DENOMINATOR:**

Equals Initial Population

**DENOMINATOR EXCLUSIONS:**

Patients with a diagnosis or past history of total colectomy or colorectal cancer

**OR**

Patients age 66 and older in Institutional Special Needs Plans (SNP) or residing in long-term care with a POS code 32, 33, 34, 54, or 56 for more than 90 consecutive days during the measurement period

**OR**

Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period AND a dispensed medication for dementia during the measurement period or the year prior to the measurement period

**OR**

Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period AND either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ED, or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period

**Table: Dementia Exclusion Medications**

Description		Prescription
Cholinesterase inhibitors	Donepezil	Rivastigmine
	Galantamine	
Miscellaneous central nervous system agents	Memantine	

**DENOMINATOR EXCEPTIONS:**

None

**NUMERATOR:**

Patients with one or more screenings for colorectal cancer. Appropriate screenings are defined by any one of the following criteria:

- Fecal occult blood test (FOBT) during the measurement period
- Flexible sigmoidoscopy during the measurement period or the four years prior to the measurement period
- Colonoscopy during the measurement period or the nine years prior to the measurement period
- Fecal immunochemical DNA test (FIT-DNA) during the measurement period or the two years prior to the measurement period
- Computed tomography (CT) Colonography during the measurement period or the four years prior to the measurement period

**NUMERATOR EXCLUSIONS:**

Not Applicable

**DEFINITION:**

None

**GUIDANCE:**

Do not count digital rectal exams (DRE), fecal occult blood tests (FOBTs) performed in an office setting or performed on a sample collected via DRE.

---

## SUBMISSION GUIDANCE

### PATIENT CONFIRMATION

Establishing patient eligibility for submission requires the following:

- o Determine if the patient's medical record can be found
  - o If you can locate the medical record select "Yes"

**OR**

- o If you cannot locate the medical record select "No - Medical Record Not Found"

**OR**

- o Determine if the patient is qualified for the sample
  - If the patient is deceased, in hospice, moved out of the country or did not have Fee-for-Service (FFS) Medicare as their primary payer select "Not Qualified for Sample", select the applicable reason from the provided drop-down menu, and enter the date the patient became ineligible

---

### **Guidance** Patient Confirmation

*If "No – Medical Record Not Found" or "Not Qualified for Sample" is selected, the patient is completed but not confirmed. The patient will be "skipped" and another patient must be reported in their place, if available. The CMS Web Interface will automatically skip any patient for whom "No – Medical Record Not Found" or "Not Qualified for Sample" is selected in all other measures into which they have been sampled.*

*If "Not Qualified for Sample" is selected and the date is unknown, you may enter the last date of the measurement period (i.e., 12/31/2023).*

**The Measurement Period is defined** as January 1 – December 31, 2023.

#### **NOTE:**

- **In Hospice:** Select this option if the patient is not qualified for sample due to being in hospice care at any time during the measurement period (this includes non-hospice patients receiving palliative goals or comfort care)
  - **Moved out of Country:** Select this option if the patient is not qualified for sample because they moved out of the country any time during the measurement period
  - **Deceased:** Select this option if the patient died during the measurement period
  - **Non-FFS Medicare:** Select this option if the patient was enrolled in Non-FFS Medicare at any time during the measurement period (i.e., commercial payers, Medicare Advantage, Non-FFS Medicare, HMOs, etc.) This exclusion is intended to remove beneficiaries for whom Fee-for-Service Medicare is not the primary payer.
-

## SUBMISSION GUIDANCE

### DENOMINATOR CONFIRMATION

- o Determine if the patient is qualified for the measure
  - o If the patient is qualified for this measure select “Yes”
- OR
- o If there is a denominator exclusion for patient disqualification from the measure select “[Denominator Exclusion](#)”
- OR
- o If there is an “other” CMS approved reason for patient disqualification from the measure select “No-Other CMS Approved Reason”

Denominator Exclusion and Denominator Exclusion Drug codes can be found in the 2023 CMS Web Interface PREV-6 Coding Document. The Downloadable Resource Mapping Table can be located in Appendix II of this document.

### **Guidance** **Denominator**

*If “Denominator Exclusion” or “No – Other CMS Approved Reason” is selected, the patient will be “skipped” and another patient must be reported in their place, if available. The patient will only be removed from the measure for which one of these options was selected, not all CMS Web Interface measures.*

**Other CMS Approved Reason** is reserved for unique cases that are not covered by any of the above stated skip reasons. To gain CMS approval, submit a skip request by selecting Request Other CMS Approved Reason in the patient qualification question for the measure. Note that skip requests can only be submitted manually through the CMS Web Interface.

To submit a skip request, follow these steps:

1. After confirming the beneficiary for the sample, scroll to the measure you would like to skip.
2. When confirming if the beneficiary is qualified for the measure, select Request Other CMS Approved Reason.
3. In the skip request modal, review the organization you are reporting for and provide the submitter's email address. CMS uses this email to send status updates and/or reach out if further information is needed to resolve the skip request. You also need to provide specific information about the beneficiary's condition and why it disqualifies the beneficiary from this measure. Never include Personally Identifiable Information (PII) or Protected Health Information (PHI) in the case.

Beneficiaries remain incomplete until CMS resolves the skip request. The CMS Web Interface automatically updates the resolution of a skip request, either approved or denied. Beneficiaries for whom a CMS Approved Reason is approved are marked as Skipped and another beneficiary must be reported in their place, if available.

**The intent of the exclusion** for individuals age 66 and older residing in long-term care facilities, including nursing homes, is to exclude individuals who may have limited life expectancy and increased frailty where the benefit of the process may not exceed the risks. This exclusion is not intended as a clinical recommendation regarding whether the measures process is inappropriate for specific populations, instead the exclusions allows clinicians to engage in shared decision making with patients about the benefits and risks of screening when an individual has limited life expectancy. To assess the age for exclusions, the patient's age on the date of encounter should be used.



---

## SUBMISSION GUIDANCE

### NUMERATOR SUBMISSION

- o Determine if colorectal cancer screening is current during the measurement period.
  - o If colorectal cancer screening is current select “Yes”

**OR**

- o If colorectal cancer screening is not current select “No”

Numerator codes can be found in the 2023 CMS Web Interface PREV-6 Coding Document. The Downloadable Resource Mapping Table can be located in Appendix II of this document.

---

Guidance	Numerator
----------	-----------

---

**NOTE:**

- **FOBT:** It is up to the organization to determine whether the specific test or brand meets the definition
  - **Do not count digital rectal exams** (DRE), FOBT tests performed in an office setting or performed on a sample collected via DRE
  - **Documentation in the medical record must include both of the following:** A note indicating the date the colorectal cancer screening was performed AND the result or findings
  - **Documentation** of ‘normal’ or ‘abnormal’ is acceptable
  - **Patient Reported Requirement:** Date (year) and type of test AND result/finding. Patient reported procedures and diagnostic studies, when recorded in the medical record, are acceptable for meeting the numerator
  - **Documentation of colorectal cancer screening** may be completed during a telehealth encounter
-

## **DOCUMENTATION REQUIREMENTS**


When submitting data through the CMS Web Interface, the expectation is that medical record documentation is available that supports the action reported in the CMS Web Interface i.e., medical record documentation is necessary to support the information that has been submitted.

## Appendix I: Performance Calculation Flow

**Disclaimer:** Refer to the measure submission document for specific coding and instructions to submit this measure.

## Patient Confirmation Flow

Confirmation of the "Medical Record Found", or indicating the patient is "Not Qualified for Sample" with a reason of "In Hospice", "Moved out of Country", "Deceased", or "Non-FFS Medicare", will only need to be done **once** per patient.




\*See the posted measure submission document for specific coding and instructions to submit this measure.

\*\*If date is unknown, enter 12/31/2023

## Measure Confirmation Flow for PREV-6

Measure specific reasons a patient is “Not Confirmed” or excluded for “Denominator Exclusion” or “Other CMS Approved Reason” should be evaluated for each measure where the patient appears.




\*See the posted measure submission document for specific coding and instructions to submit this measure.

\*\*Further information regarding patient selection for specific disease and patient care measures can be found in the CMS Web Interface Sampling Methodology Document. For patients who have the incorrect date of birth listed, a change of the patient date of birth by the abstractor may result in the patient no longer qualifying for the PREV-6 measure. If this is the case, the system will automatically remove the patient from the measure requirements.

\*\*\*\*“Other CMS Approved Reason” may only be selected if the CMS Web Interface updated the resolution of the skip request to be “Approved”.

## Measure Flow for PREV-6

For Downloadable Resource Mapping Table, go to Appendix II and use the Variable Names located in the appendix along with the applicable tabs within the PREV-6 Coding Document.

**Performance Rate=**

$$\frac{\text{Performance Met (a=210 patients)}}{\text{Denominator (d=238 patients)}} = \frac{210 \text{ patients}}{238 \text{ patients}} = 88.24\%$$

**SAMPLE CALCULATION:**

CALCULATION MAY CHANGE PENDING PERFORMANCES MET ABOVE

\*See the posted measure submission document for specific coding and instructions to submit this measure.

### Patient Confirmation Flow

For 2023, confirmation of the “Medical Record Found”, or indicating the patient is “Not Qualified for Sample” with a reason of “In Hospice”, “Moved out of Country”, “Deceased”, or “Non-FFS Medicare”, will only need to be done **once** per patient.

1. Start Patient Confirmation Flow.
2. Check to determine if Medical Record can be found.
  - a. If no, Medical Record not found, mark appropriately for completion and stop abstraction. This removes the patient from the beneficiary sample for all measures. The patient will be skipped and replaced. Stop processing.
  - b. If yes, Medical Record found, continue processing.
3. Check to determine if Patient Qualified for the sample.
  - a. If no, the patient does not qualify for the sample, select the reason why and enter the date (if date is unknown, enter 12/31/2023) the patient became ineligible for sample. For example; In Hospice, Moved out of Country, Deceased, Non-FFS Medicare. Mark appropriately for completion and stop abstraction. This removes the patient from the beneficiary sample for all measures. The patient will be skipped and replaced. Stop processing.
  - b. If yes, the patient does qualify for the sample; continue to the Measure Confirmation Flow for PREV-6.

**Measure Confirmation Flow for PREV-6**

For 2023, measure specific reasons a patient is “Not Confirmed” or excluded for “Denominator Exclusion” or “Other CMS Approved Reason” will need to be done for each measure where the patient appears.

1. Start Measure Confirmation Flow for PREV-6. Complete for consecutively ranked patients aged 45 to 75 years. Further information regarding patient selection for specific disease and patient care measures can be found in the CMS Web Interface Sampling Methodology Document. For patients who have the incorrect date of birth listed, a change of the patient date of birth by the abstractor may result in the patient no longer qualifying for the PREV-6 measure. If this is the case, the system will automatically remove the patient from the measure requirements.
2. Check to determine if the patient qualifies for the measure (Denominator Exclusion).
  - a. If no, the patient does not qualify for the measure select: Denominator Exclusion for patient disqualification. Mark appropriately for completion and stop abstraction. Patient is removed from the performance calculations for this measure. The patient will be skipped and replaced. Stop processing.
  - b. If yes, the patient does qualify for the measure, continue processing.
3. Check to determine if the patient qualifies for the measure (Other CMS Approved Reason).
  - a. If no, the patient does not qualify for the measure select: No – Other CMS Approved Reason for patient disqualification. Mark appropriately for completion and stop abstraction. Patient is removed from the performance calculations for this measure. The patient will be skipped and replaced. “Other CMS Approved Reason” may only be selected if the CMS Web Interface updated the resolution of the skip request to be “Approved”. Stop processing.
  - b. If yes, the patient does qualify for the measure, continue to the PREV-6 measure flow.

**Measure Flow for PREV-6**

For Downloadable Resource Mapping Table, go to Appendix II and use the Variable Names located in the appendix along with the applicable tabs within the PREV-6 Coding Document.

1. Start processing 2023 PREV-6 (NQF 0034) Flow for the patients that qualified for sample in the Patient Confirmation Flow and the Measure Confirmation Flow for PREV-6. **Note:** Include remainder of patients listed in CMS Web Interface that were consecutively confirmed and completed for this measure in the denominator. For the sample calculation in the flow these patients would fall into the 'd' category (eligible denominator, i.e. 238 patients).
2. Check to determine if the patient's colorectal cancer screening is current during the measurement period.
  - a. If no, the patient's colorectal cancer screening is not current during the measurement period; performance is not met and the patient should not be included in the numerator. Stop processing.
  - b. If yes, the patient's colorectal cancer screening is current during the measurement period, performance is met and the patient will be included in the numerator. For the sample calculation in the flow these patients would fall into the 'a' category (numerator, i.e. 210 patients). Stop processing.

**Sample Calculation:**

Performance Rate equals Performance Met (a equals 210 patients) divided by Denominator (d equals 238 patients). All equals 210 patients divided by 238 patients. All equals 88.24 percent.

CALCULATION MAY CHANGE PENDING PERFORMANCES MET ABOVE.



**Appendix II: Downloadable Resource Mapping Table**

Each data element within this measure's denominator or numerator is defined as a pre-determined set of clinical codes. These codes can be found in the 2023 CMS Web Interface PREV-6 Coding Document.

**\*PREV-6 Colorectal Cancer Screening**

Measure Component/ Excel Tab	Data Element	Variable Name	Coding System(s)
Denominator Exclusion/ Denominator Exclusion Codes/Denominator Exclusion Drug Codes	Exclusion	MALIG_NEOPLASM_COLON_CODE	I9 I10 SNM
		TOTAL_COLECTOMY_CODE	C4 I9 I10 SNM
	Exclusion/66 years and older residing longer than 90 consecutive days	HOUSING_STATUS_CODE  <u>AND</u> NURSING_HOME_CODE	LN  <u>AND</u> SNM <u>AND</u> residing longer than 90 consecutive days
	Exclusion/66 years and older with at least one claim/encounter for frailty <u>AND</u> dispensed dementia medication	FRAILITY_DEVICE_CODE  <u>OR</u> MEDICAL_EQUIPMENT_CODE <u>AND</u> FRAILITY_DEVICE_CODE  <u>OR</u> FRAILITY_DIAGNOSIS_CODE  <u>OR</u> FRAILITY_ENCOUNTER_CODE  <u>OR</u> FRAILITY_SYMPTOM_CODE  <u>AND</u> DEMENTIA_DRUG_CODE	SNM  LN <u>AND</u> SNM  <u>OR</u> I10 SNM  <u>OR</u> C4 HCPCS  <u>OR</u> I10 SNM  <u>AND</u> RxNorm (Drug EX=Y)

Measure Component/ Excel Tab	Data Element	Variable Name	Coding System(s)
	Exclusion/66 years and older with at least one claim/encounter for frailty <u>AND EITHER</u> <b>one</b> acute inpatient encounter with advanced illness <u>OR</u> <b>two</b> outpatient, observation, ED or nonacute inpatient encounters on different dates with advanced illness	FRAILITY_DEVICE_CODE  <u>OR</u> MEDICAL_EQUIPMENT_CODE  <u>AND</u> FRAILITY_DEVICE_CODE  <u>OR</u> FRAILITY_DIAGNOSIS_CODE  <u>OR</u> FRAILITY_ENCOUNTER_CODE  <u>OR</u> FRAILITY_SYMPTOM_CODE  <u>AND EITHER</u> ACUTE_INPATIENT_CODE  <u>WITH</u> ADVANCED_ILLNESS_CODE  <u>OR</u> OUTPATIENT_CODE  <u>OR</u> EMERGENCY_DEPT_CODE  <u>OR</u> NONACUTE_INPATIENT_CODE  <u>WITH</u> ADVANCED_ILLNESS_CODE	SNM  <u>OR</u> LN  <u>AND</u> SNM  <u>OR</u> I10 SNM  <u>OR</u> C4 HCPCS  <u>OR</u> I10 SNM  <u>AND EITHER</u> C4 SNM  <u>WITH</u> I10 SNM  <u>OR</u> C4 HCPCS SNM  <u>OR</u> C4 SNM  <u>WITH</u> I10 SNM
Numerator/Numerator Codes	Colorectal Cancer Screening	FOBT_CODE	LN
		FLEX_SIG_CODE	C4 HCPCS SNM
		COLONOSCOPY_CODE	C4 HCPCS SNM

Measure Component/ Excel Tab	Data Element	Variable Name	Coding System(s)
		CT_COLONOGRAPHY_CODE	LN
		FIT_DNA_CODE	LN

*\* For EHR mapping, the coding within PREV-6 is considered to be all inclusive*

**Appendix III: Measure Rationale and Clinical Recommendation Statements****RATIONALE:**

Colorectal cancer represents eight percent of all new cancer cases in the United States. In 2020, there are an estimated 147,950 new cases of colorectal cancer and an estimated 53,200 deaths attributed to it. According to the National Cancer Institute, about 4.2 percent of men and women will be diagnosed with colorectal cancer at some point during their lifetimes. For most adults, older age is the most important risk factor for colorectal cancer, although being male and black are also associated with higher incidence and mortality. Colorectal cancer is most frequently diagnosed among people 65 to 74 years old (National Cancer Institute, 2020).

Screening can be effective for finding precancerous lesions (polyps) that could later become malignant, and for detecting early cancers that can be more easily and effectively treated. Precancerous polyps usually take about 10 to 15 years to develop into colorectal cancer, and most can be found and removed before turning into cancer. The five-year relative survival rate for people whose colorectal cancer is found in the early stage before it has spread is about 90 percent (American Cancer Society, 2020).

**CLINICAL RECOMMENDATION STATEMENTS:**

The U.S. Preventive Services Task Force (2021) recommends screening for colorectal cancer in adults aged 45 to 49 years. This is a Grade B recommendation (U.S. Preventive Services Task Force, 2021).

The U.S. Preventive Services Task Force (2021) recommends screening for colorectal cancer in adults aged 50 to 75 years. This is a Grade A recommendation (U.S. Preventive Services Task Force, 2021).

Appropriate screenings are defined by any one of the following:

- Fecal occult blood test (annually)
- FIT-DNA test (every 3 years)
- Flexible sigmoidoscopy (every 5 years)
- Computed tomographic colonography (every 5 years)
- Colonoscopy (every 10 years)

## Appendix IV: Use Notices, Copyrights, and Disclaimers

### **COPYRIGHT**

Physician Performance Measure (Measures) and related data specifications were developed by the National Committee for Quality Assurance (NCQA). These performance Measures are not clinical guidelines and do not establish a standard of medical care, and have not been tested for all potential applications. NCQA makes no representations, warranties or endorsements about the quality of any organization or clinician who uses or reports performance measures. NCQA has no liability to anyone who relies on measures and specifications or data reflective of performance under such measures and specifications.

The Measures are copyrighted but can be reproduced and distributed, without modification, for noncommercial purposes (eg, use by healthcare providers in connection with their practices). Commercial use is defined as the sale, licensing, or distribution of the Measures for commercial gain, or incorporation of the Measures into a product or service that is sold, licensed or distributed for commercial gain. All commercial uses or requests for alteration of the measures and specifications must be approved by NCQA and are subject to a license at the discretion of NCQA. NCQA is not responsible for any use of the Measures.

© 2022 NCQA. All Rights Reserved.

THE MEASURES AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.

Limited proprietary coding is contained in the Measure specifications for user convenience. Users of proprietary code sets should obtain all necessary licenses from the owners of the code sets. NCQA disclaims all liability for use or accuracy of any CPT or other codes contained in the specifications.

CPT® contained in the Measure specifications is copyright 2004-2022 American Medical Association. LOINC® copyright 2004-2022 Regenstrief Institute, Inc. This material contains SNOMED Clinical Terms® (SNOMED CT®) copyright 2004-2022 International Health Terminology Standards Development Organisation. ICD-10 is copyright 2022 World Health Organization. All Rights Reserved.