

ICD-10-CM TABLE of NEOPLASMS

2027 Addenda

| Neoplasm | Malignant Primary | Malignant Secondary | Ca in situ | Benign | Uncertain Behavior | Unspecified Behavior |
|---|-------------------|--|------------|--------|--------------------|----------------------|
| Neoplasm, neoplastic | C80.1 | C79.9 | D09.9 | D36.9 | D48.9 | D49.9 |
| - aryepiglottic fold | C13.1 | C79.89 | D00.08 | D10.7 | D37.05 | D49.0 |
| - - laryngeal aspect | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - arytenoid (cartilage) | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - cartilage (articular) (joint) NEC - see also Neoplasm, bone | C41.9 | C79.51 | - | D16.9- | D48.0 | D49.2 |
| - - arytenoid | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - cricoid | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - cuneiform | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - epiglottis | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - larynx, laryngeal | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - commissure | | | | | | |
| - - laryngeal | C32.0 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - cord (true) (vocal) | C32.0 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - false | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - cricoid | C13.0 | C79.89 | D00.08 | D10.7 | D37.05 | D49.0 |
| - - cartilage | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - cuneiform cartilage | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - epiglottis | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |

| Neoplasm | Malignant Primary | Malignant Secondary | Ca in situ | Benign | Uncertain Behavior | Unspecified Behavior |
|--|-------------------|--|------------|--------|--------------------|----------------------|
| - - cartilage | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - posterior (laryngeal) surface | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - suprahypoid portion | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - femur (any part) | C40.2- | <i>Revise from:</i> C79.5- <i>Revise to:</i> C79.51 | - | D16.2- | - | - |
| - glottis | C32.0 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - interarytenoid fold | C13.1 | C79.89 | D00.08 | D10.7 | D37.05 | D49.0 |
| - - laryngeal aspect | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - larynx, laryngeal NEC | C32.9 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - aryepiglottic fold | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - cartilage (arytenoid) (cricoid) (cuneiform) (thyroid) | C32.3 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - commissure (anterior) (posterior) | C32.0 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - extrinsic NEC | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - interarytenoid fold | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - intrinsic | C32.0 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - - ventricular band | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - lip | C00.9 | C79.89 | D00.01 | D10.0 | D37.01 | D49.0 |
| - - overlapping lesion | C00.8 | - | - | - | - | - |
| - - - with oral cavity or pharynx | C14.8 | <i>Revise from:</i> - <i>Revise to:</i> C79.89 | - | - | - | - |
| - oral (cavity) | C06.9 | <i>Revise from:</i> C79.89 <i>Revise to:</i> C79.83 | D00.00 | D10.30 | D37.09 | D49.0 |

| Neoplasm | Malignant Primary | Malignant Secondary | Ca in situ | Benign | Uncertain Behavior | Unspecified Behavior |
|------------------------------|----------------------|--|------------|--------|-----------------------|-------------------------|
| - ill-defined | C14.8 | <i>Revise from:</i> C79.89 <i>Revise to:</i> C79.83 | D00.00 | D10.30 | D37.09 | D49.0 |
| - mucosa | C06.0 | <i>Revise from:</i> C79.89 <i>Revise to:</i> C79.83 | D00.02 | D10.39 | D37.09 | D49.0 |
| - pharynx, pharyngeal | C14.0 | <i>Revise from:</i> C79.89 <i>Revise to:</i> C78.32 | D00.08 | D10.9 | D37.05 | D49.0 |
| - subglottis, subglottic | C32.2 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - supraglottis | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - ventricular band of larynx | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - vocal cords (true) | C32.0 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |
| - false | C32.1 | <i>Revise from:</i> C78.39 <i>Revise to:</i> C78.31 | D02.0 | D14.1 | D38.0 | D49.1 |