



**Medicare National Coverage  
Determinations (NCD)  
Coding Policy Manual and  
Change Report (ICD-10-CM)**

**\*April 2021**



***Clinical Diagnostic Laboratory Services***

**U.S. Department of Health & Human Services  
Centers for Medicare & Medicaid Services**

7500 Security Boulevard  
Baltimore, MD 21244

CMS Email Point of Contact:

[CAG\\_Lab\\_NCD@cms.hhs.gov](mailto:CAG_Lab_NCD@cms.hhs.gov)

TDD 410.786.0727

**Fu Associates, Ltd.**



## **NCD Manual Changes**

| CR Date  | Reason   | Release | Change | Edit   |
|--|--|---------|--------|--|
| The following section represents NCD Manual updates for April 2021   |  |         |        |  |
| *04/01/21  | *There were no CR updates for April 2021.  |         |        |  |
| The following section represents NCD Manual updates for January 2021 |  |         |        |  |
| 01/01/21   | There were no CR updates for January 2021.   |         |        |  |
| The following section represents NCD Manual updates for October 2020 |  |         |        |  |
| 10/01/20   | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Urine Culture, Bacterial (190.12) NCD.<br><br>Transmittal #10305  | 2020400 |        | 190.12 Urine Culture, Bacterial  |
| 10/01/20   | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Human Immunodeficiency Virus (HIV) Testing (Prognosis Including Monitoring) (190.13) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.13 Human Immunodeficiency Virus (HIV) Testing (Prognosis Including Monitoring) |
| 10/01/20   | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Human Immunodeficiency  | 2020400 |        | 190.14 Human Immunodeficiency Virus (HIV) Testing (Diagnosis)                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date  | Reason   | Release | Change | Edit  |
|----------|--|---------|--------|---|
|          | Virus (HIV) Testing<br>(Diagnosis) (190.14)<br>NCD.<br><br>Transmittal #10305  |         |        |   |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Human Immunodeficiency Virus (HIV) Testing (Diagnosis) (190.14) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.14 Human Immunodeficiency Virus (HIV) Testing (Diagnosis) |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes to the list of ICD-10-CM codes that Do Not Support Medical Necessity for the Blood Counts (190.15) NCD.<br><br>Transmittal #10305                           | 2020400 |        | 190.15 Blood Counts   |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes to the list of ICD-10-CM codes that Do Not Support Medical Necessity for the Blood Counts (190.15) NCD.<br><br>Transmittal #10305                        | 2020400 |        | 190.15 Blood Counts   |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM   | 2020400 |        | 190.16 Partial Thromboplastin Time                            |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date  | Reason  | Release | Change | Edit                                     |
|----------|---|---------|--------|--|
|          | codes from the list of ICD-10-CM codes that are covered for the Partial Thromboplastin Time (PTT) (190.16) NCD.<br><br>Transmittal #10305   |         |        | (PTT)                                    |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Partial Thromboplastin Time (PTT) (190.16) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.16 Partial Thromboplastin Time (PTT) |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Prothrombin Time (PT) (190.17) NCD.<br><br>Transmittal #10305                | 2020400 |        | 190.17 Prothrombin Time (PT)             |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Prothrombin Time (PT) (190.17) NCD.<br><br>Transmittal #10305             | 2020400 |        | 190.17 Prothrombin Time (PT)             |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of   | 2020400 |        | 190.18 Serum Iron Studies                |

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date  | Reason   | Release | Change | Edit                                   |
|----------|--|---------|--------|--|
|          | ICD-10-CM codes that are covered for the Serum Iron Studies (190.18) NCD.<br><br>Transmittal #10305  |         |        |  |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Serum Iron Studies (190.18) NCD.<br><br>Transmittal #10305           | 2020400 |        | 190.18 Serum Iron Studies              |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Collagen Crosslinks, Any Method (190.19) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.19 Collagen Crosslinks, Any Method |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Blood Glucose Testing (190.20A) NCD.<br><br>Transmittal #10305          | 2020400 |        | 190.20A Blood Glucose Testing          |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list  | 2020400 |        | 190.20A Blood Glucose Testing          |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date  | Reason  | Release | Change | Edit  |
|----------|---|---------|--------|---|
|          | of ICD-10-CM codes that are covered for the Blood Glucose Testing (190.20A) NCD.<br><br>Transmittal #10305  |         |        |   |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Blood Glucose Testing (190.20B) NCD.<br><br>Transmittal #10305               | 2020400 |        | 190.20B Blood Glucose Testing               |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Blood Glucose Testing (190.20B) NCD.<br><br>Transmittal #10305            | 2020400 |        | 190.20B Blood Glucose Testing               |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Glycated Hemoglobin/Glycated Protein (190.21) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.21 Glycated Hemoglobin/Glycated Protein |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-   | 2020400 |        | 190.21 Glycated Hemoglobin/Glycated         |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date  | Reason  | Release | Change | Edit                   |
|----------|---|---------|--------|------------------------|
|          | CM codes from the list of ICD-10-CM codes that are covered for the Glycated Hemoglobin/Glycated Protein (190.21) NCD.<br><br>Transmittal #10305                     |         |        | Protein                |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Thyroid Testing (190.22) NCD.<br><br>Transmittal #10305    | 2020400 |        | 190.22 Thyroid Testing |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Thyroid Testing (190.22) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.22 Thyroid Testing |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Lipids Testing (190.23A) NCD.<br><br>Transmittal #10305    | 2020400 |        | 190.23A Lipids Testing |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes  | 2020400 |        | 190.23A Lipids Testing |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date  | Reason  | Release | Change | Edit                                  |
|----------|---|---------|--------|---------------------------------------|
|          | that are covered for the Lipids Testing (190.23A) NCD.<br><br>Transmittal #10305  |         |        |                                       |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Lipids Testing (190.23B) NCD.<br><br>Transmittal #10305                | 2020400 |        | 190.23B Lipids Testing                |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Lipids Testing (190.23B) NCD.<br><br>Transmittal #10305             | 2020400 |        | 190.23B Lipids Testing                |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Digoxin Therapeutic Drug Assay (190.24) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.24 Digoxin Therapeutic Drug Assay |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Digoxin   | 2020400 |        | 190.24 Digoxin Therapeutic Drug Assay |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date  | Reason  | Release | Change | Edit                              |
|----------|---|---------|--------|-----------------------------------|
|          | Therapeutic Drug Assay (190.24) NCD.<br><br>Transmittal #10305  |         |        |                                   |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Alpha-fetoprotein (190.25) NCD.<br><br>Transmittal #10305          | 2020400 |        | 190.25 Alpha-fetoprotein          |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Alpha-fetoprotein (190.25) NCD.<br><br>Transmittal #10305       | 2020400 |        | 190.25 Alpha-fetoprotein          |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Gamma Glutamyl Transferase (190.32) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.32 Gamma Glutamyl Transferase |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Gamma Glutamyl Transferase (190.32) NCD.                        | 2020400 |        | 190.32 Gamma Glutamyl Transferase |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date  | Reason  | Release | Change | Edit   |
|----------|---|---------|--------|--|
|          | NCD.<br><br>Transmittal #10305  |         |        |  |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Hepatitis Panel/Acute Hepatitis Panel (190.33) NCD.<br><br>Transmittal #10305    | 2020400 |        | 190.33 Hepatitis Panel/Acute Hepatitis Panel |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Hepatitis Panel/Acute Hepatitis Panel (190.33) NCD.<br><br>Transmittal #10305 | 2020400 |        | 190.33 Hepatitis Panel/Acute Hepatitis Panel |
| 10/01/20 | Per CR 11889 add the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Fecal Occult Blood Test (190.34) NCD.<br><br>Transmittal #10305                  | 2020400 |        | 190.34 Fecal Occult Blood Test               |
| 10/01/20 | Per CR 11889 delete the specified ICD-10-CM codes from the list of ICD-10-CM codes that are covered for the Fecal Occult Blood Test (190.34) NCD.   | 2020400 |        | 190.34 Fecal Occult Blood Test               |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| CR Date   | Reason                                  | Release | Change | Edit |
|---|---|---------|--------|------|
|   | Transmittal #10305                      |         |        |      |
| The following section represents NCD Manual updates for July 2020 |   |         |        |      |
| 07/01/20  | There were no CR updates for July 2020. |         |        |      |





## Table of Contents

|   |            |
|---|------------|
| <b>NCD Manual Changes</b> .....   | <b>ii</b>  |
| <b>Table of Contents</b> .....  | <b>xii</b> |
| <b>Introduction</b> .....   | <b>1</b>   |
| Background .....  | 1          |
| What Is a National Coverage Policy? .....   | 2          |
| What Is the Effect of a National Coverage Policy?.....  | 2          |
| What Is the Format for These National Coverage Policies? .....                                | 3          |
| Other Names/Abbreviations .....   | 3          |
| Description .....   | 3          |
| HCPCS Codes .....   | 3          |
| ICD–10–CM Codes Covered by Medicare Program .....   | 3          |
| Indications.....  | 3          |
| Limitations .....   | 3          |
| ICD–10–CM Codes That Do Not Support Medical Necessity .....                                   | 3          |
| Other Comments.....   | 4          |
| Documentation Requirements .....  | 4          |
| Sources of Information .....  | 4          |
| <b>Non-covered ICD-10-CM Codes for All Lab NCDs</b> .....                                     | <b>5</b>   |
| <b>Reasons for Denial for All Lab NCDs</b> .....  | <b>14</b>  |
| <b>Coding Guidelines for All Lab NCDs</b> .....   | <b>15</b>  |
| <b>Additional Coding Guideline(s)</b> .....   | <b>16</b>  |
| <b>190.12 - Urine Culture, Bacterial</b> .....  | <b>17</b>  |
| Other Names/Abbreviations.....  | 17         |
| Description.....  | 17         |
| HCPCS Codes (Alphanumeric, CPT© AMA) .....  | 17         |
| ICD-10-CM Codes Covered by Medicare Program .....   | 17         |
| Indications.....  | 46         |
| Limitations .....   | 47         |
| ICD-10-CM Codes That Do Not Support Medical Necessity.....                                    | 47         |
| Documentation Requirements .....  | 48         |
| Sources of Information .....  | 48         |
| <b>190.13 - Human Immunodeficiency Virus (HIV)Testing (Prognosis Including Monitoring)</b> 49 |            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

|  |             |
|--|-------------|
| Other Names/Abbreviations .....  | 49          |
| Description .....  | 49          |
| HCPCS Codes (Alphanumeric, CPT© AMA) .....                                   | 49          |
| ICD-10-CM Codes Covered by Medicare Program .....                            | 49          |
| Indications .....  | 50          |
| Limitations .....  | 51          |
| ICD-10-CM Codes That Do Not Support Medical Necessity .....                  | 51          |
| Other Comments .....   | 51          |
| Sources of Information .....   | 51          |
| <b>190.14 - Human Immunodeficiency Virus (HIV) Testing (Diagnosis) .....</b> | <b>53</b>   |
| Other Names/Abbreviations .....  | 53          |
| Description .....  | 53          |
| HCPCS Codes (Alphanumeric, CPT© AMA) .....                                   | 53          |
| ICD-10-CM Codes Covered by Medicare Program .....                            | 54          |
| Indications .....  | 93          |
| Limitations .....  | 94          |
| ICD-10-CM Codes That Do Not Support Medical Necessity .....                  | 94          |
| Documentation Requirements .....   | 94          |
| Sources of Information .....   | 94          |
| <b>190.15 - Blood Counts .....</b>   | <b>96</b>   |
| Other Names/Abbreviations .....  | 96          |
| Description .....  | 96          |
| HCPCS Codes (Alphanumeric, CPT© AMA) .....                                   | 96          |
| ICD-10-CM Codes Covered by Medicare Program .....                            | 97          |
| Indications .....  | 97          |
| Limitations .....  | 98          |
| ICD-10-CM Codes That Do Not Support Medical Necessity .....                  | 99          |
| Sources of Information .....   | 890         |
| <b>190.16 - Partial Thromboplastin Time (PTT) .....</b>                      | <b>891</b>  |
| Description .....  | 891         |
| HCPCS Codes (Alphanumeric, CPT© AMA) .....                                   | 891         |
| ICD-10-CM Codes Covered by Medicare Program .....                            | 891         |
| ICD-10-CM Codes That Do Not Support Medical Necessity .....                  | 1177        |
| Sources of Information .....   | 1177        |
| <b>190.17 - Prothrombin Time (PT) .....</b>                                  | <b>1178</b> |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

|  |             |
|--|-------------|
| Description.....   | 1178        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 1178        |
| ICD-10-CM Codes Covered by Medicare Program.....           | 1178        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 1500        |
| Sources of Information .....                               | 1500        |
| <b>190.18 - Serum Iron Studies .....</b>                   | <b>1502</b> |
| Description.....   | 1502        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 1502        |
| ICD-10-CM Codes Covered by Medicare Program.....           | 1503        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 1626        |
| Sources of Information .....                               | 1626        |
| <b>190.19 - Collagen Crosslinks, Any Method.....</b>       | <b>1628</b> |
| Description.....   | 1628        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 1628        |
| ICD-10-CM Codes Covered by Medicare Program.....           | 1629        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 1641        |
| Sources of Information .....                               | 1641        |
| <b>190.20 - Blood Glucose Testing .....</b>                | <b>1642</b> |
| Description.....   | 1642        |
| ICD-10-CM Codes Covered by Medicare Program.....           | 1642        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 1803        |
| Sources of Information .....                               | 1803        |
| <b>190.21 - Glycated Hemoglobin/Glycated Protein .....</b> | <b>1804</b> |
| Description.....   | 1804        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 1804        |
| ICD-10-CM Codes Covered by Medicare Program.....           | 1804        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 1831        |
| Sources of Information .....                               | 1831        |
| <b>190.22 - Thyroid Testing .....</b>                      | <b>1833</b> |
| Description.....   | 1833        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 1833        |
| ICD-10-CM Codes Covered by Medicare Program.....           | 1833        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 1891        |
| Sources of Information .....                               | 1891        |



|  |             |
|--|-------------|
| <b>190.23 - Lipids Testing.....</b>                        | <b>1893</b> |
| Description .....  | 1893        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 1893        |
| ICD-10-CM Codes Covered by Medicare Program .....          | 1894        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 1899        |
| Sources of Information .....                               | 1899        |
| <b>190.24 - Digoxin Therapeutic Drug Assay .....</b>       | <b>1990</b> |
| Description .....  | 1990        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 1990        |
| ICD-10-CM Codes Covered by Medicare Program .....          | 1990        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 2007        |
| Sources of Information .....                               | 2007        |
| <b>190.25 - Alpha-fetoprotein .....</b>                    | <b>2008</b> |
| Description .....  | 2008        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 2008        |
| ICD-10-CM Codes Covered by Medicare Program .....          | 2008        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 2013        |
| Sources of Information .....                               | 2013        |
| <b>190.26 - Carcinoembryonic Antigen .....</b>             | <b>2014</b> |
| Description .....  | 2014        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 2014        |
| ICD-10-CM Codes Covered by Medicare Program .....          | 2014        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 2022        |
| Sources of Information .....                               | 2022        |
| <b>190.27 - Human Chorionic Gonadotropin.....</b>          | <b>2023</b> |
| Description .....  | 2023        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 2023        |
| ICD-10-CM Codes Covered by Medicare Program .....          | 2023        |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 2030        |
| Sources of Information .....                               | 2030        |
| <b>190.28 - Tumor Antigen by Immunoassay CA 125.....</b>   | <b>2031</b> |
| Description .....  | 2031        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 2031        |
| ICD-10-CM Codes Covered by Medicare Program .....          | 2031        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

|  |             |
|--|-------------|
| ICD-10-CM Codes That Do Not Support Medical Necessity.....         | 2033        |
| Sources of Information .....                                       | 2033        |
| <b>190.29 - Tumor Antigen by Immunoassay CA 15-3/CA 27.29.....</b> | <b>2034</b> |
| Description.....   | 2034        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                         | 2034        |
| ICD-10-CM Codes Covered by Medicare Program.....                   | 2034        |
| ICD-10-CM Codes That Do Not Support Medical Necessity.....         | 2037        |
| Sources of Information .....                                       | 2037        |
| <b>190.30 - Tumor Antigen by Immunoassay CA 19-9.....</b>          | <b>2038</b> |
| Description.....   | 2038        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                         | 2038        |
| ICD-10-CM Codes Covered by Medicare Program.....                   | 2038        |
| ICD-10-CM Codes That Do Not Support Medical Necessity.....         | 2040        |
| Sources of Information .....                                       | 2040        |
| <b>190.31 - Prostate Specific Antigen.....</b>                     | <b>2041</b> |
| Description.....   | 2041        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                         | 2041        |
| ICD-10-CM Codes Covered by Medicare Program.....                   | 2041        |
| ICD-10-CM Codes That Do Not Support Medical Necessity.....         | 2043        |
| Sources of Information .....                                       | 2043        |
| <b>190.32 - Gamma Glutamyl Transferase.....</b>                    | <b>2044</b> |
| Description.....   | 2044        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                         | 2044        |
| ICD-10-CM Codes Covered by Medicare Program.....                   | 2044        |
| ICD-10-CM Codes That Do Not Support Medical Necessity.....         | 2197        |
| Sources of Information .....                                       | 2197        |
| <b>190.33 - Hepatitis Panel/Acute Hepatitis Panel .....</b>        | <b>2199</b> |
| Description.....   | 2199        |
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                         | 2200        |
| ICD-10-CM Codes Covered by Medicare Program.....                   | 2200        |
| ICD-10-CM Codes That Do Not Support Medical Necessity.....         | 2207        |
| Sources of Information .....                                       | 2207        |
| <b>190.34 - Fecal Occult Blood Test .....</b>                      | <b>2209</b> |
| Description.....   | 2209        |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

|  |      |
|--|------|
| HCPCS Codes (Alphanumeric, CPT® AMA) .....                 | 2210 |
| ICD-10-CM Codes Covered by Medicare Program .....          | 2210 |
| ICD-10-CM Codes That Do Not Support Medical Necessity..... | 2249 |
| Sources of Information .....                               | 2249 |



## ***Introduction***

---

### ***Background***

Section 4554(b)(1) of the Balanced Budget Act of 1997 (BBA), Public Law 105-33, mandated the use of a negotiated rulemaking committee to develop national coverage and administrative policies for clinical diagnostic laboratory services payable under Medicare Part B by January 1, 1999. This provision requires that these national coverage policies be designed to promote program integrity and national uniformity and simplify administrative requirements with respect to clinical diagnostic laboratory services in connection with the following:

- Beneficiary information required to be submitted with each claim or order for laboratory services;
- The medical condition(s) for which a laboratory test service is reasonable and necessary (within the meaning of section 1862(a)(1)(A) of the Social Security Act);
- The appropriate use of procedure codes in billing for a laboratory test service, including the unbundling of laboratory services;
- The medical documentation that is required by a Medicare contractor at the time a claim is submitted for a laboratory test service (in accordance with section 1833(e) of the Act);
- Record keeping requirements in addition to any information required to be submitted with a claim, including physicians' obligations regarding these requirements;
- Procedures for filing claims and for providing remittances by electronic media; and
- Limitations on frequency of coverage for the same services performed on the same individual.

On March 10, 2000, a proposed rule was published in the Federal Register (65 FR 13082) which set forth uniform national coverage and administrative policies for clinical diagnostic laboratory services. These proposed policies reflected the consensus of the Negotiated Rulemaking Committee. The final rule, published in the Federal Register on November 23, 2001 (66 FR 58788), addressed the public comments received on the proposed rule. The final rule established the national coverage and administrative policies for clinical diagnostic laboratory services payable under Medicare Part B. It promoted Medicare program integrity and national uniformity, and simplified administrative requirements for clinical diagnostic services. The 23 Lab NCDs for diagnostic lab test services, which are included in the 2001 Final Rule, are listed below.

- Culture, Bacterial, Urine
- Human Immunodeficiency Virus Testing (Prognosis including monitoring)
- Human Immunodeficiency Virus Testing (Diagnosis)
- Blood Counts
- Partial Thromboplastin Time
- Prothrombin Time
- Serum Iron Studies
- Collagen Crosslinks, Any Method
- Blood Glucose Testing





- Glycated Hemoglobin/Glycated Protein
- Thyroid Testing
- Lipids
- Digoxin Therapeutic Drug Assay
- Alpha-fetoprotein
- Carcinoembryonic Antigen
- Human Chorionic Gonadotropin
- Tumor Antigen by Immunoassay CA 125
- Tumor Antigen by Immunoassay CA 15-3/CA 27.29
- Tumor Antigen by Immunoassay CA 19-9
- Prostate Specific Antigen
- Gamma Glutamyl Transferase
- Hepatitis Panel/Acute Hepatitis Panel
- Fecal Occult Blood

### ***What Is a National Coverage Policy?***

Part B of title XVIII of the Social Security Act (the Act) provides for Supplementary Medical Insurance (SMI) for certain Medicare beneficiaries, specifying what health care items or services will be covered by the Medicare Part B program. The 23 diagnostic laboratory services described in this Manual are covered under Part B.

Services that are excluded from coverage include routine physical examinations and other services that are not reasonable and necessary for the diagnosis or treatment of an illness or injury. CMS interprets these provisions to prohibit coverage of ‘screening’ services, including laboratory test services furnished in the absence of signs, symptoms, or personal history of disease or injury, except as explicitly authorized by statute. A test service might be considered medically appropriate, but nonetheless might be excluded from Medicare coverage by statute.

A national coverage policy for diagnostic laboratory test(s) is a document stating CMS’s policy with respect to the clinical circumstances in which the test(s) will be considered reasonable and necessary, and not screening, for Medicare purposes. Such a policy applies nationwide. A national coverage policy is neither a practice parameter nor a statement of the accepted standard of medical practice. Words such as “may be indicated” or “may be considered medically necessary” are used for this reason. Where a policy gives a general description and then lists examples (following words like “for example” or “including”), the list of examples is not meant to be all-inclusive but to provide some guidance.

### ***What Is the Effect of a National Coverage Policy?***

A national coverage policy to which this introduction applies is a National Coverage Decision (NCD) under section 1862(a) (1) of the Social Security Act. Regulations on National Coverage Decisions are codified at 42 CFR 405.732(b)–(d). A Medicare contractor may not develop a local policy that conflicts with a national coverage policy.



## **Medicare National Coverage Determinations (NCD) Coding Policy Manual and Change Report (ICD-10-CM)**

### ***What Is the Format for These National Coverage Policies?***

Below are the headings for national coverage policies, developed by the Negotiated Rulemaking Committee on Clinical Diagnostic Laboratory Tests.

#### ***Other Names/Abbreviations***

This section identifies other names for the policy. It reflects more colloquial terminology.

#### ***Description***

This section includes a description of the test(s) addressed by the policy and provides a general description of the appropriate uses of the test(s).

#### ***HCPCS Codes***

The descriptor(s) used in this section is (are) the Current Procedural Terminology (CPT) or other CMS Common Procedure Coding System (HCPCS). The CPT® is developed and copyrighted by the American Medical Association (AMA). If a descriptor does not accurately or fully describe the test, a more complete description may be included elsewhere in the policy, such as in the 'Indications' section.

#### ***ICD-10-CM Codes Covered by Medicare Program***

This section includes 'covered' codes – that is, codes for those lab test services for which Medicare provides the presumption of medical necessity, but may review a claim for such services to determine whether the service was in fact reasonable and necessary. The 'covered' diagnosis codes are from the International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM). Where the policy takes an "exclusionary" approach, as described below, this section states: "Any ICD-10-CM code not listed in either of the ICD-10-CM code sections below."

#### ***Indications***

This section lists detailed clinical indications for Medicare coverage of the test(s).

#### ***Limitations***

This section lists any national frequency expectations, as well as other limitations on Medicare coverage of the specific test service addressed in the policy—for example, if it would be unnecessary to perform a particular test with a particular combination of diagnoses. In addition, coding guidelines specific to the diagnostic test service addressed in the policy might be included in this section.

#### ***ICD-10-CM Codes That Do Not Support Medical Necessity***

This section lists/describes generally non-covered codes for which there are only limited exceptions. However, additional documentation could support a determination of medical necessity in certain circumstances. Subject to section 1879 of the Social Security Act (the Act), 42 CFR 411, subpart K, section 7330 of the Medicare Carriers Manual section 3440–3446.9 of the Medicare Fiscal Intermediary Manual and any applicable rulings, it would be appropriate for the ordering physician or the laboratory to obtain an advance beneficiary notice from the



## ***Medicare National Coverage Determinations (NCD) Coding Policy Manual and Change Report (ICD-10-CM)***

beneficiary. Where the policy takes an “inclusionary” approach, as described below, this section states: “Any ICD–10–CM code not listed in either of the ICD–10–CM sections above.”

### ***Other Comments***

This section may contain other relevant comments that are not addressed in the sections above, as well as coding guidance.

### ***Documentation Requirements***

This section refers to documentation requirements for clinical diagnostic laboratory tests at 42 CFR 410.32(d) and includes any specific documentation requirements related to the test(s) addressed in the policy.

### ***Sources of Information***

Relevant sources of information used in developing a Lab NCD are listed in this section.

Note: Additional general information about ICD-10-CM codes used in Medicare can be found on the CMS website, [www.cms.gov/ICD10](http://www.cms.gov/ICD10).



## ***Non-covered ICD-10-CM Codes for All Lab NCDs***

This section lists codes that are never covered by Medicare for a diagnostic lab testing service. If a code from this section is given as the reason for the test, the test may be billed to the Medicare beneficiary without billing Medicare first because the service is not covered by statute, in most instances because it is performed for screening purposes and is not within an exception. The beneficiary, however, does have a right to have the claim submitted to Medicare, upon request.

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| R99         | Ill-defined and unknown cause of mortality  |
| Z00.00      | Encounter for general adult medical examination without abnormal findings                     |
| Z00.01      | Encounter for general adult medical examination with abnormal findings                        |
| Z00.110     | Health examination for newborn under 8 days old   |
| Z00.111     | Health examination for newborn 8 to 28 days old   |
| Z00.121     | Encounter for routine child health examination with abnormal findings                         |
| Z00.129     | Encounter for routine child health examination without abnormal findings                      |
| Z00.5       | Encounter for examination of potential donor of organ and tissue                              |
| Z00.6       | Encounter for examination for normal comparison and control in clinical research program      |
| Z00.70      | Encounter for examination for period of delayed growth in childhood without abnormal findings |
| Z00.71      | Encounter for examination for period of delayed growth in childhood with abnormal findings    |
| Z00.8       | Encounter for other general examination   |
| Z02.0       | Encounter for examination for admission to educational institution                            |
| Z02.1       | Encounter for pre-employment examination  |
| Z02.2       | Encounter for examination for admission to residential institution                            |
| Z02.3       | Encounter for examination for recruitment to armed forces                                     |
| Z02.4       | Encounter for examination for driving license   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| Z02.5  | Encounter for examination for participation in sport                                     |
| Z02.6  | Encounter for examination for insurance purposes   |
| Z02.71 | Encounter for disability determination   |
| Z02.79 | Encounter for issue of other medical certificate   |
| Z02.81 | Encounter for paternity testing  |
| Z02.82 | Encounter for adoption services  |
| Z02.83 | Encounter for blood-alcohol and blood-drug test  |
| Z02.89 | Encounter for other administrative examinations  |
| Z02.9  | Encounter for administrative examinations, unspecified                                   |
| Z04.6  | Encounter for general psychiatric examination, requested by authority                    |
| Z04.81 | Encounter for examination and observation of victim following forced sexual exploitation |
| Z04.82 | Encounter for examination and observation of victim following forced labor exploitation  |
| Z04.89 | Encounter for examination and observation for other specified reasons                    |
| Z04.9  | Encounter for examination and observation for unspecified reason                         |
| Z11.0  | Encounter for screening for intestinal infectious diseases                               |
| Z11.1  | Encounter for screening for respiratory tuberculosis                                     |
| Z11.2  | Encounter for screening for other bacterial diseases                                     |
| Z11.3  | Encounter for screening for infections with a predominantly sexual mode of transmission  |
| Z11.4  | Encounter for screening for human immunodeficiency virus [HIV]                           |
| Z11.51 | Encounter for screening for human papillomavirus (HPV)                                   |
| Z11.59 | Encounter for screening for other viral diseases   |
| Z11.6  | Encounter for screening for other protozoal diseases and helminthiases                   |
| Z11.7  | Encounter for testing for latent tuberculosis infection                                  |
| Z11.8  | Encounter for screening for other infectious and parasitic diseases                      |
| Z11.9  | Encounter for screening for infectious and parasitic diseases, unspecified               |
| Z12.0  | Encounter for screening for malignant neoplasm of stomach                                |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z12.10  | Encounter for screening for malignant neoplasm of intestinal tract, unspecified   |
| Z12.13  | Encounter for screening for malignant neoplasm of small intestine   |
| Z12.2   | Encounter for screening for malignant neoplasm of respiratory organs  |
| Z12.6   | Encounter for screening for malignant neoplasm of bladder   |
| Z12.71  | Encounter for screening for malignant neoplasm of testis  |
| Z12.72  | Encounter for screening for malignant neoplasm of vagina  |
| Z12.73  | Encounter for screening for malignant neoplasm of ovary   |
| Z12.79  | Encounter for screening for malignant neoplasm of other genitourinary organs  |
| Z12.81  | Encounter for screening for malignant neoplasm of oral cavity   |
| Z12.82  | Encounter for screening for malignant neoplasm of nervous system  |
| Z12.83  | Encounter for screening for malignant neoplasm of skin  |
| Z12.89  | Encounter for screening for malignant neoplasm of other sites   |
| Z12.9   | Encounter for screening for malignant neoplasm, site unspecified  |
| Z13.0   | Encounter for screening for diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z13.21  | Encounter for screening for nutritional disorder  |
| Z13.220 | Encounter for screening for lipoid disorders  |
| Z13.228 | Encounter for screening for other metabolic disorders   |
| Z13.29  | Encounter for screening for other suspected endocrine disorder  |
| Z13.30  | Encounter for screening examination for mental health and behavioral disorders, unspecified                                     |
| Z13.31  | Encounter for screening for depression  |
| Z13.32  | Encounter for screening for maternal depression   |
| Z13.39  | Encounter for screening examination for other mental health and behavioral disorders  |
| Z13.40  | Encounter for screening for unspecified developmental delays  |
| Z13.41  | Encounter for autism screening  |
| Z13.42  | Encounter for screening for global developmental delays (milestones)  |
| Z13.49  | Encounter for screening for other developmental delays  |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| Z13.5       | Encounter for screening for eye and ear disorders                         |
| Z13.71      | Encounter for nonprocreative screening for genetic disease carrier status |
| Z13.79      | Encounter for other screening for genetic and chromosomal anomalies       |
| Z13.810     | Encounter for screening for upper gastrointestinal disorder               |
| Z13.811     | Encounter for screening for lower gastrointestinal disorder               |
| Z13.818     | Encounter for screening for other digestive system disorders              |
| Z13.820     | Encounter for screening for osteoporosis                                  |
| Z13.828     | Encounter for screening for other musculoskeletal disorder                |
| Z13.83      | Encounter for screening for respiratory disorder NEC                      |
| Z13.84      | Encounter for screening for dental disorders                              |
| Z13.850     | Encounter for screening for traumatic brain injury                        |
| Z13.858     | Encounter for screening for other nervous system disorders                |
| Z13.88      | Encounter for screening for disorder due to exposure to contaminants      |
| Z13.89      | Encounter for screening for other disorder                                |
| Z13.9       | Encounter for screening, unspecified                                      |
| Z36.0       | Encounter for antenatal screening for chromosomal anomalies               |
| Z36.1       | Encounter for antenatal screening for raised alphafetoprotein level       |
| Z36.2       | Encounter for other antenatal screening follow-up                         |
| Z36.3       | Encounter for antenatal screening for malformations                       |
| Z36.4       | Encounter for antenatal screening for fetal growth retardation            |
| Z36.5       | Encounter for antenatal screening for isoimmunization                     |
| Z36.81      | Encounter for antenatal screening for hydrops fetalis                     |
| Z36.82      | Encounter for antenatal screening for nuchal translucency                 |
| Z36.83      | Encounter for fetal screening for congenital cardiac abnormalities        |
| Z36.84      | Encounter for antenatal screening for fetal lung maturity                 |
| Z36.85      | Encounter for antenatal screening for Streptococcus B                     |
| Z36.86      | Encounter for antenatal screening for cervical length                     |
| Z36.87      | Encounter for antenatal screening for uncertain dates                     |

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| Z36.88 | Encounter for antenatal screening for fetal macrosomia                              |
| Z36.89 | Encounter for other specified antenatal screening                                   |
| Z36.8A | Encounter for antenatal screening for other genetic defects                         |
| Z36.9  | Encounter for antenatal screening, unspecified                                      |
| Z40.00 | Encounter for prophylactic removal of unspecified organ                             |
| Z40.01 | Encounter for prophylactic removal of breast  |
| Z40.02 | Encounter for prophylactic removal of ovary(s)                                      |
| Z40.09 | Encounter for prophylactic removal of other organ                                   |
| Z40.8  | Encounter for other prophylactic surgery  |
| Z40.9  | Encounter for prophylactic surgery, unspecified                                     |
| Z41.1  | Encounter for cosmetic surgery  |
| Z41.2  | Encounter for routine and ritual male circumcision                                  |
| Z41.3  | Encounter for ear piercing  |
| Z41.8  | Encounter for other procedures for purposes other than remedying health state       |
| Z41.9  | Encounter for procedure for purposes other than remedying health state, unspecified |
| Z46.1  | Encounter for fitting and adjustment of hearing aid                                 |
| Z56.0  | Unemployment, unspecified   |
| Z56.2  | Threat of job loss  |
| Z56.3  | Stressful work schedule   |
| Z56.4  | Discord with boss and workmates   |
| Z56.5  | Uncongenial work environment  |
| Z56.6  | Other physical and mental strain related to work                                    |
| Z56.81 | Sexual harassment on the job  |
| Z56.82 | Military deployment status  |
| Z56.89 | Other problems related to employment  |
| Z56.9  | Unspecified problems related to employment  |
| Z57.0  | Occupational exposure to noise  |
| Z57.1  | Occupational exposure to radiation  |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| Z57.2  | Occupational exposure to dust   |
| Z57.31 | Occupational exposure to environmental tobacco smoke                          |
| Z57.39 | Occupational exposure to other air contaminants                               |
| Z57.4  | Occupational exposure to toxic agents in agriculture                          |
| Z57.5  | Occupational exposure to toxic agents in other industries                     |
| Z57.6  | Occupational exposure to extreme temperature                                  |
| Z57.7  | Occupational exposure to vibration  |
| Z57.8  | Occupational exposure to other risk factors                                   |
| Z57.9  | Occupational exposure to unspecified risk factor                              |
| Z59.0  | Homelessness  |
| Z59.1  | Inadequate housing  |
| Z59.2  | Discord with neighbors, lodgers and landlord                                  |
| Z59.3  | Problems related to living in residential institution                         |
| Z59.4  | Lack of adequate food and safe drinking water                                 |
| Z59.5  | Extreme poverty   |
| Z59.6  | Low income  |
| Z59.7  | Insufficient social insurance and welfare support                             |
| Z59.8  | Other problems related to housing and economic circumstances                  |
| Z59.9  | Problem related to housing and economic circumstances, unspecified            |
| Z60.2  | Problems related to living alone  |
| Z62.21 | Child in welfare custody  |
| Z71.0  | Person encountering health services to consult on behalf of another person    |
| Z74.1  | Need for assistance with personal care  |
| Z74.2  | Need for assistance at home and no other household member able to render care |
| Z74.3  | Need for continuous supervision   |
| Z74.8  | Other problems related to care provider dependency                            |
| Z74.9  | Problem related to care provider dependency, unspecified                      |
| Z75.5  | Holiday relief care   |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| Z76.0  | Encounter for issue of repeat prescription   |
| Z76.1  | Encounter for health supervision and care of foundling                                     |
| Z76.2  | Encounter for health supervision and care of other healthy infant and child                |
| Z76.3  | Healthy person accompanying sick person  |
| Z76.4  | Other boarder to healthcare facility   |
| Z76.81 | Expectant parent(s) prebirth pediatrician visit  |
| Z80.1  | Family history of malignant neoplasm of trachea, bronchus and lung                         |
| Z80.2  | Family history of malignant neoplasm of other respiratory and intrathoracic organs         |
| Z80.49 | Family history of malignant neoplasm of other genital organs                               |
| Z80.51 | Family history of malignant neoplasm of kidney   |
| Z80.52 | Family history of malignant neoplasm of bladder  |
| Z80.59 | Family history of malignant neoplasm of other urinary tract organ                          |
| Z80.6  | Family history of leukemia   |
| Z80.7  | Family history of other malignant neoplasms of lymphoid, hematopoietic and related tissues |
| Z80.8  | Family history of malignant neoplasm of other organs or systems                            |
| Z80.9  | Family history of malignant neoplasm, unspecified  |
| Z81.0  | Family history of intellectual disabilities  |
| Z81.1  | Family history of alcohol abuse and dependence   |
| Z81.2  | Family history of tobacco abuse and dependence   |
| Z81.3  | Family history of other psychoactive substance abuse and dependence                        |
| Z81.4  | Family history of other substance abuse and dependence                                     |
| Z81.8  | Family history of other mental and behavioral disorders                                    |
| Z82.0  | Family history of epilepsy and other diseases of the nervous system                        |
| Z82.1  | Family history of blindness and visual loss  |
| Z82.2  | Family history of deafness and hearing loss  |
| Z82.3  | Family history of stroke   |
| Z82.41 | Family history of sudden cardiac death   |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z82.49  | Family history of ischemic heart disease and other diseases of the circulatory system                                 |
| Z82.5   | Family history of asthma and other chronic lower respiratory diseases   |
| Z82.61  | Family history of arthritis   |
| Z82.62  | Family history of osteoporosis  |
| Z82.69  | Family history of other diseases of the musculoskeletal system and connective tissue                                  |
| Z82.71  | Family history of polycystic kidney   |
| Z82.79  | Family history of other congenital malformations, deformations and chromosomal abnormalities                          |
| Z82.8   | Family history of other disabilities and chronic diseases leading to disablement, not elsewhere classified            |
| Z83.0   | Family history of human immunodeficiency virus [HIV] disease  |
| Z83.1   | Family history of other infectious and parasitic diseases   |
| Z83.2   | Family history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z83.3   | Family history of diabetes mellitus   |
| Z83.41  | Family history of multiple endocrine neoplasia [MEN] syndrome   |
| Z83.49  | Family history of other endocrine, nutritional and metabolic diseases   |
| Z83.511 | Family history of glaucoma  |
| Z83.518 | Family history of other specified eye disorder  |
| Z83.52  | Family history of ear disorders   |
| Z83.6   | Family history of other diseases of the respiratory system  |
| Z83.71  | Family history of colonic polyps  |
| Z83.79  | Family history of other diseases of the digestive system  |
| Z84.0   | Family history of diseases of the skin and subcutaneous tissue  |
| Z84.1   | Family history of disorders of kidney and ureter  |
| Z84.2   | Family history of other diseases of the genitourinary system  |
| Z84.3   | Family history of consanguinity   |

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                  |
|--------|--|
| Z84.81 | Family history of carrier of genetic disease |
| Z84.89 | Family history of other specified conditions |



## ***Reasons for Denial for All Lab NCDs***

---

**NOTE:** This section includes CMS's interpretation of its longstanding policies pertaining to nationally covered laboratory services, and is included for informational purposes.

- Tests for screening purposes that are performed in the absence of signs, symptoms, complaints, or personal history of disease or injury are not covered except as explicitly authorized by statute.
- Tests for administrative purposes, including exams required by insurance companies, business establishments, government agencies, or other third parties, are not covered.
- Tests that are not reasonable and necessary for the diagnosis or treatment of an illness or injury are not covered by statute.
- Failure to provide documentation of the medical necessity of tests might result in denial of claims. The documentation may include notes documenting relevant signs, symptoms, or abnormal findings that substantiate the medical necessity for ordering the tests. In addition, failure to provide independent verification that the test was ordered by the treating physician (or qualified nonphysician practitioner) through documentation in the physician's office might result in denial.
- A claim for a test for which there is a national coverage policy will be denied as not reasonable and necessary if the claim is submitted without an ICD-10-CM code or narrative diagnosis listed as covered in the policy unless other medical documentation justifying the necessity is submitted with the claim.
- If a national coverage policy identifies a frequency expectation, a claim for a test that exceeds that expectation may be denied as not reasonable and necessary, unless it is submitted with documentation justifying increased frequency.
- Tests that are not ordered by a treating physician or other qualified treating nonphysician practitioner acting within the scope of their license and in compliance with Medicare requirements will be denied as not reasonable and necessary.
- Failure of the clinical laboratory performing the test to have the appropriate Clinical Laboratory Improvement Amendments of 1988 (CLIA) certificate will result in denial of claims.

## ***Coding Guidelines for All Lab NCDs***

---

1. On and after the implementation date for ICD-10-CM coding of Medicare billing claims, a claim for a clinical diagnostic laboratory service must include a valid ICD-10-CM diagnosis code. When a diagnosis has not been established by the physician, codes that describe symptoms and signs, as opposed to diagnoses, should be provided (see also bullet #5 below).  
  
Please note that ICD-10-CM codes for diagnoses are not required (and will not be effective) for Medicare billing transactions prior to October 1, 2015. Please use ICD-9-CM codes for diagnoses prior to that date.  
  
Please check the CMS website [www.cms.gov/ICD10](http://www.cms.gov/ICD10) for more information on the implementation of ICD-10-CM codes.
2. Medicare distinguishes ‘screening’ from ‘diagnostic uses’ of tests. ‘Screening’ is testing for disease or disease precursors so that early detection and treatment can be provided for those who test positive for the disease. Screening tests are performed when no specific sign, symptom, or diagnosis is present and the beneficiary has not been exposed to a disease.  
  
In contrast, ‘diagnostic’ testing is testing to rule out or to confirm a suspected diagnosis because of a sign and/or symptom in the beneficiary. In these cases, the sign or symptom should be used to explain the reason for the test.  
  
Some laboratory tests are covered by the Medicare program for screening purposes (for example, NCD # 210.1, Prostate Cancer Screening Tests). However, this manual focuses only on coding policies for diagnostic uses of laboratory services (for example, the test for prostate specific antigen (PSA)).
3. When the reason for performing a test is because the beneficiary has had contact with, or exposure to, a communicable disease, the appropriate code from category Z20, ‘Contact with or exposure to communicable diseases’, should be assigned. However, on review, the test might still be considered screening and not covered by Medicare.
4. All digits required by ICD-10-CM coding conventions must be used. A code is invalid if it has not been coded with all digits/characters required for that code.
5. The beneficiary’s condition(s) and/or diseases should be coded in ICD-10-CM to the highest degree of certainty for that encounter/visit, such as signs, symptoms, abnormal test results, or other reasons for the visit. When a non-specific ICD-10-CM code is submitted, the underlying sign, symptom, or condition must be related to the indications for the test.





## ***Additional Coding Guideline(s)***

---

Note: For any additional guideline(s) about ICD-10-CM coding for a specific diagnostic test service, please see the section “Limitations” in each NCD following the code list table.



## 190.12 - Urine Culture, Bacterial

### Other Names/Abbreviations

Urine culture

### Description

A bacterial urine culture is a laboratory test service performed on a urine specimen to establish the probable etiology of a presumed urinary tract infection. It is common practice to do a urinalysis prior to a urine culture. A urine culture for bacteria might also be used as part of the evaluation and management of another related condition. The procedure includes aerobic agar-based isolation of bacteria or other cultivable organisms present, and quantitation of types present based on morphologic criteria. Isolates deemed significant may be subjected to additional identification and susceptibility procedures as requested by the ordering physician. The physician's request may be through clearly documented and communicated laboratory protocols.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description  |
|-------|--|
| 87086 | Culture, bacterial; quantitative, colony count, urine.                                     |
| 87088 | Culture, bacterial; with isolation and presumptive identification of each isolates, urine. |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description   |
|--------|---|
| A02.1  | Salmonella sepsis   |
| A18.14 | Tuberculosis of prostate                                    |
| A34    | Obstetrical tetanus   |
| A40.0  | Sepsis due to streptococcus, group A                        |
| A40.1  | Sepsis due to streptococcus, group B                        |
| A40.3  | Sepsis due to Streptococcus pneumoniae                      |
| A40.8  | Other streptococcal sepsis                                  |
| A40.9  | Streptococcal sepsis, unspecified                           |
| A41.01 | Sepsis due to Methicillin susceptible Staphylococcus aureus |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| A41.02  | Sepsis due to Methicillin resistant Staphylococcus aureus       |
| A41.1   | Sepsis due to other specified staphylococcus                    |
| A41.2   | Sepsis due to unspecified staphylococcus                        |
| A41.3   | Sepsis due to Hemophilus influenzae                             |
| A41.4   | Sepsis due to anaerobes   |
| A41.50  | Gram-negative sepsis, unspecified                               |
| A41.51  | Sepsis due to Escherichia coli [E. coli]                        |
| A41.52  | Sepsis due to Pseudomonas                                       |
| A41.53  | Sepsis due to Serratia  |
| A41.59  | Other Gram-negative sepsis                                      |
| A41.81  | Sepsis due to Enterococcus                                      |
| A41.89  | Other specified sepsis  |
| A41.9   | Sepsis, unspecified organism                                    |
| A42.7   | Actinomycotic sepsis  |
| A56.01  | Chlamydial cystitis and urethritis                              |
| A56.02  | Chlamydial vulvovaginitis                                       |
| A56.11  | Chlamydial female pelvic inflammatory disease                   |
| D65     | Disseminated intravascular coagulation [defibrination syndrome] |
| D70.0   | Congenital agranulocytosis                                      |
| D70.1   | Agranulocytosis secondary to cancer chemotherapy                |
| D70.2   | Other drug-induced agranulocytosis                              |
| D70.3   | Neutropenia due to infection                                    |
| D70.4   | Cyclic neutropenia  |
| D70.8   | Other neutropenia   |
| D70.9   | Neutropenia, unspecified  |
| D72.10  | Eosinophilia, unspecified                                       |
| D72.110 | Idiopathic hypereosinophilic syndrome [IHES]                    |
| D72.111 | Lymphocytic Variant Hypereosinophilic Syndrome [LHES]           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| D72.118 | Other hypereosinophilic syndrome   |
| D72.119 | Hypereosinophilic syndrome [HES], unspecified  |
| D72.12  | Drug rash with eosinophilia and systemic symptoms syndrome                                     |
| D72.18  | Eosinophilia in diseases classified elsewhere  |
| D72.19  | Other eosinophilia   |
| D72.89  | Other specified disorders of white blood cells   |
| E09.21  | Drug or chemical induced diabetes mellitus with diabetic nephropathy                           |
| E09.22  | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease                |
| E09.29  | Drug or chemical induced diabetes mellitus with other diabetic kidney complication             |
| E11.10  | Type 2 diabetes mellitus with ketoacidosis without coma  |
| E11.11  | Type 2 diabetes mellitus with ketoacidosis with coma   |
| E87.2   | Acidosis   |
| E87.4   | Mixed disorder of acid-base balance  |
| F45.8   | Other somatoform disorders   |
| G93.3   | Postviral fatigue syndrome   |
| I50.814 | Right heart failure due to left heart failure  |
| I50.82  | Biventricular heart failure  |
| I50.84  | End stage heart failure  |
| I50.89  | Other heart failure  |
| J80     | Acute respiratory distress syndrome  |
| J82.81  | Chronic eosinophilic pneumonia   |
| J82.82  | Acute eosinophilic pneumonia   |
| J82.83  | Eosinophilic asthma  |
| J82.89  | Other pulmonary eosinophilia, not elsewhere classified   |
| J84.170 | Interstitial lung disease with progressive fibrotic phenotype in diseases classified elsewhere |
| J84.178 | Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere           |
| K72.00  | Acute and subacute hepatic failure without coma  |
| K72.01  | Acute and subacute hepatic failure with coma   |

**NCD 190.12**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K76.2  | Central hemorrhagic necrosis of liver  |
| M04.1  | Periodic fever syndromes   |
| M32.14 | Glomerular disease in systemic lupus erythematosus   |
| M32.15 | Tubulo-interstitial nephropathy in systemic lupus erythematosus                                    |
| M35.04 | Sicca syndrome with tubulo-interstitial nephropathy  |
| M54.89 | Other dorsalgia  |
| M54.9  | Dorsalgia, unspecified   |
| N00.0  | Acute nephritic syndrome with minor glomerular abnormality   |
| N00.1  | Acute nephritic syndrome with focal and segmental glomerular lesions                               |
| N00.2  | Acute nephritic syndrome with diffuse membranous glomerulonephritis                                |
| N00.3  | Acute nephritic syndrome with diffuse mesangial proliferative glomerulonephritis                   |
| N00.4  | Acute nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis               |
| N00.5  | Acute nephritic syndrome with diffuse mesangiocapillary glomerulonephritis                         |
| N00.6  | Acute nephritic syndrome with dense deposit disease  |
| N00.7  | Acute nephritic syndrome with diffuse crescentic glomerulonephritis                                |
| N00.8  | Acute nephritic syndrome with other morphologic changes  |
| N00.9  | Acute nephritic syndrome with unspecified morphologic changes                                      |
| N00.A  | Acute nephritic syndrome with C3 glomerulonephritis  |
| N01.0  | Rapidly progressive nephritic syndrome with minor glomerular abnormality                           |
| N01.1  | Rapidly progressive nephritic syndrome with focal and segmental glomerular lesions                 |
| N01.2  | Rapidly progressive nephritic syndrome with diffuse membranous glomerulonephritis                  |
| N01.3  | Rapidly progressive nephritic syndrome with diffuse mesangial proliferative glomerulonephritis     |
| N01.4  | Rapidly progressive nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis |
| N01.5  | Rapidly progressive nephritic syndrome with diffuse mesangiocapillary glomerulonephritis           |
| N01.6  | Rapidly progressive nephritic syndrome with dense deposit disease                                  |

**NCD 190.12**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| N01.7 | Rapidly progressive nephritic syndrome with diffuse crescentic glomerulonephritis          |
| N01.8 | Rapidly progressive nephritic syndrome with other morphologic changes                      |
| N01.9 | Rapidly progressive nephritic syndrome with unspecified morphologic changes                |
| N01.A | Rapidly progressive nephritic syndrome with C3 glomerulonephritis                          |
| N02.A | Recurrent and persistent hematuria with C3 glomerulonephritis                              |
| N03.A | Chronic nephritic syndrome with C3 glomerulonephritis                                      |
| N04.A | Nephrotic syndrome with C3 glomerulonephritis  |
| N05.0 | Unspecified nephritic syndrome with minor glomerular abnormality                           |
| N05.1 | Unspecified nephritic syndrome with focal and segmental glomerular lesions                 |
| N05.2 | Unspecified nephritic syndrome with diffuse membranous glomerulonephritis                  |
| N05.3 | Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritis     |
| N05.4 | Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis |
| N05.5 | Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritis           |
| N05.6 | Unspecified nephritic syndrome with dense deposit disease                                  |
| N05.7 | Unspecified nephritic syndrome with diffuse crescentic glomerulonephritis                  |
| N05.8 | Unspecified nephritic syndrome with other morphologic changes                              |
| N05.9 | Unspecified nephritic syndrome with unspecified morphologic changes                        |
| N05.A | Unspecified nephritic syndrome with C3 glomerulonephritis                                  |
| N06.0 | Isolated proteinuria with minor glomerular abnormality                                     |
| N06.1 | Isolated proteinuria with focal and segmental glomerular lesions                           |
| N06.2 | Isolated proteinuria with diffuse membranous glomerulonephritis                            |
| N06.3 | Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis               |
| N06.4 | Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis           |
| N06.5 | Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis                     |
| N06.6 | Isolated proteinuria with dense deposit disease  |
| N06.7 | Isolated proteinuria with diffuse crescentic glomerulonephritis                            |
| N06.8 | Isolated proteinuria with other morphologic lesion   |

**NCD 190.12**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| N06.9 | Isolated proteinuria with unspecified morphologic lesion   |
| N06.A | Isolated proteinuria with C3 glomerulonephritis  |
| N07.0 | Hereditary nephropathy, not elsewhere classified with minor glomerular abnormality                           |
| N07.1 | Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesions                 |
| N07.2 | Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritis                  |
| N07.3 | Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritis     |
| N07.4 | Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritis |
| N07.5 | Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritis           |
| N07.6 | Hereditary nephropathy, not elsewhere classified with dense deposit disease                                  |
| N07.7 | Hereditary nephropathy, not elsewhere classified with diffuse crescentic glomerulonephritis                  |
| N07.8 | Hereditary nephropathy, not elsewhere classified with other morphologic lesions                              |
| N07.9 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions                        |
| N07.A | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis                                  |
| N08   | Glomerular disorders in diseases classified elsewhere  |
| N10   | Acute pyelonephritis   |
| N11.0 | Nonobstructive reflux-associated chronic pyelonephritis  |
| N11.1 | Chronic obstructive pyelonephritis   |
| N11.8 | Other chronic tubulo-interstitial nephritis  |
| N11.9 | Chronic tubulo-interstitial nephritis, unspecified   |
| N12   | Tubulo-interstitial nephritis, not specified as acute or chronic   |
| N13.0 | Hydronephrosis with ureteropelvic junction obstruction   |
| N13.1 | Hydronephrosis with ureteral stricture, not elsewhere classified   |
| N13.2 | Hydronephrosis with renal and ureteral calculous obstruction   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| N13.4   | Hydroureter  |
| N13.5   | Crossing vessel and stricture of ureter without hydronephrosis                 |
| N13.6   | Pyonephrosis   |
| N13.70  | Vesicoureteral-reflux, unspecified   |
| N13.71  | Vesicoureteral-reflux without reflux nephropathy                               |
| N13.721 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, unilateral  |
| N13.722 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, bilateral   |
| N13.729 | Vesicoureteral-reflux with reflux nephropathy without hydroureter, unspecified |
| N13.731 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, unilateral     |
| N13.732 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, bilateral      |
| N13.739 | Vesicoureteral-reflux with reflux nephropathy with hydroureter, unspecified    |
| N13.8   | Other obstructive and reflux uropathy  |
| N13.9   | Obstructive and reflux uropathy, unspecified                                   |
| N14.0   | Analgesic nephropathy  |
| N14.1   | Nephropathy induced by other drugs, medicaments and biological substances      |
| N14.2   | Nephropathy induced by unspecified drug, medicament or biological substance    |
| N14.3   | Nephropathy induced by heavy metals  |
| N14.4   | Toxic nephropathy, not elsewhere classified                                    |
| N15.0   | Balkan nephropathy   |
| N15.1   | Renal and perinephric abscess  |
| N15.8   | Other specified renal tubulo-interstitial diseases                             |
| N15.9   | Renal tubulo-interstitial disease, unspecified                                 |
| N16     | Renal tubulo-interstitial disorders in diseases classified elsewhere           |
| N17.1   | Acute kidney failure with acute cortical necrosis                              |
| N17.2   | Acute kidney failure with medullary necrosis                                   |
| N18.6   | End stage renal disease  |
| N20.0   | Calculus of kidney   |
| N20.1   | Calculus of ureter   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| N20.2  | Calculus of kidney with calculus of ureter                            |
| N20.9  | Urinary calculus, unspecified   |
| N21.0  | Calculus in bladder   |
| N21.1  | Calculus in urethra   |
| N21.8  | Other lower urinary tract calculus                                    |
| N21.9  | Calculus of lower urinary tract, unspecified                          |
| N22    | Calculus of urinary tract in diseases classified elsewhere            |
| N23    | Unspecified renal colic   |
| N28.0  | Ischemia and infarction of kidney                                     |
| N28.1  | Cyst of kidney, acquired  |
| N28.81 | Hypertrophy of kidney   |
| N28.82 | Megaloureter  |
| N28.83 | Nephroptosis  |
| N28.84 | Pyelitis cystica  |
| N28.85 | Pyeloureteritis cystica   |
| N28.86 | Ureteritis cystica  |
| N28.89 | Other specified disorders of kidney and ureter                        |
| N28.9  | Disorder of kidney and ureter, unspecified                            |
| N29    | Other disorders of kidney and ureter in diseases classified elsewhere |
| N30.00 | Acute cystitis without hematuria                                      |
| N30.01 | Acute cystitis with hematuria   |
| N30.10 | Interstitial cystitis (chronic) without hematuria                     |
| N30.11 | Interstitial cystitis (chronic) with hematuria                        |
| N30.20 | Other chronic cystitis without hematuria                              |
| N30.21 | Other chronic cystitis with hematuria                                 |
| N30.30 | Trigonitis without hematuria  |
| N30.31 | Trigonitis with hematuria   |
| N30.40 | Irradiation cystitis without hematuria                                |

NCD 190.12

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N30.41  | Irradiation cystitis with hematuria   |
| N30.80  | Other cystitis without hematuria  |
| N30.81  | Other cystitis with hematuria   |
| N30.90  | Cystitis, unspecified without hematuria   |
| N30.91  | Cystitis, unspecified with hematuria  |
| N34.0   | Urethral abscess  |
| N34.1   | Nonspecific urethritis  |
| N34.2   | Other urethritis  |
| N34.3   | Urethral syndrome, unspecified  |
| N35.016 | Post-traumatic urethral stricture, male, overlapping sites                          |
| N35.111 | Postinfective urethral stricture, not elsewhere classified, male, meatal            |
| N35.112 | Postinfective bulbous urethral stricture, not elsewhere classified, male            |
| N35.113 | Postinfective membranous urethral stricture, not elsewhere classified, male         |
| N35.114 | Postinfective anterior urethral stricture, not elsewhere classified, male           |
| N35.116 | Postinfective urethral stricture, not elsewhere classified, male, overlapping sites |
| N35.119 | Postinfective urethral stricture, not elsewhere classified, male, unspecified       |
| N35.12  | Postinfective urethral stricture, not elsewhere classified, female                  |
| N37     | Urethral disorders in diseases classified elsewhere                                 |
| N39.0   | Urinary tract infection, site not specified   |
| N39.3   | Stress incontinence (female) (male)   |
| N39.41  | Urge incontinence   |
| N39.42  | Incontinence without sensory awareness  |
| N39.43  | Post-void dribbling   |
| N39.44  | Nocturnal enuresis  |
| N39.45  | Continuous leakage  |
| N39.46  | Mixed incontinence  |
| N39.490 | Overflow incontinence   |
| N39.491 | Coital incontinence   |

NCD 190.12

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N39.492 | Postural (urinary) incontinence                                   |
| N39.498 | Other specified urinary incontinence                              |
| N40.0   | Benign prostatic hyperplasia without lower urinary tract symptoms |
| N40.1   | Benign prostatic hyperplasia with lower urinary tract symptoms    |
| N40.2   | Nodular prostate without lower urinary tract symptoms             |
| N40.3   | Nodular prostate with lower urinary tract symptoms                |
| N41.0   | Acute prostatitis   |
| N41.1   | Chronic prostatitis   |
| N41.2   | Abscess of prostate   |
| N41.3   | Prostatocystitis  |
| N41.4   | Granulomatous prostatitis   |
| N41.8   | Other inflammatory diseases of prostate                           |
| N41.9   | Inflammatory disease of prostate, unspecified                     |
| N42.0   | Calculus of prostate  |
| N42.1   | Congestion and hemorrhage of prostate                             |
| N42.30  | Unspecified dysplasia of prostate                                 |
| N42.31  | Prostatic intraepithelial neoplasia                               |
| N42.32  | Atypical small acinar proliferation of prostate                   |
| N42.39  | Other dysplasia of prostate                                       |
| N42.81  | Prostatodynia syndrome  |
| N42.82  | Prostatosis syndrome  |
| N42.83  | Cyst of prostate  |
| N42.89  | Other specified disorders of prostate                             |
| N42.9   | Disorder of prostate, unspecified                                 |
| N43.40  | Spermatocele of epididymis, unspecified                           |
| N43.41  | Spermatocele of epididymis, single                                |
| N43.42  | Spermatocele of epididymis, multiple                              |
| N44.00  | Torsion of testis, unspecified                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N44.01  | Extravaginal torsion of spermatic cord                                      |
| N44.02  | Intravaginal torsion of spermatic cord                                      |
| N44.03  | Torsion of appendix testis  |
| N44.04  | Torsion of appendix epididymis  |
| N44.1   | Cyst of tunica albuginea testis   |
| N44.2   | Benign cyst of testis   |
| N44.8   | Other noninflammatory disorders of the testis                               |
| N45.1   | Epididymitis  |
| N45.2   | Orchitis  |
| N45.3   | Epididymo-orchitis  |
| N45.4   | Abscess of epididymis or testis   |
| N49.0   | Inflammatory disorders of seminal vesicle                                   |
| N49.1   | Inflammatory disorders of spermatic cord, tunica vaginalis and vas deferens |
| N49.2   | Inflammatory disorders of scrotum   |
| N49.3   | Fournier gangrene   |
| N49.8   | Inflammatory disorders of other specified male genital organs               |
| N49.9   | Inflammatory disorder of unspecified male genital organ                     |
| N50.0   | Atrophy of testis   |
| N50.1   | Vascular disorders of male genital organs                                   |
| N50.3   | Cyst of epididymis  |
| N50.811 | Right testicular pain   |
| N50.812 | Left testicular pain  |
| N50.819 | Testicular pain, unspecified  |
| N50.82  | Scrotal pain  |
| N50.89  | Other specified disorders of the male genital organs                        |
| N50.9   | Disorder of male genital organs, unspecified                                |
| N51     | Disorders of male genital organs in diseases classified elsewhere           |
| N53.11  | Retarded ejaculation  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| N53.12 | Painful ejaculation                                 |
| N53.13 | Anejaculatory orgasm                                |
| N53.14 | Retrograde ejaculation                              |
| N53.19 | Other ejaculatory dysfunction                       |
| N53.8  | Other male sexual dysfunction                       |
| N53.9  | Unspecified male sexual dysfunction                 |
| N70.01 | Acute salpingitis                                   |
| N70.02 | Acute oophoritis                                    |
| N70.03 | Acute salpingitis and oophoritis                    |
| N70.11 | Chronic salpingitis                                 |
| N70.12 | Chronic oophoritis                                  |
| N70.13 | Chronic salpingitis and oophoritis                  |
| N70.91 | Salpingitis, unspecified                            |
| N70.92 | Oophoritis, unspecified                             |
| N70.93 | Salpingitis and oophoritis, unspecified             |
| N71.0  | Acute inflammatory disease of uterus                |
| N71.1  | Chronic inflammatory disease of uterus              |
| N71.9  | Inflammatory disease of uterus, unspecified         |
| N72    | Inflammatory disease of cervix uteri                |
| N73.0  | Acute parametritis and pelvic cellulitis            |
| N73.1  | Chronic parametritis and pelvic cellulitis          |
| N73.2  | Unspecified parametritis and pelvic cellulitis      |
| N73.3  | Female acute pelvic peritonitis                     |
| N73.4  | Female chronic pelvic peritonitis                   |
| N73.5  | Female pelvic peritonitis, unspecified              |
| N73.6  | Female pelvic peritoneal adhesions (postinfective)  |
| N73.8  | Other specified female pelvic inflammatory diseases |
| N73.9  | Female pelvic inflammatory disease, unspecified     |

**NCD 190.12**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N74     | Female pelvic inflammatory disorders in diseases classified elsewhere   |
| N75.0   | Cyst of Bartholin's gland   |
| N75.1   | Abscess of Bartholin's gland  |
| N75.8   | Other diseases of Bartholin's gland                                     |
| N75.9   | Disease of Bartholin's gland, unspecified                               |
| N76.0   | Acute vaginitis   |
| N76.1   | Subacute and chronic vaginitis  |
| N76.2   | Acute vulvitis  |
| N76.3   | Subacute and chronic vulvitis   |
| N76.4   | Abscess of vulva  |
| N76.5   | Ulceration of vagina  |
| N76.6   | Ulceration of vulva   |
| N76.81  | Mucositis (ulcerative) of vagina and vulva                              |
| N76.89  | Other specified inflammation of vagina and vulva                        |
| N77.0   | Ulceration of vulva in diseases classified elsewhere                    |
| N77.1   | Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere |
| N82.0   | Vesicovaginal fistula   |
| N82.1   | Other female urinary-genital tract fistulae                             |
| N82.2   | Fistula of vagina to small intestine                                    |
| N82.3   | Fistula of vagina to large intestine                                    |
| N82.4   | Other female intestinal-genital tract fistulae                          |
| N82.5   | Female genital tract-skin fistulae                                      |
| N82.8   | Other female genital tract fistulae                                     |
| N82.9   | Female genital tract fistula, unspecified                               |
| N83.511 | Torsion of right ovary and ovarian pedicle                              |
| N83.512 | Torsion of left ovary and ovarian pedicle                               |
| N83.519 | Torsion of ovary and ovarian pedicle, unspecified side                  |
| N83.521 | Torsion of right fallopian tube   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N83.522 | Torsion of left fallopian tube  |
| N83.529 | Torsion of fallopian tube, unspecified side   |
| N99.115 | Postprocedural fossa navicularis urethral stricture   |
| N99.116 | Postprocedural urethral stricture, male, overlapping sites  |
| N99.523 | Herniation of incontinent stoma of urinary tract  |
| N99.524 | Stenosis of incontinent stoma of urinary tract  |
| N99.533 | Herniation of continent stoma of urinary tract  |
| N99.534 | Stenosis of continent stoma of urinary tract  |
| O08.0   | Genital tract and pelvic infection following ectopic and molar pregnancy                                  |
| O08.3   | Shock following ectopic and molar pregnancy   |
| O08.82  | Sepsis following ectopic and molar pregnancy  |
| O12.04  | Gestational edema, complicating childbirth  |
| O12.05  | Gestational edema, complicating the puerperium  |
| O12.14  | Gestational proteinuria, complicating childbirth  |
| O12.15  | Gestational proteinuria, complicating the puerperium  |
| O12.24  | Gestational edema with proteinuria, complicating childbirth   |
| O12.25  | Gestational edema with proteinuria, complicating the puerperium   |
| O13.4   | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth     |
| O13.5   | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O14.04  | Mild to moderate pre-eclampsia, complicating childbirth   |
| O14.05  | Mild to moderate pre-eclampsia, complicating the puerperium   |
| O14.14  | Severe pre-eclampsia complicating childbirth  |
| O14.15  | Severe pre-eclampsia, complicating the puerperium   |
| O14.24  | HELLP syndrome, complicating childbirth   |
| O14.25  | HELLP syndrome, complicating the puerperium   |
| O14.94  | Unspecified pre-eclampsia, complicating childbirth  |
| O14.95  | Unspecified pre-eclampsia, complicating the puerperium  |

NCD 190.12

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O16.4   | Unspecified maternal hypertension, complicating childbirth                     |
| O16.5   | Unspecified maternal hypertension, complicating the puerperium                 |
| O23.00  | Infections of kidney in pregnancy, unspecified trimester                       |
| O23.01  | Infections of kidney in pregnancy, first trimester                             |
| O23.02  | Infections of kidney in pregnancy, second trimester                            |
| O23.03  | Infections of kidney in pregnancy, third trimester                             |
| O23.10  | Infections of bladder in pregnancy, unspecified trimester                      |
| O23.11  | Infections of bladder in pregnancy, first trimester                            |
| O23.12  | Infections of bladder in pregnancy, second trimester                           |
| O23.13  | Infections of bladder in pregnancy, third trimester                            |
| O23.20  | Infections of urethra in pregnancy, unspecified trimester                      |
| O23.21  | Infections of urethra in pregnancy, first trimester                            |
| O23.22  | Infections of urethra in pregnancy, second trimester                           |
| O23.23  | Infections of urethra in pregnancy, third trimester                            |
| O23.30  | Infections of other parts of urinary tract in pregnancy, unspecified trimester |
| O23.31  | Infections of other parts of urinary tract in pregnancy, first trimester       |
| O23.32  | Infections of other parts of urinary tract in pregnancy, second trimester      |
| O23.33  | Infections of other parts of urinary tract in pregnancy, third trimester       |
| O23.40  | Unspecified infection of urinary tract in pregnancy, unspecified trimester     |
| O23.41  | Unspecified infection of urinary tract in pregnancy, first trimester           |
| O23.42  | Unspecified infection of urinary tract in pregnancy, second trimester          |
| O23.43  | Unspecified infection of urinary tract in pregnancy, third trimester           |
| O23.511 | Infections of cervix in pregnancy, first trimester                             |
| O23.512 | Infections of cervix in pregnancy, second trimester                            |
| O23.513 | Infections of cervix in pregnancy, third trimester                             |
| O23.519 | Infections of cervix in pregnancy, unspecified trimester                       |
| O23.521 | Salpingo-oophoritis in pregnancy, first trimester                              |
| O23.522 | Salpingo-oophoritis in pregnancy, second trimester                             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O23.523  | Salpingo-oophoritis in pregnancy, third trimester   |
| O23.529  | Salpingo-oophoritis in pregnancy, unspecified trimester   |
| O23.591  | Infection of other part of genital tract in pregnancy, first trimester  |
| O23.592  | Infection of other part of genital tract in pregnancy, second trimester   |
| O23.593  | Infection of other part of genital tract in pregnancy, third trimester  |
| O23.599  | Infection of other part of genital tract in pregnancy, unspecified trimester                                      |
| O23.90   | Unspecified genitourinary tract infection in pregnancy, unspecified trimester                                     |
| O23.91   | Unspecified genitourinary tract infection in pregnancy, first trimester   |
| O23.92   | Unspecified genitourinary tract infection in pregnancy, second trimester  |
| O23.93   | Unspecified genitourinary tract infection in pregnancy, third trimester   |
| O24.415  | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs                                 |
| O24.425  | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs                                |
| O24.435  | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs                                |
| O33.7XX0 | Maternal care for disproportion due to other fetal deformities, not applicable or unspecified                     |
| O33.7XX1 | Maternal care for disproportion due to other fetal deformities, fetus 1   |
| O33.7XX2 | Maternal care for disproportion due to other fetal deformities, fetus 2   |
| O33.7XX3 | Maternal care for disproportion due to other fetal deformities, fetus 3   |
| O33.7XX4 | Maternal care for disproportion due to other fetal deformities, fetus 4   |
| O33.7XX5 | Maternal care for disproportion due to other fetal deformities, fetus 5   |
| O33.7XX9 | Maternal care for disproportion due to other fetal deformities, other fetus                                       |
| O34.218  | Maternal care for other type scar from previous cesarean delivery   |
| O34.22   | Maternal care for cesarean scar defect (isthmocele)   |
| O36.8310 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, not applicable or unspecified |
| O36.8311 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 1                       |
| O36.8312 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 2                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| O36.8313 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 3                        |
| O36.8314 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 4                        |
| O36.8315 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 5                        |
| O36.8319 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, other fetus                    |
| O36.8320 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, not applicable or unspecified |
| O36.8321 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 1                       |
| O36.8322 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 2                       |
| O36.8323 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 3                       |
| O36.8324 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 4                       |
| O36.8325 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 5                       |
| O36.8329 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, other fetus                   |
| O36.8330 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, not applicable or unspecified  |
| O36.8331 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 1                        |
| O36.8332 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 2                        |
| O36.8333 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 3                        |
| O36.8334 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 4                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O36.8335 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 5                             |
| O36.8339 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, other fetus                         |
| O36.8390 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, not applicable or unspecified |
| O36.8391 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 1                       |
| O36.8392 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 2                       |
| O36.8393 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 3                       |
| O36.8394 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 4                       |
| O36.8395 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 5                       |
| O36.8399 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, other fetus                   |
| O44.20   | Partial placenta previa NOS or without hemorrhage, unspecified trimester  |
| O44.21   | Partial placenta previa NOS or without hemorrhage, first trimester  |
| O44.22   | Partial placenta previa NOS or without hemorrhage, second trimester   |
| O44.23   | Partial placenta previa NOS or without hemorrhage, third trimester  |
| O44.30   | Partial placenta previa with hemorrhage, unspecified trimester  |
| O44.31   | Partial placenta previa with hemorrhage, first trimester  |
| O44.32   | Partial placenta previa with hemorrhage, second trimester   |
| O44.33   | Partial placenta previa with hemorrhage, third trimester  |
| O44.40   | Low lying placenta NOS or without hemorrhage, unspecified trimester   |
| O44.41   | Low lying placenta NOS or without hemorrhage, first trimester   |
| O44.42   | Low lying placenta NOS or without hemorrhage, second trimester  |
| O44.43   | Low lying placenta NOS or without hemorrhage, third trimester   |
| O44.50   | Low lying placenta with hemorrhage, unspecified trimester   |

NCD 190.12

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| O44.51 | Low lying placenta with hemorrhage, first trimester     |
| O44.52 | Low lying placenta with hemorrhage, second trimester    |
| O44.53 | Low lying placenta with hemorrhage, third trimester     |
| O85    | Puerperal sepsis  |
| O86.11 | Cervicitis following delivery                           |
| O86.12 | Endometritis following delivery                         |
| O86.13 | Vaginitis following delivery                            |
| O86.19 | Other infection of genital tract following delivery     |
| O86.20 | Urinary tract infection following delivery, unspecified |
| O86.21 | Infection of kidney following delivery                  |
| O86.22 | Infection of bladder following delivery                 |
| O86.29 | Other urinary tract infection following delivery        |
| O86.4  | Pyrexia of unknown origin following delivery            |
| O86.81 | Puerperal septic thrombophlebitis                       |
| O86.89 | Other specified puerperal infections                    |
| P36.0  | Sepsis of newborn due to streptococcus, group B         |
| P36.10 | Sepsis of newborn due to unspecified streptococci       |
| P36.19 | Sepsis of newborn due to other streptococci             |
| P36.2  | Sepsis of newborn due to Staphylococcus aureus          |
| P36.30 | Sepsis of newborn due to unspecified staphylococci      |
| P36.39 | Sepsis of newborn due to other staphylococci            |
| P36.4  | Sepsis of newborn due to Escherichia coli               |
| P36.5  | Sepsis of newborn due to anaerobes                      |
| P36.8  | Other bacterial sepsis of newborn                       |
| P36.9  | Bacterial sepsis of newborn, unspecified                |
| P39.3  | Neonatal urinary tract infection                        |
| R00.0  | Tachycardia, unspecified                                |
| R10.0  | Acute abdomen   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                       |
|---------|---|
| R10.10  | Upper abdominal pain, unspecified                 |
| R10.11  | Right upper quadrant pain                         |
| R10.12  | Left upper quadrant pain                          |
| R10.13  | Epigastric pain                                   |
| R10.2   | Pelvic and perineal pain                          |
| R10.30  | Lower abdominal pain, unspecified                 |
| R10.31  | Right lower quadrant pain                         |
| R10.32  | Left lower quadrant pain                          |
| R10.33  | Periumbilical pain                                |
| R10.811 | Right upper quadrant abdominal tenderness         |
| R10.812 | Left upper quadrant abdominal tenderness          |
| R10.813 | Right lower quadrant abdominal tenderness         |
| R10.814 | Left lower quadrant abdominal tenderness          |
| R10.815 | Periumbilic abdominal tenderness                  |
| R10.816 | Epigastric abdominal tenderness                   |
| R10.817 | Generalized abdominal tenderness                  |
| R10.819 | Abdominal tenderness, unspecified site            |
| R10.821 | Right upper quadrant rebound abdominal tenderness |
| R10.822 | Left upper quadrant rebound abdominal tenderness  |
| R10.823 | Right lower quadrant rebound abdominal tenderness |
| R10.824 | Left lower quadrant rebound abdominal tenderness  |
| R10.825 | Periumbilic rebound abdominal tenderness          |
| R10.826 | Epigastric rebound abdominal tenderness           |
| R10.827 | Generalized rebound abdominal tenderness          |
| R10.829 | Rebound abdominal tenderness, unspecified site    |
| R10.83  | Colic   |
| R10.84  | Generalized abdominal pain                        |
| R10.9   | Unspecified abdominal pain                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                            |
|---------|--|
| R30.0   | Dysuria                                |
| R30.1   | Vesical tenesmus                       |
| R30.9   | Painful micturition, unspecified       |
| R31.0   | Gross hematuria                        |
| R31.1   | Benign essential microscopic hematuria |
| R31.21  | Asymptomatic microscopic hematuria     |
| R31.29  | Other microscopic hematuria            |
| R31.9   | Hematuria, unspecified                 |
| R32     | Unspecified urinary incontinence       |
| R33.0   | Drug induced retention of urine        |
| R33.8   | Other retention of urine               |
| R33.9   | Retention of urine, unspecified        |
| R34     | Anuria and oliguria                    |
| R35.0   | Frequency of micturition               |
| R35.1   | Nocturia                               |
| R35.8   | Other polyuria                         |
| R36.0   | Urethral discharge without blood       |
| R36.1   | Hematospermia                          |
| R36.9   | Urethral discharge, unspecified        |
| R39.0   | Extravasation of urine                 |
| R39.11  | Hesitancy of micturition               |
| R39.12  | Poor urinary stream                    |
| R39.13  | Splitting of urinary stream            |
| R39.14  | Feeling of incomplete bladder emptying |
| R39.15  | Urgency of urination                   |
| R39.16  | Straining to void                      |
| R39.191 | Need to immediately re-void            |
| R39.192 | Position dependent micturition         |

NCD 190.12

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| R39.198     | Other difficulties with micturition   |
| R39.2       | Extrarenal uremia   |
| R39.81      | Functional urinary incontinence   |
| R39.82      | Chronic bladder pain  |
| R39.89      | Other symptoms and signs involving the genitourinary system   |
| R39.9       | Unspecified symptoms and signs involving the genitourinary system   |
| R40.2410    | Glasgow coma scale score 13-15, unspecified time  |
| R40.2411    | Glasgow coma scale score 13-15, in the field [EMT or ambulance]   |
| R40.2412    | Glasgow coma scale score 13-15, at arrival to emergency department  |
| R40.2413    | Glasgow coma scale score 13-15, at hospital admission   |
| R40.2414    | Glasgow coma scale score 13-15, 24 hours or more after hospital admission   |
| R40.2420    | Glasgow coma scale score 9-12, unspecified time   |
| R40.2421    | Glasgow coma scale score 9-12, in the field [EMT or ambulance]  |
| R40.2422    | Glasgow coma scale score 9-12, at arrival to emergency department   |
| R40.2423    | Glasgow coma scale score 9-12, at hospital admission  |
| R40.2424    | Glasgow coma scale score 9-12, 24 hours or more after hospital admission  |
| R40.2430    | Glasgow coma scale score 3-8, unspecified time  |
| R40.2431    | Glasgow coma scale score 3-8, in the field [EMT or ambulance]   |
| R40.2432    | Glasgow coma scale score 3-8, at arrival to emergency department  |
| R40.2433    | Glasgow coma scale score 3-8, at hospital admission   |
| R40.2434    | Glasgow coma scale score 3-8, 24 hours or more after hospital admission   |
| R40.2440    | Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time                   |
| R40.2441    | Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]    |
| R40.2442    | Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department |
| R40.2443    | Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| R40.2444 | Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission |
| R40.4    | Transient alteration of awareness  |
| R41.0    | Disorientation, unspecified  |
| R41.1    | Anterograde amnesia  |
| R41.2    | Retrograde amnesia   |
| R41.3    | Other amnesia  |
| R41.82   | Altered mental status, unspecified   |
| R41.9    | Unspecified symptoms and signs involving cognitive functions and awareness   |
| R45.84   | Anhedonia  |
| R50.2    | Drug induced fever   |
| R50.81   | Fever presenting with conditions classified elsewhere  |
| R50.82   | Postprocedural fever   |
| R50.83   | Postvaccination fever  |
| R50.84   | Febrile nonhemolytic transfusion reaction  |
| R50.9    | Fever, unspecified   |
| R52      | Pain, unspecified  |
| R53.0    | Neoplastic (malignant) related fatigue   |
| R53.1    | Weakness   |
| R53.81   | Other malaise  |
| R53.83   | Other fatigue  |
| R57.0    | Cardiogenic shock  |
| R57.1    | Hypovolemic shock  |
| R57.8    | Other shock  |
| R57.9    | Shock, unspecified   |
| R65.21   | Severe sepsis with septic shock  |
| R68.0    | Hypothermia, not associated with low environmental temperature   |
| R68.81   | Early satiety  |
| R68.83   | Chills (without fever)   |

NCD 190.12

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| R68.89  | Other general symptoms and signs   |
| R73.03  | Prediabetes  |
| R78.81  | Bacteremia   |
| R80.0   | Isolated proteinuria   |
| R80.1   | Persistent proteinuria, unspecified  |
| R80.2   | Orthostatic proteinuria, unspecified   |
| R80.3   | Bence Jones proteinuria  |
| R80.8   | Other proteinuria  |
| R80.9   | Proteinuria, unspecified   |
| R81     | Glycosuria   |
| R82.0   | Chyluria   |
| R82.1   | Myoglobinuria  |
| R82.2   | Biliuria   |
| R82.3   | Hemoglobinuria   |
| R82.4   | Acetonuria   |
| R82.5   | Elevated urine levels of drugs, medicaments and biological substances        |
| R82.6   | Abnormal urine levels of substances chiefly nonmedicinal as to source        |
| R82.71  | Bacteriuria  |
| R82.79  | Other abnormal findings on microbiological examination of urine              |
| R82.81  | Pyuria   |
| R82.89  | Other abnormal findings on cytological and histological examination of urine |
| R82.90  | Unspecified abnormal findings in urine                                       |
| R82.91  | Other chromoabnormalities of urine   |
| R82.991 | Hypocitraturia   |
| R82.992 | Hyperoxaluria  |
| R82.993 | Hyperuricosuria  |
| R82.994 | Hypercalciuria   |
| R82.998 | Other abnormal findings in urine   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T19.0XXA | Foreign body in urethra, initial encounter  |
| T19.1XXA | Foreign body in bladder, initial encounter  |
| T19.4XXA | Foreign body in penis, initial encounter  |
| T83.011A | Breakdown (mechanical) of indwelling urethral catheter, initial encounter           |
| T83.011D | Breakdown (mechanical) of indwelling urethral catheter, subsequent encounter        |
| T83.011S | Breakdown (mechanical) of indwelling urethral catheter, sequela                     |
| T83.012A | Breakdown (mechanical) of nephrostomy catheter, initial encounter                   |
| T83.012D | Breakdown (mechanical) of nephrostomy catheter, subsequent encounter                |
| T83.012S | Breakdown (mechanical) of nephrostomy catheter, sequela                             |
| T83.021A | Displacement of indwelling urethral catheter, initial encounter                     |
| T83.021D | Displacement of indwelling urethral catheter, subsequent encounter                  |
| T83.021S | Displacement of indwelling urethral catheter, sequela                               |
| T83.022A | Displacement of nephrostomy catheter, initial encounter                             |
| T83.022D | Displacement of nephrostomy catheter, subsequent encounter                          |
| T83.022S | Displacement of nephrostomy catheter, sequela                                       |
| T83.031A | Leakage of indwelling urethral catheter, initial encounter                          |
| T83.031D | Leakage of indwelling urethral catheter, subsequent encounter                       |
| T83.031S | Leakage of indwelling urethral catheter, sequela                                    |
| T83.032A | Leakage of nephrostomy catheter, initial encounter                                  |
| T83.032D | Leakage of nephrostomy catheter, subsequent encounter                               |
| T83.032S | Leakage of nephrostomy catheter, sequela  |
| T83.091A | Other mechanical complication of indwelling urethral catheter, initial encounter    |
| T83.091D | Other mechanical complication of indwelling urethral catheter, subsequent encounter |
| T83.091S | Other mechanical complication of indwelling urethral catheter, sequela              |
| T83.092A | Other mechanical complication of nephrostomy catheter, initial encounter            |
| T83.092D | Other mechanical complication of nephrostomy catheter, subsequent encounter         |
| T83.092S | Other mechanical complication of nephrostomy catheter, sequela                      |
| T83.113A | Breakdown (mechanical) of other urinary stents, initial encounter                   |

**NCD 190.12**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T83.113D | Breakdown (mechanical) of other urinary stents, subsequent encounter                          |
| T83.113S | Breakdown (mechanical) of other urinary stents, sequela                                       |
| T83.123A | Displacement of other urinary stents, initial encounter                                       |
| T83.123D | Displacement of other urinary stents, subsequent encounter                                    |
| T83.123S | Displacement of other urinary stents, sequela   |
| T83.193A | Other mechanical complication of other urinary stent, initial encounter                       |
| T83.193D | Other mechanical complication of other urinary stent, subsequent encounter                    |
| T83.193S | Other mechanical complication of other urinary stent, sequela                                 |
| T83.24XA | Erosion of graft of urinary organ, initial encounter  |
| T83.24XD | Erosion of graft of urinary organ, subsequent encounter                                       |
| T83.24XS | Erosion of graft of urinary organ, sequela  |
| T83.25XA | Exposure of graft of urinary organ, initial encounter   |
| T83.25XD | Exposure of graft of urinary organ, subsequent encounter                                      |
| T83.25XS | Exposure of graft of urinary organ, sequela   |
| T83.510A | Infection and inflammatory reaction due to cystostomy catheter, initial encounter             |
| T83.510D | Infection and inflammatory reaction due to cystostomy catheter, subsequent encounter          |
| T83.510S | Infection and inflammatory reaction due to cystostomy catheter, sequela                       |
| T83.511A | Infection and inflammatory reaction due to indwelling urethral catheter, initial encounter    |
| T83.511D | Infection and inflammatory reaction due to indwelling urethral catheter, subsequent encounter |
| T83.511S | Infection and inflammatory reaction due to indwelling urethral catheter, sequela              |
| T83.512A | Infection and inflammatory reaction due to nephrostomy catheter, initial encounter            |
| T83.512D | Infection and inflammatory reaction due to nephrostomy catheter, subsequent encounter         |
| T83.512S | Infection and inflammatory reaction due to nephrostomy catheter, sequela                      |
| T83.518A | Infection and inflammatory reaction due to other urinary catheter, initial encounter          |
| T83.518D | Infection and inflammatory reaction due to other urinary catheter, subsequent encounter       |

NCD 190.12

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T83.518S    | Infection and inflammatory reaction due to other urinary catheter, sequela  |
| T83.590A    | Infection and inflammatory reaction due to implanted urinary neurostimulation device, initial encounter                       |
| T83.590D    | Infection and inflammatory reaction due to implanted urinary neurostimulation device, subsequent encounter                    |
| T83.590S    | Infection and inflammatory reaction due to implanted urinary neurostimulation device, sequela                                 |
| T83.591A    | Infection and inflammatory reaction due to implanted urinary sphincter, initial encounter                                     |
| T83.591D    | Infection and inflammatory reaction due to implanted urinary sphincter, subsequent encounter                                  |
| T83.591S    | Infection and inflammatory reaction due to implanted urinary sphincter, sequela   |
| T83.592A    | Infection and inflammatory reaction due to indwelling ureteral stent, initial encounter                                       |
| T83.592D    | Infection and inflammatory reaction due to indwelling ureteral stent, subsequent encounter                                    |
| T83.592S    | Infection and inflammatory reaction due to indwelling ureteral stent, sequela   |
| T83.593A    | Infection and inflammatory reaction due to other urinary stents, initial encounter  |
| T83.593D    | Infection and inflammatory reaction due to other urinary stents, subsequent encounter   |
| T83.593S    | Infection and inflammatory reaction due to other urinary stents, sequela  |
| T83.598A    | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, initial encounter    |
| T83.598D    | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, subsequent encounter |
| T83.598S    | Infection and inflammatory reaction due to other prosthetic device, implant and graft in urinary system, sequela              |
| T83.61XA    | Infection and inflammatory reaction due to implanted penile prosthesis, initial encounter                                     |
| T83.61XD    | Infection and inflammatory reaction due to implanted penile prosthesis, subsequent encounter                                  |
| T83.61XS    | Infection and inflammatory reaction due to implanted penile prosthesis, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T83.62XA | Infection and inflammatory reaction due to implanted testicular prosthesis, initial encounter                                |
| T83.62XD | Infection and inflammatory reaction due to implanted testicular prosthesis, subsequent encounter                             |
| T83.62XS | Infection and inflammatory reaction due to implanted testicular prosthesis, sequela  |
| T83.69XA | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, initial encounter    |
| T83.69XD | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, subsequent encounter |
| T83.69XS | Infection and inflammatory reaction due to other prosthetic device, implant and graft in genital tract, sequela              |
| T83.712A | Erosion of implanted urethral mesh to surrounding organ or tissue, initial encounter   |
| T83.712D | Erosion of implanted urethral mesh to surrounding organ or tissue, subsequent encounter                                      |
| T83.712S | Erosion of implanted urethral mesh to surrounding organ or tissue, sequela   |
| T83.713A | Erosion of implanted urethral bulking agent to surrounding organ or tissue, initial encounter                                |
| T83.713D | Erosion of implanted urethral bulking agent to surrounding organ or tissue, subsequent encounter                             |
| T83.713S | Erosion of implanted urethral bulking agent to surrounding organ or tissue, sequela  |
| T83.714A | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, initial encounter                                |
| T83.714D | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, subsequent encounter                             |
| T83.714S | Erosion of implanted ureteral bulking agent to surrounding organ or tissue, sequela  |
| T83.719A | Erosion of other prosthetic materials to surrounding organ or tissue, initial encounter                                      |
| T83.719D | Erosion of other prosthetic materials to surrounding organ or tissue, subsequent encounter                                   |
| T83.719S | Erosion of other prosthetic materials to surrounding organ or tissue, sequela  |
| T83.722A | Exposure of implanted urethral mesh into urethra, initial encounter  |
| T83.722D | Exposure of implanted urethral mesh into urethra, subsequent encounter   |
| T83.722S | Exposure of implanted urethral mesh into urethra, sequela  |

NCD 190.12

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T83.723A | Exposure of implanted urethral bulking agent into urethra, initial encounter                         |
| T83.723D | Exposure of implanted urethral bulking agent into urethra, subsequent encounter                      |
| T83.723S | Exposure of implanted urethral bulking agent into urethra, sequela                                   |
| T83.724A | Exposure of implanted ureteral bulking agent into ureter, initial encounter                          |
| T83.724D | Exposure of implanted ureteral bulking agent into ureter, subsequent encounter                       |
| T83.724S | Exposure of implanted ureteral bulking agent into ureter, sequela                                    |
| T83.79XA | Other specified complications due to other genitourinary prosthetic materials, initial encounter     |
| T83.79XD | Other specified complications due to other genitourinary prosthetic materials, subsequent encounter  |
| T83.79XS | Other specified complications due to other genitourinary prosthetic materials, sequela               |
| Z05.0    | Observation and evaluation of newborn for suspected cardiac condition ruled out                      |
| Z05.1    | Observation and evaluation of newborn for suspected infectious condition ruled out                   |
| Z05.2    | Observation and evaluation of newborn for suspected neurological condition ruled out                 |
| Z05.3    | Observation and evaluation of newborn for suspected respiratory condition ruled out                  |
| Z05.41   | Observation and evaluation of newborn for suspected genetic condition ruled out                      |
| Z05.42   | Observation and evaluation of newborn for suspected metabolic condition ruled out                    |
| Z05.43   | Observation and evaluation of newborn for suspected immunologic condition ruled out                  |
| Z05.5    | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out             |
| Z05.6    | Observation and evaluation of newborn for suspected genitourinary condition ruled out                |
| Z05.71   | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out |
| Z05.72   | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out              |
| Z05.73   | Observation and evaluation of newborn for suspected connective tissue condition ruled out            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z05.8   | Observation and evaluation of newborn for other specified suspected condition ruled out |
| Z05.9   | Observation and evaluation of newborn for unspecified suspected condition ruled out     |
| Z19.1   | Hormone sensitive malignancy status   |
| Z19.2   | Hormone resistant malignancy status   |
| Z31.7   | Encounter for procreative management and counseling for gestational carrier             |
| Z43.5   | Encounter for attention to cystostomy   |
| Z43.6   | Encounter for attention to other artificial openings of urinary tract                   |
| Z79.3   | Long term (current) use of hormonal contraceptives                                      |
| Z79.84  | Long term (current) use of oral hypoglycemic drugs                                      |
| Z79.891 | Long term (current) use of opiate analgesic   |
| Z79.899 | Other long term (current) drug therapy  |
| Z84.82  | Family history of sudden infant death syndrome  |
| Z93.50  | Unspecified cystostomy status   |
| Z93.51  | Cutaneous-vesicostomy status  |
| Z93.52  | Appendico-vesicostomy status  |
| Z93.59  | Other cystostomy status   |
| Z93.6   | Other artificial openings of urinary tract status                                       |

**Indications**

1. A beneficiary's urinalysis is abnormal suggesting urinary tract infection, for example, abnormal microscopic (hematuria, pyuria, bacteriuria); abnormal biochemical urinalysis (positive leukocyte esterase, nitrite, protein, blood); a Gram's stain positive for microorganisms; positive bacteriuria screen by a non-culture technique; or other significant abnormality of a urinalysis. While it is not essential to evaluate a urine specimen by one of these methods before a urine culture is performed, certain clinical presentations with highly suggestive signs and symptoms may lend themselves to an antecedent urinalysis procedure where follow-up culture depends upon an initial positive or abnormal test result.
2. A beneficiary has clinical signs and symptoms indicative of a possible urinary tract infection (UTI). Acute lower UTI may present with urgency, frequency, nocturia, dysuria, discharge or incontinence. These findings might also be noted in upper UTI with additional systemic





## **Medicare National Coverage Determinations (NCD) Coding Policy Manual and Change Report (ICD-10-CM)**

symptoms (for example, fever, chills, lethargy); or pain in the costovertebral, abdominal, or pelvic areas. Signs and symptoms might overlap considerably with other inflammatory conditions of the genitourinary tract (for example, prostatitis, urethritis, vaginitis, or cervicitis). Elderly or immunocompromised beneficiaries or those with neurologic disorders might present atypically (for example, general debility, acute mental status changes, declining functional status).

3. The beneficiary is being evaluated for suspected urosepsis, fever of unknown origin, or other systemic manifestations of infection but without a known source. Signs and symptoms used to define sepsis have been well established.

4. A test of cure is generally not indicated in an uncomplicated infection. However, it may be indicated if the beneficiary is being evaluated for response to therapy and there is a complicating co-existing urinary abnormality including structural or functional abnormalities, calculi, foreign bodies, or ureteral/renal stents or there is clinical or laboratory evidence of failure to respond as described in Indications 1 and 2.

5. In surgical procedures involving major manipulations of the genitourinary tract, preoperative examination to detect occult infection may be indicated in selected cases (for example, prior to renal transplantation, manipulation or removal of kidney stones, or transurethral surgery of the bladder or prostate).

6. Urine culture may be indicated to detect occult infection in renal transplant recipients on immunosuppressive therapy.

### **Limitations**

1. CPT® code 87086 may be used one time per encounter.

2. Colony count restrictions on coverage of CPT® code 87088 do not apply as they may be highly variable according to syndrome or other clinical circumstances (for example, antecedent therapy, collection time, and degree of hydration).

3. CPT® code 87088 may be used multiple times in association with or independent of 87086, as urinary tract infections may be polymicrobial.

4. Testing for asymptomatic bacteriuria as part of a prenatal evaluation may be medically appropriate but is considered screening and therefore not covered by Medicare. The U.S. Preventive Services Task Force has concluded that screening for asymptomatic bacteriuria outside of the narrow indication for pregnant women is generally not indicated. There are insufficient data to recommend screening in ambulatory elderly beneficiaries including those with diabetes. Testing may be clinically indicated on other grounds including likelihood of recurrence or potential adverse effects of antibiotics, but is considered screening in the absence of clinical or laboratory evidence of infection.

5. To detect a clinically significant post-transplant occult infection in a renal allograft recipient on long-term immunosuppressive therapy, use code Z79.899.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.





### **Documentation Requirements**

Appropriate HCPCS/CPT© code(s) must be used as described.

### **Sources of Information**

Bone, RC, RA Bal, FB Cerra, & ACCP/SCCM Consensus Conference Committee. 1992. Definitions for sepsis & organ failure & guidelines for the use of innovative therapies in sepsis. Chest 101:1644-1655.

Clarridge, JE, JR Johnson, and MT Pezzlo. 1998 (in press). Cumitech 2B: Laboratory Diagnosis of Urinary Tract Infections. AS Weissfeld (coord. ed.); ASM Press, Washington, DC.

Kunin, CM. 1994. Urinary tract infections in females. Clin. Infect. Dis. 18:1-12.

Sodeman, TM. 1995. A practical strategy for diagnosis of urinary tract infections. Clin. Lab. Med. 15:235-250.

Stamm WE, and TM Hooton. 1993. Management of urinary tract infections in adults. N. Engl. J. Med. 329:1328-1334.

United States Preventive Services Task Force (1996). Guidelines for screening for asymptomatic bacteriuria.

Lachs MS, Nachamkin I, Edelstein PH et al. 1992. Spectrum bias in the evaluation of diagnostic tests: lessons from the rapid dipstick test for urinary tract infection. Ann. Int. Med. 117:135-140



## 190.13 - Human Immunodeficiency Virus (HIV) Testing (Prognosis Including Monitoring)

### Other Names/Abbreviations

HIV-1 or HIV-2 quantification or viral load

### Description

HIV quantification is achieved through the use of a number of different assays which measure the amount of circulating viral RNA. Assays vary both in methods used to detect viral RNA as well as in ability to detect viral levels at lower limits. However, all employ some type of nucleic acid amplification technique to enhance sensitivity, and results are expressed as the HIV copy number.

Quantification assays of HIV plasma RNA are used prognostically to assess relative risk for disease progression and predict time to death, as well as to assess efficacy of anti-retroviral therapies over time.

HIV quantification is often performed together with CD4+ T cell counts which provide information on extent of HIV induced immune system damage already incurred.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description  |
|-------|--|
| 87536 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, quantification |
| 87539 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, quantification |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code    | Description  |
|---------|--|
| B20     | Human immunodeficiency virus [HIV] disease   |
| B97.35  | Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere |
| O98.411 | Viral hepatitis complicating pregnancy, first trimester                                    |
| O98.412 | Viral hepatitis complicating pregnancy, second trimester                                   |
| O98.413 | Viral hepatitis complicating pregnancy, third trimester                                    |
| O98.419 | Viral hepatitis complicating pregnancy, unspecified trimester                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O98.42  | Viral hepatitis complicating childbirth  |
| O98.43  | Viral hepatitis complicating the puerperium  |
| O98.511 | Other viral diseases complicating pregnancy, first trimester                             |
| O98.512 | Other viral diseases complicating pregnancy, second trimester                            |
| O98.513 | Other viral diseases complicating pregnancy, third trimester                             |
| O98.519 | Other viral diseases complicating pregnancy, unspecified trimester                       |
| O98.52  | Other viral diseases complicating childbirth   |
| O98.53  | Other viral diseases complicating the puerperium   |
| O98.711 | Human immunodeficiency virus [HIV] disease complicating pregnancy, first trimester       |
| O98.712 | Human immunodeficiency virus [HIV] disease complicating pregnancy, second trimester      |
| O98.713 | Human immunodeficiency virus [HIV] disease complicating pregnancy, third trimester       |
| O98.719 | Human immunodeficiency virus [HIV] disease complicating pregnancy, unspecified trimester |
| O98.72  | Human immunodeficiency virus [HIV] disease complicating childbirth                       |
| O98.73  | Human immunodeficiency virus [HIV] disease complicating the puerperium                   |
| O99.891 | Other specified diseases and conditions complicating pregnancy                           |
| O99.892 | Other specified diseases and conditions complicating childbirth                          |
| O99.893 | Other specified diseases and conditions complicating puerperium                          |
| R75     | Inconclusive laboratory evidence of human immunodeficiency virus [HIV]                   |
| Z21     | Asymptomatic human immunodeficiency virus [HIV] infection status                         |

**Indications**

1. A plasma HIV RNA baseline level may be medically necessary in any patient with confirmed HIV infection.
2. Regular periodic measurement of plasma HIV RNA levels may be medically necessary to determine risk for disease progression in an HIV-infected individual and to determine when to initiate anti-retroviral treatment regimens.

**NCD 190.13**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



3. In clinical situations where risk of HIV infection is significant and initiation of therapy is anticipated, a baseline HIV quantification may be performed. These situations include:
  - a. Persistence of borderline or equivocal serologic reactivity in an at-risk individual.
  - b. Signs and symptoms of acute retroviral syndrome characterized by fever, malaise, lymphadenopathy and rash in an at-risk individual.

### **Limitations**

1. Viral quantification may be appropriate for prognostic use including baseline determination, periodic monitoring, and monitoring of response to therapy. Use as a diagnostic test method is not indicated.
2. Measurement of plasma HIV RNA levels should be performed at the time of establishment of an HIV infection diagnosis. For an accurate baseline, 2 specimens in a 2-week period are appropriate.
3. For prognosis including anti-retroviral therapy monitoring, regular, periodic measurements are appropriate. The frequency of viral load testing should be consistent with the most current Centers for Disease Control and Prevention guidelines for use of anti-retroviral agents in adults and adolescents or pediatrics.
4. Because differences in absolute HIV copy number are known to occur using different assays, plasma HIV RNA levels should be measured by the same analytical method. A change in assay method may necessitate re-establishment of a baseline.
5. Nucleic acid quantification techniques are representative of rapidly emerging & evolving new technologies. Users advised to remain current on FDA-approval status.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Other Comments**

Assessment of CD4+ T cell numbers is frequently performed in conjunction with viral load determination. When used in concert, the accuracy with which the risk for disease progression and death can be predicted is enhanced.

### **Sources of Information**

CDC.1998. Guidelines for the use of antiretroviral agents in HIV-infected adults and adolescents. MMWR 47 (RR-5).

CDC.1998. Guidelines for use of antiretroviral agents in pediatric HIV infection. MMWR47 RR-4.

CDC.1998. Public Health Service Task Force recommendations for the use of anti-retroviral drugs in pregnant women infected with HIV-1 for maternal health and for reducing perinatal HIV-1 transmission in the United States. MMWR 47 (RR-2).

Carpenter, C.C., M.A. Fischl, S.M. Hammer, et. al. 1998. Antiretroviral therapy for HIV infection in 1998. Updated recommendations of international AIDS society-USA panel. A.M.A. 280:78-86.



***Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)***

Saag, M.S., M. Holodniy, D.R. Kuritzkes, et al. 1996. HIV viral load markers in clinical practice. *Nature Medicine* 2(6): 625-629.

## **190.14 - Human Immunodeficiency Virus (HIV) Testing (Diagnosis)**

### **Other Names/Abbreviations**

HIV, HIV-1, HIV-2, HIV1/2, HTLV III, Human T-cell lymphotropic virus, AIDS, Acquired immune deficiency syndrome

### **Description**

Diagnosis of Human Immunodeficiency Virus (HIV) infection is primarily made through the use of serologic assays. These assays take one of two forms: antibody detection assays and specific HIV antigen (p24) procedures. The antibody assays are usually enzyme immunoassays (EIA) which are used to confirm exposure of an individual's immune system to specific viral antigens. These assays may be formatted to detect HIV-1, HIV-2, or HIV-1 and 2 simultaneously and to detect both IgM and IgG. When the initial EIA test is repeatedly positive or indeterminate, an alternative test is used to confirm the specificity of the antibodies to individual viral components. The most commonly used method is the Western Blot.

The HIV-1 core antigen (p24) test detects circulating viral antigen which may be found prior to the development of antibodies and may also be present in later stages of illness in the form of recurrent or persistent antigenemia. Its prognostic utility in HIV infection has been diminished as a result of development of sensitive viral RNA assays, and its primary use today is as a routine screening tool in potential blood donors.

In several unique situations, serologic testing alone may not reliably establish an HIV infection. This may occur because the antibody response (particularly the IgG response detected by Western Blot) has not yet developed (that is, acute retroviral syndrome), or is persistently equivocal because of inherent viral antigen variability. It is also an issue in perinatal HIV infection due to transplacental passage of maternal HIV antibody. In these situations, laboratory evidence of HIV in blood by culture, antigen assays, or proviral DNA or viral RNA assays, is required to establish a definitive determination of HIV infection.

### **HCPCS Codes (Alphanumeric, CPT® AMA)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| 86689       | Qualitative or semiquantitative immunoassays performed by multiple step methods; HTLV or HIV antibody, confirmatory test (for example, Western Blot) |
| 86701       | Antibody; HIV-1  |
| 86702       | Antibody; HIV-2  |
| 86703       | Antibody; HIV-1 and HIV-2, single assay  |
| 87390       | Infectious agent antigen detection by enzyme immunoassay technique, qualitative or semiquantitative, multiple step method; HIV-1                     |
| 87391       | Infectious agent antigen detection by enzyme immunoassay technique, qualitative or semiquantitative, multiple step method; HIV-2                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| 87534 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, direct probe technique    |
| 87535 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-1, amplified probe technique |
| 87537 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, direct probe technique    |
| 87538 | Infectious agent detection by nucleic acid (DNA or RNA); HIV-2, amplified probe technique |

**ICD-10-CM Codes Covered by Medicare Program**

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description                                   |
|--------|---|
| A02.1  | Salmonella sepsis                             |
| A07.2  | Cryptosporidiosis                             |
| A07.3  | Isosporiasis                                  |
| A07.8  | Other specified protozoal intestinal diseases |
| A15.0  | Tuberculosis of lung                          |
| A15.4  | Tuberculosis of intrathoracic lymph nodes     |
| A15.5  | Tuberculosis of larynx, trachea and bronchus  |
| A15.6  | Tuberculous pleurisy                          |
| A15.7  | Primary respiratory tuberculosis              |
| A15.8  | Other respiratory tuberculosis                |
| A15.9  | Respiratory tuberculosis unspecified          |
| A17.0  | Tuberculous meningitis                        |
| A17.1  | Meningeal tuberculoma                         |
| A17.81 | Tuberculoma of brain and spinal cord          |
| A17.82 | Tuberculous meningoencephalitis               |
| A17.83 | Tuberculous neuritis                          |
| A17.89 | Other tuberculosis of nervous system          |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                                |
|-------------|---|
| A17.9       | Tuberculosis of nervous system, unspecified       |
| A18.01      | Tuberculosis of spine                             |
| A18.02      | Tuberculous arthritis of other joints             |
| A18.03      | Tuberculosis of other bones                       |
| A18.09      | Other musculoskeletal tuberculosis                |
| A18.10      | Tuberculosis of genitourinary system, unspecified |
| A18.11      | Tuberculosis of kidney and ureter                 |
| A18.12      | Tuberculosis of bladder                           |
| A18.13      | Tuberculosis of other urinary organs              |
| A18.14      | Tuberculosis of prostate                          |
| A18.15      | Tuberculosis of other male genital organs         |
| A18.16      | Tuberculosis of cervix                            |
| A18.17      | Tuberculous female pelvic inflammatory disease    |
| A18.18      | Tuberculosis of other female genital organs       |
| A18.2       | Tuberculous peripheral lymphadenopathy            |
| A18.31      | Tuberculous peritonitis                           |
| A18.32      | Tuberculous enteritis                             |
| A18.39      | Retroperitoneal tuberculosis                      |
| A18.4       | Tuberculosis of skin and subcutaneous tissue      |
| A18.50      | Tuberculosis of eye, unspecified                  |
| A18.51      | Tuberculous episcleritis                          |
| A18.52      | Tuberculous keratitis                             |
| A18.53      | Tuberculous chorioretinitis                       |
| A18.54      | Tuberculous iridocyclitis                         |
| A18.59      | Other tuberculosis of eye                         |
| A18.6       | Tuberculosis of (inner) (middle) ear              |
| A18.7       | Tuberculosis of adrenal glands                    |
| A18.81      | Tuberculosis of thyroid gland                     |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A18.82 | Tuberculosis of other endocrine glands                           |
| A18.83 | Tuberculosis of digestive tract organs, not elsewhere classified |
| A18.84 | Tuberculosis of heart  |
| A18.85 | Tuberculosis of spleen   |
| A18.89 | Tuberculosis of other sites                                      |
| A19.0  | Acute miliary tuberculosis of a single specified site            |
| A19.1  | Acute miliary tuberculosis of multiple sites                     |
| A19.2  | Acute miliary tuberculosis, unspecified                          |
| A19.8  | Other miliary tuberculosis                                       |
| A19.9  | Miliary tuberculosis, unspecified                                |
| A28.1  | Cat-scratch disease  |
| A31.0  | Pulmonary mycobacterial infection                                |
| A31.1  | Cutaneous mycobacterial infection                                |
| A31.2  | Disseminated mycobacterium avium-intracellulare complex (DMAC)   |
| A31.8  | Other mycobacterial infections                                   |
| A31.9  | Mycobacterial infection, unspecified                             |
| A32.0  | Cutaneous listeriosis  |
| A32.11 | Listerial meningitis   |
| A32.12 | Listerial meningoencephalitis                                    |
| A32.7  | Listerial sepsis   |
| A32.81 | Oculoglandular listeriosis                                       |
| A32.82 | Listerial endocarditis   |
| A32.89 | Other forms of listeriosis                                       |
| A32.9  | Listeriosis, unspecified   |
| A40.3  | Sepsis due to Streptococcus pneumoniae                           |
| A41.52 | Sepsis due to Pseudomonas  |
| A42.0  | Pulmonary actinomycosis  |
| A42.1  | Abdominal actinomycosis  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A42.2  | Cervicofacial actinomycosis                        |
| A42.81 | Actinomycotic meningitis                           |
| A42.82 | Actinomycotic encephalitis                         |
| A42.89 | Other forms of actinomycosis                       |
| A42.9  | Actinomycosis, unspecified                         |
| A43.0  | Pulmonary nocardiosis                              |
| A43.1  | Cutaneous nocardiosis                              |
| A43.8  | Other forms of nocardiosis                         |
| A43.9  | Nocardiosis, unspecified                           |
| A44.0  | Systemic bartonellosis                             |
| A44.1  | Cutaneous and mucocutaneous bartonellosis          |
| A44.8  | Other forms of bartonellosis                       |
| A44.9  | Bartonellosis, unspecified                         |
| A48.1  | Legionnaires' disease                              |
| A50.01 | Early congenital syphilitic oculopathy             |
| A50.02 | Early congenital syphilitic osteochondropathy      |
| A50.03 | Early congenital syphilitic pharyngitis            |
| A50.04 | Early congenital syphilitic pneumonia              |
| A50.05 | Early congenital syphilitic rhinitis               |
| A50.06 | Early cutaneous congenital syphilis                |
| A50.07 | Early mucocutaneous congenital syphilis            |
| A50.08 | Early visceral congenital syphilis                 |
| A50.09 | Other early congenital syphilis, symptomatic       |
| A50.1  | Early congenital syphilis, latent                  |
| A50.2  | Early congenital syphilis, unspecified             |
| A50.30 | Late congenital syphilitic oculopathy, unspecified |
| A50.31 | Late congenital syphilitic interstitial keratitis  |
| A50.32 | Late congenital syphilitic chorioretinitis         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                    |
|--------|--|
| A50.39 | Other late congenital syphilitic oculopathy    |
| A50.40 | Late congenital neurosyphilis, unspecified     |
| A50.41 | Late congenital syphilitic meningitis          |
| A50.42 | Late congenital syphilitic encephalitis        |
| A50.43 | Late congenital syphilitic polyneuropathy      |
| A50.44 | Late congenital syphilitic optic nerve atrophy |
| A50.45 | Juvenile general paresis                       |
| A50.49 | Other late congenital neurosyphilis            |
| A50.51 | Clutton's joints                               |
| A50.52 | Hutchinson's teeth                             |
| A50.53 | Hutchinson's triad                             |
| A50.54 | Late congenital cardiovascular syphilis        |
| A50.55 | Late congenital syphilitic arthropathy         |
| A50.56 | Late congenital syphilitic osteochondropathy   |
| A50.57 | Syphilitic saddle nose                         |
| A50.59 | Other late congenital syphilis, symptomatic    |
| A50.6  | Late congenital syphilis, latent               |
| A50.7  | Late congenital syphilis, unspecified          |
| A50.9  | Congenital syphilis, unspecified               |
| A51.0  | Primary genital syphilis                       |
| A51.1  | Primary anal syphilis                          |
| A51.2  | Primary syphilis of other sites                |
| A51.31 | Condyloma latum                                |
| A51.32 | Syphilitic alopecia                            |
| A51.39 | Other secondary syphilis of skin               |
| A51.41 | Secondary syphilitic meningitis                |
| A51.42 | Secondary syphilitic female pelvic disease     |
| A51.43 | Secondary syphilitic oculopathy                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| A51.44 | Secondary syphilitic nephritis                        |
| A51.45 | Secondary syphilitic hepatitis                        |
| A51.46 | Secondary syphilitic osteopathy                       |
| A51.49 | Other secondary syphilitic conditions                 |
| A51.5  | Early syphilis, latent                                |
| A51.9  | Early syphilis, unspecified                           |
| A52.00 | Cardiovascular syphilis, unspecified                  |
| A52.01 | Syphilitic aneurysm of aorta                          |
| A52.02 | Syphilitic aortitis                                   |
| A52.03 | Syphilitic endocarditis                               |
| A52.04 | Syphilitic cerebral arteritis                         |
| A52.05 | Other cerebrovascular syphilis                        |
| A52.06 | Other syphilitic heart involvement                    |
| A52.09 | Other cardiovascular syphilis                         |
| A52.10 | Symptomatic neurosyphilis, unspecified                |
| A52.11 | Tabes dorsalis  |
| A52.12 | Other cerebrospinal syphilis                          |
| A52.13 | Late syphilitic meningitis                            |
| A52.14 | Late syphilitic encephalitis                          |
| A52.15 | Late syphilitic neuropathy                            |
| A52.16 | Charcot's arthropathy (tabetic)                       |
| A52.17 | General paresis                                       |
| A52.19 | Other symptomatic neurosyphilis                       |
| A52.2  | Asymptomatic neurosyphilis                            |
| A52.3  | Neurosyphilis, unspecified                            |
| A52.71 | Late syphilitic oculopathy                            |
| A52.72 | Syphilis of lung and bronchus                         |
| A52.73 | Symptomatic late syphilis of other respiratory organs |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| A52.74 | Syphilis of liver and other viscera   |
| A52.75 | Syphilis of kidney and ureter   |
| A52.76 | Other genitourinary symptomatic late syphilis   |
| A52.77 | Syphilis of bone and joint  |
| A52.78 | Syphilis of other musculoskeletal tissue  |
| A52.79 | Other symptomatic late syphilis   |
| A52.8  | Late syphilis, latent   |
| A52.9  | Late syphilis, unspecified  |
| A53.0  | Latent syphilis, unspecified as early or late   |
| A53.9  | Syphilis, unspecified   |
| A54.00 | Gonococcal infection of lower genitourinary tract, unspecified                                  |
| A54.01 | Gonococcal cystitis and urethritis, unspecified   |
| A54.02 | Gonococcal vulvovaginitis, unspecified  |
| A54.03 | Gonococcal cervicitis, unspecified  |
| A54.09 | Other gonococcal infection of lower genitourinary tract   |
| A54.1  | Gonococcal infection of lower genitourinary tract with periurethral and accessory gland abscess |
| A54.21 | Gonococcal infection of kidney and ureter   |
| A54.22 | Gonococcal prostatitis  |
| A54.23 | Gonococcal infection of other male genital organs   |
| A54.24 | Gonococcal female pelvic inflammatory disease   |
| A54.29 | Other gonococcal genitourinary infections   |
| A54.30 | Gonococcal infection of eye, unspecified  |
| A54.31 | Gonococcal conjunctivitis   |
| A54.32 | Gonococcal iridocyclitis  |
| A54.33 | Gonococcal keratitis  |
| A54.39 | Other gonococcal eye infection  |
| A54.40 | Gonococcal infection of musculoskeletal system, unspecified                                     |
| A54.41 | Gonococcal spondylopathy  |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A54.42 | Gonococcal arthritis   |
| A54.43 | Gonococcal osteomyelitis                                       |
| A54.49 | Gonococcal infection of other musculoskeletal tissue           |
| A54.5  | Gonococcal pharyngitis   |
| A54.6  | Gonococcal infection of anus and rectum                        |
| A54.81 | Gonococcal meningitis  |
| A54.82 | Gonococcal brain abscess                                       |
| A54.83 | Gonococcal heart infection                                     |
| A54.84 | Gonococcal pneumonia   |
| A54.85 | Gonococcal peritonitis   |
| A54.86 | Gonococcal sepsis  |
| A54.89 | Other gonococcal infections                                    |
| A54.9  | Gonococcal infection, unspecified                              |
| A55    | Chlamydial lymphogranuloma (venereum)                          |
| A56.00 | Chlamydial infection of lower genitourinary tract, unspecified |
| A56.01 | Chlamydial cystitis and urethritis                             |
| A56.02 | Chlamydial vulvovaginitis                                      |
| A56.09 | Other chlamydial infection of lower genitourinary tract        |
| A56.11 | Chlamydial female pelvic inflammatory disease                  |
| A56.19 | Other chlamydial genitourinary infection                       |
| A56.2  | Chlamydial infection of genitourinary tract, unspecified       |
| A56.3  | Chlamydial infection of anus and rectum                        |
| A56.4  | Chlamydial infection of pharynx                                |
| A56.8  | Sexually transmitted chlamydial infection of other sites       |
| A57    | Chancroid  |
| A58    | Granuloma inguinale  |
| A59.01 | Trichomonal vulvovaginitis                                     |
| A60.00 | Herpesviral infection of urogenital system, unspecified        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| A60.01 | Herpesviral infection of penis                              |
| A60.02 | Herpesviral infection of other male genital organs          |
| A60.03 | Herpesviral cervicitis                                      |
| A60.04 | Herpesviral vulvovaginitis                                  |
| A60.09 | Herpesviral infection of other urogenital tract             |
| A60.1  | Herpesviral infection of perianal skin and rectum           |
| A60.9  | Anogenital herpesviral infection, unspecified               |
| A63.0  | Anogenital (venereal) warts                                 |
| A63.8  | Other specified predominantly sexually transmitted diseases |
| A64    | Unspecified sexually transmitted disease                    |
| A74.81 | Chlamydial peritonitis                                      |
| A74.89 | Other chlamydial diseases                                   |
| A74.9  | Chlamydial infection, unspecified                           |
| A81.2  | Progressive multifocal leukoencephalopathy                  |
| A84.81 | Powassan virus disease                                      |
| A84.89 | Other tick-borne viral encephalitis                         |
| A85.0  | Enteroviral encephalitis                                    |
| A85.1  | Adenoviral encephalitis                                     |
| A85.8  | Other specified viral encephalitis                          |
| A86    | Unspecified viral encephalitis                              |
| A87.1  | Adenoviral meningitis                                       |
| A87.2  | Lymphocytic choriomeningitis                                |
| A88.8  | Other specified viral infections of central nervous system  |
| A89    | Unspecified viral infection of central nervous system       |
| B00.0  | Eczema herpeticum   |
| B00.1  | Herpesviral vesicular dermatitis                            |
| B00.2  | Herpesviral gingivostomatitis and pharyngotonsillitis       |
| B00.3  | Herpesviral meningitis                                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                   |
|--------|---|
| B00.4  | Herpesviral encephalitis                      |
| B00.50 | Herpesviral ocular disease, unspecified       |
| B00.51 | Herpesviral iridocyclitis                     |
| B00.52 | Herpesviral keratitis                         |
| B00.53 | Herpesviral conjunctivitis                    |
| B00.59 | Other herpesviral disease of eye              |
| B00.7  | Disseminated herpesviral disease              |
| B00.81 | Herpesviral hepatitis                         |
| B00.82 | Herpes simplex myelitis                       |
| B00.89 | Other herpesviral infection                   |
| B00.9  | Herpesviral infection, unspecified            |
| B01.0  | Varicella meningitis                          |
| B01.11 | Varicella encephalitis and encephalomyelitis  |
| B01.12 | Varicella myelitis                            |
| B01.2  | Varicella pneumonia                           |
| B01.81 | Varicella keratitis                           |
| B01.89 | Other varicella complications                 |
| B02.0  | Zoster encephalitis                           |
| B02.1  | Zoster meningitis                             |
| B02.21 | Postherpetic geniculate ganglionitis          |
| B02.22 | Postherpetic trigeminal neuralgia             |
| B02.23 | Postherpetic polyneuropathy                   |
| B02.24 | Postherpetic myelitis                         |
| B02.29 | Other postherpetic nervous system involvement |
| B02.30 | Zoster ocular disease, unspecified            |
| B02.31 | Zoster conjunctivitis                         |
| B02.32 | Zoster iridocyclitis                          |
| B02.33 | Zoster keratitis                              |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| B02.34 | Zoster scleritis   |
| B02.39 | Other herpes zoster eye disease                                |
| B02.7  | Disseminated zoster  |
| B02.8  | Zoster with other complications                                |
| B02.9  | Zoster without complications                                   |
| B05.0  | Measles complicated by encephalitis                            |
| B05.1  | Measles complicated by meningitis                              |
| B05.2  | Measles complicated by pneumonia                               |
| B05.3  | Measles complicated by otitis media                            |
| B05.4  | Measles with intestinal complications                          |
| B05.81 | Measles keratitis and keratoconjunctivitis                     |
| B05.89 | Other measles complications                                    |
| B07.0  | Plantar wart   |
| B07.8  | Other viral warts  |
| B07.9  | Viral wart, unspecified  |
| B08.1  | Molluscum contagiosum  |
| B16.0  | Acute hepatitis B with delta-agent with hepatic coma           |
| B16.1  | Acute hepatitis B with delta-agent without hepatic coma        |
| B16.2  | Acute hepatitis B without delta-agent with hepatic coma        |
| B16.9  | Acute hepatitis B without delta-agent and without hepatic coma |
| B17.0  | Acute delta-(super) infection of hepatitis B carrier           |
| B17.10 | Acute hepatitis C without hepatic coma                         |
| B17.11 | Acute hepatitis C with hepatic coma                            |
| B17.8  | Other specified acute viral hepatitis                          |
| B17.9  | Acute viral hepatitis, unspecified                             |
| B18.0  | Chronic viral hepatitis B with delta-agent                     |
| B18.1  | Chronic viral hepatitis B without delta-agent                  |
| B18.2  | Chronic viral hepatitis C                                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| B18.8  | Other chronic viral hepatitis                      |
| B18.9  | Chronic viral hepatitis, unspecified               |
| B19.0  | Unspecified viral hepatitis with hepatic coma      |
| B19.10 | Unspecified viral hepatitis B without hepatic coma |
| B19.11 | Unspecified viral hepatitis B with hepatic coma    |
| B19.20 | Unspecified viral hepatitis C without hepatic coma |
| B19.21 | Unspecified viral hepatitis C with hepatic coma    |
| B19.9  | Unspecified viral hepatitis without hepatic coma   |
| B20    | Human immunodeficiency virus [HIV] disease         |
| B25.0  | Cytomegaloviral pneumonitis                        |
| B25.1  | Cytomegaloviral hepatitis                          |
| B25.2  | Cytomegaloviral pancreatitis                       |
| B25.8  | Other cytomegaloviral diseases                     |
| B25.9  | Cytomegaloviral disease, unspecified               |
| B33.3  | Retrovirus infections, not elsewhere classified    |
| B34.3  | Parvovirus infection, unspecified                  |
| B35.1  | Tinea unguium                                      |
| B36.0  | Pityriasis versicolor                              |
| B37.0  | Candidal stomatitis                                |
| B37.1  | Pulmonary candidiasis                              |
| B37.2  | Candidiasis of skin and nail                       |
| B37.3  | Candidiasis of vulva and vagina                    |
| B37.41 | Candidal cystitis and urethritis                   |
| B37.42 | Candidal balanitis                                 |
| B37.49 | Other urogenital candidiasis                       |
| B37.5  | Candidal meningitis                                |
| B37.6  | Candidal endocarditis                              |
| B37.7  | Candidal sepsis                                    |

NCD 190.14

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                     |
|--------|---|
| B37.81 | Candidal esophagitis                            |
| B37.82 | Candidal enteritis                              |
| B37.83 | Candidal cheilitis                              |
| B37.84 | Candidal otitis externa                         |
| B37.89 | Other sites of candidiasis                      |
| B37.9  | Candidiasis, unspecified                        |
| B38.0  | Acute pulmonary coccidioidomycosis              |
| B38.1  | Chronic pulmonary coccidioidomycosis            |
| B38.2  | Pulmonary coccidioidomycosis, unspecified       |
| B38.3  | Cutaneous coccidioidomycosis                    |
| B38.4  | Coccidioidomycosis meningitis                   |
| B38.7  | Disseminated coccidioidomycosis                 |
| B38.81 | Prostatic coccidioidomycosis                    |
| B38.89 | Other forms of coccidioidomycosis               |
| B38.9  | Coccidioidomycosis, unspecified                 |
| B39.0  | Acute pulmonary histoplasmosis capsulati        |
| B39.1  | Chronic pulmonary histoplasmosis capsulati      |
| B39.2  | Pulmonary histoplasmosis capsulati, unspecified |
| B39.3  | Disseminated histoplasmosis capsulati           |
| B39.4  | Histoplasmosis capsulati, unspecified           |
| B39.5  | Histoplasmosis duboisii                         |
| B39.9  | Histoplasmosis, unspecified                     |
| B40.0  | Acute pulmonary blastomycosis                   |
| B40.1  | Chronic pulmonary blastomycosis                 |
| B40.2  | Pulmonary blastomycosis, unspecified            |
| B40.3  | Cutaneous blastomycosis                         |
| B40.7  | Disseminated blastomycosis                      |
| B40.81 | Blastomycotic meningoencephalitis               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                           |
|--------|---------------------------------------|
| B40.89 | Other forms of blastomycosis          |
| B40.9  | Blastomycosis, unspecified            |
| B41.0  | Pulmonary paracoccidioidomycosis      |
| B41.7  | Disseminated paracoccidioidomycosis   |
| B41.8  | Other forms of paracoccidioidomycosis |
| B41.9  | Paracoccidioidomycosis, unspecified   |
| B44.0  | Invasive pulmonary aspergillosis      |
| B44.1  | Other pulmonary aspergillosis         |
| B44.2  | Tonsillar aspergillosis               |
| B44.7  | Disseminated aspergillosis            |
| B44.89 | Other forms of aspergillosis          |
| B44.9  | Aspergillosis, unspecified            |
| B45.0  | Pulmonary cryptococcosis              |
| B45.1  | Cerebral cryptococcosis               |
| B45.2  | Cutaneous cryptococcosis              |
| B45.3  | Osseous cryptococcosis                |
| B45.7  | Disseminated cryptococcosis           |
| B45.8  | Other forms of cryptococcosis         |
| B45.9  | Cryptococcosis, unspecified           |
| B47.1  | Actinomycetoma                        |
| B47.9  | Mycetoma, unspecified                 |
| B48.0  | Lobomycosis                           |
| B48.4  | Penicillosis                          |
| B48.8  | Other specified mycoses               |
| B55.0  | Visceral leishmaniasis                |
| B55.1  | Cutaneous leishmaniasis               |
| B55.2  | Mucocutaneous leishmaniasis           |
| B55.9  | Leishmaniasis, unspecified            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| B58.00 | Toxoplasma oculopathy, unspecified                    |
| B58.01 | Toxoplasma chorioretinitis                            |
| B58.09 | Other toxoplasma oculopathy                           |
| B58.1  | Toxoplasma hepatitis                                  |
| B58.2  | Toxoplasma meningoencephalitis                        |
| B58.3  | Pulmonary toxoplasmosis                               |
| B58.81 | Toxoplasma myocarditis                                |
| B58.82 | Toxoplasma myositis                                   |
| B58.83 | Toxoplasma tubulo-interstitial nephropathy            |
| B58.89 | Toxoplasmosis with other organ involvement            |
| B58.9  | Toxoplasmosis, unspecified                            |
| B59    | Pneumocystosis  |
| B60.00 | Babesiosis, unspecified                               |
| B60.01 | Babesiosis due to Babesia microti                     |
| B60.02 | Babesiosis due to Babesia duncani                     |
| B60.03 | Babesiosis due to Babesia divergens                   |
| B60.09 | Other babesiosis                                      |
| B60.10 | Acanthamebiasis, unspecified                          |
| B60.11 | Meningoencephalitis due to Acanthamoeba (culbertsoni) |
| B60.12 | Conjunctivitis due to Acanthamoeba                    |
| B60.13 | Keratoconjunctivitis due to Acanthamoeba              |
| B60.19 | Other acanthamebic disease                            |
| B60.2  | Naegleriasis  |
| B60.8  | Other specified protozoal diseases                    |
| B78.0  | Intestinal strongyloidiasis                           |
| B78.7  | Disseminated strongyloidiasis                         |
| B78.9  | Strongyloidiasis, unspecified                         |
| B85.3  | Phthiriasis   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| B86    | Scabies  |
| B96.5  | Pseudomonas (aeruginosa) (mallei) (pseudomallei) as the cause of diseases classified elsewhere   |
| B97.30 | Unspecified retrovirus as the cause of diseases classified elsewhere                             |
| B97.31 | Lentivirus as the cause of diseases classified elsewhere   |
| B97.32 | Oncovirus as the cause of diseases classified elsewhere  |
| B97.33 | Human T-cell lymphotropic virus, type I [HTLV-I] as the cause of diseases classified elsewhere   |
| B97.34 | Human T-cell lymphotropic virus, type II [HTLV-II] as the cause of diseases classified elsewhere |
| B97.35 | Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere       |
| B97.39 | Other retrovirus as the cause of diseases classified elsewhere                                   |
| B99.8  | Other infectious disease   |
| C46.0  | Kaposi's sarcoma of skin   |
| C46.1  | Kaposi's sarcoma of soft tissue  |
| C46.2  | Kaposi's sarcoma of palate   |
| C46.3  | Kaposi's sarcoma of lymph nodes  |
| C46.4  | Kaposi's sarcoma of gastrointestinal sites   |
| C46.50 | Kaposi's sarcoma of unspecified lung   |
| C46.51 | Kaposi's sarcoma of right lung   |
| C46.52 | Kaposi's sarcoma of left lung  |
| C46.7  | Kaposi's sarcoma of other sites  |
| C46.9  | Kaposi's sarcoma, unspecified  |
| C53.0  | Malignant neoplasm of endocervix   |
| C53.1  | Malignant neoplasm of exocervix  |
| C53.8  | Malignant neoplasm of overlapping sites of cervix uteri  |
| C53.9  | Malignant neoplasm of cervix uteri, unspecified  |
| C81.00 | Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site                                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C81.01 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C81.02 | Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C81.03 | Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C81.04 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C81.05 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.06 | Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C81.07 | Nodular lymphocyte predominant Hodgkin lymphoma, spleen  |
| C81.08 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C81.09 | Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites              |
| C81.10 | Nodular sclerosis Hodgkin lymphoma, unspecified site   |
| C81.11 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck                        |
| C81.12 | Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes                                  |
| C81.13 | Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes                                |
| C81.14 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb                       |
| C81.15 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb              |
| C81.16 | Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes                                    |
| C81.17 | Nodular sclerosis Hodgkin lymphoma, spleen   |
| C81.18 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites                              |
| C81.19 | Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites                           |
| C81.20 | Mixed cellularity Hodgkin lymphoma, unspecified site   |
| C81.21 | Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck                        |
| C81.22 | Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes                                  |
| C81.23 | Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes                                |
| C81.24 | Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb                       |
| C81.25 | Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb              |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C81.26      | Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes                         |
| C81.27      | Mixed cellularity Hodgkin lymphoma, spleen  |
| C81.28      | Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites                   |
| C81.29      | Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites                |
| C81.30      | Lymphocyte depleted Hodgkin lymphoma, unspecified site                              |
| C81.31      | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C81.32      | Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C81.33      | Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C81.34      | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C81.35      | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.36      | Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C81.37      | Lymphocyte depleted Hodgkin lymphoma, spleen  |
| C81.38      | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C81.39      | Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites              |
| C81.40      | Lymphocyte-rich Hodgkin lymphoma, unspecified site                                  |
| C81.41      | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck               |
| C81.42      | Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes                         |
| C81.43      | Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes                       |
| C81.44      | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb              |
| C81.45      | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb     |
| C81.46      | Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes                           |
| C81.47      | Lymphocyte-rich Hodgkin lymphoma, spleen  |
| C81.48      | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites                     |
| C81.49      | Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites                  |
| C81.70      | Other Hodgkin lymphoma, unspecified site  |
| C81.71      | Other Hodgkin lymphoma, lymph nodes of head, face, and neck                         |
| C81.72      | Other Hodgkin lymphoma, intrathoracic lymph nodes                                   |
| C81.73      | Other Hodgkin lymphoma, intra-abdominal lymph nodes                                 |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C81.74 | Other Hodgkin lymphoma, lymph nodes of axilla and upper limb                 |
| C81.75 | Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb        |
| C81.76 | Other Hodgkin lymphoma, intrapelvic lymph nodes                              |
| C81.77 | Other Hodgkin lymphoma, spleen   |
| C81.78 | Other Hodgkin lymphoma, lymph nodes of multiple sites                        |
| C81.79 | Other Hodgkin lymphoma, extranodal and solid organ sites                     |
| C81.90 | Hodgkin lymphoma, unspecified, unspecified site                              |
| C81.91 | Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck           |
| C81.92 | Hodgkin lymphoma, unspecified, intrathoracic lymph nodes                     |
| C81.93 | Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes                   |
| C81.94 | Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb          |
| C81.95 | Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C81.96 | Hodgkin lymphoma, unspecified, intrapelvic lymph nodes                       |
| C81.97 | Hodgkin lymphoma, unspecified, spleen  |
| C81.98 | Hodgkin lymphoma, unspecified, lymph nodes of multiple sites                 |
| C81.99 | Hodgkin lymphoma, unspecified, extranodal and solid organ sites              |
| C83.00 | Small cell B-cell lymphoma, unspecified site                                 |
| C83.01 | Small cell B-cell lymphoma, lymph nodes of head, face, and neck              |
| C83.02 | Small cell B-cell lymphoma, intrathoracic lymph nodes                        |
| C83.03 | Small cell B-cell lymphoma, intra-abdominal lymph nodes                      |
| C83.04 | Small cell B-cell lymphoma, lymph nodes of axilla and upper limb             |
| C83.05 | Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb    |
| C83.06 | Small cell B-cell lymphoma, intrapelvic lymph nodes                          |
| C83.07 | Small cell B-cell lymphoma, spleen   |
| C83.08 | Small cell B-cell lymphoma, lymph nodes of multiple sites                    |
| C83.09 | Small cell B-cell lymphoma, extranodal and solid organ sites                 |
| C83.70 | Burkitt lymphoma, unspecified site   |
| C83.71 | Burkitt lymphoma, lymph nodes of head, face, and neck                        |

NCD 190.14

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C83.72      | Burkitt lymphoma, intrathoracic lymph nodes   |
| C83.73      | Burkitt lymphoma, intra-abdominal lymph nodes   |
| C83.74      | Burkitt lymphoma, lymph nodes of axilla and upper limb  |
| C83.75      | Burkitt lymphoma, lymph nodes of inguinal region and lower limb                               |
| C83.76      | Burkitt lymphoma, intrapelvic lymph nodes   |
| C83.77      | Burkitt lymphoma, spleen  |
| C83.78      | Burkitt lymphoma, lymph nodes of multiple sites   |
| C83.79      | Burkitt lymphoma, extranodal and solid organ sites  |
| C83.80      | Other non-follicular lymphoma, unspecified site   |
| C83.81      | Other non-follicular lymphoma, lymph nodes of head, face, and neck                            |
| C83.82      | Other non-follicular lymphoma, intrathoracic lymph nodes                                      |
| C83.83      | Other non-follicular lymphoma, intra-abdominal lymph nodes                                    |
| C83.84      | Other non-follicular lymphoma, lymph nodes of axilla and upper limb                           |
| C83.85      | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb                  |
| C83.86      | Other non-follicular lymphoma, intrapelvic lymph nodes  |
| C83.87      | Other non-follicular lymphoma, spleen   |
| C83.88      | Other non-follicular lymphoma, lymph nodes of multiple sites                                  |
| C83.89      | Other non-follicular lymphoma, extranodal and solid organ sites                               |
| C83.90      | Non-follicular (diffuse) lymphoma, unspecified, unspecified site                              |
| C83.91      | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck           |
| C83.92      | Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes                     |
| C83.93      | Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes                   |
| C83.94      | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb          |
| C83.95      | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C83.96      | Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes                       |
| C83.97      | Non-follicular (diffuse) lymphoma, unspecified, spleen  |
| C83.98      | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites                 |
| C83.99      | Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites              |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C86.5   | Angioimmunoblastic T-cell lymphoma                         |
| C86.6   | Primary cutaneous CD30-positive T-cell proliferations      |
| D47.Z2  | Castleman disease  |
| D50.0   | Iron deficiency anemia secondary to blood loss (chronic)   |
| D50.1   | Sideropenic dysphagia                                      |
| D50.8   | Other iron deficiency anemias                              |
| D50.9   | Iron deficiency anemia, unspecified                        |
| D59.3   | Hemolytic-uremic syndrome                                  |
| D64.9   | Anemia, unspecified  |
| D69.3   | Immune thrombocytopenic purpura                            |
| D69.41  | Evans syndrome   |
| D69.42  | Congenital and hereditary thrombocytopenia purpura         |
| D69.49  | Other primary thrombocytopenia                             |
| D69.6   | Thrombocytopenia, unspecified                              |
| D70.0   | Congenital agranulocytosis                                 |
| D70.1   | Agranulocytosis secondary to cancer chemotherapy           |
| D70.2   | Other drug-induced agranulocytosis                         |
| D70.3   | Neutropenia due to infection                               |
| D70.4   | Cyclic neutropenia   |
| D70.8   | Other neutropenia  |
| D70.9   | Neutropenia, unspecified                                   |
| D72.10  | Eosinophilia, unspecified                                  |
| D72.110 | Idiopathic hypereosinophilic syndrome [IHES]               |
| D72.111 | Lymphocytic Variant Hypereosinophilic Syndrome [LHES]      |
| D72.118 | Other hypereosinophilic syndrome                           |
| D72.119 | Hypereosinophilic syndrome [HES], unspecified              |
| D72.12  | Drug rash with eosinophilia and systemic symptoms syndrome |
| D72.18  | Eosinophilia in diseases classified elsewhere              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                     |
|---------|---|
| D72.19  | Other eosinophilia                              |
| D72.810 | Lymphocytopenia                                 |
| D72.818 | Other decreased white blood cell count          |
| D72.819 | Decreased white blood cell count, unspecified   |
| D72.820 | Lymphocytosis (symptomatic)                     |
| D72.821 | Monocytosis (symptomatic)                       |
| D72.822 | Plasmacytosis                                   |
| D72.823 | Leukemoid reaction                              |
| D72.824 | Basophilia                                      |
| D72.825 | Bandemia  |
| D72.828 | Other elevated white blood cell count           |
| D72.829 | Elevated white blood cell count, unspecified    |
| D72.89  | Other specified disorders of white blood cells  |
| D73.81  | Neutropenic splenomegaly                        |
| D76.1   | Hemophagocytic lymphohistiocytosis              |
| D76.2   | Hemophagocytic syndrome, infection-associated   |
| D76.3   | Other histiocytosis syndromes                   |
| D89.2   | Hypergammaglobulinemia, unspecified             |
| D89.831 | Cytokine release syndrome, grade 1              |
| D89.832 | Cytokine release syndrome, grade 2              |
| D89.833 | Cytokine release syndrome, grade 3              |
| D89.834 | Cytokine release syndrome, grade 4              |
| D89.835 | Cytokine release syndrome, grade 5              |
| D89.839 | Cytokine release syndrome, grade unspecified    |
| E27.1   | Primary adrenocortical insufficiency            |
| E29.0   | Testicular hyperfunction                        |
| E43     | Unspecified severe protein-calorie malnutrition |
| E44.0   | Moderate protein-calorie malnutrition           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E44.1   | Mild protein-calorie malnutrition  |
| E46     | Unspecified protein-calorie malnutrition   |
| E64.0   | Sequelae of protein-calorie malnutrition   |
| E88.1   | Lipodystrophy, not elsewhere classified  |
| F06.1   | Catatonic disorder due to known physiological condition                            |
| F06.8   | Other specified mental disorders due to known physiological condition              |
| F07.0   | Personality change due to known physiological condition                            |
| F10.130 | Alcohol abuse with withdrawal, uncomplicated                                       |
| F10.131 | Alcohol abuse with withdrawal delirium   |
| F10.132 | Alcohol abuse with withdrawal with perceptual disturbance                          |
| F10.139 | Alcohol abuse with withdrawal, unspecified   |
| F10.930 | Alcohol use, unspecified with withdrawal, uncomplicated                            |
| F10.931 | Alcohol use, unspecified with withdrawal delirium                                  |
| F10.932 | Alcohol use, unspecified with withdrawal with perceptual disturbance               |
| F10.939 | Alcohol use, unspecified with withdrawal, unspecified                              |
| F11.11  | Opioid abuse, in remission   |
| F11.13  | Opioid abuse with withdrawal   |
| F12.13  | Cannabis abuse with withdrawal   |
| F12.23  | Cannabis dependence with withdrawal  |
| F12.93  | Cannabis use, unspecified with withdrawal  |
| F13.130 | Sedative, hypnotic or anxiolytic abuse with withdrawal, uncomplicated              |
| F13.131 | Sedative, hypnotic or anxiolytic abuse with withdrawal delirium                    |
| F13.132 | Sedative, hypnotic or anxiolytic abuse with withdrawal with perceptual disturbance |
| F13.139 | Sedative, hypnotic or anxiolytic abuse with withdrawal, unspecified                |
| F14.11  | Cocaine abuse, in remission  |
| F14.13  | Cocaine abuse, unspecified with withdrawal   |
| F14.93  | Cocaine use, unspecified with withdrawal   |
| F15.11  | Other stimulant abuse, in remission  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| F15.13      | Other stimulant abuse with withdrawal                      |
| G03.1       | Chronic meningitis   |
| G11.10      | Early-onset cerebellar ataxia, unspecified                 |
| G11.11      | Friedreich ataxia  |
| G11.19      | Other early-onset cerebellar ataxia                        |
| G12.23      | Primary lateral sclerosis                                  |
| G31.09      | Other frontotemporal dementia                              |
| G31.84      | Mild cognitive impairment, so stated                       |
| G56.00      | Carpal tunnel syndrome, unspecified upper limb             |
| G56.01      | Carpal tunnel syndrome, right upper limb                   |
| G56.02      | Carpal tunnel syndrome, left upper limb                    |
| G56.10      | Other lesions of median nerve, unspecified upper limb      |
| G56.11      | Other lesions of median nerve, right upper limb            |
| G56.12      | Other lesions of median nerve, left upper limb             |
| G56.20      | Lesion of ulnar nerve, unspecified upper limb              |
| G56.21      | Lesion of ulnar nerve, right upper limb                    |
| G56.22      | Lesion of ulnar nerve, left upper limb                     |
| G56.30      | Lesion of radial nerve, unspecified upper limb             |
| G56.31      | Lesion of radial nerve, right upper limb                   |
| G56.32      | Lesion of radial nerve, left upper limb                    |
| G56.40      | Causalgia of unspecified upper limb                        |
| G56.41      | Causalgia of right upper limb                              |
| G56.42      | Causalgia of left upper limb                               |
| G56.80      | Other specified mononeuropathies of unspecified upper limb |
| G56.81      | Other specified mononeuropathies of right upper limb       |
| G56.82      | Other specified mononeuropathies of left upper limb        |
| G56.90      | Unspecified mononeuropathy of unspecified upper limb       |
| G56.91      | Unspecified mononeuropathy of right upper limb             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| G56.92  | Unspecified mononeuropathy of left upper limb                          |
| G58.0   | Intercostal neuropathy   |
| G58.7   | Mononeuritis multiplex   |
| G60.8   | Other hereditary and idiopathic neuropathies                           |
| G62.9   | Polyneuropathy, unspecified  |
| G93.3   | Postviral fatigue syndrome   |
| G93.40  | Encephalopathy, unspecified  |
| G93.49  | Other encephalopathy   |
| G95.20  | Unspecified cord compression   |
| G95.29  | Other cord compression   |
| G95.9   | Disease of spinal cord, unspecified                                    |
| G96.00  | Cerebrospinal fluid leak, unspecified                                  |
| G96.01  | Cranial cerebrospinal fluid leak, spontaneous                          |
| G96.02  | Spinal cerebrospinal fluid leak, spontaneous                           |
| G96.08  | Other cranial cerebrospinal fluid leak                                 |
| G96.09  | Other spinal cerebrospinal fluid leak                                  |
| G96.191 | Perineural cyst  |
| G96.198 | Other disorders of meninges, not elsewhere classified                  |
| G96.810 | Intracranial hypotension, unspecified                                  |
| G96.811 | Intracranial hypotension, spontaneous                                  |
| G96.819 | Other intracranial hypotension   |
| G96.89  | Other specified disorders of central nervous system                    |
| G97.83  | Intracranial hypotension following lumbar cerebrospinal fluid shunting |
| G97.84  | Intracranial hypotension following other procedure                     |
| H10.821 | Rosacea conjunctivitis, right eye                                      |
| H10.822 | Rosacea conjunctivitis, left eye                                       |
| H10.823 | Rosacea conjunctivitis, bilateral                                      |
| H30.891 | Other chorioretinal inflammations, right eye                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H30.892 | Other chorioretinal inflammations, left eye  |
| H30.893 | Other chorioretinal inflammations, bilateral   |
| H30.899 | Other chorioretinal inflammations, unspecified eye   |
| H30.90  | Unspecified chorioretinal inflammation, unspecified eye                                    |
| H30.91  | Unspecified chorioretinal inflammation, right eye  |
| H30.92  | Unspecified chorioretinal inflammation, left eye   |
| H30.93  | Unspecified chorioretinal inflammation, bilateral  |
| I21.9   | Acute myocardial infarction, unspecified   |
| I21.A1  | Myocardial infarction type 2   |
| I21.A9  | Other myocardial infarction type   |
| I42.0   | Dilated cardiomyopathy   |
| I42.5   | Other restrictive cardiomyopathy   |
| I42.8   | Other cardiomyopathies   |
| I42.9   | Cardiomyopathy, unspecified  |
| I67.3   | Progressive vascular leukoencephalopathy   |
| I67.83  | Posterior reversible encephalopathy syndrome   |
| I67.850 | Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy |
| I67.858 | Other hereditary cerebrovascular disease   |
| J13     | Pneumonia due to Streptococcus pneumoniae  |
| J14     | Pneumonia due to Hemophilus influenzae   |
| J15.0   | Pneumonia due to Klebsiella pneumoniae   |
| J15.1   | Pneumonia due to Pseudomonas   |
| J15.20  | Pneumonia due to staphylococcus, unspecified   |
| J15.211 | Pneumonia due to Methicillin susceptible Staphylococcus aureus                             |
| J15.212 | Pneumonia due to Methicillin resistant Staphylococcus aureus                               |
| J15.29  | Pneumonia due to other staphylococcus  |
| J15.3   | Pneumonia due to streptococcus, group B  |
| J15.4   | Pneumonia due to other streptococci  |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| J15.5   | Pneumonia due to Escherichia coli  |
| J15.6   | Pneumonia due to other Gram-negative bacteria  |
| J15.8   | Pneumonia due to other specified bacteria  |
| J15.9   | Unspecified bacterial pneumonia  |
| J18.1   | Lobar pneumonia, unspecified organism  |
| J18.8   | Other pneumonia, unspecified organism  |
| J18.9   | Pneumonia, unspecified organism  |
| J32.0   | Chronic maxillary sinusitis  |
| J32.1   | Chronic frontal sinusitis  |
| J32.2   | Chronic ethmoidal sinusitis  |
| J32.3   | Chronic sphenoidal sinusitis   |
| J32.4   | Chronic pansinusitis   |
| J32.8   | Other chronic sinusitis  |
| J32.9   | Chronic sinusitis, unspecified   |
| J84.09  | Other alveolar and parieto-alveolar conditions   |
| J84.170 | Interstitial lung disease with progressive fibrotic phenotype in diseases classified elsewhere |
| J84.178 | Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere           |
| J93.11  | Primary spontaneous pneumothorax   |
| J93.12  | Secondary spontaneous pneumothorax   |
| J93.81  | Chronic pneumothorax   |
| K12.0   | Recurrent oral aphthae   |
| K12.2   | Cellulitis and abscess of mouth  |
| K13.21  | Leukoplakia of oral mucosa, including tongue   |
| K13.3   | Hairy leukoplakia  |
| K22.10  | Ulcer of esophagus without bleeding  |
| K22.11  | Ulcer of esophagus with bleeding   |
| K22.70  | Barrett's esophagus without dysplasia  |
| K22.710 | Barrett's esophagus with low grade dysplasia   |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                                   |
|-------------|--|
| K22.711     | Barrett's esophagus with high grade dysplasia        |
| K22.719     | Barrett's esophagus with dysplasia, unspecified      |
| K52.3       | Indeterminate colitis                                |
| K52.831     | Collagenous colitis                                  |
| K52.832     | Lymphocytic colitis                                  |
| K52.838     | Other microscopic colitis                            |
| K52.839     | Microscopic colitis, unspecified                     |
| L02.01      | Cutaneous abscess of face                            |
| L02.11      | Cutaneous abscess of neck                            |
| L02.211     | Cutaneous abscess of abdominal wall                  |
| L02.212     | Cutaneous abscess of back [any part, except buttock] |
| L02.213     | Cutaneous abscess of chest wall                      |
| L02.214     | Cutaneous abscess of groin                           |
| L02.215     | Cutaneous abscess of perineum                        |
| L02.216     | Cutaneous abscess of umbilicus                       |
| L02.219     | Cutaneous abscess of trunk, unspecified              |
| L02.31      | Cutaneous abscess of buttock                         |
| L02.411     | Cutaneous abscess of right axilla                    |
| L02.412     | Cutaneous abscess of left axilla                     |
| L02.413     | Cutaneous abscess of right upper limb                |
| L02.414     | Cutaneous abscess of left upper limb                 |
| L02.415     | Cutaneous abscess of right lower limb                |
| L02.416     | Cutaneous abscess of left lower limb                 |
| L02.419     | Cutaneous abscess of limb, unspecified               |
| L02.511     | Cutaneous abscess of right hand                      |
| L02.512     | Cutaneous abscess of left hand                       |
| L02.519     | Cutaneous abscess of unspecified hand                |
| L02.611     | Cutaneous abscess of right foot                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                       |
|---------|---|
| L02.612 | Cutaneous abscess of left foot                    |
| L02.619 | Cutaneous abscess of unspecified foot             |
| L02.811 | Cutaneous abscess of head [any part, except face] |
| L02.818 | Cutaneous abscess of other sites                  |
| L02.91  | Cutaneous abscess, unspecified                    |
| L03.111 | Cellulitis of right axilla                        |
| L03.112 | Cellulitis of left axilla                         |
| L03.113 | Cellulitis of right upper limb                    |
| L03.114 | Cellulitis of left upper limb                     |
| L03.115 | Cellulitis of right lower limb                    |
| L03.116 | Cellulitis of left lower limb                     |
| L03.119 | Cellulitis of unspecified part of limb            |
| L03.121 | Acute lymphangitis of right axilla                |
| L03.122 | Acute lymphangitis of left axilla                 |
| L03.123 | Acute lymphangitis of right upper limb            |
| L03.124 | Acute lymphangitis of left upper limb             |
| L03.125 | Acute lymphangitis of right lower limb            |
| L03.126 | Acute lymphangitis of left lower limb             |
| L03.129 | Acute lymphangitis of unspecified part of limb    |
| L03.211 | Cellulitis of face                                |
| L03.212 | Acute lymphangitis of face                        |
| L03.213 | Periorbital cellulitis                            |
| L03.221 | Cellulitis of neck                                |
| L03.222 | Acute lymphangitis of neck                        |
| L03.311 | Cellulitis of abdominal wall                      |
| L03.312 | Cellulitis of back [any part except buttock]      |
| L03.313 | Cellulitis of chest wall                          |
| L03.314 | Cellulitis of groin                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L03.315 | Cellulitis of perineum                               |
| L03.316 | Cellulitis of umbilicus                              |
| L03.317 | Cellulitis of buttock                                |
| L03.319 | Cellulitis of trunk, unspecified                     |
| L03.321 | Acute lymphangitis of abdominal wall                 |
| L03.322 | Acute lymphangitis of back [any part except buttock] |
| L03.323 | Acute lymphangitis of chest wall                     |
| L03.324 | Acute lymphangitis of groin                          |
| L03.325 | Acute lymphangitis of perineum                       |
| L03.326 | Acute lymphangitis of umbilicus                      |
| L03.327 | Acute lymphangitis of buttock                        |
| L03.329 | Acute lymphangitis of trunk, unspecified             |
| L03.811 | Cellulitis of head [any part, except face]           |
| L03.818 | Cellulitis of other sites                            |
| L03.891 | Acute lymphangitis of head [any part, except face]   |
| L03.898 | Acute lymphangitis of other sites                    |
| L03.90  | Cellulitis, unspecified                              |
| L03.91  | Acute lymphangitis, unspecified                      |
| L08.1   | Erythrasma   |
| L20.83  | Infantile (acute) (chronic) eczema                   |
| L21.0   | Seborrhea capitis                                    |
| L21.1   | Seborrheic infantile dermatitis                      |
| L21.8   | Other seborrheic dermatitis                          |
| L21.9   | Seborrheic dermatitis, unspecified                   |
| L28.0   | Lichen simplex chronicus                             |
| L28.1   | Prurigo nodularis                                    |
| L40.0   | Psoriasis vulgaris                                   |
| L40.1   | Generalized pustular psoriasis                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L40.2   | Acrodermatitis continua  |
| L40.3   | Pustulosis palmaris et plantaris                                 |
| L40.4   | Guttate psoriasis  |
| L40.8   | Other psoriasis  |
| L40.9   | Psoriasis, unspecified   |
| L66.3   | Perifolliculitis capitis abscedens                               |
| L70.0   | Acne vulgaris  |
| L70.1   | Acne conglobata  |
| L70.2   | Acne varioliformis   |
| L70.3   | Acne tropica   |
| L70.4   | Infantile acne   |
| L70.5   | Acne excoriee  |
| L70.8   | Other acne   |
| L70.9   | Acne, unspecified  |
| L72.0   | Epidermal cyst   |
| L72.2   | Steatocystoma multiplex  |
| L72.3   | Sebaceous cyst   |
| L72.8   | Other follicular cysts of the skin and subcutaneous tissue       |
| L72.9   | Follicular cyst of the skin and subcutaneous tissue, unspecified |
| L73.0   | Acne keloid  |
| L73.1   | Pseudofolliculitis barbae  |
| L73.8   | Other specified follicular disorders                             |
| L73.9   | Follicular disorder, unspecified                                 |
| L85.3   | Xerosis cutis  |
| L98.3   | Eosinophilic cellulitis [Wells]                                  |
| M02.30  | Reiter's disease, unspecified site                               |
| M02.311 | Reiter's disease, right shoulder                                 |
| M02.312 | Reiter's disease, left shoulder                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                       |
|---------|---|
| M02.319 | Reiter's disease, unspecified shoulder            |
| M02.321 | Reiter's disease, right elbow                     |
| M02.322 | Reiter's disease, left elbow                      |
| M02.329 | Reiter's disease, unspecified elbow               |
| M02.331 | Reiter's disease, right wrist                     |
| M02.332 | Reiter's disease, left wrist                      |
| M02.339 | Reiter's disease, unspecified wrist               |
| M02.341 | Reiter's disease, right hand                      |
| M02.342 | Reiter's disease, left hand                       |
| M02.349 | Reiter's disease, unspecified hand                |
| M02.351 | Reiter's disease, right hip                       |
| M02.352 | Reiter's disease, left hip                        |
| M02.359 | Reiter's disease, unspecified hip                 |
| M02.361 | Reiter's disease, right knee                      |
| M02.362 | Reiter's disease, left knee                       |
| M02.369 | Reiter's disease, unspecified knee                |
| M02.371 | Reiter's disease, right ankle and foot            |
| M02.372 | Reiter's disease, left ankle and foot             |
| M02.379 | Reiter's disease, unspecified ankle and foot      |
| M02.38  | Reiter's disease, vertebrae                       |
| M02.39  | Reiter's disease, multiple sites                  |
| M04.1   | Periodic fever syndromes                          |
| M31.1   | Thrombotic microangiopathy                        |
| M33.03  | Juvenile dermatomyositis without myopathy         |
| M33.13  | Other dermatomyositis without myopathy            |
| M33.93  | Dermatopolymyositis, unspecified without myopathy |
| M87.050 | Idiopathic aseptic necrosis of pelvis             |
| M87.051 | Idiopathic aseptic necrosis of right femur        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M87.052 | Idiopathic aseptic necrosis of left femur   |
| N00.A   | Acute nephritic syndrome with C3 glomerulonephritis                                   |
| N01.A   | Rapidly progressive nephritic syndrome with C3 glomerulonephritis                     |
| N02.A   | Recurrent and persistent hematuria with C3 glomerulonephritis                         |
| N03.A   | Chronic nephritic syndrome with C3 glomerulonephritis                                 |
| N04.A   | Nephrotic syndrome with C3 glomerulonephritis   |
| N05.9   | Unspecified nephritic syndrome with unspecified morphologic changes                   |
| N05.A   | Unspecified nephritic syndrome with C3 glomerulonephritis                             |
| N06.9   | Isolated proteinuria with unspecified morphologic lesion                              |
| N06.A   | Isolated proteinuria with C3 glomerulonephritis                                       |
| N07.9   | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions |
| N07.A   | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis           |
| N15.9   | Renal tubulo-interstitial disease, unspecified  |
| N17.0   | Acute kidney failure with tubular necrosis  |
| N17.1   | Acute kidney failure with acute cortical necrosis                                     |
| N17.2   | Acute kidney failure with medullary necrosis  |
| N17.8   | Other acute kidney failure  |
| N17.9   | Acute kidney failure, unspecified   |
| N18.1   | Chronic kidney disease, stage 1   |
| N18.2   | Chronic kidney disease, stage 2 (mild)  |
| N18.30  | Chronic kidney disease, stage 3 unspecified   |
| N18.31  | Chronic kidney disease, stage 3a  |
| N18.32  | Chronic kidney disease, stage 3b  |
| N18.4   | Chronic kidney disease, stage 4 (severe)  |
| N18.5   | Chronic kidney disease, stage 5   |
| N18.6   | End stage renal disease   |
| N25.81  | Secondary hyperparathyroidism of renal origin   |
| N25.89  | Other disorders resulting from impaired renal tubular function                        |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N34.1   | Nonspecific urethritis  |
| N35.016 | Post-traumatic urethral stricture, male, overlapping sites  |
| N35.116 | Postinfective urethral stricture, not elsewhere classified, male, overlapping sites                       |
| O09.A0  | Supervision of pregnancy with history of molar pregnancy, unspecified trimester                           |
| O09.A1  | Supervision of pregnancy with history of molar pregnancy, first trimester                                 |
| O09.A2  | Supervision of pregnancy with history of molar pregnancy, second trimester                                |
| O09.A3  | Supervision of pregnancy with history of molar pregnancy, third trimester                                 |
| O11.4   | Pre-existing hypertension with pre-eclampsia, complicating childbirth                                     |
| O11.5   | Pre-existing hypertension with pre-eclampsia, complicating the puerperium                                 |
| O12.04  | Gestational edema, complicating childbirth  |
| O12.05  | Gestational edema, complicating the puerperium  |
| O12.14  | Gestational proteinuria, complicating childbirth  |
| O12.15  | Gestational proteinuria, complicating the puerperium  |
| O12.24  | Gestational edema with proteinuria, complicating childbirth   |
| O12.25  | Gestational edema with proteinuria, complicating the puerperium   |
| O13.4   | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth     |
| O13.5   | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O14.04  | Mild to moderate pre-eclampsia, complicating childbirth   |
| O14.05  | Mild to moderate pre-eclampsia, complicating the puerperium   |
| O14.14  | Severe pre-eclampsia complicating childbirth  |
| O14.15  | Severe pre-eclampsia, complicating the puerperium   |
| O14.24  | HELLP syndrome, complicating childbirth   |
| O14.25  | HELLP syndrome, complicating the puerperium   |
| O14.94  | Unspecified pre-eclampsia, complicating childbirth  |
| O14.95  | Unspecified pre-eclampsia, complicating the puerperium  |
| O16.4   | Unspecified maternal hypertension, complicating childbirth  |
| O16.5   | Unspecified maternal hypertension, complicating the puerperium  |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O24.415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs  |
| O24.425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs |
| O24.435 | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs |
| O44.20  | Partial placenta previa NOS or without hemorrhage, unspecified trimester           |
| O44.21  | Partial placenta previa NOS or without hemorrhage, first trimester                 |
| O44.22  | Partial placenta previa NOS or without hemorrhage, second trimester                |
| O44.23  | Partial placenta previa NOS or without hemorrhage, third trimester                 |
| O44.30  | Partial placenta previa with hemorrhage, unspecified trimester                     |
| O44.31  | Partial placenta previa with hemorrhage, first trimester                           |
| O44.32  | Partial placenta previa with hemorrhage, second trimester                          |
| O44.33  | Partial placenta previa with hemorrhage, third trimester                           |
| O44.40  | Low lying placenta NOS or without hemorrhage, unspecified trimester                |
| O44.41  | Low lying placenta NOS or without hemorrhage, first trimester                      |
| O44.42  | Low lying placenta NOS or without hemorrhage, second trimester                     |
| O44.43  | Low lying placenta NOS or without hemorrhage, third trimester                      |
| O44.50  | Low lying placenta with hemorrhage, unspecified trimester                          |
| O44.51  | Low lying placenta with hemorrhage, first trimester                                |
| O44.52  | Low lying placenta with hemorrhage, second trimester                               |
| O44.53  | Low lying placenta with hemorrhage, third trimester                                |
| O98.411 | Viral hepatitis complicating pregnancy, first trimester                            |
| O98.412 | Viral hepatitis complicating pregnancy, second trimester                           |
| O98.413 | Viral hepatitis complicating pregnancy, third trimester                            |
| O98.419 | Viral hepatitis complicating pregnancy, unspecified trimester                      |
| O98.42  | Viral hepatitis complicating childbirth  |
| O98.43  | Viral hepatitis complicating the puerperium  |
| O98.511 | Other viral diseases complicating pregnancy, first trimester                       |
| O98.512 | Other viral diseases complicating pregnancy, second trimester                      |
| O98.513 | Other viral diseases complicating pregnancy, third trimester                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O98.519 | Other viral diseases complicating pregnancy, unspecified trimester                       |
| O98.52  | Other viral diseases complicating childbirth   |
| O98.53  | Other viral diseases complicating the puerperium   |
| O98.711 | Human immunodeficiency virus [HIV] disease complicating pregnancy, first trimester       |
| O98.712 | Human immunodeficiency virus [HIV] disease complicating pregnancy, second trimester      |
| O98.713 | Human immunodeficiency virus [HIV] disease complicating pregnancy, third trimester       |
| O98.719 | Human immunodeficiency virus [HIV] disease complicating pregnancy, unspecified trimester |
| O98.72  | Human immunodeficiency virus [HIV] disease complicating childbirth                       |
| O98.73  | Human immunodeficiency virus [HIV] disease complicating the puerperium                   |
| P04.40  | Newborn affected by maternal use of unspecified drugs of addiction                       |
| P04.42  | Newborn affected by maternal use of hallucinogens  |
| P05.09  | Newborn light for gestational age, 2500 grams and over                                   |
| R04.2   | Hemoptysis   |
| R04.81  | Acute idiopathic pulmonary hemorrhage in infants   |
| R04.89  | Hemorrhage from other sites in respiratory passages                                      |
| R04.9   | Hemorrhage from respiratory passages, unspecified  |
| R05     | Cough  |
| R06.02  | Shortness of breath  |
| R06.9   | Unspecified abnormalities of breathing   |
| R09.3   | Abnormal sputum  |
| R19.7   | Diarrhea, unspecified  |
| R29.700 | NIHSS score 0  |
| R29.701 | NIHSS score 1  |
| R29.702 | NIHSS score 2  |
| R29.703 | NIHSS score 3  |
| R29.704 | NIHSS score 4  |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b> |
|-------------|--------------------|
| R29.705     | NIHSS score 5      |
| R29.706     | NIHSS score 6      |
| R29.707     | NIHSS score 7      |
| R29.708     | NIHSS score 8      |
| R29.709     | NIHSS score 9      |
| R29.710     | NIHSS score 10     |
| R29.711     | NIHSS score 11     |
| R29.712     | NIHSS score 12     |
| R29.713     | NIHSS score 13     |
| R29.714     | NIHSS score 14     |
| R29.715     | NIHSS score 15     |
| R29.716     | NIHSS score 16     |
| R29.717     | NIHSS score 17     |
| R29.718     | NIHSS score 18     |
| R29.719     | NIHSS score 19     |
| R29.720     | NIHSS score 20     |
| R29.721     | NIHSS score 21     |
| R29.722     | NIHSS score 22     |
| R29.723     | NIHSS score 23     |
| R29.724     | NIHSS score 24     |
| R29.725     | NIHSS score 25     |
| R29.726     | NIHSS score 26     |
| R29.727     | NIHSS score 27     |
| R29.728     | NIHSS score 28     |
| R29.729     | NIHSS score 29     |
| R29.730     | NIHSS score 30     |
| R29.731     | NIHSS score 31     |
| R29.732     | NIHSS score 32     |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| R29.733 | NIHSS score 33   |
| R29.734 | NIHSS score 34   |
| R29.735 | NIHSS score 35   |
| R29.736 | NIHSS score 36   |
| R29.737 | NIHSS score 37   |
| R29.738 | NIHSS score 38   |
| R29.739 | NIHSS score 39   |
| R29.740 | NIHSS score 40   |
| R29.741 | NIHSS score 41   |
| R29.742 | NIHSS score 42   |
| R50.81  | Fever presenting with conditions classified elsewhere                      |
| R50.82  | Postprocedural fever   |
| R50.83  | Postvaccination fever  |
| R50.84  | Febrile nonhemolytic transfusion reaction                                  |
| R50.9   | Fever, unspecified   |
| R53.0   | Neoplastic (malignant) related fatigue                                     |
| R53.1   | Weakness   |
| R53.81  | Other malaise  |
| R53.83  | Other fatigue  |
| R59.0   | Localized enlarged lymph nodes   |
| R59.1   | Generalized enlarged lymph nodes   |
| R59.9   | Enlarged lymph nodes, unspecified  |
| R62.50  | Unspecified lack of expected normal physiological development in childhood |
| R62.59  | Other lack of expected normal physiological development in childhood       |
| R63.4   | Abnormal weight loss   |
| R64     | Cachexia   |
| R68.0   | Hypothermia, not associated with low environmental temperature             |
| R68.83  | Chills (without fever)   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| R73.03 | Prediabetes  |
| R75    | Inconclusive laboratory evidence of human immunodeficiency virus [HIV]                               |
| Z04.41 | Encounter for examination and observation following alleged adult rape                               |
| Z04.42 | Encounter for examination and observation following alleged child rape                               |
| Z05.0  | Observation and evaluation of newborn for suspected cardiac condition ruled out                      |
| Z05.1  | Observation and evaluation of newborn for suspected infectious condition ruled out                   |
| Z05.2  | Observation and evaluation of newborn for suspected neurological condition ruled out                 |
| Z05.3  | Observation and evaluation of newborn for suspected respiratory condition ruled out                  |
| Z05.41 | Observation and evaluation of newborn for suspected genetic condition ruled out                      |
| Z05.42 | Observation and evaluation of newborn for suspected metabolic condition ruled out                    |
| Z05.43 | Observation and evaluation of newborn for suspected immunologic condition ruled out                  |
| Z05.5  | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out             |
| Z05.6  | Observation and evaluation of newborn for suspected genitourinary condition ruled out                |
| Z05.71 | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out |
| Z05.72 | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out              |
| Z05.73 | Observation and evaluation of newborn for suspected connective tissue condition ruled out            |
| Z05.8  | Observation and evaluation of newborn for other specified suspected condition ruled out              |
| Z05.9  | Observation and evaluation of newborn for unspecified suspected condition ruled out                  |
| Z19.1  | Hormone sensitive malignancy status  |
| Z19.2  | Hormone resistant malignancy status  |
| Z20.5  | Contact with and (suspected) exposure to viral hepatitis   |
| Z20.6  | Contact with and (suspected) exposure to human immunodeficiency virus [HIV]                          |

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z20.820 | Contact with and (suspected) exposure to varicella                          |
| Z20.821 | Contact with and (suspected) exposure to Zika virus                         |
| Z20.828 | Contact with and (suspected) exposure to other viral communicable diseases  |
| Z31.7   | Encounter for procreative management and counseling for gestational carrier |
| Z84.82  | Family history of sudden infant death syndrome                              |

### **Indications**

Diagnostic testing to establish HIV infection may be indicated when there is a strong clinical suspicion supported by one or more of the following clinical findings:

1. The patient has a documented, otherwise unexplained, AIDS-defining or AIDS-associated opportunistic infection.
2. The patient has another documented sexually transmitted disease which identifies significant risk of exposure to HIV and the potential for an early or subclinical infection.
3. The patient has documented acute or chronic hepatitis B or C infection that identifies a significant risk of exposure to HIV and the potential for an early or subclinical infection.
4. The patient has a documented AIDS-defining or AIDS-associated neoplasm.
5. The patient has a documented AIDS-associated neurologic disorder or otherwise unexplained dementia.
6. The patient has another documented AIDS-defining clinical condition, or a history of other severe, recurrent, or persistent conditions which suggest an underlying immune deficiency (for example, cutaneous or mucosal disorders).
7. The patient has otherwise unexplained generalized signs and symptoms suggestive of a chronic process with an underlying immune deficiency (for example, fever, weight loss, malaise, fatigue, chronic diarrhea, failure to thrive, chronic cough, hemoptysis, shortness of breath, or lymphadenopathy).
8. The patient has otherwise unexplained laboratory evidence of a chronic disease process with an underlying immune deficiency (for example, anemia, leukopenia, pancytopenia, lymphopenia, or low CD4+ lymphocyte count).
9. The patient has signs and symptoms of acute retroviral syndrome with fever, malaise, lymphadenopathy, and skin rash.
10. The patient has documented exposure to blood or body fluids known to be capable of transmitting HIV (for example, needlesticks and other significant blood exposures) and antiviral therapy is initiated or anticipated to be initiated.
11. The patient is undergoing treatment for rape. (HIV testing is part of the rape treatment protocol.)

**NCD 190.14**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



### **Limitations**

1. HIV antibody testing in the United States is usually performed using HIV-1 or HIV-1/2 combination tests. HIV-2 testing is indicated if clinical circumstances suggest HIV-2 is likely (that is compatible clinical findings and HIV-1 test negative). HIV-2 testing may be indicated in areas of the country where there is greater prevalence of HIV-2 infections.
2. The Western Blot test should be performed only after documentation that the initial EIA tests are repeatedly positive or equivocal on a single sample.
3. The HIV antigen tests currently have no defined diagnostic usage.
4. Direct viral RNA detection may be performed in those situations where serologic testing does not establish a diagnosis but strong clinical suspicion persists (for example, acute retroviral syndrome, nonspecific serologic evidence of HIV, or perinatal HIV infection).
5. If initial serologic tests confirm an HIV infection, repeat testing is not indicated.
6. If initial serologic tests are HIV EIA negative and there is no indication for confirmation of infection by viral RNA detection, the interval prior to retesting is 3-6 months.
7. Testing for evidence of HIV infection using serologic methods may be medically appropriate in situations where there is a risk of exposure to HIV. However, in the absence of a documented AIDS defining or HIV-associated disease, an HIV-associated sign or symptom, or documented exposure to a known HIV-infected source, the testing is considered by Medicare to be screening and thus is not covered by Medicare (for example, history of multiple blood component transfusions, exposure to blood or body fluids not resulting in consideration of therapy, history of transplant, history of illicit drug use, multiple sexual partners, same-sex encounters, prostitution, or contact with prostitutes).
8. The CPT Editorial Panel has issued a number of codes for infectious agent detection by direct antigen or nucleic acid probe techniques that have not yet been developed or are only being used on an investigational basis. Laboratory providers are advised to remain current on FDA-approval status for these tests.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Documentation Requirements**

Appropriate HCPCS/CPT code (s) must be used as described.

### **Sources of Information**

CDC, 1993. Revised classification system for HIV infection and expanded surveillance case definition for AIDS among adolescents and adults. MMWR 41 (No. RR17).

CDC, 1994. Revised classification system for human immunodeficiency virus infection in children less than 13 years of age.

CDC, 1998. Guidelines for treatment of sexually transmitted diseases. MMWR 47 (RR1):11-17.

Piatak, M., M.S. Saag, L.C. Yang, et al. 1993. High levels of HIV-1 in plasma during all stages of infection determined by competitive PCR. Science 259:1749-1754.



***Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)***

Rhame, R.S. 1994. Acquired immunodeficiency syndrome, p. 628-652. In *Infectious Diseases*; P.D. Hoeprich, M.C. Jordan, and A.R. Ronald (J.B. Lippincott Co., Philadelphia).

Vasudevachari, M.D., R.T. Davey, Jr., J.A. Metcalf, and H.C. Lane. 1997. Principles and procedures of human immunodeficiency virus serodiagnosis. In *Manual of Clinical Laboratory Immunology* (Fifth ed.); N.R. Rose, E.C. de Macario, J.D. Folds, H.C. Lane, and R.M. Nakamura (ASM Press, Washington, DC).



## 190.15 - Blood Counts

### Other Names/Abbreviations

CBC

### Description

Blood counts are used to evaluate and diagnose diseases relating to abnormalities of the blood or bone marrow. These include primary disorders such as anemia, leukemia, polycythemia, thrombocytosis and thrombocytopenia. Many other conditions secondarily affect the blood or bone marrow, including reaction to inflammation and infections, coagulopathies, neoplasms and exposure to toxic substances. Many treatments and therapies affect the blood or bone marrow, and blood counts may be used to monitor treatment effects.

The complete blood count (CBC) includes a hemogram and differential white blood count (WBC). The hemogram includes enumeration of red blood cells, white blood cells, and platelets, as well as the determination of hemoglobin, hematocrit, and indices.

The symptoms of hematological disorders are often nonspecific, and are commonly encountered in patients who may or may not prove to have a disorder of the blood or bone marrow. Furthermore, many medical conditions that are not primarily due to abnormalities of blood or bone marrow may have hematological manifestations that result from the disease or its treatment. As a result, the CBC is one of the most commonly indicated laboratory tests.

In patients with possible hematological abnormalities, it may be necessary to determine the hemoglobin and hematocrit, to calculate the red cell indices, and to measure the concentration of white blood cells and platelets. These measurements are usually performed on a multichannel analyzer that measures all of the parameters on every sample. Therefore, laboratory assessments routinely include these measurements.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description   |
|-------|---|
| 85004 | Blood count, automated differential white blood cell (WBC) count  |
| 85007 | Blood count; blood smear, microscopic examination with manual differential WBC count                                |
| 85008 | Blood count; blood smear, microscopic examination without manual differential WBC count                             |
| 85013 | Blood count, Spun microhematocrit   |
| 85014 | Blood count, hematocrit (Hct)   |
| 85018 | Blood count, Hemoglobin   |
| 85025 | Blood count, complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count |
| 85027 | Blood count, complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)                                      |
| 85032 | Blood count; manual cell count (erythrocyte, leukocyte, platelet) each  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description                             |
|-------|---|
| 85048 | Blood count, leukocyte (WBC), automated |
| 85049 | Blood count; platelet, automated        |

**ICD-10-CM Codes Covered by Medicare Program**

Any ICD-10-CM code not listed in either the non-covered section or the medical necessity section.

**Indications**

Indications for a CBC or hemogram include red cell, platelet, and white cell disorders. Examples of these indications are enumerated individually below.

1. Indications for a CBC generally include the evaluation of bone marrow dysfunction as a result of neoplasms, therapeutic agents, exposure to toxic substances, or pregnancy. The CBC is also useful in assessing peripheral destruction of blood cells, suspected bone marrow failure or bone marrow infiltrate, suspected myeloproliferative, myelodysplastic, or lymphoproliferative processes, and immune disorders.

2. Indications for hemogram or CBC related to red cell (RBC) parameters of the hemogram include signs, symptoms, test results, illness, or disease that can be associated with anemia or other red blood cell disorder (e.g., pallor, weakness, fatigue, weight loss, bleeding, acute injury associated with blood loss or suspected blood loss, abnormal menstrual bleeding, hematuria, hematemesis, hematochezia, positive fecal occult blood test, malnutrition, vitamin deficiency, malabsorption, neuropathy, known malignancy, presence of acute or chronic disease that may have associated anemia, coagulation or hemostatic disorders, postural dizziness, syncope, abdominal pain, change in bowel habits, chronic marrow hypoplasia or decreased RBC production, tachycardia, systolic heart murmur, congestive heart failure, dyspnea, angina, nailbed deformities, growth retardation, jaundice, hepatomegaly, splenomegaly, lymphadenopathy, ulcers on the lower extremities).

3. Indications for hemogram or CBC related to red cell (RBC) parameters of the hemogram include signs, symptoms, test results, illness, or disease that can be associated with polycythemia (for example, fever, chills, ruddy skin, conjunctival redness, cough, wheezing, cyanosis, clubbing of the fingers, orthopnea, heart murmur, headache, vague cognitive changes including memory changes, sleep apnea, weakness, pruritus, dizziness, excessive sweating, visual symptoms, weight loss, massive obesity, gastrointestinal bleeding, paresthesias, dyspnea, joint symptoms, epigastric distress, pain and erythema of the fingers or toes, venous or arterial thrombosis, thromboembolism, myocardial infarction, stroke, transient ischemic attacks, congenital heart disease, chronic obstructive pulmonary disease, increased erythropoietin production associated with neoplastic, renal or hepatic disorders, androgen or diuretic use, splenomegaly, hepatomegaly, diastolic hypertension.)

4. Specific indications for CBC with differential count related to the WBC include signs, symptoms, test results, illness, or disease associated with leukemia, infections or inflammatory processes, suspected bone marrow failure or bone marrow infiltrate, suspected myeloproliferative, myelodysplastic or lymphoproliferative disorder, use of drugs that may cause leukopenia, and immune disorders (e.g., fever, chills, sweats, shock, fatigue, malaise,

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



tachycardia, tachypnea, heart murmur, seizures, alterations of consciousness, meningismus, pain such as headache, abdominal pain, arthralgia,odynophagia, or dysuria, redness or swelling of skin, soft tissue bone, or joint, ulcers of the skin or mucous membranes, gangrene, mucous membrane discharge, bleeding, thrombosis, respiratory failure, pulmonary infiltrate, jaundice, diarrhea, vomiting, hepatomegaly, splenomegaly, lymphadenopathy, opportunistic infection, such as oral candidiasis.)

5. Specific indications for CBC related to the platelet count include signs, symptoms, test results, illness, or disease associated with increased or decreased platelet production and destruction, or platelet dysfunction (e.g., gastrointestinal bleeding, genitourinary tract bleeding, bilateral epistaxis, thrombosis, ecchymosis, purpura, jaundice, petechiae, fever, heparin therapy, suspected DIC, shock, pre-eclampsia, neonate with maternal ITP, massive transfusion, recent platelet transfusion, cardiopulmonary bypass, hemolytic uremic syndrome, renal diseases, lymphadenopathy, hepatomegaly, splenomegaly, hypersplenism, neurologic abnormalities, viral or other infection, myeloproliferative, myelodysplastic, or lymphoproliferative disorder, thrombosis, exposure to toxic agents, excessive alcohol ingestion, autoimmune disorder (SLE, RA).

6. Indications for hemogram or CBC related to red cell (RBC) parameters of the hemogram include, in addition to those already listed, thalassemia, suspected hemoglobinopathy, lead poisoning, arsenic poisoning, and spherocytosis.

7. Specific indications for CBC with differential count related to the WBC include, in addition to those already listed, storage diseases; mucopolysaccharidoses, and use of drugs that cause leukocytosis such as G-CSF or CM-CSF.

8. Specific indications for CBC related to platelet count include, in addition to those already listed, May-Hegglin syndrome and Wiskott-Aldrich syndrome.

### **Limitations**

1. Testing of patients who are asymptomatic, or who do not have a condition that could be expected to result in a hematological abnormality, is screening and is not a covered service.

2. In some circumstances it may be appropriate to perform only a hemoglobin or hematocrit to assess the oxygen carrying capacity of the blood. When the ordering provider requests only a hemoglobin or hematocrit, the remaining components of the CBC are not covered.

3. When a blood count is performed for an end-stage renal disease (ESRD) patient, and is billed outside the ESRD rate, documentation of the medical necessity for the blood count must be submitted with the claim.

4. In some patients presenting with certain signs, symptoms or diseases, a single CBC may be appropriate. Repeat testing may not be indicated unless abnormal results are found, or unless there is a change in clinical condition. If repeat testing is performed, a more descriptive diagnosis code (e.g., anemia) should be reported to support medical necessity. However, repeat testing may be indicated where results are normal in patients with conditions where there is a continued risk for the development of hematologic abnormality.



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

**ICD-10-CM Codes That Do Not Support Medical Necessity**

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at

<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code    | Description   |
|---------|---|
| A18.59  | Other tuberculosis of eye   |
| A63.0   | Anogenital (venereal) warts   |
| B07.0   | Plantar wart  |
| B07.8   | Other viral warts   |
| B07.9   | Viral wart, unspecified   |
| D00.00  | Carcinoma in situ of oral cavity, unspecified site                        |
| D00.01  | Carcinoma in situ of labial mucosa and vermilion border                   |
| D00.02  | Carcinoma in situ of buccal mucosa  |
| D00.03  | Carcinoma in situ of gingiva and edentulous alveolar ridge                |
| D00.04  | Carcinoma in situ of soft palate  |
| D00.05  | Carcinoma in situ of hard palate  |
| D00.06  | Carcinoma in situ of floor of mouth                                       |
| D00.07  | Carcinoma in situ of tongue   |
| D00.08  | Carcinoma in situ of pharynx  |
| D04.0   | Carcinoma in situ of skin of lip  |
| D04.10  | Carcinoma in situ of skin of unspecified eyelid, including canthus        |
| D04.111 | Carcinoma in situ of skin of right upper eyelid, including canthus        |
| D04.112 | Carcinoma in situ of skin of right lower eyelid, including canthus        |
| D04.121 | Carcinoma in situ of skin of left upper eyelid, including canthus         |
| D04.122 | Carcinoma in situ of skin of left lower eyelid, including canthus         |
| D04.20  | Carcinoma in situ of skin of unspecified ear and external auricular canal |
| D04.21  | Carcinoma in situ of skin of right ear and external auricular canal       |
| D04.22  | Carcinoma in situ of skin of left ear and external auricular canal        |
| D04.30  | Carcinoma in situ of skin of unspecified part of face                     |
| D04.39  | Carcinoma in situ of skin of other parts of face                          |
| D04.4   | Carcinoma in situ of skin of scalp and neck                               |
| D04.5   | Carcinoma in situ of skin of trunk  |
| D04.60  | Carcinoma in situ of skin of unspecified upper limb, including shoulder   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D04.61  | Carcinoma in situ of skin of right upper limb, including shoulder                 |
| D04.62  | Carcinoma in situ of skin of left upper limb, including shoulder                  |
| D04.70  | Carcinoma in situ of skin of unspecified lower limb, including hip                |
| D04.71  | Carcinoma in situ of skin of right lower limb, including hip                      |
| D04.72  | Carcinoma in situ of skin of left lower limb, including hip                       |
| D04.8   | Carcinoma in situ of skin of other sites  |
| D04.9   | Carcinoma in situ of skin, unspecified  |
| D10.0   | Benign neoplasm of lip  |
| D10.1   | Benign neoplasm of tongue   |
| D10.2   | Benign neoplasm of floor of mouth   |
| D10.30  | Benign neoplasm of unspecified part of mouth                                      |
| D10.39  | Benign neoplasm of other parts of mouth   |
| D10.4   | Benign neoplasm of tonsil   |
| D10.5   | Benign neoplasm of other parts of oropharynx                                      |
| D10.6   | Benign neoplasm of nasopharynx  |
| D10.7   | Benign neoplasm of hypopharynx  |
| D10.9   | Benign neoplasm of pharynx, unspecified   |
| D11.0   | Benign neoplasm of parotid gland  |
| D11.7   | Benign neoplasm of other major salivary glands                                    |
| D11.9   | Benign neoplasm of major salivary gland, unspecified                              |
| D17.0   | Benign lipomatous neoplasm of skin and subcutaneous tissue of head, face and neck |
| D22.0   | Melanocytic nevi of lip   |
| D22.10  | Melanocytic nevi of unspecified eyelid, including canthus                         |
| D22.111 | Melanocytic nevi of right upper eyelid, including canthus                         |
| D22.112 | Melanocytic nevi of right lower eyelid, including canthus                         |
| D22.121 | Melanocytic nevi of left upper eyelid, including canthus                          |
| D22.122 | Melanocytic nevi of left lower eyelid, including canthus                          |
| D22.20  | Melanocytic nevi of unspecified ear and external auricular canal                  |
| D22.21  | Melanocytic nevi of right ear and external auricular canal                        |
| D22.22  | Melanocytic nevi of left ear and external auricular canal                         |
| D22.30  | Melanocytic nevi of unspecified part of face                                      |
| D22.39  | Melanocytic nevi of other parts of face   |
| D22.4   | Melanocytic nevi of scalp and neck  |
| D22.5   | Melanocytic nevi of trunk   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D22.60  | Melanocytic nevi of unspecified upper limb, including shoulder                |
| D22.61  | Melanocytic nevi of right upper limb, including shoulder                      |
| D22.62  | Melanocytic nevi of left upper limb, including shoulder                       |
| D22.70  | Melanocytic nevi of unspecified lower limb, including hip                     |
| D22.71  | Melanocytic nevi of right lower limb, including hip                           |
| D22.72  | Melanocytic nevi of left lower limb, including hip                            |
| D22.9   | Melanocytic nevi, unspecified   |
| D23.0   | Other benign neoplasm of skin of lip  |
| D23.10  | Other benign neoplasm of skin of unspecified eyelid, including canthus        |
| D23.111 | Other benign neoplasm of skin of right upper eyelid, including canthus        |
| D23.112 | Other benign neoplasm of skin of right lower eyelid, including canthus        |
| D23.121 | Other benign neoplasm of skin of left upper eyelid, including canthus         |
| D23.122 | Other benign neoplasm of skin of left lower eyelid, including canthus         |
| D23.20  | Other benign neoplasm of skin of unspecified ear and external auricular canal |
| D23.21  | Other benign neoplasm of skin of right ear and external auricular canal       |
| D23.22  | Other benign neoplasm of skin of left ear and external auricular canal        |
| D23.30  | Other benign neoplasm of skin of unspecified part of face                     |
| D23.39  | Other benign neoplasm of skin of other parts of face                          |
| D23.4   | Other benign neoplasm of skin of scalp and neck                               |
| D23.5   | Other benign neoplasm of skin of trunk  |
| D23.60  | Other benign neoplasm of skin of unspecified upper limb, including shoulder   |
| D23.61  | Other benign neoplasm of skin of right upper limb, including shoulder         |
| D23.62  | Other benign neoplasm of skin of left upper limb, including shoulder          |
| D23.70  | Other benign neoplasm of skin of unspecified lower limb, including hip        |
| D23.71  | Other benign neoplasm of skin of right lower limb, including hip              |
| D23.72  | Other benign neoplasm of skin of left lower limb, including hip               |
| D23.9   | Other benign neoplasm of skin, unspecified                                    |
| D24.1   | Benign neoplasm of right breast   |
| D24.2   | Benign neoplasm of left breast  |
| D24.9   | Benign neoplasm of unspecified breast   |
| D29.0   | Benign neoplasm of penis  |
| D29.1   | Benign neoplasm of prostate   |
| D29.20  | Benign neoplasm of unspecified testis   |
| D29.21  | Benign neoplasm of right testis   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| D29.22  | Benign neoplasm of left testis   |
| D29.30  | Benign neoplasm of unspecified epididymis  |
| D29.31  | Benign neoplasm of right epididymis  |
| D29.32  | Benign neoplasm of left epididymis   |
| D29.4   | Benign neoplasm of scrotum   |
| D29.8   | Benign neoplasm of other specified male genital organs   |
| D29.9   | Benign neoplasm of male genital organ, unspecified   |
| D31.40  | Benign neoplasm of unspecified ciliary body  |
| D31.41  | Benign neoplasm of right ciliary body  |
| D31.42  | Benign neoplasm of left ciliary body   |
| D48.1   | Neoplasm of uncertain behavior of connective and other soft tissue                                 |
| D57.459 | Sickle-cell thalassemia beta plus with crisis, unspecified   |
| D72.10  | Eosinophilia, unspecified  |
| D89.839 | Cytokine release syndrome, grade unspecified   |
| E08.36  | Diabetes mellitus due to underlying condition with diabetic cataract                               |
| E08.51  | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene |
| E08.52  | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene    |
| E08.618 | Diabetes mellitus due to underlying condition with other diabetic arthropathy                      |
| E09.36  | Drug or chemical induced diabetes mellitus with diabetic cataract                                  |
| E09.51  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene    |
| E09.52  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene       |
| E09.618 | Drug or chemical induced diabetes mellitus with other diabetic arthropathy                         |
| E10.36  | Type 1 diabetes mellitus with diabetic cataract  |
| E10.51  | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene                      |
| E10.52  | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                         |
| E10.618 | Type 1 diabetes mellitus with other diabetic arthropathy   |
| E11.36  | Type 2 diabetes mellitus with diabetic cataract  |
| E11.51  | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene                      |
| E11.52  | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene                         |
| E11.618 | Type 2 diabetes mellitus with other diabetic arthropathy   |
| E13.36  | Other specified diabetes mellitus with diabetic cataract   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E13.51  | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene |
| E13.52  | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene    |
| E13.618 | Other specified diabetes mellitus with other diabetic arthropathy                      |
| E23.0   | Hypopituitarism  |
| F10.139 | Alcohol abuse with withdrawal, unspecified   |
| F10.939 | Alcohol use, unspecified with withdrawal, unspecified                                  |
| F11.13  | Opioid abuse with withdrawal   |
| F12.13  | Cannabis abuse with withdrawal   |
| F13.130 | Sedative, hypnotic or anxiolytic abuse with withdrawal, uncomplicated                  |
| F13.131 | Sedative, hypnotic or anxiolytic abuse with withdrawal delirium                        |
| F13.139 | Sedative, hypnotic or anxiolytic abuse with withdrawal, unspecified                    |
| F19.139 | Other psychoactive substance abuse with withdrawal, unspecified                        |
| F21     | Schizotypal disorder   |
| F34.0   | Cyclothymic disorder   |
| F34.1   | Dysthymic disorder   |
| F41.0   | Panic disorder [episodic paroxysmal anxiety]   |
| F41.1   | Generalized anxiety disorder   |
| F41.3   | Other mixed anxiety disorders  |
| F41.8   | Other specified anxiety disorders  |
| F41.9   | Anxiety disorder, unspecified  |
| F45.41  | Pain disorder exclusively related to psychological factors                             |
| F45.42  | Pain disorder with related psychological factors                                       |
| F48.9   | Nonpsychotic mental disorder, unspecified  |
| F52.0   | Hypoactive sexual desire disorder  |
| F52.1   | Sexual aversion disorder   |
| F52.21  | Male erectile disorder   |
| F52.22  | Female sexual arousal disorder   |
| F52.31  | Female orgasmic disorder   |
| F52.32  | Male orgasmic disorder   |
| F52.4   | Premature ejaculation  |
| F52.6   | Dyspareunia not due to a substance or known physiological condition                    |
| F52.8   | Other sexual dysfunction not due to a substance or known physiological condition       |
| F52.9   | Unspecified sexual dysfunction not due to a substance or known physiological condition |
| F60.0   | Paranoid personality disorder  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                      |
|--------|--|
| F60.1  | Schizoid personality disorder                    |
| F60.2  | Antisocial personality disorder                  |
| F60.3  | Borderline personality disorder                  |
| F60.4  | Histrionic personality disorder                  |
| F60.5  | Obsessive-compulsive personality disorder        |
| F60.6  | Avoidant personality disorder                    |
| F60.7  | Dependent personality disorder                   |
| F60.81 | Narcissistic personality disorder                |
| F60.89 | Other specific personality disorders             |
| F60.9  | Personality disorder, unspecified                |
| F63.0  | Pathological gambling                            |
| F63.1  | Pyromania  |
| F63.2  | Kleptomania                                      |
| F63.3  | Trichotillomania                                 |
| F63.81 | Intermittent explosive disorder                  |
| F63.89 | Other impulse disorders                          |
| F63.9  | Impulse disorder, unspecified                    |
| F64.1  | Dual role transvestism                           |
| F64.2  | Gender identity disorder of childhood            |
| F64.8  | Other gender identity disorders                  |
| F64.9  | Gender identity disorder, unspecified            |
| F65.0  | Fetishism  |
| F65.1  | Transvestic fetishism                            |
| F65.2  | Exhibitionism                                    |
| F65.3  | Voyeurism  |
| F65.4  | Pedophilia                                       |
| F65.50 | Sadomasochism, unspecified                       |
| F65.51 | Sexual masochism                                 |
| F65.52 | Sexual sadism                                    |
| F65.81 | Frotteurism                                      |
| F65.89 | Other paraphilias                                |
| F65.9  | Paraphilia, unspecified                          |
| F66    | Other sexual disorders                           |
| F68.10 | Factitious disorder imposed on self, unspecified |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| F68.12 | Factitious disorder imposed on self, with predominantly physical signs and symptoms                          |
| F68.13 | Factitious disorder imposed on self, with combined psychological and physical signs and symptoms             |
| F68.A  | Factitious disorder imposed on another   |
| F69    | Unspecified disorder of adult personality and behavior   |
| F81.9  | Developmental disorder of scholastic skills, unspecified   |
| F90.0  | Attention-deficit hyperactivity disorder, predominantly inattentive type                                     |
| F90.1  | Attention-deficit hyperactivity disorder, predominantly hyperactive type                                     |
| F90.2  | Attention-deficit hyperactivity disorder, combined type  |
| F90.8  | Attention-deficit hyperactivity disorder, other type   |
| F90.9  | Attention-deficit hyperactivity disorder, unspecified type   |
| F91.0  | Conduct disorder confined to family context  |
| F91.1  | Conduct disorder, childhood-onset type   |
| F91.2  | Conduct disorder, adolescent-onset type  |
| F91.3  | Oppositional defiant disorder  |
| F91.8  | Other conduct disorders  |
| F91.9  | Conduct disorder, unspecified  |
| F93.8  | Other childhood emotional disorders  |
| F93.9  | Childhood emotional disorder, unspecified  |
| F94.0  | Selective mutism   |
| F94.1  | Reactive attachment disorder of childhood  |
| F94.2  | Disinhibited attachment disorder of childhood  |
| F94.8  | Other childhood disorders of social functioning  |
| F94.9  | Childhood disorder of social functioning, unspecified  |
| F95.0  | Transient tic disorder   |
| F95.1  | Chronic motor or vocal tic disorder  |
| F95.2  | Tourette's disorder  |
| F95.8  | Other tic disorders  |
| F95.9  | Tic disorder, unspecified  |
| F98.4  | Stereotyped movement disorders   |
| F98.5  | Adult onset fluency disorder   |
| F98.8  | Other specified behavioral and emotional disorders with onset usually occurring in childhood and adolescence |
| F98.9  | Unspecified behavioral and emotional disorders with onset usually occurring in childhood and adolescence     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| G11.10  | Early-onset cerebellar ataxia, unspecified             |
| G44.209 | Tension-type headache, unspecified, not intractable    |
| G89.0   | Central pain syndrome                                  |
| G89.11  | Acute pain due to trauma                               |
| G89.12  | Acute post-thoracotomy pain                            |
| G89.18  | Other acute postprocedural pain                        |
| G89.21  | Chronic pain due to trauma                             |
| G89.22  | Chronic post-thoracotomy pain                          |
| G89.28  | Other chronic postprocedural pain                      |
| G89.29  | Other chronic pain                                     |
| G89.4   | Chronic pain syndrome                                  |
| G96.810 | Intracranial hypotension, unspecified                  |
| H00.011 | Hordeolum externum right upper eyelid                  |
| H00.012 | Hordeolum externum right lower eyelid                  |
| H00.013 | Hordeolum externum right eye, unspecified eyelid       |
| H00.014 | Hordeolum externum left upper eyelid                   |
| H00.015 | Hordeolum externum left lower eyelid                   |
| H00.016 | Hordeolum externum left eye, unspecified eyelid        |
| H00.019 | Hordeolum externum unspecified eye, unspecified eyelid |
| H00.021 | Hordeolum internum right upper eyelid                  |
| H00.022 | Hordeolum internum right lower eyelid                  |
| H00.023 | Hordeolum internum right eye, unspecified eyelid       |
| H00.024 | Hordeolum internum left upper eyelid                   |
| H00.025 | Hordeolum internum left lower eyelid                   |
| H00.026 | Hordeolum internum left eye, unspecified eyelid        |
| H00.029 | Hordeolum internum unspecified eye, unspecified eyelid |
| H00.031 | Abscess of right upper eyelid                          |
| H00.032 | Abscess of right lower eyelid                          |
| H00.033 | Abscess of eyelid right eye, unspecified eyelid        |
| H00.034 | Abscess of left upper eyelid                           |
| H00.035 | Abscess of left lower eyelid                           |
| H00.036 | Abscess of eyelid left eye, unspecified eyelid         |
| H00.039 | Abscess of eyelid unspecified eye, unspecified eyelid  |
| H00.11  | Chalazion right upper eyelid                           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H00.12  | Chalazion right lower eyelid                                |
| H00.13  | Chalazion right eye, unspecified eyelid                     |
| H00.14  | Chalazion left upper eyelid                                 |
| H00.15  | Chalazion left lower eyelid                                 |
| H00.16  | Chalazion left eye, unspecified eyelid                      |
| H00.19  | Chalazion unspecified eye, unspecified eyelid               |
| H01.001 | Unspecified blepharitis right upper eyelid                  |
| H01.002 | Unspecified blepharitis right lower eyelid                  |
| H01.003 | Unspecified blepharitis right eye, unspecified eyelid       |
| H01.004 | Unspecified blepharitis left upper eyelid                   |
| H01.005 | Unspecified blepharitis left lower eyelid                   |
| H01.006 | Unspecified blepharitis left eye, unspecified eyelid        |
| H01.009 | Unspecified blepharitis unspecified eye, unspecified eyelid |
| H01.00A | Unspecified blepharitis right eye, upper and lower eyelids  |
| H01.00B | Unspecified blepharitis left eye, upper and lower eyelids   |
| H01.011 | Ulcerative blepharitis right upper eyelid                   |
| H01.012 | Ulcerative blepharitis right lower eyelid                   |
| H01.013 | Ulcerative blepharitis right eye, unspecified eyelid        |
| H01.014 | Ulcerative blepharitis left upper eyelid                    |
| H01.015 | Ulcerative blepharitis left lower eyelid                    |
| H01.016 | Ulcerative blepharitis left eye, unspecified eyelid         |
| H01.019 | Ulcerative blepharitis unspecified eye, unspecified eyelid  |
| H01.01A | Ulcerative blepharitis right eye, upper and lower eyelids   |
| H01.01B | Ulcerative blepharitis left eye, upper and lower eyelids    |
| H01.021 | Squamous blepharitis right upper eyelid                     |
| H01.022 | Squamous blepharitis right lower eyelid                     |
| H01.023 | Squamous blepharitis right eye, unspecified eyelid          |
| H01.024 | Squamous blepharitis left upper eyelid                      |
| H01.025 | Squamous blepharitis left lower eyelid                      |
| H01.026 | Squamous blepharitis left eye, unspecified eyelid           |
| H01.029 | Squamous blepharitis unspecified eye, unspecified eyelid    |
| H01.02A | Squamous blepharitis right eye, upper and lower eyelids     |
| H01.02B | Squamous blepharitis left eye, upper and lower eyelids      |
| H01.111 | Allergic dermatitis of right upper eyelid                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H01.112 | Allergic dermatitis of right lower eyelid                          |
| H01.113 | Allergic dermatitis of right eye, unspecified eyelid               |
| H01.114 | Allergic dermatitis of left upper eyelid                           |
| H01.115 | Allergic dermatitis of left lower eyelid                           |
| H01.116 | Allergic dermatitis of left eye, unspecified eyelid                |
| H01.119 | Allergic dermatitis of unspecified eye, unspecified eyelid         |
| H01.121 | Discoid lupus erythematosus of right upper eyelid                  |
| H01.122 | Discoid lupus erythematosus of right lower eyelid                  |
| H01.123 | Discoid lupus erythematosus of right eye, unspecified eyelid       |
| H01.124 | Discoid lupus erythematosus of left upper eyelid                   |
| H01.125 | Discoid lupus erythematosus of left lower eyelid                   |
| H01.126 | Discoid lupus erythematosus of left eye, unspecified eyelid        |
| H01.129 | Discoid lupus erythematosus of unspecified eye, unspecified eyelid |
| H01.131 | Eczematous dermatitis of right upper eyelid                        |
| H01.132 | Eczematous dermatitis of right lower eyelid                        |
| H01.133 | Eczematous dermatitis of right eye, unspecified eyelid             |
| H01.134 | Eczematous dermatitis of left upper eyelid                         |
| H01.135 | Eczematous dermatitis of left lower eyelid                         |
| H01.136 | Eczematous dermatitis of left eye, unspecified eyelid              |
| H01.139 | Eczematous dermatitis of unspecified eye, unspecified eyelid       |
| H01.141 | Xeroderma of right upper eyelid                                    |
| H01.142 | Xeroderma of right lower eyelid                                    |
| H01.143 | Xeroderma of right eye, unspecified eyelid                         |
| H01.144 | Xeroderma of left upper eyelid                                     |
| H01.145 | Xeroderma of left lower eyelid                                     |
| H01.146 | Xeroderma of left eye, unspecified eyelid                          |
| H01.149 | Xeroderma of unspecified eye, unspecified eyelid                   |
| H01.8   | Other specified inflammations of eyelid                            |
| H01.9   | Unspecified inflammation of eyelid                                 |
| H02.151 | Paralytic ectropion of right upper eyelid                          |
| H02.152 | Paralytic ectropion of right lower eyelid                          |
| H02.153 | Paralytic ectropion of right eye, unspecified eyelid               |
| H02.154 | Paralytic ectropion of left upper eyelid                           |
| H02.155 | Paralytic ectropion of left lower eyelid                           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H02.156 | Paralytic ectropion of left eye, unspecified eyelid                |
| H02.159 | Paralytic ectropion of unspecified eye, unspecified eyelid         |
| H02.20A | Unspecified lagophthalmos right eye, upper and lower eyelids       |
| H02.20B | Unspecified lagophthalmos left eye, upper and lower eyelids        |
| H02.20C | Unspecified lagophthalmos, bilateral, upper and lower eyelids      |
| H02.21A | Cicatricial lagophthalmos right eye, upper and lower eyelids       |
| H02.21B | Cicatricial lagophthalmos left eye, upper and lower eyelids        |
| H02.21C | Cicatricial lagophthalmos, bilateral, upper and lower eyelids      |
| H02.22A | Mechanical lagophthalmos right eye, upper and lower eyelids        |
| H02.22B | Mechanical lagophthalmos left eye, upper and lower eyelids         |
| H02.22C | Mechanical lagophthalmos, bilateral, upper and lower eyelids       |
| H02.23A | Paralytic lagophthalmos right eye, upper and lower eyelids         |
| H02.23B | Paralytic lagophthalmos left eye, upper and lower eyelids          |
| H02.23C | Paralytic lagophthalmos, bilateral, upper and lower eyelids        |
| H02.881 | Meibomian gland dysfunction right upper eyelid                     |
| H02.882 | Meibomian gland dysfunction right lower eyelid                     |
| H02.883 | Meibomian gland dysfunction of right eye, unspecified eyelid       |
| H02.884 | Meibomian gland dysfunction left upper eyelid                      |
| H02.885 | Meibomian gland dysfunction left lower eyelid                      |
| H02.886 | Meibomian gland dysfunction of left eye, unspecified eyelid        |
| H02.889 | Meibomian gland dysfunction of unspecified eye, unspecified eyelid |
| H02.88A | Meibomian gland dysfunction right eye, upper and lower eyelids     |
| H02.88B | Meibomian gland dysfunction left eye, upper and lower eyelids      |
| H04.001 | Unspecified dacryoadenitis, right lacrimal gland                   |
| H04.002 | Unspecified dacryoadenitis, left lacrimal gland                    |
| H04.003 | Unspecified dacryoadenitis, bilateral lacrimal glands              |
| H04.009 | Unspecified dacryoadenitis, unspecified lacrimal gland             |
| H04.011 | Acute dacryoadenitis, right lacrimal gland                         |
| H04.012 | Acute dacryoadenitis, left lacrimal gland                          |
| H04.013 | Acute dacryoadenitis, bilateral lacrimal glands                    |
| H04.019 | Acute dacryoadenitis, unspecified lacrimal gland                   |
| H04.021 | Chronic dacryoadenitis, right lacrimal gland                       |
| H04.022 | Chronic dacryoadenitis, left lacrimal gland                        |
| H04.023 | Chronic dacryoadenitis, bilateral lacrimal gland                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| H04.029     | Chronic dacryoadenitis, unspecified lacrimal gland           |
| H04.031     | Chronic enlargement of right lacrimal gland                  |
| H04.032     | Chronic enlargement of left lacrimal gland                   |
| H04.033     | Chronic enlargement of bilateral lacrimal glands             |
| H04.039     | Chronic enlargement of unspecified lacrimal gland            |
| H04.111     | Dacryops of right lacrimal gland                             |
| H04.112     | Dacryops of left lacrimal gland                              |
| H04.113     | Dacryops of bilateral lacrimal glands                        |
| H04.119     | Dacryops of unspecified lacrimal gland                       |
| H04.121     | Dry eye syndrome of right lacrimal gland                     |
| H04.122     | Dry eye syndrome of left lacrimal gland                      |
| H04.123     | Dry eye syndrome of bilateral lacrimal glands                |
| H04.129     | Dry eye syndrome of unspecified lacrimal gland               |
| H04.131     | Lacrimal cyst, right lacrimal gland                          |
| H04.132     | Lacrimal cyst, left lacrimal gland                           |
| H04.133     | Lacrimal cyst, bilateral lacrimal glands                     |
| H04.139     | Lacrimal cyst, unspecified lacrimal gland                    |
| H04.141     | Primary lacrimal gland atrophy, right lacrimal gland         |
| H04.142     | Primary lacrimal gland atrophy, left lacrimal gland          |
| H04.143     | Primary lacrimal gland atrophy, bilateral lacrimal glands    |
| H04.149     | Primary lacrimal gland atrophy, unspecified lacrimal gland   |
| H04.151     | Secondary lacrimal gland atrophy, right lacrimal gland       |
| H04.152     | Secondary lacrimal gland atrophy, left lacrimal gland        |
| H04.153     | Secondary lacrimal gland atrophy, bilateral lacrimal glands  |
| H04.159     | Secondary lacrimal gland atrophy, unspecified lacrimal gland |
| H04.161     | Lacrimal gland dislocation, right lacrimal gland             |
| H04.162     | Lacrimal gland dislocation, left lacrimal gland              |
| H04.163     | Lacrimal gland dislocation, bilateral lacrimal glands        |
| H04.169     | Lacrimal gland dislocation, unspecified lacrimal gland       |
| H04.19      | Other specified disorders of lacrimal gland                  |
| H04.201     | Unspecified epiphora, right side                             |
| H04.202     | Unspecified epiphora, left side                              |
| H04.203     | Unspecified epiphora, bilateral                              |
| H04.209     | Unspecified epiphora, unspecified side                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H04.211 | Epiphora due to excess lacrimation, right lacrimal gland       |
| H04.212 | Epiphora due to excess lacrimation, left lacrimal gland        |
| H04.213 | Epiphora due to excess lacrimation, bilateral lacrimal glands  |
| H04.219 | Epiphora due to excess lacrimation, unspecified lacrimal gland |
| H04.221 | Epiphora due to insufficient drainage, right side              |
| H04.222 | Epiphora due to insufficient drainage, left side               |
| H04.223 | Epiphora due to insufficient drainage, bilateral               |
| H04.229 | Epiphora due to insufficient drainage, unspecified side        |
| H04.301 | Unspecified dacryocystitis of right lacrimal passage           |
| H04.302 | Unspecified dacryocystitis of left lacrimal passage            |
| H04.303 | Unspecified dacryocystitis of bilateral lacrimal passages      |
| H04.309 | Unspecified dacryocystitis of unspecified lacrimal passage     |
| H04.311 | Phlegmonous dacryocystitis of right lacrimal passage           |
| H04.312 | Phlegmonous dacryocystitis of left lacrimal passage            |
| H04.313 | Phlegmonous dacryocystitis of bilateral lacrimal passages      |
| H04.319 | Phlegmonous dacryocystitis of unspecified lacrimal passage     |
| H04.321 | Acute dacryocystitis of right lacrimal passage                 |
| H04.322 | Acute dacryocystitis of left lacrimal passage                  |
| H04.323 | Acute dacryocystitis of bilateral lacrimal passages            |
| H04.329 | Acute dacryocystitis of unspecified lacrimal passage           |
| H04.331 | Acute lacrimal canaliculitis of right lacrimal passage         |
| H04.332 | Acute lacrimal canaliculitis of left lacrimal passage          |
| H04.333 | Acute lacrimal canaliculitis of bilateral lacrimal passages    |
| H04.339 | Acute lacrimal canaliculitis of unspecified lacrimal passage   |
| H04.411 | Chronic dacryocystitis of right lacrimal passage               |
| H04.412 | Chronic dacryocystitis of left lacrimal passage                |
| H04.413 | Chronic dacryocystitis of bilateral lacrimal passages          |
| H04.419 | Chronic dacryocystitis of unspecified lacrimal passage         |
| H04.421 | Chronic lacrimal canaliculitis of right lacrimal passage       |
| H04.422 | Chronic lacrimal canaliculitis of left lacrimal passage        |
| H04.423 | Chronic lacrimal canaliculitis of bilateral lacrimal passages  |
| H04.429 | Chronic lacrimal canaliculitis of unspecified lacrimal passage |
| H04.431 | Chronic lacrimal mucocele of right lacrimal passage            |
| H04.432 | Chronic lacrimal mucocele of left lacrimal passage             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H04.433 | Chronic lacrimal mucocele of bilateral lacrimal passages  |
| H04.439 | Chronic lacrimal mucocele of unspecified lacrimal passage |
| H04.511 | Dacryolith of right lacrimal passage                      |
| H04.512 | Dacryolith of left lacrimal passage                       |
| H04.513 | Dacryolith of bilateral lacrimal passages                 |
| H04.519 | Dacryolith of unspecified lacrimal passage                |
| H04.521 | Eversion of right lacrimal punctum                        |
| H04.522 | Eversion of left lacrimal punctum                         |
| H04.523 | Eversion of bilateral lacrimal punctum                    |
| H04.529 | Eversion of unspecified lacrimal punctum                  |
| H04.531 | Neonatal obstruction of right nasolacrimal duct           |
| H04.532 | Neonatal obstruction of left nasolacrimal duct            |
| H04.533 | Neonatal obstruction of bilateral nasolacrimal duct       |
| H04.539 | Neonatal obstruction of unspecified nasolacrimal duct     |
| H04.541 | Stenosis of right lacrimal canaliculi                     |
| H04.542 | Stenosis of left lacrimal canaliculi                      |
| H04.543 | Stenosis of bilateral lacrimal canaliculi                 |
| H04.549 | Stenosis of unspecified lacrimal canaliculi               |
| H04.551 | Acquired stenosis of right nasolacrimal duct              |
| H04.552 | Acquired stenosis of left nasolacrimal duct               |
| H04.553 | Acquired stenosis of bilateral nasolacrimal duct          |
| H04.559 | Acquired stenosis of unspecified nasolacrimal duct        |
| H04.561 | Stenosis of right lacrimal punctum                        |
| H04.562 | Stenosis of left lacrimal punctum                         |
| H04.563 | Stenosis of bilateral lacrimal punctum                    |
| H04.569 | Stenosis of unspecified lacrimal punctum                  |
| H04.571 | Stenosis of right lacrimal sac                            |
| H04.572 | Stenosis of left lacrimal sac                             |
| H04.573 | Stenosis of bilateral lacrimal sac                        |
| H04.579 | Stenosis of unspecified lacrimal sac                      |
| H04.611 | Lacrimal fistula right lacrimal passage                   |
| H04.612 | Lacrimal fistula left lacrimal passage                    |
| H04.613 | Lacrimal fistula bilateral lacrimal passages              |
| H04.619 | Lacrimal fistula unspecified lacrimal passage             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H04.69  | Other changes of lacrimal passages                       |
| H04.811 | Granuloma of right lacrimal passage                      |
| H04.812 | Granuloma of left lacrimal passage                       |
| H04.813 | Granuloma of bilateral lacrimal passages                 |
| H04.819 | Granuloma of unspecified lacrimal passage                |
| H04.89  | Other disorders of lacrimal system                       |
| H04.9   | Disorder of lacrimal system, unspecified                 |
| H05.30  | Unspecified deformity of orbit                           |
| H05.311 | Atrophy of right orbit                                   |
| H05.312 | Atrophy of left orbit                                    |
| H05.313 | Atrophy of bilateral orbit                               |
| H05.319 | Atrophy of unspecified orbit                             |
| H05.321 | Deformity of right orbit due to bone disease             |
| H05.322 | Deformity of left orbit due to bone disease              |
| H05.323 | Deformity of bilateral orbits due to bone disease        |
| H05.329 | Deformity of unspecified orbit due to bone disease       |
| H05.331 | Deformity of right orbit due to trauma or surgery        |
| H05.332 | Deformity of left orbit due to trauma or surgery         |
| H05.333 | Deformity of bilateral orbits due to trauma or surgery   |
| H05.339 | Deformity of unspecified orbit due to trauma or surgery  |
| H05.341 | Enlargement of right orbit                               |
| H05.342 | Enlargement of left orbit                                |
| H05.343 | Enlargement of bilateral orbits                          |
| H05.349 | Enlargement of unspecified orbit                         |
| H05.351 | Exostosis of right orbit                                 |
| H05.352 | Exostosis of left orbit                                  |
| H05.353 | Exostosis of bilateral orbits                            |
| H05.359 | Exostosis of unspecified orbit                           |
| H05.401 | Unspecified enophthalmos, right eye                      |
| H05.402 | Unspecified enophthalmos, left eye                       |
| H05.403 | Unspecified enophthalmos, bilateral                      |
| H05.409 | Unspecified enophthalmos, unspecified eye                |
| H05.411 | Enophthalmos due to atrophy of orbital tissue, right eye |
| H05.412 | Enophthalmos due to atrophy of orbital tissue, left eye  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| H05.413     | Enophthalmos due to atrophy of orbital tissue, bilateral                     |
| H05.419     | Enophthalmos due to atrophy of orbital tissue, unspecified eye               |
| H05.421     | Enophthalmos due to trauma or surgery, right eye                             |
| H05.422     | Enophthalmos due to trauma or surgery, left eye                              |
| H05.423     | Enophthalmos due to trauma or surgery, bilateral                             |
| H05.429     | Enophthalmos due to trauma or surgery, unspecified eye                       |
| H05.50      | Retained (old) foreign body following penetrating wound of unspecified orbit |
| H05.51      | Retained (old) foreign body following penetrating wound of right orbit       |
| H05.52      | Retained (old) foreign body following penetrating wound of left orbit        |
| H05.53      | Retained (old) foreign body following penetrating wound of bilateral orbits  |
| H05.811     | Cyst of right orbit  |
| H05.812     | Cyst of left orbit   |
| H05.813     | Cyst of bilateral orbits   |
| H05.819     | Cyst of unspecified orbit  |
| H05.821     | Myopathy of extraocular muscles, right orbit                                 |
| H05.822     | Myopathy of extraocular muscles, left orbit                                  |
| H05.823     | Myopathy of extraocular muscles, bilateral                                   |
| H05.829     | Myopathy of extraocular muscles, unspecified orbit                           |
| H05.89      | Other disorders of orbit   |
| H05.9       | Unspecified disorder of orbit  |
| H10.821     | Rosacea conjunctivitis, right eye  |
| H10.822     | Rosacea conjunctivitis, left eye   |
| H10.823     | Rosacea conjunctivitis, bilateral  |
| H10.829     | Rosacea conjunctivitis, unspecified eye                                      |
| H17.00      | Adherent leukoma, unspecified eye  |
| H17.01      | Adherent leukoma, right eye  |
| H17.02      | Adherent leukoma, left eye   |
| H17.03      | Adherent leukoma, bilateral  |
| H17.10      | Central corneal opacity, unspecified eye                                     |
| H17.11      | Central corneal opacity, right eye   |
| H17.12      | Central corneal opacity, left eye  |
| H17.13      | Central corneal opacity, bilateral   |
| H17.811     | Minor opacity of cornea, right eye   |
| H17.812     | Minor opacity of cornea, left eye  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H17.813 | Minor opacity of cornea, bilateral                       |
| H17.819 | Minor opacity of cornea, unspecified eye                 |
| H17.821 | Peripheral opacity of cornea, right eye                  |
| H17.822 | Peripheral opacity of cornea, left eye                   |
| H17.823 | Peripheral opacity of cornea, bilateral                  |
| H17.829 | Peripheral opacity of cornea, unspecified eye            |
| H17.89  | Other corneal scars and opacities                        |
| H17.9   | Unspecified corneal scar and opacity                     |
| H18.001 | Unspecified corneal deposit, right eye                   |
| H18.002 | Unspecified corneal deposit, left eye                    |
| H18.003 | Unspecified corneal deposit, bilateral                   |
| H18.009 | Unspecified corneal deposit, unspecified eye             |
| H18.011 | Anterior corneal pigmentations, right eye                |
| H18.012 | Anterior corneal pigmentations, left eye                 |
| H18.013 | Anterior corneal pigmentations, bilateral                |
| H18.019 | Anterior corneal pigmentations, unspecified eye          |
| H18.021 | Argentous corneal deposits, right eye                    |
| H18.022 | Argentous corneal deposits, left eye                     |
| H18.023 | Argentous corneal deposits, bilateral                    |
| H18.029 | Argentous corneal deposits, unspecified eye              |
| H18.031 | Corneal deposits in metabolic disorders, right eye       |
| H18.032 | Corneal deposits in metabolic disorders, left eye        |
| H18.033 | Corneal deposits in metabolic disorders, bilateral       |
| H18.039 | Corneal deposits in metabolic disorders, unspecified eye |
| H18.041 | Kayser-Fleischer ring, right eye                         |
| H18.042 | Kayser-Fleischer ring, left eye                          |
| H18.043 | Kayser-Fleischer ring, bilateral                         |
| H18.049 | Kayser-Fleischer ring, unspecified eye                   |
| H18.051 | Posterior corneal pigmentations, right eye               |
| H18.052 | Posterior corneal pigmentations, left eye                |
| H18.053 | Posterior corneal pigmentations, bilateral               |
| H18.059 | Posterior corneal pigmentations, unspecified eye         |
| H18.061 | Stromal corneal pigmentations, right eye                 |
| H18.062 | Stromal corneal pigmentations, left eye                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H18.063 | Stromal corneal pigmentations, bilateral                 |
| H18.069 | Stromal corneal pigmentations, unspecified eye           |
| H18.10  | Bullous keratopathy, unspecified eye                     |
| H18.11  | Bullous keratopathy, right eye                           |
| H18.12  | Bullous keratopathy, left eye                            |
| H18.13  | Bullous keratopathy, bilateral                           |
| H18.20  | Unspecified corneal edema                                |
| H18.211 | Corneal edema secondary to contact lens, right eye       |
| H18.212 | Corneal edema secondary to contact lens, left eye        |
| H18.213 | Corneal edema secondary to contact lens, bilateral       |
| H18.219 | Corneal edema secondary to contact lens, unspecified eye |
| H18.221 | Idiopathic corneal edema, right eye                      |
| H18.222 | Idiopathic corneal edema, left eye                       |
| H18.223 | Idiopathic corneal edema, bilateral                      |
| H18.229 | Idiopathic corneal edema, unspecified eye                |
| H18.231 | Secondary corneal edema, right eye                       |
| H18.232 | Secondary corneal edema, left eye                        |
| H18.233 | Secondary corneal edema, bilateral                       |
| H18.239 | Secondary corneal edema, unspecified eye                 |
| H18.30  | Unspecified corneal membrane change                      |
| H18.311 | Folds and rupture in Bowman's membrane, right eye        |
| H18.312 | Folds and rupture in Bowman's membrane, left eye         |
| H18.313 | Folds and rupture in Bowman's membrane, bilateral        |
| H18.319 | Folds and rupture in Bowman's membrane, unspecified eye  |
| H18.321 | Folds in Descemet's membrane, right eye                  |
| H18.322 | Folds in Descemet's membrane, left eye                   |
| H18.323 | Folds in Descemet's membrane, bilateral                  |
| H18.329 | Folds in Descemet's membrane, unspecified eye            |
| H18.331 | Rupture in Descemet's membrane, right eye                |
| H18.332 | Rupture in Descemet's membrane, left eye                 |
| H18.333 | Rupture in Descemet's membrane, bilateral                |
| H18.339 | Rupture in Descemet's membrane, unspecified eye          |
| H18.40  | Unspecified corneal degeneration                         |
| H18.411 | Arcus senilis, right eye                                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| H18.412     | Arcus senilis, left eye                                     |
| H18.413     | Arcus senilis, bilateral                                    |
| H18.419     | Arcus senilis, unspecified eye                              |
| H18.421     | Band keratopathy, right eye                                 |
| H18.422     | Band keratopathy, left eye                                  |
| H18.423     | Band keratopathy, bilateral                                 |
| H18.429     | Band keratopathy, unspecified eye                           |
| H18.43      | Other calcareous corneal degeneration                       |
| H18.441     | Keratomalacia, right eye                                    |
| H18.442     | Keratomalacia, left eye                                     |
| H18.443     | Keratomalacia, bilateral                                    |
| H18.449     | Keratomalacia, unspecified eye                              |
| H18.451     | Nodular corneal degeneration, right eye                     |
| H18.452     | Nodular corneal degeneration, left eye                      |
| H18.453     | Nodular corneal degeneration, bilateral                     |
| H18.459     | Nodular corneal degeneration, unspecified eye               |
| H18.461     | Peripheral corneal degeneration, right eye                  |
| H18.462     | Peripheral corneal degeneration, left eye                   |
| H18.463     | Peripheral corneal degeneration, bilateral                  |
| H18.469     | Peripheral corneal degeneration, unspecified eye            |
| H18.49      | Other corneal degeneration                                  |
| H18.501     | Unspecified hereditary corneal dystrophies, right eye       |
| H18.502     | Unspecified hereditary corneal dystrophies, left eye        |
| H18.503     | Unspecified hereditary corneal dystrophies, bilateral       |
| H18.509     | Unspecified hereditary corneal dystrophies, unspecified eye |
| H18.511     | Endothelial corneal dystrophy, right eye                    |
| H18.512     | Endothelial corneal dystrophy, left eye                     |
| H18.513     | Endothelial corneal dystrophy, bilateral                    |
| H18.519     | Endothelial corneal dystrophy, unspecified eye              |
| H18.521     | Epithelial (juvenile) corneal dystrophy, right eye          |
| H18.522     | Epithelial (juvenile) corneal dystrophy, left eye           |
| H18.523     | Epithelial (juvenile) corneal dystrophy, bilateral          |
| H18.529     | Epithelial (juvenile) corneal dystrophy, unspecified eye    |
| H18.531     | Granular corneal dystrophy, right eye                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                                    |
|-------------|---|
| H18.532     | Granular corneal dystrophy, left eye                  |
| H18.533     | Granular corneal dystrophy, bilateral                 |
| H18.539     | Granular corneal dystrophy, unspecified eye           |
| H18.541     | Lattice corneal dystrophy, right eye                  |
| H18.542     | Lattice corneal dystrophy, left eye                   |
| H18.543     | Lattice corneal dystrophy, bilateral                  |
| H18.549     | Lattice corneal dystrophy, unspecified eye            |
| H18.551     | Macular corneal dystrophy, right eye                  |
| H18.552     | Macular corneal dystrophy, left eye                   |
| H18.553     | Macular corneal dystrophy, bilateral                  |
| H18.559     | Macular corneal dystrophy, unspecified eye            |
| H18.591     | Other hereditary corneal dystrophies, right eye       |
| H18.592     | Other hereditary corneal dystrophies, left eye        |
| H18.593     | Other hereditary corneal dystrophies, bilateral       |
| H18.599     | Other hereditary corneal dystrophies, unspecified eye |
| H18.601     | Keratoconus, unspecified, right eye                   |
| H18.602     | Keratoconus, unspecified, left eye                    |
| H18.603     | Keratoconus, unspecified, bilateral                   |
| H18.609     | Keratoconus, unspecified, unspecified eye             |
| H18.611     | Keratoconus, stable, right eye                        |
| H18.612     | Keratoconus, stable, left eye                         |
| H18.613     | Keratoconus, stable, bilateral                        |
| H18.619     | Keratoconus, stable, unspecified eye                  |
| H18.621     | Keratoconus, unstable, right eye                      |
| H18.622     | Keratoconus, unstable, left eye                       |
| H18.623     | Keratoconus, unstable, bilateral                      |
| H18.629     | Keratoconus, unstable, unspecified eye                |
| H18.70      | Unspecified corneal deformity                         |
| H18.711     | Corneal ectasia, right eye                            |
| H18.712     | Corneal ectasia, left eye                             |
| H18.713     | Corneal ectasia, bilateral                            |
| H18.719     | Corneal ectasia, unspecified eye                      |
| H18.721     | Corneal staphyloma, right eye                         |
| H18.722     | Corneal staphyloma, left eye                          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| H18.723     | Corneal staphyloma, bilateral                              |
| H18.729     | Corneal staphyloma, unspecified eye                        |
| H18.731     | Descemetocoele, right eye                                  |
| H18.732     | Descemetocoele, left eye                                   |
| H18.733     | Descemetocoele, bilateral                                  |
| H18.739     | Descemetocoele, unspecified eye                            |
| H18.791     | Other corneal deformities, right eye                       |
| H18.792     | Other corneal deformities, left eye                        |
| H18.793     | Other corneal deformities, bilateral                       |
| H18.799     | Other corneal deformities, unspecified eye                 |
| H18.811     | Anesthesia and hypoesthesia of cornea, right eye           |
| H18.812     | Anesthesia and hypoesthesia of cornea, left eye            |
| H18.813     | Anesthesia and hypoesthesia of cornea, bilateral           |
| H18.819     | Anesthesia and hypoesthesia of cornea, unspecified eye     |
| H18.821     | Corneal disorder due to contact lens, right eye            |
| H18.822     | Corneal disorder due to contact lens, left eye             |
| H18.823     | Corneal disorder due to contact lens, bilateral            |
| H18.829     | Corneal disorder due to contact lens, unspecified eye      |
| H18.831     | Recurrent erosion of cornea, right eye                     |
| H18.832     | Recurrent erosion of cornea, left eye                      |
| H18.833     | Recurrent erosion of cornea, bilateral                     |
| H18.839     | Recurrent erosion of cornea, unspecified eye               |
| H18.891     | Other specified disorders of cornea, right eye             |
| H18.892     | Other specified disorders of cornea, left eye              |
| H18.893     | Other specified disorders of cornea, bilateral             |
| H18.899     | Other specified disorders of cornea, unspecified eye       |
| H18.9       | Unspecified disorder of cornea                             |
| H25.011     | Cortical age-related cataract, right eye                   |
| H25.012     | Cortical age-related cataract, left eye                    |
| H25.013     | Cortical age-related cataract, bilateral                   |
| H25.019     | Cortical age-related cataract, unspecified eye             |
| H25.031     | Anterior subcapsular polar age-related cataract, right eye |
| H25.032     | Anterior subcapsular polar age-related cataract, left eye  |
| H25.033     | Anterior subcapsular polar age-related cataract, bilateral |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| H25.039     | Anterior subcapsular polar age-related cataract, unspecified eye                |
| H25.041     | Posterior subcapsular polar age-related cataract, right eye                     |
| H25.042     | Posterior subcapsular polar age-related cataract, left eye                      |
| H25.043     | Posterior subcapsular polar age-related cataract, bilateral                     |
| H25.049     | Posterior subcapsular polar age-related cataract, unspecified eye               |
| H25.091     | Other age-related incipient cataract, right eye                                 |
| H25.092     | Other age-related incipient cataract, left eye                                  |
| H25.093     | Other age-related incipient cataract, bilateral                                 |
| H25.099     | Other age-related incipient cataract, unspecified eye                           |
| H25.10      | Age-related nuclear cataract, unspecified eye                                   |
| H25.11      | Age-related nuclear cataract, right eye   |
| H25.12      | Age-related nuclear cataract, left eye  |
| H25.13      | Age-related nuclear cataract, bilateral   |
| H25.20      | Age-related cataract, morgagnian type, unspecified eye                          |
| H25.21      | Age-related cataract, morgagnian type, right eye                                |
| H25.22      | Age-related cataract, morgagnian type, left eye                                 |
| H25.23      | Age-related cataract, morgagnian type, bilateral                                |
| H25.811     | Combined forms of age-related cataract, right eye                               |
| H25.812     | Combined forms of age-related cataract, left eye                                |
| H25.813     | Combined forms of age-related cataract, bilateral                               |
| H25.819     | Combined forms of age-related cataract, unspecified eye                         |
| H25.89      | Other age-related cataract  |
| H25.9       | Unspecified age-related cataract  |
| H26.001     | Unspecified infantile and juvenile cataract, right eye                          |
| H26.002     | Unspecified infantile and juvenile cataract, left eye                           |
| H26.003     | Unspecified infantile and juvenile cataract, bilateral                          |
| H26.009     | Unspecified infantile and juvenile cataract, unspecified eye                    |
| H26.011     | Infantile and juvenile cortical, lamellar, or zonular cataract, right eye       |
| H26.012     | Infantile and juvenile cortical, lamellar, or zonular cataract, left eye        |
| H26.013     | Infantile and juvenile cortical, lamellar, or zonular cataract, bilateral       |
| H26.019     | Infantile and juvenile cortical, lamellar, or zonular cataract, unspecified eye |
| H26.031     | Infantile and juvenile nuclear cataract, right eye                              |
| H26.032     | Infantile and juvenile nuclear cataract, left eye                               |
| H26.033     | Infantile and juvenile nuclear cataract, bilateral                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| H26.039     | Infantile and juvenile nuclear cataract, unspecified eye                     |
| H26.041     | Anterior subcapsular polar infantile and juvenile cataract, right eye        |
| H26.042     | Anterior subcapsular polar infantile and juvenile cataract, left eye         |
| H26.043     | Anterior subcapsular polar infantile and juvenile cataract, bilateral        |
| H26.049     | Anterior subcapsular polar infantile and juvenile cataract, unspecified eye  |
| H26.051     | Posterior subcapsular polar infantile and juvenile cataract, right eye       |
| H26.052     | Posterior subcapsular polar infantile and juvenile cataract, left eye        |
| H26.053     | Posterior subcapsular polar infantile and juvenile cataract, bilateral       |
| H26.059     | Posterior subcapsular polar infantile and juvenile cataract, unspecified eye |
| H26.061     | Combined forms of infantile and juvenile cataract, right eye                 |
| H26.062     | Combined forms of infantile and juvenile cataract, left eye                  |
| H26.063     | Combined forms of infantile and juvenile cataract, bilateral                 |
| H26.069     | Combined forms of infantile and juvenile cataract, unspecified eye           |
| H26.09      | Other infantile and juvenile cataract  |
| H26.101     | Unspecified traumatic cataract, right eye                                    |
| H26.102     | Unspecified traumatic cataract, left eye                                     |
| H26.103     | Unspecified traumatic cataract, bilateral                                    |
| H26.109     | Unspecified traumatic cataract, unspecified eye                              |
| H26.111     | Localized traumatic opacities, right eye                                     |
| H26.112     | Localized traumatic opacities, left eye                                      |
| H26.113     | Localized traumatic opacities, bilateral                                     |
| H26.119     | Localized traumatic opacities, unspecified eye                               |
| H26.121     | Partially resolved traumatic cataract, right eye                             |
| H26.122     | Partially resolved traumatic cataract, left eye                              |
| H26.123     | Partially resolved traumatic cataract, bilateral                             |
| H26.129     | Partially resolved traumatic cataract, unspecified eye                       |
| H26.131     | Total traumatic cataract, right eye  |
| H26.132     | Total traumatic cataract, left eye   |
| H26.133     | Total traumatic cataract, bilateral  |
| H26.139     | Total traumatic cataract, unspecified eye                                    |
| H26.20      | Unspecified complicated cataract   |
| H26.211     | Cataract with neovascularization, right eye                                  |
| H26.212     | Cataract with neovascularization, left eye                                   |
| H26.213     | Cataract with neovascularization, bilateral                                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H26.219 | Cataract with neovascularization, unspecified eye                                     |
| H26.221 | Cataract secondary to ocular disorders (degenerative) (inflammatory), right eye       |
| H26.222 | Cataract secondary to ocular disorders (degenerative) (inflammatory), left eye        |
| H26.223 | Cataract secondary to ocular disorders (degenerative) (inflammatory), bilateral       |
| H26.229 | Cataract secondary to ocular disorders (degenerative) (inflammatory), unspecified eye |
| H26.231 | Glaucomatous flecks (subcapsular), right eye  |
| H26.232 | Glaucomatous flecks (subcapsular), left eye   |
| H26.233 | Glaucomatous flecks (subcapsular), bilateral  |
| H26.239 | Glaucomatous flecks (subcapsular), unspecified eye                                    |
| H26.30  | Drug-induced cataract, unspecified eye  |
| H26.31  | Drug-induced cataract, right eye  |
| H26.32  | Drug-induced cataract, left eye   |
| H26.33  | Drug-induced cataract, bilateral  |
| H26.40  | Unspecified secondary cataract  |
| H26.411 | Soemmering's ring, right eye  |
| H26.412 | Soemmering's ring, left eye   |
| H26.413 | Soemmering's ring, bilateral  |
| H26.419 | Soemmering's ring, unspecified eye  |
| H26.491 | Other secondary cataract, right eye   |
| H26.492 | Other secondary cataract, left eye  |
| H26.493 | Other secondary cataract, bilateral   |
| H26.499 | Other secondary cataract, unspecified eye   |
| H26.8   | Other specified cataract  |
| H26.9   | Unspecified cataract  |
| H28     | Cataract in diseases classified elsewhere   |
| H31.001 | Unspecified chorioretinal scars, right eye  |
| H31.002 | Unspecified chorioretinal scars, left eye   |
| H31.003 | Unspecified chorioretinal scars, bilateral  |
| H31.009 | Unspecified chorioretinal scars, unspecified eye                                      |
| H31.011 | Macula scars of posterior pole (postinflammatory) (post-traumatic), right eye         |
| H31.012 | Macula scars of posterior pole (postinflammatory) (post-traumatic), left eye          |
| H31.013 | Macula scars of posterior pole (postinflammatory) (post-traumatic), bilateral         |
| H31.019 | Macula scars of posterior pole (postinflammatory) (post-traumatic), unspecified eye   |
| H31.021 | Solar retinopathy, right eye  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H31.022 | Solar retinopathy, left eye   |
| H31.023 | Solar retinopathy, bilateral  |
| H31.029 | Solar retinopathy, unspecified eye                                  |
| H31.091 | Other chorioretinal scars, right eye                                |
| H31.092 | Other chorioretinal scars, left eye                                 |
| H31.093 | Other chorioretinal scars, bilateral                                |
| H31.099 | Other chorioretinal scars, unspecified eye                          |
| H31.101 | Choroidal degeneration, unspecified, right eye                      |
| H31.102 | Choroidal degeneration, unspecified, left eye                       |
| H31.103 | Choroidal degeneration, unspecified, bilateral                      |
| H31.109 | Choroidal degeneration, unspecified, unspecified eye                |
| H31.111 | Age-related choroidal atrophy, right eye                            |
| H31.112 | Age-related choroidal atrophy, left eye                             |
| H31.113 | Age-related choroidal atrophy, bilateral                            |
| H31.119 | Age-related choroidal atrophy, unspecified eye                      |
| H31.121 | Diffuse secondary atrophy of choroid, right eye                     |
| H31.122 | Diffuse secondary atrophy of choroid, left eye                      |
| H31.123 | Diffuse secondary atrophy of choroid, bilateral                     |
| H31.129 | Diffuse secondary atrophy of choroid, unspecified eye               |
| H31.20  | Hereditary choroidal dystrophy, unspecified                         |
| H31.21  | Choroideremia   |
| H31.22  | Choroidal dystrophy (central areolar) (generalized) (peripapillary) |
| H31.23  | Gyrate atrophy, choroid   |
| H31.29  | Other hereditary choroidal dystrophy                                |
| H31.401 | Unspecified choroidal detachment, right eye                         |
| H31.402 | Unspecified choroidal detachment, left eye                          |
| H31.403 | Unspecified choroidal detachment, bilateral                         |
| H31.409 | Unspecified choroidal detachment, unspecified eye                   |
| H31.411 | Hemorrhagic choroidal detachment, right eye                         |
| H31.412 | Hemorrhagic choroidal detachment, left eye                          |
| H31.413 | Hemorrhagic choroidal detachment, bilateral                         |
| H31.419 | Hemorrhagic choroidal detachment, unspecified eye                   |
| H31.421 | Serous choroidal detachment, right eye                              |
| H31.422 | Serous choroidal detachment, left eye                               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H31.423 | Serous choroidal detachment, bilateral                                 |
| H31.429 | Serous choroidal detachment, unspecified eye                           |
| H31.8   | Other specified disorders of choroid                                   |
| H31.9   | Unspecified disorder of choroid  |
| H32     | Chorioretinal disorders in diseases classified elsewhere               |
| H35.33  | Angioid streaks of macula  |
| H44.2A9 | Degenerative myopia with choroidal neovascularization, unspecified eye |
| H44.2B1 | Degenerative myopia with macular hole, right eye                       |
| H44.2B2 | Degenerative myopia with macular hole, left eye                        |
| H44.2B3 | Degenerative myopia with macular hole, bilateral eye                   |
| H44.2B9 | Degenerative myopia with macular hole, unspecified eye                 |
| H44.2C1 | Degenerative myopia with retinal detachment, right eye                 |
| H44.2C2 | Degenerative myopia with retinal detachment, left eye                  |
| H44.2C3 | Degenerative myopia with retinal detachment, bilateral eye             |
| H44.2C9 | Degenerative myopia with retinal detachment, unspecified eye           |
| H44.2D1 | Degenerative myopia with foveoschisis, right eye                       |
| H44.2D2 | Degenerative myopia with foveoschisis, left eye                        |
| H44.2D3 | Degenerative myopia with foveoschisis, bilateral eye                   |
| H44.2D9 | Degenerative myopia with foveoschisis, unspecified eye                 |
| H44.2E1 | Degenerative myopia with other maculopathy, right eye                  |
| H44.2E2 | Degenerative myopia with other maculopathy, left eye                   |
| H44.2E3 | Degenerative myopia with other maculopathy, bilateral eye              |
| H44.2E9 | Degenerative myopia with other maculopathy, unspecified eye            |
| H47.20  | Unspecified optic atrophy  |
| H47.211 | Primary optic atrophy, right eye                                       |
| H47.212 | Primary optic atrophy, left eye  |
| H47.213 | Primary optic atrophy, bilateral                                       |
| H47.219 | Primary optic atrophy, unspecified eye                                 |
| H47.22  | Hereditary optic atrophy   |
| H47.231 | Glaucomatous optic atrophy, right eye                                  |
| H47.232 | Glaucomatous optic atrophy, left eye                                   |
| H47.233 | Glaucomatous optic atrophy, bilateral                                  |
| H47.239 | Glaucomatous optic atrophy, unspecified eye                            |
| H47.291 | Other optic atrophy, right eye   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                      |
|---------|--|
| H47.292 | Other optic atrophy, left eye                    |
| H47.293 | Other optic atrophy, bilateral                   |
| H47.299 | Other optic atrophy, unspecified eye             |
| H47.311 | Coloboma of optic disc, right eye                |
| H47.312 | Coloboma of optic disc, left eye                 |
| H47.313 | Coloboma of optic disc, bilateral                |
| H47.319 | Coloboma of optic disc, unspecified eye          |
| H47.321 | Drusen of optic disc, right eye                  |
| H47.322 | Drusen of optic disc, left eye                   |
| H47.323 | Drusen of optic disc, bilateral                  |
| H47.329 | Drusen of optic disc, unspecified eye            |
| H47.331 | Pseudopapilledema of optic disc, right eye       |
| H47.332 | Pseudopapilledema of optic disc, left eye        |
| H47.333 | Pseudopapilledema of optic disc, bilateral       |
| H47.339 | Pseudopapilledema of optic disc, unspecified eye |
| H47.391 | Other disorders of optic disc, right eye         |
| H47.392 | Other disorders of optic disc, left eye          |
| H47.393 | Other disorders of optic disc, bilateral         |
| H47.399 | Other disorders of optic disc, unspecified eye   |
| H52.00  | Hypermetropia, unspecified eye                   |
| H52.01  | Hypermetropia, right eye                         |
| H52.02  | Hypermetropia, left eye                          |
| H52.03  | Hypermetropia, bilateral                         |
| H52.10  | Myopia, unspecified eye                          |
| H52.11  | Myopia, right eye                                |
| H52.12  | Myopia, left eye                                 |
| H52.13  | Myopia, bilateral                                |
| H52.201 | Unspecified astigmatism, right eye               |
| H52.202 | Unspecified astigmatism, left eye                |
| H52.203 | Unspecified astigmatism, bilateral               |
| H52.209 | Unspecified astigmatism, unspecified eye         |
| H52.211 | Irregular astigmatism, right eye                 |
| H52.212 | Irregular astigmatism, left eye                  |
| H52.213 | Irregular astigmatism, bilateral                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| H52.219  | Irregular astigmatism, unspecified eye                         |
| H52.221  | Regular astigmatism, right eye                                 |
| H52.222  | Regular astigmatism, left eye                                  |
| H52.223  | Regular astigmatism, bilateral                                 |
| H52.229  | Regular astigmatism, unspecified eye                           |
| H52.31   | Anisometropia  |
| H52.32   | Aniseikonia  |
| H52.4    | Presbyopia   |
| H52.511  | Internal ophthalmoplegia (complete) (total), right eye         |
| H52.512  | Internal ophthalmoplegia (complete) (total), left eye          |
| H52.513  | Internal ophthalmoplegia (complete) (total), bilateral         |
| H52.519  | Internal ophthalmoplegia (complete) (total), unspecified eye   |
| H52.521  | Paresis of accommodation, right eye                            |
| H52.522  | Paresis of accommodation, left eye                             |
| H52.523  | Paresis of accommodation, bilateral                            |
| H52.529  | Paresis of accommodation, unspecified eye                      |
| H52.531  | Spasm of accommodation, right eye                              |
| H52.532  | Spasm of accommodation, left eye                               |
| H52.533  | Spasm of accommodation, bilateral                              |
| H52.539  | Spasm of accommodation, unspecified eye                        |
| H52.6    | Other disorders of refraction                                  |
| H52.7    | Unspecified disorder of refraction                             |
| H54.0X33 | Blindness right eye category 3, blindness left eye category 3  |
| H54.0X34 | Blindness right eye category 3, blindness left eye category 4  |
| H54.0X35 | Blindness right eye category 3, blindness left eye category 5  |
| H54.0X43 | Blindness right eye category 4, blindness left eye category 3  |
| H54.0X44 | Blindness right eye category 4, blindness left eye category 4  |
| H54.0X45 | Blindness right eye category 4, blindness left eye category 5  |
| H54.0X53 | Blindness right eye category 5, blindness left eye category 3  |
| H54.0X54 | Blindness right eye category 5, blindness left eye category 4  |
| H54.0X55 | Blindness right eye category 5, blindness left eye category 5  |
| H54.1131 | Blindness right eye category 3, low vision left eye category 1 |
| H54.1132 | Blindness right eye category 3, low vision left eye category 2 |
| H54.1141 | Blindness right eye category 4, low vision left eye category 1 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| H54.1142 | Blindness right eye category 4, low vision left eye category 2  |
| H54.1151 | Blindness right eye category 5, low vision left eye category 1  |
| H54.1152 | Blindness right eye category 5, low vision left eye category 2  |
| H54.1213 | Low vision right eye category 1, blindness left eye category 3  |
| H54.1214 | Low vision right eye category 1, blindness left eye category 4  |
| H54.1215 | Low vision right eye category 1, blindness left eye category 5  |
| H54.1223 | Low vision right eye category 2, blindness left eye category 3  |
| H54.1224 | Low vision right eye category 2, blindness left eye category 4  |
| H54.1225 | Low vision right eye category 2, blindness left eye category 5  |
| H54.2X11 | Low vision right eye category 1, low vision left eye category 1 |
| H54.2X12 | Low vision right eye category 1, low vision left eye category 2 |
| H54.2X21 | Low vision right eye category 2, low vision left eye category 1 |
| H54.2X22 | Low vision right eye category 2, low vision left eye category 2 |
| H54.413A | Blindness right eye category 3, normal vision left eye          |
| H54.414A | Blindness right eye category 4, normal vision left eye          |
| H54.415A | Blindness right eye category 5, normal vision left eye          |
| H54.42A3 | Blindness left eye category 3, normal vision right eye          |
| H54.42A4 | Blindness left eye category 4, normal vision right eye          |
| H54.42A5 | Blindness left eye category 5, normal vision right eye          |
| H54.511A | Low vision right eye category 1, normal vision left eye         |
| H54.512A | Low vision right eye category 2, normal vision left eye         |
| H54.52A1 | Low vision left eye category 1, normal vision right eye         |
| H54.52A2 | Low vision left eye category 2, normal vision right eye         |
| H54.7    | Unspecified visual loss   |
| H57.9    | Unspecified disorder of eye and adnexa                          |
| H71.00   | Cholesteatoma of attic, unspecified ear                         |
| H71.01   | Cholesteatoma of attic, right ear                               |
| H71.02   | Cholesteatoma of attic, left ear                                |
| H71.03   | Cholesteatoma of attic, bilateral                               |
| H71.10   | Cholesteatoma of tympanum, unspecified ear                      |
| H71.11   | Cholesteatoma of tympanum, right ear                            |
| H71.12   | Cholesteatoma of tympanum, left ear                             |
| H71.13   | Cholesteatoma of tympanum, bilateral                            |
| H71.20   | Cholesteatoma of mastoid, unspecified ear                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H71.21  | Cholesteatoma of mastoid, right ear                               |
| H71.22  | Cholesteatoma of mastoid, left ear                                |
| H71.23  | Cholesteatoma of mastoid, bilateral                               |
| H71.30  | Diffuse cholesteatosis, unspecified ear                           |
| H71.31  | Diffuse cholesteatosis, right ear                                 |
| H71.32  | Diffuse cholesteatosis, left ear                                  |
| H71.33  | Diffuse cholesteatosis, bilateral                                 |
| H71.90  | Unspecified cholesteatoma, unspecified ear                        |
| H71.91  | Unspecified cholesteatoma, right ear                              |
| H71.92  | Unspecified cholesteatoma, left ear                               |
| H71.93  | Unspecified cholesteatoma, bilateral                              |
| H72.00  | Central perforation of tympanic membrane, unspecified ear         |
| H72.01  | Central perforation of tympanic membrane, right ear               |
| H72.02  | Central perforation of tympanic membrane, left ear                |
| H72.03  | Central perforation of tympanic membrane, bilateral               |
| H72.10  | Attic perforation of tympanic membrane, unspecified ear           |
| H72.11  | Attic perforation of tympanic membrane, right ear                 |
| H72.12  | Attic perforation of tympanic membrane, left ear                  |
| H72.13  | Attic perforation of tympanic membrane, bilateral                 |
| H72.2X1 | Other marginal perforations of tympanic membrane, right ear       |
| H72.2X2 | Other marginal perforations of tympanic membrane, left ear        |
| H72.2X3 | Other marginal perforations of tympanic membrane, bilateral       |
| H72.2X9 | Other marginal perforations of tympanic membrane, unspecified ear |
| H72.811 | Multiple perforations of tympanic membrane, right ear             |
| H72.812 | Multiple perforations of tympanic membrane, left ear              |
| H72.813 | Multiple perforations of tympanic membrane, bilateral             |
| H72.819 | Multiple perforations of tympanic membrane, unspecified ear       |
| H72.821 | Total perforations of tympanic membrane, right ear                |
| H72.822 | Total perforations of tympanic membrane, left ear                 |
| H72.823 | Total perforations of tympanic membrane, bilateral                |
| H72.829 | Total perforations of tympanic membrane, unspecified ear          |
| H72.90  | Unspecified perforation of tympanic membrane, unspecified ear     |
| H72.91  | Unspecified perforation of tympanic membrane, right ear           |
| H72.92  | Unspecified perforation of tympanic membrane, left ear            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H72.93  | Unspecified perforation of tympanic membrane, bilateral        |
| H73.811 | Atrophic flaccid tympanic membrane, right ear                  |
| H73.812 | Atrophic flaccid tympanic membrane, left ear                   |
| H73.813 | Atrophic flaccid tympanic membrane, bilateral                  |
| H73.819 | Atrophic flaccid tympanic membrane, unspecified ear            |
| H73.821 | Atrophic nonflaccid tympanic membrane, right ear               |
| H73.822 | Atrophic nonflaccid tympanic membrane, left ear                |
| H73.823 | Atrophic nonflaccid tympanic membrane, bilateral               |
| H73.829 | Atrophic nonflaccid tympanic membrane, unspecified ear         |
| H74.01  | Tympanosclerosis, right ear                                    |
| H74.02  | Tympanosclerosis, left ear                                     |
| H74.03  | Tympanosclerosis, bilateral                                    |
| H74.09  | Tympanosclerosis, unspecified ear                              |
| H74.11  | Adhesive right middle ear disease                              |
| H74.12  | Adhesive left middle ear disease                               |
| H74.13  | Adhesive middle ear disease, bilateral                         |
| H74.19  | Adhesive middle ear disease, unspecified ear                   |
| H74.20  | Discontinuity and dislocation of ear ossicles, unspecified ear |
| H74.21  | Discontinuity and dislocation of right ear ossicles            |
| H74.22  | Discontinuity and dislocation of left ear ossicles             |
| H74.23  | Discontinuity and dislocation of ear ossicles, bilateral       |
| H74.311 | Ankylosis of ear ossicles, right ear                           |
| H74.312 | Ankylosis of ear ossicles, left ear                            |
| H74.313 | Ankylosis of ear ossicles, bilateral                           |
| H74.319 | Ankylosis of ear ossicles, unspecified ear                     |
| H74.321 | Partial loss of ear ossicles, right ear                        |
| H74.322 | Partial loss of ear ossicles, left ear                         |
| H74.323 | Partial loss of ear ossicles, bilateral                        |
| H74.329 | Partial loss of ear ossicles, unspecified ear                  |
| H74.391 | Other acquired abnormalities of right ear ossicles             |
| H74.392 | Other acquired abnormalities of left ear ossicles              |
| H74.393 | Other acquired abnormalities of ear ossicles, bilateral        |
| H74.399 | Other acquired abnormalities of ear ossicles, unspecified ear  |
| H74.40  | Polyp of middle ear, unspecified ear                           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H74.41  | Polyp of right middle ear  |
| H74.42  | Polyp of left middle ear   |
| H74.43  | Polyp of middle ear, bilateral                                       |
| H74.8X1 | Other specified disorders of right middle ear and mastoid            |
| H74.8X2 | Other specified disorders of left middle ear and mastoid             |
| H74.8X3 | Other specified disorders of middle ear and mastoid, bilateral       |
| H74.8X9 | Other specified disorders of middle ear and mastoid, unspecified ear |
| H74.90  | Unspecified disorder of middle ear and mastoid, unspecified ear      |
| H74.91  | Unspecified disorder of right middle ear and mastoid                 |
| H74.92  | Unspecified disorder of left middle ear and mastoid                  |
| H74.93  | Unspecified disorder of middle ear and mastoid, bilateral            |
| H80.00  | Otosclerosis involving oval window, nonobliterative, unspecified ear |
| H80.01  | Otosclerosis involving oval window, nonobliterative, right ear       |
| H80.02  | Otosclerosis involving oval window, nonobliterative, left ear        |
| H80.03  | Otosclerosis involving oval window, nonobliterative, bilateral       |
| H80.10  | Otosclerosis involving oval window, obliterative, unspecified ear    |
| H80.11  | Otosclerosis involving oval window, obliterative, right ear          |
| H80.12  | Otosclerosis involving oval window, obliterative, left ear           |
| H80.13  | Otosclerosis involving oval window, obliterative, bilateral          |
| H80.20  | Cochlear otosclerosis, unspecified ear                               |
| H80.21  | Cochlear otosclerosis, right ear                                     |
| H80.22  | Cochlear otosclerosis, left ear                                      |
| H80.23  | Cochlear otosclerosis, bilateral                                     |
| H80.80  | Other otosclerosis, unspecified ear                                  |
| H80.81  | Other otosclerosis, right ear  |
| H80.82  | Other otosclerosis, left ear   |
| H80.83  | Other otosclerosis, bilateral  |
| H80.90  | Unspecified otosclerosis, unspecified ear                            |
| H80.91  | Unspecified otosclerosis, right ear                                  |
| H80.92  | Unspecified otosclerosis, left ear                                   |
| H80.93  | Unspecified otosclerosis, bilateral                                  |
| H83.3X1 | Noise effects on right inner ear                                     |
| H83.3X2 | Noise effects on left inner ear                                      |
| H83.3X3 | Noise effects on inner ear, bilateral                                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H83.3X9 | Noise effects on inner ear, unspecified ear   |
| H90.0   | Conductive hearing loss, bilateral  |
| H90.11  | Conductive hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side                         |
| H90.12  | Conductive hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side                          |
| H90.2   | Conductive hearing loss, unspecified  |
| H90.3   | Sensorineural hearing loss, bilateral   |
| H90.41  | Sensorineural hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side                      |
| H90.42  | Sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side                       |
| H90.5   | Unspecified sensorineural hearing loss  |
| H90.6   | Mixed conductive and sensorineural hearing loss, bilateral  |
| H90.71  | Mixed conductive and sensorineural hearing loss, unilateral, right ear, with unrestricted hearing on the contralateral side |
| H90.72  | Mixed conductive and sensorineural hearing loss, unilateral, left ear, with unrestricted hearing on the contralateral side  |
| H90.8   | Mixed conductive and sensorineural hearing loss, unspecified  |
| H91.01  | Ototoxic hearing loss, right ear  |
| H91.02  | Ototoxic hearing loss, left ear   |
| H91.03  | Ototoxic hearing loss, bilateral  |
| H91.09  | Ototoxic hearing loss, unspecified ear  |
| H91.10  | Presbycusis, unspecified ear  |
| H91.11  | Presbycusis, right ear  |
| H91.12  | Presbycusis, left ear   |
| H91.13  | Presbycusis, bilateral  |
| H91.20  | Sudden idiopathic hearing loss, unspecified ear   |
| H91.21  | Sudden idiopathic hearing loss, right ear   |
| H91.22  | Sudden idiopathic hearing loss, left ear  |
| H91.23  | Sudden idiopathic hearing loss, bilateral   |
| H91.3   | Deaf nonspeaking, not elsewhere classified  |
| H91.8X1 | Other specified hearing loss, right ear   |
| H91.8X2 | Other specified hearing loss, left ear  |
| H91.8X3 | Other specified hearing loss, bilateral   |
| H91.8X9 | Other specified hearing loss, unspecified ear   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| H91.90      | Unspecified hearing loss, unspecified ear                          |
| H91.91      | Unspecified hearing loss, right ear                                |
| H91.92      | Unspecified hearing loss, left ear                                 |
| H91.93      | Unspecified hearing loss, bilateral                                |
| H93.011     | Transient ischemic deafness, right ear                             |
| H93.012     | Transient ischemic deafness, left ear                              |
| H93.013     | Transient ischemic deafness, bilateral                             |
| H93.019     | Transient ischemic deafness, unspecified ear                       |
| H93.091     | Unspecified degenerative and vascular disorders of right ear       |
| H93.092     | Unspecified degenerative and vascular disorders of left ear        |
| H93.093     | Unspecified degenerative and vascular disorders of ear, bilateral  |
| H93.099     | Unspecified degenerative and vascular disorders of unspecified ear |
| H93.11      | Tinnitus, right ear  |
| H93.12      | Tinnitus, left ear   |
| H93.13      | Tinnitus, bilateral  |
| H93.19      | Tinnitus, unspecified ear  |
| H93.211     | Auditory recruitment, right ear                                    |
| H93.212     | Auditory recruitment, left ear                                     |
| H93.213     | Auditory recruitment, bilateral                                    |
| H93.219     | Auditory recruitment, unspecified ear                              |
| H93.221     | Diplacusis, right ear  |
| H93.222     | Diplacusis, left ear   |
| H93.223     | Diplacusis, bilateral  |
| H93.229     | Diplacusis, unspecified ear  |
| H93.231     | Hyperacusis, right ear   |
| H93.232     | Hyperacusis, left ear  |
| H93.233     | Hyperacusis, bilateral   |
| H93.239     | Hyperacusis, unspecified ear                                       |
| H93.241     | Temporary auditory threshold shift, right ear                      |
| H93.242     | Temporary auditory threshold shift, left ear                       |
| H93.243     | Temporary auditory threshold shift, bilateral                      |
| H93.249     | Temporary auditory threshold shift, unspecified ear                |
| H93.291     | Other abnormal auditory perceptions, right ear                     |
| H93.292     | Other abnormal auditory perceptions, left ear                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H93.293 | Other abnormal auditory perceptions, bilateral   |
| H93.299 | Other abnormal auditory perceptions, unspecified ear   |
| H93.3X1 | Disorders of right acoustic nerve  |
| H93.3X2 | Disorders of left acoustic nerve   |
| H93.3X3 | Disorders of bilateral acoustic nerves   |
| H93.3X9 | Disorders of unspecified acoustic nerve  |
| H93.90  | Unspecified disorder of ear, unspecified ear   |
| H93.91  | Unspecified disorder of right ear  |
| H93.92  | Unspecified disorder of left ear   |
| H93.93  | Unspecified disorder of ear, bilateral   |
| H94.00  | Acoustic neuritis in infectious and parasitic diseases classified elsewhere, unspecified ear |
| H94.01  | Acoustic neuritis in infectious and parasitic diseases classified elsewhere, right ear       |
| H94.02  | Acoustic neuritis in infectious and parasitic diseases classified elsewhere, left ear        |
| H94.03  | Acoustic neuritis in infectious and parasitic diseases classified elsewhere, bilateral       |
| I27.20  | Pulmonary hypertension, unspecified  |
| I27.21  | Secondary pulmonary arterial hypertension  |
| I27.22  | Pulmonary hypertension due to left heart disease   |
| I27.23  | Pulmonary hypertension due to lung diseases and hypoxia                                      |
| I27.24  | Chronic thromboembolic pulmonary hypertension  |
| I27.29  | Other secondary pulmonary hypertension   |
| I70.0   | Atherosclerosis of aorta   |
| I70.1   | Atherosclerosis of renal artery  |
| I73.81  | Erythromelalgia  |
| I73.89  | Other specified peripheral vascular diseases   |
| I73.9   | Peripheral vascular disease, unspecified   |
| I78.1   | Nevus, non-neoplastic  |
| I79.1   | Aortitis in diseases classified elsewhere  |
| I79.8   | Other disorders of arteries, arterioles and capillaries in diseases classified elsewhere     |
| I97.2   | Postmastectomy lymphedema syndrome   |
| J33.0   | Polyp of nasal cavity  |
| J33.1   | Polypoid sinus degeneration  |
| J33.8   | Other polyp of sinus   |
| J33.9   | Nasal polyp, unspecified   |
| J34.0   | Abscess, furuncle and carbuncle of nose  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| J34.1  | Cyst and mucocele of nose and nasal sinus                            |
| J34.2  | Deviated nasal septum  |
| J34.3  | Hypertrophy of nasal turbinates                                      |
| J34.81 | Nasal mucositis (ulcerative)   |
| J34.89 | Other specified disorders of nose and nasal sinuses                  |
| J34.9  | Unspecified disorder of nose and nasal sinuses                       |
| J38.1  | Polyp of vocal cord and larynx                                       |
| K00.0  | Anodontia  |
| K00.1  | Supernumerary teeth  |
| K00.2  | Abnormalities of size and form of teeth                              |
| K00.3  | Mottled teeth  |
| K00.4  | Disturbances in tooth formation                                      |
| K00.5  | Hereditary disturbances in tooth structure, not elsewhere classified |
| K00.6  | Disturbances in tooth eruption                                       |
| K00.7  | Teething syndrome  |
| K00.8  | Other disorders of tooth development                                 |
| K00.9  | Disorder of tooth development, unspecified                           |
| K01.0  | Embedded teeth   |
| K01.1  | Impacted teeth   |
| K02.3  | Arrested dental caries   |
| K02.51 | Dental caries on pit and fissure surface limited to enamel           |
| K02.52 | Dental caries on pit and fissure surface penetrating into dentin     |
| K02.53 | Dental caries on pit and fissure surface penetrating into pulp       |
| K02.61 | Dental caries on smooth surface limited to enamel                    |
| K02.62 | Dental caries on smooth surface penetrating into dentin              |
| K02.63 | Dental caries on smooth surface penetrating into pulp                |
| K02.7  | Dental root caries   |
| K02.9  | Dental caries, unspecified   |
| K03.0  | Excessive attrition of teeth   |
| K03.1  | Abrasion of teeth  |
| K03.2  | Erosion of teeth   |
| K03.3  | Pathological resorption of teeth                                     |
| K03.4  | Hypercementosis  |
| K03.5  | Ankylosis of teeth   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K03.7   | Posteruptive color changes of dental hard tissues                     |
| K03.81  | Cracked tooth   |
| K03.89  | Other specified diseases of hard tissues of teeth                     |
| K03.9   | Disease of hard tissues of teeth, unspecified                         |
| K06.010 | Localized gingival recession, unspecified                             |
| K06.011 | Localized gingival recession, minimal                                 |
| K06.012 | Localized gingival recession, moderate                                |
| K06.013 | Localized gingival recession, severe                                  |
| K06.020 | Generalized gingival recession, unspecified                           |
| K06.021 | Generalized gingival recession, minimal                               |
| K06.022 | Generalized gingival recession, moderate                              |
| K06.023 | Generalized gingival recession, severe                                |
| K08.0   | Exfoliation of teeth due to systemic causes                           |
| K08.101 | Complete loss of teeth, unspecified cause, class I                    |
| K08.102 | Complete loss of teeth, unspecified cause, class II                   |
| K08.103 | Complete loss of teeth, unspecified cause, class III                  |
| K08.104 | Complete loss of teeth, unspecified cause, class IV                   |
| K08.109 | Complete loss of teeth, unspecified cause, unspecified class          |
| K08.111 | Complete loss of teeth due to trauma, class I                         |
| K08.112 | Complete loss of teeth due to trauma, class II                        |
| K08.113 | Complete loss of teeth due to trauma, class III                       |
| K08.114 | Complete loss of teeth due to trauma, class IV                        |
| K08.119 | Complete loss of teeth due to trauma, unspecified class               |
| K08.121 | Complete loss of teeth due to periodontal diseases, class I           |
| K08.122 | Complete loss of teeth due to periodontal diseases, class II          |
| K08.123 | Complete loss of teeth due to periodontal diseases, class III         |
| K08.124 | Complete loss of teeth due to periodontal diseases, class IV          |
| K08.129 | Complete loss of teeth due to periodontal diseases, unspecified class |
| K08.131 | Complete loss of teeth due to caries, class I                         |
| K08.132 | Complete loss of teeth due to caries, class II                        |
| K08.133 | Complete loss of teeth due to caries, class III                       |
| K08.134 | Complete loss of teeth due to caries, class IV                        |
| K08.139 | Complete loss of teeth due to caries, unspecified class               |
| K08.191 | Complete loss of teeth due to other specified cause, class I          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K08.192     | Complete loss of teeth due to other specified cause, class II          |
| K08.193     | Complete loss of teeth due to other specified cause, class III         |
| K08.194     | Complete loss of teeth due to other specified cause, class IV          |
| K08.199     | Complete loss of teeth due to other specified cause, unspecified class |
| K08.20      | Unspecified atrophy of edentulous alveolar ridge                       |
| K08.21      | Minimal atrophy of the mandible  |
| K08.22      | Moderate atrophy of the mandible                                       |
| K08.23      | Severe atrophy of the mandible   |
| K08.24      | Minimal atrophy of maxilla   |
| K08.25      | Moderate atrophy of the maxilla  |
| K08.26      | Severe atrophy of the maxilla  |
| K08.3       | Retained dental root   |
| K08.401     | Partial loss of teeth, unspecified cause, class I                      |
| K08.402     | Partial loss of teeth, unspecified cause, class II                     |
| K08.403     | Partial loss of teeth, unspecified cause, class III                    |
| K08.404     | Partial loss of teeth, unspecified cause, class IV                     |
| K08.409     | Partial loss of teeth, unspecified cause, unspecified class            |
| K08.411     | Partial loss of teeth due to trauma, class I                           |
| K08.412     | Partial loss of teeth due to trauma, class II                          |
| K08.413     | Partial loss of teeth due to trauma, class III                         |
| K08.414     | Partial loss of teeth due to trauma, class IV                          |
| K08.419     | Partial loss of teeth due to trauma, unspecified class                 |
| K08.421     | Partial loss of teeth due to periodontal diseases, class I             |
| K08.422     | Partial loss of teeth due to periodontal diseases, class II            |
| K08.423     | Partial loss of teeth due to periodontal diseases, class III           |
| K08.424     | Partial loss of teeth due to periodontal diseases, class IV            |
| K08.429     | Partial loss of teeth due to periodontal diseases, unspecified class   |
| K08.431     | Partial loss of teeth due to caries, class I                           |
| K08.432     | Partial loss of teeth due to caries, class II                          |
| K08.433     | Partial loss of teeth due to caries, class III                         |
| K08.434     | Partial loss of teeth due to caries, class IV                          |
| K08.439     | Partial loss of teeth due to caries, unspecified class                 |
| K08.491     | Partial loss of teeth due to other specified cause, class I            |
| K08.492     | Partial loss of teeth due to other specified cause, class II           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K08.493 | Partial loss of teeth due to other specified cause, class III                       |
| K08.494 | Partial loss of teeth due to other specified cause, class IV                        |
| K08.499 | Partial loss of teeth due to other specified cause, unspecified class               |
| K08.50  | Unsatisfactory restoration of tooth, unspecified                                    |
| K08.51  | Open restoration margins of tooth   |
| K08.52  | Unrepairable overhanging of dental restorative materials                            |
| K08.530 | Fractured dental restorative material without loss of material                      |
| K08.531 | Fractured dental restorative material with loss of material                         |
| K08.539 | Fractured dental restorative material, unspecified                                  |
| K08.54  | Contour of existing restoration of tooth biologically incompatible with oral health |
| K08.55  | Allergy to existing dental restorative material                                     |
| K08.56  | Poor aesthetic of existing restoration of tooth                                     |
| K08.59  | Other unsatisfactory restoration of tooth   |
| K08.81  | Primary occlusal trauma   |
| K08.82  | Secondary occlusal trauma   |
| K08.89  | Other specified disorders of teeth and supporting structures                        |
| K08.9   | Disorder of teeth and supporting structures, unspecified                            |
| K09.0   | Developmental odontogenic cysts   |
| K09.1   | Developmental (nonodontogenic) cysts of oral region                                 |
| K11.6   | Mucocele of salivary gland  |
| K11.7   | Disturbances of salivary secretion  |
| K11.8   | Other diseases of salivary glands   |
| K11.9   | Disease of salivary gland, unspecified  |
| K61.5   | Supralevator abscess  |
| K82.4   | Cholesterolosis of gallbladder  |
| K82.A1  | Gangrene of gallbladder in cholecystitis  |
| K82.A2  | Perforation of gallbladder in cholecystitis   |
| L08.89  | Other specified local infections of the skin and subcutaneous tissue                |
| L11.0   | Acquired keratosis follicularis   |
| L11.1   | Transient acantholytic dermatosis [Grover]  |
| L11.8   | Other specified acantholytic disorders  |
| L11.9   | Acantholytic disorder, unspecified  |
| L20.0   | Besnier's prurigo   |
| L20.81  | Atopic neurodermatitis  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| L20.82 | Flexural eczema  |
| L20.84 | Intrinsic (allergic) eczema                                      |
| L20.89 | Other atopic dermatitis  |
| L20.9  | Atopic dermatitis, unspecified                                   |
| L22    | Diaper dermatitis  |
| L23.0  | Allergic contact dermatitis due to metals                        |
| L23.1  | Allergic contact dermatitis due to adhesives                     |
| L23.2  | Allergic contact dermatitis due to cosmetics                     |
| L23.3  | Allergic contact dermatitis due to drugs in contact with skin    |
| L23.4  | Allergic contact dermatitis due to dyes                          |
| L23.5  | Allergic contact dermatitis due to other chemical products       |
| L23.6  | Allergic contact dermatitis due to food in contact with the skin |
| L23.7  | Allergic contact dermatitis due to plants, except food           |
| L23.81 | Allergic contact dermatitis due to animal (cat) (dog) dander     |
| L23.89 | Allergic contact dermatitis due to other agents                  |
| L23.9  | Allergic contact dermatitis, unspecified cause                   |
| L24.0  | Irritant contact dermatitis due to detergents                    |
| L24.1  | Irritant contact dermatitis due to oils and greases              |
| L24.2  | Irritant contact dermatitis due to solvents                      |
| L24.3  | Irritant contact dermatitis due to cosmetics                     |
| L24.4  | Irritant contact dermatitis due to drugs in contact with skin    |
| L24.5  | Irritant contact dermatitis due to other chemical products       |
| L24.6  | Irritant contact dermatitis due to food in contact with skin     |
| L24.7  | Irritant contact dermatitis due to plants, except food           |
| L24.81 | Irritant contact dermatitis due to metals                        |
| L24.89 | Irritant contact dermatitis due to other agents                  |
| L24.9  | Irritant contact dermatitis, unspecified cause                   |
| L25.0  | Unspecified contact dermatitis due to cosmetics                  |
| L25.1  | Unspecified contact dermatitis due to drugs in contact with skin |
| L25.2  | Unspecified contact dermatitis due to dyes                       |
| L25.3  | Unspecified contact dermatitis due to other chemical products    |
| L25.4  | Unspecified contact dermatitis due to food in contact with skin  |
| L25.5  | Unspecified contact dermatitis due to plants, except food        |
| L25.8  | Unspecified contact dermatitis due to other agents               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| L25.9 | Unspecified contact dermatitis, unspecified cause                                  |
| L30.0 | Nummular dermatitis  |
| L30.2 | Cutaneous autosensitization  |
| L30.8 | Other specified dermatitis   |
| L30.9 | Dermatitis, unspecified  |
| L55.0 | Sunburn of first degree  |
| L55.1 | Sunburn of second degree   |
| L55.2 | Sunburn of third degree  |
| L55.9 | Sunburn, unspecified   |
| L56.0 | Drug phototoxic response   |
| L56.1 | Drug photoallergic response  |
| L56.2 | Photocontact dermatitis [berloque dermatitis]                                      |
| L56.3 | Solar urticaria  |
| L56.4 | Polymorphous light eruption  |
| L56.5 | Disseminated superficial actinic porokeratosis (DSAP)                              |
| L56.8 | Other specified acute skin changes due to ultraviolet radiation                    |
| L56.9 | Acute skin change due to ultraviolet radiation, unspecified                        |
| L57.0 | Actinic keratosis  |
| L57.1 | Actinic reticuloid   |
| L57.2 | Cutis rhomboidalis nuchae  |
| L57.3 | Poikiloderma of Civatte  |
| L57.4 | Cutis laxa senilis   |
| L57.5 | Actinic granuloma  |
| L57.8 | Other skin changes due to chronic exposure to nonionizing radiation                |
| L57.9 | Skin changes due to chronic exposure to nonionizing radiation, unspecified         |
| L58.0 | Acute radiodermatitis  |
| L58.1 | Chronic radiodermatitis  |
| L58.9 | Radiodermatitis, unspecified   |
| L59.0 | Erythema ab igne [dermatitis ab igne]  |
| L59.8 | Other specified disorders of the skin and subcutaneous tissue related to radiation |
| L59.9 | Disorder of the skin and subcutaneous tissue related to radiation, unspecified     |
| L60.9 | Nail disorder, unspecified   |
| L66.4 | Folliculitis ulerythematososa reticulata   |
| L70.0 | Acne vulgaris  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| L70.1 | Acne conglobata  |
| L70.2 | Acne varioliformis   |
| L70.3 | Acne tropica   |
| L70.4 | Infantile acne   |
| L70.5 | Acne excoriee  |
| L70.8 | Other acne   |
| L70.9 | Acne, unspecified  |
| L72.0 | Epidermal cyst   |
| L72.2 | Steatocystoma multiplex  |
| L72.3 | Sebaceous cyst   |
| L72.8 | Other follicular cysts of the skin and subcutaneous tissue       |
| L72.9 | Follicular cyst of the skin and subcutaneous tissue, unspecified |
| L73.0 | Acne keloid  |
| L73.9 | Follicular disorder, unspecified                                 |
| L80   | Vitiligo   |
| L81.0 | Postinflammatory hyperpigmentation                               |
| L81.1 | Chloasma   |
| L81.2 | Freckles   |
| L81.3 | Cafe au lait spots   |
| L81.4 | Other melanin hyperpigmentation                                  |
| L81.5 | Leukoderma, not elsewhere classified                             |
| L81.6 | Other disorders of diminished melanin formation                  |
| L81.7 | Pigmented purpuric dermatosis                                    |
| L81.8 | Other specified disorders of pigmentation                        |
| L81.9 | Disorder of pigmentation, unspecified                            |
| L82.0 | Inflamed seborrheic keratosis                                    |
| L82.1 | Other seborrheic keratosis                                       |
| L83   | Acanthosis nigricans   |
| L84   | Corns and callosities  |
| L85.0 | Acquired ichthyosis  |
| L85.1 | Acquired keratosis [keratoderma] palmaris et plantaris           |
| L85.2 | Keratosis punctata (palmaris et plantaris)                       |
| L85.3 | Xerosis cutis  |
| L85.8 | Other specified epidermal thickening                             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L85.9   | Epidermal thickening, unspecified  |
| L86     | Keratoderma in diseases classified elsewhere   |
| L87.0   | Keratosis follicularis et parafollicularis in cutem penetrans                                  |
| L87.1   | Reactive perforating collagenosis  |
| L87.2   | Elastosis perforans serpiginosa  |
| L87.8   | Other transepidermal elimination disorders   |
| L87.9   | Transepidermal elimination disorder, unspecified   |
| L90.0   | Lichen sclerosus et atrophicus   |
| L90.1   | Anetoderma of Schweninger-Buzzi  |
| L90.2   | Anetoderma of Jadassohn-Pellizzari   |
| L90.3   | Atrophoderma of Pasini and Pierini   |
| L90.4   | Acrodermatitis chronica atrophicans  |
| L90.5   | Scar conditions and fibrosis of skin   |
| L90.6   | Striae atrophicae  |
| L90.8   | Other atrophic disorders of skin   |
| L90.9   | Atrophic disorder of skin, unspecified   |
| L91.0   | Hypertrophic scar  |
| L91.8   | Other hypertrophic disorders of the skin   |
| L91.9   | Hypertrophic disorder of the skin, unspecified   |
| L92.1   | Necrobiosis lipoidica, not elsewhere classified  |
| L92.2   | Granuloma faciale [eosinophilic granuloma of skin]   |
| L92.3   | Foreign body granuloma of the skin and subcutaneous tissue                                     |
| L92.9   | Granulomatous disorder of the skin and subcutaneous tissue, unspecified                        |
| L94.0   | Localized scleroderma [morphea]  |
| L94.1   | Linear scleroderma   |
| L94.2   | Calcinosis cutis   |
| L94.3   | Sclerodactyly  |
| L94.8   | Other specified localized connective tissue disorders  |
| L94.9   | Localized connective tissue disorder, unspecified  |
| L95.0   | Livedoid vasculitis  |
| L95.8   | Other vasculitis limited to the skin   |
| L95.9   | Vasculitis limited to the skin, unspecified  |
| L97.115 | Non-pressure chronic ulcer of right thigh with muscle involvement without evidence of necrosis |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| L97.116     | Non-pressure chronic ulcer of right thigh with bone involvement without evidence of necrosis                    |
| L97.118     | Non-pressure chronic ulcer of right thigh with other specified severity   |
| L97.125     | Non-pressure chronic ulcer of left thigh with muscle involvement without evidence of necrosis                   |
| L97.126     | Non-pressure chronic ulcer of left thigh with bone involvement without evidence of necrosis                     |
| L97.128     | Non-pressure chronic ulcer of left thigh with other specified severity  |
| L97.205     | Non-pressure chronic ulcer of unspecified calf with muscle involvement without evidence of necrosis             |
| L97.206     | Non-pressure chronic ulcer of unspecified calf with bone involvement without evidence of necrosis               |
| L97.208     | Non-pressure chronic ulcer of unspecified calf with other specified severity                                    |
| L97.215     | Non-pressure chronic ulcer of right calf with muscle involvement without evidence of necrosis                   |
| L97.216     | Non-pressure chronic ulcer of right calf with bone involvement without evidence of necrosis                     |
| L97.218     | Non-pressure chronic ulcer of right calf with other specified severity  |
| L97.225     | Non-pressure chronic ulcer of left calf with muscle involvement without evidence of necrosis                    |
| L97.226     | Non-pressure chronic ulcer of left calf with bone involvement without evidence of necrosis                      |
| L97.228     | Non-pressure chronic ulcer of left calf with other specified severity   |
| L97.315     | Non-pressure chronic ulcer of right ankle with muscle involvement without evidence of necrosis                  |
| L97.316     | Non-pressure chronic ulcer of right ankle with bone involvement without evidence of necrosis                    |
| L97.318     | Non-pressure chronic ulcer of right ankle with other specified severity   |
| L97.325     | Non-pressure chronic ulcer of left ankle with muscle involvement without evidence of necrosis                   |
| L97.326     | Non-pressure chronic ulcer of left ankle with bone involvement without evidence of necrosis                     |
| L97.328     | Non-pressure chronic ulcer of left ankle with other specified severity  |
| L97.405     | Non-pressure chronic ulcer of unspecified heel and midfoot with muscle involvement without evidence of necrosis |
| L97.406     | Non-pressure chronic ulcer of unspecified heel and midfoot with bone involvement without evidence of necrosis   |
| L97.408     | Non-pressure chronic ulcer of unspecified heel and midfoot with other specified severity                        |
| L97.415     | Non-pressure chronic ulcer of right heel and midfoot with muscle involvement without evidence of necrosis       |
| L97.416     | Non-pressure chronic ulcer of right heel and midfoot with bone involvement without evidence of necrosis         |
| L97.418     | Non-pressure chronic ulcer of right heel and midfoot with other specified severity                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| L97.425     | Non-pressure chronic ulcer of left heel and midfoot with muscle involvement without evidence of necrosis                     |
| L97.426     | Non-pressure chronic ulcer of left heel and midfoot with bone involvement without evidence of necrosis                       |
| L97.428     | Non-pressure chronic ulcer of left heel and midfoot with other specified severity  |
| L97.505     | Non-pressure chronic ulcer of other part of unspecified foot with muscle involvement without evidence of necrosis            |
| L97.506     | Non-pressure chronic ulcer of other part of unspecified foot with bone involvement without evidence of necrosis              |
| L97.508     | Non-pressure chronic ulcer of other part of unspecified foot with other specified severity                                   |
| L97.515     | Non-pressure chronic ulcer of other part of right foot with muscle involvement without evidence of necrosis                  |
| L97.516     | Non-pressure chronic ulcer of other part of right foot with bone involvement without evidence of necrosis                    |
| L97.518     | Non-pressure chronic ulcer of other part of right foot with other specified severity   |
| L97.525     | Non-pressure chronic ulcer of other part of left foot with muscle involvement without evidence of necrosis                   |
| L97.526     | Non-pressure chronic ulcer of other part of left foot with bone involvement without evidence of necrosis                     |
| L97.528     | Non-pressure chronic ulcer of other part of left foot with other specified severity  |
| L97.805     | Non-pressure chronic ulcer of other part of unspecified lower leg with muscle involvement without evidence of necrosis       |
| L97.806     | Non-pressure chronic ulcer of other part of unspecified lower leg with bone involvement without evidence of necrosis         |
| L97.808     | Non-pressure chronic ulcer of other part of unspecified lower leg with other specified severity                              |
| L97.815     | Non-pressure chronic ulcer of other part of right lower leg with muscle involvement without evidence of necrosis             |
| L97.816     | Non-pressure chronic ulcer of other part of right lower leg with bone involvement without evidence of necrosis               |
| L97.818     | Non-pressure chronic ulcer of other part of right lower leg with other specified severity                                    |
| L97.825     | Non-pressure chronic ulcer of other part of left lower leg with muscle involvement without evidence of necrosis              |
| L97.826     | Non-pressure chronic ulcer of other part of left lower leg with bone involvement without evidence of necrosis                |
| L97.828     | Non-pressure chronic ulcer of other part of left lower leg with other specified severity                                     |
| L97.905     | Non-pressure chronic ulcer of unspecified part of unspecified lower leg with muscle involvement without evidence of necrosis |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L97.906 | Non-pressure chronic ulcer of unspecified part of unspecified lower leg with bone involvement without evidence of necrosis |
| L97.908 | Non-pressure chronic ulcer of unspecified part of unspecified lower leg with other specified severity                      |
| L97.915 | Non-pressure chronic ulcer of unspecified part of right lower leg with muscle involvement without evidence of necrosis     |
| L97.916 | Non-pressure chronic ulcer of unspecified part of right lower leg with bone involvement without evidence of necrosis       |
| L97.918 | Non-pressure chronic ulcer of unspecified part of right lower leg with other specified severity                            |
| L97.925 | Non-pressure chronic ulcer of unspecified part of left lower leg with muscle involvement without evidence of necrosis      |
| L97.926 | Non-pressure chronic ulcer of unspecified part of left lower leg with bone involvement without evidence of necrosis        |
| L97.928 | Non-pressure chronic ulcer of unspecified part of left lower leg with other specified severity                             |
| L98.415 | Non-pressure chronic ulcer of buttock with muscle involvement without evidence of necrosis                                 |
| L98.416 | Non-pressure chronic ulcer of buttock with bone involvement without evidence of necrosis                                   |
| L98.418 | Non-pressure chronic ulcer of buttock with other specified severity  |
| L98.425 | Non-pressure chronic ulcer of back with muscle involvement without evidence of necrosis                                    |
| L98.426 | Non-pressure chronic ulcer of back with bone involvement without evidence of necrosis                                      |
| L98.428 | Non-pressure chronic ulcer of back with other specified severity   |
| L98.495 | Non-pressure chronic ulcer of skin of other sites with muscle involvement without evidence of necrosis                     |
| L98.496 | Non-pressure chronic ulcer of skin of other sites with bone involvement without evidence of necrosis                       |
| L98.498 | Non-pressure chronic ulcer of skin of other sites with other specified severity  |
| L98.5   | Mucinosi s of the skin   |
| L98.6   | Other infiltrative disorders of the skin and subcutaneous tissue   |
| L98.8   | Other specified disorders of the skin and subcutaneous tissue  |
| L99     | Other disorders of skin and subcutaneous tissue in diseases classified elsewhere   |
| M07.60  | Enteropathic arthropathies, unspecified site   |
| M07.611 | Enteropathic arthropathies, right shoulder   |
| M07.612 | Enteropathic arthropathies, left shoulder  |
| M07.619 | Enteropathic arthropathies, unspecified shoulder   |
| M07.621 | Enteropathic arthropathies, right elbow  |
| M07.622 | Enteropathic arthropathies, left elbow   |
| M07.629 | Enteropathic arthropathies, unspecified elbow  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                                     |
|-------------|--|
| M07.631     | Enteropathic arthropathies, right wrist                |
| M07.632     | Enteropathic arthropathies, left wrist                 |
| M07.639     | Enteropathic arthropathies, unspecified wrist          |
| M07.641     | Enteropathic arthropathies, right hand                 |
| M07.642     | Enteropathic arthropathies, left hand                  |
| M07.649     | Enteropathic arthropathies, unspecified hand           |
| M07.651     | Enteropathic arthropathies, right hip                  |
| M07.652     | Enteropathic arthropathies, left hip                   |
| M07.659     | Enteropathic arthropathies, unspecified hip            |
| M07.661     | Enteropathic arthropathies, right knee                 |
| M07.662     | Enteropathic arthropathies, left knee                  |
| M07.669     | Enteropathic arthropathies, unspecified knee           |
| M07.671     | Enteropathic arthropathies, right ankle and foot       |
| M07.672     | Enteropathic arthropathies, left ankle and foot        |
| M07.679     | Enteropathic arthropathies, unspecified ankle and foot |
| M07.68      | Enteropathic arthropathies, vertebrae                  |
| M07.69      | Enteropathic arthropathies, multiple sites             |
| M12.10      | Kaschin-Beck disease, unspecified site                 |
| M12.111     | Kaschin-Beck disease, right shoulder                   |
| M12.112     | Kaschin-Beck disease, left shoulder                    |
| M12.119     | Kaschin-Beck disease, unspecified shoulder             |
| M12.121     | Kaschin-Beck disease, right elbow                      |
| M12.122     | Kaschin-Beck disease, left elbow                       |
| M12.129     | Kaschin-Beck disease, unspecified elbow                |
| M12.131     | Kaschin-Beck disease, right wrist                      |
| M12.132     | Kaschin-Beck disease, left wrist                       |
| M12.139     | Kaschin-Beck disease, unspecified wrist                |
| M12.141     | Kaschin-Beck disease, right hand                       |
| M12.142     | Kaschin-Beck disease, left hand                        |
| M12.149     | Kaschin-Beck disease, unspecified hand                 |
| M12.151     | Kaschin-Beck disease, right hip                        |
| M12.152     | Kaschin-Beck disease, left hip                         |
| M12.159     | Kaschin-Beck disease, unspecified hip                  |
| M12.161     | Kaschin-Beck disease, right knee                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M12.162 | Kaschin-Beck disease, left knee  |
| M12.169 | Kaschin-Beck disease, unspecified knee                                   |
| M12.171 | Kaschin-Beck disease, right ankle and foot                               |
| M12.172 | Kaschin-Beck disease, left ankle and foot                                |
| M12.179 | Kaschin-Beck disease, unspecified ankle and foot                         |
| M12.18  | Kaschin-Beck disease, vertebrae  |
| M12.19  | Kaschin-Beck disease, multiple sites                                     |
| M12.50  | Traumatic arthropathy, unspecified site                                  |
| M12.511 | Traumatic arthropathy, right shoulder                                    |
| M12.512 | Traumatic arthropathy, left shoulder                                     |
| M12.519 | Traumatic arthropathy, unspecified shoulder                              |
| M12.521 | Traumatic arthropathy, right elbow                                       |
| M12.522 | Traumatic arthropathy, left elbow  |
| M12.529 | Traumatic arthropathy, unspecified elbow                                 |
| M12.531 | Traumatic arthropathy, right wrist                                       |
| M12.532 | Traumatic arthropathy, left wrist  |
| M12.539 | Traumatic arthropathy, unspecified wrist                                 |
| M12.541 | Traumatic arthropathy, right hand  |
| M12.542 | Traumatic arthropathy, left hand   |
| M12.549 | Traumatic arthropathy, unspecified hand                                  |
| M12.551 | Traumatic arthropathy, right hip   |
| M12.552 | Traumatic arthropathy, left hip  |
| M12.559 | Traumatic arthropathy, unspecified hip                                   |
| M12.561 | Traumatic arthropathy, right knee  |
| M12.562 | Traumatic arthropathy, left knee   |
| M12.569 | Traumatic arthropathy, unspecified knee                                  |
| M12.571 | Traumatic arthropathy, right ankle and foot                              |
| M12.572 | Traumatic arthropathy, left ankle and foot                               |
| M12.579 | Traumatic arthropathy, unspecified ankle and foot                        |
| M12.58  | Traumatic arthropathy, other specified site                              |
| M12.59  | Traumatic arthropathy, multiple sites                                    |
| M12.80  | Other specific arthropathies, not elsewhere classified, unspecified site |
| M12.811 | Other specific arthropathies, not elsewhere classified, right shoulder   |
| M12.812 | Other specific arthropathies, not elsewhere classified, left shoulder    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M12.819 | Other specific arthropathies, not elsewhere classified, unspecified shoulder       |
| M12.821 | Other specific arthropathies, not elsewhere classified, right elbow                |
| M12.822 | Other specific arthropathies, not elsewhere classified, left elbow                 |
| M12.829 | Other specific arthropathies, not elsewhere classified, unspecified elbow          |
| M12.831 | Other specific arthropathies, not elsewhere classified, right wrist                |
| M12.832 | Other specific arthropathies, not elsewhere classified, left wrist                 |
| M12.839 | Other specific arthropathies, not elsewhere classified, unspecified wrist          |
| M12.841 | Other specific arthropathies, not elsewhere classified, right hand                 |
| M12.842 | Other specific arthropathies, not elsewhere classified, left hand                  |
| M12.849 | Other specific arthropathies, not elsewhere classified, unspecified hand           |
| M12.851 | Other specific arthropathies, not elsewhere classified, right hip                  |
| M12.852 | Other specific arthropathies, not elsewhere classified, left hip                   |
| M12.859 | Other specific arthropathies, not elsewhere classified, unspecified hip            |
| M12.861 | Other specific arthropathies, not elsewhere classified, right knee                 |
| M12.862 | Other specific arthropathies, not elsewhere classified, left knee                  |
| M12.869 | Other specific arthropathies, not elsewhere classified, unspecified knee           |
| M12.871 | Other specific arthropathies, not elsewhere classified, right ankle and foot       |
| M12.872 | Other specific arthropathies, not elsewhere classified, left ankle and foot        |
| M12.879 | Other specific arthropathies, not elsewhere classified, unspecified ankle and foot |
| M12.88  | Other specific arthropathies, not elsewhere classified, other specified site       |
| M12.89  | Other specific arthropathies, not elsewhere classified, multiple sites             |
| M12.9   | Arthropathy, unspecified   |
| M13.0   | Polyarthritis, unspecified   |
| M13.10  | Monoarthritis, not elsewhere classified, unspecified site                          |
| M13.111 | Monoarthritis, not elsewhere classified, right shoulder                            |
| M13.112 | Monoarthritis, not elsewhere classified, left shoulder                             |
| M13.119 | Monoarthritis, not elsewhere classified, unspecified shoulder                      |
| M13.121 | Monoarthritis, not elsewhere classified, right elbow                               |
| M13.122 | Monoarthritis, not elsewhere classified, left elbow                                |
| M13.129 | Monoarthritis, not elsewhere classified, unspecified elbow                         |
| M13.131 | Monoarthritis, not elsewhere classified, right wrist                               |
| M13.132 | Monoarthritis, not elsewhere classified, left wrist                                |
| M13.139 | Monoarthritis, not elsewhere classified, unspecified wrist                         |
| M13.141 | Monoarthritis, not elsewhere classified, right hand                                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M13.142     | Monoarthritis, not elsewhere classified, left hand                  |
| M13.149     | Monoarthritis, not elsewhere classified, unspecified hand           |
| M13.151     | Monoarthritis, not elsewhere classified, right hip                  |
| M13.152     | Monoarthritis, not elsewhere classified, left hip                   |
| M13.159     | Monoarthritis, not elsewhere classified, unspecified hip            |
| M13.161     | Monoarthritis, not elsewhere classified, right knee                 |
| M13.162     | Monoarthritis, not elsewhere classified, left knee                  |
| M13.169     | Monoarthritis, not elsewhere classified, unspecified knee           |
| M13.171     | Monoarthritis, not elsewhere classified, right ankle and foot       |
| M13.172     | Monoarthritis, not elsewhere classified, left ankle and foot        |
| M13.179     | Monoarthritis, not elsewhere classified, unspecified ankle and foot |
| M13.80      | Other specified arthritis, unspecified site                         |
| M13.811     | Other specified arthritis, right shoulder                           |
| M13.812     | Other specified arthritis, left shoulder                            |
| M13.819     | Other specified arthritis, unspecified shoulder                     |
| M13.821     | Other specified arthritis, right elbow                              |
| M13.822     | Other specified arthritis, left elbow                               |
| M13.829     | Other specified arthritis, unspecified elbow                        |
| M13.831     | Other specified arthritis, right wrist                              |
| M13.832     | Other specified arthritis, left wrist                               |
| M13.839     | Other specified arthritis, unspecified wrist                        |
| M13.841     | Other specified arthritis, right hand                               |
| M13.842     | Other specified arthritis, left hand                                |
| M13.849     | Other specified arthritis, unspecified hand                         |
| M13.851     | Other specified arthritis, right hip                                |
| M13.852     | Other specified arthritis, left hip                                 |
| M13.859     | Other specified arthritis, unspecified hip                          |
| M13.861     | Other specified arthritis, right knee                               |
| M13.862     | Other specified arthritis, left knee                                |
| M13.869     | Other specified arthritis, unspecified knee                         |
| M13.871     | Other specified arthritis, right ankle and foot                     |
| M13.872     | Other specified arthritis, left ankle and foot                      |
| M13.879     | Other specified arthritis, unspecified ankle and foot               |
| M13.88      | Other specified arthritis, other site                               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| M13.89 | Other specified arthritis, multiple sites                               |
| M15.0  | Primary generalized (osteo)arthritis                                    |
| M15.1  | Heberden's nodes (with arthropathy)                                     |
| M15.2  | Bouchard's nodes (with arthropathy)                                     |
| M15.3  | Secondary multiple arthritis  |
| M15.4  | Erosive (osteo)arthritis  |
| M15.8  | Other polyosteoarthritis  |
| M15.9  | Polyosteoarthritis, unspecified   |
| M16.0  | Bilateral primary osteoarthritis of hip                                 |
| M16.10 | Unilateral primary osteoarthritis, unspecified hip                      |
| M16.11 | Unilateral primary osteoarthritis, right hip                            |
| M16.12 | Unilateral primary osteoarthritis, left hip                             |
| M16.2  | Bilateral osteoarthritis resulting from hip dysplasia                   |
| M16.30 | Unilateral osteoarthritis resulting from hip dysplasia, unspecified hip |
| M16.31 | Unilateral osteoarthritis resulting from hip dysplasia, right hip       |
| M16.32 | Unilateral osteoarthritis resulting from hip dysplasia, left hip        |
| M16.4  | Bilateral post-traumatic osteoarthritis of hip                          |
| M16.50 | Unilateral post-traumatic osteoarthritis, unspecified hip               |
| M16.51 | Unilateral post-traumatic osteoarthritis, right hip                     |
| M16.52 | Unilateral post-traumatic osteoarthritis, left hip                      |
| M16.6  | Other bilateral secondary osteoarthritis of hip                         |
| M16.7  | Other unilateral secondary osteoarthritis of hip                        |
| M16.9  | Osteoarthritis of hip, unspecified                                      |
| M17.0  | Bilateral primary osteoarthritis of knee                                |
| M17.10 | Unilateral primary osteoarthritis, unspecified knee                     |
| M17.11 | Unilateral primary osteoarthritis, right knee                           |
| M17.12 | Unilateral primary osteoarthritis, left knee                            |
| M17.2  | Bilateral post-traumatic osteoarthritis of knee                         |
| M17.30 | Unilateral post-traumatic osteoarthritis, unspecified knee              |
| M17.31 | Unilateral post-traumatic osteoarthritis, right knee                    |
| M17.32 | Unilateral post-traumatic osteoarthritis, left knee                     |
| M17.4  | Other bilateral secondary osteoarthritis of knee                        |
| M17.5  | Other unilateral secondary osteoarthritis of knee                       |
| M17.9  | Osteoarthritis of knee, unspecified                                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M18.0   | Bilateral primary osteoarthritis of first carpometacarpal joints                           |
| M18.10  | Unilateral primary osteoarthritis of first carpometacarpal joint, unspecified hand         |
| M18.11  | Unilateral primary osteoarthritis of first carpometacarpal joint, right hand               |
| M18.12  | Unilateral primary osteoarthritis of first carpometacarpal joint, left hand                |
| M18.2   | Bilateral post-traumatic osteoarthritis of first carpometacarpal joints                    |
| M18.30  | Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, unspecified hand  |
| M18.31  | Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, right hand        |
| M18.32  | Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, left hand         |
| M18.4   | Other bilateral secondary osteoarthritis of first carpometacarpal joints                   |
| M18.50  | Other unilateral secondary osteoarthritis of first carpometacarpal joint, unspecified hand |
| M18.51  | Other unilateral secondary osteoarthritis of first carpometacarpal joint, right hand       |
| M18.52  | Other unilateral secondary osteoarthritis of first carpometacarpal joint, left hand        |
| M18.9   | Osteoarthritis of first carpometacarpal joint, unspecified                                 |
| M19.011 | Primary osteoarthritis, right shoulder   |
| M19.012 | Primary osteoarthritis, left shoulder  |
| M19.019 | Primary osteoarthritis, unspecified shoulder   |
| M19.021 | Primary osteoarthritis, right elbow  |
| M19.022 | Primary osteoarthritis, left elbow   |
| M19.029 | Primary osteoarthritis, unspecified elbow  |
| M19.031 | Primary osteoarthritis, right wrist  |
| M19.032 | Primary osteoarthritis, left wrist   |
| M19.039 | Primary osteoarthritis, unspecified wrist  |
| M19.041 | Primary osteoarthritis, right hand   |
| M19.042 | Primary osteoarthritis, left hand  |
| M19.049 | Primary osteoarthritis, unspecified hand   |
| M19.071 | Primary osteoarthritis, right ankle and foot   |
| M19.072 | Primary osteoarthritis, left ankle and foot  |
| M19.079 | Primary osteoarthritis, unspecified ankle and foot   |
| M19.111 | Post-traumatic osteoarthritis, right shoulder  |
| M19.112 | Post-traumatic osteoarthritis, left shoulder   |
| M19.119 | Post-traumatic osteoarthritis, unspecified shoulder  |
| M19.121 | Post-traumatic osteoarthritis, right elbow   |
| M19.122 | Post-traumatic osteoarthritis, left elbow  |
| M19.129 | Post-traumatic osteoarthritis, unspecified elbow   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M19.131 | Post-traumatic osteoarthritis, right wrist                |
| M19.132 | Post-traumatic osteoarthritis, left wrist                 |
| M19.139 | Post-traumatic osteoarthritis, unspecified wrist          |
| M19.141 | Post-traumatic osteoarthritis, right hand                 |
| M19.142 | Post-traumatic osteoarthritis, left hand                  |
| M19.149 | Post-traumatic osteoarthritis, unspecified hand           |
| M19.171 | Post-traumatic osteoarthritis, right ankle and foot       |
| M19.172 | Post-traumatic osteoarthritis, left ankle and foot        |
| M19.179 | Post-traumatic osteoarthritis, unspecified ankle and foot |
| M19.211 | Secondary osteoarthritis, right shoulder                  |
| M19.212 | Secondary osteoarthritis, left shoulder                   |
| M19.219 | Secondary osteoarthritis, unspecified shoulder            |
| M19.221 | Secondary osteoarthritis, right elbow                     |
| M19.222 | Secondary osteoarthritis, left elbow                      |
| M19.229 | Secondary osteoarthritis, unspecified elbow               |
| M19.231 | Secondary osteoarthritis, right wrist                     |
| M19.232 | Secondary osteoarthritis, left wrist                      |
| M19.239 | Secondary osteoarthritis, unspecified wrist               |
| M19.241 | Secondary osteoarthritis, right hand                      |
| M19.242 | Secondary osteoarthritis, left hand                       |
| M19.249 | Secondary osteoarthritis, unspecified hand                |
| M19.271 | Secondary osteoarthritis, right ankle and foot            |
| M19.272 | Secondary osteoarthritis, left ankle and foot             |
| M19.279 | Secondary osteoarthritis, unspecified ankle and foot      |
| M19.90  | Unspecified osteoarthritis, unspecified site              |
| M19.91  | Primary osteoarthritis, unspecified site                  |
| M19.92  | Post-traumatic osteoarthritis, unspecified site           |
| M19.93  | Secondary osteoarthritis, unspecified site                |
| M20.001 | Unspecified deformity of right finger(s)                  |
| M20.002 | Unspecified deformity of left finger(s)                   |
| M20.009 | Unspecified deformity of unspecified finger(s)            |
| M20.011 | Mallet finger of right finger(s)                          |
| M20.012 | Mallet finger of left finger(s)                           |
| M20.019 | Mallet finger of unspecified finger(s)                    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M20.021 | Boutonniere deformity of right finger(s)                      |
| M20.022 | Boutonniere deformity of left finger(s)                       |
| M20.029 | Boutonniere deformity of unspecified finger(s)                |
| M20.031 | Swan-neck deformity of right finger(s)                        |
| M20.032 | Swan-neck deformity of left finger(s)                         |
| M20.039 | Swan-neck deformity of unspecified finger(s)                  |
| M20.091 | Other deformity of right finger(s)                            |
| M20.092 | Other deformity of left finger(s)                             |
| M20.099 | Other deformity of finger(s), unspecified finger(s)           |
| M20.10  | Hallux valgus (acquired), unspecified foot                    |
| M20.11  | Hallux valgus (acquired), right foot                          |
| M20.12  | Hallux valgus (acquired), left foot                           |
| M20.20  | Hallux rigidus, unspecified foot                              |
| M20.21  | Hallux rigidus, right foot                                    |
| M20.22  | Hallux rigidus, left foot                                     |
| M20.30  | Hallux varus (acquired), unspecified foot                     |
| M20.31  | Hallux varus (acquired), right foot                           |
| M20.32  | Hallux varus (acquired), left foot                            |
| M20.40  | Other hammer toe(s) (acquired), unspecified foot              |
| M20.41  | Other hammer toe(s) (acquired), right foot                    |
| M20.42  | Other hammer toe(s) (acquired), left foot                     |
| M20.5X1 | Other deformities of toe(s) (acquired), right foot            |
| M20.5X2 | Other deformities of toe(s) (acquired), left foot             |
| M20.5X9 | Other deformities of toe(s) (acquired), unspecified foot      |
| M20.60  | Acquired deformities of toe(s), unspecified, unspecified foot |
| M20.61  | Acquired deformities of toe(s), unspecified, right foot       |
| M20.62  | Acquired deformities of toe(s), unspecified, left foot        |
| M21.00  | Valgus deformity, not elsewhere classified, unspecified site  |
| M21.021 | Valgus deformity, not elsewhere classified, right elbow       |
| M21.022 | Valgus deformity, not elsewhere classified, left elbow        |
| M21.029 | Valgus deformity, not elsewhere classified, unspecified elbow |
| M21.051 | Valgus deformity, not elsewhere classified, right hip         |
| M21.052 | Valgus deformity, not elsewhere classified, left hip          |
| M21.059 | Valgus deformity, not elsewhere classified, unspecified hip   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M21.061 | Valgus deformity, not elsewhere classified, right knee        |
| M21.062 | Valgus deformity, not elsewhere classified, left knee         |
| M21.069 | Valgus deformity, not elsewhere classified, unspecified knee  |
| M21.071 | Valgus deformity, not elsewhere classified, right ankle       |
| M21.072 | Valgus deformity, not elsewhere classified, left ankle        |
| M21.079 | Valgus deformity, not elsewhere classified, unspecified ankle |
| M21.10  | Varus deformity, not elsewhere classified, unspecified site   |
| M21.121 | Varus deformity, not elsewhere classified, right elbow        |
| M21.122 | Varus deformity, not elsewhere classified, left elbow         |
| M21.129 | Varus deformity, not elsewhere classified, unspecified elbow  |
| M21.151 | Varus deformity, not elsewhere classified, right hip          |
| M21.152 | Varus deformity, not elsewhere classified, left hip           |
| M21.159 | Varus deformity, not elsewhere classified, unspecified        |
| M21.161 | Varus deformity, not elsewhere classified, right knee         |
| M21.162 | Varus deformity, not elsewhere classified, left knee          |
| M21.169 | Varus deformity, not elsewhere classified, unspecified knee   |
| M21.171 | Varus deformity, not elsewhere classified, right ankle        |
| M21.172 | Varus deformity, not elsewhere classified, left ankle         |
| M21.179 | Varus deformity, not elsewhere classified, unspecified ankle  |
| M21.20  | Flexion deformity, unspecified site                           |
| M21.211 | Flexion deformity, right shoulder                             |
| M21.212 | Flexion deformity, left shoulder                              |
| M21.219 | Flexion deformity, unspecified shoulder                       |
| M21.221 | Flexion deformity, right elbow                                |
| M21.222 | Flexion deformity, left elbow                                 |
| M21.229 | Flexion deformity, unspecified elbow                          |
| M21.231 | Flexion deformity, right wrist                                |
| M21.232 | Flexion deformity, left wrist                                 |
| M21.239 | Flexion deformity, unspecified wrist                          |
| M21.241 | Flexion deformity, right finger joints                        |
| M21.242 | Flexion deformity, left finger joints                         |
| M21.249 | Flexion deformity, unspecified finger joints                  |
| M21.251 | Flexion deformity, right hip                                  |
| M21.252 | Flexion deformity, left hip                                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M21.259 | Flexion deformity, unspecified hip                  |
| M21.261 | Flexion deformity, right knee                       |
| M21.262 | Flexion deformity, left knee                        |
| M21.269 | Flexion deformity, unspecified knee                 |
| M21.271 | Flexion deformity, right ankle and toes             |
| M21.272 | Flexion deformity, left ankle and toes              |
| M21.279 | Flexion deformity, unspecified ankle and toes       |
| M21.331 | Wrist drop, right wrist                             |
| M21.332 | Wrist drop, left wrist                              |
| M21.339 | Wrist drop, unspecified wrist                       |
| M21.371 | Foot drop, right foot                               |
| M21.372 | Foot drop, left foot                                |
| M21.379 | Foot drop, unspecified foot                         |
| M21.40  | Flat foot [pes planus] (acquired), unspecified foot |
| M21.41  | Flat foot [pes planus] (acquired), right foot       |
| M21.42  | Flat foot [pes planus] (acquired), left foot        |
| M21.511 | Acquired clawhand, right hand                       |
| M21.512 | Acquired clawhand, left hand                        |
| M21.519 | Acquired clawhand, unspecified hand                 |
| M21.521 | Acquired clubhand, right hand                       |
| M21.522 | Acquired clubhand, left hand                        |
| M21.529 | Acquired clubhand, unspecified hand                 |
| M21.531 | Acquired clawfoot, right foot                       |
| M21.532 | Acquired clawfoot, left foot                        |
| M21.539 | Acquired clawfoot, unspecified foot                 |
| M21.541 | Acquired clubfoot, right foot                       |
| M21.542 | Acquired clubfoot, left foot                        |
| M21.549 | Acquired clubfoot, unspecified foot                 |
| M21.6X1 | Other acquired deformities of right foot            |
| M21.6X2 | Other acquired deformities of left foot             |
| M21.6X9 | Other acquired deformities of unspecified foot      |
| M21.70  | Unequal limb length (acquired), unspecified site    |
| M21.721 | Unequal limb length (acquired), right humerus       |
| M21.722 | Unequal limb length (acquired), left humerus        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M21.729     | Unequal limb length (acquired), unspecified humerus           |
| M21.731     | Unequal limb length (acquired), right ulna                    |
| M21.732     | Unequal limb length (acquired), left ulna                     |
| M21.733     | Unequal limb length (acquired), right radius                  |
| M21.734     | Unequal limb length (acquired), left radius                   |
| M21.739     | Unequal limb length (acquired), unspecified ulna and radius   |
| M21.751     | Unequal limb length (acquired), right femur                   |
| M21.752     | Unequal limb length (acquired), left femur                    |
| M21.759     | Unequal limb length (acquired), unspecified femur             |
| M21.761     | Unequal limb length (acquired), right tibia                   |
| M21.762     | Unequal limb length (acquired), left tibia                    |
| M21.763     | Unequal limb length (acquired), right fibula                  |
| M21.764     | Unequal limb length (acquired), left fibula                   |
| M21.769     | Unequal limb length (acquired), unspecified tibia and fibula  |
| M21.80      | Other specified acquired deformities of unspecified limb      |
| M21.821     | Other specified acquired deformities of right upper arm       |
| M21.822     | Other specified acquired deformities of left upper arm        |
| M21.829     | Other specified acquired deformities of unspecified upper arm |
| M21.831     | Other specified acquired deformities of right forearm         |
| M21.832     | Other specified acquired deformities of left forearm          |
| M21.839     | Other specified acquired deformities of unspecified forearm   |
| M21.851     | Other specified acquired deformities of right thigh           |
| M21.852     | Other specified acquired deformities of left thigh            |
| M21.859     | Other specified acquired deformities of unspecified thigh     |
| M21.861     | Other specified acquired deformities of right lower leg       |
| M21.862     | Other specified acquired deformities of left lower leg        |
| M21.869     | Other specified acquired deformities of unspecified lower leg |
| M21.90      | Unspecified acquired deformity of unspecified limb            |
| M21.921     | Unspecified acquired deformity of right upper arm             |
| M21.922     | Unspecified acquired deformity of left upper arm              |
| M21.929     | Unspecified acquired deformity of unspecified upper arm       |
| M21.931     | Unspecified acquired deformity of right forearm               |
| M21.932     | Unspecified acquired deformity of left forearm                |
| M21.939     | Unspecified acquired deformity of unspecified forearm         |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M21.941 | Unspecified acquired deformity of hand, right hand       |
| M21.942 | Unspecified acquired deformity of hand, left hand        |
| M21.949 | Unspecified acquired deformity of hand, unspecified hand |
| M21.951 | Unspecified acquired deformity of right thigh            |
| M21.952 | Unspecified acquired deformity of left thigh             |
| M21.959 | Unspecified acquired deformity of unspecified thigh      |
| M21.961 | Unspecified acquired deformity of right lower leg        |
| M21.962 | Unspecified acquired deformity of left lower leg         |
| M21.969 | Unspecified acquired deformity of unspecified lower leg  |
| M22.00  | Recurrent dislocation of patella, unspecified knee       |
| M22.01  | Recurrent dislocation of patella, right knee             |
| M22.02  | Recurrent dislocation of patella, left knee              |
| M22.10  | Recurrent subluxation of patella, unspecified knee       |
| M22.11  | Recurrent subluxation of patella, right knee             |
| M22.12  | Recurrent subluxation of patella, left knee              |
| M23.50  | Chronic instability of knee, unspecified knee            |
| M23.8X9 | Other internal derangements of unspecified knee          |
| M24.00  | Loose body in unspecified joint                          |
| M24.011 | Loose body in right shoulder                             |
| M24.012 | Loose body in left shoulder                              |
| M24.019 | Loose body in unspecified shoulder                       |
| M24.021 | Loose body in right elbow                                |
| M24.022 | Loose body in left elbow                                 |
| M24.029 | Loose body in unspecified elbow                          |
| M24.031 | Loose body in right wrist                                |
| M24.032 | Loose body in left wrist                                 |
| M24.039 | Loose body in unspecified wrist                          |
| M24.041 | Loose body in right finger joint(s)                      |
| M24.042 | Loose body in left finger joint(s)                       |
| M24.049 | Loose body in unspecified finger joint(s)                |
| M24.051 | Loose body in right hip                                  |
| M24.052 | Loose body in left hip                                   |
| M24.059 | Loose body in unspecified hip                            |
| M24.071 | Loose body in right ankle                                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M24.072     | Loose body in left ankle                                  |
| M24.073     | Loose body in unspecified ankle                           |
| M24.074     | Loose body in right toe joint(s)                          |
| M24.075     | Loose body in left toe joint(s)                           |
| M24.076     | Loose body in unspecified toe joints                      |
| M24.08      | Loose body, other site                                    |
| M24.10      | Other articular cartilage disorders, unspecified site     |
| M24.111     | Other articular cartilage disorders, right shoulder       |
| M24.112     | Other articular cartilage disorders, left shoulder        |
| M24.119     | Other articular cartilage disorders, unspecified shoulder |
| M24.121     | Other articular cartilage disorders, right elbow          |
| M24.122     | Other articular cartilage disorders, left elbow           |
| M24.129     | Other articular cartilage disorders, unspecified elbow    |
| M24.131     | Other articular cartilage disorders, right wrist          |
| M24.132     | Other articular cartilage disorders, left wrist           |
| M24.139     | Other articular cartilage disorders, unspecified wrist    |
| M24.141     | Other articular cartilage disorders, right hand           |
| M24.142     | Other articular cartilage disorders, left hand            |
| M24.149     | Other articular cartilage disorders, unspecified hand     |
| M24.151     | Other articular cartilage disorders, right hip            |
| M24.152     | Other articular cartilage disorders, left hip             |
| M24.159     | Other articular cartilage disorders, unspecified hip      |
| M24.171     | Other articular cartilage disorders, right ankle          |
| M24.172     | Other articular cartilage disorders, left ankle           |
| M24.173     | Other articular cartilage disorders, unspecified ankle    |
| M24.174     | Other articular cartilage disorders, right foot           |
| M24.175     | Other articular cartilage disorders, left foot            |
| M24.176     | Other articular cartilage disorders, unspecified foot     |
| M24.20      | Disorder of ligament, unspecified site                    |
| M24.211     | Disorder of ligament, right shoulder                      |
| M24.212     | Disorder of ligament, left shoulder                       |
| M24.219     | Disorder of ligament, unspecified shoulder                |
| M24.221     | Disorder of ligament, right elbow                         |
| M24.222     | Disorder of ligament, left elbow                          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M24.229 | Disorder of ligament, unspecified elbow                                    |
| M24.231 | Disorder of ligament, right wrist  |
| M24.232 | Disorder of ligament, left wrist   |
| M24.239 | Disorder of ligament, unspecified wrist                                    |
| M24.241 | Disorder of ligament, right hand   |
| M24.242 | Disorder of ligament, left hand  |
| M24.249 | Disorder of ligament, unspecified hand                                     |
| M24.251 | Disorder of ligament, right hip  |
| M24.252 | Disorder of ligament, left hip   |
| M24.259 | Disorder of ligament, unspecified hip                                      |
| M24.271 | Disorder of ligament, right ankle  |
| M24.272 | Disorder of ligament, left ankle   |
| M24.273 | Disorder of ligament, unspecified ankle                                    |
| M24.274 | Disorder of ligament, right foot   |
| M24.275 | Disorder of ligament, left foot  |
| M24.276 | Disorder of ligament, unspecified foot                                     |
| M24.28  | Disorder of ligament, vertebrae  |
| M24.30  | Pathological dislocation of unspecified joint, not elsewhere classified    |
| M24.311 | Pathological dislocation of right shoulder, not elsewhere classified       |
| M24.312 | Pathological dislocation of left shoulder, not elsewhere classified        |
| M24.319 | Pathological dislocation of unspecified shoulder, not elsewhere classified |
| M24.321 | Pathological dislocation of right elbow, not elsewhere classified          |
| M24.322 | Pathological dislocation of left elbow, not elsewhere classified           |
| M24.329 | Pathological dislocation of unspecified elbow, not elsewhere classified    |
| M24.331 | Pathological dislocation of right wrist, not elsewhere classified          |
| M24.332 | Pathological dislocation of left wrist, not elsewhere classified           |
| M24.339 | Pathological dislocation of unspecified wrist, not elsewhere classified    |
| M24.341 | Pathological dislocation of right hand, not elsewhere classified           |
| M24.342 | Pathological dislocation of left hand, not elsewhere classified            |
| M24.349 | Pathological dislocation of unspecified hand, not elsewhere classified     |
| M24.351 | Pathological dislocation of right hip, not elsewhere classified            |
| M24.352 | Pathological dislocation of left hip, not elsewhere classified             |
| M24.359 | Pathological dislocation of unspecified hip, not elsewhere classified      |
| M24.361 | Pathological dislocation of right knee, not elsewhere classified           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M24.362 | Pathological dislocation of left knee, not elsewhere classified         |
| M24.369 | Pathological dislocation of unspecified knee, not elsewhere classified  |
| M24.371 | Pathological dislocation of right ankle, not elsewhere classified       |
| M24.372 | Pathological dislocation of left ankle, not elsewhere classified        |
| M24.373 | Pathological dislocation of unspecified ankle, not elsewhere classified |
| M24.374 | Pathological dislocation of right foot, not elsewhere classified        |
| M24.375 | Pathological dislocation of left foot, not elsewhere classified         |
| M24.376 | Pathological dislocation of unspecified foot, not elsewhere classified  |
| M24.40  | Recurrent dislocation, unspecified joint                                |
| M24.411 | Recurrent dislocation, right shoulder                                   |
| M24.412 | Recurrent dislocation, left shoulder                                    |
| M24.419 | Recurrent dislocation, unspecified shoulder                             |
| M24.421 | Recurrent dislocation, right elbow                                      |
| M24.422 | Recurrent dislocation, left elbow                                       |
| M24.429 | Recurrent dislocation, unspecified elbow                                |
| M24.431 | Recurrent dislocation, right wrist                                      |
| M24.432 | Recurrent dislocation, left wrist                                       |
| M24.439 | Recurrent dislocation, unspecified wrist                                |
| M24.441 | Recurrent dislocation, right hand                                       |
| M24.442 | Recurrent dislocation, left hand  |
| M24.443 | Recurrent dislocation, unspecified hand                                 |
| M24.444 | Recurrent dislocation, right finger                                     |
| M24.445 | Recurrent dislocation, left finger                                      |
| M24.446 | Recurrent dislocation, unspecified finger                               |
| M24.451 | Recurrent dislocation, right hip  |
| M24.452 | Recurrent dislocation, left hip   |
| M24.459 | Recurrent dislocation, unspecified hip                                  |
| M24.461 | Recurrent dislocation, right knee                                       |
| M24.462 | Recurrent dislocation, left knee  |
| M24.469 | Recurrent dislocation, unspecified knee                                 |
| M24.471 | Recurrent dislocation, right ankle                                      |
| M24.472 | Recurrent dislocation, left ankle                                       |
| M24.473 | Recurrent dislocation, unspecified ankle                                |
| M24.474 | Recurrent dislocation, right foot                                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                        |
|-------------|---|
| M24.475     | Recurrent dislocation, left foot          |
| M24.476     | Recurrent dislocation, unspecified foot   |
| M24.477     | Recurrent dislocation, right toe(s)       |
| M24.478     | Recurrent dislocation, left toe(s)        |
| M24.479     | Recurrent dislocation, unspecified toe(s) |
| M24.50      | Contracture, unspecified joint            |
| M24.511     | Contracture, right shoulder               |
| M24.512     | Contracture, left shoulder                |
| M24.519     | Contracture, unspecified shoulder         |
| M24.521     | Contracture, right elbow                  |
| M24.522     | Contracture, left elbow                   |
| M24.529     | Contracture, unspecified elbow            |
| M24.531     | Contracture, right wrist                  |
| M24.532     | Contracture, left wrist                   |
| M24.539     | Contracture, unspecified wrist            |
| M24.541     | Contracture, right hand                   |
| M24.542     | Contracture, left hand                    |
| M24.549     | Contracture, unspecified hand             |
| M24.551     | Contracture, right hip                    |
| M24.552     | Contracture, left hip                     |
| M24.559     | Contracture, unspecified hip              |
| M24.561     | Contracture, right knee                   |
| M24.562     | Contracture, left knee                    |
| M24.569     | Contracture, unspecified knee             |
| M24.571     | Contracture, right ankle                  |
| M24.572     | Contracture, left ankle                   |
| M24.573     | Contracture, unspecified ankle            |
| M24.574     | Contracture, right foot                   |
| M24.575     | Contracture, left foot                    |
| M24.576     | Contracture, unspecified foot             |
| M24.60      | Ankylosis, unspecified joint              |
| M24.611     | Ankylosis, right shoulder                 |
| M24.612     | Ankylosis, left shoulder                  |
| M24.619     | Ankylosis, unspecified shoulder           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M24.621 | Ankylosis, right elbow  |
| M24.622 | Ankylosis, left elbow   |
| M24.629 | Ankylosis, unspecified elbow  |
| M24.631 | Ankylosis, right wrist  |
| M24.632 | Ankylosis, left wrist   |
| M24.639 | Ankylosis, unspecified wrist  |
| M24.641 | Ankylosis, right hand   |
| M24.642 | Ankylosis, left hand  |
| M24.649 | Ankylosis, unspecified hand   |
| M24.651 | Ankylosis, right hip  |
| M24.652 | Ankylosis, left hip   |
| M24.659 | Ankylosis, unspecified hip  |
| M24.661 | Ankylosis, right knee   |
| M24.662 | Ankylosis, left knee  |
| M24.669 | Ankylosis, unspecified knee   |
| M24.671 | Ankylosis, right ankle  |
| M24.672 | Ankylosis, left ankle   |
| M24.673 | Ankylosis, unspecified ankle  |
| M24.674 | Ankylosis, right foot   |
| M24.675 | Ankylosis, left foot  |
| M24.676 | Ankylosis, unspecified foot   |
| M24.7   | Protrusio acetabuli   |
| M24.80  | Other specific joint derangements of unspecified joint, not elsewhere classified    |
| M24.811 | Other specific joint derangements of right shoulder, not elsewhere classified       |
| M24.812 | Other specific joint derangements of left shoulder, not elsewhere classified        |
| M24.819 | Other specific joint derangements of unspecified shoulder, not elsewhere classified |
| M24.821 | Other specific joint derangements of right elbow, not elsewhere classified          |
| M24.822 | Other specific joint derangements of left elbow, not elsewhere classified           |
| M24.829 | Other specific joint derangements of unspecified elbow, not elsewhere classified    |
| M24.831 | Other specific joint derangements of right wrist, not elsewhere classified          |
| M24.832 | Other specific joint derangements of left wrist, not elsewhere classified           |
| M24.839 | Other specific joint derangements of unspecified wrist, not elsewhere classified    |
| M24.841 | Other specific joint derangements of right hand, not elsewhere classified           |
| M24.842 | Other specific joint derangements of left hand, not elsewhere classified            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M24.849 | Other specific joint derangements of unspecified hand, not elsewhere classified  |
| M24.851 | Other specific joint derangements of right hip, not elsewhere classified         |
| M24.852 | Other specific joint derangements of left hip, not elsewhere classified          |
| M24.859 | Other specific joint derangements of unspecified hip, not elsewhere classified   |
| M24.871 | Other specific joint derangements of right ankle, not elsewhere classified       |
| M24.872 | Other specific joint derangements of left ankle, not elsewhere classified        |
| M24.873 | Other specific joint derangements of unspecified ankle, not elsewhere classified |
| M24.874 | Other specific joint derangements of right foot, not elsewhere classified        |
| M24.875 | Other specific joint derangements left foot, not elsewhere classified            |
| M24.876 | Other specific joint derangements of unspecified foot, not elsewhere classified  |
| M24.9   | Joint derangement, unspecified   |
| M25.20  | Flail joint, unspecified joint   |
| M25.211 | Flail joint, right shoulder  |
| M25.212 | Flail joint, left shoulder   |
| M25.219 | Flail joint, unspecified shoulder  |
| M25.221 | Flail joint, right elbow   |
| M25.222 | Flail joint, left elbow  |
| M25.229 | Flail joint, unspecified elbow   |
| M25.231 | Flail joint, right wrist   |
| M25.232 | Flail joint, left wrist  |
| M25.239 | Flail joint, unspecified wrist   |
| M25.241 | Flail joint, right hand  |
| M25.242 | Flail joint, left hand   |
| M25.249 | Flail joint, unspecified hand  |
| M25.251 | Flail joint, right hip   |
| M25.252 | Flail joint, left hip  |
| M25.259 | Flail joint, unspecified hip   |
| M25.261 | Flail joint, right knee  |
| M25.262 | Flail joint, left knee   |
| M25.269 | Flail joint, unspecified knee  |
| M25.271 | Flail joint, right ankle and foot  |
| M25.272 | Flail joint, left ankle and foot   |
| M25.279 | Flail joint, unspecified ankle and foot  |
| M25.28  | Flail joint, other site  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                             |
|---------|---|
| M25.30  | Other instability, unspecified joint    |
| M25.311 | Other instability, right shoulder       |
| M25.312 | Other instability, left shoulder        |
| M25.319 | Other instability, unspecified shoulder |
| M25.321 | Other instability, right elbow          |
| M25.322 | Other instability, left elbow           |
| M25.329 | Other instability, unspecified elbow    |
| M25.331 | Other instability, right wrist          |
| M25.332 | Other instability, left wrist           |
| M25.339 | Other instability, unspecified wrist    |
| M25.341 | Other instability, right hand           |
| M25.342 | Other instability, left hand            |
| M25.349 | Other instability, unspecified hand     |
| M25.351 | Other instability, right hip            |
| M25.352 | Other instability, left hip             |
| M25.359 | Other instability, unspecified hip      |
| M25.361 | Other instability, right knee           |
| M25.362 | Other instability, left knee            |
| M25.369 | Other instability, unspecified knee     |
| M25.371 | Other instability, right ankle          |
| M25.372 | Other instability, left ankle           |
| M25.373 | Other instability, unspecified ankle    |
| M25.374 | Other instability, right foot           |
| M25.375 | Other instability, left foot            |
| M25.376 | Other instability, unspecified foot     |
| M25.70  | Osteophyte, unspecified joint           |
| M25.711 | Osteophyte, right shoulder              |
| M25.712 | Osteophyte, left shoulder               |
| M25.719 | Osteophyte, unspecified shoulder        |
| M25.721 | Osteophyte, right elbow                 |
| M25.722 | Osteophyte, left elbow                  |
| M25.729 | Osteophyte, unspecified elbow           |
| M25.731 | Osteophyte, right wrist                 |
| M25.732 | Osteophyte, left wrist                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M25.739 | Osteophyte, unspecified wrist                              |
| M25.741 | Osteophyte, right hand                                     |
| M25.742 | Osteophyte, left hand                                      |
| M25.749 | Osteophyte, unspecified hand                               |
| M25.751 | Osteophyte, right hip                                      |
| M25.752 | Osteophyte, left hip                                       |
| M25.759 | Osteophyte, unspecified hip                                |
| M25.761 | Osteophyte, right knee                                     |
| M25.762 | Osteophyte, left knee                                      |
| M25.769 | Osteophyte, unspecified knee                               |
| M25.771 | Osteophyte, right ankle                                    |
| M25.772 | Osteophyte, left ankle                                     |
| M25.773 | Osteophyte, unspecified ankle                              |
| M25.774 | Osteophyte, right foot                                     |
| M25.775 | Osteophyte, left foot                                      |
| M25.776 | Osteophyte, unspecified foot                               |
| M26.00  | Unspecified anomaly of jaw size                            |
| M26.01  | Maxillary hyperplasia                                      |
| M26.02  | Maxillary hypoplasia                                       |
| M26.03  | Mandibular hyperplasia                                     |
| M26.04  | Mandibular hypoplasia                                      |
| M26.05  | Macrogenia   |
| M26.06  | Microgenia   |
| M26.07  | Excessive tuberosity of jaw                                |
| M26.09  | Other specified anomalies of jaw size                      |
| M26.10  | Unspecified anomaly of jaw-cranial base relationship       |
| M26.11  | Maxillary asymmetry  |
| M26.12  | Other jaw asymmetry  |
| M26.19  | Other specified anomalies of jaw-cranial base relationship |
| M26.20  | Unspecified anomaly of dental arch relationship            |
| M26.211 | Malocclusion, Angle's class I                              |
| M26.212 | Malocclusion, Angle's class II                             |
| M26.213 | Malocclusion, Angle's class III                            |
| M26.219 | Malocclusion, Angle's class, unspecified                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M26.220 | Open anterior occlusal relationship                                   |
| M26.221 | Open posterior occlusal relationship                                  |
| M26.23  | Excessive horizontal overlap  |
| M26.24  | Reverse articulation  |
| M26.25  | Anomalies of interarch distance                                       |
| M26.29  | Other anomalies of dental arch relationship                           |
| M26.30  | Unspecified anomaly of tooth position of fully erupted tooth or teeth |
| M26.31  | Crowding of fully erupted teeth                                       |
| M26.32  | Excessive spacing of fully erupted teeth                              |
| M26.33  | Horizontal displacement of fully erupted tooth or teeth               |
| M26.34  | Vertical displacement of fully erupted tooth or teeth                 |
| M26.35  | Rotation of fully erupted tooth or teeth                              |
| M26.36  | Insufficient interocclusal distance of fully erupted teeth (ridge)    |
| M26.37  | Excessive interocclusal distance of fully erupted teeth               |
| M26.39  | Other anomalies of tooth position of fully erupted tooth or teeth     |
| M26.4   | Malocclusion, unspecified   |
| M26.50  | Dentofacial functional abnormalities, unspecified                     |
| M26.51  | Abnormal jaw closure  |
| M26.52  | Limited mandibular range of motion                                    |
| M26.53  | Deviation in opening and closing of the mandible                      |
| M26.54  | Insufficient anterior guidance  |
| M26.55  | Centric occlusion maximum intercuspation discrepancy                  |
| M26.56  | Non-working side interference   |
| M26.57  | Lack of posterior occlusal support                                    |
| M26.59  | Other dentofacial functional abnormalities                            |
| M26.601 | Right temporomandibular joint disorder, unspecified                   |
| M26.602 | Left temporomandibular joint disorder, unspecified                    |
| M26.603 | Bilateral temporomandibular joint disorder, unspecified               |
| M26.609 | Unspecified temporomandibular joint disorder, unspecified side        |
| M26.611 | Adhesions and ankylosis of right temporomandibular joint              |
| M26.612 | Adhesions and ankylosis of left temporomandibular joint               |
| M26.613 | Adhesions and ankylosis of bilateral temporomandibular joint          |
| M26.619 | Adhesions and ankylosis of temporomandibular joint, unspecified side  |
| M26.621 | Arthralgia of right temporomandibular joint                           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M26.622 | Arthralgia of left temporomandibular joint                                  |
| M26.623 | Arthralgia of bilateral temporomandibular joint                             |
| M26.629 | Arthralgia of temporomandibular joint, unspecified side                     |
| M26.631 | Articular disc disorder of right temporomandibular joint                    |
| M26.632 | Articular disc disorder of left temporomandibular joint                     |
| M26.633 | Articular disc disorder of bilateral temporomandibular joint                |
| M26.639 | Articular disc disorder of temporomandibular joint, unspecified side        |
| M26.649 | Arthritis of unspecified temporomandibular joint                            |
| M26.659 | Arthropathy of unspecified temporomandibular joint                          |
| M26.69  | Other specified disorders of temporomandibular joint                        |
| M26.70  | Unspecified alveolar anomaly  |
| M26.71  | Alveolar maxillary hyperplasia  |
| M26.72  | Alveolar mandibular hyperplasia   |
| M26.73  | Alveolar maxillary hypoplasia   |
| M26.74  | Alveolar mandibular hypoplasia  |
| M26.79  | Other specified alveolar anomalies  |
| M26.81  | Anterior soft tissue impingement  |
| M26.82  | Posterior soft tissue impingement   |
| M26.89  | Other dentofacial anomalies   |
| M26.9   | Dentofacial anomaly, unspecified  |
| M27.1   | Giant cell granuloma, central   |
| M27.40  | Unspecified cyst of jaw   |
| M27.49  | Other cysts of jaw  |
| M27.51  | Perforation of root canal space due to endodontic treatment                 |
| M27.52  | Endodontic overfill   |
| M27.53  | Endodontic underfill  |
| M27.59  | Other periradicular pathology associated with previous endodontic treatment |
| M27.61  | Osseointegration failure of dental implant                                  |
| M27.62  | Post-osseointegration biological failure of dental implant                  |
| M27.63  | Post-osseointegration mechanical failure of dental implant                  |
| M35.7   | Hypermobility syndrome  |
| M40.00  | Postural kyphosis, site unspecified   |
| M40.03  | Postural kyphosis, cervicothoracic region                                   |
| M40.04  | Postural kyphosis, thoracic region  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M40.05  | Postural kyphosis, thoracolumbar region                |
| M40.10  | Other secondary kyphosis, site unspecified             |
| M40.12  | Other secondary kyphosis, cervical region              |
| M40.13  | Other secondary kyphosis, cervicothoracic region       |
| M40.14  | Other secondary kyphosis, thoracic region              |
| M40.15  | Other secondary kyphosis, thoracolumbar region         |
| M40.202 | Unspecified kyphosis, cervical region                  |
| M40.203 | Unspecified kyphosis, cervicothoracic region           |
| M40.204 | Unspecified kyphosis, thoracic region                  |
| M40.205 | Unspecified kyphosis, thoracolumbar region             |
| M40.209 | Unspecified kyphosis, site unspecified                 |
| M40.292 | Other kyphosis, cervical region                        |
| M40.293 | Other kyphosis, cervicothoracic region                 |
| M40.294 | Other kyphosis, thoracic region                        |
| M40.295 | Other kyphosis, thoracolumbar region                   |
| M40.299 | Other kyphosis, site unspecified                       |
| M40.30  | Flatback syndrome, site unspecified                    |
| M40.35  | Flatback syndrome, thoracolumbar region                |
| M40.36  | Flatback syndrome, lumbar region                       |
| M40.37  | Flatback syndrome, lumbosacral region                  |
| M40.40  | Postural lordosis, site unspecified                    |
| M40.45  | Postural lordosis, thoracolumbar region                |
| M40.46  | Postural lordosis, lumbar region                       |
| M40.47  | Postural lordosis, lumbosacral region                  |
| M40.50  | Lordosis, unspecified, site unspecified                |
| M40.55  | Lordosis, unspecified, thoracolumbar region            |
| M40.56  | Lordosis, unspecified, lumbar region                   |
| M40.57  | Lordosis, unspecified, lumbosacral region              |
| M41.00  | Infantile idiopathic scoliosis, site unspecified       |
| M41.02  | Infantile idiopathic scoliosis, cervical region        |
| M41.03  | Infantile idiopathic scoliosis, cervicothoracic region |
| M41.04  | Infantile idiopathic scoliosis, thoracic region        |
| M41.05  | Infantile idiopathic scoliosis, thoracolumbar region   |
| M41.06  | Infantile idiopathic scoliosis, lumbar region          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M41.07  | Infantile idiopathic scoliosis, lumbosacral region               |
| M41.08  | Infantile idiopathic scoliosis, sacral and sacrococcygeal region |
| M41.112 | Juvenile idiopathic scoliosis, cervical region                   |
| M41.113 | Juvenile idiopathic scoliosis, cervicothoracic region            |
| M41.114 | Juvenile idiopathic scoliosis, thoracic region                   |
| M41.115 | Juvenile idiopathic scoliosis, thoracolumbar region              |
| M41.116 | Juvenile idiopathic scoliosis, lumbar region                     |
| M41.117 | Juvenile idiopathic scoliosis, lumbosacral region                |
| M41.119 | Juvenile idiopathic scoliosis, site unspecified                  |
| M41.122 | Adolescent idiopathic scoliosis, cervical region                 |
| M41.123 | Adolescent idiopathic scoliosis, cervicothoracic region          |
| M41.124 | Adolescent idiopathic scoliosis, thoracic region                 |
| M41.125 | Adolescent idiopathic scoliosis, thoracolumbar region            |
| M41.126 | Adolescent idiopathic scoliosis, lumbar region                   |
| M41.127 | Adolescent idiopathic scoliosis, lumbosacral region              |
| M41.129 | Adolescent idiopathic scoliosis, site unspecified                |
| M41.20  | Other idiopathic scoliosis, site unspecified                     |
| M41.22  | Other idiopathic scoliosis, cervical region                      |
| M41.23  | Other idiopathic scoliosis, cervicothoracic region               |
| M41.24  | Other idiopathic scoliosis, thoracic region                      |
| M41.25  | Other idiopathic scoliosis, thoracolumbar region                 |
| M41.26  | Other idiopathic scoliosis, lumbar region                        |
| M41.27  | Other idiopathic scoliosis, lumbosacral region                   |
| M41.30  | Thoracogenic scoliosis, site unspecified                         |
| M41.34  | Thoracogenic scoliosis, thoracic region                          |
| M41.35  | Thoracogenic scoliosis, thoracolumbar region                     |
| M41.40  | Neuromuscular scoliosis, site unspecified                        |
| M41.41  | Neuromuscular scoliosis, occipito-atlanto-axial region           |
| M41.42  | Neuromuscular scoliosis, cervical region                         |
| M41.43  | Neuromuscular scoliosis, cervicothoracic region                  |
| M41.44  | Neuromuscular scoliosis, thoracic region                         |
| M41.45  | Neuromuscular scoliosis, thoracolumbar region                    |
| M41.46  | Neuromuscular scoliosis, lumbar region                           |
| M41.47  | Neuromuscular scoliosis, lumbosacral region                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| M41.50 | Other secondary scoliosis, site unspecified                         |
| M41.52 | Other secondary scoliosis, cervical region                          |
| M41.53 | Other secondary scoliosis, cervicothoracic region                   |
| M41.54 | Other secondary scoliosis, thoracic region                          |
| M41.55 | Other secondary scoliosis, thoracolumbar region                     |
| M41.56 | Other secondary scoliosis, lumbar region                            |
| M41.57 | Other secondary scoliosis, lumbosacral region                       |
| M41.80 | Other forms of scoliosis, site unspecified                          |
| M41.82 | Other forms of scoliosis, cervical region                           |
| M41.83 | Other forms of scoliosis, cervicothoracic region                    |
| M41.84 | Other forms of scoliosis, thoracic region                           |
| M41.85 | Other forms of scoliosis, thoracolumbar region                      |
| M41.86 | Other forms of scoliosis, lumbar region                             |
| M41.87 | Other forms of scoliosis, lumbosacral region                        |
| M41.9  | Scoliosis, unspecified  |
| M42.00 | Juvenile osteochondrosis of spine, site unspecified                 |
| M42.01 | Juvenile osteochondrosis of spine, occipito-atlanto-axial region    |
| M42.02 | Juvenile osteochondrosis of spine, cervical region                  |
| M42.03 | Juvenile osteochondrosis of spine, cervicothoracic region           |
| M42.04 | Juvenile osteochondrosis of spine, thoracic region                  |
| M42.05 | Juvenile osteochondrosis of spine, thoracolumbar region             |
| M42.06 | Juvenile osteochondrosis of spine, lumbar region                    |
| M42.07 | Juvenile osteochondrosis of spine, lumbosacral region               |
| M42.08 | Juvenile osteochondrosis of spine, sacral and sacrococcygeal region |
| M42.09 | Juvenile osteochondrosis of spine, multiple sites in spine          |
| M42.10 | Adult osteochondrosis of spine, site unspecified                    |
| M42.11 | Adult osteochondrosis of spine, occipito-atlanto-axial region       |
| M42.12 | Adult osteochondrosis of spine, cervical region                     |
| M42.13 | Adult osteochondrosis of spine, cervicothoracic region              |
| M42.14 | Adult osteochondrosis of spine, thoracic region                     |
| M42.15 | Adult osteochondrosis of spine, thoracolumbar region                |
| M42.16 | Adult osteochondrosis of spine, lumbar region                       |
| M42.17 | Adult osteochondrosis of spine, lumbosacral region                  |
| M42.18 | Adult osteochondrosis of spine, sacral and sacrococcygeal region    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M42.19      | Adult osteochondrosis of spine, multiple sites in spine                 |
| M42.9       | Spinal osteochondrosis, unspecified                                     |
| M43.00      | Spondylolysis, site unspecified   |
| M43.01      | Spondylolysis, occipito-atlanto-axial region                            |
| M43.02      | Spondylolysis, cervical region  |
| M43.03      | Spondylolysis, cervicothoracic region                                   |
| M43.04      | Spondylolysis, thoracic region  |
| M43.05      | Spondylolysis, thoracolumbar region                                     |
| M43.06      | Spondylolysis, lumbar region  |
| M43.07      | Spondylolysis, lumbosacral region                                       |
| M43.08      | Spondylolysis, sacral and sacrococcygeal region                         |
| M43.09      | Spondylolysis, multiple sites in spine                                  |
| M43.10      | Spondylolisthesis, site unspecified                                     |
| M43.11      | Spondylolisthesis, occipito-atlanto-axial region                        |
| M43.12      | Spondylolisthesis, cervical region                                      |
| M43.13      | Spondylolisthesis, cervicothoracic region                               |
| M43.14      | Spondylolisthesis, thoracic region                                      |
| M43.15      | Spondylolisthesis, thoracolumbar region                                 |
| M43.16      | Spondylolisthesis, lumbar region  |
| M43.17      | Spondylolisthesis, lumbosacral region                                   |
| M43.18      | Spondylolisthesis, sacral and sacrococcygeal region                     |
| M43.19      | Spondylolisthesis, multiple sites in spine                              |
| M43.3       | Recurrent atlantoaxial dislocation with myelopathy                      |
| M43.4       | Other recurrent atlantoaxial dislocation                                |
| M43.5X2     | Other recurrent vertebral dislocation, cervical region                  |
| M43.5X3     | Other recurrent vertebral dislocation, cervicothoracic region           |
| M43.5X4     | Other recurrent vertebral dislocation, thoracic region                  |
| M43.5X5     | Other recurrent vertebral dislocation, thoracolumbar region             |
| M43.5X6     | Other recurrent vertebral dislocation, lumbar region                    |
| M43.5X7     | Other recurrent vertebral dislocation, lumbosacral region               |
| M43.5X8     | Other recurrent vertebral dislocation, sacral and sacrococcygeal region |
| M43.5X9     | Other recurrent vertebral dislocation, site unspecified                 |
| M43.8X1     | Other specified deforming dorsopathies, occipito-atlanto-axial region   |
| M43.8X2     | Other specified deforming dorsopathies, cervical region                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M43.8X3  | Other specified deforming dorsopathies, cervicothoracic region  |
| M43.8X4  | Other specified deforming dorsopathies, thoracic region   |
| M43.8X5  | Other specified deforming dorsopathies, thoracolumbar region  |
| M43.8X6  | Other specified deforming dorsopathies, lumbar region   |
| M43.8X7  | Other specified deforming dorsopathies, lumbosacral region  |
| M43.8X8  | Other specified deforming dorsopathies, sacral and sacrococcygeal region  |
| M43.8X9  | Other specified deforming dorsopathies, site unspecified  |
| M43.9    | Deforming dorsopathy, unspecified   |
| M48.061  | Spinal stenosis, lumbar region without neurogenic claudication  |
| M48.062  | Spinal stenosis, lumbar region with neurogenic claudication   |
| M48.40XD | Fatigue fracture of vertebra, site unspecified, subsequent encounter for fracture with routine healing              |
| M48.40XG | Fatigue fracture of vertebra, site unspecified, subsequent encounter for fracture with delayed healing              |
| M48.40XS | Fatigue fracture of vertebra, site unspecified, sequela of fracture   |
| M48.41XD | Fatigue fracture of vertebra, occipito-atlanto-axial region, subsequent encounter for fracture with routine healing |
| M48.41XG | Fatigue fracture of vertebra, occipito-atlanto-axial region, subsequent encounter for fracture with delayed healing |
| M48.41XS | Fatigue fracture of vertebra, occipito-atlanto-axial region, sequela of fracture                                    |
| M48.42XD | Fatigue fracture of vertebra, cervical region, subsequent encounter for fracture with routine healing               |
| M48.42XG | Fatigue fracture of vertebra, cervical region, subsequent encounter for fracture with delayed healing               |
| M48.42XS | Fatigue fracture of vertebra, cervical region, sequela of fracture  |
| M48.43XD | Fatigue fracture of vertebra, cervicothoracic region, subsequent encounter for fracture with routine healing        |
| M48.43XG | Fatigue fracture of vertebra, cervicothoracic region, subsequent encounter for fracture with delayed healing        |
| M48.43XS | Fatigue fracture of vertebra, cervicothoracic region, sequela of fracture   |
| M48.44XD | Fatigue fracture of vertebra, thoracic region, subsequent encounter for fracture with routine healing               |
| M48.44XG | Fatigue fracture of vertebra, thoracic region, subsequent encounter for fracture with delayed healing               |
| M48.44XS | Fatigue fracture of vertebra, thoracic region, sequela of fracture  |
| M48.45XD | Fatigue fracture of vertebra, thoracolumbar region, subsequent encounter for fracture with routine healing          |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--------------|---|
| M48.45X<br>G | Fatigue fracture of vertebra, thoracolumbar region, subsequent encounter for fracture with delayed healing                          |
| M48.45XS     | Fatigue fracture of vertebra, thoracolumbar region, sequela of fracture   |
| M48.46XD     | Fatigue fracture of vertebra, lumbar region, subsequent encounter for fracture with routine healing                                 |
| M48.46X<br>G | Fatigue fracture of vertebra, lumbar region, subsequent encounter for fracture with delayed healing                                 |
| M48.46XS     | Fatigue fracture of vertebra, lumbar region, sequela of fracture  |
| M48.47XD     | Fatigue fracture of vertebra, lumbosacral region, subsequent encounter for fracture with routine healing                            |
| M48.47X<br>G | Fatigue fracture of vertebra, lumbosacral region, subsequent encounter for fracture with delayed healing                            |
| M48.47XS     | Fatigue fracture of vertebra, lumbosacral region, sequela of fracture   |
| M48.48XD     | Fatigue fracture of vertebra, sacral and sacrococcygeal region, subsequent encounter for fracture with routine healing              |
| M48.48X<br>G | Fatigue fracture of vertebra, sacral and sacrococcygeal region, subsequent encounter for fracture with delayed healing              |
| M48.48XS     | Fatigue fracture of vertebra, sacral and sacrococcygeal region, sequela of fracture   |
| M48.50XD     | Collapsed vertebra, not elsewhere classified, site unspecified, subsequent encounter for fracture with routine healing              |
| M48.50X<br>G | Collapsed vertebra, not elsewhere classified, site unspecified, subsequent encounter for fracture with delayed healing              |
| M48.50XS     | Collapsed vertebra, not elsewhere classified, site unspecified, sequela of fracture   |
| M48.51XD     | Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, subsequent encounter for fracture with routine healing |
| M48.51X<br>G | Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, subsequent encounter for fracture with delayed healing |
| M48.51XS     | Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, sequela of fracture                                    |
| M48.52XD     | Collapsed vertebra, not elsewhere classified, cervical region, subsequent encounter for fracture with routine healing               |
| M48.52X<br>G | Collapsed vertebra, not elsewhere classified, cervical region, subsequent encounter for fracture with delayed healing               |
| M48.52XS     | Collapsed vertebra, not elsewhere classified, cervical region, sequela of fracture  |
| M48.53XD     | Collapsed vertebra, not elsewhere classified, cervicothoracic region, subsequent encounter for fracture with routine healing        |
| M48.53X<br>G | Collapsed vertebra, not elsewhere classified, cervicothoracic region, subsequent encounter for fracture with delayed healing        |
| M48.53XS     | Collapsed vertebra, not elsewhere classified, cervicothoracic region, sequela of fracture   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M48.54XD | Collapsed vertebra, not elsewhere classified, thoracic region, subsequent encounter for fracture with routine healing                  |
| M48.54XG | Collapsed vertebra, not elsewhere classified, thoracic region, subsequent encounter for fracture with delayed healing                  |
| M48.54XS | Collapsed vertebra, not elsewhere classified, thoracic region, sequela of fracture   |
| M48.55XD | Collapsed vertebra, not elsewhere classified, thoracolumbar region, subsequent encounter for fracture with routine healing             |
| M48.55XG | Collapsed vertebra, not elsewhere classified, thoracolumbar region, subsequent encounter for fracture with delayed healing             |
| M48.55XS | Collapsed vertebra, not elsewhere classified, thoracolumbar region, sequela of fracture  |
| M48.56XD | Collapsed vertebra, not elsewhere classified, lumbar region, subsequent encounter for fracture with routine healing                    |
| M48.56XG | Collapsed vertebra, not elsewhere classified, lumbar region, subsequent encounter for fracture with delayed healing                    |
| M48.56XS | Collapsed vertebra, not elsewhere classified, lumbar region, sequela of fracture   |
| M48.57XD | Collapsed vertebra, not elsewhere classified, lumbosacral region, subsequent encounter for fracture with routine healing               |
| M48.57XG | Collapsed vertebra, not elsewhere classified, lumbosacral region, subsequent encounter for fracture with delayed healing               |
| M48.57XS | Collapsed vertebra, not elsewhere classified, lumbosacral region, sequela of fracture  |
| M48.58XD | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, subsequent encounter for fracture with routine healing |
| M48.58XG | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, subsequent encounter for fracture with delayed healing |
| M48.58XS | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, sequela of fracture                                    |
| M53.2X1  | Spinal instabilities, occipito-atlanto-axial region  |
| M53.2X2  | Spinal instabilities, cervical region  |
| M53.2X3  | Spinal instabilities, cervicothoracic region   |
| M53.2X4  | Spinal instabilities, thoracic region  |
| M53.2X5  | Spinal instabilities, thoracolumbar region   |
| M53.2X6  | Spinal instabilities, lumbar region  |
| M53.2X9  | Spinal instabilities, site unspecified   |
| M60.10   | Interstitial myositis of unspecified site  |
| M60.111  | Interstitial myositis, right shoulder  |
| M60.112  | Interstitial myositis, left shoulder   |
| M60.119  | Interstitial myositis, unspecified shoulder  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M60.121 | Interstitial myositis, right upper arm   |
| M60.122 | Interstitial myositis, left upper arm  |
| M60.129 | Interstitial myositis, unspecified upper arm   |
| M60.131 | Interstitial myositis, right forearm   |
| M60.132 | Interstitial myositis, left forearm  |
| M60.139 | Interstitial myositis, unspecified forearm   |
| M60.141 | Interstitial myositis, right hand  |
| M60.142 | Interstitial myositis, left hand   |
| M60.149 | Interstitial myositis, unspecified hand  |
| M60.151 | Interstitial myositis, right thigh   |
| M60.152 | Interstitial myositis, left thigh  |
| M60.159 | Interstitial myositis, unspecified thigh   |
| M60.161 | Interstitial myositis, right lower leg   |
| M60.162 | Interstitial myositis, left lower leg  |
| M60.169 | Interstitial myositis, unspecified lower leg   |
| M60.171 | Interstitial myositis, right ankle and foot  |
| M60.172 | Interstitial myositis, left ankle and foot   |
| M60.179 | Interstitial myositis, unspecified ankle and foot                                      |
| M60.18  | Interstitial myositis, other site  |
| M60.19  | Interstitial myositis, multiple sites  |
| M60.20  | Foreign body granuloma of soft tissue, not elsewhere classified, unspecified site      |
| M60.211 | Foreign body granuloma of soft tissue, not elsewhere classified, right shoulder        |
| M60.212 | Foreign body granuloma of soft tissue, not elsewhere classified, left shoulder         |
| M60.219 | Foreign body granuloma of soft tissue, not elsewhere classified, unspecified shoulder  |
| M60.221 | Foreign body granuloma of soft tissue, not elsewhere classified, right upper arm       |
| M60.222 | Foreign body granuloma of soft tissue, not elsewhere classified, left upper arm        |
| M60.229 | Foreign body granuloma of soft tissue, not elsewhere classified, unspecified upper arm |
| M60.231 | Foreign body granuloma of soft tissue, not elsewhere classified, right forearm         |
| M60.232 | Foreign body granuloma of soft tissue, not elsewhere classified, left forearm          |
| M60.239 | Foreign body granuloma of soft tissue, not elsewhere classified, unspecified forearm   |
| M60.241 | Foreign body granuloma of soft tissue, not elsewhere classified, right hand            |
| M60.242 | Foreign body granuloma of soft tissue, not elsewhere classified, left hand             |
| M60.249 | Foreign body granuloma of soft tissue, not elsewhere classified, unspecified hand      |
| M60.251 | Foreign body granuloma of soft tissue, not elsewhere classified, right thigh           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M60.252     | Foreign body granuloma of soft tissue, not elsewhere classified, left thigh                 |
| M60.259     | Foreign body granuloma of soft tissue, not elsewhere classified, unspecified thigh          |
| M60.261     | Foreign body granuloma of soft tissue, not elsewhere classified, right lower leg            |
| M60.262     | Foreign body granuloma of soft tissue, not elsewhere classified, left lower leg             |
| M60.269     | Foreign body granuloma of soft tissue, not elsewhere classified, unspecified lower leg      |
| M60.271     | Foreign body granuloma of soft tissue, not elsewhere classified, right ankle and foot       |
| M60.272     | Foreign body granuloma of soft tissue, not elsewhere classified, left ankle and foot        |
| M60.279     | Foreign body granuloma of soft tissue, not elsewhere classified, unspecified ankle and foot |
| M60.28      | Foreign body granuloma of soft tissue, not elsewhere classified, other site                 |
| M61.00      | Myositis ossificans traumatica, unspecified site  |
| M61.011     | Myositis ossificans traumatica, right shoulder  |
| M61.012     | Myositis ossificans traumatica, left shoulder   |
| M61.019     | Myositis ossificans traumatica, unspecified shoulder  |
| M61.021     | Myositis ossificans traumatica, right upper arm   |
| M61.022     | Myositis ossificans traumatica, left upper arm  |
| M61.029     | Myositis ossificans traumatica, unspecified upper arm                                       |
| M61.031     | Myositis ossificans traumatica, right forearm   |
| M61.032     | Myositis ossificans traumatica, left forearm  |
| M61.039     | Myositis ossificans traumatica, unspecified forearm   |
| M61.041     | Myositis ossificans traumatica, right hand  |
| M61.042     | Myositis ossificans traumatica, left hand   |
| M61.049     | Myositis ossificans traumatica, unspecified hand  |
| M61.051     | Myositis ossificans traumatica, right thigh   |
| M61.052     | Myositis ossificans traumatica, left thigh  |
| M61.059     | Myositis ossificans traumatica, unspecified thigh   |
| M61.061     | Myositis ossificans traumatica, right lower leg   |
| M61.062     | Myositis ossificans traumatica, left lower leg  |
| M61.069     | Myositis ossificans traumatica, unspecified lower leg                                       |
| M61.071     | Myositis ossificans traumatica, right ankle and foot  |
| M61.072     | Myositis ossificans traumatica, left ankle and foot   |
| M61.079     | Myositis ossificans traumatica, unspecified ankle and foot                                  |
| M61.08      | Myositis ossificans traumatica, other site  |
| M61.09      | Myositis ossificans traumatica, multiple sites  |
| M61.10      | Myositis ossificans progressiva, unspecified site   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M61.111     | Myositis ossificans progressiva, right shoulder                      |
| M61.112     | Myositis ossificans progressiva, left shoulder                       |
| M61.119     | Myositis ossificans progressiva, unspecified shoulder                |
| M61.121     | Myositis ossificans progressiva, right upper arm                     |
| M61.122     | Myositis ossificans progressiva, left upper arm                      |
| M61.129     | Myositis ossificans progressiva, unspecified arm                     |
| M61.131     | Myositis ossificans progressiva, right forearm                       |
| M61.132     | Myositis ossificans progressiva, left forearm                        |
| M61.139     | Myositis ossificans progressiva, unspecified forearm                 |
| M61.141     | Myositis ossificans progressiva, right hand                          |
| M61.142     | Myositis ossificans progressiva, left hand                           |
| M61.143     | Myositis ossificans progressiva, unspecified hand                    |
| M61.144     | Myositis ossificans progressiva, right finger(s)                     |
| M61.145     | Myositis ossificans progressiva, left finger(s)                      |
| M61.146     | Myositis ossificans progressiva, unspecified finger(s)               |
| M61.151     | Myositis ossificans progressiva, right thigh                         |
| M61.152     | Myositis ossificans progressiva, left thigh                          |
| M61.159     | Myositis ossificans progressiva, unspecified thigh                   |
| M61.161     | Myositis ossificans progressiva, right lower leg                     |
| M61.162     | Myositis ossificans progressiva, left lower leg                      |
| M61.169     | Myositis ossificans progressiva, unspecified lower leg               |
| M61.171     | Myositis ossificans progressiva, right ankle                         |
| M61.172     | Myositis ossificans progressiva, left ankle                          |
| M61.173     | Myositis ossificans progressiva, unspecified ankle                   |
| M61.174     | Myositis ossificans progressiva, right foot                          |
| M61.175     | Myositis ossificans progressiva, left foot                           |
| M61.176     | Myositis ossificans progressiva, unspecified foot                    |
| M61.177     | Myositis ossificans progressiva, right toe(s)                        |
| M61.178     | Myositis ossificans progressiva, left toe(s)                         |
| M61.179     | Myositis ossificans progressiva, unspecified toe(s)                  |
| M61.18      | Myositis ossificans progressiva, other site                          |
| M61.19      | Myositis ossificans progressiva, multiple sites                      |
| M61.20      | Paralytic calcification and ossification of muscle, unspecified site |
| M61.211     | Paralytic calcification and ossification of muscle, right shoulder   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M61.212 | Paralytic calcification and ossification of muscle, left shoulder                      |
| M61.219 | Paralytic calcification and ossification of muscle, unspecified shoulder               |
| M61.221 | Paralytic calcification and ossification of muscle, right upper arm                    |
| M61.222 | Paralytic calcification and ossification of muscle, left upper arm                     |
| M61.229 | Paralytic calcification and ossification of muscle, unspecified upper arm              |
| M61.231 | Paralytic calcification and ossification of muscle, right forearm                      |
| M61.232 | Paralytic calcification and ossification of muscle, left forearm                       |
| M61.239 | Paralytic calcification and ossification of muscle, unspecified forearm                |
| M61.241 | Paralytic calcification and ossification of muscle, right hand                         |
| M61.242 | Paralytic calcification and ossification of muscle, left hand                          |
| M61.249 | Paralytic calcification and ossification of muscle, unspecified hand                   |
| M61.251 | Paralytic calcification and ossification of muscle, right thigh                        |
| M61.252 | Paralytic calcification and ossification of muscle, left thigh                         |
| M61.259 | Paralytic calcification and ossification of muscle, unspecified thigh                  |
| M61.261 | Paralytic calcification and ossification of muscle, right lower leg                    |
| M61.262 | Paralytic calcification and ossification of muscle, left lower leg                     |
| M61.269 | Paralytic calcification and ossification of muscle, unspecified lower leg              |
| M61.271 | Paralytic calcification and ossification of muscle, right ankle and foot               |
| M61.272 | Paralytic calcification and ossification of muscle, left ankle and foot                |
| M61.279 | Paralytic calcification and ossification of muscle, unspecified ankle and foot         |
| M61.28  | Paralytic calcification and ossification of muscle, other site                         |
| M61.29  | Paralytic calcification and ossification of muscle, multiple sites                     |
| M61.30  | Calcification and ossification of muscles associated with burns, unspecified site      |
| M61.311 | Calcification and ossification of muscles associated with burns, right shoulder        |
| M61.312 | Calcification and ossification of muscles associated with burns, left shoulder         |
| M61.319 | Calcification and ossification of muscles associated with burns, unspecified shoulder  |
| M61.321 | Calcification and ossification of muscles associated with burns, right upper arm       |
| M61.322 | Calcification and ossification of muscles associated with burns, left upper arm        |
| M61.329 | Calcification and ossification of muscles associated with burns, unspecified upper arm |
| M61.331 | Calcification and ossification of muscles associated with burns, right forearm         |
| M61.332 | Calcification and ossification of muscles associated with burns, left forearm          |
| M61.339 | Calcification and ossification of muscles associated with burns, unspecified forearm   |
| M61.341 | Calcification and ossification of muscles associated with burns, right hand            |
| M61.342 | Calcification and ossification of muscles associated with burns, left hand             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M61.349 | Calcification and ossification of muscles associated with burns, unspecified hand           |
| M61.351 | Calcification and ossification of muscles associated with burns, right thigh                |
| M61.352 | Calcification and ossification of muscles associated with burns, left thigh                 |
| M61.359 | Calcification and ossification of muscles associated with burns, unspecified thigh          |
| M61.361 | Calcification and ossification of muscles associated with burns, right lower leg            |
| M61.362 | Calcification and ossification of muscles associated with burns, left lower leg             |
| M61.369 | Calcification and ossification of muscles associated with burns, unspecified lower leg      |
| M61.371 | Calcification and ossification of muscles associated with burns, right ankle and foot       |
| M61.372 | Calcification and ossification of muscles associated with burns, left ankle and foot        |
| M61.379 | Calcification and ossification of muscles associated with burns, unspecified ankle and foot |
| M61.38  | Calcification and ossification of muscles associated with burns, other site                 |
| M61.39  | Calcification and ossification of muscles associated with burns, multiple sites             |
| M61.40  | Other calcification of muscle, unspecified site   |
| M61.411 | Other calcification of muscle, right shoulder   |
| M61.412 | Other calcification of muscle, left shoulder  |
| M61.419 | Other calcification of muscle, unspecified shoulder   |
| M61.421 | Other calcification of muscle, right upper arm  |
| M61.422 | Other calcification of muscle, left upper arm   |
| M61.429 | Other calcification of muscle, unspecified upper arm  |
| M61.431 | Other calcification of muscle, right forearm  |
| M61.432 | Other calcification of muscle, left forearm   |
| M61.439 | Other calcification of muscle, unspecified forearm  |
| M61.441 | Other calcification of muscle, right hand   |
| M61.442 | Other calcification of muscle, left hand  |
| M61.449 | Other calcification of muscle, unspecified hand   |
| M61.451 | Other calcification of muscle, right thigh  |
| M61.452 | Other calcification of muscle, left thigh   |
| M61.459 | Other calcification of muscle, unspecified thigh  |
| M61.461 | Other calcification of muscle, right lower leg  |
| M61.462 | Other calcification of muscle, left lower leg   |
| M61.469 | Other calcification of muscle, unspecified lower leg  |
| M61.471 | Other calcification of muscle, right ankle and foot   |
| M61.472 | Other calcification of muscle, left ankle and foot  |
| M61.479 | Other calcification of muscle, unspecified ankle and foot                                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M61.48  | Other calcification of muscle, other site                  |
| M61.49  | Other calcification of muscle, multiple sites              |
| M61.50  | Other ossification of muscle, unspecified site             |
| M61.511 | Other ossification of muscle, right shoulder               |
| M61.512 | Other ossification of muscle, left shoulder                |
| M61.519 | Other ossification of muscle, unspecified shoulder         |
| M61.521 | Other ossification of muscle, right upper arm              |
| M61.522 | Other ossification of muscle, left upper arm               |
| M61.529 | Other ossification of muscle, unspecified upper arm        |
| M61.531 | Other ossification of muscle, right forearm                |
| M61.532 | Other ossification of muscle, left forearm                 |
| M61.539 | Other ossification of muscle, unspecified forearm          |
| M61.541 | Other ossification of muscle, right hand                   |
| M61.542 | Other ossification of muscle, left hand                    |
| M61.549 | Other ossification of muscle, unspecified hand             |
| M61.551 | Other ossification of muscle, right thigh                  |
| M61.552 | Other ossification of muscle, left thigh                   |
| M61.559 | Other ossification of muscle, unspecified thigh            |
| M61.561 | Other ossification of muscle, right lower leg              |
| M61.562 | Other ossification of muscle, left lower leg               |
| M61.569 | Other ossification of muscle, unspecified lower leg        |
| M61.571 | Other ossification of muscle, right ankle and foot         |
| M61.572 | Other ossification of muscle, left ankle and foot          |
| M61.579 | Other ossification of muscle, unspecified ankle and foot   |
| M61.58  | Other ossification of muscle, other site                   |
| M61.59  | Other ossification of muscle, multiple sites               |
| M61.9   | Calcification and ossification of muscle, unspecified      |
| M62.00  | Separation of muscle (nontraumatic), unspecified site      |
| M62.011 | Separation of muscle (nontraumatic), right shoulder        |
| M62.012 | Separation of muscle (nontraumatic), left shoulder         |
| M62.019 | Separation of muscle (nontraumatic), unspecified shoulder  |
| M62.021 | Separation of muscle (nontraumatic), right upper arm       |
| M62.022 | Separation of muscle (nontraumatic), left upper arm        |
| M62.029 | Separation of muscle (nontraumatic), unspecified upper arm |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M62.031     | Separation of muscle (nontraumatic), right forearm              |
| M62.032     | Separation of muscle (nontraumatic), left forearm               |
| M62.039     | Separation of muscle (nontraumatic), unspecified forearm        |
| M62.041     | Separation of muscle (nontraumatic), right hand                 |
| M62.042     | Separation of muscle (nontraumatic), left hand                  |
| M62.049     | Separation of muscle (nontraumatic), unspecified hand           |
| M62.051     | Separation of muscle (nontraumatic), right thigh                |
| M62.052     | Separation of muscle (nontraumatic), left thigh                 |
| M62.059     | Separation of muscle (nontraumatic), unspecified thigh          |
| M62.061     | Separation of muscle (nontraumatic), right lower leg            |
| M62.062     | Separation of muscle (nontraumatic), left lower leg             |
| M62.069     | Separation of muscle (nontraumatic), unspecified lower leg      |
| M62.071     | Separation of muscle (nontraumatic), right ankle and foot       |
| M62.072     | Separation of muscle (nontraumatic), left ankle and foot        |
| M62.079     | Separation of muscle (nontraumatic), unspecified ankle and foot |
| M62.08      | Separation of muscle (nontraumatic), other site                 |
| M62.10      | Other rupture of muscle (nontraumatic), unspecified site        |
| M62.111     | Other rupture of muscle (nontraumatic), right shoulder          |
| M62.112     | Other rupture of muscle (nontraumatic), left shoulder           |
| M62.119     | Other rupture of muscle (nontraumatic), unspecified shoulder    |
| M62.121     | Other rupture of muscle (nontraumatic), right upper arm         |
| M62.122     | Other rupture of muscle (nontraumatic), left upper arm          |
| M62.129     | Other rupture of muscle (nontraumatic), unspecified upper arm   |
| M62.131     | Other rupture of muscle (nontraumatic), right forearm           |
| M62.132     | Other rupture of muscle (nontraumatic), left forearm            |
| M62.139     | Other rupture of muscle (nontraumatic), unspecified forearm     |
| M62.141     | Other rupture of muscle (nontraumatic), right hand              |
| M62.142     | Other rupture of muscle (nontraumatic), left hand               |
| M62.149     | Other rupture of muscle (nontraumatic), unspecified hand        |
| M62.151     | Other rupture of muscle (nontraumatic), right thigh             |
| M62.152     | Other rupture of muscle (nontraumatic), left thigh              |
| M62.159     | Other rupture of muscle (nontraumatic), unspecified thigh       |
| M62.161     | Other rupture of muscle (nontraumatic), right lower leg         |
| M62.162     | Other rupture of muscle (nontraumatic), left lower leg          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M62.169 | Other rupture of muscle (nontraumatic), unspecified lower leg              |
| M62.171 | Other rupture of muscle (nontraumatic), right ankle and foot               |
| M62.172 | Other rupture of muscle (nontraumatic), left ankle and foot                |
| M62.179 | Other rupture of muscle (nontraumatic), unspecified ankle and foot         |
| M62.18  | Other rupture of muscle (nontraumatic), other site                         |
| M62.3   | Immobility syndrome (paraplegic)   |
| M62.40  | Contracture of muscle, unspecified site                                    |
| M62.411 | Contracture of muscle, right shoulder                                      |
| M62.412 | Contracture of muscle, left shoulder                                       |
| M62.419 | Contracture of muscle, unspecified shoulder                                |
| M62.421 | Contracture of muscle, right upper arm                                     |
| M62.422 | Contracture of muscle, left upper arm                                      |
| M62.429 | Contracture of muscle, unspecified upper arm                               |
| M62.431 | Contracture of muscle, right forearm                                       |
| M62.432 | Contracture of muscle, left forearm  |
| M62.439 | Contracture of muscle, unspecified forearm                                 |
| M62.441 | Contracture of muscle, right hand  |
| M62.442 | Contracture of muscle, left hand   |
| M62.449 | Contracture of muscle, unspecified hand                                    |
| M62.451 | Contracture of muscle, right thigh   |
| M62.452 | Contracture of muscle, left thigh  |
| M62.459 | Contracture of muscle, unspecified thigh                                   |
| M62.461 | Contracture of muscle, right lower leg                                     |
| M62.462 | Contracture of muscle, left lower leg                                      |
| M62.469 | Contracture of muscle, unspecified lower leg                               |
| M62.471 | Contracture of muscle, right ankle and foot                                |
| M62.472 | Contracture of muscle, left ankle and foot                                 |
| M62.479 | Contracture of muscle, unspecified ankle and foot                          |
| M62.48  | Contracture of muscle, other site  |
| M62.49  | Contracture of muscle, multiple sites                                      |
| M62.50  | Muscle wasting and atrophy, not elsewhere classified, unspecified site     |
| M62.511 | Muscle wasting and atrophy, not elsewhere classified, right shoulder       |
| M62.512 | Muscle wasting and atrophy, not elsewhere classified, left shoulder        |
| M62.519 | Muscle wasting and atrophy, not elsewhere classified, unspecified shoulder |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M62.521     | Muscle wasting and atrophy, not elsewhere classified, right upper arm            |
| M62.522     | Muscle wasting and atrophy, not elsewhere classified, left upper arm             |
| M62.529     | Muscle wasting and atrophy, not elsewhere classified, unspecified upper arm      |
| M62.531     | Muscle wasting and atrophy, not elsewhere classified, right forearm              |
| M62.532     | Muscle wasting and atrophy, not elsewhere classified, left forearm               |
| M62.539     | Muscle wasting and atrophy, not elsewhere classified, unspecified forearm        |
| M62.541     | Muscle wasting and atrophy, not elsewhere classified, right hand                 |
| M62.542     | Muscle wasting and atrophy, not elsewhere classified, left hand                  |
| M62.549     | Muscle wasting and atrophy, not elsewhere classified, unspecified hand           |
| M62.551     | Muscle wasting and atrophy, not elsewhere classified, right thigh                |
| M62.552     | Muscle wasting and atrophy, not elsewhere classified, left thigh                 |
| M62.559     | Muscle wasting and atrophy, not elsewhere classified, unspecified thigh          |
| M62.561     | Muscle wasting and atrophy, not elsewhere classified, right lower leg            |
| M62.562     | Muscle wasting and atrophy, not elsewhere classified, left lower leg             |
| M62.569     | Muscle wasting and atrophy, not elsewhere classified, unspecified lower leg      |
| M62.571     | Muscle wasting and atrophy, not elsewhere classified, right ankle and foot       |
| M62.572     | Muscle wasting and atrophy, not elsewhere classified, left ankle and foot        |
| M62.579     | Muscle wasting and atrophy, not elsewhere classified, unspecified ankle and foot |
| M62.58      | Muscle wasting and atrophy, not elsewhere classified, other site                 |
| M62.59      | Muscle wasting and atrophy, not elsewhere classified, multiple sites             |
| M62.831     | Muscle spasm of calf   |
| M62.838     | Other muscle spasm   |
| M62.89      | Other specified disorders of muscle  |
| M65.00      | Abscess of tendon sheath, unspecified site                                       |
| M65.011     | Abscess of tendon sheath, right shoulder   |
| M65.012     | Abscess of tendon sheath, left shoulder  |
| M65.019     | Abscess of tendon sheath, unspecified shoulder                                   |
| M65.021     | Abscess of tendon sheath, right upper arm  |
| M65.022     | Abscess of tendon sheath, left upper arm   |
| M65.029     | Abscess of tendon sheath, unspecified upper arm                                  |
| M65.031     | Abscess of tendon sheath, right forearm  |
| M65.032     | Abscess of tendon sheath, left forearm   |
| M65.039     | Abscess of tendon sheath, unspecified forearm                                    |
| M65.041     | Abscess of tendon sheath, right hand   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M65.042     | Abscess of tendon sheath, left hand                         |
| M65.049     | Abscess of tendon sheath, unspecified hand                  |
| M65.051     | Abscess of tendon sheath, right thigh                       |
| M65.052     | Abscess of tendon sheath, left thigh                        |
| M65.059     | Abscess of tendon sheath, unspecified thigh                 |
| M65.061     | Abscess of tendon sheath, right lower leg                   |
| M65.062     | Abscess of tendon sheath, left lower leg                    |
| M65.069     | Abscess of tendon sheath, unspecified lower leg             |
| M65.071     | Abscess of tendon sheath, right ankle and foot              |
| M65.072     | Abscess of tendon sheath, left ankle and foot               |
| M65.079     | Abscess of tendon sheath, unspecified ankle and foot        |
| M65.08      | Abscess of tendon sheath, other site                        |
| M65.10      | Other infective (teno)synovitis, unspecified site           |
| M65.111     | Other infective (teno)synovitis, right shoulder             |
| M65.112     | Other infective (teno)synovitis, left shoulder              |
| M65.119     | Other infective (teno)synovitis, unspecified shoulder       |
| M65.121     | Other infective (teno)synovitis, right elbow                |
| M65.122     | Other infective (teno)synovitis, left elbow                 |
| M65.129     | Other infective (teno)synovitis, unspecified elbow          |
| M65.131     | Other infective (teno)synovitis, right wrist                |
| M65.132     | Other infective (teno)synovitis, left wrist                 |
| M65.139     | Other infective (teno)synovitis, unspecified wrist          |
| M65.141     | Other infective (teno)synovitis, right hand                 |
| M65.142     | Other infective (teno)synovitis, left hand                  |
| M65.149     | Other infective (teno)synovitis, unspecified hand           |
| M65.151     | Other infective (teno)synovitis, right hip                  |
| M65.152     | Other infective (teno)synovitis, left hip                   |
| M65.159     | Other infective (teno)synovitis, unspecified hip            |
| M65.161     | Other infective (teno)synovitis, right knee                 |
| M65.162     | Other infective (teno)synovitis, left knee                  |
| M65.169     | Other infective (teno)synovitis, unspecified knee           |
| M65.171     | Other infective (teno)synovitis, right ankle and foot       |
| M65.172     | Other infective (teno)synovitis, left ankle and foot        |
| M65.179     | Other infective (teno)synovitis, unspecified ankle and foot |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                              |
|-------------|---|
| M65.18      | Other infective (teno)synovitis, other site     |
| M65.19      | Other infective (teno)synovitis, multiple sites |
| M65.20      | Calcific tendinitis, unspecified site           |
| M65.221     | Calcific tendinitis, right upper arm            |
| M65.222     | Calcific tendinitis, left upper arm             |
| M65.229     | Calcific tendinitis, unspecified upper arm      |
| M65.231     | Calcific tendinitis, right forearm              |
| M65.232     | Calcific tendinitis, left forearm               |
| M65.239     | Calcific tendinitis, unspecified forearm        |
| M65.241     | Calcific tendinitis, right hand                 |
| M65.242     | Calcific tendinitis, left hand                  |
| M65.249     | Calcific tendinitis, unspecified hand           |
| M65.251     | Calcific tendinitis, right thigh                |
| M65.252     | Calcific tendinitis, left thigh                 |
| M65.259     | Calcific tendinitis, unspecified thigh          |
| M65.261     | Calcific tendinitis, right lower leg            |
| M65.262     | Calcific tendinitis, left lower leg             |
| M65.269     | Calcific tendinitis, unspecified lower leg      |
| M65.271     | Calcific tendinitis, right ankle and foot       |
| M65.272     | Calcific tendinitis, left ankle and foot        |
| M65.279     | Calcific tendinitis, unspecified ankle and foot |
| M65.28      | Calcific tendinitis, other site                 |
| M65.29      | Calcific tendinitis, multiple sites             |
| M65.30      | Trigger finger, unspecified finger              |
| M65.311     | Trigger thumb, right thumb                      |
| M65.312     | Trigger thumb, left thumb                       |
| M65.319     | Trigger thumb, unspecified thumb                |
| M65.321     | Trigger finger, right index finger              |
| M65.322     | Trigger finger, left index finger               |
| M65.329     | Trigger finger, unspecified index finger        |
| M65.331     | Trigger finger, right middle finger             |
| M65.332     | Trigger finger, left middle finger              |
| M65.339     | Trigger finger, unspecified middle finger       |
| M65.341     | Trigger finger, right ring finger               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M65.342 | Trigger finger, left ring finger                              |
| M65.349 | Trigger finger, unspecified ring finger                       |
| M65.351 | Trigger finger, right little finger                           |
| M65.352 | Trigger finger, left little finger                            |
| M65.359 | Trigger finger, unspecified little finger                     |
| M65.4   | Radial styloid tenosynovitis [de Quervain]                    |
| M65.80  | Other synovitis and tenosynovitis, unspecified site           |
| M65.811 | Other synovitis and tenosynovitis, right shoulder             |
| M65.812 | Other synovitis and tenosynovitis, left shoulder              |
| M65.819 | Other synovitis and tenosynovitis, unspecified shoulder       |
| M65.821 | Other synovitis and tenosynovitis, right upper arm            |
| M65.822 | Other synovitis and tenosynovitis, left upper arm             |
| M65.829 | Other synovitis and tenosynovitis, unspecified upper arm      |
| M65.831 | Other synovitis and tenosynovitis, right forearm              |
| M65.832 | Other synovitis and tenosynovitis, left forearm               |
| M65.839 | Other synovitis and tenosynovitis, unspecified forearm        |
| M65.841 | Other synovitis and tenosynovitis, right hand                 |
| M65.842 | Other synovitis and tenosynovitis, left hand                  |
| M65.849 | Other synovitis and tenosynovitis, unspecified hand           |
| M65.851 | Other synovitis and tenosynovitis, right thigh                |
| M65.852 | Other synovitis and tenosynovitis, left thigh                 |
| M65.859 | Other synovitis and tenosynovitis, unspecified thigh          |
| M65.861 | Other synovitis and tenosynovitis, right lower leg            |
| M65.862 | Other synovitis and tenosynovitis, left lower leg             |
| M65.869 | Other synovitis and tenosynovitis, unspecified lower leg      |
| M65.871 | Other synovitis and tenosynovitis, right ankle and foot       |
| M65.872 | Other synovitis and tenosynovitis, left ankle and foot        |
| M65.879 | Other synovitis and tenosynovitis, unspecified ankle and foot |
| M65.88  | Other synovitis and tenosynovitis, other site                 |
| M65.89  | Other synovitis and tenosynovitis, multiple sites             |
| M65.9   | Synovitis and tenosynovitis, unspecified                      |
| M66.0   | Rupture of popliteal cyst                                     |
| M66.10  | Rupture of synovium, unspecified joint                        |
| M66.111 | Rupture of synovium, right shoulder                           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M66.112 | Rupture of synovium, left shoulder                             |
| M66.119 | Rupture of synovium, unspecified shoulder                      |
| M66.121 | Rupture of synovium, right elbow                               |
| M66.122 | Rupture of synovium, left elbow                                |
| M66.129 | Rupture of synovium, unspecified elbow                         |
| M66.131 | Rupture of synovium, right wrist                               |
| M66.132 | Rupture of synovium, left wrist                                |
| M66.139 | Rupture of synovium, unspecified wrist                         |
| M66.141 | Rupture of synovium, right hand                                |
| M66.142 | Rupture of synovium, left hand                                 |
| M66.143 | Rupture of synovium, unspecified hand                          |
| M66.144 | Rupture of synovium, right finger(s)                           |
| M66.145 | Rupture of synovium, left finger(s)                            |
| M66.146 | Rupture of synovium, unspecified finger(s)                     |
| M66.151 | Rupture of synovium, right hip                                 |
| M66.152 | Rupture of synovium, left hip                                  |
| M66.159 | Rupture of synovium, unspecified hip                           |
| M66.171 | Rupture of synovium, right ankle                               |
| M66.172 | Rupture of synovium, left ankle                                |
| M66.173 | Rupture of synovium, unspecified ankle                         |
| M66.174 | Rupture of synovium, right foot                                |
| M66.175 | Rupture of synovium, left foot                                 |
| M66.176 | Rupture of synovium, unspecified foot                          |
| M66.177 | Rupture of synovium, right toe(s)                              |
| M66.178 | Rupture of synovium, left toe(s)                               |
| M66.179 | Rupture of synovium, unspecified toe(s)                        |
| M66.18  | Rupture of synovium, other site                                |
| M66.20  | Spontaneous rupture of extensor tendons, unspecified site      |
| M66.211 | Spontaneous rupture of extensor tendons, right shoulder        |
| M66.212 | Spontaneous rupture of extensor tendons, left shoulder         |
| M66.219 | Spontaneous rupture of extensor tendons, unspecified shoulder  |
| M66.221 | Spontaneous rupture of extensor tendons, right upper arm       |
| M66.222 | Spontaneous rupture of extensor tendons, left upper arm        |
| M66.229 | Spontaneous rupture of extensor tendons, unspecified upper arm |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M66.231     | Spontaneous rupture of extensor tendons, right forearm              |
| M66.232     | Spontaneous rupture of extensor tendons, left forearm               |
| M66.239     | Spontaneous rupture of extensor tendons, unspecified forearm        |
| M66.241     | Spontaneous rupture of extensor tendons, right hand                 |
| M66.242     | Spontaneous rupture of extensor tendons, left hand                  |
| M66.249     | Spontaneous rupture of extensor tendons, unspecified hand           |
| M66.251     | Spontaneous rupture of extensor tendons, right thigh                |
| M66.252     | Spontaneous rupture of extensor tendons, left thigh                 |
| M66.259     | Spontaneous rupture of extensor tendons, unspecified thigh          |
| M66.261     | Spontaneous rupture of extensor tendons, right lower leg            |
| M66.262     | Spontaneous rupture of extensor tendons, left lower leg             |
| M66.269     | Spontaneous rupture of extensor tendons, unspecified lower leg      |
| M66.271     | Spontaneous rupture of extensor tendons, right ankle and foot       |
| M66.272     | Spontaneous rupture of extensor tendons, left ankle and foot        |
| M66.279     | Spontaneous rupture of extensor tendons, unspecified ankle and foot |
| M66.28      | Spontaneous rupture of extensor tendons, other site                 |
| M66.29      | Spontaneous rupture of extensor tendons, multiple sites             |
| M66.30      | Spontaneous rupture of flexor tendons, unspecified site             |
| M66.311     | Spontaneous rupture of flexor tendons, right shoulder               |
| M66.312     | Spontaneous rupture of flexor tendons, left shoulder                |
| M66.319     | Spontaneous rupture of flexor tendons, unspecified shoulder         |
| M66.321     | Spontaneous rupture of flexor tendons, right upper arm              |
| M66.322     | Spontaneous rupture of flexor tendons, left upper arm               |
| M66.329     | Spontaneous rupture of flexor tendons, unspecified upper arm        |
| M66.331     | Spontaneous rupture of flexor tendons, right forearm                |
| M66.332     | Spontaneous rupture of flexor tendons, left forearm                 |
| M66.339     | Spontaneous rupture of flexor tendons, unspecified forearm          |
| M66.341     | Spontaneous rupture of flexor tendons, right hand                   |
| M66.342     | Spontaneous rupture of flexor tendons, left hand                    |
| M66.349     | Spontaneous rupture of flexor tendons, unspecified hand             |
| M66.351     | Spontaneous rupture of flexor tendons, right thigh                  |
| M66.352     | Spontaneous rupture of flexor tendons, left thigh                   |
| M66.359     | Spontaneous rupture of flexor tendons, unspecified thigh            |
| M66.361     | Spontaneous rupture of flexor tendons, right lower leg              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M66.362 | Spontaneous rupture of flexor tendons, left lower leg             |
| M66.369 | Spontaneous rupture of flexor tendons, unspecified lower leg      |
| M66.371 | Spontaneous rupture of flexor tendons, right ankle and foot       |
| M66.372 | Spontaneous rupture of flexor tendons, left ankle and foot        |
| M66.379 | Spontaneous rupture of flexor tendons, unspecified ankle and foot |
| M66.38  | Spontaneous rupture of flexor tendons, other site                 |
| M66.39  | Spontaneous rupture of flexor tendons, multiple sites             |
| M66.80  | Spontaneous rupture of other tendons, unspecified site            |
| M66.811 | Spontaneous rupture of other tendons, right shoulder              |
| M66.812 | Spontaneous rupture of other tendons, left shoulder               |
| M66.819 | Spontaneous rupture of other tendons, unspecified shoulder        |
| M66.821 | Spontaneous rupture of other tendons, right upper arm             |
| M66.822 | Spontaneous rupture of other tendons, left upper arm              |
| M66.829 | Spontaneous rupture of other tendons, unspecified upper arm       |
| M66.831 | Spontaneous rupture of other tendons, right forearm               |
| M66.832 | Spontaneous rupture of other tendons, left forearm                |
| M66.839 | Spontaneous rupture of other tendons, unspecified forearm         |
| M66.841 | Spontaneous rupture of other tendons, right hand                  |
| M66.842 | Spontaneous rupture of other tendons, left hand                   |
| M66.849 | Spontaneous rupture of other tendons, unspecified hand            |
| M66.851 | Spontaneous rupture of other tendons, right thigh                 |
| M66.852 | Spontaneous rupture of other tendons, left thigh                  |
| M66.859 | Spontaneous rupture of other tendons, unspecified thigh           |
| M66.861 | Spontaneous rupture of other tendons, right lower leg             |
| M66.862 | Spontaneous rupture of other tendons, left lower leg              |
| M66.869 | Spontaneous rupture of other tendons, unspecified lower leg       |
| M66.871 | Spontaneous rupture of other tendons, right ankle and foot        |
| M66.872 | Spontaneous rupture of other tendons, left ankle and foot         |
| M66.879 | Spontaneous rupture of other tendons, unspecified ankle and foot  |
| M66.88  | Spontaneous rupture of other tendons, other sites                 |
| M66.89  | Spontaneous rupture of other tendons, multiple sites              |
| M66.9   | Spontaneous rupture of unspecified tendon                         |
| M67.00  | Short Achilles tendon (acquired), unspecified ankle               |
| M67.01  | Short Achilles tendon (acquired), right ankle                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M67.02      | Short Achilles tendon (acquired), left ankle                               |
| M67.20      | Synovial hypertrophy, not elsewhere classified, unspecified site           |
| M67.211     | Synovial hypertrophy, not elsewhere classified, right shoulder             |
| M67.212     | Synovial hypertrophy, not elsewhere classified, left shoulder              |
| M67.219     | Synovial hypertrophy, not elsewhere classified, unspecified shoulder       |
| M67.221     | Synovial hypertrophy, not elsewhere classified, right upper arm            |
| M67.222     | Synovial hypertrophy, not elsewhere classified, left upper arm             |
| M67.229     | Synovial hypertrophy, not elsewhere classified, unspecified upper arm      |
| M67.231     | Synovial hypertrophy, not elsewhere classified, right forearm              |
| M67.232     | Synovial hypertrophy, not elsewhere classified, left forearm               |
| M67.239     | Synovial hypertrophy, not elsewhere classified, unspecified forearm        |
| M67.241     | Synovial hypertrophy, not elsewhere classified, right hand                 |
| M67.242     | Synovial hypertrophy, not elsewhere classified, left hand                  |
| M67.249     | Synovial hypertrophy, not elsewhere classified, unspecified hand           |
| M67.251     | Synovial hypertrophy, not elsewhere classified, right thigh                |
| M67.252     | Synovial hypertrophy, not elsewhere classified, left thigh                 |
| M67.259     | Synovial hypertrophy, not elsewhere classified, unspecified thigh          |
| M67.261     | Synovial hypertrophy, not elsewhere classified, right lower leg            |
| M67.262     | Synovial hypertrophy, not elsewhere classified, left lower leg             |
| M67.269     | Synovial hypertrophy, not elsewhere classified, unspecified lower leg      |
| M67.271     | Synovial hypertrophy, not elsewhere classified, right ankle and foot       |
| M67.272     | Synovial hypertrophy, not elsewhere classified, left ankle and foot        |
| M67.279     | Synovial hypertrophy, not elsewhere classified, unspecified ankle and foot |
| M67.28      | Synovial hypertrophy, not elsewhere classified, other site                 |
| M67.29      | Synovial hypertrophy, not elsewhere classified, multiple sites             |
| M67.30      | Transient synovitis, unspecified site                                      |
| M67.311     | Transient synovitis, right shoulder  |
| M67.312     | Transient synovitis, left shoulder   |
| M67.319     | Transient synovitis, unspecified shoulder                                  |
| M67.321     | Transient synovitis, right elbow   |
| M67.322     | Transient synovitis, left elbow  |
| M67.329     | Transient synovitis, unspecified elbow                                     |
| M67.331     | Transient synovitis, right wrist   |
| M67.332     | Transient synovitis, left wrist  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                              |
|-------------|---|
| M67.339     | Transient synovitis, unspecified wrist          |
| M67.341     | Transient synovitis, right hand                 |
| M67.342     | Transient synovitis, left hand                  |
| M67.349     | Transient synovitis, unspecified hand           |
| M67.351     | Transient synovitis, right hip                  |
| M67.352     | Transient synovitis, left hip                   |
| M67.359     | Transient synovitis, unspecified hip            |
| M67.361     | Transient synovitis, right knee                 |
| M67.362     | Transient synovitis, left knee                  |
| M67.369     | Transient synovitis, unspecified knee           |
| M67.371     | Transient synovitis, right ankle and foot       |
| M67.372     | Transient synovitis, left ankle and foot        |
| M67.379     | Transient synovitis, unspecified ankle and foot |
| M67.38      | Transient synovitis, other site                 |
| M67.39      | Transient synovitis, multiple sites             |
| M67.40      | Ganglion, unspecified site                      |
| M67.411     | Ganglion, right shoulder                        |
| M67.412     | Ganglion, left shoulder                         |
| M67.419     | Ganglion, unspecified shoulder                  |
| M67.421     | Ganglion, right elbow                           |
| M67.422     | Ganglion, left elbow                            |
| M67.429     | Ganglion, unspecified elbow                     |
| M67.431     | Ganglion, right wrist                           |
| M67.432     | Ganglion, left wrist                            |
| M67.439     | Ganglion, unspecified wrist                     |
| M67.441     | Ganglion, right hand                            |
| M67.442     | Ganglion, left hand                             |
| M67.449     | Ganglion, unspecified hand                      |
| M67.451     | Ganglion, right hip                             |
| M67.452     | Ganglion, left hip                              |
| M67.459     | Ganglion, unspecified hip                       |
| M67.461     | Ganglion, right knee                            |
| M67.462     | Ganglion, left knee                             |
| M67.469     | Ganglion, unspecified knee                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M67.471     | Ganglion, right ankle and foot   |
| M67.472     | Ganglion, left ankle and foot  |
| M67.479     | Ganglion, unspecified ankle and foot                                   |
| M67.48      | Ganglion, other site   |
| M67.49      | Ganglion, multiple sites   |
| M67.50      | Plica syndrome, unspecified knee                                       |
| M67.51      | Plica syndrome, right knee   |
| M67.52      | Plica syndrome, left knee  |
| M67.80      | Other specified disorders of synovium and tendon, unspecified site     |
| M67.811     | Other specified disorders of synovium, right shoulder                  |
| M67.812     | Other specified disorders of synovium, left shoulder                   |
| M67.813     | Other specified disorders of tendon, right shoulder                    |
| M67.814     | Other specified disorders of tendon, left shoulder                     |
| M67.819     | Other specified disorders of synovium and tendon, unspecified shoulder |
| M67.821     | Other specified disorders of synovium, right elbow                     |
| M67.822     | Other specified disorders of synovium, left elbow                      |
| M67.823     | Other specified disorders of tendon, right elbow                       |
| M67.824     | Other specified disorders of tendon, left elbow                        |
| M67.829     | Other specified disorders of synovium and tendon, unspecified elbow    |
| M67.831     | Other specified disorders of synovium, right wrist                     |
| M67.832     | Other specified disorders of synovium, left wrist                      |
| M67.833     | Other specified disorders of tendon, right wrist                       |
| M67.834     | Other specified disorders of tendon, left wrist                        |
| M67.839     | Other specified disorders of synovium and tendon, unspecified wrist    |
| M67.841     | Other specified disorders of synovium, right hand                      |
| M67.842     | Other specified disorders of synovium, left hand                       |
| M67.843     | Other specified disorders of tendon, right hand                        |
| M67.844     | Other specified disorders of tendon, left hand                         |
| M67.849     | Other specified disorders of synovium and tendon, unspecified hand     |
| M67.851     | Other specified disorders of synovium, right hip                       |
| M67.852     | Other specified disorders of synovium, left hip                        |
| M67.853     | Other specified disorders of tendon, right hip                         |
| M67.854     | Other specified disorders of tendon, left hip                          |
| M67.859     | Other specified disorders of synovium and tendon, unspecified hip      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M67.861     | Other specified disorders of synovium, right knee                            |
| M67.862     | Other specified disorders of synovium, left knee                             |
| M67.863     | Other specified disorders of tendon, right knee                              |
| M67.864     | Other specified disorders of tendon, left knee                               |
| M67.869     | Other specified disorders of synovium and tendon, unspecified knee           |
| M67.871     | Other specified disorders of synovium, right ankle and foot                  |
| M67.872     | Other specified disorders of synovium, left ankle and foot                   |
| M67.873     | Other specified disorders of tendon, right ankle and foot                    |
| M67.874     | Other specified disorders of tendon, left ankle and foot                     |
| M67.879     | Other specified disorders of synovium and tendon, unspecified ankle and foot |
| M67.88      | Other specified disorders of synovium and tendon, other site                 |
| M67.89      | Other specified disorders of synovium and tendon, multiple sites             |
| M67.90      | Unspecified disorder of synovium and tendon, unspecified site                |
| M67.911     | Unspecified disorder of synovium and tendon, right shoulder                  |
| M67.912     | Unspecified disorder of synovium and tendon, left shoulder                   |
| M67.919     | Unspecified disorder of synovium and tendon, unspecified shoulder            |
| M67.921     | Unspecified disorder of synovium and tendon, right upper arm                 |
| M67.922     | Unspecified disorder of synovium and tendon, left upper arm                  |
| M67.929     | Unspecified disorder of synovium and tendon, unspecified upper arm           |
| M67.931     | Unspecified disorder of synovium and tendon, right forearm                   |
| M67.932     | Unspecified disorder of synovium and tendon, left forearm                    |
| M67.939     | Unspecified disorder of synovium and tendon, unspecified forearm             |
| M67.941     | Unspecified disorder of synovium and tendon, right hand                      |
| M67.942     | Unspecified disorder of synovium and tendon, left hand                       |
| M67.949     | Unspecified disorder of synovium and tendon, unspecified hand                |
| M67.951     | Unspecified disorder of synovium and tendon, right thigh                     |
| M67.952     | Unspecified disorder of synovium and tendon, left thigh                      |
| M67.959     | Unspecified disorder of synovium and tendon, unspecified thigh               |
| M67.961     | Unspecified disorder of synovium and tendon, right lower leg                 |
| M67.962     | Unspecified disorder of synovium and tendon, left lower leg                  |
| M67.969     | Unspecified disorder of synovium and tendon, unspecified lower leg           |
| M67.971     | Unspecified disorder of synovium and tendon, right ankle and foot            |
| M67.972     | Unspecified disorder of synovium and tendon, left ankle and foot             |
| M67.979     | Unspecified disorder of synovium and tendon, unspecified ankle and foot      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M67.98  | Unspecified disorder of synovium and tendon, other site     |
| M67.99  | Unspecified disorder of synovium and tendon, multiple sites |
| M70.031 | Crepitant synovitis (acute) (chronic), right wrist          |
| M70.032 | Crepitant synovitis (acute) (chronic), left wrist           |
| M70.039 | Crepitant synovitis (acute) (chronic), unspecified wrist    |
| M70.041 | Crepitant synovitis (acute) (chronic), right hand           |
| M70.042 | Crepitant synovitis (acute) (chronic), left hand            |
| M70.049 | Crepitant synovitis (acute) (chronic), unspecified hand     |
| M70.10  | Bursitis, unspecified hand                                  |
| M70.11  | Bursitis, right hand  |
| M70.12  | Bursitis, left hand   |
| M70.20  | Olecranon bursitis, unspecified elbow                       |
| M70.21  | Olecranon bursitis, right elbow                             |
| M70.22  | Olecranon bursitis, left elbow                              |
| M70.30  | Other bursitis of elbow, unspecified elbow                  |
| M70.31  | Other bursitis of elbow, right elbow                        |
| M70.32  | Other bursitis of elbow, left elbow                         |
| M70.40  | Prepatellar bursitis, unspecified knee                      |
| M70.41  | Prepatellar bursitis, right knee                            |
| M70.42  | Prepatellar bursitis, left knee                             |
| M70.50  | Other bursitis of knee, unspecified knee                    |
| M70.51  | Other bursitis of knee, right knee                          |
| M70.52  | Other bursitis of knee, left knee                           |
| M70.60  | Trochanteric bursitis, unspecified hip                      |
| M70.61  | Trochanteric bursitis, right hip                            |
| M70.62  | Trochanteric bursitis, left hip                             |
| M70.70  | Other bursitis of hip, unspecified hip                      |
| M70.71  | Other bursitis of hip, right hip                            |
| M70.72  | Other bursitis of hip, left hip                             |
| M71.00  | Abscess of bursa, unspecified site                          |
| M71.011 | Abscess of bursa, right shoulder                            |
| M71.012 | Abscess of bursa, left shoulder                             |
| M71.019 | Abscess of bursa, unspecified shoulder                      |
| M71.021 | Abscess of bursa, right elbow                               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                    |
|---------|--|
| M71.022 | Abscess of bursa, left elbow                   |
| M71.029 | Abscess of bursa, unspecified elbow            |
| M71.031 | Abscess of bursa, right wrist                  |
| M71.032 | Abscess of bursa, left wrist                   |
| M71.039 | Abscess of bursa, unspecified wrist            |
| M71.041 | Abscess of bursa, right hand                   |
| M71.042 | Abscess of bursa, left hand                    |
| M71.049 | Abscess of bursa, unspecified hand             |
| M71.051 | Abscess of bursa, right hip                    |
| M71.052 | Abscess of bursa, left hip                     |
| M71.059 | Abscess of bursa, unspecified hip              |
| M71.061 | Abscess of bursa, right knee                   |
| M71.062 | Abscess of bursa, left knee                    |
| M71.069 | Abscess of bursa, unspecified knee             |
| M71.071 | Abscess of bursa, right ankle and foot         |
| M71.072 | Abscess of bursa, left ankle and foot          |
| M71.079 | Abscess of bursa, unspecified ankle and foot   |
| M71.08  | Abscess of bursa, other site                   |
| M71.09  | Abscess of bursa, multiple sites               |
| M71.10  | Other infective bursitis, unspecified site     |
| M71.111 | Other infective bursitis, right shoulder       |
| M71.112 | Other infective bursitis, left shoulder        |
| M71.119 | Other infective bursitis, unspecified shoulder |
| M71.121 | Other infective bursitis, right elbow          |
| M71.122 | Other infective bursitis, left elbow           |
| M71.129 | Other infective bursitis, unspecified elbow    |
| M71.131 | Other infective bursitis, right wrist          |
| M71.132 | Other infective bursitis, left wrist           |
| M71.139 | Other infective bursitis, unspecified wrist    |
| M71.141 | Other infective bursitis, right hand           |
| M71.142 | Other infective bursitis, left hand            |
| M71.149 | Other infective bursitis, unspecified hand     |
| M71.151 | Other infective bursitis, right hip            |
| M71.152 | Other infective bursitis, left hip             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M71.159 | Other infective bursitis, unspecified hip                  |
| M71.161 | Other infective bursitis, right knee                       |
| M71.162 | Other infective bursitis, left knee                        |
| M71.169 | Other infective bursitis, unspecified knee                 |
| M71.171 | Other infective bursitis, right ankle and foot             |
| M71.172 | Other infective bursitis, left ankle and foot              |
| M71.179 | Other infective bursitis, unspecified ankle and foot       |
| M71.18  | Other infective bursitis, other site                       |
| M71.19  | Other infective bursitis, multiple sites                   |
| M71.20  | Synovial cyst of popliteal space [Baker], unspecified knee |
| M71.21  | Synovial cyst of popliteal space [Baker], right knee       |
| M71.22  | Synovial cyst of popliteal space [Baker], left knee        |
| M71.30  | Other bursal cyst, unspecified site                        |
| M71.311 | Other bursal cyst, right shoulder                          |
| M71.312 | Other bursal cyst, left shoulder                           |
| M71.319 | Other bursal cyst, unspecified shoulder                    |
| M71.321 | Other bursal cyst, right elbow                             |
| M71.322 | Other bursal cyst, left elbow                              |
| M71.329 | Other bursal cyst, unspecified elbow                       |
| M71.331 | Other bursal cyst, right wrist                             |
| M71.332 | Other bursal cyst, left wrist                              |
| M71.339 | Other bursal cyst, unspecified wrist                       |
| M71.341 | Other bursal cyst, right hand                              |
| M71.342 | Other bursal cyst, left hand                               |
| M71.349 | Other bursal cyst, unspecified hand                        |
| M71.351 | Other bursal cyst, right hip                               |
| M71.352 | Other bursal cyst, left hip                                |
| M71.359 | Other bursal cyst, unspecified hip                         |
| M71.371 | Other bursal cyst, right ankle and foot                    |
| M71.372 | Other bursal cyst, left ankle and foot                     |
| M71.379 | Other bursal cyst, unspecified ankle and foot              |
| M71.38  | Other bursal cyst, other site                              |
| M71.39  | Other bursal cyst, multiple sites                          |
| M71.40  | Calcium deposit in bursa, unspecified site                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M71.421     | Calcium deposit in bursa, right elbow                       |
| M71.422     | Calcium deposit in bursa, left elbow                        |
| M71.429     | Calcium deposit in bursa, unspecified elbow                 |
| M71.431     | Calcium deposit in bursa, right wrist                       |
| M71.432     | Calcium deposit in bursa, left wrist                        |
| M71.439     | Calcium deposit in bursa, unspecified wrist                 |
| M71.441     | Calcium deposit in bursa, right hand                        |
| M71.442     | Calcium deposit in bursa, left hand                         |
| M71.449     | Calcium deposit in bursa, unspecified hand                  |
| M71.451     | Calcium deposit in bursa, right hip                         |
| M71.452     | Calcium deposit in bursa, left hip                          |
| M71.459     | Calcium deposit in bursa, unspecified hip                   |
| M71.461     | Calcium deposit in bursa, right knee                        |
| M71.462     | Calcium deposit in bursa, left knee                         |
| M71.469     | Calcium deposit in bursa, unspecified knee                  |
| M71.471     | Calcium deposit in bursa, right ankle and foot              |
| M71.472     | Calcium deposit in bursa, left ankle and foot               |
| M71.479     | Calcium deposit in bursa, unspecified ankle and foot        |
| M71.48      | Calcium deposit in bursa, other site                        |
| M71.49      | Calcium deposit in bursa, multiple sites                    |
| M71.50      | Other bursitis, not elsewhere classified, unspecified site  |
| M71.521     | Other bursitis, not elsewhere classified, right elbow       |
| M71.522     | Other bursitis, not elsewhere classified, left elbow        |
| M71.529     | Other bursitis, not elsewhere classified, unspecified elbow |
| M71.531     | Other bursitis, not elsewhere classified, right wrist       |
| M71.532     | Other bursitis, not elsewhere classified, left wrist        |
| M71.539     | Other bursitis, not elsewhere classified, unspecified wrist |
| M71.541     | Other bursitis, not elsewhere classified, right hand        |
| M71.542     | Other bursitis, not elsewhere classified, left hand         |
| M71.549     | Other bursitis, not elsewhere classified, unspecified hand  |
| M71.551     | Other bursitis, not elsewhere classified, right hip         |
| M71.552     | Other bursitis, not elsewhere classified, left hip          |
| M71.559     | Other bursitis, not elsewhere classified, unspecified hip   |
| M71.561     | Other bursitis, not elsewhere classified, right knee        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M71.562     | Other bursitis, not elsewhere classified, left knee                  |
| M71.569     | Other bursitis, not elsewhere classified, unspecified knee           |
| M71.571     | Other bursitis, not elsewhere classified, right ankle and foot       |
| M71.572     | Other bursitis, not elsewhere classified, left ankle and foot        |
| M71.579     | Other bursitis, not elsewhere classified, unspecified ankle and foot |
| M71.58      | Other bursitis, not elsewhere classified, other site                 |
| M71.80      | Other specified bursopathies, unspecified site                       |
| M71.811     | Other specified bursopathies, right shoulder                         |
| M71.812     | Other specified bursopathies, left shoulder                          |
| M71.819     | Other specified bursopathies, unspecified shoulder                   |
| M71.821     | Other specified bursopathies, right elbow                            |
| M71.822     | Other specified bursopathies, left elbow                             |
| M71.829     | Other specified bursopathies, unspecified elbow                      |
| M71.831     | Other specified bursopathies, right wrist                            |
| M71.832     | Other specified bursopathies, left wrist                             |
| M71.839     | Other specified bursopathies, unspecified wrist                      |
| M71.841     | Other specified bursopathies, right hand                             |
| M71.842     | Other specified bursopathies, left hand                              |
| M71.849     | Other specified bursopathies, unspecified hand                       |
| M71.851     | Other specified bursopathies, right hip                              |
| M71.852     | Other specified bursopathies, left hip                               |
| M71.859     | Other specified bursopathies, unspecified hip                        |
| M71.861     | Other specified bursopathies, right knee                             |
| M71.862     | Other specified bursopathies, left knee                              |
| M71.869     | Other specified bursopathies, unspecified knee                       |
| M71.871     | Other specified bursopathies, right ankle and foot                   |
| M71.872     | Other specified bursopathies, left ankle and foot                    |
| M71.879     | Other specified bursopathies, unspecified ankle and foot             |
| M71.88      | Other specified bursopathies, other site                             |
| M71.89      | Other specified bursopathies, multiple sites                         |
| M71.9       | Bursopathy, unspecified  |
| M72.0       | Palmar fascial fibromatosis [Dupuytren]                              |
| M72.1       | Knuckle pads   |
| M72.2       | Plantar fascial fibromatosis   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M72.4   | Pseudosarcomatous fibromatosis   |
| M72.9   | Fibroblastic disorder, unspecified   |
| M75.00  | Adhesive capsulitis of unspecified shoulder  |
| M75.01  | Adhesive capsulitis of right shoulder  |
| M75.02  | Adhesive capsulitis of left shoulder   |
| M75.100 | Unspecified rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic |
| M75.101 | Unspecified rotator cuff tear or rupture of right shoulder, not specified as traumatic       |
| M75.102 | Unspecified rotator cuff tear or rupture of left shoulder, not specified as traumatic        |
| M75.110 | Incomplete rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic  |
| M75.111 | Incomplete rotator cuff tear or rupture of right shoulder, not specified as traumatic        |
| M75.112 | Incomplete rotator cuff tear or rupture of left shoulder, not specified as traumatic         |
| M75.120 | Complete rotator cuff tear or rupture of unspecified shoulder, not specified as traumatic    |
| M75.121 | Complete rotator cuff tear or rupture of right shoulder, not specified as traumatic          |
| M75.122 | Complete rotator cuff tear or rupture of left shoulder, not specified as traumatic           |
| M75.20  | Bicipital tendinitis, unspecified shoulder   |
| M75.21  | Bicipital tendinitis, right shoulder   |
| M75.22  | Bicipital tendinitis, left shoulder  |
| M75.30  | Calcific tendinitis of unspecified shoulder  |
| M75.31  | Calcific tendinitis of right shoulder  |
| M75.32  | Calcific tendinitis of left shoulder   |
| M75.40  | Impingement syndrome of unspecified shoulder   |
| M75.41  | Impingement syndrome of right shoulder   |
| M75.42  | Impingement syndrome of left shoulder  |
| M75.50  | Bursitis of unspecified shoulder   |
| M75.51  | Bursitis of right shoulder   |
| M75.52  | Bursitis of left shoulder  |
| M75.80  | Other shoulder lesions, unspecified shoulder   |
| M75.81  | Other shoulder lesions, right shoulder   |
| M75.82  | Other shoulder lesions, left shoulder  |
| M75.90  | Shoulder lesion, unspecified, unspecified shoulder   |
| M75.91  | Shoulder lesion, unspecified, right shoulder   |
| M75.92  | Shoulder lesion, unspecified, left shoulder  |
| M76.00  | Gluteal tendinitis, unspecified hip  |
| M76.01  | Gluteal tendinitis, right hip  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M76.02  | Gluteal tendinitis, left hip   |
| M76.10  | Psoas tendinitis, unspecified hip  |
| M76.11  | Psoas tendinitis, right hip  |
| M76.12  | Psoas tendinitis, left hip   |
| M76.20  | Iliac crest spur, unspecified hip  |
| M76.21  | Iliac crest spur, right hip  |
| M76.22  | Iliac crest spur, left hip   |
| M76.30  | Iliotibial band syndrome, unspecified leg                                |
| M76.31  | Iliotibial band syndrome, right leg                                      |
| M76.32  | Iliotibial band syndrome, left leg                                       |
| M76.40  | Tibial collateral bursitis [Pellegrini-Stieda], unspecified leg          |
| M76.41  | Tibial collateral bursitis [Pellegrini-Stieda], right leg                |
| M76.42  | Tibial collateral bursitis [Pellegrini-Stieda], left leg                 |
| M76.50  | Patellar tendinitis, unspecified knee                                    |
| M76.51  | Patellar tendinitis, right knee  |
| M76.52  | Patellar tendinitis, left knee   |
| M76.60  | Achilles tendinitis, unspecified leg                                     |
| M76.61  | Achilles tendinitis, right leg   |
| M76.62  | Achilles tendinitis, left leg  |
| M76.70  | Peroneal tendinitis, unspecified leg                                     |
| M76.71  | Peroneal tendinitis, right leg   |
| M76.72  | Peroneal tendinitis, left leg  |
| M76.811 | Anterior tibial syndrome, right leg                                      |
| M76.812 | Anterior tibial syndrome, left leg                                       |
| M76.819 | Anterior tibial syndrome, unspecified leg                                |
| M76.821 | Posterior tibial tendinitis, right leg                                   |
| M76.822 | Posterior tibial tendinitis, left leg                                    |
| M76.829 | Posterior tibial tendinitis, unspecified leg                             |
| M76.891 | Other specified enthesopathies of right lower limb, excluding foot       |
| M76.892 | Other specified enthesopathies of left lower limb, excluding foot        |
| M76.899 | Other specified enthesopathies of unspecified lower limb, excluding foot |
| M76.9   | Unspecified enthesopathy, lower limb, excluding foot                     |
| M77.00  | Medial epicondylitis, unspecified elbow                                  |
| M77.01  | Medial epicondylitis, right elbow  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M77.02   | Medial epicondylitis, left elbow  |
| M77.10   | Lateral epicondylitis, unspecified elbow  |
| M77.11   | Lateral epicondylitis, right elbow  |
| M77.12   | Lateral epicondylitis, left elbow   |
| M77.20   | Periarthritis, unspecified wrist  |
| M77.21   | Periarthritis, right wrist  |
| M77.22   | Periarthritis, left wrist   |
| M77.30   | Calcaneal spur, unspecified foot  |
| M77.31   | Calcaneal spur, right foot  |
| M77.32   | Calcaneal spur, left foot   |
| M77.40   | Metatarsalgia, unspecified foot   |
| M77.41   | Metatarsalgia, right foot   |
| M77.42   | Metatarsalgia, left foot  |
| M77.50   | Other enthesopathy of unspecified foot and ankle  |
| M77.51   | Other enthesopathy of right foot and ankle  |
| M77.52   | Other enthesopathy of left foot and ankle   |
| M77.8    | Other enthesopathies, not elsewhere classified  |
| M77.9    | Enthesopathy, unspecified   |
| M80.00XD | Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with routine healing     |
| M80.00XG | Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with delayed healing     |
| M80.00XS | Age-related osteoporosis with current pathological fracture, unspecified site, sequela  |
| M80.011D | Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with routine healing       |
| M80.011G | Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with delayed healing       |
| M80.011S | Age-related osteoporosis with current pathological fracture, right shoulder, sequela  |
| M80.012D | Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with routine healing        |
| M80.012G | Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with delayed healing        |
| M80.012S | Age-related osteoporosis with current pathological fracture, left shoulder, sequela   |
| M80.019D | Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.019G | Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| M80.019S | Age-related osteoporosis with current pathological fracture, unspecified shoulder, sequela  |
| M80.021D | Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with routine healing        |
| M80.021G | Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with delayed healing        |
| M80.021S | Age-related osteoporosis with current pathological fracture, right humerus, sequela   |
| M80.022D | Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with routine healing         |
| M80.022G | Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with delayed healing         |
| M80.022S | Age-related osteoporosis with current pathological fracture, left humerus, sequela  |
| M80.029D | Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with routine healing  |
| M80.029G | Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with delayed healing  |
| M80.029S | Age-related osteoporosis with current pathological fracture, unspecified humerus, sequela   |
| M80.031D | Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with routine healing        |
| M80.031G | Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with delayed healing        |
| M80.031S | Age-related osteoporosis with current pathological fracture, right forearm, sequela   |
| M80.032D | Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with routine healing         |
| M80.032G | Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with delayed healing         |
| M80.032S | Age-related osteoporosis with current pathological fracture, left forearm, sequela  |
| M80.039D | Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with routine healing  |
| M80.039G | Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with delayed healing  |
| M80.039S | Age-related osteoporosis with current pathological fracture, unspecified forearm, sequela   |
| M80.041D | Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with routine healing           |
| M80.041G | Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with delayed healing           |
| M80.041S | Age-related osteoporosis with current pathological fracture, right hand, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M80.042D | Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with routine healing             |
| M80.042G | Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with delayed healing             |
| M80.042S | Age-related osteoporosis with current pathological fracture, left hand, sequela  |
| M80.049D | Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with routine healing      |
| M80.049G | Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with delayed healing      |
| M80.049S | Age-related osteoporosis with current pathological fracture, unspecified hand, sequela   |
| M80.051D | Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with routine healing           |
| M80.051G | Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing           |
| M80.051S | Age-related osteoporosis with current pathological fracture, right femur, sequela  |
| M80.052D | Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with routine healing            |
| M80.052G | Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing            |
| M80.052S | Age-related osteoporosis with current pathological fracture, left femur, sequela   |
| M80.059D | Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing     |
| M80.059G | Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing     |
| M80.059S | Age-related osteoporosis with current pathological fracture, unspecified femur, sequela  |
| M80.061D | Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with routine healing       |
| M80.061G | Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with delayed healing       |
| M80.061S | Age-related osteoporosis with current pathological fracture, right lower leg, sequela  |
| M80.062D | Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with routine healing        |
| M80.062G | Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with delayed healing        |
| M80.062S | Age-related osteoporosis with current pathological fracture, left lower leg, sequela   |
| M80.069D | Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with routine healing |
| M80.069G | Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.069S | Age-related osteoporosis with current pathological fracture, unspecified lower leg, sequela   |
| M80.071D | Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with routine healing       |
| M80.071G | Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with delayed healing       |
| M80.071S | Age-related osteoporosis with current pathological fracture, right ankle and foot, sequela  |
| M80.072D | Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with routine healing        |
| M80.072G | Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with delayed healing        |
| M80.072S | Age-related osteoporosis with current pathological fracture, left ankle and foot, sequela   |
| M80.079D | Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with routine healing |
| M80.079G | Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with delayed healing |
| M80.079S | Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, sequela  |
| M80.08XD | Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with routine healing                |
| M80.08XG | Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with delayed healing                |
| M80.08XS | Age-related osteoporosis with current pathological fracture, vertebra(e), sequela   |
| M80.80XD | Other osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with routine healing                 |
| M80.80XG | Other osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with delayed healing                 |
| M80.80XS | Other osteoporosis with current pathological fracture, unspecified site, sequela  |
| M80.811D | Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with routine healing                   |
| M80.811G | Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with delayed healing                   |
| M80.811S | Other osteoporosis with current pathological fracture, right shoulder, sequela  |
| M80.812D | Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with routine healing                    |
| M80.812G | Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with delayed healing                    |
| M80.812S | Other osteoporosis with current pathological fracture, left shoulder, sequela   |
| M80.819D | Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with routine healing             |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.819G | Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| M80.819S | Other osteoporosis with current pathological fracture, unspecified shoulder, sequela  |
| M80.821D | Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with routine healing        |
| M80.821G | Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with delayed healing        |
| M80.821S | Other osteoporosis with current pathological fracture, right humerus, sequela   |
| M80.822D | Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with routine healing         |
| M80.822G | Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with delayed healing         |
| M80.822S | Other osteoporosis with current pathological fracture, left humerus, sequela  |
| M80.829D | Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with routine healing  |
| M80.829G | Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with delayed healing  |
| M80.829S | Other osteoporosis with current pathological fracture, unspecified humerus, sequela   |
| M80.831D | Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with routine healing        |
| M80.831G | Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with delayed healing        |
| M80.831S | Other osteoporosis with current pathological fracture, right forearm, sequela   |
| M80.832D | Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with routine healing         |
| M80.832G | Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with delayed healing         |
| M80.832S | Other osteoporosis with current pathological fracture, left forearm, sequela  |
| M80.839D | Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with routine healing  |
| M80.839G | Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with delayed healing  |
| M80.839S | Other osteoporosis with current pathological fracture, unspecified forearm, sequela   |
| M80.841D | Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with routine healing           |
| M80.841G | Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with delayed healing           |
| M80.841S | Other osteoporosis with current pathological fracture, right hand, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M80.842D | Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with routine healing             |
| M80.842G | Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with delayed healing             |
| M80.842S | Other osteoporosis with current pathological fracture, left hand, sequela  |
| M80.849D | Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with routine healing      |
| M80.849G | Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with delayed healing      |
| M80.849S | Other osteoporosis with current pathological fracture, unspecified hand, sequela   |
| M80.851D | Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with routine healing           |
| M80.851G | Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing           |
| M80.851S | Other osteoporosis with current pathological fracture, right femur, sequela  |
| M80.852D | Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with routine healing            |
| M80.852G | Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing            |
| M80.852S | Other osteoporosis with current pathological fracture, left femur, sequela   |
| M80.859D | Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing     |
| M80.859G | Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing     |
| M80.859S | Other osteoporosis with current pathological fracture, unspecified femur, sequela  |
| M80.861D | Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with routine healing       |
| M80.861G | Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with delayed healing       |
| M80.861S | Other osteoporosis with current pathological fracture, right lower leg, sequela  |
| M80.862D | Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with routine healing        |
| M80.862G | Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with delayed healing        |
| M80.862S | Other osteoporosis with current pathological fracture, left lower leg, sequela   |
| M80.869D | Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with routine healing |
| M80.869G | Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.869S | Other osteoporosis with current pathological fracture, unspecified lower leg, sequela   |
| M80.871D | Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with routine healing       |
| M80.871G | Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with delayed healing       |
| M80.871S | Other osteoporosis with current pathological fracture, right ankle and foot, sequela  |
| M80.872D | Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with routine healing        |
| M80.872G | Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with delayed healing        |
| M80.872S | Other osteoporosis with current pathological fracture, left ankle and foot, sequela   |
| M80.879D | Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with routine healing |
| M80.879G | Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with delayed healing |
| M80.879S | Other osteoporosis with current pathological fracture, unspecified ankle and foot, sequela  |
| M80.88XD | Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with routine healing                |
| M80.88XG | Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with delayed healing                |
| M80.88XS | Other osteoporosis with current pathological fracture, vertebra(e), sequela   |
| M81.0    | Age-related osteoporosis without current pathological fracture  |
| M81.6    | Localized osteoporosis [Lequesne]   |
| M81.8    | Other osteoporosis without current pathological fracture  |
| M84.30XD | Stress fracture, unspecified site, subsequent encounter for fracture with routine healing   |
| M84.30XG | Stress fracture, unspecified site, subsequent encounter for fracture with delayed healing   |
| M84.30XS | Stress fracture, unspecified site, sequela  |
| M84.311D | Stress fracture, right shoulder, subsequent encounter for fracture with routine healing   |
| M84.311G | Stress fracture, right shoulder, subsequent encounter for fracture with delayed healing   |
| M84.311S | Stress fracture, right shoulder, sequela  |
| M84.312D | Stress fracture, left shoulder, subsequent encounter for fracture with routine healing  |
| M84.312G | Stress fracture, left shoulder, subsequent encounter for fracture with delayed healing  |
| M84.312S | Stress fracture, left shoulder, sequela   |
| M84.319D | Stress fracture, unspecified shoulder, subsequent encounter for fracture with routine healing   |
| M84.319G | Stress fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.319S | Stress fracture, unspecified shoulder, sequela   |
| M84.321D | Stress fracture, right humerus, subsequent encounter for fracture with routine healing               |
| M84.321G | Stress fracture, right humerus, subsequent encounter for fracture with delayed healing               |
| M84.321S | Stress fracture, right humerus, sequela  |
| M84.322D | Stress fracture, left humerus, subsequent encounter for fracture with routine healing                |
| M84.322G | Stress fracture, left humerus, subsequent encounter for fracture with delayed healing                |
| M84.322S | Stress fracture, left humerus, sequela   |
| M84.329D | Stress fracture, unspecified humerus, subsequent encounter for fracture with routine healing         |
| M84.329G | Stress fracture, unspecified humerus, subsequent encounter for fracture with delayed healing         |
| M84.329S | Stress fracture, unspecified humerus, sequela  |
| M84.331D | Stress fracture, right ulna, subsequent encounter for fracture with routine healing                  |
| M84.331G | Stress fracture, right ulna, subsequent encounter for fracture with delayed healing                  |
| M84.331S | Stress fracture, right ulna, sequela   |
| M84.332D | Stress fracture, left ulna, subsequent encounter for fracture with routine healing                   |
| M84.332G | Stress fracture, left ulna, subsequent encounter for fracture with delayed healing                   |
| M84.332S | Stress fracture, left ulna, sequela  |
| M84.333D | Stress fracture, right radius, subsequent encounter for fracture with routine healing                |
| M84.333G | Stress fracture, right radius, subsequent encounter for fracture with delayed healing                |
| M84.333S | Stress fracture, right radius, sequela   |
| M84.334D | Stress fracture, left radius, subsequent encounter for fracture with routine healing                 |
| M84.334G | Stress fracture, left radius, subsequent encounter for fracture with delayed healing                 |
| M84.334S | Stress fracture, left radius, sequela  |
| M84.339D | Stress fracture, unspecified ulna and radius, subsequent encounter for fracture with routine healing |
| M84.339G | Stress fracture, unspecified ulna and radius, subsequent encounter for fracture with delayed healing |
| M84.339S | Stress fracture, unspecified ulna and radius, sequela  |
| M84.341D | Stress fracture, right hand, subsequent encounter for fracture with routine healing                  |
| M84.341G | Stress fracture, right hand, subsequent encounter for fracture with delayed healing                  |
| M84.341S | Stress fracture, right hand, sequela   |
| M84.342D | Stress fracture, left hand, subsequent encounter for fracture with routine healing                   |
| M84.342G | Stress fracture, left hand, subsequent encounter for fracture with delayed healing                   |
| M84.342S | Stress fracture, left hand, sequela  |
| M84.343D | Stress fracture, unspecified hand, subsequent encounter for fracture with routine healing            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.343G | Stress fracture, unspecified hand, subsequent encounter for fracture with delayed healing      |
| M84.343S | Stress fracture, unspecified hand, sequela   |
| M84.344D | Stress fracture, right finger(s), subsequent encounter for fracture with routine healing       |
| M84.344G | Stress fracture, right finger(s), subsequent encounter for fracture with delayed healing       |
| M84.344S | Stress fracture, right finger(s), sequela  |
| M84.345D | Stress fracture, left finger(s), subsequent encounter for fracture with routine healing        |
| M84.345G | Stress fracture, left finger(s), subsequent encounter for fracture with delayed healing        |
| M84.345S | Stress fracture, left finger(s), sequela   |
| M84.346D | Stress fracture, unspecified finger(s), subsequent encounter for fracture with routine healing |
| M84.346G | Stress fracture, unspecified finger(s), subsequent encounter for fracture with delayed healing |
| M84.346S | Stress fracture, unspecified finger(s), sequela  |
| M84.350D | Stress fracture, pelvis, subsequent encounter for fracture with routine healing                |
| M84.350G | Stress fracture, pelvis, subsequent encounter for fracture with delayed healing                |
| M84.350S | Stress fracture, pelvis, sequela   |
| M84.351D | Stress fracture, right femur, subsequent encounter for fracture with routine healing           |
| M84.351G | Stress fracture, right femur, subsequent encounter for fracture with delayed healing           |
| M84.351S | Stress fracture, right femur, sequela  |
| M84.352D | Stress fracture, left femur, subsequent encounter for fracture with routine healing            |
| M84.352G | Stress fracture, left femur, subsequent encounter for fracture with delayed healing            |
| M84.352S | Stress fracture, left femur, sequela   |
| M84.353D | Stress fracture, unspecified femur, subsequent encounter for fracture with routine healing     |
| M84.353G | Stress fracture, unspecified femur, subsequent encounter for fracture with delayed healing     |
| M84.353S | Stress fracture, unspecified femur, sequela  |
| M84.359D | Stress fracture, hip, unspecified, subsequent encounter for fracture with routine healing      |
| M84.359G | Stress fracture, hip, unspecified, subsequent encounter for fracture with delayed healing      |
| M84.359S | Stress fracture, hip, unspecified, sequela   |
| M84.361D | Stress fracture, right tibia, subsequent encounter for fracture with routine healing           |
| M84.361G | Stress fracture, right tibia, subsequent encounter for fracture with delayed healing           |
| M84.361S | Stress fracture, right tibia, sequela  |
| M84.362D | Stress fracture, left tibia, subsequent encounter for fracture with routine healing            |
| M84.362G | Stress fracture, left tibia, subsequent encounter for fracture with delayed healing            |
| M84.362S | Stress fracture, left tibia, sequela   |
| M84.363D | Stress fracture, right fibula, subsequent encounter for fracture with routine healing          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M84.363G | Stress fracture, right fibula, subsequent encounter for fracture with delayed healing                 |
| M84.363S | Stress fracture, right fibula, sequela  |
| M84.364D | Stress fracture, left fibula, subsequent encounter for fracture with routine healing                  |
| M84.364G | Stress fracture, left fibula, subsequent encounter for fracture with delayed healing                  |
| M84.364S | Stress fracture, left fibula, sequela   |
| M84.369D | Stress fracture, unspecified tibia and fibula, subsequent encounter for fracture with routine healing |
| M84.369G | Stress fracture, unspecified tibia and fibula, subsequent encounter for fracture with delayed healing |
| M84.369S | Stress fracture, unspecified tibia and fibula, sequela  |
| M84.371D | Stress fracture, right ankle, subsequent encounter for fracture with routine healing                  |
| M84.371G | Stress fracture, right ankle, subsequent encounter for fracture with delayed healing                  |
| M84.371S | Stress fracture, right ankle, sequela   |
| M84.372D | Stress fracture, left ankle, subsequent encounter for fracture with routine healing                   |
| M84.372G | Stress fracture, left ankle, subsequent encounter for fracture with delayed healing                   |
| M84.372S | Stress fracture, left ankle, sequela  |
| M84.373D | Stress fracture, unspecified ankle, subsequent encounter for fracture with routine healing            |
| M84.373G | Stress fracture, unspecified ankle, subsequent encounter for fracture with delayed healing            |
| M84.373S | Stress fracture, unspecified ankle, sequela   |
| M84.374D | Stress fracture, right foot, subsequent encounter for fracture with routine healing                   |
| M84.374G | Stress fracture, right foot, subsequent encounter for fracture with delayed healing                   |
| M84.374S | Stress fracture, right foot, sequela  |
| M84.375D | Stress fracture, left foot, subsequent encounter for fracture with routine healing                    |
| M84.375G | Stress fracture, left foot, subsequent encounter for fracture with delayed healing                    |
| M84.375S | Stress fracture, left foot, sequela   |
| M84.376D | Stress fracture, unspecified foot, subsequent encounter for fracture with routine healing             |
| M84.376G | Stress fracture, unspecified foot, subsequent encounter for fracture with delayed healing             |
| M84.376S | Stress fracture, unspecified foot, sequela  |
| M84.377D | Stress fracture, right toe(s), subsequent encounter for fracture with routine healing                 |
| M84.377G | Stress fracture, right toe(s), subsequent encounter for fracture with delayed healing                 |
| M84.377S | Stress fracture, right toe(s), sequela  |
| M84.378D | Stress fracture, left toe(s), subsequent encounter for fracture with routine healing                  |
| M84.378G | Stress fracture, left toe(s), subsequent encounter for fracture with delayed healing                  |
| M84.378S | Stress fracture, left toe(s), sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M84.379D    | Stress fracture, unspecified toe(s), subsequent encounter for fracture with routine healing         |
| M84.379G    | Stress fracture, unspecified toe(s), subsequent encounter for fracture with delayed healing         |
| M84.379S    | Stress fracture, unspecified toe(s), sequela  |
| M84.38XD    | Stress fracture, other site, subsequent encounter for fracture with routine healing                 |
| M84.38XG    | Stress fracture, other site, subsequent encounter for fracture with delayed healing                 |
| M84.38XS    | Stress fracture, other site, sequela  |
| M84.40XD    | Pathological fracture, unspecified site, subsequent encounter for fracture with routine healing     |
| M84.40XG    | Pathological fracture, unspecified site, subsequent encounter for fracture with delayed healing     |
| M84.40XS    | Pathological fracture, unspecified site, sequela  |
| M84.411D    | Pathological fracture, right shoulder, subsequent encounter for fracture with routine healing       |
| M84.411G    | Pathological fracture, right shoulder, subsequent encounter for fracture with delayed healing       |
| M84.411S    | Pathological fracture, right shoulder, sequela  |
| M84.412D    | Pathological fracture, left shoulder, subsequent encounter for fracture with routine healing        |
| M84.412G    | Pathological fracture, left shoulder, subsequent encounter for fracture with delayed healing        |
| M84.412S    | Pathological fracture, left shoulder, sequela   |
| M84.419D    | Pathological fracture, unspecified shoulder, subsequent encounter for fracture with routine healing |
| M84.419G    | Pathological fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| M84.419S    | Pathological fracture, unspecified shoulder, sequela  |
| M84.421D    | Pathological fracture, right humerus, subsequent encounter for fracture with routine healing        |
| M84.421G    | Pathological fracture, right humerus, subsequent encounter for fracture with delayed healing        |
| M84.421S    | Pathological fracture, right humerus, sequela   |
| M84.422D    | Pathological fracture, left humerus, subsequent encounter for fracture with routine healing         |
| M84.422G    | Pathological fracture, left humerus, subsequent encounter for fracture with delayed healing         |
| M84.422S    | Pathological fracture, left humerus, sequela  |
| M84.429D    | Pathological fracture, unspecified humerus, subsequent encounter for fracture with routine healing  |
| M84.429G    | Pathological fracture, unspecified humerus, subsequent encounter for fracture with delayed healing  |
| M84.429S    | Pathological fracture, unspecified humerus, sequela   |
| M84.431D    | Pathological fracture, right ulna, subsequent encounter for fracture with routine healing           |
| M84.431G    | Pathological fracture, right ulna, subsequent encounter for fracture with delayed healing           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.431S | Pathological fracture, right ulna, sequela   |
| M84.432D | Pathological fracture, left ulna, subsequent encounter for fracture with routine healing                   |
| M84.432G | Pathological fracture, left ulna, subsequent encounter for fracture with delayed healing                   |
| M84.432S | Pathological fracture, left ulna, sequela  |
| M84.433D | Pathological fracture, right radius, subsequent encounter for fracture with routine healing                |
| M84.433G | Pathological fracture, right radius, subsequent encounter for fracture with delayed healing                |
| M84.433S | Pathological fracture, right radius, sequela   |
| M84.434D | Pathological fracture, left radius, subsequent encounter for fracture with routine healing                 |
| M84.434G | Pathological fracture, left radius, subsequent encounter for fracture with delayed healing                 |
| M84.434S | Pathological fracture, left radius, sequela  |
| M84.439D | Pathological fracture, unspecified ulna and radius, subsequent encounter for fracture with routine healing |
| M84.439G | Pathological fracture, unspecified ulna and radius, subsequent encounter for fracture with delayed healing |
| M84.439S | Pathological fracture, unspecified ulna and radius, sequela  |
| M84.441D | Pathological fracture, right hand, subsequent encounter for fracture with routine healing                  |
| M84.441G | Pathological fracture, right hand, subsequent encounter for fracture with delayed healing                  |
| M84.441S | Pathological fracture, right hand, sequela   |
| M84.442D | Pathological fracture, left hand, subsequent encounter for fracture with routine healing                   |
| M84.442G | Pathological fracture, left hand, subsequent encounter for fracture with delayed healing                   |
| M84.442S | Pathological fracture, left hand, sequela  |
| M84.443D | Pathological fracture, unspecified hand, subsequent encounter for fracture with routine healing            |
| M84.443G | Pathological fracture, unspecified hand, subsequent encounter for fracture with delayed healing            |
| M84.443S | Pathological fracture, unspecified hand, sequela   |
| M84.444D | Pathological fracture, right finger(s), subsequent encounter for fracture with routine healing             |
| M84.444G | Pathological fracture, right finger(s), subsequent encounter for fracture with delayed healing             |
| M84.444S | Pathological fracture, right finger(s), sequela  |
| M84.445D | Pathological fracture, left finger(s), subsequent encounter for fracture with routine healing              |
| M84.445G | Pathological fracture, left finger(s), subsequent encounter for fracture with delayed healing              |
| M84.445S | Pathological fracture, left finger(s), sequela   |
| M84.446D | Pathological fracture, unspecified finger(s), subsequent encounter for fracture with routine healing       |
| M84.446G | Pathological fracture, unspecified finger(s), subsequent encounter for fracture with delayed healing       |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M84.446S | Pathological fracture, unspecified finger(s), sequela   |
| M84.451D | Pathological fracture, right femur, subsequent encounter for fracture with routine healing                  |
| M84.451G | Pathological fracture, right femur, subsequent encounter for fracture with delayed healing                  |
| M84.451S | Pathological fracture, right femur, sequela   |
| M84.452D | Pathological fracture, left femur, subsequent encounter for fracture with routine healing                   |
| M84.452G | Pathological fracture, left femur, subsequent encounter for fracture with delayed healing                   |
| M84.452S | Pathological fracture, left femur, sequela  |
| M84.453D | Pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing            |
| M84.453G | Pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing            |
| M84.453S | Pathological fracture, unspecified femur, sequela   |
| M84.454D | Pathological fracture, pelvis, subsequent encounter for fracture with routine healing                       |
| M84.454G | Pathological fracture, pelvis, subsequent encounter for fracture with delayed healing                       |
| M84.454S | Pathological fracture, pelvis, sequela  |
| M84.459D | Pathological fracture, hip, unspecified, subsequent encounter for fracture with routine healing             |
| M84.459G | Pathological fracture, hip, unspecified, subsequent encounter for fracture with delayed healing             |
| M84.459S | Pathological fracture, hip, unspecified, sequela  |
| M84.461D | Pathological fracture, right tibia, subsequent encounter for fracture with routine healing                  |
| M84.461G | Pathological fracture, right tibia, subsequent encounter for fracture with delayed healing                  |
| M84.461S | Pathological fracture, right tibia, sequela   |
| M84.462D | Pathological fracture, left tibia, subsequent encounter for fracture with routine healing                   |
| M84.462G | Pathological fracture, left tibia, subsequent encounter for fracture with delayed healing                   |
| M84.462S | Pathological fracture, left tibia, sequela  |
| M84.463D | Pathological fracture, right fibula, subsequent encounter for fracture with routine healing                 |
| M84.463G | Pathological fracture, right fibula, subsequent encounter for fracture with delayed healing                 |
| M84.463S | Pathological fracture, right fibula, sequela  |
| M84.464D | Pathological fracture, left fibula, subsequent encounter for fracture with routine healing                  |
| M84.464G | Pathological fracture, left fibula, subsequent encounter for fracture with delayed healing                  |
| M84.464S | Pathological fracture, left fibula, sequela   |
| M84.469D | Pathological fracture, unspecified tibia and fibula, subsequent encounter for fracture with routine healing |
| M84.469G | Pathological fracture, unspecified tibia and fibula, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M84.469S | Pathological fracture, unspecified tibia and fibula, sequela                                      |
| M84.471D | Pathological fracture, right ankle, subsequent encounter for fracture with routine healing        |
| M84.471G | Pathological fracture, right ankle, subsequent encounter for fracture with delayed healing        |
| M84.471S | Pathological fracture, right ankle, sequela   |
| M84.472D | Pathological fracture, left ankle, subsequent encounter for fracture with routine healing         |
| M84.472G | Pathological fracture, left ankle, subsequent encounter for fracture with delayed healing         |
| M84.472S | Pathological fracture, left ankle, sequela  |
| M84.473D | Pathological fracture, unspecified ankle, subsequent encounter for fracture with routine healing  |
| M84.473G | Pathological fracture, unspecified ankle, subsequent encounter for fracture with delayed healing  |
| M84.473S | Pathological fracture, unspecified ankle, sequela   |
| M84.474D | Pathological fracture, right foot, subsequent encounter for fracture with routine healing         |
| M84.474G | Pathological fracture, right foot, subsequent encounter for fracture with delayed healing         |
| M84.474S | Pathological fracture, right foot, sequela  |
| M84.475D | Pathological fracture, left foot, subsequent encounter for fracture with routine healing          |
| M84.475G | Pathological fracture, left foot, subsequent encounter for fracture with delayed healing          |
| M84.475S | Pathological fracture, left foot, sequela   |
| M84.476D | Pathological fracture, unspecified foot, subsequent encounter for fracture with routine healing   |
| M84.476G | Pathological fracture, unspecified foot, subsequent encounter for fracture with delayed healing   |
| M84.476S | Pathological fracture, unspecified foot, sequela  |
| M84.477D | Pathological fracture, right toe(s), subsequent encounter for fracture with routine healing       |
| M84.477G | Pathological fracture, right toe(s), subsequent encounter for fracture with delayed healing       |
| M84.477S | Pathological fracture, right toe(s), sequela  |
| M84.478D | Pathological fracture, left toe(s), subsequent encounter for fracture with routine healing        |
| M84.478G | Pathological fracture, left toe(s), subsequent encounter for fracture with delayed healing        |
| M84.478S | Pathological fracture, left toe(s), sequela   |
| M84.479D | Pathological fracture, unspecified toe(s), subsequent encounter for fracture with routine healing |
| M84.479G | Pathological fracture, unspecified toe(s), subsequent encounter for fracture with delayed healing |
| M84.479S | Pathological fracture, unspecified toe(s), sequela  |
| M84.48XD | Pathological fracture, other site, subsequent encounter for fracture with routine healing         |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--------------|---|
| M84.48X<br>G | Pathological fracture, other site, subsequent encounter for fracture with delayed healing                                 |
| M84.48XS     | Pathological fracture, other site, sequela  |
| M84.50XD     | Pathological fracture in neoplastic disease, unspecified site, subsequent encounter for fracture with routine healing     |
| M84.50X<br>G | Pathological fracture in neoplastic disease, unspecified site, subsequent encounter for fracture with delayed healing     |
| M84.50XS     | Pathological fracture in neoplastic disease, unspecified site, sequela  |
| M84.511D     | Pathological fracture in neoplastic disease, right shoulder, subsequent encounter for fracture with routine healing       |
| M84.511G     | Pathological fracture in neoplastic disease, right shoulder, subsequent encounter for fracture with delayed healing       |
| M84.511S     | Pathological fracture in neoplastic disease, right shoulder, sequela  |
| M84.512D     | Pathological fracture in neoplastic disease, left shoulder, subsequent encounter for fracture with routine healing        |
| M84.512G     | Pathological fracture in neoplastic disease, left shoulder, subsequent encounter for fracture with delayed healing        |
| M84.512S     | Pathological fracture in neoplastic disease, left shoulder, sequela   |
| M84.519D     | Pathological fracture in neoplastic disease, unspecified shoulder, subsequent encounter for fracture with routine healing |
| M84.519G     | Pathological fracture in neoplastic disease, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| M84.519S     | Pathological fracture in neoplastic disease, unspecified shoulder, sequela  |
| M84.521D     | Pathological fracture in neoplastic disease, right humerus, subsequent encounter for fracture with routine healing        |
| M84.521G     | Pathological fracture in neoplastic disease, right humerus, subsequent encounter for fracture with delayed healing        |
| M84.521S     | Pathological fracture in neoplastic disease, right humerus, sequela   |
| M84.522D     | Pathological fracture in neoplastic disease, left humerus, subsequent encounter for fracture with routine healing         |
| M84.522G     | Pathological fracture in neoplastic disease, left humerus, subsequent encounter for fracture with delayed healing         |
| M84.522S     | Pathological fracture in neoplastic disease, left humerus, sequela  |
| M84.529D     | Pathological fracture in neoplastic disease, unspecified humerus, subsequent encounter for fracture with routine healing  |
| M84.529G     | Pathological fracture in neoplastic disease, unspecified humerus, subsequent encounter for fracture with delayed healing  |
| M84.529S     | Pathological fracture in neoplastic disease, unspecified humerus, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.531D | Pathological fracture in neoplastic disease, right ulna, subsequent encounter for fracture with routine healing                  |
| M84.531G | Pathological fracture in neoplastic disease, right ulna, subsequent encounter for fracture with delayed healing                  |
| M84.531S | Pathological fracture in neoplastic disease, right ulna, sequela   |
| M84.532D | Pathological fracture in neoplastic disease, left ulna, subsequent encounter for fracture with routine healing                   |
| M84.532G | Pathological fracture in neoplastic disease, left ulna, subsequent encounter for fracture with delayed healing                   |
| M84.532S | Pathological fracture in neoplastic disease, left ulna, sequela  |
| M84.533D | Pathological fracture in neoplastic disease, right radius, subsequent encounter for fracture with routine healing                |
| M84.533G | Pathological fracture in neoplastic disease, right radius, subsequent encounter for fracture with delayed healing                |
| M84.533S | Pathological fracture in neoplastic disease, right radius, sequela   |
| M84.534D | Pathological fracture in neoplastic disease, left radius, subsequent encounter for fracture with routine healing                 |
| M84.534G | Pathological fracture in neoplastic disease, left radius, subsequent encounter for fracture with delayed healing                 |
| M84.534S | Pathological fracture in neoplastic disease, left radius, sequela  |
| M84.539D | Pathological fracture in neoplastic disease, unspecified ulna and radius, subsequent encounter for fracture with routine healing |
| M84.539G | Pathological fracture in neoplastic disease, unspecified ulna and radius, subsequent encounter for fracture with delayed healing |
| M84.539S | Pathological fracture in neoplastic disease, unspecified ulna and radius, sequela  |
| M84.541D | Pathological fracture in neoplastic disease, right hand, subsequent encounter for fracture with routine healing                  |
| M84.541G | Pathological fracture in neoplastic disease, right hand, subsequent encounter for fracture with delayed healing                  |
| M84.541S | Pathological fracture in neoplastic disease, right hand, sequela   |
| M84.542D | Pathological fracture in neoplastic disease, left hand, subsequent encounter for fracture with routine healing                   |
| M84.542G | Pathological fracture in neoplastic disease, left hand, subsequent encounter for fracture with delayed healing                   |
| M84.542S | Pathological fracture in neoplastic disease, left hand, sequela  |
| M84.549D | Pathological fracture in neoplastic disease, unspecified hand, subsequent encounter for fracture with routine healing            |
| M84.549G | Pathological fracture in neoplastic disease, unspecified hand, subsequent encounter for fracture with delayed healing            |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.549S | Pathological fracture in neoplastic disease, unspecified hand, sequela   |
| M84.550D | Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with routine healing            |
| M84.550G | Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with delayed healing            |
| M84.550S | Pathological fracture in neoplastic disease, pelvis, sequela   |
| M84.551D | Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with routine healing       |
| M84.551G | Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with delayed healing       |
| M84.551S | Pathological fracture in neoplastic disease, right femur, sequela  |
| M84.552D | Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with routine healing        |
| M84.552G | Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with delayed healing        |
| M84.552S | Pathological fracture in neoplastic disease, left femur, sequela   |
| M84.553D | Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with routine healing |
| M84.553G | Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with delayed healing |
| M84.553S | Pathological fracture in neoplastic disease, unspecified femur, sequela  |
| M84.559D | Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with routine healing  |
| M84.559G | Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with delayed healing  |
| M84.559S | Pathological fracture in neoplastic disease, hip, unspecified, sequela   |
| M84.561D | Pathological fracture in neoplastic disease, right tibia, subsequent encounter for fracture with routine healing       |
| M84.561G | Pathological fracture in neoplastic disease, right tibia, subsequent encounter for fracture with delayed healing       |
| M84.561S | Pathological fracture in neoplastic disease, right tibia, sequela  |
| M84.562D | Pathological fracture in neoplastic disease, left tibia, subsequent encounter for fracture with routine healing        |
| M84.562G | Pathological fracture in neoplastic disease, left tibia, subsequent encounter for fracture with delayed healing        |
| M84.562S | Pathological fracture in neoplastic disease, left tibia, sequela   |
| M84.563D | Pathological fracture in neoplastic disease, right fibula, subsequent encounter for fracture with routine healing      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M84.563G    | Pathological fracture in neoplastic disease, right fibula, subsequent encounter for fracture with delayed healing                 |
| M84.563S    | Pathological fracture in neoplastic disease, right fibula, sequela  |
| M84.564D    | Pathological fracture in neoplastic disease, left fibula, subsequent encounter for fracture with routine healing                  |
| M84.564G    | Pathological fracture in neoplastic disease, left fibula, subsequent encounter for fracture with delayed healing                  |
| M84.564S    | Pathological fracture in neoplastic disease, left fibula, sequela   |
| M84.569D    | Pathological fracture in neoplastic disease, unspecified tibia and fibula, subsequent encounter for fracture with routine healing |
| M84.569G    | Pathological fracture in neoplastic disease, unspecified tibia and fibula, subsequent encounter for fracture with delayed healing |
| M84.569S    | Pathological fracture in neoplastic disease, unspecified tibia and fibula, sequela  |
| M84.571D    | Pathological fracture in neoplastic disease, right ankle, subsequent encounter for fracture with routine healing                  |
| M84.571G    | Pathological fracture in neoplastic disease, right ankle, subsequent encounter for fracture with delayed healing                  |
| M84.571S    | Pathological fracture in neoplastic disease, right ankle, sequela   |
| M84.572D    | Pathological fracture in neoplastic disease, left ankle, subsequent encounter for fracture with routine healing                   |
| M84.572G    | Pathological fracture in neoplastic disease, left ankle, subsequent encounter for fracture with delayed healing                   |
| M84.572S    | Pathological fracture in neoplastic disease, left ankle, sequela  |
| M84.573D    | Pathological fracture in neoplastic disease, unspecified ankle, subsequent encounter for fracture with routine healing            |
| M84.573G    | Pathological fracture in neoplastic disease, unspecified ankle, subsequent encounter for fracture with delayed healing            |
| M84.573S    | Pathological fracture in neoplastic disease, unspecified ankle, sequela   |
| M84.574D    | Pathological fracture in neoplastic disease, right foot, subsequent encounter for fracture with routine healing                   |
| M84.574G    | Pathological fracture in neoplastic disease, right foot, subsequent encounter for fracture with delayed healing                   |
| M84.574S    | Pathological fracture in neoplastic disease, right foot, sequela  |
| M84.575D    | Pathological fracture in neoplastic disease, left foot, subsequent encounter for fracture with routine healing                    |
| M84.575G    | Pathological fracture in neoplastic disease, left foot, subsequent encounter for fracture with delayed healing                    |
| M84.575S    | Pathological fracture in neoplastic disease, left foot, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M84.576D | Pathological fracture in neoplastic disease, unspecified foot, subsequent encounter for fracture with routine healing     |
| M84.576G | Pathological fracture in neoplastic disease, unspecified foot, subsequent encounter for fracture with delayed healing     |
| M84.576S | Pathological fracture in neoplastic disease, unspecified foot, sequela  |
| M84.58XD | Pathological fracture in neoplastic disease, other specified site, subsequent encounter for fracture with routine healing |
| M84.58XG | Pathological fracture in neoplastic disease, other specified site, subsequent encounter for fracture with delayed healing |
| M84.58XS | Pathological fracture in neoplastic disease, other specified site, sequela  |
| M84.60XD | Pathological fracture in other disease, unspecified site, subsequent encounter for fracture with routine healing          |
| M84.60XG | Pathological fracture in other disease, unspecified site, subsequent encounter for fracture with delayed healing          |
| M84.60XS | Pathological fracture in other disease, unspecified site, sequela   |
| M84.611D | Pathological fracture in other disease, right shoulder, subsequent encounter for fracture with routine healing            |
| M84.611G | Pathological fracture in other disease, right shoulder, subsequent encounter for fracture with delayed healing            |
| M84.611S | Pathological fracture in other disease, right shoulder, sequela   |
| M84.612D | Pathological fracture in other disease, left shoulder, subsequent encounter for fracture with routine healing             |
| M84.612G | Pathological fracture in other disease, left shoulder, subsequent encounter for fracture with delayed healing             |
| M84.612S | Pathological fracture in other disease, left shoulder, sequela  |
| M84.619D | Pathological fracture in other disease, unspecified shoulder, subsequent encounter for fracture with routine healing      |
| M84.619G | Pathological fracture in other disease, unspecified shoulder, subsequent encounter for fracture with delayed healing      |
| M84.619S | Pathological fracture in other disease, unspecified shoulder, sequela   |
| M84.621D | Pathological fracture in other disease, right humerus, subsequent encounter for fracture with routine healing             |
| M84.621G | Pathological fracture in other disease, right humerus, subsequent encounter for fracture with delayed healing             |
| M84.621S | Pathological fracture in other disease, right humerus, sequela  |
| M84.622D | Pathological fracture in other disease, left humerus, subsequent encounter for fracture with routine healing              |
| M84.622G | Pathological fracture in other disease, left humerus, subsequent encounter for fracture with delayed healing              |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M84.622S | Pathological fracture in other disease, left humerus, sequela   |
| M84.629D | Pathological fracture in other disease, unspecified humerus, subsequent encounter for fracture with routine healing         |
| M84.629G | Pathological fracture in other disease, unspecified humerus, subsequent encounter for fracture with delayed healing         |
| M84.629S | Pathological fracture in other disease, unspecified humerus, sequela  |
| M84.631D | Pathological fracture in other disease, right ulna, subsequent encounter for fracture with routine healing                  |
| M84.631G | Pathological fracture in other disease, right ulna, subsequent encounter for fracture with delayed healing                  |
| M84.631S | Pathological fracture in other disease, right ulna, sequela   |
| M84.632D | Pathological fracture in other disease, left ulna, subsequent encounter for fracture with routine healing                   |
| M84.632G | Pathological fracture in other disease, left ulna, subsequent encounter for fracture with delayed healing                   |
| M84.632S | Pathological fracture in other disease, left ulna, sequela  |
| M84.633D | Pathological fracture in other disease, right radius, subsequent encounter for fracture with routine healing                |
| M84.633G | Pathological fracture in other disease, right radius, subsequent encounter for fracture with delayed healing                |
| M84.633S | Pathological fracture in other disease, right radius, sequela   |
| M84.634D | Pathological fracture in other disease, left radius, subsequent encounter for fracture with routine healing                 |
| M84.634G | Pathological fracture in other disease, left radius, subsequent encounter for fracture with delayed healing                 |
| M84.634S | Pathological fracture in other disease, left radius, sequela  |
| M84.639D | Pathological fracture in other disease, unspecified ulna and radius, subsequent encounter for fracture with routine healing |
| M84.639G | Pathological fracture in other disease, unspecified ulna and radius, subsequent encounter for fracture with delayed healing |
| M84.639S | Pathological fracture in other disease, unspecified ulna and radius, sequela  |
| M84.641D | Pathological fracture in other disease, right hand, subsequent encounter for fracture with routine healing                  |
| M84.641G | Pathological fracture in other disease, right hand, subsequent encounter for fracture with delayed healing                  |
| M84.641S | Pathological fracture in other disease, right hand, sequela   |
| M84.642D | Pathological fracture in other disease, left hand, subsequent encounter for fracture with routine healing                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M84.642G | Pathological fracture in other disease, left hand, subsequent encounter for fracture with delayed healing         |
| M84.642S | Pathological fracture in other disease, left hand, sequela  |
| M84.649D | Pathological fracture in other disease, unspecified hand, subsequent encounter for fracture with routine healing  |
| M84.649G | Pathological fracture in other disease, unspecified hand, subsequent encounter for fracture with delayed healing  |
| M84.649S | Pathological fracture in other disease, unspecified hand, sequela   |
| M84.650D | Pathological fracture in other disease, pelvis, subsequent encounter for fracture with routine healing            |
| M84.650G | Pathological fracture in other disease, pelvis, subsequent encounter for fracture with delayed healing            |
| M84.650S | Pathological fracture in other disease, pelvis, sequela   |
| M84.651D | Pathological fracture in other disease, right femur, subsequent encounter for fracture with routine healing       |
| M84.651G | Pathological fracture in other disease, right femur, subsequent encounter for fracture with delayed healing       |
| M84.651S | Pathological fracture in other disease, right femur, sequela  |
| M84.652D | Pathological fracture in other disease, left femur, subsequent encounter for fracture with routine healing        |
| M84.652G | Pathological fracture in other disease, left femur, subsequent encounter for fracture with delayed healing        |
| M84.652S | Pathological fracture in other disease, left femur, sequela   |
| M84.653D | Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with routine healing |
| M84.653G | Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with delayed healing |
| M84.653S | Pathological fracture in other disease, unspecified femur, sequela  |
| M84.659D | Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with routine healing  |
| M84.659G | Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with delayed healing  |
| M84.659S | Pathological fracture in other disease, hip, unspecified, sequela   |
| M84.661D | Pathological fracture in other disease, right tibia, subsequent encounter for fracture with routine healing       |
| M84.661G | Pathological fracture in other disease, right tibia, subsequent encounter for fracture with delayed healing       |
| M84.661S | Pathological fracture in other disease, right tibia, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.662D | Pathological fracture in other disease, left tibia, subsequent encounter for fracture with routine healing                   |
| M84.662G | Pathological fracture in other disease, left tibia, subsequent encounter for fracture with delayed healing                   |
| M84.662S | Pathological fracture in other disease, left tibia, sequela  |
| M84.663D | Pathological fracture in other disease, right fibula, subsequent encounter for fracture with routine healing                 |
| M84.663G | Pathological fracture in other disease, right fibula, subsequent encounter for fracture with delayed healing                 |
| M84.663S | Pathological fracture in other disease, right fibula, sequela  |
| M84.664D | Pathological fracture in other disease, left fibula, subsequent encounter for fracture with routine healing                  |
| M84.664G | Pathological fracture in other disease, left fibula, subsequent encounter for fracture with delayed healing                  |
| M84.664S | Pathological fracture in other disease, left fibula, sequela   |
| M84.669D | Pathological fracture in other disease, unspecified tibia and fibula, subsequent encounter for fracture with routine healing |
| M84.669G | Pathological fracture in other disease, unspecified tibia and fibula, subsequent encounter for fracture with delayed healing |
| M84.669S | Pathological fracture in other disease, unspecified tibia and fibula, sequela  |
| M84.671D | Pathological fracture in other disease, right ankle, subsequent encounter for fracture with routine healing                  |
| M84.671G | Pathological fracture in other disease, right ankle, subsequent encounter for fracture with delayed healing                  |
| M84.671S | Pathological fracture in other disease, right ankle, sequela   |
| M84.672D | Pathological fracture in other disease, left ankle, subsequent encounter for fracture with routine healing                   |
| M84.672G | Pathological fracture in other disease, left ankle, subsequent encounter for fracture with delayed healing                   |
| M84.672S | Pathological fracture in other disease, left ankle, sequela  |
| M84.673D | Pathological fracture in other disease, unspecified ankle, subsequent encounter for fracture with routine healing            |
| M84.673G | Pathological fracture in other disease, unspecified ankle, subsequent encounter for fracture with delayed healing            |
| M84.673S | Pathological fracture in other disease, unspecified ankle, sequela   |
| M84.674D | Pathological fracture in other disease, right foot, subsequent encounter for fracture with routine healing                   |
| M84.674G | Pathological fracture in other disease, right foot, subsequent encounter for fracture with delayed healing                   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.674S | Pathological fracture in other disease, right foot, sequela  |
| M84.675D | Pathological fracture in other disease, left foot, subsequent encounter for fracture with routine healing        |
| M84.675G | Pathological fracture in other disease, left foot, subsequent encounter for fracture with delayed healing        |
| M84.675S | Pathological fracture in other disease, left foot, sequela   |
| M84.676D | Pathological fracture in other disease, unspecified foot, subsequent encounter for fracture with routine healing |
| M84.676G | Pathological fracture in other disease, unspecified foot, subsequent encounter for fracture with delayed healing |
| M84.676S | Pathological fracture in other disease, unspecified foot, sequela  |
| M84.68XD | Pathological fracture in other disease, other site, subsequent encounter for fracture with routine healing       |
| M84.68XG | Pathological fracture in other disease, other site, subsequent encounter for fracture with delayed healing       |
| M84.68XS | Pathological fracture in other disease, other site, sequela  |
| M89.38   | Hypertrophy of bone, other site  |
| M89.8X8  | Other specified disorders of bone, other site  |
| M91.0    | Juvenile osteochondrosis of pelvis   |
| M91.10   | Juvenile osteochondrosis of head of femur [Legg-Calve-Perthes], unspecified leg                                  |
| M91.11   | Juvenile osteochondrosis of head of femur [Legg-Calve-Perthes], right leg  |
| M91.12   | Juvenile osteochondrosis of head of femur [Legg-Calve-Perthes], left leg   |
| M91.20   | Coxa plana, unspecified hip  |
| M91.21   | Coxa plana, right hip  |
| M91.22   | Coxa plana, left hip   |
| M91.30   | Pseudocoxalgia, unspecified hip  |
| M91.31   | Pseudocoxalgia, right hip  |
| M91.32   | Pseudocoxalgia, left hip   |
| M91.40   | Coxa magna, unspecified hip  |
| M91.41   | Coxa magna, right hip  |
| M91.42   | Coxa magna, left hip   |
| M91.80   | Other juvenile osteochondrosis of hip and pelvis, unspecified leg  |
| M91.81   | Other juvenile osteochondrosis of hip and pelvis, right leg  |
| M91.82   | Other juvenile osteochondrosis of hip and pelvis, left leg   |
| M91.90   | Juvenile osteochondrosis of hip and pelvis, unspecified, unspecified leg   |
| M91.91   | Juvenile osteochondrosis of hip and pelvis, unspecified, right leg   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M91.92  | Juvenile osteochondrosis of hip and pelvis, unspecified, left leg            |
| M92.00  | Juvenile osteochondrosis of humerus, unspecified arm                         |
| M92.01  | Juvenile osteochondrosis of humerus, right arm                               |
| M92.02  | Juvenile osteochondrosis of humerus, left arm                                |
| M92.10  | Juvenile osteochondrosis of radius and ulna, unspecified arm                 |
| M92.11  | Juvenile osteochondrosis of radius and ulna, right arm                       |
| M92.12  | Juvenile osteochondrosis of radius and ulna, left arm                        |
| M92.201 | Unspecified juvenile osteochondrosis, right hand                             |
| M92.202 | Unspecified juvenile osteochondrosis, left hand                              |
| M92.209 | Unspecified juvenile osteochondrosis, unspecified hand                       |
| M92.211 | Osteochondrosis (juvenile) of carpal lunate [Kienbock], right hand           |
| M92.212 | Osteochondrosis (juvenile) of carpal lunate [Kienbock], left hand            |
| M92.219 | Osteochondrosis (juvenile) of carpal lunate [Kienbock], unspecified hand     |
| M92.221 | Osteochondrosis (juvenile) of metacarpal heads [Mauclaire], right hand       |
| M92.222 | Osteochondrosis (juvenile) of metacarpal heads [Mauclaire], left hand        |
| M92.229 | Osteochondrosis (juvenile) of metacarpal heads [Mauclaire], unspecified hand |
| M92.291 | Other juvenile osteochondrosis, right hand                                   |
| M92.292 | Other juvenile osteochondrosis, left hand                                    |
| M92.299 | Other juvenile osteochondrosis, unspecified hand                             |
| M92.30  | Other juvenile osteochondrosis, unspecified upper limb                       |
| M92.31  | Other juvenile osteochondrosis, right upper limb                             |
| M92.32  | Other juvenile osteochondrosis, left upper limb                              |
| M92.40  | Juvenile osteochondrosis of patella, unspecified knee                        |
| M92.41  | Juvenile osteochondrosis of patella, right knee                              |
| M92.42  | Juvenile osteochondrosis of patella, left knee                               |
| M92.501 | Unspecified juvenile osteochondrosis, right leg                              |
| M92.502 | Unspecified juvenile osteochondrosis, left leg                               |
| M92.503 | Unspecified juvenile osteochondrosis, bilateral leg                          |
| M92.509 | Unspecified juvenile osteochondrosis, unspecified leg                        |
| M92.511 | Juvenile osteochondrosis of proximal tibia, right leg                        |
| M92.512 | Juvenile osteochondrosis of proximal tibia, left leg                         |
| M92.513 | Juvenile osteochondrosis of proximal tibia, bilateral                        |
| M92.519 | Juvenile osteochondrosis of proximal tibia, unspecified leg                  |
| M92.521 | Juvenile osteochondrosis of tibia tubercle, right leg                        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M92.522 | Juvenile osteochondrosis of tibia tubercle, left leg                             |
| M92.523 | Juvenile osteochondrosis of tibia tubercle, bilateral                            |
| M92.529 | Juvenile osteochondrosis of tibia tubercle, unspecified leg                      |
| M92.60  | Juvenile osteochondrosis of tarsus, unspecified ankle                            |
| M92.61  | Juvenile osteochondrosis of tarsus, right ankle                                  |
| M92.62  | Juvenile osteochondrosis of tarsus, left ankle                                   |
| M92.70  | Juvenile osteochondrosis of metatarsus, unspecified foot                         |
| M92.71  | Juvenile osteochondrosis of metatarsus, right foot                               |
| M92.72  | Juvenile osteochondrosis of metatarsus, left foot                                |
| M92.8   | Other specified juvenile osteochondrosis   |
| M92.9   | Juvenile osteochondrosis, unspecified  |
| M93.001 | Unspecified slipped upper femoral epiphysis (nontraumatic), right hip            |
| M93.002 | Unspecified slipped upper femoral epiphysis (nontraumatic), left hip             |
| M93.003 | Unspecified slipped upper femoral epiphysis (nontraumatic), unspecified hip      |
| M93.011 | Acute slipped upper femoral epiphysis (nontraumatic), right hip                  |
| M93.012 | Acute slipped upper femoral epiphysis (nontraumatic), left hip                   |
| M93.013 | Acute slipped upper femoral epiphysis (nontraumatic), unspecified hip            |
| M93.021 | Chronic slipped upper femoral epiphysis (nontraumatic), right hip                |
| M93.022 | Chronic slipped upper femoral epiphysis (nontraumatic), left hip                 |
| M93.023 | Chronic slipped upper femoral epiphysis (nontraumatic), unspecified hip          |
| M93.031 | Acute on chronic slipped upper femoral epiphysis (nontraumatic), right hip       |
| M93.032 | Acute on chronic slipped upper femoral epiphysis (nontraumatic), left hip        |
| M93.033 | Acute on chronic slipped upper femoral epiphysis (nontraumatic), unspecified hip |
| M93.1   | Kienbock's disease of adults   |
| M93.20  | Osteochondritis dissecans of unspecified site                                    |
| M93.211 | Osteochondritis dissecans, right shoulder  |
| M93.212 | Osteochondritis dissecans, left shoulder   |
| M93.219 | Osteochondritis dissecans, unspecified shoulder                                  |
| M93.221 | Osteochondritis dissecans, right elbow   |
| M93.222 | Osteochondritis dissecans, left elbow  |
| M93.229 | Osteochondritis dissecans, unspecified elbow                                     |
| M93.231 | Osteochondritis dissecans, right wrist   |
| M93.232 | Osteochondritis dissecans, left wrist  |
| M93.239 | Osteochondritis dissecans, unspecified wrist                                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M93.241     | Osteochondritis dissecans, joints of right hand                 |
| M93.242     | Osteochondritis dissecans, joints of left hand                  |
| M93.249     | Osteochondritis dissecans, joints of unspecified hand           |
| M93.251     | Osteochondritis dissecans, right hip                            |
| M93.252     | Osteochondritis dissecans, left hip                             |
| M93.259     | Osteochondritis dissecans, unspecified hip                      |
| M93.261     | Osteochondritis dissecans, right knee                           |
| M93.262     | Osteochondritis dissecans, left knee                            |
| M93.269     | Osteochondritis dissecans, unspecified knee                     |
| M93.271     | Osteochondritis dissecans, right ankle and joints of right foot |
| M93.272     | Osteochondritis dissecans, left ankle and joints of left foot   |
| M93.279     | Osteochondritis dissecans, unspecified ankle and joints of foot |
| M93.28      | Osteochondritis dissecans other site                            |
| M93.29      | Osteochondritis dissecans multiple sites                        |
| M93.80      | Other specified osteochondropathies of unspecified site         |
| M93.811     | Other specified osteochondropathies, right shoulder             |
| M93.812     | Other specified osteochondropathies, left shoulder              |
| M93.819     | Other specified osteochondropathies, unspecified shoulder       |
| M93.821     | Other specified osteochondropathies, right upper arm            |
| M93.822     | Other specified osteochondropathies, left upper arm             |
| M93.829     | Other specified osteochondropathies, unspecified upper arm      |
| M93.831     | Other specified osteochondropathies, right forearm              |
| M93.832     | Other specified osteochondropathies, left forearm               |
| M93.839     | Other specified osteochondropathies, unspecified forearm        |
| M93.841     | Other specified osteochondropathies, right hand                 |
| M93.842     | Other specified osteochondropathies, left hand                  |
| M93.849     | Other specified osteochondropathies, unspecified hand           |
| M93.851     | Other specified osteochondropathies, right thigh                |
| M93.852     | Other specified osteochondropathies, left thigh                 |
| M93.859     | Other specified osteochondropathies, unspecified thigh          |
| M93.861     | Other specified osteochondropathies, right lower leg            |
| M93.862     | Other specified osteochondropathies, left lower leg             |
| M93.869     | Other specified osteochondropathies, unspecified lower leg      |
| M93.871     | Other specified osteochondropathies, right ankle and foot       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M93.872 | Other specified osteochondropathies, left ankle and foot        |
| M93.879 | Other specified osteochondropathies, unspecified ankle and foot |
| M93.88  | Other specified osteochondropathies other                       |
| M93.89  | Other specified osteochondropathies multiple sites              |
| M93.90  | Osteochondropathy, unspecified of unspecified site              |
| M93.911 | Osteochondropathy, unspecified, right shoulder                  |
| M93.912 | Osteochondropathy, unspecified, left shoulder                   |
| M93.919 | Osteochondropathy, unspecified, unspecified shoulder            |
| M93.921 | Osteochondropathy, unspecified, right upper arm                 |
| M93.922 | Osteochondropathy, unspecified, left upper arm                  |
| M93.929 | Osteochondropathy, unspecified, unspecified upper arm           |
| M93.931 | Osteochondropathy, unspecified, right forearm                   |
| M93.932 | Osteochondropathy, unspecified, left forearm                    |
| M93.939 | Osteochondropathy, unspecified, unspecified forearm             |
| M93.941 | Osteochondropathy, unspecified, right hand                      |
| M93.942 | Osteochondropathy, unspecified, left hand                       |
| M93.949 | Osteochondropathy, unspecified, unspecified hand                |
| M93.951 | Osteochondropathy, unspecified, right thigh                     |
| M93.952 | Osteochondropathy, unspecified, left thigh                      |
| M93.959 | Osteochondropathy, unspecified, unspecified thigh               |
| M93.961 | Osteochondropathy, unspecified, right lower leg                 |
| M93.962 | Osteochondropathy, unspecified, left lower leg                  |
| M93.969 | Osteochondropathy, unspecified, unspecified lower leg           |
| M93.971 | Osteochondropathy, unspecified, right ankle and foot            |
| M93.972 | Osteochondropathy, unspecified, left ankle and foot             |
| M93.979 | Osteochondropathy, unspecified, unspecified ankle and foot      |
| M93.98  | Osteochondropathy, unspecified other                            |
| M93.99  | Osteochondropathy, unspecified multiple sites                   |
| M95.0   | Acquired deformity of nose                                      |
| M95.10  | Cauliflower ear, unspecified ear                                |
| M95.11  | Cauliflower ear, right ear                                      |
| M95.12  | Cauliflower ear, left ear                                       |
| M95.2   | Other acquired deformity of head                                |
| M95.3   | Acquired deformity of neck                                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| M95.4  | Acquired deformity of chest and rib                            |
| M95.5  | Acquired deformity of pelvis                                   |
| M95.8  | Other specified acquired deformities of musculoskeletal system |
| M95.9  | Acquired deformity of musculoskeletal system, unspecified      |
| M96.0  | Pseudarthrosis after fusion or arthrodesis                     |
| M96.2  | Postradiation kyphosis   |
| M96.3  | Postlaminectomy kyphosis                                       |
| M96.4  | Postsurgical lordosis  |
| M96.5  | Postradiation scoliosis  |
| M99.00 | Segmental and somatic dysfunction of head region               |
| M99.01 | Segmental and somatic dysfunction of cervical region           |
| M99.02 | Segmental and somatic dysfunction of thoracic region           |
| M99.03 | Segmental and somatic dysfunction of lumbar region             |
| M99.04 | Segmental and somatic dysfunction of sacral region             |
| M99.05 | Segmental and somatic dysfunction of pelvic region             |
| M99.06 | Segmental and somatic dysfunction of lower extremity           |
| M99.07 | Segmental and somatic dysfunction of upper extremity           |
| M99.08 | Segmental and somatic dysfunction of rib cage                  |
| M99.09 | Segmental and somatic dysfunction of abdomen and other regions |
| M99.10 | Subluxation complex (vertebral) of head region                 |
| M99.11 | Subluxation complex (vertebral) of cervical region             |
| M99.12 | Subluxation complex (vertebral) of thoracic region             |
| M99.13 | Subluxation complex (vertebral) of lumbar region               |
| M99.14 | Subluxation complex (vertebral) of sacral region               |
| M99.15 | Subluxation complex (vertebral) of pelvic region               |
| M99.16 | Subluxation complex (vertebral) of lower extremity             |
| M99.17 | Subluxation complex (vertebral) of upper extremity             |
| M99.18 | Subluxation complex (vertebral) of rib cage                    |
| M99.19 | Subluxation complex (vertebral) of abdomen and other regions   |
| M99.80 | Other biomechanical lesions of head region                     |
| M99.81 | Other biomechanical lesions of cervical region                 |
| M99.82 | Other biomechanical lesions of thoracic region                 |
| M99.83 | Other biomechanical lesions of lumbar region                   |
| M99.84 | Other biomechanical lesions of sacral region                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M99.85  | Other biomechanical lesions of pelvic region                      |
| M99.86  | Other biomechanical lesions of lower extremity                    |
| M99.87  | Other biomechanical lesions of upper extremity                    |
| M99.88  | Other biomechanical lesions of rib cage                           |
| M99.89  | Other biomechanical lesions of abdomen and other regions          |
| M99.9   | Biomechanical lesion, unspecified                                 |
| N40.0   | Benign prostatic hyperplasia without lower urinary tract symptoms |
| N40.1   | Benign prostatic hyperplasia with lower urinary tract symptoms    |
| N40.2   | Nodular prostate without lower urinary tract symptoms             |
| N40.3   | Nodular prostate with lower urinary tract symptoms                |
| N42.83  | Cyst of prostate  |
| N43.0   | Encysted hydrocele  |
| N43.2   | Other hydrocele   |
| N43.3   | Hydrocele, unspecified  |
| N43.40  | Spermatocele of epididymis, unspecified                           |
| N43.41  | Spermatocele of epididymis, single                                |
| N43.42  | Spermatocele of epididymis, multiple                              |
| N44.00  | Torsion of testis, unspecified                                    |
| N44.01  | Extravaginal torsion of spermatic cord                            |
| N44.02  | Intravaginal torsion of spermatic cord                            |
| N44.03  | Torsion of appendix testis  |
| N44.04  | Torsion of appendix epididymis                                    |
| N46.01  | Organic azoospermia   |
| N46.021 | Azoospermia due to drug therapy                                   |
| N46.022 | Azoospermia due to infection                                      |
| N46.023 | Azoospermia due to obstruction of efferent ducts                  |
| N46.024 | Azoospermia due to radiation                                      |
| N46.025 | Azoospermia due to systemic disease                               |
| N46.11  | Organic oligospermia  |
| N46.121 | Oligospermia due to drug therapy                                  |
| N46.122 | Oligospermia due to infection                                     |
| N46.123 | Oligospermia due to obstruction of efferent ducts                 |
| N46.124 | Oligospermia due to radiation                                     |
| N46.125 | Oligospermia due to systemic disease                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| N46.129     | Oligospermia due to other extratesticular causes           |
| N47.0       | Adherent prepuce, newborn                                  |
| N47.1       | Phimosis   |
| N47.2       | Paraphimosis   |
| N47.3       | Deficient foreskin   |
| N47.4       | Benign cyst of prepuce                                     |
| N47.5       | Adhesions of prepuce and glans penis                       |
| N47.7       | Other inflammatory diseases of prepuce                     |
| N47.8       | Other disorders of prepuce                                 |
| N50.0       | Atrophy of testis  |
| N60.01      | Solitary cyst of right breast                              |
| N60.02      | Solitary cyst of left breast                               |
| N60.09      | Solitary cyst of unspecified breast                        |
| N60.11      | Diffuse cystic mastopathy of right breast                  |
| N60.12      | Diffuse cystic mastopathy of left breast                   |
| N60.19      | Diffuse cystic mastopathy of unspecified breast            |
| N60.21      | Fibroadenosis of right breast                              |
| N60.22      | Fibroadenosis of left breast                               |
| N60.29      | Fibroadenosis of unspecified breast                        |
| N60.31      | Fibrosclerosis of right breast                             |
| N60.32      | Fibrosclerosis of left breast                              |
| N60.39      | Fibrosclerosis of unspecified breast                       |
| N60.41      | Mammary duct ectasia of right breast                       |
| N60.42      | Mammary duct ectasia of left breast                        |
| N60.49      | Mammary duct ectasia of unspecified breast                 |
| N60.81      | Other benign mammary dysplasias of right breast            |
| N60.82      | Other benign mammary dysplasias of left breast             |
| N60.89      | Other benign mammary dysplasias of unspecified breast      |
| N60.91      | Unspecified benign mammary dysplasia of right breast       |
| N60.92      | Unspecified benign mammary dysplasia of left breast        |
| N60.99      | Unspecified benign mammary dysplasia of unspecified breast |
| N61.20      | Granulomatous mastitis, unspecified breast                 |
| N62         | Hypertrophy of breast                                      |
| N63.0       | Unspecified lump in unspecified breast                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| N63.10 | Unspecified lump in the right breast, unspecified quadrant  |
| N63.11 | Unspecified lump in the right breast, upper outer quadrant  |
| N63.12 | Unspecified lump in the right breast, upper inner quadrant  |
| N63.13 | Unspecified lump in the right breast, lower outer quadrant  |
| N63.14 | Unspecified lump in the right breast, lower inner quadrant  |
| N63.15 | Unspecified lump in the right breast, overlapping quadrants |
| N63.20 | Unspecified lump in the left breast, unspecified quadrant   |
| N63.21 | Unspecified lump in the left breast, upper outer quadrant   |
| N63.22 | Unspecified lump in the left breast, upper inner quadrant   |
| N63.23 | Unspecified lump in the left breast, lower outer quadrant   |
| N63.24 | Unspecified lump in the left breast, lower inner quadrant   |
| N63.25 | Unspecified lump in the left breast, overlapping quadrants  |
| N63.31 | Unspecified lump in axillary tail of the right breast       |
| N63.32 | Unspecified lump in axillary tail of the left breast        |
| N63.41 | Unspecified lump in right breast, subareolar                |
| N63.42 | Unspecified lump in left breast, subareolar                 |
| N64.0  | Fissure and fistula of nipple                               |
| N64.1  | Fat necrosis of breast                                      |
| N64.2  | Atrophy of breast   |
| N64.3  | Galactorrhea not associated with childbirth                 |
| N64.89 | Other specified disorders of breast                         |
| N64.9  | Disorder of breast, unspecified                             |
| N75.0  | Cyst of Bartholin's gland                                   |
| N75.8  | Other diseases of Bartholin's gland                         |
| N81.0  | Urethrocele   |
| N81.10 | Cystocele, unspecified                                      |
| N81.11 | Cystocele, midline  |
| N81.12 | Cystocele, lateral  |
| N81.2  | Incomplete uterovaginal prolapse                            |
| N81.3  | Complete uterovaginal prolapse                              |
| N81.4  | Uterovaginal prolapse, unspecified                          |
| N81.5  | Vaginal enterocele  |
| N81.6  | Rectocele   |
| N81.81 | Perineocele   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| N81.82  | Incompetence or weakening of pubocervical tissue               |
| N81.83  | Incompetence or weakening of rectovaginal tissue               |
| N81.84  | Pelvic muscle wasting  |
| N81.85  | Cervical stump prolapse  |
| N81.89  | Other female genital prolapse                                  |
| N81.9   | Female genital prolapse, unspecified                           |
| N83.00  | Follicular cyst of ovary, unspecified side                     |
| N83.01  | Follicular cyst of right ovary                                 |
| N83.02  | Follicular cyst of left ovary                                  |
| N83.10  | Corpus luteum cyst of ovary, unspecified side                  |
| N83.11  | Corpus luteum cyst of right ovary                              |
| N83.12  | Corpus luteum cyst of left ovary                               |
| N83.201 | Unspecified ovarian cyst, right side                           |
| N83.202 | Unspecified ovarian cyst, left side                            |
| N83.209 | Unspecified ovarian cyst, unspecified side                     |
| N83.291 | Other ovarian cyst, right side                                 |
| N83.292 | Other ovarian cyst, left side                                  |
| N83.299 | Other ovarian cyst, unspecified side                           |
| N83.311 | Acquired atrophy of right ovary                                |
| N83.312 | Acquired atrophy of left ovary                                 |
| N83.319 | Acquired atrophy of ovary, unspecified side                    |
| N83.321 | Acquired atrophy of right fallopian tube                       |
| N83.322 | Acquired atrophy of left fallopian tube                        |
| N83.329 | Acquired atrophy of fallopian tube, unspecified side           |
| N83.331 | Acquired atrophy of right ovary and fallopian tube             |
| N83.332 | Acquired atrophy of left ovary and fallopian tube              |
| N83.339 | Acquired atrophy of ovary and fallopian tube, unspecified side |
| N85.4   | Malposition of uterus  |
| N85.5   | Inversion of uterus  |
| N95.1   | Menopausal and female climacteric states                       |
| N95.2   | Postmenopausal atrophic vaginitis                              |
| N95.8   | Other specified menopausal and perimenopausal disorders        |
| N95.9   | Unspecified menopausal and perimenopausal disorder             |
| N97.0   | Female infertility associated with anovulation                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N97.1   | Female infertility of tubal origin  |
| N97.2   | Female infertility of uterine origin  |
| N97.8   | Female infertility of other origin  |
| N97.9   | Female infertility, unspecified   |
| N99.3   | Prolapse of vaginal vault after hysterectomy                                |
| O92.011 | Retracted nipple associated with pregnancy, first trimester                 |
| O92.012 | Retracted nipple associated with pregnancy, second trimester                |
| O92.013 | Retracted nipple associated with pregnancy, third trimester                 |
| O92.019 | Retracted nipple associated with pregnancy, unspecified trimester           |
| O92.02  | Retracted nipple associated with the puerperium                             |
| O92.03  | Retracted nipple associated with lactation                                  |
| O92.111 | Cracked nipple associated with pregnancy, first trimester                   |
| O92.112 | Cracked nipple associated with pregnancy, second trimester                  |
| O92.113 | Cracked nipple associated with pregnancy, third trimester                   |
| O92.119 | Cracked nipple associated with pregnancy, unspecified trimester             |
| O92.12  | Cracked nipple associated with the puerperium                               |
| O92.13  | Cracked nipple associated with lactation                                    |
| O92.20  | Unspecified disorder of breast associated with pregnancy and the puerperium |
| O92.29  | Other disorders of breast associated with pregnancy and the puerperium      |
| O92.3   | Agalactia   |
| O92.4   | Hypogalactia  |
| O92.5   | Suppressed lactation  |
| O92.6   | Galactorrhea  |
| O92.70  | Unspecified disorders of lactation  |
| O92.79  | Other disorders of lactation  |
| P04.40  | Newborn affected by maternal use of unspecified drugs of addiction          |
| P04.42  | Newborn affected by maternal use of hallucinogens                           |
| P07.01  | Extremely low birth weight newborn, less than 500 grams                     |
| P07.02  | Extremely low birth weight newborn, 500-749 grams                           |
| P07.03  | Extremely low birth weight newborn, 750-999 grams                           |
| P07.10  | Other low birth weight newborn, unspecified weight                          |
| P07.14  | Other low birth weight newborn, 1000-1249 grams                             |
| P07.15  | Other low birth weight newborn, 1250-1499 grams                             |
| P07.16  | Other low birth weight newborn, 1500-1749 grams                             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| P07.17   | Other low birth weight newborn, 1750-1999 grams              |
| P07.18   | Other low birth weight newborn, 2000-2499 grams              |
| P29.30   | Pulmonary hypertension of newborn                            |
| P83.81   | Umbilical granuloma  |
| P83.88   | Other specified conditions of integument specific to newborn |
| P91.811  | Neonatal encephalopathy in diseases classified elsewhere     |
| P91.819  | Neonatal encephalopathy, unspecified                         |
| P91.88   | Other specified disturbances of cerebral status of newborn   |
| Q53.111  | Unilateral intraabdominal testis                             |
| Q53.112  | Unilateral inguinal testis                                   |
| Q53.13   | Unilateral high scrotal testis                               |
| Q53.211  | Bilateral intraabdominal testes                              |
| Q53.212  | Bilateral inguinal testes                                    |
| Q53.23   | Bilateral high scrotal testes                                |
| R06.03   | Acute respiratory distress                                   |
| R09.81   | Nasal congestion   |
| R13.10   | Dysphagia, unspecified                                       |
| R37      | Sexual dysfunction, unspecified                              |
| R39.83   | Unilateral non-palpable testicle                             |
| R39.84   | Bilateral non-palpable testicles                             |
| R41.83   | Borderline intellectual functioning                          |
| R43.9    | Unspecified disturbances of smell and taste                  |
| R45.850  | Homicidal ideations  |
| R45.851  | Suicidal ideations   |
| R46.81   | Obsessive-compulsive behavior                                |
| R46.89   | Other symptoms and signs involving appearance and behavior   |
| R47.89   | Other speech disturbances                                    |
| R52      | Pain, unspecified  |
| R68.2    | Dry mouth, unspecified                                       |
| R68.82   | Decreased libido   |
| R68.89   | Other general symptoms and signs                             |
| R69      | Illness, unspecified   |
| S00.00XA | Unspecified superficial injury of scalp, initial encounter   |
| S00.00XS | Unspecified superficial injury of scalp, sequela             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S00.01XA    | Abrasion of scalp, initial encounter  |
| S00.01XS    | Abrasion of scalp, sequela  |
| S00.02XA    | Blister (nonthermal) of scalp, initial encounter  |
| S00.02XS    | Blister (nonthermal) of scalp, sequela  |
| S00.03XS    | Contusion of scalp, sequela   |
| S00.04XA    | External constriction of part of scalp, initial encounter                                   |
| S00.04XS    | External constriction of part of scalp, sequela   |
| S00.05XA    | Superficial foreign body of scalp, initial encounter  |
| S00.05XS    | Superficial foreign body of scalp, sequela  |
| S00.06XA    | Insect bite (nonvenomous) of scalp, initial encounter                                       |
| S00.06XS    | Insect bite (nonvenomous) of scalp, sequela   |
| S00.07XA    | Other superficial bite of scalp, initial encounter  |
| S00.07XS    | Other superficial bite of scalp, sequela  |
| S00.10XS    | Contusion of unspecified eyelid and periocular area, sequela                                |
| S00.11XS    | Contusion of right eyelid and periocular area, sequela                                      |
| S00.12XS    | Contusion of left eyelid and periocular area, sequela                                       |
| S00.201A    | Unspecified superficial injury of right eyelid and periocular area, initial encounter       |
| S00.201S    | Unspecified superficial injury of right eyelid and periocular area, sequela                 |
| S00.202A    | Unspecified superficial injury of left eyelid and periocular area, initial encounter        |
| S00.202S    | Unspecified superficial injury of left eyelid and periocular area, sequela                  |
| S00.209A    | Unspecified superficial injury of unspecified eyelid and periocular area, initial encounter |
| S00.209S    | Unspecified superficial injury of unspecified eyelid and periocular area, sequela           |
| S00.211A    | Abrasion of right eyelid and periocular area, initial encounter                             |
| S00.211S    | Abrasion of right eyelid and periocular area, sequela                                       |
| S00.212A    | Abrasion of left eyelid and periocular area, initial encounter                              |
| S00.212S    | Abrasion of left eyelid and periocular area, sequela  |
| S00.219A    | Abrasion of unspecified eyelid and periocular area, initial encounter                       |
| S00.219S    | Abrasion of unspecified eyelid and periocular area, sequela                                 |
| S00.221A    | Blister (nonthermal) of right eyelid and periocular area, initial encounter                 |
| S00.221S    | Blister (nonthermal) of right eyelid and periocular area, sequela                           |
| S00.222A    | Blister (nonthermal) of left eyelid and periocular area, initial encounter                  |
| S00.222S    | Blister (nonthermal) of left eyelid and periocular area, sequela                            |
| S00.229A    | Blister (nonthermal) of unspecified eyelid and periocular area, initial encounter           |
| S00.229S    | Blister (nonthermal) of unspecified eyelid and periocular area, sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S00.241A    | External constriction of right eyelid and periocular area, initial encounter           |
| S00.241S    | External constriction of right eyelid and periocular area, sequela                     |
| S00.242A    | External constriction of left eyelid and periocular area, initial encounter            |
| S00.242S    | External constriction of left eyelid and periocular area, sequela                      |
| S00.249A    | External constriction of unspecified eyelid and periocular area, initial encounter     |
| S00.249S    | External constriction of unspecified eyelid and periocular area, sequela               |
| S00.251A    | Superficial foreign body of right eyelid and periocular area, initial encounter        |
| S00.251S    | Superficial foreign body of right eyelid and periocular area, sequela                  |
| S00.252A    | Superficial foreign body of left eyelid and periocular area, initial encounter         |
| S00.252S    | Superficial foreign body of left eyelid and periocular area, sequela                   |
| S00.259A    | Superficial foreign body of unspecified eyelid and periocular area, initial encounter  |
| S00.259S    | Superficial foreign body of unspecified eyelid and periocular area, sequela            |
| S00.261A    | Insect bite (nonvenomous) of right eyelid and periocular area, initial encounter       |
| S00.261S    | Insect bite (nonvenomous) of right eyelid and periocular area, sequela                 |
| S00.262A    | Insect bite (nonvenomous) of left eyelid and periocular area, initial encounter        |
| S00.262S    | Insect bite (nonvenomous) of left eyelid and periocular area, sequela                  |
| S00.269A    | Insect bite (nonvenomous) of unspecified eyelid and periocular area, initial encounter |
| S00.269S    | Insect bite (nonvenomous) of unspecified eyelid and periocular area, sequela           |
| S00.271A    | Other superficial bite of right eyelid and periocular area, initial encounter          |
| S00.271S    | Other superficial bite of right eyelid and periocular area, sequela                    |
| S00.272A    | Other superficial bite of left eyelid and periocular area, initial encounter           |
| S00.272S    | Other superficial bite of left eyelid and periocular area, sequela                     |
| S00.279A    | Other superficial bite of unspecified eyelid and periocular area, initial encounter    |
| S00.279S    | Other superficial bite of unspecified eyelid and periocular area, sequela              |
| S00.30XA    | Unspecified superficial injury of nose, initial encounter                              |
| S00.30XS    | Unspecified superficial injury of nose, sequela  |
| S00.31XA    | Abrasion of nose, initial encounter  |
| S00.31XS    | Abrasion of nose, sequela  |
| S00.32XA    | Blister (nonthermal) of nose, initial encounter  |
| S00.32XS    | Blister (nonthermal) of nose, sequela  |
| S00.33XS    | Contusion of nose, sequela   |
| S00.34XA    | External constriction of nose, initial encounter                                       |
| S00.34XS    | External constriction of nose, sequela   |
| S00.35XA    | Superficial foreign body of nose, initial encounter                                    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S00.35XS    | Superficial foreign body of nose, sequela                            |
| S00.36XA    | Insect bite (nonvenomous) of nose, initial encounter                 |
| S00.36XS    | Insect bite (nonvenomous) of nose, sequela                           |
| S00.37XA    | Other superficial bite of nose, initial encounter                    |
| S00.37XS    | Other superficial bite of nose, sequela                              |
| S00.401A    | Unspecified superficial injury of right ear, initial encounter       |
| S00.401S    | Unspecified superficial injury of right ear, sequela                 |
| S00.402A    | Unspecified superficial injury of left ear, initial encounter        |
| S00.402S    | Unspecified superficial injury of left ear, sequela                  |
| S00.409A    | Unspecified superficial injury of unspecified ear, initial encounter |
| S00.409S    | Unspecified superficial injury of unspecified ear, sequela           |
| S00.411A    | Abrasion of right ear, initial encounter                             |
| S00.411S    | Abrasion of right ear, sequela                                       |
| S00.412A    | Abrasion of left ear, initial encounter                              |
| S00.412S    | Abrasion of left ear, sequela  |
| S00.419A    | Abrasion of unspecified ear, initial encounter                       |
| S00.419S    | Abrasion of unspecified ear, sequela                                 |
| S00.421A    | Blister (nonthermal) of right ear, initial encounter                 |
| S00.421S    | Blister (nonthermal) of right ear, sequela                           |
| S00.422A    | Blister (nonthermal) of left ear, initial encounter                  |
| S00.422S    | Blister (nonthermal) of left ear, sequela                            |
| S00.429A    | Blister (nonthermal) of unspecified ear, initial encounter           |
| S00.429S    | Blister (nonthermal) of unspecified ear, sequela                     |
| S00.431S    | Contusion of right ear, sequela                                      |
| S00.432S    | Contusion of left ear, sequela                                       |
| S00.439S    | Contusion of unspecified ear, sequela                                |
| S00.441A    | External constriction of right ear, initial encounter                |
| S00.441S    | External constriction of right ear, sequela                          |
| S00.442A    | External constriction of left ear, initial encounter                 |
| S00.442S    | External constriction of left ear, sequela                           |
| S00.449A    | External constriction of unspecified ear, initial encounter          |
| S00.449S    | External constriction of unspecified ear, sequela                    |
| S00.451A    | Superficial foreign body of right ear, initial encounter             |
| S00.451S    | Superficial foreign body of right ear, sequela                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S00.452A    | Superficial foreign body of left ear, initial encounter          |
| S00.452S    | Superficial foreign body of left ear, sequela                    |
| S00.459A    | Superficial foreign body of unspecified ear, initial encounter   |
| S00.459S    | Superficial foreign body of unspecified ear, sequela             |
| S00.461A    | Insect bite (nonvenomous) of right ear, initial encounter        |
| S00.461S    | Insect bite (nonvenomous) of right ear, sequela                  |
| S00.462A    | Insect bite (nonvenomous) of left ear, initial encounter         |
| S00.462S    | Insect bite (nonvenomous) of left ear, sequela                   |
| S00.469A    | Insect bite (nonvenomous) of unspecified ear, initial encounter  |
| S00.469S    | Insect bite (nonvenomous) of unspecified ear, sequela            |
| S00.471A    | Other superficial bite of right ear, initial encounter           |
| S00.471S    | Other superficial bite of right ear, sequela                     |
| S00.472A    | Other superficial bite of left ear, initial encounter            |
| S00.472S    | Other superficial bite of left ear, sequela                      |
| S00.479A    | Other superficial bite of unspecified ear, initial encounter     |
| S00.479S    | Other superficial bite of unspecified ear, sequela               |
| S00.501A    | Unspecified superficial injury of lip, initial encounter         |
| S00.501S    | Unspecified superficial injury of lip, sequela                   |
| S00.502A    | Unspecified superficial injury of oral cavity, initial encounter |
| S00.502S    | Unspecified superficial injury of oral cavity, sequela           |
| S00.511A    | Abrasion of lip, initial encounter                               |
| S00.511S    | Abrasion of lip, sequela   |
| S00.512A    | Abrasion of oral cavity, initial encounter                       |
| S00.512S    | Abrasion of oral cavity, sequela                                 |
| S00.521A    | Blister (nonthermal) of lip, initial encounter                   |
| S00.521S    | Blister (nonthermal) of lip, sequela                             |
| S00.522A    | Blister (nonthermal) of oral cavity, initial encounter           |
| S00.522S    | Blister (nonthermal) of oral cavity, sequela                     |
| S00.531S    | Contusion of lip, sequela  |
| S00.532S    | Contusion of oral cavity, sequela                                |
| S00.541A    | External constriction of lip, initial encounter                  |
| S00.541S    | External constriction of lip, sequela                            |
| S00.542A    | External constriction of oral cavity, initial encounter          |
| S00.542S    | External constriction of oral cavity, sequela                    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S00.551A    | Superficial foreign body of lip, initial encounter                            |
| S00.551S    | Superficial foreign body of lip, sequela                                      |
| S00.552A    | Superficial foreign body of oral cavity, initial encounter                    |
| S00.552S    | Superficial foreign body of oral cavity, sequela                              |
| S00.561A    | Insect bite (nonvenomous) of lip, initial encounter                           |
| S00.561S    | Insect bite (nonvenomous) of lip, sequela                                     |
| S00.562A    | Insect bite (nonvenomous) of oral cavity, initial encounter                   |
| S00.562S    | Insect bite (nonvenomous) of oral cavity, sequela                             |
| S00.571A    | Other superficial bite of lip, initial encounter                              |
| S00.571S    | Other superficial bite of lip, sequela  |
| S00.572A    | Other superficial bite of oral cavity, initial encounter                      |
| S00.572S    | Other superficial bite of oral cavity, sequela                                |
| S00.80XA    | Unspecified superficial injury of other part of head, initial encounter       |
| S00.80XS    | Unspecified superficial injury of other part of head, sequela                 |
| S00.81XA    | Abrasion of other part of head, initial encounter                             |
| S00.81XS    | Abrasion of other part of head, sequela                                       |
| S00.82XA    | Blister (nonthermal) of other part of head, initial encounter                 |
| S00.82XS    | Blister (nonthermal) of other part of head, sequela                           |
| S00.83XS    | Contusion of other part of head, sequela                                      |
| S00.84XA    | External constriction of other part of head, initial encounter                |
| S00.84XS    | External constriction of other part of head, sequela                          |
| S00.85XA    | Superficial foreign body of other part of head, initial encounter             |
| S00.85XS    | Superficial foreign body of other part of head, sequela                       |
| S00.86XA    | Insect bite (nonvenomous) of other part of head, initial encounter            |
| S00.86XS    | Insect bite (nonvenomous) of other part of head, sequela                      |
| S00.87XA    | Other superficial bite of other part of head, initial encounter               |
| S00.87XS    | Other superficial bite of other part of head, sequela                         |
| S00.90XA    | Unspecified superficial injury of unspecified part of head, initial encounter |
| S00.90XS    | Unspecified superficial injury of unspecified part of head, sequela           |
| S00.91XA    | Abrasion of unspecified part of head, initial encounter                       |
| S00.91XS    | Abrasion of unspecified part of head, sequela                                 |
| S00.92XA    | Blister (nonthermal) of unspecified part of head, initial encounter           |
| S00.92XS    | Blister (nonthermal) of unspecified part of head, sequela                     |
| S00.93XS    | Contusion of unspecified part of head, sequela                                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S00.94XA | External constriction of unspecified part of head, initial encounter                   |
| S00.94XS | External constriction of unspecified part of head, sequela                             |
| S00.95XA | Superficial foreign body of unspecified part of head, initial encounter                |
| S00.95XS | Superficial foreign body of unspecified part of head, sequela                          |
| S00.96XA | Insect bite (nonvenomous) of unspecified part of head, initial encounter               |
| S00.96XS | Insect bite (nonvenomous) of unspecified part of head, sequela                         |
| S00.97XA | Other superficial bite of unspecified part of head, initial encounter                  |
| S00.97XS | Other superficial bite of unspecified part of head, sequela                            |
| S01.00XS | Unspecified open wound of scalp, sequela   |
| S01.01XS | Laceration without foreign body of scalp, sequela                                      |
| S01.02XS | Laceration with foreign body of scalp, sequela   |
| S01.03XS | Puncture wound without foreign body of scalp, sequela                                  |
| S01.04XS | Puncture wound with foreign body of scalp, sequela                                     |
| S01.05XS | Open bite of scalp, sequela  |
| S01.101S | Unspecified open wound of right eyelid and periocular area, sequela                    |
| S01.102S | Unspecified open wound of left eyelid and periocular area, sequela                     |
| S01.109S | Unspecified open wound of unspecified eyelid and periocular area, sequela              |
| S01.111S | Laceration without foreign body of right eyelid and periocular area, sequela           |
| S01.112S | Laceration without foreign body of left eyelid and periocular area, sequela            |
| S01.119S | Laceration without foreign body of unspecified eyelid and periocular area, sequela     |
| S01.121S | Laceration with foreign body of right eyelid and periocular area, sequela              |
| S01.122S | Laceration with foreign body of left eyelid and periocular area, sequela               |
| S01.129S | Laceration with foreign body of unspecified eyelid and periocular area, sequela        |
| S01.131S | Puncture wound without foreign body of right eyelid and periocular area, sequela       |
| S01.132S | Puncture wound without foreign body of left eyelid and periocular area, sequela        |
| S01.139S | Puncture wound without foreign body of unspecified eyelid and periocular area, sequela |
| S01.141S | Puncture wound with foreign body of right eyelid and periocular area, sequela          |
| S01.142S | Puncture wound with foreign body of left eyelid and periocular area, sequela           |
| S01.149S | Puncture wound with foreign body of unspecified eyelid and periocular area, sequela    |
| S01.151S | Open bite of right eyelid and periocular area, sequela                                 |
| S01.152S | Open bite of left eyelid and periocular area, sequela                                  |
| S01.159S | Open bite of unspecified eyelid and periocular area, sequela                           |
| S01.20XS | Unspecified open wound of nose, sequela  |
| S01.21XS | Laceration without foreign body of nose, sequela                                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S01.22XS    | Laceration with foreign body of nose, sequela  |
| S01.23XS    | Puncture wound without foreign body of nose, sequela                                     |
| S01.24XS    | Puncture wound with foreign body of nose, sequela  |
| S01.25XS    | Open bite of nose, sequela   |
| S01.301S    | Unspecified open wound of right ear, sequela   |
| S01.302S    | Unspecified open wound of left ear, sequela  |
| S01.309S    | Unspecified open wound of unspecified ear, sequela                                       |
| S01.311S    | Laceration without foreign body of right ear, sequela                                    |
| S01.312S    | Laceration without foreign body of left ear, sequela                                     |
| S01.319S    | Laceration without foreign body of unspecified ear, sequela                              |
| S01.321S    | Laceration with foreign body of right ear, sequela                                       |
| S01.322S    | Laceration with foreign body of left ear, sequela  |
| S01.329S    | Laceration with foreign body of unspecified ear, sequela                                 |
| S01.331S    | Puncture wound without foreign body of right ear, sequela                                |
| S01.332S    | Puncture wound without foreign body of left ear, sequela                                 |
| S01.339S    | Puncture wound without foreign body of unspecified ear, sequela                          |
| S01.341S    | Puncture wound with foreign body of right ear, sequela                                   |
| S01.342S    | Puncture wound with foreign body of left ear, sequela                                    |
| S01.349S    | Puncture wound with foreign body of unspecified ear, sequela                             |
| S01.351S    | Open bite of right ear, sequela  |
| S01.352S    | Open bite of left ear, sequela   |
| S01.359S    | Open bite of unspecified ear, sequela  |
| S01.401S    | Unspecified open wound of right cheek and temporomandibular area, sequela                |
| S01.402S    | Unspecified open wound of left cheek and temporomandibular area, sequela                 |
| S01.409S    | Unspecified open wound of unspecified cheek and temporomandibular area, sequela          |
| S01.411S    | Laceration without foreign body of right cheek and temporomandibular area, sequela       |
| S01.412S    | Laceration without foreign body of left cheek and temporomandibular area, sequela        |
| S01.419S    | Laceration without foreign body of unspecified cheek and temporomandibular area, sequela |
| S01.421S    | Laceration with foreign body of right cheek and temporomandibular area, sequela          |
| S01.422S    | Laceration with foreign body of left cheek and temporomandibular area, sequela           |
| S01.429S    | Laceration with foreign body of unspecified cheek and temporomandibular area, sequela    |
| S01.431S    | Puncture wound without foreign body of right cheek and temporomandibular area, sequela   |
| S01.432S    | Puncture wound without foreign body of left cheek and temporomandibular area, sequela    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S01.439S | Puncture wound without foreign body of unspecified cheek and temporomandibular area, sequela |
| S01.441S | Puncture wound with foreign body of right cheek and temporomandibular area, sequela          |
| S01.442S | Puncture wound with foreign body of left cheek and temporomandibular area, sequela           |
| S01.449S | Puncture wound with foreign body of unspecified cheek and temporomandibular area, sequela    |
| S01.451S | Open bite of right cheek and temporomandibular area, sequela                                 |
| S01.452S | Open bite of left cheek and temporomandibular area, sequela                                  |
| S01.459S | Open bite of unspecified cheek and temporomandibular area, sequela                           |
| S01.501S | Unspecified open wound of lip, sequela   |
| S01.502S | Unspecified open wound of oral cavity, sequela   |
| S01.511S | Laceration without foreign body of lip, sequela  |
| S01.512S | Laceration without foreign body of oral cavity, sequela                                      |
| S01.521S | Laceration with foreign body of lip, sequela   |
| S01.522S | Laceration with foreign body of oral cavity, sequela   |
| S01.531S | Puncture wound without foreign body of lip, sequela  |
| S01.532S | Puncture wound without foreign body of oral cavity, sequela                                  |
| S01.541S | Puncture wound with foreign body of lip, sequela   |
| S01.542S | Puncture wound with foreign body of oral cavity, sequela                                     |
| S01.551S | Open bite of lip, sequela  |
| S01.552S | Open bite of oral cavity, sequela  |
| S01.80XS | Unspecified open wound of other part of head, sequela  |
| S01.81XS | Laceration without foreign body of other part of head, sequela                               |
| S01.82XS | Laceration with foreign body of other part of head, sequela                                  |
| S01.83XS | Puncture wound without foreign body of other part of head, sequela                           |
| S01.84XS | Puncture wound with foreign body of other part of head, sequela                              |
| S01.85XS | Open bite of other part of head, sequela   |
| S01.90XS | Unspecified open wound of unspecified part of head, sequela                                  |
| S01.91XS | Laceration without foreign body of unspecified part of head, sequela                         |
| S01.92XS | Laceration with foreign body of unspecified part of head, sequela                            |
| S01.93XS | Puncture wound without foreign body of unspecified part of head, sequela                     |
| S01.94XS | Puncture wound with foreign body of unspecified part of head, sequela                        |
| S01.95XS | Open bite of unspecified part of head, sequela   |
| S02.0XXD | Fracture of vault of skull, subsequent encounter for fracture with routine healing           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S02.0XXG    | Fracture of vault of skull, subsequent encounter for fracture with delayed healing                            |
| S02.0XXS    | Fracture of vault of skull, sequela   |
| S02.110D    | Type I occipital condyle fracture, unspecified side, subsequent encounter for fracture with routine healing   |
| S02.110G    | Type I occipital condyle fracture, unspecified side, subsequent encounter for fracture with delayed healing   |
| S02.110S    | Type I occipital condyle fracture, unspecified side, sequela  |
| S02.111D    | Type II occipital condyle fracture, unspecified side, subsequent encounter for fracture with routine healing  |
| S02.111G    | Type II occipital condyle fracture, unspecified side, subsequent encounter for fracture with delayed healing  |
| S02.111S    | Type II occipital condyle fracture, unspecified side, sequela   |
| S02.112D    | Type III occipital condyle fracture, unspecified side, subsequent encounter for fracture with routine healing |
| S02.112G    | Type III occipital condyle fracture, unspecified side, subsequent encounter for fracture with delayed healing |
| S02.112S    | Type III occipital condyle fracture, unspecified side, sequela  |
| S02.113D    | Unspecified occipital condyle fracture, subsequent encounter for fracture with routine healing                |
| S02.113G    | Unspecified occipital condyle fracture, subsequent encounter for fracture with delayed healing                |
| S02.113S    | Unspecified occipital condyle fracture, sequela   |
| S02.118D    | Other fracture of occiput, unspecified side, subsequent encounter for fracture with routine healing           |
| S02.118G    | Other fracture of occiput, unspecified side, subsequent encounter for fracture with delayed healing           |
| S02.118S    | Other fracture of occiput, unspecified side, sequela  |
| S02.119D    | Unspecified fracture of occiput, subsequent encounter for fracture with routine healing                       |
| S02.119G    | Unspecified fracture of occiput, subsequent encounter for fracture with delayed healing                       |
| S02.119S    | Unspecified fracture of occiput, sequela  |
| S02.11AA    | Type I occipital condyle fracture, right side, initial encounter for closed fracture                          |
| S02.11AB    | Type I occipital condyle fracture, right side, initial encounter for open fracture                            |
| S02.121D    | Fracture of orbital roof, right side, subsequent encounter for fracture with routine healing                  |
| S02.121G    | Fracture of orbital roof, right side, subsequent encounter for fracture with delayed healing                  |
| S02.121S    | Fracture of orbital roof, right side, sequela   |
| S02.122D    | Fracture of orbital roof, left side, subsequent encounter for fracture with routine healing                   |
| S02.122G    | Fracture of orbital roof, left side, subsequent encounter for fracture with delayed healing                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S02.122S    | Fracture of orbital roof, left side, sequela   |
| S02.129D    | Fracture of orbital roof, unspecified side, subsequent encounter for fracture with routine healing |
| S02.129G    | Fracture of orbital roof, unspecified side, subsequent encounter for fracture with delayed healing |
| S02.129S    | Fracture of orbital roof, unspecified side, sequela  |
| S02.19XD    | Other fracture of base of skull, subsequent encounter for fracture with routine healing            |
| S02.19XG    | Other fracture of base of skull, subsequent encounter for fracture with delayed healing            |
| S02.19XS    | Other fracture of base of skull, sequela   |
| S02.2XXD    | Fracture of nasal bones, subsequent encounter for fracture with routine healing                    |
| S02.2XXG    | Fracture of nasal bones, subsequent encounter for fracture with delayed healing                    |
| S02.2XXS    | Fracture of nasal bones, sequela   |
| S02.400D    | Malar fracture, unspecified side, subsequent encounter for fracture with routine healing           |
| S02.400G    | Malar fracture, unspecified side, subsequent encounter for fracture with delayed healing           |
| S02.400S    | Malar fracture, unspecified side, sequela  |
| S02.401D    | Maxillary fracture, unspecified side, subsequent encounter for fracture with routine healing       |
| S02.401G    | Maxillary fracture, unspecified side, subsequent encounter for fracture with delayed healing       |
| S02.401S    | Maxillary fracture, unspecified side, sequela  |
| S02.402D    | Zygomatic fracture, unspecified side, subsequent encounter for fracture with routine healing       |
| S02.402G    | Zygomatic fracture, unspecified side, subsequent encounter for fracture with delayed healing       |
| S02.402S    | Zygomatic fracture, unspecified side, sequela  |
| S02.411D    | LeFort I fracture, subsequent encounter for fracture with routine healing                          |
| S02.411G    | LeFort I fracture, subsequent encounter for fracture with delayed healing                          |
| S02.411S    | LeFort I fracture, sequela   |
| S02.412D    | LeFort II fracture, subsequent encounter for fracture with routine healing                         |
| S02.412G    | LeFort II fracture, subsequent encounter for fracture with delayed healing                         |
| S02.412S    | LeFort II fracture, sequela  |
| S02.413D    | LeFort III fracture, subsequent encounter for fracture with routine healing                        |
| S02.413G    | LeFort III fracture, subsequent encounter for fracture with delayed healing                        |
| S02.413S    | LeFort III fracture, sequela   |
| S02.42XD    | Fracture of alveolus of maxilla, subsequent encounter for fracture with routine healing            |
| S02.42XG    | Fracture of alveolus of maxilla, subsequent encounter for fracture with delayed healing            |
| S02.42XS    | Fracture of alveolus of maxilla, sequela   |
| S02.5XXD    | Fracture of tooth (traumatic), subsequent encounter for fracture with routine healing              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S02.5XXG    | Fracture of tooth (traumatic), subsequent encounter for fracture with delayed healing                                      |
| S02.5XXS    | Fracture of tooth (traumatic), sequela   |
| S02.600D    | Fracture of unspecified part of body of mandible, unspecified side, subsequent encounter for fracture with routine healing |
| S02.600G    | Fracture of unspecified part of body of mandible, unspecified side, subsequent encounter for fracture with delayed healing |
| S02.600S    | Fracture of unspecified part of body of mandible, unspecified side, sequela  |
| S02.609D    | Fracture of mandible, unspecified, subsequent encounter for fracture with routine healing                                  |
| S02.609G    | Fracture of mandible, unspecified, subsequent encounter for fracture with delayed healing                                  |
| S02.609S    | Fracture of mandible, unspecified, sequela   |
| S02.66XD    | Fracture of symphysis of mandible, subsequent encounter for fracture with routine healing                                  |
| S02.66XG    | Fracture of symphysis of mandible, subsequent encounter for fracture with delayed healing                                  |
| S02.66XS    | Fracture of symphysis of mandible, sequela   |
| S02.670A    | Fracture of alveolus of mandible, unspecified side, initial encounter for closed fracture                                  |
| S02.670B    | Fracture of alveolus of mandible, unspecified side, initial encounter for open fracture                                    |
| S02.69XD    | Fracture of mandible of other specified site, subsequent encounter for fracture with routine healing                       |
| S02.69XG    | Fracture of mandible of other specified site, subsequent encounter for fracture with delayed healing                       |
| S02.69XS    | Fracture of mandible of other specified site, sequela  |
| S02.831D    | Fracture of medial orbital wall, right side, subsequent encounter for fracture with routine healing                        |
| S02.831G    | Fracture of medial orbital wall, right side, subsequent encounter for fracture with delayed healing                        |
| S02.831S    | Fracture of medial orbital wall, right side, sequela   |
| S02.832D    | Fracture of medial orbital wall, left side, subsequent encounter for fracture with routine healing                         |
| S02.832G    | Fracture of medial orbital wall, left side, subsequent encounter for fracture with delayed healing                         |
| S02.832S    | Fracture of medial orbital wall, left side, sequela  |
| S02.839D    | Fracture of medial orbital wall, unspecified side, subsequent encounter for fracture with routine healing                  |
| S02.839G    | Fracture of medial orbital wall, unspecified side, subsequent encounter for fracture with delayed healing                  |
| S02.839S    | Fracture of medial orbital wall, unspecified side, sequela   |
| S02.841D    | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with routine healing                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S02.841G | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with delayed healing       |
| S02.841S | Fracture of lateral orbital wall, right side, sequela  |
| S02.842D | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with routine healing        |
| S02.842G | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with delayed healing        |
| S02.842S | Fracture of lateral orbital wall, left side, sequela   |
| S02.849D | Fracture of lateral orbital wall, unspecified side, subsequent encounter for fracture with routine healing |
| S02.849G | Fracture of lateral orbital wall, unspecified side, subsequent encounter for fracture with delayed healing |
| S02.849S | Fracture of lateral orbital wall, unspecified side, sequela  |
| S02.85XD | Fracture of orbit, unspecified, subsequent encounter for fracture with routine healing                     |
| S02.85XG | Fracture of orbit, unspecified, subsequent encounter for fracture with delayed healing                     |
| S02.85XS | Fracture of orbit, unspecified, sequela  |
| S02.91XD | Unspecified fracture of skull, subsequent encounter for fracture with routine healing                      |
| S02.91XG | Unspecified fracture of skull, subsequent encounter for fracture with delayed healing                      |
| S02.91XS | Unspecified fracture of skull, sequela   |
| S02.92XD | Unspecified fracture of facial bones, subsequent encounter for fracture with routine healing               |
| S02.92XG | Unspecified fracture of facial bones, subsequent encounter for fracture with delayed healing               |
| S02.92XS | Unspecified fracture of facial bones, sequela  |
| S03.1XXA | Dislocation of septal cartilage of nose, initial encounter   |
| S03.1XXS | Dislocation of septal cartilage of nose, sequela   |
| S03.2XXS | Dislocation of tooth, sequela  |
| S03.8XXA | Sprain of joints and ligaments of other parts of head, initial encounter                                   |
| S03.8XXS | Sprain of joints and ligaments of other parts of head, sequela   |
| S03.9XXA | Sprain of joints and ligaments of unspecified parts of head, initial encounter                             |
| S03.9XXS | Sprain of joints and ligaments of unspecified parts of head, sequela                                       |
| S04.011S | Injury of optic nerve, right eye, sequela  |
| S04.012S | Injury of optic nerve, left eye, sequela   |
| S04.019S | Injury of optic nerve, unspecified eye, sequela  |
| S04.02XS | Injury of optic chiasm, sequela  |
| S04.031S | Injury of optic tract and pathways, right side, sequela  |
| S04.032S | Injury of optic tract and pathways, left side, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S04.039S | Injury of optic tract and pathways, unspecified side, sequela                                       |
| S04.041S | Injury of visual cortex, right side, sequela  |
| S04.042S | Injury of visual cortex, left side, sequela   |
| S04.049S | Injury of visual cortex, unspecified side, sequela  |
| S04.10XS | Injury of oculomotor nerve, unspecified side, sequela   |
| S04.11XS | Injury of oculomotor nerve, right side, sequela   |
| S04.12XS | Injury of oculomotor nerve, left side, sequela  |
| S04.20XS | Injury of trochlear nerve, unspecified side, sequela  |
| S04.21XS | Injury of trochlear nerve, right side, sequela  |
| S04.22XS | Injury of trochlear nerve, left side, sequela   |
| S04.30XS | Injury of trigeminal nerve, unspecified side, sequela   |
| S04.31XS | Injury of trigeminal nerve, right side, sequela   |
| S04.32XS | Injury of trigeminal nerve, left side, sequela  |
| S04.40XS | Injury of abducent nerve, unspecified side, sequela   |
| S04.41XS | Injury of abducent nerve, right side, sequela   |
| S04.42XS | Injury of abducent nerve, left side, sequela  |
| S04.50XS | Injury of facial nerve, unspecified side, sequela   |
| S04.51XS | Injury of facial nerve, right side, sequela   |
| S04.52XS | Injury of facial nerve, left side, sequela  |
| S04.60XS | Injury of acoustic nerve, unspecified side, sequela   |
| S04.61XS | Injury of acoustic nerve, right side, sequela   |
| S04.62XS | Injury of acoustic nerve, left side, sequela  |
| S04.70XS | Injury of accessory nerve, unspecified side, sequela  |
| S04.71XS | Injury of accessory nerve, right side, sequela  |
| S04.72XS | Injury of accessory nerve, left side, sequela   |
| S04.811S | Injury of olfactory [1st ] nerve, right side, sequela   |
| S04.812S | Injury of olfactory [1st ] nerve, left side, sequela  |
| S04.819S | Injury of olfactory [1st ] nerve, unspecified side, sequela   |
| S04.891S | Injury of other cranial nerves, right side, sequela   |
| S04.892S | Injury of other cranial nerves, left side, sequela  |
| S04.899S | Injury of other cranial nerves, unspecified side, sequela   |
| S04.9XXS | Injury of unspecified cranial nerve, sequela  |
| S05.00XA | Injury of conjunctiva and corneal abrasion without foreign body, unspecified eye, initial encounter |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S05.00XS | Injury of conjunctiva and corneal abrasion without foreign body, unspecified eye, sequela           |
| S05.01XA | Injury of conjunctiva and corneal abrasion without foreign body, right eye, initial encounter       |
| S05.01XS | Injury of conjunctiva and corneal abrasion without foreign body, right eye, sequela                 |
| S05.02XA | Injury of conjunctiva and corneal abrasion without foreign body, left eye, initial encounter        |
| S05.02XS | Injury of conjunctiva and corneal abrasion without foreign body, left eye, sequela                  |
| S05.10XS | Contusion of eyeball and orbital tissues, unspecified eye, sequela                                  |
| S05.11XS | Contusion of eyeball and orbital tissues, right eye, sequela  |
| S05.12XS | Contusion of eyeball and orbital tissues, left eye, sequela   |
| S05.20XS | Ocular laceration and rupture with prolapse or loss of intraocular tissue, unspecified eye, sequela |
| S05.21XS | Ocular laceration and rupture with prolapse or loss of intraocular tissue, right eye, sequela       |
| S05.22XS | Ocular laceration and rupture with prolapse or loss of intraocular tissue, left eye, sequela        |
| S05.30XS | Ocular laceration without prolapse or loss of intraocular tissue, unspecified eye, sequela          |
| S05.31XS | Ocular laceration without prolapse or loss of intraocular tissue, right eye, sequela                |
| S05.32XS | Ocular laceration without prolapse or loss of intraocular tissue, left eye, sequela                 |
| S05.40XS | Penetrating wound of orbit with or without foreign body, unspecified eye, sequela                   |
| S05.41XS | Penetrating wound of orbit with or without foreign body, right eye, sequela                         |
| S05.42XS | Penetrating wound of orbit with or without foreign body, left eye, sequela                          |
| S05.50XS | Penetrating wound with foreign body of unspecified eyeball, sequela                                 |
| S05.51XS | Penetrating wound with foreign body of right eyeball, sequela                                       |
| S05.52XS | Penetrating wound with foreign body of left eyeball, sequela  |
| S05.60XS | Penetrating wound without foreign body of unspecified eyeball, sequela                              |
| S05.61XS | Penetrating wound without foreign body of right eyeball, sequela                                    |
| S05.62XS | Penetrating wound without foreign body of left eyeball, sequela                                     |
| S05.70XS | Avulsion of unspecified eye, sequela  |
| S05.71XS | Avulsion of right eye, sequela  |
| S05.72XS | Avulsion of left eye, sequela   |
| S05.8X1S | Other injuries of right eye and orbit, sequela  |
| S05.8X2S | Other injuries of left eye and orbit, sequela   |
| S05.8X9S | Other injuries of unspecified eye and orbit, sequela  |
| S05.90XA | Unspecified injury of unspecified eye and orbit, initial encounter                                  |
| S05.90XS | Unspecified injury of unspecified eye and orbit, sequela  |
| S05.91XS | Unspecified injury of right eye and orbit, sequela  |
| S05.92XS | Unspecified injury of left eye and orbit, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S06.0X0S | Concussion without loss of consciousness, sequela  |
| S06.0X1S | Concussion with loss of consciousness of 30 minutes or less, sequela   |
| S06.0X9S | Concussion with loss of consciousness of unspecified duration, sequela   |
| S06.1X0S | Traumatic cerebral edema without loss of consciousness, sequela  |
| S06.1X1S | Traumatic cerebral edema with loss of consciousness of 30 minutes or less, sequela   |
| S06.1X2S | Traumatic cerebral edema with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.1X3S | Traumatic cerebral edema with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.1X4S | Traumatic cerebral edema with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.1X5S | Traumatic cerebral edema with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                                 |
| S06.1X6S | Traumatic cerebral edema with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela       |
| S06.1X9S | Traumatic cerebral edema with loss of consciousness of unspecified duration, sequela   |
| S06.2X0S | Diffuse traumatic brain injury without loss of consciousness, sequela  |
| S06.2X1S | Diffuse traumatic brain injury with loss of consciousness of 30 minutes or less, sequela   |
| S06.2X2S | Diffuse traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.2X3S | Diffuse traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.2X4S | Diffuse traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.2X5S | Diffuse traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious levels, sequela                          |
| S06.2X6S | Diffuse traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.2X9S | Diffuse traumatic brain injury with loss of consciousness of unspecified duration, sequela   |
| S06.300S | Unspecified focal traumatic brain injury without loss of consciousness, sequela  |
| S06.301S | Unspecified focal traumatic brain injury with loss of consciousness of 30 minutes or less, sequela   |
| S06.302S | Unspecified focal traumatic brain injury with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.303S | Unspecified focal traumatic brain injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.304S | Unspecified focal traumatic brain injury with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.305S | Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S06.306S | Unspecified focal traumatic brain injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela   |
| S06.309S | Unspecified focal traumatic brain injury with loss of consciousness of unspecified duration, sequela   |
| S06.310S | Contusion and laceration of right cerebrum without loss of consciousness, sequela  |
| S06.311S | Contusion and laceration of right cerebrum with loss of consciousness of 30 minutes or less, sequela   |
| S06.312S | Contusion and laceration of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.313S | Contusion and laceration of right cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.314S | Contusion and laceration of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.315S | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                           |
| S06.316S | Contusion and laceration of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.319S | Contusion and laceration of right cerebrum with loss of consciousness of unspecified duration, sequela   |
| S06.320S | Contusion and laceration of left cerebrum without loss of consciousness, sequela   |
| S06.321S | Contusion and laceration of left cerebrum with loss of consciousness of 30 minutes or less, sequela  |
| S06.322S | Contusion and laceration of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.323S | Contusion and laceration of left cerebrum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.324S | Contusion and laceration of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.325S | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                            |
| S06.326S | Contusion and laceration of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela  |
| S06.329S | Contusion and laceration of left cerebrum with loss of consciousness of unspecified duration, sequela  |
| S06.330S | Contusion and laceration of cerebrum, unspecified, without loss of consciousness, sequela  |
| S06.331S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela   |
| S06.332S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S06.333S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.334S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.335S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                           |
| S06.336S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.339S | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela   |
| S06.340S | Traumatic hemorrhage of right cerebrum without loss of consciousness, sequela  |
| S06.341S | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, sequela   |
| S06.342S | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.343S | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela  |
| S06.344S | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.345S | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                                       |
| S06.346S | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela             |
| S06.349S | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, sequela   |
| S06.350S | Traumatic hemorrhage of left cerebrum without loss of consciousness, sequela   |
| S06.351S | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, sequela  |
| S06.352S | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.353S | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela   |
| S06.354S | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.355S | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.356S | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela              |
| S06.359S | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S06.360S | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, sequela   |
| S06.361S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, sequela  |
| S06.362S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.363S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, sequela   |
| S06.364S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.365S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                                |
| S06.366S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela      |
| S06.369S | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, sequela  |
| S06.370S | Contusion, laceration, and hemorrhage of cerebellum without loss of consciousness, sequela  |
| S06.371S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 30 minutes or less, sequela   |
| S06.372S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.373S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.374S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.375S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                           |
| S06.376S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.379S | Contusion, laceration, and hemorrhage of cerebellum with loss of consciousness of unspecified duration, sequela   |
| S06.380S | Contusion, laceration, and hemorrhage of brainstem without loss of consciousness, sequela   |
| S06.381S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 30 minutes or less, sequela  |
| S06.382S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.383S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.384S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of 6 hours to 24 hours, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S06.385S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                           |
| S06.386S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.389S | Contusion, laceration, and hemorrhage of brainstem with loss of consciousness of unspecified duration, sequela   |
| S06.4X0S | Epidural hemorrhage without loss of consciousness, sequela   |
| S06.4X1S | Epidural hemorrhage with loss of consciousness of 30 minutes or less, sequela  |
| S06.4X2S | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.4X3S | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.4X4S | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.4X5S | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.4X6S | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela                                |
| S06.4X9S | Epidural hemorrhage with loss of consciousness of unspecified duration, sequela  |
| S06.5X0S | Traumatic subdural hemorrhage without loss of consciousness, sequela   |
| S06.5X1S | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, sequela  |
| S06.5X2S | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.5X3S | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.5X4S | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.5X5S | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela  |
| S06.5X6S | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela                      |
| S06.5X9S | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, sequela  |
| S06.6X0S | Traumatic subarachnoid hemorrhage without loss of consciousness, sequela   |
| S06.6X1S | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, sequela  |
| S06.6X2S | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.6X3S | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.6X4S | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S06.6X5S | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela   |
| S06.6X6S | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela   |
| S06.6X9S | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, sequela   |
| S06.810S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela  |
| S06.811S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela   |
| S06.812S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.813S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.814S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.815S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                           |
| S06.816S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.819S | Injury of right internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela   |
| S06.820S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified without loss of consciousness, sequela   |
| S06.821S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 30 minutes or less, sequela  |
| S06.822S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 31 minutes to 59 minutes, sequela  |
| S06.823S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela  |
| S06.824S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of 6 hours to 24 hours, sequela   |
| S06.825S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                            |
| S06.826S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela  |
| S06.829S | Injury of left internal carotid artery, intracranial portion, not elsewhere classified with loss of consciousness of unspecified duration, sequela  |
| S06.890S | Other specified intracranial injury without loss of consciousness, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S06.891S | Other specified intracranial injury with loss of consciousness of 30 minutes or less, sequela   |
| S06.892S | Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.893S | Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.894S | Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.895S | Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                           |
| S06.896S | Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela |
| S06.899S | Other specified intracranial injury with loss of consciousness of unspecified duration, sequela   |
| S06.9X0S | Unspecified intracranial injury without loss of consciousness, sequela  |
| S06.9X1S | Unspecified intracranial injury with loss of consciousness of 30 minutes or less, sequela   |
| S06.9X2S | Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, sequela   |
| S06.9X3S | Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, sequela   |
| S06.9X4S | Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, sequela  |
| S06.9X5S | Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, sequela                               |
| S06.9X6S | Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, sequela     |
| S06.9X9S | Unspecified intracranial injury with loss of consciousness of unspecified duration, sequela   |
| S07.0XXS | Crushing injury of face, sequela  |
| S07.1XXS | Crushing injury of skull, sequela   |
| S07.8XXS | Crushing injury of other parts of head, sequela   |
| S07.9XXS | Crushing injury of head, part unspecified, sequela  |
| S08.0XXS | Avulsion of scalp, sequela  |
| S08.111S | Complete traumatic amputation of right ear, sequela   |
| S08.112S | Complete traumatic amputation of left ear, sequela  |
| S08.119S | Complete traumatic amputation of unspecified ear, sequela   |
| S08.121S | Partial traumatic amputation of right ear, sequela  |
| S08.122S | Partial traumatic amputation of left ear, sequela   |
| S08.129S | Partial traumatic amputation of unspecified ear, sequela  |
| S08.811S | Complete traumatic amputation of nose, sequela  |
| S08.812S | Partial traumatic amputation of nose, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S08.89XS | Traumatic amputation of other parts of head, sequela                |
| S09.0XXS | Injury of blood vessels of head, not elsewhere classified, sequela  |
| S09.10XS | Unspecified injury of muscle and tendon of head, sequela            |
| S09.11XS | Strain of muscle and tendon of head, sequela                        |
| S09.12XS | Laceration of muscle and tendon of head, sequela                    |
| S09.19XS | Other specified injury of muscle and tendon of head, sequela        |
| S09.20XS | Traumatic rupture of unspecified ear drum, sequela                  |
| S09.21XS | Traumatic rupture of right ear drum, sequela                        |
| S09.22XS | Traumatic rupture of left ear drum, sequela                         |
| S09.301S | Unspecified injury of right middle and inner ear, sequela           |
| S09.302S | Unspecified injury of left middle and inner ear, sequela            |
| S09.309S | Unspecified injury of unspecified middle and inner ear, sequela     |
| S09.311S | Primary blast injury of right ear, sequela                          |
| S09.312S | Primary blast injury of left ear, sequela                           |
| S09.313S | Primary blast injury of ear, bilateral, sequela                     |
| S09.319S | Primary blast injury of unspecified ear, sequela                    |
| S09.391S | Other specified injury of right middle and inner ear, sequela       |
| S09.392S | Other specified injury of left middle and inner ear, sequela        |
| S09.399S | Other specified injury of unspecified middle and inner ear, sequela |
| S09.8XXS | Other specified injuries of head, sequela                           |
| S09.90XS | Unspecified injury of head, sequela                                 |
| S09.91XS | Unspecified injury of ear, sequela                                  |
| S09.92XS | Unspecified injury of nose, sequela                                 |
| S09.93XS | Unspecified injury of face, sequela                                 |
| S10.0XXS | Contusion of throat, sequela  |
| S10.10XA | Unspecified superficial injuries of throat, initial encounter       |
| S10.10XS | Unspecified superficial injuries of throat, sequela                 |
| S10.11XA | Abrasion of throat, initial encounter                               |
| S10.11XS | Abrasion of throat, sequela   |
| S10.12XA | Blister (nonthermal) of throat, initial encounter                   |
| S10.12XS | Blister (nonthermal) of throat, sequela                             |
| S10.14XA | External constriction of part of throat, initial encounter          |
| S10.14XS | External constriction of part of throat, sequela                    |
| S10.15XA | Superficial foreign body of throat, initial encounter               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S10.15XS | Superficial foreign body of throat, sequela                                       |
| S10.16XA | Insect bite (nonvenomous) of throat, initial encounter                            |
| S10.16XS | Insect bite (nonvenomous) of throat, sequela                                      |
| S10.17XA | Other superficial bite of throat, initial encounter                               |
| S10.17XS | Other superficial bite of throat, sequela   |
| S10.80XA | Unspecified superficial injury of other specified part of neck, initial encounter |
| S10.80XS | Unspecified superficial injury of other specified part of neck, sequela           |
| S10.81XA | Abrasion of other specified part of neck, initial encounter                       |
| S10.81XS | Abrasion of other specified part of neck, sequela                                 |
| S10.82XA | Blister (nonthermal) of other specified part of neck, initial encounter           |
| S10.82XS | Blister (nonthermal) of other specified part of neck, sequela                     |
| S10.83XS | Contusion of other specified part of neck, sequela                                |
| S10.84XA | External constriction of other specified part of neck, initial encounter          |
| S10.84XS | External constriction of other specified part of neck, sequela                    |
| S10.85XA | Superficial foreign body of other specified part of neck, initial encounter       |
| S10.85XS | Superficial foreign body of other specified part of neck, sequela                 |
| S10.86XA | Insect bite of other specified part of neck, initial encounter                    |
| S10.86XS | Insect bite of other specified part of neck, sequela                              |
| S10.87XA | Other superficial bite of other specified part of neck, initial encounter         |
| S10.87XS | Other superficial bite of other specified part of neck, sequela                   |
| S10.90XA | Unspecified superficial injury of unspecified part of neck, initial encounter     |
| S10.90XS | Unspecified superficial injury of unspecified part of neck, sequela               |
| S10.91XA | Abrasion of unspecified part of neck, initial encounter                           |
| S10.91XS | Abrasion of unspecified part of neck, sequela                                     |
| S10.92XA | Blister (nonthermal) of unspecified part of neck, initial encounter               |
| S10.92XS | Blister (nonthermal) of unspecified part of neck, sequela                         |
| S10.93XS | Contusion of unspecified part of neck, sequela                                    |
| S10.94XA | External constriction of unspecified part of neck, initial encounter              |
| S10.94XS | External constriction of unspecified part of neck, sequela                        |
| S10.95XA | Superficial foreign body of unspecified part of neck, initial encounter           |
| S10.95XS | Superficial foreign body of unspecified part of neck, sequela                     |
| S10.96XA | Insect bite of unspecified part of neck, initial encounter                        |
| S10.96XS | Insect bite of unspecified part of neck, sequela                                  |
| S10.97XA | Other superficial bite of unspecified part of neck, initial encounter             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S10.97XS | Other superficial bite of unspecified part of neck, sequela                    |
| S11.011S | Laceration without foreign body of larynx, sequela                             |
| S11.012S | Laceration with foreign body of larynx, sequela                                |
| S11.013S | Puncture wound without foreign body of larynx, sequela                         |
| S11.014S | Puncture wound with foreign body of larynx, sequela                            |
| S11.015S | Open bite of larynx, sequela   |
| S11.019S | Unspecified open wound of larynx, sequela                                      |
| S11.021S | Laceration without foreign body of trachea, sequela                            |
| S11.022S | Laceration with foreign body of trachea, sequela                               |
| S11.023S | Puncture wound without foreign body of trachea, sequela                        |
| S11.024S | Puncture wound with foreign body of trachea, sequela                           |
| S11.025S | Open bite of trachea, sequela  |
| S11.029S | Unspecified open wound of trachea, sequela                                     |
| S11.031S | Laceration without foreign body of vocal cord, sequela                         |
| S11.032S | Laceration with foreign body of vocal cord, sequela                            |
| S11.033S | Puncture wound without foreign body of vocal cord, sequela                     |
| S11.034S | Puncture wound with foreign body of vocal cord, sequela                        |
| S11.035S | Open bite of vocal cord, sequela   |
| S11.039S | Unspecified open wound of vocal cord, sequela                                  |
| S11.10XS | Unspecified open wound of thyroid gland, sequela                               |
| S11.11XS | Laceration without foreign body of thyroid gland, sequela                      |
| S11.12XS | Laceration with foreign body of thyroid gland, sequela                         |
| S11.13XS | Puncture wound without foreign body of thyroid gland, sequela                  |
| S11.14XS | Puncture wound with foreign body of thyroid gland, sequela                     |
| S11.15XS | Open bite of thyroid gland, sequela  |
| S11.20XS | Unspecified open wound of pharynx and cervical esophagus, sequela              |
| S11.21XS | Laceration without foreign body of pharynx and cervical esophagus, sequela     |
| S11.22XS | Laceration with foreign body of pharynx and cervical esophagus, sequela        |
| S11.23XS | Puncture wound without foreign body of pharynx and cervical esophagus, sequela |
| S11.24XS | Puncture wound with foreign body of pharynx and cervical esophagus, sequela    |
| S11.25XS | Open bite of pharynx and cervical esophagus, sequela                           |
| S11.80XS | Unspecified open wound of other specified part of neck, sequela                |
| S11.81XS | Laceration without foreign body of other specified part of neck, sequela       |
| S11.82XS | Laceration with foreign body of other specified part of neck, sequela          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S11.83XS | Puncture wound without foreign body of other specified part of neck, sequela   |
| S11.84XS | Puncture wound with foreign body of other specified part of neck, sequela  |
| S11.85XS | Open bite of other specified part of neck, sequela   |
| S11.89XS | Other open wound of other specified part of neck, sequela  |
| S11.90XA | Unspecified open wound of unspecified part of neck, initial encounter  |
| S11.90XS | Unspecified open wound of unspecified part of neck, sequela  |
| S11.91XS | Laceration without foreign body of unspecified part of neck, sequela   |
| S11.92XS | Laceration with foreign body of unspecified part of neck, sequela  |
| S11.93XS | Puncture wound without foreign body of unspecified part of neck, sequela   |
| S11.94XS | Puncture wound with foreign body of unspecified part of neck, sequela  |
| S11.95XS | Open bite of unspecified part of neck, sequela   |
| S12.000D | Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing    |
| S12.000G | Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing    |
| S12.000S | Unspecified displaced fracture of first cervical vertebra, sequela   |
| S12.001D | Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.001G | Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.001S | Unspecified nondisplaced fracture of first cervical vertebra, sequela  |
| S12.01XD | Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing             |
| S12.01XG | Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing             |
| S12.01XS | Stable burst fracture of first cervical vertebra, sequela  |
| S12.02XD | Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing           |
| S12.02XG | Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing           |
| S12.02XS | Unstable burst fracture of first cervical vertebra, sequela  |
| S12.030D | Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.030G | Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.030S | Displaced posterior arch fracture of first cervical vertebra, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.031D | Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.031G | Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.031S | Nondisplaced posterior arch fracture of first cervical vertebra, sequela  |
| S12.040D | Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing      |
| S12.040G | Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing      |
| S12.040S | Displaced lateral mass fracture of first cervical vertebra, sequela   |
| S12.041D | Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing   |
| S12.041G | Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing   |
| S12.041S | Nondisplaced lateral mass fracture of first cervical vertebra, sequela  |
| S12.090D | Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing             |
| S12.090G | Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing             |
| S12.090S | Other displaced fracture of first cervical vertebra, sequela  |
| S12.091D | Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing          |
| S12.091G | Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing          |
| S12.091S | Other nondisplaced fracture of first cervical vertebra, sequela   |
| S12.100D | Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing      |
| S12.100G | Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing      |
| S12.100S | Unspecified displaced fracture of second cervical vertebra, sequela   |
| S12.101D | Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing   |
| S12.101G | Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing   |
| S12.101S | Unspecified nondisplaced fracture of second cervical vertebra, sequela  |
| S12.110D | Anterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing                        |
| S12.110G | Anterior displaced Type II dens fracture, subsequent encounter for fracture with delayed healing                        |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S12.110S    | Anterior displaced Type II dens fracture, sequela  |
| S12.111D    | Posterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing  |
| S12.111G    | Posterior displaced Type II dens fracture, subsequent encounter for fracture with delayed healing  |
| S12.111S    | Posterior displaced Type II dens fracture, sequela   |
| S12.112D    | Nondisplaced Type II dens fracture, subsequent encounter for fracture with routine healing   |
| S12.112G    | Nondisplaced Type II dens fracture, subsequent encounter for fracture with delayed healing   |
| S12.112S    | Nondisplaced Type II dens fracture, sequela  |
| S12.120D    | Other displaced dens fracture, subsequent encounter for fracture with routine healing  |
| S12.120G    | Other displaced dens fracture, subsequent encounter for fracture with delayed healing  |
| S12.120S    | Other displaced dens fracture, sequela   |
| S12.121D    | Other nondisplaced dens fracture, subsequent encounter for fracture with routine healing   |
| S12.121G    | Other nondisplaced dens fracture, subsequent encounter for fracture with delayed healing   |
| S12.121S    | Other nondisplaced dens fracture, sequela  |
| S12.130D    | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing    |
| S12.130G    | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing    |
| S12.130S    | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, sequela   |
| S12.131D    | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.131G    | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.131S    | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, sequela  |
| S12.14XD    | Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing                 |
| S12.14XG    | Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing                 |
| S12.14XS    | Type III traumatic spondylolisthesis of second cervical vertebra, sequela  |
| S12.150D    | Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing          |
| S12.150G    | Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing          |
| S12.150S    | Other traumatic displaced spondylolisthesis of second cervical vertebra, sequela   |
| S12.151D    | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.151G | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing      |
| S12.151S | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, sequela   |
| S12.190D | Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing                            |
| S12.190G | Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing                            |
| S12.190S | Other displaced fracture of second cervical vertebra, sequela   |
| S12.191D | Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing                         |
| S12.191G | Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing                         |
| S12.191S | Other nondisplaced fracture of second cervical vertebra, sequela  |
| S12.200D | Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing                       |
| S12.200G | Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing                       |
| S12.200S | Unspecified displaced fracture of third cervical vertebra, sequela  |
| S12.201D | Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing                    |
| S12.201G | Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing                    |
| S12.201S | Unspecified nondisplaced fracture of third cervical vertebra, sequela   |
| S12.230D | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing    |
| S12.230G | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing    |
| S12.230S | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, sequela   |
| S12.231D | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.231G | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.231S | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, sequela  |
| S12.24XD | Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing                 |
| S12.24XG | Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing                 |
| S12.24XS | Type III traumatic spondylolisthesis of third cervical vertebra, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.250D | Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing           |
| S12.250G | Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing           |
| S12.250S | Other traumatic displaced spondylolisthesis of third cervical vertebra, sequela  |
| S12.251D | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing        |
| S12.251G | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing        |
| S12.251S | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, sequela   |
| S12.290D | Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing                              |
| S12.290G | Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing                              |
| S12.290S | Other displaced fracture of third cervical vertebra, sequela   |
| S12.291D | Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing                           |
| S12.291G | Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing                           |
| S12.291S | Other nondisplaced fracture of third cervical vertebra, sequela  |
| S12.300D | Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing                       |
| S12.300G | Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing                       |
| S12.300S | Unspecified displaced fracture of fourth cervical vertebra, sequela  |
| S12.301D | Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing                    |
| S12.301G | Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing                    |
| S12.301S | Unspecified nondisplaced fracture of fourth cervical vertebra, sequela   |
| S12.330D | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing    |
| S12.330G | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing    |
| S12.330S | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, sequela   |
| S12.331D | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.331G | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.331S | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, sequela  |
| S12.34XD | Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing             |
| S12.34XG | Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing             |
| S12.34XS | Type III traumatic spondylolisthesis of fourth cervical vertebra, sequela  |
| S12.350D | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing      |
| S12.350G | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing      |
| S12.350S | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, sequela   |
| S12.351D | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing   |
| S12.351G | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing   |
| S12.351S | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, sequela  |
| S12.390D | Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing                         |
| S12.390G | Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing                         |
| S12.390S | Other displaced fracture of fourth cervical vertebra, sequela  |
| S12.391D | Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing                      |
| S12.391G | Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing                      |
| S12.391S | Other nondisplaced fracture of fourth cervical vertebra, sequela   |
| S12.400D | Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing                    |
| S12.400G | Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing                    |
| S12.400S | Unspecified displaced fracture of fifth cervical vertebra, sequela   |
| S12.401D | Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing                 |
| S12.401G | Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing                 |
| S12.401S | Unspecified nondisplaced fracture of fifth cervical vertebra, sequela  |
| S12.430D | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.430G | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing    |
| S12.430S | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, sequela   |
| S12.431D | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.431G | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.431S | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, sequela  |
| S12.44XD | Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing                 |
| S12.44XG | Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing                 |
| S12.44XS | Type III traumatic spondylolisthesis of fifth cervical vertebra, sequela  |
| S12.450D | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing          |
| S12.450G | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing          |
| S12.450S | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, sequela   |
| S12.451D | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing       |
| S12.451G | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing       |
| S12.451S | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, sequela  |
| S12.490D | Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing                             |
| S12.490G | Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing                             |
| S12.490S | Other displaced fracture of fifth cervical vertebra, sequela  |
| S12.491D | Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing                          |
| S12.491G | Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing                          |
| S12.491S | Other nondisplaced fracture of fifth cervical vertebra, sequela   |
| S12.500D | Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing                       |
| S12.500G | Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing                       |
| S12.500S | Unspecified displaced fracture of sixth cervical vertebra, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.501D | Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing                    |
| S12.501G | Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing                    |
| S12.501S | Unspecified nondisplaced fracture of sixth cervical vertebra, sequela   |
| S12.530D | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing    |
| S12.530G | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing    |
| S12.530S | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, sequela   |
| S12.531D | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.531G | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.531S | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, sequela  |
| S12.54XD | Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing                 |
| S12.54XG | Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing                 |
| S12.54XS | Type III traumatic spondylolisthesis of sixth cervical vertebra, sequela  |
| S12.550D | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing          |
| S12.550G | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing          |
| S12.550S | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, sequela   |
| S12.551D | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing       |
| S12.551G | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing       |
| S12.551S | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, sequela  |
| S12.590D | Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing                             |
| S12.590G | Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing                             |
| S12.590S | Other displaced fracture of sixth cervical vertebra, sequela  |
| S12.591D | Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing                          |
| S12.591G | Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing                          |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.591S | Other nondisplaced fracture of sixth cervical vertebra, sequela   |
| S12.600D | Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing                       |
| S12.600G | Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing                       |
| S12.600S | Unspecified displaced fracture of seventh cervical vertebra, sequela  |
| S12.601D | Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing                    |
| S12.601G | Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing                    |
| S12.601S | Unspecified nondisplaced fracture of seventh cervical vertebra, sequela   |
| S12.630D | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing    |
| S12.630G | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing    |
| S12.630S | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, sequela   |
| S12.631D | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.631G | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.631S | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, sequela  |
| S12.64XD | Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing                 |
| S12.64XG | Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing                 |
| S12.64XS | Type III traumatic spondylolisthesis of seventh cervical vertebra, sequela  |
| S12.650D | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing          |
| S12.650G | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing          |
| S12.650S | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, sequela   |
| S12.651D | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing       |
| S12.651G | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing       |
| S12.651S | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, sequela  |
| S12.690D | Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.690G | Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing    |
| S12.690S | Other displaced fracture of seventh cervical vertebra, sequela   |
| S12.691D | Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing |
| S12.691G | Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing |
| S12.691S | Other nondisplaced fracture of seventh cervical vertebra, sequela  |
| S12.8XXD | Fracture of other parts of neck, subsequent encounter  |
| S12.8XXS | Fracture of other parts of neck, sequela   |
| S12.9XXD | Fracture of neck, unspecified, subsequent encounter  |
| S12.9XXS | Fracture of neck, unspecified, sequela   |
| S13.0XXA | Traumatic rupture of cervical intervertebral disc, initial encounter   |
| S13.0XXS | Traumatic rupture of cervical intervertebral disc, sequela   |
| S13.100A | Subluxation of unspecified cervical vertebrae, initial encounter   |
| S13.100S | Subluxation of unspecified cervical vertebrae, sequela   |
| S13.101A | Dislocation of unspecified cervical vertebrae, initial encounter   |
| S13.101S | Dislocation of unspecified cervical vertebrae, sequela   |
| S13.110A | Subluxation of C0/C1 cervical vertebrae, initial encounter   |
| S13.110S | Subluxation of C0/C1 cervical vertebrae, sequela   |
| S13.111A | Dislocation of C0/C1 cervical vertebrae, initial encounter   |
| S13.111S | Dislocation of C0/C1 cervical vertebrae, sequela   |
| S13.120A | Subluxation of C1/C2 cervical vertebrae, initial encounter   |
| S13.120S | Subluxation of C1/C2 cervical vertebrae, sequela   |
| S13.121A | Dislocation of C1/C2 cervical vertebrae, initial encounter   |
| S13.121S | Dislocation of C1/C2 cervical vertebrae, sequela   |
| S13.130A | Subluxation of C2/C3 cervical vertebrae, initial encounter   |
| S13.130S | Subluxation of C2/C3 cervical vertebrae, sequela   |
| S13.131A | Dislocation of C2/C3 cervical vertebrae, initial encounter   |
| S13.131S | Dislocation of C2/C3 cervical vertebrae, sequela   |
| S13.140A | Subluxation of C3/C4 cervical vertebrae, initial encounter   |
| S13.140S | Subluxation of C3/C4 cervical vertebrae, sequela   |
| S13.141A | Dislocation of C3/C4 cervical vertebrae, initial encounter   |
| S13.141S | Dislocation of C3/C4 cervical vertebrae, sequela   |
| S13.150A | Subluxation of C4/C5 cervical vertebrae, initial encounter   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S13.150S | Subluxation of C4/C5 cervical vertebrae, sequela                               |
| S13.151A | Dislocation of C4/C5 cervical vertebrae, initial encounter                     |
| S13.151S | Dislocation of C4/C5 cervical vertebrae, sequela                               |
| S13.160A | Subluxation of C5/C6 cervical vertebrae, initial encounter                     |
| S13.160S | Subluxation of C5/C6 cervical vertebrae, sequela                               |
| S13.161A | Dislocation of C5/C6 cervical vertebrae, initial encounter                     |
| S13.161S | Dislocation of C5/C6 cervical vertebrae, sequela                               |
| S13.170A | Subluxation of C6/C7 cervical vertebrae, initial encounter                     |
| S13.170S | Subluxation of C6/C7 cervical vertebrae, sequela                               |
| S13.171A | Dislocation of C6/C7 cervical vertebrae, initial encounter                     |
| S13.171S | Dislocation of C6/C7 cervical vertebrae, sequela                               |
| S13.180A | Subluxation of C7/T1 cervical vertebrae, initial encounter                     |
| S13.180S | Subluxation of C7/T1 cervical vertebrae, sequela                               |
| S13.181A | Dislocation of C7/T1 cervical vertebrae, initial encounter                     |
| S13.181S | Dislocation of C7/T1 cervical vertebrae, sequela                               |
| S13.20XA | Dislocation of unspecified parts of neck, initial encounter                    |
| S13.20XS | Dislocation of unspecified parts of neck, sequela                              |
| S13.29XA | Dislocation of other parts of neck, initial encounter                          |
| S13.29XS | Dislocation of other parts of neck, sequela                                    |
| S13.4XXA | Sprain of ligaments of cervical spine, initial encounter                       |
| S13.4XXS | Sprain of ligaments of cervical spine, sequela                                 |
| S13.5XXA | Sprain of thyroid region, initial encounter                                    |
| S13.5XXS | Sprain of thyroid region, sequela  |
| S13.8XXA | Sprain of joints and ligaments of other parts of neck, initial encounter       |
| S13.8XXS | Sprain of joints and ligaments of other parts of neck, sequela                 |
| S13.9XXA | Sprain of joints and ligaments of unspecified parts of neck, initial encounter |
| S13.9XXS | Sprain of joints and ligaments of unspecified parts of neck, sequela           |
| S14.0XXS | Concussion and edema of cervical spinal cord, sequela                          |
| S14.101S | Unspecified injury at C1 level of cervical spinal cord, sequela                |
| S14.102S | Unspecified injury at C2 level of cervical spinal cord, sequela                |
| S14.103S | Unspecified injury at C3 level of cervical spinal cord, sequela                |
| S14.104S | Unspecified injury at C4 level of cervical spinal cord, sequela                |
| S14.105S | Unspecified injury at C5 level of cervical spinal cord, sequela                |
| S14.106S | Unspecified injury at C6 level of cervical spinal cord, sequela                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S14.107S    | Unspecified injury at C7 level of cervical spinal cord, sequela              |
| S14.108S    | Unspecified injury at C8 level of cervical spinal cord, sequela              |
| S14.109S    | Unspecified injury at unspecified level of cervical spinal cord, sequela     |
| S14.111S    | Complete lesion at C1 level of cervical spinal cord, sequela                 |
| S14.112S    | Complete lesion at C2 level of cervical spinal cord, sequela                 |
| S14.113S    | Complete lesion at C3 level of cervical spinal cord, sequela                 |
| S14.114S    | Complete lesion at C4 level of cervical spinal cord, sequela                 |
| S14.115S    | Complete lesion at C5 level of cervical spinal cord, sequela                 |
| S14.116S    | Complete lesion at C6 level of cervical spinal cord, sequela                 |
| S14.117S    | Complete lesion at C7 level of cervical spinal cord, sequela                 |
| S14.118S    | Complete lesion at C8 level of cervical spinal cord, sequela                 |
| S14.119S    | Complete lesion at unspecified level of cervical spinal cord, sequela        |
| S14.121S    | Central cord syndrome at C1 level of cervical spinal cord, sequela           |
| S14.122S    | Central cord syndrome at C2 level of cervical spinal cord, sequela           |
| S14.123S    | Central cord syndrome at C3 level of cervical spinal cord, sequela           |
| S14.124S    | Central cord syndrome at C4 level of cervical spinal cord, sequela           |
| S14.125S    | Central cord syndrome at C5 level of cervical spinal cord, sequela           |
| S14.126S    | Central cord syndrome at C6 level of cervical spinal cord, sequela           |
| S14.127S    | Central cord syndrome at C7 level of cervical spinal cord, sequela           |
| S14.128S    | Central cord syndrome at C8 level of cervical spinal cord, sequela           |
| S14.129S    | Central cord syndrome at unspecified level of cervical spinal cord, sequela  |
| S14.131S    | Anterior cord syndrome at C1 level of cervical spinal cord, sequela          |
| S14.132S    | Anterior cord syndrome at C2 level of cervical spinal cord, sequela          |
| S14.133S    | Anterior cord syndrome at C3 level of cervical spinal cord, sequela          |
| S14.134S    | Anterior cord syndrome at C4 level of cervical spinal cord, sequela          |
| S14.135S    | Anterior cord syndrome at C5 level of cervical spinal cord, sequela          |
| S14.136S    | Anterior cord syndrome at C6 level of cervical spinal cord, sequela          |
| S14.137S    | Anterior cord syndrome at C7 level of cervical spinal cord, sequela          |
| S14.138S    | Anterior cord syndrome at C8 level of cervical spinal cord, sequela          |
| S14.139S    | Anterior cord syndrome at unspecified level of cervical spinal cord, sequela |
| S14.141S    | Brown-Sequard syndrome at C1 level of cervical spinal cord, sequela          |
| S14.142S    | Brown-Sequard syndrome at C2 level of cervical spinal cord, sequela          |
| S14.143S    | Brown-Sequard syndrome at C3 level of cervical spinal cord, sequela          |
| S14.144S    | Brown-Sequard syndrome at C4 level of cervical spinal cord, sequela          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S14.145S | Brown-Sequard syndrome at C5 level of cervical spinal cord, sequela           |
| S14.146S | Brown-Sequard syndrome at C6 level of cervical spinal cord, sequela           |
| S14.147S | Brown-Sequard syndrome at C7 level of cervical spinal cord, sequela           |
| S14.148S | Brown-Sequard syndrome at C8 level of cervical spinal cord, sequela           |
| S14.149S | Brown-Sequard syndrome at unspecified level of cervical spinal cord, sequela  |
| S14.151S | Other incomplete lesion at C1 level of cervical spinal cord, sequela          |
| S14.152S | Other incomplete lesion at C2 level of cervical spinal cord, sequela          |
| S14.153S | Other incomplete lesion at C3 level of cervical spinal cord, sequela          |
| S14.154S | Other incomplete lesion at C4 level of cervical spinal cord, sequela          |
| S14.155S | Other incomplete lesion at C5 level of cervical spinal cord, sequela          |
| S14.156S | Other incomplete lesion at C6 level of cervical spinal cord, sequela          |
| S14.157S | Other incomplete lesion at C7 level of cervical spinal cord, sequela          |
| S14.158S | Other incomplete lesion at C8 level of cervical spinal cord, sequela          |
| S14.159S | Other incomplete lesion at unspecified level of cervical spinal cord, sequela |
| S14.2XXS | Injury of nerve root of cervical spine, sequela                               |
| S14.3XXS | Injury of brachial plexus, sequela  |
| S14.4XXA | Injury of peripheral nerves of neck, initial encounter                        |
| S14.4XXS | Injury of peripheral nerves of neck, sequela                                  |
| S14.5XXS | Injury of cervical sympathetic nerves, sequela                                |
| S14.8XXA | Injury of other specified nerves of neck, initial encounter                   |
| S14.8XXS | Injury of other specified nerves of neck, sequela                             |
| S14.9XXA | Injury of unspecified nerves of neck, initial encounter                       |
| S14.9XXS | Injury of unspecified nerves of neck, sequela                                 |
| S15.001S | Unspecified injury of right carotid artery, sequela                           |
| S15.002S | Unspecified injury of left carotid artery, sequela                            |
| S15.009S | Unspecified injury of unspecified carotid artery, sequela                     |
| S15.011S | Minor laceration of right carotid artery, sequela                             |
| S15.012S | Minor laceration of left carotid artery, sequela                              |
| S15.019S | Minor laceration of unspecified carotid artery, sequela                       |
| S15.021S | Major laceration of right carotid artery, sequela                             |
| S15.022S | Major laceration of left carotid artery, sequela                              |
| S15.029S | Major laceration of unspecified carotid artery, sequela                       |
| S15.091S | Other specified injury of right carotid artery, sequela                       |
| S15.092S | Other specified injury of left carotid artery, sequela                        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S15.099S    | Other specified injury of unspecified carotid artery, sequela        |
| S15.101S    | Unspecified injury of right vertebral artery, sequela                |
| S15.102S    | Unspecified injury of left vertebral artery, sequela                 |
| S15.109S    | Unspecified injury of unspecified vertebral artery, sequela          |
| S15.111S    | Minor laceration of right vertebral artery, sequela                  |
| S15.112S    | Minor laceration of left vertebral artery, sequela                   |
| S15.119S    | Minor laceration of unspecified vertebral artery, sequela            |
| S15.121S    | Major laceration of right vertebral artery, sequela                  |
| S15.122S    | Major laceration of left vertebral artery, sequela                   |
| S15.129S    | Major laceration of unspecified vertebral artery, sequela            |
| S15.191S    | Other specified injury of right vertebral artery, sequela            |
| S15.192S    | Other specified injury of left vertebral artery, sequela             |
| S15.199S    | Other specified injury of unspecified vertebral artery, sequela      |
| S15.201S    | Unspecified injury of right external jugular vein, sequela           |
| S15.202S    | Unspecified injury of left external jugular vein, sequela            |
| S15.209S    | Unspecified injury of unspecified external jugular vein, sequela     |
| S15.211S    | Minor laceration of right external jugular vein, sequela             |
| S15.212S    | Minor laceration of left external jugular vein, sequela              |
| S15.219S    | Minor laceration of unspecified external jugular vein, sequela       |
| S15.221S    | Major laceration of right external jugular vein, sequela             |
| S15.222S    | Major laceration of left external jugular vein, sequela              |
| S15.229S    | Major laceration of unspecified external jugular vein, sequela       |
| S15.291S    | Other specified injury of right external jugular vein, sequela       |
| S15.292S    | Other specified injury of left external jugular vein, sequela        |
| S15.299S    | Other specified injury of unspecified external jugular vein, sequela |
| S15.301S    | Unspecified injury of right internal jugular vein, sequela           |
| S15.302S    | Unspecified injury of left internal jugular vein, sequela            |
| S15.309S    | Unspecified injury of unspecified internal jugular vein, sequela     |
| S15.311S    | Minor laceration of right internal jugular vein, sequela             |
| S15.312S    | Minor laceration of left internal jugular vein, sequela              |
| S15.319S    | Minor laceration of unspecified internal jugular vein, sequela       |
| S15.321S    | Major laceration of right internal jugular vein, sequela             |
| S15.322S    | Major laceration of left internal jugular vein, sequela              |
| S15.329S    | Major laceration of unspecified internal jugular vein, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S15.391S | Other specified injury of right internal jugular vein, sequela                    |
| S15.392S | Other specified injury of left internal jugular vein, sequela                     |
| S15.399S | Other specified injury of unspecified internal jugular vein, sequela              |
| S15.8XXS | Injury of other specified blood vessels at neck level, sequela                    |
| S15.9XXS | Injury of unspecified blood vessel at neck level, sequela                         |
| S16.1XXA | Strain of muscle, fascia and tendon at neck level, initial encounter              |
| S16.1XXS | Strain of muscle, fascia and tendon at neck level, sequela                        |
| S16.2XXS | Laceration of muscle, fascia and tendon at neck level, sequela                    |
| S16.8XXS | Other specified injury of muscle, fascia and tendon at neck level, sequela        |
| S16.9XXS | Unspecified injury of muscle, fascia and tendon at neck level, sequela            |
| S17.0XXS | Crushing injury of larynx and trachea, sequela                                    |
| S17.8XXS | Crushing injury of other specified parts of neck, sequela                         |
| S17.9XXS | Crushing injury of neck, part unspecified, sequela                                |
| S19.80XS | Other specified injuries of unspecified part of neck, sequela                     |
| S19.81XS | Other specified injuries of larynx, sequela                                       |
| S19.82XS | Other specified injuries of cervical trachea, sequela                             |
| S19.83XS | Other specified injuries of vocal cord, sequela                                   |
| S19.84XS | Other specified injuries of thyroid gland, sequela                                |
| S19.85XS | Other specified injuries of pharynx and cervical esophagus, sequela               |
| S19.89XS | Other specified injuries of other specified part of neck, sequela                 |
| S19.9XXS | Unspecified injury of neck, sequela   |
| S20.00XS | Contusion of breast, unspecified breast, sequela                                  |
| S20.01XS | Contusion of right breast, sequela  |
| S20.02XS | Contusion of left breast, sequela   |
| S20.101A | Unspecified superficial injuries of breast, right breast, initial encounter       |
| S20.101S | Unspecified superficial injuries of breast, right breast, sequela                 |
| S20.102A | Unspecified superficial injuries of breast, left breast, initial encounter        |
| S20.102S | Unspecified superficial injuries of breast, left breast, sequela                  |
| S20.109A | Unspecified superficial injuries of breast, unspecified breast, initial encounter |
| S20.109S | Unspecified superficial injuries of breast, unspecified breast, sequela           |
| S20.111A | Abrasion of breast, right breast, initial encounter                               |
| S20.111S | Abrasion of breast, right breast, sequela   |
| S20.112A | Abrasion of breast, left breast, initial encounter                                |
| S20.112S | Abrasion of breast, left breast, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S20.119A    | Abrasion of breast, unspecified breast, initial encounter                      |
| S20.119S    | Abrasion of breast, unspecified breast, sequela                                |
| S20.121A    | Blister (nonthermal) of breast, right breast, initial encounter                |
| S20.121S    | Blister (nonthermal) of breast, right breast, sequela                          |
| S20.122A    | Blister (nonthermal) of breast, left breast, initial encounter                 |
| S20.122S    | Blister (nonthermal) of breast, left breast, sequela                           |
| S20.129A    | Blister (nonthermal) of breast, unspecified breast, initial encounter          |
| S20.129S    | Blister (nonthermal) of breast, unspecified breast, sequela                    |
| S20.141A    | External constriction of part of breast, right breast, initial encounter       |
| S20.141S    | External constriction of part of breast, right breast, sequela                 |
| S20.142A    | External constriction of part of breast, left breast, initial encounter        |
| S20.142S    | External constriction of part of breast, left breast, sequela                  |
| S20.149A    | External constriction of part of breast, unspecified breast, initial encounter |
| S20.149S    | External constriction of part of breast, unspecified breast, sequela           |
| S20.151A    | Superficial foreign body of breast, right breast, initial encounter            |
| S20.151S    | Superficial foreign body of breast, right breast, sequela                      |
| S20.152A    | Superficial foreign body of breast, left breast, initial encounter             |
| S20.152S    | Superficial foreign body of breast, left breast, sequela                       |
| S20.159A    | Superficial foreign body of breast, unspecified breast, initial encounter      |
| S20.159S    | Superficial foreign body of breast, unspecified breast, sequela                |
| S20.161A    | Insect bite (nonvenomous) of breast, right breast, initial encounter           |
| S20.161S    | Insect bite (nonvenomous) of breast, right breast, sequela                     |
| S20.162A    | Insect bite (nonvenomous) of breast, left breast, initial encounter            |
| S20.162S    | Insect bite (nonvenomous) of breast, left breast, sequela                      |
| S20.169A    | Insect bite (nonvenomous) of breast, unspecified breast, initial encounter     |
| S20.169S    | Insect bite (nonvenomous) of breast, unspecified breast, sequela               |
| S20.171A    | Other superficial bite of breast, right breast, initial encounter              |
| S20.171S    | Other superficial bite of breast, right breast, sequela                        |
| S20.172A    | Other superficial bite of breast, left breast, initial encounter               |
| S20.172S    | Other superficial bite of breast, left breast, sequela                         |
| S20.179A    | Other superficial bite of breast, unspecified breast, initial encounter        |
| S20.179S    | Other superficial bite of breast, unspecified breast, sequela                  |
| S20.20XS    | Contusion of thorax, unspecified, sequela                                      |
| S20.211S    | Contusion of right front wall of thorax, sequela                               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S20.212S | Contusion of left front wall of thorax, sequela   |
| S20.219S | Contusion of unspecified front wall of thorax, sequela                                  |
| S20.221S | Contusion of right back wall of thorax, sequela   |
| S20.222S | Contusion of left back wall of thorax, sequela  |
| S20.229S | Contusion of unspecified back wall of thorax, sequela                                   |
| S20.301A | Unspecified superficial injuries of right front wall of thorax, initial encounter       |
| S20.301S | Unspecified superficial injuries of right front wall of thorax, sequela                 |
| S20.302A | Unspecified superficial injuries of left front wall of thorax, initial encounter        |
| S20.302S | Unspecified superficial injuries of left front wall of thorax, sequela                  |
| S20.309A | Unspecified superficial injuries of unspecified front wall of thorax, initial encounter |
| S20.309S | Unspecified superficial injuries of unspecified front wall of thorax, sequela           |
| S20.311A | Abrasion of right front wall of thorax, initial encounter                               |
| S20.311S | Abrasion of right front wall of thorax, sequela   |
| S20.312A | Abrasion of left front wall of thorax, initial encounter                                |
| S20.312S | Abrasion of left front wall of thorax, sequela  |
| S20.319A | Abrasion of unspecified front wall of thorax, initial encounter                         |
| S20.319S | Abrasion of unspecified front wall of thorax, sequela                                   |
| S20.321A | Blister (nonthermal) of right front wall of thorax, initial encounter                   |
| S20.321S | Blister (nonthermal) of right front wall of thorax, sequela                             |
| S20.322A | Blister (nonthermal) of left front wall of thorax, initial encounter                    |
| S20.322S | Blister (nonthermal) of left front wall of thorax, sequela                              |
| S20.329A | Blister (nonthermal) of unspecified front wall of thorax, initial encounter             |
| S20.329S | Blister (nonthermal) of unspecified front wall of thorax, sequela                       |
| S20.341A | External constriction of right front wall of thorax, initial encounter                  |
| S20.341S | External constriction of right front wall of thorax, sequela                            |
| S20.342A | External constriction of left front wall of thorax, initial encounter                   |
| S20.342S | External constriction of left front wall of thorax, sequela                             |
| S20.349A | External constriction of unspecified front wall of thorax, initial encounter            |
| S20.349S | External constriction of unspecified front wall of thorax, sequela                      |
| S20.351A | Superficial foreign body of right front wall of thorax, initial encounter               |
| S20.351S | Superficial foreign body of right front wall of thorax, sequela                         |
| S20.352A | Superficial foreign body of left front wall of thorax, initial encounter                |
| S20.352S | Superficial foreign body of left front wall of thorax, sequela                          |
| S20.359A | Superficial foreign body of unspecified front wall of thorax, initial encounter         |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S20.359S | Superficial foreign body of unspecified front wall of thorax, sequela                  |
| S20.361A | Insect bite (nonvenomous) of right front wall of thorax, initial encounter             |
| S20.361S | Insect bite (nonvenomous) of right front wall of thorax, sequela                       |
| S20.362A | Insect bite (nonvenomous) of left front wall of thorax, initial encounter              |
| S20.362S | Insect bite (nonvenomous) of left front wall of thorax, sequela                        |
| S20.369A | Insect bite (nonvenomous) of unspecified front wall of thorax, initial encounter       |
| S20.369S | Insect bite (nonvenomous) of unspecified front wall of thorax, sequela                 |
| S20.371A | Other superficial bite of right front wall of thorax, initial encounter                |
| S20.371S | Other superficial bite of right front wall of thorax, sequela                          |
| S20.372A | Other superficial bite of left front wall of thorax, initial encounter                 |
| S20.372S | Other superficial bite of left front wall of thorax, sequela                           |
| S20.379A | Other superficial bite of unspecified front wall of thorax, initial encounter          |
| S20.379S | Other superficial bite of unspecified front wall of thorax, sequela                    |
| S20.401A | Unspecified superficial injuries of right back wall of thorax, initial encounter       |
| S20.401S | Unspecified superficial injuries of right back wall of thorax, sequela                 |
| S20.402A | Unspecified superficial injuries of left back wall of thorax, initial encounter        |
| S20.402S | Unspecified superficial injuries of left back wall of thorax, sequela                  |
| S20.409A | Unspecified superficial injuries of unspecified back wall of thorax, initial encounter |
| S20.409S | Unspecified superficial injuries of unspecified back wall of thorax, sequela           |
| S20.411A | Abrasion of right back wall of thorax, initial encounter                               |
| S20.411S | Abrasion of right back wall of thorax, sequela   |
| S20.412A | Abrasion of left back wall of thorax, initial encounter                                |
| S20.412S | Abrasion of left back wall of thorax, sequela  |
| S20.419A | Abrasion of unspecified back wall of thorax, initial encounter                         |
| S20.419S | Abrasion of unspecified back wall of thorax, sequela                                   |
| S20.421A | Blister (nonthermal) of right back wall of thorax, initial encounter                   |
| S20.421S | Blister (nonthermal) of right back wall of thorax, sequela                             |
| S20.422A | Blister (nonthermal) of left back wall of thorax, initial encounter                    |
| S20.422S | Blister (nonthermal) of left back wall of thorax, sequela                              |
| S20.429A | Blister (nonthermal) of unspecified back wall of thorax, initial encounter             |
| S20.429S | Blister (nonthermal) of unspecified back wall of thorax, sequela                       |
| S20.441A | External constriction of right back wall of thorax, initial encounter                  |
| S20.441S | External constriction of right back wall of thorax, sequela                            |
| S20.442A | External constriction of left back wall of thorax, initial encounter                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S20.442S    | External constriction of left back wall of thorax, sequela                       |
| S20.449A    | External constriction of unspecified back wall of thorax, initial encounter      |
| S20.449S    | External constriction of unspecified back wall of thorax, sequela                |
| S20.451A    | Superficial foreign body of right back wall of thorax, initial encounter         |
| S20.451S    | Superficial foreign body of right back wall of thorax, sequela                   |
| S20.452A    | Superficial foreign body of left back wall of thorax, initial encounter          |
| S20.452S    | Superficial foreign body of left back wall of thorax, sequela                    |
| S20.459A    | Superficial foreign body of unspecified back wall of thorax, initial encounter   |
| S20.459S    | Superficial foreign body of unspecified back wall of thorax, sequela             |
| S20.461A    | Insect bite (nonvenomous) of right back wall of thorax, initial encounter        |
| S20.461S    | Insect bite (nonvenomous) of right back wall of thorax, sequela                  |
| S20.462A    | Insect bite (nonvenomous) of left back wall of thorax, initial encounter         |
| S20.462S    | Insect bite (nonvenomous) of left back wall of thorax, sequela                   |
| S20.469A    | Insect bite (nonvenomous) of unspecified back wall of thorax, initial encounter  |
| S20.469S    | Insect bite (nonvenomous) of unspecified back wall of thorax, sequela            |
| S20.471A    | Other superficial bite of right back wall of thorax, initial encounter           |
| S20.471S    | Other superficial bite of right back wall of thorax, sequela                     |
| S20.472A    | Other superficial bite of left back wall of thorax, initial encounter            |
| S20.472S    | Other superficial bite of left back wall of thorax, sequela                      |
| S20.479A    | Other superficial bite of unspecified back wall of thorax, initial encounter     |
| S20.479S    | Other superficial bite of unspecified back wall of thorax, sequela               |
| S20.90XA    | Unspecified superficial injury of unspecified parts of thorax, initial encounter |
| S20.90XS    | Unspecified superficial injury of unspecified parts of thorax, sequela           |
| S20.91XA    | Abrasion of unspecified parts of thorax, initial encounter                       |
| S20.91XS    | Abrasion of unspecified parts of thorax, sequela                                 |
| S20.92XA    | Blister (nonthermal) of unspecified parts of thorax, initial encounter           |
| S20.92XS    | Blister (nonthermal) of unspecified parts of thorax, sequela                     |
| S20.94XA    | External constriction of unspecified parts of thorax, initial encounter          |
| S20.94XS    | External constriction of unspecified parts of thorax, sequela                    |
| S20.95XA    | Superficial foreign body of unspecified parts of thorax, initial encounter       |
| S20.95XS    | Superficial foreign body of unspecified parts of thorax, sequela                 |
| S20.96XA    | Insect bite (nonvenomous) of unspecified parts of thorax, initial encounter      |
| S20.96XS    | Insect bite (nonvenomous) of unspecified parts of thorax, sequela                |
| S20.97XA    | Other superficial bite of unspecified parts of thorax, initial encounter         |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S20.97XS | Other superficial bite of unspecified parts of thorax, sequela   |
| S21.001S | Unspecified open wound of right breast, sequela  |
| S21.002S | Unspecified open wound of left breast, sequela   |
| S21.009S | Unspecified open wound of unspecified breast, sequela  |
| S21.011S | Laceration without foreign body of right breast, sequela   |
| S21.012S | Laceration without foreign body of left breast, sequela  |
| S21.019S | Laceration without foreign body of unspecified breast, sequela   |
| S21.021S | Laceration with foreign body of right breast, sequela  |
| S21.022S | Laceration with foreign body of left breast, sequela   |
| S21.029S | Laceration with foreign body of unspecified breast, sequela  |
| S21.031S | Puncture wound without foreign body of right breast, sequela   |
| S21.032S | Puncture wound without foreign body of left breast, sequela  |
| S21.039S | Puncture wound without foreign body of unspecified breast, sequela   |
| S21.041S | Puncture wound with foreign body of right breast, sequela  |
| S21.042S | Puncture wound with foreign body of left breast, sequela   |
| S21.049S | Puncture wound with foreign body of unspecified breast, sequela  |
| S21.051S | Open bite of right breast, sequela   |
| S21.052S | Open bite of left breast, sequela  |
| S21.059S | Open bite of unspecified breast, sequela   |
| S21.101S | Unspecified open wound of right front wall of thorax without penetration into thoracic cavity, sequela                 |
| S21.102S | Unspecified open wound of left front wall of thorax without penetration into thoracic cavity, sequela                  |
| S21.109A | Unspecified open wound of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter |
| S21.109S | Unspecified open wound of unspecified front wall of thorax without penetration into thoracic cavity, sequela           |
| S21.111S | Laceration without foreign body of right front wall of thorax without penetration into thoracic cavity, sequela        |
| S21.112S | Laceration without foreign body of left front wall of thorax without penetration into thoracic cavity, sequela         |
| S21.119S | Laceration without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela  |
| S21.121S | Laceration with foreign body of right front wall of thorax without penetration into thoracic cavity, sequela           |
| S21.122S | Laceration with foreign body of left front wall of thorax without penetration into thoracic cavity, sequela            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S21.129S | Laceration with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela        |
| S21.131S | Puncture wound without foreign body of right front wall of thorax without penetration into thoracic cavity, sequela       |
| S21.132S | Puncture wound without foreign body of left front wall of thorax without penetration into thoracic cavity, sequela        |
| S21.139S | Puncture wound without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela |
| S21.141S | Puncture wound with foreign body of right front wall of thorax without penetration into thoracic cavity, sequela          |
| S21.142S | Puncture wound with foreign body of left front wall of thorax without penetration into thoracic cavity, sequela           |
| S21.149S | Puncture wound with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela    |
| S21.151S | Open bite of right front wall of thorax without penetration into thoracic cavity, sequela                                 |
| S21.152S | Open bite of left front wall of thorax without penetration into thoracic cavity, sequela                                  |
| S21.159S | Open bite of unspecified front wall of thorax without penetration into thoracic cavity, sequela                           |
| S21.201S | Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, sequela                     |
| S21.202S | Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, sequela                      |
| S21.209A | Unspecified open wound of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter     |
| S21.209S | Unspecified open wound of unspecified back wall of thorax without penetration into thoracic cavity, sequela               |
| S21.211S | Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, sequela            |
| S21.212S | Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, sequela             |
| S21.219S | Laceration without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela      |
| S21.221S | Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, sequela               |
| S21.222S | Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, sequela                |
| S21.229S | Laceration with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela         |
| S21.231S | Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, sequela        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S21.232S | Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, sequela        |
| S21.239S | Puncture wound without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela |
| S21.241S | Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, sequela          |
| S21.242S | Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, sequela           |
| S21.249S | Puncture wound with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela    |
| S21.251S | Open bite of right back wall of thorax without penetration into thoracic cavity, sequela                                 |
| S21.252S | Open bite of left back wall of thorax without penetration into thoracic cavity, sequela                                  |
| S21.259S | Open bite of unspecified back wall of thorax without penetration into thoracic cavity, sequela                           |
| S21.301S | Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, sequela                      |
| S21.302S | Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, sequela                       |
| S21.309S | Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, sequela                |
| S21.311S | Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, sequela             |
| S21.312S | Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, sequela              |
| S21.319S | Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela       |
| S21.321S | Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, sequela                |
| S21.322S | Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, sequela                 |
| S21.329S | Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela          |
| S21.331S | Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, sequela         |
| S21.332S | Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, sequela          |
| S21.339S | Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela   |
| S21.341S | Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, sequela            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S21.342S | Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, sequela          |
| S21.349S | Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela   |
| S21.351S | Open bite of right front wall of thorax with penetration into thoracic cavity, sequela                                |
| S21.352S | Open bite of left front wall of thorax with penetration into thoracic cavity, sequela                                 |
| S21.359S | Open bite of unspecified front wall of thorax with penetration into thoracic cavity, sequela                          |
| S21.401S | Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, sequela                    |
| S21.402S | Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, sequela                     |
| S21.409S | Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, sequela              |
| S21.411S | Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, sequela           |
| S21.412S | Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, sequela            |
| S21.419S | Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela     |
| S21.421S | Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, sequela              |
| S21.422S | Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, sequela               |
| S21.429S | Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela        |
| S21.431S | Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, sequela       |
| S21.432S | Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, sequela        |
| S21.439S | Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela |
| S21.441S | Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, sequela          |
| S21.442S | Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, sequela           |
| S21.449S | Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela    |
| S21.451S | Open bite of right back wall of thorax with penetration into thoracic cavity, sequela                                 |
| S21.452S | Open bite of left back wall of thorax with penetration into thoracic cavity, sequela                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S21.459S | Open bite of unspecified back wall of thorax with penetration into thoracic cavity, sequela                         |
| S21.90XS | Unspecified open wound of unspecified part of thorax, sequela   |
| S21.91XS | Laceration without foreign body of unspecified part of thorax, sequela  |
| S21.92XS | Laceration with foreign body of unspecified part of thorax, sequela   |
| S21.93XS | Puncture wound without foreign body of unspecified part of thorax, sequela  |
| S21.94XS | Puncture wound with foreign body of unspecified part of thorax, sequela   |
| S21.95XS | Open bite of unspecified part of thorax, sequela  |
| S22.000D | Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.000G | Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.000S | Wedge compression fracture of unspecified thoracic vertebra, sequela  |
| S22.001D | Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing      |
| S22.001G | Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing      |
| S22.001S | Stable burst fracture of unspecified thoracic vertebra, sequela   |
| S22.002D | Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing    |
| S22.002G | Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing    |
| S22.002S | Unstable burst fracture of unspecified thoracic vertebra, sequela   |
| S22.008D | Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing             |
| S22.008G | Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing             |
| S22.008S | Other fracture of unspecified thoracic vertebra, sequela  |
| S22.009D | Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing       |
| S22.009G | Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing       |
| S22.009S | Unspecified fracture of unspecified thoracic vertebra, sequela  |
| S22.010D | Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing       |
| S22.010G | Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing       |
| S22.010S | Wedge compression fracture of first thoracic vertebra, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S22.011D | Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing       |
| S22.011G | Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing       |
| S22.011S | Stable burst fracture of first thoracic vertebra, sequela  |
| S22.012D | Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing     |
| S22.012G | Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing     |
| S22.012S | Unstable burst fracture of first thoracic vertebra, sequela  |
| S22.018D | Other fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing              |
| S22.018G | Other fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing              |
| S22.018S | Other fracture of first thoracic vertebra, sequela   |
| S22.019D | Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing        |
| S22.019G | Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing        |
| S22.019S | Unspecified fracture of first thoracic vertebra, sequela   |
| S22.020D | Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.020G | Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.020S | Wedge compression fracture of second thoracic vertebra, sequela  |
| S22.021D | Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing      |
| S22.021G | Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing      |
| S22.021S | Stable burst fracture of second thoracic vertebra, sequela   |
| S22.022D | Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing    |
| S22.022G | Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing    |
| S22.022S | Unstable burst fracture of second thoracic vertebra, sequela   |
| S22.028D | Other fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing             |
| S22.028G | Other fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing             |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S22.028S    | Other fracture of second thoracic vertebra, sequela  |
| S22.029D    | Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing       |
| S22.029G    | Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing       |
| S22.029S    | Unspecified fracture of second thoracic vertebra, sequela  |
| S22.030D    | Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing  |
| S22.030G    | Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing  |
| S22.030S    | Wedge compression fracture of third thoracic vertebra, sequela   |
| S22.031D    | Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing       |
| S22.031G    | Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing       |
| S22.031S    | Stable burst fracture of third thoracic vertebra, sequela  |
| S22.032D    | Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing     |
| S22.032G    | Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing     |
| S22.032S    | Unstable burst fracture of third thoracic vertebra, sequela  |
| S22.038D    | Other fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing              |
| S22.038G    | Other fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing              |
| S22.038S    | Other fracture of third thoracic vertebra, sequela   |
| S22.039D    | Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing        |
| S22.039G    | Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing        |
| S22.039S    | Unspecified fracture of third thoracic vertebra, sequela   |
| S22.040D    | Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.040G    | Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.040S    | Wedge compression fracture of fourth thoracic vertebra, sequela  |
| S22.041D    | Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S22.041G | Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing   |
| S22.041S | Stable burst fracture of fourth thoracic vertebra, sequela  |
| S22.042D | Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing |
| S22.042G | Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing |
| S22.042S | Unstable burst fracture of fourth thoracic vertebra, sequela  |
| S22.048D | Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing          |
| S22.048G | Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing          |
| S22.048S | Other fracture of fourth thoracic vertebra, sequela   |
| S22.049D | Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing    |
| S22.049G | Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing    |
| S22.049S | Unspecified fracture of fourth thoracic vertebra, sequela   |
| S22.050D | Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing        |
| S22.050G | Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing        |
| S22.050S | Wedge compression fracture of T5-T6 vertebra, sequela   |
| S22.051D | Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing             |
| S22.051G | Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing             |
| S22.051S | Stable burst fracture of T5-T6 vertebra, sequela  |
| S22.052D | Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing           |
| S22.052G | Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing           |
| S22.052S | Unstable burst fracture of T5-T6 vertebra, sequela  |
| S22.058D | Other fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing                    |
| S22.058G | Other fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing                    |
| S22.058S | Other fracture of T5-T6 vertebra, sequela   |
| S22.059D | Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing              |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S22.059G | Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing        |
| S22.059S | Unspecified fracture of T5-T6 vertebra, sequela   |
| S22.060D | Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing  |
| S22.060G | Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing  |
| S22.060S | Wedge compression fracture of T7-T8 vertebra, sequela   |
| S22.061D | Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing       |
| S22.061G | Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing       |
| S22.061S | Stable burst fracture of T7-T8 vertebra, sequela  |
| S22.062D | Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing     |
| S22.062G | Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing     |
| S22.062S | Unstable burst fracture of T7-T8 vertebra, sequela  |
| S22.068D | Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with routine healing     |
| S22.068G | Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with delayed healing     |
| S22.068S | Other fracture of T7-T8 thoracic vertebra, sequela  |
| S22.069D | Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing        |
| S22.069G | Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing        |
| S22.069S | Unspecified fracture of T7-T8 vertebra, sequela   |
| S22.070D | Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing |
| S22.070G | Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing |
| S22.070S | Wedge compression fracture of T9-T10 vertebra, sequela  |
| S22.071D | Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing      |
| S22.071G | Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing      |
| S22.071S | Stable burst fracture of T9-T10 vertebra, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S22.072D | Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing     |
| S22.072G | Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing     |
| S22.072S | Unstable burst fracture of T9-T10 vertebra, sequela  |
| S22.078D | Other fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing              |
| S22.078G | Other fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing              |
| S22.078S | Other fracture of T9-T10 vertebra, sequela   |
| S22.079D | Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing        |
| S22.079G | Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing        |
| S22.079S | Unspecified fracture of T9-T10 vertebra, sequela   |
| S22.080D | Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing |
| S22.080G | Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing |
| S22.080S | Wedge compression fracture of T11-T12 vertebra, sequela  |
| S22.081D | Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing      |
| S22.081G | Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing      |
| S22.081S | Stable burst fracture of T11-T12 vertebra, sequela   |
| S22.082D | Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing    |
| S22.082G | Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing    |
| S22.082S | Unstable burst fracture of T11-T12 vertebra, sequela   |
| S22.088D | Other fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing             |
| S22.088G | Other fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing             |
| S22.088S | Other fracture of T11-T12 vertebra, sequela  |
| S22.089D | Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing       |
| S22.089G | Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing       |
| S22.089S | Unspecified fracture of T11-T12 vertebra, sequela  |
| S22.20XD | Unspecified fracture of sternum, subsequent encounter for fracture with routine healing                |
| S22.20XG | Unspecified fracture of sternum, subsequent encounter for fracture with delayed healing                |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S22.20XS | Unspecified fracture of sternum, sequela   |
| S22.21XD | Fracture of manubrium, subsequent encounter for fracture with routine healing                        |
| S22.21XG | Fracture of manubrium, subsequent encounter for fracture with delayed healing                        |
| S22.21XS | Fracture of manubrium, sequela   |
| S22.22XD | Fracture of body of sternum, subsequent encounter for fracture with routine healing                  |
| S22.22XG | Fracture of body of sternum, subsequent encounter for fracture with delayed healing                  |
| S22.22XS | Fracture of body of sternum, sequela   |
| S22.23XD | Sternal manubrial dissociation, subsequent encounter for fracture with routine healing               |
| S22.23XG | Sternal manubrial dissociation, subsequent encounter for fracture with delayed healing               |
| S22.23XS | Sternal manubrial dissociation, sequela  |
| S22.24XD | Fracture of xiphoid process, subsequent encounter for fracture with routine healing                  |
| S22.24XG | Fracture of xiphoid process, subsequent encounter for fracture with delayed healing                  |
| S22.24XS | Fracture of xiphoid process, sequela   |
| S22.31XD | Fracture of one rib, right side, subsequent encounter for fracture with routine healing              |
| S22.31XG | Fracture of one rib, right side, subsequent encounter for fracture with delayed healing              |
| S22.31XS | Fracture of one rib, right side, sequela   |
| S22.32XD | Fracture of one rib, left side, subsequent encounter for fracture with routine healing               |
| S22.32XG | Fracture of one rib, left side, subsequent encounter for fracture with delayed healing               |
| S22.32XS | Fracture of one rib, left side, sequela  |
| S22.39XD | Fracture of one rib, unspecified side, subsequent encounter for fracture with routine healing        |
| S22.39XG | Fracture of one rib, unspecified side, subsequent encounter for fracture with delayed healing        |
| S22.39XS | Fracture of one rib, unspecified side, sequela   |
| S22.41XD | Multiple fractures of ribs, right side, subsequent encounter for fracture with routine healing       |
| S22.41XG | Multiple fractures of ribs, right side, subsequent encounter for fracture with delayed healing       |
| S22.41XS | Multiple fractures of ribs, right side, sequela  |
| S22.42XD | Multiple fractures of ribs, left side, subsequent encounter for fracture with routine healing        |
| S22.42XG | Multiple fractures of ribs, left side, subsequent encounter for fracture with delayed healing        |
| S22.42XS | Multiple fractures of ribs, left side, sequela   |
| S22.43XD | Multiple fractures of ribs, bilateral, subsequent encounter for fracture with routine healing        |
| S22.43XG | Multiple fractures of ribs, bilateral, subsequent encounter for fracture with delayed healing        |
| S22.43XS | Multiple fractures of ribs, bilateral, sequela   |
| S22.49XD | Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with routine healing |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S22.49XG | Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with delayed healing |
| S22.49XS | Multiple fractures of ribs, unspecified side, sequela  |
| S22.5XXD | Flail chest, subsequent encounter for fracture with routine healing                                  |
| S22.5XXG | Flail chest, subsequent encounter for fracture with delayed healing                                  |
| S22.5XXS | Flail chest, sequela   |
| S22.9XXD | Fracture of bony thorax, part unspecified, subsequent encounter for fracture with routine healing    |
| S22.9XXG | Fracture of bony thorax, part unspecified, subsequent encounter for fracture with delayed healing    |
| S22.9XXS | Fracture of bony thorax, part unspecified, sequela   |
| S23.0XXA | Traumatic rupture of thoracic intervertebral disc, initial encounter                                 |
| S23.0XXS | Traumatic rupture of thoracic intervertebral disc, sequela   |
| S23.100A | Subluxation of unspecified thoracic vertebra, initial encounter                                      |
| S23.100S | Subluxation of unspecified thoracic vertebra, sequela  |
| S23.101A | Dislocation of unspecified thoracic vertebra, initial encounter                                      |
| S23.101S | Dislocation of unspecified thoracic vertebra, sequela  |
| S23.110A | Subluxation of T1/T2 thoracic vertebra, initial encounter  |
| S23.110S | Subluxation of T1/T2 thoracic vertebra, sequela  |
| S23.111A | Dislocation of T1/T2 thoracic vertebra, initial encounter  |
| S23.111S | Dislocation of T1/T2 thoracic vertebra, sequela  |
| S23.120A | Subluxation of T2/T3 thoracic vertebra, initial encounter  |
| S23.120S | Subluxation of T2/T3 thoracic vertebra, sequela  |
| S23.121A | Dislocation of T2/T3 thoracic vertebra, initial encounter  |
| S23.121S | Dislocation of T2/T3 thoracic vertebra, sequela  |
| S23.122A | Subluxation of T3/T4 thoracic vertebra, initial encounter  |
| S23.122S | Subluxation of T3/T4 thoracic vertebra, sequela  |
| S23.123A | Dislocation of T3/T4 thoracic vertebra, initial encounter  |
| S23.123S | Dislocation of T3/T4 thoracic vertebra, sequela  |
| S23.130A | Subluxation of T4/T5 thoracic vertebra, initial encounter  |
| S23.130S | Subluxation of T4/T5 thoracic vertebra, sequela  |
| S23.131A | Dislocation of T4/T5 thoracic vertebra, initial encounter  |
| S23.131S | Dislocation of T4/T5 thoracic vertebra, sequela  |
| S23.132A | Subluxation of T5/T6 thoracic vertebra, initial encounter  |
| S23.132S | Subluxation of T5/T6 thoracic vertebra, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S23.133A | Dislocation of T5/T6 thoracic vertebra, initial encounter    |
| S23.133S | Dislocation of T5/T6 thoracic vertebra, sequela              |
| S23.140A | Subluxation of T6/T7 thoracic vertebra, initial encounter    |
| S23.140S | Subluxation of T6/T7 thoracic vertebra, sequela              |
| S23.141A | Dislocation of T6/T7 thoracic vertebra, initial encounter    |
| S23.141S | Dislocation of T6/T7 thoracic vertebra, sequela              |
| S23.142A | Subluxation of T7/T8 thoracic vertebra, initial encounter    |
| S23.142S | Subluxation of T7/T8 thoracic vertebra, sequela              |
| S23.143A | Dislocation of T7/T8 thoracic vertebra, initial encounter    |
| S23.143S | Dislocation of T7/T8 thoracic vertebra, sequela              |
| S23.150A | Subluxation of T8/T9 thoracic vertebra, initial encounter    |
| S23.150S | Subluxation of T8/T9 thoracic vertebra, sequela              |
| S23.151A | Dislocation of T8/T9 thoracic vertebra, initial encounter    |
| S23.151S | Dislocation of T8/T9 thoracic vertebra, sequela              |
| S23.152A | Subluxation of T9/T10 thoracic vertebra, initial encounter   |
| S23.152S | Subluxation of T9/T10 thoracic vertebra, sequela             |
| S23.153A | Dislocation of T9/T10 thoracic vertebra, initial encounter   |
| S23.153S | Dislocation of T9/T10 thoracic vertebra, sequela             |
| S23.160A | Subluxation of T10/T11 thoracic vertebra, initial encounter  |
| S23.160S | Subluxation of T10/T11 thoracic vertebra, sequela            |
| S23.161A | Dislocation of T10/T11 thoracic vertebra, initial encounter  |
| S23.161S | Dislocation of T10/T11 thoracic vertebra, sequela            |
| S23.162A | Subluxation of T11/T12 thoracic vertebra, initial encounter  |
| S23.162S | Subluxation of T11/T12 thoracic vertebra, sequela            |
| S23.163A | Dislocation of T11/T12 thoracic vertebra, initial encounter  |
| S23.163S | Dislocation of T11/T12 thoracic vertebra, sequela            |
| S23.170A | Subluxation of T12/L1 thoracic vertebra, initial encounter   |
| S23.170S | Subluxation of T12/L1 thoracic vertebra, sequela             |
| S23.171A | Dislocation of T12/L1 thoracic vertebra, initial encounter   |
| S23.171S | Dislocation of T12/L1 thoracic vertebra, sequela             |
| S23.20XA | Dislocation of unspecified part of thorax, initial encounter |
| S23.20XS | Dislocation of unspecified part of thorax, sequela           |
| S23.29XA | Dislocation of other parts of thorax, initial encounter      |
| S23.29XS | Dislocation of other parts of thorax, sequela                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S23.3XXA    | Sprain of ligaments of thoracic spine, initial encounter                     |
| S23.3XXS    | Sprain of ligaments of thoracic spine, sequela                               |
| S23.41XA    | Sprain of ribs, initial encounter  |
| S23.41XS    | Sprain of ribs, sequela  |
| S23.420A    | Sprain of sternoclavicular (joint) (ligament), initial encounter             |
| S23.420S    | Sprain of sternoclavicular (joint) (ligament), sequela                       |
| S23.421A    | Sprain of chondrosternal joint, initial encounter                            |
| S23.421S    | Sprain of chondrosternal joint, sequela                                      |
| S23.428A    | Other sprain of sternum, initial encounter                                   |
| S23.428S    | Other sprain of sternum, sequela   |
| S23.429A    | Unspecified sprain of sternum, initial encounter                             |
| S23.429S    | Unspecified sprain of sternum, sequela                                       |
| S23.8XXA    | Sprain of other specified parts of thorax, initial encounter                 |
| S23.8XXS    | Sprain of other specified parts of thorax, sequela                           |
| S23.9XXA    | Sprain of unspecified parts of thorax, initial encounter                     |
| S23.9XXS    | Sprain of unspecified parts of thorax, sequela                               |
| S24.0XXS    | Concussion and edema of thoracic spinal cord, sequela                        |
| S24.101S    | Unspecified injury at T1 level of thoracic spinal cord, sequela              |
| S24.102S    | Unspecified injury at T2-T6 level of thoracic spinal cord, sequela           |
| S24.103S    | Unspecified injury at T7-T10 level of thoracic spinal cord, sequela          |
| S24.104S    | Unspecified injury at T11-T12 level of thoracic spinal cord, sequela         |
| S24.109S    | Unspecified injury at unspecified level of thoracic spinal cord, sequela     |
| S24.111S    | Complete lesion at T1 level of thoracic spinal cord, sequela                 |
| S24.112S    | Complete lesion at T2-T6 level of thoracic spinal cord, sequela              |
| S24.113S    | Complete lesion at T7-T10 level of thoracic spinal cord, sequela             |
| S24.114S    | Complete lesion at T11-T12 level of thoracic spinal cord, sequela            |
| S24.119S    | Complete lesion at unspecified level of thoracic spinal cord, sequela        |
| S24.131S    | Anterior cord syndrome at T1 level of thoracic spinal cord, sequela          |
| S24.132S    | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, sequela       |
| S24.133S    | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, sequela      |
| S24.134S    | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, sequela     |
| S24.139S    | Anterior cord syndrome at unspecified level of thoracic spinal cord, sequela |
| S24.141S    | Brown-Sequard syndrome at T1 level of thoracic spinal cord, sequela          |
| S24.142S    | Brown-Sequard syndrome at T2-T6 level of thoracic spinal cord, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S24.143S | Brown-Sequard syndrome at T7-T10 level of thoracic spinal cord, sequela        |
| S24.144S | Brown-Sequard syndrome at T11-T12 level of thoracic spinal cord, sequela       |
| S24.149S | Brown-Sequard syndrome at unspecified level of thoracic spinal cord, sequela   |
| S24.151S | Other incomplete lesion at T1 level of thoracic spinal cord, sequela           |
| S24.152S | Other incomplete lesion at T2-T6 level of thoracic spinal cord, sequela        |
| S24.153S | Other incomplete lesion at T7-T10 level of thoracic spinal cord, sequela       |
| S24.154S | Other incomplete lesion at T11-T12 level of thoracic spinal cord, sequela      |
| S24.159S | Other incomplete lesion at unspecified level of thoracic spinal cord, sequela  |
| S24.2XXS | Injury of nerve root of thoracic spine, sequela                                |
| S24.3XXS | Injury of peripheral nerves of thorax, sequela                                 |
| S24.4XXS | Injury of thoracic sympathetic nervous system, sequela                         |
| S24.8XXS | Injury of other specified nerves of thorax, sequela                            |
| S24.9XXA | Injury of unspecified nerve of thorax, initial encounter                       |
| S24.9XXS | Injury of unspecified nerve of thorax, sequela                                 |
| S25.00XS | Unspecified injury of thoracic aorta, sequela                                  |
| S25.01XS | Minor laceration of thoracic aorta, sequela                                    |
| S25.02XS | Major laceration of thoracic aorta, sequela                                    |
| S25.09XS | Other specified injury of thoracic aorta, sequela                              |
| S25.101S | Unspecified injury of right innominate or subclavian artery, sequela           |
| S25.102S | Unspecified injury of left innominate or subclavian artery, sequela            |
| S25.109S | Unspecified injury of unspecified innominate or subclavian artery, sequela     |
| S25.111S | Minor laceration of right innominate or subclavian artery, sequela             |
| S25.112S | Minor laceration of left innominate or subclavian artery, sequela              |
| S25.119S | Minor laceration of unspecified innominate or subclavian artery, sequela       |
| S25.121S | Major laceration of right innominate or subclavian artery, sequela             |
| S25.122S | Major laceration of left innominate or subclavian artery, sequela              |
| S25.129S | Major laceration of unspecified innominate or subclavian artery, sequela       |
| S25.191S | Other specified injury of right innominate or subclavian artery, sequela       |
| S25.192S | Other specified injury of left innominate or subclavian artery, sequela        |
| S25.199S | Other specified injury of unspecified innominate or subclavian artery, sequela |
| S25.20XS | Unspecified injury of superior vena cava, sequela                              |
| S25.21XS | Minor laceration of superior vena cava, sequela                                |
| S25.22XS | Major laceration of superior vena cava, sequela                                |
| S25.29XS | Other specified injury of superior vena cava, sequela                          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S25.301S    | Unspecified injury of right innominate or subclavian vein, sequela             |
| S25.302S    | Unspecified injury of left innominate or subclavian vein, sequela              |
| S25.309S    | Unspecified injury of unspecified innominate or subclavian vein, sequela       |
| S25.311S    | Minor laceration of right innominate or subclavian vein, sequela               |
| S25.312S    | Minor laceration of left innominate or subclavian vein, sequela                |
| S25.319S    | Minor laceration of unspecified innominate or subclavian vein, sequela         |
| S25.321S    | Major laceration of right innominate or subclavian vein, sequela               |
| S25.322S    | Major laceration of left innominate or subclavian vein, sequela                |
| S25.329S    | Major laceration of unspecified innominate or subclavian vein, sequela         |
| S25.391S    | Other specified injury of right innominate or subclavian vein, sequela         |
| S25.392S    | Other specified injury of left innominate or subclavian vein, sequela          |
| S25.399S    | Other specified injury of unspecified innominate or subclavian vein, sequela   |
| S25.401S    | Unspecified injury of right pulmonary blood vessels, sequela                   |
| S25.402S    | Unspecified injury of left pulmonary blood vessels, sequela                    |
| S25.409S    | Unspecified injury of unspecified pulmonary blood vessels, sequela             |
| S25.411S    | Minor laceration of right pulmonary blood vessels, sequela                     |
| S25.412S    | Minor laceration of left pulmonary blood vessels, sequela                      |
| S25.419S    | Minor laceration of unspecified pulmonary blood vessels, sequela               |
| S25.421S    | Major laceration of right pulmonary blood vessels, sequela                     |
| S25.422S    | Major laceration of left pulmonary blood vessels, sequela                      |
| S25.429S    | Major laceration of unspecified pulmonary blood vessels, sequela               |
| S25.491S    | Other specified injury of right pulmonary blood vessels, sequela               |
| S25.492S    | Other specified injury of left pulmonary blood vessels, sequela                |
| S25.499S    | Other specified injury of unspecified pulmonary blood vessels, sequela         |
| S25.501S    | Unspecified injury of intercostal blood vessels, right side, sequela           |
| S25.502S    | Unspecified injury of intercostal blood vessels, left side, sequela            |
| S25.509S    | Unspecified injury of intercostal blood vessels, unspecified side, sequela     |
| S25.511S    | Laceration of intercostal blood vessels, right side, sequela                   |
| S25.512S    | Laceration of intercostal blood vessels, left side, sequela                    |
| S25.519S    | Laceration of intercostal blood vessels, unspecified side, sequela             |
| S25.591S    | Other specified injury of intercostal blood vessels, right side, sequela       |
| S25.592S    | Other specified injury of intercostal blood vessels, left side, sequela        |
| S25.599S    | Other specified injury of intercostal blood vessels, unspecified side, sequela |
| S25.801S    | Unspecified injury of other blood vessels of thorax, right side, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S25.802S | Unspecified injury of other blood vessels of thorax, left side, sequela            |
| S25.809S | Unspecified injury of other blood vessels of thorax, unspecified side, sequela     |
| S25.811S | Laceration of other blood vessels of thorax, right side, sequela                   |
| S25.812S | Laceration of other blood vessels of thorax, left side, sequela                    |
| S25.819S | Laceration of other blood vessels of thorax, unspecified side, sequela             |
| S25.891S | Other specified injury of other blood vessels of thorax, right side, sequela       |
| S25.892S | Other specified injury of other blood vessels of thorax, left side, sequela        |
| S25.899S | Other specified injury of other blood vessels of thorax, unspecified side, sequela |
| S25.90XS | Unspecified injury of unspecified blood vessel of thorax, sequela                  |
| S25.91XS | Laceration of unspecified blood vessel of thorax, sequela                          |
| S25.99XS | Other specified injury of unspecified blood vessel of thorax, sequela              |
| S26.00XS | Unspecified injury of heart with hemopericardium, sequela                          |
| S26.01XS | Contusion of heart with hemopericardium, sequela                                   |
| S26.020S | Mild laceration of heart with hemopericardium, sequela                             |
| S26.021S | Moderate laceration of heart with hemopericardium, sequela                         |
| S26.022S | Major laceration of heart with hemopericardium, sequela                            |
| S26.09XS | Other injury of heart with hemopericardium, sequela                                |
| S26.10XS | Unspecified injury of heart without hemopericardium, sequela                       |
| S26.11XS | Contusion of heart without hemopericardium, sequela                                |
| S26.12XS | Laceration of heart without hemopericardium, sequela                               |
| S26.19XS | Other injury of heart without hemopericardium, sequela                             |
| S26.90XS | Unspecified injury of heart, unspecified with or without hemopericardium, sequela  |
| S26.91XS | Contusion of heart, unspecified with or without hemopericardium, sequela           |
| S26.92XS | Laceration of heart, unspecified with or without hemopericardium, sequela          |
| S26.99XS | Other injury of heart, unspecified with or without hemopericardium, sequela        |
| S27.0XXS | Traumatic pneumothorax, sequela  |
| S27.1XXS | Traumatic hemothorax, sequela  |
| S27.2XXS | Traumatic hemopneumothorax, sequela  |
| S27.301S | Unspecified injury of lung, unilateral, sequela                                    |
| S27.302S | Unspecified injury of lung, bilateral, sequela                                     |
| S27.309S | Unspecified injury of lung, unspecified, sequela                                   |
| S27.311S | Primary blast injury of lung, unilateral, sequela                                  |
| S27.312S | Primary blast injury of lung, bilateral, sequela                                   |
| S27.319S | Primary blast injury of lung, unspecified, sequela                                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                                     |
|-------------|--|
| S27.321S    | Contusion of lung, unilateral, sequela                 |
| S27.322S    | Contusion of lung, bilateral, sequela                  |
| S27.329S    | Contusion of lung, unspecified, sequela                |
| S27.331S    | Laceration of lung, unilateral, sequela                |
| S27.332S    | Laceration of lung, bilateral, sequela                 |
| S27.339S    | Laceration of lung, unspecified, sequela               |
| S27.391S    | Other injuries of lung, unilateral, sequela            |
| S27.392S    | Other injuries of lung, bilateral, sequela             |
| S27.399S    | Other injuries of lung, unspecified, sequela           |
| S27.401S    | Unspecified injury of bronchus, unilateral, sequela    |
| S27.402S    | Unspecified injury of bronchus, bilateral, sequela     |
| S27.409S    | Unspecified injury of bronchus, unspecified, sequela   |
| S27.411S    | Primary blast injury of bronchus, unilateral, sequela  |
| S27.412S    | Primary blast injury of bronchus, bilateral, sequela   |
| S27.419S    | Primary blast injury of bronchus, unspecified, sequela |
| S27.421S    | Contusion of bronchus, unilateral, sequela             |
| S27.422S    | Contusion of bronchus, bilateral, sequela              |
| S27.429S    | Contusion of bronchus, unspecified, sequela            |
| S27.431S    | Laceration of bronchus, unilateral, sequela            |
| S27.432S    | Laceration of bronchus, bilateral, sequela             |
| S27.439S    | Laceration of bronchus, unspecified, sequela           |
| S27.491S    | Other injury of bronchus, unilateral, sequela          |
| S27.492S    | Other injury of bronchus, bilateral, sequela           |
| S27.499S    | Other injury of bronchus, unspecified, sequela         |
| S27.50XS    | Unspecified injury of thoracic trachea, sequela        |
| S27.51XS    | Primary blast injury of thoracic trachea, sequela      |
| S27.52XS    | Contusion of thoracic trachea, sequela                 |
| S27.53XS    | Laceration of thoracic trachea, sequela                |
| S27.59XS    | Other injury of thoracic trachea, sequela              |
| S27.60XS    | Unspecified injury of pleura, sequela                  |
| S27.63XS    | Laceration of pleura, sequela                          |
| S27.69XS    | Other injury of pleura, sequela                        |
| S27.802S    | Contusion of diaphragm, sequela                        |
| S27.803S    | Laceration of diaphragm, sequela                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S27.808S    | Other injury of diaphragm, sequela   |
| S27.809S    | Unspecified injury of diaphragm, sequela                                       |
| S27.812S    | Contusion of esophagus (thoracic part), sequela                                |
| S27.813S    | Laceration of esophagus (thoracic part), sequela                               |
| S27.818S    | Other injury of esophagus (thoracic part), sequela                             |
| S27.819S    | Unspecified injury of esophagus (thoracic part), sequela                       |
| S27.892S    | Contusion of other specified intrathoracic organs, sequela                     |
| S27.893S    | Laceration of other specified intrathoracic organs, sequela                    |
| S27.898S    | Other injury of other specified intrathoracic organs, sequela                  |
| S27.899S    | Unspecified injury of other specified intrathoracic organs, sequela            |
| S27.9XXS    | Injury of unspecified intrathoracic organ, sequela                             |
| S28.0XXS    | Crushed chest, sequela   |
| S28.1XXS    | Traumatic amputation (partial) of part of thorax, except breast, sequela       |
| S28.211S    | Complete traumatic amputation of right breast, sequela                         |
| S28.212S    | Complete traumatic amputation of left breast, sequela                          |
| S28.219S    | Complete traumatic amputation of unspecified breast, sequela                   |
| S28.221S    | Partial traumatic amputation of right breast, sequela                          |
| S28.222S    | Partial traumatic amputation of left breast, sequela                           |
| S28.229S    | Partial traumatic amputation of unspecified breast, sequela                    |
| S29.001S    | Unspecified injury of muscle and tendon of front wall of thorax, sequela       |
| S29.002S    | Unspecified injury of muscle and tendon of back wall of thorax, sequela        |
| S29.009S    | Unspecified injury of muscle and tendon of unspecified wall of thorax, sequela |
| S29.011A    | Strain of muscle and tendon of front wall of thorax, initial encounter         |
| S29.011S    | Strain of muscle and tendon of front wall of thorax, sequela                   |
| S29.012A    | Strain of muscle and tendon of back wall of thorax, initial encounter          |
| S29.012S    | Strain of muscle and tendon of back wall of thorax, sequela                    |
| S29.019A    | Strain of muscle and tendon of unspecified wall of thorax, initial encounter   |
| S29.019S    | Strain of muscle and tendon of unspecified wall of thorax, sequela             |
| S29.021S    | Laceration of muscle and tendon of front wall of thorax, sequela               |
| S29.022S    | Laceration of muscle and tendon of back wall of thorax, sequela                |
| S29.029S    | Laceration of muscle and tendon of unspecified wall of thorax, sequela         |
| S29.091S    | Other injury of muscle and tendon of front wall of thorax, sequela             |
| S29.092S    | Other injury of muscle and tendon of back wall of thorax, sequela              |
| S29.099S    | Other injury of muscle and tendon of unspecified wall of thorax, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S29.8XXS    | Other specified injuries of thorax, sequela                                |
| S29.9XXS    | Unspecified injury of thorax, sequela                                      |
| S30.0XXS    | Contusion of lower back and pelvis, sequela                                |
| S30.1XXS    | Contusion of abdominal wall, sequela                                       |
| S30.201S    | Contusion of unspecified external genital organ, male, sequela             |
| S30.202S    | Contusion of unspecified external genital organ, female, sequela           |
| S30.21XS    | Contusion of penis, sequela  |
| S30.22XS    | Contusion of scrotum and testes, sequela                                   |
| S30.23XS    | Contusion of vagina and vulva, sequela                                     |
| S30.3XXS    | Contusion of anus, sequela   |
| S30.810A    | Abrasion of lower back and pelvis, initial encounter                       |
| S30.810S    | Abrasion of lower back and pelvis, sequela                                 |
| S30.811A    | Abrasion of abdominal wall, initial encounter                              |
| S30.811S    | Abrasion of abdominal wall, sequela  |
| S30.812A    | Abrasion of penis, initial encounter                                       |
| S30.812S    | Abrasion of penis, sequela   |
| S30.813A    | Abrasion of scrotum and testes, initial encounter                          |
| S30.813S    | Abrasion of scrotum and testes, sequela                                    |
| S30.814A    | Abrasion of vagina and vulva, initial encounter                            |
| S30.814S    | Abrasion of vagina and vulva, sequela                                      |
| S30.815A    | Abrasion of unspecified external genital organs, male, initial encounter   |
| S30.815S    | Abrasion of unspecified external genital organs, male, sequela             |
| S30.816A    | Abrasion of unspecified external genital organs, female, initial encounter |
| S30.816S    | Abrasion of unspecified external genital organs, female, sequela           |
| S30.817A    | Abrasion of anus, initial encounter  |
| S30.817S    | Abrasion of anus, sequela  |
| S30.820A    | Blister (nonthermal) of lower back and pelvis, initial encounter           |
| S30.820S    | Blister (nonthermal) of lower back and pelvis, sequela                     |
| S30.821A    | Blister (nonthermal) of abdominal wall, initial encounter                  |
| S30.821S    | Blister (nonthermal) of abdominal wall, sequela                            |
| S30.822A    | Blister (nonthermal) of penis, initial encounter                           |
| S30.822S    | Blister (nonthermal) of penis, sequela                                     |
| S30.823A    | Blister (nonthermal) of scrotum and testes, initial encounter              |
| S30.823S    | Blister (nonthermal) of scrotum and testes, sequela                        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S30.824A | Blister (nonthermal) of vagina and vulva, initial encounter                              |
| S30.824S | Blister (nonthermal) of vagina and vulva, sequela  |
| S30.825A | Blister (nonthermal) of unspecified external genital organs, male, initial encounter     |
| S30.825S | Blister (nonthermal) of unspecified external genital organs, male, sequela               |
| S30.826A | Blister (nonthermal) of unspecified external genital organs, female, initial encounter   |
| S30.826S | Blister (nonthermal) of unspecified external genital organs, female, sequela             |
| S30.827A | Blister (nonthermal) of anus, initial encounter  |
| S30.827S | Blister (nonthermal) of anus, sequela  |
| S30.840A | External constriction of lower back and pelvis, initial encounter                        |
| S30.840S | External constriction of lower back and pelvis, sequela                                  |
| S30.841A | External constriction of abdominal wall, initial encounter                               |
| S30.841S | External constriction of abdominal wall, sequela   |
| S30.842A | External constriction of penis, initial encounter  |
| S30.842S | External constriction of penis, sequela  |
| S30.843A | External constriction of scrotum and testes, initial encounter                           |
| S30.843S | External constriction of scrotum and testes, sequela                                     |
| S30.844A | External constriction of vagina and vulva, initial encounter                             |
| S30.844S | External constriction of vagina and vulva, sequela                                       |
| S30.845A | External constriction of unspecified external genital organs, male, initial encounter    |
| S30.845S | External constriction of unspecified external genital organs, male, sequela              |
| S30.846A | External constriction of unspecified external genital organs, female, initial encounter  |
| S30.846S | External constriction of unspecified external genital organs, female, sequela            |
| S30.850A | Superficial foreign body of lower back and pelvis, initial encounter                     |
| S30.850S | Superficial foreign body of lower back and pelvis, sequela                               |
| S30.851A | Superficial foreign body of abdominal wall, initial encounter                            |
| S30.851S | Superficial foreign body of abdominal wall, sequela                                      |
| S30.852A | Superficial foreign body of penis, initial encounter                                     |
| S30.852S | Superficial foreign body of penis, sequela   |
| S30.853A | Superficial foreign body of scrotum and testes, initial encounter                        |
| S30.853S | Superficial foreign body of scrotum and testes, sequela                                  |
| S30.854A | Superficial foreign body of vagina and vulva, initial encounter                          |
| S30.854S | Superficial foreign body of vagina and vulva, sequela                                    |
| S30.855A | Superficial foreign body of unspecified external genital organs, male, initial encounter |
| S30.855S | Superficial foreign body of unspecified external genital organs, male, sequela           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S30.856A | Superficial foreign body of unspecified external genital organs, female, initial encounter  |
| S30.856S | Superficial foreign body of unspecified external genital organs, female, sequela            |
| S30.857A | Superficial foreign body of anus, initial encounter   |
| S30.857S | Superficial foreign body of anus, sequela   |
| S30.860A | Insect bite (nonvenomous) of lower back and pelvis, initial encounter                       |
| S30.860S | Insect bite (nonvenomous) of lower back and pelvis, sequela                                 |
| S30.861A | Insect bite (nonvenomous) of abdominal wall, initial encounter                              |
| S30.861S | Insect bite (nonvenomous) of abdominal wall, sequela  |
| S30.862A | Insect bite (nonvenomous) of penis, initial encounter                                       |
| S30.862S | Insect bite (nonvenomous) of penis, sequela   |
| S30.863A | Insect bite (nonvenomous) of scrotum and testes, initial encounter                          |
| S30.863S | Insect bite (nonvenomous) of scrotum and testes, sequela                                    |
| S30.864A | Insect bite (nonvenomous) of vagina and vulva, initial encounter                            |
| S30.864S | Insect bite (nonvenomous) of vagina and vulva, sequela                                      |
| S30.865A | Insect bite (nonvenomous) of unspecified external genital organs, male, initial encounter   |
| S30.865S | Insect bite (nonvenomous) of unspecified external genital organs, male, sequela             |
| S30.866A | Insect bite (nonvenomous) of unspecified external genital organs, female, initial encounter |
| S30.866S | Insect bite (nonvenomous) of unspecified external genital organs, female, sequela           |
| S30.867A | Insect bite (nonvenomous) of anus, initial encounter  |
| S30.867S | Insect bite (nonvenomous) of anus, sequela  |
| S30.870A | Other superficial bite of lower back and pelvis, initial encounter                          |
| S30.870S | Other superficial bite of lower back and pelvis, sequela                                    |
| S30.871A | Other superficial bite of abdominal wall, initial encounter                                 |
| S30.871S | Other superficial bite of abdominal wall, sequela   |
| S30.872A | Other superficial bite of penis, initial encounter  |
| S30.872S | Other superficial bite of penis, sequela  |
| S30.873A | Other superficial bite of scrotum and testes, initial encounter                             |
| S30.873S | Other superficial bite of scrotum and testes, sequela                                       |
| S30.874A | Other superficial bite of vagina and vulva, initial encounter                               |
| S30.874S | Other superficial bite of vagina and vulva, sequela   |
| S30.875A | Other superficial bite of unspecified external genital organs, male, initial encounter      |
| S30.875S | Other superficial bite of unspecified external genital organs, male, sequela                |
| S30.876A | Other superficial bite of unspecified external genital organs, female, initial encounter    |
| S30.876S | Other superficial bite of unspecified external genital organs, female, sequela              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S30.877A | Other superficial bite of anus, initial encounter  |
| S30.877S | Other superficial bite of anus, sequela  |
| S30.91XA | Unspecified superficial injury of lower back and pelvis, initial encounter                                     |
| S30.91XS | Unspecified superficial injury of lower back and pelvis, sequela   |
| S30.92XA | Unspecified superficial injury of abdominal wall, initial encounter  |
| S30.92XS | Unspecified superficial injury of abdominal wall, sequela  |
| S30.93XA | Unspecified superficial injury of penis, initial encounter   |
| S30.93XS | Unspecified superficial injury of penis, sequela   |
| S30.94XA | Unspecified superficial injury of scrotum and testes, initial encounter  |
| S30.94XS | Unspecified superficial injury of scrotum and testes, sequela  |
| S30.95XA | Unspecified superficial injury of vagina and vulva, initial encounter  |
| S30.95XS | Unspecified superficial injury of vagina and vulva, sequela  |
| S30.96XA | Unspecified superficial injury of unspecified external genital organs, male, initial encounter                 |
| S30.96XS | Unspecified superficial injury of unspecified external genital organs, male, sequela                           |
| S30.97XA | Unspecified superficial injury of unspecified external genital organs, female, initial encounter               |
| S30.97XS | Unspecified superficial injury of unspecified external genital organs, female, sequela                         |
| S30.98XA | Unspecified superficial injury of anus, initial encounter  |
| S30.98XS | Unspecified superficial injury of anus, sequela  |
| S31.000A | Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, initial encounter    |
| S31.000S | Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, sequela              |
| S31.001S | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, sequela                 |
| S31.010S | Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela     |
| S31.011S | Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela        |
| S31.020S | Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela        |
| S31.021S | Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela           |
| S31.030S | Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela |
| S31.031S | Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S31.040S | Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela                 |
| S31.041S | Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela                    |
| S31.050S | Open bite of lower back and pelvis without penetration into retroperitoneum, sequela  |
| S31.051S | Open bite of lower back and pelvis with penetration into retroperitoneum, sequela   |
| S31.100S | Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela          |
| S31.101S | Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela           |
| S31.102S | Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela             |
| S31.103S | Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela          |
| S31.104S | Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela           |
| S31.105S | Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela            |
| S31.109S | Unspecified open wound of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela          |
| S31.110S | Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.111S | Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela  |
| S31.112S | Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela    |
| S31.113S | Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.114S | Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela  |
| S31.115S | Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela   |
| S31.119S | Laceration without foreign body of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela |
| S31.120S | Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, sequela    |
| S31.121S | Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, sequela     |
| S31.122S | Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, sequela       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S31.123S | Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, sequela        |
| S31.124S | Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, sequela         |
| S31.125S | Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, sequela          |
| S31.129S | Laceration of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela        |
| S31.130S | Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, sequela |
| S31.131S | Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, sequela  |
| S31.132S | Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, sequela    |
| S31.133S | Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.134S | Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, sequela  |
| S31.135S | Puncture wound of abdominal wall without foreign body, periumbilic region without penetration into peritoneal cavity, sequela   |
| S31.139S | Puncture wound of abdominal wall without foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela |
| S31.140S | Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, sequela    |
| S31.141S | Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, sequela     |
| S31.142S | Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, sequela       |
| S31.143S | Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, sequela    |
| S31.144S | Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, sequela     |
| S31.145S | Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, sequela      |
| S31.149S | Puncture wound of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela    |
| S31.150S | Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela                           |
| S31.151S | Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S31.152S    | Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela    |
| S31.153S    | Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela |
| S31.154S    | Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela  |
| S31.155S    | Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela   |
| S31.159S    | Open bite of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela |
| S31.20XS    | Unspecified open wound of penis, sequela  |
| S31.21XS    | Laceration without foreign body of penis, sequela   |
| S31.22XS    | Laceration with foreign body of penis, sequela  |
| S31.23XS    | Puncture wound without foreign body of penis, sequela   |
| S31.24XS    | Puncture wound with foreign body of penis, sequela  |
| S31.25XS    | Open bite of penis, sequela   |
| S31.30XS    | Unspecified open wound of scrotum and testes, sequela   |
| S31.31XS    | Laceration without foreign body of scrotum and testes, sequela  |
| S31.32XS    | Laceration with foreign body of scrotum and testes, sequela   |
| S31.33XS    | Puncture wound without foreign body of scrotum and testes, sequela                                    |
| S31.34XS    | Puncture wound with foreign body of scrotum and testes, sequela                                       |
| S31.35XS    | Open bite of scrotum and testes, sequela  |
| S31.40XS    | Unspecified open wound of vagina and vulva, sequela   |
| S31.41XS    | Laceration without foreign body of vagina and vulva, sequela  |
| S31.42XS    | Laceration with foreign body of vagina and vulva, sequela   |
| S31.43XS    | Puncture wound without foreign body of vagina and vulva, sequela                                      |
| S31.44XS    | Puncture wound with foreign body of vagina and vulva, sequela   |
| S31.45XS    | Open bite of vagina and vulva, sequela  |
| S31.501S    | Unspecified open wound of unspecified external genital organs, male, sequela                          |
| S31.502S    | Unspecified open wound of unspecified external genital organs, female, sequela                        |
| S31.511S    | Laceration without foreign body of unspecified external genital organs, male, sequela                 |
| S31.512S    | Laceration without foreign body of unspecified external genital organs, female, sequela               |
| S31.521S    | Laceration with foreign body of unspecified external genital organs, male, sequela                    |
| S31.522S    | Laceration with foreign body of unspecified external genital organs, female, sequela                  |
| S31.531S    | Puncture wound without foreign body of unspecified external genital organs, male, sequela             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S31.532S | Puncture wound without foreign body of unspecified external genital organs, female, sequela                              |
| S31.541S | Puncture wound with foreign body of unspecified external genital organs, male, sequela                                   |
| S31.542S | Puncture wound with foreign body of unspecified external genital organs, female, sequela                                 |
| S31.551S | Open bite of unspecified external genital organs, male, sequela  |
| S31.552S | Open bite of unspecified external genital organs, female, sequela  |
| S31.600S | Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela          |
| S31.601S | Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela           |
| S31.602S | Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela             |
| S31.603S | Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela          |
| S31.604S | Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela           |
| S31.605S | Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela            |
| S31.609S | Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela          |
| S31.610S | Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.611S | Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela  |
| S31.612S | Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela    |
| S31.613S | Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.614S | Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela  |
| S31.615S | Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela   |
| S31.619S | Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela |
| S31.620S | Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela    |
| S31.621S | Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela     |
| S31.622S | Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela       |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S31.623S    | Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela        |
| S31.624S    | Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela         |
| S31.625S    | Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela          |
| S31.629S    | Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela        |
| S31.630S    | Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela |
| S31.631S    | Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela  |
| S31.632S    | Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela    |
| S31.633S    | Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela |
| S31.634S    | Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela  |
| S31.635S    | Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela   |
| S31.639S    | Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela |
| S31.640S    | Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela    |
| S31.641S    | Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela     |
| S31.642S    | Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela       |
| S31.643S    | Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela    |
| S31.644S    | Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela     |
| S31.645S    | Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela      |
| S31.649S    | Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela    |
| S31.650S    | Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela                           |
| S31.651S    | Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S31.652S | Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela                   |
| S31.653S | Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela                |
| S31.654S | Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela                 |
| S31.655S | Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela                  |
| S31.659S | Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela                |
| S31.801S | Laceration without foreign body of unspecified buttock, sequela   |
| S31.802S | Laceration with foreign body of unspecified buttock, sequela  |
| S31.803S | Puncture wound without foreign body of unspecified buttock, sequela   |
| S31.804S | Puncture wound with foreign body of unspecified buttock, sequela  |
| S31.805S | Open bite of unspecified buttock, sequela   |
| S31.809S | Unspecified open wound of unspecified buttock, sequela  |
| S31.811S | Laceration without foreign body of right buttock, sequela   |
| S31.812S | Laceration with foreign body of right buttock, sequela  |
| S31.813S | Puncture wound without foreign body of right buttock, sequela   |
| S31.814S | Puncture wound with foreign body of right buttock, sequela  |
| S31.815S | Open bite of right buttock, sequela   |
| S31.819S | Unspecified open wound of right buttock, sequela  |
| S31.821S | Laceration without foreign body of left buttock, sequela  |
| S31.822S | Laceration with foreign body of left buttock, sequela   |
| S31.823S | Puncture wound without foreign body of left buttock, sequela  |
| S31.824S | Puncture wound with foreign body of left buttock, sequela   |
| S31.825S | Open bite of left buttock, sequela  |
| S31.829S | Unspecified open wound of left buttock, sequela   |
| S31.831S | Laceration without foreign body of anus, sequela  |
| S31.832S | Laceration with foreign body of anus, sequela   |
| S31.833S | Puncture wound without foreign body of anus, sequela  |
| S31.834S | Puncture wound with foreign body of anus, sequela   |
| S31.835S | Open bite of anus, sequela  |
| S31.839S | Unspecified open wound of anus, sequela   |
| S32.000D | Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.000G | Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.000S | Wedge compression fracture of unspecified lumbar vertebra, sequela  |
| S32.001D | Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing      |
| S32.001G | Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing      |
| S32.001S | Stable burst fracture of unspecified lumbar vertebra, sequela   |
| S32.002D | Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing    |
| S32.002G | Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing    |
| S32.002S | Unstable burst fracture of unspecified lumbar vertebra, sequela   |
| S32.008D | Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing             |
| S32.008G | Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing             |
| S32.008S | Other fracture of unspecified lumbar vertebra, sequela  |
| S32.009D | Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing       |
| S32.009G | Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing       |
| S32.009S | Unspecified fracture of unspecified lumbar vertebra, sequela  |
| S32.010D | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing       |
| S32.010G | Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing       |
| S32.010S | Wedge compression fracture of first lumbar vertebra, sequela  |
| S32.011D | Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing            |
| S32.011G | Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing            |
| S32.011S | Stable burst fracture of first lumbar vertebra, sequela   |
| S32.012D | Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing          |
| S32.012G | Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing          |
| S32.012S | Unstable burst fracture of first lumbar vertebra, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.018D | Other fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing              |
| S32.018G | Other fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing              |
| S32.018S | Other fracture of first lumbar vertebra, sequela   |
| S32.019D | Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing        |
| S32.019G | Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing        |
| S32.019S | Unspecified fracture of first lumbar vertebra, sequela   |
| S32.020D | Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.020G | Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.020S | Wedge compression fracture of second lumbar vertebra, sequela  |
| S32.021D | Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing      |
| S32.021G | Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing      |
| S32.021S | Stable burst fracture of second lumbar vertebra, sequela   |
| S32.022D | Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing    |
| S32.022G | Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing    |
| S32.022S | Unstable burst fracture of second lumbar vertebra, sequela   |
| S32.028D | Other fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing             |
| S32.028G | Other fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing             |
| S32.028S | Other fracture of second lumbar vertebra, sequela  |
| S32.029D | Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing       |
| S32.029G | Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing       |
| S32.029S | Unspecified fracture of second lumbar vertebra, sequela  |
| S32.030D | Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing  |
| S32.030G | Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S32.030S    | Wedge compression fracture of third lumbar vertebra, sequela   |
| S32.031D    | Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing       |
| S32.031G    | Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing       |
| S32.031S    | Stable burst fracture of third lumbar vertebra, sequela  |
| S32.032D    | Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing     |
| S32.032G    | Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing     |
| S32.032S    | Unstable burst fracture of third lumbar vertebra, sequela  |
| S32.038D    | Other fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing              |
| S32.038G    | Other fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing              |
| S32.038S    | Other fracture of third lumbar vertebra, sequela   |
| S32.039D    | Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing        |
| S32.039G    | Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing        |
| S32.039S    | Unspecified fracture of third lumbar vertebra, sequela   |
| S32.040D    | Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.040G    | Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.040S    | Wedge compression fracture of fourth lumbar vertebra, sequela  |
| S32.041D    | Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing      |
| S32.041G    | Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing      |
| S32.041S    | Stable burst fracture of fourth lumbar vertebra, sequela   |
| S32.042D    | Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing    |
| S32.042G    | Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing    |
| S32.042S    | Unstable burst fracture of fourth lumbar vertebra, sequela   |
| S32.048D    | Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.048G | Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing            |
| S32.048S | Other fracture of fourth lumbar vertebra, sequela   |
| S32.049D | Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing      |
| S32.049G | Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing      |
| S32.049S | Unspecified fracture of fourth lumbar vertebra, sequela   |
| S32.050D | Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing |
| S32.050G | Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing |
| S32.050S | Wedge compression fracture of fifth lumbar vertebra, sequela  |
| S32.051D | Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing      |
| S32.051G | Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing      |
| S32.051S | Stable burst fracture of fifth lumbar vertebra, sequela   |
| S32.052D | Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing    |
| S32.052G | Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing    |
| S32.052S | Unstable burst fracture of fifth lumbar vertebra, sequela   |
| S32.058D | Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing             |
| S32.058G | Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing             |
| S32.058S | Other fracture of fifth lumbar vertebra, sequela  |
| S32.059D | Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing       |
| S32.059G | Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing       |
| S32.059S | Unspecified fracture of fifth lumbar vertebra, sequela  |
| S32.10XD | Unspecified fracture of sacrum, subsequent encounter for fracture with routine healing                      |
| S32.10XG | Unspecified fracture of sacrum, subsequent encounter for fracture with delayed healing                      |
| S32.10XS | Unspecified fracture of sacrum, sequela   |
| S32.110D | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing              |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.110G | Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing         |
| S32.110S | Nondisplaced Zone I fracture of sacrum, sequela  |
| S32.111D | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing  |
| S32.111G | Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing  |
| S32.111S | Minimally displaced Zone I fracture of sacrum, sequela   |
| S32.112D | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing   |
| S32.112G | Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing   |
| S32.112S | Severely displaced Zone I fracture of sacrum, sequela  |
| S32.119D | Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with routine healing          |
| S32.119G | Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing          |
| S32.119S | Unspecified Zone I fracture of sacrum, sequela   |
| S32.120D | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing        |
| S32.120G | Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing        |
| S32.120S | Nondisplaced Zone II fracture of sacrum, sequela   |
| S32.121D | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.121G | Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.121S | Minimally displaced Zone II fracture of sacrum, sequela  |
| S32.122D | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing  |
| S32.122G | Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing  |
| S32.122S | Severely displaced Zone II fracture of sacrum, sequela   |
| S32.129D | Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with routine healing         |
| S32.129G | Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing         |
| S32.129S | Unspecified Zone II fracture of sacrum, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.130D | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing        |
| S32.130G | Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing        |
| S32.130S | Nondisplaced Zone III fracture of sacrum, sequela   |
| S32.131D | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing |
| S32.131G | Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing |
| S32.131S | Minimally displaced Zone III fracture of sacrum, sequela  |
| S32.132D | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing  |
| S32.132G | Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing  |
| S32.132S | Severely displaced Zone III fracture of sacrum, sequela   |
| S32.139D | Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with routine healing         |
| S32.139G | Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing         |
| S32.139S | Unspecified Zone III fracture of sacrum, sequela  |
| S32.14XD | Type 1 fracture of sacrum, subsequent encounter for fracture with routine healing                       |
| S32.14XG | Type 1 fracture of sacrum, subsequent encounter for fracture with delayed healing                       |
| S32.14XS | Type 1 fracture of sacrum, sequela  |
| S32.15XD | Type 2 fracture of sacrum, subsequent encounter for fracture with routine healing                       |
| S32.15XG | Type 2 fracture of sacrum, subsequent encounter for fracture with delayed healing                       |
| S32.15XS | Type 2 fracture of sacrum, sequela  |
| S32.16XD | Type 3 fracture of sacrum, subsequent encounter for fracture with routine healing                       |
| S32.16XG | Type 3 fracture of sacrum, subsequent encounter for fracture with delayed healing                       |
| S32.16XS | Type 3 fracture of sacrum, sequela  |
| S32.17XD | Type 4 fracture of sacrum, subsequent encounter for fracture with routine healing                       |
| S32.17XG | Type 4 fracture of sacrum, subsequent encounter for fracture with delayed healing                       |
| S32.17XS | Type 4 fracture of sacrum, sequela  |
| S32.19XD | Other fracture of sacrum, subsequent encounter for fracture with routine healing                        |
| S32.19XG | Other fracture of sacrum, subsequent encounter for fracture with delayed healing                        |
| S32.19XS | Other fracture of sacrum, sequela   |
| S32.2XXD | Fracture of coccyx, subsequent encounter for fracture with routine healing                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.2XXG | Fracture of coccyx, subsequent encounter for fracture with delayed healing                               |
| S32.2XXS | Fracture of coccyx, sequela  |
| S32.301D | Unspecified fracture of right ilium, subsequent encounter for fracture with routine healing              |
| S32.301G | Unspecified fracture of right ilium, subsequent encounter for fracture with delayed healing              |
| S32.301S | Unspecified fracture of right ilium, sequela   |
| S32.302D | Unspecified fracture of left ilium, subsequent encounter for fracture with routine healing               |
| S32.302G | Unspecified fracture of left ilium, subsequent encounter for fracture with delayed healing               |
| S32.302S | Unspecified fracture of left ilium, sequela  |
| S32.309D | Unspecified fracture of unspecified ilium, subsequent encounter for fracture with routine healing        |
| S32.309G | Unspecified fracture of unspecified ilium, subsequent encounter for fracture with delayed healing        |
| S32.309S | Unspecified fracture of unspecified ilium, sequela   |
| S32.311D | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing       |
| S32.311G | Displaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing       |
| S32.311S | Displaced avulsion fracture of right ilium, sequela  |
| S32.312D | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing        |
| S32.312G | Displaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing        |
| S32.312S | Displaced avulsion fracture of left ilium, sequela   |
| S32.313D | Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing |
| S32.313G | Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing |
| S32.313S | Displaced avulsion fracture of unspecified ilium, sequela  |
| S32.314D | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing    |
| S32.314G | Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing    |
| S32.314S | Nondisplaced avulsion fracture of right ilium, sequela   |
| S32.315D | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing     |
| S32.315G | Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing     |
| S32.315S | Nondisplaced avulsion fracture of left ilium, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.316D | Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing     |
| S32.316G | Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing     |
| S32.316S | Nondisplaced avulsion fracture of unspecified ilium, sequela  |
| S32.391D | Other fracture of right ilium, subsequent encounter for fracture with routine healing                           |
| S32.391G | Other fracture of right ilium, subsequent encounter for fracture with delayed healing                           |
| S32.391S | Other fracture of right ilium, sequela  |
| S32.392D | Other fracture of left ilium, subsequent encounter for fracture with routine healing                            |
| S32.392G | Other fracture of left ilium, subsequent encounter for fracture with delayed healing                            |
| S32.392S | Other fracture of left ilium, sequela   |
| S32.399D | Other fracture of unspecified ilium, subsequent encounter for fracture with routine healing                     |
| S32.399G | Other fracture of unspecified ilium, subsequent encounter for fracture with delayed healing                     |
| S32.399S | Other fracture of unspecified ilium, sequela  |
| S32.401D | Unspecified fracture of right acetabulum, subsequent encounter for fracture with routine healing                |
| S32.401G | Unspecified fracture of right acetabulum, subsequent encounter for fracture with delayed healing                |
| S32.401S | Unspecified fracture of right acetabulum, sequela   |
| S32.402D | Unspecified fracture of left acetabulum, subsequent encounter for fracture with routine healing                 |
| S32.402G | Unspecified fracture of left acetabulum, subsequent encounter for fracture with delayed healing                 |
| S32.402S | Unspecified fracture of left acetabulum, sequela  |
| S32.409D | Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing          |
| S32.409G | Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing          |
| S32.409S | Unspecified fracture of unspecified acetabulum, sequela   |
| S32.411D | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing |
| S32.411G | Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing |
| S32.411S | Displaced fracture of anterior wall of right acetabulum, sequela  |
| S32.412D | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing  |
| S32.412G | Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.412S | Displaced fracture of anterior wall of left acetabulum, sequela  |
| S32.413D | Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing    |
| S32.413G | Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing    |
| S32.413S | Displaced fracture of anterior wall of unspecified acetabulum, sequela   |
| S32.414D | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing       |
| S32.414G | Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing       |
| S32.414S | Nondisplaced fracture of anterior wall of right acetabulum, sequela  |
| S32.415D | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing        |
| S32.415G | Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing        |
| S32.415S | Nondisplaced fracture of anterior wall of left acetabulum, sequela   |
| S32.416D | Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.416G | Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.416S | Nondisplaced fracture of anterior wall of unspecified acetabulum, sequela  |
| S32.421D | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing         |
| S32.421G | Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing         |
| S32.421S | Displaced fracture of posterior wall of right acetabulum, sequela  |
| S32.422D | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing          |
| S32.422G | Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing          |
| S32.422S | Displaced fracture of posterior wall of left acetabulum, sequela   |
| S32.423D | Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing   |
| S32.423G | Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing   |
| S32.423S | Displaced fracture of posterior wall of unspecified acetabulum, sequela  |
| S32.424D | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.424G | Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing                 |
| S32.424S | Nondisplaced fracture of posterior wall of right acetabulum, sequela  |
| S32.425D | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing                  |
| S32.425G | Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing                  |
| S32.425S | Nondisplaced fracture of posterior wall of left acetabulum, sequela   |
| S32.426D | Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing           |
| S32.426G | Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing           |
| S32.426S | Nondisplaced fracture of posterior wall of unspecified acetabulum, sequela  |
| S32.431D | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing       |
| S32.431G | Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing       |
| S32.431S | Displaced fracture of anterior column [iliopubic] of right acetabulum, sequela  |
| S32.432D | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing        |
| S32.432G | Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing        |
| S32.432S | Displaced fracture of anterior column [iliopubic] of left acetabulum, sequela   |
| S32.433D | Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.433G | Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.433S | Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela  |
| S32.434D | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing    |
| S32.434G | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing    |
| S32.434S | Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, sequela   |
| S32.435D | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing     |
| S32.435G | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing     |
| S32.435S | Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.436D | Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing    |
| S32.436G | Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing    |
| S32.436S | Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela   |
| S32.441D | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing          |
| S32.441G | Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing          |
| S32.441S | Displaced fracture of posterior column [ilioischial] of right acetabulum, sequela   |
| S32.442D | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing           |
| S32.442G | Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing           |
| S32.442S | Displaced fracture of posterior column [ilioischial] of left acetabulum, sequela  |
| S32.443D | Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing    |
| S32.443G | Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing    |
| S32.443S | Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela   |
| S32.444D | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing       |
| S32.444G | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing       |
| S32.444S | Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, sequela  |
| S32.445D | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing        |
| S32.445G | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing        |
| S32.445S | Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, sequela   |
| S32.446D | Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.446G | Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.446S | Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela  |
| S32.451D | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing                                 |
| S32.451G | Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing                                 |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.451S | Displaced transverse fracture of right acetabulum, sequela   |
| S32.452D | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing                             |
| S32.452G | Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing                             |
| S32.452S | Displaced transverse fracture of left acetabulum, sequela  |
| S32.453D | Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing                      |
| S32.453G | Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing                      |
| S32.453S | Displaced transverse fracture of unspecified acetabulum, sequela   |
| S32.454D | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing                         |
| S32.454G | Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing                         |
| S32.454S | Nondisplaced transverse fracture of right acetabulum, sequela  |
| S32.455D | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing                          |
| S32.455G | Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing                          |
| S32.455S | Nondisplaced transverse fracture of left acetabulum, sequela   |
| S32.456D | Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing                   |
| S32.456G | Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing                   |
| S32.456S | Nondisplaced transverse fracture of unspecified acetabulum, sequela  |
| S32.461D | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing       |
| S32.461G | Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing       |
| S32.461S | Displaced associated transverse-posterior fracture of right acetabulum, sequela  |
| S32.462D | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing        |
| S32.462G | Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing        |
| S32.462S | Displaced associated transverse-posterior fracture of left acetabulum, sequela   |
| S32.463D | Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.463G | Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing    |
| S32.463S | Displaced associated transverse-posterior fracture of unspecified acetabulum, sequela   |
| S32.464D | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing       |
| S32.464G | Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing       |
| S32.464S | Nondisplaced associated transverse-posterior fracture of right acetabulum, sequela  |
| S32.465D | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing        |
| S32.465G | Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing        |
| S32.465S | Nondisplaced associated transverse-posterior fracture of left acetabulum, sequela   |
| S32.466D | Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.466G | Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.466S | Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, sequela  |
| S32.471D | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing                           |
| S32.471G | Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing                           |
| S32.471S | Displaced fracture of medial wall of right acetabulum, sequela  |
| S32.472D | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing                            |
| S32.472G | Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing                            |
| S32.472S | Displaced fracture of medial wall of left acetabulum, sequela   |
| S32.473D | Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing                     |
| S32.473G | Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing                     |
| S32.473S | Displaced fracture of medial wall of unspecified acetabulum, sequela  |
| S32.474D | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing                        |
| S32.474G | Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing                        |
| S32.474S | Nondisplaced fracture of medial wall of right acetabulum, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.475D | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing        |
| S32.475G | Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing        |
| S32.475S | Nondisplaced fracture of medial wall of left acetabulum, sequela   |
| S32.476D | Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.476G | Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.476S | Nondisplaced fracture of medial wall of unspecified acetabulum, sequela  |
| S32.481D | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing                    |
| S32.481G | Displaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing                    |
| S32.481S | Displaced dome fracture of right acetabulum, sequela   |
| S32.482D | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing                     |
| S32.482G | Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing                     |
| S32.482S | Displaced dome fracture of left acetabulum, sequela  |
| S32.483D | Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing              |
| S32.483G | Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing              |
| S32.483S | Displaced dome fracture of unspecified acetabulum, sequela   |
| S32.484D | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing                 |
| S32.484G | Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing                 |
| S32.484S | Nondisplaced dome fracture of right acetabulum, sequela  |
| S32.485D | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing                  |
| S32.485G | Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing                  |
| S32.485S | Nondisplaced dome fracture of left acetabulum, sequela   |
| S32.486D | Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing           |
| S32.486G | Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.486S | Nondisplaced dome fracture of unspecified acetabulum, sequela  |
| S32.491D | Other specified fracture of right acetabulum, subsequent encounter for fracture with routine healing       |
| S32.491G | Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing       |
| S32.491S | Other specified fracture of right acetabulum, sequela  |
| S32.492D | Other specified fracture of left acetabulum, subsequent encounter for fracture with routine healing        |
| S32.492G | Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing        |
| S32.492S | Other specified fracture of left acetabulum, sequela   |
| S32.499D | Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing |
| S32.499G | Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing |
| S32.499S | Other specified fracture of unspecified acetabulum, sequela  |
| S32.501D | Unspecified fracture of right pubis, subsequent encounter for fracture with routine healing                |
| S32.501G | Unspecified fracture of right pubis, subsequent encounter for fracture with delayed healing                |
| S32.501S | Unspecified fracture of right pubis, sequela   |
| S32.502D | Unspecified fracture of left pubis, subsequent encounter for fracture with routine healing                 |
| S32.502G | Unspecified fracture of left pubis, subsequent encounter for fracture with delayed healing                 |
| S32.502S | Unspecified fracture of left pubis, sequela  |
| S32.509D | Unspecified fracture of unspecified pubis, subsequent encounter for fracture with routine healing          |
| S32.509G | Unspecified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing          |
| S32.509S | Unspecified fracture of unspecified pubis, sequela   |
| S32.511D | Fracture of superior rim of right pubis, subsequent encounter for fracture with routine healing            |
| S32.511G | Fracture of superior rim of right pubis, subsequent encounter for fracture with delayed healing            |
| S32.511S | Fracture of superior rim of right pubis, sequela   |
| S32.512D | Fracture of superior rim of left pubis, subsequent encounter for fracture with routine healing             |
| S32.512G | Fracture of superior rim of left pubis, subsequent encounter for fracture with delayed healing             |
| S32.512S | Fracture of superior rim of left pubis, sequela  |
| S32.519D | Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with routine healing      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S32.519G    | Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with delayed healing |
| S32.519S    | Fracture of superior rim of unspecified pubis, sequela  |
| S32.591D    | Other specified fracture of right pubis, subsequent encounter for fracture with routine healing       |
| S32.591G    | Other specified fracture of right pubis, subsequent encounter for fracture with delayed healing       |
| S32.591S    | Other specified fracture of right pubis, sequela  |
| S32.592D    | Other specified fracture of left pubis, subsequent encounter for fracture with routine healing        |
| S32.592G    | Other specified fracture of left pubis, subsequent encounter for fracture with delayed healing        |
| S32.592S    | Other specified fracture of left pubis, sequela   |
| S32.599D    | Other specified fracture of unspecified pubis, subsequent encounter for fracture with routine healing |
| S32.599G    | Other specified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing |
| S32.599S    | Other specified fracture of unspecified pubis, sequela  |
| S32.601D    | Unspecified fracture of right ischium, subsequent encounter for fracture with routine healing         |
| S32.601G    | Unspecified fracture of right ischium, subsequent encounter for fracture with delayed healing         |
| S32.601S    | Unspecified fracture of right ischium, sequela  |
| S32.602D    | Unspecified fracture of left ischium, subsequent encounter for fracture with routine healing          |
| S32.602G    | Unspecified fracture of left ischium, subsequent encounter for fracture with delayed healing          |
| S32.602S    | Unspecified fracture of left ischium, sequela   |
| S32.609D    | Unspecified fracture of unspecified ischium, subsequent encounter for fracture with routine healing   |
| S32.609G    | Unspecified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing   |
| S32.609S    | Unspecified fracture of unspecified ischium, sequela  |
| S32.611D    | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing  |
| S32.611G    | Displaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing  |
| S32.611S    | Displaced avulsion fracture of right ischium, sequela   |
| S32.612D    | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing   |
| S32.612G    | Displaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing   |
| S32.612S    | Displaced avulsion fracture of left ischium, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.613D | Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing                 |
| S32.613G | Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing                 |
| S32.613S | Displaced avulsion fracture of unspecified ischium, sequela  |
| S32.614D | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing                    |
| S32.614G | Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing                    |
| S32.614S | Nondisplaced avulsion fracture of right ischium, sequela   |
| S32.615D | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing                     |
| S32.615G | Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing                     |
| S32.615S | Nondisplaced avulsion fracture of left ischium, sequela  |
| S32.616D | Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing              |
| S32.616G | Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing              |
| S32.616S | Nondisplaced avulsion fracture of unspecified ischium, sequela   |
| S32.691D | Other specified fracture of right ischium, subsequent encounter for fracture with routine healing                          |
| S32.691G | Other specified fracture of right ischium, subsequent encounter for fracture with delayed healing                          |
| S32.691S | Other specified fracture of right ischium, sequela   |
| S32.692D | Other specified fracture of left ischium, subsequent encounter for fracture with routine healing                           |
| S32.692G | Other specified fracture of left ischium, subsequent encounter for fracture with delayed healing                           |
| S32.692S | Other specified fracture of left ischium, sequela  |
| S32.699D | Other specified fracture of unspecified ischium, subsequent encounter for fracture with routine healing                    |
| S32.699G | Other specified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing                    |
| S32.699S | Other specified fracture of unspecified ischium, sequela   |
| S32.810D | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.810G | Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.810S | Multiple fractures of pelvis with stable disruption of pelvic ring, sequela  |
| S32.811D | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with routine healing |
| S32.811G | Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with delayed healing |
| S32.811S | Multiple fractures of pelvis with unstable disruption of pelvic ring, sequela  |
| S32.82XD | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with routine healing       |
| S32.82XG | Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with delayed healing       |
| S32.82XS | Multiple fractures of pelvis without disruption of pelvic ring, sequela  |
| S32.89XD | Fracture of other parts of pelvis, subsequent encounter for fracture with routine healing                                    |
| S32.89XG | Fracture of other parts of pelvis, subsequent encounter for fracture with delayed healing                                    |
| S32.89XS | Fracture of other parts of pelvis, sequela   |
| S32.9XXD | Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with routine healing        |
| S32.9XXG | Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with delayed healing        |
| S32.9XXS | Fracture of unspecified parts of lumbosacral spine and pelvis, sequela   |
| S33.0XXA | Traumatic rupture of lumbar intervertebral disc, initial encounter   |
| S33.0XXS | Traumatic rupture of lumbar intervertebral disc, sequela   |
| S33.100A | Subluxation of unspecified lumbar vertebra, initial encounter  |
| S33.100S | Subluxation of unspecified lumbar vertebra, sequela  |
| S33.101A | Dislocation of unspecified lumbar vertebra, initial encounter  |
| S33.101S | Dislocation of unspecified lumbar vertebra, sequela  |
| S33.110A | Subluxation of L1/L2 lumbar vertebra, initial encounter  |
| S33.110S | Subluxation of L1/L2 lumbar vertebra, sequela  |
| S33.111A | Dislocation of L1/L2 lumbar vertebra, initial encounter  |
| S33.111S | Dislocation of L1/L2 lumbar vertebra, sequela  |
| S33.120A | Subluxation of L2/L3 lumbar vertebra, initial encounter  |
| S33.120S | Subluxation of L2/L3 lumbar vertebra, sequela  |
| S33.121A | Dislocation of L2/L3 lumbar vertebra, initial encounter  |
| S33.121S | Dislocation of L2/L3 lumbar vertebra, sequela  |
| S33.130A | Subluxation of L3/L4 lumbar vertebra, initial encounter  |
| S33.130S | Subluxation of L3/L4 lumbar vertebra, sequela  |
| S33.131A | Dislocation of L3/L4 lumbar vertebra, initial encounter  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S33.131S | Dislocation of L3/L4 lumbar vertebra, sequela                                  |
| S33.140A | Subluxation of L4/L5 lumbar vertebra, initial encounter                        |
| S33.140S | Subluxation of L4/L5 lumbar vertebra, sequela                                  |
| S33.141A | Dislocation of L4/L5 lumbar vertebra, initial encounter                        |
| S33.141S | Dislocation of L4/L5 lumbar vertebra, sequela                                  |
| S33.2XXA | Dislocation of sacroiliac and sacrococcygeal joint, initial encounter          |
| S33.2XXS | Dislocation of sacroiliac and sacrococcygeal joint, sequela                    |
| S33.30XA | Dislocation of unspecified parts of lumbar spine and pelvis, initial encounter |
| S33.30XS | Dislocation of unspecified parts of lumbar spine and pelvis, sequela           |
| S33.39XA | Dislocation of other parts of lumbar spine and pelvis, initial encounter       |
| S33.39XS | Dislocation of other parts of lumbar spine and pelvis, sequela                 |
| S33.4XXA | Traumatic rupture of symphysis pubis, initial encounter                        |
| S33.4XXS | Traumatic rupture of symphysis pubis, sequela                                  |
| S33.5XXA | Sprain of ligaments of lumbar spine, initial encounter                         |
| S33.5XXS | Sprain of ligaments of lumbar spine, sequela                                   |
| S33.6XXA | Sprain of sacroiliac joint, initial encounter                                  |
| S33.6XXS | Sprain of sacroiliac joint, sequela  |
| S33.8XXA | Sprain of other parts of lumbar spine and pelvis, initial encounter            |
| S33.8XXS | Sprain of other parts of lumbar spine and pelvis, sequela                      |
| S33.9XXA | Sprain of unspecified parts of lumbar spine and pelvis, initial encounter      |
| S33.9XXS | Sprain of unspecified parts of lumbar spine and pelvis, sequela                |
| S34.01XS | Concussion and edema of lumbar spinal cord, sequela                            |
| S34.02XS | Concussion and edema of sacral spinal cord, sequela                            |
| S34.101S | Unspecified injury to L1 level of lumbar spinal cord, sequela                  |
| S34.102S | Unspecified injury to L2 level of lumbar spinal cord, sequela                  |
| S34.103S | Unspecified injury to L3 level of lumbar spinal cord, sequela                  |
| S34.104S | Unspecified injury to L4 level of lumbar spinal cord, sequela                  |
| S34.105S | Unspecified injury to L5 level of lumbar spinal cord, sequela                  |
| S34.109S | Unspecified injury to unspecified level of lumbar spinal cord, sequela         |
| S34.111S | Complete lesion of L1 level of lumbar spinal cord, sequela                     |
| S34.112S | Complete lesion of L2 level of lumbar spinal cord, sequela                     |
| S34.113S | Complete lesion of L3 level of lumbar spinal cord, sequela                     |
| S34.114S | Complete lesion of L4 level of lumbar spinal cord, sequela                     |
| S34.115S | Complete lesion of L5 level of lumbar spinal cord, sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S34.119S | Complete lesion of unspecified level of lumbar spinal cord, sequela                     |
| S34.121S | Incomplete lesion of L1 level of lumbar spinal cord, sequela                            |
| S34.122S | Incomplete lesion of L2 level of lumbar spinal cord, sequela                            |
| S34.123S | Incomplete lesion of L3 level of lumbar spinal cord, sequela                            |
| S34.124S | Incomplete lesion of L4 level of lumbar spinal cord, sequela                            |
| S34.125S | Incomplete lesion of L5 level of lumbar spinal cord, sequela                            |
| S34.129S | Incomplete lesion of unspecified level of lumbar spinal cord, sequela                   |
| S34.131S | Complete lesion of sacral spinal cord, sequela  |
| S34.132S | Incomplete lesion of sacral spinal cord, sequela  |
| S34.139S | Unspecified injury to sacral spinal cord, sequela                                       |
| S34.21XS | Injury of nerve root of lumbar spine, sequela   |
| S34.22XS | Injury of nerve root of sacral spine, sequela   |
| S34.3XXS | Injury of cauda equina, sequela   |
| S34.4XXS | Injury of lumbosacral plexus, sequela   |
| S34.5XXS | Injury of lumbar, sacral and pelvic sympathetic nerves, sequela                         |
| S34.6XXS | Injury of peripheral nerve(s) at abdomen, lower back and pelvis level, sequela          |
| S34.8XXS | Injury of other nerves at abdomen, lower back and pelvis level, sequela                 |
| S34.9XXA | Injury of unspecified nerves at abdomen, lower back and pelvis level, initial encounter |
| S34.9XXS | Injury of unspecified nerves at abdomen, lower back and pelvis level, sequela           |
| S35.00XS | Unspecified injury of abdominal aorta, sequela  |
| S35.01XS | Minor laceration of abdominal aorta, sequela  |
| S35.02XS | Major laceration of abdominal aorta, sequela  |
| S35.09XS | Other injury of abdominal aorta, sequela  |
| S35.10XS | Unspecified injury of inferior vena cava, sequela                                       |
| S35.11XS | Minor laceration of inferior vena cava, sequela   |
| S35.12XS | Major laceration of inferior vena cava, sequela   |
| S35.19XS | Other injury of inferior vena cava, sequela   |
| S35.211S | Minor laceration of celiac artery, sequela  |
| S35.212S | Major laceration of celiac artery, sequela  |
| S35.218S | Other injury of celiac artery, sequela  |
| S35.219S | Unspecified injury of celiac artery, sequela  |
| S35.221S | Minor laceration of superior mesenteric artery, sequela                                 |
| S35.222S | Major laceration of superior mesenteric artery, sequela                                 |
| S35.228S | Other injury of superior mesenteric artery, sequela                                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S35.229S    | Unspecified injury of superior mesenteric artery, sequela               |
| S35.231S    | Minor laceration of inferior mesenteric artery, sequela                 |
| S35.232S    | Major laceration of inferior mesenteric artery, sequela                 |
| S35.238S    | Other injury of inferior mesenteric artery, sequela                     |
| S35.239S    | Unspecified injury of inferior mesenteric artery, sequela               |
| S35.291S    | Minor laceration of branches of celiac and mesenteric artery, sequela   |
| S35.292S    | Major laceration of branches of celiac and mesenteric artery, sequela   |
| S35.298S    | Other injury of branches of celiac and mesenteric artery, sequela       |
| S35.299S    | Unspecified injury of branches of celiac and mesenteric artery, sequela |
| S35.311S    | Laceration of portal vein, sequela                                      |
| S35.318S    | Other specified injury of portal vein, sequela                          |
| S35.319S    | Unspecified injury of portal vein, sequela                              |
| S35.321S    | Laceration of splenic vein, sequela                                     |
| S35.328S    | Other specified injury of splenic vein, sequela                         |
| S35.329S    | Unspecified injury of splenic vein, sequela                             |
| S35.331S    | Laceration of superior mesenteric vein, sequela                         |
| S35.338S    | Other specified injury of superior mesenteric vein, sequela             |
| S35.339S    | Unspecified injury of superior mesenteric vein, sequela                 |
| S35.341S    | Laceration of inferior mesenteric vein, sequela                         |
| S35.348S    | Other specified injury of inferior mesenteric vein, sequela             |
| S35.349S    | Unspecified injury of inferior mesenteric vein, sequela                 |
| S35.401S    | Unspecified injury of right renal artery, sequela                       |
| S35.402S    | Unspecified injury of left renal artery, sequela                        |
| S35.403S    | Unspecified injury of unspecified renal artery, sequela                 |
| S35.404S    | Unspecified injury of right renal vein, sequela                         |
| S35.405S    | Unspecified injury of left renal vein, sequela                          |
| S35.406S    | Unspecified injury of unspecified renal vein, sequela                   |
| S35.411S    | Laceration of right renal artery, sequela                               |
| S35.412S    | Laceration of left renal artery, sequela                                |
| S35.413S    | Laceration of unspecified renal artery, sequela                         |
| S35.414S    | Laceration of right renal vein, sequela                                 |
| S35.415S    | Laceration of left renal vein, sequela                                  |
| S35.416S    | Laceration of unspecified renal vein, sequela                           |
| S35.491S    | Other specified injury of right renal artery, sequela                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S35.492S | Other specified injury of left renal artery, sequela  |
| S35.493S | Other specified injury of unspecified renal artery, sequela   |
| S35.494S | Other specified injury of right renal vein, sequela   |
| S35.495S | Other specified injury of left renal vein, sequela  |
| S35.496S | Other specified injury of unspecified renal vein, sequela   |
| S35.50XS | Injury of unspecified iliac blood vessel(s), sequela  |
| S35.511S | Injury of right iliac artery, sequela   |
| S35.512S | Injury of left iliac artery, sequela  |
| S35.513S | Injury of unspecified iliac artery, sequela   |
| S35.514S | Injury of right iliac vein, sequela   |
| S35.515S | Injury of left iliac vein, sequela  |
| S35.516S | Injury of unspecified iliac vein, sequela   |
| S35.531S | Injury of right uterine artery, sequela   |
| S35.532S | Injury of left uterine artery, sequela  |
| S35.533S | Injury of unspecified uterine artery, sequela   |
| S35.534S | Injury of right uterine vein, sequela   |
| S35.535S | Injury of left uterine vein, sequela  |
| S35.536S | Injury of unspecified uterine vein, sequela   |
| S35.59XS | Injury of other iliac blood vessels, sequela  |
| S35.8X1S | Laceration of other blood vessels at abdomen, lower back and pelvis level, sequela                  |
| S35.8X8S | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, sequela      |
| S35.8X9S | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, sequela          |
| S35.90XS | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, sequela     |
| S35.91XS | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, sequela             |
| S35.99XS | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, sequela |
| S36.00XS | Unspecified injury of spleen, sequela   |
| S36.020S | Minor contusion of spleen, sequela  |
| S36.021S | Major contusion of spleen, sequela  |
| S36.029S | Unspecified contusion of spleen, sequela  |
| S36.030S | Superficial (capsular) laceration of spleen, sequela  |
| S36.031S | Moderate laceration of spleen, sequela  |
| S36.032S | Major laceration of spleen, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S36.039S    | Unspecified laceration of spleen, sequela                               |
| S36.09XS    | Other injury of spleen, sequela   |
| S36.112S    | Contusion of liver, sequela   |
| S36.113S    | Laceration of liver, unspecified degree, sequela                        |
| S36.114S    | Minor laceration of liver, sequela                                      |
| S36.115S    | Moderate laceration of liver, sequela                                   |
| S36.116S    | Major laceration of liver, sequela                                      |
| S36.118S    | Other injury of liver, sequela  |
| S36.119S    | Unspecified injury of liver, sequela                                    |
| S36.122S    | Contusion of gallbladder, sequela                                       |
| S36.123S    | Laceration of gallbladder, sequela                                      |
| S36.128S    | Other injury of gallbladder, sequela                                    |
| S36.129S    | Unspecified injury of gallbladder, sequela                              |
| S36.13XS    | Injury of bile duct, sequela  |
| S36.200S    | Unspecified injury of head of pancreas, sequela                         |
| S36.201S    | Unspecified injury of body of pancreas, sequela                         |
| S36.202S    | Unspecified injury of tail of pancreas, sequela                         |
| S36.209S    | Unspecified injury of unspecified part of pancreas, sequela             |
| S36.220S    | Contusion of head of pancreas, sequela                                  |
| S36.221S    | Contusion of body of pancreas, sequela                                  |
| S36.222S    | Contusion of tail of pancreas, sequela                                  |
| S36.229S    | Contusion of unspecified part of pancreas, sequela                      |
| S36.230S    | Laceration of head of pancreas, unspecified degree, sequela             |
| S36.231S    | Laceration of body of pancreas, unspecified degree, sequela             |
| S36.232S    | Laceration of tail of pancreas, unspecified degree, sequela             |
| S36.239S    | Laceration of unspecified part of pancreas, unspecified degree, sequela |
| S36.240S    | Minor laceration of head of pancreas, sequela                           |
| S36.241S    | Minor laceration of body of pancreas, sequela                           |
| S36.242S    | Minor laceration of tail of pancreas, sequela                           |
| S36.249S    | Minor laceration of unspecified part of pancreas, sequela               |
| S36.250S    | Moderate laceration of head of pancreas, sequela                        |
| S36.251S    | Moderate laceration of body of pancreas, sequela                        |
| S36.252S    | Moderate laceration of tail of pancreas, sequela                        |
| S36.259S    | Moderate laceration of unspecified part of pancreas, sequela            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S36.260S | Major laceration of head of pancreas, sequela                        |
| S36.261S | Major laceration of body of pancreas, sequela                        |
| S36.262S | Major laceration of tail of pancreas, sequela                        |
| S36.269S | Major laceration of unspecified part of pancreas, sequela            |
| S36.290S | Other injury of head of pancreas, sequela                            |
| S36.291S | Other injury of body of pancreas, sequela                            |
| S36.292S | Other injury of tail of pancreas, sequela                            |
| S36.299S | Other injury of unspecified part of pancreas, sequela                |
| S36.30XS | Unspecified injury of stomach, sequela                               |
| S36.32XS | Contusion of stomach, sequela  |
| S36.33XS | Laceration of stomach, sequela                                       |
| S36.39XS | Other injury of stomach, sequela                                     |
| S36.400S | Unspecified injury of duodenum, sequela                              |
| S36.408S | Unspecified injury of other part of small intestine, sequela         |
| S36.409S | Unspecified injury of unspecified part of small intestine, sequela   |
| S36.410S | Primary blast injury of duodenum, sequela                            |
| S36.418S | Primary blast injury of other part of small intestine, sequela       |
| S36.419S | Primary blast injury of unspecified part of small intestine, sequela |
| S36.420S | Contusion of duodenum, sequela                                       |
| S36.428S | Contusion of other part of small intestine, sequela                  |
| S36.429S | Contusion of unspecified part of small intestine, sequela            |
| S36.430S | Laceration of duodenum, sequela                                      |
| S36.438S | Laceration of other part of small intestine, sequela                 |
| S36.439S | Laceration of unspecified part of small intestine, sequela           |
| S36.490S | Other injury of duodenum, sequela                                    |
| S36.498S | Other injury of other part of small intestine, sequela               |
| S36.499S | Other injury of unspecified part of small intestine, sequela         |
| S36.500S | Unspecified injury of ascending [right] colon, sequela               |
| S36.501S | Unspecified injury of transverse colon, sequela                      |
| S36.502S | Unspecified injury of descending [left] colon, sequela               |
| S36.503S | Unspecified injury of sigmoid colon, sequela                         |
| S36.508S | Unspecified injury of other part of colon, sequela                   |
| S36.509S | Unspecified injury of unspecified part of colon, sequela             |
| S36.510S | Primary blast injury of ascending [right] colon, sequela             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S36.511S    | Primary blast injury of transverse colon, sequela                |
| S36.512S    | Primary blast injury of descending [left] colon, sequela         |
| S36.513S    | Primary blast injury of sigmoid colon, sequela                   |
| S36.518S    | Primary blast injury of other part of colon, sequela             |
| S36.519S    | Primary blast injury of unspecified part of colon, sequela       |
| S36.520S    | Contusion of ascending [right] colon, sequela                    |
| S36.521S    | Contusion of transverse colon, sequela                           |
| S36.522S    | Contusion of descending [left] colon, sequela                    |
| S36.523S    | Contusion of sigmoid colon, sequela                              |
| S36.528S    | Contusion of other part of colon, sequela                        |
| S36.529S    | Contusion of unspecified part of colon, sequela                  |
| S36.530S    | Laceration of ascending [right] colon, sequela                   |
| S36.531S    | Laceration of transverse colon, sequela                          |
| S36.532S    | Laceration of descending [left] colon, sequela                   |
| S36.533S    | Laceration of sigmoid colon, sequela                             |
| S36.538S    | Laceration of other part of colon, sequela                       |
| S36.539S    | Laceration of unspecified part of colon, sequela                 |
| S36.590S    | Other injury of ascending [right] colon, sequela                 |
| S36.591S    | Other injury of transverse colon, sequela                        |
| S36.592S    | Other injury of descending [left] colon, sequela                 |
| S36.593S    | Other injury of sigmoid colon, sequela                           |
| S36.598S    | Other injury of other part of colon, sequela                     |
| S36.599S    | Other injury of unspecified part of colon, sequela               |
| S36.60XS    | Unspecified injury of rectum, sequela                            |
| S36.61XS    | Primary blast injury of rectum, sequela                          |
| S36.62XS    | Contusion of rectum, sequela                                     |
| S36.63XS    | Laceration of rectum, sequela                                    |
| S36.69XS    | Other injury of rectum, sequela                                  |
| S36.81XS    | Injury of peritoneum, sequela                                    |
| S36.892S    | Contusion of other intra-abdominal organs, sequela               |
| S36.893S    | Laceration of other intra-abdominal organs, sequela              |
| S36.898S    | Other injury of other intra-abdominal organs, sequela            |
| S36.899S    | Unspecified injury of other intra-abdominal organs, sequela      |
| S36.90XS    | Unspecified injury of unspecified intra-abdominal organ, sequela |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S36.92XS    | Contusion of unspecified intra-abdominal organ, sequela       |
| S36.93XS    | Laceration of unspecified intra-abdominal organ, sequela      |
| S36.99XS    | Other injury of unspecified intra-abdominal organ, sequela    |
| S37.001S    | Unspecified injury of right kidney, sequela                   |
| S37.002S    | Unspecified injury of left kidney, sequela                    |
| S37.009S    | Unspecified injury of unspecified kidney, sequela             |
| S37.011S    | Minor contusion of right kidney, sequela                      |
| S37.012S    | Minor contusion of left kidney, sequela                       |
| S37.019S    | Minor contusion of unspecified kidney, sequela                |
| S37.021S    | Major contusion of right kidney, sequela                      |
| S37.022S    | Major contusion of left kidney, sequela                       |
| S37.029S    | Major contusion of unspecified kidney, sequela                |
| S37.031S    | Laceration of right kidney, unspecified degree, sequela       |
| S37.032S    | Laceration of left kidney, unspecified degree, sequela        |
| S37.039S    | Laceration of unspecified kidney, unspecified degree, sequela |
| S37.041S    | Minor laceration of right kidney, sequela                     |
| S37.042S    | Minor laceration of left kidney, sequela                      |
| S37.049S    | Minor laceration of unspecified kidney, sequela               |
| S37.051S    | Moderate laceration of right kidney, sequela                  |
| S37.052S    | Moderate laceration of left kidney, sequela                   |
| S37.059S    | Moderate laceration of unspecified kidney, sequela            |
| S37.061S    | Major laceration of right kidney, sequela                     |
| S37.062S    | Major laceration of left kidney, sequela                      |
| S37.069S    | Major laceration of unspecified kidney, sequela               |
| S37.091S    | Other injury of right kidney, sequela                         |
| S37.092S    | Other injury of left kidney, sequela                          |
| S37.099S    | Other injury of unspecified kidney, sequela                   |
| S37.10XS    | Unspecified injury of ureter, sequela                         |
| S37.12XS    | Contusion of ureter, sequela                                  |
| S37.13XS    | Laceration of ureter, sequela                                 |
| S37.19XS    | Other injury of ureter, sequela                               |
| S37.20XS    | Unspecified injury of bladder, sequela                        |
| S37.22XS    | Contusion of bladder, sequela                                 |
| S37.23XS    | Laceration of bladder, sequela                                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S37.29XS    | Other injury of bladder, sequela                             |
| S37.30XS    | Unspecified injury of urethra, sequela                       |
| S37.32XS    | Contusion of urethra, sequela                                |
| S37.33XS    | Laceration of urethra, sequela                               |
| S37.39XS    | Other injury of urethra, sequela                             |
| S37.401S    | Unspecified injury of ovary, unilateral, sequela             |
| S37.402S    | Unspecified injury of ovary, bilateral, sequela              |
| S37.409S    | Unspecified injury of ovary, unspecified, sequela            |
| S37.421S    | Contusion of ovary, unilateral, sequela                      |
| S37.422S    | Contusion of ovary, bilateral, sequela                       |
| S37.429S    | Contusion of ovary, unspecified, sequela                     |
| S37.431S    | Laceration of ovary, unilateral, sequela                     |
| S37.432S    | Laceration of ovary, bilateral, sequela                      |
| S37.439S    | Laceration of ovary, unspecified, sequela                    |
| S37.491S    | Other injury of ovary, unilateral, sequela                   |
| S37.492S    | Other injury of ovary, bilateral, sequela                    |
| S37.499S    | Other injury of ovary, unspecified, sequela                  |
| S37.501S    | Unspecified injury of fallopian tube, unilateral, sequela    |
| S37.502S    | Unspecified injury of fallopian tube, bilateral, sequela     |
| S37.509S    | Unspecified injury of fallopian tube, unspecified, sequela   |
| S37.511S    | Primary blast injury of fallopian tube, unilateral, sequela  |
| S37.512S    | Primary blast injury of fallopian tube, bilateral, sequela   |
| S37.519S    | Primary blast injury of fallopian tube, unspecified, sequela |
| S37.521S    | Contusion of fallopian tube, unilateral, sequela             |
| S37.522S    | Contusion of fallopian tube, bilateral, sequela              |
| S37.529S    | Contusion of fallopian tube, unspecified, sequela            |
| S37.531S    | Laceration of fallopian tube, unilateral, sequela            |
| S37.532S    | Laceration of fallopian tube, bilateral, sequela             |
| S37.539S    | Laceration of fallopian tube, unspecified, sequela           |
| S37.591S    | Other injury of fallopian tube, unilateral, sequela          |
| S37.592S    | Other injury of fallopian tube, bilateral, sequela           |
| S37.599S    | Other injury of fallopian tube, unspecified, sequela         |
| S37.60XS    | Unspecified injury of uterus, sequela                        |
| S37.62XS    | Contusion of uterus, sequela                                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S37.63XS    | Laceration of uterus, sequela  |
| S37.69XS    | Other injury of uterus, sequela  |
| S37.812S    | Contusion of adrenal gland, sequela                                      |
| S37.813S    | Laceration of adrenal gland, sequela                                     |
| S37.818S    | Other injury of adrenal gland, sequela                                   |
| S37.819S    | Unspecified injury of adrenal gland, sequela                             |
| S37.822S    | Contusion of prostate, sequela   |
| S37.823S    | Laceration of prostate, sequela  |
| S37.828S    | Other injury of prostate, sequela  |
| S37.829S    | Unspecified injury of prostate, sequela                                  |
| S37.892S    | Contusion of other urinary and pelvic organ, sequela                     |
| S37.893S    | Laceration of other urinary and pelvic organ, sequela                    |
| S37.898S    | Other injury of other urinary and pelvic organ, sequela                  |
| S37.899S    | Unspecified injury of other urinary and pelvic organ, sequela            |
| S37.90XS    | Unspecified injury of unspecified urinary and pelvic organ, sequela      |
| S37.92XS    | Contusion of unspecified urinary and pelvic organ, sequela               |
| S37.93XS    | Laceration of unspecified urinary and pelvic organ, sequela              |
| S37.99XS    | Other injury of unspecified urinary and pelvic organ, sequela            |
| S38.001S    | Crushing injury of unspecified external genital organs, male, sequela    |
| S38.002S    | Crushing injury of unspecified external genital organs, female, sequela  |
| S38.01XS    | Crushing injury of penis, sequela  |
| S38.02XS    | Crushing injury of scrotum and testis, sequela                           |
| S38.03XS    | Crushing injury of vulva, sequela  |
| S38.1XXS    | Crushing injury of abdomen, lower back, and pelvis, sequela              |
| S38.211S    | Complete traumatic amputation of female external genital organs, sequela |
| S38.212S    | Partial traumatic amputation of female external genital organs, sequela  |
| S38.221S    | Complete traumatic amputation of penis, sequela                          |
| S38.222S    | Partial traumatic amputation of penis, sequela                           |
| S38.231S    | Complete traumatic amputation of scrotum and testis, sequela             |
| S38.232S    | Partial traumatic amputation of scrotum and testis, sequela              |
| S38.3XXS    | Transection (partial) of abdomen, sequela                                |
| S39.001S    | Unspecified injury of muscle, fascia and tendon of abdomen, sequela      |
| S39.002S    | Unspecified injury of muscle, fascia and tendon of lower back, sequela   |
| S39.003S    | Unspecified injury of muscle, fascia and tendon of pelvis, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S39.011A | Strain of muscle, fascia and tendon of abdomen, initial encounter    |
| S39.011S | Strain of muscle, fascia and tendon of abdomen, sequela              |
| S39.012A | Strain of muscle, fascia and tendon of lower back, initial encounter |
| S39.012S | Strain of muscle, fascia and tendon of lower back, sequela           |
| S39.013A | Strain of muscle, fascia and tendon of pelvis, initial encounter     |
| S39.013S | Strain of muscle, fascia and tendon of pelvis, sequela               |
| S39.021S | Laceration of muscle, fascia and tendon of abdomen, sequela          |
| S39.022S | Laceration of muscle, fascia and tendon of lower back, sequela       |
| S39.023S | Laceration of muscle, fascia and tendon of pelvis, sequela           |
| S39.091S | Other injury of muscle, fascia and tendon of abdomen, sequela        |
| S39.092S | Other injury of muscle, fascia and tendon of lower back, sequela     |
| S39.093S | Other injury of muscle, fascia and tendon of pelvis, sequela         |
| S39.81XS | Other specified injuries of abdomen, sequela                         |
| S39.82XS | Other specified injuries of lower back, sequela                      |
| S39.83XS | Other specified injuries of pelvis, sequela                          |
| S39.840S | Fracture of corpus cavernosum penis, sequela                         |
| S39.848S | Other specified injuries of external genitals, sequela               |
| S39.91XS | Unspecified injury of abdomen, sequela                               |
| S39.92XS | Unspecified injury of lower back, sequela                            |
| S39.93XS | Unspecified injury of pelvis, sequela                                |
| S39.94XS | Unspecified injury of external genitals, sequela                     |
| S40.011S | Contusion of right shoulder, sequela                                 |
| S40.012S | Contusion of left shoulder, sequela                                  |
| S40.019S | Contusion of unspecified shoulder, sequela                           |
| S40.021S | Contusion of right upper arm, sequela                                |
| S40.022S | Contusion of left upper arm, sequela                                 |
| S40.029S | Contusion of unspecified upper arm, sequela                          |
| S40.211A | Abrasion of right shoulder, initial encounter                        |
| S40.211S | Abrasion of right shoulder, sequela                                  |
| S40.212A | Abrasion of left shoulder, initial encounter                         |
| S40.212S | Abrasion of left shoulder, sequela                                   |
| S40.219A | Abrasion of unspecified shoulder, initial encounter                  |
| S40.219S | Abrasion of unspecified shoulder, sequela                            |
| S40.221A | Blister (nonthermal) of right shoulder, initial encounter            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S40.221S    | Blister (nonthermal) of right shoulder, sequela                      |
| S40.222A    | Blister (nonthermal) of left shoulder, initial encounter             |
| S40.222S    | Blister (nonthermal) of left shoulder, sequela                       |
| S40.229A    | Blister (nonthermal) of unspecified shoulder, initial encounter      |
| S40.229S    | Blister (nonthermal) of unspecified shoulder, sequela                |
| S40.241A    | External constriction of right shoulder, initial encounter           |
| S40.241S    | External constriction of right shoulder, sequela                     |
| S40.242A    | External constriction of left shoulder, initial encounter            |
| S40.242S    | External constriction of left shoulder, sequela                      |
| S40.249A    | External constriction of unspecified shoulder, initial encounter     |
| S40.249S    | External constriction of unspecified shoulder, sequela               |
| S40.251A    | Superficial foreign body of right shoulder, initial encounter        |
| S40.251S    | Superficial foreign body of right shoulder, sequela                  |
| S40.252A    | Superficial foreign body of left shoulder, initial encounter         |
| S40.252S    | Superficial foreign body of left shoulder, sequela                   |
| S40.259A    | Superficial foreign body of unspecified shoulder, initial encounter  |
| S40.259S    | Superficial foreign body of unspecified shoulder, sequela            |
| S40.261A    | Insect bite (nonvenomous) of right shoulder, initial encounter       |
| S40.261S    | Insect bite (nonvenomous) of right shoulder, sequela                 |
| S40.262A    | Insect bite (nonvenomous) of left shoulder, initial encounter        |
| S40.262S    | Insect bite (nonvenomous) of left shoulder, sequela                  |
| S40.269A    | Insect bite (nonvenomous) of unspecified shoulder, initial encounter |
| S40.269S    | Insect bite (nonvenomous) of unspecified shoulder, sequela           |
| S40.271A    | Other superficial bite of right shoulder, initial encounter          |
| S40.271S    | Other superficial bite of right shoulder, sequela                    |
| S40.272A    | Other superficial bite of left shoulder, initial encounter           |
| S40.272S    | Other superficial bite of left shoulder, sequela                     |
| S40.279A    | Other superficial bite of unspecified shoulder, initial encounter    |
| S40.279S    | Other superficial bite of unspecified shoulder, sequela              |
| S40.811A    | Abrasion of right upper arm, initial encounter                       |
| S40.811S    | Abrasion of right upper arm, sequela                                 |
| S40.812A    | Abrasion of left upper arm, initial encounter                        |
| S40.812S    | Abrasion of left upper arm, sequela                                  |
| S40.819A    | Abrasion of unspecified upper arm, initial encounter                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S40.819S    | Abrasion of unspecified upper arm, sequela                            |
| S40.821A    | Blister (nonthermal) of right upper arm, initial encounter            |
| S40.821S    | Blister (nonthermal) of right upper arm, sequela                      |
| S40.822A    | Blister (nonthermal) of left upper arm, initial encounter             |
| S40.822S    | Blister (nonthermal) of left upper arm, sequela                       |
| S40.829A    | Blister (nonthermal) of unspecified upper arm, initial encounter      |
| S40.829S    | Blister (nonthermal) of unspecified upper arm, sequela                |
| S40.841A    | External constriction of right upper arm, initial encounter           |
| S40.841S    | External constriction of right upper arm, sequela                     |
| S40.842A    | External constriction of left upper arm, initial encounter            |
| S40.842S    | External constriction of left upper arm, sequela                      |
| S40.849A    | External constriction of unspecified upper arm, initial encounter     |
| S40.849S    | External constriction of unspecified upper arm, sequela               |
| S40.851A    | Superficial foreign body of right upper arm, initial encounter        |
| S40.851S    | Superficial foreign body of right upper arm, sequela                  |
| S40.852A    | Superficial foreign body of left upper arm, initial encounter         |
| S40.852S    | Superficial foreign body of left upper arm, sequela                   |
| S40.859A    | Superficial foreign body of unspecified upper arm, initial encounter  |
| S40.859S    | Superficial foreign body of unspecified upper arm, sequela            |
| S40.861A    | Insect bite (nonvenomous) of right upper arm, initial encounter       |
| S40.861S    | Insect bite (nonvenomous) of right upper arm, sequela                 |
| S40.862A    | Insect bite (nonvenomous) of left upper arm, initial encounter        |
| S40.862S    | Insect bite (nonvenomous) of left upper arm, sequela                  |
| S40.869A    | Insect bite (nonvenomous) of unspecified upper arm, initial encounter |
| S40.869S    | Insect bite (nonvenomous) of unspecified upper arm, sequela           |
| S40.871A    | Other superficial bite of right upper arm, initial encounter          |
| S40.871S    | Other superficial bite of right upper arm, sequela                    |
| S40.872A    | Other superficial bite of left upper arm, initial encounter           |
| S40.872S    | Other superficial bite of left upper arm, sequela                     |
| S40.879A    | Other superficial bite of unspecified upper arm, initial encounter    |
| S40.879S    | Other superficial bite of unspecified upper arm, sequela              |
| S40.911A    | Unspecified superficial injury of right shoulder, initial encounter   |
| S40.911S    | Unspecified superficial injury of right shoulder, sequela             |
| S40.912A    | Unspecified superficial injury of left shoulder, initial encounter    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S40.912S    | Unspecified superficial injury of left shoulder, sequela                   |
| S40.919A    | Unspecified superficial injury of unspecified shoulder, initial encounter  |
| S40.919S    | Unspecified superficial injury of unspecified shoulder, sequela            |
| S40.921A    | Unspecified superficial injury of right upper arm, initial encounter       |
| S40.921S    | Unspecified superficial injury of right upper arm, sequela                 |
| S40.922A    | Unspecified superficial injury of left upper arm, initial encounter        |
| S40.922S    | Unspecified superficial injury of left upper arm, sequela                  |
| S40.929A    | Unspecified superficial injury of unspecified upper arm, initial encounter |
| S40.929S    | Unspecified superficial injury of unspecified upper arm, sequela           |
| S41.001S    | Unspecified open wound of right shoulder, sequela                          |
| S41.002S    | Unspecified open wound of left shoulder, sequela                           |
| S41.009A    | Unspecified open wound of unspecified shoulder, initial encounter          |
| S41.009S    | Unspecified open wound of unspecified shoulder, sequela                    |
| S41.011S    | Laceration without foreign body of right shoulder, sequela                 |
| S41.012S    | Laceration without foreign body of left shoulder, sequela                  |
| S41.019S    | Laceration without foreign body of unspecified shoulder, sequela           |
| S41.021S    | Laceration with foreign body of right shoulder, sequela                    |
| S41.022S    | Laceration with foreign body of left shoulder, sequela                     |
| S41.029S    | Laceration with foreign body of unspecified shoulder, sequela              |
| S41.031S    | Puncture wound without foreign body of right shoulder, sequela             |
| S41.032S    | Puncture wound without foreign body of left shoulder, sequela              |
| S41.039S    | Puncture wound without foreign body of unspecified shoulder, sequela       |
| S41.041S    | Puncture wound with foreign body of right shoulder, sequela                |
| S41.042S    | Puncture wound with foreign body of left shoulder, sequela                 |
| S41.049S    | Puncture wound with foreign body of unspecified shoulder, sequela          |
| S41.051S    | Open bite of right shoulder, sequela                                       |
| S41.052S    | Open bite of left shoulder, sequela  |
| S41.059S    | Open bite of unspecified shoulder, sequela                                 |
| S41.101S    | Unspecified open wound of right upper arm, sequela                         |
| S41.102S    | Unspecified open wound of left upper arm, sequela                          |
| S41.109A    | Unspecified open wound of unspecified upper arm, initial encounter         |
| S41.109S    | Unspecified open wound of unspecified upper arm, sequela                   |
| S41.111S    | Laceration without foreign body of right upper arm, sequela                |
| S41.112S    | Laceration without foreign body of left upper arm, sequela                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S41.119S | Laceration without foreign body of unspecified upper arm, sequela  |
| S41.121S | Laceration with foreign body of right upper arm, sequela   |
| S41.122S | Laceration with foreign body of left upper arm, sequela  |
| S41.129S | Laceration with foreign body of unspecified upper arm, sequela   |
| S41.131S | Puncture wound without foreign body of right upper arm, sequela  |
| S41.132S | Puncture wound without foreign body of left upper arm, sequela   |
| S41.139S | Puncture wound without foreign body of unspecified upper arm, sequela  |
| S41.141S | Puncture wound with foreign body of right upper arm, sequela   |
| S41.142S | Puncture wound with foreign body of left upper arm, sequela  |
| S41.149S | Puncture wound with foreign body of unspecified upper arm, sequela   |
| S41.151S | Open bite of right upper arm, sequela  |
| S41.152S | Open bite of left upper arm, sequela   |
| S41.159S | Open bite of unspecified upper arm, sequela  |
| S42.001D | Fracture of unspecified part of right clavicle, subsequent encounter for fracture with routine healing               |
| S42.001G | Fracture of unspecified part of right clavicle, subsequent encounter for fracture with delayed healing               |
| S42.001S | Fracture of unspecified part of right clavicle, sequela  |
| S42.002D | Fracture of unspecified part of left clavicle, subsequent encounter for fracture with routine healing                |
| S42.002G | Fracture of unspecified part of left clavicle, subsequent encounter for fracture with delayed healing                |
| S42.002S | Fracture of unspecified part of left clavicle, sequela   |
| S42.009D | Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with routine healing         |
| S42.009G | Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with delayed healing         |
| S42.009S | Fracture of unspecified part of unspecified clavicle, sequela  |
| S42.011D | Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing |
| S42.011G | Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing |
| S42.011S | Anterior displaced fracture of sternal end of right clavicle, sequela  |
| S42.012D | Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing  |
| S42.012G | Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.012S | Anterior displaced fracture of sternal end of left clavicle, sequela  |
| S42.013D | Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing  |
| S42.013G | Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing  |
| S42.013S | Anterior displaced fracture of sternal end of unspecified clavicle, sequela   |
| S42.014D | Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing       |
| S42.014G | Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing       |
| S42.014S | Posterior displaced fracture of sternal end of right clavicle, sequela  |
| S42.015D | Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing        |
| S42.015G | Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing        |
| S42.015S | Posterior displaced fracture of sternal end of left clavicle, sequela   |
| S42.016D | Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.016G | Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.016S | Posterior displaced fracture of sternal end of unspecified clavicle, sequela  |
| S42.017D | Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing              |
| S42.017G | Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing              |
| S42.017S | Nondisplaced fracture of sternal end of right clavicle, sequela   |
| S42.018D | Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing               |
| S42.018G | Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing               |
| S42.018S | Nondisplaced fracture of sternal end of left clavicle, sequela  |
| S42.019D | Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing        |
| S42.019G | Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing        |
| S42.019S | Nondisplaced fracture of sternal end of unspecified clavicle, sequela   |
| S42.021D | Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.021G    | Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with delayed healing          |
| S42.021S    | Displaced fracture of shaft of right clavicle, sequela   |
| S42.022D    | Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing           |
| S42.022G    | Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with delayed healing           |
| S42.022S    | Displaced fracture of shaft of left clavicle, sequela  |
| S42.023D    | Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with routine healing    |
| S42.023G    | Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with delayed healing    |
| S42.023S    | Displaced fracture of shaft of unspecified clavicle, sequela   |
| S42.024D    | Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing       |
| S42.024G    | Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with delayed healing       |
| S42.024S    | Nondisplaced fracture of shaft of right clavicle, sequela  |
| S42.025D    | Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing        |
| S42.025G    | Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with delayed healing        |
| S42.025S    | Nondisplaced fracture of shaft of left clavicle, sequela   |
| S42.026D    | Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with routine healing |
| S42.026G    | Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with delayed healing |
| S42.026S    | Nondisplaced fracture of shaft of unspecified clavicle, sequela  |
| S42.031D    | Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing    |
| S42.031G    | Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with delayed healing    |
| S42.031S    | Displaced fracture of lateral end of right clavicle, sequela   |
| S42.032D    | Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing     |
| S42.032G    | Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with delayed healing     |
| S42.032S    | Displaced fracture of lateral end of left clavicle, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.033D | Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with routine healing     |
| S42.033G | Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with delayed healing     |
| S42.033S | Displaced fracture of lateral end of unspecified clavicle, sequela  |
| S42.034D | Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing        |
| S42.034G | Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with delayed healing        |
| S42.034S | Nondisplaced fracture of lateral end of right clavicle, sequela   |
| S42.035D | Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing         |
| S42.035G | Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with delayed healing         |
| S42.035S | Nondisplaced fracture of lateral end of left clavicle, sequela  |
| S42.036D | Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with routine healing  |
| S42.036G | Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with delayed healing  |
| S42.036S | Nondisplaced fracture of lateral end of unspecified clavicle, sequela   |
| S42.101D | Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with routine healing       |
| S42.101G | Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with delayed healing       |
| S42.101S | Fracture of unspecified part of scapula, right shoulder, sequela  |
| S42.102D | Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with routine healing        |
| S42.102G | Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with delayed healing        |
| S42.102S | Fracture of unspecified part of scapula, left shoulder, sequela   |
| S42.109D | Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.109G | Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.109S | Fracture of unspecified part of scapula, unspecified shoulder, sequela  |
| S42.111D | Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with routine healing         |
| S42.111G | Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with delayed healing         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.111S | Displaced fracture of body of scapula, right shoulder, sequela   |
| S42.112D | Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with routine healing           |
| S42.112G | Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with delayed healing           |
| S42.112S | Displaced fracture of body of scapula, left shoulder, sequela  |
| S42.113D | Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing    |
| S42.113G | Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing    |
| S42.113S | Displaced fracture of body of scapula, unspecified shoulder, sequela   |
| S42.114D | Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with routine healing       |
| S42.114G | Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with delayed healing       |
| S42.114S | Nondisplaced fracture of body of scapula, right shoulder, sequela  |
| S42.115D | Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with routine healing        |
| S42.115G | Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with delayed healing        |
| S42.115S | Nondisplaced fracture of body of scapula, left shoulder, sequela   |
| S42.116D | Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.116G | Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.116S | Nondisplaced fracture of body of scapula, unspecified shoulder, sequela  |
| S42.121D | Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with routine healing         |
| S42.121G | Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with delayed healing         |
| S42.121S | Displaced fracture of acromial process, right shoulder, sequela  |
| S42.122D | Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with routine healing          |
| S42.122G | Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with delayed healing          |
| S42.122S | Displaced fracture of acromial process, left shoulder, sequela   |
| S42.123D | Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with routine healing   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.123G    | Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with delayed healing    |
| S42.123S    | Displaced fracture of acromial process, unspecified shoulder, sequela   |
| S42.124D    | Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with routine healing       |
| S42.124G    | Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with delayed healing       |
| S42.124S    | Nondisplaced fracture of acromial process, right shoulder, sequela  |
| S42.125D    | Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with routine healing        |
| S42.125G    | Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with delayed healing        |
| S42.125S    | Nondisplaced fracture of acromial process, left shoulder, sequela   |
| S42.126D    | Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.126G    | Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.126S    | Nondisplaced fracture of acromial process, unspecified shoulder, sequela  |
| S42.131D    | Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with routine healing          |
| S42.131G    | Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with delayed healing          |
| S42.131S    | Displaced fracture of coracoid process, right shoulder, sequela   |
| S42.132D    | Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with routine healing           |
| S42.132G    | Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with delayed healing           |
| S42.132S    | Displaced fracture of coracoid process, left shoulder, sequela  |
| S42.133D    | Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with routine healing    |
| S42.133G    | Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with delayed healing    |
| S42.133S    | Displaced fracture of coracoid process, unspecified shoulder, sequela   |
| S42.134D    | Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with routine healing       |
| S42.134G    | Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with delayed healing       |
| S42.134S    | Nondisplaced fracture of coracoid process, right shoulder, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.135D | Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with routine healing                 |
| S42.135G | Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with delayed healing                 |
| S42.135S | Nondisplaced fracture of coracoid process, left shoulder, sequela  |
| S42.136D | Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with routine healing          |
| S42.136G | Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with delayed healing          |
| S42.136S | Nondisplaced fracture of coracoid process, unspecified shoulder, sequela   |
| S42.141D | Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with routine healing          |
| S42.141G | Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with delayed healing          |
| S42.141S | Displaced fracture of glenoid cavity of scapula, right shoulder, sequela   |
| S42.142D | Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with routine healing           |
| S42.142G | Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with delayed healing           |
| S42.142S | Displaced fracture of glenoid cavity of scapula, left shoulder, sequela  |
| S42.143D | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing    |
| S42.143G | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing    |
| S42.143S | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, sequela   |
| S42.144D | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with routine healing       |
| S42.144G | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with delayed healing       |
| S42.144S | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, sequela  |
| S42.145D | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with routine healing        |
| S42.145G | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with delayed healing        |
| S42.145S | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, sequela   |
| S42.146D | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.146G | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.146S    | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, sequela                                      |
| S42.151D    | Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with routine healing          |
| S42.151G    | Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with delayed healing          |
| S42.151S    | Displaced fracture of neck of scapula, right shoulder, sequela   |
| S42.152D    | Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with routine healing           |
| S42.152G    | Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with delayed healing           |
| S42.152S    | Displaced fracture of neck of scapula, left shoulder, sequela  |
| S42.153D    | Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing    |
| S42.153G    | Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing    |
| S42.153S    | Displaced fracture of neck of scapula, unspecified shoulder, sequela   |
| S42.154D    | Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with routine healing       |
| S42.154G    | Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with delayed healing       |
| S42.154S    | Nondisplaced fracture of neck of scapula, right shoulder, sequela  |
| S42.155D    | Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with routine healing        |
| S42.155G    | Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with delayed healing        |
| S42.155S    | Nondisplaced fracture of neck of scapula, left shoulder, sequela   |
| S42.156D    | Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing |
| S42.156G    | Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing |
| S42.156S    | Nondisplaced fracture of neck of scapula, unspecified shoulder, sequela  |
| S42.191D    | Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with routine healing              |
| S42.191G    | Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with delayed healing              |
| S42.191S    | Fracture of other part of scapula, right shoulder, sequela   |
| S42.192D    | Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with routine healing               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.192G | Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with delayed healing                       |
| S42.192S | Fracture of other part of scapula, left shoulder, sequela  |
| S42.199D | Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing                |
| S42.199G | Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing                |
| S42.199S | Fracture of other part of scapula, unspecified shoulder, sequela   |
| S42.201D | Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with routine healing                     |
| S42.201G | Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing                     |
| S42.201S | Unspecified fracture of upper end of right humerus, sequela  |
| S42.202D | Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with routine healing                      |
| S42.202G | Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing                      |
| S42.202S | Unspecified fracture of upper end of left humerus, sequela   |
| S42.209D | Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing               |
| S42.209G | Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing               |
| S42.209S | Unspecified fracture of upper end of unspecified humerus, sequela  |
| S42.211D | Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing       |
| S42.211G | Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.211S | Unspecified displaced fracture of surgical neck of right humerus, sequela  |
| S42.212D | Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing        |
| S42.212G | Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.212S | Unspecified displaced fracture of surgical neck of left humerus, sequela   |
| S42.213D | Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.213G | Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.213S | Unspecified displaced fracture of surgical neck of unspecified humerus, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.214D | Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing       |
| S42.214G | Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.214S | Unspecified nondisplaced fracture of surgical neck of right humerus, sequela  |
| S42.215D | Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing        |
| S42.215G | Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.215S | Unspecified nondisplaced fracture of surgical neck of left humerus, sequela   |
| S42.216D | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.216G | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.216S | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, sequela  |
| S42.221D | 2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing               |
| S42.221G | 2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing               |
| S42.221S | 2-part displaced fracture of surgical neck of right humerus, sequela  |
| S42.222D | 2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing                |
| S42.222G | 2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing                |
| S42.222S | 2-part displaced fracture of surgical neck of left humerus, sequela   |
| S42.223D | 2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing         |
| S42.223G | 2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing         |
| S42.223S | 2-part displaced fracture of surgical neck of unspecified humerus, sequela  |
| S42.224D | 2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing            |
| S42.224G | 2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing            |
| S42.224S | 2-part nondisplaced fracture of surgical neck of right humerus, sequela   |
| S42.225D | 2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing             |
| S42.225G | 2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing             |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.225S | 2-part nondisplaced fracture of surgical neck of left humerus, sequela   |
| S42.226D | 2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.226G | 2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.226S | 2-part nondisplaced fracture of surgical neck of unspecified humerus, sequela  |
| S42.231D | 3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing                    |
| S42.231G | 3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing                    |
| S42.231S | 3-part fracture of surgical neck of right humerus, sequela   |
| S42.232D | 3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing                     |
| S42.232G | 3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing                     |
| S42.232S | 3-part fracture of surgical neck of left humerus, sequela  |
| S42.239D | 3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing              |
| S42.239G | 3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing              |
| S42.239S | 3-part fracture of surgical neck of unspecified humerus, sequela   |
| S42.241D | 4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing                    |
| S42.241G | 4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing                    |
| S42.241S | 4-part fracture of surgical neck of right humerus, sequela   |
| S42.242D | 4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing                     |
| S42.242G | 4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing                     |
| S42.242S | 4-part fracture of surgical neck of left humerus, sequela  |
| S42.249D | 4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing              |
| S42.249G | 4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing              |
| S42.249S | 4-part fracture of surgical neck of unspecified humerus, sequela   |
| S42.251D | Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with routine healing            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.251G | Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with delayed healing          |
| S42.251S | Displaced fracture of greater tuberosity of right humerus, sequela   |
| S42.252D | Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with routine healing           |
| S42.252G | Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with delayed healing           |
| S42.252S | Displaced fracture of greater tuberosity of left humerus, sequela  |
| S42.253D | Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing    |
| S42.253G | Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.253S | Displaced fracture of greater tuberosity of unspecified humerus, sequela   |
| S42.254D | Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with routine healing       |
| S42.254G | Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.254S | Nondisplaced fracture of greater tuberosity of right humerus, sequela  |
| S42.255D | Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with routine healing        |
| S42.255G | Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.255S | Nondisplaced fracture of greater tuberosity of left humerus, sequela   |
| S42.256D | Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.256G | Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.256S | Nondisplaced fracture of greater tuberosity of unspecified humerus, sequela  |
| S42.261D | Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with routine healing           |
| S42.261G | Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with delayed healing           |
| S42.261S | Displaced fracture of lesser tuberosity of right humerus, sequela  |
| S42.262D | Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with routine healing            |
| S42.262G | Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with delayed healing            |
| S42.262S | Displaced fracture of lesser tuberosity of left humerus, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.263D | Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing    |
| S42.263G | Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.263S | Displaced fracture of lesser tuberosity of unspecified humerus, sequela   |
| S42.264D | Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with routine healing       |
| S42.264G | Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.264S | Nondisplaced fracture of lesser tuberosity of right humerus, sequela  |
| S42.265D | Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with routine healing        |
| S42.265G | Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.265S | Nondisplaced fracture of lesser tuberosity of left humerus, sequela   |
| S42.266D | Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.266G | Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.266S | Nondisplaced fracture of lesser tuberosity of unspecified humerus, sequela  |
| S42.271D | Torus fracture of upper end of right humerus, subsequent encounter for fracture with routine healing                      |
| S42.271G | Torus fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing                      |
| S42.271S | Torus fracture of upper end of right humerus, sequela   |
| S42.272D | Torus fracture of upper end of left humerus, subsequent encounter for fracture with routine healing                       |
| S42.272G | Torus fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing                       |
| S42.272S | Torus fracture of upper end of left humerus, sequela  |
| S42.279D | Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing                |
| S42.279G | Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing                |
| S42.279S | Torus fracture of upper end of unspecified humerus, sequela   |
| S42.291D | Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with routine healing            |
| S42.291G | Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.291S | Other displaced fracture of upper end of right humerus, sequela   |
| S42.292D | Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with routine healing           |
| S42.292G | Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing           |
| S42.292S | Other displaced fracture of upper end of left humerus, sequela  |
| S42.293D | Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing    |
| S42.293G | Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.293S | Other displaced fracture of upper end of unspecified humerus, sequela   |
| S42.294D | Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with routine healing       |
| S42.294G | Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.294S | Other nondisplaced fracture of upper end of right humerus, sequela  |
| S42.295D | Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with routine healing        |
| S42.295G | Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.295S | Other nondisplaced fracture of upper end of left humerus, sequela   |
| S42.296D | Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.296G | Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.296S | Other nondisplaced fracture of upper end of unspecified humerus, sequela  |
| S42.301D | Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing             |
| S42.301G | Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing             |
| S42.301S | Unspecified fracture of shaft of humerus, right arm, sequela  |
| S42.302D | Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing              |
| S42.302G | Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing              |
| S42.302S | Unspecified fracture of shaft of humerus, left arm, sequela   |
| S42.309D | Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing       |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.309G    | Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing          |
| S42.309S    | Unspecified fracture of shaft of humerus, unspecified arm, sequela   |
| S42.311D    | Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing                 |
| S42.311G    | Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing                 |
| S42.311S    | Greenstick fracture of shaft of humerus, right arm, sequela  |
| S42.312D    | Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing                  |
| S42.312G    | Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing                  |
| S42.312S    | Greenstick fracture of shaft of humerus, left arm, sequela   |
| S42.319D    | Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing           |
| S42.319G    | Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing           |
| S42.319S    | Greenstick fracture of shaft of humerus, unspecified arm, sequela  |
| S42.321D    | Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing       |
| S42.321G    | Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing       |
| S42.321S    | Displaced transverse fracture of shaft of humerus, right arm, sequela  |
| S42.322D    | Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S42.322G    | Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S42.322S    | Displaced transverse fracture of shaft of humerus, left arm, sequela   |
| S42.323D    | Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.323G    | Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.323S    | Displaced transverse fracture of shaft of humerus, unspecified arm, sequela  |
| S42.324D    | Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing    |
| S42.324G    | Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing    |
| S42.324S    | Nondisplaced transverse fracture of shaft of humerus, right arm, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.325D | Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S42.325G | Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S42.325S | Nondisplaced transverse fracture of shaft of humerus, left arm, sequela   |
| S42.326D | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.326G | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.326S | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, sequela  |
| S42.331D | Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing             |
| S42.331G | Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing             |
| S42.331S | Displaced oblique fracture of shaft of humerus, right arm, sequela  |
| S42.332D | Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing              |
| S42.332G | Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing              |
| S42.332S | Displaced oblique fracture of shaft of humerus, left arm, sequela   |
| S42.333D | Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing       |
| S42.333G | Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing       |
| S42.333S | Displaced oblique fracture of shaft of humerus, unspecified arm, sequela  |
| S42.334D | Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing          |
| S42.334G | Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing          |
| S42.334S | Nondisplaced oblique fracture of shaft of humerus, right arm, sequela   |
| S42.335D | Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing           |
| S42.335G | Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing           |
| S42.335S | Nondisplaced oblique fracture of shaft of humerus, left arm, sequela  |
| S42.336D | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing    |
| S42.336G | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.336S    | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, sequela   |
| S42.341D    | Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing          |
| S42.341G    | Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing          |
| S42.341S    | Displaced spiral fracture of shaft of humerus, right arm, sequela   |
| S42.342D    | Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing           |
| S42.342G    | Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing           |
| S42.342S    | Displaced spiral fracture of shaft of humerus, left arm, sequela  |
| S42.343D    | Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing    |
| S42.343G    | Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing    |
| S42.343S    | Displaced spiral fracture of shaft of humerus, unspecified arm, sequela   |
| S42.344D    | Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing       |
| S42.344G    | Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing       |
| S42.344S    | Nondisplaced spiral fracture of shaft of humerus, right arm, sequela  |
| S42.345D    | Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S42.345G    | Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S42.345S    | Nondisplaced spiral fracture of shaft of humerus, left arm, sequela   |
| S42.346D    | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.346G    | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.346S    | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, sequela  |
| S42.351D    | Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing      |
| S42.351G    | Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing      |
| S42.351S    | Displaced comminuted fracture of shaft of humerus, right arm, sequela   |
| S42.352D    | Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.352G | Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing           |
| S42.352S | Displaced comminuted fracture of shaft of humerus, left arm, sequela  |
| S42.353D | Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing    |
| S42.353G | Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing    |
| S42.353S | Displaced comminuted fracture of shaft of humerus, unspecified arm, sequela   |
| S42.354D | Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing       |
| S42.354G | Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing       |
| S42.354S | Nondisplaced comminuted fracture of shaft of humerus, right arm, sequela  |
| S42.355D | Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S42.355G | Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S42.355S | Nondisplaced comminuted fracture of shaft of humerus, left arm, sequela   |
| S42.356D | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.356G | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.356S | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, sequela  |
| S42.361D | Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing           |
| S42.361G | Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing           |
| S42.361S | Displaced segmental fracture of shaft of humerus, right arm, sequela  |
| S42.362D | Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing            |
| S42.362G | Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing            |
| S42.362S | Displaced segmental fracture of shaft of humerus, left arm, sequela   |
| S42.363D | Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing     |
| S42.363G | Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing     |
| S42.363S | Displaced segmental fracture of shaft of humerus, unspecified arm, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.364D | Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing       |
| S42.364G | Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing       |
| S42.364S | Nondisplaced segmental fracture of shaft of humerus, right arm, sequela  |
| S42.365D | Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S42.365G | Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S42.365S | Nondisplaced segmental fracture of shaft of humerus, left arm, sequela   |
| S42.366D | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S42.366G | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S42.366S | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, sequela  |
| S42.391D | Other fracture of shaft of right humerus, subsequent encounter for fracture with routine healing                             |
| S42.391G | Other fracture of shaft of right humerus, subsequent encounter for fracture with delayed healing                             |
| S42.391S | Other fracture of shaft of right humerus, sequela  |
| S42.392D | Other fracture of shaft of left humerus, subsequent encounter for fracture with routine healing                              |
| S42.392G | Other fracture of shaft of left humerus, subsequent encounter for fracture with delayed healing                              |
| S42.392S | Other fracture of shaft of left humerus, sequela   |
| S42.399D | Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with routine healing                       |
| S42.399G | Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with delayed healing                       |
| S42.399S | Other fracture of shaft of unspecified humerus, sequela  |
| S42.401D | Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with routine healing                   |
| S42.401G | Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing                   |
| S42.401S | Unspecified fracture of lower end of right humerus, sequela  |
| S42.402D | Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with routine healing                    |
| S42.402G | Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.402S | Unspecified fracture of lower end of left humerus, sequela   |
| S42.409D | Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing   |
| S42.409G | Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing   |
| S42.409S | Unspecified fracture of lower end of unspecified humerus, sequela  |
| S42.411D | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing          |
| S42.411G | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing          |
| S42.411S | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, sequela   |
| S42.412D | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing           |
| S42.412G | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing           |
| S42.412S | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, sequela  |
| S42.413D | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing    |
| S42.413G | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.413S | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, sequela   |
| S42.414D | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing       |
| S42.414G | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.414S | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, sequela  |
| S42.415D | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing        |
| S42.415G | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.415S | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, sequela   |
| S42.416D | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.416G | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.416S | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, sequela  |
| S42.421D | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing          |
| S42.421G | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing          |
| S42.421S | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, sequela   |
| S42.422D | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing           |
| S42.422G | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing           |
| S42.422S | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, sequela  |
| S42.423D | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing    |
| S42.423G | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.423S | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, sequela   |
| S42.424D | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing       |
| S42.424G | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.424S | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, sequela  |
| S42.425D | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing        |
| S42.425G | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.425S | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, sequela   |
| S42.426D | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.426G | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.426S | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, sequela  |
| S42.431D | Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with routine healing                                 |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.431G | Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with delayed healing          |
| S42.431S | Displaced fracture (avulsion) of lateral epicondyle of right humerus, sequela   |
| S42.432D | Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with routine healing           |
| S42.432G | Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with delayed healing           |
| S42.432S | Displaced fracture (avulsion) of lateral epicondyle of left humerus, sequela  |
| S42.433D | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing    |
| S42.433G | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.433S | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, sequela   |
| S42.434D | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with routine healing       |
| S42.434G | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.434S | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, sequela  |
| S42.435D | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with routine healing        |
| S42.435G | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.435S | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, sequela   |
| S42.436D | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.436G | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.436S | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, sequela  |
| S42.441D | Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing           |
| S42.441G | Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing           |
| S42.441S | Displaced fracture (avulsion) of medial epicondyle of right humerus, sequela  |
| S42.442D | Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing            |
| S42.442G | Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing            |
| S42.442S | Displaced fracture (avulsion) of medial epicondyle of left humerus, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.443D | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing    |
| S42.443G | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.443S | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, sequela   |
| S42.444D | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing       |
| S42.444G | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.444S | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, sequela  |
| S42.445D | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing        |
| S42.445G | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.445S | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, sequela   |
| S42.446D | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.446G | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.446S | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, sequela  |
| S42.447D | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing       |
| S42.447G | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.447S | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, sequela  |
| S42.448D | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing        |
| S42.448G | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.448S | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, sequela   |
| S42.449D | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.449G | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.449S | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, sequela  |
| S42.451D | Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with routine healing                       |
| S42.451G | Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with delayed healing                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.451S | Displaced fracture of lateral condyle of right humerus, sequela   |
| S42.452D | Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with routine healing           |
| S42.452G | Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with delayed healing           |
| S42.452S | Displaced fracture of lateral condyle of left humerus, sequela  |
| S42.453D | Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with routine healing    |
| S42.453G | Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.453S | Displaced fracture of lateral condyle of unspecified humerus, sequela   |
| S42.454D | Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with routine healing       |
| S42.454G | Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.454S | Nondisplaced fracture of lateral condyle of right humerus, sequela  |
| S42.455D | Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with routine healing        |
| S42.455G | Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.455S | Nondisplaced fracture of lateral condyle of left humerus, sequela   |
| S42.456D | Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.456G | Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.456S | Nondisplaced fracture of lateral condyle of unspecified humerus, sequela  |
| S42.461D | Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with routine healing           |
| S42.461G | Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with delayed healing           |
| S42.461S | Displaced fracture of medial condyle of right humerus, sequela  |
| S42.462D | Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with routine healing            |
| S42.462G | Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with delayed healing            |
| S42.462S | Displaced fracture of medial condyle of left humerus, sequela   |
| S42.463D | Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with routine healing     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.463G    | Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with delayed healing    |
| S42.463S    | Displaced fracture of medial condyle of unspecified humerus, sequela   |
| S42.464D    | Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with routine healing       |
| S42.464G    | Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.464S    | Nondisplaced fracture of medial condyle of right humerus, sequela  |
| S42.465D    | Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with routine healing        |
| S42.465G    | Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.465S    | Nondisplaced fracture of medial condyle of left humerus, sequela   |
| S42.466D    | Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.466G    | Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.466S    | Nondisplaced fracture of medial condyle of unspecified humerus, sequela  |
| S42.471D    | Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with routine healing              |
| S42.471G    | Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with delayed healing              |
| S42.471S    | Displaced transcondylar fracture of right humerus, sequela   |
| S42.472D    | Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with routine healing               |
| S42.472G    | Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with delayed healing               |
| S42.472S    | Displaced transcondylar fracture of left humerus, sequela  |
| S42.473D    | Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing        |
| S42.473G    | Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing        |
| S42.473S    | Displaced transcondylar fracture of unspecified humerus, sequela   |
| S42.474D    | Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with routine healing           |
| S42.474G    | Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with delayed healing           |
| S42.474S    | Nondisplaced transcondylar fracture of right humerus, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.475D | Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with routine healing          |
| S42.475G | Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with delayed healing          |
| S42.475S | Nondisplaced transcondylar fracture of left humerus, sequela   |
| S42.476D | Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing   |
| S42.476G | Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing   |
| S42.476S | Nondisplaced transcondylar fracture of unspecified humerus, sequela  |
| S42.481D | Torus fracture of lower end of right humerus, subsequent encounter for fracture with routine healing                 |
| S42.481G | Torus fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing                 |
| S42.481S | Torus fracture of lower end of right humerus, sequela  |
| S42.482D | Torus fracture of lower end of left humerus, subsequent encounter for fracture with routine healing                  |
| S42.482G | Torus fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing                  |
| S42.482S | Torus fracture of lower end of left humerus, sequela   |
| S42.489D | Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing           |
| S42.489G | Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing           |
| S42.489S | Torus fracture of lower end of unspecified humerus, sequela  |
| S42.491D | Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with routine healing       |
| S42.491G | Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.491S | Other displaced fracture of lower end of right humerus, sequela  |
| S42.492D | Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with routine healing        |
| S42.492G | Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.492S | Other displaced fracture of lower end of left humerus, sequela   |
| S42.493D | Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.493G | Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.493S | Other displaced fracture of lower end of unspecified humerus, sequela   |
| S42.494D | Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with routine healing       |
| S42.494G | Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing       |
| S42.494S | Other nondisplaced fracture of lower end of right humerus, sequela  |
| S42.495D | Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with routine healing        |
| S42.495G | Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing        |
| S42.495S | Other nondisplaced fracture of lower end of left humerus, sequela   |
| S42.496D | Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing |
| S42.496G | Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing |
| S42.496S | Other nondisplaced fracture of lower end of unspecified humerus, sequela  |
| S42.90XD | Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing       |
| S42.90XG | Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing       |
| S42.90XS | Fracture of unspecified shoulder girdle, part unspecified, sequela  |
| S42.91XD | Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing             |
| S42.91XG | Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing             |
| S42.91XS | Fracture of right shoulder girdle, part unspecified, sequela  |
| S42.92XD | Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing              |
| S42.92XG | Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing              |
| S42.92XS | Fracture of left shoulder girdle, part unspecified, sequela   |
| S43.001A | Unspecified subluxation of right shoulder joint, initial encounter  |
| S43.001S | Unspecified subluxation of right shoulder joint, sequela  |
| S43.002A | Unspecified subluxation of left shoulder joint, initial encounter   |
| S43.002S | Unspecified subluxation of left shoulder joint, sequela   |
| S43.003A | Unspecified subluxation of unspecified shoulder joint, initial encounter  |
| S43.003S | Unspecified subluxation of unspecified shoulder joint, sequela  |
| S43.004A | Unspecified dislocation of right shoulder joint, initial encounter  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S43.004S | Unspecified dislocation of right shoulder joint, sequela                 |
| S43.005A | Unspecified dislocation of left shoulder joint, initial encounter        |
| S43.005S | Unspecified dislocation of left shoulder joint, sequela                  |
| S43.006A | Unspecified dislocation of unspecified shoulder joint, initial encounter |
| S43.006S | Unspecified dislocation of unspecified shoulder joint, sequela           |
| S43.011A | Anterior subluxation of right humerus, initial encounter                 |
| S43.011S | Anterior subluxation of right humerus, sequela                           |
| S43.012A | Anterior subluxation of left humerus, initial encounter                  |
| S43.012S | Anterior subluxation of left humerus, sequela                            |
| S43.013A | Anterior subluxation of unspecified humerus, initial encounter           |
| S43.013S | Anterior subluxation of unspecified humerus, sequela                     |
| S43.014A | Anterior dislocation of right humerus, initial encounter                 |
| S43.014S | Anterior dislocation of right humerus, sequela                           |
| S43.015A | Anterior dislocation of left humerus, initial encounter                  |
| S43.015S | Anterior dislocation of left humerus, sequela                            |
| S43.016A | Anterior dislocation of unspecified humerus, initial encounter           |
| S43.016S | Anterior dislocation of unspecified humerus, sequela                     |
| S43.021A | Posterior subluxation of right humerus, initial encounter                |
| S43.021S | Posterior subluxation of right humerus, sequela                          |
| S43.022A | Posterior subluxation of left humerus, initial encounter                 |
| S43.022S | Posterior subluxation of left humerus, sequela                           |
| S43.023A | Posterior subluxation of unspecified humerus, initial encounter          |
| S43.023S | Posterior subluxation of unspecified humerus, sequela                    |
| S43.024A | Posterior dislocation of right humerus, initial encounter                |
| S43.024S | Posterior dislocation of right humerus, sequela                          |
| S43.025A | Posterior dislocation of left humerus, initial encounter                 |
| S43.025S | Posterior dislocation of left humerus, sequela                           |
| S43.026A | Posterior dislocation of unspecified humerus, initial encounter          |
| S43.026S | Posterior dislocation of unspecified humerus, sequela                    |
| S43.031A | Inferior subluxation of right humerus, initial encounter                 |
| S43.031S | Inferior subluxation of right humerus, sequela                           |
| S43.032A | Inferior subluxation of left humerus, initial encounter                  |
| S43.032S | Inferior subluxation of left humerus, sequela                            |
| S43.033A | Inferior subluxation of unspecified humerus, initial encounter           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S43.033S    | Inferior subluxation of unspecified humerus, sequela                                    |
| S43.034A    | Inferior dislocation of right humerus, initial encounter                                |
| S43.034S    | Inferior dislocation of right humerus, sequela  |
| S43.035A    | Inferior dislocation of left humerus, initial encounter                                 |
| S43.035S    | Inferior dislocation of left humerus, sequela   |
| S43.036A    | Inferior dislocation of unspecified humerus, initial encounter                          |
| S43.036S    | Inferior dislocation of unspecified humerus, sequela                                    |
| S43.081A    | Other subluxation of right shoulder joint, initial encounter                            |
| S43.081S    | Other subluxation of right shoulder joint, sequela                                      |
| S43.082A    | Other subluxation of left shoulder joint, initial encounter                             |
| S43.082S    | Other subluxation of left shoulder joint, sequela                                       |
| S43.083A    | Other subluxation of unspecified shoulder joint, initial encounter                      |
| S43.083S    | Other subluxation of unspecified shoulder joint, sequela                                |
| S43.084A    | Other dislocation of right shoulder joint, initial encounter                            |
| S43.084S    | Other dislocation of right shoulder joint, sequela                                      |
| S43.085A    | Other dislocation of left shoulder joint, initial encounter                             |
| S43.085S    | Other dislocation of left shoulder joint, sequela                                       |
| S43.086A    | Other dislocation of unspecified shoulder joint, initial encounter                      |
| S43.086S    | Other dislocation of unspecified shoulder joint, sequela                                |
| S43.101A    | Unspecified dislocation of right acromioclavicular joint, initial encounter             |
| S43.101S    | Unspecified dislocation of right acromioclavicular joint, sequela                       |
| S43.102A    | Unspecified dislocation of left acromioclavicular joint, initial encounter              |
| S43.102S    | Unspecified dislocation of left acromioclavicular joint, sequela                        |
| S43.109A    | Unspecified dislocation of unspecified acromioclavicular joint, initial encounter       |
| S43.109S    | Unspecified dislocation of unspecified acromioclavicular joint, sequela                 |
| S43.111A    | Subluxation of right acromioclavicular joint, initial encounter                         |
| S43.111S    | Subluxation of right acromioclavicular joint, sequela                                   |
| S43.112A    | Subluxation of left acromioclavicular joint, initial encounter                          |
| S43.112S    | Subluxation of left acromioclavicular joint, sequela                                    |
| S43.119A    | Subluxation of unspecified acromioclavicular joint, initial encounter                   |
| S43.119S    | Subluxation of unspecified acromioclavicular joint, sequela                             |
| S43.121A    | Dislocation of right acromioclavicular joint, 100%-200% displacement, initial encounter |
| S43.121S    | Dislocation of right acromioclavicular joint, 100%-200% displacement, sequela           |
| S43.122A    | Dislocation of left acromioclavicular joint, 100%-200% displacement, initial encounter  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S43.122S    | Dislocation of left acromioclavicular joint, 100%-200% displacement, sequela                          |
| S43.129A    | Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, initial encounter         |
| S43.129S    | Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, sequela                   |
| S43.131A    | Dislocation of right acromioclavicular joint, greater than 200% displacement, initial encounter       |
| S43.131S    | Dislocation of right acromioclavicular joint, greater than 200% displacement, sequela                 |
| S43.132A    | Dislocation of left acromioclavicular joint, greater than 200% displacement, initial encounter        |
| S43.132S    | Dislocation of left acromioclavicular joint, greater than 200% displacement, sequela                  |
| S43.139A    | Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, initial encounter |
| S43.139S    | Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, sequela           |
| S43.141A    | Inferior dislocation of right acromioclavicular joint, initial encounter                              |
| S43.141S    | Inferior dislocation of right acromioclavicular joint, sequela  |
| S43.142A    | Inferior dislocation of left acromioclavicular joint, initial encounter                               |
| S43.142S    | Inferior dislocation of left acromioclavicular joint, sequela   |
| S43.149A    | Inferior dislocation of unspecified acromioclavicular joint, initial encounter                        |
| S43.149S    | Inferior dislocation of unspecified acromioclavicular joint, sequela                                  |
| S43.151A    | Posterior dislocation of right acromioclavicular joint, initial encounter                             |
| S43.151S    | Posterior dislocation of right acromioclavicular joint, sequela                                       |
| S43.152A    | Posterior dislocation of left acromioclavicular joint, initial encounter                              |
| S43.152S    | Posterior dislocation of left acromioclavicular joint, sequela  |
| S43.159A    | Posterior dislocation of unspecified acromioclavicular joint, initial encounter                       |
| S43.159S    | Posterior dislocation of unspecified acromioclavicular joint, sequela                                 |
| S43.201A    | Unspecified subluxation of right sternoclavicular joint, initial encounter                            |
| S43.201S    | Unspecified subluxation of right sternoclavicular joint, sequela                                      |
| S43.202A    | Unspecified subluxation of left sternoclavicular joint, initial encounter                             |
| S43.202S    | Unspecified subluxation of left sternoclavicular joint, sequela                                       |
| S43.203A    | Unspecified subluxation of unspecified sternoclavicular joint, initial encounter                      |
| S43.203S    | Unspecified subluxation of unspecified sternoclavicular joint, sequela                                |
| S43.204A    | Unspecified dislocation of right sternoclavicular joint, initial encounter                            |
| S43.204S    | Unspecified dislocation of right sternoclavicular joint, sequela                                      |
| S43.205A    | Unspecified dislocation of left sternoclavicular joint, initial encounter                             |
| S43.205S    | Unspecified dislocation of left sternoclavicular joint, sequela                                       |
| S43.206A    | Unspecified dislocation of unspecified sternoclavicular joint, initial encounter                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S43.206S    | Unspecified dislocation of unspecified sternoclavicular joint, sequela             |
| S43.211A    | Anterior subluxation of right sternoclavicular joint, initial encounter            |
| S43.211S    | Anterior subluxation of right sternoclavicular joint, sequela                      |
| S43.212A    | Anterior subluxation of left sternoclavicular joint, initial encounter             |
| S43.212S    | Anterior subluxation of left sternoclavicular joint, sequela                       |
| S43.213A    | Anterior subluxation of unspecified sternoclavicular joint, initial encounter      |
| S43.213S    | Anterior subluxation of unspecified sternoclavicular joint, sequela                |
| S43.214A    | Anterior dislocation of right sternoclavicular joint, initial encounter            |
| S43.214S    | Anterior dislocation of right sternoclavicular joint, sequela                      |
| S43.215A    | Anterior dislocation of left sternoclavicular joint, initial encounter             |
| S43.215S    | Anterior dislocation of left sternoclavicular joint, sequela                       |
| S43.216A    | Anterior dislocation of unspecified sternoclavicular joint, initial encounter      |
| S43.216S    | Anterior dislocation of unspecified sternoclavicular joint, sequela                |
| S43.221A    | Posterior subluxation of right sternoclavicular joint, initial encounter           |
| S43.221S    | Posterior subluxation of right sternoclavicular joint, sequela                     |
| S43.222A    | Posterior subluxation of left sternoclavicular joint, initial encounter            |
| S43.222S    | Posterior subluxation of left sternoclavicular joint, sequela                      |
| S43.223A    | Posterior subluxation of unspecified sternoclavicular joint, initial encounter     |
| S43.223S    | Posterior subluxation of unspecified sternoclavicular joint, sequela               |
| S43.224A    | Posterior dislocation of right sternoclavicular joint, initial encounter           |
| S43.224S    | Posterior dislocation of right sternoclavicular joint, sequela                     |
| S43.225A    | Posterior dislocation of left sternoclavicular joint, initial encounter            |
| S43.225S    | Posterior dislocation of left sternoclavicular joint, sequela                      |
| S43.226A    | Posterior dislocation of unspecified sternoclavicular joint, initial encounter     |
| S43.226S    | Posterior dislocation of unspecified sternoclavicular joint, sequela               |
| S43.301A    | Subluxation of unspecified parts of right shoulder girdle, initial encounter       |
| S43.301S    | Subluxation of unspecified parts of right shoulder girdle, sequela                 |
| S43.302A    | Subluxation of unspecified parts of left shoulder girdle, initial encounter        |
| S43.302S    | Subluxation of unspecified parts of left shoulder girdle, sequela                  |
| S43.303A    | Subluxation of unspecified parts of unspecified shoulder girdle, initial encounter |
| S43.303S    | Subluxation of unspecified parts of unspecified shoulder girdle, sequela           |
| S43.304A    | Dislocation of unspecified parts of right shoulder girdle, initial encounter       |
| S43.304S    | Dislocation of unspecified parts of right shoulder girdle, sequela                 |
| S43.305A    | Dislocation of unspecified parts of left shoulder girdle, initial encounter        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S43.305S | Dislocation of unspecified parts of left shoulder girdle, sequela                  |
| S43.306A | Dislocation of unspecified parts of unspecified shoulder girdle, initial encounter |
| S43.306S | Dislocation of unspecified parts of unspecified shoulder girdle, sequela           |
| S43.311A | Subluxation of right scapula, initial encounter                                    |
| S43.311S | Subluxation of right scapula, sequela  |
| S43.312A | Subluxation of left scapula, initial encounter                                     |
| S43.312S | Subluxation of left scapula, sequela   |
| S43.313A | Subluxation of unspecified scapula, initial encounter                              |
| S43.313S | Subluxation of unspecified scapula, sequela  |
| S43.314A | Dislocation of right scapula, initial encounter                                    |
| S43.314S | Dislocation of right scapula, sequela  |
| S43.315A | Dislocation of left scapula, initial encounter                                     |
| S43.315S | Dislocation of left scapula, sequela   |
| S43.316A | Dislocation of unspecified scapula, initial encounter                              |
| S43.316S | Dislocation of unspecified scapula, sequela  |
| S43.391A | Subluxation of other parts of right shoulder girdle, initial encounter             |
| S43.391S | Subluxation of other parts of right shoulder girdle, sequela                       |
| S43.392A | Subluxation of other parts of left shoulder girdle, initial encounter              |
| S43.392S | Subluxation of other parts of left shoulder girdle, sequela                        |
| S43.393A | Subluxation of other parts of unspecified shoulder girdle, initial encounter       |
| S43.393S | Subluxation of other parts of unspecified shoulder girdle, sequela                 |
| S43.394A | Dislocation of other parts of right shoulder girdle, initial encounter             |
| S43.394S | Dislocation of other parts of right shoulder girdle, sequela                       |
| S43.395A | Dislocation of other parts of left shoulder girdle, initial encounter              |
| S43.395S | Dislocation of other parts of left shoulder girdle, sequela                        |
| S43.396A | Dislocation of other parts of unspecified shoulder girdle, initial encounter       |
| S43.396S | Dislocation of other parts of unspecified shoulder girdle, sequela                 |
| S43.401A | Unspecified sprain of right shoulder joint, initial encounter                      |
| S43.401S | Unspecified sprain of right shoulder joint, sequela                                |
| S43.402A | Unspecified sprain of left shoulder joint, initial encounter                       |
| S43.402S | Unspecified sprain of left shoulder joint, sequela                                 |
| S43.409A | Unspecified sprain of unspecified shoulder joint, initial encounter                |
| S43.409S | Unspecified sprain of unspecified shoulder joint, sequela                          |
| S43.411A | Sprain of right coracohumeral (ligament), initial encounter                        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S43.411S | Sprain of right coracohumeral (ligament), sequela                         |
| S43.412A | Sprain of left coracohumeral (ligament), initial encounter                |
| S43.412S | Sprain of left coracohumeral (ligament), sequela                          |
| S43.419A | Sprain of unspecified coracohumeral (ligament), initial encounter         |
| S43.419S | Sprain of unspecified coracohumeral (ligament), sequela                   |
| S43.421A | Sprain of right rotator cuff capsule, initial encounter                   |
| S43.421S | Sprain of right rotator cuff capsule, sequela                             |
| S43.422A | Sprain of left rotator cuff capsule, initial encounter                    |
| S43.422S | Sprain of left rotator cuff capsule, sequela                              |
| S43.429A | Sprain of unspecified rotator cuff capsule, initial encounter             |
| S43.429S | Sprain of unspecified rotator cuff capsule, sequela                       |
| S43.431A | Superior glenoid labrum lesion of right shoulder, initial encounter       |
| S43.431S | Superior glenoid labrum lesion of right shoulder, sequela                 |
| S43.432A | Superior glenoid labrum lesion of left shoulder, initial encounter        |
| S43.432S | Superior glenoid labrum lesion of left shoulder, sequela                  |
| S43.439A | Superior glenoid labrum lesion of unspecified shoulder, initial encounter |
| S43.439S | Superior glenoid labrum lesion of unspecified shoulder, sequela           |
| S43.491A | Other sprain of right shoulder joint, initial encounter                   |
| S43.491S | Other sprain of right shoulder joint, sequela                             |
| S43.492A | Other sprain of left shoulder joint, initial encounter                    |
| S43.492S | Other sprain of left shoulder joint, sequela                              |
| S43.499A | Other sprain of unspecified shoulder joint, initial encounter             |
| S43.499S | Other sprain of unspecified shoulder joint, sequela                       |
| S43.50XA | Sprain of unspecified acromioclavicular joint, initial encounter          |
| S43.50XS | Sprain of unspecified acromioclavicular joint, sequela                    |
| S43.51XA | Sprain of right acromioclavicular joint, initial encounter                |
| S43.51XS | Sprain of right acromioclavicular joint, sequela                          |
| S43.52XA | Sprain of left acromioclavicular joint, initial encounter                 |
| S43.52XS | Sprain of left acromioclavicular joint, sequela                           |
| S43.60XA | Sprain of unspecified sternoclavicular joint, initial encounter           |
| S43.60XS | Sprain of unspecified sternoclavicular joint, sequela                     |
| S43.61XA | Sprain of right sternoclavicular joint, initial encounter                 |
| S43.61XS | Sprain of right sternoclavicular joint, sequela                           |
| S43.62XA | Sprain of left sternoclavicular joint, initial encounter                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S43.62XS | Sprain of left sternoclavicular joint, sequela                                    |
| S43.80XA | Sprain of other specified parts of unspecified shoulder girdle, initial encounter |
| S43.80XS | Sprain of other specified parts of unspecified shoulder girdle, sequela           |
| S43.81XA | Sprain of other specified parts of right shoulder girdle, initial encounter       |
| S43.81XS | Sprain of other specified parts of right shoulder girdle, sequela                 |
| S43.82XA | Sprain of other specified parts of left shoulder girdle, initial encounter        |
| S43.82XS | Sprain of other specified parts of left shoulder girdle, sequela                  |
| S43.90XA | Sprain of unspecified parts of unspecified shoulder girdle, initial encounter     |
| S43.90XS | Sprain of unspecified parts of unspecified shoulder girdle, sequela               |
| S43.91XA | Sprain of unspecified parts of right shoulder girdle, initial encounter           |
| S43.91XS | Sprain of unspecified parts of right shoulder girdle, sequela                     |
| S43.92XA | Sprain of unspecified parts of left shoulder girdle, initial encounter            |
| S43.92XS | Sprain of unspecified parts of left shoulder girdle, sequela                      |
| S44.00XA | Injury of ulnar nerve at upper arm level, unspecified arm, initial encounter      |
| S44.00XS | Injury of ulnar nerve at upper arm level, unspecified arm, sequela                |
| S44.01XA | Injury of ulnar nerve at upper arm level, right arm, initial encounter            |
| S44.01XS | Injury of ulnar nerve at upper arm level, right arm, sequela                      |
| S44.02XA | Injury of ulnar nerve at upper arm level, left arm, initial encounter             |
| S44.02XS | Injury of ulnar nerve at upper arm level, left arm, sequela                       |
| S44.10XA | Injury of median nerve at upper arm level, unspecified arm, initial encounter     |
| S44.10XS | Injury of median nerve at upper arm level, unspecified arm, sequela               |
| S44.11XA | Injury of median nerve at upper arm level, right arm, initial encounter           |
| S44.11XS | Injury of median nerve at upper arm level, right arm, sequela                     |
| S44.12XA | Injury of median nerve at upper arm level, left arm, initial encounter            |
| S44.12XS | Injury of median nerve at upper arm level, left arm, sequela                      |
| S44.20XA | Injury of radial nerve at upper arm level, unspecified arm, initial encounter     |
| S44.20XS | Injury of radial nerve at upper arm level, unspecified arm, sequela               |
| S44.21XA | Injury of radial nerve at upper arm level, right arm, initial encounter           |
| S44.21XS | Injury of radial nerve at upper arm level, right arm, sequela                     |
| S44.22XA | Injury of radial nerve at upper arm level, left arm, initial encounter            |
| S44.22XS | Injury of radial nerve at upper arm level, left arm, sequela                      |
| S44.30XA | Injury of axillary nerve, unspecified arm, initial encounter                      |
| S44.30XS | Injury of axillary nerve, unspecified arm, sequela                                |
| S44.31XA | Injury of axillary nerve, right arm, initial encounter                            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S44.31XS | Injury of axillary nerve, right arm, sequela  |
| S44.32XA | Injury of axillary nerve, left arm, initial encounter   |
| S44.32XS | Injury of axillary nerve, left arm, sequela   |
| S44.40XA | Injury of musculocutaneous nerve, unspecified arm, initial encounter                                  |
| S44.40XS | Injury of musculocutaneous nerve, unspecified arm, sequela  |
| S44.41XA | Injury of musculocutaneous nerve, right arm, initial encounter  |
| S44.41XS | Injury of musculocutaneous nerve, right arm, sequela  |
| S44.42XA | Injury of musculocutaneous nerve, left arm, initial encounter   |
| S44.42XS | Injury of musculocutaneous nerve, left arm, sequela   |
| S44.50XA | Injury of cutaneous sensory nerve at shoulder and upper arm level, unspecified arm, initial encounter |
| S44.50XS | Injury of cutaneous sensory nerve at shoulder and upper arm level, unspecified arm, sequela           |
| S44.51XA | Injury of cutaneous sensory nerve at shoulder and upper arm level, right arm, initial encounter       |
| S44.51XS | Injury of cutaneous sensory nerve at shoulder and upper arm level, right arm, sequela                 |
| S44.52XA | Injury of cutaneous sensory nerve at shoulder and upper arm level, left arm, initial encounter        |
| S44.52XS | Injury of cutaneous sensory nerve at shoulder and upper arm level, left arm, sequela                  |
| S44.8X1A | Injury of other nerves at shoulder and upper arm level, right arm, initial encounter                  |
| S44.8X1S | Injury of other nerves at shoulder and upper arm level, right arm, sequela                            |
| S44.8X2A | Injury of other nerves at shoulder and upper arm level, left arm, initial encounter                   |
| S44.8X2S | Injury of other nerves at shoulder and upper arm level, left arm, sequela                             |
| S44.8X9A | Injury of other nerves at shoulder and upper arm level, unspecified arm, initial encounter            |
| S44.8X9S | Injury of other nerves at shoulder and upper arm level, unspecified arm, sequela                      |
| S44.90XA | Injury of unspecified nerve at shoulder and upper arm level, unspecified arm, initial encounter       |
| S44.90XS | Injury of unspecified nerve at shoulder and upper arm level, unspecified arm, sequela                 |
| S44.91XA | Injury of unspecified nerve at shoulder and upper arm level, right arm, initial encounter             |
| S44.91XS | Injury of unspecified nerve at shoulder and upper arm level, right arm, sequela                       |
| S44.92XA | Injury of unspecified nerve at shoulder and upper arm level, left arm, initial encounter              |
| S44.92XS | Injury of unspecified nerve at shoulder and upper arm level, left arm, sequela                        |
| S45.001S | Unspecified injury of axillary artery, right side, sequela  |
| S45.002S | Unspecified injury of axillary artery, left side, sequela   |
| S45.009S | Unspecified injury of axillary artery, unspecified side, sequela                                      |
| S45.011S | Laceration of axillary artery, right side, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S45.012S | Laceration of axillary artery, left side, sequela  |
| S45.019S | Laceration of axillary artery, unspecified side, sequela   |
| S45.091S | Other specified injury of axillary artery, right side, sequela                                       |
| S45.092S | Other specified injury of axillary artery, left side, sequela  |
| S45.099S | Other specified injury of axillary artery, unspecified side, sequela                                 |
| S45.101S | Unspecified injury of brachial artery, right side, sequela   |
| S45.102S | Unspecified injury of brachial artery, left side, sequela  |
| S45.109S | Unspecified injury of brachial artery, unspecified side, sequela                                     |
| S45.111S | Laceration of brachial artery, right side, sequela   |
| S45.112S | Laceration of brachial artery, left side, sequela  |
| S45.119S | Laceration of brachial artery, unspecified side, sequela   |
| S45.191S | Other specified injury of brachial artery, right side, sequela                                       |
| S45.192S | Other specified injury of brachial artery, left side, sequela  |
| S45.199S | Other specified injury of brachial artery, unspecified side, sequela                                 |
| S45.201S | Unspecified injury of axillary or brachial vein, right side, sequela                                 |
| S45.202S | Unspecified injury of axillary or brachial vein, left side, sequela                                  |
| S45.209S | Unspecified injury of axillary or brachial vein, unspecified side, sequela                           |
| S45.211S | Laceration of axillary or brachial vein, right side, sequela   |
| S45.212S | Laceration of axillary or brachial vein, left side, sequela  |
| S45.219S | Laceration of axillary or brachial vein, unspecified side, sequela                                   |
| S45.291S | Other specified injury of axillary or brachial vein, right side, sequela                             |
| S45.292S | Other specified injury of axillary or brachial vein, left side, sequela                              |
| S45.299S | Other specified injury of axillary or brachial vein, unspecified side, sequela                       |
| S45.301S | Unspecified injury of superficial vein at shoulder and upper arm level, right arm, sequela           |
| S45.302S | Unspecified injury of superficial vein at shoulder and upper arm level, left arm, sequela            |
| S45.309S | Unspecified injury of superficial vein at shoulder and upper arm level, unspecified arm, sequela     |
| S45.311S | Laceration of superficial vein at shoulder and upper arm level, right arm, sequela                   |
| S45.312S | Laceration of superficial vein at shoulder and upper arm level, left arm, sequela                    |
| S45.319S | Laceration of superficial vein at shoulder and upper arm level, unspecified arm, sequela             |
| S45.391S | Other specified injury of superficial vein at shoulder and upper arm level, right arm, sequela       |
| S45.392S | Other specified injury of superficial vein at shoulder and upper arm level, left arm, sequela        |
| S45.399S | Other specified injury of superficial vein at shoulder and upper arm level, unspecified arm, sequela |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S45.801S | Unspecified injury of other specified blood vessels at shoulder and upper arm level, right arm, sequela           |
| S45.802S | Unspecified injury of other specified blood vessels at shoulder and upper arm level, left arm, sequela            |
| S45.809S | Unspecified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, sequela     |
| S45.811S | Laceration of other specified blood vessels at shoulder and upper arm level, right arm, sequela                   |
| S45.812S | Laceration of other specified blood vessels at shoulder and upper arm level, left arm, sequela                    |
| S45.819S | Laceration of other specified blood vessels at shoulder and upper arm level, unspecified arm, sequela             |
| S45.891S | Other specified injury of other specified blood vessels at shoulder and upper arm level, right arm, sequela       |
| S45.892S | Other specified injury of other specified blood vessels at shoulder and upper arm level, left arm, sequela        |
| S45.899S | Other specified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, sequela |
| S45.901S | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, right arm, sequela                |
| S45.902S | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, left arm, sequela                 |
| S45.909S | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, sequela          |
| S45.911S | Laceration of unspecified blood vessel at shoulder and upper arm level, right arm, sequela                        |
| S45.912S | Laceration of unspecified blood vessel at shoulder and upper arm level, left arm, sequela                         |
| S45.919S | Laceration of unspecified blood vessel at shoulder and upper arm level, unspecified arm, sequela                  |
| S45.991S | Other specified injury of unspecified blood vessel at shoulder and upper arm level, right arm, sequela            |
| S45.992S | Other specified injury of unspecified blood vessel at shoulder and upper arm level, left arm, sequela             |
| S45.999S | Other specified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, sequela      |
| S46.001S | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela                      |
| S46.002S | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela                       |
| S46.009S | Unspecified injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela                |
| S46.011A | Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter                        |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S46.011S    | Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela                   |
| S46.012A    | Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, initial encounter          |
| S46.012S    | Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela                    |
| S46.019A    | Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, initial encounter   |
| S46.019S    | Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela             |
| S46.021S    | Laceration of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela               |
| S46.022S    | Laceration of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela                |
| S46.029S    | Laceration of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela         |
| S46.091S    | Other injury of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela             |
| S46.092S    | Other injury of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela              |
| S46.099S    | Other injury of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela       |
| S46.101S    | Unspecified injury of muscle, fascia and tendon of long head of biceps, right arm, sequela         |
| S46.102S    | Unspecified injury of muscle, fascia and tendon of long head of biceps, left arm, sequela          |
| S46.109S    | Unspecified injury of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela   |
| S46.111A    | Strain of muscle, fascia and tendon of long head of biceps, right arm, initial encounter           |
| S46.111S    | Strain of muscle, fascia and tendon of long head of biceps, right arm, sequela                     |
| S46.112A    | Strain of muscle, fascia and tendon of long head of biceps, left arm, initial encounter            |
| S46.112S    | Strain of muscle, fascia and tendon of long head of biceps, left arm, sequela                      |
| S46.119A    | Strain of muscle, fascia and tendon of long head of biceps, unspecified arm, initial encounter     |
| S46.119S    | Strain of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela               |
| S46.121S    | Laceration of muscle, fascia and tendon of long head of biceps, right arm, sequela                 |
| S46.122S    | Laceration of muscle, fascia and tendon of long head of biceps, left arm, sequela                  |
| S46.129S    | Laceration of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela           |
| S46.191S    | Other injury of muscle, fascia and tendon of long head of biceps, right arm, sequela               |
| S46.192S    | Other injury of muscle, fascia and tendon of long head of biceps, left arm, sequela                |
| S46.199S    | Other injury of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela         |
| S46.201S    | Unspecified injury of muscle, fascia and tendon of other parts of biceps, right arm, sequela       |
| S46.202S    | Unspecified injury of muscle, fascia and tendon of other parts of biceps, left arm, sequela        |
| S46.209S    | Unspecified injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela |
| S46.211A    | Strain of muscle, fascia and tendon of other parts of biceps, right arm, initial encounter         |
| S46.211S    | Strain of muscle, fascia and tendon of other parts of biceps, right arm, sequela                   |
| S46.212A    | Strain of muscle, fascia and tendon of other parts of biceps, left arm, initial encounter          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S46.212S    | Strain of muscle, fascia and tendon of other parts of biceps, left arm, sequela                                   |
| S46.219A    | Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, initial encounter                  |
| S46.219S    | Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela                            |
| S46.221S    | Laceration of muscle, fascia and tendon of other parts of biceps, right arm, sequela                              |
| S46.222S    | Laceration of muscle, fascia and tendon of other parts of biceps, left arm, sequela                               |
| S46.229S    | Laceration of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela                        |
| S46.291S    | Other injury of muscle, fascia and tendon of other parts of biceps, right arm, sequela                            |
| S46.292S    | Other injury of muscle, fascia and tendon of other parts of biceps, left arm, sequela                             |
| S46.299S    | Other injury of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela                      |
| S46.301S    | Unspecified injury of muscle, fascia and tendon of triceps, right arm, sequela                                    |
| S46.302S    | Unspecified injury of muscle, fascia and tendon of triceps, left arm, sequela                                     |
| S46.309S    | Unspecified injury of muscle, fascia and tendon of triceps, unspecified arm, sequela                              |
| S46.311A    | Strain of muscle, fascia and tendon of triceps, right arm, initial encounter                                      |
| S46.311S    | Strain of muscle, fascia and tendon of triceps, right arm, sequela  |
| S46.312A    | Strain of muscle, fascia and tendon of triceps, left arm, initial encounter                                       |
| S46.312S    | Strain of muscle, fascia and tendon of triceps, left arm, sequela   |
| S46.319A    | Strain of muscle, fascia and tendon of triceps, unspecified arm, initial encounter                                |
| S46.319S    | Strain of muscle, fascia and tendon of triceps, unspecified arm, sequela  |
| S46.321S    | Laceration of muscle, fascia and tendon of triceps, right arm, sequela  |
| S46.322S    | Laceration of muscle, fascia and tendon of triceps, left arm, sequela   |
| S46.329S    | Laceration of muscle, fascia and tendon of triceps, unspecified arm, sequela                                      |
| S46.391S    | Other injury of muscle, fascia and tendon of triceps, right arm, sequela  |
| S46.392S    | Other injury of muscle, fascia and tendon of triceps, left arm, sequela   |
| S46.399S    | Other injury of muscle, fascia and tendon of triceps, unspecified arm, sequela                                    |
| S46.801S    | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela       |
| S46.802S    | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela        |
| S46.809S    | Unspecified injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela |
| S46.811A    | Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter         |
| S46.811S    | Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S46.812A | Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter              |
| S46.812S | Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela                        |
| S46.819A | Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, initial encounter       |
| S46.819S | Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela                 |
| S46.821S | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela                   |
| S46.822S | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela                    |
| S46.829S | Laceration of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela             |
| S46.891S | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela                 |
| S46.892S | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela                  |
| S46.899S | Other injury of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela           |
| S46.901S | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela       |
| S46.902S | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela        |
| S46.909S | Unspecified injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela |
| S46.911A | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, initial encounter         |
| S46.911S | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela                   |
| S46.912A | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, initial encounter          |
| S46.912S | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela                    |
| S46.919A | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, initial encounter   |
| S46.919S | Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela             |
| S46.921S | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S46.922S | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela                  |
| S46.929S | Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela           |
| S46.991S | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela               |
| S46.992S | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela                |
| S46.999S | Other injury of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela         |
| S47.1XXS | Crushing injury of right shoulder and upper arm, sequela  |
| S47.2XXS | Crushing injury of left shoulder and upper arm, sequela   |
| S47.9XXS | Crushing injury of shoulder and upper arm, unspecified arm, sequela   |
| S48.011S | Complete traumatic amputation at right shoulder joint, sequela  |
| S48.012S | Complete traumatic amputation at left shoulder joint, sequela   |
| S48.019S | Complete traumatic amputation at unspecified shoulder joint, sequela  |
| S48.021S | Partial traumatic amputation at right shoulder joint, sequela   |
| S48.022S | Partial traumatic amputation at left shoulder joint, sequela  |
| S48.029S | Partial traumatic amputation at unspecified shoulder joint, sequela   |
| S48.111S | Complete traumatic amputation at level between right shoulder and elbow, sequela  |
| S48.112S | Complete traumatic amputation at level between left shoulder and elbow, sequela   |
| S48.119S | Complete traumatic amputation at level between unspecified shoulder and elbow, sequela                                  |
| S48.121S | Partial traumatic amputation at level between right shoulder and elbow, sequela   |
| S48.122S | Partial traumatic amputation at level between left shoulder and elbow, sequela  |
| S48.129S | Partial traumatic amputation at level between unspecified shoulder and elbow, sequela                                   |
| S48.911S | Complete traumatic amputation of right shoulder and upper arm, level unspecified, sequela                               |
| S48.912S | Complete traumatic amputation of left shoulder and upper arm, level unspecified, sequela                                |
| S48.919S | Complete traumatic amputation of unspecified shoulder and upper arm, level unspecified, sequela                         |
| S48.921S | Partial traumatic amputation of right shoulder and upper arm, level unspecified, sequela                                |
| S48.922S | Partial traumatic amputation of left shoulder and upper arm, level unspecified, sequela                                 |
| S48.929S | Partial traumatic amputation of unspecified shoulder and upper arm, level unspecified, sequela                          |
| S49.001D | Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing |
| S49.001G | Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S49.001S | Unspecified physeal fracture of upper end of humerus, right arm, sequela  |
| S49.002D | Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing                  |
| S49.002G | Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing                  |
| S49.002S | Unspecified physeal fracture of upper end of humerus, left arm, sequela   |
| S49.009D | Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing           |
| S49.009G | Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing           |
| S49.009S | Unspecified physeal fracture of upper end of humerus, unspecified arm, sequela  |
| S49.011D | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing        |
| S49.011G | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing        |
| S49.011S | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, sequela   |
| S49.012D | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing         |
| S49.012G | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing         |
| S49.012S | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, sequela  |
| S49.019D | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing  |
| S49.019G | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S49.019S | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, sequela   |
| S49.021D | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing       |
| S49.021G | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing       |
| S49.021S | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, sequela  |
| S49.022D | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S49.022G | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S49.022S | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, sequela   |
| S49.029D | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S49.029G | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S49.029S | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, sequela   |
| S49.031D | Salter-Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing       |
| S49.031G | Salter-Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing       |
| S49.031S | Salter-Harris Type III physeal fracture of upper end of humerus, right arm, sequela  |
| S49.032D | Salter-Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S49.032G | Salter-Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S49.032S | Salter-Harris Type III physeal fracture of upper end of humerus, left arm, sequela   |
| S49.039D | Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.039G | Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.039S | Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, sequela  |
| S49.041D | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing        |
| S49.041G | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing        |
| S49.041S | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, sequela   |
| S49.042D | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing         |
| S49.042G | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing         |
| S49.042S | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, sequela  |
| S49.049D | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing  |
| S49.049G | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S49.049S | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, sequela   |
| S49.091D | Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing                        |
| S49.091G | Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing                        |
| S49.091S | Other physeal fracture of upper end of humerus, right arm, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S49.092D | Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing                       |
| S49.092G | Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing                       |
| S49.092S | Other physeal fracture of upper end of humerus, left arm, sequela  |
| S49.099D | Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing                |
| S49.099G | Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing                |
| S49.099S | Other physeal fracture of upper end of humerus, unspecified arm, sequela   |
| S49.101D | Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing                |
| S49.101G | Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing                |
| S49.101S | Unspecified physeal fracture of lower end of humerus, right arm, sequela   |
| S49.102D | Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing                 |
| S49.102G | Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing                 |
| S49.102S | Unspecified physeal fracture of lower end of humerus, left arm, sequela  |
| S49.109D | Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing          |
| S49.109G | Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing          |
| S49.109S | Unspecified physeal fracture of lower end of humerus, unspecified arm, sequela   |
| S49.111D | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing       |
| S49.111G | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing       |
| S49.111S | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, sequela  |
| S49.112D | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S49.112G | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S49.112S | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, sequela   |
| S49.119D | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.119G | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S49.119S | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, sequela  |
| S49.121D | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing        |
| S49.121G | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing        |
| S49.121S | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, sequela   |
| S49.122D | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing         |
| S49.122G | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing         |
| S49.122S | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, sequela  |
| S49.129D | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing  |
| S49.129G | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S49.129S | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, sequela   |
| S49.131D | Salter-Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing       |
| S49.131G | Salter-Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing       |
| S49.131S | Salter-Harris Type III physeal fracture of lower end of humerus, right arm, sequela  |
| S49.132D | Salter-Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing        |
| S49.132G | Salter-Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S49.132S | Salter-Harris Type III physeal fracture of lower end of humerus, left arm, sequela   |
| S49.139D | Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.139G | Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.139S | Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, sequela  |
| S49.141D | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing        |
| S49.141G | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing        |
| S49.141S | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, sequela   |
| S49.142D | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S49.142G | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing        |
| S49.142S | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, sequela   |
| S49.149D | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing |
| S49.149G | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing |
| S49.149S | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, sequela  |
| S49.191D | Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing                       |
| S49.191G | Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing                       |
| S49.191S | Other physeal fracture of lower end of humerus, right arm, sequela  |
| S49.192D | Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing                        |
| S49.192G | Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing                        |
| S49.192S | Other physeal fracture of lower end of humerus, left arm, sequela   |
| S49.199D | Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing                 |
| S49.199G | Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing                 |
| S49.199S | Other physeal fracture of lower end of humerus, unspecified arm, sequela  |
| S49.80XS | Other specified injuries of shoulder and upper arm, unspecified arm, sequela  |
| S49.81XS | Other specified injuries of right shoulder and upper arm, sequela   |
| S49.82XS | Other specified injuries of left shoulder and upper arm, sequela  |
| S49.90XS | Unspecified injury of shoulder and upper arm, unspecified arm, sequela  |
| S49.91XS | Unspecified injury of right shoulder and upper arm, sequela   |
| S49.92XS | Unspecified injury of left shoulder and upper arm, sequela  |
| S50.00XS | Contusion of unspecified elbow, sequela   |
| S50.01XS | Contusion of right elbow, sequela   |
| S50.02XS | Contusion of left elbow, sequela  |
| S50.10XS | Contusion of unspecified forearm, sequela   |
| S50.11XS | Contusion of right forearm, sequela   |
| S50.12XS | Contusion of left forearm, sequela  |
| S50.311A | Abrasion of right elbow, initial encounter  |
| S50.311S | Abrasion of right elbow, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S50.312A    | Abrasion of left elbow, initial encounter                         |
| S50.312S    | Abrasion of left elbow, sequela                                   |
| S50.319A    | Abrasion of unspecified elbow, initial encounter                  |
| S50.319S    | Abrasion of unspecified elbow, sequela                            |
| S50.321A    | Blister (nonthermal) of right elbow, initial encounter            |
| S50.321S    | Blister (nonthermal) of right elbow, sequela                      |
| S50.322A    | Blister (nonthermal) of left elbow, initial encounter             |
| S50.322S    | Blister (nonthermal) of left elbow, sequela                       |
| S50.329A    | Blister (nonthermal) of unspecified elbow, initial encounter      |
| S50.329S    | Blister (nonthermal) of unspecified elbow, sequela                |
| S50.341A    | External constriction of right elbow, initial encounter           |
| S50.341S    | External constriction of right elbow, sequela                     |
| S50.342A    | External constriction of left elbow, initial encounter            |
| S50.342S    | External constriction of left elbow, sequela                      |
| S50.349A    | External constriction of unspecified elbow, initial encounter     |
| S50.349S    | External constriction of unspecified elbow, sequela               |
| S50.351A    | Superficial foreign body of right elbow, initial encounter        |
| S50.351S    | Superficial foreign body of right elbow, sequela                  |
| S50.352A    | Superficial foreign body of left elbow, initial encounter         |
| S50.352S    | Superficial foreign body of left elbow, sequela                   |
| S50.359A    | Superficial foreign body of unspecified elbow, initial encounter  |
| S50.359S    | Superficial foreign body of unspecified elbow, sequela            |
| S50.361A    | Insect bite (nonvenomous) of right elbow, initial encounter       |
| S50.361S    | Insect bite (nonvenomous) of right elbow, sequela                 |
| S50.362A    | Insect bite (nonvenomous) of left elbow, initial encounter        |
| S50.362S    | Insect bite (nonvenomous) of left elbow, sequela                  |
| S50.369A    | Insect bite (nonvenomous) of unspecified elbow, initial encounter |
| S50.369S    | Insect bite (nonvenomous) of unspecified elbow, sequela           |
| S50.371A    | Other superficial bite of right elbow, initial encounter          |
| S50.371S    | Other superficial bite of right elbow, sequela                    |
| S50.372A    | Other superficial bite of left elbow, initial encounter           |
| S50.372S    | Other superficial bite of left elbow, sequela                     |
| S50.379A    | Other superficial bite of unspecified elbow, initial encounter    |
| S50.379S    | Other superficial bite of unspecified elbow, sequela              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S50.811A    | Abrasion of right forearm, initial encounter                        |
| S50.811S    | Abrasion of right forearm, sequela                                  |
| S50.812A    | Abrasion of left forearm, initial encounter                         |
| S50.812S    | Abrasion of left forearm, sequela                                   |
| S50.819A    | Abrasion of unspecified forearm, initial encounter                  |
| S50.819S    | Abrasion of unspecified forearm, sequela                            |
| S50.821A    | Blister (nonthermal) of right forearm, initial encounter            |
| S50.821S    | Blister (nonthermal) of right forearm, sequela                      |
| S50.822A    | Blister (nonthermal) of left forearm, initial encounter             |
| S50.822S    | Blister (nonthermal) of left forearm, sequela                       |
| S50.829A    | Blister (nonthermal) of unspecified forearm, initial encounter      |
| S50.829S    | Blister (nonthermal) of unspecified forearm, sequela                |
| S50.841A    | External constriction of right forearm, initial encounter           |
| S50.841S    | External constriction of right forearm, sequela                     |
| S50.842A    | External constriction of left forearm, initial encounter            |
| S50.842S    | External constriction of left forearm, sequela                      |
| S50.849A    | External constriction of unspecified forearm, initial encounter     |
| S50.849S    | External constriction of unspecified forearm, sequela               |
| S50.851A    | Superficial foreign body of right forearm, initial encounter        |
| S50.851S    | Superficial foreign body of right forearm, sequela                  |
| S50.852A    | Superficial foreign body of left forearm, initial encounter         |
| S50.852S    | Superficial foreign body of left forearm, sequela                   |
| S50.859A    | Superficial foreign body of unspecified forearm, initial encounter  |
| S50.859S    | Superficial foreign body of unspecified forearm, sequela            |
| S50.861A    | Insect bite (nonvenomous) of right forearm, initial encounter       |
| S50.861S    | Insect bite (nonvenomous) of right forearm, sequela                 |
| S50.862A    | Insect bite (nonvenomous) of left forearm, initial encounter        |
| S50.862S    | Insect bite (nonvenomous) of left forearm, sequela                  |
| S50.869A    | Insect bite (nonvenomous) of unspecified forearm, initial encounter |
| S50.869S    | Insect bite (nonvenomous) of unspecified forearm, sequela           |
| S50.871A    | Other superficial bite of right forearm, initial encounter          |
| S50.871S    | Other superficial bite of right forearm, sequela                    |
| S50.872A    | Other superficial bite of left forearm, initial encounter           |
| S50.872S    | Other superficial bite of left forearm, sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S50.879A | Other superficial bite of unspecified forearm, initial encounter         |
| S50.879S | Other superficial bite of unspecified forearm, sequela                   |
| S50.901A | Unspecified superficial injury of right elbow, initial encounter         |
| S50.901S | Unspecified superficial injury of right elbow, sequela                   |
| S50.902A | Unspecified superficial injury of left elbow, initial encounter          |
| S50.902S | Unspecified superficial injury of left elbow, sequela                    |
| S50.909A | Unspecified superficial injury of unspecified elbow, initial encounter   |
| S50.909S | Unspecified superficial injury of unspecified elbow, sequela             |
| S50.911A | Unspecified superficial injury of right forearm, initial encounter       |
| S50.911S | Unspecified superficial injury of right forearm, sequela                 |
| S50.912A | Unspecified superficial injury of left forearm, initial encounter        |
| S50.912S | Unspecified superficial injury of left forearm, sequela                  |
| S50.919A | Unspecified superficial injury of unspecified forearm, initial encounter |
| S50.919S | Unspecified superficial injury of unspecified forearm, sequela           |
| S51.001S | Unspecified open wound of right elbow, sequela                           |
| S51.002S | Unspecified open wound of left elbow, sequela                            |
| S51.009A | Unspecified open wound of unspecified elbow, initial encounter           |
| S51.009S | Unspecified open wound of unspecified elbow, sequela                     |
| S51.011S | Laceration without foreign body of right elbow, sequela                  |
| S51.012S | Laceration without foreign body of left elbow, sequela                   |
| S51.019S | Laceration without foreign body of unspecified elbow, sequela            |
| S51.021S | Laceration with foreign body of right elbow, sequela                     |
| S51.022S | Laceration with foreign body of left elbow, sequela                      |
| S51.029S | Laceration with foreign body of unspecified elbow, sequela               |
| S51.031S | Puncture wound without foreign body of right elbow, sequela              |
| S51.032S | Puncture wound without foreign body of left elbow, sequela               |
| S51.039S | Puncture wound without foreign body of unspecified elbow, sequela        |
| S51.041S | Puncture wound with foreign body of right elbow, sequela                 |
| S51.042S | Puncture wound with foreign body of left elbow, sequela                  |
| S51.049S | Puncture wound with foreign body of unspecified elbow, sequela           |
| S51.051S | Open bite, right elbow, sequela  |
| S51.052S | Open bite, left elbow, sequela   |
| S51.059S | Open bite, unspecified elbow, sequela                                    |
| S51.801S | Unspecified open wound of right forearm, sequela                         |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S51.802S | Unspecified open wound of left forearm, sequela   |
| S51.809S | Unspecified open wound of unspecified forearm, sequela  |
| S51.811S | Laceration without foreign body of right forearm, sequela   |
| S51.812S | Laceration without foreign body of left forearm, sequela  |
| S51.819S | Laceration without foreign body of unspecified forearm, sequela   |
| S51.821S | Laceration with foreign body of right forearm, sequela  |
| S51.822S | Laceration with foreign body of left forearm, sequela   |
| S51.829S | Laceration with foreign body of unspecified forearm, sequela  |
| S51.831S | Puncture wound without foreign body of right forearm, sequela   |
| S51.832S | Puncture wound without foreign body of left forearm, sequela  |
| S51.839S | Puncture wound without foreign body of unspecified forearm, sequela   |
| S51.841S | Puncture wound with foreign body of right forearm, sequela  |
| S51.842S | Puncture wound with foreign body of left forearm, sequela   |
| S51.849S | Puncture wound with foreign body of unspecified forearm, sequela  |
| S51.851S | Open bite of right forearm, sequela   |
| S51.852S | Open bite of left forearm, sequela  |
| S51.859S | Open bite of unspecified forearm, sequela   |
| S52.001D | Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.001E | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.001F | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.001G | Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.001H | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.001J | Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.001S | Unspecified fracture of upper end of right ulna, sequela  |
| S52.002D | Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with routine healing                         |
| S52.002E | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with routine healing              |
| S52.002F | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.002G    | Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with delayed healing  |
| S52.002H    | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with delayed healing   |
| S52.002J    | Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                             |
| S52.002S    | Unspecified fracture of upper end of left ulna, sequela  |
| S52.009D    | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with routine healing   |
| S52.009E    | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing                                  |
| S52.009F    | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                      |
| S52.009G    | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with delayed healing   |
| S52.009H    | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing                                  |
| S52.009J    | Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                      |
| S52.009S    | Unspecified fracture of upper end of unspecified ulna, sequela   |
| S52.011D    | Torus fracture of upper end of right ulna, subsequent encounter for fracture with routine healing  |
| S52.011G    | Torus fracture of upper end of right ulna, subsequent encounter for fracture with delayed healing  |
| S52.011S    | Torus fracture of upper end of right ulna, sequela   |
| S52.012D    | Torus fracture of upper end of left ulna, subsequent encounter for fracture with routine healing   |
| S52.012G    | Torus fracture of upper end of left ulna, subsequent encounter for fracture with delayed healing   |
| S52.012S    | Torus fracture of upper end of left ulna, sequela  |
| S52.019D    | Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with routine healing  |
| S52.019G    | Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with delayed healing  |
| S52.019S    | Torus fracture of upper end of unspecified ulna, sequela   |
| S52.021D    | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing            |
| S52.021E    | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.021F | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.021G | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.021H | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.021J | Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.021S | Displaced fracture of olecranon process without intraarticular extension of right ulna, sequela  |
| S52.022D | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.022E | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.022F | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.022G | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.022H | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.022J | Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.022S | Displaced fracture of olecranon process without intraarticular extension of left ulna, sequela   |
| S52.023D | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.023E | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.023F | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.023G | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.023H | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.023J | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.023S | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, sequela  |
| S52.024D | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing                           |
| S52.024E | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing                |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.024F | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.024G | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.024H | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.024J | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.024S | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, sequela  |
| S52.025D | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.025E | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.025F | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.025G | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.025H | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.025J | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.025S | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, sequela   |
| S52.026D | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.026E | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.026F | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.026G | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.026H | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.026J | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.026S | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, sequela  |
| S52.031D | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.031E | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.031F | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.031G | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.031H | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.031J | Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.031S | Displaced fracture of olecranon process with intraarticular extension of right ulna, sequela  |
| S52.032D | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.032E | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.032F | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.032G | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.032H | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.032J | Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.032S | Displaced fracture of olecranon process with intraarticular extension of left ulna, sequela   |
| S52.033D | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.033E | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.033F | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.033G | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.033H | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.033J | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.033S | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, sequela  |
| S52.034D | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.034E | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.034F | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.034G | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.034H | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.034J | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.034S | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, sequela  |
| S52.035D | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.035E | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.035F | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.035G | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.035H | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.035J | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.035S | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, sequela   |
| S52.036D | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.036E | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.036F | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.036G | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.036H | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.036J | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.036S | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, sequela  |
| S52.041D | Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with routine healing  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.041E    | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.041F    | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.041G    | Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.041H    | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.041J    | Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.041S    | Displaced fracture of coronoid process of right ulna, sequela  |
| S52.042D    | Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.042E    | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.042F    | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.042G    | Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.042H    | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.042J    | Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.042S    | Displaced fracture of coronoid process of left ulna, sequela   |
| S52.043D    | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.043E    | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.043F    | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.043G    | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.043H    | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.043J    | Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.043S    | Displaced fracture of coronoid process of unspecified ulna, sequela  |
| S52.044D    | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with routine healing                           |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.044E | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.044F | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.044G | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.044H | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.044J | Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.044S | Nondisplaced fracture of coronoid process of right ulna, sequela  |
| S52.045D | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.045E | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.045F | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.045G | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.045H | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.045J | Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.045S | Nondisplaced fracture of coronoid process of left ulna, sequela   |
| S52.046D | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.046E | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.046F | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.046G | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.046H | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.046J | Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.046S | Nondisplaced fracture of coronoid process of unspecified ulna, sequela  |
| S52.091D | Other fracture of upper end of right ulna, subsequent encounter for closed fracture with routine healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.091E    | Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.091F    | Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.091G    | Other fracture of upper end of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.091H    | Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.091J    | Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.091S    | Other fracture of upper end of right ulna, sequela  |
| S52.092D    | Other fracture of upper end of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.092E    | Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.092F    | Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.092G    | Other fracture of upper end of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.092H    | Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.092J    | Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.092S    | Other fracture of upper end of left ulna, sequela   |
| S52.099D    | Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.099E    | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.099F    | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.099G    | Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.099H    | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.099J    | Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.099S    | Other fracture of upper end of unspecified ulna, sequela  |
| S52.101D    | Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with routine healing                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.101E | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.101F | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.101G | Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.101H | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.101J | Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.101S | Unspecified fracture of upper end of right radius, sequela  |
| S52.102D | Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.102E | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.102F | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.102G | Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.102H | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.102J | Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.102S | Unspecified fracture of upper end of left radius, sequela   |
| S52.109D | Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.109E | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.109F | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.109G | Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.109H | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.109J | Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.109S | Unspecified fracture of upper end of unspecified radius, sequela  |
| S52.111D | Torus fracture of upper end of right radius, subsequent encounter for fracture with routine healing   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.111G | Torus fracture of upper end of right radius, subsequent encounter for fracture with delayed healing                              |
| S52.111S | Torus fracture of upper end of right radius, sequela   |
| S52.112D | Torus fracture of upper end of left radius, subsequent encounter for fracture with routine healing                               |
| S52.112G | Torus fracture of upper end of left radius, subsequent encounter for fracture with delayed healing                               |
| S52.112S | Torus fracture of upper end of left radius, sequela  |
| S52.119D | Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with routine healing                        |
| S52.119G | Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with delayed healing                        |
| S52.119S | Torus fracture of upper end of unspecified radius, sequela   |
| S52.121D | Displaced fracture of head of right radius, subsequent encounter for closed fracture with routine healing                        |
| S52.121E | Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.121F | Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.121G | Displaced fracture of head of right radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.121H | Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.121J | Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.121S | Displaced fracture of head of right radius, sequela  |
| S52.122D | Displaced fracture of head of left radius, subsequent encounter for closed fracture with routine healing                         |
| S52.122E | Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with routine healing              |
| S52.122F | Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |
| S52.122G | Displaced fracture of head of left radius, subsequent encounter for closed fracture with delayed healing                         |
| S52.122H | Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with delayed healing              |
| S52.122J | Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  |
| S52.122S | Displaced fracture of head of left radius, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.123D | Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.123E | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.123F | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.123G | Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.123H | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.123J | Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.123S | Displaced fracture of head of unspecified radius, sequela  |
| S52.124D | Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with routine healing                           |
| S52.124E | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with routine healing                |
| S52.124F | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.124G | Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with delayed healing                           |
| S52.124H | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.124J | Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.124S | Nondisplaced fracture of head of right radius, sequela   |
| S52.125D | Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with routine healing                            |
| S52.125E | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with routine healing                 |
| S52.125F | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S52.125G | Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with delayed healing                            |
| S52.125H | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with delayed healing                 |
| S52.125J | Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S52.125S | Nondisplaced fracture of head of left radius, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.126D | Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.126E | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.126F | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.126G | Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.126H | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.126J | Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.126S | Nondisplaced fracture of head of unspecified radius, sequela  |
| S52.131D | Displaced fracture of neck of right radius, subsequent encounter for closed fracture with routine healing                                 |
| S52.131E | Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with routine healing                      |
| S52.131F | Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing          |
| S52.131G | Displaced fracture of neck of right radius, subsequent encounter for closed fracture with delayed healing                                 |
| S52.131H | Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with delayed healing                      |
| S52.131J | Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing          |
| S52.131S | Displaced fracture of neck of right radius, sequela   |
| S52.132D | Displaced fracture of neck of left radius, subsequent encounter for closed fracture with routine healing                                  |
| S52.132E | Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with routine healing                       |
| S52.132F | Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S52.132G | Displaced fracture of neck of left radius, subsequent encounter for closed fracture with delayed healing                                  |
| S52.132H | Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with delayed healing                       |
| S52.132J | Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S52.132S | Displaced fracture of neck of left radius, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.133D | Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.133E | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.133F | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.133G | Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.133H | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.133J | Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.133S | Displaced fracture of neck of unspecified radius, sequela  |
| S52.134D | Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with routine healing                           |
| S52.134E | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with routine healing                |
| S52.134F | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.134G | Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with delayed healing                           |
| S52.134H | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.134J | Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.134S | Nondisplaced fracture of neck of right radius, sequela   |
| S52.135D | Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with routine healing                            |
| S52.135E | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with routine healing                 |
| S52.135F | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S52.135G | Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with delayed healing                            |
| S52.135H | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with delayed healing                 |
| S52.135J | Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S52.135S | Nondisplaced fracture of neck of left radius, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.136D    | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.136E    | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.136F    | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.136G    | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.136H    | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.136J    | Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.136S    | Nondisplaced fracture of neck of unspecified radius, sequela  |
| S52.181D    | Other fracture of upper end of right radius, subsequent encounter for closed fracture with routine healing                                |
| S52.181E    | Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with routine healing                     |
| S52.181F    | Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing         |
| S52.181G    | Other fracture of upper end of right radius, subsequent encounter for closed fracture with delayed healing                                |
| S52.181H    | Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with delayed healing                     |
| S52.181J    | Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing         |
| S52.181S    | Other fracture of upper end of right radius, sequela  |
| S52.182D    | Other fracture of upper end of left radius, subsequent encounter for closed fracture with routine healing                                 |
| S52.182E    | Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with routine healing                      |
| S52.182F    | Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing          |
| S52.182G    | Other fracture of upper end of left radius, subsequent encounter for closed fracture with delayed healing                                 |
| S52.182H    | Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with delayed healing                      |
| S52.182J    | Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing          |
| S52.182S    | Other fracture of upper end of left radius, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.189D | Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.189E | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.189F | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.189G | Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.189H | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.189J | Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.189S | Other fracture of upper end of unspecified radius, sequela  |
| S52.201D | Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing                              |
| S52.201E | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.201F | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.201G | Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.201H | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.201J | Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.201S | Unspecified fracture of shaft of right ulna, sequela  |
| S52.202D | Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.202E | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.202F | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.202G | Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.202H | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.202J | Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.202S | Unspecified fracture of shaft of left ulna, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.209D | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing                           |
| S52.209E | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing                |
| S52.209F | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.209G | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing                           |
| S52.209H | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.209J | Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.209S | Unspecified fracture of shaft of unspecified ulna, sequela   |
| S52.211D | Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with routine healing   |
| S52.211G | Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with delayed healing   |
| S52.211S | Greenstick fracture of shaft of right ulna, sequela  |
| S52.212D | Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with routine healing  |
| S52.212G | Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with delayed healing  |
| S52.212S | Greenstick fracture of shaft of left ulna, sequela   |
| S52.219D | Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with routine healing                                   |
| S52.219G | Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with delayed healing                                   |
| S52.219S | Greenstick fracture of shaft of unspecified ulna, sequela  |
| S52.221D | Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.221E | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.221F | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.221G | Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.221H | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.221J | Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.221S | Displaced transverse fracture of shaft of right ulna, sequela  |
| S52.222D | Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.222E | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.222F | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.222G | Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.222H | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.222J | Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.222S | Displaced transverse fracture of shaft of left ulna, sequela   |
| S52.223D | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.223E | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.223F | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.223G | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.223H | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.223J | Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.223S | Displaced transverse fracture of shaft of unspecified ulna, sequela  |
| S52.224D | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing                           |
| S52.224E | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing                |
| S52.224F | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.224G | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing                           |
| S52.224H | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.224J | Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.224S | Nondisplaced transverse fracture of shaft of right ulna, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.225D | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.225E | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.225F | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.225G | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.225H | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.225J | Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.225S | Nondisplaced transverse fracture of shaft of left ulna, sequela   |
| S52.226D | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.226E | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.226F | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.226G | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.226H | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.226J | Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.226S | Nondisplaced transverse fracture of shaft of unspecified ulna, sequela  |
| S52.231D | Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing                                    |
| S52.231E | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing                         |
| S52.231F | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S52.231G | Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing                                    |
| S52.231H | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing                         |
| S52.231J | Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing             |
| S52.231S | Displaced oblique fracture of shaft of right ulna, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.232D    | Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.232E    | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.232F    | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.232G    | Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.232H    | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.232J    | Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.232S    | Displaced oblique fracture of shaft of left ulna, sequela   |
| S52.233D    | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.233E    | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.233F    | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.233G    | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.233H    | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.233J    | Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.233S    | Displaced oblique fracture of shaft of unspecified ulna, sequela  |
| S52.234D    | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing                           |
| S52.234E    | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing                |
| S52.234F    | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.234G    | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing                           |
| S52.234H    | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.234J    | Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.234S    | Nondisplaced oblique fracture of shaft of right ulna, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.235D | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.235E | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.235F | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.235G | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.235H | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.235J | Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.235S | Nondisplaced oblique fracture of shaft of left ulna, sequela   |
| S52.236D | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.236E | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.236F | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.236G | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.236H | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.236J | Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.236S | Nondisplaced oblique fracture of shaft of unspecified ulna, sequela  |
| S52.241D | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing                             |
| S52.241E | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing                  |
| S52.241F | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing      |
| S52.241G | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing                             |
| S52.241H | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing                  |
| S52.241J | Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing      |
| S52.241S | Displaced spiral fracture of shaft of ulna, right arm, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.242D | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.242E | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.242F | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.242G | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.242H | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.242J | Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.242S | Displaced spiral fracture of shaft of ulna, left arm, sequela   |
| S52.243D | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.243E | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.243F | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.243G | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.243H | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.243J | Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.243S | Displaced spiral fracture of shaft of ulna, unspecified arm, sequela  |
| S52.244D | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing                           |
| S52.244E | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing                |
| S52.244F | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.244G | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing                           |
| S52.244H | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.244J | Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.244S | Nondisplaced spiral fracture of shaft of ulna, right arm, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.245D | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.245E | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.245F | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.245G | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.245H | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.245J | Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.245S | Nondisplaced spiral fracture of shaft of ulna, left arm, sequela   |
| S52.246D | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.246E | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.246F | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.246G | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.246H | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.246J | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.246S | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, sequela  |
| S52.251D | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing                             |
| S52.251E | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing                  |
| S52.251F | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing      |
| S52.251G | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing                             |
| S52.251H | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing                  |
| S52.251J | Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing      |
| S52.251S | Displaced comminuted fracture of shaft of ulna, right arm, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.252D | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.252E | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.252F | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.252G | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.252H | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.252J | Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.252S | Displaced comminuted fracture of shaft of ulna, left arm, sequela   |
| S52.253D | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.253E | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.253F | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.253G | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.253H | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.253J | Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.253S | Displaced comminuted fracture of shaft of ulna, unspecified arm, sequela  |
| S52.254D | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing                           |
| S52.254E | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing                |
| S52.254F | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.254G | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing                           |
| S52.254H | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.254J | Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.254S | Nondisplaced comminuted fracture of shaft of ulna, right arm, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.255D | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.255E | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.255F | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.255G | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.255H | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.255J | Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.255S | Nondisplaced comminuted fracture of shaft of ulna, left arm, sequela   |
| S52.256D | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.256E | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.256F | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.256G | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.256H | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.256J | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.256S | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, sequela  |
| S52.261D | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing                                  |
| S52.261E | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing                       |
| S52.261F | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S52.261G | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing                                  |
| S52.261H | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing                       |
| S52.261J | Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S52.261S | Displaced segmental fracture of shaft of ulna, right arm, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.262D    | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.262E    | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.262F    | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.262G    | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.262H    | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.262J    | Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.262S    | Displaced segmental fracture of shaft of ulna, left arm, sequela   |
| S52.263D    | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.263E    | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.263F    | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.263G    | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.263H    | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.263J    | Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.263S    | Displaced segmental fracture of shaft of ulna, unspecified arm, sequela  |
| S52.264D    | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing                           |
| S52.264E    | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing                |
| S52.264F    | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.264G    | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing                           |
| S52.264H    | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.264J    | Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.264S    | Nondisplaced segmental fracture of shaft of ulna, right arm, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.265D | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.265E | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.265F | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.265G | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.265H | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.265J | Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.265S | Nondisplaced segmental fracture of shaft of ulna, left arm, sequela   |
| S52.266D | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.266E | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.266F | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.266G | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.266H | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.266J | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.266S | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, sequela  |
| S52.271D | Monteggia's fracture of right ulna, subsequent encounter for closed fracture with routine healing   |
| S52.271E | Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with routine healing  |
| S52.271F | Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                                |
| S52.271G | Monteggia's fracture of right ulna, subsequent encounter for closed fracture with delayed healing   |
| S52.271H | Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with delayed healing  |
| S52.271J | Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                                |
| S52.271S | Monteggia's fracture of right ulna, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.272D | Monteggia's fracture of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.272E | Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.272F | Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.272G | Monteggia's fracture of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.272H | Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.272J | Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.272S | Monteggia's fracture of left ulna, sequela   |
| S52.279D | Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.279E | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.279F | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.279G | Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.279H | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.279J | Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.279S | Monteggia's fracture of unspecified ulna, sequela  |
| S52.281D | Bent bone of right ulna, subsequent encounter for closed fracture with routine healing   |
| S52.281E | Bent bone of right ulna, subsequent encounter for open fracture type I or II with routine healing                              |
| S52.281F | Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                  |
| S52.281G | Bent bone of right ulna, subsequent encounter for closed fracture with delayed healing   |
| S52.281H | Bent bone of right ulna, subsequent encounter for open fracture type I or II with delayed healing                              |
| S52.281J | Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                  |
| S52.281S | Bent bone of right ulna, sequela   |
| S52.282D | Bent bone of left ulna, subsequent encounter for closed fracture with routine healing  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.282E | Bent bone of left ulna, subsequent encounter for open fracture type I or II with routine healing                            |
| S52.282F | Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                |
| S52.282G | Bent bone of left ulna, subsequent encounter for closed fracture with delayed healing                                       |
| S52.282H | Bent bone of left ulna, subsequent encounter for open fracture type I or II with delayed healing                            |
| S52.282J | Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                |
| S52.282S | Bent bone of left ulna, sequela   |
| S52.283D | Bent bone of unspecified ulna, subsequent encounter for closed fracture with routine healing                                |
| S52.283E | Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing                     |
| S52.283F | Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing         |
| S52.283G | Bent bone of unspecified ulna, subsequent encounter for closed fracture with delayed healing                                |
| S52.283H | Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing                     |
| S52.283J | Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing         |
| S52.283S | Bent bone of unspecified ulna, sequela  |
| S52.291D | Other fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.291E | Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.291F | Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.291G | Other fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.291H | Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.291J | Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.291S | Other fracture of shaft of right ulna, sequela  |
| S52.292D | Other fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing                         |
| S52.292E | Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.292F | Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing          |
| S52.292G | Other fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing                                 |
| S52.292H | Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing                      |
| S52.292J | Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing          |
| S52.292S | Other fracture of shaft of left ulna, sequela   |
| S52.299D | Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing                          |
| S52.299E | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing               |
| S52.299F | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing   |
| S52.299G | Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing                          |
| S52.299H | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing               |
| S52.299J | Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing   |
| S52.299S | Other fracture of shaft of unspecified ulna, sequela  |
| S52.301D | Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing                        |
| S52.301E | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.301F | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.301G | Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.301H | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.301J | Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.301S | Unspecified fracture of shaft of right radius, sequela  |
| S52.302D | Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing                         |
| S52.302E | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.302F | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.302G | Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.302H | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.302J | Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.302S | Unspecified fracture of shaft of left radius, sequela   |
| S52.309D | Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.309E | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.309F | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.309G | Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.309H | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.309J | Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.309S | Unspecified fracture of shaft of unspecified radius, sequela  |
| S52.311D | Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with routine healing                                 |
| S52.311G | Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with delayed healing                                 |
| S52.311S | Greenstick fracture of shaft of radius, right arm, sequela  |
| S52.312D | Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with routine healing                                  |
| S52.312G | Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with delayed healing                                  |
| S52.312S | Greenstick fracture of shaft of radius, left arm, sequela   |
| S52.319D | Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with routine healing                           |
| S52.319G | Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with delayed healing                           |
| S52.319S | Greenstick fracture of shaft of radius, unspecified arm, sequela  |
| S52.321D | Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.321E | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.321F | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.321G | Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.321H | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.321J | Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.321S | Displaced transverse fracture of shaft of right radius, sequela  |
| S52.322D | Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.322E | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.322F | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.322G | Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.322H | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.322J | Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.322S | Displaced transverse fracture of shaft of left radius, sequela   |
| S52.323D | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.323E | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.323F | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.323G | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.323H | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.323J | Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.323S | Displaced transverse fracture of shaft of unspecified radius, sequela  |
| S52.324D | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.324E | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.324F | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.324G | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.324H | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.324J | Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.324S | Nondisplaced transverse fracture of shaft of right radius, sequela  |
| S52.325D | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.325E | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.325F | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.325G | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.325H | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.325J | Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.325S | Nondisplaced transverse fracture of shaft of left radius, sequela   |
| S52.326D | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.326E | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.326F | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.326G | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.326H | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.326J | Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.326S | Nondisplaced transverse fracture of shaft of unspecified radius, sequela  |
| S52.331D | Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.331E | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.331F | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.331G | Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.331H | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.331J | Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.331S | Displaced oblique fracture of shaft of right radius, sequela  |
| S52.332D | Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.332E | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.332F | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.332G | Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.332H | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.332J | Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.332S | Displaced oblique fracture of shaft of left radius, sequela   |
| S52.333D | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.333E | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.333F | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.333G | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.333H | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.333J | Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.333S | Displaced oblique fracture of shaft of unspecified radius, sequela  |
| S52.334D | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing                           |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.334E | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.334F | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.334G | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.334H | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.334J | Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.334S | Nondisplaced oblique fracture of shaft of right radius, sequela  |
| S52.335D | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.335E | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.335F | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.335G | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.335H | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.335J | Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.335S | Nondisplaced oblique fracture of shaft of left radius, sequela   |
| S52.336D | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.336E | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.336F | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.336G | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.336H | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.336J | Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.336S | Nondisplaced oblique fracture of shaft of unspecified radius, sequela  |
| S52.341D | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing                             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.341E | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.341F | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.341G | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing                              |
| S52.341H | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.341J | Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.341S | Displaced spiral fracture of shaft of radius, right arm, sequela  |
| S52.342D | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.342E | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.342F | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.342G | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.342H | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.342J | Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.342S | Displaced spiral fracture of shaft of radius, left arm, sequela   |
| S52.343D | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.343E | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.343F | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.343G | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.343H | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.343J | Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.343S | Displaced spiral fracture of shaft of radius, unspecified arm, sequela  |
| S52.344D | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.344E | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.344F | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.344G | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing                              |
| S52.344H | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.344J | Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.344S | Nondisplaced spiral fracture of shaft of radius, right arm, sequela  |
| S52.345D | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.345E | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.345F | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.345G | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.345H | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.345J | Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.345S | Nondisplaced spiral fracture of shaft of radius, left arm, sequela   |
| S52.346D | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.346E | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.346F | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.346G | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.346H | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.346J | Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.346S | Nondisplaced spiral fracture of shaft of radius, unspecified arm, sequela  |
| S52.351D | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.351E | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.351F | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.351G | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing                              |
| S52.351H | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.351J | Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.351S | Displaced comminuted fracture of shaft of radius, right arm, sequela  |
| S52.352D | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.352E | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.352F | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.352G | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.352H | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.352J | Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.352S | Displaced comminuted fracture of shaft of radius, left arm, sequela   |
| S52.353D | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.353E | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.353F | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.353G | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.353H | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.353J | Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.353S | Displaced comminuted fracture of shaft of radius, unspecified arm, sequela  |
| S52.354D | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.354E    | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.354F    | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.354G    | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing                              |
| S52.354H    | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.354J    | Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.354S    | Nondisplaced comminuted fracture of shaft of radius, right arm, sequela  |
| S52.355D    | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.355E    | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.355F    | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.355G    | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.355H    | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.355J    | Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.355S    | Nondisplaced comminuted fracture of shaft of radius, left arm, sequela   |
| S52.356D    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.356E    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.356F    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.356G    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.356H    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.356J    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.356S    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, sequela  |
| S52.361D    | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.361E    | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.361F    | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.361G    | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing                              |
| S52.361H    | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.361J    | Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.361S    | Displaced segmental fracture of shaft of radius, right arm, sequela  |
| S52.362D    | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.362E    | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.362F    | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.362G    | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.362H    | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.362J    | Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.362S    | Displaced segmental fracture of shaft of radius, left arm, sequela   |
| S52.363D    | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.363E    | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.363F    | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.363G    | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.363H    | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.363J    | Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.363S    | Displaced segmental fracture of shaft of radius, unspecified arm, sequela  |
| S52.364D    | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.364E    | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.364F    | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.364G    | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing                              |
| S52.364H    | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.364J    | Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.364S    | Nondisplaced segmental fracture of shaft of radius, right arm, sequela  |
| S52.365D    | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing                               |
| S52.365E    | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.365F    | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.365G    | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing                               |
| S52.365H    | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.365J    | Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.365S    | Nondisplaced segmental fracture of shaft of radius, left arm, sequela   |
| S52.366D    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing                        |
| S52.366E    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.366F    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.366G    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing                        |
| S52.366H    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.366J    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.366S    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, sequela  |
| S52.371D    | Galeazzi's fracture of right radius, subsequent encounter for closed fracture with routine healing  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.371E    | Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.371F    | Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.371G    | Galeazzi's fracture of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.371H    | Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.371J    | Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.371S    | Galeazzi's fracture of right radius, sequela  |
| S52.372D    | Galeazzi's fracture of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.372E    | Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.372F    | Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.372G    | Galeazzi's fracture of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.372H    | Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.372J    | Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.372S    | Galeazzi's fracture of left radius, sequela   |
| S52.379D    | Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.379E    | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.379F    | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.379G    | Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.379H    | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.379J    | Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.379S    | Galeazzi's fracture of unspecified radius, sequela  |
| S52.381D    | Bent bone of right radius, subsequent encounter for closed fracture with routine healing  |
| S52.381E    | Bent bone of right radius, subsequent encounter for open fracture type I or II with routine healing                             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.381F | Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                    |
| S52.381G | Bent bone of right radius, subsequent encounter for closed fracture with delayed healing   |
| S52.381H | Bent bone of right radius, subsequent encounter for open fracture type I or II with delayed healing                                |
| S52.381J | Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                    |
| S52.381S | Bent bone of right radius, sequela   |
| S52.382D | Bent bone of left radius, subsequent encounter for closed fracture with routine healing  |
| S52.382E | Bent bone of left radius, subsequent encounter for open fracture type I or II with routine healing                                 |
| S52.382F | Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                     |
| S52.382G | Bent bone of left radius, subsequent encounter for closed fracture with delayed healing  |
| S52.382H | Bent bone of left radius, subsequent encounter for open fracture type I or II with delayed healing                                 |
| S52.382J | Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                     |
| S52.382S | Bent bone of left radius, sequela  |
| S52.389D | Bent bone of unspecified radius, subsequent encounter for closed fracture with routine healing                                     |
| S52.389E | Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with routine healing                          |
| S52.389F | Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing              |
| S52.389G | Bent bone of unspecified radius, subsequent encounter for closed fracture with delayed healing                                     |
| S52.389H | Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing                          |
| S52.389J | Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing              |
| S52.389S | Bent bone of unspecified radius, sequela   |
| S52.391D | Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing                        |
| S52.391E | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.391F | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.391G | Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing                                 |
| S52.391H | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing                      |
| S52.391J | Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing          |
| S52.391S | Other fracture of shaft of radius, right arm, sequela   |
| S52.392D | Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing                                  |
| S52.392E | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing                       |
| S52.392F | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S52.392G | Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing                                  |
| S52.392H | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing                       |
| S52.392J | Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S52.392S | Other fracture of shaft of radius, left arm, sequela  |
| S52.399D | Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing                           |
| S52.399E | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing                |
| S52.399F | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S52.399G | Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing                           |
| S52.399H | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing                |
| S52.399J | Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S52.399S | Other fracture of shaft of radius, unspecified arm, sequela   |
| S52.501D | Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with routine healing                        |
| S52.501E | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.501F | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.501G    | Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.501H    | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.501J    | Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.501S    | Unspecified fracture of the lower end of right radius, sequela  |
| S52.502D    | Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.502E    | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.502F    | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.502G    | Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.502H    | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.502J    | Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.502S    | Unspecified fracture of the lower end of left radius, sequela   |
| S52.509D    | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.509E    | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.509F    | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.509G    | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.509H    | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.509J    | Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.509S    | Unspecified fracture of the lower end of unspecified radius, sequela  |
| S52.511D    | Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with routine healing                                 |
| S52.511E    | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with routine healing                      |
| S52.511F    | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.511G | Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with delayed healing                              |
| S52.511H | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.511J | Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.511S | Displaced fracture of right radial styloid process, sequela  |
| S52.512D | Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with routine healing                               |
| S52.512E | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.512F | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.512G | Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with delayed healing                               |
| S52.512H | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.512J | Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.512S | Displaced fracture of left radial styloid process, sequela   |
| S52.513D | Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with routine healing                        |
| S52.513E | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with routine healing             |
| S52.513F | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.513G | Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with delayed healing                        |
| S52.513H | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.513J | Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.513S | Displaced fracture of unspecified radial styloid process, sequela  |
| S52.514D | Non-displaced fracture of right radial styloid process, subsequent encounter for closed fracture with routine healing                          |
| S52.514E | Non-displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with routine healing               |
| S52.514F | Non-displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.514G    | Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with delayed healing                              |
| S52.514H    | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.514J    | Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.514S    | Nondisplaced fracture of right radial styloid process, sequela  |
| S52.515D    | Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with routine healing                               |
| S52.515E    | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.515F    | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.515G    | Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with delayed healing                               |
| S52.515H    | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.515J    | Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.515S    | Nondisplaced fracture of left radial styloid process, sequela   |
| S52.516D    | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with routine healing                        |
| S52.516E    | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with routine healing             |
| S52.516F    | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.516G    | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with delayed healing                        |
| S52.516H    | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.516J    | Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.516S    | Nondisplaced fracture of unspecified radial styloid process, sequela  |
| S52.521D    | Torus fracture of lower end of right radius, subsequent encounter for fracture with routine healing   |
| S52.521G    | Torus fracture of lower end of right radius, subsequent encounter for fracture with delayed healing   |
| S52.521S    | Torus fracture of lower end of right radius, sequela  |
| S52.522D    | Torus fracture of lower end of left radius, subsequent encounter for fracture with routine healing  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.522G    | Torus fracture of lower end of left radius, subsequent encounter for fracture with delayed healing                           |
| S52.522S    | Torus fracture of lower end of left radius, sequela  |
| S52.529D    | Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with routine healing                    |
| S52.529G    | Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with delayed healing                    |
| S52.529S    | Torus fracture of lower end of unspecified radius, sequela   |
| S52.531D    | Colles' fracture of right radius, subsequent encounter for closed fracture with routine healing                              |
| S52.531E    | Colles' fracture of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.531F    | Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.531G    | Colles' fracture of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.531H    | Colles' fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.531J    | Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.531S    | Colles' fracture of right radius, sequela  |
| S52.532D    | Colles' fracture of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.532E    | Colles' fracture of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.532F    | Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.532G    | Colles' fracture of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.532H    | Colles' fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.532J    | Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.532S    | Colles' fracture of left radius, sequela   |
| S52.539D    | Colles' fracture of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.539E    | Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.539F    | Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.539G    | Colles' fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.539H    | Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.539J    | Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.539S    | Colles' fracture of unspecified radius, sequela  |
| S52.541D    | Smith's fracture of right radius, subsequent encounter for closed fracture with routine healing                              |
| S52.541E    | Smith's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.541F    | Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.541G    | Smith's fracture of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.541H    | Smith's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.541J    | Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.541S    | Smith's fracture of right radius, sequela  |
| S52.542D    | Smith's fracture of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.542E    | Smith's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.542F    | Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.542G    | Smith's fracture of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.542H    | Smith's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.542J    | Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.542S    | Smith's fracture of left radius, sequela   |
| S52.549D    | Smith's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.549E    | Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.549F    | Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.549G    | Smith's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.549H    | Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.549J    | Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                           |
| S52.549S    | Smith's fracture of unspecified radius, sequela  |
| S52.551D    | Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with routine healing                              |
| S52.551E    | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.551F    | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.551G    | Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.551H    | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.551J    | Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.551S    | Other extraarticular fracture of lower end of right radius, sequela  |
| S52.552D    | Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.552E    | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.552F    | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.552G    | Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.552H    | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.552J    | Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.552S    | Other extraarticular fracture of lower end of left radius, sequela   |
| S52.559D    | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.559E    | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.559F    | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.559G    | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.559H    | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.559J | Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.559S | Other extraarticular fracture of lower end of unspecified radius, sequela  |
| S52.561D | Barton's fracture of right radius, subsequent encounter for closed fracture with routine healing   |
| S52.561E | Barton's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing  |
| S52.561F | Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                                |
| S52.561G | Barton's fracture of right radius, subsequent encounter for closed fracture with delayed healing   |
| S52.561H | Barton's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing  |
| S52.561J | Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                                |
| S52.561S | Barton's fracture of right radius, sequela   |
| S52.562D | Barton's fracture of left radius, subsequent encounter for closed fracture with routine healing  |
| S52.562E | Barton's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing   |
| S52.562F | Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                                 |
| S52.562G | Barton's fracture of left radius, subsequent encounter for closed fracture with delayed healing  |
| S52.562H | Barton's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing   |
| S52.562J | Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                                 |
| S52.562S | Barton's fracture of left radius, sequela  |
| S52.569D | Barton's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing   |
| S52.569E | Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing                                      |
| S52.569F | Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                          |
| S52.569G | Barton's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing   |
| S52.569H | Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing                                      |
| S52.569J | Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                          |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.569S    | Barton's fracture of unspecified radius, sequela   |
| S52.571D    | Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with routine healing                              |
| S52.571E    | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.571F    | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.571G    | Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.571H    | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.571J    | Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.571S    | Other intraarticular fracture of lower end of right radius, sequela  |
| S52.572D    | Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.572E    | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.572F    | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.572G    | Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.572H    | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.572J    | Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.572S    | Other intraarticular fracture of lower end of left radius, sequela   |
| S52.579D    | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.579E    | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.579F    | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.579G    | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.579H    | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.579J    | Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.579S    | Other intraarticular fracture of lower end of unspecified radius, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.591D    | Other fractures of lower end of right radius, subsequent encounter for closed fracture with routine healing                              |
| S52.591E    | Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.591F    | Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.591G    | Other fractures of lower end of right radius, subsequent encounter for closed fracture with delayed healing                              |
| S52.591H    | Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.591J    | Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.591S    | Other fractures of lower end of right radius, sequela  |
| S52.592D    | Other fractures of lower end of left radius, subsequent encounter for closed fracture with routine healing                               |
| S52.592E    | Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.592F    | Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.592G    | Other fractures of lower end of left radius, subsequent encounter for closed fracture with delayed healing                               |
| S52.592H    | Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.592J    | Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.592S    | Other fractures of lower end of left radius, sequela   |
| S52.599D    | Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing                        |
| S52.599E    | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing             |
| S52.599F    | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.599G    | Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing                        |
| S52.599H    | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.599J    | Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.599S    | Other fractures of lower end of unspecified radius, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.601D | Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with routine healing                              |
| S52.601E | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.601F | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.601G | Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with delayed healing                              |
| S52.601H | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.601J | Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.601S | Unspecified fracture of lower end of right ulna, sequela  |
| S52.602D | Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with routine healing                               |
| S52.602E | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.602F | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.602G | Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with delayed healing                               |
| S52.602H | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.602J | Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.602S | Unspecified fracture of lower end of left ulna, sequela   |
| S52.609D | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.609E | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.609F | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.609G | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.609H | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.609J | Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.609S | Unspecified fracture of lower end of unspecified ulna, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.611D | Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with routine healing                              |
| S52.611E | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.611F | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.611G | Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with delayed healing                              |
| S52.611H | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.611J | Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.611S | Displaced fracture of right ulna styloid process, sequela  |
| S52.612D | Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with routine healing                               |
| S52.612E | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.612F | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.612G | Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with delayed healing                               |
| S52.612H | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.612J | Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.612S | Displaced fracture of left ulna styloid process, sequela   |
| S52.613D | Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with routine healing                        |
| S52.613E | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with routine healing             |
| S52.613F | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.613G | Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with delayed healing                        |
| S52.613H | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.613J | Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.613S | Displaced fracture of unspecified ulna styloid process, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.614D | Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with routine healing                              |
| S52.614E | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with routine healing                   |
| S52.614F | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S52.614G | Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with delayed healing                              |
| S52.614H | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing                   |
| S52.614J | Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S52.614S | Nondisplaced fracture of right ulna styloid process, sequela  |
| S52.615D | Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with routine healing                               |
| S52.615E | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with routine healing                    |
| S52.615F | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S52.615G | Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with delayed healing                               |
| S52.615H | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing                    |
| S52.615J | Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S52.615S | Nondisplaced fracture of left ulna styloid process, sequela   |
| S52.616D | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with routine healing                        |
| S52.616E | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with routine healing             |
| S52.616F | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.616G | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with delayed healing                        |
| S52.616H | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.616J | Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.616S | Nondisplaced fracture of unspecified ulna styloid process, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.621D | Torus fracture of lower end of right ulna, subsequent encounter for fracture with routine healing                               |
| S52.621G | Torus fracture of lower end of right ulna, subsequent encounter for fracture with delayed healing                               |
| S52.621S | Torus fracture of lower end of right ulna, sequela  |
| S52.622D | Torus fracture of lower end of left ulna, subsequent encounter for fracture with routine healing                                |
| S52.622G | Torus fracture of lower end of left ulna, subsequent encounter for fracture with delayed healing                                |
| S52.622S | Torus fracture of lower end of left ulna, sequela   |
| S52.629D | Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with routine healing                         |
| S52.629G | Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with delayed healing                         |
| S52.629S | Torus fracture of lower end of unspecified ulna, sequela  |
| S52.691D | Other fracture of lower end of right ulna, subsequent encounter for closed fracture with routine healing                        |
| S52.691E | Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with routine healing             |
| S52.691F | Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.691G | Other fracture of lower end of right ulna, subsequent encounter for closed fracture with delayed healing                        |
| S52.691H | Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.691J | Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.691S | Other fracture of lower end of right ulna, sequela  |
| S52.692D | Other fracture of lower end of left ulna, subsequent encounter for closed fracture with routine healing                         |
| S52.692E | Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with routine healing              |
| S52.692F | Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |
| S52.692G | Other fracture of lower end of left ulna, subsequent encounter for closed fracture with delayed healing                         |
| S52.692H | Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with delayed healing              |
| S52.692J | Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.692S    | Other fracture of lower end of left ulna, sequela   |
| S52.699D    | Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with routine healing                      |
| S52.699E    | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing           |
| S52.699F    | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing |
| S52.699G    | Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with delayed healing                      |
| S52.699H    | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing           |
| S52.699J    | Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing |
| S52.699S    | Other fracture of lower end of unspecified ulna, sequela  |
| S52.90XD    | Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with routine healing                          |
| S52.90XE    | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with routine healing               |
| S52.90XF    | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing     |
| S52.90XG    | Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with delayed healing                          |
| S52.90XH    | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with delayed healing               |
| S52.90XJ    | Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing     |
| S52.90XS    | Unspecified fracture of unspecified forearm, sequela  |
| S52.91XD    | Unspecified fracture of right forearm, subsequent encounter for closed fracture with routine healing                                |
| S52.91XE    | Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with routine healing                     |
| S52.91XF    | Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing           |
| S52.91XG    | Unspecified fracture of right forearm, subsequent encounter for closed fracture with delayed healing                                |
| S52.91XH    | Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with delayed healing                     |
| S52.91XJ    | Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing           |
| S52.91XS    | Unspecified fracture of right forearm, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.92XD    | Unspecified fracture of left forearm, subsequent encounter for closed fracture with routine healing                        |
| S52.92XE    | Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with routine healing             |
| S52.92XF    | Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S52.92XG    | Unspecified fracture of left forearm, subsequent encounter for closed fracture with delayed healing                        |
| S52.92XH    | Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with delayed healing             |
| S52.92XJ    | Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S52.92XS    | Unspecified fracture of left forearm, sequela  |
| S53.001A    | Unspecified subluxation of right radial head, initial encounter  |
| S53.001S    | Unspecified subluxation of right radial head, sequela  |
| S53.002A    | Unspecified subluxation of left radial head, initial encounter   |
| S53.002S    | Unspecified subluxation of left radial head, sequela   |
| S53.003A    | Unspecified subluxation of unspecified radial head, initial encounter  |
| S53.003S    | Unspecified subluxation of unspecified radial head, sequela  |
| S53.004A    | Unspecified dislocation of right radial head, initial encounter  |
| S53.004S    | Unspecified dislocation of right radial head, sequela  |
| S53.005A    | Unspecified dislocation of left radial head, initial encounter   |
| S53.005S    | Unspecified dislocation of left radial head, sequela   |
| S53.006A    | Unspecified dislocation of unspecified radial head, initial encounter  |
| S53.006S    | Unspecified dislocation of unspecified radial head, sequela  |
| S53.011A    | Anterior subluxation of right radial head, initial encounter   |
| S53.011S    | Anterior subluxation of right radial head, sequela   |
| S53.012A    | Anterior subluxation of left radial head, initial encounter  |
| S53.012S    | Anterior subluxation of left radial head, sequela  |
| S53.013A    | Anterior subluxation of unspecified radial head, initial encounter   |
| S53.013S    | Anterior subluxation of unspecified radial head, sequela   |
| S53.014A    | Anterior dislocation of right radial head, initial encounter   |
| S53.014S    | Anterior dislocation of right radial head, sequela   |
| S53.015A    | Anterior dislocation of left radial head, initial encounter  |
| S53.015S    | Anterior dislocation of left radial head, sequela  |
| S53.016A    | Anterior dislocation of unspecified radial head, initial encounter   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S53.016S    | Anterior dislocation of unspecified radial head, sequela              |
| S53.021A    | Posterior subluxation of right radial head, initial encounter         |
| S53.021S    | Posterior subluxation of right radial head, sequela                   |
| S53.022A    | Posterior subluxation of left radial head, initial encounter          |
| S53.022S    | Posterior subluxation of left radial head, sequela                    |
| S53.023A    | Posterior subluxation of unspecified radial head, initial encounter   |
| S53.023S    | Posterior subluxation of unspecified radial head, sequela             |
| S53.024A    | Posterior dislocation of right radial head, initial encounter         |
| S53.024S    | Posterior dislocation of right radial head, sequela                   |
| S53.025A    | Posterior dislocation of left radial head, initial encounter          |
| S53.025S    | Posterior dislocation of left radial head, sequela                    |
| S53.026A    | Posterior dislocation of unspecified radial head, initial encounter   |
| S53.026S    | Posterior dislocation of unspecified radial head, sequela             |
| S53.031A    | Nursemaid's elbow, right elbow, initial encounter                     |
| S53.031S    | Nursemaid's elbow, right elbow, sequela                               |
| S53.032A    | Nursemaid's elbow, left elbow, initial encounter                      |
| S53.032S    | Nursemaid's elbow, left elbow, sequela                                |
| S53.033A    | Nursemaid's elbow, unspecified elbow, initial encounter               |
| S53.033S    | Nursemaid's elbow, unspecified elbow, sequela                         |
| S53.091A    | Other subluxation of right radial head, initial encounter             |
| S53.091S    | Other subluxation of right radial head, sequela                       |
| S53.092A    | Other subluxation of left radial head, initial encounter              |
| S53.092S    | Other subluxation of left radial head, sequela                        |
| S53.093A    | Other subluxation of unspecified radial head, initial encounter       |
| S53.093S    | Other subluxation of unspecified radial head, sequela                 |
| S53.094A    | Other dislocation of right radial head, initial encounter             |
| S53.094S    | Other dislocation of right radial head, sequela                       |
| S53.095A    | Other dislocation of left radial head, initial encounter              |
| S53.095S    | Other dislocation of left radial head, sequela                        |
| S53.096A    | Other dislocation of unspecified radial head, initial encounter       |
| S53.096S    | Other dislocation of unspecified radial head, sequela                 |
| S53.101A    | Unspecified subluxation of right ulnohumeral joint, initial encounter |
| S53.101S    | Unspecified subluxation of right ulnohumeral joint, sequela           |
| S53.102A    | Unspecified subluxation of left ulnohumeral joint, initial encounter  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S53.102S    | Unspecified subluxation of left ulnohumeral joint, sequela                  |
| S53.103A    | Unspecified subluxation of unspecified ulnohumeral joint, initial encounter |
| S53.103S    | Unspecified subluxation of unspecified ulnohumeral joint, sequela           |
| S53.104A    | Unspecified dislocation of right ulnohumeral joint, initial encounter       |
| S53.104S    | Unspecified dislocation of right ulnohumeral joint, sequela                 |
| S53.105A    | Unspecified dislocation of left ulnohumeral joint, initial encounter        |
| S53.105S    | Unspecified dislocation of left ulnohumeral joint, sequela                  |
| S53.106A    | Unspecified dislocation of unspecified ulnohumeral joint, initial encounter |
| S53.106S    | Unspecified dislocation of unspecified ulnohumeral joint, sequela           |
| S53.111A    | Anterior subluxation of right ulnohumeral joint, initial encounter          |
| S53.111S    | Anterior subluxation of right ulnohumeral joint, sequela                    |
| S53.112A    | Anterior subluxation of left ulnohumeral joint, initial encounter           |
| S53.112S    | Anterior subluxation of left ulnohumeral joint, sequela                     |
| S53.113A    | Anterior subluxation of unspecified ulnohumeral joint, initial encounter    |
| S53.113S    | Anterior subluxation of unspecified ulnohumeral joint, sequela              |
| S53.114A    | Anterior dislocation of right ulnohumeral joint, initial encounter          |
| S53.114S    | Anterior dislocation of right ulnohumeral joint, sequela                    |
| S53.115A    | Anterior dislocation of left ulnohumeral joint, initial encounter           |
| S53.115S    | Anterior dislocation of left ulnohumeral joint, sequela                     |
| S53.116A    | Anterior dislocation of unspecified ulnohumeral joint, initial encounter    |
| S53.116S    | Anterior dislocation of unspecified ulnohumeral joint, sequela              |
| S53.121A    | Posterior subluxation of right ulnohumeral joint, initial encounter         |
| S53.121S    | Posterior subluxation of right ulnohumeral joint, sequela                   |
| S53.122A    | Posterior subluxation of left ulnohumeral joint, initial encounter          |
| S53.122S    | Posterior subluxation of left ulnohumeral joint, sequela                    |
| S53.123A    | Posterior subluxation of unspecified ulnohumeral joint, initial encounter   |
| S53.123S    | Posterior subluxation of unspecified ulnohumeral joint, sequela             |
| S53.124A    | Posterior dislocation of right ulnohumeral joint, initial encounter         |
| S53.124S    | Posterior dislocation of right ulnohumeral joint, sequela                   |
| S53.125A    | Posterior dislocation of left ulnohumeral joint, initial encounter          |
| S53.125S    | Posterior dislocation of left ulnohumeral joint, sequela                    |
| S53.126A    | Posterior dislocation of unspecified ulnohumeral joint, initial encounter   |
| S53.126S    | Posterior dislocation of unspecified ulnohumeral joint, sequela             |
| S53.131A    | Medial subluxation of right ulnohumeral joint, initial encounter            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S53.131S    | Medial subluxation of right ulnohumeral joint, sequela                  |
| S53.132A    | Medial subluxation of left ulnohumeral joint, initial encounter         |
| S53.132S    | Medial subluxation of left ulnohumeral joint, sequela                   |
| S53.133A    | Medial subluxation of unspecified ulnohumeral joint, initial encounter  |
| S53.133S    | Medial subluxation of unspecified ulnohumeral joint, sequela            |
| S53.134A    | Medial dislocation of right ulnohumeral joint, initial encounter        |
| S53.134S    | Medial dislocation of right ulnohumeral joint, sequela                  |
| S53.135A    | Medial dislocation of left ulnohumeral joint, initial encounter         |
| S53.135S    | Medial dislocation of left ulnohumeral joint, sequela                   |
| S53.136A    | Medial dislocation of unspecified ulnohumeral joint, initial encounter  |
| S53.136S    | Medial dislocation of unspecified ulnohumeral joint, sequela            |
| S53.141A    | Lateral subluxation of right ulnohumeral joint, initial encounter       |
| S53.141S    | Lateral subluxation of right ulnohumeral joint, sequela                 |
| S53.142A    | Lateral subluxation of left ulnohumeral joint, initial encounter        |
| S53.142S    | Lateral subluxation of left ulnohumeral joint, sequela                  |
| S53.143A    | Lateral subluxation of unspecified ulnohumeral joint, initial encounter |
| S53.143S    | Lateral subluxation of unspecified ulnohumeral joint, sequela           |
| S53.144A    | Lateral dislocation of right ulnohumeral joint, initial encounter       |
| S53.144S    | Lateral dislocation of right ulnohumeral joint, sequela                 |
| S53.145A    | Lateral dislocation of left ulnohumeral joint, initial encounter        |
| S53.145S    | Lateral dislocation of left ulnohumeral joint, sequela                  |
| S53.146A    | Lateral dislocation of unspecified ulnohumeral joint, initial encounter |
| S53.146S    | Lateral dislocation of unspecified ulnohumeral joint, sequela           |
| S53.191A    | Other subluxation of right ulnohumeral joint, initial encounter         |
| S53.191S    | Other subluxation of right ulnohumeral joint, sequela                   |
| S53.192A    | Other subluxation of left ulnohumeral joint, initial encounter          |
| S53.192S    | Other subluxation of left ulnohumeral joint, sequela                    |
| S53.193A    | Other subluxation of unspecified ulnohumeral joint, initial encounter   |
| S53.193S    | Other subluxation of unspecified ulnohumeral joint, sequela             |
| S53.194A    | Other dislocation of right ulnohumeral joint, initial encounter         |
| S53.194S    | Other dislocation of right ulnohumeral joint, sequela                   |
| S53.195A    | Other dislocation of left ulnohumeral joint, initial encounter          |
| S53.195S    | Other dislocation of left ulnohumeral joint, sequela                    |
| S53.196A    | Other dislocation of unspecified ulnohumeral joint, initial encounter   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S53.196S | Other dislocation of unspecified ulnohumeral joint, sequela                    |
| S53.20XA | Traumatic rupture of unspecified radial collateral ligament, initial encounter |
| S53.20XS | Traumatic rupture of unspecified radial collateral ligament, sequela           |
| S53.21XA | Traumatic rupture of right radial collateral ligament, initial encounter       |
| S53.21XS | Traumatic rupture of right radial collateral ligament, sequela                 |
| S53.22XA | Traumatic rupture of left radial collateral ligament, initial encounter        |
| S53.22XS | Traumatic rupture of left radial collateral ligament, sequela                  |
| S53.30XA | Traumatic rupture of unspecified ulnar collateral ligament, initial encounter  |
| S53.30XS | Traumatic rupture of unspecified ulnar collateral ligament, sequela            |
| S53.31XA | Traumatic rupture of right ulnar collateral ligament, initial encounter        |
| S53.31XS | Traumatic rupture of right ulnar collateral ligament, sequela                  |
| S53.32XA | Traumatic rupture of left ulnar collateral ligament, initial encounter         |
| S53.32XS | Traumatic rupture of left ulnar collateral ligament, sequela                   |
| S53.401A | Unspecified sprain of right elbow, initial encounter                           |
| S53.401S | Unspecified sprain of right elbow, sequela                                     |
| S53.402A | Unspecified sprain of left elbow, initial encounter                            |
| S53.402S | Unspecified sprain of left elbow, sequela                                      |
| S53.409A | Unspecified sprain of unspecified elbow, initial encounter                     |
| S53.409S | Unspecified sprain of unspecified elbow, sequela                               |
| S53.411A | Radiohumeral (joint) sprain of right elbow, initial encounter                  |
| S53.411S | Radiohumeral (joint) sprain of right elbow, sequela                            |
| S53.412A | Radiohumeral (joint) sprain of left elbow, initial encounter                   |
| S53.412S | Radiohumeral (joint) sprain of left elbow, sequela                             |
| S53.419A | Radiohumeral (joint) sprain of unspecified elbow, initial encounter            |
| S53.419S | Radiohumeral (joint) sprain of unspecified elbow, sequela                      |
| S53.421A | Ulnohumeral (joint) sprain of right elbow, initial encounter                   |
| S53.421S | Ulnohumeral (joint) sprain of right elbow, sequela                             |
| S53.422A | Ulnohumeral (joint) sprain of left elbow, initial encounter                    |
| S53.422S | Ulnohumeral (joint) sprain of left elbow, sequela                              |
| S53.429A | Ulnohumeral (joint) sprain of unspecified elbow, initial encounter             |
| S53.429S | Ulnohumeral (joint) sprain of unspecified elbow, sequela                       |
| S53.431A | Radial collateral ligament sprain of right elbow, initial encounter            |
| S53.431S | Radial collateral ligament sprain of right elbow, sequela                      |
| S53.432A | Radial collateral ligament sprain of left elbow, initial encounter             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S53.432S | Radial collateral ligament sprain of left elbow, sequela                               |
| S53.439A | Radial collateral ligament sprain of unspecified elbow, initial encounter              |
| S53.439S | Radial collateral ligament sprain of unspecified elbow, sequela                        |
| S53.441A | Ulnar collateral ligament sprain of right elbow, initial encounter                     |
| S53.441S | Ulnar collateral ligament sprain of right elbow, sequela                               |
| S53.442A | Ulnar collateral ligament sprain of left elbow, initial encounter                      |
| S53.442S | Ulnar collateral ligament sprain of left elbow, sequela                                |
| S53.449A | Ulnar collateral ligament sprain of unspecified elbow, initial encounter               |
| S53.449S | Ulnar collateral ligament sprain of unspecified elbow, sequela                         |
| S53.491A | Other sprain of right elbow, initial encounter   |
| S53.491S | Other sprain of right elbow, sequela   |
| S53.492A | Other sprain of left elbow, initial encounter  |
| S53.492S | Other sprain of left elbow, sequela  |
| S53.499A | Other sprain of unspecified elbow, initial encounter                                   |
| S53.499S | Other sprain of unspecified elbow, sequela   |
| S54.00XA | Injury of ulnar nerve at forearm level, unspecified arm, initial encounter             |
| S54.00XS | Injury of ulnar nerve at forearm level, unspecified arm, sequela                       |
| S54.01XA | Injury of ulnar nerve at forearm level, right arm, initial encounter                   |
| S54.01XS | Injury of ulnar nerve at forearm level, right arm, sequela                             |
| S54.02XA | Injury of ulnar nerve at forearm level, left arm, initial encounter                    |
| S54.02XS | Injury of ulnar nerve at forearm level, left arm, sequela                              |
| S54.10XA | Injury of median nerve at forearm level, unspecified arm, initial encounter            |
| S54.10XS | Injury of median nerve at forearm level, unspecified arm, sequela                      |
| S54.11XA | Injury of median nerve at forearm level, right arm, initial encounter                  |
| S54.11XS | Injury of median nerve at forearm level, right arm, sequela                            |
| S54.12XA | Injury of median nerve at forearm level, left arm, initial encounter                   |
| S54.12XS | Injury of median nerve at forearm level, left arm, sequela                             |
| S54.20XA | Injury of radial nerve at forearm level, unspecified arm, initial encounter            |
| S54.20XS | Injury of radial nerve at forearm level, unspecified arm, sequela                      |
| S54.21XA | Injury of radial nerve at forearm level, right arm, initial encounter                  |
| S54.21XS | Injury of radial nerve at forearm level, right arm, sequela                            |
| S54.22XA | Injury of radial nerve at forearm level, left arm, initial encounter                   |
| S54.22XS | Injury of radial nerve at forearm level, left arm, sequela                             |
| S54.30XA | Injury of cutaneous sensory nerve at forearm level, unspecified arm, initial encounter |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S54.30XS | Injury of cutaneous sensory nerve at forearm level, unspecified arm, sequela      |
| S54.31XA | Injury of cutaneous sensory nerve at forearm level, right arm, initial encounter  |
| S54.31XS | Injury of cutaneous sensory nerve at forearm level, right arm, sequela            |
| S54.32XA | Injury of cutaneous sensory nerve at forearm level, left arm, initial encounter   |
| S54.32XS | Injury of cutaneous sensory nerve at forearm level, left arm, sequela             |
| S54.8X1A | Injury of other nerves at forearm level, right arm, initial encounter             |
| S54.8X1S | Injury of other nerves at forearm level, right arm, sequela                       |
| S54.8X2A | Injury of other nerves at forearm level, left arm, initial encounter              |
| S54.8X2S | Injury of other nerves at forearm level, left arm, sequela                        |
| S54.8X9A | Injury of other nerves at forearm level, unspecified arm, initial encounter       |
| S54.8X9S | Injury of other nerves at forearm level, unspecified arm, sequela                 |
| S54.90XA | Injury of unspecified nerve at forearm level, unspecified arm, initial encounter  |
| S54.90XS | Injury of unspecified nerve at forearm level, unspecified arm, sequela            |
| S54.91XA | Injury of unspecified nerve at forearm level, right arm, initial encounter        |
| S54.91XS | Injury of unspecified nerve at forearm level, right arm, sequela                  |
| S54.92XA | Injury of unspecified nerve at forearm level, left arm, initial encounter         |
| S54.92XS | Injury of unspecified nerve at forearm level, left arm, sequela                   |
| S55.001S | Unspecified injury of ulnar artery at forearm level, right arm, sequela           |
| S55.002S | Unspecified injury of ulnar artery at forearm level, left arm, sequela            |
| S55.009S | Unspecified injury of ulnar artery at forearm level, unspecified arm, sequela     |
| S55.011S | Laceration of ulnar artery at forearm level, right arm, sequela                   |
| S55.012S | Laceration of ulnar artery at forearm level, left arm, sequela                    |
| S55.019S | Laceration of ulnar artery at forearm level, unspecified arm, sequela             |
| S55.091S | Other specified injury of ulnar artery at forearm level, right arm, sequela       |
| S55.092S | Other specified injury of ulnar artery at forearm level, left arm, sequela        |
| S55.099S | Other specified injury of ulnar artery at forearm level, unspecified arm, sequela |
| S55.101S | Unspecified injury of radial artery at forearm level, right arm, sequela          |
| S55.102S | Unspecified injury of radial artery at forearm level, left arm, sequela           |
| S55.109S | Unspecified injury of radial artery at forearm level, unspecified arm, sequela    |
| S55.111S | Laceration of radial artery at forearm level, right arm, sequela                  |
| S55.112S | Laceration of radial artery at forearm level, left arm, sequela                   |
| S55.119S | Laceration of radial artery at forearm level, unspecified arm, sequela            |
| S55.191S | Other specified injury of radial artery at forearm level, right arm, sequela      |
| S55.192S | Other specified injury of radial artery at forearm level, left arm, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S55.199S | Other specified injury of radial artery at forearm level, unspecified arm, sequela                    |
| S55.201S | Unspecified injury of vein at forearm level, right arm, sequela                                       |
| S55.202S | Unspecified injury of vein at forearm level, left arm, sequela  |
| S55.209S | Unspecified injury of vein at forearm level, unspecified arm, sequela                                 |
| S55.211S | Laceration of vein at forearm level, right arm, sequela   |
| S55.212S | Laceration of vein at forearm level, left arm, sequela  |
| S55.219S | Laceration of vein at forearm level, unspecified arm, sequela   |
| S55.291S | Other specified injury of vein at forearm level, right arm, sequela                                   |
| S55.292S | Other specified injury of vein at forearm level, left arm, sequela                                    |
| S55.299S | Other specified injury of vein at forearm level, unspecified arm, sequela                             |
| S55.801S | Unspecified injury of other blood vessels at forearm level, right arm, sequela                        |
| S55.802S | Unspecified injury of other blood vessels at forearm level, left arm, sequela                         |
| S55.809S | Unspecified injury of other blood vessels at forearm level, unspecified arm, sequela                  |
| S55.811S | Laceration of other blood vessels at forearm level, right arm, sequela                                |
| S55.812S | Laceration of other blood vessels at forearm level, left arm, sequela                                 |
| S55.819S | Laceration of other blood vessels at forearm level, unspecified arm, sequela                          |
| S55.891S | Other specified injury of other blood vessels at forearm level, right arm, sequela                    |
| S55.892S | Other specified injury of other blood vessels at forearm level, left arm, sequela                     |
| S55.899S | Other specified injury of other blood vessels at forearm level, unspecified arm, sequela              |
| S55.901S | Unspecified injury of unspecified blood vessel at forearm level, right arm, sequela                   |
| S55.902S | Unspecified injury of unspecified blood vessel at forearm level, left arm, sequela                    |
| S55.909S | Unspecified injury of unspecified blood vessel at forearm level, unspecified arm, sequela             |
| S55.911S | Laceration of unspecified blood vessel at forearm level, right arm, sequela                           |
| S55.912S | Laceration of unspecified blood vessel at forearm level, left arm, sequela                            |
| S55.919S | Laceration of unspecified blood vessel at forearm level, unspecified arm, sequela                     |
| S55.991S | Other specified injury of unspecified blood vessel at forearm level, right arm, sequela               |
| S55.992S | Other specified injury of unspecified blood vessel at forearm level, left arm, sequela                |
| S55.999S | Other specified injury of unspecified blood vessel at forearm level, unspecified arm, sequela         |
| S56.001S | Unspecified injury of flexor muscle, fascia and tendon of right thumb at forearm level, sequela       |
| S56.002S | Unspecified injury of flexor muscle, fascia and tendon of left thumb at forearm level, sequela        |
| S56.009S | Unspecified injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela |
| S56.011A | Strain of flexor muscle, fascia and tendon of right thumb at forearm level, initial encounter         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S56.011S    | Strain of flexor muscle, fascia and tendon of right thumb at forearm level, sequela                     |
| S56.012A    | Strain of flexor muscle, fascia and tendon of left thumb at forearm level, initial encounter            |
| S56.012S    | Strain of flexor muscle, fascia and tendon of left thumb at forearm level, sequela                      |
| S56.019A    | Strain of flexor muscle, fascia and tendon of unspecified thumb at forearm level, initial encounter     |
| S56.019S    | Strain of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela               |
| S56.021S    | Laceration of flexor muscle, fascia and tendon of right thumb at forearm level, sequela                 |
| S56.022S    | Laceration of flexor muscle, fascia and tendon of left thumb at forearm level, sequela                  |
| S56.029S    | Laceration of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela           |
| S56.091S    | Other injury of flexor muscle, fascia and tendon of right thumb at forearm level, sequela               |
| S56.092S    | Other injury of flexor muscle, fascia and tendon of left thumb at forearm level, sequela                |
| S56.099S    | Other injury of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela         |
| S56.101S    | Unspecified injury of flexor muscle, fascia and tendon of right index finger at forearm level, sequela  |
| S56.102S    | Unspecified injury of flexor muscle, fascia and tendon of left index finger at forearm level, sequela   |
| S56.103S    | Unspecified injury of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela |
| S56.104S    | Unspecified injury of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela  |
| S56.105S    | Unspecified injury of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela   |
| S56.106S    | Unspecified injury of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela    |
| S56.107S    | Unspecified injury of flexor muscle, fascia and tendon of right little finger at forearm level, sequela |
| S56.108S    | Unspecified injury of flexor muscle, fascia and tendon of left little finger at forearm level, sequela  |
| S56.109S    | Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela  |
| S56.111A    | Strain of flexor muscle, fascia and tendon of right index finger at forearm level, initial encounter    |
| S56.111S    | Strain of flexor muscle, fascia and tendon of right index finger at forearm level, sequela              |
| S56.112A    | Strain of flexor muscle, fascia and tendon of left index finger at forearm level, initial encounter     |
| S56.112S    | Strain of flexor muscle, fascia and tendon of left index finger at forearm level, sequela               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S56.113A | Strain of flexor muscle, fascia and tendon of right middle finger at forearm level, initial encounter          |
| S56.113S | Strain of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela                    |
| S56.114A | Strain of flexor muscle, fascia and tendon of left middle finger at forearm level, initial encounter           |
| S56.114S | Strain of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela                     |
| S56.115A | Strain of flexor muscle, fascia and tendon of right ring finger at forearm level, initial encounter            |
| S56.115S | Strain of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela                      |
| S56.116A | Strain of flexor muscle, fascia and tendon of left ring finger at forearm level, initial encounter             |
| S56.116S | Strain of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela                       |
| S56.117A | Strain of flexor muscle, fascia and tendon of right little finger at forearm level, initial encounter          |
| S56.117S | Strain of flexor muscle, fascia and tendon of right little finger at forearm level, sequela                    |
| S56.118A | Strain of flexor muscle, fascia and tendon of left little finger at forearm level, initial encounter           |
| S56.118S | Strain of flexor muscle, fascia and tendon of left little finger at forearm level, sequela                     |
| S56.119A | Strain of flexor muscle, fascia and tendon of finger of unspecified finger at forearm level, initial encounter |
| S56.119S | Strain of flexor muscle, fascia and tendon of finger of unspecified finger at forearm level, sequela           |
| S56.121S | Laceration of flexor muscle, fascia and tendon of right index finger at forearm level, sequela                 |
| S56.122S | Laceration of flexor muscle, fascia and tendon of left index finger at forearm level, sequela                  |
| S56.123S | Laceration of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela                |
| S56.124S | Laceration of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela                 |
| S56.125S | Laceration of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela                  |
| S56.126S | Laceration of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela                   |
| S56.127S | Laceration of flexor muscle, fascia and tendon of right little finger at forearm level, sequela                |
| S56.128S | Laceration of flexor muscle, fascia and tendon of left little finger at forearm level, sequela                 |
| S56.129S | Laceration of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela                 |
| S56.191S | Other injury of flexor muscle, fascia and tendon of right index finger at forearm level, sequela               |
| S56.192S | Other injury of flexor muscle, fascia and tendon of left index finger at forearm level, sequela                |
| S56.193S | Other injury of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela              |
| S56.194S | Other injury of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela               |
| S56.195S | Other injury of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela                |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S56.196S | Other injury of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela                        |
| S56.197S | Other injury of flexor muscle, fascia and tendon of right little finger at forearm level, sequela                     |
| S56.198S | Other injury of flexor muscle, fascia and tendon of left little finger at forearm level, sequela                      |
| S56.199S | Other injury of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela                      |
| S56.201S | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, right arm, sequela                     |
| S56.202S | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, left arm, sequela                      |
| S56.209S | Unspecified injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela               |
| S56.211A | Strain of other flexor muscle, fascia and tendon at forearm level, right arm, initial encounter                       |
| S56.211S | Strain of other flexor muscle, fascia and tendon at forearm level, right arm, sequela                                 |
| S56.212A | Strain of other flexor muscle, fascia and tendon at forearm level, left arm, initial encounter                        |
| S56.212S | Strain of other flexor muscle, fascia and tendon at forearm level, left arm, sequela                                  |
| S56.219A | Strain of other flexor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter                 |
| S56.219S | Strain of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela                           |
| S56.221S | Laceration of other flexor muscle, fascia and tendon at forearm level, right arm, sequela                             |
| S56.222S | Laceration of other flexor muscle, fascia and tendon at forearm level, left arm, sequela                              |
| S56.229S | Laceration of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela                       |
| S56.291S | Other injury of other flexor muscle, fascia and tendon at forearm level, right arm, sequela                           |
| S56.292S | Other injury of other flexor muscle, fascia and tendon at forearm level, left arm, sequela                            |
| S56.299S | Other injury of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela                     |
| S56.301S | Unspecified injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela       |
| S56.302S | Unspecified injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela        |
| S56.309S | Unspecified injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela |
| S56.311A | Strain of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, initial encounter         |
| S56.311S | Strain of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela                   |
| S56.312A | Strain of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, initial encounter          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S56.312S | Strain of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela                  |
| S56.319A | Strain of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, initial encounter |
| S56.319S | Strain of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela           |
| S56.321S | Laceration of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela             |
| S56.322S | Laceration of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela              |
| S56.329S | Laceration of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela       |
| S56.391S | Other injury of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela           |
| S56.392S | Other injury of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela            |
| S56.399S | Other injury of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela     |
| S56.401S | Unspecified injury of extensor muscle, fascia and tendon of right index finger at forearm level, sequela            |
| S56.402S | Unspecified injury of extensor muscle, fascia and tendon of left index finger at forearm level, sequela             |
| S56.403S | Unspecified injury of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela           |
| S56.404S | Unspecified injury of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela            |
| S56.405S | Unspecified injury of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela             |
| S56.406S | Unspecified injury of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela              |
| S56.407S | Unspecified injury of extensor muscle, fascia and tendon of right little finger at forearm level, sequela           |
| S56.408S | Unspecified injury of extensor muscle, fascia and tendon of left little finger at forearm level, sequela            |
| S56.409S | Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela            |
| S56.411A | Strain of extensor muscle, fascia and tendon of right index finger at forearm level, initial encounter              |
| S56.411S | Strain of extensor muscle, fascia and tendon of right index finger at forearm level, sequela                        |
| S56.412A | Strain of extensor muscle, fascia and tendon of left index finger at forearm level, initial encounter               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S56.412S    | Strain of extensor muscle, fascia and tendon of left index finger at forearm level, sequela                    |
| S56.413A    | Strain of extensor muscle, fascia and tendon of right middle finger at forearm level, initial encounter        |
| S56.413S    | Strain of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela                  |
| S56.414A    | Strain of extensor muscle, fascia and tendon of left middle finger at forearm level, initial encounter         |
| S56.414S    | Strain of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela                   |
| S56.415A    | Strain of extensor muscle, fascia and tendon of right ring finger at forearm level, initial encounter          |
| S56.415S    | Strain of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela                    |
| S56.416A    | Strain of extensor muscle, fascia and tendon of left ring finger at forearm level, initial encounter           |
| S56.416S    | Strain of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela                     |
| S56.417A    | Strain of extensor muscle, fascia and tendon of right little finger at forearm level, initial encounter        |
| S56.417S    | Strain of extensor muscle, fascia and tendon of right little finger at forearm level, sequela                  |
| S56.418A    | Strain of extensor muscle, fascia and tendon of left little finger at forearm level, initial encounter         |
| S56.418S    | Strain of extensor muscle, fascia and tendon of left little finger at forearm level, sequela                   |
| S56.419A    | Strain of extensor muscle, fascia and tendon of finger, unspecified finger at forearm level, initial encounter |
| S56.419S    | Strain of extensor muscle, fascia and tendon of finger, unspecified finger at forearm level, sequela           |
| S56.421S    | Laceration of extensor muscle, fascia and tendon of right index finger at forearm level, sequela               |
| S56.422S    | Laceration of extensor muscle, fascia and tendon of left index finger at forearm level, sequela                |
| S56.423S    | Laceration of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela              |
| S56.424S    | Laceration of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela               |
| S56.425S    | Laceration of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela                |
| S56.426S    | Laceration of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela                 |
| S56.427S    | Laceration of extensor muscle, fascia and tendon of right little finger at forearm level, sequela              |
| S56.428S    | Laceration of extensor muscle, fascia and tendon of left little finger at forearm level, sequela               |
| S56.429S    | Laceration of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela               |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S56.491S | Other injury of extensor muscle, fascia and tendon of right index finger at forearm level, sequela        |
| S56.492S | Other injury of extensor muscle, fascia and tendon of left index finger at forearm level, sequela         |
| S56.493S | Other injury of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela       |
| S56.494S | Other injury of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela        |
| S56.495S | Other injury of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela         |
| S56.496S | Other injury of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela          |
| S56.497S | Other injury of extensor muscle, fascia and tendon of right little finger at forearm level, sequela       |
| S56.498S | Other injury of extensor muscle, fascia and tendon of left little finger at forearm level, sequela        |
| S56.499S | Other injury of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela        |
| S56.501S | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, right arm, sequela       |
| S56.502S | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, left arm, sequela        |
| S56.509S | Unspecified injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela |
| S56.511A | Strain of other extensor muscle, fascia and tendon at forearm level, right arm, initial encounter         |
| S56.511S | Strain of other extensor muscle, fascia and tendon at forearm level, right arm, sequela                   |
| S56.512A | Strain of other extensor muscle, fascia and tendon at forearm level, left arm, initial encounter          |
| S56.512S | Strain of other extensor muscle, fascia and tendon at forearm level, left arm, sequela                    |
| S56.519A | Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter   |
| S56.519S | Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela             |
| S56.521S | Laceration of other extensor muscle, fascia and tendon at forearm level, right arm, sequela               |
| S56.522S | Laceration of other extensor muscle, fascia and tendon at forearm level, left arm, sequela                |
| S56.529S | Laceration of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela         |
| S56.591S | Other injury of other extensor muscle, fascia and tendon at forearm level, right arm, sequela             |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S56.592S | Other injury of other extensor muscle, fascia and tendon at forearm level, left arm, sequela             |
| S56.599S | Other injury of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela      |
| S56.801S | Unspecified injury of other muscles, fascia and tendons at forearm level, right arm, sequela             |
| S56.802S | Unspecified injury of other muscles, fascia and tendons at forearm level, left arm, sequela              |
| S56.809S | Unspecified injury of other muscles, fascia and tendons at forearm level, unspecified arm, sequela       |
| S56.811A | Strain of other muscles, fascia and tendons at forearm level, right arm, initial encounter               |
| S56.811S | Strain of other muscles, fascia and tendons at forearm level, right arm, sequela                         |
| S56.812A | Strain of other muscles, fascia and tendons at forearm level, left arm, initial encounter                |
| S56.812S | Strain of other muscles, fascia and tendons at forearm level, left arm, sequela                          |
| S56.819A | Strain of other muscles, fascia and tendons at forearm level, unspecified arm, initial encounter         |
| S56.819S | Strain of other muscles, fascia and tendons at forearm level, unspecified arm, sequela                   |
| S56.821S | Laceration of other muscles, fascia and tendons at forearm level, right arm, sequela                     |
| S56.822S | Laceration of other muscles, fascia and tendons at forearm level, left arm, sequela                      |
| S56.829S | Laceration of other muscles, fascia and tendons at forearm level, unspecified arm, sequela               |
| S56.891S | Other injury of other muscles, fascia and tendons at forearm level, right arm, sequela                   |
| S56.892S | Other injury of other muscles, fascia and tendons at forearm level, left arm, sequela                    |
| S56.899S | Other injury of other muscles, fascia and tendons at forearm level, unspecified arm, sequela             |
| S56.901S | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, right arm, sequela       |
| S56.902S | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, left arm, sequela        |
| S56.909S | Unspecified injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela |
| S56.911A | Strain of unspecified muscles, fascia and tendons at forearm level, right arm, initial encounter         |
| S56.911S | Strain of unspecified muscles, fascia and tendons at forearm level, right arm, sequela                   |
| S56.912A | Strain of unspecified muscles, fascia and tendons at forearm level, left arm, initial encounter          |
| S56.912S | Strain of unspecified muscles, fascia and tendons at forearm level, left arm, sequela                    |
| S56.919A | Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, initial encounter   |
| S56.919S | Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela             |
| S56.921S | Laceration of unspecified muscles, fascia and tendons at forearm level, right arm, sequela               |
| S56.922S | Laceration of unspecified muscles, fascia and tendons at forearm level, left arm, sequela                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S56.929S | Laceration of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela                     |
| S56.991S | Other injury of unspecified muscles, fascia and tendons at forearm level, right arm, sequela                         |
| S56.992S | Other injury of unspecified muscles, fascia and tendons at forearm level, left arm, sequela                          |
| S56.999S | Other injury of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela                   |
| S57.00XS | Crushing injury of unspecified elbow, sequela  |
| S57.01XS | Crushing injury of right elbow, sequela  |
| S57.02XS | Crushing injury of left elbow, sequela   |
| S57.80XS | Crushing injury of unspecified forearm, sequela  |
| S57.81XS | Crushing injury of right forearm, sequela  |
| S57.82XS | Crushing injury of left forearm, sequela   |
| S58.011S | Complete traumatic amputation at elbow level, right arm, sequela   |
| S58.012S | Complete traumatic amputation at elbow level, left arm, sequela  |
| S58.019S | Complete traumatic amputation at elbow level, unspecified arm, sequela   |
| S58.021S | Partial traumatic amputation at elbow level, right arm, sequela  |
| S58.022S | Partial traumatic amputation at elbow level, left arm, sequela   |
| S58.029S | Partial traumatic amputation at elbow level, unspecified arm, sequela  |
| S58.111S | Complete traumatic amputation at level between elbow and wrist, right arm, sequela                                   |
| S58.112S | Complete traumatic amputation at level between elbow and wrist, left arm, sequela                                    |
| S58.119S | Complete traumatic amputation at level between elbow and wrist, unspecified arm, sequela                             |
| S58.121S | Partial traumatic amputation at level between elbow and wrist, right arm, sequela                                    |
| S58.122S | Partial traumatic amputation at level between elbow and wrist, left arm, sequela                                     |
| S58.129S | Partial traumatic amputation at level between elbow and wrist, unspecified arm, sequela                              |
| S58.911S | Complete traumatic amputation of right forearm, level unspecified, sequela   |
| S58.912S | Complete traumatic amputation of left forearm, level unspecified, sequela  |
| S58.919S | Complete traumatic amputation of unspecified forearm, level unspecified, sequela                                     |
| S58.921S | Partial traumatic amputation of right forearm, level unspecified, sequela  |
| S58.922S | Partial traumatic amputation of left forearm, level unspecified, sequela   |
| S58.929S | Partial traumatic amputation of unspecified forearm, level unspecified, sequela                                      |
| S59.001D | Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing |
| S59.001G | Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing |
| S59.001S | Unspecified physeal fracture of lower end of ulna, right arm, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S59.002D | Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing                  |
| S59.002G | Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing                  |
| S59.002S | Unspecified physeal fracture of lower end of ulna, left arm, sequela   |
| S59.009D | Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing           |
| S59.009G | Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing           |
| S59.009S | Unspecified physeal fracture of lower end of ulna, unspecified arm, sequela  |
| S59.011D | Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing        |
| S59.011G | Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing        |
| S59.011S | Salter-Harris Type I physeal fracture of lower end of ulna, right arm, sequela   |
| S59.012D | Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing         |
| S59.012G | Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing         |
| S59.012S | Salter-Harris Type I physeal fracture of lower end of ulna, left arm, sequela  |
| S59.019D | Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing  |
| S59.019G | Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S59.019S | Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, sequela   |
| S59.021D | Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing       |
| S59.021G | Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing       |
| S59.021S | Salter-Harris Type II physeal fracture of lower end of ulna, right arm, sequela  |
| S59.022D | Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing        |
| S59.022G | Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing        |
| S59.022S | Salter-Harris Type II physeal fracture of lower end of ulna, left arm, sequela   |
| S59.029D | Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.029G | Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S59.029S    | Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, sequela   |
| S59.031D    | Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing       |
| S59.031G    | Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing       |
| S59.031S    | Salter-Harris Type III physeal fracture of lower end of ulna, right arm, sequela  |
| S59.032D    | Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing        |
| S59.032G    | Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing        |
| S59.032S    | Salter-Harris Type III physeal fracture of lower end of ulna, left arm, sequela   |
| S59.039D    | Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.039G    | Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.039S    | Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, sequela  |
| S59.041D    | Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing        |
| S59.041G    | Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing        |
| S59.041S    | Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, sequela   |
| S59.042D    | Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing         |
| S59.042G    | Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing         |
| S59.042S    | Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, sequela  |
| S59.049D    | Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing  |
| S59.049G    | Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S59.049S    | Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, sequela   |
| S59.091D    | Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing                        |
| S59.091G    | Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing                        |
| S59.091S    | Other physeal fracture of lower end of ulna, right arm, sequela   |
| S59.092D    | Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing                         |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S59.092G    | Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing                         |
| S59.092S    | Other physeal fracture of lower end of ulna, left arm, sequela  |
| S59.099D    | Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing                  |
| S59.099G    | Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing                  |
| S59.099S    | Other physeal fracture of lower end of ulna, unspecified arm, sequela   |
| S59.101D    | Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing                |
| S59.101G    | Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing                |
| S59.101S    | Unspecified physeal fracture of upper end of radius, right arm, sequela   |
| S59.102D    | Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing                 |
| S59.102G    | Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing                 |
| S59.102S    | Unspecified physeal fracture of upper end of radius, left arm, sequela  |
| S59.109D    | Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing          |
| S59.109G    | Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing          |
| S59.109S    | Unspecified physeal fracture of upper end of radius, unspecified arm, sequela   |
| S59.111D    | Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing       |
| S59.111G    | Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing       |
| S59.111S    | Salter-Harris Type I physeal fracture of upper end of radius, right arm, sequela  |
| S59.112D    | Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing        |
| S59.112G    | Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing        |
| S59.112S    | Salter-Harris Type I physeal fracture of upper end of radius, left arm, sequela   |
| S59.119D    | Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.119G    | Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.119S    | Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S59.121D | Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing        |
| S59.121G | Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing        |
| S59.121S | Salter-Harris Type II physeal fracture of upper end of radius, right arm, sequela   |
| S59.122D | Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing         |
| S59.122G | Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing         |
| S59.122S | Salter-Harris Type II physeal fracture of upper end of radius, left arm, sequela  |
| S59.129D | Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing  |
| S59.129G | Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S59.129S | Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, sequela   |
| S59.131D | Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing       |
| S59.131G | Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing       |
| S59.131S | Salter-Harris Type III physeal fracture of upper end of radius, right arm, sequela  |
| S59.132D | Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing        |
| S59.132G | Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing        |
| S59.132S | Salter-Harris Type III physeal fracture of upper end of radius, left arm, sequela   |
| S59.139D | Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.139G | Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.139S | Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, sequela  |
| S59.141D | Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing        |
| S59.141G | Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing        |
| S59.141S | Salter-Harris Type IV physeal fracture of upper end of radius, right arm, sequela   |
| S59.142D | Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing         |
| S59.142G | Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing         |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S59.142S    | Salter-Harris Type IV physeal fracture of upper end of radius, left arm, sequela   |
| S59.149D    | Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.149G    | Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.149S    | Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, sequela  |
| S59.191D    | Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing                       |
| S59.191G    | Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing                       |
| S59.191S    | Other physeal fracture of upper end of radius, right arm, sequela  |
| S59.192D    | Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing                        |
| S59.192G    | Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing                        |
| S59.192S    | Other physeal fracture of upper end of radius, left arm, sequela   |
| S59.199D    | Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing                 |
| S59.199G    | Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing                 |
| S59.199S    | Other physeal fracture of upper end of radius, unspecified arm, sequela  |
| S59.201D    | Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing                 |
| S59.201G    | Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing                 |
| S59.201S    | Unspecified physeal fracture of lower end of radius, right arm, sequela  |
| S59.202D    | Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing                  |
| S59.202G    | Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing                  |
| S59.202S    | Unspecified physeal fracture of lower end of radius, left arm, sequela   |
| S59.209D    | Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing           |
| S59.209G    | Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing           |
| S59.209S    | Unspecified physeal fracture of lower end of radius, unspecified arm, sequela  |
| S59.211D    | Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S59.211G | Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing        |
| S59.211S | Salter-Harris Type I physeal fracture of lower end of radius, right arm, sequela   |
| S59.212D | Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing         |
| S59.212G | Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing         |
| S59.212S | Salter-Harris Type I physeal fracture of lower end of radius, left arm, sequela  |
| S59.219D | Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing  |
| S59.219G | Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S59.219S | Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, sequela   |
| S59.221D | Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing       |
| S59.221G | Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing       |
| S59.221S | Salter-Harris Type II physeal fracture of lower end of radius, right arm, sequela  |
| S59.222D | Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing        |
| S59.222G | Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing        |
| S59.222S | Salter-Harris Type II physeal fracture of lower end of radius, left arm, sequela   |
| S59.229D | Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.229G | Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.229S | Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, sequela  |
| S59.231D | Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing      |
| S59.231G | Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing      |
| S59.231S | Salter-Harris Type III physeal fracture of lower end of radius, right arm, sequela   |
| S59.232D | Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing       |
| S59.232G | Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing       |
| S59.232S | Salter-Harris Type III physeal fracture of lower end of radius, left arm, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S59.239D    | Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing |
| S59.239G    | Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing |
| S59.239S    | Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, sequela  |
| S59.241D    | Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing        |
| S59.241G    | Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing        |
| S59.241S    | Salter-Harris Type IV physeal fracture of lower end of radius, right arm, sequela   |
| S59.242D    | Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing         |
| S59.242G    | Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing         |
| S59.242S    | Salter-Harris Type IV physeal fracture of lower end of radius, left arm, sequela  |
| S59.249D    | Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing  |
| S59.249G    | Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing  |
| S59.249S    | Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, sequela   |
| S59.291D    | Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing                        |
| S59.291G    | Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing                        |
| S59.291S    | Other physeal fracture of lower end of radius, right arm, sequela   |
| S59.292D    | Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing                         |
| S59.292G    | Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing                         |
| S59.292S    | Other physeal fracture of lower end of radius, left arm, sequela  |
| S59.299D    | Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing                  |
| S59.299G    | Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing                  |
| S59.299S    | Other physeal fracture of lower end of radius, unspecified arm, sequela   |
| S59.801S    | Other specified injuries of right elbow, sequela  |
| S59.802S    | Other specified injuries of left elbow, sequela   |
| S59.809S    | Other specified injuries of unspecified elbow, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S59.811S    | Other specified injuries right forearm, sequela                        |
| S59.812S    | Other specified injuries left forearm, sequela                         |
| S59.819S    | Other specified injuries unspecified forearm, sequela                  |
| S59.901S    | Unspecified injury of right elbow, sequela                             |
| S59.902S    | Unspecified injury of left elbow, sequela                              |
| S59.909S    | Unspecified injury of unspecified elbow, sequela                       |
| S59.911S    | Unspecified injury of right forearm, sequela                           |
| S59.912S    | Unspecified injury of left forearm, sequela                            |
| S59.919S    | Unspecified injury of unspecified forearm, sequela                     |
| S60.00XS    | Contusion of unspecified finger without damage to nail, sequela        |
| S60.011S    | Contusion of right thumb without damage to nail, sequela               |
| S60.012S    | Contusion of left thumb without damage to nail, sequela                |
| S60.019S    | Contusion of unspecified thumb without damage to nail, sequela         |
| S60.021S    | Contusion of right index finger without damage to nail, sequela        |
| S60.022S    | Contusion of left index finger without damage to nail, sequela         |
| S60.029S    | Contusion of unspecified index finger without damage to nail, sequela  |
| S60.031S    | Contusion of right middle finger without damage to nail, sequela       |
| S60.032S    | Contusion of left middle finger without damage to nail, sequela        |
| S60.039S    | Contusion of unspecified middle finger without damage to nail, sequela |
| S60.041S    | Contusion of right ring finger without damage to nail, sequela         |
| S60.042S    | Contusion of left ring finger without damage to nail, sequela          |
| S60.049S    | Contusion of unspecified ring finger without damage to nail, sequela   |
| S60.051S    | Contusion of right little finger without damage to nail, sequela       |
| S60.052S    | Contusion of left little finger without damage to nail, sequela        |
| S60.059S    | Contusion of unspecified little finger without damage to nail, sequela |
| S60.10XS    | Contusion of unspecified finger with damage to nail, sequela           |
| S60.111S    | Contusion of right thumb with damage to nail, sequela                  |
| S60.112S    | Contusion of left thumb with damage to nail, sequela                   |
| S60.119S    | Contusion of unspecified thumb with damage to nail, sequela            |
| S60.121S    | Contusion of right index finger with damage to nail, sequela           |
| S60.122S    | Contusion of left index finger with damage to nail, sequela            |
| S60.129S    | Contusion of unspecified index finger with damage to nail, sequela     |
| S60.131S    | Contusion of right middle finger with damage to nail, sequela          |
| S60.132S    | Contusion of left middle finger with damage to nail, sequela           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S60.139S | Contusion of unspecified middle finger with damage to nail, sequela |
| S60.141S | Contusion of right ring finger with damage to nail, sequela         |
| S60.142S | Contusion of left ring finger with damage to nail, sequela          |
| S60.149S | Contusion of unspecified ring finger with damage to nail, sequela   |
| S60.151S | Contusion of right little finger with damage to nail, sequela       |
| S60.152S | Contusion of left little finger with damage to nail, sequela        |
| S60.159S | Contusion of unspecified little finger with damage to nail, sequela |
| S60.211S | Contusion of right wrist, sequela                                   |
| S60.212S | Contusion of left wrist, sequela                                    |
| S60.219S | Contusion of unspecified wrist, sequela                             |
| S60.221S | Contusion of right hand, sequela                                    |
| S60.222S | Contusion of left hand, sequela                                     |
| S60.229S | Contusion of unspecified hand, sequela                              |
| S60.311A | Abrasion of right thumb, initial encounter                          |
| S60.311S | Abrasion of right thumb, sequela                                    |
| S60.312A | Abrasion of left thumb, initial encounter                           |
| S60.312S | Abrasion of left thumb, sequela                                     |
| S60.319A | Abrasion of unspecified thumb, initial encounter                    |
| S60.319S | Abrasion of unspecified thumb, sequela                              |
| S60.321A | Blister (nonthermal) of right thumb, initial encounter              |
| S60.321S | Blister (nonthermal) of right thumb, sequela                        |
| S60.322A | Blister (nonthermal) of left thumb, initial encounter               |
| S60.322S | Blister (nonthermal) of left thumb, sequela                         |
| S60.329A | Blister (nonthermal) of unspecified thumb, initial encounter        |
| S60.329S | Blister (nonthermal) of unspecified thumb, sequela                  |
| S60.341A | External constriction of right thumb, initial encounter             |
| S60.341S | External constriction of right thumb, sequela                       |
| S60.342A | External constriction of left thumb, initial encounter              |
| S60.342S | External constriction of left thumb, sequela                        |
| S60.349A | External constriction of unspecified thumb, initial encounter       |
| S60.349S | External constriction of unspecified thumb, sequela                 |
| S60.351A | Superficial foreign body of right thumb, initial encounter          |
| S60.351S | Superficial foreign body of right thumb, sequela                    |
| S60.352A | Superficial foreign body of left thumb, initial encounter           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S60.352S | Superficial foreign body of left thumb, sequela                    |
| S60.359A | Superficial foreign body of unspecified thumb, initial encounter   |
| S60.359S | Superficial foreign body of unspecified thumb, sequela             |
| S60.361A | Insect bite (nonvenomous) of right thumb, initial encounter        |
| S60.361S | Insect bite (nonvenomous) of right thumb, sequela                  |
| S60.362A | Insect bite (nonvenomous) of left thumb, initial encounter         |
| S60.362S | Insect bite (nonvenomous) of left thumb, sequela                   |
| S60.369A | Insect bite (nonvenomous) of unspecified thumb, initial encounter  |
| S60.369S | Insect bite (nonvenomous) of unspecified thumb, sequela            |
| S60.371A | Other superficial bite of right thumb, initial encounter           |
| S60.371S | Other superficial bite of right thumb, sequela                     |
| S60.372A | Other superficial bite of left thumb, initial encounter            |
| S60.372S | Other superficial bite of left thumb, sequela                      |
| S60.379A | Other superficial bite of unspecified thumb, initial encounter     |
| S60.379S | Other superficial bite of unspecified thumb, sequela               |
| S60.391A | Other superficial injuries of right thumb, initial encounter       |
| S60.391S | Other superficial injuries of right thumb, sequela                 |
| S60.392A | Other superficial injuries of left thumb, initial encounter        |
| S60.392S | Other superficial injuries of left thumb, sequela                  |
| S60.399A | Other superficial injuries of unspecified thumb, initial encounter |
| S60.399S | Other superficial injuries of unspecified thumb, sequela           |
| S60.410A | Abrasion of right index finger, initial encounter                  |
| S60.410S | Abrasion of right index finger, sequela                            |
| S60.411A | Abrasion of left index finger, initial encounter                   |
| S60.411S | Abrasion of left index finger, sequela                             |
| S60.412A | Abrasion of right middle finger, initial encounter                 |
| S60.412S | Abrasion of right middle finger, sequela                           |
| S60.413A | Abrasion of left middle finger, initial encounter                  |
| S60.413S | Abrasion of left middle finger, sequela                            |
| S60.414A | Abrasion of right ring finger, initial encounter                   |
| S60.414S | Abrasion of right ring finger, sequela                             |
| S60.415A | Abrasion of left ring finger, initial encounter                    |
| S60.415S | Abrasion of left ring finger, sequela                              |
| S60.416A | Abrasion of right little finger, initial encounter                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S60.416S    | Abrasion of right little finger, sequela                        |
| S60.417A    | Abrasion of left little finger, initial encounter               |
| S60.417S    | Abrasion of left little finger, sequela                         |
| S60.418A    | Abrasion of other finger, initial encounter                     |
| S60.418S    | Abrasion of other finger, sequela                               |
| S60.419A    | Abrasion of unspecified finger, initial encounter               |
| S60.419S    | Abrasion of unspecified finger, sequela                         |
| S60.420A    | Blister (nonthermal) of right index finger, initial encounter   |
| S60.420S    | Blister (nonthermal) of right index finger, sequela             |
| S60.421A    | Blister (nonthermal) of left index finger, initial encounter    |
| S60.421S    | Blister (nonthermal) of left index finger, sequela              |
| S60.422A    | Blister (nonthermal) of right middle finger, initial encounter  |
| S60.422S    | Blister (nonthermal) of right middle finger, sequela            |
| S60.423A    | Blister (nonthermal) of left middle finger, initial encounter   |
| S60.423S    | Blister (nonthermal) of left middle finger, sequela             |
| S60.424A    | Blister (nonthermal) of right ring finger, initial encounter    |
| S60.424S    | Blister (nonthermal) of right ring finger, sequela              |
| S60.425A    | Blister (nonthermal) of left ring finger, initial encounter     |
| S60.425S    | Blister (nonthermal) of left ring finger, sequela               |
| S60.426A    | Blister (nonthermal) of right little finger, initial encounter  |
| S60.426S    | Blister (nonthermal) of right little finger, sequela            |
| S60.427A    | Blister (nonthermal) of left little finger, initial encounter   |
| S60.427S    | Blister (nonthermal) of left little finger, sequela             |
| S60.428A    | Blister (nonthermal) of other finger, initial encounter         |
| S60.428S    | Blister (nonthermal) of other finger, sequela                   |
| S60.429A    | Blister (nonthermal) of unspecified finger, initial encounter   |
| S60.429S    | Blister (nonthermal) of unspecified finger, sequela             |
| S60.440A    | External constriction of right index finger, initial encounter  |
| S60.440S    | External constriction of right index finger, sequela            |
| S60.441A    | External constriction of left index finger, initial encounter   |
| S60.441S    | External constriction of left index finger, sequela             |
| S60.442A    | External constriction of right middle finger, initial encounter |
| S60.442S    | External constriction of right middle finger, sequela           |
| S60.443A    | External constriction of left middle finger, initial encounter  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S60.443S    | External constriction of left middle finger, sequela               |
| S60.444A    | External constriction of right ring finger, initial encounter      |
| S60.444S    | External constriction of right ring finger, sequela                |
| S60.445A    | External constriction of left ring finger, initial encounter       |
| S60.445S    | External constriction of left ring finger, sequela                 |
| S60.446A    | External constriction of right little finger, initial encounter    |
| S60.446S    | External constriction of right little finger, sequela              |
| S60.447A    | External constriction of left little finger, initial encounter     |
| S60.447S    | External constriction of left little finger, sequela               |
| S60.448A    | External constriction of other finger, initial encounter           |
| S60.448S    | External constriction of other finger, sequela                     |
| S60.449A    | External constriction of unspecified finger, initial encounter     |
| S60.449S    | External constriction of unspecified finger, sequela               |
| S60.450A    | Superficial foreign body of right index finger, initial encounter  |
| S60.450S    | Superficial foreign body of right index finger, sequela            |
| S60.451A    | Superficial foreign body of left index finger, initial encounter   |
| S60.451S    | Superficial foreign body of left index finger, sequela             |
| S60.452A    | Superficial foreign body of right middle finger, initial encounter |
| S60.452S    | Superficial foreign body of right middle finger, sequela           |
| S60.453A    | Superficial foreign body of left middle finger, initial encounter  |
| S60.453S    | Superficial foreign body of left middle finger, sequela            |
| S60.454A    | Superficial foreign body of right ring finger, initial encounter   |
| S60.454S    | Superficial foreign body of right ring finger, sequela             |
| S60.455A    | Superficial foreign body of left ring finger, initial encounter    |
| S60.455S    | Superficial foreign body of left ring finger, sequela              |
| S60.456A    | Superficial foreign body of right little finger, initial encounter |
| S60.456S    | Superficial foreign body of right little finger, sequela           |
| S60.457A    | Superficial foreign body of left little finger, initial encounter  |
| S60.457S    | Superficial foreign body of left little finger, sequela            |
| S60.458A    | Superficial foreign body of other finger, initial encounter        |
| S60.458S    | Superficial foreign body of other finger, sequela                  |
| S60.459A    | Superficial foreign body of unspecified finger, initial encounter  |
| S60.459S    | Superficial foreign body of unspecified finger, sequela            |
| S60.460A    | Insect bite (nonvenomous) of right index finger, initial encounter |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S60.460S | Insect bite (nonvenomous) of right index finger, sequela            |
| S60.461A | Insect bite (nonvenomous) of left index finger, initial encounter   |
| S60.461S | Insect bite (nonvenomous) of left index finger, sequela             |
| S60.462A | Insect bite (nonvenomous) of right middle finger, initial encounter |
| S60.462S | Insect bite (nonvenomous) of right middle finger, sequela           |
| S60.463A | Insect bite (nonvenomous) of left middle finger, initial encounter  |
| S60.463S | Insect bite (nonvenomous) of left middle finger, sequela            |
| S60.464A | Insect bite (nonvenomous) of right ring finger, initial encounter   |
| S60.464S | Insect bite (nonvenomous) of right ring finger, sequela             |
| S60.465A | Insect bite (nonvenomous) of left ring finger, initial encounter    |
| S60.465S | Insect bite (nonvenomous) of left ring finger, sequela              |
| S60.466A | Insect bite (nonvenomous) of right little finger, initial encounter |
| S60.466S | Insect bite (nonvenomous) of right little finger, sequela           |
| S60.467A | Insect bite (nonvenomous) of left little finger, initial encounter  |
| S60.467S | Insect bite (nonvenomous) of left little finger, sequela            |
| S60.468A | Insect bite (nonvenomous) of other finger, initial encounter        |
| S60.468S | Insect bite (nonvenomous) of other finger, sequela                  |
| S60.469A | Insect bite (nonvenomous) of unspecified finger, initial encounter  |
| S60.469S | Insect bite (nonvenomous) of unspecified finger, sequela            |
| S60.470A | Other superficial bite of right index finger, initial encounter     |
| S60.470S | Other superficial bite of right index finger, sequela               |
| S60.471A | Other superficial bite of left index finger, initial encounter      |
| S60.471S | Other superficial bite of left index finger, sequela                |
| S60.472A | Other superficial bite of right middle finger, initial encounter    |
| S60.472S | Other superficial bite of right middle finger, sequela              |
| S60.473A | Other superficial bite of left middle finger, initial encounter     |
| S60.473S | Other superficial bite of left middle finger, sequela               |
| S60.474A | Other superficial bite of right ring finger, initial encounter      |
| S60.474S | Other superficial bite of right ring finger, sequela                |
| S60.475A | Other superficial bite of left ring finger, initial encounter       |
| S60.475S | Other superficial bite of left ring finger, sequela                 |
| S60.476A | Other superficial bite of right little finger, initial encounter    |
| S60.476S | Other superficial bite of right little finger, sequela              |
| S60.477A | Other superficial bite of left little finger, initial encounter     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S60.477S    | Other superficial bite of left little finger, sequela            |
| S60.478A    | Other superficial bite of other finger, initial encounter        |
| S60.478S    | Other superficial bite of other finger, sequela                  |
| S60.479A    | Other superficial bite of unspecified finger, initial encounter  |
| S60.479S    | Other superficial bite of unspecified finger, sequela            |
| S60.511A    | Abrasion of right hand, initial encounter                        |
| S60.511S    | Abrasion of right hand, sequela                                  |
| S60.512A    | Abrasion of left hand, initial encounter                         |
| S60.512S    | Abrasion of left hand, sequela                                   |
| S60.519A    | Abrasion of unspecified hand, initial encounter                  |
| S60.519S    | Abrasion of unspecified hand, sequela                            |
| S60.521A    | Blister (nonthermal) of right hand, initial encounter            |
| S60.521S    | Blister (nonthermal) of right hand, sequela                      |
| S60.522A    | Blister (nonthermal) of left hand, initial encounter             |
| S60.522S    | Blister (nonthermal) of left hand, sequela                       |
| S60.529A    | Blister (nonthermal) of unspecified hand, initial encounter      |
| S60.529S    | Blister (nonthermal) of unspecified hand, sequela                |
| S60.541A    | External constriction of right hand, initial encounter           |
| S60.541S    | External constriction of right hand, sequela                     |
| S60.542A    | External constriction of left hand, initial encounter            |
| S60.542S    | External constriction of left hand, sequela                      |
| S60.549A    | External constriction of unspecified hand, initial encounter     |
| S60.549S    | External constriction of unspecified hand, sequela               |
| S60.551A    | Superficial foreign body of right hand, initial encounter        |
| S60.551S    | Superficial foreign body of right hand, sequela                  |
| S60.552A    | Superficial foreign body of left hand, initial encounter         |
| S60.552S    | Superficial foreign body of left hand, sequela                   |
| S60.559A    | Superficial foreign body of unspecified hand, initial encounter  |
| S60.559S    | Superficial foreign body of unspecified hand, sequela            |
| S60.561A    | Insect bite (nonvenomous) of right hand, initial encounter       |
| S60.561S    | Insect bite (nonvenomous) of right hand, sequela                 |
| S60.562A    | Insect bite (nonvenomous) of left hand, initial encounter        |
| S60.562S    | Insect bite (nonvenomous) of left hand, sequela                  |
| S60.569A    | Insect bite (nonvenomous) of unspecified hand, initial encounter |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S60.569S | Insect bite (nonvenomous) of unspecified hand, sequela                |
| S60.571A | Other superficial bite of hand of right hand, initial encounter       |
| S60.571S | Other superficial bite of hand of right hand, sequela                 |
| S60.572A | Other superficial bite of hand of left hand, initial encounter        |
| S60.572S | Other superficial bite of hand of left hand, sequela                  |
| S60.579A | Other superficial bite of hand of unspecified hand, initial encounter |
| S60.579S | Other superficial bite of hand of unspecified hand, sequela           |
| S60.811A | Abrasion of right wrist, initial encounter                            |
| S60.811S | Abrasion of right wrist, sequela                                      |
| S60.812A | Abrasion of left wrist, initial encounter                             |
| S60.812S | Abrasion of left wrist, sequela                                       |
| S60.819A | Abrasion of unspecified wrist, initial encounter                      |
| S60.819S | Abrasion of unspecified wrist, sequela                                |
| S60.821A | Blister (nonthermal) of right wrist, initial encounter                |
| S60.821S | Blister (nonthermal) of right wrist, sequela                          |
| S60.822A | Blister (nonthermal) of left wrist, initial encounter                 |
| S60.822S | Blister (nonthermal) of left wrist, sequela                           |
| S60.829A | Blister (nonthermal) of unspecified wrist, initial encounter          |
| S60.829S | Blister (nonthermal) of unspecified wrist, sequela                    |
| S60.841A | External constriction of right wrist, initial encounter               |
| S60.841S | External constriction of right wrist, sequela                         |
| S60.842A | External constriction of left wrist, initial encounter                |
| S60.842S | External constriction of left wrist, sequela                          |
| S60.849A | External constriction of unspecified wrist, initial encounter         |
| S60.849S | External constriction of unspecified wrist, sequela                   |
| S60.851A | Superficial foreign body of right wrist, initial encounter            |
| S60.851S | Superficial foreign body of right wrist, sequela                      |
| S60.852A | Superficial foreign body of left wrist, initial encounter             |
| S60.852S | Superficial foreign body of left wrist, sequela                       |
| S60.859A | Superficial foreign body of unspecified wrist, initial encounter      |
| S60.859S | Superficial foreign body of unspecified wrist, sequela                |
| S60.861A | Insect bite (nonvenomous) of right wrist, initial encounter           |
| S60.861S | Insect bite (nonvenomous) of right wrist, sequela                     |
| S60.862A | Insect bite (nonvenomous) of left wrist, initial encounter            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S60.862S    | Insect bite (nonvenomous) of left wrist, sequela                         |
| S60.869A    | Insect bite (nonvenomous) of unspecified wrist, initial encounter        |
| S60.869S    | Insect bite (nonvenomous) of unspecified wrist, sequela                  |
| S60.871A    | Other superficial bite of right wrist, initial encounter                 |
| S60.871S    | Other superficial bite of right wrist, sequela                           |
| S60.872A    | Other superficial bite of left wrist, initial encounter                  |
| S60.872S    | Other superficial bite of left wrist, sequela                            |
| S60.879A    | Other superficial bite of unspecified wrist, initial encounter           |
| S60.879S    | Other superficial bite of unspecified wrist, sequela                     |
| S60.911A    | Unspecified superficial injury of right wrist, initial encounter         |
| S60.911S    | Unspecified superficial injury of right wrist, sequela                   |
| S60.912A    | Unspecified superficial injury of left wrist, initial encounter          |
| S60.912S    | Unspecified superficial injury of left wrist, sequela                    |
| S60.919A    | Unspecified superficial injury of unspecified wrist, initial encounter   |
| S60.919S    | Unspecified superficial injury of unspecified wrist, sequela             |
| S60.921A    | Unspecified superficial injury of right hand, initial encounter          |
| S60.921S    | Unspecified superficial injury of right hand, sequela                    |
| S60.922A    | Unspecified superficial injury of left hand, initial encounter           |
| S60.922S    | Unspecified superficial injury of left hand, sequela                     |
| S60.929A    | Unspecified superficial injury of unspecified hand, initial encounter    |
| S60.929S    | Unspecified superficial injury of unspecified hand, sequela              |
| S60.931A    | Unspecified superficial injury of right thumb, initial encounter         |
| S60.931S    | Unspecified superficial injury of right thumb, sequela                   |
| S60.932A    | Unspecified superficial injury of left thumb, initial encounter          |
| S60.932S    | Unspecified superficial injury of left thumb, sequela                    |
| S60.939A    | Unspecified superficial injury of unspecified thumb, initial encounter   |
| S60.939S    | Unspecified superficial injury of unspecified thumb, sequela             |
| S60.940A    | Unspecified superficial injury of right index finger, initial encounter  |
| S60.940S    | Unspecified superficial injury of right index finger, sequela            |
| S60.941A    | Unspecified superficial injury of left index finger, initial encounter   |
| S60.941S    | Unspecified superficial injury of left index finger, sequela             |
| S60.942A    | Unspecified superficial injury of right middle finger, initial encounter |
| S60.942S    | Unspecified superficial injury of right middle finger, sequela           |
| S60.943A    | Unspecified superficial injury of left middle finger, initial encounter  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S60.943S | Unspecified superficial injury of left middle finger, sequela                            |
| S60.944A | Unspecified superficial injury of right ring finger, initial encounter                   |
| S60.944S | Unspecified superficial injury of right ring finger, sequela                             |
| S60.945A | Unspecified superficial injury of left ring finger, initial encounter                    |
| S60.945S | Unspecified superficial injury of left ring finger, sequela                              |
| S60.946A | Unspecified superficial injury of right little finger, initial encounter                 |
| S60.946S | Unspecified superficial injury of right little finger, sequela                           |
| S60.947A | Unspecified superficial injury of left little finger, initial encounter                  |
| S60.947S | Unspecified superficial injury of left little finger, sequela                            |
| S60.948A | Unspecified superficial injury of other finger, initial encounter                        |
| S60.948S | Unspecified superficial injury of other finger, sequela                                  |
| S60.949A | Unspecified superficial injury of unspecified finger, initial encounter                  |
| S60.949S | Unspecified superficial injury of unspecified finger, sequela                            |
| S61.001S | Unspecified open wound of right thumb without damage to nail, sequela                    |
| S61.002S | Unspecified open wound of left thumb without damage to nail, sequela                     |
| S61.009A | Unspecified open wound of unspecified thumb without damage to nail, initial encounter    |
| S61.009S | Unspecified open wound of unspecified thumb without damage to nail, sequela              |
| S61.011S | Laceration without foreign body of right thumb without damage to nail, sequela           |
| S61.012S | Laceration without foreign body of left thumb without damage to nail, sequela            |
| S61.019S | Laceration without foreign body of unspecified thumb without damage to nail, sequela     |
| S61.021S | Laceration with foreign body of right thumb without damage to nail, sequela              |
| S61.022S | Laceration with foreign body of left thumb without damage to nail, sequela               |
| S61.029S | Laceration with foreign body of unspecified thumb without damage to nail, sequela        |
| S61.031S | Puncture wound without foreign body of right thumb without damage to nail, sequela       |
| S61.032S | Puncture wound without foreign body of left thumb without damage to nail, sequela        |
| S61.039S | Puncture wound without foreign body of unspecified thumb without damage to nail, sequela |
| S61.041S | Puncture wound with foreign body of right thumb without damage to nail, sequela          |
| S61.042S | Puncture wound with foreign body of left thumb without damage to nail, sequela           |
| S61.049S | Puncture wound with foreign body of unspecified thumb without damage to nail, sequela    |
| S61.051S | Open bite of right thumb without damage to nail, sequela                                 |
| S61.052S | Open bite of left thumb without damage to nail, sequela                                  |
| S61.059S | Open bite of unspecified thumb without damage to nail, sequela                           |
| S61.101S | Unspecified open wound of right thumb with damage to nail, sequela                       |
| S61.102S | Unspecified open wound of left thumb with damage to nail, sequela                        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S61.109S | Unspecified open wound of unspecified thumb with damage to nail, sequela               |
| S61.111S | Laceration without foreign body of right thumb with damage to nail, sequela            |
| S61.112S | Laceration without foreign body of left thumb with damage to nail, sequela             |
| S61.119S | Laceration without foreign body of unspecified thumb with damage to nail, sequela      |
| S61.121S | Laceration with foreign body of right thumb with damage to nail, sequela               |
| S61.122S | Laceration with foreign body of left thumb with damage to nail, sequela                |
| S61.129S | Laceration with foreign body of unspecified thumb with damage to nail, sequela         |
| S61.131S | Puncture wound without foreign body of right thumb with damage to nail, sequela        |
| S61.132S | Puncture wound without foreign body of left thumb with damage to nail, sequela         |
| S61.139S | Puncture wound without foreign body of unspecified thumb with damage to nail, sequela  |
| S61.141S | Puncture wound with foreign body of right thumb with damage to nail, sequela           |
| S61.142S | Puncture wound with foreign body of left thumb with damage to nail, sequela            |
| S61.149S | Puncture wound with foreign body of unspecified thumb with damage to nail, sequela     |
| S61.151S | Open bite of right thumb with damage to nail, sequela                                  |
| S61.152S | Open bite of left thumb with damage to nail, sequela                                   |
| S61.159S | Open bite of unspecified thumb with damage to nail, sequela                            |
| S61.200S | Unspecified open wound of right index finger without damage to nail, sequela           |
| S61.201S | Unspecified open wound of left index finger without damage to nail, sequela            |
| S61.202S | Unspecified open wound of right middle finger without damage to nail, sequela          |
| S61.203S | Unspecified open wound of left middle finger without damage to nail, sequela           |
| S61.204S | Unspecified open wound of right ring finger without damage to nail, sequela            |
| S61.205S | Unspecified open wound of left ring finger without damage to nail, sequela             |
| S61.206S | Unspecified open wound of right little finger without damage to nail, sequela          |
| S61.207S | Unspecified open wound of left little finger without damage to nail, sequela           |
| S61.208S | Unspecified open wound of other finger without damage to nail, sequela                 |
| S61.209A | Unspecified open wound of unspecified finger without damage to nail, initial encounter |
| S61.209S | Unspecified open wound of unspecified finger without damage to nail, sequela           |
| S61.210S | Laceration without foreign body of right index finger without damage to nail, sequela  |
| S61.211S | Laceration without foreign body of left index finger without damage to nail, sequela   |
| S61.212S | Laceration without foreign body of right middle finger without damage to nail, sequela |
| S61.213S | Laceration without foreign body of left middle finger without damage to nail, sequela  |
| S61.214S | Laceration without foreign body of right ring finger without damage to nail, sequela   |
| S61.215S | Laceration without foreign body of left ring finger without damage to nail, sequela    |
| S61.216S | Laceration without foreign body of right little finger without damage to nail, sequela |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S61.217S | Laceration without foreign body of left little finger without damage to nail, sequela      |
| S61.218S | Laceration without foreign body of other finger without damage to nail, sequela            |
| S61.219S | Laceration without foreign body of unspecified finger without damage to nail, sequela      |
| S61.220S | Laceration with foreign body of right index finger without damage to nail, sequela         |
| S61.221S | Laceration with foreign body of left index finger without damage to nail, sequela          |
| S61.222S | Laceration with foreign body of right middle finger without damage to nail, sequela        |
| S61.223S | Laceration with foreign body of left middle finger without damage to nail, sequela         |
| S61.224S | Laceration with foreign body of right ring finger without damage to nail, sequela          |
| S61.225S | Laceration with foreign body of left ring finger without damage to nail, sequela           |
| S61.226S | Laceration with foreign body of right little finger without damage to nail, sequela        |
| S61.227S | Laceration with foreign body of left little finger without damage to nail, sequela         |
| S61.228S | Laceration with foreign body of other finger without damage to nail, sequela               |
| S61.229S | Laceration with foreign body of unspecified finger without damage to nail, sequela         |
| S61.230S | Puncture wound without foreign body of right index finger without damage to nail, sequela  |
| S61.231S | Puncture wound without foreign body of left index finger without damage to nail, sequela   |
| S61.232S | Puncture wound without foreign body of right middle finger without damage to nail, sequela |
| S61.233S | Puncture wound without foreign body of left middle finger without damage to nail, sequela  |
| S61.234S | Puncture wound without foreign body of right ring finger without damage to nail, sequela   |
| S61.235S | Puncture wound without foreign body of left ring finger without damage to nail, sequela    |
| S61.236S | Puncture wound without foreign body of right little finger without damage to nail, sequela |
| S61.237S | Puncture wound without foreign body of left little finger without damage to nail, sequela  |
| S61.238S | Puncture wound without foreign body of other finger without damage to nail, sequela        |
| S61.239S | Puncture wound without foreign body of unspecified finger without damage to nail, sequela  |
| S61.240S | Puncture wound with foreign body of right index finger without damage to nail, sequela     |
| S61.241S | Puncture wound with foreign body of left index finger without damage to nail, sequela      |
| S61.242S | Puncture wound with foreign body of right middle finger without damage to nail, sequela    |
| S61.243S | Puncture wound with foreign body of left middle finger without damage to nail, sequela     |
| S61.244S | Puncture wound with foreign body of right ring finger without damage to nail, sequela      |
| S61.245S | Puncture wound with foreign body of left ring finger without damage to nail, sequela       |
| S61.246S | Puncture wound with foreign body of right little finger without damage to nail, sequela    |
| S61.247S | Puncture wound with foreign body of left little finger without damage to nail, sequela     |
| S61.248S | Puncture wound with foreign body of other finger without damage to nail, sequela           |
| S61.249S | Puncture wound with foreign body of unspecified finger without damage to nail, sequela     |
| S61.250S | Open bite of right index finger without damage to nail, sequela                            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S61.251S | Open bite of left index finger without damage to nail, sequela                      |
| S61.252S | Open bite of right middle finger without damage to nail, sequela                    |
| S61.253S | Open bite of left middle finger without damage to nail, sequela                     |
| S61.254S | Open bite of right ring finger without damage to nail, sequela                      |
| S61.255S | Open bite of left ring finger without damage to nail, sequela                       |
| S61.256S | Open bite of right little finger without damage to nail, sequela                    |
| S61.257S | Open bite of left little finger without damage to nail, sequela                     |
| S61.258S | Open bite of other finger without damage to nail, sequela                           |
| S61.259S | Open bite of unspecified finger without damage to nail, sequela                     |
| S61.300S | Unspecified open wound of right index finger with damage to nail, sequela           |
| S61.301S | Unspecified open wound of left index finger with damage to nail, sequela            |
| S61.302S | Unspecified open wound of right middle finger with damage to nail, sequela          |
| S61.303S | Unspecified open wound of left middle finger with damage to nail, sequela           |
| S61.304S | Unspecified open wound of right ring finger with damage to nail, sequela            |
| S61.305S | Unspecified open wound of left ring finger with damage to nail, sequela             |
| S61.306S | Unspecified open wound of right little finger with damage to nail, sequela          |
| S61.307S | Unspecified open wound of left little finger with damage to nail, sequela           |
| S61.308S | Unspecified open wound of other finger with damage to nail, sequela                 |
| S61.309S | Unspecified open wound of unspecified finger with damage to nail, sequela           |
| S61.310S | Laceration without foreign body of right index finger with damage to nail, sequela  |
| S61.311S | Laceration without foreign body of left index finger with damage to nail, sequela   |
| S61.312S | Laceration without foreign body of right middle finger with damage to nail, sequela |
| S61.313S | Laceration without foreign body of left middle finger with damage to nail, sequela  |
| S61.314S | Laceration without foreign body of right ring finger with damage to nail, sequela   |
| S61.315S | Laceration without foreign body of left ring finger with damage to nail, sequela    |
| S61.316S | Laceration without foreign body of right little finger with damage to nail, sequela |
| S61.317S | Laceration without foreign body of left little finger with damage to nail, sequela  |
| S61.318S | Laceration without foreign body of other finger with damage to nail, sequela        |
| S61.319S | Laceration without foreign body of unspecified finger with damage to nail, sequela  |
| S61.320S | Laceration with foreign body of right index finger with damage to nail, sequela     |
| S61.321S | Laceration with foreign body of left index finger with damage to nail, sequela      |
| S61.322S | Laceration with foreign body of right middle finger with damage to nail, sequela    |
| S61.323S | Laceration with foreign body of left middle finger with damage to nail, sequela     |
| S61.324S | Laceration with foreign body of right ring finger with damage to nail, sequela      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S61.325S | Laceration with foreign body of left ring finger with damage to nail, sequela           |
| S61.326S | Laceration with foreign body of right little finger with damage to nail, sequela        |
| S61.327S | Laceration with foreign body of left little finger with damage to nail, sequela         |
| S61.328S | Laceration with foreign body of other finger with damage to nail, sequela               |
| S61.329S | Laceration with foreign body of unspecified finger with damage to nail, sequela         |
| S61.330S | Puncture wound without foreign body of right index finger with damage to nail, sequela  |
| S61.331S | Puncture wound without foreign body of left index finger with damage to nail, sequela   |
| S61.332S | Puncture wound without foreign body of right middle finger with damage to nail, sequela |
| S61.333S | Puncture wound without foreign body of left middle finger with damage to nail, sequela  |
| S61.334S | Puncture wound without foreign body of right ring finger with damage to nail, sequela   |
| S61.335S | Puncture wound without foreign body of left ring finger with damage to nail, sequela    |
| S61.336S | Puncture wound without foreign body of right little finger with damage to nail, sequela |
| S61.337S | Puncture wound without foreign body of left little finger with damage to nail, sequela  |
| S61.338S | Puncture wound without foreign body of other finger with damage to nail, sequela        |
| S61.339S | Puncture wound without foreign body of unspecified finger with damage to nail, sequela  |
| S61.340S | Puncture wound with foreign body of right index finger with damage to nail, sequela     |
| S61.341S | Puncture wound with foreign body of left index finger with damage to nail, sequela      |
| S61.342S | Puncture wound with foreign body of right middle finger with damage to nail, sequela    |
| S61.343S | Puncture wound with foreign body of left middle finger with damage to nail, sequela     |
| S61.344S | Puncture wound with foreign body of right ring finger with damage to nail, sequela      |
| S61.345S | Puncture wound with foreign body of left ring finger with damage to nail, sequela       |
| S61.346S | Puncture wound with foreign body of right little finger with damage to nail, sequela    |
| S61.347S | Puncture wound with foreign body of left little finger with damage to nail, sequela     |
| S61.348S | Puncture wound with foreign body of other finger with damage to nail, sequela           |
| S61.349S | Puncture wound with foreign body of unspecified finger with damage to nail, sequela     |
| S61.350S | Open bite of right index finger with damage to nail, sequela                            |
| S61.351S | Open bite of left index finger with damage to nail, sequela                             |
| S61.352S | Open bite of right middle finger with damage to nail, sequela                           |
| S61.353S | Open bite of left middle finger with damage to nail, sequela                            |
| S61.354S | Open bite of right ring finger with damage to nail, sequela                             |
| S61.355S | Open bite of left ring finger with damage to nail, sequela                              |
| S61.356S | Open bite of right little finger with damage to nail, sequela                           |
| S61.357S | Open bite of left little finger with damage to nail, sequela                            |
| S61.358S | Open bite of other finger with damage to nail, sequela                                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S61.359S | Open bite of unspecified finger with damage to nail, sequela      |
| S61.401S | Unspecified open wound of right hand, sequela                     |
| S61.402S | Unspecified open wound of left hand, sequela                      |
| S61.409A | Unspecified open wound of unspecified hand, initial encounter     |
| S61.409S | Unspecified open wound of unspecified hand, sequela               |
| S61.411S | Laceration without foreign body of right hand, sequela            |
| S61.412S | Laceration without foreign body of left hand, sequela             |
| S61.419S | Laceration without foreign body of unspecified hand, sequela      |
| S61.421S | Laceration with foreign body of right hand, sequela               |
| S61.422S | Laceration with foreign body of left hand, sequela                |
| S61.429S | Laceration with foreign body of unspecified hand, sequela         |
| S61.431S | Puncture wound without foreign body of right hand, sequela        |
| S61.432S | Puncture wound without foreign body of left hand, sequela         |
| S61.439S | Puncture wound without foreign body of unspecified hand, sequela  |
| S61.441S | Puncture wound with foreign body of right hand, sequela           |
| S61.442S | Puncture wound with foreign body of left hand, sequela            |
| S61.449S | Puncture wound with foreign body of unspecified hand, sequela     |
| S61.451S | Open bite of right hand, sequela                                  |
| S61.452S | Open bite of left hand, sequela                                   |
| S61.459S | Open bite of unspecified hand, sequela                            |
| S61.501S | Unspecified open wound of right wrist, sequela                    |
| S61.502S | Unspecified open wound of left wrist, sequela                     |
| S61.509A | Unspecified open wound of unspecified wrist, initial encounter    |
| S61.509S | Unspecified open wound of unspecified wrist, sequela              |
| S61.511S | Laceration without foreign body of right wrist, sequela           |
| S61.512S | Laceration without foreign body of left wrist, sequela            |
| S61.519S | Laceration without foreign body of unspecified wrist, sequela     |
| S61.521S | Laceration with foreign body of right wrist, sequela              |
| S61.522S | Laceration with foreign body of left wrist, sequela               |
| S61.529S | Laceration with foreign body of unspecified wrist, sequela        |
| S61.531S | Puncture wound without foreign body of right wrist, sequela       |
| S61.532S | Puncture wound without foreign body of left wrist, sequela        |
| S61.539S | Puncture wound without foreign body of unspecified wrist, sequela |
| S61.541S | Puncture wound with foreign body of right wrist, sequela          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S61.542S | Puncture wound with foreign body of left wrist, sequela   |
| S61.549S | Puncture wound with foreign body of unspecified wrist, sequela  |
| S61.551S | Open bite of right wrist, sequela   |
| S61.552S | Open bite of left wrist, sequela  |
| S61.559S | Open bite of unspecified wrist, sequela   |
| S62.001D | Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing                    |
| S62.001G | Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing                    |
| S62.001S | Unspecified fracture of navicular [scaphoid] bone of right wrist, sequela   |
| S62.002D | Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing                     |
| S62.002G | Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing                     |
| S62.002S | Unspecified fracture of navicular [scaphoid] bone of left wrist, sequela  |
| S62.009D | Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing              |
| S62.009G | Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing              |
| S62.009S | Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, sequela   |
| S62.011D | Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing       |
| S62.011G | Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing       |
| S62.011S | Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, sequela  |
| S62.012D | Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing        |
| S62.012G | Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing        |
| S62.012S | Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, sequela   |
| S62.013D | Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.013G | Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.013S | Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, sequela  |
| S62.014D | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing    |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.014G | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing       |
| S62.014S | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, sequela  |
| S62.015D | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing        |
| S62.015G | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing        |
| S62.015S | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, sequela   |
| S62.016D | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.016G | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.016S | Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, sequela  |
| S62.021D | Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing         |
| S62.021G | Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing         |
| S62.021S | Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, sequela  |
| S62.022D | Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing          |
| S62.022G | Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing          |
| S62.022S | Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, sequela   |
| S62.023D | Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing   |
| S62.023G | Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing   |
| S62.023S | Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, sequela  |
| S62.024D | Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing      |
| S62.024G | Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing      |
| S62.024S | Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, sequela   |
| S62.025D | Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing       |
| S62.025G | Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing       |
| S62.025S | Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.026D | Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing   |
| S62.026G | Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing   |
| S62.026S | Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, sequela  |
| S62.031D | Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing          |
| S62.031G | Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing          |
| S62.031S | Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, sequela   |
| S62.032D | Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing           |
| S62.032G | Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing           |
| S62.032S | Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, sequela  |
| S62.033D | Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing    |
| S62.033G | Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing    |
| S62.033S | Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, sequela   |
| S62.034D | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing       |
| S62.034G | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing       |
| S62.034S | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, sequela  |
| S62.035D | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing        |
| S62.035G | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing        |
| S62.035S | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, sequela   |
| S62.036D | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.036G | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.036S | Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, sequela  |
| S62.101D | Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with routine healing  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.101G | Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with delayed healing                     |
| S62.101S | Fracture of unspecified carpal bone, right wrist, sequela  |
| S62.102D | Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with routine healing                      |
| S62.102G | Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with delayed healing                      |
| S62.102S | Fracture of unspecified carpal bone, left wrist, sequela   |
| S62.109D | Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with routine healing               |
| S62.109G | Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with delayed healing               |
| S62.109S | Fracture of unspecified carpal bone, unspecified wrist, sequela  |
| S62.111D | Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with routine healing       |
| S62.111G | Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with delayed healing       |
| S62.111S | Displaced fracture of triquetrum [cuneiform] bone, right wrist, sequela  |
| S62.112D | Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with routine healing        |
| S62.112G | Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with delayed healing        |
| S62.112S | Displaced fracture of triquetrum [cuneiform] bone, left wrist, sequela   |
| S62.113D | Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.113G | Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.113S | Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, sequela  |
| S62.114D | Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with routine healing    |
| S62.114G | Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with delayed healing    |
| S62.114S | Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, sequela   |
| S62.115D | Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with routine healing     |
| S62.115G | Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with delayed healing     |
| S62.115S | Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.116D | Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.116G | Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.116S | Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, sequela  |
| S62.121D | Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with routine healing                   |
| S62.121G | Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with delayed healing                   |
| S62.121S | Displaced fracture of lunate [semilunar], right wrist, sequela  |
| S62.122D | Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with routine healing                    |
| S62.122G | Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with delayed healing                    |
| S62.122S | Displaced fracture of lunate [semilunar], left wrist, sequela   |
| S62.123D | Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with routine healing             |
| S62.123G | Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with delayed healing             |
| S62.123S | Displaced fracture of lunate [semilunar], unspecified wrist, sequela  |
| S62.124D | Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with routine healing                |
| S62.124G | Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with delayed healing                |
| S62.124S | Nondisplaced fracture of lunate [semilunar], right wrist, sequela   |
| S62.125D | Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with routine healing                 |
| S62.125G | Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with delayed healing                 |
| S62.125S | Nondisplaced fracture of lunate [semilunar], left wrist, sequela  |
| S62.126D | Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with routine healing          |
| S62.126G | Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with delayed healing          |
| S62.126S | Nondisplaced fracture of lunate [semilunar], unspecified wrist, sequela   |
| S62.131D | Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with routine healing            |
| S62.131G | Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with delayed healing            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.131S | Displaced fracture of capitate [os magnum] bone, right wrist, sequela   |
| S62.132D | Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with routine healing             |
| S62.132G | Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with delayed healing             |
| S62.132S | Displaced fracture of capitate [os magnum] bone, left wrist, sequela  |
| S62.133D | Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with routine healing      |
| S62.133G | Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with delayed healing      |
| S62.133S | Displaced fracture of capitate [os magnum] bone, unspecified wrist, sequela   |
| S62.134D | Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with routine healing         |
| S62.134G | Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with delayed healing         |
| S62.134S | Nondisplaced fracture of capitate [os magnum] bone, right wrist, sequela  |
| S62.135D | Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with routine healing          |
| S62.135G | Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with delayed healing          |
| S62.135S | Nondisplaced fracture of capitate [os magnum] bone, left wrist, sequela   |
| S62.136D | Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with routine healing   |
| S62.136G | Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with delayed healing   |
| S62.136S | Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, sequela  |
| S62.141D | Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing       |
| S62.141G | Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing       |
| S62.141S | Displaced fracture of body of hamate [unciform] bone, right wrist, sequela  |
| S62.142D | Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing        |
| S62.142G | Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing        |
| S62.142S | Displaced fracture of body of hamate [unciform] bone, left wrist, sequela   |
| S62.143D | Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S62.143G    | Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing         |
| S62.143S    | Displaced fracture of body of hamate [unciform] bone, unspecified wrist, sequela  |
| S62.144D    | Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing            |
| S62.144G    | Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing            |
| S62.144S    | Nondisplaced fracture of body of hamate [unciform] bone, right wrist, sequela   |
| S62.145D    | Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing             |
| S62.145G    | Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing             |
| S62.145S    | Nondisplaced fracture of body of hamate [unciform] bone, left wrist, sequela  |
| S62.146D    | Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing      |
| S62.146G    | Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing      |
| S62.146S    | Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, sequela   |
| S62.151D    | Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing       |
| S62.151G    | Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing       |
| S62.151S    | Displaced fracture of hook process of hamate [unciform] bone, right wrist, sequela  |
| S62.152D    | Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing        |
| S62.152G    | Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing        |
| S62.152S    | Displaced fracture of hook process of hamate [unciform] bone, left wrist, sequela   |
| S62.153D    | Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.153G    | Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.153S    | Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, sequela  |
| S62.154D    | Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing    |
| S62.154G    | Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing    |
| S62.154S    | Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.155D | Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing        |
| S62.155G | Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing        |
| S62.155S | Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, sequela   |
| S62.156D | Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.156G | Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.156S | Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, sequela  |
| S62.161D | Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with routine healing  |
| S62.161G | Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with delayed healing  |
| S62.161S | Displaced fracture of pisiform, right wrist, sequela   |
| S62.162D | Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with routine healing   |
| S62.162G | Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with delayed healing   |
| S62.162S | Displaced fracture of pisiform, left wrist, sequela  |
| S62.163D | Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with routine healing                                  |
| S62.163G | Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with delayed healing                                  |
| S62.163S | Displaced fracture of pisiform, unspecified wrist, sequela   |
| S62.164D | Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with routine healing                                     |
| S62.164G | Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with delayed healing                                     |
| S62.164S | Nondisplaced fracture of pisiform, right wrist, sequela  |
| S62.165D | Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with routine healing                                      |
| S62.165G | Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with delayed healing                                      |
| S62.165S | Nondisplaced fracture of pisiform, left wrist, sequela   |
| S62.166D | Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with routine healing                               |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S62.166G    | Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with delayed healing                       |
| S62.166S    | Nondisplaced fracture of pisiform, unspecified wrist, sequela  |
| S62.171D    | Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with routine healing          |
| S62.171G    | Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with delayed healing          |
| S62.171S    | Displaced fracture of trapezium [larger multangular], right wrist, sequela   |
| S62.172D    | Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with routine healing           |
| S62.172G    | Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with delayed healing           |
| S62.172S    | Displaced fracture of trapezium [larger multangular], left wrist, sequela  |
| S62.173D    | Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with routine healing    |
| S62.173G    | Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with delayed healing    |
| S62.173S    | Displaced fracture of trapezium [larger multangular], unspecified wrist, sequela   |
| S62.174D    | Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with routine healing       |
| S62.174G    | Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with delayed healing       |
| S62.174S    | Nondisplaced fracture of trapezium [larger multangular], right wrist, sequela  |
| S62.175D    | Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with routine healing        |
| S62.175G    | Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with delayed healing        |
| S62.175S    | Nondisplaced fracture of trapezium [larger multangular], left wrist, sequela   |
| S62.176D    | Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.176G    | Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.176S    | Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, sequela  |
| S62.181D    | Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with routine healing         |
| S62.181G    | Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with delayed healing         |
| S62.181S    | Displaced fracture of trapezoid [smaller multangular], right wrist, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S62.182D    | Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with routine healing           |
| S62.182G    | Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with delayed healing           |
| S62.182S    | Displaced fracture of trapezoid [smaller multangular], left wrist, sequela  |
| S62.183D    | Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with routine healing    |
| S62.183G    | Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with delayed healing    |
| S62.183S    | Displaced fracture of trapezoid [smaller multangular], unspecified wrist, sequela   |
| S62.184D    | Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with routine healing       |
| S62.184G    | Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with delayed healing       |
| S62.184S    | Nondisplaced fracture of trapezoid [smaller multangular], right wrist, sequela  |
| S62.185D    | Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with routine healing        |
| S62.185G    | Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with delayed healing        |
| S62.185S    | Nondisplaced fracture of trapezoid [smaller multangular], left wrist, sequela   |
| S62.186D    | Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with routine healing |
| S62.186G    | Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with delayed healing |
| S62.186S    | Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, sequela  |
| S62.201D    | Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing                   |
| S62.201G    | Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing                   |
| S62.201S    | Unspecified fracture of first metacarpal bone, right hand, sequela  |
| S62.202D    | Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing                    |
| S62.202G    | Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing                    |
| S62.202S    | Unspecified fracture of first metacarpal bone, left hand, sequela   |
| S62.209D    | Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing             |
| S62.209G    | Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.209S | Unspecified fracture of first metacarpal bone, unspecified hand, sequela                                  |
| S62.211D | Bennett's fracture, right hand, subsequent encounter for fracture with routine healing                    |
| S62.211G | Bennett's fracture, right hand, subsequent encounter for fracture with delayed healing                    |
| S62.211S | Bennett's fracture, right hand, sequela   |
| S62.212D | Bennett's fracture, left hand, subsequent encounter for fracture with routine healing                     |
| S62.212G | Bennett's fracture, left hand, subsequent encounter for fracture with delayed healing                     |
| S62.212S | Bennett's fracture, left hand, sequela  |
| S62.213D | Bennett's fracture, unspecified hand, subsequent encounter for fracture with routine healing              |
| S62.213G | Bennett's fracture, unspecified hand, subsequent encounter for fracture with delayed healing              |
| S62.213S | Bennett's fracture, unspecified hand, sequela   |
| S62.221D | Displaced Rolando's fracture, right hand, subsequent encounter for fracture with routine healing          |
| S62.221G | Displaced Rolando's fracture, right hand, subsequent encounter for fracture with delayed healing          |
| S62.221S | Displaced Rolando's fracture, right hand, sequela   |
| S62.222D | Displaced Rolando's fracture, left hand, subsequent encounter for fracture with routine healing           |
| S62.222G | Displaced Rolando's fracture, left hand, subsequent encounter for fracture with delayed healing           |
| S62.222S | Displaced Rolando's fracture, left hand, sequela  |
| S62.223D | Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with routine healing    |
| S62.223G | Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with delayed healing    |
| S62.223S | Displaced Rolando's fracture, unspecified hand, sequela   |
| S62.224D | Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with routine healing       |
| S62.224G | Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with delayed healing       |
| S62.224S | Nondisplaced Rolando's fracture, right hand, sequela  |
| S62.225D | Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with routine healing        |
| S62.225G | Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with delayed healing        |
| S62.225S | Nondisplaced Rolando's fracture, left hand, sequela   |
| S62.226D | Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.226G | Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with delayed healing                              |
| S62.226S | Nondisplaced Rolando's fracture, unspecified hand, sequela   |
| S62.231D | Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing          |
| S62.231G | Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing          |
| S62.231S | Other displaced fracture of base of first metacarpal bone, right hand, sequela   |
| S62.232D | Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing           |
| S62.232G | Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing           |
| S62.232S | Other displaced fracture of base of first metacarpal bone, left hand, sequela  |
| S62.233D | Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing    |
| S62.233G | Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing    |
| S62.233S | Other displaced fracture of base of first metacarpal bone, unspecified hand, sequela   |
| S62.234D | Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing       |
| S62.234G | Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing       |
| S62.234S | Other nondisplaced fracture of base of first metacarpal bone, right hand, sequela  |
| S62.235D | Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing        |
| S62.235G | Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing        |
| S62.235S | Other nondisplaced fracture of base of first metacarpal bone, left hand, sequela   |
| S62.236D | Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.236G | Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.236S | Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, sequela  |
| S62.241D | Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing               |
| S62.241G | Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing               |
| S62.241S | Displaced fracture of shaft of first metacarpal bone, right hand, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.242D | Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing           |
| S62.242G | Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing           |
| S62.242S | Displaced fracture of shaft of first metacarpal bone, left hand, sequela  |
| S62.243D | Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing    |
| S62.243G | Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing    |
| S62.243S | Displaced fracture of shaft of first metacarpal bone, unspecified hand, sequela   |
| S62.244D | Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing       |
| S62.244G | Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing       |
| S62.244S | Nondisplaced fracture of shaft of first metacarpal bone, right hand, sequela  |
| S62.245D | Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing        |
| S62.245G | Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing        |
| S62.245S | Nondisplaced fracture of shaft of first metacarpal bone, left hand, sequela   |
| S62.246D | Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.246G | Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.246S | Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, sequela  |
| S62.251D | Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing           |
| S62.251G | Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing           |
| S62.251S | Displaced fracture of neck of first metacarpal bone, right hand, sequela  |
| S62.252D | Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing            |
| S62.252G | Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing            |
| S62.252S | Displaced fracture of neck of first metacarpal bone, left hand, sequela   |
| S62.253D | Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing     |
| S62.253G | Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing     |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.253S | Displaced fracture of neck of first metacarpal bone, unspecified hand, sequela   |
| S62.254D | Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing       |
| S62.254G | Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing       |
| S62.254S | Nondisplaced fracture of neck of first metacarpal bone, right hand, sequela  |
| S62.255D | Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing        |
| S62.255G | Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing        |
| S62.255S | Nondisplaced fracture of neck of first metacarpal bone, left hand, sequela   |
| S62.256D | Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing |
| S62.256G | Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing |
| S62.256S | Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, sequela  |
| S62.291D | Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing                      |
| S62.291G | Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing                      |
| S62.291S | Other fracture of first metacarpal bone, right hand, sequela   |
| S62.292D | Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing                       |
| S62.292G | Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing                       |
| S62.292S | Other fracture of first metacarpal bone, left hand, sequela  |
| S62.299D | Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing                |
| S62.299G | Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing                |
| S62.299S | Other fracture of first metacarpal bone, unspecified hand, sequela   |
| S62.300D | Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing               |
| S62.300G | Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing               |
| S62.300S | Unspecified fracture of second metacarpal bone, right hand, sequela  |
| S62.301D | Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.301G | Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.301S | Unspecified fracture of second metacarpal bone, left hand, sequela   |
| S62.302D | Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.302G | Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.302S | Unspecified fracture of third metacarpal bone, right hand, sequela   |
| S62.303D | Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.303G | Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.303S | Unspecified fracture of third metacarpal bone, left hand, sequela  |
| S62.304D | Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.304G | Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.304S | Unspecified fracture of fourth metacarpal bone, right hand, sequela  |
| S62.305D | Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.305G | Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.305S | Unspecified fracture of fourth metacarpal bone, left hand, sequela   |
| S62.306D | Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.306G | Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.306S | Unspecified fracture of fifth metacarpal bone, right hand, sequela   |
| S62.307D | Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.307G | Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.307S | Unspecified fracture of fifth metacarpal bone, left hand, sequela  |
| S62.308D | Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with routine healing              |
| S62.308G | Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with delayed healing              |
| S62.308S | Unspecified fracture of other metacarpal bone, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S62.309D    | Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with routine healing              |
| S62.309G    | Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing              |
| S62.309S    | Unspecified fracture of unspecified metacarpal bone, sequela   |
| S62.310D    | Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.310G    | Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.310S    | Displaced fracture of base of second metacarpal bone, right hand, sequela  |
| S62.311D    | Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.311G    | Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.311S    | Displaced fracture of base of second metacarpal bone, left hand, sequela   |
| S62.312D    | Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.312G    | Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.312S    | Displaced fracture of base of third metacarpal bone, right hand, sequela   |
| S62.313D    | Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.313G    | Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.313S    | Displaced fracture of base of third metacarpal bone, left hand, sequela  |
| S62.314D    | Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.314G    | Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.314S    | Displaced fracture of base of fourth metacarpal bone, right hand, sequela  |
| S62.315D    | Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.315G    | Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.315S    | Displaced fracture of base of fourth metacarpal bone, left hand, sequela   |
| S62.316D    | Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.316G    | Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S62.316S    | Displaced fracture of base of fifth metacarpal bone, right hand, sequela  |
| S62.317D    | Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing    |
| S62.317G    | Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing    |
| S62.317S    | Displaced fracture of base of fifth metacarpal bone, left hand, sequela   |
| S62.318D    | Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with routine healing               |
| S62.318G    | Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with delayed healing               |
| S62.318S    | Displaced fracture of base of other metacarpal bone, sequela  |
| S62.319D    | Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with routine healing         |
| S62.319G    | Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing         |
| S62.319S    | Displaced fracture of base of unspecified metacarpal bone, sequela  |
| S62.320D    | Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.320G    | Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.320S    | Displaced fracture of shaft of second metacarpal bone, right hand, sequela  |
| S62.321D    | Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.321G    | Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.321S    | Displaced fracture of shaft of second metacarpal bone, left hand, sequela   |
| S62.322D    | Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.322G    | Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.322S    | Displaced fracture of shaft of third metacarpal bone, right hand, sequela   |
| S62.323D    | Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.323G    | Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.323S    | Displaced fracture of shaft of third metacarpal bone, left hand, sequela  |
| S62.324D    | Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.324G | Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.324S | Displaced fracture of shaft of fourth metacarpal bone, right hand, sequela  |
| S62.325D | Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.325G | Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.325S | Displaced fracture of shaft of fourth metacarpal bone, left hand, sequela   |
| S62.326D | Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.326G | Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.326S | Displaced fracture of shaft of fifth metacarpal bone, right hand, sequela   |
| S62.327D | Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.327G | Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.327S | Displaced fracture of shaft of fifth metacarpal bone, left hand, sequela  |
| S62.328D | Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with routine healing              |
| S62.328G | Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with delayed healing              |
| S62.328S | Displaced fracture of shaft of other metacarpal bone, sequela   |
| S62.329D | Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with routine healing        |
| S62.329G | Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing        |
| S62.329S | Displaced fracture of shaft of unspecified metacarpal bone, sequela   |
| S62.330D | Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.330G | Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.330S | Displaced fracture of neck of second metacarpal bone, right hand, sequela   |
| S62.331D | Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.331G | Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.331S | Displaced fracture of neck of second metacarpal bone, left hand, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.332D | Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.332G | Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.332S | Displaced fracture of neck of third metacarpal bone, right hand, sequela   |
| S62.333D | Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.333G | Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.333S | Displaced fracture of neck of third metacarpal bone, left hand, sequela  |
| S62.334D | Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.334G | Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.334S | Displaced fracture of neck of fourth metacarpal bone, right hand, sequela  |
| S62.335D | Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.335G | Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.335S | Displaced fracture of neck of fourth metacarpal bone, left hand, sequela   |
| S62.336D | Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.336G | Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.336S | Displaced fracture of neck of fifth metacarpal bone, right hand, sequela   |
| S62.337D | Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.337G | Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.337S | Displaced fracture of neck of fifth metacarpal bone, left hand, sequela  |
| S62.338D | Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with routine healing              |
| S62.338G | Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with delayed healing              |
| S62.338S | Displaced fracture of neck of other metacarpal bone, sequela   |
| S62.339D | Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with routine healing        |
| S62.339G | Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S62.339S    | Displaced fracture of neck of unspecified metacarpal bone, sequela  |
| S62.340D    | Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.340G    | Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.340S    | Nondisplaced fracture of base of second metacarpal bone, right hand, sequela  |
| S62.341D    | Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.341G    | Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.341S    | Nondisplaced fracture of base of second metacarpal bone, left hand, sequela   |
| S62.342D    | Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.342G    | Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.342S    | Nondisplaced fracture of base of third metacarpal bone, right hand, sequela   |
| S62.343D    | Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.343G    | Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.343S    | Nondisplaced fracture of base of third metacarpal bone, left hand, sequela  |
| S62.344D    | Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.344G    | Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.344S    | Nondisplaced fracture of base of fourth metacarpal bone, right hand, sequela  |
| S62.345D    | Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.345G    | Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.345S    | Nondisplaced fracture of base of fourth metacarpal bone, left hand, sequela   |
| S62.346D    | Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.346G    | Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.346S    | Nondisplaced fracture of base of fifth metacarpal bone, right hand, sequela   |
| S62.347D    | Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S62.347G    | Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing    |
| S62.347S    | Nondisplaced fracture of base of fifth metacarpal bone, left hand, sequela   |
| S62.348D    | Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with routine healing               |
| S62.348G    | Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with delayed healing               |
| S62.348S    | Nondisplaced fracture of base of other metacarpal bone, sequela  |
| S62.349D    | Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with routine healing         |
| S62.349G    | Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing         |
| S62.349S    | Nondisplaced fracture of base of unspecified metacarpal bone, sequela  |
| S62.350D    | Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.350G    | Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.350S    | Nondisplaced fracture of shaft of second metacarpal bone, right hand, sequela  |
| S62.351D    | Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.351G    | Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.351S    | Nondisplaced fracture of shaft of second metacarpal bone, left hand, sequela   |
| S62.352D    | Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.352G    | Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.352S    | Nondisplaced fracture of shaft of third metacarpal bone, right hand, sequela   |
| S62.353D    | Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.353G    | Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.353S    | Nondisplaced fracture of shaft of third metacarpal bone, left hand, sequela  |
| S62.354D    | Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.354G    | Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.354S    | Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S62.355D    | Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing |
| S62.355G    | Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing |
| S62.355S    | Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, sequela  |
| S62.356D    | Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.356G    | Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.356S    | Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, sequela  |
| S62.357D    | Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.357G    | Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.357S    | Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, sequela   |
| S62.358D    | Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with routine healing             |
| S62.358G    | Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with delayed healing             |
| S62.358S    | Nondisplaced fracture of shaft of other metacarpal bone, sequela  |
| S62.359D    | Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with routine healing       |
| S62.359G    | Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing       |
| S62.359S    | Nondisplaced fracture of shaft of unspecified metacarpal bone, sequela  |
| S62.360D    | Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.360G    | Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.360S    | Nondisplaced fracture of neck of second metacarpal bone, right hand, sequela  |
| S62.361D    | Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.361G    | Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.361S    | Nondisplaced fracture of neck of second metacarpal bone, left hand, sequela   |
| S62.362D    | Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.362G    | Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.362S | Nondisplaced fracture of neck of third metacarpal bone, right hand, sequela   |
| S62.363D | Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.363G | Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.363S | Nondisplaced fracture of neck of third metacarpal bone, left hand, sequela  |
| S62.364D | Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.364G | Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.364S | Nondisplaced fracture of neck of fourth metacarpal bone, right hand, sequela  |
| S62.365D | Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.365G | Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.365S | Nondisplaced fracture of neck of fourth metacarpal bone, left hand, sequela   |
| S62.366D | Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.366G | Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.366S | Nondisplaced fracture of neck of fifth metacarpal bone, right hand, sequela   |
| S62.367D | Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.367G | Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.367S | Nondisplaced fracture of neck of fifth metacarpal bone, left hand, sequela  |
| S62.368D | Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with routine healing              |
| S62.368G | Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with delayed healing              |
| S62.368S | Nondisplaced fracture of neck of other metacarpal bone, sequela   |
| S62.369D | Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with routine healing        |
| S62.369G | Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing        |
| S62.369S | Nondisplaced fracture of neck of unspecified metacarpal bone, sequela   |
| S62.390D | Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing                |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.390G | Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.390S | Other fracture of second metacarpal bone, right hand, sequela  |
| S62.391D | Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.391G | Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.391S | Other fracture of second metacarpal bone, left hand, sequela   |
| S62.392D | Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.392G | Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.392S | Other fracture of third metacarpal bone, right hand, sequela   |
| S62.393D | Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.393G | Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.393S | Other fracture of third metacarpal bone, left hand, sequela  |
| S62.394D | Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing |
| S62.394G | Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing |
| S62.394S | Other fracture of fourth metacarpal bone, right hand, sequela  |
| S62.395D | Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing  |
| S62.395G | Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing  |
| S62.395S | Other fracture of fourth metacarpal bone, left hand, sequela   |
| S62.396D | Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing  |
| S62.396G | Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing  |
| S62.396S | Other fracture of fifth metacarpal bone, right hand, sequela   |
| S62.397D | Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing   |
| S62.397G | Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing   |
| S62.397S | Other fracture of fifth metacarpal bone, left hand, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S62.398D    | Other fracture of other metacarpal bone, subsequent encounter for fracture with routine healing                     |
| S62.398G    | Other fracture of other metacarpal bone, subsequent encounter for fracture with delayed healing                     |
| S62.398S    | Other fracture of other metacarpal bone, sequela  |
| S62.399D    | Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with routine healing               |
| S62.399G    | Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing               |
| S62.399S    | Other fracture of unspecified metacarpal bone, sequela  |
| S62.501D    | Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with routine healing              |
| S62.501G    | Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with delayed healing              |
| S62.501S    | Fracture of unspecified phalanx of right thumb, sequela   |
| S62.502D    | Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with routine healing               |
| S62.502G    | Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with delayed healing               |
| S62.502S    | Fracture of unspecified phalanx of left thumb, sequela  |
| S62.509D    | Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with routine healing        |
| S62.509G    | Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing        |
| S62.509S    | Fracture of unspecified phalanx of unspecified thumb, sequela   |
| S62.511D    | Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with routine healing       |
| S62.511G    | Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with delayed healing       |
| S62.511S    | Displaced fracture of proximal phalanx of right thumb, sequela  |
| S62.512D    | Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with routine healing        |
| S62.512G    | Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with delayed healing        |
| S62.512S    | Displaced fracture of proximal phalanx of left thumb, sequela   |
| S62.513D    | Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing |
| S62.513G    | Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S62.513S    | Displaced fracture of proximal phalanx of unspecified thumb, sequela   |
| S62.514D    | Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with routine healing       |
| S62.514G    | Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with delayed healing       |
| S62.514S    | Nondisplaced fracture of proximal phalanx of right thumb, sequela  |
| S62.515D    | Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with routine healing        |
| S62.515G    | Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with delayed healing        |
| S62.515S    | Nondisplaced fracture of proximal phalanx of left thumb, sequela   |
| S62.516D    | Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing |
| S62.516G    | Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing |
| S62.516S    | Nondisplaced fracture of proximal phalanx of unspecified thumb, sequela  |
| S62.521D    | Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with routine healing            |
| S62.521G    | Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with delayed healing            |
| S62.521S    | Displaced fracture of distal phalanx of right thumb, sequela   |
| S62.522D    | Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with routine healing             |
| S62.522G    | Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with delayed healing             |
| S62.522S    | Displaced fracture of distal phalanx of left thumb, sequela  |
| S62.523D    | Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing      |
| S62.523G    | Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing      |
| S62.523S    | Displaced fracture of distal phalanx of unspecified thumb, sequela   |
| S62.524D    | Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with routine healing         |
| S62.524G    | Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with delayed healing         |
| S62.524S    | Nondisplaced fracture of distal phalanx of right thumb, sequela  |
| S62.525D    | Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with routine healing          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.525G | Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with delayed healing        |
| S62.525S | Nondisplaced fracture of distal phalanx of left thumb, sequela   |
| S62.526D | Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing |
| S62.526G | Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing |
| S62.526S | Nondisplaced fracture of distal phalanx of unspecified thumb, sequela  |
| S62.600D | Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with routine healing        |
| S62.600G | Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with delayed healing        |
| S62.600S | Fracture of unspecified phalanx of right index finger, sequela   |
| S62.601D | Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with routine healing         |
| S62.601G | Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with delayed healing         |
| S62.601S | Fracture of unspecified phalanx of left index finger, sequela  |
| S62.602D | Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with routine healing       |
| S62.602G | Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with delayed healing       |
| S62.602S | Fracture of unspecified phalanx of right middle finger, sequela  |
| S62.603D | Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with routine healing        |
| S62.603G | Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with delayed healing        |
| S62.603S | Fracture of unspecified phalanx of left middle finger, sequela   |
| S62.604D | Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with routine healing         |
| S62.604G | Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with delayed healing         |
| S62.604S | Fracture of unspecified phalanx of right ring finger, sequela  |
| S62.605D | Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with routine healing          |
| S62.605G | Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with delayed healing          |
| S62.605S | Fracture of unspecified phalanx of left ring finger, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.606D | Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with routine healing        |
| S62.606G | Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with delayed healing        |
| S62.606S | Fracture of unspecified phalanx of right little finger, sequela   |
| S62.607D | Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with routine healing         |
| S62.607G | Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with delayed healing         |
| S62.607S | Fracture of unspecified phalanx of left little finger, sequela  |
| S62.608D | Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with routine healing               |
| S62.608G | Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with delayed healing               |
| S62.608S | Fracture of unspecified phalanx of other finger, sequela  |
| S62.609D | Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with routine healing         |
| S62.609G | Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with delayed healing         |
| S62.609S | Fracture of unspecified phalanx of unspecified finger, sequela  |
| S62.610D | Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with routine healing  |
| S62.610G | Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with delayed healing  |
| S62.610S | Displaced fracture of proximal phalanx of right index finger, sequela   |
| S62.611D | Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with routine healing   |
| S62.611G | Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with delayed healing   |
| S62.611S | Displaced fracture of proximal phalanx of left index finger, sequela  |
| S62.612D | Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.612G | Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.612S | Displaced fracture of proximal phalanx of right middle finger, sequela  |
| S62.613D | Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with routine healing  |
| S62.613G | Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with delayed healing  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.613S | Displaced fracture of proximal phalanx of left middle finger, sequela   |
| S62.614D | Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with routine healing   |
| S62.614G | Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with delayed healing   |
| S62.614S | Displaced fracture of proximal phalanx of right ring finger, sequela  |
| S62.615D | Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with routine healing    |
| S62.615G | Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with delayed healing    |
| S62.615S | Displaced fracture of proximal phalanx of left ring finger, sequela   |
| S62.616D | Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.616G | Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.616S | Displaced fracture of proximal phalanx of right little finger, sequela  |
| S62.617D | Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with routine healing  |
| S62.617G | Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with delayed healing  |
| S62.617S | Displaced fracture of proximal phalanx of left little finger, sequela   |
| S62.618D | Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with routine healing        |
| S62.618G | Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with delayed healing        |
| S62.618S | Displaced fracture of proximal phalanx of other finger, sequela   |
| S62.619D | Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with routine healing  |
| S62.619G | Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing  |
| S62.619S | Displaced fracture of proximal phalanx of unspecified finger, sequela   |
| S62.620D | Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with routine healing    |
| S62.620G | Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with delayed healing    |
| S62.620S | Displaced fracture of middle phalanx of right index finger, sequela   |
| S62.621D | Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with routine healing     |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.621G | Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with delayed healing   |
| S62.621S | Displaced fracture of middle phalanx of left index finger, sequela  |
| S62.622D | Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.622G | Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.622S | Displaced fracture of middle phalanx of right middle finger, sequela  |
| S62.623D | Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with routine healing  |
| S62.623G | Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with delayed healing  |
| S62.623S | Displaced fracture of middle phalanx of left middle finger, sequela   |
| S62.624D | Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with routine healing   |
| S62.624G | Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with delayed healing   |
| S62.624S | Displaced fracture of middle phalanx of right ring finger, sequela  |
| S62.625D | Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with routine healing    |
| S62.625G | Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with delayed healing    |
| S62.625S | Displaced fracture of middle phalanx of left ring finger, sequela   |
| S62.626D | Displaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.626G | Displaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.626S | Displaced fracture of middle phalanx of right little finger, sequela  |
| S62.627D | Displaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with routine healing  |
| S62.627G | Displaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with delayed healing  |
| S62.627S | Displaced fracture of middle phalanx of left little finger, sequela   |
| S62.628D | Displaced fracture of middle phalanx of other finger, subsequent encounter for fracture with routine healing        |
| S62.628G | Displaced fracture of middle phalanx of other finger, subsequent encounter for fracture with delayed healing        |
| S62.628S | Displaced fracture of middle phalanx of other finger, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.629D | Displaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with routine healing  |
| S62.629G | Displaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with delayed healing  |
| S62.629S | Displaced fracture of middle phalanx of unspecified finger, sequela   |
| S62.630D | Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with routine healing  |
| S62.630G | Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with delayed healing  |
| S62.630S | Displaced fracture of distal phalanx of right index finger, sequela   |
| S62.631D | Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with routine healing   |
| S62.631G | Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with delayed healing   |
| S62.631S | Displaced fracture of distal phalanx of left index finger, sequela  |
| S62.632D | Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.632G | Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.632S | Displaced fracture of distal phalanx of right middle finger, sequela  |
| S62.633D | Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with routine healing  |
| S62.633G | Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with delayed healing  |
| S62.633S | Displaced fracture of distal phalanx of left middle finger, sequela   |
| S62.634D | Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with routine healing   |
| S62.634G | Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with delayed healing   |
| S62.634S | Displaced fracture of distal phalanx of right ring finger, sequela  |
| S62.635D | Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with routine healing    |
| S62.635G | Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with delayed healing    |
| S62.635S | Displaced fracture of distal phalanx of left ring finger, sequela   |
| S62.636D | Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.636G | Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with delayed healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S62.636S    | Displaced fracture of distal phalanx of right little finger, sequela   |
| S62.637D    | Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with routine healing       |
| S62.637G    | Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with delayed healing       |
| S62.637S    | Displaced fracture of distal phalanx of left little finger, sequela  |
| S62.638D    | Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with routine healing             |
| S62.638G    | Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with delayed healing             |
| S62.638S    | Displaced fracture of distal phalanx of other finger, sequela  |
| S62.639D    | Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with routine healing       |
| S62.639G    | Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing       |
| S62.639S    | Displaced fracture of distal phalanx of unspecified finger, sequela  |
| S62.640D    | Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with routine healing  |
| S62.640G    | Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with delayed healing  |
| S62.640S    | Nondisplaced fracture of proximal phalanx of right index finger, sequela   |
| S62.641D    | Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with routine healing   |
| S62.641G    | Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with delayed healing   |
| S62.641S    | Nondisplaced fracture of proximal phalanx of left index finger, sequela  |
| S62.642D    | Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.642G    | Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.642S    | Nondisplaced fracture of proximal phalanx of right middle finger, sequela  |
| S62.643D    | Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with routine healing  |
| S62.643G    | Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with delayed healing  |
| S62.643S    | Nondisplaced fracture of proximal phalanx of left middle finger, sequela   |
| S62.644D    | Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with routine healing   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.644G | Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with delayed healing   |
| S62.644S | Nondisplaced fracture of proximal phalanx of right ring finger, sequela  |
| S62.645D | Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with routine healing    |
| S62.645G | Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with delayed healing    |
| S62.645S | Nondisplaced fracture of proximal phalanx of left ring finger, sequela   |
| S62.646D | Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.646G | Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.646S | Nondisplaced fracture of proximal phalanx of right little finger, sequela  |
| S62.647D | Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with routine healing  |
| S62.647G | Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with delayed healing  |
| S62.647S | Nondisplaced fracture of proximal phalanx of left little finger, sequela   |
| S62.648D | Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with routine healing        |
| S62.648G | Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with delayed healing        |
| S62.648S | Nondisplaced fracture of proximal phalanx of other finger, sequela   |
| S62.649D | Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with routine healing  |
| S62.649G | Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing  |
| S62.649S | Nondisplaced fracture of proximal phalanx of unspecified finger, sequela   |
| S62.650D | Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with routine healing    |
| S62.650G | Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with delayed healing    |
| S62.650S | Nondisplaced fracture of middle phalanx of right index finger, sequela   |
| S62.651D | Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with routine healing     |
| S62.651G | Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with delayed healing     |
| S62.651S | Nondisplaced fracture of middle phalanx of left index finger, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.652D | Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.652G | Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.652S | Nondisplaced fracture of middle phalanx of right middle finger, sequela  |
| S62.653D | Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with routine healing  |
| S62.653G | Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with delayed healing  |
| S62.653S | Nondisplaced fracture of middle phalanx of left middle finger, sequela   |
| S62.654D | Nondisplaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with routine healing   |
| S62.654G | Nondisplaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with delayed healing   |
| S62.654S | Nondisplaced fracture of middle phalanx of right ring finger, sequela  |
| S62.655D | Nondisplaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with routine healing    |
| S62.655G | Nondisplaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with delayed healing    |
| S62.655S | Nondisplaced fracture of middle phalanx of left ring finger, sequela   |
| S62.656D | Nondisplaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.656G | Nondisplaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.656S | Nondisplaced fracture of middle phalanx of right little finger, sequela  |
| S62.657D | Nondisplaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with routine healing  |
| S62.657G | Nondisplaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with delayed healing  |
| S62.657S | Nondisplaced fracture of middle phalanx of left little finger, sequela   |
| S62.658D | Nondisplaced fracture of middle phalanx of other finger, subsequent encounter for fracture with routine healing        |
| S62.658G | Nondisplaced fracture of middle phalanx of other finger, subsequent encounter for fracture with delayed healing        |
| S62.658S | Nondisplaced fracture of middle phalanx of other finger, sequela   |
| S62.659D | Nondisplaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with routine healing  |
| S62.659G | Nondisplaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with delayed healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S62.659S | Nondisplaced fracture of middle phalanx of unspecified finger, sequela   |
| S62.660D | Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with routine healing  |
| S62.660G | Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with delayed healing  |
| S62.660S | Nondisplaced fracture of distal phalanx of right index finger, sequela   |
| S62.661D | Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with routine healing   |
| S62.661G | Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with delayed healing   |
| S62.661S | Nondisplaced fracture of distal phalanx of left index finger, sequela  |
| S62.662D | Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with routine healing |
| S62.662G | Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with delayed healing |
| S62.662S | Nondisplaced fracture of distal phalanx of right middle finger, sequela  |
| S62.663D | Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with routine healing  |
| S62.663G | Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with delayed healing  |
| S62.663S | Nondisplaced fracture of distal phalanx of left middle finger, sequela   |
| S62.664D | Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with routine healing   |
| S62.664G | Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with delayed healing   |
| S62.664S | Nondisplaced fracture of distal phalanx of right ring finger, sequela  |
| S62.665D | Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with routine healing    |
| S62.665G | Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with delayed healing    |
| S62.665S | Nondisplaced fracture of distal phalanx of left ring finger, sequela   |
| S62.666D | Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with routine healing |
| S62.666G | Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with delayed healing |
| S62.666S | Nondisplaced fracture of distal phalanx of right little finger, sequela  |
| S62.667D | Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with routine healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S62.667G | Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with delayed healing |
| S62.667S | Nondisplaced fracture of distal phalanx of left little finger, sequela  |
| S62.668D | Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with routine healing       |
| S62.668G | Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with delayed healing       |
| S62.668S | Nondisplaced fracture of distal phalanx of other finger, sequela  |
| S62.669D | Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with routine healing |
| S62.669G | Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing |
| S62.669S | Nondisplaced fracture of distal phalanx of unspecified finger, sequela  |
| S62.90XD | Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with routine healing            |
| S62.90XG | Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with delayed healing            |
| S62.90XS | Unspecified fracture of unspecified wrist and hand, sequela   |
| S62.91XD | Unspecified fracture of right wrist and hand, subsequent encounter for fracture with routine healing                  |
| S62.91XG | Unspecified fracture of right wrist and hand, subsequent encounter for fracture with delayed healing                  |
| S62.91XS | Unspecified fracture of right wrist and hand, sequela   |
| S62.92XD | Unspecified fracture of left wrist and hand, subsequent encounter for fracture with routine healing                   |
| S62.92XG | Unspecified fracture of left wrist and hand, subsequent encounter for fracture with delayed healing                   |
| S62.92XS | Unspecified fracture of left wrist and hand, sequela  |
| S63.001A | Unspecified subluxation of right wrist and hand, initial encounter  |
| S63.001S | Unspecified subluxation of right wrist and hand, sequela  |
| S63.002A | Unspecified subluxation of left wrist and hand, initial encounter   |
| S63.002S | Unspecified subluxation of left wrist and hand, sequela   |
| S63.003A | Unspecified subluxation of unspecified wrist and hand, initial encounter  |
| S63.003S | Unspecified subluxation of unspecified wrist and hand, sequela  |
| S63.004A | Unspecified dislocation of right wrist and hand, initial encounter  |
| S63.004S | Unspecified dislocation of right wrist and hand, sequela  |
| S63.005A | Unspecified dislocation of left wrist and hand, initial encounter   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S63.005S | Unspecified dislocation of left wrist and hand, sequela                        |
| S63.006A | Unspecified dislocation of unspecified wrist and hand, initial encounter       |
| S63.006S | Unspecified dislocation of unspecified wrist and hand, sequela                 |
| S63.011A | Subluxation of distal radioulnar joint of right wrist, initial encounter       |
| S63.011S | Subluxation of distal radioulnar joint of right wrist, sequela                 |
| S63.012A | Subluxation of distal radioulnar joint of left wrist, initial encounter        |
| S63.012S | Subluxation of distal radioulnar joint of left wrist, sequela                  |
| S63.013A | Subluxation of distal radioulnar joint of unspecified wrist, initial encounter |
| S63.013S | Subluxation of distal radioulnar joint of unspecified wrist, sequela           |
| S63.014A | Dislocation of distal radioulnar joint of right wrist, initial encounter       |
| S63.014S | Dislocation of distal radioulnar joint of right wrist, sequela                 |
| S63.015A | Dislocation of distal radioulnar joint of left wrist, initial encounter        |
| S63.015S | Dislocation of distal radioulnar joint of left wrist, sequela                  |
| S63.016A | Dislocation of distal radioulnar joint of unspecified wrist, initial encounter |
| S63.016S | Dislocation of distal radioulnar joint of unspecified wrist, sequela           |
| S63.021A | Subluxation of radiocarpal joint of right wrist, initial encounter             |
| S63.021S | Subluxation of radiocarpal joint of right wrist, sequela                       |
| S63.022A | Subluxation of radiocarpal joint of left wrist, initial encounter              |
| S63.022S | Subluxation of radiocarpal joint of left wrist, sequela                        |
| S63.023A | Subluxation of radiocarpal joint of unspecified wrist, initial encounter       |
| S63.023S | Subluxation of radiocarpal joint of unspecified wrist, sequela                 |
| S63.024A | Dislocation of radiocarpal joint of right wrist, initial encounter             |
| S63.024S | Dislocation of radiocarpal joint of right wrist, sequela                       |
| S63.025A | Dislocation of radiocarpal joint of left wrist, initial encounter              |
| S63.025S | Dislocation of radiocarpal joint of left wrist, sequela                        |
| S63.026A | Dislocation of radiocarpal joint of unspecified wrist, initial encounter       |
| S63.026S | Dislocation of radiocarpal joint of unspecified wrist, sequela                 |
| S63.031A | Subluxation of midcarpal joint of right wrist, initial encounter               |
| S63.031S | Subluxation of midcarpal joint of right wrist, sequela                         |
| S63.032A | Subluxation of midcarpal joint of left wrist, initial encounter                |
| S63.032S | Subluxation of midcarpal joint of left wrist, sequela                          |
| S63.033A | Subluxation of midcarpal joint of unspecified wrist, initial encounter         |
| S63.033S | Subluxation of midcarpal joint of unspecified wrist, sequela                   |
| S63.034A | Dislocation of midcarpal joint of right wrist, initial encounter               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S63.034S | Dislocation of midcarpal joint of right wrist, sequela                                |
| S63.035A | Dislocation of midcarpal joint of left wrist, initial encounter                       |
| S63.035S | Dislocation of midcarpal joint of left wrist, sequela                                 |
| S63.036A | Dislocation of midcarpal joint of unspecified wrist, initial encounter                |
| S63.036S | Dislocation of midcarpal joint of unspecified wrist, sequela                          |
| S63.041A | Subluxation of carpometacarpal joint of right thumb, initial encounter                |
| S63.041S | Subluxation of carpometacarpal joint of right thumb, sequela                          |
| S63.042A | Subluxation of carpometacarpal joint of left thumb, initial encounter                 |
| S63.042S | Subluxation of carpometacarpal joint of left thumb, sequela                           |
| S63.043A | Subluxation of carpometacarpal joint of unspecified thumb, initial encounter          |
| S63.043S | Subluxation of carpometacarpal joint of unspecified thumb, sequela                    |
| S63.044A | Dislocation of carpometacarpal joint of right thumb, initial encounter                |
| S63.044S | Dislocation of carpometacarpal joint of right thumb, sequela                          |
| S63.045A | Dislocation of carpometacarpal joint of left thumb, initial encounter                 |
| S63.045S | Dislocation of carpometacarpal joint of left thumb, sequela                           |
| S63.046A | Dislocation of carpometacarpal joint of unspecified thumb, initial encounter          |
| S63.046S | Dislocation of carpometacarpal joint of unspecified thumb, sequela                    |
| S63.051A | Subluxation of other carpometacarpal joint of right hand, initial encounter           |
| S63.051S | Subluxation of other carpometacarpal joint of right hand, sequela                     |
| S63.052A | Subluxation of other carpometacarpal joint of left hand, initial encounter            |
| S63.052S | Subluxation of other carpometacarpal joint of left hand, sequela                      |
| S63.053A | Subluxation of other carpometacarpal joint of unspecified hand, initial encounter     |
| S63.053S | Subluxation of other carpometacarpal joint of unspecified hand, sequela               |
| S63.054A | Dislocation of other carpometacarpal joint of right hand, initial encounter           |
| S63.054S | Dislocation of other carpometacarpal joint of right hand, sequela                     |
| S63.055A | Dislocation of other carpometacarpal joint of left hand, initial encounter            |
| S63.055S | Dislocation of other carpometacarpal joint of left hand, sequela                      |
| S63.056A | Dislocation of other carpometacarpal joint of unspecified hand, initial encounter     |
| S63.056S | Dislocation of other carpometacarpal joint of unspecified hand, sequela               |
| S63.061A | Subluxation of metacarpal (bone), proximal end of right hand, initial encounter       |
| S63.061S | Subluxation of metacarpal (bone), proximal end of right hand, sequela                 |
| S63.062A | Subluxation of metacarpal (bone), proximal end of left hand, initial encounter        |
| S63.062S | Subluxation of metacarpal (bone), proximal end of left hand, sequela                  |
| S63.063A | Subluxation of metacarpal (bone), proximal end of unspecified hand, initial encounter |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S63.063S    | Subluxation of metacarpal (bone), proximal end of unspecified hand, sequela           |
| S63.064A    | Dislocation of metacarpal (bone), proximal end of right hand, initial encounter       |
| S63.064S    | Dislocation of metacarpal (bone), proximal end of right hand, sequela                 |
| S63.065A    | Dislocation of metacarpal (bone), proximal end of left hand, initial encounter        |
| S63.065S    | Dislocation of metacarpal (bone), proximal end of left hand, sequela                  |
| S63.066A    | Dislocation of metacarpal (bone), proximal end of unspecified hand, initial encounter |
| S63.066S    | Dislocation of metacarpal (bone), proximal end of unspecified hand, sequela           |
| S63.071A    | Subluxation of distal end of right ulna, initial encounter                            |
| S63.071S    | Subluxation of distal end of right ulna, sequela                                      |
| S63.072A    | Subluxation of distal end of left ulna, initial encounter                             |
| S63.072S    | Subluxation of distal end of left ulna, sequela                                       |
| S63.073A    | Subluxation of distal end of unspecified ulna, initial encounter                      |
| S63.073S    | Subluxation of distal end of unspecified ulna, sequela                                |
| S63.074A    | Dislocation of distal end of right ulna, initial encounter                            |
| S63.074S    | Dislocation of distal end of right ulna, sequela                                      |
| S63.075A    | Dislocation of distal end of left ulna, initial encounter                             |
| S63.075S    | Dislocation of distal end of left ulna, sequela                                       |
| S63.076A    | Dislocation of distal end of unspecified ulna, initial encounter                      |
| S63.076S    | Dislocation of distal end of unspecified ulna, sequela                                |
| S63.091A    | Other subluxation of right wrist and hand, initial encounter                          |
| S63.091S    | Other subluxation of right wrist and hand, sequela                                    |
| S63.092A    | Other subluxation of left wrist and hand, initial encounter                           |
| S63.092S    | Other subluxation of left wrist and hand, sequela                                     |
| S63.093A    | Other subluxation of unspecified wrist and hand, initial encounter                    |
| S63.093S    | Other subluxation of unspecified wrist and hand, sequela                              |
| S63.094A    | Other dislocation of right wrist and hand, initial encounter                          |
| S63.094S    | Other dislocation of right wrist and hand, sequela                                    |
| S63.095A    | Other dislocation of left wrist and hand, initial encounter                           |
| S63.095S    | Other dislocation of left wrist and hand, sequela                                     |
| S63.096A    | Other dislocation of unspecified wrist and hand, initial encounter                    |
| S63.096S    | Other dislocation of unspecified wrist and hand, sequela                              |
| S63.101A    | Unspecified subluxation of right thumb, initial encounter                             |
| S63.101S    | Unspecified subluxation of right thumb, sequela                                       |
| S63.102A    | Unspecified subluxation of left thumb, initial encounter                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S63.102S | Unspecified subluxation of left thumb, sequela                                   |
| S63.103A | Unspecified subluxation of unspecified thumb, initial encounter                  |
| S63.103S | Unspecified subluxation of unspecified thumb, sequela                            |
| S63.104A | Unspecified dislocation of right thumb, initial encounter                        |
| S63.104S | Unspecified dislocation of right thumb, sequela                                  |
| S63.105A | Unspecified dislocation of left thumb, initial encounter                         |
| S63.105S | Unspecified dislocation of left thumb, sequela                                   |
| S63.106A | Unspecified dislocation of unspecified thumb, initial encounter                  |
| S63.106S | Unspecified dislocation of unspecified thumb, sequela                            |
| S63.111A | Subluxation of metacarpophalangeal joint of right thumb, initial encounter       |
| S63.111S | Subluxation of metacarpophalangeal joint of right thumb, sequela                 |
| S63.112A | Subluxation of metacarpophalangeal joint of left thumb, initial encounter        |
| S63.112S | Subluxation of metacarpophalangeal joint of left thumb, sequela                  |
| S63.113A | Subluxation of metacarpophalangeal joint of unspecified thumb, initial encounter |
| S63.113S | Subluxation of metacarpophalangeal joint of unspecified thumb, sequela           |
| S63.114A | Dislocation of metacarpophalangeal joint of right thumb, initial encounter       |
| S63.114S | Dislocation of metacarpophalangeal joint of right thumb, sequela                 |
| S63.115A | Dislocation of metacarpophalangeal joint of left thumb, initial encounter        |
| S63.115S | Dislocation of metacarpophalangeal joint of left thumb, sequela                  |
| S63.116A | Dislocation of metacarpophalangeal joint of unspecified thumb, initial encounter |
| S63.116S | Dislocation of metacarpophalangeal joint of unspecified thumb, sequela           |
| S63.121A | Subluxation of interphalangeal joint of right thumb, initial encounter           |
| S63.121S | Subluxation of interphalangeal joint of right thumb, sequela                     |
| S63.122A | Subluxation of interphalangeal joint of left thumb, initial encounter            |
| S63.122S | Subluxation of interphalangeal joint of left thumb, sequela                      |
| S63.123A | Subluxation of interphalangeal joint of unspecified thumb, initial encounter     |
| S63.123S | Subluxation of interphalangeal joint of unspecified thumb, sequela               |
| S63.124A | Dislocation of interphalangeal joint of right thumb, initial encounter           |
| S63.124S | Dislocation of interphalangeal joint of right thumb, sequela                     |
| S63.125A | Dislocation of interphalangeal joint of left thumb, initial encounter            |
| S63.125S | Dislocation of interphalangeal joint of left thumb, sequela                      |
| S63.126A | Dislocation of interphalangeal joint of unspecified thumb, initial encounter     |
| S63.126S | Dislocation of interphalangeal joint of unspecified thumb, sequela               |
| S63.200A | Unspecified subluxation of right index finger, initial encounter                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S63.200S    | Unspecified subluxation of right index finger, sequela                             |
| S63.201A    | Unspecified subluxation of left index finger, initial encounter                    |
| S63.201S    | Unspecified subluxation of left index finger, sequela                              |
| S63.202A    | Unspecified subluxation of right middle finger, initial encounter                  |
| S63.202S    | Unspecified subluxation of right middle finger, sequela                            |
| S63.203A    | Unspecified subluxation of left middle finger, initial encounter                   |
| S63.203S    | Unspecified subluxation of left middle finger, sequela                             |
| S63.204A    | Unspecified subluxation of right ring finger, initial encounter                    |
| S63.204S    | Unspecified subluxation of right ring finger, sequela                              |
| S63.205A    | Unspecified subluxation of left ring finger, initial encounter                     |
| S63.205S    | Unspecified subluxation of left ring finger, sequela                               |
| S63.206A    | Unspecified subluxation of right little finger, initial encounter                  |
| S63.206S    | Unspecified subluxation of right little finger, sequela                            |
| S63.207A    | Unspecified subluxation of left little finger, initial encounter                   |
| S63.207S    | Unspecified subluxation of left little finger, sequela                             |
| S63.208A    | Unspecified subluxation of other finger, initial encounter                         |
| S63.208S    | Unspecified subluxation of other finger, sequela                                   |
| S63.209A    | Unspecified subluxation of unspecified finger, initial encounter                   |
| S63.209S    | Unspecified subluxation of unspecified finger, sequela                             |
| S63.210A    | Subluxation of metacarpophalangeal joint of right index finger, initial encounter  |
| S63.210S    | Subluxation of metacarpophalangeal joint of right index finger, sequela            |
| S63.211A    | Subluxation of metacarpophalangeal joint of left index finger, initial encounter   |
| S63.211S    | Subluxation of metacarpophalangeal joint of left index finger, sequela             |
| S63.212A    | Subluxation of metacarpophalangeal joint of right middle finger, initial encounter |
| S63.212S    | Subluxation of metacarpophalangeal joint of right middle finger, sequela           |
| S63.213A    | Subluxation of metacarpophalangeal joint of left middle finger, initial encounter  |
| S63.213S    | Subluxation of metacarpophalangeal joint of left middle finger, sequela            |
| S63.214A    | Subluxation of metacarpophalangeal joint of right ring finger, initial encounter   |
| S63.214S    | Subluxation of metacarpophalangeal joint of right ring finger, sequela             |
| S63.215A    | Subluxation of metacarpophalangeal joint of left ring finger, initial encounter    |
| S63.215S    | Subluxation of metacarpophalangeal joint of left ring finger, sequela              |
| S63.216A    | Subluxation of metacarpophalangeal joint of right little finger, initial encounter |
| S63.216S    | Subluxation of metacarpophalangeal joint of right little finger, sequela           |
| S63.217A    | Subluxation of metacarpophalangeal joint of left little finger, initial encounter  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S63.217S | Subluxation of metacarpophalangeal joint of left little finger, sequela                    |
| S63.218A | Subluxation of metacarpophalangeal joint of other finger, initial encounter                |
| S63.218S | Subluxation of metacarpophalangeal joint of other finger, sequela                          |
| S63.219A | Subluxation of metacarpophalangeal joint of unspecified finger, initial encounter          |
| S63.219S | Subluxation of metacarpophalangeal joint of unspecified finger, sequela                    |
| S63.220A | Subluxation of unspecified interphalangeal joint of right index finger, initial encounter  |
| S63.220S | Subluxation of unspecified interphalangeal joint of right index finger, sequela            |
| S63.221A | Subluxation of unspecified interphalangeal joint of left index finger, initial encounter   |
| S63.221S | Subluxation of unspecified interphalangeal joint of left index finger, sequela             |
| S63.222A | Subluxation of unspecified interphalangeal joint of right middle finger, initial encounter |
| S63.222S | Subluxation of unspecified interphalangeal joint of right middle finger, sequela           |
| S63.223A | Subluxation of unspecified interphalangeal joint of left middle finger, initial encounter  |
| S63.223S | Subluxation of unspecified interphalangeal joint of left middle finger, sequela            |
| S63.224A | Subluxation of unspecified interphalangeal joint of right ring finger, initial encounter   |
| S63.224S | Subluxation of unspecified interphalangeal joint of right ring finger, sequela             |
| S63.225A | Subluxation of unspecified interphalangeal joint of left ring finger, initial encounter    |
| S63.225S | Subluxation of unspecified interphalangeal joint of left ring finger, sequela              |
| S63.226A | Subluxation of unspecified interphalangeal joint of right little finger, initial encounter |
| S63.226S | Subluxation of unspecified interphalangeal joint of right little finger, sequela           |
| S63.227A | Subluxation of unspecified interphalangeal joint of left little finger, initial encounter  |
| S63.227S | Subluxation of unspecified interphalangeal joint of left little finger, sequela            |
| S63.228A | Subluxation of unspecified interphalangeal joint of other finger, initial encounter        |
| S63.228S | Subluxation of unspecified interphalangeal joint of other finger, sequela                  |
| S63.229A | Subluxation of unspecified interphalangeal joint of unspecified finger, initial encounter  |
| S63.229S | Subluxation of unspecified interphalangeal joint of unspecified finger, sequela            |
| S63.230A | Subluxation of proximal interphalangeal joint of right index finger, initial encounter     |
| S63.230S | Subluxation of proximal interphalangeal joint of right index finger, sequela               |
| S63.231A | Subluxation of proximal interphalangeal joint of left index finger, initial encounter      |
| S63.231S | Subluxation of proximal interphalangeal joint of left index finger, sequela                |
| S63.232A | Subluxation of proximal interphalangeal joint of right middle finger, initial encounter    |
| S63.232S | Subluxation of proximal interphalangeal joint of right middle finger, sequela              |
| S63.233A | Subluxation of proximal interphalangeal joint of left middle finger, initial encounter     |
| S63.233S | Subluxation of proximal interphalangeal joint of left middle finger, sequela               |
| S63.234A | Subluxation of proximal interphalangeal joint of right ring finger, initial encounter      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S63.234S | Subluxation of proximal interphalangeal joint of right ring finger, sequela             |
| S63.235A | Subluxation of proximal interphalangeal joint of left ring finger, initial encounter    |
| S63.235S | Subluxation of proximal interphalangeal joint of left ring finger, sequela              |
| S63.236A | Subluxation of proximal interphalangeal joint of right little finger, initial encounter |
| S63.236S | Subluxation of proximal interphalangeal joint of right little finger, sequela           |
| S63.237A | Subluxation of proximal interphalangeal joint of left little finger, initial encounter  |
| S63.237S | Subluxation of proximal interphalangeal joint of left little finger, sequela            |
| S63.238A | Subluxation of proximal interphalangeal joint of other finger, initial encounter        |
| S63.238S | Subluxation of proximal interphalangeal joint of other finger, sequela                  |
| S63.239A | Subluxation of proximal interphalangeal joint of unspecified finger, initial encounter  |
| S63.239S | Subluxation of proximal interphalangeal joint of unspecified finger, sequela            |
| S63.240A | Subluxation of distal interphalangeal joint of right index finger, initial encounter    |
| S63.240S | Subluxation of distal interphalangeal joint of right index finger, sequela              |
| S63.241A | Subluxation of distal interphalangeal joint of left index finger, initial encounter     |
| S63.241S | Subluxation of distal interphalangeal joint of left index finger, sequela               |
| S63.242A | Subluxation of distal interphalangeal joint of right middle finger, initial encounter   |
| S63.242S | Subluxation of distal interphalangeal joint of right middle finger, sequela             |
| S63.243A | Subluxation of distal interphalangeal joint of left middle finger, initial encounter    |
| S63.243S | Subluxation of distal interphalangeal joint of left middle finger, sequela              |
| S63.244A | Subluxation of distal interphalangeal joint of right ring finger, initial encounter     |
| S63.244S | Subluxation of distal interphalangeal joint of right ring finger, sequela               |
| S63.245A | Subluxation of distal interphalangeal joint of left ring finger, initial encounter      |
| S63.245S | Subluxation of distal interphalangeal joint of left ring finger, sequela                |
| S63.246A | Subluxation of distal interphalangeal joint of right little finger, initial encounter   |
| S63.246S | Subluxation of distal interphalangeal joint of right little finger, sequela             |
| S63.247A | Subluxation of distal interphalangeal joint of left little finger, initial encounter    |
| S63.247S | Subluxation of distal interphalangeal joint of left little finger, sequela              |
| S63.248A | Subluxation of distal interphalangeal joint of other finger, initial encounter          |
| S63.248S | Subluxation of distal interphalangeal joint of other finger, sequela                    |
| S63.249A | Subluxation of distal interphalangeal joint of unspecified finger, initial encounter    |
| S63.249S | Subluxation of distal interphalangeal joint of unspecified finger, sequela              |
| S63.250A | Unspecified dislocation of right index finger, initial encounter                        |
| S63.250S | Unspecified dislocation of right index finger, sequela                                  |
| S63.251A | Unspecified dislocation of left index finger, initial encounter                         |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S63.251S | Unspecified dislocation of left index finger, sequela                              |
| S63.252A | Unspecified dislocation of right middle finger, initial encounter                  |
| S63.252S | Unspecified dislocation of right middle finger, sequela                            |
| S63.253A | Unspecified dislocation of left middle finger, initial encounter                   |
| S63.253S | Unspecified dislocation of left middle finger, sequela                             |
| S63.254A | Unspecified dislocation of right ring finger, initial encounter                    |
| S63.254S | Unspecified dislocation of right ring finger, sequela                              |
| S63.255A | Unspecified dislocation of left ring finger, initial encounter                     |
| S63.255S | Unspecified dislocation of left ring finger, sequela                               |
| S63.256A | Unspecified dislocation of right little finger, initial encounter                  |
| S63.256S | Unspecified dislocation of right little finger, sequela                            |
| S63.257A | Unspecified dislocation of left little finger, initial encounter                   |
| S63.257S | Unspecified dislocation of left little finger, sequela                             |
| S63.258A | Unspecified dislocation of other finger, initial encounter                         |
| S63.258S | Unspecified dislocation of other finger, sequela                                   |
| S63.259A | Unspecified dislocation of unspecified finger, initial encounter                   |
| S63.259S | Unspecified dislocation of unspecified finger, sequela                             |
| S63.260A | Dislocation of metacarpophalangeal joint of right index finger, initial encounter  |
| S63.260S | Dislocation of metacarpophalangeal joint of right index finger, sequela            |
| S63.261A | Dislocation of metacarpophalangeal joint of left index finger, initial encounter   |
| S63.261S | Dislocation of metacarpophalangeal joint of left index finger, sequela             |
| S63.262A | Dislocation of metacarpophalangeal joint of right middle finger, initial encounter |
| S63.262S | Dislocation of metacarpophalangeal joint of right middle finger, sequela           |
| S63.263A | Dislocation of metacarpophalangeal joint of left middle finger, initial encounter  |
| S63.263S | Dislocation of metacarpophalangeal joint of left middle finger, sequela            |
| S63.264A | Dislocation of metacarpophalangeal joint of right ring finger, initial encounter   |
| S63.264S | Dislocation of metacarpophalangeal joint of right ring finger, sequela             |
| S63.265A | Dislocation of metacarpophalangeal joint of left ring finger, initial encounter    |
| S63.265S | Dislocation of metacarpophalangeal joint of left ring finger, sequela              |
| S63.266A | Dislocation of metacarpophalangeal joint of right little finger, initial encounter |
| S63.266S | Dislocation of metacarpophalangeal joint of right little finger, sequela           |
| S63.267A | Dislocation of metacarpophalangeal joint of left little finger, initial encounter  |
| S63.267S | Dislocation of metacarpophalangeal joint of left little finger, sequela            |
| S63.268A | Dislocation of metacarpophalangeal joint of other finger, initial encounter        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S63.268S | Dislocation of metacarpophalangeal joint of other finger, sequela                          |
| S63.269A | Dislocation of metacarpophalangeal joint of unspecified finger, initial encounter          |
| S63.269S | Dislocation of metacarpophalangeal joint of unspecified finger, sequela                    |
| S63.270A | Dislocation of unspecified interphalangeal joint of right index finger, initial encounter  |
| S63.270S | Dislocation of unspecified interphalangeal joint of right index finger, sequela            |
| S63.271A | Dislocation of unspecified interphalangeal joint of left index finger, initial encounter   |
| S63.271S | Dislocation of unspecified interphalangeal joint of left index finger, sequela             |
| S63.272A | Dislocation of unspecified interphalangeal joint of right middle finger, initial encounter |
| S63.272S | Dislocation of unspecified interphalangeal joint of right middle finger, sequela           |
| S63.273A | Dislocation of unspecified interphalangeal joint of left middle finger, initial encounter  |
| S63.273S | Dislocation of unspecified interphalangeal joint of left middle finger, sequela            |
| S63.274A | Dislocation of unspecified interphalangeal joint of right ring finger, initial encounter   |
| S63.274S | Dislocation of unspecified interphalangeal joint of right ring finger, sequela             |
| S63.275A | Dislocation of unspecified interphalangeal joint of left ring finger, initial encounter    |
| S63.275S | Dislocation of unspecified interphalangeal joint of left ring finger, sequela              |
| S63.276A | Dislocation of unspecified interphalangeal joint of right little finger, initial encounter |
| S63.276S | Dislocation of unspecified interphalangeal joint of right little finger, sequela           |
| S63.277A | Dislocation of unspecified interphalangeal joint of left little finger, initial encounter  |
| S63.277S | Dislocation of unspecified interphalangeal joint of left little finger, sequela            |
| S63.278A | Dislocation of unspecified interphalangeal joint of other finger, initial encounter        |
| S63.278S | Dislocation of unspecified interphalangeal joint of other finger, sequela                  |
| S63.279A | Dislocation of unspecified interphalangeal joint of unspecified finger, initial encounter  |
| S63.279S | Dislocation of unspecified interphalangeal joint of unspecified finger, sequela            |
| S63.280A | Dislocation of proximal interphalangeal joint of right index finger, initial encounter     |
| S63.280S | Dislocation of proximal interphalangeal joint of right index finger, sequela               |
| S63.281A | Dislocation of proximal interphalangeal joint of left index finger, initial encounter      |
| S63.281S | Dislocation of proximal interphalangeal joint of left index finger, sequela                |
| S63.282A | Dislocation of proximal interphalangeal joint of right middle finger, initial encounter    |
| S63.282S | Dislocation of proximal interphalangeal joint of right middle finger, sequela              |
| S63.283A | Dislocation of proximal interphalangeal joint of left middle finger, initial encounter     |
| S63.283S | Dislocation of proximal interphalangeal joint of left middle finger, sequela               |
| S63.284A | Dislocation of proximal interphalangeal joint of right ring finger, initial encounter      |
| S63.284S | Dislocation of proximal interphalangeal joint of right ring finger, sequela                |
| S63.285A | Dislocation of proximal interphalangeal joint of left ring finger, initial encounter       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S63.285S    | Dislocation of proximal interphalangeal joint of left ring finger, sequela              |
| S63.286A    | Dislocation of proximal interphalangeal joint of right little finger, initial encounter |
| S63.286S    | Dislocation of proximal interphalangeal joint of right little finger, sequela           |
| S63.287A    | Dislocation of proximal interphalangeal joint of left little finger, initial encounter  |
| S63.287S    | Dislocation of proximal interphalangeal joint of left little finger, sequela            |
| S63.288A    | Dislocation of proximal interphalangeal joint of other finger, initial encounter        |
| S63.288S    | Dislocation of proximal interphalangeal joint of other finger, sequela                  |
| S63.289A    | Dislocation of proximal interphalangeal joint of unspecified finger, initial encounter  |
| S63.289S    | Dislocation of proximal interphalangeal joint of unspecified finger, sequela            |
| S63.290A    | Dislocation of distal interphalangeal joint of right index finger, initial encounter    |
| S63.290S    | Dislocation of distal interphalangeal joint of right index finger, sequela              |
| S63.291A    | Dislocation of distal interphalangeal joint of left index finger, initial encounter     |
| S63.291S    | Dislocation of distal interphalangeal joint of left index finger, sequela               |
| S63.292A    | Dislocation of distal interphalangeal joint of right middle finger, initial encounter   |
| S63.292S    | Dislocation of distal interphalangeal joint of right middle finger, sequela             |
| S63.293A    | Dislocation of distal interphalangeal joint of left middle finger, initial encounter    |
| S63.293S    | Dislocation of distal interphalangeal joint of left middle finger, sequela              |
| S63.294A    | Dislocation of distal interphalangeal joint of right ring finger, initial encounter     |
| S63.294S    | Dislocation of distal interphalangeal joint of right ring finger, sequela               |
| S63.295A    | Dislocation of distal interphalangeal joint of left ring finger, initial encounter      |
| S63.295S    | Dislocation of distal interphalangeal joint of left ring finger, sequela                |
| S63.296A    | Dislocation of distal interphalangeal joint of right little finger, initial encounter   |
| S63.296S    | Dislocation of distal interphalangeal joint of right little finger, sequela             |
| S63.297A    | Dislocation of distal interphalangeal joint of left little finger, initial encounter    |
| S63.297S    | Dislocation of distal interphalangeal joint of left little finger, sequela              |
| S63.298A    | Dislocation of distal interphalangeal joint of other finger, initial encounter          |
| S63.298S    | Dislocation of distal interphalangeal joint of other finger, sequela                    |
| S63.299A    | Dislocation of distal interphalangeal joint of unspecified finger, initial encounter    |
| S63.299S    | Dislocation of distal interphalangeal joint of unspecified finger, sequela              |
| S63.301A    | Traumatic rupture of unspecified ligament of right wrist, initial encounter             |
| S63.301S    | Traumatic rupture of unspecified ligament of right wrist, sequela                       |
| S63.302A    | Traumatic rupture of unspecified ligament of left wrist, initial encounter              |
| S63.302S    | Traumatic rupture of unspecified ligament of left wrist, sequela                        |
| S63.309A    | Traumatic rupture of unspecified ligament of unspecified wrist, initial encounter       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S63.309S | Traumatic rupture of unspecified ligament of unspecified wrist, sequela  |
| S63.311A | Traumatic rupture of collateral ligament of right wrist, initial encounter   |
| S63.311S | Traumatic rupture of collateral ligament of right wrist, sequela   |
| S63.312A | Traumatic rupture of collateral ligament of left wrist, initial encounter  |
| S63.312S | Traumatic rupture of collateral ligament of left wrist, sequela  |
| S63.319A | Traumatic rupture of collateral ligament of unspecified wrist, initial encounter   |
| S63.319S | Traumatic rupture of collateral ligament of unspecified wrist, sequela   |
| S63.321A | Traumatic rupture of right radiocarpal ligament, initial encounter   |
| S63.321S | Traumatic rupture of right radiocarpal ligament, sequela   |
| S63.322A | Traumatic rupture of left radiocarpal ligament, initial encounter  |
| S63.322S | Traumatic rupture of left radiocarpal ligament, sequela  |
| S63.329A | Traumatic rupture of unspecified radiocarpal ligament, initial encounter   |
| S63.329S | Traumatic rupture of unspecified radiocarpal ligament, sequela   |
| S63.331A | Traumatic rupture of right ulnocarpal (palmar) ligament, initial encounter   |
| S63.331S | Traumatic rupture of right ulnocarpal (palmar) ligament, sequela   |
| S63.332A | Traumatic rupture of left ulnocarpal (palmar) ligament, initial encounter  |
| S63.332S | Traumatic rupture of left ulnocarpal (palmar) ligament, sequela  |
| S63.339A | Traumatic rupture of unspecified ulnocarpal (palmar) ligament, initial encounter   |
| S63.339S | Traumatic rupture of unspecified ulnocarpal (palmar) ligament, sequela   |
| S63.391A | Traumatic rupture of other ligament of right wrist, initial encounter  |
| S63.391S | Traumatic rupture of other ligament of right wrist, sequela  |
| S63.392A | Traumatic rupture of other ligament of left wrist, initial encounter   |
| S63.392S | Traumatic rupture of other ligament of left wrist, sequela   |
| S63.399A | Traumatic rupture of other ligament of unspecified wrist, initial encounter  |
| S63.399S | Traumatic rupture of other ligament of unspecified wrist, sequela  |
| S63.400A | Traumatic rupture of unspecified ligament of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.400S | Traumatic rupture of unspecified ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.401A | Traumatic rupture of unspecified ligament of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter   |
| S63.401S | Traumatic rupture of unspecified ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela             |
| S63.402A | Traumatic rupture of unspecified ligament of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S63.402S | Traumatic rupture of unspecified ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela           |
| S63.403A | Traumatic rupture of unspecified ligament of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.403S | Traumatic rupture of unspecified ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.404A | Traumatic rupture of unspecified ligament of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter   |
| S63.404S | Traumatic rupture of unspecified ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela             |
| S63.405A | Traumatic rupture of unspecified ligament of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter    |
| S63.405S | Traumatic rupture of unspecified ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela              |
| S63.406A | Traumatic rupture of unspecified ligament of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter |
| S63.406S | Traumatic rupture of unspecified ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela           |
| S63.407A | Traumatic rupture of unspecified ligament of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.407S | Traumatic rupture of unspecified ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.408A | Traumatic rupture of unspecified ligament of other finger at metacarpophalangeal and interphalangeal joint, initial encounter        |
| S63.408S | Traumatic rupture of unspecified ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela                  |
| S63.409A | Traumatic rupture of unspecified ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.409S | Traumatic rupture of unspecified ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.410A | Traumatic rupture of collateral ligament of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter   |
| S63.410S | Traumatic rupture of collateral ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela             |
| S63.411A | Traumatic rupture of collateral ligament of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter    |
| S63.411S | Traumatic rupture of collateral ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela              |
| S63.412A | Traumatic rupture of collateral ligament of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S63.412S    | Traumatic rupture of collateral ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela           |
| S63.413A    | Traumatic rupture of collateral ligament of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.413S    | Traumatic rupture of collateral ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.414A    | Traumatic rupture of collateral ligament of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter   |
| S63.414S    | Traumatic rupture of collateral ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela             |
| S63.415A    | Traumatic rupture of collateral ligament of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter    |
| S63.415S    | Traumatic rupture of collateral ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela              |
| S63.416A    | Traumatic rupture of collateral ligament of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter |
| S63.416S    | Traumatic rupture of collateral ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela           |
| S63.417A    | Traumatic rupture of collateral ligament of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.417S    | Traumatic rupture of collateral ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.418A    | Traumatic rupture of collateral ligament of other finger at metacarpophalangeal and interphalangeal joint, initial encounter        |
| S63.418S    | Traumatic rupture of collateral ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela                  |
| S63.419A    | Traumatic rupture of collateral ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.419S    | Traumatic rupture of collateral ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.420A    | Traumatic rupture of palmar ligament of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter      |
| S63.420S    | Traumatic rupture of palmar ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela                |
| S63.421A    | Traumatic rupture of palmar ligament of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter       |
| S63.421S    | Traumatic rupture of palmar ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela                 |
| S63.422A    | Traumatic rupture of palmar ligament of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S63.422S    | Traumatic rupture of palmar ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela           |
| S63.423A    | Traumatic rupture of palmar ligament of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.423S    | Traumatic rupture of palmar ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.424A    | Traumatic rupture of palmar ligament of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter   |
| S63.424S    | Traumatic rupture of palmar ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela             |
| S63.425A    | Traumatic rupture of palmar ligament of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter    |
| S63.425S    | Traumatic rupture of palmar ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela              |
| S63.426A    | Traumatic rupture of palmar ligament of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter |
| S63.426S    | Traumatic rupture of palmar ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela           |
| S63.427A    | Traumatic rupture of palmar ligament of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.427S    | Traumatic rupture of palmar ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.428A    | Traumatic rupture of palmar ligament of other finger at metacarpophalangeal and interphalangeal joint, initial encounter        |
| S63.428S    | Traumatic rupture of palmar ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela                  |
| S63.429A    | Traumatic rupture of palmar ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.429S    | Traumatic rupture of palmar ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.430A    | Traumatic rupture of volar plate of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter      |
| S63.430S    | Traumatic rupture of volar plate of right index finger at metacarpophalangeal and interphalangeal joint, sequela                |
| S63.431A    | Traumatic rupture of volar plate of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter       |
| S63.431S    | Traumatic rupture of volar plate of left index finger at metacarpophalangeal and interphalangeal joint, sequela                 |
| S63.432A    | Traumatic rupture of volar plate of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter     |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S63.432S    | Traumatic rupture of volar plate of right middle finger at metacarpophalangeal and interphalangeal joint, sequela              |
| S63.433A    | Traumatic rupture of volar plate of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter     |
| S63.433S    | Traumatic rupture of volar plate of left middle finger at metacarpophalangeal and interphalangeal joint, sequela               |
| S63.434A    | Traumatic rupture of volar plate of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter      |
| S63.434S    | Traumatic rupture of volar plate of right ring finger at metacarpophalangeal and interphalangeal joint, sequela                |
| S63.435A    | Traumatic rupture of volar plate of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter       |
| S63.435S    | Traumatic rupture of volar plate of left ring finger at metacarpophalangeal and interphalangeal joint, sequela                 |
| S63.436A    | Traumatic rupture of volar plate of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter    |
| S63.436S    | Traumatic rupture of volar plate of right little finger at metacarpophalangeal and interphalangeal joint, sequela              |
| S63.437A    | Traumatic rupture of volar plate of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter     |
| S63.437S    | Traumatic rupture of volar plate of left little finger at metacarpophalangeal and interphalangeal joint, sequela               |
| S63.438A    | Traumatic rupture of volar plate of other finger at metacarpophalangeal and interphalangeal joint, initial encounter           |
| S63.438S    | Traumatic rupture of volar plate of other finger at metacarpophalangeal and interphalangeal joint, sequela                     |
| S63.439A    | Traumatic rupture of volar plate of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter     |
| S63.439S    | Traumatic rupture of volar plate of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela               |
| S63.490A    | Traumatic rupture of other ligament of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.490S    | Traumatic rupture of other ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.491A    | Traumatic rupture of other ligament of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter   |
| S63.491S    | Traumatic rupture of other ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela             |
| S63.492A    | Traumatic rupture of other ligament of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S63.492S | Traumatic rupture of other ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela           |
| S63.493A | Traumatic rupture of other ligament of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.493S | Traumatic rupture of other ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.494A | Traumatic rupture of other ligament of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter   |
| S63.494S | Traumatic rupture of other ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela             |
| S63.495A | Traumatic rupture of other ligament of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter    |
| S63.495S | Traumatic rupture of other ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela              |
| S63.496A | Traumatic rupture of other ligament of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter |
| S63.496S | Traumatic rupture of other ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela           |
| S63.497A | Traumatic rupture of other ligament of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.497S | Traumatic rupture of other ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.498A | Traumatic rupture of other ligament of other finger at metacarpophalangeal and interphalangeal joint, initial encounter        |
| S63.498S | Traumatic rupture of other ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela                  |
| S63.499A | Traumatic rupture of other ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter  |
| S63.499S | Traumatic rupture of other ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela            |
| S63.501A | Unspecified sprain of right wrist, initial encounter   |
| S63.501S | Unspecified sprain of right wrist, sequela   |
| S63.502A | Unspecified sprain of left wrist, initial encounter  |
| S63.502S | Unspecified sprain of left wrist, sequela  |
| S63.509A | Unspecified sprain of unspecified wrist, initial encounter   |
| S63.509S | Unspecified sprain of unspecified wrist, sequela   |
| S63.511A | Sprain of carpal joint of right wrist, initial encounter   |
| S63.511S | Sprain of carpal joint of right wrist, sequela   |
| S63.512A | Sprain of carpal joint of left wrist, initial encounter  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S63.512S    | Sprain of carpal joint of left wrist, sequela                       |
| S63.519A    | Sprain of carpal joint of unspecified wrist, initial encounter      |
| S63.519S    | Sprain of carpal joint of unspecified wrist, sequela                |
| S63.521A    | Sprain of radiocarpal joint of right wrist, initial encounter       |
| S63.521S    | Sprain of radiocarpal joint of right wrist, sequela                 |
| S63.522A    | Sprain of radiocarpal joint of left wrist, initial encounter        |
| S63.522S    | Sprain of radiocarpal joint of left wrist, sequela                  |
| S63.529A    | Sprain of radiocarpal joint of unspecified wrist, initial encounter |
| S63.529S    | Sprain of radiocarpal joint of unspecified wrist, sequela           |
| S63.591A    | Other specified sprain of right wrist, initial encounter            |
| S63.591S    | Other specified sprain of right wrist, sequela                      |
| S63.592A    | Other specified sprain of left wrist, initial encounter             |
| S63.592S    | Other specified sprain of left wrist, sequela                       |
| S63.599A    | Other specified sprain of unspecified wrist, initial encounter      |
| S63.599S    | Other specified sprain of unspecified wrist, sequela                |
| S63.601A    | Unspecified sprain of right thumb, initial encounter                |
| S63.601S    | Unspecified sprain of right thumb, sequela                          |
| S63.602A    | Unspecified sprain of left thumb, initial encounter                 |
| S63.602S    | Unspecified sprain of left thumb, sequela                           |
| S63.609A    | Unspecified sprain of unspecified thumb, initial encounter          |
| S63.609S    | Unspecified sprain of unspecified thumb, sequela                    |
| S63.610A    | Unspecified sprain of right index finger, initial encounter         |
| S63.610S    | Unspecified sprain of right index finger, sequela                   |
| S63.611A    | Unspecified sprain of left index finger, initial encounter          |
| S63.611S    | Unspecified sprain of left index finger, sequela                    |
| S63.612A    | Unspecified sprain of right middle finger, initial encounter        |
| S63.612S    | Unspecified sprain of right middle finger, sequela                  |
| S63.613A    | Unspecified sprain of left middle finger, initial encounter         |
| S63.613S    | Unspecified sprain of left middle finger, sequela                   |
| S63.614A    | Unspecified sprain of right ring finger, initial encounter          |
| S63.614S    | Unspecified sprain of right ring finger, sequela                    |
| S63.615A    | Unspecified sprain of left ring finger, initial encounter           |
| S63.615S    | Unspecified sprain of left ring finger, sequela                     |
| S63.616A    | Unspecified sprain of right little finger, initial encounter        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S63.616S    | Unspecified sprain of right little finger, sequela                        |
| S63.617A    | Unspecified sprain of left little finger, initial encounter               |
| S63.617S    | Unspecified sprain of left little finger, sequela                         |
| S63.618A    | Unspecified sprain of other finger, initial encounter                     |
| S63.618S    | Unspecified sprain of other finger, sequela                               |
| S63.619A    | Unspecified sprain of unspecified finger, initial encounter               |
| S63.619S    | Unspecified sprain of unspecified finger, sequela                         |
| S63.621A    | Sprain of interphalangeal joint of right thumb, initial encounter         |
| S63.621S    | Sprain of interphalangeal joint of right thumb, sequela                   |
| S63.622A    | Sprain of interphalangeal joint of left thumb, initial encounter          |
| S63.622S    | Sprain of interphalangeal joint of left thumb, sequela                    |
| S63.629A    | Sprain of interphalangeal joint of unspecified thumb, initial encounter   |
| S63.629S    | Sprain of interphalangeal joint of unspecified thumb, sequela             |
| S63.630A    | Sprain of interphalangeal joint of right index finger, initial encounter  |
| S63.630S    | Sprain of interphalangeal joint of right index finger, sequela            |
| S63.631A    | Sprain of interphalangeal joint of left index finger, initial encounter   |
| S63.631S    | Sprain of interphalangeal joint of left index finger, sequela             |
| S63.632A    | Sprain of interphalangeal joint of right middle finger, initial encounter |
| S63.632S    | Sprain of interphalangeal joint of right middle finger, sequela           |
| S63.633A    | Sprain of interphalangeal joint of left middle finger, initial encounter  |
| S63.633S    | Sprain of interphalangeal joint of left middle finger, sequela            |
| S63.634A    | Sprain of interphalangeal joint of right ring finger, initial encounter   |
| S63.634S    | Sprain of interphalangeal joint of right ring finger, sequela             |
| S63.635A    | Sprain of interphalangeal joint of left ring finger, initial encounter    |
| S63.635S    | Sprain of interphalangeal joint of left ring finger, sequela              |
| S63.636A    | Sprain of interphalangeal joint of right little finger, initial encounter |
| S63.636S    | Sprain of interphalangeal joint of right little finger, sequela           |
| S63.637A    | Sprain of interphalangeal joint of left little finger, initial encounter  |
| S63.637S    | Sprain of interphalangeal joint of left little finger, sequela            |
| S63.638A    | Sprain of interphalangeal joint of other finger, initial encounter        |
| S63.638S    | Sprain of interphalangeal joint of other finger, sequela                  |
| S63.639A    | Sprain of interphalangeal joint of unspecified finger, initial encounter  |
| S63.639S    | Sprain of interphalangeal joint of unspecified finger, sequela            |
| S63.641A    | Sprain of metacarpophalangeal joint of right thumb, initial encounter     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S63.641S | Sprain of metacarpophalangeal joint of right thumb, sequela                   |
| S63.642A | Sprain of metacarpophalangeal joint of left thumb, initial encounter          |
| S63.642S | Sprain of metacarpophalangeal joint of left thumb, sequela                    |
| S63.649A | Sprain of metacarpophalangeal joint of unspecified thumb, initial encounter   |
| S63.649S | Sprain of metacarpophalangeal joint of unspecified thumb, sequela             |
| S63.650A | Sprain of metacarpophalangeal joint of right index finger, initial encounter  |
| S63.650S | Sprain of metacarpophalangeal joint of right index finger, sequela            |
| S63.651A | Sprain of metacarpophalangeal joint of left index finger, initial encounter   |
| S63.651S | Sprain of metacarpophalangeal joint of left index finger, sequela             |
| S63.652A | Sprain of metacarpophalangeal joint of right middle finger, initial encounter |
| S63.652S | Sprain of metacarpophalangeal joint of right middle finger, sequela           |
| S63.653A | Sprain of metacarpophalangeal joint of left middle finger, initial encounter  |
| S63.653S | Sprain of metacarpophalangeal joint of left middle finger, sequela            |
| S63.654A | Sprain of metacarpophalangeal joint of right ring finger, initial encounter   |
| S63.654S | Sprain of metacarpophalangeal joint of right ring finger, sequela             |
| S63.655A | Sprain of metacarpophalangeal joint of left ring finger, initial encounter    |
| S63.655S | Sprain of metacarpophalangeal joint of left ring finger, sequela              |
| S63.656A | Sprain of metacarpophalangeal joint of right little finger, initial encounter |
| S63.656S | Sprain of metacarpophalangeal joint of right little finger, sequela           |
| S63.657A | Sprain of metacarpophalangeal joint of left little finger, initial encounter  |
| S63.657S | Sprain of metacarpophalangeal joint of left little finger, sequela            |
| S63.658A | Sprain of metacarpophalangeal joint of other finger, initial encounter        |
| S63.658S | Sprain of metacarpophalangeal joint of other finger, sequela                  |
| S63.659A | Sprain of metacarpophalangeal joint of unspecified finger, initial encounter  |
| S63.659S | Sprain of metacarpophalangeal joint of unspecified finger, sequela            |
| S63.681A | Other sprain of right thumb, initial encounter                                |
| S63.681S | Other sprain of right thumb, sequela  |
| S63.682A | Other sprain of left thumb, initial encounter                                 |
| S63.682S | Other sprain of left thumb, sequela   |
| S63.689A | Other sprain of unspecified thumb, initial encounter                          |
| S63.689S | Other sprain of unspecified thumb, sequela                                    |
| S63.690A | Other sprain of right index finger, initial encounter                         |
| S63.690S | Other sprain of right index finger, sequela                                   |
| S63.691A | Other sprain of left index finger, initial encounter                          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S63.691S    | Other sprain of left index finger, sequela  |
| S63.692A    | Other sprain of right middle finger, initial encounter                              |
| S63.692S    | Other sprain of right middle finger, sequela  |
| S63.693A    | Other sprain of left middle finger, initial encounter                               |
| S63.693S    | Other sprain of left middle finger, sequela   |
| S63.694A    | Other sprain of right ring finger, initial encounter                                |
| S63.694S    | Other sprain of right ring finger, sequela  |
| S63.695A    | Other sprain of left ring finger, initial encounter                                 |
| S63.695S    | Other sprain of left ring finger, sequela   |
| S63.696A    | Other sprain of right little finger, initial encounter                              |
| S63.696S    | Other sprain of right little finger, sequela  |
| S63.697A    | Other sprain of left little finger, initial encounter                               |
| S63.697S    | Other sprain of left little finger, sequela   |
| S63.698A    | Other sprain of other finger, initial encounter                                     |
| S63.698S    | Other sprain of other finger, sequela   |
| S63.699A    | Other sprain of unspecified finger, initial encounter                               |
| S63.699S    | Other sprain of unspecified finger, sequela   |
| S63.8X1A    | Sprain of other part of right wrist and hand, initial encounter                     |
| S63.8X1S    | Sprain of other part of right wrist and hand, sequela                               |
| S63.8X2A    | Sprain of other part of left wrist and hand, initial encounter                      |
| S63.8X2S    | Sprain of other part of left wrist and hand, sequela                                |
| S63.8X9A    | Sprain of other part of unspecified wrist and hand, initial encounter               |
| S63.8X9S    | Sprain of other part of unspecified wrist and hand, sequela                         |
| S63.90XA    | Sprain of unspecified part of unspecified wrist and hand, initial encounter         |
| S63.90XS    | Sprain of unspecified part of unspecified wrist and hand, sequela                   |
| S63.91XA    | Sprain of unspecified part of right wrist and hand, initial encounter               |
| S63.91XS    | Sprain of unspecified part of right wrist and hand, sequela                         |
| S63.92XA    | Sprain of unspecified part of left wrist and hand, initial encounter                |
| S63.92XS    | Sprain of unspecified part of left wrist and hand, sequela                          |
| S64.00XA    | Injury of ulnar nerve at wrist and hand level of unspecified arm, initial encounter |
| S64.00XS    | Injury of ulnar nerve at wrist and hand level of unspecified arm, sequela           |
| S64.01XA    | Injury of ulnar nerve at wrist and hand level of right arm, initial encounter       |
| S64.01XS    | Injury of ulnar nerve at wrist and hand level of right arm, sequela                 |
| S64.02XA    | Injury of ulnar nerve at wrist and hand level of left arm, initial encounter        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S64.02XS | Injury of ulnar nerve at wrist and hand level of left arm, sequela                   |
| S64.10XA | Injury of median nerve at wrist and hand level of unspecified arm, initial encounter |
| S64.10XS | Injury of median nerve at wrist and hand level of unspecified arm, sequela           |
| S64.11XA | Injury of median nerve at wrist and hand level of right arm, initial encounter       |
| S64.11XS | Injury of median nerve at wrist and hand level of right arm, sequela                 |
| S64.12XA | Injury of median nerve at wrist and hand level of left arm, initial encounter        |
| S64.12XS | Injury of median nerve at wrist and hand level of left arm, sequela                  |
| S64.20XA | Injury of radial nerve at wrist and hand level of unspecified arm, initial encounter |
| S64.20XS | Injury of radial nerve at wrist and hand level of unspecified arm, sequela           |
| S64.21XA | Injury of radial nerve at wrist and hand level of right arm, initial encounter       |
| S64.21XS | Injury of radial nerve at wrist and hand level of right arm, sequela                 |
| S64.22XA | Injury of radial nerve at wrist and hand level of left arm, initial encounter        |
| S64.22XS | Injury of radial nerve at wrist and hand level of left arm, sequela                  |
| S64.30XA | Injury of digital nerve of unspecified thumb, initial encounter                      |
| S64.30XS | Injury of digital nerve of unspecified thumb, sequela                                |
| S64.31XA | Injury of digital nerve of right thumb, initial encounter                            |
| S64.31XS | Injury of digital nerve of right thumb, sequela                                      |
| S64.32XA | Injury of digital nerve of left thumb, initial encounter                             |
| S64.32XS | Injury of digital nerve of left thumb, sequela                                       |
| S64.40XA | Injury of digital nerve of unspecified finger, initial encounter                     |
| S64.40XS | Injury of digital nerve of unspecified finger, sequela                               |
| S64.490A | Injury of digital nerve of right index finger, initial encounter                     |
| S64.490S | Injury of digital nerve of right index finger, sequela                               |
| S64.491A | Injury of digital nerve of left index finger, initial encounter                      |
| S64.491S | Injury of digital nerve of left index finger, sequela                                |
| S64.492A | Injury of digital nerve of right middle finger, initial encounter                    |
| S64.492S | Injury of digital nerve of right middle finger, sequela                              |
| S64.493A | Injury of digital nerve of left middle finger, initial encounter                     |
| S64.493S | Injury of digital nerve of left middle finger, sequela                               |
| S64.494A | Injury of digital nerve of right ring finger, initial encounter                      |
| S64.494S | Injury of digital nerve of right ring finger, sequela                                |
| S64.495A | Injury of digital nerve of left ring finger, initial encounter                       |
| S64.495S | Injury of digital nerve of left ring finger, sequela                                 |
| S64.496A | Injury of digital nerve of right little finger, initial encounter                    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S64.496S | Injury of digital nerve of right little finger, sequela                                    |
| S64.497A | Injury of digital nerve of left little finger, initial encounter                           |
| S64.497S | Injury of digital nerve of left little finger, sequela                                     |
| S64.498A | Injury of digital nerve of other finger, initial encounter                                 |
| S64.498S | Injury of digital nerve of other finger, sequela   |
| S64.8X1A | Injury of other nerves at wrist and hand level of right arm, initial encounter             |
| S64.8X1S | Injury of other nerves at wrist and hand level of right arm, sequela                       |
| S64.8X2A | Injury of other nerves at wrist and hand level of left arm, initial encounter              |
| S64.8X2S | Injury of other nerves at wrist and hand level of left arm, sequela                        |
| S64.8X9A | Injury of other nerves at wrist and hand level of unspecified arm, initial encounter       |
| S64.8X9S | Injury of other nerves at wrist and hand level of unspecified arm, sequela                 |
| S64.90XA | Injury of unspecified nerve at wrist and hand level of unspecified arm, initial encounter  |
| S64.90XS | Injury of unspecified nerve at wrist and hand level of unspecified arm, sequela            |
| S64.91XA | Injury of unspecified nerve at wrist and hand level of right arm, initial encounter        |
| S64.91XS | Injury of unspecified nerve at wrist and hand level of right arm, sequela                  |
| S64.92XA | Injury of unspecified nerve at wrist and hand level of left arm, initial encounter         |
| S64.92XS | Injury of unspecified nerve at wrist and hand level of left arm, sequela                   |
| S65.001S | Unspecified injury of ulnar artery at wrist and hand level of right arm, sequela           |
| S65.002S | Unspecified injury of ulnar artery at wrist and hand level of left arm, sequela            |
| S65.009S | Unspecified injury of ulnar artery at wrist and hand level of unspecified arm, sequela     |
| S65.011S | Laceration of ulnar artery at wrist and hand level of right arm, sequela                   |
| S65.012S | Laceration of ulnar artery at wrist and hand level of left arm, sequela                    |
| S65.019S | Laceration of ulnar artery at wrist and hand level of unspecified arm, sequela             |
| S65.091S | Other specified injury of ulnar artery at wrist and hand level of right arm, sequela       |
| S65.092S | Other specified injury of ulnar artery at wrist and hand level of left arm, sequela        |
| S65.099S | Other specified injury of ulnar artery at wrist and hand level of unspecified arm, sequela |
| S65.101S | Unspecified injury of radial artery at wrist and hand level of right arm, sequela          |
| S65.102S | Unspecified injury of radial artery at wrist and hand level of left arm, sequela           |
| S65.109S | Unspecified injury of radial artery at wrist and hand level of unspecified arm, sequela    |
| S65.111S | Laceration of radial artery at wrist and hand level of right arm, sequela                  |
| S65.112S | Laceration of radial artery at wrist and hand level of left arm, sequela                   |
| S65.119S | Laceration of radial artery at wrist and hand level of unspecified arm, sequela            |
| S65.191S | Other specified injury of radial artery at wrist and hand level of right arm, sequela      |
| S65.192S | Other specified injury of radial artery at wrist and hand level of left arm, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S65.199S    | Other specified injury of radial artery at wrist and hand level of unspecified arm, sequela |
| S65.201S    | Unspecified injury of superficial palmar arch of right hand, sequela                        |
| S65.202S    | Unspecified injury of superficial palmar arch of left hand, sequela                         |
| S65.209S    | Unspecified injury of superficial palmar arch of unspecified hand, sequela                  |
| S65.211S    | Laceration of superficial palmar arch of right hand, sequela                                |
| S65.212S    | Laceration of superficial palmar arch of left hand, sequela                                 |
| S65.219S    | Laceration of superficial palmar arch of unspecified hand, sequela                          |
| S65.291S    | Other specified injury of superficial palmar arch of right hand, sequela                    |
| S65.292S    | Other specified injury of superficial palmar arch of left hand, sequela                     |
| S65.299S    | Other specified injury of superficial palmar arch of unspecified hand, sequela              |
| S65.301S    | Unspecified injury of deep palmar arch of right hand, sequela                               |
| S65.302S    | Unspecified injury of deep palmar arch of left hand, sequela                                |
| S65.309S    | Unspecified injury of deep palmar arch of unspecified hand, sequela                         |
| S65.311S    | Laceration of deep palmar arch of right hand, sequela                                       |
| S65.312S    | Laceration of deep palmar arch of left hand, sequela  |
| S65.319S    | Laceration of deep palmar arch of unspecified hand, sequela                                 |
| S65.391S    | Other specified injury of deep palmar arch of right hand, sequela                           |
| S65.392S    | Other specified injury of deep palmar arch of left hand, sequela                            |
| S65.399S    | Other specified injury of deep palmar arch of unspecified hand, sequela                     |
| S65.401S    | Unspecified injury of blood vessel of right thumb, sequela                                  |
| S65.402S    | Unspecified injury of blood vessel of left thumb, sequela                                   |
| S65.409S    | Unspecified injury of blood vessel of unspecified thumb, sequela                            |
| S65.411S    | Laceration of blood vessel of right thumb, sequela  |
| S65.412S    | Laceration of blood vessel of left thumb, sequela   |
| S65.419S    | Laceration of blood vessel of unspecified thumb, sequela                                    |
| S65.491S    | Other specified injury of blood vessel of right thumb, sequela                              |
| S65.492S    | Other specified injury of blood vessel of left thumb, sequela                               |
| S65.499S    | Other specified injury of blood vessel of unspecified thumb, sequela                        |
| S65.500S    | Unspecified injury of blood vessel of right index finger, sequela                           |
| S65.501S    | Unspecified injury of blood vessel of left index finger, sequela                            |
| S65.502S    | Unspecified injury of blood vessel of right middle finger, sequela                          |
| S65.503S    | Unspecified injury of blood vessel of left middle finger, sequela                           |
| S65.504S    | Unspecified injury of blood vessel of right ring finger, sequela                            |
| S65.505S    | Unspecified injury of blood vessel of left ring finger, sequela                             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S65.506S | Unspecified injury of blood vessel of right little finger, sequela                                |
| S65.507S | Unspecified injury of blood vessel of left little finger, sequela                                 |
| S65.508S | Unspecified injury of blood vessel of other finger, sequela                                       |
| S65.509S | Unspecified injury of blood vessel of unspecified finger, sequela                                 |
| S65.510S | Laceration of blood vessel of right index finger, sequela   |
| S65.511S | Laceration of blood vessel of left index finger, sequela  |
| S65.512S | Laceration of blood vessel of right middle finger, sequela  |
| S65.513S | Laceration of blood vessel of left middle finger, sequela   |
| S65.514S | Laceration of blood vessel of right ring finger, sequela  |
| S65.515S | Laceration of blood vessel of left ring finger, sequela   |
| S65.516S | Laceration of blood vessel of right little finger, sequela  |
| S65.517S | Laceration of blood vessel of left little finger, sequela   |
| S65.518S | Laceration of blood vessel of other finger, sequela   |
| S65.519S | Laceration of blood vessel of unspecified finger, sequela   |
| S65.590S | Other specified injury of blood vessel of right index finger, sequela                             |
| S65.591S | Other specified injury of blood vessel of left index finger, sequela                              |
| S65.592S | Other specified injury of blood vessel of right middle finger, sequela                            |
| S65.593S | Other specified injury of blood vessel of left middle finger, sequela                             |
| S65.594S | Other specified injury of blood vessel of right ring finger, sequela                              |
| S65.595S | Other specified injury of blood vessel of left ring finger, sequela                               |
| S65.596S | Other specified injury of blood vessel of right little finger, sequela                            |
| S65.597S | Other specified injury of blood vessel of left little finger, sequela                             |
| S65.598S | Other specified injury of blood vessel of other finger, sequela                                   |
| S65.599S | Other specified injury of blood vessel of unspecified finger, sequela                             |
| S65.801S | Unspecified injury of other blood vessels at wrist and hand level of right arm, sequela           |
| S65.802S | Unspecified injury of other blood vessels at wrist and hand level of left arm, sequela            |
| S65.809S | Unspecified injury of other blood vessels at wrist and hand level of unspecified arm, sequela     |
| S65.811S | Laceration of other blood vessels at wrist and hand level of right arm, sequela                   |
| S65.812S | Laceration of other blood vessels at wrist and hand level of left arm, sequela                    |
| S65.819S | Laceration of other blood vessels at wrist and hand level of unspecified arm, sequela             |
| S65.891S | Other specified injury of other blood vessels at wrist and hand level of right arm, sequela       |
| S65.892S | Other specified injury of other blood vessels at wrist and hand level of left arm, sequela        |
| S65.899S | Other specified injury of other blood vessels at wrist and hand level of unspecified arm, sequela |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S65.901S | Unspecified injury of unspecified blood vessel at wrist and hand level of right arm, sequela                      |
| S65.902S | Unspecified injury of unspecified blood vessel at wrist and hand level of left arm, sequela                       |
| S65.909S | Unspecified injury of unspecified blood vessel at wrist and hand level of unspecified arm, sequela                |
| S65.911S | Laceration of unspecified blood vessel at wrist and hand level of right arm, sequela                              |
| S65.912S | Laceration of unspecified blood vessel at wrist and hand level of left arm, sequela                               |
| S65.919S | Laceration of unspecified blood vessel at wrist and hand level of unspecified arm, sequela                        |
| S65.991S | Other specified injury of unspecified blood vessel at wrist and hand of right arm, sequela                        |
| S65.992S | Other specified injury of unspecified blood vessel at wrist and hand of left arm, sequela                         |
| S65.999S | Other specified injury of unspecified blood vessel at wrist and hand of unspecified arm, sequela                  |
| S66.001S | Unspecified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela       |
| S66.002S | Unspecified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela        |
| S66.009S | Unspecified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.011A | Strain of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter         |
| S66.011S | Strain of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela                   |
| S66.012A | Strain of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter          |
| S66.012S | Strain of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela                    |
| S66.019A | Strain of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter   |
| S66.019S | Strain of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela             |
| S66.021S | Laceration of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela               |
| S66.022S | Laceration of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela                |
| S66.029S | Laceration of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela         |
| S66.091S | Other specified injury of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela   |
| S66.092S | Other specified injury of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S66.099S    | Other specified injury of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.100S    | Unspecified injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela         |
| S66.101S    | Unspecified injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela          |
| S66.102S    | Unspecified injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela        |
| S66.103S    | Unspecified injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela         |
| S66.104S    | Unspecified injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela          |
| S66.105S    | Unspecified injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela           |
| S66.106S    | Unspecified injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela        |
| S66.107S    | Unspecified injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela         |
| S66.108S    | Unspecified injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela               |
| S66.109S    | Unspecified injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela         |
| S66.110A    | Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter           |
| S66.110S    | Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela                     |
| S66.111A    | Strain of flexor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter            |
| S66.111S    | Strain of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela                      |
| S66.112A    | Strain of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter          |
| S66.112S    | Strain of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela                    |
| S66.113A    | Strain of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter           |
| S66.113S    | Strain of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela                     |
| S66.114A    | Strain of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter            |
| S66.114S    | Strain of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S66.115A | Strain of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter    |
| S66.115S | Strain of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela              |
| S66.116A | Strain of flexor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter |
| S66.116S | Strain of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela           |
| S66.117A | Strain of flexor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter  |
| S66.117S | Strain of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela            |
| S66.118A | Strain of flexor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter        |
| S66.118S | Strain of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela                  |
| S66.119A | Strain of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter  |
| S66.119S | Strain of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela            |
| S66.120S | Laceration of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela        |
| S66.121S | Laceration of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela         |
| S66.122S | Laceration of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela       |
| S66.123S | Laceration of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela        |
| S66.124S | Laceration of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela         |
| S66.125S | Laceration of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela          |
| S66.126S | Laceration of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela       |
| S66.127S | Laceration of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela        |
| S66.128S | Laceration of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela              |
| S66.129S | Laceration of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela        |
| S66.190S | Other injury of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela      |
| S66.191S | Other injury of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S66.192S | Other injury of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela       |
| S66.193S | Other injury of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela        |
| S66.194S | Other injury of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela         |
| S66.195S | Other injury of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela          |
| S66.196S | Other injury of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela       |
| S66.197S | Other injury of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela        |
| S66.198S | Other injury of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela              |
| S66.199S | Other injury of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela        |
| S66.201S | Unspecified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela       |
| S66.202S | Unspecified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela        |
| S66.209S | Unspecified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.211A | Strain of extensor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter         |
| S66.211S | Strain of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela                   |
| S66.212A | Strain of extensor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter          |
| S66.212S | Strain of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela                    |
| S66.219A | Strain of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter   |
| S66.219S | Strain of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela             |
| S66.221S | Laceration of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela               |
| S66.222S | Laceration of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela                |
| S66.229S | Laceration of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela         |
| S66.291S | Other specified injury of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S66.292S | Other specified injury of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela        |
| S66.299S | Other specified injury of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.300S | Unspecified injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela    |
| S66.301S | Unspecified injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela     |
| S66.302S | Unspecified injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela   |
| S66.303S | Unspecified injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela    |
| S66.304S | Unspecified injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela     |
| S66.305S | Unspecified injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela      |
| S66.306S | Unspecified injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela   |
| S66.307S | Unspecified injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela    |
| S66.308S | Unspecified injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela          |
| S66.309S | Unspecified injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela    |
| S66.310A | Strain of extensor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter      |
| S66.310S | Strain of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela                |
| S66.311A | Strain of extensor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter       |
| S66.311S | Strain of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela                 |
| S66.312A | Strain of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter     |
| S66.312S | Strain of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela               |
| S66.313A | Strain of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter      |
| S66.313S | Strain of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela                |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S66.314A    | Strain of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter   |
| S66.314S    | Strain of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela             |
| S66.315A    | Strain of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter    |
| S66.315S    | Strain of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela              |
| S66.316A    | Strain of extensor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter |
| S66.316S    | Strain of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela           |
| S66.317A    | Strain of extensor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter  |
| S66.317S    | Strain of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela            |
| S66.318A    | Strain of extensor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter        |
| S66.318S    | Strain of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela                  |
| S66.319A    | Strain of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter  |
| S66.319S    | Strain of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela            |
| S66.320S    | Laceration of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela        |
| S66.321S    | Laceration of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela         |
| S66.322S    | Laceration of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela       |
| S66.323S    | Laceration of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela        |
| S66.324S    | Laceration of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela         |
| S66.325S    | Laceration of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela          |
| S66.326S    | Laceration of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela       |
| S66.327S    | Laceration of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela        |
| S66.328S    | Laceration of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S66.329S | Laceration of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela         |
| S66.390S | Other injury of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela       |
| S66.391S | Other injury of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela        |
| S66.392S | Other injury of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela      |
| S66.393S | Other injury of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela       |
| S66.394S | Other injury of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela        |
| S66.395S | Other injury of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela         |
| S66.396S | Other injury of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela      |
| S66.397S | Other injury of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela       |
| S66.398S | Other injury of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela             |
| S66.399S | Other injury of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela       |
| S66.401S | Unspecified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela       |
| S66.402S | Unspecified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela        |
| S66.409S | Unspecified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.411A | Strain of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter         |
| S66.411S | Strain of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela                   |
| S66.412A | Strain of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter          |
| S66.412S | Strain of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela                    |
| S66.419A | Strain of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter   |
| S66.419S | Strain of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela             |
| S66.421S | Laceration of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela               |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S66.422S | Laceration of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela                    |
| S66.429S | Laceration of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela             |
| S66.491S | Other specified injury of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela       |
| S66.492S | Other specified injury of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela        |
| S66.499S | Other specified injury of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela |
| S66.500S | Unspecified injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela    |
| S66.501S | Unspecified injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela     |
| S66.502S | Unspecified injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela   |
| S66.503S | Unspecified injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela    |
| S66.504S | Unspecified injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela     |
| S66.505S | Unspecified injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela      |
| S66.506S | Unspecified injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela   |
| S66.507S | Unspecified injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela    |
| S66.508S | Unspecified injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela          |
| S66.509S | Unspecified injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela    |
| S66.510A | Strain of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter      |
| S66.510S | Strain of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela                |
| S66.511A | Strain of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter       |
| S66.511S | Strain of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela                 |
| S66.512A | Strain of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S66.512S    | Strain of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela           |
| S66.513A    | Strain of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter  |
| S66.513S    | Strain of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela            |
| S66.514A    | Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter   |
| S66.514S    | Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela             |
| S66.515A    | Strain of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter    |
| S66.515S    | Strain of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela              |
| S66.516A    | Strain of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter |
| S66.516S    | Strain of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela           |
| S66.517A    | Strain of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter  |
| S66.517S    | Strain of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela            |
| S66.518A    | Strain of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, initial encounter        |
| S66.518S    | Strain of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela                  |
| S66.519A    | Strain of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter  |
| S66.519S    | Strain of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela            |
| S66.520S    | Laceration of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela        |
| S66.521S    | Laceration of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela         |
| S66.522S    | Laceration of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela       |
| S66.523S    | Laceration of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela        |
| S66.524S    | Laceration of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela         |
| S66.525S    | Laceration of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S66.526S    | Laceration of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela            |
| S66.527S    | Laceration of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela             |
| S66.528S    | Laceration of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela                   |
| S66.529S    | Laceration of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela             |
| S66.590S    | Other injury of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela           |
| S66.591S    | Other injury of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela            |
| S66.592S    | Other injury of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela          |
| S66.593S    | Other injury of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela           |
| S66.594S    | Other injury of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela            |
| S66.595S    | Other injury of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela             |
| S66.596S    | Other injury of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela          |
| S66.597S    | Other injury of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela           |
| S66.598S    | Other injury of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela                 |
| S66.599S    | Other injury of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela           |
| S66.801S    | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela       |
| S66.802S    | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela        |
| S66.809S    | Unspecified injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela |
| S66.811A    | Strain of other specified muscles, fascia and tendons at wrist and hand level, right hand, initial encounter         |
| S66.811S    | Strain of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela                   |
| S66.812A    | Strain of other specified muscles, fascia and tendons at wrist and hand level, left hand, initial encounter          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S66.812S | Strain of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela                  |
| S66.819A | Strain of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, initial encounter |
| S66.819S | Strain of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela           |
| S66.821S | Laceration of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela             |
| S66.822S | Laceration of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela              |
| S66.829S | Laceration of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela       |
| S66.891S | Other injury of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela           |
| S66.892S | Other injury of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela            |
| S66.899S | Other injury of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela     |
| S66.901S | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela           |
| S66.902S | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela            |
| S66.909S | Unspecified injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela     |
| S66.911A | Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter             |
| S66.911S | Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela                       |
| S66.912A | Strain of unspecified muscle, fascia and tendon at wrist and hand level, left hand, initial encounter              |
| S66.912S | Strain of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela                        |
| S66.919A | Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, initial encounter       |
| S66.919S | Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela                 |
| S66.921S | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela                   |
| S66.922S | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela                    |
| S66.929S | Laceration of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S66.991S    | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela       |
| S66.992S    | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela        |
| S66.999S    | Other injury of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela |
| S67.00XS    | Crushing injury of unspecified thumb, sequela  |
| S67.01XS    | Crushing injury of right thumb, sequela  |
| S67.02XS    | Crushing injury of left thumb, sequela   |
| S67.10XS    | Crushing injury of unspecified finger(s), sequela  |
| S67.190S    | Crushing injury of right index finger, sequela   |
| S67.191S    | Crushing injury of left index finger, sequela  |
| S67.192S    | Crushing injury of right middle finger, sequela  |
| S67.193S    | Crushing injury of left middle finger, sequela   |
| S67.194S    | Crushing injury of right ring finger, sequela  |
| S67.195S    | Crushing injury of left ring finger, sequela   |
| S67.196S    | Crushing injury of right little finger, sequela  |
| S67.197S    | Crushing injury of left little finger, sequela   |
| S67.198S    | Crushing injury of other finger, sequela   |
| S67.20XS    | Crushing injury of unspecified hand, sequela   |
| S67.21XS    | Crushing injury of right hand, sequela   |
| S67.22XS    | Crushing injury of left hand, sequela  |
| S67.30XS    | Crushing injury of unspecified wrist, sequela  |
| S67.31XS    | Crushing injury of right wrist, sequela  |
| S67.32XS    | Crushing injury of left wrist, sequela   |
| S67.40XS    | Crushing injury of unspecified wrist and hand, sequela   |
| S67.41XS    | Crushing injury of right wrist and hand, sequela   |
| S67.42XS    | Crushing injury of left wrist and hand, sequela  |
| S67.90XS    | Crushing injury of unspecified part(s) of unspecified wrist, hand and fingers, sequela                   |
| S67.91XS    | Crushing injury of unspecified part(s) of right wrist, hand and fingers, sequela                         |
| S67.92XS    | Crushing injury of unspecified part(s) of left wrist, hand and fingers, sequela                          |
| S68.011S    | Complete traumatic metacarpophalangeal amputation of right thumb, sequela                                |
| S68.012S    | Complete traumatic metacarpophalangeal amputation of left thumb, sequela                                 |
| S68.019S    | Complete traumatic metacarpophalangeal amputation of unspecified thumb, sequela                          |
| S68.021S    | Partial traumatic metacarpophalangeal amputation of right thumb, sequela                                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S68.022S    | Partial traumatic metacarpophalangeal amputation of left thumb, sequela           |
| S68.029S    | Partial traumatic metacarpophalangeal amputation of unspecified thumb, sequela    |
| S68.110S    | Complete traumatic metacarpophalangeal amputation of right index finger, sequela  |
| S68.111S    | Complete traumatic metacarpophalangeal amputation of left index finger, sequela   |
| S68.112S    | Complete traumatic metacarpophalangeal amputation of right middle finger, sequela |
| S68.113S    | Complete traumatic metacarpophalangeal amputation of left middle finger, sequela  |
| S68.114S    | Complete traumatic metacarpophalangeal amputation of right ring finger, sequela   |
| S68.115S    | Complete traumatic metacarpophalangeal amputation of left ring finger, sequela    |
| S68.116S    | Complete traumatic metacarpophalangeal amputation of right little finger, sequela |
| S68.117S    | Complete traumatic metacarpophalangeal amputation of left little finger, sequela  |
| S68.118S    | Complete traumatic metacarpophalangeal amputation of other finger, sequela        |
| S68.119S    | Complete traumatic metacarpophalangeal amputation of unspecified finger, sequela  |
| S68.120S    | Partial traumatic metacarpophalangeal amputation of right index finger, sequela   |
| S68.121S    | Partial traumatic metacarpophalangeal amputation of left index finger, sequela    |
| S68.122S    | Partial traumatic metacarpophalangeal amputation of right middle finger, sequela  |
| S68.123S    | Partial traumatic metacarpophalangeal amputation of left middle finger, sequela   |
| S68.124S    | Partial traumatic metacarpophalangeal amputation of right ring finger, sequela    |
| S68.125S    | Partial traumatic metacarpophalangeal amputation of left ring finger, sequela     |
| S68.126S    | Partial traumatic metacarpophalangeal amputation of right little finger, sequela  |
| S68.127S    | Partial traumatic metacarpophalangeal amputation of left little finger, sequela   |
| S68.128S    | Partial traumatic metacarpophalangeal amputation of other finger, sequela         |
| S68.129S    | Partial traumatic metacarpophalangeal amputation of unspecified finger, sequela   |
| S68.411S    | Complete traumatic amputation of right hand at wrist level, sequela               |
| S68.412S    | Complete traumatic amputation of left hand at wrist level, sequela                |
| S68.419S    | Complete traumatic amputation of unspecified hand at wrist level, sequela         |
| S68.421S    | Partial traumatic amputation of right hand at wrist level, sequela                |
| S68.422S    | Partial traumatic amputation of left hand at wrist level, sequela                 |
| S68.429S    | Partial traumatic amputation of unspecified hand at wrist level, sequela          |
| S68.511S    | Complete traumatic transphalangeal amputation of right thumb, sequela             |
| S68.512S    | Complete traumatic transphalangeal amputation of left thumb, sequela              |
| S68.519S    | Complete traumatic transphalangeal amputation of unspecified thumb, sequela       |
| S68.521S    | Partial traumatic transphalangeal amputation of right thumb, sequela              |
| S68.522S    | Partial traumatic transphalangeal amputation of left thumb, sequela               |
| S68.529S    | Partial traumatic transphalangeal amputation of unspecified thumb, sequela        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S68.610S | Complete traumatic transphalangeal amputation of right index finger, sequela  |
| S68.611S | Complete traumatic transphalangeal amputation of left index finger, sequela   |
| S68.612S | Complete traumatic transphalangeal amputation of right middle finger, sequela |
| S68.613S | Complete traumatic transphalangeal amputation of left middle finger, sequela  |
| S68.614S | Complete traumatic transphalangeal amputation of right ring finger, sequela   |
| S68.615S | Complete traumatic transphalangeal amputation of left ring finger, sequela    |
| S68.616S | Complete traumatic transphalangeal amputation of right little finger, sequela |
| S68.617S | Complete traumatic transphalangeal amputation of left little finger, sequela  |
| S68.618S | Complete traumatic transphalangeal amputation of other finger, sequela        |
| S68.619S | Complete traumatic transphalangeal amputation of unspecified finger, sequela  |
| S68.620S | Partial traumatic transphalangeal amputation of right index finger, sequela   |
| S68.621S | Partial traumatic transphalangeal amputation of left index finger, sequela    |
| S68.622S | Partial traumatic transphalangeal amputation of right middle finger, sequela  |
| S68.623S | Partial traumatic transphalangeal amputation of left middle finger, sequela   |
| S68.624S | Partial traumatic transphalangeal amputation of right ring finger, sequela    |
| S68.625S | Partial traumatic transphalangeal amputation of left ring finger, sequela     |
| S68.626S | Partial traumatic transphalangeal amputation of right little finger, sequela  |
| S68.627S | Partial traumatic transphalangeal amputation of left little finger, sequela   |
| S68.628S | Partial traumatic transphalangeal amputation of other finger, sequela         |
| S68.629S | Partial traumatic transphalangeal amputation of unspecified finger, sequela   |
| S68.711S | Complete traumatic transmetacarpal amputation of right hand, sequela          |
| S68.712S | Complete traumatic transmetacarpal amputation of left hand, sequela           |
| S68.719S | Complete traumatic transmetacarpal amputation of unspecified hand, sequela    |
| S68.721S | Partial traumatic transmetacarpal amputation of right hand, sequela           |
| S68.722S | Partial traumatic transmetacarpal amputation of left hand, sequela            |
| S68.729S | Partial traumatic transmetacarpal amputation of unspecified hand, sequela     |
| S69.80XS | Other specified injuries of unspecified wrist, hand and finger(s), sequela    |
| S69.81XS | Other specified injuries of right wrist, hand and finger(s), sequela          |
| S69.82XS | Other specified injuries of left wrist, hand and finger(s), sequela           |
| S69.90XS | Unspecified injury of unspecified wrist, hand and finger(s), sequela          |
| S69.91XS | Unspecified injury of right wrist, hand and finger(s), sequela                |
| S69.92XS | Unspecified injury of left wrist, hand and finger(s), sequela                 |
| S70.00XS | Contusion of unspecified hip, sequela   |
| S70.01XS | Contusion of right hip, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S70.02XS | Contusion of left hip, sequela                                |
| S70.10XS | Contusion of unspecified thigh, sequela                       |
| S70.11XS | Contusion of right thigh, sequela                             |
| S70.12XS | Contusion of left thigh, sequela                              |
| S70.211A | Abrasion, right hip, initial encounter                        |
| S70.211S | Abrasion, right hip, sequela                                  |
| S70.212A | Abrasion, left hip, initial encounter                         |
| S70.212S | Abrasion, left hip, sequela                                   |
| S70.219A | Abrasion, unspecified hip, initial encounter                  |
| S70.219S | Abrasion, unspecified hip, sequela                            |
| S70.221A | Blister (nonthermal), right hip, initial encounter            |
| S70.221S | Blister (nonthermal), right hip, sequela                      |
| S70.222A | Blister (nonthermal), left hip, initial encounter             |
| S70.222S | Blister (nonthermal), left hip, sequela                       |
| S70.229A | Blister (nonthermal), unspecified hip, initial encounter      |
| S70.229S | Blister (nonthermal), unspecified hip, sequela                |
| S70.241A | External constriction, right hip, initial encounter           |
| S70.241S | External constriction, right hip, sequela                     |
| S70.242A | External constriction, left hip, initial encounter            |
| S70.242S | External constriction, left hip, sequela                      |
| S70.249A | External constriction, unspecified hip, initial encounter     |
| S70.249S | External constriction, unspecified hip, sequela               |
| S70.251A | Superficial foreign body, right hip, initial encounter        |
| S70.251S | Superficial foreign body, right hip, sequela                  |
| S70.252A | Superficial foreign body, left hip, initial encounter         |
| S70.252S | Superficial foreign body, left hip, sequela                   |
| S70.259A | Superficial foreign body, unspecified hip, initial encounter  |
| S70.259S | Superficial foreign body, unspecified hip, sequela            |
| S70.261A | Insect bite (nonvenomous), right hip, initial encounter       |
| S70.261S | Insect bite (nonvenomous), right hip, sequela                 |
| S70.262A | Insect bite (nonvenomous), left hip, initial encounter        |
| S70.262S | Insect bite (nonvenomous), left hip, sequela                  |
| S70.269A | Insect bite (nonvenomous), unspecified hip, initial encounter |
| S70.269S | Insect bite (nonvenomous), unspecified hip, sequela           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S70.271A    | Other superficial bite of hip, right hip, initial encounter       |
| S70.271S    | Other superficial bite of hip, right hip, sequela                 |
| S70.272A    | Other superficial bite of hip, left hip, initial encounter        |
| S70.272S    | Other superficial bite of hip, left hip, sequela                  |
| S70.279A    | Other superficial bite of hip, unspecified hip, initial encounter |
| S70.279S    | Other superficial bite of hip, unspecified hip, sequela           |
| S70.311A    | Abrasion, right thigh, initial encounter                          |
| S70.311S    | Abrasion, right thigh, sequela                                    |
| S70.312A    | Abrasion, left thigh, initial encounter                           |
| S70.312S    | Abrasion, left thigh, sequela                                     |
| S70.319A    | Abrasion, unspecified thigh, initial encounter                    |
| S70.319S    | Abrasion, unspecified thigh, sequela                              |
| S70.321A    | Blister (nonthermal), right thigh, initial encounter              |
| S70.321S    | Blister (nonthermal), right thigh, sequela                        |
| S70.322A    | Blister (nonthermal), left thigh, initial encounter               |
| S70.322S    | Blister (nonthermal), left thigh, sequela                         |
| S70.329A    | Blister (nonthermal), unspecified thigh, initial encounter        |
| S70.329S    | Blister (nonthermal), unspecified thigh, sequela                  |
| S70.341A    | External constriction, right thigh, initial encounter             |
| S70.341S    | External constriction, right thigh, sequela                       |
| S70.342A    | External constriction, left thigh, initial encounter              |
| S70.342S    | External constriction, left thigh, sequela                        |
| S70.349A    | External constriction, unspecified thigh, initial encounter       |
| S70.349S    | External constriction, unspecified thigh, sequela                 |
| S70.351A    | Superficial foreign body, right thigh, initial encounter          |
| S70.351S    | Superficial foreign body, right thigh, sequela                    |
| S70.352A    | Superficial foreign body, left thigh, initial encounter           |
| S70.352S    | Superficial foreign body, left thigh, sequela                     |
| S70.359A    | Superficial foreign body, unspecified thigh, initial encounter    |
| S70.359S    | Superficial foreign body, unspecified thigh, sequela              |
| S70.361A    | Insect bite (nonvenomous), right thigh, initial encounter         |
| S70.361S    | Insect bite (nonvenomous), right thigh, sequela                   |
| S70.362A    | Insect bite (nonvenomous), left thigh, initial encounter          |
| S70.362S    | Insect bite (nonvenomous), left thigh, sequela                    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S70.369A | Insect bite (nonvenomous), unspecified thigh, initial encounter        |
| S70.369S | Insect bite (nonvenomous), unspecified thigh, sequela                  |
| S70.371A | Other superficial bite of right thigh, initial encounter               |
| S70.371S | Other superficial bite of right thigh, sequela                         |
| S70.372A | Other superficial bite of left thigh, initial encounter                |
| S70.372S | Other superficial bite of left thigh, sequela                          |
| S70.379A | Other superficial bite of unspecified thigh, initial encounter         |
| S70.379S | Other superficial bite of unspecified thigh, sequela                   |
| S70.911A | Unspecified superficial injury of right hip, initial encounter         |
| S70.911S | Unspecified superficial injury of right hip, sequela                   |
| S70.912A | Unspecified superficial injury of left hip, initial encounter          |
| S70.912S | Unspecified superficial injury of left hip, sequela                    |
| S70.919A | Unspecified superficial injury of unspecified hip, initial encounter   |
| S70.919S | Unspecified superficial injury of unspecified hip, sequela             |
| S70.921A | Unspecified superficial injury of right thigh, initial encounter       |
| S70.921S | Unspecified superficial injury of right thigh, sequela                 |
| S70.922A | Unspecified superficial injury of left thigh, initial encounter        |
| S70.922S | Unspecified superficial injury of left thigh, sequela                  |
| S70.929A | Unspecified superficial injury of unspecified thigh, initial encounter |
| S70.929S | Unspecified superficial injury of unspecified thigh, sequela           |
| S71.001S | Unspecified open wound, right hip, sequela                             |
| S71.002S | Unspecified open wound, left hip, sequela                              |
| S71.009A | Unspecified open wound, unspecified hip, initial encounter             |
| S71.009S | Unspecified open wound, unspecified hip, sequela                       |
| S71.011S | Laceration without foreign body, right hip, sequela                    |
| S71.012S | Laceration without foreign body, left hip, sequela                     |
| S71.019S | Laceration without foreign body, unspecified hip, sequela              |
| S71.021S | Laceration with foreign body, right hip, sequela                       |
| S71.022S | Laceration with foreign body, left hip, sequela                        |
| S71.029S | Laceration with foreign body, unspecified hip, sequela                 |
| S71.031S | Puncture wound without foreign body, right hip, sequela                |
| S71.032S | Puncture wound without foreign body, left hip, sequela                 |
| S71.039S | Puncture wound without foreign body, unspecified hip, sequela          |
| S71.041S | Puncture wound with foreign body, right hip, sequela                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S71.042S | Puncture wound with foreign body, left hip, sequela   |
| S71.049S | Puncture wound with foreign body, unspecified hip, sequela  |
| S71.051S | Open bite, right hip, sequela   |
| S71.052S | Open bite, left hip, sequela  |
| S71.059S | Open bite, unspecified hip, sequela   |
| S71.101S | Unspecified open wound, right thigh, sequela  |
| S71.102S | Unspecified open wound, left thigh, sequela   |
| S71.109S | Unspecified open wound, unspecified thigh, sequela  |
| S71.111S | Laceration without foreign body, right thigh, sequela   |
| S71.112S | Laceration without foreign body, left thigh, sequela  |
| S71.119S | Laceration without foreign body, unspecified thigh, sequela   |
| S71.121S | Laceration with foreign body, right thigh, sequela  |
| S71.122S | Laceration with foreign body, left thigh, sequela   |
| S71.129S | Laceration with foreign body, unspecified thigh, sequela  |
| S71.131S | Puncture wound without foreign body, right thigh, sequela   |
| S71.132S | Puncture wound without foreign body, left thigh, sequela  |
| S71.139S | Puncture wound without foreign body, unspecified thigh, sequela   |
| S71.141S | Puncture wound with foreign body, right thigh, sequela  |
| S71.142S | Puncture wound with foreign body, left thigh, sequela   |
| S71.149S | Puncture wound with foreign body, unspecified thigh, sequela  |
| S71.151S | Open bite, right thigh, sequela   |
| S71.152S | Open bite, left thigh, sequela  |
| S71.159S | Open bite, unspecified thigh, sequela   |
| S72.001D | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with routine healing                      |
| S72.001E | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with routine healing           |
| S72.001F | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing |
| S72.001G | Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with delayed healing                      |
| S72.001H | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing           |
| S72.001J | Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing |
| S72.001S | Fracture of unspecified part of neck of right femur, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.002D | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.002E | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.002F | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.002G | Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.002H | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.002J | Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.002S | Fracture of unspecified part of neck of left femur, sequela   |
| S72.009D | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.009E | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.009F | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.009G | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.009H | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.009J | Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.009S | Fracture of unspecified part of neck of unspecified femur, sequela  |
| S72.011D | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with routine healing                                |
| S72.011E | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                     |
| S72.011F | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing         |
| S72.011G | Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with delayed healing                                |
| S72.011H | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                     |
| S72.011J | Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing         |
| S72.011S | Unspecified intracapsular fracture of right femur, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.012D | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with routine healing   |
| S72.012E | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                                |
| S72.012F | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                    |
| S72.012G | Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with delayed healing   |
| S72.012H | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                                |
| S72.012J | Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                    |
| S72.012S | Unspecified intracapsular fracture of left femur, sequela   |
| S72.019D | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                                    |
| S72.019E | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing                         |
| S72.019F | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S72.019G | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                                    |
| S72.019H | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing                         |
| S72.019J | Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing             |
| S72.019S | Unspecified intracapsular fracture of unspecified femur, sequela  |
| S72.021D | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.021E | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.021F | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.021G | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.021H | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.021J | Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.021S | Displaced fracture of epiphysis (separation) (upper) of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.022D | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.022E | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.022F | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.022G | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.022H | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.022J | Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.022S | Displaced fracture of epiphysis (separation) (upper) of left femur, sequela   |
| S72.023D | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.023E | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.023F | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.023G | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.023H | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.023J | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.023S | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela  |
| S72.024D | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.024E | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.024F | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.024G | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.024H | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.024J | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.024S | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.025D | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.025E | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.025F | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.025G | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.025H | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.025J | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.025S | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, sequela   |
| S72.026D | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.026E | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.026F | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.026G | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.026H | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.026J | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.026S | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela  |
| S72.031D | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing   |
| S72.031E | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing  |
| S72.031F | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                                |
| S72.031G | Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing   |
| S72.031H | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing  |
| S72.031J | Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                                |
| S72.031S | Displaced midcervical fracture of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.032D    | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.032E    | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.032F    | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.032G    | Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.032H    | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.032J    | Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.032S    | Displaced midcervical fracture of left femur, sequela   |
| S72.033D    | Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.033E    | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.033F    | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.033G    | Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.033H    | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.033J    | Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.033S    | Displaced midcervical fracture of unspecified femur, sequela  |
| S72.034D    | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.034E    | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.034F    | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.034G    | Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.034H    | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.034J    | Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.034S    | Nondisplaced midcervical fracture of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.035D | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.035E | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.035F | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.035G | Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.035H | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.035J | Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.035S | Nondisplaced midcervical fracture of left femur, sequela   |
| S72.036D | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.036E | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.036F | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.036G | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.036H | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.036J | Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.036S | Nondisplaced midcervical fracture of unspecified femur, sequela  |
| S72.041D | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing                             |
| S72.041E | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing                  |
| S72.041F | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing      |
| S72.041G | Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing                             |
| S72.041H | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing                  |
| S72.041J | Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing      |
| S72.041S | Displaced fracture of base of neck of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.042D | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.042E | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.042F | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.042G | Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.042H | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.042J | Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.042S | Displaced fracture of base of neck of left femur, sequela   |
| S72.043D | Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.043E | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.043F | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.043G | Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.043H | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.043J | Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.043S | Displaced fracture of base of neck of unspecified femur, sequela  |
| S72.044D | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.044E | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.044F | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.044G | Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.044H | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.044J | Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.044S | Nondisplaced fracture of base of neck of right femur, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.045D | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.045E | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.045F | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.045G | Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.045H | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.045J | Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.045S | Nondisplaced fracture of base of neck of left femur, sequela   |
| S72.046D | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.046E | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.046F | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.046G | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.046H | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.046J | Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.046S | Nondisplaced fracture of base of neck of unspecified femur, sequela  |
| S72.051D | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with routine healing                                       |
| S72.051E | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing                            |
| S72.051F | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                |
| S72.051G | Unspecified fracture of head of right femur, subsequent encounter for closed fracture with delayed healing                                       |
| S72.051H | Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing                            |
| S72.051J | Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                |
| S72.051S | Unspecified fracture of head of right femur, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.052D | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with routine healing                                 |
| S72.052E | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing                      |
| S72.052F | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing          |
| S72.052G | Unspecified fracture of head of left femur, subsequent encounter for closed fracture with delayed healing                                 |
| S72.052H | Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing                      |
| S72.052J | Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing          |
| S72.052S | Unspecified fracture of head of left femur, sequela   |
| S72.059D | Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing                          |
| S72.059E | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing               |
| S72.059F | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing   |
| S72.059G | Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing                          |
| S72.059H | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing               |
| S72.059J | Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing   |
| S72.059S | Unspecified fracture of head of unspecified femur, sequela  |
| S72.061D | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.061E | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.061F | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.061G | Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.061H | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.061J | Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.061S | Displaced articular fracture of head of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.062D | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.062E | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.062F | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.062G | Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.062H | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.062J | Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.062S | Displaced articular fracture of head of left femur, sequela   |
| S72.063D | Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.063E | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.063F | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.063G | Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.063H | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.063J | Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.063S | Displaced articular fracture of head of unspecified femur, sequela  |
| S72.064D | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.064E | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.064F | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.064G | Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.064H | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.064J | Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.064S | Nondisplaced articular fracture of head of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.065D | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.065E | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.065F | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.065G | Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.065H | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.065J | Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.065S | Nondisplaced articular fracture of head of left femur, sequela   |
| S72.066D | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.066E | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.066F | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.066G | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.066H | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.066J | Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.066S | Nondisplaced articular fracture of head of unspecified femur, sequela  |
| S72.091D | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with routine healing                                      |
| S72.091E | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with routine healing                           |
| S72.091F | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing               |
| S72.091G | Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing                                      |
| S72.091H | Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing                           |
| S72.091J | Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing               |
| S72.091S | Other fracture of head and neck of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.092D | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.092E | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.092F | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.092G | Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.092H | Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.092J | Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.092S | Other fracture of head and neck of left femur, sequela   |
| S72.099D | Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.099E | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.099F | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.099G | Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.099H | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.099J | Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.099S | Other fracture of head and neck of unspecified femur, sequela  |
| S72.101D | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing                            |
| S72.101E | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                 |
| S72.101F | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S72.101G | Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing                            |
| S72.101H | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                 |
| S72.101J | Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S72.101S | Unspecified trochanteric fracture of right femur, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.102D | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing                                |
| S72.102E | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                     |
| S72.102F | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing         |
| S72.102G | Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing                                |
| S72.102H | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                     |
| S72.102J | Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing         |
| S72.102S | Unspecified trochanteric fracture of left femur, sequela  |
| S72.109D | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                         |
| S72.109E | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing              |
| S72.109F | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |
| S72.109G | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                         |
| S72.109H | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing              |
| S72.109J | Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  |
| S72.109S | Unspecified trochanteric fracture of unspecified femur, sequela   |
| S72.111D | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.111E | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.111F | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.111G | Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.111H | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.111J | Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.111S | Displaced fracture of greater trochanter of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.112D | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.112E | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.112F | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.112G | Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.112H | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.112J | Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.112S | Displaced fracture of greater trochanter of left femur, sequela   |
| S72.113D | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.113E | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.113F | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.113G | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.113H | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.113J | Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.113S | Displaced fracture of greater trochanter of unspecified femur, sequela  |
| S72.114D | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.114E | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.114F | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.114G | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.114H | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.114J | Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.114S | Nondisplaced fracture of greater trochanter of right femur, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.115D | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.115E | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.115F | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.115G | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.115H | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.115J | Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.115S | Nondisplaced fracture of greater trochanter of left femur, sequela   |
| S72.116D | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.116E | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.116F | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.116G | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.116H | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.116J | Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.116S | Nondisplaced fracture of greater trochanter of unspecified femur, sequela  |
| S72.121D | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing                                  |
| S72.121E | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing                       |
| S72.121F | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S72.121G | Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing                                  |
| S72.121H | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing                       |
| S72.121J | Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S72.121S | Displaced fracture of lesser trochanter of right femur, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.122D | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.122E | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.122F | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.122G | Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.122H | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.122J | Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.122S | Displaced fracture of lesser trochanter of left femur, sequela   |
| S72.123D | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.123E | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.123F | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.123G | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.123H | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.123J | Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.123S | Displaced fracture of lesser trochanter of unspecified femur, sequela  |
| S72.124D | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.124E | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.124F | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.124G | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.124H | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.124J | Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.124S | Nondisplaced fracture of lesser trochanter of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.125D | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing                             |
| S72.125E | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing                  |
| S72.125F | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing        |
| S72.125G | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing                             |
| S72.125H | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing                  |
| S72.125J | Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing        |
| S72.125S | Nondisplaced fracture of lesser trochanter of left femur, sequela   |
| S72.126D | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing                      |
| S72.126E | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing           |
| S72.126F | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing |
| S72.126G | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing                      |
| S72.126H | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing           |
| S72.126J | Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing |
| S72.126S | Nondisplaced fracture of lesser trochanter of unspecified femur, sequela  |
| S72.131D | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing   |
| S72.131E | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                              |
| S72.131F | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing                    |
| S72.131G | Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing   |
| S72.131H | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                              |
| S72.131J | Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing                    |
| S72.131S | Displaced apophyseal fracture of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.132D | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.132E | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.132F | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.132G | Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.132H | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.132J | Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.132S | Displaced apophyseal fracture of left femur, sequela   |
| S72.133D | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.133E | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.133F | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.133G | Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.133H | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.133J | Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.133S | Displaced apophyseal fracture of unspecified femur, sequela  |
| S72.134D | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.134E | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.134F | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.134G | Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.134H | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.134J | Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.134S | Nondisplaced apophyseal fracture of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.135D | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.135E | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.135F | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.135G | Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.135H | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.135J | Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.135S | Nondisplaced apophyseal fracture of left femur, sequela   |
| S72.136D | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.136E | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.136F | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.136G | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.136H | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.136J | Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.136S | Nondisplaced apophyseal fracture of unspecified femur, sequela  |
| S72.141D | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing                          |
| S72.141E | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing               |
| S72.141F | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing   |
| S72.141G | Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing                          |
| S72.141H | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing               |
| S72.141J | Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing   |
| S72.141S | Displaced intertrochanteric fracture of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.142D | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.142E | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.142F | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.142G | Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.142H | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.142J | Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.142S | Displaced intertrochanteric fracture of left femur, sequela   |
| S72.143D | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.143E | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.143F | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.143G | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.143H | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.143J | Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.143S | Displaced intertrochanteric fracture of unspecified femur, sequela  |
| S72.144D | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.144E | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.144F | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.144G | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.144H | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.144J | Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.144S | Nondisplaced intertrochanteric fracture of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.145D | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.145E | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.145F | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.145G | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.145H | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.145J | Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.145S | Nondisplaced intertrochanteric fracture of left femur, sequela   |
| S72.146D | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.146E | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.146F | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.146G | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.146H | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.146J | Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.146S | Nondisplaced intertrochanteric fracture of unspecified femur, sequela  |
| S72.21XD | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing                                   |
| S72.21XE | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                        |
| S72.21XF | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing            |
| S72.21XG | Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing                                   |
| S72.21XH | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                        |
| S72.21XJ | Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing            |
| S72.21XS | Displaced subtrochanteric fracture of right femur, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.22XD | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.22XE | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.22XF | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.22XG | Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.22XH | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.22XJ | Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.22XS | Displaced subtrochanteric fracture of left femur, sequela   |
| S72.23XD | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.23XE | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.23XF | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.23XG | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.23XH | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.23XJ | Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.23XS | Displaced subtrochanteric fracture of unspecified femur, sequela  |
| S72.24XD | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.24XE | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.24XF | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.24XG | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.24XH | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.24XJ | Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.24XS | Nondisplaced subtrochanteric fracture of right femur, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.25XD | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.25XE | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.25XF | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.25XG | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.25XH | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.25XJ | Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.25XS | Nondisplaced subtrochanteric fracture of left femur, sequela   |
| S72.26XD | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.26XE | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.26XF | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.26XG | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.26XH | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.26XJ | Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.26XS | Nondisplaced subtrochanteric fracture of unspecified femur, sequela  |
| S72.301D | Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                                      |
| S72.301E | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                           |
| S72.301F | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing               |
| S72.301G | Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                                      |
| S72.301H | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                           |
| S72.301J | Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing               |
| S72.301S | Unspecified fracture of shaft of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.302D | Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                                  |
| S72.302E | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                       |
| S72.302F | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S72.302G | Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                                  |
| S72.302H | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                       |
| S72.302J | Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S72.302S | Unspecified fracture of shaft of left femur, sequela  |
| S72.309D | Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                           |
| S72.309E | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.309F | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.309G | Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.309H | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.309J | Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.309S | Unspecified fracture of shaft of unspecified femur, sequela   |
| S72.321D | Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.321E | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.321F | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.321G | Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.321H | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.321J | Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.321S | Displaced transverse fracture of shaft of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.322D | Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.322E | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.322F | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.322G | Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.322H | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.322J | Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.322S | Displaced transverse fracture of shaft of left femur, sequela   |
| S72.323D | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.323E | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.323F | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.323G | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.323H | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.323J | Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.323S | Displaced transverse fracture of shaft of unspecified femur, sequela  |
| S72.324D | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.324E | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.324F | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.324G | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.324H | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.324J | Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.324S | Nondisplaced transverse fracture of shaft of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.325D | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.325E | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.325F | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.325G | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.325H | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.325J | Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.325S | Nondisplaced transverse fracture of shaft of left femur, sequela   |
| S72.326D | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.326E | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.326F | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.326G | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.326H | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.326J | Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.326S | Nondisplaced transverse fracture of shaft of unspecified femur, sequela  |
| S72.331D | Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                                    |
| S72.331E | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                         |
| S72.331F | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S72.331G | Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                                    |
| S72.331H | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                         |
| S72.331J | Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing             |
| S72.331S | Displaced oblique fracture of shaft of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.332D | Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.332E | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.332F | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.332G | Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.332H | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.332J | Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.332S | Displaced oblique fracture of shaft of left femur, sequela   |
| S72.333D | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.333E | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.333F | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.333G | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.333H | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.333J | Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.333S | Displaced oblique fracture of shaft of unspecified femur, sequela  |
| S72.334D | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.334E | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.334F | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.334G | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.334H | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.334J | Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.334S | Nondisplaced oblique fracture of shaft of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.335D | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.335E | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.335F | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.335G | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.335H | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.335J | Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.335S | Nondisplaced oblique fracture of shaft of left femur, sequela   |
| S72.336D | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.336E | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.336F | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.336G | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.336H | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.336J | Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.336S | Nondisplaced oblique fracture of shaft of unspecified femur, sequela  |
| S72.341D | Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                                  |
| S72.341E | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                       |
| S72.341F | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S72.341G | Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                                  |
| S72.341H | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                       |
| S72.341J | Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S72.341S | Displaced spiral fracture of shaft of right femur, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.342D    | Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.342E    | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.342F    | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.342G    | Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.342H    | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.342J    | Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.342S    | Displaced spiral fracture of shaft of left femur, sequela   |
| S72.343D    | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.343E    | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.343F    | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.343G    | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.343H    | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.343J    | Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.343S    | Displaced spiral fracture of shaft of unspecified femur, sequela  |
| S72.344D    | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.344E    | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.344F    | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.344G    | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.344H    | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.344J    | Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.344S    | Nondisplaced spiral fracture of shaft of right femur, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.345D | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.345E | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.345F | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.345G | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.345H | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.345J | Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.345S | Nondisplaced spiral fracture of shaft of left femur, sequela   |
| S72.346D | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.346E | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.346F | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.346G | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.346H | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.346J | Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.346S | Nondisplaced spiral fracture of shaft of unspecified femur, sequela  |
| S72.351D | Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                             |
| S72.351E | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                  |
| S72.351F | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing      |
| S72.351G | Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                             |
| S72.351H | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                  |
| S72.351J | Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing      |
| S72.351S | Displaced comminuted fracture of shaft of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.352D    | Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.352E    | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.352F    | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.352G    | Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.352H    | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.352J    | Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.352S    | Displaced comminuted fracture of shaft of left femur, sequela   |
| S72.353D    | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.353E    | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.353F    | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.353G    | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.353H    | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.353J    | Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.353S    | Displaced comminuted fracture of shaft of unspecified femur, sequela  |
| S72.354D    | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.354E    | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.354F    | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.354G    | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.354H    | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.354J    | Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.354S    | Nondisplaced comminuted fracture of shaft of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.355D | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                             |
| S72.355E | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                  |
| S72.355F | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing        |
| S72.355G | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                             |
| S72.355H | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                  |
| S72.355J | Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing        |
| S72.355S | Nondisplaced comminuted fracture of shaft of left femur, sequela   |
| S72.356D | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                      |
| S72.356E | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing           |
| S72.356F | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing |
| S72.356G | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                      |
| S72.356H | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing           |
| S72.356J | Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing |
| S72.356S | Nondisplaced comminuted fracture of shaft of unspecified femur, sequela  |
| S72.361D | Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                                |
| S72.361E | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                     |
| S72.361F | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing           |
| S72.361G | Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                                |
| S72.361H | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                     |
| S72.361J | Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing           |
| S72.361S | Displaced segmental fracture of shaft of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.362D | Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.362E | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.362F | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.362G | Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.362H | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.362J | Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.362S | Displaced segmental fracture of shaft of left femur, sequela   |
| S72.363D | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.363E | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.363F | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.363G | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.363H | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.363J | Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.363S | Displaced segmental fracture of shaft of unspecified femur, sequela  |
| S72.364D | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.364E | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.364F | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.364G | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.364H | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.364J | Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.364S | Nondisplaced segmental fracture of shaft of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.365D | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.365E | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.365F | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.365G | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.365H | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.365J | Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.365S | Nondisplaced segmental fracture of shaft of left femur, sequela   |
| S72.366D | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.366E | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.366F | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.366G | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.366H | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.366J | Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.366S | Nondisplaced segmental fracture of shaft of unspecified femur, sequela  |
| S72.391D | Other fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing   |
| S72.391E | Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing                                    |
| S72.391F | Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                        |
| S72.391G | Other fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing   |
| S72.391H | Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing                                    |
| S72.391J | Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                        |
| S72.391S | Other fracture of shaft of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.392D    | Other fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing                                   |
| S72.392E    | Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing                        |
| S72.392F    | Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing            |
| S72.392G    | Other fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing                                   |
| S72.392H    | Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing                        |
| S72.392J    | Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing            |
| S72.392S    | Other fracture of shaft of left femur, sequela   |
| S72.399D    | Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing                            |
| S72.399E    | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing                 |
| S72.399F    | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S72.399G    | Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing                            |
| S72.399H    | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing                 |
| S72.399J    | Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S72.399S    | Other fracture of shaft of unspecified femur, sequela  |
| S72.401D    | Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.401E    | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.401F    | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.401G    | Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.401H    | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.401J    | Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.401S    | Unspecified fracture of lower end of right femur, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.402D | Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing   |
| S72.402E | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing                                |
| S72.402F | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                    |
| S72.402G | Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing   |
| S72.402H | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing                                |
| S72.402J | Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                    |
| S72.402S | Unspecified fracture of lower end of left femur, sequela   |
| S72.409D | Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing                                    |
| S72.409E | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing                         |
| S72.409F | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S72.409G | Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing                                    |
| S72.409H | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing                         |
| S72.409J | Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing             |
| S72.409S | Unspecified fracture of lower end of unspecified femur, sequela  |
| S72.411D | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.411E | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.411F | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.411G | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.411H | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.411J | Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.411S | Displaced unspecified condyle fracture of lower end of right femur, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.412D | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.412E | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.412F | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.412G | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.412H | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.412J | Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.412S | Displaced unspecified condyle fracture of lower end of left femur, sequela   |
| S72.413D | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.413E | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.413F | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.413G | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.413H | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.413J | Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.413S | Displaced unspecified condyle fracture of lower end of unspecified femur, sequela  |
| S72.414D | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.414E | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.414F | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.414G | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.414H | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.414J | Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.414S | Nondisplaced unspecified condyle fracture of lower end of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.415D | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.415E | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.415F | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.415G | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.415H | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.415J | Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.415S | Nondisplaced unspecified condyle fracture of lower end of left femur, sequela   |
| S72.416D | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.416E | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.416F | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.416G | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.416H | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.416J | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.416S | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, sequela  |
| S72.421D | Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing   |
| S72.421E | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with routine healing                                    |
| S72.421F | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                        |
| S72.421G | Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with delayed healing   |
| S72.421H | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing                                    |
| S72.421J | Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                        |
| S72.421S | Displaced fracture of lateral condyle of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.422D    | Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.422E    | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.422F    | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.422G    | Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.422H    | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.422J    | Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.422S    | Displaced fracture of lateral condyle of left femur, sequela   |
| S72.423D    | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.423E    | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.423F    | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.423G    | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.423H    | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.423J    | Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.423S    | Displaced fracture of lateral condyle of unspecified femur, sequela  |
| S72.424D    | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.424E    | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.424F    | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.424G    | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.424H    | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.424J    | Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.424S    | Nondisplaced fracture of lateral condyle of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.425D | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.425E | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.425F | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.425G | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.425H | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.425J | Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.425S | Nondisplaced fracture of lateral condyle of left femur, sequela   |
| S72.426D | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.426E | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.426F | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.426G | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.426H | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.426J | Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.426S | Nondisplaced fracture of lateral condyle of unspecified femur, sequela  |
| S72.431D | Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing                                  |
| S72.431E | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with routine healing                       |
| S72.431F | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S72.431G | Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with delayed healing                                  |
| S72.431H | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing                       |
| S72.431J | Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S72.431S | Displaced fracture of medial condyle of right femur, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.432D | Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.432E | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.432F | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.432G | Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.432H | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.432J | Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.432S | Displaced fracture of medial condyle of left femur, sequela   |
| S72.433D | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.433E | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.433F | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.433G | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.433H | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.433J | Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.433S | Displaced fracture of medial condyle of unspecified femur, sequela  |
| S72.434D | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.434E | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.434F | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.434G | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.434H | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.434J | Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.434S | Nondisplaced fracture of medial condyle of right femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.435D | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing                                    |
| S72.435E | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with routine healing                         |
| S72.435F | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S72.435G | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with delayed healing                                    |
| S72.435H | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing                         |
| S72.435J | Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing             |
| S72.435S | Nondisplaced fracture of medial condyle of left femur, sequela  |
| S72.436D | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with routine healing                             |
| S72.436E | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing                  |
| S72.436F | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing      |
| S72.436G | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing                             |
| S72.436H | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing                  |
| S72.436J | Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing      |
| S72.436S | Nondisplaced fracture of medial condyle of unspecified femur, sequela   |
| S72.441D | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.441E | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.441F | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.441G | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.441H | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.441J | Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.441S | Displaced fracture of lower epiphysis (separation) of right femur, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.442D | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.442E | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.442F | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.442G | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.442H | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.442J | Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.442S | Displaced fracture of lower epiphysis (separation) of left femur, sequela   |
| S72.443D | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.443E | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.443F | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.443G | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.443H | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.443J | Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.443S | Displaced fracture of lower epiphysis (separation) of unspecified femur, sequela  |
| S72.444D | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.444E | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.444F | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.444G | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.444H | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.444J | Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S72.444S | Nondisplaced fracture of lower epiphysis (separation) of right femur, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.445D | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing   |
| S72.445E | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with routine healing                                      |
| S72.445F | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                          |
| S72.445G | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with delayed healing   |
| S72.445H | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with delayed healing                                      |
| S72.445J | Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                          |
| S72.445S | Nondisplaced fracture of lower epiphysis (separation) of left femur, sequela   |
| S72.446D | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with routine healing  |
| S72.446E | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing                               |
| S72.446F | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                   |
| S72.446G | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with delayed healing  |
| S72.446H | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing                               |
| S72.446J | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                   |
| S72.446S | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, sequela  |
| S72.451D | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.451E | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.451F | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.451G | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.451H | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.451J | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.451S | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.452D | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.452E | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.452F | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.452G | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.452H | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.452J | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.452S | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, sequela   |
| S72.453D | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.453E | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.453F | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.453G | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.453H | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.453J | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.453S | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, sequela  |
| S72.454D | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing                           |
| S72.454E | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing                |
| S72.454F | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S72.454G | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing                           |
| S72.454H | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing                |
| S72.454J | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.454S | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, sequela  |
| S72.455D | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.455E | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.455F | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.455G | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.455H | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.455J | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.455S | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, sequela   |
| S72.456D | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.456E | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.456F | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.456G | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.456H | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.456J | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.456S | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, sequela  |
| S72.461D | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing                                    |
| S72.461E | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing                         |
| S72.461F | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S72.461G | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.461H | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing                   |
| S72.461J | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S72.461S | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, sequela  |
| S72.462D | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.462E | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.462F | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.462G | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.462H | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.462J | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.462S | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, sequela   |
| S72.463D | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.463E | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.463F | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.463G | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.463H | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.463J | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.463S | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela  |
| S72.464D | Non-displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing                          |
| S72.464E | Non-displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing               |
| S72.464F | Non-displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.464G | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing                              |
| S72.464H | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing                   |
| S72.464J | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S72.464S | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, sequela  |
| S72.465D | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.465E | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing                    |
| S72.465F | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S72.465G | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing                               |
| S72.465H | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing                    |
| S72.465J | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S72.465S | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, sequela   |
| S72.466D | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.466E | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.466F | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.466G | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.466H | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.466J | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.466S | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela  |
| S72.471D | Torus fracture of lower end of right femur, subsequent encounter for fracture with routine healing   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.471G | Torus fracture of lower end of right femur, subsequent encounter for fracture with delayed healing                               |
| S72.471S | Torus fracture of lower end of right femur, sequela  |
| S72.472D | Torus fracture of lower end of left femur, subsequent encounter for fracture with routine healing                                |
| S72.472G | Torus fracture of lower end of left femur, subsequent encounter for fracture with delayed healing                                |
| S72.472S | Torus fracture of lower end of left femur, sequela   |
| S72.479D | Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing                         |
| S72.479G | Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing                         |
| S72.479S | Torus fracture of lower end of unspecified femur, sequela  |
| S72.491D | Other fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing                        |
| S72.491E | Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.491F | Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.491G | Other fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.491H | Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.491J | Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.491S | Other fracture of lower end of right femur, sequela  |
| S72.492D | Other fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing                         |
| S72.492E | Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing              |
| S72.492F | Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |
| S72.492G | Other fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing                         |
| S72.492H | Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing              |
| S72.492J | Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  |
| S72.492S | Other fracture of lower end of left femur, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.499D | Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing                      |
| S72.499E | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing           |
| S72.499F | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing |
| S72.499G | Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing                      |
| S72.499H | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing           |
| S72.499J | Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing |
| S72.499S | Other fracture of lower end of unspecified femur, sequela  |
| S72.8X1D | Other fracture of right femur, subsequent encounter for closed fracture with routine healing   |
| S72.8X1E | Other fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                              |
| S72.8X1F | Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing                    |
| S72.8X1G | Other fracture of right femur, subsequent encounter for closed fracture with delayed healing   |
| S72.8X1H | Other fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                              |
| S72.8X1J | Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing                    |
| S72.8X1S | Other fracture of right femur, sequela   |
| S72.8X2D | Other fracture of left femur, subsequent encounter for closed fracture with routine healing  |
| S72.8X2E | Other fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                               |
| S72.8X2F | Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing                     |
| S72.8X2G | Other fracture of left femur, subsequent encounter for closed fracture with delayed healing  |
| S72.8X2H | Other fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing                               |
| S72.8X2J | Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing                     |
| S72.8X2S | Other fracture of left femur, sequela  |
| S72.8X9D | Other fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                                   |
| S72.8X9E | Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing                        |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.8X9F | Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S72.8X9G | Other fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                              |
| S72.8X9H | Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing                   |
| S72.8X9J | Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S72.8X9S | Other fracture of unspecified femur, sequela  |
| S72.90XD | Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with routine healing                        |
| S72.90XE | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing             |
| S72.90XF | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.90XG | Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.90XH | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.90XJ | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.90XS | Unspecified fracture of unspecified femur, sequela  |
| S72.91XD | Unspecified fracture of right femur, subsequent encounter for closed fracture with routine healing                              |
| S72.91XE | Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing                   |
| S72.91XF | Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S72.91XG | Unspecified fracture of right femur, subsequent encounter for closed fracture with delayed healing                              |
| S72.91XH | Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing                   |
| S72.91XJ | Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S72.91XS | Unspecified fracture of right femur, sequela  |
| S72.92XD | Unspecified fracture of left femur, subsequent encounter for closed fracture with routine healing                               |
| S72.92XE | Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with routine healing                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.92XF | Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S72.92XG | Unspecified fracture of left femur, subsequent encounter for closed fracture with delayed healing                        |
| S72.92XH | Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing             |
| S72.92XJ | Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S72.92XS | Unspecified fracture of left femur, sequela  |
| S73.001A | Unspecified subluxation of right hip, initial encounter  |
| S73.001S | Unspecified subluxation of right hip, sequela  |
| S73.002A | Unspecified subluxation of left hip, initial encounter   |
| S73.002S | Unspecified subluxation of left hip, sequela   |
| S73.003A | Unspecified subluxation of unspecified hip, initial encounter  |
| S73.003S | Unspecified subluxation of unspecified hip, sequela  |
| S73.004A | Unspecified dislocation of right hip, initial encounter  |
| S73.004S | Unspecified dislocation of right hip, sequela  |
| S73.005A | Unspecified dislocation of left hip, initial encounter   |
| S73.005S | Unspecified dislocation of left hip, sequela   |
| S73.006A | Unspecified dislocation of unspecified hip, initial encounter  |
| S73.006S | Unspecified dislocation of unspecified hip, sequela  |
| S73.011A | Posterior subluxation of right hip, initial encounter  |
| S73.011S | Posterior subluxation of right hip, sequela  |
| S73.012A | Posterior subluxation of left hip, initial encounter   |
| S73.012S | Posterior subluxation of left hip, sequela   |
| S73.013A | Posterior subluxation of unspecified hip, initial encounter  |
| S73.013S | Posterior subluxation of unspecified hip, sequela  |
| S73.014A | Posterior dislocation of right hip, initial encounter  |
| S73.014S | Posterior dislocation of right hip, sequela  |
| S73.015A | Posterior dislocation of left hip, initial encounter   |
| S73.015S | Posterior dislocation of left hip, sequela   |
| S73.016A | Posterior dislocation of unspecified hip, initial encounter  |
| S73.016S | Posterior dislocation of unspecified hip, sequela  |
| S73.021A | Obturator subluxation of right hip, initial encounter  |
| S73.021S | Obturator subluxation of right hip, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S73.022A    | Obturator subluxation of left hip, initial encounter             |
| S73.022S    | Obturator subluxation of left hip, sequela                       |
| S73.023A    | Obturator subluxation of unspecified hip, initial encounter      |
| S73.023S    | Obturator subluxation of unspecified hip, sequela                |
| S73.024A    | Obturator dislocation of right hip, initial encounter            |
| S73.024S    | Obturator dislocation of right hip, sequela                      |
| S73.025A    | Obturator dislocation of left hip, initial encounter             |
| S73.025S    | Obturator dislocation of left hip, sequela                       |
| S73.026A    | Obturator dislocation of unspecified hip, initial encounter      |
| S73.026S    | Obturator dislocation of unspecified hip, sequela                |
| S73.031A    | Other anterior subluxation of right hip, initial encounter       |
| S73.031S    | Other anterior subluxation of right hip, sequela                 |
| S73.032A    | Other anterior subluxation of left hip, initial encounter        |
| S73.032S    | Other anterior subluxation of left hip, sequela                  |
| S73.033A    | Other anterior subluxation of unspecified hip, initial encounter |
| S73.033S    | Other anterior subluxation of unspecified hip, sequela           |
| S73.034A    | Other anterior dislocation of right hip, initial encounter       |
| S73.034S    | Other anterior dislocation of right hip, sequela                 |
| S73.035A    | Other anterior dislocation of left hip, initial encounter        |
| S73.035S    | Other anterior dislocation of left hip, sequela                  |
| S73.036A    | Other anterior dislocation of unspecified hip, initial encounter |
| S73.036S    | Other anterior dislocation of unspecified hip, sequela           |
| S73.041A    | Central subluxation of right hip, initial encounter              |
| S73.041S    | Central subluxation of right hip, sequela                        |
| S73.042A    | Central subluxation of left hip, initial encounter               |
| S73.042S    | Central subluxation of left hip, sequela                         |
| S73.043A    | Central subluxation of unspecified hip, initial encounter        |
| S73.043S    | Central subluxation of unspecified hip, sequela                  |
| S73.044A    | Central dislocation of right hip, initial encounter              |
| S73.044S    | Central dislocation of right hip, sequela                        |
| S73.045A    | Central dislocation of left hip, initial encounter               |
| S73.045S    | Central dislocation of left hip, sequela                         |
| S73.046A    | Central dislocation of unspecified hip, initial encounter        |
| S73.046S    | Central dislocation of unspecified hip, sequela                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S73.101A | Unspecified sprain of right hip, initial encounter                                 |
| S73.101S | Unspecified sprain of right hip, sequela   |
| S73.102A | Unspecified sprain of left hip, initial encounter                                  |
| S73.102S | Unspecified sprain of left hip, sequela  |
| S73.109A | Unspecified sprain of unspecified hip, initial encounter                           |
| S73.109S | Unspecified sprain of unspecified hip, sequela                                     |
| S73.111A | Iliofemoral ligament sprain of right hip, initial encounter                        |
| S73.111S | Iliofemoral ligament sprain of right hip, sequela                                  |
| S73.112A | Iliofemoral ligament sprain of left hip, initial encounter                         |
| S73.112S | Iliofemoral ligament sprain of left hip, sequela                                   |
| S73.119A | Iliofemoral ligament sprain of unspecified hip, initial encounter                  |
| S73.119S | Iliofemoral ligament sprain of unspecified hip, sequela                            |
| S73.121A | Ischiocapsular ligament sprain of right hip, initial encounter                     |
| S73.121S | Ischiocapsular ligament sprain of right hip, sequela                               |
| S73.122A | Ischiocapsular ligament sprain of left hip, initial encounter                      |
| S73.122S | Ischiocapsular ligament sprain of left hip, sequela                                |
| S73.129A | Ischiocapsular ligament sprain of unspecified hip, initial encounter               |
| S73.129S | Ischiocapsular ligament sprain of unspecified hip, sequela                         |
| S73.191A | Other sprain of right hip, initial encounter                                       |
| S73.191S | Other sprain of right hip, sequela   |
| S73.192A | Other sprain of left hip, initial encounter  |
| S73.192S | Other sprain of left hip, sequela  |
| S73.199A | Other sprain of unspecified hip, initial encounter                                 |
| S73.199S | Other sprain of unspecified hip, sequela   |
| S74.00XA | Injury of sciatic nerve at hip and thigh level, unspecified leg, initial encounter |
| S74.00XS | Injury of sciatic nerve at hip and thigh level, unspecified leg, sequela           |
| S74.01XA | Injury of sciatic nerve at hip and thigh level, right leg, initial encounter       |
| S74.01XS | Injury of sciatic nerve at hip and thigh level, right leg, sequela                 |
| S74.02XA | Injury of sciatic nerve at hip and thigh level, left leg, initial encounter        |
| S74.02XS | Injury of sciatic nerve at hip and thigh level, left leg, sequela                  |
| S74.10XA | Injury of femoral nerve at hip and thigh level, unspecified leg, initial encounter |
| S74.10XS | Injury of femoral nerve at hip and thigh level, unspecified leg, sequela           |
| S74.11XA | Injury of femoral nerve at hip and thigh level, right leg, initial encounter       |
| S74.11XS | Injury of femoral nerve at hip and thigh level, right leg, sequela                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S74.12XA | Injury of femoral nerve at hip and thigh level, left leg, initial encounter                  |
| S74.12XS | Injury of femoral nerve at hip and thigh level, left leg, sequela                            |
| S74.20XA | Injury of cutaneous sensory nerve at hip and thigh level, unspecified leg, initial encounter |
| S74.20XS | Injury of cutaneous sensory nerve at hip and thigh level, unspecified leg, sequela           |
| S74.21XA | Injury of cutaneous sensory nerve at hip and high level, right leg, initial encounter        |
| S74.21XS | Injury of cutaneous sensory nerve at hip and high level, right leg, sequela                  |
| S74.22XA | Injury of cutaneous sensory nerve at hip and thigh level, left leg, initial encounter        |
| S74.22XS | Injury of cutaneous sensory nerve at hip and thigh level, left leg, sequela                  |
| S74.8X1A | Injury of other nerves at hip and thigh level, right leg, initial encounter                  |
| S74.8X1S | Injury of other nerves at hip and thigh level, right leg, sequela                            |
| S74.8X2A | Injury of other nerves at hip and thigh level, left leg, initial encounter                   |
| S74.8X2S | Injury of other nerves at hip and thigh level, left leg, sequela                             |
| S74.8X9A | Injury of other nerves at hip and thigh level, unspecified leg, initial encounter            |
| S74.8X9S | Injury of other nerves at hip and thigh level, unspecified leg, sequela                      |
| S74.90XA | Injury of unspecified nerve at hip and thigh level, unspecified leg, initial encounter       |
| S74.90XS | Injury of unspecified nerve at hip and thigh level, unspecified leg, sequela                 |
| S74.91XA | Injury of unspecified nerve at hip and thigh level, right leg, initial encounter             |
| S74.91XS | Injury of unspecified nerve at hip and thigh level, right leg, sequela                       |
| S74.92XA | Injury of unspecified nerve at hip and thigh level, left leg, initial encounter              |
| S74.92XS | Injury of unspecified nerve at hip and thigh level, left leg, sequela                        |
| S75.001S | Unspecified injury of femoral artery, right leg, sequela                                     |
| S75.002S | Unspecified injury of femoral artery, left leg, sequela                                      |
| S75.009S | Unspecified injury of femoral artery, unspecified leg, sequela                               |
| S75.011S | Minor laceration of femoral artery, right leg, sequela                                       |
| S75.012S | Minor laceration of femoral artery, left leg, sequela  |
| S75.019S | Minor laceration of femoral artery, unspecified leg, sequela                                 |
| S75.021S | Major laceration of femoral artery, right leg, sequela                                       |
| S75.022S | Major laceration of femoral artery, left leg, sequela  |
| S75.029S | Major laceration of femoral artery, unspecified leg, sequela                                 |
| S75.091S | Other specified injury of femoral artery, right leg, sequela                                 |
| S75.092S | Other specified injury of femoral artery, left leg, sequela                                  |
| S75.099S | Other specified injury of femoral artery, unspecified leg, sequela                           |
| S75.101S | Unspecified injury of femoral vein at hip and thigh level, right leg, sequela                |
| S75.102S | Unspecified injury of femoral vein at hip and thigh level, left leg, sequela                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S75.109S | Unspecified injury of femoral vein at hip and thigh level, unspecified leg, sequela               |
| S75.111S | Minor laceration of femoral vein at hip and thigh level, right leg, sequela                       |
| S75.112S | Minor laceration of femoral vein at hip and thigh level, left leg, sequela                        |
| S75.119S | Minor laceration of femoral vein at hip and thigh level, unspecified leg, sequela                 |
| S75.121S | Major laceration of femoral vein at hip and thigh level, right leg, sequela                       |
| S75.122S | Major laceration of femoral vein at hip and thigh level, left leg, sequela                        |
| S75.129S | Major laceration of femoral vein at hip and thigh level, unspecified leg, sequela                 |
| S75.191S | Other specified injury of femoral vein at hip and thigh level, right leg, sequela                 |
| S75.192S | Other specified injury of femoral vein at hip and thigh level, left leg, sequela                  |
| S75.199S | Other specified injury of femoral vein at hip and thigh level, unspecified leg, sequela           |
| S75.201S | Unspecified injury of greater saphenous vein at hip and thigh level, right leg, sequela           |
| S75.202S | Unspecified injury of greater saphenous vein at hip and thigh level, left leg, sequela            |
| S75.209S | Unspecified injury of greater saphenous vein at hip and thigh level, unspecified leg, sequela     |
| S75.211S | Minor laceration of greater saphenous vein at hip and thigh level, right leg, sequela             |
| S75.212S | Minor laceration of greater saphenous vein at hip and thigh level, left leg, sequela              |
| S75.219S | Minor laceration of greater saphenous vein at hip and thigh level, unspecified leg, sequela       |
| S75.221S | Major laceration of greater saphenous vein at hip and thigh level, right leg, sequela             |
| S75.222S | Major laceration of greater saphenous vein at hip and thigh level, left leg, sequela              |
| S75.229S | Major laceration of greater saphenous vein at hip and thigh level, unspecified leg, sequela       |
| S75.291S | Other specified injury of greater saphenous vein at hip and thigh level, right leg, sequela       |
| S75.292S | Other specified injury of greater saphenous vein at hip and thigh level, left leg, sequela        |
| S75.299S | Other specified injury of greater saphenous vein at hip and thigh level, unspecified leg, sequela |
| S75.801S | Unspecified injury of other blood vessels at hip and thigh level, right leg, sequela              |
| S75.802S | Unspecified injury of other blood vessels at hip and thigh level, left leg, sequela               |
| S75.809S | Unspecified injury of other blood vessels at hip and thigh level, unspecified leg, sequela        |
| S75.811S | Laceration of other blood vessels at hip and thigh level, right leg, sequela                      |
| S75.812S | Laceration of other blood vessels at hip and thigh level, left leg, sequela                       |
| S75.819S | Laceration of other blood vessels at hip and thigh level, unspecified leg, sequela                |
| S75.891S | Other specified injury of other blood vessels at hip and thigh level, right leg, sequela          |
| S75.892S | Other specified injury of other blood vessels at hip and thigh level, left leg, sequela           |
| S75.899S | Other specified injury of other blood vessels at hip and thigh level, unspecified leg, sequela    |
| S75.901S | Unspecified injury of unspecified blood vessel at hip and thigh level, right leg, sequela         |
| S75.902S | Unspecified injury of unspecified blood vessel at hip and thigh level, left leg, sequela          |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S75.909S | Unspecified injury of unspecified blood vessel at hip and thigh level, unspecified leg, sequela     |
| S75.911S | Laceration of unspecified blood vessel at hip and thigh level, right leg, sequela                   |
| S75.912S | Laceration of unspecified blood vessel at hip and thigh level, left leg, sequela                    |
| S75.919S | Laceration of unspecified blood vessel at hip and thigh level, unspecified leg, sequela             |
| S75.991S | Other specified injury of unspecified blood vessel at hip and thigh level, right leg, sequela       |
| S75.992S | Other specified injury of unspecified blood vessel at hip and thigh level, left leg, sequela        |
| S75.999S | Other specified injury of unspecified blood vessel at hip and thigh level, unspecified leg, sequela |
| S76.001S | Unspecified injury of muscle, fascia and tendon of right hip, sequela                               |
| S76.002S | Unspecified injury of muscle, fascia and tendon of left hip, sequela                                |
| S76.009S | Unspecified injury of muscle, fascia and tendon of unspecified hip, sequela                         |
| S76.011A | Strain of muscle, fascia and tendon of right hip, initial encounter                                 |
| S76.011S | Strain of muscle, fascia and tendon of right hip, sequela   |
| S76.012A | Strain of muscle, fascia and tendon of left hip, initial encounter                                  |
| S76.012S | Strain of muscle, fascia and tendon of left hip, sequela  |
| S76.019A | Strain of muscle, fascia and tendon of unspecified hip, initial encounter                           |
| S76.019S | Strain of muscle, fascia and tendon of unspecified hip, sequela                                     |
| S76.021S | Laceration of muscle, fascia and tendon of right hip, sequela                                       |
| S76.022S | Laceration of muscle, fascia and tendon of left hip, sequela  |
| S76.029S | Laceration of muscle, fascia and tendon of unspecified hip, sequela                                 |
| S76.091S | Other specified injury of muscle, fascia and tendon of right hip, sequela                           |
| S76.092S | Other specified injury of muscle, fascia and tendon of left hip, sequela                            |
| S76.099S | Other specified injury of muscle, fascia and tendon of unspecified hip, sequela                     |
| S76.101S | Unspecified injury of right quadriceps muscle, fascia and tendon, sequela                           |
| S76.102S | Unspecified injury of left quadriceps muscle, fascia and tendon, sequela                            |
| S76.109S | Unspecified injury of unspecified quadriceps muscle, fascia and tendon, sequela                     |
| S76.111A | Strain of right quadriceps muscle, fascia and tendon, initial encounter                             |
| S76.111S | Strain of right quadriceps muscle, fascia and tendon, sequela                                       |
| S76.112A | Strain of left quadriceps muscle, fascia and tendon, initial encounter                              |
| S76.112S | Strain of left quadriceps muscle, fascia and tendon, sequela  |
| S76.119A | Strain of unspecified quadriceps muscle, fascia and tendon, initial encounter                       |
| S76.119S | Strain of unspecified quadriceps muscle, fascia and tendon, sequela                                 |
| S76.121S | Laceration of right quadriceps muscle, fascia and tendon, sequela                                   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S76.122S | Laceration of left quadriceps muscle, fascia and tendon, sequela   |
| S76.129S | Laceration of unspecified quadriceps muscle, fascia and tendon, sequela  |
| S76.191S | Other specified injury of right quadriceps muscle, fascia and tendon, sequela  |
| S76.192S | Other specified injury of left quadriceps muscle, fascia and tendon, sequela   |
| S76.199S | Other specified injury of unspecified quadriceps muscle, fascia and tendon, sequela                                      |
| S76.201S | Unspecified injury of adductor muscle, fascia and tendon of right thigh, sequela   |
| S76.202S | Unspecified injury of adductor muscle, fascia and tendon of left thigh, sequela  |
| S76.209S | Unspecified injury of adductor muscle, fascia and tendon of unspecified thigh, sequela                                   |
| S76.211A | Strain of adductor muscle, fascia and tendon of right thigh, initial encounter   |
| S76.211S | Strain of adductor muscle, fascia and tendon of right thigh, sequela   |
| S76.212A | Strain of adductor muscle, fascia and tendon of left thigh, initial encounter  |
| S76.212S | Strain of adductor muscle, fascia and tendon of left thigh, sequela  |
| S76.219A | Strain of adductor muscle, fascia and tendon of unspecified thigh, initial encounter                                     |
| S76.219S | Strain of adductor muscle, fascia and tendon of unspecified thigh, sequela   |
| S76.221S | Laceration of adductor muscle, fascia and tendon of right thigh, sequela   |
| S76.222S | Laceration of adductor muscle, fascia and tendon of left thigh, sequela  |
| S76.229S | Laceration of adductor muscle, fascia and tendon of unspecified thigh, sequela   |
| S76.291S | Other injury of adductor muscle, fascia and tendon of right thigh, sequela   |
| S76.292S | Other injury of adductor muscle, fascia and tendon of left thigh, sequela  |
| S76.299S | Other injury of adductor muscle, fascia and tendon of unspecified thigh, sequela   |
| S76.301S | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela       |
| S76.302S | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela        |
| S76.309S | Unspecified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela |
| S76.311A | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, initial encounter         |
| S76.311S | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela                   |
| S76.312A | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, initial encounter          |
| S76.312S | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela                    |
| S76.319A | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S76.319S | Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela                 |
| S76.321S | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela                   |
| S76.322S | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela                    |
| S76.329S | Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela             |
| S76.391S | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela       |
| S76.392S | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela        |
| S76.399S | Other specified injury of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela |
| S76.801S | Unspecified injury of other specified muscles, fascia and tendons at thigh level, right thigh, sequela                       |
| S76.802S | Unspecified injury of other specified muscles, fascia and tendons at thigh level, left thigh, sequela                        |
| S76.809S | Unspecified injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela                 |
| S76.811A | Strain of other specified muscles, fascia and tendons at thigh level, right thigh, initial encounter                         |
| S76.811S | Strain of other specified muscles, fascia and tendons at thigh level, right thigh, sequela                                   |
| S76.812A | Strain of other specified muscles, fascia and tendons at thigh level, left thigh, initial encounter                          |
| S76.812S | Strain of other specified muscles, fascia and tendons at thigh level, left thigh, sequela                                    |
| S76.819A | Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter                   |
| S76.819S | Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela                             |
| S76.821S | Laceration of other specified muscles, fascia and tendons at thigh level, right thigh, sequela                               |
| S76.822S | Laceration of other specified muscles, fascia and tendons at thigh level, left thigh, sequela                                |
| S76.829S | Laceration of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela                         |
| S76.891S | Other injury of other specified muscles, fascia and tendons at thigh level, right thigh, sequela                             |
| S76.892S | Other injury of other specified muscles, fascia and tendons at thigh level, left thigh, sequela                              |
| S76.899S | Other injury of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S76.901S | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela           |
| S76.902S | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela            |
| S76.909S | Unspecified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela     |
| S76.911A | Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, initial encounter             |
| S76.911S | Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela                       |
| S76.912A | Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, initial encounter              |
| S76.912S | Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela                        |
| S76.919A | Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter       |
| S76.919S | Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela                 |
| S76.921S | Laceration of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela                   |
| S76.922S | Laceration of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela                    |
| S76.929S | Laceration of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela             |
| S76.991S | Other specified injury of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela       |
| S76.992S | Other specified injury of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela        |
| S76.999S | Other specified injury of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela |
| S77.00XS | Crushing injury of unspecified hip, sequela  |
| S77.01XS | Crushing injury of right hip, sequela  |
| S77.02XS | Crushing injury of left hip, sequela   |
| S77.10XS | Crushing injury of unspecified thigh, sequela  |
| S77.11XS | Crushing injury of right thigh, sequela  |
| S77.12XS | Crushing injury of left thigh, sequela   |
| S77.20XS | Crushing injury of unspecified hip with thigh, sequela   |
| S77.21XS | Crushing injury of right hip with thigh, sequela   |
| S77.22XS | Crushing injury of left hip with thigh, sequela  |
| S78.011S | Complete traumatic amputation at right hip joint, sequela  |
| S78.012S | Complete traumatic amputation at left hip joint, sequela   |
| S78.019S | Complete traumatic amputation at unspecified hip joint, sequela  |
| S78.021S | Partial traumatic amputation at right hip joint, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S78.022S | Partial traumatic amputation at left hip joint, sequela   |
| S78.029S | Partial traumatic amputation at unspecified hip joint, sequela  |
| S78.111S | Complete traumatic amputation at level between right hip and knee, sequela  |
| S78.112S | Complete traumatic amputation at level between left hip and knee, sequela   |
| S78.119S | Complete traumatic amputation at level between unspecified hip and knee, sequela  |
| S78.121S | Partial traumatic amputation at level between right hip and knee, sequela   |
| S78.122S | Partial traumatic amputation at level between left hip and knee, sequela  |
| S78.129S | Partial traumatic amputation at level between unspecified hip and knee, sequela   |
| S78.911S | Complete traumatic amputation of right hip and thigh, level unspecified, sequela  |
| S78.912S | Complete traumatic amputation of left hip and thigh, level unspecified, sequela   |
| S78.919S | Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela                                    |
| S78.921S | Partial traumatic amputation of right hip and thigh, level unspecified, sequela   |
| S78.922S | Partial traumatic amputation of left hip and thigh, level unspecified, sequela  |
| S78.929S | Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela                                     |
| S79.001D | Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing          |
| S79.001G | Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing          |
| S79.001S | Unspecified physeal fracture of upper end of right femur, sequela   |
| S79.002D | Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing           |
| S79.002G | Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing           |
| S79.002S | Unspecified physeal fracture of upper end of left femur, sequela  |
| S79.009D | Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing    |
| S79.009G | Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing    |
| S79.009S | Unspecified physeal fracture of upper end of unspecified femur, sequela   |
| S79.011D | Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing |
| S79.011G | Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing |
| S79.011S | Salter-Harris Type I physeal fracture of upper end of right femur, sequela  |
| S79.012D | Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S79.012G | Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing        |
| S79.012S | Salter-Harris Type I physeal fracture of upper end of left femur, sequela   |
| S79.019D | Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.019G | Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.019S | Salter-Harris Type I physeal fracture of upper end of unspecified femur, sequela  |
| S79.091D | Other physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing                      |
| S79.091G | Other physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing                      |
| S79.091S | Other physeal fracture of upper end of right femur, sequela   |
| S79.092D | Other physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing                       |
| S79.092G | Other physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing                       |
| S79.092S | Other physeal fracture of upper end of left femur, sequela  |
| S79.099D | Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing                |
| S79.099G | Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing                |
| S79.099S | Other physeal fracture of upper end of unspecified femur, sequela   |
| S79.101D | Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing                |
| S79.101G | Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing                |
| S79.101S | Unspecified physeal fracture of lower end of right femur, sequela   |
| S79.102D | Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing                 |
| S79.102G | Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing                 |
| S79.102S | Unspecified physeal fracture of lower end of left femur, sequela  |
| S79.109D | Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing          |
| S79.109G | Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing          |
| S79.109S | Unspecified physeal fracture of lower end of unspecified femur, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S79.111D | Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing        |
| S79.111G | Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing        |
| S79.111S | Salter-Harris Type I physeal fracture of lower end of right femur, sequela   |
| S79.112D | Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing         |
| S79.112G | Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing         |
| S79.112S | Salter-Harris Type I physeal fracture of lower end of left femur, sequela  |
| S79.119D | Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing  |
| S79.119G | Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing  |
| S79.119S | Salter-Harris Type I physeal fracture of lower end of unspecified femur, sequela   |
| S79.121D | Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing       |
| S79.121G | Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing       |
| S79.121S | Salter-Harris Type II physeal fracture of lower end of right femur, sequela  |
| S79.122D | Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing        |
| S79.122G | Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing        |
| S79.122S | Salter-Harris Type II physeal fracture of lower end of left femur, sequela   |
| S79.129D | Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.129G | Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.129S | Salter-Harris Type II physeal fracture of lower end of unspecified femur, sequela  |
| S79.131D | Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing      |
| S79.131G | Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing      |
| S79.131S | Salter-Harris Type III physeal fracture of lower end of right femur, sequela   |
| S79.132D | Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing       |
| S79.132G | Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing       |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S79.132S | Salter-Harris Type III physeal fracture of lower end of left femur, sequela   |
| S79.139D | Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing |
| S79.139G | Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing |
| S79.139S | Salter-Harris Type III physeal fracture of lower end of unspecified femur, sequela  |
| S79.141D | Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing        |
| S79.141G | Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing        |
| S79.141S | Salter-Harris Type IV physeal fracture of lower end of right femur, sequela   |
| S79.142D | Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing         |
| S79.142G | Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing         |
| S79.142S | Salter-Harris Type IV physeal fracture of lower end of left femur, sequela  |
| S79.149D | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing  |
| S79.149G | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing  |
| S79.149S | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, sequela   |
| S79.191D | Other physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing                        |
| S79.191G | Other physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing                        |
| S79.191S | Other physeal fracture of lower end of right femur, sequela   |
| S79.192D | Other physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing                         |
| S79.192G | Other physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing                         |
| S79.192S | Other physeal fracture of lower end of left femur, sequela  |
| S79.199D | Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing                  |
| S79.199G | Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing                  |
| S79.199S | Other physeal fracture of lower end of unspecified femur, sequela   |
| S79.811S | Other specified injuries of right hip, sequela  |
| S79.812S | Other specified injuries of left hip, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S79.819S    | Other specified injuries of unspecified hip, sequela       |
| S79.821S    | Other specified injuries of right thigh, sequela           |
| S79.822S    | Other specified injuries of left thigh, sequela            |
| S79.829S    | Other specified injuries of unspecified thigh, sequela     |
| S79.911S    | Unspecified injury of right hip, sequela                   |
| S79.912S    | Unspecified injury of left hip, sequela                    |
| S79.919S    | Unspecified injury of unspecified hip, sequela             |
| S79.921S    | Unspecified injury of right thigh, sequela                 |
| S79.922S    | Unspecified injury of left thigh, sequela                  |
| S79.929S    | Unspecified injury of unspecified thigh, sequela           |
| S80.00XS    | Contusion of unspecified knee, sequela                     |
| S80.01XS    | Contusion of right knee, sequela                           |
| S80.02XS    | Contusion of left knee, sequela                            |
| S80.10XS    | Contusion of unspecified lower leg, sequela                |
| S80.11XS    | Contusion of right lower leg, sequela                      |
| S80.12XS    | Contusion of left lower leg, sequela                       |
| S80.211A    | Abrasion, right knee, initial encounter                    |
| S80.211S    | Abrasion, right knee, sequela                              |
| S80.212A    | Abrasion, left knee, initial encounter                     |
| S80.212S    | Abrasion, left knee, sequela                               |
| S80.219A    | Abrasion, unspecified knee, initial encounter              |
| S80.219S    | Abrasion, unspecified knee, sequela                        |
| S80.221A    | Blister (nonthermal), right knee, initial encounter        |
| S80.221S    | Blister (nonthermal), right knee, sequela                  |
| S80.222A    | Blister (nonthermal), left knee, initial encounter         |
| S80.222S    | Blister (nonthermal), left knee, sequela                   |
| S80.229A    | Blister (nonthermal), unspecified knee, initial encounter  |
| S80.229S    | Blister (nonthermal), unspecified knee, sequela            |
| S80.241A    | External constriction, right knee, initial encounter       |
| S80.241S    | External constriction, right knee, sequela                 |
| S80.242A    | External constriction, left knee, initial encounter        |
| S80.242S    | External constriction, left knee, sequela                  |
| S80.249A    | External constriction, unspecified knee, initial encounter |
| S80.249S    | External constriction, unspecified knee, sequela           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S80.251A    | Superficial foreign body, right knee, initial encounter        |
| S80.251S    | Superficial foreign body, right knee, sequela                  |
| S80.252A    | Superficial foreign body, left knee, initial encounter         |
| S80.252S    | Superficial foreign body, left knee, sequela                   |
| S80.259A    | Superficial foreign body, unspecified knee, initial encounter  |
| S80.259S    | Superficial foreign body, unspecified knee, sequela            |
| S80.261A    | Insect bite (nonvenomous), right knee, initial encounter       |
| S80.261S    | Insect bite (nonvenomous), right knee, sequela                 |
| S80.262A    | Insect bite (nonvenomous), left knee, initial encounter        |
| S80.262S    | Insect bite (nonvenomous), left knee, sequela                  |
| S80.269A    | Insect bite (nonvenomous), unspecified knee, initial encounter |
| S80.269S    | Insect bite (nonvenomous), unspecified knee, sequela           |
| S80.271A    | Other superficial bite of right knee, initial encounter        |
| S80.271S    | Other superficial bite of right knee, sequela                  |
| S80.272A    | Other superficial bite of left knee, initial encounter         |
| S80.272S    | Other superficial bite of left knee, sequela                   |
| S80.279A    | Other superficial bite of unspecified knee, initial encounter  |
| S80.279S    | Other superficial bite of unspecified knee, sequela            |
| S80.811A    | Abrasion, right lower leg, initial encounter                   |
| S80.811S    | Abrasion, right lower leg, sequela                             |
| S80.812A    | Abrasion, left lower leg, initial encounter                    |
| S80.812S    | Abrasion, left lower leg, sequela                              |
| S80.819A    | Abrasion, unspecified lower leg, initial encounter             |
| S80.819S    | Abrasion, unspecified lower leg, sequela                       |
| S80.821A    | Blister (nonthermal), right lower leg, initial encounter       |
| S80.821S    | Blister (nonthermal), right lower leg, sequela                 |
| S80.822A    | Blister (nonthermal), left lower leg, initial encounter        |
| S80.822S    | Blister (nonthermal), left lower leg, sequela                  |
| S80.829A    | Blister (nonthermal), unspecified lower leg, initial encounter |
| S80.829S    | Blister (nonthermal), unspecified lower leg, sequela           |
| S80.841A    | External constriction, right lower leg, initial encounter      |
| S80.841S    | External constriction, right lower leg, sequela                |
| S80.842A    | External constriction, left lower leg, initial encounter       |
| S80.842S    | External constriction, left lower leg, sequela                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S80.849A    | External constriction, unspecified lower leg, initial encounter            |
| S80.849S    | External constriction, unspecified lower leg, sequela                      |
| S80.851A    | Superficial foreign body, right lower leg, initial encounter               |
| S80.851S    | Superficial foreign body, right lower leg, sequela                         |
| S80.852A    | Superficial foreign body, left lower leg, initial encounter                |
| S80.852S    | Superficial foreign body, left lower leg, sequela                          |
| S80.859A    | Superficial foreign body, unspecified lower leg, initial encounter         |
| S80.859S    | Superficial foreign body, unspecified lower leg, sequela                   |
| S80.861A    | Insect bite (nonvenomous), right lower leg, initial encounter              |
| S80.861S    | Insect bite (nonvenomous), right lower leg, sequela                        |
| S80.862A    | Insect bite (nonvenomous), left lower leg, initial encounter               |
| S80.862S    | Insect bite (nonvenomous), left lower leg, sequela                         |
| S80.869A    | Insect bite (nonvenomous), unspecified lower leg, initial encounter        |
| S80.869S    | Insect bite (nonvenomous), unspecified lower leg, sequela                  |
| S80.871A    | Other superficial bite, right lower leg, initial encounter                 |
| S80.871S    | Other superficial bite, right lower leg, sequela                           |
| S80.872A    | Other superficial bite, left lower leg, initial encounter                  |
| S80.872S    | Other superficial bite, left lower leg, sequela                            |
| S80.879A    | Other superficial bite, unspecified lower leg, initial encounter           |
| S80.879S    | Other superficial bite, unspecified lower leg, sequela                     |
| S80.911A    | Unspecified superficial injury of right knee, initial encounter            |
| S80.911S    | Unspecified superficial injury of right knee, sequela                      |
| S80.912A    | Unspecified superficial injury of left knee, initial encounter             |
| S80.912S    | Unspecified superficial injury of left knee, sequela                       |
| S80.919A    | Unspecified superficial injury of unspecified knee, initial encounter      |
| S80.919S    | Unspecified superficial injury of unspecified knee, sequela                |
| S80.921A    | Unspecified superficial injury of right lower leg, initial encounter       |
| S80.921S    | Unspecified superficial injury of right lower leg, sequela                 |
| S80.922A    | Unspecified superficial injury of left lower leg, initial encounter        |
| S80.922S    | Unspecified superficial injury of left lower leg, sequela                  |
| S80.929A    | Unspecified superficial injury of unspecified lower leg, initial encounter |
| S80.929S    | Unspecified superficial injury of unspecified lower leg, sequela           |
| S81.001S    | Unspecified open wound, right knee, sequela                                |
| S81.002S    | Unspecified open wound, left knee, sequela                                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S81.009A    | Unspecified open wound, unspecified knee, initial encounter         |
| S81.009S    | Unspecified open wound, unspecified knee, sequela                   |
| S81.011S    | Laceration without foreign body, right knee, sequela                |
| S81.012S    | Laceration without foreign body, left knee, sequela                 |
| S81.019S    | Laceration without foreign body, unspecified knee, sequela          |
| S81.021S    | Laceration with foreign body, right knee, sequela                   |
| S81.022S    | Laceration with foreign body, left knee, sequela                    |
| S81.029S    | Laceration with foreign body, unspecified knee, sequela             |
| S81.031S    | Puncture wound without foreign body, right knee, sequela            |
| S81.032S    | Puncture wound without foreign body, left knee, sequela             |
| S81.039S    | Puncture wound without foreign body, unspecified knee, sequela      |
| S81.041S    | Puncture wound with foreign body, right knee, sequela               |
| S81.042S    | Puncture wound with foreign body, left knee, sequela                |
| S81.049S    | Puncture wound with foreign body, unspecified knee, sequela         |
| S81.051S    | Open bite, right knee, sequela                                      |
| S81.052S    | Open bite, left knee, sequela                                       |
| S81.059S    | Open bite, unspecified knee, sequela                                |
| S81.801S    | Unspecified open wound, right lower leg, sequela                    |
| S81.802S    | Unspecified open wound, left lower leg, sequela                     |
| S81.809S    | Unspecified open wound, unspecified lower leg, sequela              |
| S81.811S    | Laceration without foreign body, right lower leg, sequela           |
| S81.812S    | Laceration without foreign body, left lower leg, sequela            |
| S81.819S    | Laceration without foreign body, unspecified lower leg, sequela     |
| S81.821S    | Laceration with foreign body, right lower leg, sequela              |
| S81.822S    | Laceration with foreign body, left lower leg, sequela               |
| S81.829S    | Laceration with foreign body, unspecified lower leg, sequela        |
| S81.831S    | Puncture wound without foreign body, right lower leg, sequela       |
| S81.832S    | Puncture wound without foreign body, left lower leg, sequela        |
| S81.839S    | Puncture wound without foreign body, unspecified lower leg, sequela |
| S81.841S    | Puncture wound with foreign body, right lower leg, sequela          |
| S81.842S    | Puncture wound with foreign body, left lower leg, sequela           |
| S81.849S    | Puncture wound with foreign body, unspecified lower leg, sequela    |
| S81.851S    | Open bite, right lower leg, sequela                                 |
| S81.852S    | Open bite, left lower leg, sequela                                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S81.859S | Open bite, unspecified lower leg, sequela   |
| S82.001D | Unspecified fracture of right patella, subsequent encounter for closed fracture with routine healing                              |
| S82.001E | Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.001F | Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.001G | Unspecified fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.001H | Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.001J | Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.001S | Unspecified fracture of right patella, sequela  |
| S82.002D | Unspecified fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.002E | Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.002F | Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.002G | Unspecified fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.002H | Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.002J | Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.002S | Unspecified fracture of left patella, sequela   |
| S82.009D | Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.009E | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.009F | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.009G | Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.009H | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.009J | Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.009S | Unspecified fracture of unspecified patella, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.011D    | Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing                              |
| S82.011E    | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.011F    | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.011G    | Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.011H    | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.011J    | Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.011S    | Displaced osteochondral fracture of right patella, sequela  |
| S82.012D    | Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.012E    | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.012F    | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.012G    | Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.012H    | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.012J    | Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.012S    | Displaced osteochondral fracture of left patella, sequela   |
| S82.013D    | Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.013E    | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.013F    | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.013G    | Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.013H    | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.013J    | Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.013S    | Displaced osteochondral fracture of unspecified patella, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.014D | Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing                            |
| S82.014E | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.014F | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing       |
| S82.014G | Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with delayed healing                            |
| S82.014H | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.014J | Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing       |
| S82.014S | Nondisplaced osteochondral fracture of right patella, sequela  |
| S82.015D | Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing                             |
| S82.015E | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                  |
| S82.015F | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing        |
| S82.015G | Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with delayed healing                             |
| S82.015H | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                  |
| S82.015J | Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing        |
| S82.015S | Nondisplaced osteochondral fracture of left patella, sequela   |
| S82.016D | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                      |
| S82.016E | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing           |
| S82.016F | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing |
| S82.016G | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                      |
| S82.016H | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing           |
| S82.016J | Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing |
| S82.016S | Nondisplaced osteochondral fracture of unspecified patella, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.021D    | Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing                              |
| S82.021E    | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.021F    | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.021G    | Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.021H    | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.021J    | Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.021S    | Displaced longitudinal fracture of right patella, sequela  |
| S82.022D    | Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.022E    | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.022F    | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.022G    | Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.022H    | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.022J    | Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.022S    | Displaced longitudinal fracture of left patella, sequela   |
| S82.023D    | Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.023E    | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.023F    | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.023G    | Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.023H    | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.023J    | Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.023S    | Displaced longitudinal fracture of unspecified patella, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.024D    | Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing                              |
| S82.024E    | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.024F    | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.024G    | Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.024H    | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.024J    | Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.024S    | Nondisplaced longitudinal fracture of right patella, sequela  |
| S82.025D    | Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.025E    | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.025F    | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.025G    | Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.025H    | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.025J    | Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.025S    | Nondisplaced longitudinal fracture of left patella, sequela   |
| S82.026D    | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.026E    | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.026F    | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.026G    | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.026H    | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.026J    | Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.026S    | Nondisplaced longitudinal fracture of unspecified patella, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.031D | Displaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing                              |
| S82.031E | Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.031F | Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.031G | Displaced transverse fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.031H | Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.031J | Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.031S | Displaced transverse fracture of right patella, sequela  |
| S82.032D | Displaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.032E | Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.032F | Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.032G | Displaced transverse fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.032H | Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.032J | Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.032S | Displaced transverse fracture of left patella, sequela   |
| S82.033D | Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.033E | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.033F | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.033G | Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.033H | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.033J | Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.033S | Displaced transverse fracture of unspecified patella, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.034D | Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing                              |
| S82.034E | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.034F | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.034G | Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.034H | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.034J | Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.034S | Nondisplaced transverse fracture of right patella, sequela  |
| S82.035D | Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.035E | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.035F | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.035G | Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.035H | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.035J | Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.035S | Nondisplaced transverse fracture of left patella, sequela   |
| S82.036D | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.036E | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.036F | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.036G | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.036H | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.036J | Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.036S | Nondisplaced transverse fracture of unspecified patella, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.041D    | Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing                              |
| S82.041E    | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.041F    | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.041G    | Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.041H    | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.041J    | Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.041S    | Displaced comminuted fracture of right patella, sequela  |
| S82.042D    | Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.042E    | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.042F    | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.042G    | Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.042H    | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.042J    | Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.042S    | Displaced comminuted fracture of left patella, sequela   |
| S82.043D    | Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.043E    | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.043F    | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.043G    | Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.043H    | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.043J    | Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.043S    | Displaced comminuted fracture of unspecified patella, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.044D | Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing                              |
| S82.044E | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.044F | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.044G | Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.044H | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.044J | Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.044S | Nondisplaced comminuted fracture of right patella, sequela  |
| S82.045D | Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.045E | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.045F | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.045G | Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.045H | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.045J | Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.045S | Nondisplaced comminuted fracture of left patella, sequela   |
| S82.046D | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.046E | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.046F | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.046G | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.046H | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.046J | Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.046S | Nondisplaced comminuted fracture of unspecified patella, sequela  |
| S82.091D | Other fracture of right patella, subsequent encounter for closed fracture with routine healing  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.091E    | Other fracture of right patella, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.091F    | Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.091G    | Other fracture of right patella, subsequent encounter for closed fracture with delayed healing                              |
| S82.091H    | Other fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.091J    | Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.091S    | Other fracture of right patella, sequela  |
| S82.092D    | Other fracture of left patella, subsequent encounter for closed fracture with routine healing                               |
| S82.092E    | Other fracture of left patella, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.092F    | Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.092G    | Other fracture of left patella, subsequent encounter for closed fracture with delayed healing                               |
| S82.092H    | Other fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.092J    | Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.092S    | Other fracture of left patella, sequela   |
| S82.099D    | Other fracture of unspecified patella, subsequent encounter for closed fracture with routine healing                        |
| S82.099E    | Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing             |
| S82.099F    | Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.099G    | Other fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing                        |
| S82.099H    | Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.099J    | Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.099S    | Other fracture of unspecified patella, sequela  |
| S82.101D    | Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing             |
| S82.101E    | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with routine healing  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.101F | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.101G | Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with delayed healing                              |
| S82.101H | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.101J | Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.101S | Unspecified fracture of upper end of right tibia, sequela  |
| S82.102D | Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing                               |
| S82.102E | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.102F | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.102G | Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.102H | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.102J | Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.102S | Unspecified fracture of upper end of left tibia, sequela   |
| S82.109D | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.109E | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.109F | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.109G | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.109H | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.109J | Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.109S | Unspecified fracture of upper end of unspecified tibia, sequela  |
| S82.111D | Displaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing                                      |
| S82.111E | Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with routine healing                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.111F | Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.111G | Displaced fracture of right tibial spine, subsequent encounter for closed fracture with delayed healing                              |
| S82.111H | Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.111J | Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.111S | Displaced fracture of right tibial spine, sequela  |
| S82.112D | Displaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing                               |
| S82.112E | Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.112F | Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.112G | Displaced fracture of left tibial spine, subsequent encounter for closed fracture with delayed healing                               |
| S82.112H | Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.112J | Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.112S | Displaced fracture of left tibial spine, sequela   |
| S82.113D | Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with routine healing                        |
| S82.113E | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with routine healing             |
| S82.113F | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.113G | Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with delayed healing                        |
| S82.113H | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.113J | Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.113S | Displaced fracture of unspecified tibial spine, sequela  |
| S82.114D | Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing                           |
| S82.114E | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with routine healing                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.114F | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.114G | Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with delayed healing                              |
| S82.114H | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.114J | Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.114S | Nondisplaced fracture of right tibial spine, sequela  |
| S82.115D | Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing                               |
| S82.115E | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.115F | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.115G | Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with delayed healing                               |
| S82.115H | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.115J | Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.115S | Nondisplaced fracture of left tibial spine, sequela   |
| S82.116D | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with routine healing                        |
| S82.116E | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with routine healing             |
| S82.116F | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.116G | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with delayed healing                        |
| S82.116H | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.116J | Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.116S | Nondisplaced fracture of unspecified tibial spine, sequela  |
| S82.121D | Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing                     |
| S82.121E | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.121F | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.121G | Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with delayed healing                              |
| S82.121H | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.121J | Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.121S | Displaced fracture of lateral condyle of right tibia, sequela  |
| S82.122D | Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing                               |
| S82.122E | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.122F | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.122G | Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.122H | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.122J | Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.122S | Displaced fracture of lateral condyle of left tibia, sequela   |
| S82.123D | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.123E | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.123F | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.123G | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.123H | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.123J | Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.123S | Displaced fracture of lateral condyle of unspecified tibia, sequela  |
| S82.124D | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.124E | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.124F | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.124G | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with delayed healing                              |
| S82.124H | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.124J | Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.124S | Nondisplaced fracture of lateral condyle of right tibia, sequela  |
| S82.125D | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing                               |
| S82.125E | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.125F | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.125G | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.125H | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.125J | Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.125S | Nondisplaced fracture of lateral condyle of left tibia, sequela   |
| S82.126D | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.126E | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.126F | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.126G | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.126H | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.126J | Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.126S | Nondisplaced fracture of lateral condyle of unspecified tibia, sequela  |
| S82.131D | Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing                                  |
| S82.131E | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.131F | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.131G | Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with delayed healing                              |
| S82.131H | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.131J | Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.131S | Displaced fracture of medial condyle of right tibia, sequela  |
| S82.132D | Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing                               |
| S82.132E | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.132F | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.132G | Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.132H | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.132J | Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.132S | Displaced fracture of medial condyle of left tibia, sequela   |
| S82.133D | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.133E | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.133F | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.133G | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.133H | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.133J | Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.133S | Displaced fracture of medial condyle of unspecified tibia, sequela  |
| S82.134D | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.134E | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing                |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.134F | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.134G | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with delayed healing                              |
| S82.134H | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.134J | Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.134S | Nondisplaced fracture of medial condyle of right tibia, sequela  |
| S82.135D | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing                               |
| S82.135E | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.135F | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.135G | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.135H | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.135J | Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.135S | Nondisplaced fracture of medial condyle of left tibia, sequela   |
| S82.136D | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.136E | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.136F | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.136G | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.136H | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.136J | Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.136S | Nondisplaced fracture of medial condyle of unspecified tibia, sequela  |
| S82.141D | Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing  |
| S82.141E | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing                             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.141F | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.141G | Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with delayed healing                              |
| S82.141H | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.141J | Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.141S | Displaced bicondylar fracture of right tibia, sequela  |
| S82.142D | Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing                               |
| S82.142E | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.142F | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.142G | Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.142H | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.142J | Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.142S | Displaced bicondylar fracture of left tibia, sequela   |
| S82.143D | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.143E | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.143F | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.143G | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.143H | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.143J | Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.143S | Displaced bicondylar fracture of unspecified tibia, sequela  |
| S82.144D | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.144E | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.144F | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.144G | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with delayed healing                              |
| S82.144H | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.144J | Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.144S | Nondisplaced bicondylar fracture of right tibia, sequela  |
| S82.145D | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing                               |
| S82.145E | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.145F | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.145G | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.145H | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.145J | Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.145S | Nondisplaced bicondylar fracture of left tibia, sequela   |
| S82.146D | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.146E | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.146F | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.146G | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.146H | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.146J | Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.146S | Nondisplaced bicondylar fracture of unspecified tibia, sequela  |
| S82.151D | Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing                                |
| S82.151E | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.151F | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.151G | Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with delayed healing                              |
| S82.151H | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.151J | Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.151S | Displaced fracture of right tibial tuberosity, sequela  |
| S82.152D | Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing                               |
| S82.152E | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.152F | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.152G | Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with delayed healing                               |
| S82.152H | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.152J | Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.152S | Displaced fracture of left tibial tuberosity, sequela   |
| S82.153D | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with routine healing                        |
| S82.153E | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing             |
| S82.153F | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.153G | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with delayed healing                        |
| S82.153H | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.153J | Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.153S | Displaced fracture of unspecified tibial tuberosity, sequela  |
| S82.154D | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing                           |
| S82.154E | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.154F    | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.154G    | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with delayed healing                              |
| S82.154H    | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.154J    | Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.154S    | Nondisplaced fracture of right tibial tuberosity, sequela  |
| S82.155D    | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing                               |
| S82.155E    | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.155F    | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.155G    | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with delayed healing                               |
| S82.155H    | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.155J    | Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.155S    | Nondisplaced fracture of left tibial tuberosity, sequela   |
| S82.156D    | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with routine healing                        |
| S82.156E    | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing             |
| S82.156F    | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.156G    | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with delayed healing                        |
| S82.156H    | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.156J    | Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.156S    | Nondisplaced fracture of unspecified tibial tuberosity, sequela  |
| S82.161D    | Torus fracture of upper end of right tibia, subsequent encounter for fracture with routine healing   |
| S82.161G    | Torus fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing   |
| S82.161S    | Torus fracture of upper end of right tibia, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.162D | Torus fracture of upper end of left tibia, subsequent encounter for fracture with routine healing                                |
| S82.162G | Torus fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing                                |
| S82.162S | Torus fracture of upper end of left tibia, sequela   |
| S82.169D | Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing                         |
| S82.169G | Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing                         |
| S82.169S | Torus fracture of upper end of unspecified tibia, sequela  |
| S82.191D | Other fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.191E | Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.191F | Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.191G | Other fracture of upper end of right tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.191H | Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.191J | Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.191S | Other fracture of upper end of right tibia, sequela  |
| S82.192D | Other fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing                         |
| S82.192E | Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with routine healing              |
| S82.192F | Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |
| S82.192G | Other fracture of upper end of left tibia, subsequent encounter for closed fracture with delayed healing                         |
| S82.192H | Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with delayed healing              |
| S82.192J | Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  |
| S82.192S | Other fracture of upper end of left tibia, sequela   |
| S82.199D | Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with routine healing                  |
| S82.199E | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.199F | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.199G | Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.199H | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.199J | Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.199S | Other fracture of upper end of unspecified tibia, sequela  |
| S82.201D | Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.201E | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.201F | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.201G | Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                            |
| S82.201H | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.201J | Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.201S | Unspecified fracture of shaft of right tibia, sequela  |
| S82.202D | Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                             |
| S82.202E | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                  |
| S82.202F | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing      |
| S82.202G | Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                             |
| S82.202H | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                  |
| S82.202J | Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing      |
| S82.202S | Unspecified fracture of shaft of left tibia, sequela   |
| S82.209D | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                      |
| S82.209E | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.209F    | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.209G    | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                           |
| S82.209H    | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.209J    | Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.209S    | Unspecified fracture of shaft of unspecified tibia, sequela   |
| S82.221D    | Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.221E    | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.221F    | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.221G    | Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.221H    | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.221J    | Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.221S    | Displaced transverse fracture of shaft of right tibia, sequela  |
| S82.222D    | Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                         |
| S82.222E    | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing              |
| S82.222F    | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |
| S82.222G    | Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                         |
| S82.222H    | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing              |
| S82.222J    | Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  |
| S82.222S    | Displaced transverse fracture of shaft of left tibia, sequela   |
| S82.223D    | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                  |
| S82.223E    | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing       |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.223F    | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.223G    | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.223H    | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.223J    | Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.223S    | Displaced transverse fracture of shaft of unspecified tibia, sequela  |
| S82.224D    | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.224E    | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                |
| S82.224F    | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.224G    | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                           |
| S82.224H    | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.224J    | Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.224S    | Nondisplaced transverse fracture of shaft of right tibia, sequela   |
| S82.225D    | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.225E    | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.225F    | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.225G    | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                            |
| S82.225H    | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.225J    | Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.225S    | Nondisplaced transverse fracture of shaft of left tibia, sequela  |
| S82.226D    | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                     |
| S82.226E    | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.226F | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.226G | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.226H | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.226J | Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.226S | Nondisplaced transverse fracture of shaft of unspecified tibia, sequela  |
| S82.231D | Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                                    |
| S82.231E | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                         |
| S82.231F | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S82.231G | Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                                    |
| S82.231H | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                         |
| S82.231J | Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing             |
| S82.231S | Displaced oblique fracture of shaft of right tibia, sequela  |
| S82.232D | Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                                     |
| S82.232E | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                          |
| S82.232F | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing              |
| S82.232G | Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                                     |
| S82.232H | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                          |
| S82.232J | Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing              |
| S82.232S | Displaced oblique fracture of shaft of left tibia, sequela   |
| S82.233D | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                              |
| S82.233E | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.233F | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.233G | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.233H | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.233J | Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.233S | Displaced oblique fracture of shaft of unspecified tibia, sequela  |
| S82.234D | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.234E | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                |
| S82.234F | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.234G | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                           |
| S82.234H | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.234J | Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.234S | Nondisplaced oblique fracture of shaft of right tibia, sequela   |
| S82.235D | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.235E | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.235F | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.235G | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                            |
| S82.235H | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.235J | Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.235S | Nondisplaced oblique fracture of shaft of left tibia, sequela  |
| S82.236D | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                     |
| S82.236E | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.236F | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.236G | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.236H | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.236J | Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.236S | Nondisplaced oblique fracture of shaft of unspecified tibia, sequela  |
| S82.241D | Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                                  |
| S82.241E | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                       |
| S82.241F | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S82.241G | Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                                  |
| S82.241H | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                       |
| S82.241J | Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S82.241S | Displaced spiral fracture of shaft of right tibia, sequela  |
| S82.242D | Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                                   |
| S82.242E | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                        |
| S82.242F | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing            |
| S82.242G | Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                                   |
| S82.242H | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                        |
| S82.242J | Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing            |
| S82.242S | Displaced spiral fracture of shaft of left tibia, sequela   |
| S82.243D | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.243E | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.243F    | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.243G    | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.243H    | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.243J    | Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.243S    | Displaced spiral fracture of shaft of unspecified tibia, sequela  |
| S82.244D    | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.244E    | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                |
| S82.244F    | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.244G    | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                           |
| S82.244H    | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.244J    | Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.244S    | Nondisplaced spiral fracture of shaft of right tibia, sequela   |
| S82.245D    | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.245E    | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.245F    | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.245G    | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                            |
| S82.245H    | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.245J    | Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.245S    | Nondisplaced spiral fracture of shaft of left tibia, sequela  |
| S82.246D    | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                     |
| S82.246E    | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.246F    | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.246G    | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.246H    | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.246J    | Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.246S    | Nondisplaced spiral fracture of shaft of unspecified tibia, sequela  |
| S82.251D    | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                             |
| S82.251E    | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                  |
| S82.251F    | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing      |
| S82.251G    | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                             |
| S82.251H    | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                  |
| S82.251J    | Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing      |
| S82.251S    | Displaced comminuted fracture of shaft of right tibia, sequela   |
| S82.252D    | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                              |
| S82.252E    | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.252F    | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.252G    | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                              |
| S82.252H    | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.252J    | Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.252S    | Displaced comminuted fracture of shaft of left tibia, sequela  |
| S82.253D    | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                       |
| S82.253E    | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.253F | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.253G | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.253H | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.253J | Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.253S | Displaced comminuted fracture of shaft of unspecified tibia, sequela  |
| S82.254D | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.254E | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                |
| S82.254F | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.254G | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                           |
| S82.254H | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.254J | Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.254S | Nondisplaced comminuted fracture of shaft of right tibia, sequela   |
| S82.255D | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.255E | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.255F | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.255G | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                            |
| S82.255H | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.255J | Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.255S | Nondisplaced comminuted fracture of shaft of left tibia, sequela  |
| S82.256D | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                     |
| S82.256E | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing          |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.256F    | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.256G    | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.256H    | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.256J    | Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.256S    | Nondisplaced comminuted fracture of shaft of unspecified tibia, sequela  |
| S82.261D    | Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                                  |
| S82.261E    | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                       |
| S82.261F    | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S82.261G    | Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                                  |
| S82.261H    | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                       |
| S82.261J    | Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S82.261S    | Displaced segmental fracture of shaft of right tibia, sequela  |
| S82.262D    | Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                                   |
| S82.262E    | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                        |
| S82.262F    | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing            |
| S82.262G    | Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                                   |
| S82.262H    | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                        |
| S82.262J    | Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing            |
| S82.262S    | Displaced segmental fracture of shaft of left tibia, sequela   |
| S82.263D    | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.263E    | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.263F | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.263G | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.263H | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.263J | Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.263S | Displaced segmental fracture of shaft of unspecified tibia, sequela  |
| S82.264D | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.264E | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                |
| S82.264F | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.264G | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing                           |
| S82.264H | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.264J | Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.264S | Nondisplaced segmental fracture of shaft of right tibia, sequela   |
| S82.265D | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.265E | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.265F | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.265G | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing                            |
| S82.265H | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.265J | Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.265S | Nondisplaced segmental fracture of shaft of left tibia, sequela  |
| S82.266D | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing                     |
| S82.266E | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.266F | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.266G | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.266H | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.266J | Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.266S | Nondisplaced segmental fracture of shaft of unspecified tibia, sequela  |
| S82.291D | Other fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing   |
| S82.291E | Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing                                    |
| S82.291F | Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                        |
| S82.291G | Other fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing   |
| S82.291H | Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing                                    |
| S82.291J | Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                        |
| S82.291S | Other fracture of shaft of right tibia, sequela   |
| S82.292D | Other fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing  |
| S82.292E | Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing                                     |
| S82.292F | Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                         |
| S82.292G | Other fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing  |
| S82.292H | Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing                                     |
| S82.292J | Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                         |
| S82.292S | Other fracture of shaft of left tibia, sequela  |
| S82.299D | Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing   |
| S82.299E | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.299F    | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.299G    | Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing                            |
| S82.299H    | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.299J    | Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.299S    | Other fracture of shaft of unspecified tibia, sequela  |
| S82.301D    | Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.301E    | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.301F    | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.301G    | Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.301H    | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.301J    | Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.301S    | Unspecified fracture of lower end of right tibia, sequela  |
| S82.302D    | Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing                         |
| S82.302E    | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with routine healing              |
| S82.302F    | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |
| S82.302G    | Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with delayed healing                         |
| S82.302H    | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with delayed healing              |
| S82.302J    | Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  |
| S82.302S    | Unspecified fracture of lower end of left tibia, sequela   |
| S82.309D    | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with routine healing                  |
| S82.309E    | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.309F | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.309G | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.309H | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.309J | Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.309S | Unspecified fracture of lower end of unspecified tibia, sequela  |
| S82.311D | Torus fracture of lower end of right tibia, subsequent encounter for fracture with routine healing   |
| S82.311G | Torus fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing   |
| S82.311S | Torus fracture of lower end of right tibia, sequela  |
| S82.312D | Torus fracture of lower end of left tibia, subsequent encounter for fracture with routine healing  |
| S82.312G | Torus fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing  |
| S82.312S | Torus fracture of lower end of left tibia, sequela   |
| S82.319D | Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing                                     |
| S82.319G | Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing                                     |
| S82.319S | Torus fracture of lower end of unspecified tibia, sequela  |
| S82.391D | Other fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing                                    |
| S82.391E | Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with routine healing                         |
| S82.391F | Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S82.391G | Other fracture of lower end of right tibia, subsequent encounter for closed fracture with delayed healing                                    |
| S82.391H | Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with delayed healing                         |
| S82.391J | Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing             |
| S82.391S | Other fracture of lower end of right tibia, sequela  |
| S82.392D | Other fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing                                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.392E | Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.392F | Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.392G | Other fracture of lower end of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.392H | Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.392J | Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.392S | Other fracture of lower end of left tibia, sequela   |
| S82.399D | Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.399E | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.399F | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.399G | Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.399H | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.399J | Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.399S | Other fracture of lower end of unspecified tibia, sequela  |
| S82.401D | Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                           |
| S82.401E | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                |
| S82.401F | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.401G | Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                           |
| S82.401H | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.401J | Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.401S | Unspecified fracture of shaft of right fibula, sequela   |
| S82.402D | Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.402E | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                       |
| S82.402F | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S82.402G | Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                                  |
| S82.402H | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                       |
| S82.402J | Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S82.402S | Unspecified fracture of shaft of left fibula, sequela  |
| S82.409D | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                           |
| S82.409E | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing                |
| S82.409F | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.409G | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                           |
| S82.409H | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.409J | Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.409S | Unspecified fracture of shaft of unspecified fibula, sequela   |
| S82.421D | Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.421E | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.421F | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.421G | Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.421H | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.421J | Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.421S | Displaced transverse fracture of shaft of right fibula, sequela  |
| S82.422D | Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                         |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.422E    | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.422F    | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.422G    | Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.422H    | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.422J    | Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.422S    | Displaced transverse fracture of shaft of left fibula, sequela   |
| S82.423D    | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.423E    | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.423F    | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.423G    | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.423H    | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.423J    | Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.423S    | Displaced transverse fracture of shaft of unspecified fibula, sequela  |
| S82.424D    | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                           |
| S82.424E    | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                |
| S82.424F    | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.424G    | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                           |
| S82.424H    | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.424J    | Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.424S    | Nondisplaced transverse fracture of shaft of right fibula, sequela   |
| S82.425D    | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.425E    | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.425F    | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.425G    | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.425H    | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.425J    | Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.425S    | Nondisplaced transverse fracture of shaft of left fibula, sequela   |
| S82.426D    | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.426E    | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.426F    | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.426G    | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.426H    | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.426J    | Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.426S    | Nondisplaced transverse fracture of shaft of unspecified fibula, sequela  |
| S82.431D    | Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                                    |
| S82.431E    | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                         |
| S82.431F    | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing             |
| S82.431G    | Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                                    |
| S82.431H    | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                         |
| S82.431J    | Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing             |
| S82.431S    | Displaced oblique fracture of shaft of right fibula, sequela  |
| S82.432D    | Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.432E | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.432F | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.432G | Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.432H | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.432J | Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.432S | Displaced oblique fracture of shaft of left fibula, sequela   |
| S82.433D | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.433E | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.433F | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.433G | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.433H | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.433J | Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.433S | Displaced oblique fracture of shaft of unspecified fibula, sequela  |
| S82.434D | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                           |
| S82.434E | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                |
| S82.434F | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.434G | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                           |
| S82.434H | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.434J | Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.434S | Nondisplaced oblique fracture of shaft of right fibula, sequela   |
| S82.435D | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.435E | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.435F | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.435G | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.435H | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.435J | Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.435S | Nondisplaced oblique fracture of shaft of left fibula, sequela   |
| S82.436D | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.436E | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.436F | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.436G | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.436H | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.436J | Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.436S | Nondisplaced oblique fracture of shaft of unspecified fibula, sequela  |
| S82.441D | Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                                  |
| S82.441E | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                       |
| S82.441F | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S82.441G | Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                                  |
| S82.441H | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                       |
| S82.441J | Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S82.441S | Displaced spiral fracture of shaft of right fibula, sequela  |
| S82.442D | Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.442E    | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.442F    | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.442G    | Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.442H    | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.442J    | Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.442S    | Displaced spiral fracture of shaft of left fibula, sequela   |
| S82.443D    | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.443E    | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.443F    | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.443G    | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.443H    | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.443J    | Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.443S    | Displaced spiral fracture of shaft of unspecified fibula, sequela  |
| S82.444D    | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                           |
| S82.444E    | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                |
| S82.444F    | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.444G    | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                           |
| S82.444H    | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.444J    | Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.444S    | Nondisplaced spiral fracture of shaft of right fibula, sequela   |
| S82.445D    | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.445E | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.445F | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.445G | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.445H | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.445J | Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.445S | Nondisplaced spiral fracture of shaft of left fibula, sequela   |
| S82.446D | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.446E | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.446F | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.446G | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.446H | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.446J | Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.446S | Nondisplaced spiral fracture of shaft of unspecified fibula, sequela  |
| S82.451D | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                             |
| S82.451E | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                  |
| S82.451F | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing      |
| S82.451G | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                             |
| S82.451H | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                  |
| S82.451J | Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing      |
| S82.451S | Displaced comminuted fracture of shaft of right fibula, sequela   |
| S82.452D | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                              |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.452E    | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.452F    | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.452G    | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.452H    | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.452J    | Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.452S    | Displaced comminuted fracture of shaft of left fibula, sequela   |
| S82.453D    | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.453E    | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.453F    | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.453G    | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.453H    | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.453J    | Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.453S    | Displaced comminuted fracture of shaft of unspecified fibula, sequela  |
| S82.454D    | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                           |
| S82.454E    | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                |
| S82.454F    | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.454G    | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                           |
| S82.454H    | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.454J    | Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.454S    | Nondisplaced comminuted fracture of shaft of right fibula, sequela   |
| S82.455D    | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.455E | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.455F | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.455G | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.455H | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.455J | Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.455S | Nondisplaced comminuted fracture of shaft of left fibula, sequela   |
| S82.456D | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.456E | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.456F | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.456G | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.456H | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.456J | Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.456S | Nondisplaced comminuted fracture of shaft of unspecified fibula, sequela  |
| S82.461D | Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                                  |
| S82.461E | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                       |
| S82.461F | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S82.461G | Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                                  |
| S82.461H | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                       |
| S82.461J | Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S82.461S | Displaced segmental fracture of shaft of right fibula, sequela  |
| S82.462D | Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.462E | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.462F | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.462G | Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.462H | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.462J | Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.462S | Displaced segmental fracture of shaft of left fibula, sequela   |
| S82.463D | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.463E | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.463F | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.463G | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.463H | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.463J | Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.463S | Displaced segmental fracture of shaft of unspecified fibula, sequela  |
| S82.464D | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing                           |
| S82.464E | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                |
| S82.464F | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.464G | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing                           |
| S82.464H | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.464J | Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.464S | Nondisplaced segmental fracture of shaft of right fibula, sequela   |
| S82.465D | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.465E | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.465F | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.465G | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.465H | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.465J | Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.465S | Nondisplaced segmental fracture of shaft of left fibula, sequela   |
| S82.466D | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.466E | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.466F | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.466G | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.466H | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.466J | Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.466S | Nondisplaced segmental fracture of shaft of unspecified fibula, sequela  |
| S82.491D | Other fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing   |
| S82.491E | Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing                                    |
| S82.491F | Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                        |
| S82.491G | Other fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing   |
| S82.491H | Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing                                    |
| S82.491J | Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                        |
| S82.491S | Other fracture of shaft of right fibula, sequela   |
| S82.492D | Other fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.492E | Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing                            |
| S82.492F | Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                |
| S82.492G | Other fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing                                       |
| S82.492H | Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing                            |
| S82.492J | Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                |
| S82.492S | Other fracture of shaft of left fibula, sequela   |
| S82.499D | Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing                                |
| S82.499E | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing                     |
| S82.499F | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing         |
| S82.499G | Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing                                |
| S82.499H | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing                     |
| S82.499J | Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing         |
| S82.499S | Other fracture of shaft of unspecified fibula, sequela  |
| S82.51XD | Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.51XE | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.51XF | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.51XG | Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.51XH | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.51XJ | Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.51XS | Displaced fracture of medial malleolus of right tibia, sequela  |
| S82.52XD | Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.52XE | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.52XF | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.52XG | Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.52XH | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.52XJ | Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.52XS | Displaced fracture of medial malleolus of left tibia, sequela   |
| S82.53XD | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.53XE | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.53XF | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.53XG | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.53XH | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.53XJ | Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.53XS | Displaced fracture of medial malleolus of unspecified tibia, sequela  |
| S82.54XD | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.54XE | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with routine healing                |
| S82.54XF | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.54XG | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with delayed healing                           |
| S82.54XH | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.54XJ | Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.54XS | Nondisplaced fracture of medial malleolus of right tibia, sequela   |
| S82.55XD | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.55XE | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.55XF | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.55XG | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with delayed healing                               |
| S82.55XH | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.55XJ | Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.55XS | Nondisplaced fracture of medial malleolus of left tibia, sequela   |
| S82.56XD | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.56XE | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.56XF | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.56XG | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.56XH | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.56XJ | Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.56XS | Nondisplaced fracture of medial malleolus of unspecified tibia, sequela  |
| S82.61XD | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing                               |
| S82.61XE | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.61XF | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.61XG | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.61XH | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.61XJ | Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.61XS | Displaced fracture of lateral malleolus of right fibula, sequela   |
| S82.62XD | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing                                |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.62XE | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.62XF | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.62XG | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.62XH | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.62XJ | Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.62XS | Displaced fracture of lateral malleolus of left fibula, sequela   |
| S82.63XD | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.63XE | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.63XF | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.63XG | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.63XH | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.63XJ | Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.63XS | Displaced fracture of lateral malleolus of unspecified fibula, sequela  |
| S82.64XD | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing                           |
| S82.64XE | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with routine healing                |
| S82.64XF | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.64XG | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with delayed healing                           |
| S82.64XH | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.64XJ | Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.64XS | Nondisplaced fracture of lateral malleolus of right fibula, sequela   |
| S82.65XD | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.65XE    | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with routine healing                    |
| S82.65XF    | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing        |
| S82.65XG    | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with delayed healing                               |
| S82.65XH    | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with delayed healing                    |
| S82.65XJ    | Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing        |
| S82.65XS    | Nondisplaced fracture of lateral malleolus of left fibula, sequela   |
| S82.66XD    | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.66XE    | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.66XF    | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.66XG    | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.66XH    | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.66XJ    | Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.66XS    | Nondisplaced fracture of lateral malleolus of unspecified fibula, sequela  |
| S82.811D    | Torus fracture of upper end of right fibula, subsequent encounter for fracture with routine healing  |
| S82.811G    | Torus fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing  |
| S82.811S    | Torus fracture of upper end of right fibula, sequela   |
| S82.812D    | Torus fracture of upper end of left fibula, subsequent encounter for fracture with routine healing   |
| S82.812G    | Torus fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing   |
| S82.812S    | Torus fracture of upper end of left fibula, sequela  |
| S82.819D    | Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing  |
| S82.819G    | Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing  |
| S82.819S    | Torus fracture of upper end of unspecified fibula, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.821D | Torus fracture of lower end of right fibula, subsequent encounter for fracture with routine healing   |
| S82.821G | Torus fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing   |
| S82.821S | Torus fracture of lower end of right fibula, sequela  |
| S82.822D | Torus fracture of lower end of left fibula, subsequent encounter for fracture with routine healing  |
| S82.822G | Torus fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing  |
| S82.822S | Torus fracture of lower end of left fibula, sequela   |
| S82.829D | Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing                                   |
| S82.829G | Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing                                   |
| S82.829S | Torus fracture of lower end of unspecified fibula, sequela  |
| S82.831D | Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.831E | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.831F | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.831G | Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.831H | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.831J | Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.831S | Other fracture of upper and lower end of right fibula, sequela  |
| S82.832D | Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with routine healing                         |
| S82.832E | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with routine healing              |
| S82.832F | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  |
| S82.832G | Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with delayed healing                         |
| S82.832H | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with delayed healing              |
| S82.832J | Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.832S    | Other fracture of upper and lower end of left fibula, sequela   |
| S82.839D    | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with routine healing                        |
| S82.839E    | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing             |
| S82.839F    | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.839G    | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with delayed healing                        |
| S82.839H    | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.839J    | Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.839S    | Other fracture of upper and lower end of unspecified fibula, sequela  |
| S82.841D    | Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing                                  |
| S82.841E    | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing                       |
| S82.841F    | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing           |
| S82.841G    | Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing                                  |
| S82.841H    | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing                       |
| S82.841J    | Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing           |
| S82.841S    | Displaced bimalleolar fracture of right lower leg, sequela  |
| S82.842D    | Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing                                   |
| S82.842E    | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing                        |
| S82.842F    | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing            |
| S82.842G    | Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing                                   |
| S82.842H    | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing                        |
| S82.842J    | Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing            |
| S82.842S    | Displaced bimalleolar fracture of left lower leg, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.843D    | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing                        |
| S82.843E    | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing             |
| S82.843F    | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.843G    | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing                        |
| S82.843H    | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.843J    | Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.843S    | Displaced bimalleolar fracture of unspecified lower leg, sequela  |
| S82.844D    | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing                           |
| S82.844E    | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing                |
| S82.844F    | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.844G    | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing                           |
| S82.844H    | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.844J    | Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.844S    | Nondisplaced bimalleolar fracture of right lower leg, sequela   |
| S82.845D    | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing                            |
| S82.845E    | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.845F    | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.845G    | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing                            |
| S82.845H    | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.845J    | Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.845S    | Nondisplaced bimalleolar fracture of left lower leg, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.846D | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing                        |
| S82.846E | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing             |
| S82.846F | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.846G | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing                        |
| S82.846H | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.846J | Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.846S | Nondisplaced bimalleolar fracture of unspecified lower leg, sequela  |
| S82.851D | Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing                                |
| S82.851E | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing                     |
| S82.851F | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing         |
| S82.851G | Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing                                |
| S82.851H | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing                     |
| S82.851J | Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing         |
| S82.851S | Displaced trimalleolar fracture of right lower leg, sequela  |
| S82.852D | Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing                                 |
| S82.852E | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing                      |
| S82.852F | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing          |
| S82.852G | Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing                                 |
| S82.852H | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing                      |
| S82.852J | Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing          |
| S82.852S | Displaced trimalleolar fracture of left lower leg, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.853D | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing                        |
| S82.853E | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing             |
| S82.853F | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.853G | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing                        |
| S82.853H | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.853J | Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.853S | Displaced trimalleolar fracture of unspecified lower leg, sequela  |
| S82.854D | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing                           |
| S82.854E | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing                |
| S82.854F | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.854G | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing                           |
| S82.854H | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.854J | Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.854S | Nondisplaced trimalleolar fracture of right lower leg, sequela   |
| S82.855D | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing                            |
| S82.855E | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.855F | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.855G | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing                            |
| S82.855H | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.855J | Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.855S | Nondisplaced trimalleolar fracture of left lower leg, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.856D | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing                        |
| S82.856E | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing             |
| S82.856F | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.856G | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing                        |
| S82.856H | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.856J | Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.856S | Nondisplaced trimalleolar fracture of unspecified lower leg, sequela  |
| S82.861D | Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing                                      |
| S82.861E | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with routine healing                           |
| S82.861F | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing               |
| S82.861G | Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with delayed healing                                      |
| S82.861H | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with delayed healing                           |
| S82.861J | Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing               |
| S82.861S | Displaced Maisonneuve's fracture of right leg, sequela  |
| S82.862D | Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing                                       |
| S82.862E | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with routine healing                            |
| S82.862F | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                |
| S82.862G | Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with delayed healing                                       |
| S82.862H | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with delayed healing                            |
| S82.862J | Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                |
| S82.862S | Displaced Maisonneuve's fracture of left leg, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.863D | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with routine healing                        |
| S82.863E | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with routine healing             |
| S82.863F | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.863G | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with delayed healing                        |
| S82.863H | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.863J | Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.863S | Displaced Maisonneuve's fracture of unspecified leg, sequela  |
| S82.864D | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing                           |
| S82.864E | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with routine healing                |
| S82.864F | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.864G | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with delayed healing                           |
| S82.864H | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.864J | Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.864S | Nondisplaced Maisonneuve's fracture of right leg, sequela   |
| S82.865D | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing                            |
| S82.865E | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.865F | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.865G | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with delayed healing                            |
| S82.865H | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.865J | Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.865S | Nondisplaced Maisonneuve's fracture of left leg, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.866D | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with routine healing                      |
| S82.866E | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with routine healing           |
| S82.866F | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing |
| S82.866G | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with delayed healing                      |
| S82.866H | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with delayed healing           |
| S82.866J | Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing |
| S82.866S | Nondisplaced Maisonneuve's fracture of unspecified leg, sequela  |
| S82.871D | Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing                                     |
| S82.871E | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing                          |
| S82.871F | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing                |
| S82.871G | Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with delayed healing                                     |
| S82.871H | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing                          |
| S82.871J | Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing                |
| S82.871S | Displaced pilon fracture of right tibia, sequela   |
| S82.872D | Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing                                      |
| S82.872E | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing                           |
| S82.872F | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with routine healing                 |
| S82.872G | Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with delayed healing                                      |
| S82.872H | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing                           |
| S82.872J | Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIB, or IIC with delayed healing                 |
| S82.872S | Displaced pilon fracture of left tibia, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.873D    | Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.873E    | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.873F    | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.873G    | Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.873H    | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.873J    | Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.873S    | Displaced pilon fracture of unspecified tibia, sequela  |
| S82.874D    | Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing                           |
| S82.874E    | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing                |
| S82.874F    | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing    |
| S82.874G    | Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with delayed healing                           |
| S82.874H    | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing                |
| S82.874J    | Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing    |
| S82.874S    | Nondisplaced pilon fracture of right tibia, sequela   |
| S82.875D    | Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing                            |
| S82.875E    | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing                 |
| S82.875F    | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing     |
| S82.875G    | Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with delayed healing                            |
| S82.875H    | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing                 |
| S82.875J    | Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing     |
| S82.875S    | Nondisplaced pilon fracture of left tibia, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.876D | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing                        |
| S82.876E | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing             |
| S82.876F | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.876G | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing                        |
| S82.876H | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.876J | Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.876S | Nondisplaced pilon fracture of unspecified tibia, sequela  |
| S82.891D | Other fracture of right lower leg, subsequent encounter for closed fracture with routine healing                                       |
| S82.891E | Other fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing                            |
| S82.891F | Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                |
| S82.891G | Other fracture of right lower leg, subsequent encounter for closed fracture with delayed healing                                       |
| S82.891H | Other fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing                            |
| S82.891J | Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                |
| S82.891S | Other fracture of right lower leg, sequela   |
| S82.892D | Other fracture of left lower leg, subsequent encounter for closed fracture with routine healing  |
| S82.892E | Other fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing                             |
| S82.892F | Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing                 |
| S82.892G | Other fracture of left lower leg, subsequent encounter for closed fracture with delayed healing  |
| S82.892H | Other fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing                             |
| S82.892J | Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing                 |
| S82.892S | Other fracture of left lower leg, sequela  |
| S82.899D | Other fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing                                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.899E    | Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.899F    | Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.899G    | Other fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing                              |
| S82.899H    | Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.899J    | Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.899S    | Other fracture of unspecified lower leg, sequela  |
| S82.90XD    | Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing                        |
| S82.90XE    | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing             |
| S82.90XF    | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.90XG    | Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing                        |
| S82.90XH    | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.90XJ    | Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.90XS    | Unspecified fracture of unspecified lower leg, sequela  |
| S82.91XD    | Unspecified fracture of right lower leg, subsequent encounter for closed fracture with routine healing                              |
| S82.91XE    | Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing                   |
| S82.91XF    | Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing       |
| S82.91XG    | Unspecified fracture of right lower leg, subsequent encounter for closed fracture with delayed healing                              |
| S82.91XH    | Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing                   |
| S82.91XJ    | Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing       |
| S82.91XS    | Unspecified fracture of right lower leg, sequela  |
| S82.92XD    | Unspecified fracture of left lower leg, subsequent encounter for closed fracture with routine healing                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.92XE | Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing             |
| S82.92XF | Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing |
| S82.92XG | Unspecified fracture of left lower leg, subsequent encounter for closed fracture with delayed healing                        |
| S82.92XH | Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing             |
| S82.92XJ | Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing |
| S82.92XS | Unspecified fracture of left lower leg, sequela  |
| S83.001A | Unspecified subluxation of right patella, initial encounter  |
| S83.001S | Unspecified subluxation of right patella, sequela  |
| S83.002A | Unspecified subluxation of left patella, initial encounter   |
| S83.002S | Unspecified subluxation of left patella, sequela   |
| S83.003A | Unspecified subluxation of unspecified patella, initial encounter  |
| S83.003S | Unspecified subluxation of unspecified patella, sequela  |
| S83.004A | Unspecified dislocation of right patella, initial encounter  |
| S83.004S | Unspecified dislocation of right patella, sequela  |
| S83.005A | Unspecified dislocation of left patella, initial encounter   |
| S83.005S | Unspecified dislocation of left patella, sequela   |
| S83.006A | Unspecified dislocation of unspecified patella, initial encounter  |
| S83.006S | Unspecified dislocation of unspecified patella, sequela  |
| S83.011A | Lateral subluxation of right patella, initial encounter  |
| S83.011S | Lateral subluxation of right patella, sequela  |
| S83.012A | Lateral subluxation of left patella, initial encounter   |
| S83.012S | Lateral subluxation of left patella, sequela   |
| S83.013A | Lateral subluxation of unspecified patella, initial encounter  |
| S83.013S | Lateral subluxation of unspecified patella, sequela  |
| S83.014A | Lateral dislocation of right patella, initial encounter  |
| S83.014S | Lateral dislocation of right patella, sequela  |
| S83.015A | Lateral dislocation of left patella, initial encounter   |
| S83.015S | Lateral dislocation of left patella, sequela   |
| S83.016A | Lateral dislocation of unspecified patella, initial encounter  |
| S83.016S | Lateral dislocation of unspecified patella, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S83.091A    | Other subluxation of right patella, initial encounter                              |
| S83.091S    | Other subluxation of right patella, sequela  |
| S83.092A    | Other subluxation of left patella, initial encounter                               |
| S83.092S    | Other subluxation of left patella, sequela   |
| S83.093A    | Other subluxation of unspecified patella, initial encounter                        |
| S83.093S    | Other subluxation of unspecified patella, sequela                                  |
| S83.094A    | Other dislocation of right patella, initial encounter                              |
| S83.094S    | Other dislocation of right patella, sequela  |
| S83.095A    | Other dislocation of left patella, initial encounter                               |
| S83.095S    | Other dislocation of left patella, sequela   |
| S83.096A    | Other dislocation of unspecified patella, initial encounter                        |
| S83.096S    | Other dislocation of unspecified patella, sequela                                  |
| S83.101A    | Unspecified subluxation of right knee, initial encounter                           |
| S83.101S    | Unspecified subluxation of right knee, sequela                                     |
| S83.102A    | Unspecified subluxation of left knee, initial encounter                            |
| S83.102S    | Unspecified subluxation of left knee, sequela                                      |
| S83.103A    | Unspecified subluxation of unspecified knee, initial encounter                     |
| S83.103S    | Unspecified subluxation of unspecified knee, sequela                               |
| S83.104A    | Unspecified dislocation of right knee, initial encounter                           |
| S83.104S    | Unspecified dislocation of right knee, sequela                                     |
| S83.105A    | Unspecified dislocation of left knee, initial encounter                            |
| S83.105S    | Unspecified dislocation of left knee, sequela                                      |
| S83.106A    | Unspecified dislocation of unspecified knee, initial encounter                     |
| S83.106S    | Unspecified dislocation of unspecified knee, sequela                               |
| S83.111A    | Anterior subluxation of proximal end of tibia, right knee, initial encounter       |
| S83.111S    | Anterior subluxation of proximal end of tibia, right knee, sequela                 |
| S83.112A    | Anterior subluxation of proximal end of tibia, left knee, initial encounter        |
| S83.112S    | Anterior subluxation of proximal end of tibia, left knee, sequela                  |
| S83.113A    | Anterior subluxation of proximal end of tibia, unspecified knee, initial encounter |
| S83.113S    | Anterior subluxation of proximal end of tibia, unspecified knee, sequela           |
| S83.114A    | Anterior dislocation of proximal end of tibia, right knee, initial encounter       |
| S83.114S    | Anterior dislocation of proximal end of tibia, right knee, sequela                 |
| S83.115A    | Anterior dislocation of proximal end of tibia, left knee, initial encounter        |
| S83.115S    | Anterior dislocation of proximal end of tibia, left knee, sequela                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S83.116A | Anterior dislocation of proximal end of tibia, unspecified knee, initial encounter  |
| S83.116S | Anterior dislocation of proximal end of tibia, unspecified knee, sequela            |
| S83.121A | Posterior subluxation of proximal end of tibia, right knee, initial encounter       |
| S83.121S | Posterior subluxation of proximal end of tibia, right knee, sequela                 |
| S83.122A | Posterior subluxation of proximal end of tibia, left knee, initial encounter        |
| S83.122S | Posterior subluxation of proximal end of tibia, left knee, sequela                  |
| S83.123A | Posterior subluxation of proximal end of tibia, unspecified knee, initial encounter |
| S83.123S | Posterior subluxation of proximal end of tibia, unspecified knee, sequela           |
| S83.124A | Posterior dislocation of proximal end of tibia, right knee, initial encounter       |
| S83.124S | Posterior dislocation of proximal end of tibia, right knee, sequela                 |
| S83.125A | Posterior dislocation of proximal end of tibia, left knee, initial encounter        |
| S83.125S | Posterior dislocation of proximal end of tibia, left knee, sequela                  |
| S83.126A | Posterior dislocation of proximal end of tibia, unspecified knee, initial encounter |
| S83.126S | Posterior dislocation of proximal end of tibia, unspecified knee, sequela           |
| S83.131A | Medial subluxation of proximal end of tibia, right knee, initial encounter          |
| S83.131S | Medial subluxation of proximal end of tibia, right knee, sequela                    |
| S83.132A | Medial subluxation of proximal end of tibia, left knee, initial encounter           |
| S83.132S | Medial subluxation of proximal end of tibia, left knee, sequela                     |
| S83.133A | Medial subluxation of proximal end of tibia, unspecified knee, initial encounter    |
| S83.133S | Medial subluxation of proximal end of tibia, unspecified knee, sequela              |
| S83.134A | Medial dislocation of proximal end of tibia, right knee, initial encounter          |
| S83.134S | Medial dislocation of proximal end of tibia, right knee, sequela                    |
| S83.135A | Medial dislocation of proximal end of tibia, left knee, initial encounter           |
| S83.135S | Medial dislocation of proximal end of tibia, left knee, sequela                     |
| S83.136A | Medial dislocation of proximal end of tibia, unspecified knee, initial encounter    |
| S83.136S | Medial dislocation of proximal end of tibia, unspecified knee, sequela              |
| S83.141A | Lateral subluxation of proximal end of tibia, right knee, initial encounter         |
| S83.141S | Lateral subluxation of proximal end of tibia, right knee, sequela                   |
| S83.142A | Lateral subluxation of proximal end of tibia, left knee, initial encounter          |
| S83.142S | Lateral subluxation of proximal end of tibia, left knee, sequela                    |
| S83.143A | Lateral subluxation of proximal end of tibia, unspecified knee, initial encounter   |
| S83.143S | Lateral subluxation of proximal end of tibia, unspecified knee, sequela             |
| S83.144A | Lateral dislocation of proximal end of tibia, right knee, initial encounter         |
| S83.144S | Lateral dislocation of proximal end of tibia, right knee, sequela                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S83.145A    | Lateral dislocation of proximal end of tibia, left knee, initial encounter                      |
| S83.145S    | Lateral dislocation of proximal end of tibia, left knee, sequela                                |
| S83.146A    | Lateral dislocation of proximal end of tibia, unspecified knee, initial encounter               |
| S83.146S    | Lateral dislocation of proximal end of tibia, unspecified knee, sequela                         |
| S83.191A    | Other subluxation of right knee, initial encounter  |
| S83.191S    | Other subluxation of right knee, sequela  |
| S83.192A    | Other subluxation of left knee, initial encounter   |
| S83.192S    | Other subluxation of left knee, sequela   |
| S83.193A    | Other subluxation of unspecified knee, initial encounter  |
| S83.193S    | Other subluxation of unspecified knee, sequela  |
| S83.194A    | Other dislocation of right knee, initial encounter  |
| S83.194S    | Other dislocation of right knee, sequela  |
| S83.195A    | Other dislocation of left knee, initial encounter   |
| S83.195S    | Other dislocation of left knee, sequela   |
| S83.196A    | Other dislocation of unspecified knee, initial encounter  |
| S83.196S    | Other dislocation of unspecified knee, sequela  |
| S83.200A    | Bucket-handle tear of unspecified meniscus, current injury, right knee, initial encounter       |
| S83.200S    | Bucket-handle tear of unspecified meniscus, current injury, right knee, sequela                 |
| S83.201A    | Bucket-handle tear of unspecified meniscus, current injury, left knee, initial encounter        |
| S83.201S    | Bucket-handle tear of unspecified meniscus, current injury, left knee, sequela                  |
| S83.202A    | Bucket-handle tear of unspecified meniscus, current injury, unspecified knee, initial encounter |
| S83.202S    | Bucket-handle tear of unspecified meniscus, current injury, unspecified knee, sequela           |
| S83.203A    | Other tear of unspecified meniscus, current injury, right knee, initial encounter               |
| S83.203S    | Other tear of unspecified meniscus, current injury, right knee, sequela                         |
| S83.204A    | Other tear of unspecified meniscus, current injury, left knee, initial encounter                |
| S83.204S    | Other tear of unspecified meniscus, current injury, left knee, sequela                          |
| S83.205A    | Other tear of unspecified meniscus, current injury, unspecified knee, initial encounter         |
| S83.205S    | Other tear of unspecified meniscus, current injury, unspecified knee, sequela                   |
| S83.206A    | Unspecified tear of unspecified meniscus, current injury, right knee, initial encounter         |
| S83.206S    | Unspecified tear of unspecified meniscus, current injury, right knee, sequela                   |
| S83.207A    | Unspecified tear of unspecified meniscus, current injury, left knee, initial encounter          |
| S83.207S    | Unspecified tear of unspecified meniscus, current injury, left knee, sequela                    |
| S83.209A    | Unspecified tear of unspecified meniscus, current injury, unspecified knee, initial encounter   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S83.209S    | Unspecified tear of unspecified meniscus, current injury, unspecified knee, sequela         |
| S83.211A    | Bucket-handle tear of medial meniscus, current injury, right knee, initial encounter        |
| S83.211S    | Bucket-handle tear of medial meniscus, current injury, right knee, sequela                  |
| S83.212A    | Bucket-handle tear of medial meniscus, current injury, left knee, initial encounter         |
| S83.212S    | Bucket-handle tear of medial meniscus, current injury, left knee, sequela                   |
| S83.219A    | Bucket-handle tear of medial meniscus, current injury, unspecified knee, initial encounter  |
| S83.219S    | Bucket-handle tear of medial meniscus, current injury, unspecified knee, sequela            |
| S83.221A    | Peripheral tear of medial meniscus, current injury, right knee, initial encounter           |
| S83.221S    | Peripheral tear of medial meniscus, current injury, right knee, sequela                     |
| S83.222A    | Peripheral tear of medial meniscus, current injury, left knee, initial encounter            |
| S83.222S    | Peripheral tear of medial meniscus, current injury, left knee, sequela                      |
| S83.229A    | Peripheral tear of medial meniscus, current injury, unspecified knee, initial encounter     |
| S83.229S    | Peripheral tear of medial meniscus, current injury, unspecified knee, sequela               |
| S83.231A    | Complex tear of medial meniscus, current injury, right knee, initial encounter              |
| S83.231S    | Complex tear of medial meniscus, current injury, right knee, sequela                        |
| S83.232A    | Complex tear of medial meniscus, current injury, left knee, initial encounter               |
| S83.232S    | Complex tear of medial meniscus, current injury, left knee, sequela                         |
| S83.239A    | Complex tear of medial meniscus, current injury, unspecified knee, initial encounter        |
| S83.239S    | Complex tear of medial meniscus, current injury, unspecified knee, sequela                  |
| S83.241A    | Other tear of medial meniscus, current injury, right knee, initial encounter                |
| S83.241S    | Other tear of medial meniscus, current injury, right knee, sequela                          |
| S83.242A    | Other tear of medial meniscus, current injury, left knee, initial encounter                 |
| S83.242S    | Other tear of medial meniscus, current injury, left knee, sequela                           |
| S83.249A    | Other tear of medial meniscus, current injury, unspecified knee, initial encounter          |
| S83.249S    | Other tear of medial meniscus, current injury, unspecified knee, sequela                    |
| S83.251A    | Bucket-handle tear of lateral meniscus, current injury, right knee, initial encounter       |
| S83.251S    | Bucket-handle tear of lateral meniscus, current injury, right knee, sequela                 |
| S83.252A    | Bucket-handle tear of lateral meniscus, current injury, left knee, initial encounter        |
| S83.252S    | Bucket-handle tear of lateral meniscus, current injury, left knee, sequela                  |
| S83.259A    | Bucket-handle tear of lateral meniscus, current injury, unspecified knee, initial encounter |
| S83.259S    | Bucket-handle tear of lateral meniscus, current injury, unspecified knee, sequela           |
| S83.261A    | Peripheral tear of lateral meniscus, current injury, right knee, initial encounter          |
| S83.261S    | Peripheral tear of lateral meniscus, current injury, right knee, sequela                    |
| S83.262A    | Peripheral tear of lateral meniscus, current injury, left knee, initial encounter           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S83.262S | Peripheral tear of lateral meniscus, current injury, left knee, sequela                  |
| S83.269A | Peripheral tear of lateral meniscus, current injury, unspecified knee, initial encounter |
| S83.269S | Peripheral tear of lateral meniscus, current injury, unspecified knee, sequela           |
| S83.271A | Complex tear of lateral meniscus, current injury, right knee, initial encounter          |
| S83.271S | Complex tear of lateral meniscus, current injury, right knee, sequela                    |
| S83.272A | Complex tear of lateral meniscus, current injury, left knee, initial encounter           |
| S83.272S | Complex tear of lateral meniscus, current injury, left knee, sequela                     |
| S83.279A | Complex tear of lateral meniscus, current injury, unspecified knee, initial encounter    |
| S83.279S | Complex tear of lateral meniscus, current injury, unspecified knee, sequela              |
| S83.281A | Other tear of lateral meniscus, current injury, right knee, initial encounter            |
| S83.281S | Other tear of lateral meniscus, current injury, right knee, sequela                      |
| S83.282A | Other tear of lateral meniscus, current injury, left knee, initial encounter             |
| S83.282S | Other tear of lateral meniscus, current injury, left knee, sequela                       |
| S83.289A | Other tear of lateral meniscus, current injury, unspecified knee, initial encounter      |
| S83.289S | Other tear of lateral meniscus, current injury, unspecified knee, sequela                |
| S83.30XA | Tear of articular cartilage of unspecified knee, current, initial encounter              |
| S83.30XS | Tear of articular cartilage of unspecified knee, current, sequela                        |
| S83.31XA | Tear of articular cartilage of right knee, current, initial encounter                    |
| S83.31XS | Tear of articular cartilage of right knee, current, sequela                              |
| S83.32XA | Tear of articular cartilage of left knee, current, initial encounter                     |
| S83.32XS | Tear of articular cartilage of left knee, current, sequela                               |
| S83.401A | Sprain of unspecified collateral ligament of right knee, initial encounter               |
| S83.401S | Sprain of unspecified collateral ligament of right knee, sequela                         |
| S83.402A | Sprain of unspecified collateral ligament of left knee, initial encounter                |
| S83.402S | Sprain of unspecified collateral ligament of left knee, sequela                          |
| S83.409A | Sprain of unspecified collateral ligament of unspecified knee, initial encounter         |
| S83.409S | Sprain of unspecified collateral ligament of unspecified knee, sequela                   |
| S83.411A | Sprain of medial collateral ligament of right knee, initial encounter                    |
| S83.411S | Sprain of medial collateral ligament of right knee, sequela                              |
| S83.412A | Sprain of medial collateral ligament of left knee, initial encounter                     |
| S83.412S | Sprain of medial collateral ligament of left knee, sequela                               |
| S83.419A | Sprain of medial collateral ligament of unspecified knee, initial encounter              |
| S83.419S | Sprain of medial collateral ligament of unspecified knee, sequela                        |
| S83.421A | Sprain of lateral collateral ligament of right knee, initial encounter                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S83.421S    | Sprain of lateral collateral ligament of right knee, sequela                                |
| S83.422A    | Sprain of lateral collateral ligament of left knee, initial encounter                       |
| S83.422S    | Sprain of lateral collateral ligament of left knee, sequela                                 |
| S83.429A    | Sprain of lateral collateral ligament of unspecified knee, initial encounter                |
| S83.429S    | Sprain of lateral collateral ligament of unspecified knee, sequela                          |
| S83.501A    | Sprain of unspecified cruciate ligament of right knee, initial encounter                    |
| S83.501S    | Sprain of unspecified cruciate ligament of right knee, sequela                              |
| S83.502A    | Sprain of unspecified cruciate ligament of left knee, initial encounter                     |
| S83.502S    | Sprain of unspecified cruciate ligament of left knee, sequela                               |
| S83.509A    | Sprain of unspecified cruciate ligament of unspecified knee, initial encounter              |
| S83.509S    | Sprain of unspecified cruciate ligament of unspecified knee, sequela                        |
| S83.511A    | Sprain of anterior cruciate ligament of right knee, initial encounter                       |
| S83.511S    | Sprain of anterior cruciate ligament of right knee, sequela                                 |
| S83.512A    | Sprain of anterior cruciate ligament of left knee, initial encounter                        |
| S83.512S    | Sprain of anterior cruciate ligament of left knee, sequela                                  |
| S83.519A    | Sprain of anterior cruciate ligament of unspecified knee, initial encounter                 |
| S83.519S    | Sprain of anterior cruciate ligament of unspecified knee, sequela                           |
| S83.521A    | Sprain of posterior cruciate ligament of right knee, initial encounter                      |
| S83.521S    | Sprain of posterior cruciate ligament of right knee, sequela                                |
| S83.522A    | Sprain of posterior cruciate ligament of left knee, initial encounter                       |
| S83.522S    | Sprain of posterior cruciate ligament of left knee, sequela                                 |
| S83.529A    | Sprain of posterior cruciate ligament of unspecified knee, initial encounter                |
| S83.529S    | Sprain of posterior cruciate ligament of unspecified knee, sequela                          |
| S83.60XA    | Sprain of the superior tibiofibular joint and ligament, unspecified knee, initial encounter |
| S83.60XS    | Sprain of the superior tibiofibular joint and ligament, unspecified knee, sequela           |
| S83.61XA    | Sprain of the superior tibiofibular joint and ligament, right knee, initial encounter       |
| S83.61XS    | Sprain of the superior tibiofibular joint and ligament, right knee, sequela                 |
| S83.62XA    | Sprain of the superior tibiofibular joint and ligament, left knee, initial encounter        |
| S83.62XS    | Sprain of the superior tibiofibular joint and ligament, left knee, sequela                  |
| S83.8X1A    | Sprain of other specified parts of right knee, initial encounter                            |
| S83.8X1S    | Sprain of other specified parts of right knee, sequela                                      |
| S83.8X2A    | Sprain of other specified parts of left knee, initial encounter                             |
| S83.8X2S    | Sprain of other specified parts of left knee, sequela                                       |
| S83.8X9A    | Sprain of other specified parts of unspecified knee, initial encounter                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S83.8X9S | Sprain of other specified parts of unspecified knee, sequela                             |
| S83.90XA | Sprain of unspecified site of unspecified knee, initial encounter                        |
| S83.90XS | Sprain of unspecified site of unspecified knee, sequela                                  |
| S83.91XA | Sprain of unspecified site of right knee, initial encounter                              |
| S83.91XS | Sprain of unspecified site of right knee, sequela  |
| S83.92XA | Sprain of unspecified site of left knee, initial encounter                               |
| S83.92XS | Sprain of unspecified site of left knee, sequela   |
| S84.00XA | Injury of tibial nerve at lower leg level, unspecified leg, initial encounter            |
| S84.00XS | Injury of tibial nerve at lower leg level, unspecified leg, sequela                      |
| S84.01XA | Injury of tibial nerve at lower leg level, right leg, initial encounter                  |
| S84.01XS | Injury of tibial nerve at lower leg level, right leg, sequela                            |
| S84.02XA | Injury of tibial nerve at lower leg level, left leg, initial encounter                   |
| S84.02XS | Injury of tibial nerve at lower leg level, left leg, sequela                             |
| S84.10XA | Injury of peroneal nerve at lower leg level, unspecified leg, initial encounter          |
| S84.10XS | Injury of peroneal nerve at lower leg level, unspecified leg, sequela                    |
| S84.11XA | Injury of peroneal nerve at lower leg level, right leg, initial encounter                |
| S84.11XS | Injury of peroneal nerve at lower leg level, right leg, sequela                          |
| S84.12XA | Injury of peroneal nerve at lower leg level, left leg, initial encounter                 |
| S84.12XS | Injury of peroneal nerve at lower leg level, left leg, sequela                           |
| S84.20XA | Injury of cutaneous sensory nerve at lower leg level, unspecified leg, initial encounter |
| S84.20XS | Injury of cutaneous sensory nerve at lower leg level, unspecified leg, sequela           |
| S84.21XA | Injury of cutaneous sensory nerve at lower leg level, right leg, initial encounter       |
| S84.21XS | Injury of cutaneous sensory nerve at lower leg level, right leg, sequela                 |
| S84.22XA | Injury of cutaneous sensory nerve at lower leg level, left leg, initial encounter        |
| S84.22XS | Injury of cutaneous sensory nerve at lower leg level, left leg, sequela                  |
| S84.801A | Injury of other nerves at lower leg level, right leg, initial encounter                  |
| S84.801S | Injury of other nerves at lower leg level, right leg, sequela                            |
| S84.802A | Injury of other nerves at lower leg level, left leg, initial encounter                   |
| S84.802S | Injury of other nerves at lower leg level, left leg, sequela                             |
| S84.809A | Injury of other nerves at lower leg level, unspecified leg, initial encounter            |
| S84.809S | Injury of other nerves at lower leg level, unspecified leg, sequela                      |
| S84.90XA | Injury of unspecified nerve at lower leg level, unspecified leg, initial encounter       |
| S84.90XS | Injury of unspecified nerve at lower leg level, unspecified leg, sequela                 |
| S84.91XA | Injury of unspecified nerve at lower leg level, right leg, initial encounter             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S84.91XS    | Injury of unspecified nerve at lower leg level, right leg, sequela            |
| S84.92XA    | Injury of unspecified nerve at lower leg level, left leg, initial encounter   |
| S84.92XS    | Injury of unspecified nerve at lower leg level, left leg, sequela             |
| S85.001S    | Unspecified injury of popliteal artery, right leg, sequela                    |
| S85.002S    | Unspecified injury of popliteal artery, left leg, sequela                     |
| S85.009S    | Unspecified injury of popliteal artery, unspecified leg, sequela              |
| S85.011S    | Laceration of popliteal artery, right leg, sequela                            |
| S85.012S    | Laceration of popliteal artery, left leg, sequela                             |
| S85.019S    | Laceration of popliteal artery, unspecified leg, sequela                      |
| S85.091S    | Other specified injury of popliteal artery, right leg, sequela                |
| S85.092S    | Other specified injury of popliteal artery, left leg, sequela                 |
| S85.099S    | Other specified injury of popliteal artery, unspecified leg, sequela          |
| S85.101S    | Unspecified injury of unspecified tibial artery, right leg, sequela           |
| S85.102S    | Unspecified injury of unspecified tibial artery, left leg, sequela            |
| S85.109S    | Unspecified injury of unspecified tibial artery, unspecified leg, sequela     |
| S85.111S    | Laceration of unspecified tibial artery, right leg, sequela                   |
| S85.112S    | Laceration of unspecified tibial artery, left leg, sequela                    |
| S85.119S    | Laceration of unspecified tibial artery, unspecified leg, sequela             |
| S85.121S    | Other specified injury of unspecified tibial artery, right leg, sequela       |
| S85.122S    | Other specified injury of unspecified tibial artery, left leg, sequela        |
| S85.129S    | Other specified injury of unspecified tibial artery, unspecified leg, sequela |
| S85.131S    | Unspecified injury of anterior tibial artery, right leg, sequela              |
| S85.132S    | Unspecified injury of anterior tibial artery, left leg, sequela               |
| S85.139S    | Unspecified injury of anterior tibial artery, unspecified leg, sequela        |
| S85.141S    | Laceration of anterior tibial artery, right leg, sequela                      |
| S85.142S    | Laceration of anterior tibial artery, left leg, sequela                       |
| S85.149S    | Laceration of anterior tibial artery, unspecified leg, sequela                |
| S85.151S    | Other specified injury of anterior tibial artery, right leg, sequela          |
| S85.152S    | Other specified injury of anterior tibial artery, left leg, sequela           |
| S85.159S    | Other specified injury of anterior tibial artery, unspecified leg, sequela    |
| S85.161S    | Unspecified injury of posterior tibial artery, right leg, sequela             |
| S85.162S    | Unspecified injury of posterior tibial artery, left leg, sequela              |
| S85.169S    | Unspecified injury of posterior tibial artery, unspecified leg, sequela       |
| S85.171S    | Laceration of posterior tibial artery, right leg, sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S85.172S | Laceration of posterior tibial artery, left leg, sequela                                      |
| S85.179S | Laceration of posterior tibial artery, unspecified leg, sequela                               |
| S85.181S | Other specified injury of posterior tibial artery, right leg, sequela                         |
| S85.182S | Other specified injury of posterior tibial artery, left leg, sequela                          |
| S85.189S | Other specified injury of posterior tibial artery, unspecified leg, sequela                   |
| S85.201S | Unspecified injury of peroneal artery, right leg, sequela                                     |
| S85.202S | Unspecified injury of peroneal artery, left leg, sequela                                      |
| S85.209S | Unspecified injury of peroneal artery, unspecified leg, sequela                               |
| S85.211S | Laceration of peroneal artery, right leg, sequela   |
| S85.212S | Laceration of peroneal artery, left leg, sequela  |
| S85.219S | Laceration of peroneal artery, unspecified leg, sequela                                       |
| S85.291S | Other specified injury of peroneal artery, right leg, sequela                                 |
| S85.292S | Other specified injury of peroneal artery, left leg, sequela                                  |
| S85.299S | Other specified injury of peroneal artery, unspecified leg, sequela                           |
| S85.301S | Unspecified injury of greater saphenous vein at lower leg level, right leg, sequela           |
| S85.302S | Unspecified injury of greater saphenous vein at lower leg level, left leg, sequela            |
| S85.309S | Unspecified injury of greater saphenous vein at lower leg level, unspecified leg, sequela     |
| S85.311S | Laceration of greater saphenous vein at lower leg level, right leg, sequela                   |
| S85.312S | Laceration of greater saphenous vein at lower leg level, left leg, sequela                    |
| S85.319S | Laceration of greater saphenous vein at lower leg level, unspecified leg, sequela             |
| S85.391S | Other specified injury of greater saphenous vein at lower leg level, right leg, sequela       |
| S85.392S | Other specified injury of greater saphenous vein at lower leg level, left leg, sequela        |
| S85.399S | Other specified injury of greater saphenous vein at lower leg level, unspecified leg, sequela |
| S85.401S | Unspecified injury of lesser saphenous vein at lower leg level, right leg, sequela            |
| S85.402S | Unspecified injury of lesser saphenous vein at lower leg level, left leg, sequela             |
| S85.409S | Unspecified injury of lesser saphenous vein at lower leg level, unspecified leg, sequela      |
| S85.411S | Laceration of lesser saphenous vein at lower leg level, right leg, sequela                    |
| S85.412S | Laceration of lesser saphenous vein at lower leg level, left leg, sequela                     |
| S85.419S | Laceration of lesser saphenous vein at lower leg level, unspecified leg, sequela              |
| S85.491S | Other specified injury of lesser saphenous vein at lower leg level, right leg, sequela        |
| S85.492S | Other specified injury of lesser saphenous vein at lower leg level, left leg, sequela         |
| S85.499S | Other specified injury of lesser saphenous vein at lower leg level, unspecified leg, sequela  |
| S85.501S | Unspecified injury of popliteal vein, right leg, sequela                                      |
| S85.502S | Unspecified injury of popliteal vein, left leg, sequela                                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S85.509S    | Unspecified injury of popliteal vein, unspecified leg, sequela                                  |
| S85.511S    | Laceration of popliteal vein, right leg, sequela  |
| S85.512S    | Laceration of popliteal vein, left leg, sequela   |
| S85.519S    | Laceration of popliteal vein, unspecified leg, sequela  |
| S85.591S    | Other specified injury of popliteal vein, right leg, sequela                                    |
| S85.592S    | Other specified injury of popliteal vein, left leg, sequela                                     |
| S85.599S    | Other specified injury of popliteal vein, unspecified leg, sequela                              |
| S85.801S    | Unspecified injury of other blood vessels at lower leg level, right leg, sequela                |
| S85.802S    | Unspecified injury of other blood vessels at lower leg level, left leg, sequela                 |
| S85.809S    | Unspecified injury of other blood vessels at lower leg level, unspecified leg, sequela          |
| S85.811S    | Laceration of other blood vessels at lower leg level, right leg, sequela                        |
| S85.812S    | Laceration of other blood vessels at lower leg level, left leg, sequela                         |
| S85.819S    | Laceration of other blood vessels at lower leg level, unspecified leg, sequela                  |
| S85.891S    | Other specified injury of other blood vessels at lower leg level, right leg, sequela            |
| S85.892S    | Other specified injury of other blood vessels at lower leg level, left leg, sequela             |
| S85.899S    | Other specified injury of other blood vessels at lower leg level, unspecified leg, sequela      |
| S85.901S    | Unspecified injury of unspecified blood vessel at lower leg level, right leg, sequela           |
| S85.902S    | Unspecified injury of unspecified blood vessel at lower leg level, left leg, sequela            |
| S85.909S    | Unspecified injury of unspecified blood vessel at lower leg level, unspecified leg, sequela     |
| S85.911S    | Laceration of unspecified blood vessel at lower leg level, right leg, sequela                   |
| S85.912S    | Laceration of unspecified blood vessel at lower leg level, left leg, sequela                    |
| S85.919S    | Laceration of unspecified blood vessel at lower leg level, unspecified leg, sequela             |
| S85.991S    | Other specified injury of unspecified blood vessel at lower leg level, right leg, sequela       |
| S85.992S    | Other specified injury of unspecified blood vessel at lower leg level, left leg, sequela        |
| S85.999S    | Other specified injury of unspecified blood vessel at lower leg level, unspecified leg, sequela |
| S86.001S    | Unspecified injury of right Achilles tendon, sequela  |
| S86.002S    | Unspecified injury of left Achilles tendon, sequela   |
| S86.009S    | Unspecified injury of unspecified Achilles tendon, sequela                                      |
| S86.011A    | Strain of right Achilles tendon, initial encounter  |
| S86.011S    | Strain of right Achilles tendon, sequela  |
| S86.012A    | Strain of left Achilles tendon, initial encounter   |
| S86.012S    | Strain of left Achilles tendon, sequela   |
| S86.019A    | Strain of unspecified Achilles tendon, initial encounter  |
| S86.019S    | Strain of unspecified Achilles tendon, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S86.021S    | Laceration of right Achilles tendon, sequela   |
| S86.022S    | Laceration of left Achilles tendon, sequela  |
| S86.029S    | Laceration of unspecified Achilles tendon, sequela   |
| S86.091S    | Other specified injury of right Achilles tendon, sequela   |
| S86.092S    | Other specified injury of left Achilles tendon, sequela  |
| S86.099S    | Other specified injury of unspecified Achilles tendon, sequela   |
| S86.101S    | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela       |
| S86.102S    | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela        |
| S86.109S    | Unspecified injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela |
| S86.111A    | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, initial encounter         |
| S86.111S    | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela                   |
| S86.112A    | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, initial encounter          |
| S86.112S    | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela                    |
| S86.119A    | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, initial encounter   |
| S86.119S    | Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela             |
| S86.121S    | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela               |
| S86.122S    | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela                |
| S86.129S    | Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela         |
| S86.191S    | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela             |
| S86.192S    | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela              |
| S86.199S    | Other injury of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela       |
| S86.201S    | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S86.202S | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela        |
| S86.209S | Unspecified injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela |
| S86.211A | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, initial encounter         |
| S86.211S | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela                   |
| S86.212A | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, initial encounter          |
| S86.212S | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela                    |
| S86.219A | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, initial encounter   |
| S86.219S | Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela             |
| S86.221S | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela               |
| S86.222S | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela                |
| S86.229S | Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela         |
| S86.291S | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela             |
| S86.292S | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela              |
| S86.299S | Other injury of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela       |
| S86.301S | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela       |
| S86.302S | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela        |
| S86.309S | Unspecified injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela |
| S86.311A | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, initial encounter         |
| S86.311S | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela                   |
| S86.312A | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, initial encounter          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S86.312S | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela                  |
| S86.319A | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, initial encounter |
| S86.319S | Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela           |
| S86.321S | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela             |
| S86.322S | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela              |
| S86.329S | Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela       |
| S86.391S | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela           |
| S86.392S | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela            |
| S86.399S | Other injury of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela     |
| S86.801S | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, right leg, sequela                        |
| S86.802S | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, left leg, sequela                         |
| S86.809S | Unspecified injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela                  |
| S86.811A | Strain of other muscle(s) and tendon(s) at lower leg level, right leg, initial encounter                          |
| S86.811S | Strain of other muscle(s) and tendon(s) at lower leg level, right leg, sequela                                    |
| S86.812A | Strain of other muscle(s) and tendon(s) at lower leg level, left leg, initial encounter                           |
| S86.812S | Strain of other muscle(s) and tendon(s) at lower leg level, left leg, sequela                                     |
| S86.819A | Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter                    |
| S86.819S | Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela                              |
| S86.821S | Laceration of other muscle(s) and tendon(s) at lower leg level, right leg, sequela                                |
| S86.822S | Laceration of other muscle(s) and tendon(s) at lower leg level, left leg, sequela                                 |
| S86.829S | Laceration of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela                          |
| S86.891S | Other injury of other muscle(s) and tendon(s) at lower leg level, right leg, sequela                              |
| S86.892S | Other injury of other muscle(s) and tendon(s) at lower leg level, left leg, sequela                               |
| S86.899S | Other injury of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela                        |
| S86.901S | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela                  |
| S86.902S | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S86.909S | Unspecified injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela |
| S86.911A | Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, initial encounter         |
| S86.911S | Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela                   |
| S86.912A | Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, initial encounter          |
| S86.912S | Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela                    |
| S86.919A | Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter   |
| S86.919S | Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela             |
| S86.921S | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela               |
| S86.922S | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela                |
| S86.929S | Laceration of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela         |
| S86.991S | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela             |
| S86.992S | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela              |
| S86.999S | Other injury of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela       |
| S87.00XS | Crushing injury of unspecified knee, sequela   |
| S87.01XS | Crushing injury of right knee, sequela   |
| S87.02XS | Crushing injury of left knee, sequela  |
| S87.80XS | Crushing injury of unspecified lower leg, sequela  |
| S87.81XS | Crushing injury of right lower leg, sequela  |
| S87.82XS | Crushing injury of left lower leg, sequela   |
| S88.011S | Complete traumatic amputation at knee level, right lower leg, sequela                                  |
| S88.012S | Complete traumatic amputation at knee level, left lower leg, sequela                                   |
| S88.019S | Complete traumatic amputation at knee level, unspecified lower leg, sequela                            |
| S88.021S | Partial traumatic amputation at knee level, right lower leg, sequela                                   |
| S88.022S | Partial traumatic amputation at knee level, left lower leg, sequela                                    |
| S88.029S | Partial traumatic amputation at knee level, unspecified lower leg, sequela                             |
| S88.111S | Complete traumatic amputation at level between knee and ankle, right lower leg, sequela                |
| S88.112S | Complete traumatic amputation at level between knee and ankle, left lower leg, sequela                 |
| S88.119S | Complete traumatic amputation at level between knee and ankle, unspecified lower leg, sequela          |
| S88.121S | Partial traumatic amputation at level between knee and ankle, right lower leg, sequela                 |
| S88.122S | Partial traumatic amputation at level between knee and ankle, left lower leg, sequela                  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S88.129S | Partial traumatic amputation at level between knee and ankle, unspecified lower leg, sequela                                    |
| S88.911S | Complete traumatic amputation of right lower leg, level unspecified, sequela  |
| S88.912S | Complete traumatic amputation of left lower leg, level unspecified, sequela   |
| S88.919S | Complete traumatic amputation of unspecified lower leg, level unspecified, sequela  |
| S88.921S | Partial traumatic amputation of right lower leg, level unspecified, sequela   |
| S88.922S | Partial traumatic amputation of left lower leg, level unspecified, sequela  |
| S88.929S | Partial traumatic amputation of unspecified lower leg, level unspecified, sequela   |
| S89.001D | Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing                |
| S89.001G | Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing                |
| S89.001S | Unspecified physeal fracture of upper end of right tibia, sequela   |
| S89.002D | Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing                 |
| S89.002G | Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing                 |
| S89.002S | Unspecified physeal fracture of upper end of left tibia, sequela  |
| S89.009D | Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing          |
| S89.009G | Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing          |
| S89.009S | Unspecified physeal fracture of upper end of unspecified tibia, sequela   |
| S89.011D | Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing       |
| S89.011G | Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing       |
| S89.011S | Salter-Harris Type I physeal fracture of upper end of right tibia, sequela  |
| S89.012D | Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing        |
| S89.012G | Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing        |
| S89.012S | Salter-Harris Type I physeal fracture of upper end of left tibia, sequela   |
| S89.019D | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.019G | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.019S | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S89.021D | Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing        |
| S89.021G | Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing        |
| S89.021S | Salter-Harris Type II physeal fracture of upper end of right tibia, sequela   |
| S89.022D | Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing         |
| S89.022G | Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing         |
| S89.022S | Salter-Harris Type II physeal fracture of upper end of left tibia, sequela  |
| S89.029D | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing  |
| S89.029G | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing  |
| S89.029S | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, sequela   |
| S89.031D | Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing       |
| S89.031G | Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing       |
| S89.031S | Salter-Harris Type III physeal fracture of upper end of right tibia, sequela  |
| S89.032D | Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing        |
| S89.032G | Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing        |
| S89.032S | Salter-Harris Type III physeal fracture of upper end of left tibia, sequela   |
| S89.039D | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.039G | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.039S | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, sequela  |
| S89.041D | Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing        |
| S89.041G | Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing        |
| S89.041S | Salter-Harris Type IV physeal fracture of upper end of right tibia, sequela   |
| S89.042D | Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing         |
| S89.042G | Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing         |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S89.042S    | Salter-Harris Type IV physeal fracture of upper end of left tibia, sequela   |
| S89.049D    | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.049G    | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.049S    | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, sequela  |
| S89.091D    | Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing                       |
| S89.091G    | Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing                       |
| S89.091S    | Other physeal fracture of upper end of right tibia, sequela  |
| S89.092D    | Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing                        |
| S89.092G    | Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing                        |
| S89.092S    | Other physeal fracture of upper end of left tibia, sequela   |
| S89.099D    | Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing                 |
| S89.099G    | Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing                 |
| S89.099S    | Other physeal fracture of upper end of unspecified tibia, sequela  |
| S89.101D    | Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing                 |
| S89.101G    | Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing                 |
| S89.101S    | Unspecified physeal fracture of lower end of right tibia, sequela  |
| S89.102D    | Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing                  |
| S89.102G    | Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing                  |
| S89.102S    | Unspecified physeal fracture of lower end of left tibia, sequela   |
| S89.109D    | Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing           |
| S89.109G    | Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing           |
| S89.109S    | Unspecified physeal fracture of lower end of unspecified tibia, sequela  |
| S89.111D    | Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S89.111G    | Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing        |
| S89.111S    | Salter-Harris Type I physeal fracture of lower end of right tibia, sequela   |
| S89.112D    | Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing         |
| S89.112G    | Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing         |
| S89.112S    | Salter-Harris Type I physeal fracture of lower end of left tibia, sequela  |
| S89.119D    | Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing  |
| S89.119G    | Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing  |
| S89.119S    | Salter-Harris Type I physeal fracture of lower end of unspecified tibia, sequela   |
| S89.121D    | Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing       |
| S89.121G    | Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing       |
| S89.121S    | Salter-Harris Type II physeal fracture of lower end of right tibia, sequela  |
| S89.122D    | Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing        |
| S89.122G    | Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing        |
| S89.122S    | Salter-Harris Type II physeal fracture of lower end of left tibia, sequela   |
| S89.129D    | Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.129G    | Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.129S    | Salter-Harris Type II physeal fracture of lower end of unspecified tibia, sequela  |
| S89.131D    | Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing      |
| S89.131G    | Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing      |
| S89.131S    | Salter-Harris Type III physeal fracture of lower end of right tibia, sequela   |
| S89.132D    | Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing       |
| S89.132G    | Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing       |
| S89.132S    | Salter-Harris Type III physeal fracture of lower end of left tibia, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S89.139D | Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing |
| S89.139G | Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing |
| S89.139S | Salter-Harris Type III physeal fracture of lower end of unspecified tibia, sequela  |
| S89.141D | Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing        |
| S89.141G | Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing        |
| S89.141S | Salter-Harris Type IV physeal fracture of lower end of right tibia, sequela   |
| S89.142D | Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing         |
| S89.142G | Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing         |
| S89.142S | Salter-Harris Type IV physeal fracture of lower end of left tibia, sequela  |
| S89.149D | Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing  |
| S89.149G | Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing  |
| S89.149S | Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, sequela   |
| S89.191D | Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing                        |
| S89.191G | Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing                        |
| S89.191S | Other physeal fracture of lower end of right tibia, sequela   |
| S89.192D | Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing                         |
| S89.192G | Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing                         |
| S89.192S | Other physeal fracture of lower end of left tibia, sequela  |
| S89.199D | Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing                  |
| S89.199G | Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing                  |
| S89.199S | Other physeal fracture of lower end of unspecified tibia, sequela   |
| S89.201D | Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing                 |
| S89.201G | Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing                 |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S89.201S    | Unspecified physeal fracture of upper end of right fibula, sequela  |
| S89.202D    | Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing                  |
| S89.202G    | Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing                  |
| S89.202S    | Unspecified physeal fracture of upper end of left fibula, sequela   |
| S89.209D    | Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing           |
| S89.209G    | Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing           |
| S89.209S    | Unspecified physeal fracture of upper end of unspecified fibula, sequela  |
| S89.211D    | Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing        |
| S89.211G    | Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing        |
| S89.211S    | Salter-Harris Type I physeal fracture of upper end of right fibula, sequela   |
| S89.212D    | Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing         |
| S89.212G    | Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing         |
| S89.212S    | Salter-Harris Type I physeal fracture of upper end of left fibula, sequela  |
| S89.219D    | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing  |
| S89.219G    | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing  |
| S89.219S    | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, sequela   |
| S89.221D    | Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing       |
| S89.221G    | Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing       |
| S89.221S    | Salter-Harris Type II physeal fracture of upper end of right fibula, sequela  |
| S89.222D    | Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing        |
| S89.222G    | Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing        |
| S89.222S    | Salter-Harris Type II physeal fracture of upper end of left fibula, sequela   |
| S89.229D    | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S89.229G    | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.229S    | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, sequela  |
| S89.291D    | Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing                       |
| S89.291G    | Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing                       |
| S89.291S    | Other physeal fracture of upper end of right fibula, sequela  |
| S89.292D    | Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing                        |
| S89.292G    | Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing                        |
| S89.292S    | Other physeal fracture of upper end of left fibula, sequela   |
| S89.299D    | Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing                 |
| S89.299G    | Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing                 |
| S89.299S    | Other physeal fracture of upper end of unspecified fibula, sequela  |
| S89.301D    | Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing                 |
| S89.301G    | Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing                 |
| S89.301S    | Unspecified physeal fracture of lower end of right fibula, sequela  |
| S89.302D    | Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing                  |
| S89.302G    | Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing                  |
| S89.302S    | Unspecified physeal fracture of lower end of left fibula, sequela   |
| S89.309D    | Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing           |
| S89.309G    | Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing           |
| S89.309S    | Unspecified physeal fracture of lower end of unspecified fibula, sequela  |
| S89.311D    | Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing        |
| S89.311G    | Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing        |
| S89.311S    | Salter-Harris Type I physeal fracture of lower end of right fibula, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S89.312D | Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing         |
| S89.312G | Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing         |
| S89.312S | Salter-Harris Type I physeal fracture of lower end of left fibula, sequela  |
| S89.319D | Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing  |
| S89.319G | Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing  |
| S89.319S | Salter-Harris Type I physeal fracture of lower end of unspecified fibula, sequela   |
| S89.321D | Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing       |
| S89.321G | Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing       |
| S89.321S | Salter-Harris Type II physeal fracture of lower end of right fibula, sequela  |
| S89.322D | Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing        |
| S89.322G | Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing        |
| S89.322S | Salter-Harris Type II physeal fracture of lower end of left fibula, sequela   |
| S89.329D | Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing |
| S89.329G | Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing |
| S89.329S | Salter-Harris Type II physeal fracture of lower end of unspecified fibula, sequela  |
| S89.391D | Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing                       |
| S89.391G | Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing                       |
| S89.391S | Other physeal fracture of lower end of right fibula, sequela  |
| S89.392D | Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing                        |
| S89.392G | Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing                        |
| S89.392S | Other physeal fracture of lower end of left fibula, sequela   |
| S89.399D | Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing                 |
| S89.399G | Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing                 |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S89.399S    | Other physeal fracture of lower end of unspecified fibula, sequela     |
| S89.80XS    | Other specified injuries of unspecified lower leg, sequela             |
| S89.81XS    | Other specified injuries of right lower leg, sequela                   |
| S89.82XS    | Other specified injuries of left lower leg, sequela                    |
| S89.90XS    | Unspecified injury of unspecified lower leg, sequela                   |
| S89.91XS    | Unspecified injury of right lower leg, sequela                         |
| S89.92XS    | Unspecified injury of left lower leg, sequela                          |
| S90.00XS    | Contusion of unspecified ankle, sequela                                |
| S90.01XS    | Contusion of right ankle, sequela                                      |
| S90.02XS    | Contusion of left ankle, sequela                                       |
| S90.111S    | Contusion of right great toe without damage to nail, sequela           |
| S90.112S    | Contusion of left great toe without damage to nail, sequela            |
| S90.119S    | Contusion of unspecified great toe without damage to nail, sequela     |
| S90.121S    | Contusion of right lesser toe(s) without damage to nail, sequela       |
| S90.122S    | Contusion of left lesser toe(s) without damage to nail, sequela        |
| S90.129S    | Contusion of unspecified lesser toe(s) without damage to nail, sequela |
| S90.211S    | Contusion of right great toe with damage to nail, sequela              |
| S90.212S    | Contusion of left great toe with damage to nail, sequela               |
| S90.219S    | Contusion of unspecified great toe with damage to nail, sequela        |
| S90.221S    | Contusion of right lesser toe(s) with damage to nail, sequela          |
| S90.222S    | Contusion of left lesser toe(s) with damage to nail, sequela           |
| S90.229S    | Contusion of unspecified lesser toe(s) with damage to nail, sequela    |
| S90.30XS    | Contusion of unspecified foot, sequela                                 |
| S90.31XS    | Contusion of right foot, sequela                                       |
| S90.32XS    | Contusion of left foot, sequela  |
| S90.411A    | Abrasion, right great toe, initial encounter                           |
| S90.411S    | Abrasion, right great toe, sequela                                     |
| S90.412A    | Abrasion, left great toe, initial encounter                            |
| S90.412S    | Abrasion, left great toe, sequela                                      |
| S90.413A    | Abrasion, unspecified great toe, initial encounter                     |
| S90.413S    | Abrasion, unspecified great toe, sequela                               |
| S90.414A    | Abrasion, right lesser toe(s), initial encounter                       |
| S90.414S    | Abrasion, right lesser toe(s), sequela                                 |
| S90.415A    | Abrasion, left lesser toe(s), initial encounter                        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S90.415S    | Abrasion, left lesser toe(s), sequela                               |
| S90.416A    | Abrasion, unspecified lesser toe(s), initial encounter              |
| S90.416S    | Abrasion, unspecified lesser toe(s), sequela                        |
| S90.421A    | Blister (nonthermal), right great toe, initial encounter            |
| S90.421S    | Blister (nonthermal), right great toe, sequela                      |
| S90.422A    | Blister (nonthermal), left great toe, initial encounter             |
| S90.422S    | Blister (nonthermal), left great toe, sequela                       |
| S90.423A    | Blister (nonthermal), unspecified great toe, initial encounter      |
| S90.423S    | Blister (nonthermal), unspecified great toe, sequela                |
| S90.424A    | Blister (nonthermal), right lesser toe(s), initial encounter        |
| S90.424S    | Blister (nonthermal), right lesser toe(s), sequela                  |
| S90.425A    | Blister (nonthermal), left lesser toe(s), initial encounter         |
| S90.425S    | Blister (nonthermal), left lesser toe(s), sequela                   |
| S90.426A    | Blister (nonthermal), unspecified lesser toe(s), initial encounter  |
| S90.426S    | Blister (nonthermal), unspecified lesser toe(s), sequela            |
| S90.441A    | External constriction, right great toe, initial encounter           |
| S90.441S    | External constriction, right great toe, sequela                     |
| S90.442A    | External constriction, left great toe, initial encounter            |
| S90.442S    | External constriction, left great toe, sequela                      |
| S90.443A    | External constriction, unspecified great toe, initial encounter     |
| S90.443S    | External constriction, unspecified great toe, sequela               |
| S90.444A    | External constriction, right lesser toe(s), initial encounter       |
| S90.444S    | External constriction, right lesser toe(s), sequela                 |
| S90.445A    | External constriction, left lesser toe(s), initial encounter        |
| S90.445S    | External constriction, left lesser toe(s), sequela                  |
| S90.446A    | External constriction, unspecified lesser toe(s), initial encounter |
| S90.446S    | External constriction, unspecified lesser toe(s), sequela           |
| S90.451A    | Superficial foreign body, right great toe, initial encounter        |
| S90.451S    | Superficial foreign body, right great toe, sequela                  |
| S90.452A    | Superficial foreign body, left great toe, initial encounter         |
| S90.452S    | Superficial foreign body, left great toe, sequela                   |
| S90.453A    | Superficial foreign body, unspecified great toe, initial encounter  |
| S90.453S    | Superficial foreign body, unspecified great toe, sequela            |
| S90.454A    | Superficial foreign body, right lesser toe(s), initial encounter    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S90.454S    | Superficial foreign body, right lesser toe(s), sequela                  |
| S90.455A    | Superficial foreign body, left lesser toe(s), initial encounter         |
| S90.455S    | Superficial foreign body, left lesser toe(s), sequela                   |
| S90.456A    | Superficial foreign body, unspecified lesser toe(s), initial encounter  |
| S90.456S    | Superficial foreign body, unspecified lesser toe(s), sequela            |
| S90.461A    | Insect bite (nonvenomous), right great toe, initial encounter           |
| S90.461S    | Insect bite (nonvenomous), right great toe, sequela                     |
| S90.462A    | Insect bite (nonvenomous), left great toe, initial encounter            |
| S90.462S    | Insect bite (nonvenomous), left great toe, sequela                      |
| S90.463A    | Insect bite (nonvenomous), unspecified great toe, initial encounter     |
| S90.463S    | Insect bite (nonvenomous), unspecified great toe, sequela               |
| S90.464A    | Insect bite (nonvenomous), right lesser toe(s), initial encounter       |
| S90.464S    | Insect bite (nonvenomous), right lesser toe(s), sequela                 |
| S90.465A    | Insect bite (nonvenomous), left lesser toe(s), initial encounter        |
| S90.465S    | Insect bite (nonvenomous), left lesser toe(s), sequela                  |
| S90.466A    | Insect bite (nonvenomous), unspecified lesser toe(s), initial encounter |
| S90.466S    | Insect bite (nonvenomous), unspecified lesser toe(s), sequela           |
| S90.471A    | Other superficial bite of right great toe, initial encounter            |
| S90.471S    | Other superficial bite of right great toe, sequela                      |
| S90.472A    | Other superficial bite of left great toe, initial encounter             |
| S90.472S    | Other superficial bite of left great toe, sequela                       |
| S90.473A    | Other superficial bite of unspecified great toe, initial encounter      |
| S90.473S    | Other superficial bite of unspecified great toe, sequela                |
| S90.474A    | Other superficial bite of right lesser toe(s), initial encounter        |
| S90.474S    | Other superficial bite of right lesser toe(s), sequela                  |
| S90.475A    | Other superficial bite of left lesser toe(s), initial encounter         |
| S90.475S    | Other superficial bite of left lesser toe(s), sequela                   |
| S90.476A    | Other superficial bite of unspecified lesser toe(s), initial encounter  |
| S90.476S    | Other superficial bite of unspecified lesser toe(s), sequela            |
| S90.511A    | Abrasion, right ankle, initial encounter                                |
| S90.511S    | Abrasion, right ankle, sequela  |
| S90.512A    | Abrasion, left ankle, initial encounter                                 |
| S90.512S    | Abrasion, left ankle, sequela   |
| S90.519A    | Abrasion, unspecified ankle, initial encounter                          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S90.519S    | Abrasion, unspecified ankle, sequela                                  |
| S90.521A    | Blister (nonthermal), right ankle, initial encounter                  |
| S90.521S    | Blister (nonthermal), right ankle, sequela                            |
| S90.522A    | Blister (nonthermal), left ankle, initial encounter                   |
| S90.522S    | Blister (nonthermal), left ankle, sequela                             |
| S90.529A    | Blister (nonthermal), unspecified ankle, initial encounter            |
| S90.529S    | Blister (nonthermal), unspecified ankle, sequela                      |
| S90.541A    | External constriction, right ankle, initial encounter                 |
| S90.541S    | External constriction, right ankle, sequela                           |
| S90.542A    | External constriction, left ankle, initial encounter                  |
| S90.542S    | External constriction, left ankle, sequela                            |
| S90.549A    | External constriction, unspecified ankle, initial encounter           |
| S90.549S    | External constriction, unspecified ankle, sequela                     |
| S90.551A    | Superficial foreign body, right ankle, initial encounter              |
| S90.551S    | Superficial foreign body, right ankle, sequela                        |
| S90.552A    | Superficial foreign body, left ankle, initial encounter               |
| S90.552S    | Superficial foreign body, left ankle, sequela                         |
| S90.559A    | Superficial foreign body, unspecified ankle, initial encounter        |
| S90.559S    | Superficial foreign body, unspecified ankle, sequela                  |
| S90.561A    | Insect bite (nonvenomous), right ankle, initial encounter             |
| S90.561S    | Insect bite (nonvenomous), right ankle, sequela                       |
| S90.562A    | Insect bite (nonvenomous), left ankle, initial encounter              |
| S90.562S    | Insect bite (nonvenomous), left ankle, sequela                        |
| S90.569A    | Insect bite (nonvenomous), unspecified ankle, initial encounter       |
| S90.569S    | Insect bite (nonvenomous), unspecified ankle, sequela                 |
| S90.571A    | Other superficial bite of ankle, right ankle, initial encounter       |
| S90.571S    | Other superficial bite of ankle, right ankle, sequela                 |
| S90.572A    | Other superficial bite of ankle, left ankle, initial encounter        |
| S90.572S    | Other superficial bite of ankle, left ankle, sequela                  |
| S90.579A    | Other superficial bite of ankle, unspecified ankle, initial encounter |
| S90.579S    | Other superficial bite of ankle, unspecified ankle, sequela           |
| S90.811A    | Abrasion, right foot, initial encounter                               |
| S90.811S    | Abrasion, right foot, sequela   |
| S90.812A    | Abrasion, left foot, initial encounter                                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S90.812S    | Abrasion, left foot, sequela                                     |
| S90.819A    | Abrasion, unspecified foot, initial encounter                    |
| S90.819S    | Abrasion, unspecified foot, sequela                              |
| S90.821A    | Blister (nonthermal), right foot, initial encounter              |
| S90.821S    | Blister (nonthermal), right foot, sequela                        |
| S90.822A    | Blister (nonthermal), left foot, initial encounter               |
| S90.822S    | Blister (nonthermal), left foot, sequela                         |
| S90.829A    | Blister (nonthermal), unspecified foot, initial encounter        |
| S90.829S    | Blister (nonthermal), unspecified foot, sequela                  |
| S90.841A    | External constriction, right foot, initial encounter             |
| S90.841S    | External constriction, right foot, sequela                       |
| S90.842A    | External constriction, left foot, initial encounter              |
| S90.842S    | External constriction, left foot, sequela                        |
| S90.849A    | External constriction, unspecified foot, initial encounter       |
| S90.849S    | External constriction, unspecified foot, sequela                 |
| S90.851A    | Superficial foreign body, right foot, initial encounter          |
| S90.851S    | Superficial foreign body, right foot, sequela                    |
| S90.852A    | Superficial foreign body, left foot, initial encounter           |
| S90.852S    | Superficial foreign body, left foot, sequela                     |
| S90.859A    | Superficial foreign body, unspecified foot, initial encounter    |
| S90.859S    | Superficial foreign body, unspecified foot, sequela              |
| S90.861A    | Insect bite (nonvenomous), right foot, initial encounter         |
| S90.861S    | Insect bite (nonvenomous), right foot, sequela                   |
| S90.862A    | Insect bite (nonvenomous), left foot, initial encounter          |
| S90.862S    | Insect bite (nonvenomous), left foot, sequela                    |
| S90.869A    | Insect bite (nonvenomous), unspecified foot, initial encounter   |
| S90.869S    | Insect bite (nonvenomous), unspecified foot, sequela             |
| S90.871A    | Other superficial bite of right foot, initial encounter          |
| S90.871S    | Other superficial bite of right foot, sequela                    |
| S90.872A    | Other superficial bite of left foot, initial encounter           |
| S90.872S    | Other superficial bite of left foot, sequela                     |
| S90.879A    | Other superficial bite of unspecified foot, initial encounter    |
| S90.879S    | Other superficial bite of unspecified foot, sequela              |
| S90.911A    | Unspecified superficial injury of right ankle, initial encounter |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S90.911S    | Unspecified superficial injury of right ankle, sequela                         |
| S90.912A    | Unspecified superficial injury of left ankle, initial encounter                |
| S90.912S    | Unspecified superficial injury of left ankle, sequela                          |
| S90.919A    | Unspecified superficial injury of unspecified ankle, initial encounter         |
| S90.919S    | Unspecified superficial injury of unspecified ankle, sequela                   |
| S90.921A    | Unspecified superficial injury of right foot, initial encounter                |
| S90.921S    | Unspecified superficial injury of right foot, sequela                          |
| S90.922A    | Unspecified superficial injury of left foot, initial encounter                 |
| S90.922S    | Unspecified superficial injury of left foot, sequela                           |
| S90.929A    | Unspecified superficial injury of unspecified foot, initial encounter          |
| S90.929S    | Unspecified superficial injury of unspecified foot, sequela                    |
| S90.931A    | Unspecified superficial injury of right great toe, initial encounter           |
| S90.931S    | Unspecified superficial injury of right great toe, sequela                     |
| S90.932A    | Unspecified superficial injury of left great toe, initial encounter            |
| S90.932S    | Unspecified superficial injury of left great toe, sequela                      |
| S90.933A    | Unspecified superficial injury of unspecified great toe, initial encounter     |
| S90.933S    | Unspecified superficial injury of unspecified great toe, sequela               |
| S90.934A    | Unspecified superficial injury of right lesser toe(s), initial encounter       |
| S90.934S    | Unspecified superficial injury of right lesser toe(s), sequela                 |
| S90.935A    | Unspecified superficial injury of left lesser toe(s), initial encounter        |
| S90.935S    | Unspecified superficial injury of left lesser toe(s), sequela                  |
| S90.936A    | Unspecified superficial injury of unspecified lesser toe(s), initial encounter |
| S90.936S    | Unspecified superficial injury of unspecified lesser toe(s), sequela           |
| S91.001S    | Unspecified open wound, right ankle, sequela                                   |
| S91.002S    | Unspecified open wound, left ankle, sequela                                    |
| S91.009A    | Unspecified open wound, unspecified ankle, initial encounter                   |
| S91.009S    | Unspecified open wound, unspecified ankle, sequela                             |
| S91.011S    | Laceration without foreign body, right ankle, sequela                          |
| S91.012S    | Laceration without foreign body, left ankle, sequela                           |
| S91.019S    | Laceration without foreign body, unspecified ankle, sequela                    |
| S91.021S    | Laceration with foreign body, right ankle, sequela                             |
| S91.022S    | Laceration with foreign body, left ankle, sequela                              |
| S91.029S    | Laceration with foreign body, unspecified ankle, sequela                       |
| S91.031S    | Puncture wound without foreign body, right ankle, sequela                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S91.032S | Puncture wound without foreign body, left ankle, sequela                                     |
| S91.039S | Puncture wound without foreign body, unspecified ankle, sequela                              |
| S91.041S | Puncture wound with foreign body, right ankle, sequela                                       |
| S91.042S | Puncture wound with foreign body, left ankle, sequela  |
| S91.049S | Puncture wound with foreign body, unspecified ankle, sequela                                 |
| S91.051S | Open bite, right ankle, sequela  |
| S91.052S | Open bite, left ankle, sequela   |
| S91.059S | Open bite, unspecified ankle, sequela  |
| S91.101S | Unspecified open wound of right great toe without damage to nail, sequela                    |
| S91.102S | Unspecified open wound of left great toe without damage to nail, sequela                     |
| S91.103S | Unspecified open wound of unspecified great toe without damage to nail, sequela              |
| S91.104S | Unspecified open wound of right lesser toe(s) without damage to nail, sequela                |
| S91.105S | Unspecified open wound of left lesser toe(s) without damage to nail, sequela                 |
| S91.106S | Unspecified open wound of unspecified lesser toe(s) without damage to nail, sequela          |
| S91.109A | Unspecified open wound of unspecified toe(s) without damage to nail, initial encounter       |
| S91.109S | Unspecified open wound of unspecified toe(s) without damage to nail, sequela                 |
| S91.111S | Laceration without foreign body of right great toe without damage to nail, sequela           |
| S91.112S | Laceration without foreign body of left great toe without damage to nail, sequela            |
| S91.113S | Laceration without foreign body of unspecified great toe without damage to nail, sequela     |
| S91.114S | Laceration without foreign body of right lesser toe(s) without damage to nail, sequela       |
| S91.115S | Laceration without foreign body of left lesser toe(s) without damage to nail, sequela        |
| S91.116S | Laceration without foreign body of unspecified lesser toe(s) without damage to nail, sequela |
| S91.119S | Laceration without foreign body of unspecified toe without damage to nail, sequela           |
| S91.121S | Laceration with foreign body of right great toe without damage to nail, sequela              |
| S91.122S | Laceration with foreign body of left great toe without damage to nail, sequela               |
| S91.123S | Laceration with foreign body of unspecified great toe without damage to nail, sequela        |
| S91.124S | Laceration with foreign body of right lesser toe(s) without damage to nail, sequela          |
| S91.125S | Laceration with foreign body of left lesser toe(s) without damage to nail, sequela           |
| S91.126S | Laceration with foreign body of unspecified lesser toe(s) without damage to nail, sequela    |
| S91.129S | Laceration with foreign body of unspecified toe(s) without damage to nail, sequela           |
| S91.131S | Puncture wound without foreign body of right great toe without damage to nail, sequela       |
| S91.132S | Puncture wound without foreign body of left great toe without damage to nail, sequela        |
| S91.133S | Puncture wound without foreign body of unspecified great toe without damage to nail, sequela |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S91.134S | Puncture wound without foreign body of right lesser toe(s) without damage to nail, sequela       |
| S91.135S | Puncture wound without foreign body of left lesser toe(s) without damage to nail, sequela        |
| S91.136S | Puncture wound without foreign body of unspecified lesser toe(s) without damage to nail, sequela |
| S91.139S | Puncture wound without foreign body of unspecified toe(s) without damage to nail, sequela        |
| S91.141S | Puncture wound with foreign body of right great toe without damage to nail, sequela              |
| S91.142S | Puncture wound with foreign body of left great toe without damage to nail, sequela               |
| S91.143S | Puncture wound with foreign body of unspecified great toe without damage to nail, sequela        |
| S91.144S | Puncture wound with foreign body of right lesser toe(s) without damage to nail, sequela          |
| S91.145S | Puncture wound with foreign body of left lesser toe(s) without damage to nail, sequela           |
| S91.146S | Puncture wound with foreign body of unspecified lesser toe(s) without damage to nail, sequela    |
| S91.149S | Puncture wound with foreign body of unspecified toe(s) without damage to nail, sequela           |
| S91.151S | Open bite of right great toe without damage to nail, sequela                                     |
| S91.152S | Open bite of left great toe without damage to nail, sequela                                      |
| S91.153S | Open bite of unspecified great toe without damage to nail, sequela                               |
| S91.154S | Open bite of right lesser toe(s) without damage to nail, sequela                                 |
| S91.155S | Open bite of left lesser toe(s) without damage to nail, sequela                                  |
| S91.156S | Open bite of unspecified lesser toe(s) without damage to nail, sequela                           |
| S91.159S | Open bite of unspecified toe(s) without damage to nail, sequela                                  |
| S91.201S | Unspecified open wound of right great toe with damage to nail, sequela                           |
| S91.202S | Unspecified open wound of left great toe with damage to nail, sequela                            |
| S91.203S | Unspecified open wound of unspecified great toe with damage to nail, sequela                     |
| S91.204S | Unspecified open wound of right lesser toe(s) with damage to nail, sequela                       |
| S91.205S | Unspecified open wound of left lesser toe(s) with damage to nail, sequela                        |
| S91.206S | Unspecified open wound of unspecified lesser toe(s) with damage to nail, sequela                 |
| S91.209S | Unspecified open wound of unspecified toe(s) with damage to nail, sequela                        |
| S91.211S | Laceration without foreign body of right great toe with damage to nail, sequela                  |
| S91.212S | Laceration without foreign body of left great toe with damage to nail, sequela                   |
| S91.213S | Laceration without foreign body of unspecified great toe with damage to nail, sequela            |
| S91.214S | Laceration without foreign body of right lesser toe(s) with damage to nail, sequela              |
| S91.215S | Laceration without foreign body of left lesser toe(s) with damage to nail, sequela               |
| S91.216S | Laceration without foreign body of unspecified lesser toe(s) with damage to nail, sequela        |
| S91.219S | Laceration without foreign body of unspecified toe(s) with damage to nail, sequela               |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S91.221S | Laceration with foreign body of right great toe with damage to nail, sequela                  |
| S91.222S | Laceration with foreign body of left great toe with damage to nail, sequela                   |
| S91.223S | Laceration with foreign body of unspecified great toe with damage to nail, sequela            |
| S91.224S | Laceration with foreign body of right lesser toe(s) with damage to nail, sequela              |
| S91.225S | Laceration with foreign body of left lesser toe(s) with damage to nail, sequela               |
| S91.226S | Laceration with foreign body of unspecified lesser toe(s) with damage to nail, sequela        |
| S91.229S | Laceration with foreign body of unspecified toe(s) with damage to nail, sequela               |
| S91.231S | Puncture wound without foreign body of right great toe with damage to nail, sequela           |
| S91.232S | Puncture wound without foreign body of left great toe with damage to nail, sequela            |
| S91.233S | Puncture wound without foreign body of unspecified great toe with damage to nail, sequela     |
| S91.234S | Puncture wound without foreign body of right lesser toe(s) with damage to nail, sequela       |
| S91.235S | Puncture wound without foreign body of left lesser toe(s) with damage to nail, sequela        |
| S91.236S | Puncture wound without foreign body of unspecified lesser toe(s) with damage to nail, sequela |
| S91.239S | Puncture wound without foreign body of unspecified toe(s) with damage to nail, sequela        |
| S91.241S | Puncture wound with foreign body of right great toe with damage to nail, sequela              |
| S91.242S | Puncture wound with foreign body of left great toe with damage to nail, sequela               |
| S91.243S | Puncture wound with foreign body of unspecified great toe with damage to nail, sequela        |
| S91.244S | Puncture wound with foreign body of right lesser toe(s) with damage to nail, sequela          |
| S91.245S | Puncture wound with foreign body of left lesser toe(s) with damage to nail, sequela           |
| S91.246S | Puncture wound with foreign body of unspecified lesser toe(s) with damage to nail, sequela    |
| S91.249S | Puncture wound with foreign body of unspecified toe(s) with damage to nail, sequela           |
| S91.251S | Open bite of right great toe with damage to nail, sequela                                     |
| S91.252S | Open bite of left great toe with damage to nail, sequela                                      |
| S91.253S | Open bite of unspecified great toe with damage to nail, sequela                               |
| S91.254S | Open bite of right lesser toe(s) with damage to nail, sequela                                 |
| S91.255S | Open bite of left lesser toe(s) with damage to nail, sequela                                  |
| S91.256S | Open bite of unspecified lesser toe(s) with damage to nail, sequela                           |
| S91.259S | Open bite of unspecified toe(s) with damage to nail, sequela                                  |
| S91.301S | Unspecified open wound, right foot, sequela   |
| S91.302S | Unspecified open wound, left foot, sequela  |
| S91.309A | Unspecified open wound, unspecified foot, initial encounter                                   |
| S91.309S | Unspecified open wound, unspecified foot, sequela   |
| S91.311S | Laceration without foreign body, right foot, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S91.312S | Laceration without foreign body, left foot, sequela   |
| S91.319S | Laceration without foreign body, unspecified foot, sequela  |
| S91.321S | Laceration with foreign body, right foot, sequela   |
| S91.322S | Laceration with foreign body, left foot, sequela  |
| S91.329S | Laceration with foreign body, unspecified foot, sequela   |
| S91.331S | Puncture wound without foreign body, right foot, sequela  |
| S91.332S | Puncture wound without foreign body, left foot, sequela   |
| S91.339S | Puncture wound without foreign body, unspecified foot, sequela  |
| S91.341S | Puncture wound with foreign body, right foot, sequela   |
| S91.342S | Puncture wound with foreign body, left foot, sequela  |
| S91.349S | Puncture wound with foreign body, unspecified foot, sequela   |
| S91.351S | Open bite, right foot, sequela  |
| S91.352S | Open bite, left foot, sequela   |
| S91.359S | Open bite, unspecified foot, sequela  |
| S92.001D | Unspecified fracture of right calcaneus, subsequent encounter for fracture with routine healing       |
| S92.001G | Unspecified fracture of right calcaneus, subsequent encounter for fracture with delayed healing       |
| S92.001S | Unspecified fracture of right calcaneus, sequela  |
| S92.002D | Unspecified fracture of left calcaneus, subsequent encounter for fracture with routine healing        |
| S92.002G | Unspecified fracture of left calcaneus, subsequent encounter for fracture with delayed healing        |
| S92.002S | Unspecified fracture of left calcaneus, sequela   |
| S92.009D | Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.009G | Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.009S | Unspecified fracture of unspecified calcaneus, sequela  |
| S92.011D | Displaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing |
| S92.011G | Displaced fracture of body of right calcaneus, subsequent encounter for fracture with delayed healing |
| S92.011S | Displaced fracture of body of right calcaneus, sequela  |
| S92.012D | Displaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing  |
| S92.012G | Displaced fracture of body of left calcaneus, subsequent encounter for fracture with delayed healing  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S92.012S    | Displaced fracture of body of left calcaneus, sequela   |
| S92.013D    | Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with routine healing             |
| S92.013G    | Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with delayed healing             |
| S92.013S    | Displaced fracture of body of unspecified calcaneus, sequela  |
| S92.014D    | Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing                |
| S92.014G    | Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with delayed healing                |
| S92.014S    | Nondisplaced fracture of body of right calcaneus, sequela   |
| S92.015D    | Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing                 |
| S92.015G    | Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with delayed healing                 |
| S92.015S    | Nondisplaced fracture of body of left calcaneus, sequela  |
| S92.016D    | Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with routine healing          |
| S92.016G    | Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with delayed healing          |
| S92.016S    | Nondisplaced fracture of body of unspecified calcaneus, sequela   |
| S92.021D    | Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing       |
| S92.021G    | Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with delayed healing       |
| S92.021S    | Displaced fracture of anterior process of right calcaneus, sequela  |
| S92.022D    | Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing        |
| S92.022G    | Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with delayed healing        |
| S92.022S    | Displaced fracture of anterior process of left calcaneus, sequela   |
| S92.023D    | Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.023G    | Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.023S    | Displaced fracture of anterior process of unspecified calcaneus, sequela  |
| S92.024D    | Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.024G | Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with delayed healing       |
| S92.024S | Nondisplaced fracture of anterior process of right calcaneus, sequela  |
| S92.025D | Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing        |
| S92.025G | Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with delayed healing        |
| S92.025S | Nondisplaced fracture of anterior process of left calcaneus, sequela   |
| S92.026D | Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.026G | Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.026S | Nondisplaced fracture of anterior process of unspecified calcaneus, sequela  |
| S92.031D | Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing       |
| S92.031G | Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing       |
| S92.031S | Displaced avulsion fracture of tuberosity of right calcaneus, sequela  |
| S92.032D | Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing        |
| S92.032G | Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing        |
| S92.032S | Displaced avulsion fracture of tuberosity of left calcaneus, sequela   |
| S92.033D | Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.033G | Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.033S | Displaced avulsion fracture of tuberosity of unspecified calcaneus, sequela  |
| S92.034D | Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing    |
| S92.034G | Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing    |
| S92.034S | Nondisplaced avulsion fracture of tuberosity of right calcaneus, sequela   |
| S92.035D | Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing     |
| S92.035G | Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing     |
| S92.035S | Nondisplaced avulsion fracture of tuberosity of left calcaneus, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S92.036D    | Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.036G    | Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.036S    | Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, sequela  |
| S92.041D    | Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing             |
| S92.041G    | Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing             |
| S92.041S    | Displaced other fracture of tuberosity of right calcaneus, sequela  |
| S92.042D    | Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing              |
| S92.042G    | Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing              |
| S92.042S    | Displaced other fracture of tuberosity of left calcaneus, sequela   |
| S92.043D    | Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing       |
| S92.043G    | Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing       |
| S92.043S    | Displaced other fracture of tuberosity of unspecified calcaneus, sequela  |
| S92.044D    | Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing          |
| S92.044G    | Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing          |
| S92.044S    | Nondisplaced other fracture of tuberosity of right calcaneus, sequela   |
| S92.045D    | Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing           |
| S92.045G    | Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing           |
| S92.045S    | Nondisplaced other fracture of tuberosity of left calcaneus, sequela  |
| S92.046D    | Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing    |
| S92.046G    | Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing    |
| S92.046S    | Nondisplaced other fracture of tuberosity of unspecified calcaneus, sequela   |
| S92.051D    | Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing            |
| S92.051G    | Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S92.051S | Displaced other extraarticular fracture of right calcaneus, sequela   |
| S92.052D | Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing           |
| S92.052G | Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing           |
| S92.052S | Displaced other extraarticular fracture of left calcaneus, sequela  |
| S92.053D | Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing    |
| S92.053G | Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing    |
| S92.053S | Displaced other extraarticular fracture of unspecified calcaneus, sequela   |
| S92.054D | Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing       |
| S92.054G | Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing       |
| S92.054S | Nondisplaced other extraarticular fracture of right calcaneus, sequela  |
| S92.055D | Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing        |
| S92.055G | Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing        |
| S92.055S | Nondisplaced other extraarticular fracture of left calcaneus, sequela   |
| S92.056D | Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.056G | Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.056S | Nondisplaced other extraarticular fracture of unspecified calcaneus, sequela  |
| S92.061D | Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing                |
| S92.061G | Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing                |
| S92.061S | Displaced intraarticular fracture of right calcaneus, sequela   |
| S92.062D | Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing                 |
| S92.062G | Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing                 |
| S92.062S | Displaced intraarticular fracture of left calcaneus, sequela  |
| S92.063D | Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing          |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S92.063G | Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing    |
| S92.063S | Displaced intraarticular fracture of unspecified calcaneus, sequela   |
| S92.064D | Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing       |
| S92.064G | Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing       |
| S92.064S | Nondisplaced intraarticular fracture of right calcaneus, sequela  |
| S92.065D | Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing        |
| S92.065G | Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing        |
| S92.065S | Nondisplaced intraarticular fracture of left calcaneus, sequela   |
| S92.066D | Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing |
| S92.066G | Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing |
| S92.066S | Nondisplaced intraarticular fracture of unspecified calcaneus, sequela  |
| S92.101D | Unspecified fracture of right talus, subsequent encounter for fracture with routine healing                           |
| S92.101G | Unspecified fracture of right talus, subsequent encounter for fracture with delayed healing                           |
| S92.101S | Unspecified fracture of right talus, sequela  |
| S92.102D | Unspecified fracture of left talus, subsequent encounter for fracture with routine healing                            |
| S92.102G | Unspecified fracture of left talus, subsequent encounter for fracture with delayed healing                            |
| S92.102S | Unspecified fracture of left talus, sequela   |
| S92.109D | Unspecified fracture of unspecified talus, subsequent encounter for fracture with routine healing                     |
| S92.109G | Unspecified fracture of unspecified talus, subsequent encounter for fracture with delayed healing                     |
| S92.109S | Unspecified fracture of unspecified talus, sequela  |
| S92.111D | Displaced fracture of neck of right talus, subsequent encounter for fracture with routine healing                     |
| S92.111G | Displaced fracture of neck of right talus, subsequent encounter for fracture with delayed healing                     |
| S92.111S | Displaced fracture of neck of right talus, sequela  |
| S92.112D | Displaced fracture of neck of left talus, subsequent encounter for fracture with routine healing                      |
| S92.112G | Displaced fracture of neck of left talus, subsequent encounter for fracture with delayed healing                      |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.112S | Displaced fracture of neck of left talus, sequela  |
| S92.113D | Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with routine healing    |
| S92.113G | Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with delayed healing    |
| S92.113S | Displaced fracture of neck of unspecified talus, sequela   |
| S92.114D | Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with routine healing       |
| S92.114G | Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with delayed healing       |
| S92.114S | Nondisplaced fracture of neck of right talus, sequela  |
| S92.115D | Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with routine healing        |
| S92.115G | Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with delayed healing        |
| S92.115S | Nondisplaced fracture of neck of left talus, sequela   |
| S92.116D | Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.116G | Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.116S | Nondisplaced fracture of neck of unspecified talus, sequela  |
| S92.121D | Displaced fracture of body of right talus, subsequent encounter for fracture with routine healing          |
| S92.121G | Displaced fracture of body of right talus, subsequent encounter for fracture with delayed healing          |
| S92.121S | Displaced fracture of body of right talus, sequela   |
| S92.122D | Displaced fracture of body of left talus, subsequent encounter for fracture with routine healing           |
| S92.122G | Displaced fracture of body of left talus, subsequent encounter for fracture with delayed healing           |
| S92.122S | Displaced fracture of body of left talus, sequela  |
| S92.123D | Displaced fracture of body of unspecified talus, subsequent encounter for fracture with routine healing    |
| S92.123G | Displaced fracture of body of unspecified talus, subsequent encounter for fracture with delayed healing    |
| S92.123S | Displaced fracture of body of unspecified talus, sequela   |
| S92.124D | Nondisplaced fracture of body of right talus, subsequent encounter for fracture with routine healing       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S92.124G    | Nondisplaced fracture of body of right talus, subsequent encounter for fracture with delayed healing                 |
| S92.124S    | Nondisplaced fracture of body of right talus, sequela  |
| S92.125D    | Nondisplaced fracture of body of left talus, subsequent encounter for fracture with routine healing                  |
| S92.125G    | Nondisplaced fracture of body of left talus, subsequent encounter for fracture with delayed healing                  |
| S92.125S    | Nondisplaced fracture of body of left talus, sequela   |
| S92.126D    | Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with routine healing           |
| S92.126G    | Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with delayed healing           |
| S92.126S    | Nondisplaced fracture of body of unspecified talus, sequela  |
| S92.131D    | Displaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing       |
| S92.131G    | Displaced fracture of posterior process of right talus, subsequent encounter for fracture with delayed healing       |
| S92.131S    | Displaced fracture of posterior process of right talus, sequela  |
| S92.132D    | Displaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing        |
| S92.132G    | Displaced fracture of posterior process of left talus, subsequent encounter for fracture with delayed healing        |
| S92.132S    | Displaced fracture of posterior process of left talus, sequela   |
| S92.133D    | Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.133G    | Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.133S    | Displaced fracture of posterior process of unspecified talus, sequela  |
| S92.134D    | Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing    |
| S92.134G    | Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with delayed healing    |
| S92.134S    | Nondisplaced fracture of posterior process of right talus, sequela   |
| S92.135D    | Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing     |
| S92.135G    | Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with delayed healing     |
| S92.135S    | Nondisplaced fracture of posterior process of left talus, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S92.136D | Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.136G | Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.136S | Nondisplaced fracture of posterior process of unspecified talus, sequela  |
| S92.141D | Displaced dome fracture of right talus, subsequent encounter for fracture with routine healing                          |
| S92.141G | Displaced dome fracture of right talus, subsequent encounter for fracture with delayed healing                          |
| S92.141S | Displaced dome fracture of right talus, sequela   |
| S92.142D | Displaced dome fracture of left talus, subsequent encounter for fracture with routine healing                           |
| S92.142G | Displaced dome fracture of left talus, subsequent encounter for fracture with delayed healing                           |
| S92.142S | Displaced dome fracture of left talus, sequela  |
| S92.143D | Displaced dome fracture of unspecified talus, subsequent encounter for fracture with routine healing                    |
| S92.143G | Displaced dome fracture of unspecified talus, subsequent encounter for fracture with delayed healing                    |
| S92.143S | Displaced dome fracture of unspecified talus, sequela   |
| S92.144D | Nondisplaced dome fracture of right talus, subsequent encounter for fracture with routine healing                       |
| S92.144G | Nondisplaced dome fracture of right talus, subsequent encounter for fracture with delayed healing                       |
| S92.144S | Nondisplaced dome fracture of right talus, sequela  |
| S92.145D | Nondisplaced dome fracture of left talus, subsequent encounter for fracture with routine healing                        |
| S92.145G | Nondisplaced dome fracture of left talus, subsequent encounter for fracture with delayed healing                        |
| S92.145S | Nondisplaced dome fracture of left talus, sequela   |
| S92.146D | Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with routine healing                 |
| S92.146G | Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with delayed healing                 |
| S92.146S | Nondisplaced dome fracture of unspecified talus, sequela  |
| S92.151D | Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing      |
| S92.151G | Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with delayed healing      |
| S92.151S | Displaced avulsion fracture (chip fracture) of right talus, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S92.152D | Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing           |
| S92.152G | Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with delayed healing           |
| S92.152S | Displaced avulsion fracture (chip fracture) of left talus, sequela  |
| S92.153D | Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with routine healing    |
| S92.153G | Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with delayed healing    |
| S92.153S | Displaced avulsion fracture (chip fracture) of unspecified talus, sequela   |
| S92.154D | Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing       |
| S92.154G | Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with delayed healing       |
| S92.154S | Nondisplaced avulsion fracture (chip fracture) of right talus, sequela  |
| S92.155D | Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing        |
| S92.155G | Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with delayed healing        |
| S92.155S | Nondisplaced avulsion fracture (chip fracture) of left talus, sequela   |
| S92.156D | Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with routine healing |
| S92.156G | Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with delayed healing |
| S92.156S | Nondisplaced avulsion fracture (chip fracture) of unspecified talus, sequela  |
| S92.191D | Other fracture of right talus, subsequent encounter for fracture with routine healing                                       |
| S92.191G | Other fracture of right talus, subsequent encounter for fracture with delayed healing                                       |
| S92.191S | Other fracture of right talus, sequela  |
| S92.192D | Other fracture of left talus, subsequent encounter for fracture with routine healing  |
| S92.192G | Other fracture of left talus, subsequent encounter for fracture with delayed healing  |
| S92.192S | Other fracture of left talus, sequela   |
| S92.199D | Other fracture of unspecified talus, subsequent encounter for fracture with routine healing                                 |
| S92.199G | Other fracture of unspecified talus, subsequent encounter for fracture with delayed healing                                 |
| S92.199S | Other fracture of unspecified talus, sequela  |
| S92.201D | Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with routine healing                |
| S92.201G | Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with delayed healing                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S92.201S    | Fracture of unspecified tarsal bone(s) of right foot, sequela  |
| S92.202D    | Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with routine healing        |
| S92.202G    | Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with delayed healing        |
| S92.202S    | Fracture of unspecified tarsal bone(s) of left foot, sequela   |
| S92.209D    | Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.209G    | Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.209S    | Fracture of unspecified tarsal bone(s) of unspecified foot, sequela  |
| S92.211D    | Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing            |
| S92.211G    | Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with delayed healing            |
| S92.211S    | Displaced fracture of cuboid bone of right foot, sequela   |
| S92.212D    | Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing             |
| S92.212G    | Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with delayed healing             |
| S92.212S    | Displaced fracture of cuboid bone of left foot, sequela  |
| S92.213D    | Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with routine healing      |
| S92.213G    | Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with delayed healing      |
| S92.213S    | Displaced fracture of cuboid bone of unspecified foot, sequela   |
| S92.214D    | Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing         |
| S92.214G    | Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with delayed healing         |
| S92.214S    | Nondisplaced fracture of cuboid bone of right foot, sequela  |
| S92.215D    | Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing          |
| S92.215G    | Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with delayed healing          |
| S92.215S    | Nondisplaced fracture of cuboid bone of left foot, sequela   |
| S92.216D    | Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with routine healing   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.216G | Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with delayed healing       |
| S92.216S | Nondisplaced fracture of cuboid bone of unspecified foot, sequela  |
| S92.221D | Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing          |
| S92.221G | Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with delayed healing          |
| S92.221S | Displaced fracture of lateral cuneiform of right foot, sequela   |
| S92.222D | Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing           |
| S92.222G | Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with delayed healing           |
| S92.222S | Displaced fracture of lateral cuneiform of left foot, sequela  |
| S92.223D | Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with routine healing    |
| S92.223G | Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing    |
| S92.223S | Displaced fracture of lateral cuneiform of unspecified foot, sequela   |
| S92.224D | Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing       |
| S92.224G | Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with delayed healing       |
| S92.224S | Nondisplaced fracture of lateral cuneiform of right foot, sequela  |
| S92.225D | Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing        |
| S92.225G | Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with delayed healing        |
| S92.225S | Nondisplaced fracture of lateral cuneiform of left foot, sequela   |
| S92.226D | Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.226G | Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.226S | Nondisplaced fracture of lateral cuneiform of unspecified foot, sequela  |
| S92.231D | Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing     |
| S92.231G | Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with delayed healing     |
| S92.231S | Displaced fracture of intermediate cuneiform of right foot, sequela  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S92.232D | Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing           |
| S92.232G | Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with delayed healing           |
| S92.232S | Displaced fracture of intermediate cuneiform of left foot, sequela  |
| S92.233D | Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with routine healing    |
| S92.233G | Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing    |
| S92.233S | Displaced fracture of intermediate cuneiform of unspecified foot, sequela   |
| S92.234D | Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing       |
| S92.234G | Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with delayed healing       |
| S92.234S | Nondisplaced fracture of intermediate cuneiform of right foot, sequela  |
| S92.235D | Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing        |
| S92.235G | Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with delayed healing        |
| S92.235S | Nondisplaced fracture of intermediate cuneiform of left foot, sequela   |
| S92.236D | Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.236G | Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.236S | Nondisplaced fracture of intermediate cuneiform of unspecified foot, sequela  |
| S92.241D | Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing                |
| S92.241G | Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with delayed healing                |
| S92.241S | Displaced fracture of medial cuneiform of right foot, sequela   |
| S92.242D | Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing                 |
| S92.242G | Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with delayed healing                 |
| S92.242S | Displaced fracture of medial cuneiform of left foot, sequela  |
| S92.243D | Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with routine healing          |
| S92.243G | Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing          |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S92.243S    | Displaced fracture of medial cuneiform of unspecified foot, sequela  |
| S92.244D    | Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing        |
| S92.244G    | Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with delayed healing        |
| S92.244S    | Nondisplaced fracture of medial cuneiform of right foot, sequela   |
| S92.245D    | Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing         |
| S92.245G    | Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with delayed healing         |
| S92.245S    | Nondisplaced fracture of medial cuneiform of left foot, sequela  |
| S92.246D    | Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with routine healing  |
| S92.246G    | Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing  |
| S92.246S    | Nondisplaced fracture of medial cuneiform of unspecified foot, sequela   |
| S92.251D    | Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with routine healing       |
| S92.251G    | Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with delayed healing       |
| S92.251S    | Displaced fracture of navicular [scaphoid] of right foot, sequela  |
| S92.252D    | Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with routine healing        |
| S92.252G    | Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with delayed healing        |
| S92.252S    | Displaced fracture of navicular [scaphoid] of left foot, sequela   |
| S92.253D    | Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.253G    | Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.253S    | Displaced fracture of navicular [scaphoid] of unspecified foot, sequela  |
| S92.254D    | Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with routine healing    |
| S92.254G    | Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with delayed healing    |
| S92.254S    | Nondisplaced fracture of navicular [scaphoid] of right foot, sequela   |
| S92.255D    | Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with routine healing     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S92.255G | Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with delayed healing        |
| S92.255S | Nondisplaced fracture of navicular [scaphoid] of left foot, sequela   |
| S92.256D | Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with routine healing |
| S92.256G | Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.256S | Nondisplaced fracture of navicular [scaphoid] of unspecified foot, sequela  |
| S92.301D | Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with routine healing            |
| S92.301G | Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with delayed healing            |
| S92.301S | Fracture of unspecified metatarsal bone(s), right foot, sequela   |
| S92.302D | Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with routine healing             |
| S92.302G | Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with delayed healing             |
| S92.302S | Fracture of unspecified metatarsal bone(s), left foot, sequela  |
| S92.309D | Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with routine healing      |
| S92.309G | Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with delayed healing      |
| S92.309S | Fracture of unspecified metatarsal bone(s), unspecified foot, sequela   |
| S92.311D | Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing           |
| S92.311G | Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with delayed healing           |
| S92.311S | Displaced fracture of first metatarsal bone, right foot, sequela  |
| S92.312D | Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing            |
| S92.312G | Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with delayed healing            |
| S92.312S | Displaced fracture of first metatarsal bone, left foot, sequela   |
| S92.313D | Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing     |
| S92.313G | Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing     |
| S92.313S | Displaced fracture of first metatarsal bone, unspecified foot, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.314D | Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing       |
| S92.314G | Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with delayed healing       |
| S92.314S | Nondisplaced fracture of first metatarsal bone, right foot, sequela  |
| S92.315D | Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing        |
| S92.315G | Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with delayed healing        |
| S92.315S | Nondisplaced fracture of first metatarsal bone, left foot, sequela   |
| S92.316D | Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.316G | Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.316S | Nondisplaced fracture of first metatarsal bone, unspecified foot, sequela  |
| S92.321D | Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing         |
| S92.321G | Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with delayed healing         |
| S92.321S | Displaced fracture of second metatarsal bone, right foot, sequela  |
| S92.322D | Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing          |
| S92.322G | Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with delayed healing          |
| S92.322S | Displaced fracture of second metatarsal bone, left foot, sequela   |
| S92.323D | Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing   |
| S92.323G | Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing   |
| S92.323S | Displaced fracture of second metatarsal bone, unspecified foot, sequela  |
| S92.324D | Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing      |
| S92.324G | Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with delayed healing      |
| S92.324S | Nondisplaced fracture of second metatarsal bone, right foot, sequela   |
| S92.325D | Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing       |
| S92.325G | Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with delayed healing       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S92.325S | Nondisplaced fracture of second metatarsal bone, left foot, sequela   |
| S92.326D | Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.326G | Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.326S | Nondisplaced fracture of second metatarsal bone, unspecified foot, sequela  |
| S92.331D | Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing           |
| S92.331G | Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with delayed healing           |
| S92.331S | Displaced fracture of third metatarsal bone, right foot, sequela  |
| S92.332D | Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing            |
| S92.332G | Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with delayed healing            |
| S92.332S | Displaced fracture of third metatarsal bone, left foot, sequela   |
| S92.333D | Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing     |
| S92.333G | Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing     |
| S92.333S | Displaced fracture of third metatarsal bone, unspecified foot, sequela  |
| S92.334D | Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing        |
| S92.334G | Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with delayed healing        |
| S92.334S | Nondisplaced fracture of third metatarsal bone, right foot, sequela   |
| S92.335D | Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing         |
| S92.335G | Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with delayed healing         |
| S92.335S | Nondisplaced fracture of third metatarsal bone, left foot, sequela  |
| S92.336D | Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing  |
| S92.336G | Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing  |
| S92.336S | Nondisplaced fracture of third metatarsal bone, unspecified foot, sequela   |
| S92.341D | Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S92.341G    | Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing          |
| S92.341S    | Displaced fracture of fourth metatarsal bone, right foot, sequela   |
| S92.342D    | Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing           |
| S92.342G    | Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing           |
| S92.342S    | Displaced fracture of fourth metatarsal bone, left foot, sequela  |
| S92.343D    | Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing    |
| S92.343G    | Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing    |
| S92.343S    | Displaced fracture of fourth metatarsal bone, unspecified foot, sequela   |
| S92.344D    | Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing       |
| S92.344G    | Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing       |
| S92.344S    | Nondisplaced fracture of fourth metatarsal bone, right foot, sequela  |
| S92.345D    | Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing        |
| S92.345G    | Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing        |
| S92.345S    | Nondisplaced fracture of fourth metatarsal bone, left foot, sequela   |
| S92.346D    | Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.346G    | Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.346S    | Nondisplaced fracture of fourth metatarsal bone, unspecified foot, sequela  |
| S92.351D    | Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing           |
| S92.351G    | Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing           |
| S92.351S    | Displaced fracture of fifth metatarsal bone, right foot, sequela  |
| S92.352D    | Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing            |
| S92.352G    | Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing            |
| S92.352S    | Displaced fracture of fifth metatarsal bone, left foot, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.353D | Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing    |
| S92.353G | Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing    |
| S92.353S | Displaced fracture of fifth metatarsal bone, unspecified foot, sequela   |
| S92.354D | Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing       |
| S92.354G | Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing       |
| S92.354S | Nondisplaced fracture of fifth metatarsal bone, right foot, sequela  |
| S92.355D | Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing        |
| S92.355G | Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing        |
| S92.355S | Nondisplaced fracture of fifth metatarsal bone, left foot, sequela   |
| S92.356D | Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing |
| S92.356G | Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing |
| S92.356S | Nondisplaced fracture of fifth metatarsal bone, unspecified foot, sequela  |
| S92.401D | Displaced unspecified fracture of right great toe, subsequent encounter for fracture with routine healing                |
| S92.401G | Displaced unspecified fracture of right great toe, subsequent encounter for fracture with delayed healing                |
| S92.401S | Displaced unspecified fracture of right great toe, sequela   |
| S92.402D | Displaced unspecified fracture of left great toe, subsequent encounter for fracture with routine healing                 |
| S92.402G | Displaced unspecified fracture of left great toe, subsequent encounter for fracture with delayed healing                 |
| S92.402S | Displaced unspecified fracture of left great toe, sequela  |
| S92.403D | Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with routine healing          |
| S92.403G | Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with delayed healing          |
| S92.403S | Displaced unspecified fracture of unspecified great toe, sequela   |
| S92.404D | Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with routine healing             |
| S92.404G | Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with delayed healing             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S92.404S    | Nondisplaced unspecified fracture of right great toe, sequela  |
| S92.405D    | Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with routine healing                |
| S92.405G    | Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with delayed healing                |
| S92.405S    | Nondisplaced unspecified fracture of left great toe, sequela   |
| S92.406D    | Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with routine healing         |
| S92.406G    | Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with delayed healing         |
| S92.406S    | Nondisplaced unspecified fracture of unspecified great toe, sequela  |
| S92.411D    | Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing          |
| S92.411G    | Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with delayed healing          |
| S92.411S    | Displaced fracture of proximal phalanx of right great toe, sequela   |
| S92.412D    | Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing           |
| S92.412G    | Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with delayed healing           |
| S92.412S    | Displaced fracture of proximal phalanx of left great toe, sequela  |
| S92.413D    | Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing    |
| S92.413G    | Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing    |
| S92.413S    | Displaced fracture of proximal phalanx of unspecified great toe, sequela   |
| S92.414D    | Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing       |
| S92.414G    | Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with delayed healing       |
| S92.414S    | Nondisplaced fracture of proximal phalanx of right great toe, sequela  |
| S92.415D    | Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing        |
| S92.415G    | Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with delayed healing        |
| S92.415S    | Nondisplaced fracture of proximal phalanx of left great toe, sequela   |
| S92.416D    | Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.416G | Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing |
| S92.416S | Nondisplaced fracture of proximal phalanx of unspecified great toe, sequela  |
| S92.421D | Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing            |
| S92.421G | Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with delayed healing            |
| S92.421S | Displaced fracture of distal phalanx of right great toe, sequela   |
| S92.422D | Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing             |
| S92.422G | Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with delayed healing             |
| S92.422S | Displaced fracture of distal phalanx of left great toe, sequela  |
| S92.423D | Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing      |
| S92.423G | Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing      |
| S92.423S | Displaced fracture of distal phalanx of unspecified great toe, sequela   |
| S92.424D | Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing         |
| S92.424G | Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with delayed healing         |
| S92.424S | Nondisplaced fracture of distal phalanx of right great toe, sequela  |
| S92.425D | Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing          |
| S92.425G | Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with delayed healing          |
| S92.425S | Nondisplaced fracture of distal phalanx of left great toe, sequela   |
| S92.426D | Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing   |
| S92.426G | Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing   |
| S92.426S | Nondisplaced fracture of distal phalanx of unspecified great toe, sequela  |
| S92.491D | Other fracture of right great toe, subsequent encounter for fracture with routine healing                                  |
| S92.491G | Other fracture of right great toe, subsequent encounter for fracture with delayed healing                                  |
| S92.491S | Other fracture of right great toe, sequela   |
| S92.492D | Other fracture of left great toe, subsequent encounter for fracture with routine healing                                   |
| S92.492G | Other fracture of left great toe, subsequent encounter for fracture with delayed healing                                   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S92.492S    | Other fracture of left great toe, sequela  |
| S92.499D    | Other fracture of unspecified great toe, subsequent encounter for fracture with routine healing                        |
| S92.499G    | Other fracture of unspecified great toe, subsequent encounter for fracture with delayed healing                        |
| S92.499S    | Other fracture of unspecified great toe, sequela   |
| S92.501D    | Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with routine healing          |
| S92.501G    | Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing          |
| S92.501S    | Displaced unspecified fracture of right lesser toe(s), sequela   |
| S92.502D    | Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with routine healing           |
| S92.502G    | Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing           |
| S92.502S    | Displaced unspecified fracture of left lesser toe(s), sequela  |
| S92.503D    | Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing    |
| S92.503G    | Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing    |
| S92.503S    | Displaced unspecified fracture of unspecified lesser toe(s), sequela   |
| S92.504D    | Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with routine healing       |
| S92.504G    | Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing       |
| S92.504S    | Nondisplaced unspecified fracture of right lesser toe(s), sequela  |
| S92.505D    | Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with routine healing        |
| S92.505G    | Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing        |
| S92.505S    | Nondisplaced unspecified fracture of left lesser toe(s), sequela   |
| S92.506D    | Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.506G    | Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.506S    | Nondisplaced unspecified fracture of unspecified lesser toe(s), sequela  |
| S92.511D    | Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.511G | Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing          |
| S92.511S | Displaced fracture of proximal phalanx of right lesser toe(s), sequela   |
| S92.512D | Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing           |
| S92.512G | Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing           |
| S92.512S | Displaced fracture of proximal phalanx of left lesser toe(s), sequela  |
| S92.513D | Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing    |
| S92.513G | Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing    |
| S92.513S | Displaced fracture of proximal phalanx of unspecified lesser toe(s), sequela   |
| S92.514D | Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing       |
| S92.514G | Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing       |
| S92.514S | Nondisplaced fracture of proximal phalanx of right lesser toe(s), sequela  |
| S92.515D | Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing        |
| S92.515G | Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing        |
| S92.515S | Nondisplaced fracture of proximal phalanx of left lesser toe(s), sequela   |
| S92.516D | Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.516G | Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.516S | Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), sequela  |
| S92.521D | Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing            |
| S92.521G | Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing            |
| S92.521S | Displaced fracture of middle phalanx of right lesser toe(s), sequela   |
| S92.522D | Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing             |
| S92.522G | Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing             |
| S92.522S | Displaced fracture of middle phalanx of left lesser toe(s), sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S92.523D    | Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing    |
| S92.523G    | Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing    |
| S92.523S    | Displaced fracture of middle phalanx of unspecified lesser toe(s), sequela   |
| S92.524D    | Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing       |
| S92.524G    | Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing       |
| S92.524S    | Nondisplaced fracture of middle phalanx of right lesser toe(s), sequela  |
| S92.525D    | Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing        |
| S92.525G    | Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing        |
| S92.525S    | Nondisplaced fracture of middle phalanx of left lesser toe(s), sequela   |
| S92.526D    | Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.526G    | Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.526S    | Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), sequela  |
| S92.531D    | Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing          |
| S92.531G    | Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing          |
| S92.531S    | Displaced fracture of distal phalanx of right lesser toe(s), sequela   |
| S92.532D    | Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing           |
| S92.532G    | Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing           |
| S92.532S    | Displaced fracture of distal phalanx of left lesser toe(s), sequela  |
| S92.533D    | Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing    |
| S92.533G    | Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing    |
| S92.533S    | Displaced fracture of distal phalanx of unspecified lesser toe(s), sequela   |
| S92.534D    | Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing       |
| S92.534G    | Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.534S | Nondisplaced fracture of distal phalanx of right lesser toe(s), sequela  |
| S92.535D | Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing        |
| S92.535G | Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing        |
| S92.535S | Nondisplaced fracture of distal phalanx of left lesser toe(s), sequela   |
| S92.536D | Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing |
| S92.536G | Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing |
| S92.536S | Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), sequela  |
| S92.591D | Other fracture of right lesser toe(s), subsequent encounter for fracture with routine healing                                |
| S92.591G | Other fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing                                |
| S92.591S | Other fracture of right lesser toe(s), sequela   |
| S92.592D | Other fracture of left lesser toe(s), subsequent encounter for fracture with routine healing                                 |
| S92.592G | Other fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing                                 |
| S92.592S | Other fracture of left lesser toe(s), sequela  |
| S92.599D | Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing                          |
| S92.599G | Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing                          |
| S92.599S | Other fracture of unspecified lesser toe(s), sequela   |
| S92.901D | Unspecified fracture of right foot, subsequent encounter for fracture with routine healing                                   |
| S92.901G | Unspecified fracture of right foot, subsequent encounter for fracture with delayed healing                                   |
| S92.901S | Unspecified fracture of right foot, sequela  |
| S92.902D | Unspecified fracture of left foot, subsequent encounter for fracture with routine healing                                    |
| S92.902G | Unspecified fracture of left foot, subsequent encounter for fracture with delayed healing                                    |
| S92.902S | Unspecified fracture of left foot, sequela   |
| S92.909D | Unspecified fracture of unspecified foot, subsequent encounter for fracture with routine healing                             |
| S92.909G | Unspecified fracture of unspecified foot, subsequent encounter for fracture with delayed healing                             |
| S92.909S | Unspecified fracture of unspecified foot, sequela  |
| S92.911D | Unspecified fracture of right toe(s), subsequent encounter for fracture with routine healing                                 |
| S92.911G | Unspecified fracture of right toe(s), subsequent encounter for fracture with delayed healing                                 |
| S92.911S | Unspecified fracture of right toe(s), sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S92.912D | Unspecified fracture of left toe(s), subsequent encounter for fracture with routine healing        |
| S92.912G | Unspecified fracture of left toe(s), subsequent encounter for fracture with delayed healing        |
| S92.912S | Unspecified fracture of left toe(s), sequela   |
| S92.919D | Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with routine healing |
| S92.919G | Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with delayed healing |
| S92.919S | Unspecified fracture of unspecified toe(s), sequela  |
| S93.01XA | Subluxation of right ankle joint, initial encounter  |
| S93.01XS | Subluxation of right ankle joint, sequela  |
| S93.02XA | Subluxation of left ankle joint, initial encounter   |
| S93.02XS | Subluxation of left ankle joint, sequela   |
| S93.03XA | Subluxation of unspecified ankle joint, initial encounter  |
| S93.03XS | Subluxation of unspecified ankle joint, sequela  |
| S93.04XA | Dislocation of right ankle joint, initial encounter  |
| S93.04XS | Dislocation of right ankle joint, sequela  |
| S93.05XA | Dislocation of left ankle joint, initial encounter   |
| S93.05XS | Dislocation of left ankle joint, sequela   |
| S93.06XA | Dislocation of unspecified ankle joint, initial encounter  |
| S93.06XS | Dislocation of unspecified ankle joint, sequela  |
| S93.101A | Unspecified subluxation of right toe(s), initial encounter   |
| S93.101S | Unspecified subluxation of right toe(s), sequela   |
| S93.102A | Unspecified subluxation of left toe(s), initial encounter  |
| S93.102S | Unspecified subluxation of left toe(s), sequela  |
| S93.103A | Unspecified subluxation of unspecified toe(s), initial encounter                                   |
| S93.103S | Unspecified subluxation of unspecified toe(s), sequela   |
| S93.104A | Unspecified dislocation of right toe(s), initial encounter   |
| S93.104S | Unspecified dislocation of right toe(s), sequela   |
| S93.105A | Unspecified dislocation of left toe(s), initial encounter  |
| S93.105S | Unspecified dislocation of left toe(s), sequela  |
| S93.106A | Unspecified dislocation of unspecified toe(s), initial encounter                                   |
| S93.106S | Unspecified dislocation of unspecified toe(s), sequela   |
| S93.111A | Dislocation of interphalangeal joint of right great toe, initial encounter                         |
| S93.111S | Dislocation of interphalangeal joint of right great toe, sequela                                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S93.112A    | Dislocation of interphalangeal joint of left great toe, initial encounter                |
| S93.112S    | Dislocation of interphalangeal joint of left great toe, sequela                          |
| S93.113A    | Dislocation of interphalangeal joint of unspecified great toe, initial encounter         |
| S93.113S    | Dislocation of interphalangeal joint of unspecified great toe, sequela                   |
| S93.114A    | Dislocation of interphalangeal joint of right lesser toe(s), initial encounter           |
| S93.114S    | Dislocation of interphalangeal joint of right lesser toe(s), sequela                     |
| S93.115A    | Dislocation of interphalangeal joint of left lesser toe(s), initial encounter            |
| S93.115S    | Dislocation of interphalangeal joint of left lesser toe(s), sequela                      |
| S93.116A    | Dislocation of interphalangeal joint of unspecified lesser toe(s), initial encounter     |
| S93.116S    | Dislocation of interphalangeal joint of unspecified lesser toe(s), sequela               |
| S93.119A    | Dislocation of interphalangeal joint of unspecified toe(s), initial encounter            |
| S93.119S    | Dislocation of interphalangeal joint of unspecified toe(s), sequela                      |
| S93.121A    | Dislocation of metatarsophalangeal joint of right great toe, initial encounter           |
| S93.121S    | Dislocation of metatarsophalangeal joint of right great toe, sequela                     |
| S93.122A    | Dislocation of metatarsophalangeal joint of left great toe, initial encounter            |
| S93.122S    | Dislocation of metatarsophalangeal joint of left great toe, sequela                      |
| S93.123A    | Dislocation of metatarsophalangeal joint of unspecified great toe, initial encounter     |
| S93.123S    | Dislocation of metatarsophalangeal joint of unspecified great toe, sequela               |
| S93.124A    | Dislocation of metatarsophalangeal joint of right lesser toe(s), initial encounter       |
| S93.124S    | Dislocation of metatarsophalangeal joint of right lesser toe(s), sequela                 |
| S93.125A    | Dislocation of metatarsophalangeal joint of left lesser toe(s), initial encounter        |
| S93.125S    | Dislocation of metatarsophalangeal joint of left lesser toe(s), sequela                  |
| S93.126A    | Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter |
| S93.126S    | Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), sequela           |
| S93.129A    | Dislocation of metatarsophalangeal joint of unspecified toe(s), initial encounter        |
| S93.129S    | Dislocation of metatarsophalangeal joint of unspecified toe(s), sequela                  |
| S93.131A    | Subluxation of interphalangeal joint of right great toe, initial encounter               |
| S93.131S    | Subluxation of interphalangeal joint of right great toe, sequela                         |
| S93.132A    | Subluxation of interphalangeal joint of left great toe, initial encounter                |
| S93.132S    | Subluxation of interphalangeal joint of left great toe, sequela                          |
| S93.133A    | Subluxation of interphalangeal joint of unspecified great toe, initial encounter         |
| S93.133S    | Subluxation of interphalangeal joint of unspecified great toe, sequela                   |
| S93.134A    | Subluxation of interphalangeal joint of right lesser toe(s), initial encounter           |
| S93.134S    | Subluxation of interphalangeal joint of right lesser toe(s), sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S93.135A    | Subluxation of interphalangeal joint of left lesser toe(s), initial encounter            |
| S93.135S    | Subluxation of interphalangeal joint of left lesser toe(s), sequela                      |
| S93.136A    | Subluxation of interphalangeal joint of unspecified lesser toe(s), initial encounter     |
| S93.136S    | Subluxation of interphalangeal joint of unspecified lesser toe(s), sequela               |
| S93.139A    | Subluxation of interphalangeal joint of unspecified toe(s), initial encounter            |
| S93.139S    | Subluxation of interphalangeal joint of unspecified toe(s), sequela                      |
| S93.141A    | Subluxation of metatarsophalangeal joint of right great toe, initial encounter           |
| S93.141S    | Subluxation of metatarsophalangeal joint of right great toe, sequela                     |
| S93.142A    | Subluxation of metatarsophalangeal joint of left great toe, initial encounter            |
| S93.142S    | Subluxation of metatarsophalangeal joint of left great toe, sequela                      |
| S93.143A    | Subluxation of metatarsophalangeal joint of unspecified great toe, initial encounter     |
| S93.143S    | Subluxation of metatarsophalangeal joint of unspecified great toe, sequela               |
| S93.144A    | Subluxation of metatarsophalangeal joint of right lesser toe(s), initial encounter       |
| S93.144S    | Subluxation of metatarsophalangeal joint of right lesser toe(s), sequela                 |
| S93.145A    | Subluxation of metatarsophalangeal joint of left lesser toe(s), initial encounter        |
| S93.145S    | Subluxation of metatarsophalangeal joint of left lesser toe(s), sequela                  |
| S93.146A    | Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter |
| S93.146S    | Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), sequela           |
| S93.149A    | Subluxation of metatarsophalangeal joint of unspecified toe(s), initial encounter        |
| S93.149S    | Subluxation of metatarsophalangeal joint of unspecified toe(s), sequela                  |
| S93.301A    | Unspecified subluxation of right foot, initial encounter                                 |
| S93.301S    | Unspecified subluxation of right foot, sequela   |
| S93.302A    | Unspecified subluxation of left foot, initial encounter                                  |
| S93.302S    | Unspecified subluxation of left foot, sequela  |
| S93.303A    | Unspecified subluxation of unspecified foot, initial encounter                           |
| S93.303S    | Unspecified subluxation of unspecified foot, sequela                                     |
| S93.304A    | Unspecified dislocation of right foot, initial encounter                                 |
| S93.304S    | Unspecified dislocation of right foot, sequela   |
| S93.305A    | Unspecified dislocation of left foot, initial encounter                                  |
| S93.305S    | Unspecified dislocation of left foot, sequela  |
| S93.306A    | Unspecified dislocation of unspecified foot, initial encounter                           |
| S93.306S    | Unspecified dislocation of unspecified foot, sequela                                     |
| S93.311A    | Subluxation of tarsal joint of right foot, initial encounter                             |
| S93.311S    | Subluxation of tarsal joint of right foot, sequela                                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S93.312A    | Subluxation of tarsal joint of left foot, initial encounter                 |
| S93.312S    | Subluxation of tarsal joint of left foot, sequela                           |
| S93.313A    | Subluxation of tarsal joint of unspecified foot, initial encounter          |
| S93.313S    | Subluxation of tarsal joint of unspecified foot, sequela                    |
| S93.314A    | Dislocation of tarsal joint of right foot, initial encounter                |
| S93.314S    | Dislocation of tarsal joint of right foot, sequela                          |
| S93.315A    | Dislocation of tarsal joint of left foot, initial encounter                 |
| S93.315S    | Dislocation of tarsal joint of left foot, sequela                           |
| S93.316A    | Dislocation of tarsal joint of unspecified foot, initial encounter          |
| S93.316S    | Dislocation of tarsal joint of unspecified foot, sequela                    |
| S93.321A    | Subluxation of tarsometatarsal joint of right foot, initial encounter       |
| S93.321S    | Subluxation of tarsometatarsal joint of right foot, sequela                 |
| S93.322A    | Subluxation of tarsometatarsal joint of left foot, initial encounter        |
| S93.322S    | Subluxation of tarsometatarsal joint of left foot, sequela                  |
| S93.323A    | Subluxation of tarsometatarsal joint of unspecified foot, initial encounter |
| S93.323S    | Subluxation of tarsometatarsal joint of unspecified foot, sequela           |
| S93.324A    | Dislocation of tarsometatarsal joint of right foot, initial encounter       |
| S93.324S    | Dislocation of tarsometatarsal joint of right foot, sequela                 |
| S93.325A    | Dislocation of tarsometatarsal joint of left foot, initial encounter        |
| S93.325S    | Dislocation of tarsometatarsal joint of left foot, sequela                  |
| S93.326A    | Dislocation of tarsometatarsal joint of unspecified foot, initial encounter |
| S93.326S    | Dislocation of tarsometatarsal joint of unspecified foot, sequela           |
| S93.331A    | Other subluxation of right foot, initial encounter                          |
| S93.331S    | Other subluxation of right foot, sequela                                    |
| S93.332A    | Other subluxation of left foot, initial encounter                           |
| S93.332S    | Other subluxation of left foot, sequela                                     |
| S93.333A    | Other subluxation of unspecified foot, initial encounter                    |
| S93.333S    | Other subluxation of unspecified foot, sequela                              |
| S93.334A    | Other dislocation of right foot, initial encounter                          |
| S93.334S    | Other dislocation of right foot, sequela                                    |
| S93.335A    | Other dislocation of left foot, initial encounter                           |
| S93.335S    | Other dislocation of left foot, sequela                                     |
| S93.336A    | Other dislocation of unspecified foot, initial encounter                    |
| S93.336S    | Other dislocation of unspecified foot, sequela                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S93.401A | Sprain of unspecified ligament of right ankle, initial encounter           |
| S93.401S | Sprain of unspecified ligament of right ankle, sequela                     |
| S93.402A | Sprain of unspecified ligament of left ankle, initial encounter            |
| S93.402S | Sprain of unspecified ligament of left ankle, sequela                      |
| S93.409A | Sprain of unspecified ligament of unspecified ankle, initial encounter     |
| S93.409S | Sprain of unspecified ligament of unspecified ankle, sequela               |
| S93.411A | Sprain of calcaneofibular ligament of right ankle, initial encounter       |
| S93.411S | Sprain of calcaneofibular ligament of right ankle, sequela                 |
| S93.412A | Sprain of calcaneofibular ligament of left ankle, initial encounter        |
| S93.412S | Sprain of calcaneofibular ligament of left ankle, sequela                  |
| S93.419A | Sprain of calcaneofibular ligament of unspecified ankle, initial encounter |
| S93.419S | Sprain of calcaneofibular ligament of unspecified ankle, sequela           |
| S93.421A | Sprain of deltoid ligament of right ankle, initial encounter               |
| S93.421S | Sprain of deltoid ligament of right ankle, sequela                         |
| S93.422A | Sprain of deltoid ligament of left ankle, initial encounter                |
| S93.422S | Sprain of deltoid ligament of left ankle, sequela                          |
| S93.429A | Sprain of deltoid ligament of unspecified ankle, initial encounter         |
| S93.429S | Sprain of deltoid ligament of unspecified ankle, sequela                   |
| S93.431A | Sprain of tibiofibular ligament of right ankle, initial encounter          |
| S93.431S | Sprain of tibiofibular ligament of right ankle, sequela                    |
| S93.432A | Sprain of tibiofibular ligament of left ankle, initial encounter           |
| S93.432S | Sprain of tibiofibular ligament of left ankle, sequela                     |
| S93.439A | Sprain of tibiofibular ligament of unspecified ankle, initial encounter    |
| S93.439S | Sprain of tibiofibular ligament of unspecified ankle, sequela              |
| S93.491A | Sprain of other ligament of right ankle, initial encounter                 |
| S93.491S | Sprain of other ligament of right ankle, sequela                           |
| S93.492A | Sprain of other ligament of left ankle, initial encounter                  |
| S93.492S | Sprain of other ligament of left ankle, sequela                            |
| S93.499A | Sprain of other ligament of unspecified ankle, initial encounter           |
| S93.499S | Sprain of other ligament of unspecified ankle, sequela                     |
| S93.501A | Unspecified sprain of right great toe, initial encounter                   |
| S93.501S | Unspecified sprain of right great toe, sequela                             |
| S93.502A | Unspecified sprain of left great toe, initial encounter                    |
| S93.502S | Unspecified sprain of left great toe, sequela                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S93.503A    | Unspecified sprain of unspecified great toe, initial encounter                  |
| S93.503S    | Unspecified sprain of unspecified great toe, sequela                            |
| S93.504A    | Unspecified sprain of right lesser toe(s), initial encounter                    |
| S93.504S    | Unspecified sprain of right lesser toe(s), sequela                              |
| S93.505A    | Unspecified sprain of left lesser toe(s), initial encounter                     |
| S93.505S    | Unspecified sprain of left lesser toe(s), sequela                               |
| S93.506A    | Unspecified sprain of unspecified lesser toe(s), initial encounter              |
| S93.506S    | Unspecified sprain of unspecified lesser toe(s), sequela                        |
| S93.509A    | Unspecified sprain of unspecified toe(s), initial encounter                     |
| S93.509S    | Unspecified sprain of unspecified toe(s), sequela                               |
| S93.511A    | Sprain of interphalangeal joint of right great toe, initial encounter           |
| S93.511S    | Sprain of interphalangeal joint of right great toe, sequela                     |
| S93.512A    | Sprain of interphalangeal joint of left great toe, initial encounter            |
| S93.512S    | Sprain of interphalangeal joint of left great toe, sequela                      |
| S93.513A    | Sprain of interphalangeal joint of unspecified great toe, initial encounter     |
| S93.513S    | Sprain of interphalangeal joint of unspecified great toe, sequela               |
| S93.514A    | Sprain of interphalangeal joint of right lesser toe(s), initial encounter       |
| S93.514S    | Sprain of interphalangeal joint of right lesser toe(s), sequela                 |
| S93.515A    | Sprain of interphalangeal joint of left lesser toe(s), initial encounter        |
| S93.515S    | Sprain of interphalangeal joint of left lesser toe(s), sequela                  |
| S93.516A    | Sprain of interphalangeal joint of unspecified lesser toe(s), initial encounter |
| S93.516S    | Sprain of interphalangeal joint of unspecified lesser toe(s), sequela           |
| S93.519A    | Sprain of interphalangeal joint of unspecified toe(s), initial encounter        |
| S93.519S    | Sprain of interphalangeal joint of unspecified toe(s), sequela                  |
| S93.521A    | Sprain of metatarsophalangeal joint of right great toe, initial encounter       |
| S93.521S    | Sprain of metatarsophalangeal joint of right great toe, sequela                 |
| S93.522A    | Sprain of metatarsophalangeal joint of left great toe, initial encounter        |
| S93.522S    | Sprain of metatarsophalangeal joint of left great toe, sequela                  |
| S93.523A    | Sprain of metatarsophalangeal joint of unspecified great toe, initial encounter |
| S93.523S    | Sprain of metatarsophalangeal joint of unspecified great toe, sequela           |
| S93.524A    | Sprain of metatarsophalangeal joint of right lesser toe(s), initial encounter   |
| S93.524S    | Sprain of metatarsophalangeal joint of right lesser toe(s), sequela             |
| S93.525A    | Sprain of metatarsophalangeal joint of left lesser toe(s), initial encounter    |
| S93.525S    | Sprain of metatarsophalangeal joint of left lesser toe(s), sequela              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S93.526A    | Sprain of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter |
| S93.526S    | Sprain of metatarsophalangeal joint of unspecified lesser toe(s), sequela           |
| S93.529A    | Sprain of metatarsophalangeal joint of unspecified toe(s), initial encounter        |
| S93.529S    | Sprain of metatarsophalangeal joint of unspecified toe(s), sequela                  |
| S93.601A    | Unspecified sprain of right foot, initial encounter                                 |
| S93.601S    | Unspecified sprain of right foot, sequela   |
| S93.602A    | Unspecified sprain of left foot, initial encounter                                  |
| S93.602S    | Unspecified sprain of left foot, sequela  |
| S93.609A    | Unspecified sprain of unspecified foot, initial encounter                           |
| S93.609S    | Unspecified sprain of unspecified foot, sequela                                     |
| S93.611A    | Sprain of tarsal ligament of right foot, initial encounter                          |
| S93.611S    | Sprain of tarsal ligament of right foot, sequela                                    |
| S93.612A    | Sprain of tarsal ligament of left foot, initial encounter                           |
| S93.612S    | Sprain of tarsal ligament of left foot, sequela                                     |
| S93.619A    | Sprain of tarsal ligament of unspecified foot, initial encounter                    |
| S93.619S    | Sprain of tarsal ligament of unspecified foot, sequela                              |
| S93.621A    | Sprain of tarsometatarsal ligament of right foot, initial encounter                 |
| S93.621S    | Sprain of tarsometatarsal ligament of right foot, sequela                           |
| S93.622A    | Sprain of tarsometatarsal ligament of left foot, initial encounter                  |
| S93.622S    | Sprain of tarsometatarsal ligament of left foot, sequela                            |
| S93.629A    | Sprain of tarsometatarsal ligament of unspecified foot, initial encounter           |
| S93.629S    | Sprain of tarsometatarsal ligament of unspecified foot, sequela                     |
| S93.691A    | Other sprain of right foot, initial encounter                                       |
| S93.691S    | Other sprain of right foot, sequela   |
| S93.692A    | Other sprain of left foot, initial encounter  |
| S93.692S    | Other sprain of left foot, sequela  |
| S93.699A    | Other sprain of unspecified foot, initial encounter                                 |
| S93.699S    | Other sprain of unspecified foot, sequela   |
| S94.00XA    | Injury of lateral plantar nerve, unspecified leg, initial encounter                 |
| S94.00XS    | Injury of lateral plantar nerve, unspecified leg, sequela                           |
| S94.01XA    | Injury of lateral plantar nerve, right leg, initial encounter                       |
| S94.01XS    | Injury of lateral plantar nerve, right leg, sequela                                 |
| S94.02XA    | Injury of lateral plantar nerve, left leg, initial encounter                        |
| S94.02XS    | Injury of lateral plantar nerve, left leg, sequela                                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S94.10XA    | Injury of medial plantar nerve, unspecified leg, initial encounter                            |
| S94.10XS    | Injury of medial plantar nerve, unspecified leg, sequela                                      |
| S94.11XA    | Injury of medial plantar nerve, right leg, initial encounter                                  |
| S94.11XS    | Injury of medial plantar nerve, right leg, sequela  |
| S94.12XA    | Injury of medial plantar nerve, left leg, initial encounter                                   |
| S94.12XS    | Injury of medial plantar nerve, left leg, sequela   |
| S94.20XA    | Injury of deep peroneal nerve at ankle and foot level, unspecified leg, initial encounter     |
| S94.20XS    | Injury of deep peroneal nerve at ankle and foot level, unspecified leg, sequela               |
| S94.21XA    | Injury of deep peroneal nerve at ankle and foot level, right leg, initial encounter           |
| S94.21XS    | Injury of deep peroneal nerve at ankle and foot level, right leg, sequela                     |
| S94.22XA    | Injury of deep peroneal nerve at ankle and foot level, left leg, initial encounter            |
| S94.22XS    | Injury of deep peroneal nerve at ankle and foot level, left leg, sequela                      |
| S94.30XA    | Injury of cutaneous sensory nerve at ankle and foot level, unspecified leg, initial encounter |
| S94.30XS    | Injury of cutaneous sensory nerve at ankle and foot level, unspecified leg, sequela           |
| S94.31XA    | Injury of cutaneous sensory nerve at ankle and foot level, right leg, initial encounter       |
| S94.31XS    | Injury of cutaneous sensory nerve at ankle and foot level, right leg, sequela                 |
| S94.32XA    | Injury of cutaneous sensory nerve at ankle and foot level, left leg, initial encounter        |
| S94.32XS    | Injury of cutaneous sensory nerve at ankle and foot level, left leg, sequela                  |
| S94.8X1A    | Injury of other nerves at ankle and foot level, right leg, initial encounter                  |
| S94.8X1S    | Injury of other nerves at ankle and foot level, right leg, sequela                            |
| S94.8X2A    | Injury of other nerves at ankle and foot level, left leg, initial encounter                   |
| S94.8X2S    | Injury of other nerves at ankle and foot level, left leg, sequela                             |
| S94.8X9A    | Injury of other nerves at ankle and foot level, unspecified leg, initial encounter            |
| S94.8X9S    | Injury of other nerves at ankle and foot level, unspecified leg, sequela                      |
| S94.90XA    | Injury of unspecified nerve at ankle and foot level, unspecified leg, initial encounter       |
| S94.90XS    | Injury of unspecified nerve at ankle and foot level, unspecified leg, sequela                 |
| S94.91XA    | Injury of unspecified nerve at ankle and foot level, right leg, initial encounter             |
| S94.91XS    | Injury of unspecified nerve at ankle and foot level, right leg, sequela                       |
| S94.92XA    | Injury of unspecified nerve at ankle and foot level, left leg, initial encounter              |
| S94.92XS    | Injury of unspecified nerve at ankle and foot level, left leg, sequela                        |
| S95.001S    | Unspecified injury of dorsal artery of right foot, sequela                                    |
| S95.002S    | Unspecified injury of dorsal artery of left foot, sequela                                     |
| S95.009S    | Unspecified injury of dorsal artery of unspecified foot, sequela                              |
| S95.011S    | Laceration of dorsal artery of right foot, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S95.012S    | Laceration of dorsal artery of left foot, sequela   |
| S95.019S    | Laceration of dorsal artery of unspecified foot, sequela  |
| S95.091S    | Other specified injury of dorsal artery of right foot, sequela                                  |
| S95.092S    | Other specified injury of dorsal artery of left foot, sequela                                   |
| S95.099S    | Other specified injury of dorsal artery of unspecified foot, sequela                            |
| S95.101S    | Unspecified injury of plantar artery of right foot, sequela                                     |
| S95.102S    | Unspecified injury of plantar artery of left foot, sequela                                      |
| S95.109S    | Unspecified injury of plantar artery of unspecified foot, sequela                               |
| S95.111S    | Laceration of plantar artery of right foot, sequela   |
| S95.112S    | Laceration of plantar artery of left foot, sequela  |
| S95.119S    | Laceration of plantar artery of unspecified foot, sequela                                       |
| S95.191S    | Other specified injury of plantar artery of right foot, sequela                                 |
| S95.192S    | Other specified injury of plantar artery of left foot, sequela                                  |
| S95.199S    | Other specified injury of plantar artery of unspecified foot, sequela                           |
| S95.201S    | Unspecified injury of dorsal vein of right foot, sequela  |
| S95.202S    | Unspecified injury of dorsal vein of left foot, sequela   |
| S95.209S    | Unspecified injury of dorsal vein of unspecified foot, sequela                                  |
| S95.211S    | Laceration of dorsal vein of right foot, sequela  |
| S95.212S    | Laceration of dorsal vein of left foot, sequela   |
| S95.219S    | Laceration of dorsal vein of unspecified foot, sequela  |
| S95.291S    | Other specified injury of dorsal vein of right foot, sequela                                    |
| S95.292S    | Other specified injury of dorsal vein of left foot, sequela                                     |
| S95.299S    | Other specified injury of dorsal vein of unspecified foot, sequela                              |
| S95.801S    | Unspecified injury of other blood vessels at ankle and foot level, right leg, sequela           |
| S95.802S    | Unspecified injury of other blood vessels at ankle and foot level, left leg, sequela            |
| S95.809S    | Unspecified injury of other blood vessels at ankle and foot level, unspecified leg, sequela     |
| S95.811S    | Laceration of other blood vessels at ankle and foot level, right leg, sequela                   |
| S95.812S    | Laceration of other blood vessels at ankle and foot level, left leg, sequela                    |
| S95.819S    | Laceration of other blood vessels at ankle and foot level, unspecified leg, sequela             |
| S95.891S    | Other specified injury of other blood vessels at ankle and foot level, right leg, sequela       |
| S95.892S    | Other specified injury of other blood vessels at ankle and foot level, left leg, sequela        |
| S95.899S    | Other specified injury of other blood vessels at ankle and foot level, unspecified leg, sequela |
| S95.901S    | Unspecified injury of unspecified blood vessel at ankle and foot level, right leg, sequela      |
| S95.902S    | Unspecified injury of unspecified blood vessel at ankle and foot level, left leg, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S95.909S | Unspecified injury of unspecified blood vessel at ankle and foot level, unspecified leg, sequela                        |
| S95.911S | Laceration of unspecified blood vessel at ankle and foot level, right leg, sequela                                      |
| S95.912S | Laceration of unspecified blood vessel at ankle and foot level, left leg, sequela                                       |
| S95.919S | Laceration of unspecified blood vessel at ankle and foot level, unspecified leg, sequela                                |
| S95.991S | Other specified injury of unspecified blood vessel at ankle and foot level, right leg, sequela                          |
| S95.992S | Other specified injury of unspecified blood vessel at ankle and foot level, left leg, sequela                           |
| S95.999S | Other specified injury of unspecified blood vessel at ankle and foot level, unspecified leg, sequela                    |
| S96.001S | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela       |
| S96.002S | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela        |
| S96.009S | Unspecified injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.011A | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, initial encounter         |
| S96.011S | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela                   |
| S96.012A | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, initial encounter          |
| S96.012S | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela                    |
| S96.019A | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, initial encounter   |
| S96.019S | Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela             |
| S96.021S | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela               |
| S96.022S | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela                |
| S96.029S | Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela         |
| S96.091S | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela             |
| S96.092S | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela              |
| S96.099S | Other injury of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S96.101S | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela           |
| S96.102S | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela            |
| S96.109S | Unspecified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela     |
| S96.111A | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, initial encounter             |
| S96.111S | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela                       |
| S96.112A | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, initial encounter              |
| S96.112S | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela                        |
| S96.119A | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, initial encounter       |
| S96.119S | Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela                 |
| S96.121S | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela                   |
| S96.122S | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela                    |
| S96.129S | Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela             |
| S96.191S | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela       |
| S96.192S | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela        |
| S96.199S | Other specified injury of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela |
| S96.201S | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, right foot, sequela                                |
| S96.202S | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, left foot, sequela                                 |
| S96.209S | Unspecified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela                          |
| S96.211A | Strain of intrinsic muscle and tendon at ankle and foot level, right foot, initial encounter                                  |
| S96.211S | Strain of intrinsic muscle and tendon at ankle and foot level, right foot, sequela  |
| S96.212A | Strain of intrinsic muscle and tendon at ankle and foot level, left foot, initial encounter                                   |
| S96.212S | Strain of intrinsic muscle and tendon at ankle and foot level, left foot, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S96.219A | Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, initial encounter               |
| S96.219S | Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela                         |
| S96.221S | Laceration of intrinsic muscle and tendon at ankle and foot level, right foot, sequela                           |
| S96.222S | Laceration of intrinsic muscle and tendon at ankle and foot level, left foot, sequela                            |
| S96.229S | Laceration of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela                     |
| S96.291S | Other specified injury of intrinsic muscle and tendon at ankle and foot level, right foot, sequela               |
| S96.292S | Other specified injury of intrinsic muscle and tendon at ankle and foot level, left foot, sequela                |
| S96.299S | Other specified injury of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela         |
| S96.801S | Unspecified injury of other specified muscles and tendons at ankle and foot level, right foot, sequela           |
| S96.802S | Unspecified injury of other specified muscles and tendons at ankle and foot level, left foot, sequela            |
| S96.809S | Unspecified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela     |
| S96.811A | Strain of other specified muscles and tendons at ankle and foot level, right foot, initial encounter             |
| S96.811S | Strain of other specified muscles and tendons at ankle and foot level, right foot, sequela                       |
| S96.812A | Strain of other specified muscles and tendons at ankle and foot level, left foot, initial encounter              |
| S96.812S | Strain of other specified muscles and tendons at ankle and foot level, left foot, sequela                        |
| S96.819A | Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, initial encounter       |
| S96.819S | Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela                 |
| S96.821S | Laceration of other specified muscles and tendons at ankle and foot level, right foot, sequela                   |
| S96.822S | Laceration of other specified muscles and tendons at ankle and foot level, left foot, sequela                    |
| S96.829S | Laceration of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela             |
| S96.891S | Other specified injury of other specified muscles and tendons at ankle and foot level, right foot, sequela       |
| S96.892S | Other specified injury of other specified muscles and tendons at ankle and foot level, left foot, sequela        |
| S96.899S | Other specified injury of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela |
| S96.901S | Unspecified injury of unspecified muscle and tendon at ankle and foot level, right foot, sequela                 |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S96.902S | Unspecified injury of unspecified muscle and tendon at ankle and foot level, left foot, sequela            |
| S96.909S | Unspecified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela     |
| S96.911A | Strain of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter             |
| S96.911S | Strain of unspecified muscle and tendon at ankle and foot level, right foot, sequela                       |
| S96.912A | Strain of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter              |
| S96.912S | Strain of unspecified muscle and tendon at ankle and foot level, left foot, sequela                        |
| S96.919A | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, initial encounter       |
| S96.919S | Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela                 |
| S96.921S | Laceration of unspecified muscle and tendon at ankle and foot level, right foot, sequela                   |
| S96.922S | Laceration of unspecified muscle and tendon at ankle and foot level, left foot, sequela                    |
| S96.929S | Laceration of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela             |
| S96.991S | Other specified injury of unspecified muscle and tendon at ankle and foot level, right foot, sequela       |
| S96.992S | Other specified injury of unspecified muscle and tendon at ankle and foot level, left foot, sequela        |
| S96.999S | Other specified injury of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela |
| S97.00XS | Crushing injury of unspecified ankle, sequela  |
| S97.01XS | Crushing injury of right ankle, sequela  |
| S97.02XS | Crushing injury of left ankle, sequela   |
| S97.101S | Crushing injury of unspecified right toe(s), sequela   |
| S97.102S | Crushing injury of unspecified left toe(s), sequela  |
| S97.109S | Crushing injury of unspecified toe(s), sequela   |
| S97.111S | Crushing injury of right great toe, sequela  |
| S97.112S | Crushing injury of left great toe, sequela   |
| S97.119S | Crushing injury of unspecified great toe, sequela  |
| S97.121S | Crushing injury of right lesser toe(s), sequela  |
| S97.122S | Crushing injury of left lesser toe(s), sequela   |
| S97.129S | Crushing injury of unspecified lesser toe(s), sequela  |
| S97.80XS | Crushing injury of unspecified foot, sequela   |
| S97.81XS | Crushing injury of right foot, sequela   |
| S97.82XS | Crushing injury of left foot, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S98.011S    | Complete traumatic amputation of right foot at ankle level, sequela           |
| S98.012S    | Complete traumatic amputation of left foot at ankle level, sequela            |
| S98.019S    | Complete traumatic amputation of unspecified foot at ankle level, sequela     |
| S98.021S    | Partial traumatic amputation of right foot at ankle level, sequela            |
| S98.022S    | Partial traumatic amputation of left foot at ankle level, sequela             |
| S98.029S    | Partial traumatic amputation of unspecified foot at ankle level, sequela      |
| S98.111S    | Complete traumatic amputation of right great toe, sequela                     |
| S98.112S    | Complete traumatic amputation of left great toe, sequela                      |
| S98.119S    | Complete traumatic amputation of unspecified great toe, sequela               |
| S98.121S    | Partial traumatic amputation of right great toe, sequela                      |
| S98.122S    | Partial traumatic amputation of left great toe, sequela                       |
| S98.129S    | Partial traumatic amputation of unspecified great toe, sequela                |
| S98.131S    | Complete traumatic amputation of one right lesser toe, sequela                |
| S98.132S    | Complete traumatic amputation of one left lesser toe, sequela                 |
| S98.139S    | Complete traumatic amputation of one unspecified lesser toe, sequela          |
| S98.141S    | Partial traumatic amputation of one right lesser toe, sequela                 |
| S98.142S    | Partial traumatic amputation of one left lesser toe, sequela                  |
| S98.149S    | Partial traumatic amputation of one unspecified lesser toe, sequela           |
| S98.211S    | Complete traumatic amputation of two or more right lesser toes, sequela       |
| S98.212S    | Complete traumatic amputation of two or more left lesser toes, sequela        |
| S98.219S    | Complete traumatic amputation of two or more unspecified lesser toes, sequela |
| S98.221S    | Partial traumatic amputation of two or more right lesser toes, sequela        |
| S98.222S    | Partial traumatic amputation of two or more left lesser toes, sequela         |
| S98.229S    | Partial traumatic amputation of two or more unspecified lesser toes, sequela  |
| S98.311S    | Complete traumatic amputation of right midfoot, sequela                       |
| S98.312S    | Complete traumatic amputation of left midfoot, sequela                        |
| S98.319S    | Complete traumatic amputation of unspecified midfoot, sequela                 |
| S98.321S    | Partial traumatic amputation of right midfoot, sequela                        |
| S98.322S    | Partial traumatic amputation of left midfoot, sequela                         |
| S98.329S    | Partial traumatic amputation of unspecified midfoot, sequela                  |
| S98.911S    | Complete traumatic amputation of right foot, level unspecified, sequela       |
| S98.912S    | Complete traumatic amputation of left foot, level unspecified, sequela        |
| S98.919S    | Complete traumatic amputation of unspecified foot, level unspecified, sequela |
| S98.921S    | Partial traumatic amputation of right foot, level unspecified, sequela        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S98.922S | Partial traumatic amputation of left foot, level unspecified, sequela        |
| S98.929S | Partial traumatic amputation of unspecified foot, level unspecified, sequela |
| S99.811S | Other specified injuries of right ankle, sequela                             |
| S99.812S | Other specified injuries of left ankle, sequela                              |
| S99.819S | Other specified injuries of unspecified ankle, sequela                       |
| S99.821S | Other specified injuries of right foot, sequela                              |
| S99.822S | Other specified injuries of left foot, sequela                               |
| S99.829S | Other specified injuries of unspecified foot, sequela                        |
| S99.911S | Unspecified injury of right ankle, sequela                                   |
| S99.912S | Unspecified injury of left ankle, sequela                                    |
| S99.919S | Unspecified injury of unspecified ankle, sequela                             |
| S99.921S | Unspecified injury of right foot, sequela                                    |
| S99.922S | Unspecified injury of left foot, sequela                                     |
| S99.929S | Unspecified injury of unspecified foot, sequela                              |
| T07.XXXA | Unspecified multiple injuries, initial encounter                             |
| T07.XXXS | Unspecified multiple injuries, sequela                                       |
| T14.8XXS | Other injury of unspecified body region, sequela                             |
| T14.90XA | Injury, unspecified, initial encounter                                       |
| T14.90XS | Injury, unspecified, sequela   |
| T14.91XA | Suicide attempt, initial encounter   |
| T14.91XD | Suicide attempt, subsequent encounter  |
| T14.91XS | Suicide attempt, sequela   |
| T15.00XA | Foreign body in cornea, unspecified eye, initial encounter                   |
| T15.00XS | Foreign body in cornea, unspecified eye, sequela                             |
| T15.01XA | Foreign body in cornea, right eye, initial encounter                         |
| T15.01XS | Foreign body in cornea, right eye, sequela                                   |
| T15.02XA | Foreign body in cornea, left eye, initial encounter                          |
| T15.02XS | Foreign body in cornea, left eye, sequela                                    |
| T15.10XA | Foreign body in conjunctival sac, unspecified eye, initial encounter         |
| T15.10XS | Foreign body in conjunctival sac, unspecified eye, sequela                   |
| T15.11XA | Foreign body in conjunctival sac, right eye, initial encounter               |
| T15.11XS | Foreign body in conjunctival sac, right eye, sequela                         |
| T15.12XA | Foreign body in conjunctival sac, left eye, initial encounter                |
| T15.12XS | Foreign body in conjunctival sac, left eye, sequela                          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T15.80XA | Foreign body in other and multiple parts of external eye, unspecified eye, initial encounter |
| T15.80XS | Foreign body in other and multiple parts of external eye, unspecified eye, sequela           |
| T15.81XA | Foreign body in other and multiple parts of external eye, right eye, initial encounter       |
| T15.81XS | Foreign body in other and multiple parts of external eye, right eye, sequela                 |
| T15.82XA | Foreign body in other and multiple parts of external eye, left eye, initial encounter        |
| T15.82XS | Foreign body in other and multiple parts of external eye, left eye, sequela                  |
| T15.90XA | Foreign body on external eye, part unspecified, unspecified eye, initial encounter           |
| T15.90XS | Foreign body on external eye, part unspecified, unspecified eye, sequela                     |
| T15.91XA | Foreign body on external eye, part unspecified, right eye, initial encounter                 |
| T15.91XS | Foreign body on external eye, part unspecified, right eye, sequela                           |
| T15.92XA | Foreign body on external eye, part unspecified, left eye, initial encounter                  |
| T15.92XS | Foreign body on external eye, part unspecified, left eye, sequela                            |
| T16.1XXA | Foreign body in right ear, initial encounter   |
| T16.1XXS | Foreign body in right ear, sequela   |
| T16.2XXA | Foreign body in left ear, initial encounter  |
| T16.2XXS | Foreign body in left ear, sequela  |
| T16.9XXA | Foreign body in ear, unspecified ear, initial encounter                                      |
| T16.9XXS | Foreign body in ear, unspecified ear, sequela  |
| T17.0XXA | Foreign body in nasal sinus, initial encounter   |
| T17.0XXS | Foreign body in nasal sinus, sequela   |
| T17.1XXA | Foreign body in nostril, initial encounter   |
| T17.1XXS | Foreign body in nostril, sequela   |
| T17.200S | Unspecified foreign body in pharynx causing asphyxiation, sequela                            |
| T17.208S | Unspecified foreign body in pharynx causing other injury, sequela                            |
| T17.210S | Gastric contents in pharynx causing asphyxiation, sequela                                    |
| T17.218S | Gastric contents in pharynx causing other injury, sequela                                    |
| T17.220S | Food in pharynx causing asphyxiation, sequela  |
| T17.228S | Food in pharynx causing other injury, sequela  |
| T17.290S | Other foreign object in pharynx causing asphyxiation, sequela                                |
| T17.298S | Other foreign object in pharynx causing other injury, sequela                                |
| T17.300S | Unspecified foreign body in larynx causing asphyxiation, sequela                             |
| T17.308S | Unspecified foreign body in larynx causing other injury, sequela                             |
| T17.310S | Gastric contents in larynx causing asphyxiation, sequela                                     |
| T17.318S | Gastric contents in larynx causing other injury, sequela                                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T17.320S    | Food in larynx causing asphyxiation, sequela  |
| T17.328S    | Food in larynx causing other injury, sequela  |
| T17.390S    | Other foreign object in larynx causing asphyxiation, sequela                                  |
| T17.398S    | Other foreign object in larynx causing other injury, sequela                                  |
| T17.400S    | Unspecified foreign body in trachea causing asphyxiation, sequela                             |
| T17.408S    | Unspecified foreign body in trachea causing other injury, sequela                             |
| T17.410S    | Gastric contents in trachea causing asphyxiation, sequela                                     |
| T17.418S    | Gastric contents in trachea causing other injury, sequela                                     |
| T17.420S    | Food in trachea causing asphyxiation, sequela   |
| T17.428S    | Food in trachea causing other injury, sequela   |
| T17.490S    | Other foreign object in trachea causing asphyxiation, sequela                                 |
| T17.498S    | Other foreign object in trachea causing other injury, sequela                                 |
| T17.500S    | Unspecified foreign body in bronchus causing asphyxiation, sequela                            |
| T17.508S    | Unspecified foreign body in bronchus causing other injury, sequela                            |
| T17.510S    | Gastric contents in bronchus causing asphyxiation, sequela                                    |
| T17.518S    | Gastric contents in bronchus causing other injury, sequela                                    |
| T17.520S    | Food in bronchus causing asphyxiation, sequela  |
| T17.528S    | Food in bronchus causing other injury, sequela  |
| T17.590S    | Other foreign object in bronchus causing asphyxiation, sequela                                |
| T17.598S    | Other foreign object in bronchus causing other injury, sequela                                |
| T17.800S    | Unspecified foreign body in other parts of respiratory tract causing asphyxiation, sequela    |
| T17.808S    | Unspecified foreign body in other parts of respiratory tract causing other injury, sequela    |
| T17.810S    | Gastric contents in other parts of respiratory tract causing asphyxiation, sequela            |
| T17.818S    | Gastric contents in other parts of respiratory tract causing other injury, sequela            |
| T17.820S    | Food in other parts of respiratory tract causing asphyxiation, sequela                        |
| T17.828S    | Food in other parts of respiratory tract causing other injury, sequela                        |
| T17.890S    | Other foreign object in other parts of respiratory tract causing asphyxiation, sequela        |
| T17.898S    | Other foreign object in other parts of respiratory tract causing other injury, sequela        |
| T17.900S    | Unspecified foreign body in respiratory tract, part unspecified causing asphyxiation, sequela |
| T17.908S    | Unspecified foreign body in respiratory tract, part unspecified causing other injury, sequela |
| T17.910S    | Gastric contents in respiratory tract, part unspecified causing asphyxiation, sequela         |
| T17.918S    | Gastric contents in respiratory tract, part unspecified causing other injury, sequela         |
| T17.920S    | Food in respiratory tract, part unspecified causing asphyxiation, sequela                     |
| T17.928S    | Food in respiratory tract, part unspecified causing other injury, sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T17.990S | Other foreign object in respiratory tract, part unspecified in causing asphyxiation, sequela |
| T17.998S | Other foreign object in respiratory tract, part unspecified causing other injury, sequela    |
| T18.0XXS | Foreign body in mouth, sequela   |
| T18.100S | Unspecified foreign body in esophagus causing compression of trachea, sequela                |
| T18.108S | Unspecified foreign body in esophagus causing other injury, sequela                          |
| T18.110S | Gastric contents in esophagus causing compression of trachea, sequela                        |
| T18.118S | Gastric contents in esophagus causing other injury, sequela                                  |
| T18.120S | Food in esophagus causing compression of trachea, sequela                                    |
| T18.128S | Food in esophagus causing other injury, sequela  |
| T18.190S | Other foreign object in esophagus causing compression of trachea, sequela                    |
| T18.198S | Other foreign object in esophagus causing other injury, sequela                              |
| T18.2XXS | Foreign body in stomach, sequela   |
| T18.3XXS | Foreign body in small intestine, sequela   |
| T18.4XXS | Foreign body in colon, sequela   |
| T18.5XXS | Foreign body in anus and rectum, sequela   |
| T18.8XXS | Foreign body in other parts of alimentary tract, sequela                                     |
| T18.9XXS | Foreign body of alimentary tract, part unspecified, sequela                                  |
| T19.0XXS | Foreign body in urethra, sequela   |
| T19.1XXS | Foreign body in bladder, sequela   |
| T19.2XXS | Foreign body in vulva and vagina, sequela  |
| T19.3XXS | Foreign body in uterus, sequela  |
| T19.4XXS | Foreign body in penis, sequela   |
| T19.8XXS | Foreign body in other parts of genitourinary tract, sequela                                  |
| T19.9XXS | Foreign body in genitourinary tract, part unspecified, sequela                               |
| T20.00XS | Burn of unspecified degree of head, face, and neck, unspecified site, sequela                |
| T20.011S | Burn of unspecified degree of right ear [any part, except ear drum], sequela                 |
| T20.012S | Burn of unspecified degree of left ear [any part, except ear drum], sequela                  |
| T20.019S | Burn of unspecified degree of unspecified ear [any part, except ear drum], sequela           |
| T20.02XS | Burn of unspecified degree of lip(s), sequela  |
| T20.03XS | Burn of unspecified degree of chin, sequela  |
| T20.04XS | Burn of unspecified degree of nose (septum), sequela   |
| T20.05XS | Burn of unspecified degree of scalp [any part], sequela                                      |
| T20.06XS | Burn of unspecified degree of forehead and cheek, sequela                                    |
| T20.07XS | Burn of unspecified degree of neck, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T20.09XS | Burn of unspecified degree of multiple sites of head, face, and neck, sequela |
| T20.10XS | Burn of first degree of head, face, and neck, unspecified site, sequela       |
| T20.111S | Burn of first degree of right ear [any part, except ear drum], sequela        |
| T20.112S | Burn of first degree of left ear [any part, except ear drum], sequela         |
| T20.119S | Burn of first degree of unspecified ear [any part, except ear drum], sequela  |
| T20.12XS | Burn of first degree of lip(s), sequela                                       |
| T20.13XS | Burn of first degree of chin, sequela   |
| T20.14XS | Burn of first degree of nose (septum), sequela                                |
| T20.15XS | Burn of first degree of scalp [any part], sequela                             |
| T20.16XS | Burn of first degree of forehead and cheek, sequela                           |
| T20.17XS | Burn of first degree of neck, sequela   |
| T20.19XS | Burn of first degree of multiple sites of head, face, and neck, sequela       |
| T20.20XS | Burn of second degree of head, face, and neck, unspecified site, sequela      |
| T20.211S | Burn of second degree of right ear [any part, except ear drum], sequela       |
| T20.212S | Burn of second degree of left ear [any part, except ear drum], sequela        |
| T20.219S | Burn of second degree of unspecified ear [any part, except ear drum], sequela |
| T20.22XS | Burn of second degree of lip(s), sequela                                      |
| T20.23XS | Burn of second degree of chin, sequela  |
| T20.24XS | Burn of second degree of nose (septum), sequela                               |
| T20.25XS | Burn of second degree of scalp [any part], sequela                            |
| T20.26XS | Burn of second degree of forehead and cheek, sequela                          |
| T20.27XS | Burn of second degree of neck, sequela  |
| T20.29XS | Burn of second degree of multiple sites of head, face, and neck, sequela      |
| T20.30XS | Burn of third degree of head, face, and neck, unspecified site, sequela       |
| T20.311S | Burn of third degree of right ear [any part, except ear drum], sequela        |
| T20.312S | Burn of third degree of left ear [any part, except ear drum], sequela         |
| T20.319S | Burn of third degree of unspecified ear [any part, except ear drum], sequela  |
| T20.32XS | Burn of third degree of lip(s), sequela                                       |
| T20.33XS | Burn of third degree of chin, sequela   |
| T20.34XS | Burn of third degree of nose (septum), sequela                                |
| T20.35XS | Burn of third degree of scalp [any part], sequela                             |
| T20.36XS | Burn of third degree of forehead and cheek, sequela                           |
| T20.37XS | Burn of third degree of neck, sequela   |
| T20.39XS | Burn of third degree of multiple sites of head, face, and neck, sequela       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T20.40XS | Corrosion of unspecified degree of head, face, and neck, unspecified site, sequela      |
| T20.411S | Corrosion of unspecified degree of right ear [any part, except ear drum], sequela       |
| T20.412S | Corrosion of unspecified degree of left ear [any part, except ear drum], sequela        |
| T20.419S | Corrosion of unspecified degree of unspecified ear [any part, except ear drum], sequela |
| T20.42XS | Corrosion of unspecified degree of lip(s), sequela                                      |
| T20.43XS | Corrosion of unspecified degree of chin, sequela  |
| T20.44XS | Corrosion of unspecified degree of nose (septum), sequela                               |
| T20.45XS | Corrosion of unspecified degree of scalp [any part], sequela                            |
| T20.46XS | Corrosion of unspecified degree of forehead and cheek, sequela                          |
| T20.47XS | Corrosion of unspecified degree of neck, sequela  |
| T20.49XS | Corrosion of unspecified degree of multiple sites of head, face, and neck, sequela      |
| T20.50XS | Corrosion of first degree of head, face, and neck, unspecified site, sequela            |
| T20.511S | Corrosion of first degree of right ear [any part, except ear drum], sequela             |
| T20.512S | Corrosion of first degree of left ear [any part, except ear drum], sequela              |
| T20.519S | Corrosion of first degree of unspecified ear [any part, except ear drum], sequela       |
| T20.52XS | Corrosion of first degree of lip(s), sequela  |
| T20.53XS | Corrosion of first degree of chin, sequela  |
| T20.54XS | Corrosion of first degree of nose (septum), sequela                                     |
| T20.55XS | Corrosion of first degree of scalp [any part], sequela                                  |
| T20.56XS | Corrosion of first degree of forehead and cheek, sequela                                |
| T20.57XS | Corrosion of first degree of neck, sequela  |
| T20.59XS | Corrosion of first degree of multiple sites of head, face, and neck, sequela            |
| T20.60XS | Corrosion of second degree of head, face, and neck, unspecified site, sequela           |
| T20.611S | Corrosion of second degree of right ear [any part, except ear drum], sequela            |
| T20.612S | Corrosion of second degree of left ear [any part, except ear drum], sequela             |
| T20.619S | Corrosion of second degree of unspecified ear [any part, except ear drum], sequela      |
| T20.62XS | Corrosion of second degree of lip(s), sequela   |
| T20.63XS | Corrosion of second degree of chin, sequela   |
| T20.64XS | Corrosion of second degree of nose (septum), sequela                                    |
| T20.65XS | Corrosion of second degree of scalp [any part], sequela                                 |
| T20.66XS | Corrosion of second degree of forehead and cheek, sequela                               |
| T20.67XS | Corrosion of second degree of neck, sequela   |
| T20.69XS | Corrosion of second degree of multiple sites of head, face, and neck, sequela           |
| T20.70XS | Corrosion of third degree of head, face, and neck, unspecified site, sequela            |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T20.711S | Corrosion of third degree of right ear [any part, except ear drum], sequela       |
| T20.712S | Corrosion of third degree of left ear [any part, except ear drum], sequela        |
| T20.719S | Corrosion of third degree of unspecified ear [any part, except ear drum], sequela |
| T20.72XS | Corrosion of third degree of lip(s), sequela                                      |
| T20.73XS | Corrosion of third degree of chin, sequela  |
| T20.74XS | Corrosion of third degree of nose (septum), sequela                               |
| T20.75XS | Corrosion of third degree of scalp [any part], sequela                            |
| T20.76XS | Corrosion of third degree of forehead and cheek, sequela                          |
| T20.77XS | Corrosion of third degree of neck, sequela  |
| T20.79XS | Corrosion of third degree of multiple sites of head, face, and neck, sequela      |
| T21.00XS | Burn of unspecified degree of trunk, unspecified site, sequela                    |
| T21.01XS | Burn of unspecified degree of chest wall, sequela                                 |
| T21.02XS | Burn of unspecified degree of abdominal wall, sequela                             |
| T21.03XS | Burn of unspecified degree of upper back, sequela                                 |
| T21.04XS | Burn of unspecified degree of lower back, sequela                                 |
| T21.05XS | Burn of unspecified degree of buttock, sequela                                    |
| T21.06XS | Burn of unspecified degree of male genital region, sequela                        |
| T21.07XS | Burn of unspecified degree of female genital region, sequela                      |
| T21.09XS | Burn of unspecified degree of other site of trunk, sequela                        |
| T21.10XS | Burn of first degree of trunk, unspecified site, sequela                          |
| T21.11XS | Burn of first degree of chest wall, sequela                                       |
| T21.12XS | Burn of first degree of abdominal wall, sequela                                   |
| T21.13XS | Burn of first degree of upper back, sequela                                       |
| T21.14XS | Burn of first degree of lower back, sequela                                       |
| T21.15XS | Burn of first degree of buttock, sequela  |
| T21.16XS | Burn of first degree of male genital region, sequela                              |
| T21.17XS | Burn of first degree of female genital region, sequela                            |
| T21.19XS | Burn of first degree of other site of trunk, sequela                              |
| T21.20XS | Burn of second degree of trunk, unspecified site, sequela                         |
| T21.21XS | Burn of second degree of chest wall, sequela                                      |
| T21.22XS | Burn of second degree of abdominal wall, sequela                                  |
| T21.23XS | Burn of second degree of upper back, sequela                                      |
| T21.24XS | Burn of second degree of lower back, sequela                                      |
| T21.25XS | Burn of second degree of buttock, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T21.26XS    | Burn of second degree of male genital region, sequela               |
| T21.27XS    | Burn of second degree of female genital region, sequela             |
| T21.29XS    | Burn of second degree of other site of trunk, sequela               |
| T21.30XS    | Burn of third degree of trunk, unspecified site, sequela            |
| T21.31XS    | Burn of third degree of chest wall, sequela                         |
| T21.32XS    | Burn of third degree of abdominal wall, sequela                     |
| T21.33XS    | Burn of third degree of upper back, sequela                         |
| T21.34XS    | Burn of third degree of lower back, sequela                         |
| T21.35XS    | Burn of third degree of buttock, sequela                            |
| T21.36XS    | Burn of third degree of male genital region, sequela                |
| T21.37XS    | Burn of third degree of female genital region, sequela              |
| T21.39XS    | Burn of third degree of other site of trunk, sequela                |
| T21.40XS    | Corrosion of unspecified degree of trunk, unspecified site, sequela |
| T21.41XS    | Corrosion of unspecified degree of chest wall, sequela              |
| T21.42XS    | Corrosion of unspecified degree of abdominal wall, sequela          |
| T21.43XS    | Corrosion of unspecified degree of upper back, sequela              |
| T21.44XS    | Corrosion of unspecified degree of lower back, sequela              |
| T21.45XS    | Corrosion of unspecified degree of buttock, sequela                 |
| T21.46XS    | Corrosion of unspecified degree of male genital region, sequela     |
| T21.47XS    | Corrosion of unspecified degree of female genital region, sequela   |
| T21.49XS    | Corrosion of unspecified degree of other site of trunk, sequela     |
| T21.50XS    | Corrosion of first degree of trunk, unspecified site, sequela       |
| T21.51XS    | Corrosion of first degree of chest wall, sequela                    |
| T21.52XS    | Corrosion of first degree of abdominal wall, sequela                |
| T21.53XS    | Corrosion of first degree of upper back, sequela                    |
| T21.54XS    | Corrosion of first degree of lower back, sequela                    |
| T21.55XS    | Corrosion of first degree of buttock, sequela                       |
| T21.56XS    | Corrosion of first degree of male genital region, sequela           |
| T21.57XS    | Corrosion of first degree of female genital region, sequela         |
| T21.59XS    | Corrosion of first degree of other site of trunk, sequela           |
| T21.60XS    | Corrosion of second degree of trunk, unspecified site, sequela      |
| T21.61XS    | Corrosion of second degree of chest wall, sequela                   |
| T21.62XS    | Corrosion of second degree of abdominal wall, sequela               |
| T21.63XS    | Corrosion of second degree of upper back, sequela                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T21.64XS | Corrosion of second degree of lower back, sequela   |
| T21.65XS | Corrosion of second degree of buttock, sequela  |
| T21.66XS | Corrosion of second degree of male genital region, sequela  |
| T21.67XS | Corrosion of second degree of female genital region, sequela  |
| T21.69XS | Corrosion of second degree of other site of trunk, sequela  |
| T21.70XS | Corrosion of third degree of trunk, unspecified site, sequela   |
| T21.71XS | Corrosion of third degree of chest wall, sequela  |
| T21.72XS | Corrosion of third degree of abdominal wall, sequela  |
| T21.73XS | Corrosion of third degree of upper back, sequela  |
| T21.74XS | Corrosion of third degree of lower back, sequela  |
| T21.75XS | Corrosion of third degree of buttock, sequela   |
| T21.76XS | Corrosion of third degree of male genital region, sequela   |
| T21.77XS | Corrosion of third degree of female genital region, sequela   |
| T21.79XS | Corrosion of third degree of other site of trunk, sequela   |
| T22.00XS | Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela |
| T22.011S | Burn of unspecified degree of right forearm, sequela  |
| T22.012S | Burn of unspecified degree of left forearm, sequela   |
| T22.019S | Burn of unspecified degree of unspecified forearm, sequela  |
| T22.021S | Burn of unspecified degree of right elbow, sequela  |
| T22.022S | Burn of unspecified degree of left elbow, sequela   |
| T22.029S | Burn of unspecified degree of unspecified elbow, sequela  |
| T22.031S | Burn of unspecified degree of right upper arm, sequela  |
| T22.032S | Burn of unspecified degree of left upper arm, sequela   |
| T22.039S | Burn of unspecified degree of unspecified upper arm, sequela  |
| T22.041S | Burn of unspecified degree of right axilla, sequela   |
| T22.042S | Burn of unspecified degree of left axilla, sequela  |
| T22.049S | Burn of unspecified degree of unspecified axilla, sequela   |
| T22.051S | Burn of unspecified degree of right shoulder, sequela   |
| T22.052S | Burn of unspecified degree of left shoulder, sequela  |
| T22.059S | Burn of unspecified degree of unspecified shoulder, sequela   |
| T22.061S | Burn of unspecified degree of right scapular region, sequela  |
| T22.062S | Burn of unspecified degree of left scapular region, sequela   |
| T22.069S | Burn of unspecified degree of unspecified scapular region, sequela                                      |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T22.091S | Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela       |
| T22.092S | Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela        |
| T22.099S | Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.10XS | Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela                   |
| T22.111S | Burn of first degree of right forearm, sequela  |
| T22.112S | Burn of first degree of left forearm, sequela   |
| T22.119S | Burn of first degree of unspecified forearm, sequela  |
| T22.121S | Burn of first degree of right elbow, sequela  |
| T22.122S | Burn of first degree of left elbow, sequela   |
| T22.129S | Burn of first degree of unspecified elbow, sequela  |
| T22.131S | Burn of first degree of right upper arm, sequela  |
| T22.132S | Burn of first degree of left upper arm, sequela   |
| T22.139S | Burn of first degree of unspecified upper arm, sequela  |
| T22.141S | Burn of first degree of right axilla, sequela   |
| T22.142S | Burn of first degree of left axilla, sequela  |
| T22.149S | Burn of first degree of unspecified axilla, sequela   |
| T22.151S | Burn of first degree of right shoulder, sequela   |
| T22.152S | Burn of first degree of left shoulder, sequela  |
| T22.159S | Burn of first degree of unspecified shoulder, sequela   |
| T22.161S | Burn of first degree of right scapular region, sequela  |
| T22.162S | Burn of first degree of left scapular region, sequela   |
| T22.169S | Burn of first degree of unspecified scapular region, sequela  |
| T22.191S | Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela             |
| T22.192S | Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela              |
| T22.199S | Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela       |
| T22.20XS | Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela                  |
| T22.211S | Burn of second degree of right forearm, sequela   |
| T22.212S | Burn of second degree of left forearm, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T22.219S | Burn of second degree of unspecified forearm, sequela  |
| T22.221S | Burn of second degree of right elbow, sequela  |
| T22.222S | Burn of second degree of left elbow, sequela   |
| T22.229S | Burn of second degree of unspecified elbow, sequela  |
| T22.231S | Burn of second degree of right upper arm, sequela  |
| T22.232S | Burn of second degree of left upper arm, sequela   |
| T22.239S | Burn of second degree of unspecified upper arm, sequela  |
| T22.241S | Burn of second degree of right axilla, sequela   |
| T22.242S | Burn of second degree of left axilla, sequela  |
| T22.249S | Burn of second degree of unspecified axilla, sequela   |
| T22.251S | Burn of second degree of right shoulder, sequela   |
| T22.252S | Burn of second degree of left shoulder, sequela  |
| T22.259S | Burn of second degree of unspecified shoulder, sequela   |
| T22.261S | Burn of second degree of right scapular region, sequela  |
| T22.262S | Burn of second degree of left scapular region, sequela   |
| T22.269S | Burn of second degree of unspecified scapular region, sequela  |
| T22.291S | Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela       |
| T22.292S | Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela        |
| T22.299S | Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.30XS | Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela              |
| T22.311S | Burn of third degree of right forearm, sequela   |
| T22.312S | Burn of third degree of left forearm, sequela  |
| T22.319S | Burn of third degree of unspecified forearm, sequela   |
| T22.321S | Burn of third degree of right elbow, sequela   |
| T22.322S | Burn of third degree of left elbow, sequela  |
| T22.329S | Burn of third degree of unspecified elbow, sequela   |
| T22.331S | Burn of third degree of right upper arm, sequela   |
| T22.332S | Burn of third degree of left upper arm, sequela  |
| T22.339S | Burn of third degree of unspecified upper arm, sequela   |
| T22.341S | Burn of third degree of right axilla, sequela  |
| T22.342S | Burn of third degree of left axilla, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T22.349S    | Burn of third degree of unspecified axilla, sequela  |
| T22.351S    | Burn of third degree of right shoulder, sequela  |
| T22.352S    | Burn of third degree of left shoulder, sequela   |
| T22.359S    | Burn of third degree of unspecified shoulder, sequela  |
| T22.361S    | Burn of third degree of right scapular region, sequela   |
| T22.362S    | Burn of third degree of left scapular region, sequela  |
| T22.369S    | Burn of third degree of unspecified scapular region, sequela   |
| T22.391S    | Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela            |
| T22.392S    | Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela             |
| T22.399S    | Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela      |
| T22.40XS    | Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela       |
| T22.411S    | Corrosion of unspecified degree of right forearm, sequela  |
| T22.412S    | Corrosion of unspecified degree of left forearm, sequela   |
| T22.419S    | Corrosion of unspecified degree of unspecified forearm, sequela  |
| T22.421S    | Corrosion of unspecified degree of right elbow, sequela  |
| T22.422S    | Corrosion of unspecified degree of left elbow, sequela   |
| T22.429S    | Corrosion of unspecified degree of unspecified elbow, sequela  |
| T22.431S    | Corrosion of unspecified degree of right upper arm, sequela  |
| T22.432S    | Corrosion of unspecified degree of left upper arm, sequela   |
| T22.439S    | Corrosion of unspecified degree of unspecified upper arm, sequela  |
| T22.441S    | Corrosion of unspecified degree of right axilla, sequela   |
| T22.442S    | Corrosion of unspecified degree of left axilla, sequela  |
| T22.449S    | Corrosion of unspecified degree of unspecified axilla, sequela   |
| T22.451S    | Corrosion of unspecified degree of right shoulder, sequela   |
| T22.452S    | Corrosion of unspecified degree of left shoulder, sequela  |
| T22.459S    | Corrosion of unspecified degree of unspecified shoulder, sequela   |
| T22.461S    | Corrosion of unspecified degree of right scapular region, sequela  |
| T22.462S    | Corrosion of unspecified degree of left scapular region, sequela   |
| T22.469S    | Corrosion of unspecified degree of unspecified scapular region, sequela  |
| T22.491S    | Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T22.492S    | Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela        |
| T22.499S    | Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.50XS    | Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, sequela                    |
| T22.511S    | Corrosion of first degree of right forearm, sequela  |
| T22.512S    | Corrosion of first degree of left forearm, sequela   |
| T22.519S    | Corrosion of first degree of unspecified forearm, sequela  |
| T22.521S    | Corrosion of first degree of right elbow, sequela  |
| T22.522S    | Corrosion of first degree of left elbow, sequela   |
| T22.529S    | Corrosion of first degree of unspecified elbow, sequela  |
| T22.531S    | Corrosion of first degree of right upper arm, sequela  |
| T22.532S    | Corrosion of first degree of left upper arm, sequela   |
| T22.539S    | Corrosion of first degree of unspecified upper arm, sequela  |
| T22.541S    | Corrosion of first degree of right axilla, sequela   |
| T22.542S    | Corrosion of first degree of left axilla, sequela  |
| T22.549S    | Corrosion of first degree of unspecified axilla, sequela   |
| T22.551S    | Corrosion of first degree of right shoulder, sequela   |
| T22.552S    | Corrosion of first degree of left shoulder, sequela  |
| T22.559S    | Corrosion of first degree of unspecified shoulder, sequela   |
| T22.561S    | Corrosion of first degree of right scapular region, sequela  |
| T22.562S    | Corrosion of first degree of left scapular region, sequela   |
| T22.569S    | Corrosion of first degree of unspecified scapular region, sequela  |
| T22.591S    | Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela             |
| T22.592S    | Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela              |
| T22.599S    | Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela       |
| T22.60XS    | Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela                  |
| T22.611S    | Corrosion of second degree of right forearm, sequela   |
| T22.612S    | Corrosion of second degree of left forearm, sequela  |
| T22.619S    | Corrosion of second degree of unspecified forearm, sequela   |
| T22.621S    | Corrosion of second degree of right elbow, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T22.622S | Corrosion of second degree of left elbow, sequela   |
| T22.629S | Corrosion of second degree of unspecified elbow, sequela  |
| T22.631S | Corrosion of second degree of right upper arm, sequela  |
| T22.632S | Corrosion of second degree of left upper arm, sequela   |
| T22.639S | Corrosion of second degree of unspecified upper arm, sequela  |
| T22.641S | Corrosion of second degree of right axilla, sequela   |
| T22.642S | Corrosion of second degree of left axilla, sequela  |
| T22.649S | Corrosion of second degree of unspecified axilla, sequela   |
| T22.651S | Corrosion of second degree of right shoulder, sequela   |
| T22.652S | Corrosion of second degree of left shoulder, sequela  |
| T22.659S | Corrosion of second degree of unspecified shoulder, sequela   |
| T22.661S | Corrosion of second degree of right scapular region, sequela  |
| T22.662S | Corrosion of second degree of left scapular region, sequela   |
| T22.669S | Corrosion of second degree of unspecified scapular region, sequela  |
| T22.691S | Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela       |
| T22.692S | Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela        |
| T22.699S | Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T22.70XS | Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela              |
| T22.711S | Corrosion of third degree of right forearm, sequela   |
| T22.712S | Corrosion of third degree of left forearm, sequela  |
| T22.719S | Corrosion of third degree of unspecified forearm, sequela   |
| T22.721S | Corrosion of third degree of right elbow, sequela   |
| T22.722S | Corrosion of third degree of left elbow, sequela  |
| T22.729S | Corrosion of third degree of unspecified elbow, sequela   |
| T22.731S | Corrosion of third degree of right upper arm, sequela   |
| T22.732S | Corrosion of third degree of left upper arm, sequela  |
| T22.739S | Corrosion of third degree of unspecified upper arm, sequela   |
| T22.741S | Corrosion of third degree of right axilla, sequela  |
| T22.742S | Corrosion of third degree of left axilla, sequela   |
| T22.749S | Corrosion of third degree of unspecified axilla, sequela  |
| T22.751S | Corrosion of third degree of right shoulder, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T22.752S    | Corrosion of third degree of left shoulder, sequela  |
| T22.759S    | Corrosion of third degree of unspecified shoulder, sequela   |
| T22.761S    | Corrosion of third degree of right scapular region, sequela  |
| T22.762S    | Corrosion of third degree of left scapular region, sequela   |
| T22.769S    | Corrosion of third degree of unspecified scapular region, sequela  |
| T22.791S    | Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela       |
| T22.792S    | Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela        |
| T22.799S    | Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela |
| T23.001S    | Burn of unspecified degree of right hand, unspecified site, sequela  |
| T23.002S    | Burn of unspecified degree of left hand, unspecified site, sequela   |
| T23.009S    | Burn of unspecified degree of unspecified hand, unspecified site, sequela  |
| T23.011S    | Burn of unspecified degree of right thumb (nail), sequela  |
| T23.012S    | Burn of unspecified degree of left thumb (nail), sequela   |
| T23.019S    | Burn of unspecified degree of unspecified thumb (nail), sequela  |
| T23.021S    | Burn of unspecified degree of single right finger (nail) except thumb, sequela                                     |
| T23.022S    | Burn of unspecified degree of single left finger (nail) except thumb, sequela                                      |
| T23.029S    | Burn of unspecified degree of unspecified single finger (nail) except thumb, sequela                               |
| T23.031S    | Burn of unspecified degree of multiple right fingers (nail), not including thumb, sequela                          |
| T23.032S    | Burn of unspecified degree of multiple left fingers (nail), not including thumb, sequela                           |
| T23.039S    | Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, sequela                    |
| T23.041S    | Burn of unspecified degree of multiple right fingers (nail), including thumb, sequela                              |
| T23.042S    | Burn of unspecified degree of multiple left fingers (nail), including thumb, sequela                               |
| T23.049S    | Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, sequela                        |
| T23.051S    | Burn of unspecified degree of right palm, sequela  |
| T23.052S    | Burn of unspecified degree of left palm, sequela   |
| T23.059S    | Burn of unspecified degree of unspecified palm, sequela  |
| T23.061S    | Burn of unspecified degree of back of right hand, sequela  |
| T23.062S    | Burn of unspecified degree of back of left hand, sequela   |
| T23.069S    | Burn of unspecified degree of back of unspecified hand, sequela  |
| T23.071S    | Burn of unspecified degree of right wrist, sequela   |
| T23.072S    | Burn of unspecified degree of left wrist, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T23.079S    | Burn of unspecified degree of unspecified wrist, sequela                                  |
| T23.091S    | Burn of unspecified degree of multiple sites of right wrist and hand, sequela             |
| T23.092S    | Burn of unspecified degree of multiple sites of left wrist and hand, sequela              |
| T23.099S    | Burn of unspecified degree of multiple sites of unspecified wrist and hand, sequela       |
| T23.101S    | Burn of first degree of right hand, unspecified site, sequela                             |
| T23.102S    | Burn of first degree of left hand, unspecified site, sequela                              |
| T23.109S    | Burn of first degree of unspecified hand, unspecified site, sequela                       |
| T23.111S    | Burn of first degree of right thumb (nail), sequela                                       |
| T23.112S    | Burn of first degree of left thumb (nail), sequela  |
| T23.119S    | Burn of first degree of unspecified thumb (nail), sequela                                 |
| T23.121S    | Burn of first degree of single right finger (nail) except thumb, sequela                  |
| T23.122S    | Burn of first degree of single left finger (nail) except thumb, sequela                   |
| T23.129S    | Burn of first degree of unspecified single finger (nail) except thumb, sequela            |
| T23.131S    | Burn of first degree of multiple right fingers (nail), not including thumb, sequela       |
| T23.132S    | Burn of first degree of multiple left fingers (nail), not including thumb, sequela        |
| T23.139S    | Burn of first degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.141S    | Burn of first degree of multiple right fingers (nail), including thumb, sequela           |
| T23.142S    | Burn of first degree of multiple left fingers (nail), including thumb, sequela            |
| T23.149S    | Burn of first degree of unspecified multiple fingers (nail), including thumb, sequela     |
| T23.151S    | Burn of first degree of right palm, sequela   |
| T23.152S    | Burn of first degree of left palm, sequela  |
| T23.159S    | Burn of first degree of unspecified palm, sequela   |
| T23.161S    | Burn of first degree of back of right hand, sequela                                       |
| T23.162S    | Burn of first degree of back of left hand, sequela  |
| T23.169S    | Burn of first degree of back of unspecified hand, sequela                                 |
| T23.171S    | Burn of first degree of right wrist, sequela  |
| T23.172S    | Burn of first degree of left wrist, sequela   |
| T23.179S    | Burn of first degree of unspecified wrist, sequela  |
| T23.191S    | Burn of first degree of multiple sites of right wrist and hand, sequela                   |
| T23.192S    | Burn of first degree of multiple sites of left wrist and hand, sequela                    |
| T23.199S    | Burn of first degree of multiple sites of unspecified wrist and hand, sequela             |
| T23.201S    | Burn of second degree of right hand, unspecified site, sequela                            |
| T23.202S    | Burn of second degree of left hand, unspecified site, sequela                             |
| T23.209S    | Burn of second degree of unspecified hand, unspecified site, sequela                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T23.211S    | Burn of second degree of right thumb (nail), sequela                                       |
| T23.212S    | Burn of second degree of left thumb (nail), sequela  |
| T23.219S    | Burn of second degree of unspecified thumb (nail), sequela                                 |
| T23.221S    | Burn of second degree of single right finger (nail) except thumb, sequela                  |
| T23.222S    | Burn of second degree of single left finger (nail) except thumb, sequela                   |
| T23.229S    | Burn of second degree of unspecified single finger (nail) except thumb, sequela            |
| T23.231S    | Burn of second degree of multiple right fingers (nail), not including thumb, sequela       |
| T23.232S    | Burn of second degree of multiple left fingers (nail), not including thumb, sequela        |
| T23.239S    | Burn of second degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.241S    | Burn of second degree of multiple right fingers (nail), including thumb, sequela           |
| T23.242S    | Burn of second degree of multiple left fingers (nail), including thumb, sequela            |
| T23.249S    | Burn of second degree of unspecified multiple fingers (nail), including thumb, sequela     |
| T23.251S    | Burn of second degree of right palm, sequela   |
| T23.252S    | Burn of second degree of left palm, sequela  |
| T23.259S    | Burn of second degree of unspecified palm, sequela   |
| T23.261S    | Burn of second degree of back of right hand, sequela                                       |
| T23.262S    | Burn of second degree of back of left hand, sequela  |
| T23.269S    | Burn of second degree of back of unspecified hand, sequela                                 |
| T23.271S    | Burn of second degree of right wrist, sequela  |
| T23.272S    | Burn of second degree of left wrist, sequela   |
| T23.279S    | Burn of second degree of unspecified wrist, sequela  |
| T23.291S    | Burn of second degree of multiple sites of right wrist and hand, sequela                   |
| T23.292S    | Burn of second degree of multiple sites of left wrist and hand, sequela                    |
| T23.299S    | Burn of second degree of multiple sites of unspecified wrist and hand, sequela             |
| T23.301S    | Burn of third degree of right hand, unspecified site, sequela                              |
| T23.302S    | Burn of third degree of left hand, unspecified site, sequela                               |
| T23.309S    | Burn of third degree of unspecified hand, unspecified site, sequela                        |
| T23.311S    | Burn of third degree of right thumb (nail), sequela  |
| T23.312S    | Burn of third degree of left thumb (nail), sequela   |
| T23.319S    | Burn of third degree of unspecified thumb (nail), sequela                                  |
| T23.321S    | Burn of third degree of single right finger (nail) except thumb, sequela                   |
| T23.322S    | Burn of third degree of single left finger (nail) except thumb, sequela                    |
| T23.329S    | Burn of third degree of unspecified single finger (nail) except thumb, sequela             |
| T23.331S    | Burn of third degree of multiple right fingers (nail), not including thumb, sequela        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T23.332S | Burn of third degree of multiple left fingers (nail), not including thumb, sequela                   |
| T23.339S | Burn of third degree of unspecified multiple fingers (nail), not including thumb, sequela            |
| T23.341S | Burn of third degree of multiple right fingers (nail), including thumb, sequela                      |
| T23.342S | Burn of third degree of multiple left fingers (nail), including thumb, sequela                       |
| T23.349S | Burn of third degree of unspecified multiple fingers (nail), including thumb, sequela                |
| T23.351S | Burn of third degree of right palm, sequela  |
| T23.352S | Burn of third degree of left palm, sequela   |
| T23.359S | Burn of third degree of unspecified palm, sequela  |
| T23.361S | Burn of third degree of back of right hand, sequela  |
| T23.362S | Burn of third degree of back of left hand, sequela   |
| T23.369S | Burn of third degree of back of unspecified hand, sequela  |
| T23.371S | Burn of third degree of right wrist, sequela   |
| T23.372S | Burn of third degree of left wrist, sequela  |
| T23.379S | Burn of third degree of unspecified wrist, sequela   |
| T23.391S | Burn of third degree of multiple sites of right wrist and hand, sequela                              |
| T23.392S | Burn of third degree of multiple sites of left wrist and hand, sequela                               |
| T23.399S | Burn of third degree of multiple sites of unspecified wrist and hand, sequela                        |
| T23.401S | Corrosion of unspecified degree of right hand, unspecified site, sequela                             |
| T23.402S | Corrosion of unspecified degree of left hand, unspecified site, sequela                              |
| T23.409S | Corrosion of unspecified degree of unspecified hand, unspecified site, sequela                       |
| T23.411S | Corrosion of unspecified degree of right thumb (nail), sequela                                       |
| T23.412S | Corrosion of unspecified degree of left thumb (nail), sequela  |
| T23.419S | Corrosion of unspecified degree of unspecified thumb (nail), sequela                                 |
| T23.421S | Corrosion of unspecified degree of single right finger (nail) except thumb, sequela                  |
| T23.422S | Corrosion of unspecified degree of single left finger (nail) except thumb, sequela                   |
| T23.429S | Corrosion of unspecified degree of unspecified single finger (nail) except thumb, sequela            |
| T23.431S | Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, sequela       |
| T23.432S | Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, sequela        |
| T23.439S | Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.441S | Corrosion of unspecified degree of multiple right fingers (nail), including thumb, sequela           |
| T23.442S | Corrosion of unspecified degree of multiple left fingers (nail), including thumb, sequela            |
| T23.449S | Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, sequela     |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T23.451S    | Corrosion of unspecified degree of right palm, sequela   |
| T23.452S    | Corrosion of unspecified degree of left palm, sequela  |
| T23.459S    | Corrosion of unspecified degree of unspecified palm, sequela                                   |
| T23.461S    | Corrosion of unspecified degree of back of right hand, sequela                                 |
| T23.462S    | Corrosion of unspecified degree of back of left hand, sequela                                  |
| T23.469S    | Corrosion of unspecified degree of back of unspecified hand, sequela                           |
| T23.471S    | Corrosion of unspecified degree of right wrist, sequela  |
| T23.472S    | Corrosion of unspecified degree of left wrist, sequela   |
| T23.479S    | Corrosion of unspecified degree of unspecified wrist, sequela                                  |
| T23.491S    | Corrosion of unspecified degree of multiple sites of right wrist and hand, sequela             |
| T23.492S    | Corrosion of unspecified degree of multiple sites of left wrist and hand, sequela              |
| T23.499S    | Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, sequela       |
| T23.501S    | Corrosion of first degree of right hand, unspecified site, sequela                             |
| T23.502S    | Corrosion of first degree of left hand, unspecified site, sequela                              |
| T23.509S    | Corrosion of first degree of unspecified hand, unspecified site, sequela                       |
| T23.511S    | Corrosion of first degree of right thumb (nail), sequela                                       |
| T23.512S    | Corrosion of first degree of left thumb (nail), sequela  |
| T23.519S    | Corrosion of first degree of unspecified thumb (nail), sequela                                 |
| T23.521S    | Corrosion of first degree of single right finger (nail) except thumb, sequela                  |
| T23.522S    | Corrosion of first degree of single left finger (nail) except thumb, sequela                   |
| T23.529S    | Corrosion of first degree of unspecified single finger (nail) except thumb, sequela            |
| T23.531S    | Corrosion of first degree of multiple right fingers (nail), not including thumb, sequela       |
| T23.532S    | Corrosion of first degree of multiple left fingers (nail), not including thumb, sequela        |
| T23.539S    | Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.541S    | Corrosion of first degree of multiple right fingers (nail), including thumb, sequela           |
| T23.542S    | Corrosion of first degree of multiple left fingers (nail), including thumb, sequela            |
| T23.549S    | Corrosion of first degree of unspecified multiple fingers (nail), including thumb, sequela     |
| T23.551S    | Corrosion of first degree of right palm, sequela   |
| T23.552S    | Corrosion of first degree of left palm, sequela  |
| T23.559S    | Corrosion of first degree of unspecified palm, sequela   |
| T23.561S    | Corrosion of first degree of back of right hand, sequela                                       |
| T23.562S    | Corrosion of first degree of back of left hand, sequela  |
| T23.569S    | Corrosion of first degree of back of unspecified hand, sequela                                 |
| T23.571S    | Corrosion of first degree of right wrist, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T23.572S    | Corrosion of first degree of left wrist, sequela  |
| T23.579S    | Corrosion of first degree of unspecified wrist, sequela   |
| T23.591S    | Corrosion of first degree of multiple sites of right wrist and hand, sequela                    |
| T23.592S    | Corrosion of first degree of multiple sites of left wrist and hand, sequela                     |
| T23.599S    | Corrosion of first degree of multiple sites of unspecified wrist and hand, sequela              |
| T23.601S    | Corrosion of second degree of right hand, unspecified site, sequela                             |
| T23.602S    | Corrosion of second degree of left hand, unspecified site, sequela                              |
| T23.609S    | Corrosion of second degree of unspecified hand, unspecified site, sequela                       |
| T23.611S    | Corrosion of second degree of right thumb (nail), sequela                                       |
| T23.612S    | Corrosion of second degree of left thumb (nail), sequela  |
| T23.619S    | Corrosion of second degree of unspecified thumb (nail), sequela                                 |
| T23.621S    | Corrosion of second degree of single right finger (nail) except thumb, sequela                  |
| T23.622S    | Corrosion of second degree of single left finger (nail) except thumb, sequela                   |
| T23.629S    | Corrosion of second degree of unspecified single finger (nail) except thumb, sequela            |
| T23.631S    | Corrosion of second degree of multiple right fingers (nail), not including thumb, sequela       |
| T23.632S    | Corrosion of second degree of multiple left fingers (nail), not including thumb, sequela        |
| T23.639S    | Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, sequela |
| T23.641S    | Corrosion of second degree of multiple right fingers (nail), including thumb, sequela           |
| T23.642S    | Corrosion of second degree of multiple left fingers (nail), including thumb, sequela            |
| T23.649S    | Corrosion of second degree of unspecified multiple fingers (nail), including thumb, sequela     |
| T23.651S    | Corrosion of second degree of right palm, sequela   |
| T23.652S    | Corrosion of second degree of left palm, sequela  |
| T23.659S    | Corrosion of second degree of unspecified palm, sequela   |
| T23.661S    | Corrosion of second degree back of right hand, sequela  |
| T23.662S    | Corrosion of second degree back of left hand, sequela   |
| T23.669S    | Corrosion of second degree back of unspecified hand, sequela                                    |
| T23.671S    | Corrosion of second degree of right wrist, sequela  |
| T23.672S    | Corrosion of second degree of left wrist, sequela   |
| T23.679S    | Corrosion of second degree of unspecified wrist, sequela  |
| T23.691S    | Corrosion of second degree of multiple sites of right wrist and hand, sequela                   |
| T23.692S    | Corrosion of second degree of multiple sites of left wrist and hand, sequela                    |
| T23.699S    | Corrosion of second degree of multiple sites of unspecified wrist and hand, sequela             |
| T23.701S    | Corrosion of third degree of right hand, unspecified site, sequela                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T23.702S | Corrosion of third degree of left hand, unspecified site, sequela  |
| T23.709S | Corrosion of third degree of unspecified hand, unspecified site, sequela                                 |
| T23.711S | Corrosion of third degree of right thumb (nail), sequela   |
| T23.712S | Corrosion of third degree of left thumb (nail), sequela  |
| T23.719S | Corrosion of third degree of unspecified thumb (nail), sequela   |
| T23.721S | Corrosion of third degree of single right finger (nail) except thumb, sequela                            |
| T23.722S | Corrosion of third degree of single left finger (nail) except thumb, sequela                             |
| T23.729S | Corrosion of third degree of unspecified single finger (nail) except thumb, sequela                      |
| T23.731S | Corrosion of third degree of multiple right fingers (nail), not including thumb, sequela                 |
| T23.732S | Corrosion of third degree of multiple left fingers (nail), not including thumb, sequela                  |
| T23.739S | Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, sequela           |
| T23.741S | Corrosion of third degree of multiple right fingers (nail), including thumb, sequela                     |
| T23.742S | Corrosion of third degree of multiple left fingers (nail), including thumb, sequela                      |
| T23.749S | Corrosion of third degree of unspecified multiple fingers (nail), including thumb, sequela               |
| T23.751S | Corrosion of third degree of right palm, sequela   |
| T23.752S | Corrosion of third degree of left palm, sequela  |
| T23.759S | Corrosion of third degree of unspecified palm, sequela   |
| T23.761S | Corrosion of third degree of back of right hand, sequela   |
| T23.762S | Corrosion of third degree of back of left hand, sequela  |
| T23.769S | Corrosion of third degree back of unspecified hand, sequela  |
| T23.771S | Corrosion of third degree of right wrist, sequela  |
| T23.772S | Corrosion of third degree of left wrist, sequela   |
| T23.779S | Corrosion of third degree of unspecified wrist, sequela  |
| T23.791S | Corrosion of third degree of multiple sites of right wrist and hand, sequela                             |
| T23.792S | Corrosion of third degree of multiple sites of left wrist and hand, sequela                              |
| T23.799S | Corrosion of third degree of multiple sites of unspecified wrist and hand, sequela                       |
| T24.001S | Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, sequela       |
| T24.002S | Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, sequela        |
| T24.009S | Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.011S | Burn of unspecified degree of right thigh, sequela   |
| T24.012S | Burn of unspecified degree of left thigh, sequela  |
| T24.019S | Burn of unspecified degree of unspecified thigh, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T24.021S    | Burn of unspecified degree of right knee, sequela  |
| T24.022S    | Burn of unspecified degree of left knee, sequela   |
| T24.029S    | Burn of unspecified degree of unspecified knee, sequela  |
| T24.031S    | Burn of unspecified degree of right lower leg, sequela   |
| T24.032S    | Burn of unspecified degree of left lower leg, sequela  |
| T24.039S    | Burn of unspecified degree of unspecified lower leg, sequela   |
| T24.091S    | Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, sequela       |
| T24.092S    | Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, sequela        |
| T24.099S    | Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.101S    | Burn of first degree of unspecified site of right lower limb, except ankle and foot, sequela           |
| T24.102S    | Burn of first degree of unspecified site of left lower limb, except ankle and foot, sequela            |
| T24.109S    | Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, sequela     |
| T24.111S    | Burn of first degree of right thigh, sequela   |
| T24.112S    | Burn of first degree of left thigh, sequela  |
| T24.119S    | Burn of first degree of unspecified thigh, sequela   |
| T24.121S    | Burn of first degree of right knee, sequela  |
| T24.122S    | Burn of first degree of left knee, sequela   |
| T24.129S    | Burn of first degree of unspecified knee, sequela  |
| T24.131S    | Burn of first degree of right lower leg, sequela   |
| T24.132S    | Burn of first degree of left lower leg, sequela  |
| T24.139S    | Burn of first degree of unspecified lower leg, sequela   |
| T24.191S    | Burn of first degree of multiple sites of right lower limb, except ankle and foot, sequela             |
| T24.192S    | Burn of first degree of multiple sites of left lower limb, except ankle and foot, sequela              |
| T24.199S    | Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, sequela       |
| T24.201S    | Burn of second degree of unspecified site of right lower limb, except ankle and foot, sequela          |
| T24.202S    | Burn of second degree of unspecified site of left lower limb, except ankle and foot, sequela           |
| T24.209S    | Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, sequela    |
| T24.211S    | Burn of second degree of right thigh, sequela  |
| T24.212S    | Burn of second degree of left thigh, sequela   |
| T24.219S    | Burn of second degree of unspecified thigh, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T24.221S    | Burn of second degree of right knee, sequela  |
| T24.222S    | Burn of second degree of left knee, sequela   |
| T24.229S    | Burn of second degree of unspecified knee, sequela  |
| T24.231S    | Burn of second degree of right lower leg, sequela   |
| T24.232S    | Burn of second degree of left lower leg, sequela  |
| T24.239S    | Burn of second degree of unspecified lower leg, sequela   |
| T24.291S    | Burn of second degree of multiple sites of right lower limb, except ankle and foot, sequela                   |
| T24.292S    | Burn of second degree of multiple sites of left lower limb, except ankle and foot, sequela                    |
| T24.299S    | Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, sequela             |
| T24.301S    | Burn of third degree of unspecified site of right lower limb, except ankle and foot, sequela                  |
| T24.302S    | Burn of third degree of unspecified site of left lower limb, except ankle and foot, sequela                   |
| T24.309S    | Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, sequela            |
| T24.311S    | Burn of third degree of right thigh, sequela  |
| T24.312S    | Burn of third degree of left thigh, sequela   |
| T24.319S    | Burn of third degree of unspecified thigh, sequela  |
| T24.321S    | Burn of third degree of right knee, sequela   |
| T24.322S    | Burn of third degree of left knee, sequela  |
| T24.329S    | Burn of third degree of unspecified knee, sequela   |
| T24.331S    | Burn of third degree of right lower leg, sequela  |
| T24.332S    | Burn of third degree of left lower leg, sequela   |
| T24.339S    | Burn of third degree of unspecified lower leg, sequela  |
| T24.391S    | Burn of third degree of multiple sites of right lower limb, except ankle and foot, sequela                    |
| T24.392S    | Burn of third degree of multiple sites of left lower limb, except ankle and foot, sequela                     |
| T24.399S    | Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, sequela              |
| T24.401S    | Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, sequela       |
| T24.402S    | Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, sequela        |
| T24.409S    | Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.411S    | Corrosion of unspecified degree of right thigh, sequela   |
| T24.412S    | Corrosion of unspecified degree of left thigh, sequela  |
| T24.419S    | Corrosion of unspecified degree of unspecified thigh, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T24.421S    | Corrosion of unspecified degree of right knee, sequela  |
| T24.422S    | Corrosion of unspecified degree of left knee, sequela   |
| T24.429S    | Corrosion of unspecified degree of unspecified knee, sequela  |
| T24.431S    | Corrosion of unspecified degree of right lower leg, sequela   |
| T24.432S    | Corrosion of unspecified degree of left lower leg, sequela  |
| T24.439S    | Corrosion of unspecified degree of unspecified lower leg, sequela   |
| T24.491S    | Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, sequela       |
| T24.492S    | Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, sequela        |
| T24.499S    | Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, sequela |
| T24.501S    | Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, sequela           |
| T24.502S    | Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, sequela            |
| T24.509S    | Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, sequela     |
| T24.511S    | Corrosion of first degree of right thigh, sequela   |
| T24.512S    | Corrosion of first degree of left thigh, sequela  |
| T24.519S    | Corrosion of first degree of unspecified thigh, sequela   |
| T24.521S    | Corrosion of first degree of right knee, sequela  |
| T24.522S    | Corrosion of first degree of left knee, sequela   |
| T24.529S    | Corrosion of first degree of unspecified knee, sequela  |
| T24.531S    | Corrosion of first degree of right lower leg, sequela   |
| T24.532S    | Corrosion of first degree of left lower leg, sequela  |
| T24.539S    | Corrosion of first degree of unspecified lower leg, sequela   |
| T24.591S    | Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, sequela             |
| T24.592S    | Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, sequela              |
| T24.599S    | Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, sequela       |
| T24.601S    | Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, sequela          |
| T24.602S    | Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, sequela           |
| T24.609S    | Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, sequela    |
| T24.611S    | Corrosion of second degree of right thigh, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T24.612S    | Corrosion of second degree of left thigh, sequela   |
| T24.619S    | Corrosion of second degree of unspecified thigh, sequela  |
| T24.621S    | Corrosion of second degree of right knee, sequela   |
| T24.622S    | Corrosion of second degree of left knee, sequela  |
| T24.629S    | Corrosion of second degree of unspecified knee, sequela   |
| T24.631S    | Corrosion of second degree of right lower leg, sequela  |
| T24.632S    | Corrosion of second degree of left lower leg, sequela   |
| T24.639S    | Corrosion of second degree of unspecified lower leg, sequela  |
| T24.691S    | Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, sequela        |
| T24.692S    | Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, sequela         |
| T24.699S    | Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, sequela  |
| T24.701S    | Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, sequela       |
| T24.702S    | Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, sequela        |
| T24.709S    | Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, sequela |
| T24.711S    | Corrosion of third degree of right thigh, sequela   |
| T24.712S    | Corrosion of third degree of left thigh, sequela  |
| T24.719S    | Corrosion of third degree of unspecified thigh, sequela   |
| T24.721S    | Corrosion of third degree of right knee, sequela  |
| T24.722S    | Corrosion of third degree of left knee, sequela   |
| T24.729S    | Corrosion of third degree of unspecified knee, sequela  |
| T24.731S    | Corrosion of third degree of right lower leg, sequela   |
| T24.732S    | Corrosion of third degree of left lower leg, sequela  |
| T24.739S    | Corrosion of third degree of unspecified lower leg, sequela   |
| T24.791S    | Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, sequela         |
| T24.792S    | Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, sequela          |
| T24.799S    | Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, sequela   |
| T25.011S    | Burn of unspecified degree of right ankle, sequela  |
| T25.012S    | Burn of unspecified degree of left ankle, sequela   |
| T25.019S    | Burn of unspecified degree of unspecified ankle, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T25.021S    | Burn of unspecified degree of right foot, sequela                                   |
| T25.022S    | Burn of unspecified degree of left foot, sequela                                    |
| T25.029S    | Burn of unspecified degree of unspecified foot, sequela                             |
| T25.031S    | Burn of unspecified degree of right toe(s) (nail), sequela                          |
| T25.032S    | Burn of unspecified degree of left toe(s) (nail), sequela                           |
| T25.039S    | Burn of unspecified degree of unspecified toe(s) (nail), sequela                    |
| T25.091S    | Burn of unspecified degree of multiple sites of right ankle and foot, sequela       |
| T25.092S    | Burn of unspecified degree of multiple sites of left ankle and foot, sequela        |
| T25.099S    | Burn of unspecified degree of multiple sites of unspecified ankle and foot, sequela |
| T25.111S    | Burn of first degree of right ankle, sequela  |
| T25.112S    | Burn of first degree of left ankle, sequela   |
| T25.119S    | Burn of first degree of unspecified ankle, sequela                                  |
| T25.121S    | Burn of first degree of right foot, sequela   |
| T25.122S    | Burn of first degree of left foot, sequela  |
| T25.129S    | Burn of first degree of unspecified foot, sequela                                   |
| T25.131S    | Burn of first degree of right toe(s) (nail), sequela                                |
| T25.132S    | Burn of first degree of left toe(s) (nail), sequela                                 |
| T25.139S    | Burn of first degree of unspecified toe(s) (nail), sequela                          |
| T25.191S    | Burn of first degree of multiple sites of right ankle and foot, sequela             |
| T25.192S    | Burn of first degree of multiple sites of left ankle and foot, sequela              |
| T25.199S    | Burn of first degree of multiple sites of unspecified ankle and foot, sequela       |
| T25.211S    | Burn of second degree of right ankle, sequela                                       |
| T25.212S    | Burn of second degree of left ankle, sequela  |
| T25.219S    | Burn of second degree of unspecified ankle, sequela                                 |
| T25.221S    | Burn of second degree of right foot, sequela  |
| T25.222S    | Burn of second degree of left foot, sequela   |
| T25.229S    | Burn of second degree of unspecified foot, sequela                                  |
| T25.231S    | Burn of second degree of right toe(s) (nail), sequela                               |
| T25.232S    | Burn of second degree of left toe(s) (nail), sequela                                |
| T25.239S    | Burn of second degree of unspecified toe(s) (nail), sequela                         |
| T25.291S    | Burn of second degree of multiple sites of right ankle and foot, sequela            |
| T25.292S    | Burn of second degree of multiple sites of left ankle and foot, sequela             |
| T25.299S    | Burn of second degree of multiple sites of unspecified ankle and foot, sequela      |
| T25.311S    | Burn of third degree of right ankle, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T25.312S | Burn of third degree of left ankle, sequela  |
| T25.319S | Burn of third degree of unspecified ankle, sequela                                       |
| T25.321S | Burn of third degree of right foot, sequela  |
| T25.322S | Burn of third degree of left foot, sequela   |
| T25.329S | Burn of third degree of unspecified foot, sequela  |
| T25.331S | Burn of third degree of right toe(s) (nail), sequela                                     |
| T25.332S | Burn of third degree of left toe(s) (nail), sequela                                      |
| T25.339S | Burn of third degree of unspecified toe(s) (nail), sequela                               |
| T25.391S | Burn of third degree of multiple sites of right ankle and foot, sequela                  |
| T25.392S | Burn of third degree of multiple sites of left ankle and foot, sequela                   |
| T25.399S | Burn of third degree of multiple sites of unspecified ankle and foot, sequela            |
| T25.411S | Corrosion of unspecified degree of right ankle, sequela                                  |
| T25.412S | Corrosion of unspecified degree of left ankle, sequela                                   |
| T25.419S | Corrosion of unspecified degree of unspecified ankle, sequela                            |
| T25.421S | Corrosion of unspecified degree of right foot, sequela                                   |
| T25.422S | Corrosion of unspecified degree of left foot, sequela                                    |
| T25.429S | Corrosion of unspecified degree of unspecified foot, sequela                             |
| T25.431S | Corrosion of unspecified degree of right toe(s) (nail), sequela                          |
| T25.432S | Corrosion of unspecified degree of left toe(s) (nail), sequela                           |
| T25.439S | Corrosion of unspecified degree of unspecified toe(s) (nail), sequela                    |
| T25.491S | Corrosion of unspecified degree of multiple sites of right ankle and foot, sequela       |
| T25.492S | Corrosion of unspecified degree of multiple sites of left ankle and foot, sequela        |
| T25.499S | Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, sequela |
| T25.511S | Corrosion of first degree of right ankle, sequela  |
| T25.512S | Corrosion of first degree of left ankle, sequela   |
| T25.519S | Corrosion of first degree of unspecified ankle, sequela                                  |
| T25.521S | Corrosion of first degree of right foot, sequela   |
| T25.522S | Corrosion of first degree of left foot, sequela  |
| T25.529S | Corrosion of first degree of unspecified foot, sequela                                   |
| T25.531S | Corrosion of first degree of right toe(s) (nail), sequela                                |
| T25.532S | Corrosion of first degree of left toe(s) (nail), sequela                                 |
| T25.539S | Corrosion of first degree of unspecified toe(s) (nail), sequela                          |
| T25.591S | Corrosion of first degree of multiple sites of right ankle and foot, sequela             |
| T25.592S | Corrosion of first degree of multiple sites of left ankle and foot, sequela              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T25.599S | Corrosion of first degree of multiple sites of unspecified ankle and foot, sequela |
| T25.611S | Corrosion of second degree of right ankle, sequela                                 |
| T25.612S | Corrosion of second degree of left ankle, sequela                                  |
| T25.619S | Corrosion of second degree of unspecified ankle, sequela                           |
| T25.621S | Corrosion of second degree of right foot, sequela                                  |
| T25.622S | Corrosion of second degree of left foot, sequela                                   |
| T25.629S | Corrosion of second degree of unspecified foot, sequela                            |
| T25.631S | Corrosion of second degree of right toe(s) (nail), sequela                         |
| T25.632S | Corrosion of second degree of left toe(s) (nail), sequela                          |
| T25.639S | Corrosion of second degree of unspecified toe(s) (nail), sequela                   |
| T25.691S | Corrosion of second degree of right ankle and foot, sequela                        |
| T25.692S | Corrosion of second degree of left ankle and foot, sequela                         |
| T25.699S | Corrosion of second degree of unspecified ankle and foot, sequela                  |
| T25.711S | Corrosion of third degree of right ankle, sequela                                  |
| T25.712S | Corrosion of third degree of left ankle, sequela                                   |
| T25.719S | Corrosion of third degree of unspecified ankle, sequela                            |
| T25.721S | Corrosion of third degree of right foot, sequela                                   |
| T25.722S | Corrosion of third degree of left foot, sequela                                    |
| T25.729S | Corrosion of third degree of unspecified foot, sequela                             |
| T25.731S | Corrosion of third degree of right toe(s) (nail), sequela                          |
| T25.732S | Corrosion of third degree of left toe(s) (nail), sequela                           |
| T25.739S | Corrosion of third degree of unspecified toe(s) (nail), sequela                    |
| T25.791S | Corrosion of third degree of multiple sites of right ankle and foot, sequela       |
| T25.792S | Corrosion of third degree of multiple sites of left ankle and foot, sequela        |
| T25.799S | Corrosion of third degree of multiple sites of unspecified ankle and foot, sequela |
| T26.00XS | Burn of unspecified eyelid and periocular area, sequela                            |
| T26.01XS | Burn of right eyelid and periocular area, sequela                                  |
| T26.02XS | Burn of left eyelid and periocular area, sequela                                   |
| T26.10XS | Burn of cornea and conjunctival sac, unspecified eye, sequela                      |
| T26.11XS | Burn of cornea and conjunctival sac, right eye, sequela                            |
| T26.12XS | Burn of cornea and conjunctival sac, left eye, sequela                             |
| T26.20XS | Burn with resulting rupture and destruction of unspecified eyeball, sequela        |
| T26.21XS | Burn with resulting rupture and destruction of right eyeball, sequela              |
| T26.22XS | Burn with resulting rupture and destruction of left eyeball, sequela               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T26.30XS | Burns of other specified parts of unspecified eye and adnexa, sequela            |
| T26.31XS | Burns of other specified parts of right eye and adnexa, sequela                  |
| T26.32XS | Burns of other specified parts of left eye and adnexa, sequela                   |
| T26.40XS | Burn of unspecified eye and adnexa, part unspecified, sequela                    |
| T26.41XS | Burn of right eye and adnexa, part unspecified, sequela                          |
| T26.42XS | Burn of left eye and adnexa, part unspecified, sequela                           |
| T26.50XS | Corrosion of unspecified eyelid and periocular area, sequela                     |
| T26.51XS | Corrosion of right eyelid and periocular area, sequela                           |
| T26.52XS | Corrosion of left eyelid and periocular area, sequela                            |
| T26.60XS | Corrosion of cornea and conjunctival sac, unspecified eye, sequela               |
| T26.61XS | Corrosion of cornea and conjunctival sac, right eye, sequela                     |
| T26.62XS | Corrosion of cornea and conjunctival sac, left eye, sequela                      |
| T26.70XS | Corrosion with resulting rupture and destruction of unspecified eyeball, sequela |
| T26.71XS | Corrosion with resulting rupture and destruction of right eyeball, sequela       |
| T26.72XS | Corrosion with resulting rupture and destruction of left eyeball, sequela        |
| T26.80XS | Corrosions of other specified parts of unspecified eye and adnexa, sequela       |
| T26.81XS | Corrosions of other specified parts of right eye and adnexa, sequela             |
| T26.82XS | Corrosions of other specified parts of left eye and adnexa, sequela              |
| T26.90XS | Corrosion of unspecified eye and adnexa, part unspecified, sequela               |
| T26.91XS | Corrosion of right eye and adnexa, part unspecified, sequela                     |
| T26.92XS | Corrosion of left eye and adnexa, part unspecified, sequela                      |
| T27.0XXS | Burn of larynx and trachea, sequela  |
| T27.1XXS | Burn involving larynx and trachea with lung, sequela                             |
| T27.2XXS | Burn of other parts of respiratory tract, sequela                                |
| T27.3XXS | Burn of respiratory tract, part unspecified, sequela                             |
| T27.4XXS | Corrosion of larynx and trachea, sequela   |
| T27.5XXS | Corrosion involving larynx and trachea with lung, sequela                        |
| T27.6XXS | Corrosion of other parts of respiratory tract, sequela                           |
| T27.7XXS | Corrosion of respiratory tract, part unspecified, sequela                        |
| T28.0XXS | Burn of mouth and pharynx, sequela   |
| T28.1XXS | Burn of esophagus, sequela   |
| T28.2XXS | Burn of other parts of alimentary tract, sequela                                 |
| T28.3XXS | Burn of internal genitourinary organs, sequela                                   |
| T28.40XS | Burn of unspecified internal organ, sequela                                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T28.411S | Burn of right ear drum, sequela   |
| T28.412S | Burn of left ear drum, sequela  |
| T28.419S | Burn of unspecified ear drum, sequela                                   |
| T28.49XS | Burn of other internal organ, sequela                                   |
| T28.5XXS | Corrosion of mouth and pharynx, sequela                                 |
| T28.6XXS | Corrosion of esophagus, sequela   |
| T28.7XXS | Corrosion of other parts of alimentary tract, sequela                   |
| T28.8XXS | Corrosion of internal genitourinary organs, sequela                     |
| T28.90XS | Corrosions of unspecified internal organs, sequela                      |
| T28.911S | Corrosions of right ear drum, sequela                                   |
| T28.912S | Corrosions of left ear drum, sequela                                    |
| T28.919S | Corrosions of unspecified ear drum, sequela                             |
| T28.99XS | Corrosions of other internal organs, sequela                            |
| T33.011S | Superficial frostbite of right ear, sequela                             |
| T33.012S | Superficial frostbite of left ear, sequela                              |
| T33.019S | Superficial frostbite of unspecified ear, sequela                       |
| T33.02XS | Superficial frostbite of nose, sequela                                  |
| T33.09XS | Superficial frostbite of other part of head, sequela                    |
| T33.1XXS | Superficial frostbite of neck, sequela                                  |
| T33.2XXS | Superficial frostbite of thorax, sequela                                |
| T33.3XXS | Superficial frostbite of abdominal wall, lower back and pelvis, sequela |
| T33.40XS | Superficial frostbite of unspecified arm, sequela                       |
| T33.41XS | Superficial frostbite of right arm, sequela                             |
| T33.42XS | Superficial frostbite of left arm, sequela                              |
| T33.511S | Superficial frostbite of right wrist, sequela                           |
| T33.512S | Superficial frostbite of left wrist, sequela                            |
| T33.519S | Superficial frostbite of unspecified wrist, sequela                     |
| T33.521S | Superficial frostbite of right hand, sequela                            |
| T33.522S | Superficial frostbite of left hand, sequela                             |
| T33.529S | Superficial frostbite of unspecified hand, sequela                      |
| T33.531S | Superficial frostbite of right finger(s), sequela                       |
| T33.532S | Superficial frostbite of left finger(s), sequela                        |
| T33.539S | Superficial frostbite of unspecified finger(s), sequela                 |
| T33.60XS | Superficial frostbite of unspecified hip and thigh, sequela             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T33.61XS    | Superficial frostbite of right hip and thigh, sequela                            |
| T33.62XS    | Superficial frostbite of left hip and thigh, sequela                             |
| T33.70XS    | Superficial frostbite of unspecified knee and lower leg, sequela                 |
| T33.71XS    | Superficial frostbite of right knee and lower leg, sequela                       |
| T33.72XS    | Superficial frostbite of left knee and lower leg, sequela                        |
| T33.811S    | Superficial frostbite of right ankle, sequela                                    |
| T33.812S    | Superficial frostbite of left ankle, sequela                                     |
| T33.819S    | Superficial frostbite of unspecified ankle, sequela                              |
| T33.821S    | Superficial frostbite of right foot, sequela                                     |
| T33.822S    | Superficial frostbite of left foot, sequela                                      |
| T33.829S    | Superficial frostbite of unspecified foot, sequela                               |
| T33.831S    | Superficial frostbite of right toe(s), sequela                                   |
| T33.832S    | Superficial frostbite of left toe(s), sequela                                    |
| T33.839S    | Superficial frostbite of unspecified toe(s), sequela                             |
| T33.90XS    | Superficial frostbite of unspecified sites, sequela                              |
| T33.99XS    | Superficial frostbite of other sites, sequela                                    |
| T34.011S    | Frostbite with tissue necrosis of right ear, sequela                             |
| T34.012S    | Frostbite with tissue necrosis of left ear, sequela                              |
| T34.019S    | Frostbite with tissue necrosis of unspecified ear, sequela                       |
| T34.02XS    | Frostbite with tissue necrosis of nose, sequela                                  |
| T34.09XS    | Frostbite with tissue necrosis of other part of head, sequela                    |
| T34.1XXS    | Frostbite with tissue necrosis of neck, sequela                                  |
| T34.2XXS    | Frostbite with tissue necrosis of thorax, sequela                                |
| T34.3XXS    | Frostbite with tissue necrosis of abdominal wall, lower back and pelvis, sequela |
| T34.40XS    | Frostbite with tissue necrosis of unspecified arm, sequela                       |
| T34.41XS    | Frostbite with tissue necrosis of right arm, sequela                             |
| T34.42XS    | Frostbite with tissue necrosis of left arm, sequela                              |
| T34.511S    | Frostbite with tissue necrosis of right wrist, sequela                           |
| T34.512S    | Frostbite with tissue necrosis of left wrist, sequela                            |
| T34.519S    | Frostbite with tissue necrosis of unspecified wrist, sequela                     |
| T34.521S    | Frostbite with tissue necrosis of right hand, sequela                            |
| T34.522S    | Frostbite with tissue necrosis of left hand, sequela                             |
| T34.529S    | Frostbite with tissue necrosis of unspecified hand, sequela                      |
| T34.531S    | Frostbite with tissue necrosis of right finger(s), sequela                       |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T34.532S | Frostbite with tissue necrosis of left finger(s), sequela  |
| T34.539S | Frostbite with tissue necrosis of unspecified finger(s), sequela                                   |
| T34.60XS | Frostbite with tissue necrosis of unspecified hip and thigh, sequela                               |
| T34.61XS | Frostbite with tissue necrosis of right hip and thigh, sequela                                     |
| T34.62XS | Frostbite with tissue necrosis of left hip and thigh, sequela                                      |
| T34.70XS | Frostbite with tissue necrosis of unspecified knee and lower leg, sequela                          |
| T34.71XS | Frostbite with tissue necrosis of right knee and lower leg, sequela                                |
| T34.72XS | Frostbite with tissue necrosis of left knee and lower leg, sequela                                 |
| T34.811S | Frostbite with tissue necrosis of right ankle, sequela   |
| T34.812S | Frostbite with tissue necrosis of left ankle, sequela  |
| T34.819S | Frostbite with tissue necrosis of unspecified ankle, sequela                                       |
| T34.821S | Frostbite with tissue necrosis of right foot, sequela  |
| T34.822S | Frostbite with tissue necrosis of left foot, sequela   |
| T34.829S | Frostbite with tissue necrosis of unspecified foot, sequela  |
| T34.831S | Frostbite with tissue necrosis of right toe(s), sequela  |
| T34.832S | Frostbite with tissue necrosis of left toe(s), sequela   |
| T34.839S | Frostbite with tissue necrosis of unspecified toe(s), sequela                                      |
| T34.90XS | Frostbite with tissue necrosis of unspecified sites, sequela                                       |
| T34.99XS | Frostbite with tissue necrosis of other sites, sequela   |
| T36.0X1S | Poisoning by penicillins, accidental (unintentional), sequela                                      |
| T36.0X2S | Poisoning by penicillins, intentional self-harm, sequela   |
| T36.0X3S | Poisoning by penicillins, assault, sequela   |
| T36.0X4S | Poisoning by penicillins, undetermined, sequela  |
| T36.0X5S | Adverse effect of penicillins, sequela   |
| T36.0X6A | Underdosing of penicillins, initial encounter  |
| T36.0X6D | Underdosing of penicillins, subsequent encounter   |
| T36.0X6S | Underdosing of penicillins, sequela  |
| T36.1X1S | Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), sequela |
| T36.1X2S | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela      |
| T36.1X3S | Poisoning by cephalosporins and other beta-lactam antibiotics, assault, sequela                    |
| T36.1X4S | Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, sequela               |
| T36.1X5S | Adverse effect of cephalosporins and other beta-lactam antibiotics, sequela                        |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T36.1X6A | Underdosing of cephalosporins and other beta-lactam antibiotics, initial encounter    |
| T36.1X6D | Underdosing of cephalosporins and other beta-lactam antibiotics, subsequent encounter |
| T36.1X6S | Underdosing of cephalosporins and other beta-lactam antibiotics, sequela              |
| T36.2X1S | Poisoning by chloramphenicol group, accidental (unintentional), sequela               |
| T36.2X2S | Poisoning by chloramphenicol group, intentional self-harm, sequela                    |
| T36.2X3S | Poisoning by chloramphenicol group, assault, sequela                                  |
| T36.2X4S | Poisoning by chloramphenicol group, undetermined, sequela                             |
| T36.2X5S | Adverse effect of chloramphenicol group, sequela                                      |
| T36.2X6A | Underdosing of chloramphenicol group, initial encounter                               |
| T36.2X6D | Underdosing of chloramphenicol group, subsequent encounter                            |
| T36.2X6S | Underdosing of chloramphenicol group, sequela   |
| T36.3X1S | Poisoning by macrolides, accidental (unintentional), sequela                          |
| T36.3X2S | Poisoning by macrolides, intentional self-harm, sequela                               |
| T36.3X3S | Poisoning by macrolides, assault, sequela   |
| T36.3X4S | Poisoning by macrolides, undetermined, sequela  |
| T36.3X5S | Adverse effect of macrolides, sequela   |
| T36.3X6A | Underdosing of macrolides, initial encounter  |
| T36.3X6D | Underdosing of macrolides, subsequent encounter                                       |
| T36.3X6S | Underdosing of macrolides, sequela  |
| T36.4X1S | Poisoning by tetracyclines, accidental (unintentional), sequela                       |
| T36.4X2S | Poisoning by tetracyclines, intentional self-harm, sequela                            |
| T36.4X3S | Poisoning by tetracyclines, assault, sequela  |
| T36.4X4S | Poisoning by tetracyclines, undetermined, sequela                                     |
| T36.4X5S | Adverse effect of tetracyclines, sequela  |
| T36.4X6A | Underdosing of tetracyclines, initial encounter                                       |
| T36.4X6D | Underdosing of tetracyclines, subsequent encounter                                    |
| T36.4X6S | Underdosing of tetracyclines, sequela   |
| T36.5X1S | Poisoning by aminoglycosides, accidental (unintentional), sequela                     |
| T36.5X2S | Poisoning by aminoglycosides, intentional self-harm, sequela                          |
| T36.5X3S | Poisoning by aminoglycosides, assault, sequela  |
| T36.5X4S | Poisoning by aminoglycosides, undetermined, sequela                                   |
| T36.5X5S | Adverse effect of aminoglycosides, sequela  |
| T36.5X6A | Underdosing of aminoglycosides, initial encounter                                     |
| T36.5X6D | Underdosing of aminoglycosides, subsequent encounter                                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T36.5X6S | Underdosing of aminoglycosides, sequela   |
| T36.6X1S | Poisoning by rifampicins, accidental (unintentional), sequela                               |
| T36.6X2S | Poisoning by rifampicins, intentional self-harm, sequela                                    |
| T36.6X3S | Poisoning by rifampicins, assault, sequela  |
| T36.6X4S | Poisoning by rifampicins, undetermined, sequela   |
| T36.6X5S | Adverse effect of rifampicins, sequela  |
| T36.6X6A | Underdosing of rifampicins, initial encounter   |
| T36.6X6D | Underdosing of rifampicins, subsequent encounter  |
| T36.6X6S | Underdosing of rifampicins, sequela   |
| T36.7X1S | Poisoning by antifungal antibiotics, systemically used, accidental (unintentional), sequela |
| T36.7X2S | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela      |
| T36.7X3S | Poisoning by antifungal antibiotics, systemically used, assault, sequela                    |
| T36.7X4S | Poisoning by antifungal antibiotics, systemically used, undetermined, sequela               |
| T36.7X5S | Adverse effect of antifungal antibiotics, systemically used, sequela                        |
| T36.7X6A | Underdosing of antifungal antibiotics, systemically used, initial encounter                 |
| T36.7X6D | Underdosing of antifungal antibiotics, systemically used, subsequent encounter              |
| T36.7X6S | Underdosing of antifungal antibiotics, systemically used, sequela                           |
| T36.8X1S | Poisoning by other systemic antibiotics, accidental (unintentional), sequela                |
| T36.8X2S | Poisoning by other systemic antibiotics, intentional self-harm, sequela                     |
| T36.8X3S | Poisoning by other systemic antibiotics, assault, sequela                                   |
| T36.8X4S | Poisoning by other systemic antibiotics, undetermined, sequela                              |
| T36.8X5S | Adverse effect of other systemic antibiotics, sequela                                       |
| T36.8X6A | Underdosing of other systemic antibiotics, initial encounter                                |
| T36.8X6D | Underdosing of other systemic antibiotics, subsequent encounter                             |
| T36.8X6S | Underdosing of other systemic antibiotics, sequela  |
| T36.91XS | Poisoning by unspecified systemic antibiotic, accidental (unintentional), sequela           |
| T36.92XS | Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela                |
| T36.93XS | Poisoning by unspecified systemic antibiotic, assault, sequela                              |
| T36.94XS | Poisoning by unspecified systemic antibiotic, undetermined, sequela                         |
| T36.95XS | Adverse effect of unspecified systemic antibiotic, sequela                                  |
| T36.96XA | Underdosing of unspecified systemic antibiotic, initial encounter                           |
| T36.96XD | Underdosing of unspecified systemic antibiotic, subsequent encounter                        |
| T36.96XS | Underdosing of unspecified systemic antibiotic, sequela                                     |
| T37.0X1S | Poisoning by sulfonamides, accidental (unintentional), sequela                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T37.0X2S | Poisoning by sulfonamides, intentional self-harm, sequela  |
| T37.0X3S | Poisoning by sulfonamides, assault, sequela  |
| T37.0X4S | Poisoning by sulfonamides, undetermined, sequela   |
| T37.0X5S | Adverse effect of sulfonamides, sequela  |
| T37.0X6A | Underdosing of sulfonamides, initial encounter   |
| T37.0X6D | Underdosing of sulfonamides, subsequent encounter  |
| T37.0X6S | Underdosing of sulfonamides, sequela   |
| T37.1X1S | Poisoning by antimycobacterial drugs, accidental (unintentional), sequela                                |
| T37.1X2S | Poisoning by antimycobacterial drugs, intentional self-harm, sequela                                     |
| T37.1X3S | Poisoning by antimycobacterial drugs, assault, sequela   |
| T37.1X4S | Poisoning by antimycobacterial drugs, undetermined, sequela  |
| T37.1X5S | Adverse effect of antimycobacterial drugs, sequela   |
| T37.1X6A | Underdosing of antimycobacterial drugs, initial encounter  |
| T37.1X6D | Underdosing of antimycobacterial drugs, subsequent encounter   |
| T37.1X6S | Underdosing of antimycobacterial drugs, sequela  |
| T37.2X1S | Poisoning by antimalarials and drugs acting on other blood protozoa, accidental (unintentional), sequela |
| T37.2X2S | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela      |
| T37.2X3S | Poisoning by antimalarials and drugs acting on other blood protozoa, assault, sequela                    |
| T37.2X4S | Poisoning by antimalarials and drugs acting on other blood protozoa, undetermined, sequela               |
| T37.2X5S | Adverse effect of antimalarials and drugs acting on other blood protozoa, sequela                        |
| T37.2X6A | Underdosing of antimalarials and drugs acting on other blood protozoa, initial encounter                 |
| T37.2X6D | Underdosing of antimalarials and drugs acting on other blood protozoa, subsequent encounter              |
| T37.2X6S | Underdosing of antimalarials and drugs acting on other blood protozoa, sequela                           |
| T37.3X1S | Poisoning by other antiprotozoal drugs, accidental (unintentional), sequela                              |
| T37.3X2S | Poisoning by other antiprotozoal drugs, intentional self-harm, sequela                                   |
| T37.3X3S | Poisoning by other antiprotozoal drugs, assault, sequela   |
| T37.3X4S | Poisoning by other antiprotozoal drugs, undetermined, sequela  |
| T37.3X5S | Adverse effect of other antiprotozoal drugs, sequela   |
| T37.3X6A | Underdosing of other antiprotozoal drugs, initial encounter  |
| T37.3X6D | Underdosing of other antiprotozoal drugs, subsequent encounter   |
| T37.3X6S | Underdosing of other antiprotozoal drugs, sequela  |
| T37.4X1S | Poisoning by anthelmintics, accidental (unintentional), sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T37.4X2S | Poisoning by anthelmintics, intentional self-harm, sequela  |
| T37.4X3S | Poisoning by anthelmintics, assault, sequela  |
| T37.4X4S | Poisoning by anthelmintics, undetermined, sequela   |
| T37.4X5S | Adverse effect of anthelmintics, sequela  |
| T37.4X6A | Underdosing of anthelmintics, initial encounter   |
| T37.4X6D | Underdosing of anthelmintics, subsequent encounter  |
| T37.4X6S | Underdosing of anthelmintics, sequela   |
| T37.5X1S | Poisoning by antiviral drugs, accidental (unintentional), sequela   |
| T37.5X2S | Poisoning by antiviral drugs, intentional self-harm, sequela  |
| T37.5X3S | Poisoning by antiviral drugs, assault, sequela  |
| T37.5X4S | Poisoning by antiviral drugs, undetermined, sequela   |
| T37.5X5S | Adverse effect of antiviral drugs, sequela  |
| T37.5X6A | Underdosing of antiviral drugs, initial encounter   |
| T37.5X6D | Underdosing of antiviral drugs, subsequent encounter  |
| T37.5X6S | Underdosing of antiviral drugs, sequela   |
| T37.8X1S | Poisoning by other specified systemic anti-infectives and antiparasitics, accidental (unintentional), sequela |
| T37.8X2S | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela      |
| T37.8X3S | Poisoning by other specified systemic anti-infectives and antiparasitics, assault, sequela                    |
| T37.8X4S | Poisoning by other specified systemic anti-infectives and antiparasitics, undetermined, sequela               |
| T37.8X5S | Adverse effect of other specified systemic anti-infectives and antiparasitics, sequela                        |
| T37.8X6A | Underdosing of other specified systemic anti-infectives and antiparasitics, initial encounter                 |
| T37.8X6D | Underdosing of other specified systemic anti-infectives and antiparasitics, subsequent encounter              |
| T37.8X6S | Underdosing of other specified systemic anti-infectives and antiparasitics, sequela                           |
| T37.91XS | Poisoning by unspecified systemic anti-infective and antiparasitics, accidental (unintentional), sequela      |
| T37.92XS | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela           |
| T37.93XS | Poisoning by unspecified systemic anti-infective and antiparasitics, assault, sequela                         |
| T37.94XS | Poisoning by unspecified systemic anti-infective and antiparasitics, undetermined, sequela                    |
| T37.95XS | Adverse effect of unspecified systemic anti-infective and antiparasitic, sequela                              |
| T37.96XA | Underdosing of unspecified systemic anti-infectives and antiparasitics, initial encounter                     |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T37.96XD | Underdosing of unspecified systemic anti-infectives and antiparasitics, subsequent encounter         |
| T37.96XS | Underdosing of unspecified systemic anti-infectives and antiparasitics, sequela                      |
| T38.0X1S | Poisoning by glucocorticoids and synthetic analogues, accidental (unintentional), sequela            |
| T38.0X2S | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela                 |
| T38.0X3S | Poisoning by glucocorticoids and synthetic analogues, assault, sequela                               |
| T38.0X4S | Poisoning by glucocorticoids and synthetic analogues, undetermined, sequela                          |
| T38.0X5S | Adverse effect of glucocorticoids and synthetic analogues, sequela                                   |
| T38.0X6A | Underdosing of glucocorticoids and synthetic analogues, initial encounter                            |
| T38.0X6D | Underdosing of glucocorticoids and synthetic analogues, subsequent encounter                         |
| T38.0X6S | Underdosing of glucocorticoids and synthetic analogues, sequela                                      |
| T38.1X1S | Poisoning by thyroid hormones and substitutes, accidental (unintentional), sequela                   |
| T38.1X2S | Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela                        |
| T38.1X3S | Poisoning by thyroid hormones and substitutes, assault, sequela                                      |
| T38.1X4S | Poisoning by thyroid hormones and substitutes, undetermined, sequela                                 |
| T38.1X5S | Adverse effect of thyroid hormones and substitutes, sequela  |
| T38.1X6A | Underdosing of thyroid hormones and substitutes, initial encounter                                   |
| T38.1X6D | Underdosing of thyroid hormones and substitutes, subsequent encounter                                |
| T38.1X6S | Underdosing of thyroid hormones and substitutes, sequela   |
| T38.2X1S | Poisoning by antithyroid drugs, accidental (unintentional), sequela                                  |
| T38.2X2S | Poisoning by antithyroid drugs, intentional self-harm, sequela                                       |
| T38.2X3S | Poisoning by antithyroid drugs, assault, sequela   |
| T38.2X4S | Poisoning by antithyroid drugs, undetermined, sequela  |
| T38.2X5S | Adverse effect of antithyroid drugs, sequela   |
| T38.2X6A | Underdosing of antithyroid drugs, initial encounter  |
| T38.2X6D | Underdosing of antithyroid drugs, subsequent encounter   |
| T38.2X6S | Underdosing of antithyroid drugs, sequela  |
| T38.3X1S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), sequela |
| T38.3X2S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela      |
| T38.3X3S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, sequela                    |
| T38.3X4S | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, sequela               |
| T38.3X5S | Adverse effect of insulin and oral hypoglycemic [antidiabetic] drugs, sequela                        |
| T38.3X6A | Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs, initial encounter                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T38.3X6D | Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs, subsequent encounter                                      |
| T38.3X6S | Underdosing of insulin and oral hypoglycemic [antidiabetic] drugs, sequela   |
| T38.4X1S | Poisoning by oral contraceptives, accidental (unintentional), sequela  |
| T38.4X2S | Poisoning by oral contraceptives, intentional self-harm, sequela   |
| T38.4X3S | Poisoning by oral contraceptives, assault, sequela   |
| T38.4X4S | Poisoning by oral contraceptives, undetermined, sequela  |
| T38.4X5S | Adverse effect of oral contraceptives, sequela   |
| T38.4X6A | Underdosing of oral contraceptives, initial encounter  |
| T38.4X6D | Underdosing of oral contraceptives, subsequent encounter   |
| T38.4X6S | Underdosing of oral contraceptives, sequela  |
| T38.5X1S | Poisoning by other estrogens and progestogens, accidental (unintentional), sequela   |
| T38.5X2S | Poisoning by other estrogens and progestogens, intentional self-harm, sequela  |
| T38.5X3S | Poisoning by other estrogens and progestogens, assault, sequela  |
| T38.5X4S | Poisoning by other estrogens and progestogens, undetermined, sequela   |
| T38.5X5S | Adverse effect of other estrogens and progestogens, sequela  |
| T38.5X6A | Underdosing of other estrogens and progestogens, initial encounter   |
| T38.5X6D | Underdosing of other estrogens and progestogens, subsequent encounter  |
| T38.5X6S | Underdosing of other estrogens and progestogens, sequela   |
| T38.6X1S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, accidental (unintentional), sequela |
| T38.6X2S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela      |
| T38.6X3S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, assault, sequela                    |
| T38.6X4S | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, undetermined, sequela               |
| T38.6X5S | Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, sequela                        |
| T38.6X6A | Underdosing of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, initial encounter                 |
| T38.6X6D | Underdosing of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, subsequent encounter              |
| T38.6X6S | Underdosing of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, sequela                           |
| T38.7X1S | Poisoning by androgens and anabolic congeners, accidental (unintentional), sequela   |
| T38.7X2S | Poisoning by androgens and anabolic congeners, intentional self-harm, sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T38.7X3S | Poisoning by androgens and anabolic congeners, assault, sequela                                  |
| T38.7X4S | Poisoning by androgens and anabolic congeners, undetermined, sequela                             |
| T38.7X5S | Adverse effect of androgens and anabolic congeners, sequela                                      |
| T38.7X6A | Underdosing of androgens and anabolic congeners, initial encounter                               |
| T38.7X6D | Underdosing of androgens and anabolic congeners, subsequent encounter                            |
| T38.7X6S | Underdosing of androgens and anabolic congeners, sequela   |
| T38.801S | Poisoning by unspecified hormones and synthetic substitutes, accidental (unintentional), sequela |
| T38.802S | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela      |
| T38.803S | Poisoning by unspecified hormones and synthetic substitutes, assault, sequela                    |
| T38.804S | Poisoning by unspecified hormones and synthetic substitutes, undetermined, sequela               |
| T38.805S | Adverse effect of unspecified hormones and synthetic substitutes, sequela                        |
| T38.806A | Underdosing of unspecified hormones and synthetic substitutes, initial encounter                 |
| T38.806D | Underdosing of unspecified hormones and synthetic substitutes, subsequent encounter              |
| T38.806S | Underdosing of unspecified hormones and synthetic substitutes, sequela                           |
| T38.811S | Poisoning by anterior pituitary [adenohypophyseal] hormones, accidental (unintentional), sequela |
| T38.812S | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela      |
| T38.813S | Poisoning by anterior pituitary [adenohypophyseal] hormones, assault, sequela                    |
| T38.814S | Poisoning by anterior pituitary [adenohypophyseal] hormones, undetermined, sequela               |
| T38.815S | Adverse effect of anterior pituitary [adenohypophyseal] hormones, sequela                        |
| T38.816A | Underdosing of anterior pituitary [adenohypophyseal] hormones, initial encounter                 |
| T38.816D | Underdosing of anterior pituitary [adenohypophyseal] hormones, subsequent encounter              |
| T38.816S | Underdosing of anterior pituitary [adenohypophyseal] hormones, sequela                           |
| T38.891S | Poisoning by other hormones and synthetic substitutes, accidental (unintentional), sequela       |
| T38.892S | Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela            |
| T38.893S | Poisoning by other hormones and synthetic substitutes, assault, sequela                          |
| T38.894S | Poisoning by other hormones and synthetic substitutes, undetermined, sequela                     |
| T38.895S | Adverse effect of other hormones and synthetic substitutes, sequela                              |
| T38.896A | Underdosing of other hormones and synthetic substitutes, initial encounter                       |
| T38.896D | Underdosing of other hormones and synthetic substitutes, subsequent encounter                    |
| T38.896S | Underdosing of other hormones and synthetic substitutes, sequela                                 |
| T38.901S | Poisoning by unspecified hormone antagonists, accidental (unintentional), sequela                |
| T38.902S | Poisoning by unspecified hormone antagonists, intentional self-harm, sequela                     |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T38.903S    | Poisoning by unspecified hormone antagonists, assault, sequela              |
| T38.904S    | Poisoning by unspecified hormone antagonists, undetermined, sequela         |
| T38.905S    | Adverse effect of unspecified hormone antagonists, sequela                  |
| T38.906A    | Underdosing of unspecified hormone antagonists, initial encounter           |
| T38.906D    | Underdosing of unspecified hormone antagonists, subsequent encounter        |
| T38.906S    | Underdosing of unspecified hormone antagonists, sequela                     |
| T38.991S    | Poisoning by other hormone antagonists, accidental (unintentional), sequela |
| T38.992S    | Poisoning by other hormone antagonists, intentional self-harm, sequela      |
| T38.993S    | Poisoning by other hormone antagonists, assault, sequela                    |
| T38.994S    | Poisoning by other hormone antagonists, undetermined, sequela               |
| T38.995S    | Adverse effect of other hormone antagonists, sequela                        |
| T38.996A    | Underdosing of other hormone antagonists, initial encounter                 |
| T38.996D    | Underdosing of other hormone antagonists, subsequent encounter              |
| T38.996S    | Underdosing of other hormone antagonists, sequela                           |
| T39.011S    | Poisoning by aspirin, accidental (unintentional), sequela                   |
| T39.012S    | Poisoning by aspirin, intentional self-harm, sequela                        |
| T39.013S    | Poisoning by aspirin, assault, sequela                                      |
| T39.014S    | Poisoning by aspirin, undetermined, sequela                                 |
| T39.015S    | Adverse effect of aspirin, sequela  |
| T39.016A    | Underdosing of aspirin, initial encounter                                   |
| T39.016D    | Underdosing of aspirin, subsequent encounter                                |
| T39.016S    | Underdosing of aspirin, sequela   |
| T39.091S    | Poisoning by salicylates, accidental (unintentional), sequela               |
| T39.092S    | Poisoning by salicylates, intentional self-harm, sequela                    |
| T39.093S    | Poisoning by salicylates, assault, sequela                                  |
| T39.094S    | Poisoning by salicylates, undetermined, sequela                             |
| T39.095S    | Adverse effect of salicylates, sequela                                      |
| T39.096A    | Underdosing of salicylates, initial encounter                               |
| T39.096D    | Underdosing of salicylates, subsequent encounter                            |
| T39.096S    | Underdosing of salicylates, sequela   |
| T39.1X1S    | Poisoning by 4-Aminophenol derivatives, accidental (unintentional), sequela |
| T39.1X2S    | Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela      |
| T39.1X3S    | Poisoning by 4-Aminophenol derivatives, assault, sequela                    |
| T39.1X4S    | Poisoning by 4-Aminophenol derivatives, undetermined, sequela               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T39.1X5S | Adverse effect of 4-Aminophenol derivatives, sequela   |
| T39.1X6A | Underdosing of 4-Aminophenol derivatives, initial encounter  |
| T39.1X6D | Underdosing of 4-Aminophenol derivatives, subsequent encounter                                       |
| T39.1X6S | Underdosing of 4-Aminophenol derivatives, sequela  |
| T39.2X1S | Poisoning by pyrazolone derivatives, accidental (unintentional), sequela                             |
| T39.2X2S | Poisoning by pyrazolone derivatives, intentional self-harm, sequela                                  |
| T39.2X3S | Poisoning by pyrazolone derivatives, assault, sequela  |
| T39.2X4S | Poisoning by pyrazolone derivatives, undetermined, sequela   |
| T39.2X5S | Adverse effect of pyrazolone derivatives, sequela  |
| T39.2X6A | Underdosing of pyrazolone derivatives, initial encounter   |
| T39.2X6D | Underdosing of pyrazolone derivatives, subsequent encounter  |
| T39.2X6S | Underdosing of pyrazolone derivatives, sequela   |
| T39.311S | Poisoning by propionic acid derivatives, accidental (unintentional), sequela                         |
| T39.312S | Poisoning by propionic acid derivatives, intentional self-harm, sequela                              |
| T39.313S | Poisoning by propionic acid derivatives, assault, sequela  |
| T39.314S | Poisoning by propionic acid derivatives, undetermined, sequela                                       |
| T39.315S | Adverse effect of propionic acid derivatives, sequela  |
| T39.316A | Underdosing of propionic acid derivatives, initial encounter   |
| T39.316D | Underdosing of propionic acid derivatives, subsequent encounter                                      |
| T39.316S | Underdosing of propionic acid derivatives, sequela   |
| T39.391S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), sequela |
| T39.392S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela      |
| T39.393S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, sequela                    |
| T39.394S | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, sequela               |
| T39.395S | Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], sequela                        |
| T39.396A | Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID], initial encounter                 |
| T39.396D | Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID], subsequent encounter              |
| T39.396S | Underdosing of other nonsteroidal anti-inflammatory drugs [NSAID], sequela                           |
| T39.4X1S | Poisoning by antirheumatics, not elsewhere classified, accidental (unintentional), sequela           |
| T39.4X2S | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela                |
| T39.4X3S | Poisoning by antirheumatics, not elsewhere classified, assault, sequela                              |
| T39.4X4S | Poisoning by antirheumatics, not elsewhere classified, undetermined, sequela                         |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T39.4X5S | Adverse effect of antirheumatics, not elsewhere classified, sequela   |
| T39.4X6A | Underdosing of antirheumatics, not elsewhere classified, initial encounter  |
| T39.4X6D | Underdosing of antirheumatics, not elsewhere classified, subsequent encounter   |
| T39.4X6S | Underdosing of antirheumatics, not elsewhere classified, sequela  |
| T39.8X1S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, accidental (unintentional), sequela |
| T39.8X2S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela      |
| T39.8X3S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, assault, sequela                    |
| T39.8X4S | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, undetermined, sequela               |
| T39.8X5S | Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, sequela                        |
| T39.8X6A | Underdosing of other nonopioid analgesics and antipyretics, not elsewhere classified, initial encounter                 |
| T39.8X6D | Underdosing of other nonopioid analgesics and antipyretics, not elsewhere classified, subsequent encounter              |
| T39.8X6S | Underdosing of other nonopioid analgesics and antipyretics, not elsewhere classified, sequela                           |
| T39.91XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, accidental (unintentional), sequela        |
| T39.92XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela             |
| T39.93XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, assault, sequela                           |
| T39.94XS | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, undetermined, sequela                      |
| T39.95XS | Adverse effect of unspecified nonopioid analgesic, antipyretic and antirheumatic, sequela                               |
| T39.96XA | Underdosing of unspecified nonopioid analgesic, antipyretic and antirheumatic, initial encounter                        |
| T39.96XD | Underdosing of unspecified nonopioid analgesic, antipyretic and antirheumatic, subsequent encounter                     |
| T39.96XS | Underdosing of unspecified nonopioid analgesic, antipyretic and antirheumatic, sequela                                  |
| T40.0X1S | Poisoning by opium, accidental (unintentional), sequela   |
| T40.0X2S | Poisoning by opium, intentional self-harm, sequela  |
| T40.0X3S | Poisoning by opium, assault, sequela  |
| T40.0X4S | Poisoning by opium, undetermined, sequela   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T40.0X5S | Adverse effect of opium, sequela  |
| T40.0X6A | Underdosing of opium, initial encounter                                 |
| T40.0X6D | Underdosing of opium, subsequent encounter                              |
| T40.0X6S | Underdosing of opium, sequela   |
| T40.1X1S | Poisoning by heroin, accidental (unintentional), sequela                |
| T40.1X2S | Poisoning by heroin, intentional self-harm, sequela                     |
| T40.1X3S | Poisoning by heroin, assault, sequela                                   |
| T40.1X4S | Poisoning by heroin, undetermined, sequela                              |
| T40.2X1S | Poisoning by other opioids, accidental (unintentional), sequela         |
| T40.2X2S | Poisoning by other opioids, intentional self-harm, sequela              |
| T40.2X3S | Poisoning by other opioids, assault, sequela                            |
| T40.2X4S | Poisoning by other opioids, undetermined, sequela                       |
| T40.2X5S | Adverse effect of other opioids, sequela                                |
| T40.2X6A | Underdosing of other opioids, initial encounter                         |
| T40.2X6D | Underdosing of other opioids, subsequent encounter                      |
| T40.2X6S | Underdosing of other opioids, sequela                                   |
| T40.3X1S | Poisoning by methadone, accidental (unintentional), sequela             |
| T40.3X2S | Poisoning by methadone, intentional self-harm, sequela                  |
| T40.3X3S | Poisoning by methadone, assault, sequela                                |
| T40.3X4S | Poisoning by methadone, undetermined, sequela                           |
| T40.3X5S | Adverse effect of methadone, sequela                                    |
| T40.3X6A | Underdosing of methadone, initial encounter                             |
| T40.3X6D | Underdosing of methadone, subsequent encounter                          |
| T40.3X6S | Underdosing of methadone, sequela                                       |
| T40.5X1S | Poisoning by cocaine, accidental (unintentional), sequela               |
| T40.5X2S | Poisoning by cocaine, intentional self-harm, sequela                    |
| T40.5X3S | Poisoning by cocaine, assault, sequela                                  |
| T40.5X4S | Poisoning by cocaine, undetermined, sequela                             |
| T40.5X5S | Adverse effect of cocaine, sequela                                      |
| T40.5X6A | Underdosing of cocaine, initial encounter                               |
| T40.5X6D | Underdosing of cocaine, subsequent encounter                            |
| T40.5X6S | Underdosing of cocaine, sequela   |
| T40.601S | Poisoning by unspecified narcotics, accidental (unintentional), sequela |
| T40.602S | Poisoning by unspecified narcotics, intentional self-harm, sequela      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T40.603S | Poisoning by unspecified narcotics, assault, sequela   |
| T40.604S | Poisoning by unspecified narcotics, undetermined, sequela                                      |
| T40.605S | Adverse effect of unspecified narcotics, sequela   |
| T40.606A | Underdosing of unspecified narcotics, initial encounter  |
| T40.606D | Underdosing of unspecified narcotics, subsequent encounter                                     |
| T40.606S | Underdosing of unspecified narcotics, sequela  |
| T40.691S | Poisoning by other narcotics, accidental (unintentional), sequela                              |
| T40.692S | Poisoning by other narcotics, intentional self-harm, sequela                                   |
| T40.693S | Poisoning by other narcotics, assault, sequela   |
| T40.694S | Poisoning by other narcotics, undetermined, sequela  |
| T40.695S | Adverse effect of other narcotics, sequela   |
| T40.696A | Underdosing of other narcotics, initial encounter  |
| T40.696D | Underdosing of other narcotics, subsequent encounter   |
| T40.696S | Underdosing of other narcotics, sequela  |
| T40.7X1S | Poisoning by cannabis (derivatives), accidental (unintentional), sequela                       |
| T40.7X2S | Poisoning by cannabis (derivatives), intentional self-harm, sequela                            |
| T40.7X3S | Poisoning by cannabis (derivatives), assault, sequela  |
| T40.7X4S | Poisoning by cannabis (derivatives), undetermined, sequela                                     |
| T40.7X5S | Adverse effect of cannabis (derivatives), sequela  |
| T40.7X6A | Underdosing of cannabis (derivatives), initial encounter                                       |
| T40.7X6D | Underdosing of cannabis (derivatives), subsequent encounter                                    |
| T40.7X6S | Underdosing of cannabis (derivatives), sequela   |
| T40.8X1S | Poisoning by lysergide [LSD], accidental (unintentional), sequela                              |
| T40.8X2S | Poisoning by lysergide [LSD], intentional self-harm, sequela                                   |
| T40.8X3S | Poisoning by lysergide [LSD], assault, sequela   |
| T40.8X4S | Poisoning by lysergide [LSD], undetermined, sequela  |
| T40.901S | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), sequela |
| T40.902S | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela      |
| T40.903S | Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela                    |
| T40.904S | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela               |
| T40.905S | Adverse effect of unspecified psychodysleptics [hallucinogens], sequela                        |
| T40.906A | Underdosing of unspecified psychodysleptics [hallucinogens], initial encounter                 |
| T40.906D | Underdosing of unspecified psychodysleptics [hallucinogens], subsequent encounter              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T40.906S | Underdosing of unspecified psychodysleptics [hallucinogens], sequela                     |
| T40.991S | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela |
| T40.992S | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela      |
| T40.993S | Poisoning by other psychodysleptics [hallucinogens], assault, sequela                    |
| T40.994S | Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela               |
| T40.995S | Adverse effect of other psychodysleptics [hallucinogens], sequela                        |
| T40.996A | Underdosing of other psychodysleptics [hallucinogens], initial encounter                 |
| T40.996D | Underdosing of other psychodysleptics [hallucinogens], subsequent encounter              |
| T40.996S | Underdosing of other psychodysleptics [hallucinogens], sequela                           |
| T41.0X1S | Poisoning by inhaled anesthetics, accidental (unintentional), sequela                    |
| T41.0X2S | Poisoning by inhaled anesthetics, intentional self-harm, sequela                         |
| T41.0X3S | Poisoning by inhaled anesthetics, assault, sequela                                       |
| T41.0X4S | Poisoning by inhaled anesthetics, undetermined, sequela                                  |
| T41.0X5S | Adverse effect of inhaled anesthetics, sequela   |
| T41.0X6A | Underdosing of inhaled anesthetics, initial encounter                                    |
| T41.0X6D | Underdosing of inhaled anesthetics, subsequent encounter                                 |
| T41.0X6S | Underdosing of inhaled anesthetics, sequela  |
| T41.1X1S | Poisoning by intravenous anesthetics, accidental (unintentional), sequela                |
| T41.1X2S | Poisoning by intravenous anesthetics, intentional self-harm, sequela                     |
| T41.1X3S | Poisoning by intravenous anesthetics, assault, sequela                                   |
| T41.1X4S | Poisoning by intravenous anesthetics, undetermined, sequela                              |
| T41.1X5S | Adverse effect of intravenous anesthetics, sequela                                       |
| T41.1X6A | Underdosing of intravenous anesthetics, initial encounter                                |
| T41.1X6D | Underdosing of intravenous anesthetics, subsequent encounter                             |
| T41.1X6S | Underdosing of intravenous anesthetics, sequela  |
| T41.201S | Poisoning by unspecified general anesthetics, accidental (unintentional), sequela        |
| T41.202S | Poisoning by unspecified general anesthetics, intentional self-harm, sequela             |
| T41.203S | Poisoning by unspecified general anesthetics, assault, sequela                           |
| T41.204S | Poisoning by unspecified general anesthetics, undetermined, sequela                      |
| T41.205S | Adverse effect of unspecified general anesthetics, sequela                               |
| T41.206A | Underdosing of unspecified general anesthetics, initial encounter                        |
| T41.206D | Underdosing of unspecified general anesthetics, subsequent encounter                     |
| T41.206S | Underdosing of unspecified general anesthetics, sequela                                  |
| T41.291S | Poisoning by other general anesthetics, accidental (unintentional), sequela              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T41.292S | Poisoning by other general anesthetics, intentional self-harm, sequela   |
| T41.293S | Poisoning by other general anesthetics, assault, sequela                 |
| T41.294S | Poisoning by other general anesthetics, undetermined, sequela            |
| T41.295S | Adverse effect of other general anesthetics, sequela                     |
| T41.296A | Underdosing of other general anesthetics, initial encounter              |
| T41.296D | Underdosing of other general anesthetics, subsequent encounter           |
| T41.296S | Underdosing of other general anesthetics, sequela                        |
| T41.3X1S | Poisoning by local anesthetics, accidental (unintentional), sequela      |
| T41.3X2S | Poisoning by local anesthetics, intentional self-harm, sequela           |
| T41.3X3S | Poisoning by local anesthetics, assault, sequela                         |
| T41.3X4S | Poisoning by local anesthetics, undetermined, sequela                    |
| T41.3X5S | Adverse effect of local anesthetics, sequela                             |
| T41.3X6A | Underdosing of local anesthetics, initial encounter                      |
| T41.3X6D | Underdosing of local anesthetics, subsequent encounter                   |
| T41.3X6S | Underdosing of local anesthetics, sequela                                |
| T41.41XS | Poisoning by unspecified anesthetic, accidental (unintentional), sequela |
| T41.42XS | Poisoning by unspecified anesthetic, intentional self-harm, sequela      |
| T41.43XS | Poisoning by unspecified anesthetic, assault, sequela                    |
| T41.44XS | Poisoning by unspecified anesthetic, undetermined, sequela               |
| T41.45XS | Adverse effect of unspecified anesthetic, sequela                        |
| T41.46XA | Underdosing of unspecified anesthetics, initial encounter                |
| T41.46XD | Underdosing of unspecified anesthetics, subsequent encounter             |
| T41.46XS | Underdosing of unspecified anesthetics, sequela                          |
| T41.5X1S | Poisoning by therapeutic gases, accidental (unintentional), sequela      |
| T41.5X2S | Poisoning by therapeutic gases, intentional self-harm, sequela           |
| T41.5X3S | Poisoning by therapeutic gases, assault, sequela                         |
| T41.5X4S | Poisoning by therapeutic gases, undetermined, sequela                    |
| T41.5X5S | Adverse effect of therapeutic gases, sequela                             |
| T41.5X6A | Underdosing of therapeutic gases, initial encounter                      |
| T41.5X6D | Underdosing of therapeutic gases, subsequent encounter                   |
| T41.5X6S | Underdosing of therapeutic gases, sequela                                |
| T42.0X1S | Poisoning by hydantoin derivatives, accidental (unintentional), sequela  |
| T42.0X2S | Poisoning by hydantoin derivatives, intentional self-harm, sequela       |
| T42.0X3S | Poisoning by hydantoin derivatives, assault, sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T42.0X4S    | Poisoning by hydantoin derivatives, undetermined, sequela                            |
| T42.0X5S    | Adverse effect of hydantoin derivatives, sequela                                     |
| T42.0X6A    | Underdosing of hydantoin derivatives, initial encounter                              |
| T42.0X6D    | Underdosing of hydantoin derivatives, subsequent encounter                           |
| T42.0X6S    | Underdosing of hydantoin derivatives, sequela  |
| T42.1X2S    | Poisoning by iminostilbenes, intentional self-harm, sequela                          |
| T42.1X3S    | Poisoning by iminostilbenes, assault, sequela  |
| T42.1X4S    | Poisoning by iminostilbenes, undetermined, sequela                                   |
| T42.1X5S    | Adverse effect of iminostilbenes, sequela  |
| T42.1X6A    | Underdosing of iminostilbenes, initial encounter                                     |
| T42.1X6D    | Underdosing of iminostilbenes, subsequent encounter                                  |
| T42.1X6S    | Underdosing of iminostilbenes, sequela   |
| T42.2X1S    | Poisoning by succinimides and oxazolidinediones, accidental (unintentional), sequela |
| T42.2X2S    | Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela      |
| T42.2X3S    | Poisoning by succinimides and oxazolidinediones, assault, sequela                    |
| T42.2X4S    | Poisoning by succinimides and oxazolidinediones, undetermined, sequela               |
| T42.2X5S    | Adverse effect of succinimides and oxazolidinediones, sequela                        |
| T42.2X6A    | Underdosing of succinimides and oxazolidinediones, initial encounter                 |
| T42.2X6D    | Underdosing of succinimides and oxazolidinediones, subsequent encounter              |
| T42.2X6S    | Underdosing of succinimides and oxazolidinediones, sequela                           |
| T42.3X1S    | Poisoning by barbiturates, accidental (unintentional), sequela                       |
| T42.3X2S    | Poisoning by barbiturates, intentional self-harm, sequela                            |
| T42.3X3S    | Poisoning by barbiturates, assault, sequela  |
| T42.3X4S    | Poisoning by barbiturates, undetermined, sequela                                     |
| T42.3X5S    | Adverse effect of barbiturates, sequela  |
| T42.3X6A    | Underdosing of barbiturates, initial encounter                                       |
| T42.3X6D    | Underdosing of barbiturates, subsequent encounter                                    |
| T42.3X6S    | Underdosing of barbiturates, sequela   |
| T42.4X1S    | Poisoning by benzodiazepines, accidental (unintentional), sequela                    |
| T42.4X2S    | Poisoning by benzodiazepines, intentional self-harm, sequela                         |
| T42.4X3S    | Poisoning by benzodiazepines, assault, sequela                                       |
| T42.4X4S    | Poisoning by benzodiazepines, undetermined, sequela                                  |
| T42.4X5S    | Adverse effect of benzodiazepines, sequela   |
| T42.4X6A    | Underdosing of benzodiazepines, initial encounter                                    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T42.4X6D    | Underdosing of benzodiazepines, subsequent encounter   |
| T42.4X6S    | Underdosing of benzodiazepines, sequela  |
| T42.5X1S    | Poisoning by mixed antiepileptics, accidental (unintentional), sequela   |
| T42.5X2S    | Poisoning by mixed antiepileptics, intentional self-harm, sequela  |
| T42.5X3S    | Poisoning by mixed antiepileptics, assault, sequela  |
| T42.5X4S    | Poisoning by mixed antiepileptics, undetermined, sequela   |
| T42.5X5S    | Adverse effect of mixed antiepileptics, sequela  |
| T42.5X6A    | Underdosing of mixed antiepileptics, initial encounter   |
| T42.5X6D    | Underdosing of mixed antiepileptics, subsequent encounter  |
| T42.5X6S    | Underdosing of mixed antiepileptics, sequela   |
| T42.6X1S    | Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela                  |
| T42.6X2S    | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela                       |
| T42.6X3S    | Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, sequela                                     |
| T42.6X4S    | Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, sequela                                |
| T42.6X5S    | Adverse effect of other antiepileptic and sedative-hypnotic drugs, sequela   |
| T42.6X6A    | Underdosing of other antiepileptic and sedative-hypnotic drugs, initial encounter                                  |
| T42.6X6D    | Underdosing of other antiepileptic and sedative-hypnotic drugs, subsequent encounter                               |
| T42.6X6S    | Underdosing of other antiepileptic and sedative-hypnotic drugs, sequela  |
| T42.71XS    | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), sequela            |
| T42.72XS    | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela                 |
| T42.73XS    | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, sequela                               |
| T42.74XS    | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, sequela                          |
| T42.75XS    | Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, sequela                                   |
| T42.76XA    | Underdosing of unspecified antiepileptic and sedative-hypnotic drugs, initial encounter                            |
| T42.76XD    | Underdosing of unspecified antiepileptic and sedative-hypnotic drugs, subsequent encounter                         |
| T42.76XS    | Underdosing of unspecified antiepileptic and sedative-hypnotic drugs, sequela                                      |
| T42.8X1S    | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, accidental (unintentional), sequela |
| T42.8X2S    | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela      |
| T42.8X3S    | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, assault, sequela                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T42.8X4S | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, undetermined, sequela  |
| T42.8X5S | Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, sequela           |
| T42.8X6A | Underdosing of antiparkinsonism drugs and other central muscle-tone depressants, initial encounter    |
| T42.8X6D | Underdosing of antiparkinsonism drugs and other central muscle-tone depressants, subsequent encounter |
| T42.8X6S | Underdosing of antiparkinsonism drugs and other central muscle-tone depressants, sequela              |
| T43.011S | Poisoning by tricyclic antidepressants, accidental (unintentional), sequela                           |
| T43.012S | Poisoning by tricyclic antidepressants, intentional self-harm, sequela                                |
| T43.013S | Poisoning by tricyclic antidepressants, assault, sequela  |
| T43.014S | Poisoning by tricyclic antidepressants, undetermined, sequela   |
| T43.015S | Adverse effect of tricyclic antidepressants, sequela  |
| T43.016A | Underdosing of tricyclic antidepressants, initial encounter   |
| T43.016D | Underdosing of tricyclic antidepressants, subsequent encounter  |
| T43.016S | Underdosing of tricyclic antidepressants, sequela   |
| T43.021S | Poisoning by tetracyclic antidepressants, accidental (unintentional), sequela                         |
| T43.022S | Poisoning by tetracyclic antidepressants, intentional self-harm, sequela                              |
| T43.023S | Poisoning by tetracyclic antidepressants, assault, sequela  |
| T43.024S | Poisoning by tetracyclic antidepressants, undetermined, sequela                                       |
| T43.025S | Adverse effect of tetracyclic antidepressants, sequela  |
| T43.026A | Underdosing of tetracyclic antidepressants, initial encounter   |
| T43.026D | Underdosing of tetracyclic antidepressants, subsequent encounter                                      |
| T43.026S | Underdosing of tetracyclic antidepressants, sequela   |
| T43.1X1S | Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), sequela         |
| T43.1X2S | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela              |
| T43.1X3S | Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, sequela                            |
| T43.1X4S | Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, sequela                       |
| T43.1X5S | Adverse effect of monoamine-oxidase-inhibitor antidepressants, sequela                                |
| T43.1X6A | Underdosing of monoamine-oxidase-inhibitor antidepressants, initial encounter                         |
| T43.1X6D | Underdosing of monoamine-oxidase-inhibitor antidepressants, subsequent encounter                      |
| T43.1X6S | Underdosing of monoamine-oxidase-inhibitor antidepressants, sequela                                   |
| T43.201S | Poisoning by unspecified antidepressants, accidental (unintentional), sequela                         |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T43.202S | Poisoning by unspecified antidepressants, intentional self-harm, sequela                                     |
| T43.203S | Poisoning by unspecified antidepressants, assault, sequela   |
| T43.204S | Poisoning by unspecified antidepressants, undetermined, sequela  |
| T43.205S | Adverse effect of unspecified antidepressants, sequela   |
| T43.206A | Underdosing of unspecified antidepressants, initial encounter  |
| T43.206D | Underdosing of unspecified antidepressants, subsequent encounter   |
| T43.206S | Underdosing of unspecified antidepressants, sequela  |
| T43.211S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), sequela |
| T43.212S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela      |
| T43.213S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, sequela                    |
| T43.214S | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, sequela               |
| T43.215S | Adverse effect of selective serotonin and norepinephrine reuptake inhibitors, sequela                        |
| T43.216A | Underdosing of selective serotonin and norepinephrine reuptake inhibitors, initial encounter                 |
| T43.216D | Underdosing of selective serotonin and norepinephrine reuptake inhibitors, subsequent encounter              |
| T43.216S | Underdosing of selective serotonin and norepinephrine reuptake inhibitors, sequela                           |
| T43.221S | Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), sequela                    |
| T43.222S | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela                         |
| T43.223S | Poisoning by selective serotonin reuptake inhibitors, assault, sequela                                       |
| T43.224S | Poisoning by selective serotonin reuptake inhibitors, undetermined, sequela                                  |
| T43.225S | Adverse effect of selective serotonin reuptake inhibitors, sequela   |
| T43.226A | Underdosing of selective serotonin reuptake inhibitors, initial encounter                                    |
| T43.226D | Underdosing of selective serotonin reuptake inhibitors, subsequent encounter                                 |
| T43.226S | Underdosing of selective serotonin reuptake inhibitors, sequela  |
| T43.291S | Poisoning by other antidepressants, accidental (unintentional), sequela                                      |
| T43.292S | Poisoning by other antidepressants, intentional self-harm, sequela   |
| T43.293S | Poisoning by other antidepressants, assault, sequela   |
| T43.294S | Poisoning by other antidepressants, undetermined, sequela  |
| T43.295S | Adverse effect of other antidepressants, sequela   |
| T43.296A | Underdosing of other antidepressants, initial encounter  |
| T43.296D | Underdosing of other antidepressants, subsequent encounter   |
| T43.296S | Underdosing of other antidepressants, sequela  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T43.3X1S | Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), sequela |
| T43.3X2S | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela      |
| T43.3X3S | Poisoning by phenothiazine antipsychotics and neuroleptics, assault, sequela                    |
| T43.3X4S | Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, sequela               |
| T43.3X5S | Adverse effect of phenothiazine antipsychotics and neuroleptics, sequela                        |
| T43.3X6A | Underdosing of phenothiazine antipsychotics and neuroleptics, initial encounter                 |
| T43.3X6D | Underdosing of phenothiazine antipsychotics and neuroleptics, subsequent encounter              |
| T43.3X6S | Underdosing of phenothiazine antipsychotics and neuroleptics, sequela                           |
| T43.4X1S | Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), sequela    |
| T43.4X2S | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela         |
| T43.4X3S | Poisoning by butyrophenone and thiothixene neuroleptics, assault, sequela                       |
| T43.4X4S | Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, sequela                  |
| T43.4X5S | Adverse effect of butyrophenone and thiothixene neuroleptics, sequela                           |
| T43.4X6A | Underdosing of butyrophenone and thiothixene neuroleptics, initial encounter                    |
| T43.4X6D | Underdosing of butyrophenone and thiothixene neuroleptics, subsequent encounter                 |
| T43.4X6S | Underdosing of butyrophenone and thiothixene neuroleptics, sequela                              |
| T43.501S | Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), sequela   |
| T43.502S | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela        |
| T43.503S | Poisoning by unspecified antipsychotics and neuroleptics, assault, sequela                      |
| T43.504S | Poisoning by unspecified antipsychotics and neuroleptics, undetermined, sequela                 |
| T43.505S | Adverse effect of unspecified antipsychotics and neuroleptics, sequela                          |
| T43.506A | Underdosing of unspecified antipsychotics and neuroleptics, initial encounter                   |
| T43.506D | Underdosing of unspecified antipsychotics and neuroleptics, subsequent encounter                |
| T43.506S | Underdosing of unspecified antipsychotics and neuroleptics, sequela                             |
| T43.591S | Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), sequela         |
| T43.592S | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela              |
| T43.593S | Poisoning by other antipsychotics and neuroleptics, assault, sequela                            |
| T43.594S | Poisoning by other antipsychotics and neuroleptics, undetermined, sequela                       |
| T43.595S | Adverse effect of other antipsychotics and neuroleptics, sequela                                |
| T43.596A | Underdosing of other antipsychotics and neuroleptics, initial encounter                         |
| T43.596D | Underdosing of other antipsychotics and neuroleptics, subsequent encounter                      |
| T43.596S | Underdosing of other antipsychotics and neuroleptics, sequela                                   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T43.601S | Poisoning by unspecified psychostimulants, accidental (unintentional), sequela |
| T43.602S | Poisoning by unspecified psychostimulants, intentional self-harm, sequela      |
| T43.603S | Poisoning by unspecified psychostimulants, assault, sequela                    |
| T43.604S | Poisoning by unspecified psychostimulants, undetermined, sequela               |
| T43.605S | Adverse effect of unspecified psychostimulants, sequela                        |
| T43.606A | Underdosing of unspecified psychostimulants, initial encounter                 |
| T43.606D | Underdosing of unspecified psychostimulants, subsequent encounter              |
| T43.606S | Underdosing of unspecified psychostimulants, sequela                           |
| T43.611S | Poisoning by caffeine, accidental (unintentional), sequela                     |
| T43.612S | Poisoning by caffeine, intentional self-harm, sequela                          |
| T43.613S | Poisoning by caffeine, assault, sequela  |
| T43.614S | Poisoning by caffeine, undetermined, sequela                                   |
| T43.615S | Adverse effect of caffeine, sequela  |
| T43.616A | Underdosing of caffeine, initial encounter                                     |
| T43.616D | Underdosing of caffeine, subsequent encounter                                  |
| T43.616S | Underdosing of caffeine, sequela   |
| T43.621S | Poisoning by amphetamines, accidental (unintentional), sequela                 |
| T43.622S | Poisoning by amphetamines, intentional self-harm, sequela                      |
| T43.623S | Poisoning by amphetamines, assault, sequela                                    |
| T43.624S | Poisoning by amphetamines, undetermined, sequela                               |
| T43.625S | Adverse effect of amphetamines, sequela  |
| T43.626A | Underdosing of amphetamines, initial encounter                                 |
| T43.626D | Underdosing of amphetamines, subsequent encounter                              |
| T43.626S | Underdosing of amphetamines, sequela   |
| T43.631S | Poisoning by methylphenidate, accidental (unintentional), sequela              |
| T43.632S | Poisoning by methylphenidate, intentional self-harm, sequela                   |
| T43.633S | Poisoning by methylphenidate, assault, sequela                                 |
| T43.634S | Poisoning by methylphenidate, undetermined, sequela                            |
| T43.635S | Adverse effect of methylphenidate, sequela                                     |
| T43.636A | Underdosing of methylphenidate, initial encounter                              |
| T43.636D | Underdosing of methylphenidate, subsequent encounter                           |
| T43.636S | Underdosing of methylphenidate, sequela  |
| T43.641A | Poisoning by ecstasy, accidental (unintentional), initial encounter            |
| T43.641D | Poisoning by ecstasy, accidental (unintentional), subsequent encounter         |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T43.641S    | Poisoning by ecstasy, accidental (unintentional), sequela                       |
| T43.642A    | Poisoning by ecstasy, intentional self-harm, initial encounter                  |
| T43.642D    | Poisoning by ecstasy, intentional self-harm, subsequent encounter               |
| T43.642S    | Poisoning by ecstasy, intentional self-harm, sequela                            |
| T43.643A    | Poisoning by ecstasy, assault, initial encounter                                |
| T43.643D    | Poisoning by ecstasy, assault, subsequent encounter                             |
| T43.643S    | Poisoning by ecstasy, assault, sequela  |
| T43.644A    | Poisoning by ecstasy, undetermined, initial encounter                           |
| T43.644D    | Poisoning by ecstasy, undetermined, subsequent encounter                        |
| T43.644S    | Poisoning by ecstasy, undetermined, sequela                                     |
| T43.691S    | Poisoning by other psychostimulants, accidental (unintentional), sequela        |
| T43.692S    | Poisoning by other psychostimulants, intentional self-harm, sequela             |
| T43.693S    | Poisoning by other psychostimulants, assault, sequela                           |
| T43.694S    | Poisoning by other psychostimulants, undetermined, sequela                      |
| T43.695S    | Adverse effect of other psychostimulants, sequela                               |
| T43.696A    | Underdosing of other psychostimulants, initial encounter                        |
| T43.696D    | Underdosing of other psychostimulants, subsequent encounter                     |
| T43.696S    | Underdosing of other psychostimulants, sequela                                  |
| T43.8X1S    | Poisoning by other psychotropic drugs, accidental (unintentional), sequela      |
| T43.8X2S    | Poisoning by other psychotropic drugs, intentional self-harm, sequela           |
| T43.8X3S    | Poisoning by other psychotropic drugs, assault, sequela                         |
| T43.8X4S    | Poisoning by other psychotropic drugs, undetermined, sequela                    |
| T43.8X5S    | Adverse effect of other psychotropic drugs, sequela                             |
| T43.8X6A    | Underdosing of other psychotropic drugs, initial encounter                      |
| T43.8X6D    | Underdosing of other psychotropic drugs, subsequent encounter                   |
| T43.8X6S    | Underdosing of other psychotropic drugs, sequela                                |
| T43.91XS    | Poisoning by unspecified psychotropic drug, accidental (unintentional), sequela |
| T43.92XS    | Poisoning by unspecified psychotropic drug, intentional self-harm, sequela      |
| T43.93XS    | Poisoning by unspecified psychotropic drug, assault, sequela                    |
| T43.94XS    | Poisoning by unspecified psychotropic drug, undetermined, sequela               |
| T43.95XS    | Adverse effect of unspecified psychotropic drug, sequela                        |
| T43.96XA    | Underdosing of unspecified psychotropic drug, initial encounter                 |
| T43.96XD    | Underdosing of unspecified psychotropic drug, subsequent encounter              |
| T43.96XS    | Underdosing of unspecified psychotropic drug, sequela                           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T44.0X1S | Poisoning by anticholinesterase agents, accidental (unintentional), sequela  |
| T44.0X2S | Poisoning by anticholinesterase agents, intentional self-harm, sequela   |
| T44.0X3S | Poisoning by anticholinesterase agents, assault, sequela   |
| T44.0X4S | Poisoning by anticholinesterase agents, undetermined, sequela  |
| T44.0X5S | Adverse effect of anticholinesterase agents, sequela   |
| T44.0X6A | Underdosing of anticholinesterase agents, initial encounter  |
| T44.0X6D | Underdosing of anticholinesterase agents, subsequent encounter   |
| T44.0X6S | Underdosing of anticholinesterase agents, sequela  |
| T44.1X1S | Poisoning by other parasympathomimetics [cholinergics], accidental (unintentional), sequela  |
| T44.1X2S | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela   |
| T44.1X3S | Poisoning by other parasympathomimetics [cholinergics], assault, sequela   |
| T44.1X4S | Poisoning by other parasympathomimetics [cholinergics], undetermined, sequela  |
| T44.1X5S | Adverse effect of other parasympathomimetics [cholinergics], sequela   |
| T44.1X6A | Underdosing of other parasympathomimetics [cholinergics], initial encounter  |
| T44.1X6D | Underdosing of other parasympathomimetics [cholinergics], subsequent encounter   |
| T44.1X6S | Underdosing of other parasympathomimetics [cholinergics], sequela  |
| T44.2X1S | Poisoning by ganglionic blocking drugs, accidental (unintentional), sequela  |
| T44.2X2S | Poisoning by ganglionic blocking drugs, intentional self-harm, sequela   |
| T44.2X3S | Poisoning by ganglionic blocking drugs, assault, sequela   |
| T44.2X4S | Poisoning by ganglionic blocking drugs, undetermined, sequela  |
| T44.2X5S | Adverse effect of ganglionic blocking drugs, sequela   |
| T44.2X6A | Underdosing of ganglionic blocking drugs, initial encounter  |
| T44.2X6D | Underdosing of ganglionic blocking drugs, subsequent encounter   |
| T44.2X6S | Underdosing of ganglionic blocking drugs, sequela  |
| T44.3X1S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, accidental (unintentional), sequela |
| T44.3X2S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela      |
| T44.3X3S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, assault, sequela                    |
| T44.3X4S | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, undetermined, sequela               |
| T44.3X5S | Adverse effect of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, sequela                        |
| T44.3X6A | Underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, initial encounter                 |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T44.3X6D | Underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, subsequent encounter |
| T44.3X6S | Underdosing of other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, sequela              |
| T44.4X1S | Poisoning by predominantly alpha-adrenoreceptor agonists, accidental (unintentional), sequela                         |
| T44.4X2S | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela                              |
| T44.4X3S | Poisoning by predominantly alpha-adrenoreceptor agonists, assault, sequela  |
| T44.4X4S | Poisoning by predominantly alpha-adrenoreceptor agonists, undetermined, sequela                                       |
| T44.4X5S | Adverse effect of predominantly alpha-adrenoreceptor agonists, sequela  |
| T44.4X6A | Underdosing of predominantly alpha-adrenoreceptor agonists, initial encounter   |
| T44.4X6D | Underdosing of predominantly alpha-adrenoreceptor agonists, subsequent encounter                                      |
| T44.4X6S | Underdosing of predominantly alpha-adrenoreceptor agonists, sequela   |
| T44.5X1S | Poisoning by predominantly beta-adrenoreceptor agonists, accidental (unintentional), sequela                          |
| T44.5X2S | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela                               |
| T44.5X3S | Poisoning by predominantly beta-adrenoreceptor agonists, assault, sequela   |
| T44.5X4S | Poisoning by predominantly beta-adrenoreceptor agonists, undetermined, sequela  |
| T44.5X5S | Adverse effect of predominantly beta-adrenoreceptor agonists, sequela   |
| T44.5X6A | Underdosing of predominantly beta-adrenoreceptor agonists, initial encounter  |
| T44.5X6D | Underdosing of predominantly beta-adrenoreceptor agonists, subsequent encounter                                       |
| T44.5X6S | Underdosing of predominantly beta-adrenoreceptor agonists, sequela  |
| T44.6X1S | Poisoning by alpha-adrenoreceptor antagonists, accidental (unintentional), sequela                                    |
| T44.6X2S | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela   |
| T44.6X3S | Poisoning by alpha-adrenoreceptor antagonists, assault, sequela   |
| T44.6X4S | Poisoning by alpha-adrenoreceptor antagonists, undetermined, sequela  |
| T44.6X5S | Adverse effect of alpha-adrenoreceptor antagonists, sequela   |
| T44.6X6A | Underdosing of alpha-adrenoreceptor antagonists, initial encounter  |
| T44.6X6D | Underdosing of alpha-adrenoreceptor antagonists, subsequent encounter   |
| T44.6X6S | Underdosing of alpha-adrenoreceptor antagonists, sequela  |
| T44.7X1S | Poisoning by beta-adrenoreceptor antagonists, accidental (unintentional), sequela                                     |
| T44.7X2S | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela  |
| T44.7X3S | Poisoning by beta-adrenoreceptor antagonists, assault, sequela  |
| T44.7X4S | Poisoning by beta-adrenoreceptor antagonists, undetermined, sequela   |
| T44.7X5S | Adverse effect of beta-adrenoreceptor antagonists, sequela  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T44.7X6A    | Underdosing of beta-adrenoreceptor antagonists, initial encounter  |
| T44.7X6D    | Underdosing of beta-adrenoreceptor antagonists, subsequent encounter   |
| T44.7X6S    | Underdosing of beta-adrenoreceptor antagonists, sequela  |
| T44.8X1S    | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, accidental (unintentional), sequela             |
| T44.8X2S    | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela                  |
| T44.8X3S    | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, assault, sequela                                |
| T44.8X4S    | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, undetermined, sequela                           |
| T44.8X5S    | Adverse effect of centrally-acting and adrenergic-neuron-blocking agents, sequela                                    |
| T44.8X6A    | Underdosing of centrally-acting and adrenergic-neuron-blocking agents, initial encounter                             |
| T44.8X6D    | Underdosing of centrally-acting and adrenergic-neuron-blocking agents, subsequent encounter                          |
| T44.8X6S    | Underdosing of centrally-acting and adrenergic-neuron-blocking agents, sequela                                       |
| T44.901S    | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, accidental (unintentional), sequela |
| T44.902S    | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela      |
| T44.903S    | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, assault, sequela                    |
| T44.904S    | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, undetermined, sequela               |
| T44.905S    | Adverse effect of unspecified drugs primarily affecting the autonomic nervous system, sequela                        |
| T44.906A    | Underdosing of unspecified drugs primarily affecting the autonomic nervous system, initial encounter                 |
| T44.906D    | Underdosing of unspecified drugs primarily affecting the autonomic nervous system, subsequent encounter              |
| T44.906S    | Underdosing of unspecified drugs primarily affecting the autonomic nervous system, sequela                           |
| T44.991S    | Poisoning by other drug primarily affecting the autonomic nervous system, accidental (unintentional), sequela        |
| T44.992S    | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela             |
| T44.993S    | Poisoning by other drug primarily affecting the autonomic nervous system, assault, sequela                           |
| T44.994S    | Poisoning by other drug primarily affecting the autonomic nervous system, undetermined, sequela                      |
| T44.995S    | Adverse effect of other drug primarily affecting the autonomic nervous system, sequela                               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T44.996A | Underdosing of other drug primarily affecting the autonomic nervous system, initial encounter    |
| T44.996D | Underdosing of other drug primarily affecting the autonomic nervous system, subsequent encounter |
| T44.996S | Underdosing of other drug primarily affecting the autonomic nervous system, sequela              |
| T45.0X1S | Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), sequela              |
| T45.0X2S | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela                   |
| T45.0X3S | Poisoning by antiallergic and antiemetic drugs, assault, sequela                                 |
| T45.0X4S | Poisoning by antiallergic and antiemetic drugs, undetermined, sequela                            |
| T45.0X5S | Adverse effect of antiallergic and antiemetic drugs, sequela                                     |
| T45.0X6A | Underdosing of antiallergic and antiemetic drugs, initial encounter                              |
| T45.0X6D | Underdosing of antiallergic and antiemetic drugs, subsequent encounter                           |
| T45.0X6S | Underdosing of antiallergic and antiemetic drugs, sequela  |
| T45.1X1S | Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional), sequela     |
| T45.1X2S | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela          |
| T45.1X3S | Poisoning by antineoplastic and immunosuppressive drugs, assault, sequela                        |
| T45.1X4S | Poisoning by antineoplastic and immunosuppressive drugs, undetermined, sequela                   |
| T45.1X5S | Adverse effect of antineoplastic and immunosuppressive drugs, sequela                            |
| T45.1X6A | Underdosing of antineoplastic and immunosuppressive drugs, initial encounter                     |
| T45.1X6D | Underdosing of antineoplastic and immunosuppressive drugs, subsequent encounter                  |
| T45.1X6S | Underdosing of antineoplastic and immunosuppressive drugs, sequela                               |
| T45.2X1S | Poisoning by vitamins, accidental (unintentional), sequela                                       |
| T45.2X2S | Poisoning by vitamins, intentional self-harm, sequela  |
| T45.2X3S | Poisoning by vitamins, assault, sequela  |
| T45.2X4S | Poisoning by vitamins, undetermined, sequela   |
| T45.2X5S | Adverse effect of vitamins, sequela  |
| T45.2X6A | Underdosing of vitamins, initial encounter   |
| T45.2X6D | Underdosing of vitamins, subsequent encounter  |
| T45.2X6S | Underdosing of vitamins, sequela   |
| T45.3X1S | Poisoning by enzymes, accidental (unintentional), sequela  |
| T45.3X2S | Poisoning by enzymes, intentional self-harm, sequela   |
| T45.3X3S | Poisoning by enzymes, assault, sequela   |
| T45.3X4S | Poisoning by enzymes, undetermined, sequela  |
| T45.3X5S | Adverse effect of enzymes, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T45.3X6A | Underdosing of enzymes, initial encounter  |
| T45.3X6D | Underdosing of enzymes, subsequent encounter   |
| T45.3X6S | Underdosing of enzymes, sequela  |
| T45.4X1S | Poisoning by iron and its compounds, accidental (unintentional), sequela                   |
| T45.4X2S | Poisoning by iron and its compounds, intentional self-harm, sequela                        |
| T45.4X3S | Poisoning by iron and its compounds, assault, sequela                                      |
| T45.4X4S | Poisoning by iron and its compounds, undetermined, sequela                                 |
| T45.4X5S | Adverse effect of iron and its compounds, sequela  |
| T45.4X6A | Underdosing of iron and its compounds, initial encounter                                   |
| T45.4X6D | Underdosing of iron and its compounds, subsequent encounter                                |
| T45.4X6S | Underdosing of iron and its compounds, sequela   |
| T45.511S | Poisoning by anticoagulants, accidental (unintentional), sequela                           |
| T45.512S | Poisoning by anticoagulants, intentional self-harm, sequela                                |
| T45.513S | Poisoning by anticoagulants, assault, sequela  |
| T45.514S | Poisoning by anticoagulants, undetermined, sequela   |
| T45.515S | Adverse effect of anticoagulants, sequela  |
| T45.516A | Underdosing of anticoagulants, initial encounter   |
| T45.516D | Underdosing of anticoagulants, subsequent encounter  |
| T45.516S | Underdosing of anticoagulants, sequela   |
| T45.521S | Poisoning by antithrombotic drugs, accidental (unintentional), sequela                     |
| T45.522S | Poisoning by antithrombotic drugs, intentional self-harm, sequela                          |
| T45.523S | Poisoning by antithrombotic drugs, assault, sequela  |
| T45.524S | Poisoning by antithrombotic drugs, undetermined, sequela                                   |
| T45.525S | Adverse effect of antithrombotic drugs, sequela  |
| T45.526A | Underdosing of antithrombotic drugs, initial encounter                                     |
| T45.526D | Underdosing of antithrombotic drugs, subsequent encounter                                  |
| T45.526S | Underdosing of antithrombotic drugs, sequela   |
| T45.601S | Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), sequela |
| T45.602S | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela      |
| T45.603S | Poisoning by unspecified fibrinolysis-affecting drugs, assault, sequela                    |
| T45.604S | Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, sequela               |
| T45.605S | Adverse effect of unspecified fibrinolysis-affecting drugs, sequela                        |
| T45.606A | Underdosing of unspecified fibrinolysis-affecting drugs, initial encounter                 |
| T45.606D | Underdosing of unspecified fibrinolysis-affecting drugs, subsequent encounter              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T45.606S | Underdosing of unspecified fibrinolysis-affecting drugs, sequela  |
| T45.611S | Poisoning by thrombolytic drug, accidental (unintentional), sequela   |
| T45.612S | Poisoning by thrombolytic drug, intentional self-harm, sequela  |
| T45.613S | Poisoning by thrombolytic drug, assault, sequela  |
| T45.614S | Poisoning by thrombolytic drug, undetermined, sequela   |
| T45.615S | Adverse effect of thrombolytic drugs, sequela   |
| T45.616A | Underdosing of thrombolytic drugs, initial encounter  |
| T45.616D | Underdosing of thrombolytic drugs, subsequent encounter   |
| T45.616S | Underdosing of thrombolytic drugs, sequela  |
| T45.621S | Poisoning by hemostatic drug, accidental (unintentional), sequela   |
| T45.622S | Poisoning by hemostatic drug, intentional self-harm, sequela  |
| T45.623S | Poisoning by hemostatic drug, assault, sequela  |
| T45.624S | Poisoning by hemostatic drug, undetermined, sequela   |
| T45.625S | Adverse effect of hemostatic drug, sequela  |
| T45.626A | Underdosing of hemostatic drugs, initial encounter  |
| T45.626D | Underdosing of hemostatic drugs, subsequent encounter   |
| T45.626S | Underdosing of hemostatic drugs, sequela  |
| T45.691S | Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), sequela                        |
| T45.692S | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela                             |
| T45.693S | Poisoning by other fibrinolysis-affecting drugs, assault, sequela   |
| T45.694S | Poisoning by other fibrinolysis-affecting drugs, undetermined, sequela                                      |
| T45.695S | Adverse effect of other fibrinolysis-affecting drugs, sequela   |
| T45.696A | Underdosing of other fibrinolysis-affecting drugs, initial encounter  |
| T45.696D | Underdosing of other fibrinolysis-affecting drugs, subsequent encounter                                     |
| T45.696S | Underdosing of other fibrinolysis-affecting drugs, sequela  |
| T45.7X1S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), sequela |
| T45.7X2S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela      |
| T45.7X3S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, sequela                    |
| T45.7X4S | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, sequela               |
| T45.7X5S | Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, sequela                        |
| T45.7X6A | Underdosing of anticoagulant antagonist, vitamin K and other coagulants, initial encounter                  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T45.7X6D | Underdosing of anticoagulant antagonist, vitamin K and other coagulants, subsequent encounter              |
| T45.7X6S | Underdosing of anticoagulant antagonist, vitamin K and other coagulants, sequela                           |
| T45.8X1S | Poisoning by other primarily systemic and hematological agents, accidental (unintentional), sequela        |
| T45.8X2S | Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela             |
| T45.8X3S | Poisoning by other primarily systemic and hematological agents, assault, sequela                           |
| T45.8X4S | Poisoning by other primarily systemic and hematological agents, undetermined, sequela                      |
| T45.8X5S | Adverse effect of other primarily systemic and hematological agents, sequela                               |
| T45.8X6A | Underdosing of other primarily systemic and hematological agents, initial encounter                        |
| T45.8X6D | Underdosing of other primarily systemic and hematological agents, subsequent encounter                     |
| T45.8X6S | Underdosing of other primarily systemic and hematological agents, sequela                                  |
| T45.91XS | Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), sequela   |
| T45.92XS | Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela        |
| T45.93XS | Poisoning by unspecified primarily systemic and hematological agent, assault, sequela                      |
| T45.94XS | Poisoning by unspecified primarily systemic and hematological agent, undetermined, sequela                 |
| T45.95XS | Adverse effect of unspecified primarily systemic and hematological agent, sequela                          |
| T45.96XA | Underdosing of unspecified primarily systemic and hematological agent, initial encounter                   |
| T45.96XD | Underdosing of unspecified primarily systemic and hematological agent, subsequent encounter                |
| T45.96XS | Underdosing of unspecified primarily systemic and hematological agent, sequela                             |
| T46.0X1S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), sequela |
| T46.0X2S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela      |
| T46.0X3S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, sequela                    |
| T46.0X4S | Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, sequela               |
| T46.0X5S | Adverse effect of cardiac-stimulant glycosides and drugs of similar action, sequela                        |
| T46.0X6A | Underdosing of cardiac-stimulant glycosides and drugs of similar action, initial encounter                 |
| T46.0X6D | Underdosing of cardiac-stimulant glycosides and drugs of similar action, subsequent encounter              |
| T46.0X6S | Underdosing of cardiac-stimulant glycosides and drugs of similar action, sequela                           |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T46.1X1S    | Poisoning by calcium-channel blockers, accidental (unintentional), sequela                 |
| T46.1X2S    | Poisoning by calcium-channel blockers, intentional self-harm, sequela                      |
| T46.1X3S    | Poisoning by calcium-channel blockers, assault, sequela                                    |
| T46.1X4S    | Poisoning by calcium-channel blockers, undetermined, sequela                               |
| T46.1X5S    | Adverse effect of calcium-channel blockers, sequela  |
| T46.1X6A    | Underdosing of calcium-channel blockers, initial encounter                                 |
| T46.1X6D    | Underdosing of calcium-channel blockers, subsequent encounter                              |
| T46.1X6S    | Underdosing of calcium-channel blockers, sequela   |
| T46.2X1S    | Poisoning by other antidysrhythmic drugs, accidental (unintentional), sequela              |
| T46.2X2S    | Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela                   |
| T46.2X3S    | Poisoning by other antidysrhythmic drugs, assault, sequela                                 |
| T46.2X4S    | Poisoning by other antidysrhythmic drugs, undetermined, sequela                            |
| T46.2X5S    | Adverse effect of other antidysrhythmic drugs, sequela                                     |
| T46.2X6A    | Underdosing of other antidysrhythmic drugs, initial encounter                              |
| T46.2X6D    | Underdosing of other antidysrhythmic drugs, subsequent encounter                           |
| T46.2X6S    | Underdosing of other antidysrhythmic drugs, sequela  |
| T46.3X1S    | Poisoning by coronary vasodilators, accidental (unintentional), sequela                    |
| T46.3X2S    | Poisoning by coronary vasodilators, intentional self-harm, sequela                         |
| T46.3X3S    | Poisoning by coronary vasodilators, assault, sequela                                       |
| T46.3X4S    | Poisoning by coronary vasodilators, undetermined, sequela                                  |
| T46.3X5S    | Adverse effect of coronary vasodilators, sequela   |
| T46.3X6A    | Underdosing of coronary vasodilators, initial encounter                                    |
| T46.3X6D    | Underdosing of coronary vasodilators, subsequent encounter                                 |
| T46.3X6S    | Underdosing of coronary vasodilators, sequela  |
| T46.4X1S    | Poisoning by angiotensin-converting-enzyme inhibitors, accidental (unintentional), sequela |
| T46.4X2S    | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela      |
| T46.4X3S    | Poisoning by angiotensin-converting-enzyme inhibitors, assault, sequela                    |
| T46.4X4S    | Poisoning by angiotensin-converting-enzyme inhibitors, undetermined, sequela               |
| T46.4X5S    | Adverse effect of angiotensin-converting-enzyme inhibitors, sequela                        |
| T46.4X6A    | Underdosing of angiotensin-converting-enzyme inhibitors, initial encounter                 |
| T46.4X6D    | Underdosing of angiotensin-converting-enzyme inhibitors, subsequent encounter              |
| T46.4X6S    | Underdosing of angiotensin-converting-enzyme inhibitors, sequela                           |
| T46.5X1S    | Poisoning by other antihypertensive drugs, accidental (unintentional), sequela             |
| T46.5X2S    | Poisoning by other antihypertensive drugs, intentional self-harm, sequela                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T46.5X3S | Poisoning by other antihypertensive drugs, assault, sequela  |
| T46.5X4S | Poisoning by other antihypertensive drugs, undetermined, sequela   |
| T46.5X5S | Adverse effect of other antihypertensive drugs, sequela  |
| T46.5X6A | Underdosing of other antihypertensive drugs, initial encounter   |
| T46.5X6D | Underdosing of other antihypertensive drugs, subsequent encounter  |
| T46.5X6S | Underdosing of other antihypertensive drugs, sequela   |
| T46.6X1S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, accidental (unintentional), sequela                |
| T46.6X2S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela                     |
| T46.6X3S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, assault, sequela                                   |
| T46.6X4S | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, undetermined, sequela                              |
| T46.6X5S | Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, sequela                                       |
| T46.6X6A | Underdosing of antihyperlipidemic and antiarteriosclerotic drugs, initial encounter                                |
| T46.6X6D | Underdosing of antihyperlipidemic and antiarteriosclerotic drugs, subsequent encounter                             |
| T46.6X6S | Underdosing of antihyperlipidemic and antiarteriosclerotic drugs, sequela  |
| T46.7X1S | Poisoning by peripheral vasodilators, accidental (unintentional), sequela  |
| T46.7X2S | Poisoning by peripheral vasodilators, intentional self-harm, sequela   |
| T46.7X3S | Poisoning by peripheral vasodilators, assault, sequela   |
| T46.7X4S | Poisoning by peripheral vasodilators, undetermined, sequela  |
| T46.7X5S | Adverse effect of peripheral vasodilators, sequela   |
| T46.7X6A | Underdosing of peripheral vasodilators, initial encounter  |
| T46.7X6D | Underdosing of peripheral vasodilators, subsequent encounter   |
| T46.7X6S | Underdosing of peripheral vasodilators, sequela  |
| T46.8X1S | Poisoning by antivaricose drugs, including sclerosing agents, accidental (unintentional), sequela                  |
| T46.8X2S | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela                       |
| T46.8X3S | Poisoning by antivaricose drugs, including sclerosing agents, assault, sequela                                     |
| T46.8X4S | Poisoning by antivaricose drugs, including sclerosing agents, undetermined, sequela                                |
| T46.8X5S | Adverse effect of antivaricose drugs, including sclerosing agents, sequela   |
| T46.8X6A | Underdosing of antivaricose drugs, including sclerosing agents, initial encounter                                  |
| T46.8X6D | Underdosing of antivaricose drugs, including sclerosing agents, subsequent encounter                               |
| T46.8X6S | Underdosing of antivaricose drugs, including sclerosing agents, sequela  |
| T46.901S | Poisoning by unspecified agents primarily affecting the cardiovascular system, accidental (unintentional), sequela |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T46.902S | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela |
| T46.903S | Poisoning by unspecified agents primarily affecting the cardiovascular system, assault, sequela               |
| T46.904S | Poisoning by unspecified agents primarily affecting the cardiovascular system, undetermined, sequela          |
| T46.905S | Adverse effect of unspecified agents primarily affecting the cardiovascular system, sequela                   |
| T46.906A | Underdosing of unspecified agents primarily affecting the cardiovascular system, initial encounter            |
| T46.906D | Underdosing of unspecified agents primarily affecting the cardiovascular system, subsequent encounter         |
| T46.906S | Underdosing of unspecified agents primarily affecting the cardiovascular system, sequela                      |
| T46.991S | Poisoning by other agents primarily affecting the cardiovascular system, accidental (unintentional), sequela  |
| T46.992S | Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela       |
| T46.993S | Poisoning by other agents primarily affecting the cardiovascular system, assault, sequela                     |
| T46.994S | Poisoning by other agents primarily affecting the cardiovascular system, undetermined, sequela                |
| T46.995S | Adverse effect of other agents primarily affecting the cardiovascular system, sequela                         |
| T46.996A | Underdosing of other agents primarily affecting the cardiovascular system, initial encounter                  |
| T46.996D | Underdosing of other agents primarily affecting the cardiovascular system, subsequent encounter               |
| T46.996S | Underdosing of other agents primarily affecting the cardiovascular system, sequela                            |
| T47.0X1S | Poisoning by histamine H2-receptor blockers, accidental (unintentional), sequela                              |
| T47.0X2S | Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela                                   |
| T47.0X3S | Poisoning by histamine H2-receptor blockers, assault, sequela   |
| T47.0X4S | Poisoning by histamine H2-receptor blockers, undetermined, sequela  |
| T47.0X5S | Adverse effect of histamine H2-receptor blockers, sequela   |
| T47.0X6A | Underdosing of histamine H2-receptor blockers, initial encounter  |
| T47.0X6D | Underdosing of histamine H2-receptor blockers, subsequent encounter   |
| T47.0X6S | Underdosing of histamine H2-receptor blockers, sequela  |
| T47.1X1S | Poisoning by other antacids and anti-gastric-secretion drugs, accidental (unintentional), sequela             |
| T47.1X2S | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela                  |
| T47.1X3S | Poisoning by other antacids and anti-gastric-secretion drugs, assault, sequela                                |
| T47.1X4S | Poisoning by other antacids and anti-gastric-secretion drugs, undetermined, sequela                           |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T47.1X5S | Adverse effect of other antacids and anti-gastric-secretion drugs, sequela           |
| T47.1X6A | Underdosing of other antacids and anti-gastric-secretion drugs, initial encounter    |
| T47.1X6D | Underdosing of other antacids and anti-gastric-secretion drugs, subsequent encounter |
| T47.1X6S | Underdosing of other antacids and anti-gastric-secretion drugs, sequela              |
| T47.2X1S | Poisoning by stimulant laxatives, accidental (unintentional), sequela                |
| T47.2X2S | Poisoning by stimulant laxatives, intentional self-harm, sequela                     |
| T47.2X3S | Poisoning by stimulant laxatives, assault, sequela                                   |
| T47.2X4S | Poisoning by stimulant laxatives, undetermined, sequela                              |
| T47.2X5S | Adverse effect of stimulant laxatives, sequela                                       |
| T47.2X6A | Underdosing of stimulant laxatives, initial encounter                                |
| T47.2X6D | Underdosing of stimulant laxatives, subsequent encounter                             |
| T47.2X6S | Underdosing of stimulant laxatives, sequela  |
| T47.3X1S | Poisoning by saline and osmotic laxatives, accidental (unintentional), sequela       |
| T47.3X2S | Poisoning by saline and osmotic laxatives, intentional self-harm, sequela            |
| T47.3X3S | Poisoning by saline and osmotic laxatives, assault, sequela                          |
| T47.3X4S | Poisoning by saline and osmotic laxatives, undetermined, sequela                     |
| T47.3X5S | Adverse effect of saline and osmotic laxatives, sequela                              |
| T47.3X6A | Underdosing of saline and osmotic laxatives, initial encounter                       |
| T47.3X6D | Underdosing of saline and osmotic laxatives, subsequent encounter                    |
| T47.3X6S | Underdosing of saline and osmotic laxatives, sequela                                 |
| T47.4X1S | Poisoning by other laxatives, accidental (unintentional), sequela                    |
| T47.4X2S | Poisoning by other laxatives, intentional self-harm, sequela                         |
| T47.4X3S | Poisoning by other laxatives, assault, sequela                                       |
| T47.4X4S | Poisoning by other laxatives, undetermined, sequela                                  |
| T47.4X5S | Adverse effect of other laxatives, sequela   |
| T47.4X6A | Underdosing of other laxatives, initial encounter                                    |
| T47.4X6D | Underdosing of other laxatives, subsequent encounter                                 |
| T47.4X6S | Underdosing of other laxatives, sequela  |
| T47.5X1S | Poisoning by digestants, accidental (unintentional), sequela                         |
| T47.5X2S | Poisoning by digestants, intentional self-harm, sequela                              |
| T47.5X3S | Poisoning by digestants, assault, sequela  |
| T47.5X4S | Poisoning by digestants, undetermined, sequela                                       |
| T47.5X5S | Adverse effect of digestants, sequela  |
| T47.5X6A | Underdosing of digestants, initial encounter   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T47.5X6D | Underdosing of digestants, subsequent encounter  |
| T47.5X6S | Underdosing of digestants, sequela   |
| T47.6X1S | Poisoning by antidiarrheal drugs, accidental (unintentional), sequela  |
| T47.6X2S | Poisoning by antidiarrheal drugs, intentional self-harm, sequela   |
| T47.6X3S | Poisoning by antidiarrheal drugs, assault, sequela   |
| T47.6X4S | Poisoning by antidiarrheal drugs, undetermined, sequela  |
| T47.6X5S | Adverse effect of antidiarrheal drugs, sequela   |
| T47.6X6A | Underdosing of antidiarrheal drugs, initial encounter  |
| T47.6X6D | Underdosing of antidiarrheal drugs, subsequent encounter   |
| T47.6X6S | Underdosing of antidiarrheal drugs, sequela  |
| T47.7X1S | Poisoning by emetics, accidental (unintentional), sequela  |
| T47.7X2S | Poisoning by emetics, intentional self-harm, sequela   |
| T47.7X3S | Poisoning by emetics, assault, sequela   |
| T47.7X4S | Poisoning by emetics, undetermined, sequela  |
| T47.7X5S | Adverse effect of emetics, sequela   |
| T47.7X6A | Underdosing of emetics, initial encounter  |
| T47.7X6D | Underdosing of emetics, subsequent encounter   |
| T47.7X6S | Underdosing of emetics, sequela  |
| T47.8X1S | Poisoning by other agents primarily affecting gastrointestinal system, accidental (unintentional), sequela           |
| T47.8X2S | Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela                |
| T47.8X3S | Poisoning by other agents primarily affecting gastrointestinal system, assault, sequela                              |
| T47.8X4S | Poisoning by other agents primarily affecting gastrointestinal system, undetermined, sequela                         |
| T47.8X5S | Adverse effect of other agents primarily affecting gastrointestinal system, sequela                                  |
| T47.8X6A | Underdosing of other agents primarily affecting gastrointestinal system, initial encounter                           |
| T47.8X6D | Underdosing of other agents primarily affecting gastrointestinal system, subsequent encounter                        |
| T47.8X6S | Underdosing of other agents primarily affecting gastrointestinal system, sequela                                     |
| T47.91XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, accidental (unintentional), sequela |
| T47.92XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela      |
| T47.93XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, assault, sequela                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T47.94XS | Poisoning by unspecified agents primarily affecting the gastrointestinal system, undetermined, sequela      |
| T47.95XS | Adverse effect of unspecified agents primarily affecting the gastrointestinal system, sequela               |
| T47.96XA | Underdosing of unspecified agents primarily affecting the gastrointestinal system, initial encounter        |
| T47.96XD | Underdosing of unspecified agents primarily affecting the gastrointestinal system, subsequent encounter     |
| T47.96XS | Underdosing of unspecified agents primarily affecting the gastrointestinal system, sequela                  |
| T48.0X1S | Poisoning by oxytocic drugs, accidental (unintentional), sequela  |
| T48.0X2S | Poisoning by oxytocic drugs, intentional self-harm, sequela   |
| T48.0X3S | Poisoning by oxytocic drugs, assault, sequela   |
| T48.0X4S | Poisoning by oxytocic drugs, undetermined, sequela  |
| T48.0X5S | Adverse effect of oxytocic drugs, sequela   |
| T48.0X6A | Underdosing of oxytocic drugs, initial encounter  |
| T48.0X6D | Underdosing of oxytocic drugs, subsequent encounter   |
| T48.0X6S | Underdosing of oxytocic drugs, sequela  |
| T48.1X1S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], accidental (unintentional), sequela |
| T48.1X2S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela      |
| T48.1X3S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], assault, sequela                    |
| T48.1X4S | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], undetermined, sequela               |
| T48.1X5S | Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], sequela                        |
| T48.1X6A | Underdosing of skeletal muscle relaxants [neuromuscular blocking agents], initial encounter                 |
| T48.1X6D | Underdosing of skeletal muscle relaxants [neuromuscular blocking agents], subsequent encounter              |
| T48.1X6S | Underdosing of skeletal muscle relaxants [neuromuscular blocking agents], sequela                           |
| T48.201S | Poisoning by unspecified drugs acting on muscles, accidental (unintentional), sequela                       |
| T48.202S | Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela                            |
| T48.203S | Poisoning by unspecified drugs acting on muscles, assault, sequela  |
| T48.204S | Poisoning by unspecified drugs acting on muscles, undetermined, sequela                                     |
| T48.205S | Adverse effect of unspecified drugs acting on muscles, sequela  |
| T48.206A | Underdosing of unspecified drugs acting on muscles, initial encounter                                       |
| T48.206D | Underdosing of unspecified drugs acting on muscles, subsequent encounter                                    |
| T48.206S | Underdosing of unspecified drugs acting on muscles, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T48.291S | Poisoning by other drugs acting on muscles, accidental (unintentional), sequela |
| T48.292S | Poisoning by other drugs acting on muscles, intentional self-harm, sequela      |
| T48.293S | Poisoning by other drugs acting on muscles, assault, sequela                    |
| T48.294S | Poisoning by other drugs acting on muscles, undetermined, sequela               |
| T48.295S | Adverse effect of other drugs acting on muscles, sequela                        |
| T48.296A | Underdosing of other drugs acting on muscles, initial encounter                 |
| T48.296D | Underdosing of other drugs acting on muscles, subsequent encounter              |
| T48.296S | Underdosing of other drugs acting on muscles, sequela                           |
| T48.3X1S | Poisoning by antitussives, accidental (unintentional), sequela                  |
| T48.3X2S | Poisoning by antitussives, intentional self-harm, sequela                       |
| T48.3X3S | Poisoning by antitussives, assault, sequela                                     |
| T48.3X4S | Poisoning by antitussives, undetermined, sequela                                |
| T48.3X5S | Adverse effect of antitussives, sequela   |
| T48.3X6A | Underdosing of antitussives, initial encounter                                  |
| T48.3X6D | Underdosing of antitussives, subsequent encounter                               |
| T48.3X6S | Underdosing of antitussives, sequela  |
| T48.4X1S | Poisoning by expectorants, accidental (unintentional), sequela                  |
| T48.4X2S | Poisoning by expectorants, intentional self-harm, sequela                       |
| T48.4X3S | Poisoning by expectorants, assault, sequela                                     |
| T48.4X4S | Poisoning by expectorants, undetermined, sequela                                |
| T48.4X5S | Adverse effect of expectorants, sequela   |
| T48.4X6A | Underdosing of expectorants, initial encounter                                  |
| T48.4X6D | Underdosing of expectorants, subsequent encounter                               |
| T48.4X6S | Underdosing of expectorants, sequela  |
| T48.5X1S | Poisoning by other anti-common-cold drugs, accidental (unintentional), sequela  |
| T48.5X2S | Poisoning by other anti-common-cold drugs, intentional self-harm, sequela       |
| T48.5X3S | Poisoning by other anti-common-cold drugs, assault, sequela                     |
| T48.5X4S | Poisoning by other anti-common-cold drugs, undetermined, sequela                |
| T48.5X5S | Adverse effect of other anti-common-cold drugs, sequela                         |
| T48.5X6A | Underdosing of other anti-common-cold drugs, initial encounter                  |
| T48.5X6D | Underdosing of other anti-common-cold drugs, subsequent encounter               |
| T48.5X6S | Underdosing of other anti-common-cold drugs, sequela                            |
| T48.6X1S | Poisoning by antiasthmatics, accidental (unintentional), sequela                |
| T48.6X2S | Poisoning by antiasthmatics, intentional self-harm, sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T48.6X3S    | Poisoning by antiasthmatics, assault, sequela   |
| T48.6X4S    | Poisoning by antiasthmatics, undetermined, sequela  |
| T48.6X5S    | Adverse effect of antiasthmatics, sequela   |
| T48.6X6A    | Underdosing of antiasthmatics, initial encounter  |
| T48.6X6D    | Underdosing of antiasthmatics, subsequent encounter   |
| T48.6X6S    | Underdosing of antiasthmatics, sequela  |
| T48.901S    | Poisoning by unspecified agents primarily acting on the respiratory system, accidental (unintentional), sequela |
| T48.902S    | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela      |
| T48.903S    | Poisoning by unspecified agents primarily acting on the respiratory system, assault, sequela                    |
| T48.904S    | Poisoning by unspecified agents primarily acting on the respiratory system, undetermined, sequela               |
| T48.905S    | Adverse effect of unspecified agents primarily acting on the respiratory system, sequela                        |
| T48.906A    | Underdosing of unspecified agents primarily acting on the respiratory system, initial encounter                 |
| T48.906D    | Underdosing of unspecified agents primarily acting on the respiratory system, subsequent encounter              |
| T48.906S    | Underdosing of unspecified agents primarily acting on the respiratory system, sequela                           |
| T48.991S    | Poisoning by other agents primarily acting on the respiratory system, accidental (unintentional), sequela       |
| T48.992S    | Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela            |
| T48.993S    | Poisoning by other agents primarily acting on the respiratory system, assault, sequela                          |
| T48.994S    | Poisoning by other agents primarily acting on the respiratory system, undetermined, sequela                     |
| T48.995S    | Adverse effect of other agents primarily acting on the respiratory system, sequela                              |
| T48.996A    | Underdosing of other agents primarily acting on the respiratory system, initial encounter                       |
| T48.996D    | Underdosing of other agents primarily acting on the respiratory system, subsequent encounter                    |
| T48.996S    | Underdosing of other agents primarily acting on the respiratory system, sequela                                 |
| T49.0X1S    | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, accidental (unintentional), sequela  |
| T49.0X2S    | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela       |
| T49.0X3S    | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, assault, sequela                     |
| T49.0X4S    | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, undetermined, sequela                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T49.0X5S | Adverse effect of local antifungal, anti-infective and anti-inflammatory drugs, sequela   |
| T49.0X6A | Underdosing of local antifungal, anti-infective and anti-inflammatory drugs, initial encounter                                  |
| T49.0X6D | Underdosing of local antifungal, anti-infective and anti-inflammatory drugs, subsequent encounter                               |
| T49.0X6S | Underdosing of local antifungal, anti-infective and anti-inflammatory drugs, sequela  |
| T49.1X1S | Poisoning by antipruritics, accidental (unintentional), sequela   |
| T49.1X2S | Poisoning by antipruritics, intentional self-harm, sequela  |
| T49.1X3S | Poisoning by antipruritics, assault, sequela  |
| T49.1X4S | Poisoning by antipruritics, undetermined, sequela   |
| T49.1X5S | Adverse effect of antipruritics, sequela  |
| T49.1X6A | Underdosing of antipruritics, initial encounter   |
| T49.1X6D | Underdosing of antipruritics, subsequent encounter  |
| T49.1X6S | Underdosing of antipruritics, sequela   |
| T49.2X1S | Poisoning by local astringents and local detergents, accidental (unintentional), sequela  |
| T49.2X2S | Poisoning by local astringents and local detergents, intentional self-harm, sequela   |
| T49.2X3S | Poisoning by local astringents and local detergents, assault, sequela   |
| T49.2X4S | Poisoning by local astringents and local detergents, undetermined, sequela  |
| T49.2X5S | Adverse effect of local astringents and local detergents, sequela   |
| T49.2X6A | Underdosing of local astringents and local detergents, initial encounter  |
| T49.2X6D | Underdosing of local astringents and local detergents, subsequent encounter   |
| T49.2X6S | Underdosing of local astringents and local detergents, sequela  |
| T49.3X1S | Poisoning by emollients, demulcents and protectants, accidental (unintentional), sequela  |
| T49.3X2S | Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela   |
| T49.3X3S | Poisoning by emollients, demulcents and protectants, assault, sequela   |
| T49.3X4S | Poisoning by emollients, demulcents and protectants, undetermined, sequela  |
| T49.3X5S | Adverse effect of emollients, demulcents and protectants, sequela   |
| T49.3X6A | Underdosing of emollients, demulcents and protectants, initial encounter  |
| T49.3X6D | Underdosing of emollients, demulcents and protectants, subsequent encounter   |
| T49.3X6S | Underdosing of emollients, demulcents and protectants, sequela  |
| T49.4X1S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, accidental (unintentional), sequela |
| T49.4X2S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela      |
| T49.4X3S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, assault, sequela                    |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T49.4X4S | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, undetermined, sequela  |
| T49.4X5S | Adverse effect of keratolytics, keratoplastics, and other hair treatment drugs and preparations, sequela           |
| T49.4X6A | Underdosing of keratolytics, keratoplastics, and other hair treatment drugs and preparations, initial encounter    |
| T49.4X6D | Underdosing of keratolytics, keratoplastics, and other hair treatment drugs and preparations, subsequent encounter |
| T49.4X6S | Underdosing of keratolytics, keratoplastics, and other hair treatment drugs and preparations, sequela              |
| T49.5X1S | Poisoning by ophthalmological drugs and preparations, accidental (unintentional), sequela                          |
| T49.5X2S | Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela                               |
| T49.5X3S | Poisoning by ophthalmological drugs and preparations, assault, sequela   |
| T49.5X4S | Poisoning by ophthalmological drugs and preparations, undetermined, sequela  |
| T49.5X5S | Adverse effect of ophthalmological drugs and preparations, sequela   |
| T49.5X6A | Underdosing of ophthalmological drugs and preparations, initial encounter  |
| T49.5X6D | Underdosing of ophthalmological drugs and preparations, subsequent encounter                                       |
| T49.5X6S | Underdosing of ophthalmological drugs and preparations, sequela  |
| T49.6X1S | Poisoning by otorhinolaryngological drugs and preparations, accidental (unintentional), sequela                    |
| T49.6X2S | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela                         |
| T49.6X3S | Poisoning by otorhinolaryngological drugs and preparations, assault, sequela                                       |
| T49.6X4S | Poisoning by otorhinolaryngological drugs and preparations, undetermined, sequela                                  |
| T49.6X5S | Adverse effect of otorhinolaryngological drugs and preparations, sequela   |
| T49.6X6A | Underdosing of otorhinolaryngological drugs and preparations, initial encounter                                    |
| T49.6X6D | Underdosing of otorhinolaryngological drugs and preparations, subsequent encounter                                 |
| T49.6X6S | Underdosing of otorhinolaryngological drugs and preparations, sequela  |
| T49.7X1S | Poisoning by dental drugs, topically applied, accidental (unintentional), sequela                                  |
| T49.7X2S | Poisoning by dental drugs, topically applied, intentional self-harm, sequela                                       |
| T49.7X3S | Poisoning by dental drugs, topically applied, assault, sequela   |
| T49.7X4S | Poisoning by dental drugs, topically applied, undetermined, sequela  |
| T49.7X5S | Adverse effect of dental drugs, topically applied, sequela   |
| T49.7X6A | Underdosing of dental drugs, topically applied, initial encounter  |
| T49.7X6D | Underdosing of dental drugs, topically applied, subsequent encounter   |
| T49.7X6S | Underdosing of dental drugs, topically applied, sequela  |
| T49.8X1S | Poisoning by other topical agents, accidental (unintentional), sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T49.8X2S    | Poisoning by other topical agents, intentional self-harm, sequela  |
| T49.8X3S    | Poisoning by other topical agents, assault, sequela  |
| T49.8X4S    | Poisoning by other topical agents, undetermined, sequela   |
| T49.8X5S    | Adverse effect of other topical agents, sequela  |
| T49.8X6A    | Underdosing of other topical agents, initial encounter   |
| T49.8X6D    | Underdosing of other topical agents, subsequent encounter  |
| T49.8X6S    | Underdosing of other topical agents, sequela   |
| T49.91XS    | Poisoning by unspecified topical agent, accidental (unintentional), sequela  |
| T49.92XS    | Poisoning by unspecified topical agent, intentional self-harm, sequela   |
| T49.93XS    | Poisoning by unspecified topical agent, assault, sequela   |
| T49.94XS    | Poisoning by unspecified topical agent, undetermined, sequela  |
| T49.95XS    | Adverse effect of unspecified topical agent, sequela   |
| T49.96XA    | Underdosing of unspecified topical agent, initial encounter  |
| T49.96XD    | Underdosing of unspecified topical agent, subsequent encounter   |
| T49.96XS    | Underdosing of unspecified topical agent, sequela  |
| T50.0X1S    | Poisoning by mineralocorticoids and their antagonists, accidental (unintentional), sequela                             |
| T50.0X2S    | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela                                  |
| T50.0X3S    | Poisoning by mineralocorticoids and their antagonists, assault, sequela  |
| T50.0X4S    | Poisoning by mineralocorticoids and their antagonists, undetermined, sequela   |
| T50.0X5S    | Adverse effect of mineralocorticoids and their antagonists, sequela  |
| T50.0X6A    | Underdosing of mineralocorticoids and their antagonists, initial encounter   |
| T50.0X6D    | Underdosing of mineralocorticoids and their antagonists, subsequent encounter  |
| T50.0X6S    | Underdosing of mineralocorticoids and their antagonists, sequela   |
| T50.1X1S    | Poisoning by loop [high-ceiling] diuretics, accidental (unintentional), sequela  |
| T50.1X2S    | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela   |
| T50.1X3S    | Poisoning by loop [high-ceiling] diuretics, assault, sequela   |
| T50.1X4S    | Poisoning by loop [high-ceiling] diuretics, undetermined, sequela  |
| T50.1X5S    | Adverse effect of loop [high-ceiling] diuretics, sequela   |
| T50.1X6A    | Underdosing of loop [high-ceiling] diuretics, initial encounter  |
| T50.1X6D    | Underdosing of loop [high-ceiling] diuretics, subsequent encounter   |
| T50.1X6S    | Underdosing of loop [high-ceiling] diuretics, sequela  |
| T50.2X1S    | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, accidental (unintentional), sequela |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T50.2X2S | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela |
| T50.2X3S | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, assault, sequela               |
| T50.2X4S | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, undetermined, sequela          |
| T50.2X5S | Adverse effect of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, sequela                   |
| T50.2X6A | Underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, initial encounter            |
| T50.2X6D | Underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, subsequent encounter         |
| T50.2X6S | Underdosing of carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, sequela                      |
| T50.3X1S | Poisoning by electrolytic, caloric and water-balance agents, accidental (unintentional), sequela                  |
| T50.3X2S | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela                       |
| T50.3X3S | Poisoning by electrolytic, caloric and water-balance agents, assault, sequela                                     |
| T50.3X4S | Poisoning by electrolytic, caloric and water-balance agents, undetermined, sequela                                |
| T50.3X5S | Adverse effect of electrolytic, caloric and water-balance agents, sequela   |
| T50.3X6A | Underdosing of electrolytic, caloric and water-balance agents, initial encounter                                  |
| T50.3X6D | Underdosing of electrolytic, caloric and water-balance agents, subsequent encounter                               |
| T50.3X6S | Underdosing of electrolytic, caloric and water-balance agents, sequela  |
| T50.4X1S | Poisoning by drugs affecting uric acid metabolism, accidental (unintentional), sequela                            |
| T50.4X2S | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela                                 |
| T50.4X3S | Poisoning by drugs affecting uric acid metabolism, assault, sequela   |
| T50.4X4S | Poisoning by drugs affecting uric acid metabolism, undetermined, sequela  |
| T50.4X5S | Adverse effect of drugs affecting uric acid metabolism, sequela   |
| T50.4X6A | Underdosing of drugs affecting uric acid metabolism, initial encounter  |
| T50.4X6D | Underdosing of drugs affecting uric acid metabolism, subsequent encounter   |
| T50.4X6S | Underdosing of drugs affecting uric acid metabolism, sequela  |
| T50.5X1S | Poisoning by appetite depressants, accidental (unintentional), sequela  |
| T50.5X2S | Poisoning by appetite depressants, intentional self-harm, sequela   |
| T50.5X3S | Poisoning by appetite depressants, assault, sequela   |
| T50.5X4S | Poisoning by appetite depressants, undetermined, sequela  |
| T50.5X5S | Adverse effect of appetite depressants, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T50.5X6A | Underdosing of appetite depressants, initial encounter   |
| T50.5X6D | Underdosing of appetite depressants, subsequent encounter  |
| T50.5X6S | Underdosing of appetite depressants, sequela   |
| T50.6X1S | Poisoning by antidotes and chelating agents, accidental (unintentional), sequela                           |
| T50.6X2S | Poisoning by antidotes and chelating agents, intentional self-harm, sequela                                |
| T50.6X3S | Poisoning by antidotes and chelating agents, assault, sequela  |
| T50.6X4S | Poisoning by antidotes and chelating agents, undetermined, sequela   |
| T50.6X5S | Adverse effect of antidotes and chelating agents, sequela  |
| T50.6X6A | Underdosing of antidotes and chelating agents, initial encounter   |
| T50.6X6D | Underdosing of antidotes and chelating agents, subsequent encounter  |
| T50.6X6S | Underdosing of antidotes and chelating agents, sequela   |
| T50.7X1S | Poisoning by analeptics and opioid receptor antagonists, accidental (unintentional), sequela               |
| T50.7X2S | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela                    |
| T50.7X3S | Poisoning by analeptics and opioid receptor antagonists, assault, sequela                                  |
| T50.7X4S | Poisoning by analeptics and opioid receptor antagonists, undetermined, sequela                             |
| T50.7X5S | Adverse effect of analeptics and opioid receptor antagonists, sequela                                      |
| T50.7X6A | Underdosing of analeptics and opioid receptor antagonists, initial encounter                               |
| T50.7X6D | Underdosing of analeptics and opioid receptor antagonists, subsequent encounter                            |
| T50.7X6S | Underdosing of analeptics and opioid receptor antagonists, sequela   |
| T50.8X1S | Poisoning by diagnostic agents, accidental (unintentional), sequela  |
| T50.8X2S | Poisoning by diagnostic agents, intentional self-harm, sequela   |
| T50.8X3S | Poisoning by diagnostic agents, assault, sequela   |
| T50.8X4S | Poisoning by diagnostic agents, undetermined, sequela  |
| T50.8X5S | Adverse effect of diagnostic agents, sequela   |
| T50.8X6A | Underdosing of diagnostic agents, initial encounter  |
| T50.8X6D | Underdosing of diagnostic agents, subsequent encounter   |
| T50.8X6S | Underdosing of diagnostic agents, sequela  |
| T50.901S | Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), sequela |
| T50.902S | Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela      |
| T50.903S | Poisoning by unspecified drugs, medicaments and biological substances, assault, sequela                    |
| T50.904S | Poisoning by unspecified drugs, medicaments and biological substances, undetermined, sequela               |
| T50.905S | Adverse effect of unspecified drugs, medicaments and biological substances, sequela                        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T50.906A | Underdosing of unspecified drugs, medicaments and biological substances, initial encounter                             |
| T50.906D | Underdosing of unspecified drugs, medicaments and biological substances, subsequent encounter                          |
| T50.906S | Underdosing of unspecified drugs, medicaments and biological substances, sequela                                       |
| T50.911S | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), sequela    |
| T50.912S | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela         |
| T50.913S | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, sequela                       |
| T50.914S | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, sequela                  |
| T50.915S | Adverse effect of multiple unspecified drugs, medicaments and biological substances, sequela                           |
| T50.916A | Underdosing of multiple unspecified drugs, medicaments and biological substances, initial encounter                    |
| T50.916D | Underdosing of multiple unspecified drugs, medicaments and biological substances, subsequent encounter                 |
| T50.916S | Underdosing of multiple unspecified drugs, medicaments and biological substances, sequela                              |
| T50.991S | Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), sequela                   |
| T50.992S | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela                        |
| T50.993S | Poisoning by other drugs, medicaments and biological substances, assault, sequela                                      |
| T50.994S | Poisoning by other drugs, medicaments and biological substances, undetermined, sequela                                 |
| T50.995S | Adverse effect of other drugs, medicaments and biological substances, sequela  |
| T50.996A | Underdosing of other drugs, medicaments and biological substances, initial encounter                                   |
| T50.996D | Underdosing of other drugs, medicaments and biological substances, subsequent encounter                                |
| T50.996S | Underdosing of other drugs, medicaments and biological substances, sequela   |
| T50.A11S | Poisoning by pertussis vaccine, including combinations with a pertussis component, accidental (unintentional), sequela |
| T50.A12S | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela      |
| T50.A13S | Poisoning by pertussis vaccine, including combinations with a pertussis component, assault, sequela                    |
| T50.A14S | Poisoning by pertussis vaccine, including combinations with a pertussis component, undetermined, sequela               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T50.A15S | Adverse effect of pertussis vaccine, including combinations with a pertussis component, sequela           |
| T50.A16A | Underdosing of pertussis vaccine, including combinations with a pertussis component, initial encounter    |
| T50.A16D | Underdosing of pertussis vaccine, including combinations with a pertussis component, subsequent encounter |
| T50.A16S | Underdosing of pertussis vaccine, including combinations with a pertussis component, sequela              |
| T50.A21S | Poisoning by mixed bacterial vaccines without a pertussis component, accidental (unintentional), sequela  |
| T50.A22S | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela       |
| T50.A23S | Poisoning by mixed bacterial vaccines without a pertussis component, assault, sequela                     |
| T50.A24S | Poisoning by mixed bacterial vaccines without a pertussis component, undetermined, sequela                |
| T50.A25S | Adverse effect of mixed bacterial vaccines without a pertussis component, sequela                         |
| T50.A26A | Underdosing of mixed bacterial vaccines without a pertussis component, initial encounter                  |
| T50.A26D | Underdosing of mixed bacterial vaccines without a pertussis component, subsequent encounter               |
| T50.A26S | Underdosing of mixed bacterial vaccines without a pertussis component, sequela                            |
| T50.A91S | Poisoning by other bacterial vaccines, accidental (unintentional), sequela                                |
| T50.A92S | Poisoning by other bacterial vaccines, intentional self-harm, sequela                                     |
| T50.A93S | Poisoning by other bacterial vaccines, assault, sequela   |
| T50.A94S | Poisoning by other bacterial vaccines, undetermined, sequela  |
| T50.A95S | Adverse effect of other bacterial vaccines, sequela   |
| T50.A96A | Underdosing of other bacterial vaccines, initial encounter  |
| T50.A96D | Underdosing of other bacterial vaccines, subsequent encounter   |
| T50.A96S | Underdosing of other bacterial vaccines, sequela  |
| T50.B11S | Poisoning by smallpox vaccines, accidental (unintentional), sequela                                       |
| T50.B12S | Poisoning by smallpox vaccines, intentional self-harm, sequela  |
| T50.B13S | Poisoning by smallpox vaccines, assault, sequela  |
| T50.B14S | Poisoning by smallpox vaccines, undetermined, sequela   |
| T50.B15S | Adverse effect of smallpox vaccines, sequela  |
| T50.B16A | Underdosing of smallpox vaccines, initial encounter   |
| T50.B16D | Underdosing of smallpox vaccines, subsequent encounter  |
| T50.B16S | Underdosing of smallpox vaccines, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T50.B91S | Poisoning by other viral vaccines, accidental (unintentional), sequela                     |
| T50.B92S | Poisoning by other viral vaccines, intentional self-harm, sequela                          |
| T50.B93S | Poisoning by other viral vaccines, assault, sequela  |
| T50.B94S | Poisoning by other viral vaccines, undetermined, sequela                                   |
| T50.B95S | Adverse effect of other viral vaccines, sequela  |
| T50.B96A | Underdosing of other viral vaccines, initial encounter                                     |
| T50.B96D | Underdosing of other viral vaccines, subsequent encounter                                  |
| T50.B96S | Underdosing of other viral vaccines, sequela   |
| T50.Z11S | Poisoning by immunoglobulin, accidental (unintentional), sequela                           |
| T50.Z12S | Poisoning by immunoglobulin, intentional self-harm, sequela                                |
| T50.Z13S | Poisoning by immunoglobulin, assault, sequela  |
| T50.Z14S | Poisoning by immunoglobulin, undetermined, sequela   |
| T50.Z15S | Adverse effect of immunoglobulin, sequela  |
| T50.Z16A | Underdosing of immunoglobulin, initial encounter   |
| T50.Z16D | Underdosing of immunoglobulin, subsequent encounter  |
| T50.Z16S | Underdosing of immunoglobulin, sequela   |
| T50.Z91S | Poisoning by other vaccines and biological substances, accidental (unintentional), sequela |
| T50.Z92S | Poisoning by other vaccines and biological substances, intentional self-harm, sequela      |
| T50.Z93S | Poisoning by other vaccines and biological substances, assault, sequela                    |
| T50.Z94S | Poisoning by other vaccines and biological substances, undetermined, sequela               |
| T50.Z95S | Adverse effect of other vaccines and biological substances, sequela                        |
| T50.Z96A | Underdosing of other vaccines and biological substances, initial encounter                 |
| T50.Z96D | Underdosing of other vaccines and biological substances, subsequent encounter              |
| T50.Z96S | Underdosing of other vaccines and biological substances, sequela                           |
| T51.0X1S | Toxic effect of ethanol, accidental (unintentional), sequela                               |
| T51.0X2S | Toxic effect of ethanol, intentional self-harm, sequela                                    |
| T51.0X3S | Toxic effect of ethanol, assault, sequela  |
| T51.0X4S | Toxic effect of ethanol, undetermined, sequela   |
| T51.1X1S | Toxic effect of methanol, accidental (unintentional), sequela                              |
| T51.1X2S | Toxic effect of methanol, intentional self-harm, sequela                                   |
| T51.1X3S | Toxic effect of methanol, assault, sequela   |
| T51.1X4S | Toxic effect of methanol, undetermined, sequela  |
| T51.2X1S | Toxic effect of 2-Propanol, accidental (unintentional), sequela                            |
| T51.2X2S | Toxic effect of 2-Propanol, intentional self-harm, sequela                                 |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T51.2X3S | Toxic effect of 2-Propanol, assault, sequela                               |
| T51.2X4S | Toxic effect of 2-Propanol, undetermined, sequela                          |
| T51.3X1S | Toxic effect of fusel oil, accidental (unintentional), sequela             |
| T51.3X2S | Toxic effect of fusel oil, intentional self-harm, sequela                  |
| T51.3X3S | Toxic effect of fusel oil, assault, sequela                                |
| T51.3X4S | Toxic effect of fusel oil, undetermined, sequela                           |
| T51.8X1S | Toxic effect of other alcohols, accidental (unintentional), sequela        |
| T51.8X2S | Toxic effect of other alcohols, intentional self-harm, sequela             |
| T51.8X3S | Toxic effect of other alcohols, assault, sequela                           |
| T51.8X4S | Toxic effect of other alcohols, undetermined, sequela                      |
| T51.91XS | Toxic effect of unspecified alcohol, accidental (unintentional), sequela   |
| T51.92XS | Toxic effect of unspecified alcohol, intentional self-harm, sequela        |
| T51.93XS | Toxic effect of unspecified alcohol, assault, sequela                      |
| T51.94XS | Toxic effect of unspecified alcohol, undetermined, sequela                 |
| T52.0X1S | Toxic effect of petroleum products, accidental (unintentional), sequela    |
| T52.0X2S | Toxic effect of petroleum products, intentional self-harm, sequela         |
| T52.0X3S | Toxic effect of petroleum products, assault, sequela                       |
| T52.0X4S | Toxic effect of petroleum products, undetermined, sequela                  |
| T52.1X1S | Toxic effect of benzene, accidental (unintentional), sequela               |
| T52.1X2S | Toxic effect of benzene, intentional self-harm, sequela                    |
| T52.1X3S | Toxic effect of benzene, assault, sequela                                  |
| T52.1X4S | Toxic effect of benzene, undetermined, sequela                             |
| T52.2X1S | Toxic effect of homologues of benzene, accidental (unintentional), sequela |
| T52.2X2S | Toxic effect of homologues of benzene, intentional self-harm, sequela      |
| T52.2X3S | Toxic effect of homologues of benzene, assault, sequela                    |
| T52.2X4S | Toxic effect of homologues of benzene, undetermined, sequela               |
| T52.3X1S | Toxic effect of glycols, accidental (unintentional), sequela               |
| T52.3X2S | Toxic effect of glycols, intentional self-harm, sequela                    |
| T52.3X3S | Toxic effect of glycols, assault, sequela                                  |
| T52.3X4S | Toxic effect of glycols, undetermined, sequela                             |
| T52.4X1S | Toxic effect of ketones, accidental (unintentional), sequela               |
| T52.4X2S | Toxic effect of ketones, intentional self-harm, sequela                    |
| T52.4X3S | Toxic effect of ketones, assault, sequela                                  |
| T52.4X4S | Toxic effect of ketones, undetermined, sequela                             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T52.8X1S | Toxic effect of other organic solvents, accidental (unintentional), sequela                              |
| T52.8X2S | Toxic effect of other organic solvents, intentional self-harm, sequela                                   |
| T52.8X3S | Toxic effect of other organic solvents, assault, sequela   |
| T52.8X4S | Toxic effect of other organic solvents, undetermined, sequela  |
| T52.91XS | Toxic effect of unspecified organic solvent, accidental (unintentional), sequela                         |
| T52.92XS | Toxic effect of unspecified organic solvent, intentional self-harm, sequela                              |
| T52.93XS | Toxic effect of unspecified organic solvent, assault, sequela  |
| T52.94XS | Toxic effect of unspecified organic solvent, undetermined, sequela                                       |
| T53.0X1S | Toxic effect of carbon tetrachloride, accidental (unintentional), sequela                                |
| T53.0X2S | Toxic effect of carbon tetrachloride, intentional self-harm, sequela                                     |
| T53.0X3S | Toxic effect of carbon tetrachloride, assault, sequela   |
| T53.0X4S | Toxic effect of carbon tetrachloride, undetermined, sequela  |
| T53.1X1S | Toxic effect of chloroform, accidental (unintentional), sequela  |
| T53.1X2S | Toxic effect of chloroform, intentional self-harm, sequela   |
| T53.1X3S | Toxic effect of chloroform, assault, sequela   |
| T53.1X4S | Toxic effect of chloroform, undetermined, sequela  |
| T53.2X1S | Toxic effect of trichloroethylene, accidental (unintentional), sequela                                   |
| T53.2X2S | Toxic effect of trichloroethylene, intentional self-harm, sequela  |
| T53.2X3S | Toxic effect of trichloroethylene, assault, sequela  |
| T53.2X4S | Toxic effect of trichloroethylene, undetermined, sequela   |
| T53.3X1S | Toxic effect of tetrachloroethylene, accidental (unintentional), sequela                                 |
| T53.3X2S | Toxic effect of tetrachloroethylene, intentional self-harm, sequela                                      |
| T53.3X3S | Toxic effect of tetrachloroethylene, assault, sequela  |
| T53.3X4S | Toxic effect of tetrachloroethylene, undetermined, sequela   |
| T53.4X1S | Toxic effect of dichloromethane, accidental (unintentional), sequela                                     |
| T53.4X2S | Toxic effect of dichloromethane, intentional self-harm, sequela  |
| T53.4X3S | Toxic effect of dichloromethane, assault, sequela  |
| T53.4X4S | Toxic effect of dichloromethane, undetermined, sequela   |
| T53.5X1S | Toxic effect of chlorofluorocarbons, accidental (unintentional), sequela                                 |
| T53.5X2S | Toxic effect of chlorofluorocarbons, intentional self-harm, sequela                                      |
| T53.5X3S | Toxic effect of chlorofluorocarbons, assault, sequela  |
| T53.5X4S | Toxic effect of chlorofluorocarbons, undetermined, sequela   |
| T53.6X1S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), sequela |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T53.6X2S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela                         |
| T53.6X3S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, sequela                                       |
| T53.6X4S | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, sequela                                  |
| T53.7X1S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental (unintentional), sequela                     |
| T53.7X2S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela                          |
| T53.7X3S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, sequela  |
| T53.7X4S | Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, sequela                                   |
| T53.91XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), sequela |
| T53.92XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela      |
| T53.93XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, assault, sequela                    |
| T53.94XS | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, undetermined, sequela               |
| T54.0X1S | Toxic effect of phenol and phenol homologues, accidental (unintentional), sequela   |
| T54.0X2S | Toxic effect of phenol and phenol homologues, intentional self-harm, sequela  |
| T54.0X3S | Toxic effect of phenol and phenol homologues, assault, sequela  |
| T54.0X4S | Toxic effect of phenol and phenol homologues, undetermined, sequela   |
| T54.1X1S | Toxic effect of other corrosive organic compounds, accidental (unintentional), sequela                                      |
| T54.1X2S | Toxic effect of other corrosive organic compounds, intentional self-harm, sequela   |
| T54.1X3S | Toxic effect of other corrosive organic compounds, assault, sequela   |
| T54.1X4S | Toxic effect of other corrosive organic compounds, undetermined, sequela  |
| T54.2X1S | Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), sequela                               |
| T54.2X2S | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela                                    |
| T54.2X3S | Toxic effect of corrosive acids and acid-like substances, assault, sequela  |
| T54.2X4S | Toxic effect of corrosive acids and acid-like substances, undetermined, sequela   |
| T54.3X1S | Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), sequela                           |
| T54.3X2S | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela                                |
| T54.3X3S | Toxic effect of corrosive alkalis and alkali-like substances, assault, sequela  |
| T54.3X4S | Toxic effect of corrosive alkalis and alkali-like substances, undetermined, sequela   |
| T54.91XS | Toxic effect of unspecified corrosive substance, accidental (unintentional), sequela  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T54.92XS | Toxic effect of unspecified corrosive substance, intentional self-harm, sequela |
| T54.93XS | Toxic effect of unspecified corrosive substance, assault, sequela               |
| T54.94XS | Toxic effect of unspecified corrosive substance, undetermined, sequela          |
| T55.0X1S | Toxic effect of soaps, accidental (unintentional), sequela                      |
| T55.0X2S | Toxic effect of soaps, intentional self-harm, sequela                           |
| T55.0X3S | Toxic effect of soaps, assault, sequela   |
| T55.0X4S | Toxic effect of soaps, undetermined, sequela                                    |
| T55.1X1S | Toxic effect of detergents, accidental (unintentional), sequela                 |
| T55.1X2S | Toxic effect of detergents, intentional self-harm, sequela                      |
| T55.1X3S | Toxic effect of detergents, assault, sequela                                    |
| T55.1X4S | Toxic effect of detergents, undetermined, sequela                               |
| T56.0X1S | Toxic effect of lead and its compounds, accidental (unintentional), sequela     |
| T56.0X2S | Toxic effect of lead and its compounds, intentional self-harm, sequela          |
| T56.0X3S | Toxic effect of lead and its compounds, assault, sequela                        |
| T56.0X4S | Toxic effect of lead and its compounds, undetermined, sequela                   |
| T56.1X1S | Toxic effect of mercury and its compounds, accidental (unintentional), sequela  |
| T56.1X2S | Toxic effect of mercury and its compounds, intentional self-harm, sequela       |
| T56.1X3S | Toxic effect of mercury and its compounds, assault, sequela                     |
| T56.1X4S | Toxic effect of mercury and its compounds, undetermined, sequela                |
| T56.2X1S | Toxic effect of chromium and its compounds, accidental (unintentional), sequela |
| T56.2X2S | Toxic effect of chromium and its compounds, intentional self-harm, sequela      |
| T56.2X3S | Toxic effect of chromium and its compounds, assault, sequela                    |
| T56.2X4S | Toxic effect of chromium and its compounds, undetermined, sequela               |
| T56.3X1S | Toxic effect of cadmium and its compounds, accidental (unintentional), sequela  |
| T56.3X2S | Toxic effect of cadmium and its compounds, intentional self-harm, sequela       |
| T56.3X3S | Toxic effect of cadmium and its compounds, assault, sequela                     |
| T56.3X4S | Toxic effect of cadmium and its compounds, undetermined, sequela                |
| T56.4X1S | Toxic effect of copper and its compounds, accidental (unintentional), sequela   |
| T56.4X2S | Toxic effect of copper and its compounds, intentional self-harm, sequela        |
| T56.4X3S | Toxic effect of copper and its compounds, assault, sequela                      |
| T56.4X4S | Toxic effect of copper and its compounds, undetermined, sequela                 |
| T56.5X1S | Toxic effect of zinc and its compounds, accidental (unintentional), sequela     |
| T56.5X2S | Toxic effect of zinc and its compounds, intentional self-harm, sequela          |
| T56.5X3S | Toxic effect of zinc and its compounds, assault, sequela                        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T56.5X4S | Toxic effect of zinc and its compounds, undetermined, sequela                     |
| T56.6X1S | Toxic effect of tin and its compounds, accidental (unintentional), sequela        |
| T56.6X2S | Toxic effect of tin and its compounds, intentional self-harm, sequela             |
| T56.6X3S | Toxic effect of tin and its compounds, assault, sequela                           |
| T56.6X4S | Toxic effect of tin and its compounds, undetermined, sequela                      |
| T56.7X1S | Toxic effect of beryllium and its compounds, accidental (unintentional), sequela  |
| T56.7X2S | Toxic effect of beryllium and its compounds, intentional self-harm, sequela       |
| T56.7X3S | Toxic effect of beryllium and its compounds, assault, sequela                     |
| T56.7X4S | Toxic effect of beryllium and its compounds, undetermined, sequela                |
| T56.811S | Toxic effect of thallium, accidental (unintentional), sequela                     |
| T56.812S | Toxic effect of thallium, intentional self-harm, sequela                          |
| T56.813S | Toxic effect of thallium, assault, sequela  |
| T56.814S | Toxic effect of thallium, undetermined, sequela                                   |
| T56.891S | Toxic effect of other metals, accidental (unintentional), sequela                 |
| T56.892S | Toxic effect of other metals, intentional self-harm, sequela                      |
| T56.893S | Toxic effect of other metals, assault, sequela                                    |
| T56.894S | Toxic effect of other metals, undetermined, sequela                               |
| T56.91XS | Toxic effect of unspecified metal, accidental (unintentional), sequela            |
| T56.92XS | Toxic effect of unspecified metal, intentional self-harm, sequela                 |
| T56.93XS | Toxic effect of unspecified metal, assault, sequela                               |
| T56.94XS | Toxic effect of unspecified metal, undetermined, sequela                          |
| T57.0X1S | Toxic effect of arsenic and its compounds, accidental (unintentional), sequela    |
| T57.0X2S | Toxic effect of arsenic and its compounds, intentional self-harm, sequela         |
| T57.0X3S | Toxic effect of arsenic and its compounds, assault, sequela                       |
| T57.0X4S | Toxic effect of arsenic and its compounds, undetermined, sequela                  |
| T57.1X1S | Toxic effect of phosphorus and its compounds, accidental (unintentional), sequela |
| T57.1X2S | Toxic effect of phosphorus and its compounds, intentional self-harm, sequela      |
| T57.1X3S | Toxic effect of phosphorus and its compounds, assault, sequela                    |
| T57.1X4S | Toxic effect of phosphorus and its compounds, undetermined, sequela               |
| T57.2X1S | Toxic effect of manganese and its compounds, accidental (unintentional), sequela  |
| T57.2X2S | Toxic effect of manganese and its compounds, intentional self-harm, sequela       |
| T57.2X3S | Toxic effect of manganese and its compounds, assault, sequela                     |
| T57.2X4S | Toxic effect of manganese and its compounds, undetermined, sequela                |
| T57.3X1S | Toxic effect of hydrogen cyanide, accidental (unintentional), sequela             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T57.3X2S | Toxic effect of hydrogen cyanide, intentional self-harm, sequela  |
| T57.3X3S | Toxic effect of hydrogen cyanide, assault, sequela  |
| T57.3X4S | Toxic effect of hydrogen cyanide, undetermined, sequela   |
| T57.8X1S | Toxic effect of other specified inorganic substances, accidental (unintentional), sequela                               |
| T57.8X2S | Toxic effect of other specified inorganic substances, intentional self-harm, sequela                                    |
| T57.8X3S | Toxic effect of other specified inorganic substances, assault, sequela  |
| T57.8X4S | Toxic effect of other specified inorganic substances, undetermined, sequela   |
| T57.91XS | Toxic effect of unspecified inorganic substance, accidental (unintentional), sequela                                    |
| T57.92XS | Toxic effect of unspecified inorganic substance, intentional self-harm, sequela   |
| T57.93XS | Toxic effect of unspecified inorganic substance, assault, sequela   |
| T57.94XS | Toxic effect of unspecified inorganic substance, undetermined, sequela  |
| T58.01XS | Toxic effect of carbon monoxide from motor vehicle exhaust, accidental (unintentional), sequela                         |
| T58.02XS | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela                              |
| T58.03XS | Toxic effect of carbon monoxide from motor vehicle exhaust, assault, sequela  |
| T58.04XS | Toxic effect of carbon monoxide from motor vehicle exhaust, undetermined, sequela                                       |
| T58.11XS | Toxic effect of carbon monoxide from utility gas, accidental (unintentional), sequela                                   |
| T58.12XS | Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela  |
| T58.13XS | Toxic effect of carbon monoxide from utility gas, assault, sequela  |
| T58.14XS | Toxic effect of carbon monoxide from utility gas, undetermined, sequela   |
| T58.2X1S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, accidental (unintentional), sequela |
| T58.2X2S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela      |
| T58.2X3S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, assault, sequela                    |
| T58.2X4S | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, undetermined, sequela               |
| T58.8X1S | Toxic effect of carbon monoxide from other source, accidental (unintentional), sequela                                  |
| T58.8X2S | Toxic effect of carbon monoxide from other source, intentional self-harm, sequela                                       |
| T58.8X3S | Toxic effect of carbon monoxide from other source, assault, sequela   |
| T58.8X4S | Toxic effect of carbon monoxide from other source, undetermined, sequela  |
| T58.91XS | Toxic effect of carbon monoxide from unspecified source, accidental (unintentional), sequela                            |
| T58.92XS | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela                                 |
| T58.93XS | Toxic effect of carbon monoxide from unspecified source, assault, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T58.94XS | Toxic effect of carbon monoxide from unspecified source, undetermined, sequela          |
| T59.0X1S | Toxic effect of nitrogen oxides, accidental (unintentional), sequela                    |
| T59.0X2S | Toxic effect of nitrogen oxides, intentional self-harm, sequela                         |
| T59.0X3S | Toxic effect of nitrogen oxides, assault, sequela                                       |
| T59.0X4S | Toxic effect of nitrogen oxides, undetermined, sequela                                  |
| T59.1X1S | Toxic effect of sulfur dioxide, accidental (unintentional), sequela                     |
| T59.1X2S | Toxic effect of sulfur dioxide, intentional self-harm, sequela                          |
| T59.1X3S | Toxic effect of sulfur dioxide, assault, sequela  |
| T59.1X4S | Toxic effect of sulfur dioxide, undetermined, sequela                                   |
| T59.2X1S | Toxic effect of formaldehyde, accidental (unintentional), sequela                       |
| T59.2X2S | Toxic effect of formaldehyde, intentional self-harm, sequela                            |
| T59.2X3S | Toxic effect of formaldehyde, assault, sequela  |
| T59.2X4S | Toxic effect of formaldehyde, undetermined, sequela                                     |
| T59.3X1S | Toxic effect of lacrimogenic gas, accidental (unintentional), sequela                   |
| T59.3X2S | Toxic effect of lacrimogenic gas, intentional self-harm, sequela                        |
| T59.3X3S | Toxic effect of lacrimogenic gas, assault, sequela                                      |
| T59.3X4S | Toxic effect of lacrimogenic gas, undetermined, sequela                                 |
| T59.4X1S | Toxic effect of chlorine gas, accidental (unintentional), sequela                       |
| T59.4X2S | Toxic effect of chlorine gas, intentional self-harm, sequela                            |
| T59.4X3S | Toxic effect of chlorine gas, assault, sequela  |
| T59.4X4S | Toxic effect of chlorine gas, undetermined, sequela                                     |
| T59.5X1S | Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), sequela |
| T59.5X2S | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela      |
| T59.5X3S | Toxic effect of fluorine gas and hydrogen fluoride, assault, sequela                    |
| T59.5X4S | Toxic effect of fluorine gas and hydrogen fluoride, undetermined, sequela               |
| T59.6X1S | Toxic effect of hydrogen sulfide, accidental (unintentional), sequela                   |
| T59.6X2S | Toxic effect of hydrogen sulfide, intentional self-harm, sequela                        |
| T59.6X3S | Toxic effect of hydrogen sulfide, assault, sequela                                      |
| T59.6X4S | Toxic effect of hydrogen sulfide, undetermined, sequela                                 |
| T59.7X1S | Toxic effect of carbon dioxide, accidental (unintentional), sequela                     |
| T59.7X2S | Toxic effect of carbon dioxide, intentional self-harm, sequela                          |
| T59.7X3S | Toxic effect of carbon dioxide, assault, sequela  |
| T59.7X4S | Toxic effect of carbon dioxide, undetermined, sequela                                   |
| T59.811S | Toxic effect of smoke, accidental (unintentional), sequela                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T59.812S | Toxic effect of smoke, intentional self-harm, sequela   |
| T59.813S | Toxic effect of smoke, assault, sequela   |
| T59.814S | Toxic effect of smoke, undetermined, sequela  |
| T59.891S | Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), sequela    |
| T59.892S | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela         |
| T59.893S | Toxic effect of other specified gases, fumes and vapors, assault, sequela                       |
| T59.894S | Toxic effect of other specified gases, fumes and vapors, undetermined, sequela                  |
| T59.91XS | Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), sequela        |
| T59.92XS | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela             |
| T59.93XS | Toxic effect of unspecified gases, fumes and vapors, assault, sequela                           |
| T59.94XS | Toxic effect of unspecified gases, fumes and vapors, undetermined, sequela                      |
| T60.0X1S | Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), sequela |
| T60.0X2S | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela      |
| T60.0X3S | Toxic effect of organophosphate and carbamate insecticides, assault, sequela                    |
| T60.0X4S | Toxic effect of organophosphate and carbamate insecticides, undetermined, sequela               |
| T60.1X1S | Toxic effect of halogenated insecticides, accidental (unintentional), sequela                   |
| T60.1X2S | Toxic effect of halogenated insecticides, intentional self-harm, sequela                        |
| T60.1X3S | Toxic effect of halogenated insecticides, assault, sequela                                      |
| T60.1X4S | Toxic effect of halogenated insecticides, undetermined, sequela                                 |
| T60.2X1S | Toxic effect of other insecticides, accidental (unintentional), sequela                         |
| T60.2X2S | Toxic effect of other insecticides, intentional self-harm, sequela                              |
| T60.2X3S | Toxic effect of other insecticides, assault, sequela  |
| T60.2X4S | Toxic effect of other insecticides, undetermined, sequela                                       |
| T60.3X1S | Toxic effect of herbicides and fungicides, accidental (unintentional), sequela                  |
| T60.3X2S | Toxic effect of herbicides and fungicides, intentional self-harm, sequela                       |
| T60.3X3S | Toxic effect of herbicides and fungicides, assault, sequela                                     |
| T60.3X4S | Toxic effect of herbicides and fungicides, undetermined, sequela                                |
| T60.4X1S | Toxic effect of rodenticides, accidental (unintentional), sequela                               |
| T60.4X2S | Toxic effect of rodenticides, intentional self-harm, sequela                                    |
| T60.4X3S | Toxic effect of rodenticides, assault, sequela  |
| T60.4X4S | Toxic effect of rodenticides, undetermined, sequela   |
| T60.8X1S | Toxic effect of other pesticides, accidental (unintentional), sequela                           |
| T60.8X2S | Toxic effect of other pesticides, intentional self-harm, sequela                                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T60.8X3S    | Toxic effect of other pesticides, assault, sequela                         |
| T60.8X4S    | Toxic effect of other pesticides, undetermined, sequela                    |
| T60.91XS    | Toxic effect of unspecified pesticide, accidental (unintentional), sequela |
| T60.92XS    | Toxic effect of unspecified pesticide, intentional self-harm, sequela      |
| T60.93XS    | Toxic effect of unspecified pesticide, assault, sequela                    |
| T60.94XS    | Toxic effect of unspecified pesticide, undetermined, sequela               |
| T61.01XS    | Ciguatera fish poisoning, accidental (unintentional), sequela              |
| T61.02XS    | Ciguatera fish poisoning, intentional self-harm, sequela                   |
| T61.03XS    | Ciguatera fish poisoning, assault, sequela                                 |
| T61.04XS    | Ciguatera fish poisoning, undetermined, sequela                            |
| T61.11XS    | Scombroid fish poisoning, accidental (unintentional), sequela              |
| T61.12XS    | Scombroid fish poisoning, intentional self-harm, sequela                   |
| T61.13XS    | Scombroid fish poisoning, assault, sequela                                 |
| T61.14XS    | Scombroid fish poisoning, undetermined, sequela                            |
| T61.771S    | Other fish poisoning, accidental (unintentional), sequela                  |
| T61.772S    | Other fish poisoning, intentional self-harm, sequela                       |
| T61.773S    | Other fish poisoning, assault, sequela                                     |
| T61.774S    | Other fish poisoning, undetermined, sequela                                |
| T61.781S    | Other shellfish poisoning, accidental (unintentional), sequela             |
| T61.782S    | Other shellfish poisoning, intentional self-harm, sequela                  |
| T61.783S    | Other shellfish poisoning, assault, sequela                                |
| T61.784S    | Other shellfish poisoning, undetermined, sequela                           |
| T61.8X1S    | Toxic effect of other seafood, accidental (unintentional), sequela         |
| T61.8X2S    | Toxic effect of other seafood, intentional self-harm, sequela              |
| T61.8X3S    | Toxic effect of other seafood, assault, sequela                            |
| T61.8X4S    | Toxic effect of other seafood, undetermined, sequela                       |
| T61.91XS    | Toxic effect of unspecified seafood, accidental (unintentional), sequela   |
| T61.92XS    | Toxic effect of unspecified seafood, intentional self-harm, sequela        |
| T61.93XS    | Toxic effect of unspecified seafood, assault, sequela                      |
| T61.94XS    | Toxic effect of unspecified seafood, undetermined, sequela                 |
| T62.0X1S    | Toxic effect of ingested mushrooms, accidental (unintentional), sequela    |
| T62.0X2S    | Toxic effect of ingested mushrooms, intentional self-harm, sequela         |
| T62.0X3S    | Toxic effect of ingested mushrooms, assault, sequela                       |
| T62.0X4S    | Toxic effect of ingested mushrooms, undetermined, sequela                  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T62.1X1S | Toxic effect of ingested berries, accidental (unintentional), sequela                                 |
| T62.1X2S | Toxic effect of ingested berries, intentional self-harm, sequela                                      |
| T62.1X3S | Toxic effect of ingested berries, assault, sequela  |
| T62.1X4S | Toxic effect of ingested berries, undetermined, sequela   |
| T62.2X1S | Toxic effect of other ingested (parts of) plant(s), accidental (unintentional), sequela               |
| T62.2X2S | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela                    |
| T62.2X3S | Toxic effect of other ingested (parts of) plant(s), assault, sequela                                  |
| T62.2X4S | Toxic effect of other ingested (parts of) plant(s), undetermined, sequela                             |
| T62.8X1S | Toxic effect of other specified noxious substances eaten as food, accidental (unintentional), sequela |
| T62.8X2S | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela      |
| T62.8X3S | Toxic effect of other specified noxious substances eaten as food, assault, sequela                    |
| T62.8X4S | Toxic effect of other specified noxious substances eaten as food, undetermined, sequela               |
| T62.91XS | Toxic effect of unspecified noxious substance eaten as food, accidental (unintentional), sequela      |
| T62.92XS | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela           |
| T62.93XS | Toxic effect of unspecified noxious substance eaten as food, assault, sequela                         |
| T62.94XS | Toxic effect of unspecified noxious substance eaten as food, undetermined, sequela                    |
| T63.001S | Toxic effect of unspecified snake venom, accidental (unintentional), sequela                          |
| T63.002S | Toxic effect of unspecified snake venom, intentional self-harm, sequela                               |
| T63.003S | Toxic effect of unspecified snake venom, assault, sequela   |
| T63.004S | Toxic effect of unspecified snake venom, undetermined, sequela  |
| T63.011S | Toxic effect of rattlesnake venom, accidental (unintentional), sequela                                |
| T63.012S | Toxic effect of rattlesnake venom, intentional self-harm, sequela                                     |
| T63.013S | Toxic effect of rattlesnake venom, assault, sequela   |
| T63.014S | Toxic effect of rattlesnake venom, undetermined, sequela  |
| T63.021S | Toxic effect of coral snake venom, accidental (unintentional), sequela                                |
| T63.022S | Toxic effect of coral snake venom, intentional self-harm, sequela                                     |
| T63.023S | Toxic effect of coral snake venom, assault, sequela   |
| T63.024S | Toxic effect of coral snake venom, undetermined, sequela  |
| T63.031S | Toxic effect of taipan venom, accidental (unintentional), sequela                                     |
| T63.032S | Toxic effect of taipan venom, intentional self-harm, sequela  |
| T63.033S | Toxic effect of taipan venom, assault, sequela  |
| T63.034S | Toxic effect of taipan venom, undetermined, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T63.041S | Toxic effect of cobra venom, accidental (unintentional), sequela                                   |
| T63.042S | Toxic effect of cobra venom, intentional self-harm, sequela  |
| T63.043S | Toxic effect of cobra venom, assault, sequela  |
| T63.044S | Toxic effect of cobra venom, undetermined, sequela   |
| T63.061S | Toxic effect of venom of other North and South American snake, accidental (unintentional), sequela |
| T63.062S | Toxic effect of venom of other North and South American snake, intentional self-harm, sequela      |
| T63.063S | Toxic effect of venom of other North and South American snake, assault, sequela                    |
| T63.064S | Toxic effect of venom of other North and South American snake, undetermined, sequela               |
| T63.071S | Toxic effect of venom of other Australian snake, accidental (unintentional), sequela               |
| T63.072S | Toxic effect of venom of other Australian snake, intentional self-harm, sequela                    |
| T63.073S | Toxic effect of venom of other Australian snake, assault, sequela                                  |
| T63.074S | Toxic effect of venom of other Australian snake, undetermined, sequela                             |
| T63.081S | Toxic effect of venom of other African and Asian snake, accidental (unintentional), sequela        |
| T63.082S | Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela             |
| T63.083S | Toxic effect of venom of other African and Asian snake, assault, sequela                           |
| T63.084S | Toxic effect of venom of other African and Asian snake, undetermined, sequela                      |
| T63.091S | Toxic effect of venom of other snake, accidental (unintentional), sequela                          |
| T63.092S | Toxic effect of venom of other snake, intentional self-harm, sequela                               |
| T63.093S | Toxic effect of venom of other snake, assault, sequela   |
| T63.094S | Toxic effect of venom of other snake, undetermined, sequela  |
| T63.111S | Toxic effect of venom of gila monster, accidental (unintentional), sequela                         |
| T63.112S | Toxic effect of venom of gila monster, intentional self-harm, sequela                              |
| T63.113S | Toxic effect of venom of gila monster, assault, sequela  |
| T63.114S | Toxic effect of venom of gila monster, undetermined, sequela                                       |
| T63.121S | Toxic effect of venom of other venomous lizard, accidental (unintentional), sequela                |
| T63.122S | Toxic effect of venom of other venomous lizard, intentional self-harm, sequela                     |
| T63.123S | Toxic effect of venom of other venomous lizard, assault, sequela                                   |
| T63.124S | Toxic effect of venom of other venomous lizard, undetermined, sequela                              |
| T63.191S | Toxic effect of venom of other reptiles, accidental (unintentional), sequela                       |
| T63.192S | Toxic effect of venom of other reptiles, intentional self-harm, sequela                            |
| T63.193S | Toxic effect of venom of other reptiles, assault, sequela  |
| T63.194S | Toxic effect of venom of other reptiles, undetermined, sequela                                     |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T63.2X1S | Toxic effect of venom of scorpion, accidental (unintentional), sequela                           |
| T63.2X2S | Toxic effect of venom of scorpion, intentional self-harm, sequela                                |
| T63.2X3S | Toxic effect of venom of scorpion, assault, sequela  |
| T63.2X4S | Toxic effect of venom of scorpion, undetermined, sequela   |
| T63.301S | Toxic effect of unspecified spider venom, accidental (unintentional), sequela                    |
| T63.302S | Toxic effect of unspecified spider venom, intentional self-harm, sequela                         |
| T63.303S | Toxic effect of unspecified spider venom, assault, sequela                                       |
| T63.304S | Toxic effect of unspecified spider venom, undetermined, sequela                                  |
| T63.311S | Toxic effect of venom of black widow spider, accidental (unintentional), sequela                 |
| T63.312S | Toxic effect of venom of black widow spider, intentional self-harm, sequela                      |
| T63.313S | Toxic effect of venom of black widow spider, assault, sequela                                    |
| T63.314S | Toxic effect of venom of black widow spider, undetermined, sequela                               |
| T63.321S | Toxic effect of venom of tarantula, accidental (unintentional), sequela                          |
| T63.322S | Toxic effect of venom of tarantula, intentional self-harm, sequela                               |
| T63.323S | Toxic effect of venom of tarantula, assault, sequela   |
| T63.324S | Toxic effect of venom of tarantula, undetermined, sequela  |
| T63.331S | Toxic effect of venom of brown recluse spider, accidental (unintentional), sequela               |
| T63.332S | Toxic effect of venom of brown recluse spider, intentional self-harm, sequela                    |
| T63.333S | Toxic effect of venom of brown recluse spider, assault, sequela                                  |
| T63.334S | Toxic effect of venom of brown recluse spider, undetermined, sequela                             |
| T63.391S | Toxic effect of venom of other spider, accidental (unintentional), sequela                       |
| T63.392S | Toxic effect of venom of other spider, intentional self-harm, sequela                            |
| T63.393S | Toxic effect of venom of other spider, assault, sequela  |
| T63.394S | Toxic effect of venom of other spider, undetermined, sequela                                     |
| T63.411S | Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), sequela |
| T63.412S | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela      |
| T63.413S | Toxic effect of venom of centipedes and venomous millipedes, assault, sequela                    |
| T63.414S | Toxic effect of venom of centipedes and venomous millipedes, undetermined, sequela               |
| T63.421S | Toxic effect of venom of ants, accidental (unintentional), sequela                               |
| T63.422S | Toxic effect of venom of ants, intentional self-harm, sequela                                    |
| T63.423S | Toxic effect of venom of ants, assault, sequela  |
| T63.424S | Toxic effect of venom of ants, undetermined, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.431S | Toxic effect of venom of caterpillars, accidental (unintentional), sequela            |
| T63.432S | Toxic effect of venom of caterpillars, intentional self-harm, sequela                 |
| T63.433S | Toxic effect of venom of caterpillars, assault, sequela                               |
| T63.434S | Toxic effect of venom of caterpillars, undetermined, sequela                          |
| T63.441S | Toxic effect of venom of bees, accidental (unintentional), sequela                    |
| T63.442S | Toxic effect of venom of bees, intentional self-harm, sequela                         |
| T63.443S | Toxic effect of venom of bees, assault, sequela                                       |
| T63.444S | Toxic effect of venom of bees, undetermined, sequela                                  |
| T63.451S | Toxic effect of venom of hornets, accidental (unintentional), sequela                 |
| T63.452S | Toxic effect of venom of hornets, intentional self-harm, sequela                      |
| T63.453S | Toxic effect of venom of hornets, assault, sequela                                    |
| T63.454S | Toxic effect of venom of hornets, undetermined, sequela                               |
| T63.461S | Toxic effect of venom of wasps, accidental (unintentional), sequela                   |
| T63.462S | Toxic effect of venom of wasps, intentional self-harm, sequela                        |
| T63.463S | Toxic effect of venom of wasps, assault, sequela                                      |
| T63.464S | Toxic effect of venom of wasps, undetermined, sequela                                 |
| T63.481S | Toxic effect of venom of other arthropod, accidental (unintentional), sequela         |
| T63.482S | Toxic effect of venom of other arthropod, intentional self-harm, sequela              |
| T63.483S | Toxic effect of venom of other arthropod, assault, sequela                            |
| T63.484S | Toxic effect of venom of other arthropod, undetermined, sequela                       |
| T63.511S | Toxic effect of contact with stingray, accidental (unintentional), sequela            |
| T63.512S | Toxic effect of contact with stingray, intentional self-harm, sequela                 |
| T63.513S | Toxic effect of contact with stingray, assault, sequela                               |
| T63.514S | Toxic effect of contact with stingray, undetermined, sequela                          |
| T63.591S | Toxic effect of contact with other venomous fish, accidental (unintentional), sequela |
| T63.592S | Toxic effect of contact with other venomous fish, intentional self-harm, sequela      |
| T63.593S | Toxic effect of contact with other venomous fish, assault, sequela                    |
| T63.594S | Toxic effect of contact with other venomous fish, undetermined, sequela               |
| T63.611S | Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), sequela |
| T63.612S | Toxic effect of contact with Portugese Man-o-war, intentional self-harm, sequela      |
| T63.613S | Toxic effect of contact with Portugese Man-o-war, assault, sequela                    |
| T63.614S | Toxic effect of contact with Portugese Man-o-war, undetermined, sequela               |
| T63.621S | Toxic effect of contact with other jellyfish, accidental (unintentional), sequela     |
| T63.622S | Toxic effect of contact with other jellyfish, intentional self-harm, sequela          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T63.623S    | Toxic effect of contact with other jellyfish, assault, sequela                                  |
| T63.624S    | Toxic effect of contact with other jellyfish, undetermined, sequela                             |
| T63.631S    | Toxic effect of contact with sea anemone, accidental (unintentional), sequela                   |
| T63.632S    | Toxic effect of contact with sea anemone, intentional self-harm, sequela                        |
| T63.633S    | Toxic effect of contact with sea anemone, assault, sequela                                      |
| T63.634S    | Toxic effect of contact with sea anemone, undetermined, sequela                                 |
| T63.691S    | Toxic effect of contact with other venomous marine animals, accidental (unintentional), sequela |
| T63.692S    | Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela      |
| T63.693S    | Toxic effect of contact with other venomous marine animals, assault, sequela                    |
| T63.694S    | Toxic effect of contact with other venomous marine animals, undetermined, sequela               |
| T63.711S    | Toxic effect of contact with venomous marine plant, accidental (unintentional), sequela         |
| T63.712S    | Toxic effect of contact with venomous marine plant, intentional self-harm, sequela              |
| T63.713S    | Toxic effect of contact with venomous marine plant, assault, sequela                            |
| T63.714S    | Toxic effect of contact with venomous marine plant, undetermined, sequela                       |
| T63.791S    | Toxic effect of contact with other venomous plant, accidental (unintentional), sequela          |
| T63.792S    | Toxic effect of contact with other venomous plant, intentional self-harm, sequela               |
| T63.793S    | Toxic effect of contact with other venomous plant, assault, sequela                             |
| T63.794S    | Toxic effect of contact with other venomous plant, undetermined, sequela                        |
| T63.811S    | Toxic effect of contact with venomous frog, accidental (unintentional), sequela                 |
| T63.812S    | Toxic effect of contact with venomous frog, intentional self-harm, sequela                      |
| T63.813S    | Toxic effect of contact with venomous frog, assault, sequela                                    |
| T63.814S    | Toxic effect of contact with venomous frog, undetermined, sequela                               |
| T63.821S    | Toxic effect of contact with venomous toad, accidental (unintentional), sequela                 |
| T63.822S    | Toxic effect of contact with venomous toad, intentional self-harm, sequela                      |
| T63.823S    | Toxic effect of contact with venomous toad, assault, sequela                                    |
| T63.824S    | Toxic effect of contact with venomous toad, undetermined, sequela                               |
| T63.831S    | Toxic effect of contact with other venomous amphibian, accidental (unintentional), sequela      |
| T63.832S    | Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela           |
| T63.833S    | Toxic effect of contact with other venomous amphibian, assault, sequela                         |
| T63.834S    | Toxic effect of contact with other venomous amphibian, undetermined, sequela                    |
| T63.891S    | Toxic effect of contact with other venomous animals, accidental (unintentional), sequela        |
| T63.892S    | Toxic effect of contact with other venomous animals, intentional self-harm, sequela             |
| T63.893S    | Toxic effect of contact with other venomous animals, assault, sequela                           |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.894S | Toxic effect of contact with other venomous animals, undetermined, sequela                    |
| T63.91XS | Toxic effect of contact with unspecified venomous animal, accidental (unintentional), sequela |
| T63.92XS | Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela      |
| T63.93XS | Toxic effect of contact with unspecified venomous animal, assault, sequela                    |
| T63.94XS | Toxic effect of contact with unspecified venomous animal, undetermined, sequela               |
| T64.01XS | Toxic effect of aflatoxin, accidental (unintentional), sequela                                |
| T64.02XS | Toxic effect of aflatoxin, intentional self-harm, sequela                                     |
| T64.03XS | Toxic effect of aflatoxin, assault, sequela   |
| T64.04XS | Toxic effect of aflatoxin, undetermined, sequela  |
| T64.81XS | Toxic effect of other mycotoxin food contaminants, accidental (unintentional), sequela        |
| T64.82XS | Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela             |
| T64.83XS | Toxic effect of other mycotoxin food contaminants, assault, sequela                           |
| T64.84XS | Toxic effect of other mycotoxin food contaminants, undetermined, sequela                      |
| T65.0X1S | Toxic effect of cyanides, accidental (unintentional), sequela                                 |
| T65.0X2S | Toxic effect of cyanides, intentional self-harm, sequela                                      |
| T65.0X3S | Toxic effect of cyanides, assault, sequela  |
| T65.0X4S | Toxic effect of cyanides, undetermined, sequela   |
| T65.1X1S | Toxic effect of strychnine and its salts, accidental (unintentional), sequela                 |
| T65.1X2S | Toxic effect of strychnine and its salts, intentional self-harm, sequela                      |
| T65.1X3S | Toxic effect of strychnine and its salts, assault, sequela                                    |
| T65.1X4S | Toxic effect of strychnine and its salts, undetermined, sequela                               |
| T65.211S | Toxic effect of chewing tobacco, accidental (unintentional), sequela                          |
| T65.212S | Toxic effect of chewing tobacco, intentional self-harm, sequela                               |
| T65.213S | Toxic effect of chewing tobacco, assault, sequela   |
| T65.214S | Toxic effect of chewing tobacco, undetermined, sequela  |
| T65.221S | Toxic effect of tobacco cigarettes, accidental (unintentional), sequela                       |
| T65.222S | Toxic effect of tobacco cigarettes, intentional self-harm, sequela                            |
| T65.223S | Toxic effect of tobacco cigarettes, assault, sequela  |
| T65.224S | Toxic effect of tobacco cigarettes, undetermined, sequela                                     |
| T65.291S | Toxic effect of other tobacco and nicotine, accidental (unintentional), sequela               |
| T65.292S | Toxic effect of other tobacco and nicotine, intentional self-harm, sequela                    |
| T65.293S | Toxic effect of other tobacco and nicotine, assault, sequela                                  |
| T65.294S | Toxic effect of other tobacco and nicotine, undetermined, sequela                             |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T65.3X1S | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, accidental (unintentional), sequela |
| T65.3X2S | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela      |
| T65.3X3S | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, sequela                    |
| T65.3X4S | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, sequela               |
| T65.4X1S | Toxic effect of carbon disulfide, accidental (unintentional), sequela  |
| T65.4X2S | Toxic effect of carbon disulfide, intentional self-harm, sequela   |
| T65.4X3S | Toxic effect of carbon disulfide, assault, sequela   |
| T65.4X4S | Toxic effect of carbon disulfide, undetermined, sequela  |
| T65.5X1S | Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), sequela                     |
| T65.5X2S | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela                          |
| T65.5X3S | Toxic effect of nitroglycerin and other nitric acids and esters, assault, sequela  |
| T65.5X4S | Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, sequela                                   |
| T65.6X1S | Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), sequela                           |
| T65.6X2S | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela                                |
| T65.6X3S | Toxic effect of paints and dyes, not elsewhere classified, assault, sequela  |
| T65.6X4S | Toxic effect of paints and dyes, not elsewhere classified, undetermined, sequela   |
| T65.811S | Toxic effect of latex, accidental (unintentional), sequela   |
| T65.812S | Toxic effect of latex, intentional self-harm, sequela  |
| T65.813S | Toxic effect of latex, assault, sequela  |
| T65.814S | Toxic effect of latex, undetermined, sequela   |
| T65.821S | Toxic effect of harmful algae and algae toxins, accidental (unintentional), sequela                                      |
| T65.822S | Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela   |
| T65.823S | Toxic effect of harmful algae and algae toxins, assault, sequela   |
| T65.824S | Toxic effect of harmful algae and algae toxins, undetermined, sequela  |
| T65.831S | Toxic effect of fiberglass, accidental (unintentional), sequela  |
| T65.832S | Toxic effect of fiberglass, intentional self-harm, sequela   |
| T65.833S | Toxic effect of fiberglass, assault, sequela   |
| T65.834S | Toxic effect of fiberglass, undetermined, sequela  |
| T65.891S | Toxic effect of other specified substances, accidental (unintentional), sequela  |
| T65.892S | Toxic effect of other specified substances, intentional self-harm, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T65.893S    | Toxic effect of other specified substances, assault, sequela               |
| T65.894S    | Toxic effect of other specified substances, undetermined, sequela          |
| T65.91XS    | Toxic effect of unspecified substance, accidental (unintentional), sequela |
| T65.92XS    | Toxic effect of unspecified substance, intentional self-harm, sequela      |
| T65.93XS    | Toxic effect of unspecified substance, assault, sequela                    |
| T65.94XS    | Toxic effect of unspecified substance, undetermined, sequela               |
| T66.XXXS    | Radiation sickness, unspecified, sequela                                   |
| T67.01XS    | Heatstroke and sunstroke, sequela  |
| T67.02XS    | Exertional heatstroke, sequela   |
| T67.09XS    | Other heatstroke and sunstroke, sequela                                    |
| T67.1XXS    | Heat syncope, sequela  |
| T67.2XXS    | Heat cramp, sequela  |
| T67.3XXS    | Heat exhaustion, anhydrotic, sequela                                       |
| T67.4XXS    | Heat exhaustion due to salt depletion, sequela                             |
| T67.5XXS    | Heat exhaustion, unspecified, sequela                                      |
| T67.6XXS    | Heat fatigue, transient, sequela   |
| T67.7XXS    | Heat edema, sequela  |
| T67.8XXS    | Other effects of heat and light, sequela                                   |
| T67.9XXS    | Effect of heat and light, unspecified, sequela                             |
| T68.XXXS    | Hypothermia, sequela   |
| T69.011S    | Immersion hand, right hand, sequela  |
| T69.012S    | Immersion hand, left hand, sequela   |
| T69.019S    | Immersion hand, unspecified hand, sequela                                  |
| T69.021S    | Immersion foot, right foot, sequela  |
| T69.022S    | Immersion foot, left foot, sequela   |
| T69.029S    | Immersion foot, unspecified foot, sequela                                  |
| T69.1XXS    | Chilblains, sequela  |
| T69.8XXS    | Other specified effects of reduced temperature, sequela                    |
| T69.9XXS    | Effect of reduced temperature, unspecified, sequela                        |
| T70.0XXS    | Otitic barotrauma, sequela   |
| T70.1XXS    | Sinus barotrauma, sequela  |
| T70.20XS    | Unspecified effects of high altitude, sequela                              |
| T70.29XS    | Other effects of high altitude, sequela                                    |
| T70.3XXS    | Caisson disease [decompression sickness], sequela                          |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T70.4XXS | Effects of high-pressure fluids, sequela  |
| T70.8XXS | Other effects of air pressure and water pressure, sequela   |
| T70.9XXS | Effect of air pressure and water pressure, unspecified, sequela   |
| T71.111S | Asphyxiation due to smothering under pillow, accidental, sequela  |
| T71.112S | Asphyxiation due to smothering under pillow, intentional self-harm, sequela   |
| T71.113S | Asphyxiation due to smothering under pillow, assault, sequela   |
| T71.114S | Asphyxiation due to smothering under pillow, undetermined, sequela  |
| T71.121S | Asphyxiation due to plastic bag, accidental, sequela  |
| T71.122S | Asphyxiation due to plastic bag, intentional self-harm, sequela   |
| T71.123S | Asphyxiation due to plastic bag, assault, sequela   |
| T71.124S | Asphyxiation due to plastic bag, undetermined, sequela  |
| T71.131S | Asphyxiation due to being trapped in bed linens, accidental, sequela  |
| T71.132S | Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela   |
| T71.133S | Asphyxiation due to being trapped in bed linens, assault, sequela   |
| T71.134S | Asphyxiation due to being trapped in bed linens, undetermined, sequela  |
| T71.141S | Asphyxiation due to smothering under another person's body (in bed), accidental, sequela                                  |
| T71.143S | Asphyxiation due to smothering under another person's body (in bed), assault, sequela                                     |
| T71.144S | Asphyxiation due to smothering under another person's body (in bed), undetermined, sequela                                |
| T71.151S | Asphyxiation due to smothering in furniture, accidental, sequela  |
| T71.152S | Asphyxiation due to smothering in furniture, intentional self-harm, sequela   |
| T71.153S | Asphyxiation due to smothering in furniture, assault, sequela   |
| T71.154S | Asphyxiation due to smothering in furniture, undetermined, sequela  |
| T71.161S | Asphyxiation due to hanging, accidental, sequela  |
| T71.162S | Asphyxiation due to hanging, intentional self-harm, sequela   |
| T71.163S | Asphyxiation due to hanging, assault, sequela   |
| T71.164S | Asphyxiation due to hanging, undetermined, sequela  |
| T71.191S | Asphyxiation due to mechanical threat to breathing due to other causes, accidental, sequela                               |
| T71.192S | Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela                    |
| T71.193S | Asphyxiation due to mechanical threat to breathing due to other causes, assault, sequela                                  |
| T71.194S | Asphyxiation due to mechanical threat to breathing due to other causes, undetermined, sequela                             |
| T71.20XS | Asphyxiation due to systemic oxygen deficiency due to low oxygen content in ambient air due to unspecified cause, sequela |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T71.21XS | Asphyxiation due to cave-in or falling earth, sequela   |
| T71.221S | Asphyxiation due to being trapped in a car trunk, accidental, sequela                           |
| T71.222S | Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela                |
| T71.223S | Asphyxiation due to being trapped in a car trunk, assault, sequela                              |
| T71.224S | Asphyxiation due to being trapped in a car trunk, undetermined, sequela                         |
| T71.231S | Asphyxiation due to being trapped in a (discarded) refrigerator, accidental, sequela            |
| T71.232S | Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela |
| T71.233S | Asphyxiation due to being trapped in a (discarded) refrigerator, assault, sequela               |
| T71.234S | Asphyxiation due to being trapped in a (discarded) refrigerator, undetermined, sequela          |
| T71.29XS | Asphyxiation due to being trapped in other low oxygen environment, sequela                      |
| T71.9XXS | Asphyxiation due to unspecified cause, sequela  |
| T73.0XXS | Starvation, sequela   |
| T73.1XXS | Deprivation of water, sequela   |
| T73.2XXS | Exhaustion due to exposure, sequela   |
| T73.3XXS | Exhaustion due to excessive exertion, sequela   |
| T73.8XXS | Other effects of deprivation, sequela   |
| T73.9XXS | Effect of deprivation, unspecified, sequela   |
| T74.01XS | Adult neglect or abandonment, confirmed, sequela  |
| T74.02XS | Child neglect or abandonment, confirmed, sequela  |
| T74.11XS | Adult physical abuse, confirmed, sequela  |
| T74.12XS | Child physical abuse, confirmed, sequela  |
| T74.21XS | Adult sexual abuse, confirmed, sequela  |
| T74.22XS | Child sexual abuse, confirmed, sequela  |
| T74.31XS | Adult psychological abuse, confirmed, sequela   |
| T74.32XS | Child psychological abuse, confirmed, sequela   |
| T74.4XXS | Shaken infant syndrome, sequela   |
| T74.51XA | Adult forced sexual exploitation, confirmed, initial encounter                                  |
| T74.51XD | Adult forced sexual exploitation, confirmed, subsequent encounter                               |
| T74.51XS | Adult forced sexual exploitation, confirmed, sequela  |
| T74.52XA | Child sexual exploitation, confirmed, initial encounter   |
| T74.52XD | Child sexual exploitation, confirmed, subsequent encounter                                      |
| T74.52XS | Child sexual exploitation, confirmed, sequela   |
| T74.61XA | Adult forced labor exploitation, confirmed, initial encounter                                   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T74.61XD | Adult forced labor exploitation, confirmed, subsequent encounter  |
| T74.61XS | Adult forced labor exploitation, confirmed, sequela               |
| T74.62XA | Child forced labor exploitation, confirmed, initial encounter     |
| T74.62XD | Child forced labor exploitation, confirmed, subsequent encounter  |
| T74.62XS | Child forced labor exploitation, confirmed, sequela               |
| T74.91XS | Unspecified adult maltreatment, confirmed, sequela                |
| T74.92XS | Unspecified child maltreatment, confirmed, sequela                |
| T75.00XS | Unspecified effects of lightning, sequela                         |
| T75.01XS | Shock due to being struck by lightning, sequela                   |
| T75.09XS | Other effects of lightning, sequela                               |
| T75.1XXS | Unspecified effects of drowning and nonfatal submersion, sequela  |
| T75.20XS | Unspecified effects of vibration, sequela                         |
| T75.21XS | Pneumatic hammer syndrome, sequela                                |
| T75.22XS | Traumatic vasospastic syndrome, sequela                           |
| T75.23XS | Vertigo from infrasound, sequela                                  |
| T75.29XS | Other effects of vibration, sequela                               |
| T75.3XXS | Motion sickness, sequela  |
| T75.4XXS | Electrocution, sequela  |
| T75.81XS | Effects of abnormal gravitation [G] forces, sequela               |
| T75.82XS | Effects of weightlessness, sequela                                |
| T75.89XS | Other specified effects of external causes, sequela               |
| T76.01XS | Adult neglect or abandonment, suspected, sequela                  |
| T76.02XS | Child neglect or abandonment, suspected, sequela                  |
| T76.11XS | Adult physical abuse, suspected, sequela                          |
| T76.12XS | Child physical abuse, suspected, sequela                          |
| T76.21XS | Adult sexual abuse, suspected, sequela                            |
| T76.22XS | Child sexual abuse, suspected, sequela                            |
| T76.31XS | Adult psychological abuse, suspected, sequela                     |
| T76.32XS | Child psychological abuse, suspected, sequela                     |
| T76.51XA | Adult forced sexual exploitation, suspected, initial encounter    |
| T76.51XD | Adult forced sexual exploitation, suspected, subsequent encounter |
| T76.51XS | Adult forced sexual exploitation, suspected, sequela              |
| T76.52XA | Child sexual exploitation, suspected, initial encounter           |
| T76.52XD | Child sexual exploitation, suspected, subsequent encounter        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T76.52XS | Child sexual exploitation, suspected, sequela                    |
| T76.61XA | Adult forced labor exploitation, suspected, initial encounter    |
| T76.61XD | Adult forced labor exploitation, suspected, subsequent encounter |
| T76.61XS | Adult forced labor exploitation, suspected, sequela              |
| T76.62XA | Child forced labor exploitation, suspected, initial encounter    |
| T76.62XD | Child forced labor exploitation, suspected, subsequent encounter |
| T76.62XS | Child forced labor exploitation, suspected, sequela              |
| T76.91XS | Unspecified adult maltreatment, suspected, sequela               |
| T76.92XS | Unspecified child maltreatment, suspected, sequela               |
| T78.00XS | Anaphylactic reaction due to unspecified food, sequela           |
| T78.01XS | Anaphylactic reaction due to peanuts, sequela                    |
| T78.02XS | Anaphylactic reaction due to shellfish (crustaceans), sequela    |
| T78.03XS | Anaphylactic reaction due to other fish, sequela                 |
| T78.04XS | Anaphylactic reaction due to fruits and vegetables, sequela      |
| T78.05XS | Anaphylactic reaction due to tree nuts and seeds, sequela        |
| T78.06XS | Anaphylactic reaction due to food additives, sequela             |
| T78.07XS | Anaphylactic reaction due to milk and dairy products, sequela    |
| T78.08XS | Anaphylactic reaction due to eggs, sequela                       |
| T78.09XS | Anaphylactic reaction due to other food products, sequela        |
| T78.1XXS | Other adverse food reactions, not elsewhere classified, sequela  |
| T78.2XXS | Anaphylactic shock, unspecified, sequela                         |
| T78.3XXS | Angioneurotic edema, sequela                                     |
| T78.40XS | Allergy, unspecified, sequela                                    |
| T78.41XS | Arthus phenomenon, sequela                                       |
| T78.49XS | Other allergy, sequela   |
| T78.8XXS | Other adverse effects, not elsewhere classified, sequela         |
| T79.0XXS | Air embolism (traumatic), sequela                                |
| T79.1XXS | Fat embolism (traumatic), sequela                                |
| T79.2XXS | Traumatic secondary and recurrent hemorrhage and seroma, sequela |
| T79.4XXS | Traumatic shock, sequela   |
| T79.5XXS | Traumatic anuria, sequela  |
| T79.6XXS | Traumatic ischemia of muscle, sequela                            |
| T79.7XXS | Traumatic subcutaneous emphysema, sequela                        |
| T79.8XXS | Other early complications of trauma, sequela                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T79.9XXS | Unspecified early complication of trauma, sequela  |
| T79.A0XS | Compartment syndrome, unspecified, sequela   |
| T79.A11S | Traumatic compartment syndrome of right upper extremity, sequela                                   |
| T79.A12S | Traumatic compartment syndrome of left upper extremity, sequela                                    |
| T79.A19S | Traumatic compartment syndrome of unspecified upper extremity, sequela                             |
| T79.A21S | Traumatic compartment syndrome of right lower extremity, sequela                                   |
| T79.A22S | Traumatic compartment syndrome of left lower extremity, sequela                                    |
| T79.A29S | Traumatic compartment syndrome of unspecified lower extremity, sequela                             |
| T79.A3XS | Traumatic compartment syndrome of abdomen, sequela   |
| T79.A9XS | Traumatic compartment syndrome of other sites, sequela   |
| T80.0XXS | Air embolism following infusion, transfusion and therapeutic injection, sequela                    |
| T80.1XXS | Vascular complications following infusion, transfusion and therapeutic injection, sequela          |
| T80.211S | Bloodstream infection due to central venous catheter, sequela                                      |
| T80.212S | Local infection due to central venous catheter, sequela  |
| T80.218S | Other infection due to central venous catheter, sequela  |
| T80.219S | Unspecified infection due to central venous catheter, sequela                                      |
| T80.22XS | Acute infection following transfusion, infusion, or injection of blood and blood products, sequela |
| T80.29XS | Infection following other infusion, transfusion and therapeutic injection, sequela                 |
| T80.30XS | ABO incompatibility reaction due to transfusion of blood or blood products, unspecified, sequela   |
| T80.310S | ABO incompatibility with acute hemolytic transfusion reaction, sequela                             |
| T80.311S | ABO incompatibility with delayed hemolytic transfusion reaction, sequela                           |
| T80.319S | ABO incompatibility with hemolytic transfusion reaction, unspecified, sequela                      |
| T80.39XS | Other ABO incompatibility reaction due to transfusion of blood or blood products, sequela          |
| T80.40XS | Rh incompatibility reaction due to transfusion of blood or blood products, unspecified, sequela    |
| T80.410S | Rh incompatibility with acute hemolytic transfusion reaction, sequela                              |
| T80.411S | Rh incompatibility with delayed hemolytic transfusion reaction, sequela                            |
| T80.419S | Rh incompatibility with hemolytic transfusion reaction, unspecified, sequela                       |
| T80.49XS | Other Rh incompatibility reaction due to transfusion of blood or blood products, sequela           |
| T80.51XS | Anaphylactic reaction due to administration of blood and blood products, sequela                   |
| T80.52XS | Anaphylactic reaction due to vaccination, sequela  |
| T80.59XS | Anaphylactic reaction due to other serum, sequela  |
| T80.61XS | Other serum reaction due to administration of blood and blood products, sequela                    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T80.62XS | Other serum reaction due to vaccination, sequela  |
| T80.69XS | Other serum reaction due to other serum, sequela  |
| T80.810S | Extravasation of vesicant antineoplastic chemotherapy, sequela  |
| T80.818S | Extravasation of other vesicant agent, sequela  |
| T80.89XS | Other complications following infusion, transfusion and therapeutic injection, sequela                |
| T80.90XS | Unspecified complication following infusion and therapeutic injection, sequela                        |
| T80.910S | Acute hemolytic transfusion reaction, unspecified incompatibility, sequela                            |
| T80.911S | Delayed hemolytic transfusion reaction, unspecified incompatibility, sequela                          |
| T80.919S | Hemolytic transfusion reaction, unspecified incompatibility, unspecified as acute or delayed, sequela |
| T80.92XS | Unspecified transfusion reaction, sequela   |
| T80.A0XS | Non-ABO incompatibility reaction due to transfusion of blood or blood products, unspecified, sequela  |
| T80.A10S | Non-ABO incompatibility with acute hemolytic transfusion reaction, sequela                            |
| T80.A11S | Non-ABO incompatibility with delayed hemolytic transfusion reaction, sequela                          |
| T80.A19S | Non-ABO incompatibility with hemolytic transfusion reaction, unspecified, sequela                     |
| T80.A9XS | Other non-ABO incompatibility reaction due to transfusion of blood or blood products, sequela         |
| T81.10XS | Postprocedural shock unspecified, sequela   |
| T81.11XS | Postprocedural cardiogenic shock, sequela   |
| T81.12XS | Postprocedural septic shock, sequela  |
| T81.19XS | Other postprocedural shock, sequela   |
| T81.30XS | Disruption of wound, unspecified, sequela   |
| T81.31XS | Disruption of external operation (surgical) wound, not elsewhere classified, sequela                  |
| T81.32XS | Disruption of internal operation (surgical) wound, not elsewhere classified, sequela                  |
| T81.33XS | Disruption of traumatic injury wound repair, sequela  |
| T81.40XA | Infection following a procedure, unspecified, initial encounter                                       |
| T81.40XD | Infection following a procedure, unspecified, subsequent encounter                                    |
| T81.40XS | Infection following a procedure, unspecified, sequela   |
| T81.41XA | Infection following a procedure, superficial incisional surgical site, initial encounter              |
| T81.41XD | Infection following a procedure, superficial incisional surgical site, subsequent encounter           |
| T81.41XS | Infection following a procedure, superficial incisional surgical site, sequela                        |
| T81.42XA | Infection following a procedure, deep incisional surgical site, initial encounter                     |
| T81.42XD | Infection following a procedure, deep incisional surgical site, subsequent encounter                  |
| T81.42XS | Infection following a procedure, deep incisional surgical site, sequela                               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T81.43XA | Infection following a procedure, organ and space surgical site, initial encounter   |
| T81.43XD | Infection following a procedure, organ and space surgical site, subsequent encounter  |
| T81.43XS | Infection following a procedure, organ and space surgical site, sequela   |
| T81.44XA | Sepsis following a procedure, initial encounter   |
| T81.44XD | Sepsis following a procedure, subsequent encounter  |
| T81.44XS | Sepsis following a procedure, sequela   |
| T81.49XA | Infection following a procedure, other surgical site, initial encounter   |
| T81.49XD | Infection following a procedure, other surgical site, subsequent encounter  |
| T81.49XS | Infection following a procedure, other surgical site, sequela   |
| T81.500S | Unspecified complication of foreign body accidentally left in body following surgical operation, sequela                            |
| T81.501S | Unspecified complication of foreign body accidentally left in body following infusion or transfusion, sequela                       |
| T81.502S | Unspecified complication of foreign body accidentally left in body following kidney dialysis, sequela                               |
| T81.503S | Unspecified complication of foreign body accidentally left in body following injection or immunization, sequela                     |
| T81.504S | Unspecified complication of foreign body accidentally left in body following endoscopic examination, sequela                        |
| T81.505S | Unspecified complication of foreign body accidentally left in body following heart catheterization, sequela                         |
| T81.506S | Unspecified complication of foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.507S | Unspecified complication of foreign body accidentally left in body following removal of catheter or packing, sequela                |
| T81.508S | Unspecified complication of foreign body accidentally left in body following other procedure, sequela                               |
| T81.509S | Unspecified complication of foreign body accidentally left in body following unspecified procedure, sequela                         |
| T81.510S | Adhesions due to foreign body accidentally left in body following surgical operation, sequela                                       |
| T81.511S | Adhesions due to foreign body accidentally left in body following infusion or transfusion, sequela                                  |
| T81.512S | Adhesions due to foreign body accidentally left in body following kidney dialysis, sequela  |
| T81.513S | Adhesions due to foreign body accidentally left in body following injection or immunization, sequela                                |
| T81.514S | Adhesions due to foreign body accidentally left in body following endoscopic examination, sequela                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T81.515S | Adhesions due to foreign body accidentally left in body following heart catheterization, sequela                           |
| T81.516S | Adhesions due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela   |
| T81.517S | Adhesions due to foreign body accidentally left in body following removal of catheter or packing, sequela                  |
| T81.518S | Adhesions due to foreign body accidentally left in body following other procedure, sequela                                 |
| T81.519S | Adhesions due to foreign body accidentally left in body following unspecified procedure, sequela                           |
| T81.520S | Obstruction due to foreign body accidentally left in body following surgical operation, sequela                            |
| T81.521S | Obstruction due to foreign body accidentally left in body following infusion or transfusion, sequela                       |
| T81.522S | Obstruction due to foreign body accidentally left in body following kidney dialysis, sequela                               |
| T81.523S | Obstruction due to foreign body accidentally left in body following injection or immunization, sequela                     |
| T81.524S | Obstruction due to foreign body accidentally left in body following endoscopic examination, sequela                        |
| T81.525S | Obstruction due to foreign body accidentally left in body following heart catheterization, sequela                         |
| T81.526S | Obstruction due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.527S | Obstruction due to foreign body accidentally left in body following removal of catheter or packing, sequela                |
| T81.528S | Obstruction due to foreign body accidentally left in body following other procedure, sequela                               |
| T81.529S | Obstruction due to foreign body accidentally left in body following unspecified procedure, sequela                         |
| T81.530S | Perforation due to foreign body accidentally left in body following surgical operation, sequela                            |
| T81.531S | Perforation due to foreign body accidentally left in body following infusion or transfusion, sequela                       |
| T81.532S | Perforation due to foreign body accidentally left in body following kidney dialysis, sequela                               |
| T81.533S | Perforation due to foreign body accidentally left in body following injection or immunization, sequela                     |
| T81.534S | Perforation due to foreign body accidentally left in body following endoscopic examination, sequela                        |
| T81.535S | Perforation due to foreign body accidentally left in body following heart catheterization, sequela                         |
| T81.536S | Perforation due to foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T81.537S | Perforation due to foreign body accidentally left in body following removal of catheter or packing, sequela                    |
| T81.538S | Perforation due to foreign body accidentally left in body following other procedure, sequela                                   |
| T81.539S | Perforation due to foreign body accidentally left in body following unspecified procedure, sequela                             |
| T81.590S | Other complications of foreign body accidentally left in body following surgical operation, sequela                            |
| T81.591S | Other complications of foreign body accidentally left in body following infusion or transfusion, sequela                       |
| T81.592S | Other complications of foreign body accidentally left in body following kidney dialysis, sequela                               |
| T81.593S | Other complications of foreign body accidentally left in body following injection or immunization, sequela                     |
| T81.594S | Other complications of foreign body accidentally left in body following endoscopic examination, sequela                        |
| T81.595S | Other complications of foreign body accidentally left in body following heart catheterization, sequela                         |
| T81.596S | Other complications of foreign body accidentally left in body following aspiration, puncture or other catheterization, sequela |
| T81.597S | Other complications of foreign body accidentally left in body following removal of catheter or packing, sequela                |
| T81.598S | Other complications of foreign body accidentally left in body following other procedure, sequela                               |
| T81.599S | Other complications of foreign body accidentally left in body following unspecified procedure, sequela                         |
| T81.60XS | Unspecified acute reaction to foreign substance accidentally left during a procedure, sequela                                  |
| T81.61XS | Aseptic peritonitis due to foreign substance accidentally left during a procedure, sequela                                     |
| T81.69XS | Other acute reaction to foreign substance accidentally left during a procedure, sequela  |
| T81.710S | Complication of mesenteric artery following a procedure, not elsewhere classified, sequela                                     |
| T81.711S | Complication of renal artery following a procedure, not elsewhere classified, sequela  |
| T81.718S | Complication of other artery following a procedure, not elsewhere classified, sequela  |
| T81.719S | Complication of unspecified artery following a procedure, not elsewhere classified, sequela                                    |
| T81.72XS | Complication of vein following a procedure, not elsewhere classified, sequela  |
| T81.81XS | Complication of inhalation therapy, sequela  |
| T81.82XS | Emphysema (subcutaneous) resulting from a procedure, sequela   |
| T81.83XS | Persistent postprocedural fistula, sequela   |
| T81.89XS | Other complications of procedures, not elsewhere classified, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T81.9XXS    | Unspecified complication of procedure, sequela                              |
| T82.01XS    | Breakdown (mechanical) of heart valve prosthesis, sequela                   |
| T82.02XS    | Displacement of heart valve prosthesis, sequela                             |
| T82.03XS    | Leakage of heart valve prosthesis, sequela                                  |
| T82.09XS    | Other mechanical complication of heart valve prosthesis, sequela            |
| T82.110S    | Breakdown (mechanical) of cardiac electrode, sequela                        |
| T82.111S    | Breakdown (mechanical) of cardiac pulse generator (battery), sequela        |
| T82.118S    | Breakdown (mechanical) of other cardiac electronic device, sequela          |
| T82.119S    | Breakdown (mechanical) of unspecified cardiac electronic device, sequela    |
| T82.120S    | Displacement of cardiac electrode, sequela                                  |
| T82.121S    | Displacement of cardiac pulse generator (battery), sequela                  |
| T82.128S    | Displacement of other cardiac electronic device, sequela                    |
| T82.129S    | Displacement of unspecified cardiac electronic device, sequela              |
| T82.190S    | Other mechanical complication of cardiac electrode, sequela                 |
| T82.191S    | Other mechanical complication of cardiac pulse generator (battery), sequela |
| T82.198S    | Other mechanical complication of other cardiac electronic device, sequela   |
| T82.199S    | Other mechanical complication of unspecified cardiac device, sequela        |
| T82.211S    | Breakdown (mechanical) of coronary artery bypass graft, sequela             |
| T82.212S    | Displacement of coronary artery bypass graft, sequela                       |
| T82.213S    | Leakage of coronary artery bypass graft, sequela                            |
| T82.218S    | Other mechanical complication of coronary artery bypass graft, sequela      |
| T82.221S    | Breakdown (mechanical) of biological heart valve graft, sequela             |
| T82.222S    | Displacement of biological heart valve graft, sequela                       |
| T82.223S    | Leakage of biological heart valve graft, sequela                            |
| T82.228S    | Other mechanical complication of biological heart valve graft, sequela      |
| T82.310S    | Breakdown (mechanical) of aortic (bifurcation) graft (replacement), sequela |
| T82.311S    | Breakdown (mechanical) of carotid arterial graft (bypass), sequela          |
| T82.312S    | Breakdown (mechanical) of femoral arterial graft (bypass), sequela          |
| T82.318S    | Breakdown (mechanical) of other vascular grafts, sequela                    |
| T82.319S    | Breakdown (mechanical) of unspecified vascular grafts, sequela              |
| T82.320S    | Displacement of aortic (bifurcation) graft (replacement), sequela           |
| T82.321S    | Displacement of carotid arterial graft (bypass), sequela                    |
| T82.322S    | Displacement of femoral arterial graft (bypass), sequela                    |
| T82.328S    | Displacement of other vascular grafts, sequela                              |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T82.329S | Displacement of unspecified vascular grafts, sequela                                     |
| T82.330S | Leakage of aortic (bifurcation) graft (replacement), sequela                             |
| T82.331S | Leakage of carotid arterial graft (bypass), sequela                                      |
| T82.332S | Leakage of femoral arterial graft (bypass), sequela                                      |
| T82.338S | Leakage of other vascular grafts, sequela  |
| T82.339S | Leakage of unspecified vascular graft, sequela   |
| T82.390S | Other mechanical complication of aortic (bifurcation) graft (replacement), sequela       |
| T82.391S | Other mechanical complication of carotid arterial graft (bypass), sequela                |
| T82.392S | Other mechanical complication of femoral arterial graft (bypass), sequela                |
| T82.398S | Other mechanical complication of other vascular grafts, sequela                          |
| T82.399S | Other mechanical complication of unspecified vascular grafts, sequela                    |
| T82.41XS | Breakdown (mechanical) of vascular dialysis catheter, sequela                            |
| T82.42XS | Displacement of vascular dialysis catheter, sequela                                      |
| T82.43XS | Leakage of vascular dialysis catheter, sequela   |
| T82.49XS | Other complication of vascular dialysis catheter, sequela                                |
| T82.510S | Breakdown (mechanical) of surgically created arteriovenous fistula, sequela              |
| T82.511S | Breakdown (mechanical) of surgically created arteriovenous shunt, sequela                |
| T82.512S | Breakdown (mechanical) of artificial heart, sequela                                      |
| T82.513S | Breakdown (mechanical) of balloon (counterpulsation) device, sequela                     |
| T82.514S | Breakdown (mechanical) of infusion catheter, sequela                                     |
| T82.515S | Breakdown (mechanical) of umbrella device, sequela                                       |
| T82.518S | Breakdown (mechanical) of other cardiac and vascular devices and implants, sequela       |
| T82.519S | Breakdown (mechanical) of unspecified cardiac and vascular devices and implants, sequela |
| T82.520S | Displacement of surgically created arteriovenous fistula, sequela                        |
| T82.521S | Displacement of surgically created arteriovenous shunt, sequela                          |
| T82.522S | Displacement of artificial heart, sequela  |
| T82.523S | Displacement of balloon (counterpulsation) device, sequela                               |
| T82.524S | Displacement of infusion catheter, sequela   |
| T82.525S | Displacement of umbrella device, sequela   |
| T82.528S | Displacement of other cardiac and vascular devices and implants, sequela                 |
| T82.529S | Displacement of unspecified cardiac and vascular devices and implants, sequela           |
| T82.530S | Leakage of surgically created arteriovenous fistula, sequela                             |
| T82.531S | Leakage of surgically created arteriovenous shunt, sequela                               |
| T82.532S | Leakage of artificial heart, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T82.533S    | Leakage of balloon (counterpulsation) device, sequela   |
| T82.534S    | Leakage of infusion catheter, sequela   |
| T82.535S    | Leakage of umbrella device, sequela   |
| T82.538S    | Leakage of other cardiac and vascular devices and implants, sequela   |
| T82.539S    | Leakage of unspecified cardiac and vascular devices and implants, sequela                                   |
| T82.590S    | Other mechanical complication of surgically created arteriovenous fistula, sequela                          |
| T82.591S    | Other mechanical complication of surgically created arteriovenous shunt, sequela                            |
| T82.592S    | Other mechanical complication of artificial heart, sequela  |
| T82.593S    | Other mechanical complication of balloon (counterpulsation) device, sequela                                 |
| T82.594S    | Other mechanical complication of infusion catheter, sequela   |
| T82.595S    | Other mechanical complication of umbrella device, sequela   |
| T82.598S    | Other mechanical complication of other cardiac and vascular devices and implants, sequela                   |
| T82.599S    | Other mechanical complication of unspecified cardiac and vascular devices and implants, sequela             |
| T82.6XXS    | Infection and inflammatory reaction due to cardiac valve prosthesis, sequela                                |
| T82.7XXS    | Infection and inflammatory reaction due to other cardiac and vascular devices, implants and grafts, sequela |
| T82.817S    | Embolism due to cardiac prosthetic devices, implants and grafts, sequela                                    |
| T82.818S    | Embolism due to vascular prosthetic devices, implants and grafts, sequela                                   |
| T82.827S    | Fibrosis due to cardiac prosthetic devices, implants and grafts, sequela                                    |
| T82.828S    | Fibrosis due to vascular prosthetic devices, implants and grafts, sequela                                   |
| T82.837S    | Hemorrhage due to cardiac prosthetic devices, implants and grafts, sequela                                  |
| T82.838S    | Hemorrhage due to vascular prosthetic devices, implants and grafts, sequela                                 |
| T82.847S    | Pain due to cardiac prosthetic devices, implants and grafts, sequela  |
| T82.848S    | Pain due to vascular prosthetic devices, implants and grafts, sequela                                       |
| T82.857S    | Stenosis of other cardiac prosthetic devices, implants and grafts, sequela                                  |
| T82.858S    | Stenosis of other vascular prosthetic devices, implants and grafts, sequela                                 |
| T82.867S    | Thrombosis due to cardiac prosthetic devices, implants and grafts, sequela                                  |
| T82.868S    | Thrombosis due to vascular prosthetic devices, implants and grafts, sequela                                 |
| T82.897S    | Other specified complication of cardiac prosthetic devices, implants and grafts, sequela                    |
| T82.898S    | Other specified complication of vascular prosthetic devices, implants and grafts, sequela                   |
| T82.9XXS    | Unspecified complication of cardiac and vascular prosthetic device, implant and graft, sequela              |
| T83.010S    | Breakdown (mechanical) of cystostomy catheter, sequela  |
| T83.018S    | Breakdown (mechanical) of other urinary catheter, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T83.020S    | Displacement of cystostomy catheter, sequela   |
| T83.028S    | Displacement of other urinary catheter, sequela  |
| T83.030S    | Leakage of cystostomy catheter, sequela  |
| T83.038S    | Leakage of other urinary catheter, sequela   |
| T83.090S    | Other mechanical complication of cystostomy catheter, sequela  |
| T83.098S    | Other mechanical complication of other urinary catheter, sequela   |
| T83.110S    | Breakdown (mechanical) of urinary electronic stimulator device, sequela                                  |
| T83.111S    | Breakdown (mechanical) of implanted urinary sphincter, sequela   |
| T83.112S    | Breakdown (mechanical) of indwelling ureteral stent, sequela   |
| T83.118S    | Breakdown (mechanical) of other urinary devices and implants, sequela                                    |
| T83.120S    | Displacement of urinary electronic stimulator device, sequela  |
| T83.121S    | Displacement of implanted urinary sphincter, sequela   |
| T83.122S    | Displacement of indwelling ureteral stent, sequela   |
| T83.128S    | Displacement of other urinary devices and implants, sequela  |
| T83.190S    | Other mechanical complication of urinary electronic stimulator device, sequela                           |
| T83.191S    | Other mechanical complication of implanted urinary sphincter, sequela                                    |
| T83.192S    | Other mechanical complication of indwelling ureteral stent, sequela                                      |
| T83.198S    | Other mechanical complication of other urinary devices and implants, sequela                             |
| T83.21XS    | Breakdown (mechanical) of graft of urinary organ, sequela  |
| T83.22XS    | Displacement of graft of urinary organ, sequela  |
| T83.23XS    | Leakage of graft of urinary organ, sequela   |
| T83.29XS    | Other mechanical complication of graft of urinary organ, sequela   |
| T83.31XS    | Breakdown (mechanical) of intrauterine contraceptive device, sequela                                     |
| T83.32XS    | Displacement of intrauterine contraceptive device, sequela   |
| T83.39XS    | Other mechanical complication of intrauterine contraceptive device, sequela                              |
| T83.410S    | Breakdown (mechanical) of implanted penile prosthesis, sequela   |
| T83.418S    | Breakdown (mechanical) of other prosthetic devices, implants and grafts of genital tract, sequela        |
| T83.420S    | Displacement of implanted penile prosthesis, sequela   |
| T83.428S    | Displacement of other prosthetic devices, implants and grafts of genital tract, sequela                  |
| T83.490S    | Other mechanical complication of implanted penile prosthesis, sequela                                    |
| T83.498S    | Other mechanical complication of other prosthetic devices, implants and grafts of genital tract, sequela |
| T83.711S    | Erosion of implanted vaginal mesh to surrounding organ or tissue, sequela                                |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T83.718S    | Erosion of other implanted mesh to organ or tissue, sequela                                    |
| T83.721S    | Exposure of implanted vaginal mesh into vagina, sequela  |
| T83.728S    | Exposure of other implanted mesh into organ or tissue, sequela                                 |
| T83.81XS    | Embolism due to genitourinary prosthetic devices, implants and grafts, sequela                 |
| T83.82XS    | Fibrosis due to genitourinary prosthetic devices, implants and grafts, sequela                 |
| T83.83XS    | Hemorrhage due to genitourinary prosthetic devices, implants and grafts, sequela               |
| T83.84XS    | Pain due to genitourinary prosthetic devices, implants and grafts, sequela                     |
| T83.85XS    | Stenosis due to genitourinary prosthetic devices, implants and grafts, sequela                 |
| T83.86XS    | Thrombosis due to genitourinary prosthetic devices, implants and grafts, sequela               |
| T83.89XS    | Other specified complication of genitourinary prosthetic devices, implants and grafts, sequela |
| T83.9XXS    | Unspecified complication of genitourinary prosthetic device, implant and graft, sequela        |
| T84.010S    | Broken internal right hip prosthesis, sequela  |
| T84.011S    | Broken internal left hip prosthesis, sequela   |
| T84.012S    | Broken internal right knee prosthesis, sequela   |
| T84.013S    | Broken internal left knee prosthesis, sequela  |
| T84.018S    | Broken internal joint prosthesis, other site, sequela  |
| T84.019S    | Broken internal joint prosthesis, unspecified site, sequela                                    |
| T84.020S    | Dislocation of internal right hip prosthesis, sequela  |
| T84.021S    | Dislocation of internal left hip prosthesis, sequela   |
| T84.022S    | Instability of internal right knee prosthesis, sequela   |
| T84.023S    | Instability of internal left knee prosthesis, sequela  |
| T84.028S    | Dislocation of other internal joint prosthesis, sequela  |
| T84.029S    | Dislocation of unspecified internal joint prosthesis, sequela                                  |
| T84.030S    | Mechanical loosening of internal right hip prosthetic joint, sequela                           |
| T84.031S    | Mechanical loosening of internal left hip prosthetic joint, sequela                            |
| T84.032S    | Mechanical loosening of internal right knee prosthetic joint, sequela                          |
| T84.033S    | Mechanical loosening of internal left knee prosthetic joint, sequela                           |
| T84.038S    | Mechanical loosening of other internal prosthetic joint, sequela                               |
| T84.039S    | Mechanical loosening of unspecified internal prosthetic joint, sequela                         |
| T84.050S    | Periprosthetic osteolysis of internal prosthetic right hip joint, sequela                      |
| T84.051S    | Periprosthetic osteolysis of internal prosthetic left hip joint, sequela                       |
| T84.052S    | Periprosthetic osteolysis of internal prosthetic right knee joint, sequela                     |
| T84.053S    | Periprosthetic osteolysis of internal prosthetic left knee joint, sequela                      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T84.058S | Periprosthetic osteolysis of other internal prosthetic joint, sequela                   |
| T84.059S | Periprosthetic osteolysis of unspecified internal prosthetic joint, sequela             |
| T84.060S | Wear of articular bearing surface of internal prosthetic right hip joint, sequela       |
| T84.061S | Wear of articular bearing surface of internal prosthetic left hip joint, sequela        |
| T84.062S | Wear of articular bearing surface of internal prosthetic right knee joint, sequela      |
| T84.063S | Wear of articular bearing surface of internal prosthetic left knee joint, sequela       |
| T84.068S | Wear of articular bearing surface of other internal prosthetic joint, sequela           |
| T84.069S | Wear of articular bearing surface of unspecified internal prosthetic joint, sequela     |
| T84.090S | Other mechanical complication of internal right hip prosthesis, sequela                 |
| T84.091S | Other mechanical complication of internal left hip prosthesis, sequela                  |
| T84.092S | Other mechanical complication of internal right knee prosthesis, sequela                |
| T84.093S | Other mechanical complication of internal left knee prosthesis, sequela                 |
| T84.098S | Other mechanical complication of other internal joint prosthesis, sequela               |
| T84.099S | Other mechanical complication of unspecified internal joint prosthesis, sequela         |
| T84.110S | Breakdown (mechanical) of internal fixation device of right humerus, sequela            |
| T84.111S | Breakdown (mechanical) of internal fixation device of left humerus, sequela             |
| T84.112S | Breakdown (mechanical) of internal fixation device of bone of right forearm, sequela    |
| T84.113S | Breakdown (mechanical) of internal fixation device of bone of left forearm, sequela     |
| T84.114S | Breakdown (mechanical) of internal fixation device of right femur, sequela              |
| T84.115S | Breakdown (mechanical) of internal fixation device of left femur, sequela               |
| T84.116S | Breakdown (mechanical) of internal fixation device of bone of right lower leg, sequela  |
| T84.117S | Breakdown (mechanical) of internal fixation device of bone of left lower leg, sequela   |
| T84.119S | Breakdown (mechanical) of internal fixation device of unspecified bone of limb, sequela |
| T84.120S | Displacement of internal fixation device of right humerus, sequela                      |
| T84.121S | Displacement of internal fixation device of left humerus, sequela                       |
| T84.122S | Displacement of internal fixation device of bone of right forearm, sequela              |
| T84.123S | Displacement of internal fixation device of bone of left forearm, sequela               |
| T84.124S | Displacement of internal fixation device of right femur, sequela                        |
| T84.125S | Displacement of internal fixation device of left femur, sequela                         |
| T84.126S | Displacement of internal fixation device of bone of right lower leg, sequela            |
| T84.127S | Displacement of internal fixation device of bone of left lower leg, sequela             |
| T84.129S | Displacement of internal fixation device of unspecified bone of limb, sequela           |
| T84.190S | Other mechanical complication of internal fixation device of right humerus, sequela     |
| T84.191S | Other mechanical complication of internal fixation device of left humerus, sequela      |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T84.192S | Other mechanical complication of internal fixation device of bone of right forearm, sequela      |
| T84.193S | Other mechanical complication of internal fixation device of bone of left forearm, sequela       |
| T84.194S | Other mechanical complication of internal fixation device of right femur, sequela                |
| T84.195S | Other mechanical complication of internal fixation device of left femur, sequela                 |
| T84.196S | Other mechanical complication of internal fixation device of bone of right lower leg, sequela    |
| T84.197S | Other mechanical complication of internal fixation device of bone of left lower leg, sequela     |
| T84.199S | Other mechanical complication of internal fixation device of unspecified bone of limb, sequela   |
| T84.210S | Breakdown (mechanical) of internal fixation device of bones of hand and fingers, sequela         |
| T84.213S | Breakdown (mechanical) of internal fixation device of bones of foot and toes, sequela            |
| T84.216S | Breakdown (mechanical) of internal fixation device of vertebrae, sequela                         |
| T84.218S | Breakdown (mechanical) of internal fixation device of other bones, sequela                       |
| T84.220S | Displacement of internal fixation device of bones of hand and fingers, sequela                   |
| T84.223S | Displacement of internal fixation device of bones of foot and toes, sequela                      |
| T84.226S | Displacement of internal fixation device of vertebrae, sequela                                   |
| T84.228S | Displacement of internal fixation device of other bones, sequela                                 |
| T84.290S | Other mechanical complication of internal fixation device of bones of hand and fingers, sequela  |
| T84.293S | Other mechanical complication of internal fixation device of bones of foot and toes, sequela     |
| T84.296S | Other mechanical complication of internal fixation device of vertebrae, sequela                  |
| T84.298S | Other mechanical complication of internal fixation device of other bones, sequela                |
| T84.310S | Breakdown (mechanical) of electronic bone stimulator, sequela                                    |
| T84.318S | Breakdown (mechanical) of other bone devices, implants and grafts, sequela                       |
| T84.320S | Displacement of electronic bone stimulator, sequela  |
| T84.328S | Displacement of other bone devices, implants and grafts, sequela                                 |
| T84.390S | Other mechanical complication of electronic bone stimulator, sequela                             |
| T84.398S | Other mechanical complication of other bone devices, implants and grafts, sequela                |
| T84.410S | Breakdown (mechanical) of muscle and tendon graft, sequela                                       |
| T84.418S | Breakdown (mechanical) of other internal orthopedic devices, implants and grafts, sequela        |
| T84.420S | Displacement of muscle and tendon graft, sequela   |
| T84.428S | Displacement of other internal orthopedic devices, implants and grafts, sequela                  |
| T84.490S | Other mechanical complication of muscle and tendon graft, sequela                                |
| T84.498S | Other mechanical complication of other internal orthopedic devices, implants and grafts, sequela |
| T84.50XS | Infection and inflammatory reaction due to unspecified internal joint prosthesis, sequela        |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T84.51XS | Infection and inflammatory reaction due to internal right hip prosthesis, sequela                                     |
| T84.52XS | Infection and inflammatory reaction due to internal left hip prosthesis, sequela                                      |
| T84.53XS | Infection and inflammatory reaction due to internal right knee prosthesis, sequela                                    |
| T84.54XS | Infection and inflammatory reaction due to internal left knee prosthesis, sequela                                     |
| T84.59XS | Infection and inflammatory reaction due to other internal joint prosthesis, sequela                                   |
| T84.60XS | Infection and inflammatory reaction due to internal fixation device of unspecified site, sequela                      |
| T84.610S | Infection and inflammatory reaction due to internal fixation device of right humerus, sequela                         |
| T84.611S | Infection and inflammatory reaction due to internal fixation device of left humerus, sequela                          |
| T84.612S | Infection and inflammatory reaction due to internal fixation device of right radius, sequela                          |
| T84.613S | Infection and inflammatory reaction due to internal fixation device of left radius, sequela                           |
| T84.614S | Infection and inflammatory reaction due to internal fixation device of right ulna, sequela                            |
| T84.615S | Infection and inflammatory reaction due to internal fixation device of left ulna, sequela                             |
| T84.619S | Infection and inflammatory reaction due to internal fixation device of unspecified bone of arm, sequela               |
| T84.620S | Infection and inflammatory reaction due to internal fixation device of right femur, sequela                           |
| T84.621S | Infection and inflammatory reaction due to internal fixation device of left femur, sequela                            |
| T84.622S | Infection and inflammatory reaction due to internal fixation device of right tibia, sequela                           |
| T84.623S | Infection and inflammatory reaction due to internal fixation device of left tibia, sequela                            |
| T84.624S | Infection and inflammatory reaction due to internal fixation device of right fibula, sequela                          |
| T84.625S | Infection and inflammatory reaction due to internal fixation device of left fibula, sequela                           |
| T84.629S | Infection and inflammatory reaction due to internal fixation device of unspecified bone of leg, sequela               |
| T84.63XS | Infection and inflammatory reaction due to internal fixation device of spine, sequela                                 |
| T84.69XS | Infection and inflammatory reaction due to internal fixation device of other site, sequela                            |
| T84.7XXS | Infection and inflammatory reaction due to other internal orthopedic prosthetic devices, implants and grafts, sequela |
| T84.81XS | Embolism due to internal orthopedic prosthetic devices, implants and grafts, sequela                                  |
| T84.82XS | Fibrosis due to internal orthopedic prosthetic devices, implants and grafts, sequela                                  |
| T84.83XS | Hemorrhage due to internal orthopedic prosthetic devices, implants and grafts, sequela                                |
| T84.84XS | Pain due to internal orthopedic prosthetic devices, implants and grafts, sequela                                      |
| T84.85XS | Stenosis due to internal orthopedic prosthetic devices, implants and grafts, sequela                                  |
| T84.86XS | Thrombosis due to internal orthopedic prosthetic devices, implants and grafts, sequela                                |
| T84.89XS | Other specified complication of internal orthopedic prosthetic devices, implants and grafts, sequela                  |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T84.9XXS | Unspecified complication of internal orthopedic prosthetic device, implant and graft, sequela                       |
| T85.01XS | Breakdown (mechanical) of ventricular intracranial (communicating) shunt, sequela                                   |
| T85.02XS | Displacement of ventricular intracranial (communicating) shunt, sequela   |
| T85.03XS | Leakage of ventricular intracranial (communicating) shunt, sequela  |
| T85.09XS | Other mechanical complication of ventricular intracranial (communicating) shunt, sequela                            |
| T85.110S | Breakdown (mechanical) of implanted electronic neurostimulator of brain electrode (lead), sequela                   |
| T85.111S | Breakdown (mechanical) of implanted electronic neurostimulator of peripheral nerve electrode (lead), sequela        |
| T85.112S | Breakdown (mechanical) of implanted electronic neurostimulator of spinal cord electrode (lead), sequela             |
| T85.118S | Breakdown (mechanical) of other implanted electronic stimulator of nervous system, sequela                          |
| T85.120S | Displacement of implanted electronic neurostimulator of brain electrode (lead), sequela                             |
| T85.121S | Displacement of implanted electronic neurostimulator of peripheral nerve electrode (lead), sequela                  |
| T85.122S | Displacement of implanted electronic neurostimulator of spinal cord electrode (lead), sequela                       |
| T85.128S | Displacement of other implanted electronic stimulator of nervous system, sequela                                    |
| T85.190S | Other mechanical complication of implanted electronic neurostimulator of brain electrode (lead), sequela            |
| T85.191S | Other mechanical complication of implanted electronic neurostimulator of peripheral nerve electrode (lead), sequela |
| T85.192S | Other mechanical complication of implanted electronic neurostimulator of spinal cord electrode (lead), sequela      |
| T85.199S | Other mechanical complication of other implanted electronic stimulator of nervous system, sequela                   |
| T85.21XS | Breakdown (mechanical) of intraocular lens, sequela   |
| T85.22XS | Displacement of intraocular lens, sequela   |
| T85.29XS | Other mechanical complication of intraocular lens, sequela  |
| T85.310S | Breakdown (mechanical) of prosthetic orbit of right eye, sequela  |
| T85.311S | Breakdown (mechanical) of prosthetic orbit of left eye, sequela   |
| T85.318S | Breakdown (mechanical) of other ocular prosthetic devices, implants and grafts, sequela                             |
| T85.320S | Displacement of prosthetic orbit of right eye, sequela  |
| T85.321S | Displacement of prosthetic orbit of left eye, sequela   |
| T85.328S | Displacement of other ocular prosthetic devices, implants and grafts, sequela                                       |
| T85.390S | Other mechanical complication of prosthetic orbit of right eye, sequela   |

NCD 190.15

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T85.391S | Other mechanical complication of prosthetic orbit of left eye, sequela                                   |
| T85.398S | Other mechanical complication of other ocular prosthetic devices, implants and grafts, sequela           |
| T85.41XS | Breakdown (mechanical) of breast prosthesis and implant, sequela   |
| T85.42XS | Displacement of breast prosthesis and implant, sequela   |
| T85.43XS | Leakage of breast prosthesis and implant, sequela  |
| T85.44XS | Capsular contracture of breast implant, sequela  |
| T85.49XS | Other mechanical complication of breast prosthesis and implant, sequela                                  |
| T85.510S | Breakdown (mechanical) of bile duct prosthesis, sequela  |
| T85.511S | Breakdown (mechanical) of esophageal anti-reflux device, sequela   |
| T85.518S | Breakdown (mechanical) of other gastrointestinal prosthetic devices, implants and grafts, sequela        |
| T85.520S | Displacement of bile duct prosthesis, sequela  |
| T85.521S | Displacement of esophageal anti-reflux device, sequela   |
| T85.528S | Displacement of other gastrointestinal prosthetic devices, implants and grafts, sequela                  |
| T85.590S | Other mechanical complication of bile duct prosthesis, sequela   |
| T85.591S | Other mechanical complication of esophageal anti-reflux device, sequela                                  |
| T85.598S | Other mechanical complication of other gastrointestinal prosthetic devices, implants and grafts, sequela |
| T85.610S | Breakdown (mechanical) of cranial or spinal infusion catheter, sequela                                   |
| T85.611S | Breakdown (mechanical) of intraperitoneal dialysis catheter, sequela                                     |
| T85.612S | Breakdown (mechanical) of permanent sutures, sequela   |
| T85.613S | Breakdown (mechanical) of artificial skin graft and decellularized allodermis, sequela                   |
| T85.614S | Breakdown (mechanical) of insulin pump, sequela  |
| T85.618S | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, sequela      |
| T85.620S | Displacement of cranial or spinal infusion catheter, sequela   |
| T85.621S | Displacement of intraperitoneal dialysis catheter, sequela   |
| T85.622S | Displacement of permanent sutures, sequela   |
| T85.623S | Displacement of artificial skin graft and decellularized allodermis, sequela                             |
| T85.624S | Displacement of insulin pump, sequela  |
| T85.628S | Displacement of other specified internal prosthetic devices, implants and grafts, sequela                |
| T85.630S | Leakage of cranial or spinal infusion catheter, sequela  |
| T85.631S | Leakage of intraperitoneal dialysis catheter, sequela  |
| T85.633S | Leakage of insulin pump, sequela   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T85.638S | Leakage of other specified internal prosthetic devices, implants and grafts, sequela                       |
| T85.690S | Other mechanical complication of cranial or spinal infusion catheter, sequela                              |
| T85.691S | Other mechanical complication of intraperitoneal dialysis catheter, sequela                                |
| T85.692S | Other mechanical complication of permanent sutures, sequela  |
| T85.693S | Other mechanical complication of artificial skin graft and decellularized allodermis, sequela              |
| T85.694S | Other mechanical complication of insulin pump, sequela   |
| T85.698S | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, sequela |
| T85.71XS | Infection and inflammatory reaction due to peritoneal dialysis catheter, sequela                           |
| T85.72XS | Infection and inflammatory reaction due to insulin pump, sequela   |
| T85.79XS | Infection and inflammatory reaction due to other internal prosthetic devices, implants and grafts, sequela |
| T85.9XXS | Unspecified complication of internal prosthetic device, implant and graft, sequela                         |
| T86.8409 | Corneal transplant rejection, unspecified eye  |
| T86.8419 | Corneal transplant failure, unspecified eye  |
| T86.8429 | Corneal transplant infection, unspecified eye  |
| T88.0XXS | Infection following immunization, sequela  |
| T88.1XXS | Other complications following immunization, not elsewhere classified, sequela                              |
| T88.2XXS | Shock due to anesthesia, sequela   |
| T88.3XXS | Malignant hyperthermia due to anesthesia, sequela  |
| T88.4XXS | Failed or difficult intubation, sequela  |
| T88.51XS | Hypothermia following anesthesia, sequela  |
| T88.52XS | Failed moderate sedation during procedure, sequela   |
| T88.59XS | Other complications of anesthesia, sequela   |
| T88.6XXS | Anaphylactic reaction due to adverse effect of correct drug or medicament properly administered, sequela   |
| T88.7XXS | Unspecified adverse effect of drug or medicament, sequela  |
| T88.8XXS | Other specified complications of surgical and medical care, not elsewhere classified, sequela              |
| T88.9XXS | Complication of surgical and medical care, unspecified, sequela  |
| Z00.2    | Encounter for examination for period of rapid growth in childhood  |
| Z00.3    | Encounter for examination for adolescent development state   |
| Z01.00   | Encounter for examination of eyes and vision without abnormal findings                                     |
| Z01.01   | Encounter for examination of eyes and vision with abnormal findings  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| Z01.020 | Encounter for examination of eyes and vision following failed vision screening without abnormal findings   |
| Z01.021 | Encounter for examination of eyes and vision following failed vision screening with abnormal findings      |
| Z01.10  | Encounter for examination of ears and hearing without abnormal findings                                    |
| Z01.110 | Encounter for hearing examination following failed hearing screening                                       |
| Z01.118 | Encounter for examination of ears and hearing with other abnormal findings                                 |
| Z01.12  | Encounter for hearing conservation and treatment   |
| Z01.20  | Encounter for dental examination and cleaning without abnormal findings                                    |
| Z01.21  | Encounter for dental examination and cleaning with abnormal findings                                       |
| Z01.812 | Encounter for preprocedural laboratory examination   |
| Z01.82  | Encounter for allergy testing  |
| Z01.84  | Encounter for antibody response examination  |
| Z01.89  | Encounter for other specified special examinations   |
| Z03.89  | Encounter for observation for other suspected diseases and conditions ruled out                            |
| Z09     | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z12.11  | Encounter for screening for malignant neoplasm of colon  |
| Z12.31  | Encounter for screening mammogram for malignant neoplasm of breast   |
| Z12.39  | Encounter for other screening for malignant neoplasm of breast   |
| Z12.4   | Encounter for screening for malignant neoplasm of cervix   |
| Z12.5   | Encounter for screening for malignant neoplasm of prostate   |
| Z13.1   | Encounter for screening for diabetes mellitus  |
| Z13.6   | Encounter for screening for cardiovascular disorders   |
| Z23     | Encounter for immunization   |
| Z28.83  | Immunization not carried out due to unavailability of vaccine  |
| Z30.011 | Encounter for initial prescription of contraceptive pills  |
| Z30.012 | Encounter for prescription of emergency contraception  |
| Z30.013 | Encounter for initial prescription of injectable contraceptive   |
| Z30.014 | Encounter for initial prescription of intrauterine contraceptive device                                    |
| Z30.018 | Encounter for initial prescription of other contraceptives   |
| Z30.019 | Encounter for initial prescription of contraceptives, unspecified  |
| Z30.02  | Counseling and instruction in natural family planning to avoid pregnancy                                   |
| Z30.09  | Encounter for other general counseling and advice on contraception   |
| Z30.2   | Encounter for sterilization  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z30.40  | Encounter for surveillance of contraceptives, unspecified                                     |
| Z30.41  | Encounter for surveillance of contraceptive pills   |
| Z30.42  | Encounter for surveillance of injectable contraceptive  |
| Z30.430 | Encounter for insertion of intrauterine contraceptive device                                  |
| Z30.431 | Encounter for routine checking of intrauterine contraceptive device                           |
| Z30.432 | Encounter for removal of intrauterine contraceptive device                                    |
| Z30.433 | Encounter for removal and reinsertion of intrauterine contraceptive device                    |
| Z30.49  | Encounter for surveillance of other contraceptives  |
| Z30.8   | Encounter for other contraceptive management  |
| Z30.9   | Encounter for contraceptive management, unspecified   |
| Z31.0   | Encounter for reversal of previous sterilization  |
| Z31.41  | Encounter for fertility testing   |
| Z31.42  | Aftercare following sterilization reversal  |
| Z31.430 | Encounter of female for testing for genetic disease carrier status for procreative management |
| Z31.438 | Encounter for other genetic testing of female for procreative management                      |
| Z31.440 | Encounter of male for testing for genetic disease carrier status for procreative management   |
| Z31.441 | Encounter for testing of male partner of patient with recurrent pregnancy loss                |
| Z31.448 | Encounter for other genetic testing of male for procreative management                        |
| Z31.49  | Encounter for other procreative investigation and testing                                     |
| Z31.5   | Encounter for procreative genetic counseling  |
| Z31.61  | Procreative counseling and advice using natural family planning                               |
| Z31.62  | Encounter for fertility preservation counseling   |
| Z31.69  | Encounter for other general counseling and advice on procreation                              |
| Z31.81  | Encounter for male factor infertility in female patient                                       |
| Z31.82  | Encounter for Rh incompatibility status   |
| Z31.83  | Encounter for assisted reproductive fertility procedure cycle                                 |
| Z31.84  | Encounter for fertility preservation procedure  |
| Z31.89  | Encounter for other procreative management  |
| Z31.9   | Encounter for procreative management, unspecified   |
| Z32.00  | Encounter for pregnancy test, result unknown  |
| Z32.01  | Encounter for pregnancy test, result positive   |
| Z32.02  | Encounter for pregnancy test, result negative   |
| Z32.2   | Encounter for childbirth instruction  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                   |
|--------|---|
| Z32.3  | Encounter for childcare instruction           |
| Z3A.00 | Weeks of gestation of pregnancy not specified |
| Z3A.01 | Less than 8 weeks gestation of pregnancy      |
| Z3A.08 | 8 weeks gestation of pregnancy                |
| Z3A.09 | 9 weeks gestation of pregnancy                |
| Z3A.10 | 10 weeks gestation of pregnancy               |
| Z3A.11 | 11 weeks gestation of pregnancy               |
| Z3A.12 | 12 weeks gestation of pregnancy               |
| Z3A.13 | 13 weeks gestation of pregnancy               |
| Z3A.14 | 14 weeks gestation of pregnancy               |
| Z3A.15 | 15 weeks gestation of pregnancy               |
| Z3A.16 | 16 weeks gestation of pregnancy               |
| Z3A.17 | 17 weeks gestation of pregnancy               |
| Z3A.18 | 18 weeks gestation of pregnancy               |
| Z3A.19 | 19 weeks gestation of pregnancy               |
| Z3A.20 | 20 weeks gestation of pregnancy               |
| Z3A.21 | 21 weeks gestation of pregnancy               |
| Z3A.22 | 22 weeks gestation of pregnancy               |
| Z3A.23 | 23 weeks gestation of pregnancy               |
| Z3A.24 | 24 weeks gestation of pregnancy               |
| Z3A.25 | 25 weeks gestation of pregnancy               |
| Z3A.26 | 26 weeks gestation of pregnancy               |
| Z3A.27 | 27 weeks gestation of pregnancy               |
| Z3A.28 | 28 weeks gestation of pregnancy               |
| Z3A.29 | 29 weeks gestation of pregnancy               |
| Z3A.30 | 30 weeks gestation of pregnancy               |
| Z3A.31 | 31 weeks gestation of pregnancy               |
| Z3A.32 | 32 weeks gestation of pregnancy               |
| Z3A.33 | 33 weeks gestation of pregnancy               |
| Z3A.34 | 34 weeks gestation of pregnancy               |
| Z3A.35 | 35 weeks gestation of pregnancy               |
| Z3A.36 | 36 weeks gestation of pregnancy               |
| Z3A.37 | 37 weeks gestation of pregnancy               |
| Z3A.38 | 38 weeks gestation of pregnancy               |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z3A.39  | 39 weeks gestation of pregnancy   |
| Z3A.40  | 40 weeks gestation of pregnancy   |
| Z3A.41  | 41 weeks gestation of pregnancy   |
| Z3A.42  | 42 weeks gestation of pregnancy   |
| Z3A.49  | Greater than 42 weeks gestation of pregnancy  |
| Z40.03  | Encounter for prophylactic removal of fallopian tube(s)   |
| Z42.1   | Encounter for breast reconstruction following mastectomy  |
| Z42.8   | Encounter for other plastic and reconstructive surgery following medical procedure or healed injury |
| Z43.0   | Encounter for attention to tracheostomy   |
| Z43.1   | Encounter for attention to gastrostomy  |
| Z43.2   | Encounter for attention to ileostomy  |
| Z43.3   | Encounter for attention to colostomy  |
| Z43.4   | Encounter for attention to other artificial openings of digestive tract                             |
| Z43.5   | Encounter for attention to cystostomy   |
| Z43.6   | Encounter for attention to other artificial openings of urinary tract                               |
| Z43.7   | Encounter for attention to artificial vagina  |
| Z43.8   | Encounter for attention to other artificial openings  |
| Z43.9   | Encounter for attention to unspecified artificial opening   |
| Z44.001 | Encounter for fitting and adjustment of unspecified right artificial arm                            |
| Z44.002 | Encounter for fitting and adjustment of unspecified left artificial arm                             |
| Z44.009 | Encounter for fitting and adjustment of unspecified artificial arm, unspecified arm                 |
| Z44.011 | Encounter for fitting and adjustment of complete right artificial arm                               |
| Z44.012 | Encounter for fitting and adjustment of complete left artificial arm                                |
| Z44.019 | Encounter for fitting and adjustment of complete artificial arm, unspecified arm                    |
| Z44.021 | Encounter for fitting and adjustment of partial artificial right arm                                |
| Z44.022 | Encounter for fitting and adjustment of partial artificial left arm                                 |
| Z44.029 | Encounter for fitting and adjustment of partial artificial arm, unspecified arm                     |
| Z44.101 | Encounter for fitting and adjustment of unspecified right artificial leg                            |
| Z44.102 | Encounter for fitting and adjustment of unspecified left artificial leg                             |
| Z44.109 | Encounter for fitting and adjustment of unspecified artificial leg, unspecified leg                 |
| Z44.111 | Encounter for fitting and adjustment of complete right artificial leg                               |
| Z44.112 | Encounter for fitting and adjustment of complete left artificial leg                                |
| Z44.119 | Encounter for fitting and adjustment of complete artificial leg, unspecified leg                    |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| Z44.121 | Encounter for fitting and adjustment of partial artificial right leg                               |
| Z44.122 | Encounter for fitting and adjustment of partial artificial left leg                                |
| Z44.129 | Encounter for fitting and adjustment of partial artificial leg, unspecified leg                    |
| Z44.20  | Encounter for fitting and adjustment of artificial eye, unspecified                                |
| Z44.21  | Encounter for fitting and adjustment of artificial right eye                                       |
| Z44.22  | Encounter for fitting and adjustment of artificial left eye  |
| Z44.30  | Encounter for fitting and adjustment of external breast prosthesis, unspecified breast             |
| Z44.31  | Encounter for fitting and adjustment of external right breast prosthesis                           |
| Z44.32  | Encounter for fitting and adjustment of external left breast prosthesis                            |
| Z44.8   | Encounter for fitting and adjustment of other external prosthetic devices                          |
| Z44.9   | Encounter for fitting and adjustment of unspecified external prosthetic device                     |
| Z45.010 | Encounter for checking and testing of cardiac pacemaker pulse generator [battery]                  |
| Z45.018 | Encounter for adjustment and management of other part of cardiac pacemaker                         |
| Z45.02  | Encounter for adjustment and management of automatic implantable cardiac defibrillator             |
| Z45.09  | Encounter for adjustment and management of other cardiac device                                    |
| Z45.31  | Encounter for adjustment and management of implanted visual substitution device                    |
| Z45.320 | Encounter for adjustment and management of bone conduction device                                  |
| Z45.321 | Encounter for adjustment and management of cochlear device   |
| Z45.328 | Encounter for adjustment and management of other implanted hearing device                          |
| Z45.41  | Encounter for adjustment and management of cerebrospinal fluid drainage device                     |
| Z45.42  | Encounter for adjustment and management of neurostimulator   |
| Z45.49  | Encounter for adjustment and management of other implanted nervous system device                   |
| Z45.811 | Encounter for adjustment or removal of right breast implant  |
| Z45.812 | Encounter for adjustment or removal of left breast implant   |
| Z45.819 | Encounter for adjustment or removal of unspecified breast implant                                  |
| Z45.82  | Encounter for adjustment or removal of myringotomy device (stent) (tube)                           |
| Z45.89  | Encounter for adjustment and management of other implanted devices                                 |
| Z45.9   | Encounter for adjustment and management of unspecified implanted device                            |
| Z46.0   | Encounter for fitting and adjustment of spectacles and contact lenses                              |
| Z46.2   | Encounter for fitting and adjustment of other devices related to nervous system and special senses |
| Z46.3   | Encounter for fitting and adjustment of dental prosthetic device                                   |
| Z46.4   | Encounter for fitting and adjustment of orthodontic device   |
| Z46.51  | Encounter for fitting and adjustment of gastric lap band   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z46.59  | Encounter for fitting and adjustment of other gastrointestinal appliance and device |
| Z46.6   | Encounter for fitting and adjustment of urinary device                              |
| Z46.81  | Encounter for fitting and adjustment of insulin pump                                |
| Z46.89  | Encounter for fitting and adjustment of other specified devices                     |
| Z46.9   | Encounter for fitting and adjustment of unspecified device                          |
| Z47.1   | Aftercare following joint replacement surgery                                       |
| Z47.2   | Encounter for removal of internal fixation device                                   |
| Z47.31  | Aftercare following explantation of shoulder joint prosthesis                       |
| Z47.32  | Aftercare following explantation of hip joint prosthesis                            |
| Z47.33  | Aftercare following explantation of knee joint prosthesis                           |
| Z47.81  | Encounter for orthopedic aftercare following surgical amputation                    |
| Z47.82  | Encounter for orthopedic aftercare following scoliosis surgery                      |
| Z47.89  | Encounter for other orthopedic aftercare  |
| Z51.5   | Encounter for palliative care   |
| Z51.89  | Encounter for other specified aftercare   |
| Z52.000 | Unspecified donor, whole blood  |
| Z52.001 | Unspecified donor, stem cells   |
| Z52.008 | Unspecified donor, other blood  |
| Z52.010 | Autologous donor, whole blood   |
| Z52.011 | Autologous donor, stem cells  |
| Z52.018 | Autologous donor, other blood   |
| Z52.090 | Other blood donor, whole blood  |
| Z52.091 | Other blood donor, stem cells   |
| Z52.098 | Other blood donor, other blood  |
| Z52.10  | Skin donor, unspecified   |
| Z52.11  | Skin donor, autologous  |
| Z52.19  | Skin donor, other   |
| Z52.20  | Bone donor, unspecified   |
| Z52.21  | Bone donor, autologous  |
| Z52.29  | Bone donor, other   |
| Z52.3   | Bone marrow donor   |
| Z52.4   | Kidney donor  |
| Z52.5   | Cornea donor  |
| Z52.6   | Liver donor   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| Z52.810 | Egg (Oocyte) donor under age 35, anonymous recipient   |
| Z52.811 | Egg (Oocyte) donor under age 35, designated recipient  |
| Z52.812 | Egg (Oocyte) donor age 35 and over, anonymous recipient  |
| Z52.813 | Egg (Oocyte) donor age 35 and over, designated recipient   |
| Z52.819 | Egg (Oocyte) donor, unspecified  |
| Z52.89  | Donor of other specified organs or tissues   |
| Z52.9   | Donor of unspecified organ or tissue   |
| Z53.1   | Procedure and treatment not carried out because of patient's decision for reasons of belief and group pressure |
| Z55.0   | Illiteracy and low-level literacy  |
| Z55.1   | Schooling unavailable and unattainable   |
| Z55.2   | Failed school examinations   |
| Z55.3   | Underachievement in school   |
| Z55.4   | Educational maladjustment and discord with teachers and classmates   |
| Z55.8   | Other problems related to education and literacy   |
| Z55.9   | Problems related to education and literacy, unspecified  |
| Z56.1   | Change of job  |
| Z60.0   | Problems of adjustment to life-cycle transitions   |
| Z60.3   | Acculturation difficulty   |
| Z60.4   | Social exclusion and rejection   |
| Z60.5   | Target of (perceived) adverse discrimination and persecution   |
| Z60.8   | Other problems related to social environment   |
| Z60.9   | Problem related to social environment, unspecified   |
| Z62.0   | Inadequate parental supervision and control  |
| Z62.1   | Parental overprotection  |
| Z62.22  | Institutional upbringing   |
| Z62.29  | Other upbringing away from parents   |
| Z62.3   | Hostility towards and scapegoating of child  |
| Z62.6   | Inappropriate (excessive) parental pressure  |
| Z62.810 | Personal history of physical and sexual abuse in childhood   |
| Z62.811 | Personal history of psychological abuse in childhood   |
| Z62.812 | Personal history of neglect in childhood   |
| Z62.813 | Personal history of forced labor or sexual exploitation in childhood   |
| Z62.819 | Personal history of unspecified abuse in childhood   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| Z62.820     | Parent-biological child conflict   |
| Z62.821     | Parent-adopted child conflict  |
| Z62.822     | Parent-foster child conflict   |
| Z62.890     | Parent-child estrangement NEC  |
| Z62.891     | Sibling rivalry  |
| Z62.898     | Other specified problems related to upbringing                           |
| Z62.9       | Problem related to upbringing, unspecified                               |
| Z63.0       | Problems in relationship with spouse or partner                          |
| Z63.1       | Problems in relationship with in-laws                                    |
| Z63.31      | Absence of family member due to military deployment                      |
| Z63.32      | Other absence of family member   |
| Z63.4       | Disappearance and death of family member                                 |
| Z63.5       | Disruption of family by separation and divorce                           |
| Z63.6       | Dependent relative needing care at home                                  |
| Z63.71      | Stress on family due to return of family member from military deployment |
| Z63.72      | Alcoholism and drug addiction in family                                  |
| Z63.79      | Other stressful life events affecting family and household               |
| Z63.8       | Other specified problems related to primary support group                |
| Z63.9       | Problem related to primary support group, unspecified                    |
| Z64.0       | Problems related to unwanted pregnancy                                   |
| Z64.1       | Problems related to multiparity  |
| Z64.4       | Discord with counselors  |
| Z65.0       | Conviction in civil and criminal proceedings without imprisonment        |
| Z65.1       | Imprisonment and other incarceration                                     |
| Z65.2       | Problems related to release from prison                                  |
| Z65.3       | Problems related to other legal circumstances                            |
| Z65.4       | Victim of crime and terrorism  |
| Z65.5       | Exposure to disaster, war and other hostilities                          |
| Z65.8       | Other specified problems related to psychosocial circumstances           |
| Z65.9       | Problem related to unspecified psychosocial circumstances                |
| Z66         | Do not resuscitate   |
| Z67.10      | Type A blood, Rh positive  |
| Z67.11      | Type A blood, Rh negative  |
| Z67.20      | Type B blood, Rh positive  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z67.21  | Type B blood, Rh negative   |
| Z67.30  | Type AB blood, Rh positive  |
| Z67.31  | Type AB blood, Rh negative  |
| Z67.40  | Type O blood, Rh positive   |
| Z67.41  | Type O blood, Rh negative   |
| Z67.90  | Unspecified blood type, Rh positive   |
| Z67.91  | Unspecified blood type, Rh negative   |
| Z69.010 | Encounter for mental health services for victim of parental child abuse                     |
| Z69.011 | Encounter for mental health services for perpetrator of parental child abuse                |
| Z69.020 | Encounter for mental health services for victim of non-parental child abuse                 |
| Z69.021 | Encounter for mental health services for perpetrator of non-parental child abuse            |
| Z69.11  | Encounter for mental health services for victim of spousal or partner abuse                 |
| Z69.12  | Encounter for mental health services for perpetrator of spousal or partner abuse            |
| Z69.81  | Encounter for mental health services for victim of other abuse                              |
| Z69.82  | Encounter for mental health services for perpetrator of other abuse                         |
| Z70.0   | Counseling related to sexual attitude   |
| Z70.1   | Counseling related to patient's sexual behavior and orientation                             |
| Z70.2   | Counseling related to sexual behavior and orientation of third party                        |
| Z70.3   | Counseling related to combined concerns regarding sexual attitude, behavior and orientation |
| Z70.8   | Other sex counseling  |
| Z70.9   | Sex counseling, unspecified   |
| Z71.1   | Person with feared health complaint in whom no diagnosis is made                            |
| Z71.2   | Person consulting for explanation of examination or test findings                           |
| Z71.3   | Dietary counseling and surveillance   |
| Z71.41  | Alcohol abuse counseling and surveillance of alcoholic                                      |
| Z71.42  | Counseling for family member of alcoholic   |
| Z71.51  | Drug abuse counseling and surveillance of drug abuser                                       |
| Z71.52  | Counseling for family member of drug abuser   |
| Z71.6   | Tobacco abuse counseling  |
| Z71.7   | Human immunodeficiency virus [HIV] counseling   |
| Z71.81  | Spiritual or religious counseling   |
| Z71.82  | Exercise counseling   |
| Z71.83  | Encounter for nonprocreative genetic counseling   |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z71.84  | Encounter for health counseling related to travel                     |
| Z71.89  | Other specified counseling  |
| Z71.9   | Counseling, unspecified   |
| Z72.6   | Gambling and betting  |
| Z72.810 | Child and adolescent antisocial behavior                              |
| Z72.811 | Adult antisocial behavior   |
| Z73.4   | Inadequate social skills, not elsewhere classified                    |
| Z73.5   | Social role conflict, not elsewhere classified                        |
| Z73.6   | Limitation of activities due to disability                            |
| Z73.82  | Dual sensory impairment   |
| Z74.01  | Bed confinement status  |
| Z74.09  | Other reduced mobility  |
| Z76.5   | Malingering [conscious simulation]                                    |
| Z76.82  | Awaiting organ transplant status                                      |
| Z76.89  | Persons encountering health services in other specified circumstances |
| Z78.0   | Asymptomatic menopausal state   |
| Z78.1   | Physical restraint status   |
| Z78.9   | Other specified health status   |
| Z80.0   | Family history of malignant neoplasm of digestive organs              |
| Z80.3   | Family history of malignant neoplasm of breast                        |
| Z86.51  | Personal history of combat and operational stress reaction            |
| Z86.59  | Personal history of other mental and behavioral disorders             |
| Z87.890 | Personal history of sex reassignment                                  |
| Z88.0   | Allergy status to penicillin  |
| Z88.1   | Allergy status to other antibiotic agents                             |
| Z88.2   | Allergy status to sulfonamides  |
| Z88.3   | Allergy status to other anti-infective agents                         |
| Z88.4   | Allergy status to anesthetic agent                                    |
| Z88.5   | Allergy status to narcotic agent                                      |
| Z88.6   | Allergy status to analgesic agent                                     |
| Z88.7   | Allergy status to serum and vaccine                                   |
| Z88.8   | Allergy status to other drugs, medicaments and biological substances  |
| Z89.011 | Acquired absence of right thumb                                       |
| Z89.012 | Acquired absence of left thumb  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| Z89.019     | Acquired absence of unspecified thumb                         |
| Z89.021     | Acquired absence of right finger(s)                           |
| Z89.022     | Acquired absence of left finger(s)                            |
| Z89.029     | Acquired absence of unspecified finger(s)                     |
| Z89.111     | Acquired absence of right hand                                |
| Z89.112     | Acquired absence of left hand                                 |
| Z89.119     | Acquired absence of unspecified hand                          |
| Z89.121     | Acquired absence of right wrist                               |
| Z89.122     | Acquired absence of left wrist                                |
| Z89.129     | Acquired absence of unspecified wrist                         |
| Z89.201     | Acquired absence of right upper limb, unspecified level       |
| Z89.202     | Acquired absence of left upper limb, unspecified level        |
| Z89.209     | Acquired absence of unspecified upper limb, unspecified level |
| Z89.211     | Acquired absence of right upper limb below elbow              |
| Z89.212     | Acquired absence of left upper limb below elbow               |
| Z89.219     | Acquired absence of unspecified upper limb below elbow        |
| Z89.221     | Acquired absence of right upper limb above elbow              |
| Z89.222     | Acquired absence of left upper limb above elbow               |
| Z89.229     | Acquired absence of unspecified upper limb above elbow        |
| Z89.231     | Acquired absence of right shoulder                            |
| Z89.232     | Acquired absence of left shoulder                             |
| Z89.239     | Acquired absence of unspecified shoulder                      |
| Z89.411     | Acquired absence of right great toe                           |
| Z89.412     | Acquired absence of left great toe                            |
| Z89.419     | Acquired absence of unspecified great toe                     |
| Z89.421     | Acquired absence of other right toe(s)                        |
| Z89.422     | Acquired absence of other left toe(s)                         |
| Z89.429     | Acquired absence of other toe(s), unspecified side            |
| Z89.431     | Acquired absence of right foot                                |
| Z89.432     | Acquired absence of left foot                                 |
| Z89.439     | Acquired absence of unspecified foot                          |
| Z89.441     | Acquired absence of right ankle                               |
| Z89.442     | Acquired absence of left ankle                                |
| Z89.449     | Acquired absence of unspecified ankle                         |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| Z89.511     | Acquired absence of right leg below knee                     |
| Z89.512     | Acquired absence of left leg below knee                      |
| Z89.519     | Acquired absence of unspecified leg below knee               |
| Z89.611     | Acquired absence of right leg above knee                     |
| Z89.612     | Acquired absence of left leg above knee                      |
| Z89.619     | Acquired absence of unspecified leg above knee               |
| Z89.621     | Acquired absence of right hip joint                          |
| Z89.622     | Acquired absence of left hip joint                           |
| Z89.629     | Acquired absence of unspecified hip joint                    |
| Z89.9       | Acquired absence of limb, unspecified                        |
| Z90.01      | Acquired absence of eye                                      |
| Z90.02      | Acquired absence of larynx                                   |
| Z90.09      | Acquired absence of other part of head and neck              |
| Z90.10      | Acquired absence of unspecified breast and nipple            |
| Z90.11      | Acquired absence of right breast and nipple                  |
| Z90.12      | Acquired absence of left breast and nipple                   |
| Z90.13      | Acquired absence of bilateral breasts and nipples            |
| Z90.2       | Acquired absence of lung [part of]                           |
| Z90.3       | Acquired absence of stomach [part of]                        |
| Z90.49      | Acquired absence of other specified parts of digestive tract |
| Z90.5       | Acquired absence of kidney                                   |
| Z90.6       | Acquired absence of other parts of urinary tract             |
| Z90.721     | Acquired absence of ovaries, unilateral                      |
| Z90.722     | Acquired absence of ovaries, bilateral                       |
| Z90.79      | Acquired absence of other genital organ(s)                   |
| Z90.81      | Acquired absence of spleen                                   |
| Z90.89      | Acquired absence of other organs                             |
| Z91.15      | Patient's noncompliance with renal dialysis                  |
| Z91.83      | Wandering in diseases classified elsewhere                   |
| Z91.841     | Risk for dental caries, low                                  |
| Z91.842     | Risk for dental caries, moderate                             |
| Z91.843     | Risk for dental caries, high                                 |
| Z91.849     | Unspecified risk for dental caries                           |
| Z93.0       | Tracheostomy status  |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z93.1   | Gastrostomy status  |
| Z93.2   | Ileostomy status  |
| Z93.3   | Colostomy status  |
| Z93.4   | Other artificial openings of gastrointestinal tract status      |
| Z93.50  | Unspecified cystostomy status                                   |
| Z93.51  | Cutaneous-vesicostomy status                                    |
| Z93.52  | Appendico-vesicostomy status                                    |
| Z93.59  | Other cystostomy status   |
| Z93.6   | Other artificial openings of urinary tract status               |
| Z93.8   | Other artificial opening status                                 |
| Z93.9   | Artificial opening status, unspecified                          |
| Z95.0   | Presence of cardiac pacemaker                                   |
| Z95.1   | Presence of aortocoronary bypass graft                          |
| Z95.5   | Presence of coronary angioplasty implant and graft              |
| Z95.810 | Presence of automatic (implantable) cardiac defibrillator       |
| Z95.818 | Presence of other cardiac implants and grafts                   |
| Z95.9   | Presence of cardiac and vascular implant and graft, unspecified |
| Z96.1   | Presence of intraocular lens                                    |
| Z96.21  | Cochlear implant status   |
| Z96.22  | Myringotomy tube(s) status                                      |
| Z96.41  | Presence of insulin pump (external) (internal)                  |
| Z97.0   | Presence of artificial eye                                      |
| Z97.2   | Presence of dental prosthetic device (complete) (partial)       |
| Z97.3   | Presence of spectacles and contact lenses                       |
| Z97.4   | Presence of external hearing-aid                                |
| Z97.5   | Presence of (intrauterine) contraceptive device                 |
| Z97.8   | Presence of other specified devices                             |
| Z98.0   | Intestinal bypass and anastomosis status                        |
| Z98.1   | Arthrodesis status  |
| Z98.2   | Presence of cerebrospinal fluid drainage device                 |
| Z98.3   | Post therapeutic collapse of lung status                        |
| Z98.41  | Cataract extraction status, right eye                           |
| Z98.42  | Cataract extraction status, left eye                            |
| Z98.49  | Cataract extraction status, unspecified eye                     |

**NCD 190.15**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z98.51  | Tubal ligation status                                   |
| Z98.52  | Vasectomy status  |
| Z98.61  | Coronary angioplasty status                             |
| Z98.62  | Peripheral vascular angioplasty status                  |
| Z98.810 | Dental sealant status                                   |
| Z98.811 | Dental restoration status                               |
| Z98.818 | Other dental procedure status                           |
| Z98.83  | Filtering (vitreous) bleb after glaucoma surgery status |
| Z98.84  | Bariatric surgery status                                |
| Z98.86  | Personal history of breast implant removal              |
| Z98.890 | Other specified postprocedural states                   |
| Z98.891 | History of uterine scar from previous surgery           |
| Z99.2   | Dependence on renal dialysis                            |

**Documentation Required**

Appropriate HCPCS/CPT code (s) must be used as described.

**Sources of Information**

Wintrobe's Clinical Hematology, G. Richard Lee et al editors, Lea & Febiger, 9th edition, Philadelphia PA 1993.

Hematology, Clinical and Laboratory Practice, R. Bick et al editors, Mosby-Year Book, Inc., St. Louis, Missouri, 1993.

"The Polycythemia", V.C. Broudy, Medicine, Chapter 5.V. Scientific American, NY, NY 1996.

Laboratory Test Handbook, D.S. Jacobs et al, Lexi-Comp Inc, 4th edition, Cleveland OH 1996.

Cancer: Principles & Practice of Oncology, DeVita, et al., 5th ed., Phil: Lippincott-Raven, 1997.

Cecil Textbook of Medicine, Bennett, et al., 20th edition, Philadelphia: W.B. Saunders, 1996.

Williams Hematology, Beutler, et al., 5th edition, New York: McGraw-Hill, 1995.



## 190.16 - Partial Thromboplastin Time (PTT)

### Other Names/Abbreviations

PTT

### Description

Basic plasma coagulation function is readily assessed with a few simple laboratory tests: The Partial Thromboplastin Time (PTT), Prothrombin Time (PT), Thrombin Time (TT), or a quantitative fibrinogen determination. The PTT test is an in vitro laboratory test used to assess the intrinsic coagulation pathway and monitor heparin therapy.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description   |
|-------|---|
| 85730 | Thromboplastin time, partial (PTT); plasma or whole blood |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description                            |
|--------|--|
| A01.00 | Typhoid fever, unspecified             |
| A01.01 | Typhoid meningitis                     |
| A01.02 | Typhoid fever with heart involvement   |
| A01.03 | Typhoid pneumonia                      |
| A01.04 | Typhoid arthritis                      |
| A01.05 | Typhoid osteomyelitis                  |
| A01.09 | Typhoid fever with other complications |
| A01.1  | Paratyphoid fever A                    |
| A01.2  | Paratyphoid fever B                    |
| A01.3  | Paratyphoid fever C                    |
| A01.4  | Paratyphoid fever, unspecified         |
| A02.0  | Salmonella enteritis                   |
| A02.1  | Salmonella sepsis                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A02.20 | Localized salmonella infection, unspecified          |
| A02.21 | Salmonella meningitis                                |
| A02.22 | Salmonella pneumonia                                 |
| A02.23 | Salmonella arthritis                                 |
| A02.24 | Salmonella osteomyelitis                             |
| A02.25 | Salmonella pyelonephritis                            |
| A02.29 | Salmonella with other localized infection            |
| A02.8  | Other specified salmonella infections                |
| A02.9  | Salmonella infection, unspecified                    |
| A41.9  | Sepsis, unspecified organism                         |
| A91    | Dengue hemorrhagic fever                             |
| A92.0  | Chikungunya virus disease                            |
| A95.0  | Sylvatic yellow fever                                |
| A95.1  | Urban yellow fever                                   |
| A95.9  | Yellow fever, unspecified                            |
| A96.0  | Junin hemorrhagic fever                              |
| A96.1  | Machupo hemorrhagic fever                            |
| A96.8  | Other arenaviral hemorrhagic fevers                  |
| A96.9  | Arenaviral hemorrhagic fever, unspecified            |
| A98.0  | Crimean-Congo hemorrhagic fever                      |
| A98.1  | Omsk hemorrhagic fever                               |
| A98.2  | Kyasanur Forest disease                              |
| A98.5  | Hemorrhagic fever with renal syndrome                |
| A98.8  | Other specified viral hemorrhagic fevers             |
| A99    | Unspecified viral hemorrhagic fever                  |
| B15.0  | Hepatitis A with hepatic coma                        |
| B15.9  | Hepatitis A without hepatic coma                     |
| B16.0  | Acute hepatitis B with delta-agent with hepatic coma |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| B16.1  | Acute hepatitis B with delta-agent without hepatic coma        |
| B16.2  | Acute hepatitis B without delta-agent with hepatic coma        |
| B16.9  | Acute hepatitis B without delta-agent and without hepatic coma |
| B17.0  | Acute delta-(super) infection of hepatitis B carrier           |
| B17.10 | Acute hepatitis C without hepatic coma                         |
| B17.11 | Acute hepatitis C with hepatic coma                            |
| B17.2  | Acute hepatitis E  |
| B17.8  | Other specified acute viral hepatitis                          |
| B17.9  | Acute viral hepatitis, unspecified                             |
| B18.0  | Chronic viral hepatitis B with delta-agent                     |
| B18.1  | Chronic viral hepatitis B without delta-agent                  |
| B18.2  | Chronic viral hepatitis C                                      |
| B18.8  | Other chronic viral hepatitis                                  |
| B18.9  | Chronic viral hepatitis, unspecified                           |
| B19.0  | Unspecified viral hepatitis with hepatic coma                  |
| B19.10 | Unspecified viral hepatitis B without hepatic coma             |
| B19.11 | Unspecified viral hepatitis B with hepatic coma                |
| B19.20 | Unspecified viral hepatitis C without hepatic coma             |
| B19.21 | Unspecified viral hepatitis C with hepatic coma                |
| B19.9  | Unspecified viral hepatitis without hepatic coma               |
| B20    | Human immunodeficiency virus [HIV] disease                     |
| B25.1  | Cytomegaloviral hepatitis                                      |
| B25.2  | Cytomegaloviral pancreatitis                                   |
| B27.00 | Gammaherpesviral mononucleosis without complication            |
| B27.01 | Gammaherpesviral mononucleosis with polyneuropathy             |
| B27.02 | Gammaherpesviral mononucleosis with meningitis                 |
| B27.09 | Gammaherpesviral mononucleosis with other complications        |
| B27.10 | Cytomegaloviral mononucleosis without complications            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| B27.11   | Cytomegaloviral mononucleosis with polyneuropathy                         |
| B27.12   | Cytomegaloviral mononucleosis with meningitis                             |
| B27.19   | Cytomegaloviral mononucleosis with other complication                     |
| B27.80   | Other infectious mononucleosis without complication                       |
| B27.81   | Other infectious mononucleosis with polyneuropathy                        |
| B27.82   | Other infectious mononucleosis with meningitis                            |
| B27.89   | Other infectious mononucleosis with other complication                    |
| B27.90   | Infectious mononucleosis, unspecified without complication                |
| B27.91   | Infectious mononucleosis, unspecified with polyneuropathy                 |
| B27.92   | Infectious mononucleosis, unspecified with meningitis                     |
| B27.99   | Infectious mononucleosis, unspecified with other complication             |
| B52.0    | Plasmodium malariae malaria with nephropathy                              |
| B65.0    | Schistosomiasis due to Schistosoma haematobium [urinary schistosomiasis]  |
| B66.1    | Clonorchiasis   |
| B66.3    | Fascioliasis  |
| B75      | Trichinellosis  |
| C22.0    | Liver cell carcinoma  |
| C22.1    | Intrahepatic bile duct carcinoma  |
| C22.2    | Hepatoblastoma  |
| C22.3    | Angiosarcoma of liver   |
| C22.4    | Other sarcomas of liver   |
| C22.7    | Other specified carcinomas of liver                                       |
| C22.8    | Malignant neoplasm of liver, primary, unspecified as to type              |
| C22.9    | Malignant neoplasm of liver, not specified as primary or secondary        |
| C44.1321 | Sebaceous cell carcinoma of skin of right upper eyelid, including canthus |
| C44.1322 | Sebaceous cell carcinoma of skin of right lower eyelid, including canthus |
| C44.1391 | Sebaceous cell carcinoma of skin of left upper eyelid, including canthus  |
| C44.1392 | Sebaceous cell carcinoma of skin of left lower eyelid, including canthus  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C78.7  | Secondary malignant neoplasm of liver and intrahepatic bile duct                              |
| C88.0  | Waldenstrom macroglobulinemia   |
| C88.8  | Other malignant immunoproliferative diseases  |
| C94.40 | Acute panmyelosis with myelofibrosis not having achieved remission                            |
| C94.41 | Acute panmyelosis with myelofibrosis, in remission  |
| C94.42 | Acute panmyelosis with myelofibrosis, in relapse  |
| C94.6  | Myelodysplastic disease, not classified   |
| D45    | Polycythemia vera   |
| D46.0  | Refractory anemia without ring sideroblasts, so stated  |
| D46.1  | Refractory anemia with ring sideroblasts  |
| D46.20 | Refractory anemia with excess of blasts, unspecified  |
| D46.21 | Refractory anemia with excess of blasts 1   |
| D46.22 | Refractory anemia with excess of blasts 2   |
| D46.4  | Refractory anemia, unspecified  |
| D46.9  | Myelodysplastic syndrome, unspecified   |
| D46.A  | Refractory cytopenia with multilineage dysplasia  |
| D46.B  | Refractory cytopenia with multilineage dysplasia and ring sideroblasts                        |
| D46.C  | Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality                        |
| D46.Z  | Other myelodysplastic syndromes   |
| D47.1  | Chronic myeloproliferative disease  |
| D47.2  | Monoclonal gammopathy   |
| D47.3  | Essential (hemorrhagic) thrombocythemia   |
| D47.9  | Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified     |
| D47.Z1 | Post-transplant lymphoproliferative disorder (PTLD)   |
| D47.Z2 | Castleman disease   |
| D47.Z9 | Other specified neoplasms of uncertain behavior of lymphoid, hematopoietic and related tissue |
| D49.9  | Neoplasm of unspecified behavior of unspecified site  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D62     | Acute posthemorrhagic anemia  |
| D65     | Disseminated intravascular coagulation [defibrination syndrome]                                   |
| D66     | Hereditary factor VIII deficiency   |
| D67     | Hereditary factor IX deficiency   |
| D68.0   | Von Willebrand's disease  |
| D68.1   | Hereditary factor XI deficiency   |
| D68.2   | Hereditary deficiency of other clotting factors   |
| D68.311 | Acquired hemophilia   |
| D68.312 | Antiphospholipid antibody with hemorrhagic disorder   |
| D68.318 | Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors |
| D68.32  | Hemorrhagic disorder due to extrinsic circulating anticoagulants                                  |
| D68.4   | Acquired coagulation factor deficiency  |
| D68.51  | Activated protein C resistance  |
| D68.52  | Prothrombin gene mutation   |
| D68.59  | Other primary thrombophilia   |
| D68.61  | Antiphospholipid syndrome   |
| D68.62  | Lupus anticoagulant syndrome  |
| D68.8   | Other specified coagulation defects   |
| D68.9   | Coagulation defect, unspecified   |
| D69.0   | Allergic purpura  |
| D69.1   | Qualitative platelet defects  |
| D69.2   | Other nonthrombocytopenic purpura   |
| D69.3   | Immune thrombocytopenic purpura   |
| D69.41  | Evans syndrome  |
| D69.42  | Congenital and hereditary thrombocytopenia purpura  |
| D69.49  | Other primary thrombocytopenia  |
| D69.51  | Posttransfusion purpura   |
| D69.59  | Other secondary thrombocytopenia  |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D69.6   | Thrombocytopenia, unspecified   |
| D69.8   | Other specified hemorrhagic conditions  |
| D69.9   | Hemorrhagic condition, unspecified  |
| D75.1   | Secondary polycythemia  |
| D78.01  | Intraoperative hemorrhage and hematoma of the spleen complicating a procedure on the spleen |
| D78.02  | Intraoperative hemorrhage and hematoma of the spleen complicating other procedure           |
| D78.21  | Postprocedural hemorrhage of the spleen following a procedure on the spleen                 |
| D78.22  | Postprocedural hemorrhage of the spleen following other procedure                           |
| D78.31  | Postprocedural hematoma of the spleen following a procedure on the spleen                   |
| D78.32  | Postprocedural hematoma of the spleen following other procedure                             |
| D86.0   | Sarcoidosis of lung   |
| D86.1   | Sarcoidosis of lymph nodes  |
| D86.2   | Sarcoidosis of lung with sarcoidosis of lymph nodes   |
| D86.3   | Sarcoidosis of skin   |
| D86.81  | Sarcoid meningitis  |
| D86.82  | Multiple cranial nerve palsies in sarcoidosis   |
| D86.83  | Sarcoid iridocyclitis   |
| D86.84  | Sarcoid pyelonephritis  |
| D86.85  | Sarcoid myocarditis   |
| D86.86  | Sarcoid arthropathy   |
| D86.87  | Sarcoid myositis  |
| D86.89  | Sarcoidosis of other sites  |
| D86.9   | Sarcoidosis, unspecified  |
| D89.0   | Polyclonal hypergammaglobulinemia   |
| D89.1   | Cryoglobulinemia  |
| D89.2   | Hypergammaglobulinemia, unspecified   |
| D89.831 | Cytokine release syndrome, grade 1  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D89.832 | Cytokine release syndrome, grade 2  |
| D89.833 | Cytokine release syndrome, grade 3  |
| D89.834 | Cytokine release syndrome, grade 4  |
| D89.835 | Cytokine release syndrome, grade 5  |
| D89.839 | Cytokine release syndrome, grade unspecified  |
| E07.89  | Other specified disorders of thyroid  |
| E08.21  | Diabetes mellitus due to underlying condition with diabetic nephropathy                         |
| E08.22  | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease              |
| E08.29  | Diabetes mellitus due to underlying condition with other diabetic kidney complication           |
| E08.52  | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene |
| E08.65  | Diabetes mellitus due to underlying condition with hyperglycemia                                |
| E09.21  | Drug or chemical induced diabetes mellitus with diabetic nephropathy                            |
| E09.22  | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease                 |
| E09.29  | Drug or chemical induced diabetes mellitus with other diabetic kidney complication              |
| E09.52  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene    |
| E10.21  | Type 1 diabetes mellitus with diabetic nephropathy  |
| E10.22  | Type 1 diabetes mellitus with diabetic chronic kidney disease                                   |
| E10.29  | Type 1 diabetes mellitus with other diabetic kidney complication                                |
| E10.52  | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                      |
| E10.65  | Type 1 diabetes mellitus with hyperglycemia   |
| E11.21  | Type 2 diabetes mellitus with diabetic nephropathy  |
| E11.22  | Type 2 diabetes mellitus with diabetic chronic kidney disease                                   |
| E11.29  | Type 2 diabetes mellitus with other diabetic kidney complication                                |
| E11.52  | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene                      |
| E11.65  | Type 2 diabetes mellitus with hyperglycemia   |
| E13.21  | Other specified diabetes mellitus with diabetic nephropathy                                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E13.22  | Other specified diabetes mellitus with diabetic chronic kidney disease  |
| E13.29  | Other specified diabetes mellitus with other diabetic kidney complication   |
| E13.52  | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene   |
| E20.1   | Pseudohypoparathyroidism  |
| E36.01  | Intraoperative hemorrhage and hematoma of an endocrine system organ or structure complicating an endocrine system procedure |
| E36.02  | Intraoperative hemorrhage and hematoma of an endocrine system organ or structure complicating other procedure               |
| E56.1   | Deficiency of vitamin K   |
| E75.26  | Sulfatase deficiency  |
| E80.0   | Hereditary erythropoietic porphyria   |
| E80.1   | Porphyria cutanea tarda   |
| E80.20  | Unspecified porphyria   |
| E80.21  | Acute intermittent (hepatic) porphyria  |
| E80.29  | Other porphyria   |
| E83.00  | Disorder of copper metabolism, unspecified  |
| E83.01  | Wilson's disease  |
| E83.09  | Other disorders of copper metabolism  |
| E83.10  | Disorder of iron metabolism, unspecified  |
| E83.110 | Hereditary hemochromatosis  |
| E83.111 | Hemochromatosis due to repeated red blood cell transfusions   |
| E83.118 | Other hemochromatosis   |
| E83.119 | Hemochromatosis, unspecified  |
| E83.19  | Other disorders of iron metabolism  |
| E83.30  | Disorder of phosphorus metabolism, unspecified  |
| E83.31  | Familial hypophosphatemia   |
| E83.32  | Hereditary vitamin D-dependent rickets (type 1) (type 2)  |
| E83.39  | Other disorders of phosphorus metabolism  |
| E83.40  | Disorders of magnesium metabolism, unspecified  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E83.41  | Hypermagnesemia   |
| E83.42  | Hypomagnesemia  |
| E83.49  | Other disorders of magnesium metabolism   |
| E83.50  | Unspecified disorder of calcium metabolism  |
| E83.51  | Hypocalcemia  |
| E83.52  | Hypercalcemia   |
| E83.59  | Other disorders of calcium metabolism   |
| E83.81  | Hungry bone syndrome  |
| E83.89  | Other disorders of mineral metabolism   |
| E83.9   | Disorder of mineral metabolism, unspecified   |
| E85.0   | Non-neuropathic heredofamilial amyloidosis  |
| E85.1   | Neuropathic heredofamilial amyloidosis  |
| E85.2   | Heredofamilial amyloidosis, unspecified   |
| E85.3   | Secondary systemic amyloidosis  |
| E85.4   | Organ-limited amyloidosis   |
| E85.81  | Light chain (AL) amyloidosis  |
| E85.82  | Wild-type transthyretin-related (ATTR) amyloidosis  |
| E85.89  | Other amyloidosis   |
| E85.9   | Amyloidosis, unspecified  |
| E88.02  | Plasminogen deficiency  |
| E88.09  | Other disorders of plasma-protein metabolism, not elsewhere classified                                      |
| E89.810 | Postprocedural hemorrhage of an endocrine system organ or structure following an endocrine system procedure |
| E89.811 | Postprocedural hemorrhage of an endocrine system organ or structure following other procedure               |
| E89.820 | Postprocedural hematoma of an endocrine system organ or structure following an endocrine system procedure   |
| E89.821 | Postprocedural hematoma of an endocrine system organ or structure following other procedure                 |
| G08     | Intracranial and intraspinal phlebitis and thrombophlebitis   |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| G45.3   | Amaurosis fugax   |
| G45.9   | Transient cerebral ischemic attack, unspecified   |
| G96.00  | Cerebrospinal fluid leak, unspecified   |
| G96.01  | Cranial cerebrospinal fluid leak, spontaneous   |
| G96.02  | Spinal cerebrospinal fluid leak, spontaneous  |
| G96.08  | Other cranial cerebrospinal fluid leak  |
| G96.09  | Other spinal cerebrospinal fluid leak   |
| G96.191 | Perineural cyst   |
| G96.198 | Other disorders of meninges, not elsewhere classified   |
| G96.810 | Intracranial hypotension, unspecified   |
| G96.811 | Intracranial hypotension, spontaneous   |
| G96.819 | Other intracranial hypotension  |
| G96.89  | Other specified disorders of central nervous system   |
| G97.31  | Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system procedure |
| G97.32  | Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other procedure            |
| G97.51  | Postprocedural hemorrhage of a nervous system organ or structure following a nervous system procedure                 |
| G97.52  | Postprocedural hemorrhage of a nervous system organ or structure following other procedure                            |
| G97.61  | Postprocedural hematoma of a nervous system organ or structure following a nervous system procedure                   |
| G97.62  | Postprocedural hematoma of a nervous system organ or structure following other procedure                              |
| G97.83  | Intracranial hypotension following lumbar cerebrospinal fluid shunting  |
| G97.84  | Intracranial hypotension following other procedure  |
| H02.881 | Meibomian gland dysfunction right upper eyelid  |
| H02.882 | Meibomian gland dysfunction right lower eyelid  |
| H02.89  | Other specified disorders of eyelid   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H05.231 | Hemorrhage of right orbit                           |
| H05.232 | Hemorrhage of left orbit                            |
| H05.233 | Hemorrhage of bilateral orbit                       |
| H05.239 | Hemorrhage of unspecified orbit                     |
| H10.821 | Rosacea conjunctivitis, right eye                   |
| H10.822 | Rosacea conjunctivitis, left eye                    |
| H10.823 | Rosacea conjunctivitis, bilateral                   |
| H11.30  | Conjunctival hemorrhage, unspecified eye            |
| H11.31  | Conjunctival hemorrhage, right eye                  |
| H11.32  | Conjunctival hemorrhage, left eye                   |
| H11.33  | Conjunctival hemorrhage, bilateral                  |
| H31.301 | Unspecified choroidal hemorrhage, right eye         |
| H31.302 | Unspecified choroidal hemorrhage, left eye          |
| H31.303 | Unspecified choroidal hemorrhage, bilateral         |
| H31.309 | Unspecified choroidal hemorrhage, unspecified eye   |
| H31.311 | Expulsive choroidal hemorrhage, right eye           |
| H31.312 | Expulsive choroidal hemorrhage, left eye            |
| H31.313 | Expulsive choroidal hemorrhage, bilateral           |
| H31.319 | Expulsive choroidal hemorrhage, unspecified eye     |
| H31.321 | Choroidal rupture, right eye                        |
| H31.322 | Choroidal rupture, left eye                         |
| H31.323 | Choroidal rupture, bilateral                        |
| H31.329 | Choroidal rupture, unspecified eye                  |
| H31.411 | Hemorrhagic choroidal detachment, right eye         |
| H31.412 | Hemorrhagic choroidal detachment, left eye          |
| H31.413 | Hemorrhagic choroidal detachment, bilateral         |
| H31.419 | Hemorrhagic choroidal detachment, unspecified eye   |
| H34.00  | Transient retinal artery occlusion, unspecified eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| H34.01   | Transient retinal artery occlusion, right eye                                    |
| H34.02   | Transient retinal artery occlusion, left eye                                     |
| H34.03   | Transient retinal artery occlusion, bilateral                                    |
| H34.10   | Central retinal artery occlusion, unspecified eye                                |
| H34.11   | Central retinal artery occlusion, right eye                                      |
| H34.12   | Central retinal artery occlusion, left eye                                       |
| H34.13   | Central retinal artery occlusion, bilateral                                      |
| H34.211  | Partial retinal artery occlusion, right eye                                      |
| H34.212  | Partial retinal artery occlusion, left eye                                       |
| H34.213  | Partial retinal artery occlusion, bilateral                                      |
| H34.219  | Partial retinal artery occlusion, unspecified eye                                |
| H34.231  | Retinal artery branch occlusion, right eye                                       |
| H34.232  | Retinal artery branch occlusion, left eye  |
| H34.233  | Retinal artery branch occlusion, bilateral                                       |
| H34.239  | Retinal artery branch occlusion, unspecified eye                                 |
| H34.8110 | Central retinal vein occlusion, right eye, with macular edema                    |
| H34.8111 | Central retinal vein occlusion, right eye, with retinal neovascularization       |
| H34.8112 | Central retinal vein occlusion, right eye, stable                                |
| H34.8120 | Central retinal vein occlusion, left eye, with macular edema                     |
| H34.8121 | Central retinal vein occlusion, left eye, with retinal neovascularization        |
| H34.8122 | Central retinal vein occlusion, left eye, stable                                 |
| H34.8130 | Central retinal vein occlusion, bilateral, with macular edema                    |
| H34.8131 | Central retinal vein occlusion, bilateral, with retinal neovascularization       |
| H34.8132 | Central retinal vein occlusion, bilateral, stable                                |
| H34.8190 | Central retinal vein occlusion, unspecified eye, with macular edema              |
| H34.8191 | Central retinal vein occlusion, unspecified eye, with retinal neovascularization |
| H34.8192 | Central retinal vein occlusion, unspecified eye, stable                          |
| H34.821  | Venous engorgement, right eye  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| H34.822  | Venous engorgement, left eye  |
| H34.823  | Venous engorgement, bilateral   |
| H34.829  | Venous engorgement, unspecified eye   |
| H34.8310 | Tributary (branch) retinal vein occlusion, right eye, with macular edema                    |
| H34.8311 | Tributary (branch) retinal vein occlusion, right eye, with retinal neovascularization       |
| H34.8312 | Tributary (branch) retinal vein occlusion, right eye, stable                                |
| H34.8320 | Tributary (branch) retinal vein occlusion, left eye, with macular edema                     |
| H34.8321 | Tributary (branch) retinal vein occlusion, left eye, with retinal neovascularization        |
| H34.8322 | Tributary (branch) retinal vein occlusion, left eye, stable                                 |
| H34.8330 | Tributary (branch) retinal vein occlusion, bilateral, with macular edema                    |
| H34.8331 | Tributary (branch) retinal vein occlusion, bilateral, with retinal neovascularization       |
| H34.8332 | Tributary (branch) retinal vein occlusion, bilateral, stable                                |
| H34.8390 | Tributary (branch) retinal vein occlusion, unspecified eye, with macular edema              |
| H34.8391 | Tributary (branch) retinal vein occlusion, unspecified eye, with retinal neovascularization |
| H34.8392 | Tributary (branch) retinal vein occlusion, unspecified eye, stable                          |
| H34.9    | Unspecified retinal vascular occlusion  |
| H35.60   | Retinal hemorrhage, unspecified eye   |
| H35.61   | Retinal hemorrhage, right eye   |
| H35.62   | Retinal hemorrhage, left eye  |
| H35.63   | Retinal hemorrhage, bilateral   |
| H35.731  | Hemorrhagic detachment of retinal pigment epithelium, right eye                             |
| H35.732  | Hemorrhagic detachment of retinal pigment epithelium, left eye                              |
| H35.733  | Hemorrhagic detachment of retinal pigment epithelium, bilateral                             |
| H35.739  | Hemorrhagic detachment of retinal pigment epithelium, unspecified eye                       |
| H43.10   | Vitreous hemorrhage, unspecified eye  |
| H43.11   | Vitreous hemorrhage, right eye  |
| H43.12   | Vitreous hemorrhage, left eye   |
| H43.13   | Vitreous hemorrhage, bilateral  |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H44.2E1 | Degenerative myopia with other maculopathy, right eye   |
| H44.2E2 | Degenerative myopia with other maculopathy, left eye  |
| H44.2E3 | Degenerative myopia with other maculopathy, bilateral eye   |
| H44.811 | Hemophthalmos, right eye  |
| H44.812 | Hemophthalmos, left eye   |
| H44.813 | Hemophthalmos, bilateral  |
| H44.819 | Hemophthalmos, unspecified eye  |
| H47.021 | Hemorrhage in optic nerve sheath, right eye   |
| H47.022 | Hemorrhage in optic nerve sheath, left eye  |
| H47.023 | Hemorrhage in optic nerve sheath, bilateral   |
| H47.029 | Hemorrhage in optic nerve sheath, unspecified eye   |
| H53.9   | Unspecified visual disturbance  |
| H55.82  | Deficient smooth pursuit eye movements  |
| H59.111 | Intraoperative hemorrhage and hematoma of right eye and adnexa complicating an ophthalmic procedure       |
| H59.112 | Intraoperative hemorrhage and hematoma of left eye and adnexa complicating an ophthalmic procedure        |
| H59.113 | Intraoperative hemorrhage and hematoma of eye and adnexa complicating an ophthalmic procedure, bilateral  |
| H59.119 | Intraoperative hemorrhage and hematoma of unspecified eye and adnexa complicating an ophthalmic procedure |
| H59.121 | Intraoperative hemorrhage and hematoma of right eye and adnexa complicating other procedure               |
| H59.122 | Intraoperative hemorrhage and hematoma of left eye and adnexa complicating other procedure                |
| H59.123 | Intraoperative hemorrhage and hematoma of eye and adnexa complicating other procedure, bilateral          |
| H59.129 | Intraoperative hemorrhage and hematoma of unspecified eye and adnexa complicating other procedure         |
| H59.311 | Postprocedural hemorrhage of right eye and adnexa following an ophthalmic procedure                       |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H59.312 | Postprocedural hemorrhage of left eye and adnexa following an ophthalmic procedure  |
| H59.313 | Postprocedural hemorrhage of eye and adnexa following an ophthalmic procedure, bilateral                                  |
| H59.319 | Postprocedural hemorrhage of unspecified eye and adnexa following an ophthalmic procedure                                 |
| H59.321 | Postprocedural hemorrhage of right eye and adnexa following other procedure   |
| H59.322 | Postprocedural hemorrhage of left eye and adnexa following other procedure  |
| H59.323 | Postprocedural hemorrhage of eye and adnexa following other procedure, bilateral  |
| H59.329 | Postprocedural hemorrhage of unspecified eye and adnexa following other procedure   |
| H59.331 | Postprocedural hematoma of right eye and adnexa following an ophthalmic procedure   |
| H59.332 | Postprocedural hematoma of left eye and adnexa following an ophthalmic procedure  |
| H59.333 | Postprocedural hematoma of eye and adnexa following an ophthalmic procedure, bilateral                                    |
| H59.339 | Postprocedural hematoma of unspecified eye and adnexa following an ophthalmic procedure                                   |
| H59.341 | Postprocedural hematoma of right eye and adnexa following other procedure   |
| H59.342 | Postprocedural hematoma of left eye and adnexa following other procedure  |
| H59.343 | Postprocedural hematoma of eye and adnexa following other procedure, bilateral  |
| H59.349 | Postprocedural hematoma of unspecified eye and adnexa following other procedure   |
| H61.121 | Hematoma of pinna, right ear  |
| H61.122 | Hematoma of pinna, left ear   |
| H61.123 | Hematoma of pinna, bilateral  |
| H61.129 | Hematoma of pinna, unspecified ear  |
| H95.21  | Intraoperative hemorrhage and hematoma of ear and mastoid process complicating a procedure on the ear and mastoid process |
| H95.22  | Intraoperative hemorrhage and hematoma of ear and mastoid process complicating other procedure                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| H95.41 | Postprocedural hemorrhage of ear and mastoid process following a procedure on the ear and mastoid process                            |
| H95.42 | Postprocedural hemorrhage of ear and mastoid process following other procedure   |
| H95.51 | Postprocedural hematoma of ear and mastoid process following a procedure on the ear and mastoid process                              |
| H95.52 | Postprocedural hematoma of ear and mastoid process following other procedure   |
| I12.0  | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease                                   |
| I13.11 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease |
| I16.0  | Hypertensive urgency   |
| I16.1  | Hypertensive emergency   |
| I16.9  | Hypertensive crisis, unspecified   |
| I21.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery   |
| I21.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery  |
| I21.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall  |
| I21.11 | ST elevation (STEMI) myocardial infarction involving right coronary artery   |
| I21.19 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall  |
| I21.21 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery   |
| I21.29 | ST elevation (STEMI) myocardial infarction involving other sites   |
| I21.3  | ST elevation (STEMI) myocardial infarction of unspecified site   |
| I21.4  | Non-ST elevation (NSTEMI) myocardial infarction  |
| I21.9  | Acute myocardial infarction, unspecified   |
| I21.A1 | Myocardial infarction type 2   |
| I21.A9 | Other myocardial infarction type   |
| I22.0  | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall   |
| I22.1  | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| I22.2  | Subsequent non-ST elevation (NSTEMI) myocardial infarction  |
| I22.8  | Subsequent ST elevation (STEMI) myocardial infarction of other sites  |
| I22.9  | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site   |
| I23.0  | Hemopericardium as current complication following acute myocardial infarction   |
| I23.3  | Rupture of cardiac wall without hemopericardium as current complication following acute myocardial infarction           |
| I23.6  | Thrombosis of atrium, auricular appendage, and ventricle as current complications following acute myocardial infarction |
| I23.7  | Postinfarction angina   |
| I23.8  | Other current complications following acute myocardial infarction   |
| I27.83 | Eisenmenger's syndrome  |
| I31.2  | Hemopericardium, not elsewhere classified   |
| I48.0  | Paroxysmal atrial fibrillation  |
| I48.11 | Longstanding persistent atrial fibrillation   |
| I48.19 | Other persistent atrial fibrillation  |
| I48.20 | Chronic atrial fibrillation, unspecified  |
| I48.21 | Permanent atrial fibrillation   |
| I48.91 | Unspecified atrial fibrillation   |
| I49.9  | Cardiac arrhythmia, unspecified   |
| I50.20 | Unspecified systolic (congestive) heart failure   |
| I50.21 | Acute systolic (congestive) heart failure   |
| I50.22 | Chronic systolic (congestive) heart failure   |
| I50.23 | Acute on chronic systolic (congestive) heart failure  |
| I50.30 | Unspecified diastolic (congestive) heart failure  |
| I50.31 | Acute diastolic (congestive) heart failure  |
| I50.32 | Chronic diastolic (congestive) heart failure  |
| I50.33 | Acute on chronic diastolic (congestive) heart failure   |
| I50.40 | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure                                     |
| I50.41 | Acute combined systolic (congestive) and diastolic (congestive) heart failure   |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| I50.42 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure          |
| I50.43 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| I50.9  | Heart failure, unspecified   |
| I60.00 | Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation     |
| I60.01 | Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation           |
| I60.02 | Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation            |
| I60.10 | Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery             |
| I60.11 | Nontraumatic subarachnoid hemorrhage from right middle cerebral artery                   |
| I60.12 | Nontraumatic subarachnoid hemorrhage from left middle cerebral artery                    |
| I60.2  | Nontraumatic subarachnoid hemorrhage from anterior communicating artery                  |
| I60.30 | Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery     |
| I60.31 | Nontraumatic subarachnoid hemorrhage from right posterior communicating artery           |
| I60.32 | Nontraumatic subarachnoid hemorrhage from left posterior communicating artery            |
| I60.4  | Nontraumatic subarachnoid hemorrhage from basilar artery                                 |
| I60.50 | Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery                   |
| I60.51 | Nontraumatic subarachnoid hemorrhage from right vertebral artery                         |
| I60.52 | Nontraumatic subarachnoid hemorrhage from left vertebral artery                          |
| I60.6  | Nontraumatic subarachnoid hemorrhage from other intracranial arteries                    |
| I60.7  | Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery                |
| I60.8  | Other nontraumatic subarachnoid hemorrhage   |
| I60.9  | Nontraumatic subarachnoid hemorrhage, unspecified  |
| I61.0  | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical                         |
| I61.1  | Nontraumatic intracerebral hemorrhage in hemisphere, cortical                            |
| I61.2  | Nontraumatic intracerebral hemorrhage in hemisphere, unspecified                         |
| I61.3  | Nontraumatic intracerebral hemorrhage in brain stem                                      |
| I61.4  | Nontraumatic intracerebral hemorrhage in cerebellum                                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I61.5   | Nontraumatic intracerebral hemorrhage, intraventricular                 |
| I61.6   | Nontraumatic intracerebral hemorrhage, multiple localized               |
| I61.8   | Other nontraumatic intracerebral hemorrhage                             |
| I61.9   | Nontraumatic intracerebral hemorrhage, unspecified                      |
| I62.00  | Nontraumatic subdural hemorrhage, unspecified                           |
| I62.01  | Nontraumatic acute subdural hemorrhage                                  |
| I62.02  | Nontraumatic subacute subdural hemorrhage                               |
| I62.03  | Nontraumatic chronic subdural hemorrhage                                |
| I62.1   | Nontraumatic extradural hemorrhage                                      |
| I62.9   | Nontraumatic intracranial hemorrhage, unspecified                       |
| I63.00  | Cerebral infarction due to thrombosis of unspecified precerebral artery |
| I63.011 | Cerebral infarction due to thrombosis of right vertebral artery         |
| I63.012 | Cerebral infarction due to thrombosis of left vertebral artery          |
| I63.013 | Cerebral infarction due to thrombosis of bilateral vertebral arteries   |
| I63.019 | Cerebral infarction due to thrombosis of unspecified vertebral artery   |
| I63.02  | Cerebral infarction due to thrombosis of basilar artery                 |
| I63.031 | Cerebral infarction due to thrombosis of right carotid artery           |
| I63.032 | Cerebral infarction due to thrombosis of left carotid artery            |
| I63.033 | Cerebral infarction due to thrombosis of bilateral carotid arteries     |
| I63.039 | Cerebral infarction due to thrombosis of unspecified carotid artery     |
| I63.09  | Cerebral infarction due to thrombosis of other precerebral artery       |
| I63.10  | Cerebral infarction due to embolism of unspecified precerebral artery   |
| I63.111 | Cerebral infarction due to embolism of right vertebral artery           |
| I63.112 | Cerebral infarction due to embolism of left vertebral artery            |
| I63.113 | Cerebral infarction due to embolism of bilateral vertebral arteries     |
| I63.119 | Cerebral infarction due to embolism of unspecified vertebral artery     |
| I63.12  | Cerebral infarction due to embolism of basilar artery                   |
| I63.131 | Cerebral infarction due to embolism of right carotid artery             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I63.132 | Cerebral infarction due to embolism of left carotid artery                                       |
| I63.133 | Cerebral infarction due to embolism of bilateral carotid arteries                                |
| I63.139 | Cerebral infarction due to embolism of unspecified carotid artery                                |
| I63.19  | Cerebral infarction due to embolism of other precerebral artery                                  |
| I63.20  | Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries |
| I63.211 | Cerebral infarction due to unspecified occlusion or stenosis of right vertebral artery           |
| I63.212 | Cerebral infarction due to unspecified occlusion or stenosis of left vertebral artery            |
| I63.213 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral arteries     |
| I63.219 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral artery     |
| I63.22  | Cerebral infarction due to unspecified occlusion or stenosis of basilar artery                   |
| I63.231 | Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries           |
| I63.232 | Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries            |
| I63.233 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries       |
| I63.239 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid artery       |
| I63.29  | Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries       |
| I63.30  | Cerebral infarction due to thrombosis of unspecified cerebral artery                             |
| I63.311 | Cerebral infarction due to thrombosis of right middle cerebral artery                            |
| I63.312 | Cerebral infarction due to thrombosis of left middle cerebral artery                             |
| I63.313 | Cerebral infarction due to thrombosis of bilateral middle cerebral arteries                      |
| I63.319 | Cerebral infarction due to thrombosis of unspecified middle cerebral artery                      |
| I63.321 | Cerebral infarction due to thrombosis of right anterior cerebral artery                          |
| I63.322 | Cerebral infarction due to thrombosis of left anterior cerebral artery                           |
| I63.323 | Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries                    |
| I63.329 | Cerebral infarction due to thrombosis of unspecified anterior cerebral artery                    |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I63.331 | Cerebral infarction due to thrombosis of right posterior cerebral artery                    |
| I63.332 | Cerebral infarction due to thrombosis of left posterior cerebral artery                     |
| I63.333 | Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries              |
| I63.339 | Cerebral infarction due to thrombosis of unspecified posterior cerebral artery              |
| I63.341 | Cerebral infarction due to thrombosis of right cerebellar artery                            |
| I63.342 | Cerebral infarction due to thrombosis of left cerebellar artery                             |
| I63.343 | Cerebral infarction due to thrombosis of bilateral cerebellar arteries                      |
| I63.349 | Cerebral infarction due to thrombosis of unspecified cerebellar artery                      |
| I63.39  | Cerebral infarction due to thrombosis of other cerebral artery                              |
| I63.40  | Cerebral infarction due to embolism of unspecified cerebral artery                          |
| I63.411 | Cerebral infarction due to embolism of right middle cerebral artery                         |
| I63.412 | Cerebral infarction due to embolism of left middle cerebral artery                          |
| I63.413 | Cerebral infarction due to embolism of bilateral middle cerebral arteries                   |
| I63.419 | Cerebral infarction due to embolism of unspecified middle cerebral artery                   |
| I63.421 | Cerebral infarction due to embolism of right anterior cerebral artery                       |
| I63.422 | Cerebral infarction due to embolism of left anterior cerebral artery                        |
| I63.423 | Cerebral infarction due to embolism of bilateral anterior cerebral arteries                 |
| I63.429 | Cerebral infarction due to embolism of unspecified anterior cerebral artery                 |
| I63.431 | Cerebral infarction due to embolism of right posterior cerebral artery                      |
| I63.432 | Cerebral infarction due to embolism of left posterior cerebral artery                       |
| I63.433 | Cerebral infarction due to embolism of bilateral posterior cerebral arteries                |
| I63.439 | Cerebral infarction due to embolism of unspecified posterior cerebral artery                |
| I63.441 | Cerebral infarction due to embolism of right cerebellar artery                              |
| I63.442 | Cerebral infarction due to embolism of left cerebellar artery                               |
| I63.443 | Cerebral infarction due to embolism of bilateral cerebellar arteries                        |
| I63.449 | Cerebral infarction due to embolism of unspecified cerebellar artery                        |
| I63.49  | Cerebral infarction due to embolism of other cerebral artery                                |
| I63.50  | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I63.511 | Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery          |
| I63.512 | Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery           |
| I63.513 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral arteries    |
| I63.519 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery    |
| I63.521 | Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery        |
| I63.522 | Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery         |
| I63.523 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior cerebral arteries  |
| I63.529 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery  |
| I63.531 | Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery       |
| I63.532 | Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery        |
| I63.533 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior cerebral arteries |
| I63.539 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery |
| I63.541 | Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery               |
| I63.542 | Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery                |
| I63.543 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries         |
| I63.549 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery         |
| I63.59  | Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery                 |
| I63.6   | Cerebral infarction due to cerebral venous thrombosis, nonpyogenic                                    |
| I63.81  | Other cerebral infarction due to occlusion or stenosis of small artery                                |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| I63.89 | Other cerebral infarction                                       |
| I63.9  | Cerebral infarction, unspecified                                |
| I65.01 | Occlusion and stenosis of right vertebral artery                |
| I65.02 | Occlusion and stenosis of left vertebral artery                 |
| I65.03 | Occlusion and stenosis of bilateral vertebral arteries          |
| I65.09 | Occlusion and stenosis of unspecified vertebral artery          |
| I65.1  | Occlusion and stenosis of basilar artery                        |
| I65.21 | Occlusion and stenosis of right carotid artery                  |
| I65.22 | Occlusion and stenosis of left carotid artery                   |
| I65.23 | Occlusion and stenosis of bilateral carotid arteries            |
| I65.29 | Occlusion and stenosis of unspecified carotid artery            |
| I65.8  | Occlusion and stenosis of other precerebral arteries            |
| I65.9  | Occlusion and stenosis of unspecified precerebral artery        |
| I66.01 | Occlusion and stenosis of right middle cerebral artery          |
| I66.02 | Occlusion and stenosis of left middle cerebral artery           |
| I66.03 | Occlusion and stenosis of bilateral middle cerebral arteries    |
| I66.09 | Occlusion and stenosis of unspecified middle cerebral artery    |
| I66.11 | Occlusion and stenosis of right anterior cerebral artery        |
| I66.12 | Occlusion and stenosis of left anterior cerebral artery         |
| I66.13 | Occlusion and stenosis of bilateral anterior cerebral arteries  |
| I66.19 | Occlusion and stenosis of unspecified anterior cerebral artery  |
| I66.21 | Occlusion and stenosis of right posterior cerebral artery       |
| I66.22 | Occlusion and stenosis of left posterior cerebral artery        |
| I66.23 | Occlusion and stenosis of bilateral posterior cerebral arteries |
| I66.29 | Occlusion and stenosis of unspecified posterior cerebral artery |
| I66.3  | Occlusion and stenosis of cerebellar arteries                   |
| I66.8  | Occlusion and stenosis of other cerebral arteries               |
| I66.9  | Occlusion and stenosis of unspecified cerebral artery           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I67.841     | Reversible cerebrovascular vasoconstriction syndrome   |
| I67.848     | Other cerebrovascular vasospasm and vasoconstriction   |
| I67.850     | Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy                     |
| I67.858     | Other hereditary cerebrovascular disease   |
| I70.361     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg             |
| I70.362     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg              |
| I70.363     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs        |
| I70.368     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity       |
| I70.369     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity |
| I70.461     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg                 |
| I70.462     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg                  |
| I70.463     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs            |
| I70.468     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity           |
| I70.469     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity     |
| I70.561     | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg        |
| I70.562     | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg         |
| I70.563     | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs   |
| I70.568     | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.569 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity |
| I70.661 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg                        |
| I70.662 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg                         |
| I70.663 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs                   |
| I70.668 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity                  |
| I70.669 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity            |
| I70.761 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg                        |
| I70.762 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg                         |
| I70.763 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs                   |
| I70.768 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity                  |
| I70.769 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity            |
| I73.01  | Raynaud's syndrome with gangrene  |
| I74.01  | Saddle embolus of abdominal aorta   |
| I74.09  | Other arterial embolism and thrombosis of abdominal aorta   |
| I74.10  | Embolism and thrombosis of unspecified parts of aorta   |
| I74.11  | Embolism and thrombosis of thoracic aorta   |
| I74.19  | Embolism and thrombosis of other parts of aorta   |
| I74.2   | Embolism and thrombosis of arteries of the upper extremities  |
| I74.3   | Embolism and thrombosis of arteries of the lower extremities  |
| I74.4   | Embolism and thrombosis of arteries of extremities, unspecified   |
| I74.5   | Embolism and thrombosis of iliac artery   |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I74.8   | Embolism and thrombosis of other arteries  |
| I74.9   | Embolism and thrombosis of unspecified artery  |
| I77.2   | Rupture of artery  |
| I78.0   | Hereditary hemorrhagic telangiectasia  |
| I80.00  | Phlebitis and thrombophlebitis of superficial vessels of unspecified lower extremity       |
| I80.01  | Phlebitis and thrombophlebitis of superficial vessels of right lower extremity             |
| I80.02  | Phlebitis and thrombophlebitis of superficial vessels of left lower extremity              |
| I80.03  | Phlebitis and thrombophlebitis of superficial vessels of lower extremities, bilateral      |
| I80.10  | Phlebitis and thrombophlebitis of unspecified femoral vein                                 |
| I80.11  | Phlebitis and thrombophlebitis of right femoral vein                                       |
| I80.12  | Phlebitis and thrombophlebitis of left femoral vein  |
| I80.13  | Phlebitis and thrombophlebitis of femoral vein, bilateral                                  |
| I80.201 | Phlebitis and thrombophlebitis of unspecified deep vessels of right lower extremity        |
| I80.202 | Phlebitis and thrombophlebitis of unspecified deep vessels of left lower extremity         |
| I80.203 | Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities, bilateral |
| I80.209 | Phlebitis and thrombophlebitis of unspecified deep vessels of unspecified lower extremity  |
| I80.211 | Phlebitis and thrombophlebitis of right iliac vein   |
| I80.212 | Phlebitis and thrombophlebitis of left iliac vein  |
| I80.213 | Phlebitis and thrombophlebitis of iliac vein, bilateral                                    |
| I80.219 | Phlebitis and thrombophlebitis of unspecified iliac vein                                   |
| I80.221 | Phlebitis and thrombophlebitis of right popliteal vein                                     |
| I80.222 | Phlebitis and thrombophlebitis of left popliteal vein                                      |
| I80.223 | Phlebitis and thrombophlebitis of popliteal vein, bilateral                                |
| I80.229 | Phlebitis and thrombophlebitis of unspecified popliteal vein                               |
| I80.231 | Phlebitis and thrombophlebitis of right tibial vein  |
| I80.232 | Phlebitis and thrombophlebitis of left tibial vein   |
| I80.233 | Phlebitis and thrombophlebitis of tibial vein, bilateral                                   |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I80.239 | Phlebitis and thrombophlebitis of unspecified tibial vein                             |
| I80.241 | Phlebitis and thrombophlebitis of right peroneal vein                                 |
| I80.242 | Phlebitis and thrombophlebitis of left peroneal vein                                  |
| I80.243 | Phlebitis and thrombophlebitis of peroneal vein, bilateral                            |
| I80.249 | Phlebitis and thrombophlebitis of unspecified peroneal vein                           |
| I80.251 | Phlebitis and thrombophlebitis of right calf muscular vein                            |
| I80.252 | Phlebitis and thrombophlebitis of left calf muscular vein                             |
| I80.253 | Phlebitis and thrombophlebitis of calf muscular vein, bilateral                       |
| I80.259 | Phlebitis and thrombophlebitis of unspecified calf muscular vein                      |
| I80.291 | Phlebitis and thrombophlebitis of other deep vessels of right lower extremity         |
| I80.292 | Phlebitis and thrombophlebitis of other deep vessels of left lower extremity          |
| I80.293 | Phlebitis and thrombophlebitis of other deep vessels of lower extremity, bilateral    |
| I80.299 | Phlebitis and thrombophlebitis of other deep vessels of unspecified lower extremity   |
| I80.3   | Phlebitis and thrombophlebitis of lower extremities, unspecified                      |
| I80.8   | Phlebitis and thrombophlebitis of other sites   |
| I80.9   | Phlebitis and thrombophlebitis of unspecified site                                    |
| I82.0   | Budd-Chiari syndrome  |
| I82.1   | Thrombophlebitis migrans  |
| I82.210 | Acute embolism and thrombosis of superior vena cava                                   |
| I82.211 | Chronic embolism and thrombosis of superior vena cava                                 |
| I82.220 | Acute embolism and thrombosis of inferior vena cava                                   |
| I82.221 | Chronic embolism and thrombosis of inferior vena cava                                 |
| I82.290 | Acute embolism and thrombosis of other thoracic veins                                 |
| I82.291 | Chronic embolism and thrombosis of other thoracic veins                               |
| I82.3   | Embolism and thrombosis of renal vein   |
| I82.401 | Acute embolism and thrombosis of unspecified deep veins of right lower extremity      |
| I82.402 | Acute embolism and thrombosis of unspecified deep veins of left lower extremity       |
| I82.403 | Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I82.409 | Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity |
| I82.411 | Acute embolism and thrombosis of right femoral vein                                    |
| I82.412 | Acute embolism and thrombosis of left femoral vein                                     |
| I82.413 | Acute embolism and thrombosis of femoral vein, bilateral                               |
| I82.419 | Acute embolism and thrombosis of unspecified femoral vein                              |
| I82.421 | Acute embolism and thrombosis of right iliac vein                                      |
| I82.422 | Acute embolism and thrombosis of left iliac vein                                       |
| I82.423 | Acute embolism and thrombosis of iliac vein, bilateral                                 |
| I82.429 | Acute embolism and thrombosis of unspecified iliac vein                                |
| I82.431 | Acute embolism and thrombosis of right popliteal vein                                  |
| I82.432 | Acute embolism and thrombosis of left popliteal vein                                   |
| I82.433 | Acute embolism and thrombosis of popliteal vein, bilateral                             |
| I82.439 | Acute embolism and thrombosis of unspecified popliteal vein                            |
| I82.441 | Acute embolism and thrombosis of right tibial vein                                     |
| I82.442 | Acute embolism and thrombosis of left tibial vein                                      |
| I82.443 | Acute embolism and thrombosis of tibial vein, bilateral                                |
| I82.449 | Acute embolism and thrombosis of unspecified tibial vein                               |
| I82.451 | Acute embolism and thrombosis of right peroneal vein                                   |
| I82.452 | Acute embolism and thrombosis of left peroneal vein                                    |
| I82.453 | Acute embolism and thrombosis of peroneal vein, bilateral                              |
| I82.459 | Acute embolism and thrombosis of unspecified peroneal vein                             |
| I82.461 | Acute embolism and thrombosis of right calf muscular vein                              |
| I82.462 | Acute embolism and thrombosis of left calf muscular vein                               |
| I82.463 | Acute embolism and thrombosis of calf muscular vein, bilateral                         |
| I82.469 | Acute embolism and thrombosis of unspecified calf muscular vein                        |
| I82.491 | Acute embolism and thrombosis of other specified deep vein of right lower extremity    |
| I82.492 | Acute embolism and thrombosis of other specified deep vein of left lower extremity     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.493 | Acute embolism and thrombosis of other specified deep vein of lower extremity, bilateral        |
| I82.499 | Acute embolism and thrombosis of other specified deep vein of unspecified lower extremity       |
| I82.4Y1 | Acute embolism and thrombosis of unspecified deep veins of right proximal lower extremity       |
| I82.4Y2 | Acute embolism and thrombosis of unspecified deep veins of left proximal lower extremity        |
| I82.4Y3 | Acute embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral  |
| I82.4Y9 | Acute embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity |
| I82.4Z1 | Acute embolism and thrombosis of unspecified deep veins of right distal lower extremity         |
| I82.4Z2 | Acute embolism and thrombosis of unspecified deep veins of left distal lower extremity          |
| I82.4Z3 | Acute embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral    |
| I82.4Z9 | Acute embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity   |
| I82.501 | Chronic embolism and thrombosis of unspecified deep veins of right lower extremity              |
| I82.502 | Chronic embolism and thrombosis of unspecified deep veins of left lower extremity               |
| I82.503 | Chronic embolism and thrombosis of unspecified deep veins of lower extremity, bilateral         |
| I82.509 | Chronic embolism and thrombosis of unspecified deep veins of unspecified lower extremity        |
| I82.511 | Chronic embolism and thrombosis of right femoral vein   |
| I82.512 | Chronic embolism and thrombosis of left femoral vein  |
| I82.513 | Chronic embolism and thrombosis of femoral vein, bilateral                                      |
| I82.519 | Chronic embolism and thrombosis of unspecified femoral vein                                     |
| I82.521 | Chronic embolism and thrombosis of right iliac vein   |
| I82.522 | Chronic embolism and thrombosis of left iliac vein  |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I82.523     | Chronic embolism and thrombosis of iliac vein, bilateral                                    |
| I82.529     | Chronic embolism and thrombosis of unspecified iliac vein                                   |
| I82.531     | Chronic embolism and thrombosis of right popliteal vein                                     |
| I82.532     | Chronic embolism and thrombosis of left popliteal vein                                      |
| I82.533     | Chronic embolism and thrombosis of popliteal vein, bilateral                                |
| I82.539     | Chronic embolism and thrombosis of unspecified popliteal vein                               |
| I82.541     | Chronic embolism and thrombosis of right tibial vein  |
| I82.542     | Chronic embolism and thrombosis of left tibial vein   |
| I82.543     | Chronic embolism and thrombosis of tibial vein, bilateral                                   |
| I82.549     | Chronic embolism and thrombosis of unspecified tibial vein                                  |
| I82.551     | Chronic embolism and thrombosis of right peroneal vein                                      |
| I82.552     | Chronic embolism and thrombosis of left peroneal vein                                       |
| I82.553     | Chronic embolism and thrombosis of peroneal vein, bilateral                                 |
| I82.559     | Chronic embolism and thrombosis of unspecified peroneal vein                                |
| I82.561     | Chronic embolism and thrombosis of right calf muscular vein                                 |
| I82.562     | Chronic embolism and thrombosis of left calf muscular vein                                  |
| I82.563     | Chronic embolism and thrombosis of calf muscular vein, bilateral                            |
| I82.569     | Chronic embolism and thrombosis of unspecified calf muscular vein                           |
| I82.591     | Chronic embolism and thrombosis of other specified deep vein of right lower extremity       |
| I82.592     | Chronic embolism and thrombosis of other specified deep vein of left lower extremity        |
| I82.593     | Chronic embolism and thrombosis of other specified deep vein of lower extremity, bilateral  |
| I82.599     | Chronic embolism and thrombosis of other specified deep vein of unspecified lower extremity |
| I82.5Y1     | Chronic embolism and thrombosis of unspecified deep veins of right proximal lower extremity |
| I82.5Y2     | Chronic embolism and thrombosis of unspecified deep veins of left proximal lower extremity  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.5Y3 | Chronic embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral  |
| I82.5Y9 | Chronic embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity |
| I82.5Z1 | Chronic embolism and thrombosis of unspecified deep veins of right distal lower extremity         |
| I82.5Z2 | Chronic embolism and thrombosis of unspecified deep veins of left distal lower extremity          |
| I82.5Z3 | Chronic embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral    |
| I82.5Z9 | Chronic embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity   |
| I82.601 | Acute embolism and thrombosis of unspecified veins of right upper extremity                       |
| I82.602 | Acute embolism and thrombosis of unspecified veins of left upper extremity                        |
| I82.603 | Acute embolism and thrombosis of unspecified veins of upper extremity, bilateral                  |
| I82.609 | Acute embolism and thrombosis of unspecified veins of unspecified upper extremity                 |
| I82.611 | Acute embolism and thrombosis of superficial veins of right upper extremity                       |
| I82.612 | Acute embolism and thrombosis of superficial veins of left upper extremity                        |
| I82.613 | Acute embolism and thrombosis of superficial veins of upper extremity, bilateral                  |
| I82.619 | Acute embolism and thrombosis of superficial veins of unspecified upper extremity                 |
| I82.621 | Acute embolism and thrombosis of deep veins of right upper extremity                              |
| I82.622 | Acute embolism and thrombosis of deep veins of left upper extremity                               |
| I82.623 | Acute embolism and thrombosis of deep veins of upper extremity, bilateral                         |
| I82.629 | Acute embolism and thrombosis of deep veins of unspecified upper extremity                        |
| I82.701 | Chronic embolism and thrombosis of unspecified veins of right upper extremity                     |
| I82.702 | Chronic embolism and thrombosis of unspecified veins of left upper extremity                      |
| I82.703 | Chronic embolism and thrombosis of unspecified veins of upper extremity, bilateral                |
| I82.709 | Chronic embolism and thrombosis of unspecified veins of unspecified upper extremity               |
| I82.711 | Chronic embolism and thrombosis of superficial veins of right upper extremity                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I82.712     | Chronic embolism and thrombosis of superficial veins of left upper extremity        |
| I82.713     | Chronic embolism and thrombosis of superficial veins of upper extremity, bilateral  |
| I82.719     | Chronic embolism and thrombosis of superficial veins of unspecified upper extremity |
| I82.721     | Chronic embolism and thrombosis of deep veins of right upper extremity              |
| I82.722     | Chronic embolism and thrombosis of deep veins of left upper extremity               |
| I82.723     | Chronic embolism and thrombosis of deep veins of upper extremity, bilateral         |
| I82.729     | Chronic embolism and thrombosis of deep veins of unspecified upper extremity        |
| I82.811     | Embolism and thrombosis of superficial veins of right lower extremity               |
| I82.812     | Embolism and thrombosis of superficial veins of left lower extremity                |
| I82.813     | Embolism and thrombosis of superficial veins of lower extremities, bilateral        |
| I82.819     | Embolism and thrombosis of superficial veins of unspecified lower extremity         |
| I82.890     | Acute embolism and thrombosis of other specified veins                              |
| I82.891     | Chronic embolism and thrombosis of other specified veins                            |
| I82.90      | Acute embolism and thrombosis of unspecified vein                                   |
| I82.91      | Chronic embolism and thrombosis of unspecified vein                                 |
| I82.A11     | Acute embolism and thrombosis of right axillary vein                                |
| I82.A12     | Acute embolism and thrombosis of left axillary vein                                 |
| I82.A13     | Acute embolism and thrombosis of axillary vein, bilateral                           |
| I82.A19     | Acute embolism and thrombosis of unspecified axillary vein                          |
| I82.A21     | Chronic embolism and thrombosis of right axillary vein                              |
| I82.A22     | Chronic embolism and thrombosis of left axillary vein                               |
| I82.A23     | Chronic embolism and thrombosis of axillary vein, bilateral                         |
| I82.A29     | Chronic embolism and thrombosis of unspecified axillary vein                        |
| I82.B11     | Acute embolism and thrombosis of right subclavian vein                              |
| I82.B12     | Acute embolism and thrombosis of left subclavian vein                               |
| I82.B13     | Acute embolism and thrombosis of subclavian vein, bilateral                         |
| I82.B19     | Acute embolism and thrombosis of unspecified subclavian vein                        |
| I82.B21     | Chronic embolism and thrombosis of right subclavian vein                            |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.B22 | Chronic embolism and thrombosis of left subclavian vein   |
| I82.B23 | Chronic embolism and thrombosis of subclavian vein, bilateral   |
| I82.B29 | Chronic embolism and thrombosis of unspecified subclavian vein  |
| I82.C11 | Acute embolism and thrombosis of right internal jugular vein  |
| I82.C12 | Acute embolism and thrombosis of left internal jugular vein   |
| I82.C13 | Acute embolism and thrombosis of internal jugular vein, bilateral   |
| I82.C19 | Acute embolism and thrombosis of unspecified internal jugular vein  |
| I82.C21 | Chronic embolism and thrombosis of right internal jugular vein  |
| I82.C22 | Chronic embolism and thrombosis of left internal jugular vein   |
| I82.C23 | Chronic embolism and thrombosis of internal jugular vein, bilateral   |
| I82.C29 | Chronic embolism and thrombosis of unspecified internal jugular vein  |
| I85.00  | Esophageal varices without bleeding   |
| I85.01  | Esophageal varices with bleeding  |
| I86.4   | Gastric varices   |
| I86.8   | Varicose veins of other specified sites   |
| I87.8   | Other specified disorders of veins  |
| I96     | Gangrene, not elsewhere classified  |
| I97.410 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating a cardiac catheterization          |
| I97.411 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating a cardiac bypass                   |
| I97.418 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating other circulatory system procedure |
| I97.42  | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating other procedure                    |
| I97.610 | Postprocedural hemorrhage of a circulatory system organ or structure following a cardiac catheterization                          |
| I97.611 | Postprocedural hemorrhage of a circulatory system organ or structure following cardiac bypass                                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I97.618 | Postprocedural hemorrhage of a circulatory system organ or structure following other circulatory system procedure             |
| I97.620 | Postprocedural hemorrhage of a circulatory system organ or structure following other procedure                                |
| I97.621 | Postprocedural hematoma of a circulatory system organ or structure following other procedure                                  |
| I97.630 | Postprocedural hematoma of a circulatory system organ or structure following a cardiac catheterization                        |
| I97.631 | Postprocedural hematoma of a circulatory system organ or structure following cardiac bypass                                   |
| I97.638 | Postprocedural hematoma of a circulatory system organ or structure following other circulatory system procedure               |
| I97.810 | Intraoperative cerebrovascular infarction during cardiac surgery  |
| I97.811 | Intraoperative cerebrovascular infarction during other surgery  |
| I97.820 | Postprocedural cerebrovascular infarction following cardiac surgery   |
| I97.821 | Postprocedural cerebrovascular infarction following other surgery   |
| I99.8   | Other disorder of circulatory system  |
| J95.61  | Intraoperative hemorrhage and hematoma of a respiratory system organ or structure complicating a respiratory system procedure |
| J95.62  | Intraoperative hemorrhage and hematoma of a respiratory system organ or structure complicating other procedure                |
| J95.830 | Postprocedural hemorrhage of a respiratory system organ or structure following a respiratory system procedure                 |
| J95.831 | Postprocedural hemorrhage of a respiratory system organ or structure following other procedure                                |
| J95.860 | Postprocedural hematoma of a respiratory system organ or structure following a respiratory system procedure                   |
| J95.861 | Postprocedural hematoma of a respiratory system organ or structure following other procedure                                  |
| K22.6   | Gastro-esophageal laceration-hemorrhage syndrome  |
| K22.8   | Other specified diseases of esophagus   |
| K25.0   | Acute gastric ulcer with hemorrhage   |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| K25.1 | Acute gastric ulcer with perforation   |
| K25.2 | Acute gastric ulcer with both hemorrhage and perforation   |
| K25.3 | Acute gastric ulcer without hemorrhage or perforation  |
| K25.4 | Chronic or unspecified gastric ulcer with hemorrhage   |
| K25.5 | Chronic or unspecified gastric ulcer with perforation  |
| K25.6 | Chronic or unspecified gastric ulcer with both hemorrhage and perforation                          |
| K25.7 | Chronic gastric ulcer without hemorrhage or perforation  |
| K25.9 | Gastric ulcer, unspecified as acute or chronic, without hemorrhage or perforation                  |
| K26.0 | Acute duodenal ulcer with hemorrhage   |
| K26.1 | Acute duodenal ulcer with perforation  |
| K26.2 | Acute duodenal ulcer with both hemorrhage and perforation  |
| K26.3 | Acute duodenal ulcer without hemorrhage or perforation   |
| K26.4 | Chronic or unspecified duodenal ulcer with hemorrhage  |
| K26.5 | Chronic or unspecified duodenal ulcer with perforation   |
| K26.6 | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation                         |
| K26.7 | Chronic duodenal ulcer without hemorrhage or perforation   |
| K26.9 | Duodenal ulcer, unspecified as acute or chronic, without hemorrhage or perforation                 |
| K27.0 | Acute peptic ulcer, site unspecified, with hemorrhage  |
| K27.1 | Acute peptic ulcer, site unspecified, with perforation   |
| K27.2 | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation                         |
| K27.3 | Acute peptic ulcer, site unspecified, without hemorrhage or perforation                            |
| K27.4 | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage                             |
| K27.5 | Chronic or unspecified peptic ulcer, site unspecified, with perforation                            |
| K27.6 | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and perforation        |
| K27.7 | Chronic peptic ulcer, site unspecified, without hemorrhage or perforation                          |
| K27.9 | Peptic ulcer, site unspecified, unspecified as acute or chronic, without hemorrhage or perforation |
| K28.0 | Acute gastrojejunal ulcer with hemorrhage  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K28.1   | Acute gastrojejunal ulcer with perforation  |
| K28.2   | Acute gastrojejunal ulcer with both hemorrhage and perforation                          |
| K28.3   | Acute gastrojejunal ulcer without hemorrhage or perforation                             |
| K28.4   | Chronic or unspecified gastrojejunal ulcer with hemorrhage                              |
| K28.5   | Chronic or unspecified gastrojejunal ulcer with perforation                             |
| K28.6   | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation         |
| K28.7   | Chronic gastrojejunal ulcer without hemorrhage or perforation                           |
| K28.9   | Gastrojejunal ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K29.00  | Acute gastritis without bleeding  |
| K29.01  | Acute gastritis with bleeding   |
| K29.20  | Alcoholic gastritis without bleeding  |
| K29.21  | Alcoholic gastritis with bleeding   |
| K29.30  | Chronic superficial gastritis without bleeding  |
| K29.31  | Chronic superficial gastritis with bleeding   |
| K29.40  | Chronic atrophic gastritis without bleeding   |
| K29.41  | Chronic atrophic gastritis with bleeding  |
| K29.50  | Unspecified chronic gastritis without bleeding  |
| K29.51  | Unspecified chronic gastritis with bleeding   |
| K29.60  | Other gastritis without bleeding  |
| K29.61  | Other gastritis with bleeding   |
| K29.70  | Gastritis, unspecified, without bleeding  |
| K29.71  | Gastritis, unspecified, with bleeding   |
| K29.80  | Duodenitis without bleeding   |
| K29.81  | Duodenitis with bleeding  |
| K29.90  | Gastroduodenitis, unspecified, without bleeding   |
| K29.91  | Gastroduodenitis, unspecified, with bleeding  |
| K31.811 | Angiodysplasia of stomach and duodenum with bleeding                                    |
| K31.82  | Dieulafoy lesion (hemorrhagic) of stomach and duodenum                                  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K51.00  | Ulcerative (chronic) pancolitis without complications                |
| K51.011 | Ulcerative (chronic) pancolitis with rectal bleeding                 |
| K51.012 | Ulcerative (chronic) pancolitis with intestinal obstruction          |
| K51.013 | Ulcerative (chronic) pancolitis with fistula                         |
| K51.014 | Ulcerative (chronic) pancolitis with abscess                         |
| K51.018 | Ulcerative (chronic) pancolitis with other complication              |
| K51.019 | Ulcerative (chronic) pancolitis with unspecified complications       |
| K51.20  | Ulcerative (chronic) proctitis without complications                 |
| K51.211 | Ulcerative (chronic) proctitis with rectal bleeding                  |
| K51.212 | Ulcerative (chronic) proctitis with intestinal obstruction           |
| K51.213 | Ulcerative (chronic) proctitis with fistula                          |
| K51.214 | Ulcerative (chronic) proctitis with abscess                          |
| K51.218 | Ulcerative (chronic) proctitis with other complication               |
| K51.219 | Ulcerative (chronic) proctitis with unspecified complications        |
| K51.30  | Ulcerative (chronic) rectosigmoiditis without complications          |
| K51.311 | Ulcerative (chronic) rectosigmoiditis with rectal bleeding           |
| K51.312 | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction    |
| K51.313 | Ulcerative (chronic) rectosigmoiditis with fistula                   |
| K51.314 | Ulcerative (chronic) rectosigmoiditis with abscess                   |
| K51.318 | Ulcerative (chronic) rectosigmoiditis with other complication        |
| K51.319 | Ulcerative (chronic) rectosigmoiditis with unspecified complications |
| K51.40  | Inflammatory polyps of colon without complications                   |
| K51.411 | Inflammatory polyps of colon with rectal bleeding                    |
| K51.412 | Inflammatory polyps of colon with intestinal obstruction             |
| K51.413 | Inflammatory polyps of colon with fistula                            |
| K51.414 | Inflammatory polyps of colon with abscess                            |
| K51.418 | Inflammatory polyps of colon with other complication                 |
| K51.419 | Inflammatory polyps of colon with unspecified complications          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K51.50      | Left sided colitis without complications                           |
| K51.511     | Left sided colitis with rectal bleeding                            |
| K51.512     | Left sided colitis with intestinal obstruction                     |
| K51.513     | Left sided colitis with fistula                                    |
| K51.514     | Left sided colitis with abscess                                    |
| K51.518     | Left sided colitis with other complication                         |
| K51.519     | Left sided colitis with unspecified complications                  |
| K51.80      | Other ulcerative colitis without complications                     |
| K51.811     | Other ulcerative colitis with rectal bleeding                      |
| K51.812     | Other ulcerative colitis with intestinal obstruction               |
| K51.813     | Other ulcerative colitis with fistula                              |
| K51.814     | Other ulcerative colitis with abscess                              |
| K51.818     | Other ulcerative colitis with other complication                   |
| K51.819     | Other ulcerative colitis with unspecified complications            |
| K51.90      | Ulcerative colitis, unspecified, without complications             |
| K51.911     | Ulcerative colitis, unspecified with rectal bleeding               |
| K51.912     | Ulcerative colitis, unspecified with intestinal obstruction        |
| K51.913     | Ulcerative colitis, unspecified with fistula                       |
| K51.914     | Ulcerative colitis, unspecified with abscess                       |
| K51.918     | Ulcerative colitis, unspecified with other complication            |
| K51.919     | Ulcerative colitis, unspecified with unspecified complications     |
| K52.81      | Eosinophilic gastritis or gastroenteritis                          |
| K55.011     | Focal (segmental) acute (reversible) ischemia of small intestine   |
| K55.012     | Diffuse acute (reversible) ischemia of small intestine             |
| K55.019     | Acute (reversible) ischemia of small intestine, extent unspecified |
| K55.021     | Focal (segmental) acute infarction of small intestine              |
| K55.022     | Diffuse acute infarction of small intestine                        |
| K55.029     | Acute infarction of small intestine, extent unspecified            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| K55.031     | Focal (segmental) acute (reversible) ischemia of large intestine                            |
| K55.032     | Diffuse acute (reversible) ischemia of large intestine                                      |
| K55.039     | Acute (reversible) ischemia of large intestine, extent unspecified                          |
| K55.041     | Focal (segmental) acute infarction of large intestine                                       |
| K55.042     | Diffuse acute infarction of large intestine   |
| K55.049     | Acute infarction of large intestine, extent unspecified                                     |
| K55.051     | Focal (segmental) acute (reversible) ischemia of intestine, part unspecified                |
| K55.052     | Diffuse acute (reversible) ischemia of intestine, part unspecified                          |
| K55.059     | Acute (reversible) ischemia of intestine, part and extent unspecified                       |
| K55.061     | Focal (segmental) acute infarction of intestine, part unspecified                           |
| K55.062     | Diffuse acute infarction of intestine, part unspecified                                     |
| K55.069     | Acute infarction of intestine, part and extent unspecified                                  |
| K55.1       | Chronic vascular disorders of intestine   |
| K55.30      | Necrotizing enterocolitis, unspecified  |
| K55.31      | Stage 1 necrotizing enterocolitis   |
| K55.32      | Stage 2 necrotizing enterocolitis   |
| K55.33      | Stage 3 necrotizing enterocolitis   |
| K55.8       | Other vascular disorders of intestine   |
| K55.9       | Vascular disorder of intestine, unspecified   |
| K56.699     | Other intestinal obstruction unspecified as to partial versus complete obstruction          |
| K57.01      | Diverticulitis of small intestine with perforation and abscess with bleeding                |
| K57.11      | Diverticulosis of small intestine without perforation or abscess with bleeding              |
| K57.13      | Diverticulitis of small intestine without perforation or abscess with bleeding              |
| K57.21      | Diverticulitis of large intestine with perforation and abscess with bleeding                |
| K57.31      | Diverticulosis of large intestine without perforation or abscess with bleeding              |
| K57.33      | Diverticulitis of large intestine without perforation or abscess with bleeding              |
| K57.41      | Diverticulitis of both small and large intestine with perforation and abscess with bleeding |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K57.51 | Diverticulosis of both small and large intestine without perforation or abscess with bleeding |
| K57.53 | Diverticulitis of both small and large intestine without perforation or abscess with bleeding |
| K57.81 | Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding     |
| K57.91 | Diverticulosis of intestine, part unspecified, without perforation or abscess with bleeding   |
| K57.93 | Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding   |
| K59.31 | Toxic megacolon   |
| K62.5  | Hemorrhage of anus and rectum   |
| K66.1  | Hemoperitoneum  |
| K70.0  | Alcoholic fatty liver   |
| K70.10 | Alcoholic hepatitis without ascites   |
| K70.11 | Alcoholic hepatitis with ascites  |
| K70.2  | Alcoholic fibrosis and sclerosis of liver   |
| K70.30 | Alcoholic cirrhosis of liver without ascites  |
| K70.31 | Alcoholic cirrhosis of liver with ascites   |
| K70.40 | Alcoholic hepatic failure without coma  |
| K70.41 | Alcoholic hepatic failure with coma   |
| K70.9  | Alcoholic liver disease, unspecified  |
| K71.0  | Toxic liver disease with cholestasis  |
| K71.10 | Toxic liver disease with hepatic necrosis, without coma                                       |
| K71.11 | Toxic liver disease with hepatic necrosis, with coma  |
| K71.2  | Toxic liver disease with acute hepatitis  |
| K71.3  | Toxic liver disease with chronic persistent hepatitis   |
| K71.4  | Toxic liver disease with chronic lobular hepatitis  |
| K71.50 | Toxic liver disease with chronic active hepatitis without ascites                             |
| K71.51 | Toxic liver disease with chronic active hepatitis with ascites                                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K71.6  | Toxic liver disease with hepatitis, not elsewhere classified |
| K71.7  | Toxic liver disease with fibrosis and cirrhosis of liver     |
| K71.8  | Toxic liver disease with other disorders of liver            |
| K71.9  | Toxic liver disease, unspecified                             |
| K72.00 | Acute and subacute hepatic failure without coma              |
| K72.01 | Acute and subacute hepatic failure with coma                 |
| K72.10 | Chronic hepatic failure without coma                         |
| K72.11 | Chronic hepatic failure with coma                            |
| K72.90 | Hepatic failure, unspecified without coma                    |
| K72.91 | Hepatic failure, unspecified with coma                       |
| K73.0  | Chronic persistent hepatitis, not elsewhere classified       |
| K73.1  | Chronic lobular hepatitis, not elsewhere classified          |
| K73.2  | Chronic active hepatitis, not elsewhere classified           |
| K73.8  | Other chronic hepatitis, not elsewhere classified            |
| K73.9  | Chronic hepatitis, unspecified                               |
| K74.00 | Hepatic fibrosis, unspecified                                |
| K74.01 | Hepatic fibrosis, early fibrosis                             |
| K74.02 | Hepatic fibrosis, advanced fibrosis                          |
| K74.1  | Hepatic sclerosis  |
| K74.2  | Hepatic fibrosis with hepatic sclerosis                      |
| K74.3  | Primary biliary cirrhosis                                    |
| K74.4  | Secondary biliary cirrhosis                                  |
| K74.5  | Biliary cirrhosis, unspecified                               |
| K74.60 | Unspecified cirrhosis of liver                               |
| K74.69 | Other cirrhosis of liver                                     |
| K75.0  | Abscess of liver   |
| K75.1  | Phlebitis of portal vein                                     |
| K75.2  | Nonspecific reactive hepatitis                               |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K75.3  | Granulomatous hepatitis, not elsewhere classified                            |
| K75.4  | Autoimmune hepatitis   |
| K75.81 | Nonalcoholic steatohepatitis (NASH)  |
| K75.89 | Other specified inflammatory liver diseases                                  |
| K75.9  | Inflammatory liver disease, unspecified                                      |
| K76.0  | Fatty (change of) liver, not elsewhere classified                            |
| K76.1  | Chronic passive congestion of liver  |
| K76.2  | Central hemorrhagic necrosis of liver  |
| K76.3  | Infarction of liver  |
| K76.4  | Peliosis hepatis   |
| K76.5  | Hepatic veno-occlusive disease   |
| K76.6  | Portal hypertension  |
| K76.7  | Hepatorenal syndrome   |
| K76.81 | Hepatopulmonary syndrome   |
| K76.89 | Other specified diseases of liver  |
| K76.9  | Liver disease, unspecified   |
| K77    | Liver disorders in diseases classified elsewhere                             |
| K80.30 | Calculus of bile duct with cholangitis, unspecified, without obstruction     |
| K80.31 | Calculus of bile duct with cholangitis, unspecified, with obstruction        |
| K80.32 | Calculus of bile duct with acute cholangitis without obstruction             |
| K80.33 | Calculus of bile duct with acute cholangitis with obstruction                |
| K80.34 | Calculus of bile duct with chronic cholangitis without obstruction           |
| K80.35 | Calculus of bile duct with chronic cholangitis with obstruction              |
| K80.36 | Calculus of bile duct with acute and chronic cholangitis without obstruction |
| K80.37 | Calculus of bile duct with acute and chronic cholangitis with obstruction    |
| K82.A1 | Gangrene of gallbladder in cholecystitis                                     |
| K82.A2 | Perforation of gallbladder in cholecystitis                                  |
| K83.01 | Primary sclerosing cholangitis   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K83.09 | Other cholangitis   |
| K83.1  | Obstruction of bile duct  |
| K83.2  | Perforation of bile duct  |
| K83.3  | Fistula of bile duct  |
| K83.4  | Spasm of sphincter of Oddi  |
| K83.5  | Biliary cyst  |
| K83.8  | Other specified diseases of biliary tract   |
| K83.9  | Disease of biliary tract, unspecified   |
| K85.00 | Idiopathic acute pancreatitis without necrosis or infection                           |
| K85.01 | Idiopathic acute pancreatitis with uninfected necrosis                                |
| K85.02 | Idiopathic acute pancreatitis with infected necrosis                                  |
| K85.10 | Biliary acute pancreatitis without necrosis or infection                              |
| K85.11 | Biliary acute pancreatitis with uninfected necrosis                                   |
| K85.12 | Biliary acute pancreatitis with infected necrosis                                     |
| K85.20 | Alcohol induced acute pancreatitis without necrosis or infection                      |
| K85.21 | Alcohol induced acute pancreatitis with uninfected necrosis                           |
| K85.22 | Alcohol induced acute pancreatitis with infected necrosis                             |
| K85.30 | Drug induced acute pancreatitis without necrosis or infection                         |
| K85.31 | Drug induced acute pancreatitis with uninfected necrosis                              |
| K85.32 | Drug induced acute pancreatitis with infected necrosis                                |
| K85.80 | Other acute pancreatitis without necrosis or infection                                |
| K85.81 | Other acute pancreatitis with uninfected necrosis                                     |
| K85.82 | Other acute pancreatitis with infected necrosis                                       |
| K85.90 | Acute pancreatitis without necrosis or infection, unspecified                         |
| K85.91 | Acute pancreatitis with uninfected necrosis, unspecified                              |
| K85.92 | Acute pancreatitis with infected necrosis, unspecified                                |
| K87    | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| K90.0  | Celiac disease  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K90.1   | Tropical sprue  |
| K90.2   | Blind loop syndrome, not elsewhere classified   |
| K90.3   | Pancreatic steatorrhea  |
| K90.41  | Non-celiac gluten sensitivity   |
| K90.49  | Malabsorption due to intolerance, not elsewhere classified  |
| K90.89  | Other intestinal malabsorption  |
| K90.9   | Intestinal malabsorption, unspecified   |
| K91.2   | Postsurgical malabsorption, not elsewhere classified  |
| K91.5   | Postcholecystectomy syndrome  |
| K91.61  | Intraoperative hemorrhage and hematoma of a digestive system organ or structure complicating a digestive system procedure |
| K91.62  | Intraoperative hemorrhage and hematoma of a digestive system organ or structure complicating other procedure              |
| K91.840 | Postprocedural hemorrhage of a digestive system organ or structure following a digestive system procedure                 |
| K91.841 | Postprocedural hemorrhage of a digestive system organ or structure following other procedure                              |
| K91.870 | Postprocedural hematoma of a digestive system organ or structure following a digestive system procedure                   |
| K91.871 | Postprocedural hematoma of a digestive system organ or structure following other procedure                                |
| K92.0   | Hematemesis   |
| K92.1   | Melena  |
| K92.2   | Gastrointestinal hemorrhage, unspecified  |
| L76.01  | Intraoperative hemorrhage and hematoma of skin and subcutaneous tissue complicating a dermatologic procedure              |
| L76.02  | Intraoperative hemorrhage and hematoma of skin and subcutaneous tissue complicating other procedure                       |
| L76.21  | Postprocedural hemorrhage of skin and subcutaneous tissue following a dermatologic procedure                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| L76.22      | Postprocedural hemorrhage of skin and subcutaneous tissue following other procedure        |
| L76.31      | Postprocedural hematoma of skin and subcutaneous tissue following a dermatologic procedure |
| L76.32      | Postprocedural hematoma of skin and subcutaneous tissue following other procedure          |
| M02.20      | Postimmunization arthropathy, unspecified site   |
| M02.211     | Postimmunization arthropathy, right shoulder   |
| M02.212     | Postimmunization arthropathy, left shoulder  |
| M02.219     | Postimmunization arthropathy, unspecified shoulder   |
| M02.221     | Postimmunization arthropathy, right elbow  |
| M02.222     | Postimmunization arthropathy, left elbow   |
| M02.229     | Postimmunization arthropathy, unspecified elbow  |
| M02.231     | Postimmunization arthropathy, right wrist  |
| M02.232     | Postimmunization arthropathy, left wrist   |
| M02.239     | Postimmunization arthropathy, unspecified wrist  |
| M02.241     | Postimmunization arthropathy, right hand   |
| M02.242     | Postimmunization arthropathy, left hand  |
| M02.249     | Postimmunization arthropathy, unspecified hand   |
| M02.251     | Postimmunization arthropathy, right hip  |
| M02.252     | Postimmunization arthropathy, left hip   |
| M02.259     | Postimmunization arthropathy, unspecified hip  |
| M02.261     | Postimmunization arthropathy, right knee   |
| M02.262     | Postimmunization arthropathy, left knee  |
| M02.269     | Postimmunization arthropathy, unspecified knee   |
| M02.271     | Postimmunization arthropathy, right ankle and foot   |
| M02.272     | Postimmunization arthropathy, left ankle and foot  |
| M02.279     | Postimmunization arthropathy, unspecified ankle and foot                                   |
| M02.28      | Postimmunization arthropathy, vertebrae  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M02.29      | Postimmunization arthropathy, multiple sites  |
| M24.19      | Other articular cartilage disorders, other specified site                           |
| M24.29      | Disorder of ligament, other specified site  |
| M24.39      | Pathological dislocation of other specified joint, not elsewhere classified         |
| M24.49      | Recurrent dislocation, other specified joint  |
| M24.59      | Contracture, other specified joint  |
| M24.69      | Ankylosis, other specified joint  |
| M24.89      | Other specific joint derangement of other specified joint, not elsewhere classified |
| M25.00      | Hemarthrosis, unspecified joint   |
| M25.011     | Hemarthrosis, right shoulder  |
| M25.012     | Hemarthrosis, left shoulder   |
| M25.019     | Hemarthrosis, unspecified shoulder  |
| M25.021     | Hemarthrosis, right elbow   |
| M25.022     | Hemarthrosis, left elbow  |
| M25.029     | Hemarthrosis, unspecified elbow   |
| M25.031     | Hemarthrosis, right wrist   |
| M25.032     | Hemarthrosis, left wrist  |
| M25.039     | Hemarthrosis, unspecified wrist   |
| M25.041     | Hemarthrosis, right hand  |
| M25.042     | Hemarthrosis, left hand   |
| M25.049     | Hemarthrosis, unspecified hand  |
| M25.051     | Hemarthrosis, right hip   |
| M25.052     | Hemarthrosis, left hip  |
| M25.059     | Hemarthrosis, unspecified hip   |
| M25.061     | Hemarthrosis, right knee  |
| M25.062     | Hemarthrosis, left knee   |
| M25.069     | Hemarthrosis, unspecified knee  |
| M25.071     | Hemarthrosis, right ankle   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M25.072 | Hemarthrosis, left ankle  |
| M25.073 | Hemarthrosis, unspecified ankle                                       |
| M25.074 | Hemarthrosis, right foot  |
| M25.075 | Hemarthrosis, left foot   |
| M25.076 | Hemarthrosis, unspecified foot  |
| M25.08  | Hemarthrosis, other specified site                                    |
| M25.39  | Other instability, other specified joint                              |
| M25.59  | Pain in other specified joint   |
| M25.69  | Stiffness of other specified joint, not elsewhere classified          |
| M26.641 | Arthritis of right temporomandibular joint                            |
| M26.642 | Arthritis of left temporomandibular joint                             |
| M26.643 | Arthritis of bilateral temporomandibular joint                        |
| M26.649 | Arthritis of unspecified temporomandibular joint                      |
| M26.651 | Arthropathy of right temporomandibular joint                          |
| M26.652 | Arthropathy of left temporomandibular joint                           |
| M26.653 | Arthropathy of bilateral temporomandibular joint                      |
| M26.659 | Arthropathy of unspecified temporomandibular joint                    |
| M31.1   | Thrombotic microangiopathy  |
| M32.0   | Drug-induced systemic lupus erythematosus                             |
| M32.10  | Systemic lupus erythematosus, organ or system involvement unspecified |
| M32.11  | Endocarditis in systemic lupus erythematosus                          |
| M32.12  | Pericarditis in systemic lupus erythematosus                          |
| M32.13  | Lung involvement in systemic lupus erythematosus                      |
| M32.14  | Glomerular disease in systemic lupus erythematosus                    |
| M32.15  | Tubulo-interstitial nephropathy in systemic lupus erythematosus       |
| M32.19  | Other organ or system involvement in systemic lupus erythematosus     |
| M32.8   | Other forms of systemic lupus erythematosus                           |
| M32.9   | Systemic lupus erythematosus, unspecified                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M36.2       | Hemophilic arthropathy   |
| M36.3       | Arthropathy in other blood disorders   |
| M36.4       | Arthropathy in hypersensitivity reactions classified elsewhere   |
| M48.50XA    | Collapsed vertebra, not elsewhere classified, site unspecified, initial encounter for fracture                 |
| M48.51XA    | Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, initial encounter for fracture    |
| M48.52XA    | Collapsed vertebra, not elsewhere classified, cervical region, initial encounter for fracture                  |
| M48.53XA    | Collapsed vertebra, not elsewhere classified, cervicothoracic region, initial encounter for fracture           |
| M48.54XA    | Collapsed vertebra, not elsewhere classified, thoracic region, initial encounter for fracture                  |
| M48.55XA    | Collapsed vertebra, not elsewhere classified, thoracolumbar region, initial encounter for fracture             |
| M48.56XA    | Collapsed vertebra, not elsewhere classified, lumbar region, initial encounter for fracture                    |
| M48.57XA    | Collapsed vertebra, not elsewhere classified, lumbosacral region, initial encounter for fracture               |
| M48.58XA    | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, initial encounter for fracture |
| M79.601     | Pain in right arm  |
| M79.602     | Pain in left arm   |
| M79.603     | Pain in arm, unspecified   |
| M79.604     | Pain in right leg  |
| M79.605     | Pain in left leg   |
| M79.606     | Pain in leg, unspecified   |
| M79.609     | Pain in unspecified limb   |
| M79.621     | Pain in right upper arm  |
| M79.622     | Pain in left upper arm   |
| M79.629     | Pain in unspecified upper arm  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M79.631  | Pain in right forearm   |
| M79.632  | Pain in left forearm  |
| M79.639  | Pain in unspecified forearm   |
| M79.641  | Pain in right hand  |
| M79.642  | Pain in left hand   |
| M79.643  | Pain in unspecified hand  |
| M79.644  | Pain in right finger(s)   |
| M79.645  | Pain in left finger(s)  |
| M79.646  | Pain in unspecified finger(s)   |
| M79.651  | Pain in right thigh   |
| M79.652  | Pain in left thigh  |
| M79.659  | Pain in unspecified thigh   |
| M79.661  | Pain in right lower leg   |
| M79.662  | Pain in left lower leg  |
| M79.669  | Pain in unspecified lower leg   |
| M79.671  | Pain in right foot  |
| M79.672  | Pain in left foot   |
| M79.673  | Pain in unspecified foot  |
| M79.674  | Pain in right toe(s)  |
| M79.675  | Pain in left toe(s)   |
| M79.676  | Pain in unspecified toe(s)  |
| M79.89   | Other specified soft tissue disorders   |
| M80.00XA | Age-related osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture     |
| M80.011A | Age-related osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture       |
| M80.012A | Age-related osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture        |
| M80.019A | Age-related osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M80.021A    | Age-related osteoporosis with current pathological fracture, right humerus, initial encounter for fracture         |
| M80.022A    | Age-related osteoporosis with current pathological fracture, left humerus, initial encounter for fracture          |
| M80.029A    | Age-related osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture   |
| M80.031A    | Age-related osteoporosis with current pathological fracture, right forearm, initial encounter for fracture         |
| M80.032A    | Age-related osteoporosis with current pathological fracture, left forearm, initial encounter for fracture          |
| M80.039A    | Age-related osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture   |
| M80.041A    | Age-related osteoporosis with current pathological fracture, right hand, initial encounter for fracture            |
| M80.042A    | Age-related osteoporosis with current pathological fracture, left hand, initial encounter for fracture             |
| M80.049A    | Age-related osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture      |
| M80.051A    | Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture           |
| M80.052A    | Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture            |
| M80.059A    | Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture     |
| M80.061A    | Age-related osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture       |
| M80.062A    | Age-related osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture        |
| M80.069A    | Age-related osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture |
| M80.071A    | Age-related osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M80.072A    | Age-related osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture                |
| M80.079A    | Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture         |
| M80.08XA    | Age-related osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture                        |
| M80.0AXA    | Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture                         |
| M80.0AXD    | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.0AXG    | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.0AXK    | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.0AXP    | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |
| M80.0AXS    | Age-related osteoporosis with current pathological fracture, other site, sequela  |
| M80.80XA    | Other osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture                         |
| M80.811A    | Other osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture                           |
| M80.812A    | Other osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture                            |
| M80.819A    | Other osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture                     |
| M80.821A    | Other osteoporosis with current pathological fracture, right humerus, initial encounter for fracture                            |
| M80.822A    | Other osteoporosis with current pathological fracture, left humerus, initial encounter for fracture                             |
| M80.829A    | Other osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture                      |
| M80.831A    | Other osteoporosis with current pathological fracture, right forearm, initial encounter for fracture                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.832A | Other osteoporosis with current pathological fracture, left forearm, initial encounter for fracture               |
| M80.839A | Other osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture        |
| M80.841A | Other osteoporosis with current pathological fracture, right hand, initial encounter for fracture                 |
| M80.842A | Other osteoporosis with current pathological fracture, left hand, initial encounter for fracture                  |
| M80.849A | Other osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture           |
| M80.851A | Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture                |
| M80.852A | Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture                 |
| M80.859A | Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture          |
| M80.861A | Other osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture            |
| M80.862A | Other osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture             |
| M80.869A | Other osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture      |
| M80.871A | Other osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture       |
| M80.872A | Other osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture        |
| M80.879A | Other osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture |
| M80.88XA | Other osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture                |
| M80.8AXA | Other osteoporosis with current pathological fracture, other site, initial encounter for fracture                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.8AXD | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.8AXG | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.8AXK | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.8AXP | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |
| M80.8AXS | Other osteoporosis with current pathological fracture, other site, sequela  |
| M84.40XA | Pathological fracture, unspecified site, initial encounter for fracture   |
| M84.411A | Pathological fracture, right shoulder, initial encounter for fracture   |
| M84.412A | Pathological fracture, left shoulder, initial encounter for fracture  |
| M84.419A | Pathological fracture, unspecified shoulder, initial encounter for fracture   |
| M84.421A | Pathological fracture, right humerus, initial encounter for fracture  |
| M84.422A | Pathological fracture, left humerus, initial encounter for fracture   |
| M84.429A | Pathological fracture, unspecified humerus, initial encounter for fracture  |
| M84.431A | Pathological fracture, right ulna, initial encounter for fracture   |
| M84.432A | Pathological fracture, left ulna, initial encounter for fracture  |
| M84.433A | Pathological fracture, right radius, initial encounter for fracture   |
| M84.434A | Pathological fracture, left radius, initial encounter for fracture  |
| M84.439A | Pathological fracture, unspecified ulna and radius, initial encounter for fracture  |
| M84.441A | Pathological fracture, right hand, initial encounter for fracture   |
| M84.442A | Pathological fracture, left hand, initial encounter for fracture  |
| M84.443A | Pathological fracture, unspecified hand, initial encounter for fracture   |
| M84.444A | Pathological fracture, right finger(s), initial encounter for fracture  |
| M84.445A | Pathological fracture, left finger(s), initial encounter for fracture   |
| M84.446A | Pathological fracture, unspecified finger(s), initial encounter for fracture  |
| M84.451A | Pathological fracture, right femur, initial encounter for fracture  |
| M84.452A | Pathological fracture, left femur, initial encounter for fracture   |
| M84.453A | Pathological fracture, unspecified femur, initial encounter for fracture  |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M84.454A    | Pathological fracture, pelvis, initial encounter for fracture                                     |
| M84.459A    | Pathological fracture, hip, unspecified, initial encounter for fracture                           |
| M84.461A    | Pathological fracture, right tibia, initial encounter for fracture                                |
| M84.462A    | Pathological fracture, left tibia, initial encounter for fracture                                 |
| M84.463A    | Pathological fracture, right fibula, initial encounter for fracture                               |
| M84.464A    | Pathological fracture, left fibula, initial encounter for fracture                                |
| M84.469A    | Pathological fracture, unspecified tibia and fibula, initial encounter for fracture               |
| M84.471A    | Pathological fracture, right ankle, initial encounter for fracture                                |
| M84.472A    | Pathological fracture, left ankle, initial encounter for fracture                                 |
| M84.473A    | Pathological fracture, unspecified ankle, initial encounter for fracture                          |
| M84.474A    | Pathological fracture, right foot, initial encounter for fracture                                 |
| M84.475A    | Pathological fracture, left foot, initial encounter for fracture                                  |
| M84.476A    | Pathological fracture, unspecified foot, initial encounter for fracture                           |
| M84.477A    | Pathological fracture, right toe(s), initial encounter for fracture                               |
| M84.478A    | Pathological fracture, left toe(s), initial encounter for fracture                                |
| M84.479A    | Pathological fracture, unspecified toe(s), initial encounter for fracture                         |
| M84.48XA    | Pathological fracture, other site, initial encounter for fracture                                 |
| M84.50XA    | Pathological fracture in neoplastic disease, unspecified site, initial encounter for fracture     |
| M84.511A    | Pathological fracture in neoplastic disease, right shoulder, initial encounter for fracture       |
| M84.512A    | Pathological fracture in neoplastic disease, left shoulder, initial encounter for fracture        |
| M84.519A    | Pathological fracture in neoplastic disease, unspecified shoulder, initial encounter for fracture |
| M84.521A    | Pathological fracture in neoplastic disease, right humerus, initial encounter for fracture        |
| M84.522A    | Pathological fracture in neoplastic disease, left humerus, initial encounter for fracture         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M84.529A    | Pathological fracture in neoplastic disease, unspecified humerus, initial encounter for fracture          |
| M84.531A    | Pathological fracture in neoplastic disease, right ulna, initial encounter for fracture                   |
| M84.532A    | Pathological fracture in neoplastic disease, left ulna, initial encounter for fracture                    |
| M84.533A    | Pathological fracture in neoplastic disease, right radius, initial encounter for fracture                 |
| M84.534A    | Pathological fracture in neoplastic disease, left radius, initial encounter for fracture                  |
| M84.539A    | Pathological fracture in neoplastic disease, unspecified ulna and radius, initial encounter for fracture  |
| M84.541A    | Pathological fracture in neoplastic disease, right hand, initial encounter for fracture                   |
| M84.542A    | Pathological fracture in neoplastic disease, left hand, initial encounter for fracture                    |
| M84.549A    | Pathological fracture in neoplastic disease, unspecified hand, initial encounter for fracture             |
| M84.550A    | Pathological fracture in neoplastic disease, pelvis, initial encounter for fracture                       |
| M84.551A    | Pathological fracture in neoplastic disease, right femur, initial encounter for fracture                  |
| M84.552A    | Pathological fracture in neoplastic disease, left femur, initial encounter for fracture                   |
| M84.553A    | Pathological fracture in neoplastic disease, unspecified femur, initial encounter for fracture            |
| M84.559A    | Pathological fracture in neoplastic disease, hip, unspecified, initial encounter for fracture             |
| M84.561A    | Pathological fracture in neoplastic disease, right tibia, initial encounter for fracture                  |
| M84.562A    | Pathological fracture in neoplastic disease, left tibia, initial encounter for fracture                   |
| M84.563A    | Pathological fracture in neoplastic disease, right fibula, initial encounter for fracture                 |
| M84.564A    | Pathological fracture in neoplastic disease, left fibula, initial encounter for fracture                  |
| M84.569A    | Pathological fracture in neoplastic disease, unspecified tibia and fibula, initial encounter for fracture |
| M84.571A    | Pathological fracture in neoplastic disease, right ankle, initial encounter for fracture                  |
| M84.572A    | Pathological fracture in neoplastic disease, left ankle, initial encounter for fracture                   |
| M84.573A    | Pathological fracture in neoplastic disease, unspecified ankle, initial encounter for fracture            |
| M84.574A    | Pathological fracture in neoplastic disease, right foot, initial encounter for fracture                   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M84.575A    | Pathological fracture in neoplastic disease, left foot, initial encounter for fracture              |
| M84.576A    | Pathological fracture in neoplastic disease, unspecified foot, initial encounter for fracture       |
| M84.58XA    | Pathological fracture in neoplastic disease, other specified site, initial encounter for fracture   |
| M84.60XA    | Pathological fracture in other disease, unspecified site, initial encounter for fracture            |
| M84.611A    | Pathological fracture in other disease, right shoulder, initial encounter for fracture              |
| M84.612A    | Pathological fracture in other disease, left shoulder, initial encounter for fracture               |
| M84.619A    | Pathological fracture in other disease, unspecified shoulder, initial encounter for fracture        |
| M84.621A    | Pathological fracture in other disease, right humerus, initial encounter for fracture               |
| M84.622A    | Pathological fracture in other disease, left humerus, initial encounter for fracture                |
| M84.629A    | Pathological fracture in other disease, unspecified humerus, initial encounter for fracture         |
| M84.631A    | Pathological fracture in other disease, right ulna, initial encounter for fracture                  |
| M84.632A    | Pathological fracture in other disease, left ulna, initial encounter for fracture                   |
| M84.633A    | Pathological fracture in other disease, right radius, initial encounter for fracture                |
| M84.634A    | Pathological fracture in other disease, left radius, initial encounter for fracture                 |
| M84.639A    | Pathological fracture in other disease, unspecified ulna and radius, initial encounter for fracture |
| M84.641A    | Pathological fracture in other disease, right hand, initial encounter for fracture                  |
| M84.642A    | Pathological fracture in other disease, left hand, initial encounter for fracture                   |
| M84.649A    | Pathological fracture in other disease, unspecified hand, initial encounter for fracture            |
| M84.650A    | Pathological fracture in other disease, pelvis, initial encounter for fracture                      |
| M84.651A    | Pathological fracture in other disease, right femur, initial encounter for fracture                 |
| M84.652A    | Pathological fracture in other disease, left femur, initial encounter for fracture                  |
| M84.653A    | Pathological fracture in other disease, unspecified femur, initial encounter for fracture           |
| M84.659A    | Pathological fracture in other disease, hip, unspecified, initial encounter for fracture            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.661A | Pathological fracture in other disease, right tibia, initial encounter for fracture                  |
| M84.662A | Pathological fracture in other disease, left tibia, initial encounter for fracture                   |
| M84.663A | Pathological fracture in other disease, right fibula, initial encounter for fracture                 |
| M84.664A | Pathological fracture in other disease, left fibula, initial encounter for fracture                  |
| M84.669A | Pathological fracture in other disease, unspecified tibia and fibula, initial encounter for fracture |
| M84.671A | Pathological fracture in other disease, right ankle, initial encounter for fracture                  |
| M84.672A | Pathological fracture in other disease, left ankle, initial encounter for fracture                   |
| M84.673A | Pathological fracture in other disease, unspecified ankle, initial encounter for fracture            |
| M84.674A | Pathological fracture in other disease, right foot, initial encounter for fracture                   |
| M84.675A | Pathological fracture in other disease, left foot, initial encounter for fracture                    |
| M84.676A | Pathological fracture in other disease, unspecified foot, initial encounter for fracture             |
| M84.68XA | Pathological fracture in other disease, other site, initial encounter for fracture                   |
| M84.751A | Incomplete atypical femoral fracture, right leg, initial encounter for fracture                      |
| M84.752A | Incomplete atypical femoral fracture, left leg, initial encounter for fracture                       |
| M84.753A | Incomplete atypical femoral fracture, unspecified leg, initial encounter for fracture                |
| M84.754A | Complete transverse atypical femoral fracture, right leg, initial encounter for fracture             |
| M84.755A | Complete transverse atypical femoral fracture, left leg, initial encounter for fracture              |
| M84.756A | Complete transverse atypical femoral fracture, unspecified leg, initial encounter for fracture       |
| M84.757A | Complete oblique atypical femoral fracture, right leg, initial encounter for fracture                |
| M84.758A | Complete oblique atypical femoral fracture, left leg, initial encounter for fracture                 |
| M84.759A | Complete oblique atypical femoral fracture, unspecified leg, initial encounter for fracture          |
| M92.591  | Other juvenile osteochondrosis of tibia and fibula, right leg  |
| M92.592  | Other juvenile osteochondrosis of tibia and fibula, left leg   |
| M92.593  | Other juvenile osteochondrosis of tibia and fibula, bilateral  |
| M92.599  | Other juvenile osteochondrosis of tibia and fibula, unspecified leg                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M96.810  | Intraoperative hemorrhage and hematoma of a musculoskeletal structure complicating a musculoskeletal system procedure |
| M96.811  | Intraoperative hemorrhage and hematoma of a musculoskeletal structure complicating other procedure                    |
| M96.830  | Postprocedural hemorrhage of a musculoskeletal structure following a musculoskeletal system procedure                 |
| M96.831  | Postprocedural hemorrhage of a musculoskeletal structure following other procedure                                    |
| M96.840  | Postprocedural hematoma of a musculoskeletal structure following a musculoskeletal system procedure                   |
| M96.841  | Postprocedural hematoma of a musculoskeletal structure following other procedure                                      |
| M97.01XA | Periprosthetic fracture around internal prosthetic right hip joint, initial encounter                                 |
| M97.02XA | Periprosthetic fracture around internal prosthetic left hip joint, initial encounter                                  |
| M97.11XA | Periprosthetic fracture around internal prosthetic right knee joint, initial encounter                                |
| M97.12XA | Periprosthetic fracture around internal prosthetic left knee joint, initial encounter                                 |
| M97.21XA | Periprosthetic fracture around internal prosthetic right ankle joint, initial encounter                               |
| M97.22XA | Periprosthetic fracture around internal prosthetic left ankle joint, initial encounter                                |
| M97.31XA | Periprosthetic fracture around internal prosthetic right shoulder joint, initial encounter                            |
| M97.32XA | Periprosthetic fracture around internal prosthetic left shoulder joint, initial encounter                             |
| N00.A    | Acute nephritic syndrome with C3 glomerulonephritis   |
| N01.A    | Rapidly progressive nephritic syndrome with C3 glomerulonephritis   |
| N02.0    | Recurrent and persistent hematuria with minor glomerular abnormality  |
| N02.1    | Recurrent and persistent hematuria with focal and segmental glomerular lesions  |
| N02.2    | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis   |
| N02.3    | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis                            |
| N02.4    | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis                        |
| N02.5    | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis                                  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| N02.6 | Recurrent and persistent hematuria with dense deposit disease                         |
| N02.7 | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis         |
| N02.8 | Recurrent and persistent hematuria with other morphologic changes                     |
| N02.9 | Recurrent and persistent hematuria with unspecified morphologic changes               |
| N02.A | Recurrent and persistent hematuria with C3 glomerulonephritis                         |
| N03.A | Chronic nephritic syndrome with C3 glomerulonephritis                                 |
| N04.0 | Nephrotic syndrome with minor glomerular abnormality                                  |
| N04.1 | Nephrotic syndrome with focal and segmental glomerular lesions                        |
| N04.2 | Nephrotic syndrome with diffuse membranous glomerulonephritis                         |
| N04.3 | Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis            |
| N04.4 | Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis        |
| N04.5 | Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis                  |
| N04.6 | Nephrotic syndrome with dense deposit disease   |
| N04.7 | Nephrotic syndrome with diffuse crescentic glomerulonephritis                         |
| N04.8 | Nephrotic syndrome with other morphologic changes                                     |
| N04.9 | Nephrotic syndrome with unspecified morphologic changes                               |
| N04.A | Nephrotic syndrome with C3 glomerulonephritis   |
| N05.9 | Unspecified nephritic syndrome with unspecified morphologic changes                   |
| N05.A | Unspecified nephritic syndrome with C3 glomerulonephritis                             |
| N06.9 | Isolated proteinuria with unspecified morphologic lesion                              |
| N06.A | Isolated proteinuria with C3 glomerulonephritis                                       |
| N07.9 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions |
| N07.A | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis           |
| N08   | Glomerular disorders in diseases classified elsewhere                                 |
| N15.9 | Renal tubulo-interstitial disease, unspecified  |
| N17.0 | Acute kidney failure with tubular necrosis  |
| N17.1 | Acute kidney failure with acute cortical necrosis                                     |
| N17.2 | Acute kidney failure with medullary necrosis  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N17.8   | Other acute kidney failure  |
| N17.9   | Acute kidney failure, unspecified   |
| N18.4   | Chronic kidney disease, stage 4 (severe)  |
| N18.5   | Chronic kidney disease, stage 5   |
| N18.6   | End stage renal disease   |
| N18.9   | Chronic kidney disease, unspecified   |
| N19     | Unspecified kidney failure  |
| N28.0   | Ischemia and infarction of kidney   |
| N28.82  | Megaloureter  |
| N28.89  | Other specified disorders of kidney and ureter                                      |
| N32.89  | Other specified disorders of bladder  |
| N33     | Bladder disorders in diseases classified elsewhere                                  |
| N35.016 | Post-traumatic urethral stricture, male, overlapping sites                          |
| N35.116 | Postinfective urethral stricture, not elsewhere classified, male, overlapping sites |
| N50.1   | Vascular disorders of male genital organs   |
| N61.20  | Granulomatous mastitis, unspecified breast  |
| N61.21  | Granulomatous mastitis, right breast  |
| N61.22  | Granulomatous mastitis, left breast   |
| N61.23  | Granulomatous mastitis, bilateral breast  |
| N64.89  | Other specified disorders of breast   |
| N83.7   | Hematoma of broad ligament  |
| N85.7   | Hematometra   |
| N88.8   | Other specified noninflammatory disorders of cervix uteri                           |
| N89.8   | Other specified noninflammatory disorders of vagina                                 |
| N90.89  | Other specified noninflammatory disorders of vulva and perineum                     |
| N92.1   | Excessive and frequent menstruation with irregular cycle                            |
| N92.4   | Excessive bleeding in the premenopausal period                                      |
| N93.0   | Postcoital and contact bleeding   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N94.89  | Other specified conditions associated with female genital organs and menstrual cycle  |
| N95.0   | Postmenopausal bleeding   |
| N99.116 | Postprocedural urethral stricture, male, overlapping sites  |
| N99.510 | Cystostomy hemorrhage   |
| N99.511 | Cystostomy infection  |
| N99.512 | Cystostomy malfunction  |
| N99.518 | Other cystostomy complication   |
| N99.61  | Intraoperative hemorrhage and hematoma of a genitourinary system organ or structure complicating a genitourinary system procedure |
| N99.62  | Intraoperative hemorrhage and hematoma of a genitourinary system organ or structure complicating other procedure                  |
| N99.820 | Postprocedural hemorrhage of a genitourinary system organ or structure following a genitourinary system procedure                 |
| N99.821 | Postprocedural hemorrhage of a genitourinary system organ or structure following other procedure                                  |
| N99.840 | Postprocedural hematoma of a genitourinary system organ or structure following a genitourinary system procedure                   |
| N99.841 | Postprocedural hematoma of a genitourinary system organ or structure following other procedure                                    |
| O02.1   | Missed abortion   |
| O03.0   | Genital tract and pelvic infection following incomplete spontaneous abortion  |
| O03.1   | Delayed or excessive hemorrhage following incomplete spontaneous abortion   |
| O03.2   | Embolism following incomplete spontaneous abortion  |
| O03.30  | Unspecified complication following incomplete spontaneous abortion  |
| O03.31  | Shock following incomplete spontaneous abortion   |
| O03.32  | Renal failure following incomplete spontaneous abortion   |
| O03.33  | Metabolic disorder following incomplete spontaneous abortion  |
| O03.34  | Damage to pelvic organs following incomplete spontaneous abortion   |
| O03.35  | Other venous complications following incomplete spontaneous abortion  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O03.36  | Cardiac arrest following incomplete spontaneous abortion                                  |
| O03.37  | Sepsis following incomplete spontaneous abortion  |
| O03.38  | Urinary tract infection following incomplete spontaneous abortion                         |
| O03.39  | Incomplete spontaneous abortion with other complications                                  |
| O03.4   | Incomplete spontaneous abortion without complication                                      |
| O03.5   | Genital tract and pelvic infection following complete or unspecified spontaneous abortion |
| O03.6   | Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion    |
| O03.7   | Embolism following complete or unspecified spontaneous abortion                           |
| O03.80  | Unspecified complication following complete or unspecified spontaneous abortion           |
| O03.81  | Shock following complete or unspecified spontaneous abortion                              |
| O03.82  | Renal failure following complete or unspecified spontaneous abortion                      |
| O03.83  | Metabolic disorder following complete or unspecified spontaneous abortion                 |
| O03.84  | Damage to pelvic organs following complete or unspecified spontaneous abortion            |
| O03.85  | Other venous complications following complete or unspecified spontaneous abortion         |
| O03.86  | Cardiac arrest following complete or unspecified spontaneous abortion                     |
| O03.87  | Sepsis following complete or unspecified spontaneous abortion                             |
| O03.88  | Urinary tract infection following complete or unspecified spontaneous abortion            |
| O03.89  | Complete or unspecified spontaneous abortion with other complications                     |
| O03.9   | Complete or unspecified spontaneous abortion without complication                         |
| O04.6   | Delayed or excessive hemorrhage following (induced) termination of pregnancy              |
| O07.1   | Delayed or excessive hemorrhage following failed attempted termination of pregnancy       |
| O08.1   | Delayed or excessive hemorrhage following ectopic and molar pregnancy                     |
| O08.2   | Embolism following ectopic and molar pregnancy  |
| O10.011 | Pre-existing essential hypertension complicating pregnancy, first trimester               |
| O10.012 | Pre-existing essential hypertension complicating pregnancy, second trimester              |
| O10.013 | Pre-existing essential hypertension complicating pregnancy, third trimester               |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O10.019 | Pre-existing essential hypertension complicating pregnancy, unspecified trimester                        |
| O10.02  | Pre-existing essential hypertension complicating childbirth  |
| O10.03  | Pre-existing essential hypertension complicating the puerperium  |
| O10.111 | Pre-existing hypertensive heart disease complicating pregnancy, first trimester                          |
| O10.112 | Pre-existing hypertensive heart disease complicating pregnancy, second trimester                         |
| O10.113 | Pre-existing hypertensive heart disease complicating pregnancy, third trimester                          |
| O10.119 | Pre-existing hypertensive heart disease complicating pregnancy, unspecified trimester                    |
| O10.12  | Pre-existing hypertensive heart disease complicating childbirth  |
| O10.13  | Pre-existing hypertensive heart disease complicating the puerperium                                      |
| O10.211 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester                 |
| O10.212 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester                |
| O10.213 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester                 |
| O10.219 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, unspecified trimester           |
| O10.22  | Pre-existing hypertensive chronic kidney disease complicating childbirth                                 |
| O10.23  | Pre-existing hypertensive chronic kidney disease complicating the puerperium                             |
| O10.311 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester       |
| O10.312 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester      |
| O10.313 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester       |
| O10.319 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, unspecified trimester |
| O10.32  | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth                       |
| O10.33  | Pre-existing hypertensive heart and chronic kidney disease complicating the puerperium                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O10.411 | Pre-existing secondary hypertension complicating pregnancy, first trimester                    |
| O10.412 | Pre-existing secondary hypertension complicating pregnancy, second trimester                   |
| O10.413 | Pre-existing secondary hypertension complicating pregnancy, third trimester                    |
| O10.419 | Pre-existing secondary hypertension complicating pregnancy, unspecified trimester              |
| O10.42  | Pre-existing secondary hypertension complicating childbirth                                    |
| O10.43  | Pre-existing secondary hypertension complicating the puerperium                                |
| O10.911 | Unspecified pre-existing hypertension complicating pregnancy, first trimester                  |
| O10.912 | Unspecified pre-existing hypertension complicating pregnancy, second trimester                 |
| O10.913 | Unspecified pre-existing hypertension complicating pregnancy, third trimester                  |
| O10.919 | Unspecified pre-existing hypertension complicating pregnancy, unspecified trimester            |
| O10.92  | Unspecified pre-existing hypertension complicating childbirth                                  |
| O10.93  | Unspecified pre-existing hypertension complicating the puerperium                              |
| O11.1   | Pre-existing hypertension with pre-eclampsia, first trimester                                  |
| O11.2   | Pre-existing hypertension with pre-eclampsia, second trimester                                 |
| O11.3   | Pre-existing hypertension with pre-eclampsia, third trimester                                  |
| O11.9   | Pre-existing hypertension with pre-eclampsia, unspecified trimester                            |
| O12.04  | Gestational edema, complicating childbirth   |
| O12.05  | Gestational edema, complicating the puerperium   |
| O12.14  | Gestational proteinuria, complicating childbirth   |
| O12.15  | Gestational proteinuria, complicating the puerperium   |
| O12.24  | Gestational edema with proteinuria, complicating childbirth                                    |
| O12.25  | Gestational edema with proteinuria, complicating the puerperium                                |
| O13.1   | Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester  |
| O13.2   | Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester |
| O13.3   | Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| O13.4  | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth     |
| O13.5  | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O13.9  | Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester       |
| O14.00 | Mild to moderate pre-eclampsia, unspecified trimester   |
| O14.02 | Mild to moderate pre-eclampsia, second trimester  |
| O14.03 | Mild to moderate pre-eclampsia, third trimester   |
| O14.04 | Mild to moderate pre-eclampsia, complicating childbirth   |
| O14.05 | Mild to moderate pre-eclampsia, complicating the puerperium   |
| O14.10 | Severe pre-eclampsia, unspecified trimester   |
| O14.12 | Severe pre-eclampsia, second trimester  |
| O14.13 | Severe pre-eclampsia, third trimester   |
| O14.14 | Severe pre-eclampsia complicating childbirth  |
| O14.15 | Severe pre-eclampsia, complicating the puerperium   |
| O14.20 | HELLP syndrome (HELLP), unspecified trimester   |
| O14.22 | HELLP syndrome (HELLP), second trimester  |
| O14.23 | HELLP syndrome (HELLP), third trimester   |
| O14.24 | HELLP syndrome, complicating childbirth   |
| O14.25 | HELLP syndrome, complicating the puerperium   |
| O14.90 | Unspecified pre-eclampsia, unspecified trimester  |
| O14.92 | Unspecified pre-eclampsia, second trimester   |
| O14.93 | Unspecified pre-eclampsia, third trimester  |
| O14.94 | Unspecified pre-eclampsia, complicating childbirth  |
| O14.95 | Unspecified pre-eclampsia, complicating the puerperium  |
| O15.00 | Eclampsia complicating pregnancy, unspecified trimester   |
| O15.02 | Eclampsia complicating pregnancy, second trimester  |
| O15.03 | Eclampsia complicating pregnancy, third trimester   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O15.1   | Eclampsia complicating labor  |
| O15.2   | Eclampsia complicating the puerperium   |
| O15.9   | Eclampsia, unspecified as to time period  |
| O16.1   | Unspecified maternal hypertension, first trimester                                |
| O16.2   | Unspecified maternal hypertension, second trimester                               |
| O16.3   | Unspecified maternal hypertension, third trimester                                |
| O16.4   | Unspecified maternal hypertension, complicating childbirth                        |
| O16.5   | Unspecified maternal hypertension, complicating the puerperium                    |
| O16.9   | Unspecified maternal hypertension, unspecified trimester                          |
| O20.0   | Threatened abortion   |
| O20.8   | Other hemorrhage in early pregnancy   |
| O20.9   | Hemorrhage in early pregnancy, unspecified  |
| O22.20  | Superficial thrombophlebitis in pregnancy, unspecified trimester                  |
| O22.21  | Superficial thrombophlebitis in pregnancy, first trimester                        |
| O22.22  | Superficial thrombophlebitis in pregnancy, second trimester                       |
| O22.23  | Superficial thrombophlebitis in pregnancy, third trimester                        |
| O22.30  | Deep phlebothrombosis in pregnancy, unspecified trimester                         |
| O22.31  | Deep phlebothrombosis in pregnancy, first trimester                               |
| O22.32  | Deep phlebothrombosis in pregnancy, second trimester                              |
| O22.33  | Deep phlebothrombosis in pregnancy, third trimester                               |
| O22.50  | Cerebral venous thrombosis in pregnancy, unspecified trimester                    |
| O22.51  | Cerebral venous thrombosis in pregnancy, first trimester                          |
| O22.52  | Cerebral venous thrombosis in pregnancy, second trimester                         |
| O22.53  | Cerebral venous thrombosis in pregnancy, third trimester                          |
| O22.91  | Venous complication in pregnancy, unspecified, first trimester                    |
| O22.92  | Venous complication in pregnancy, unspecified, second trimester                   |
| O22.93  | Venous complication in pregnancy, unspecified, third trimester                    |
| O24.415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O24.425  | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs                    |
| O24.435  | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs                    |
| O26.611  | Liver and biliary tract disorders in pregnancy, first trimester                                       |
| O26.612  | Liver and biliary tract disorders in pregnancy, second trimester                                      |
| O26.613  | Liver and biliary tract disorders in pregnancy, third trimester                                       |
| O26.619  | Liver and biliary tract disorders in pregnancy, unspecified trimester                                 |
| O26.62   | Liver and biliary tract disorders in childbirth   |
| O26.851  | Spotting complicating pregnancy, first trimester  |
| O26.852  | Spotting complicating pregnancy, second trimester   |
| O26.853  | Spotting complicating pregnancy, third trimester  |
| O26.859  | Spotting complicating pregnancy, unspecified trimester  |
| O34.218  | Maternal care for other type scar from previous cesarean delivery                                     |
| O34.22   | Maternal care for cesarean scar defect (isthmocoele)  |
| O41.1010 | Infection of amniotic sac and membranes, unspecified, first trimester, not applicable or unspecified  |
| O41.1011 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 1                        |
| O41.1012 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 2                        |
| O41.1013 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 3                        |
| O41.1014 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 4                        |
| O41.1015 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 5                        |
| O41.1019 | Infection of amniotic sac and membranes, unspecified, first trimester, other fetus                    |
| O41.1020 | Infection of amniotic sac and membranes, unspecified, second trimester, not applicable or unspecified |
| O41.1021 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 1                       |
| O41.1022 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 2                       |
| O41.1023 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 3                       |
| O41.1024 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 4                       |
| O41.1025 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 5                       |
| O41.1029 | Infection of amniotic sac and membranes, unspecified, second trimester, other fetus                   |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| O41.1030 | Infection of amniotic sac and membranes, unspecified, third trimester, not applicable or unspecified       |
| O41.1031 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 1                             |
| O41.1032 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 2                             |
| O41.1033 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 3                             |
| O41.1034 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 4                             |
| O41.1035 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 5                             |
| O41.1039 | Infection of amniotic sac and membranes, unspecified, third trimester, other fetus                         |
| O41.1090 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, not applicable or unspecified |
| O41.1091 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 1                       |
| O41.1092 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 2                       |
| O41.1093 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 3                       |
| O41.1094 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 4                       |
| O41.1095 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 5                       |
| O41.1099 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, other fetus                   |
| O41.1210 | Chorioamnionitis, first trimester, not applicable or unspecified   |
| O41.1211 | Chorioamnionitis, first trimester, fetus 1   |
| O41.1212 | Chorioamnionitis, first trimester, fetus 2   |
| O41.1213 | Chorioamnionitis, first trimester, fetus 3   |
| O41.1214 | Chorioamnionitis, first trimester, fetus 4   |
| O41.1215 | Chorioamnionitis, first trimester, fetus 5   |
| O41.1219 | Chorioamnionitis, first trimester, other fetus   |
| O41.1220 | Chorioamnionitis, second trimester, not applicable or unspecified  |
| O41.1221 | Chorioamnionitis, second trimester, fetus 1  |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| O41.1222    | Chorioamnionitis, second trimester, fetus 2                            |
| O41.1223    | Chorioamnionitis, second trimester, fetus 3                            |
| O41.1224    | Chorioamnionitis, second trimester, fetus 4                            |
| O41.1225    | Chorioamnionitis, second trimester, fetus 5                            |
| O41.1229    | Chorioamnionitis, second trimester, other fetus                        |
| O41.1230    | Chorioamnionitis, third trimester, not applicable or unspecified       |
| O41.1231    | Chorioamnionitis, third trimester, fetus 1                             |
| O41.1232    | Chorioamnionitis, third trimester, fetus 2                             |
| O41.1233    | Chorioamnionitis, third trimester, fetus 3                             |
| O41.1234    | Chorioamnionitis, third trimester, fetus 4                             |
| O41.1235    | Chorioamnionitis, third trimester, fetus 5                             |
| O41.1239    | Chorioamnionitis, third trimester, other fetus                         |
| O41.1290    | Chorioamnionitis, unspecified trimester, not applicable or unspecified |
| O41.1291    | Chorioamnionitis, unspecified trimester, fetus 1                       |
| O41.1292    | Chorioamnionitis, unspecified trimester, fetus 2                       |
| O41.1293    | Chorioamnionitis, unspecified trimester, fetus 3                       |
| O41.1294    | Chorioamnionitis, unspecified trimester, fetus 4                       |
| O41.1295    | Chorioamnionitis, unspecified trimester, fetus 5                       |
| O41.1299    | Chorioamnionitis, unspecified trimester, other fetus                   |
| O41.1410    | Placentitis, first trimester, not applicable or unspecified            |
| O41.1411    | Placentitis, first trimester, fetus 1                                  |
| O41.1412    | Placentitis, first trimester, fetus 2                                  |
| O41.1413    | Placentitis, first trimester, fetus 3                                  |
| O41.1414    | Placentitis, first trimester, fetus 4                                  |
| O41.1415    | Placentitis, first trimester, fetus 5                                  |
| O41.1419    | Placentitis, first trimester, other fetus                              |
| O41.1420    | Placentitis, second trimester, not applicable or unspecified           |
| O41.1421    | Placentitis, second trimester, fetus 1                                 |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| O41.1422 | Placentitis, second trimester, fetus 2                             |
| O41.1423 | Placentitis, second trimester, fetus 3                             |
| O41.1424 | Placentitis, second trimester, fetus 4                             |
| O41.1425 | Placentitis, second trimester, fetus 5                             |
| O41.1429 | Placentitis, second trimester, other fetus                         |
| O41.1430 | Placentitis, third trimester, not applicable or unspecified        |
| O41.1431 | Placentitis, third trimester, fetus 1                              |
| O41.1432 | Placentitis, third trimester, fetus 2                              |
| O41.1433 | Placentitis, third trimester, fetus 3                              |
| O41.1434 | Placentitis, third trimester, fetus 4                              |
| O41.1435 | Placentitis, third trimester, fetus 5                              |
| O41.1439 | Placentitis, third trimester, other fetus                          |
| O41.1490 | Placentitis, unspecified trimester, not applicable or unspecified  |
| O41.1491 | Placentitis, unspecified trimester, fetus 1                        |
| O41.1492 | Placentitis, unspecified trimester, fetus 2                        |
| O41.1493 | Placentitis, unspecified trimester, fetus 3                        |
| O41.1494 | Placentitis, unspecified trimester, fetus 4                        |
| O41.1495 | Placentitis, unspecified trimester, fetus 5                        |
| O41.1499 | Placentitis, unspecified trimester, other fetus                    |
| O43.011  | Fetomaternal placental transfusion syndrome, first trimester       |
| O43.012  | Fetomaternal placental transfusion syndrome, second trimester      |
| O43.013  | Fetomaternal placental transfusion syndrome, third trimester       |
| O43.019  | Fetomaternal placental transfusion syndrome, unspecified trimester |
| O43.211  | Placenta accreta, first trimester                                  |
| O43.212  | Placenta accreta, second trimester                                 |
| O43.213  | Placenta accreta, third trimester                                  |
| O43.221  | Placenta increta, first trimester                                  |
| O43.222  | Placenta increta, second trimester                                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O43.223 | Placenta increta, third trimester   |
| O43.231 | Placenta percreta, first trimester  |
| O43.232 | Placenta percreta, second trimester                                       |
| O43.233 | Placenta percreta, third trimester  |
| O44.00  | Complete placenta previa NOS or without hemorrhage, unspecified trimester |
| O44.01  | Complete placenta previa NOS or without hemorrhage, first trimester       |
| O44.02  | Complete placenta previa NOS or without hemorrhage, second trimester      |
| O44.03  | Complete placenta previa NOS or without hemorrhage, third trimester       |
| O44.10  | Complete placenta previa with hemorrhage, unspecified trimester           |
| O44.11  | Complete placenta previa with hemorrhage, first trimester                 |
| O44.12  | Complete placenta previa with hemorrhage, second trimester                |
| O44.13  | Complete placenta previa with hemorrhage, third trimester                 |
| O44.20  | Partial placenta previa NOS or without hemorrhage, unspecified trimester  |
| O44.21  | Partial placenta previa NOS or without hemorrhage, first trimester        |
| O44.22  | Partial placenta previa NOS or without hemorrhage, second trimester       |
| O44.23  | Partial placenta previa NOS or without hemorrhage, third trimester        |
| O44.30  | Partial placenta previa with hemorrhage, unspecified trimester            |
| O44.31  | Partial placenta previa with hemorrhage, first trimester                  |
| O44.32  | Partial placenta previa with hemorrhage, second trimester                 |
| O44.33  | Partial placenta previa with hemorrhage, third trimester                  |
| O44.40  | Low lying placenta NOS or without hemorrhage, unspecified trimester       |
| O44.41  | Low lying placenta NOS or without hemorrhage, first trimester             |
| O44.42  | Low lying placenta NOS or without hemorrhage, second trimester            |
| O44.43  | Low lying placenta NOS or without hemorrhage, third trimester             |
| O44.50  | Low lying placenta with hemorrhage, unspecified trimester                 |
| O44.51  | Low lying placenta with hemorrhage, first trimester                       |
| O44.52  | Low lying placenta with hemorrhage, second trimester                      |
| O44.53  | Low lying placenta with hemorrhage, third trimester                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O45.001 | Premature separation of placenta with coagulation defect, unspecified, first trimester              |
| O45.002 | Premature separation of placenta with coagulation defect, unspecified, second trimester             |
| O45.003 | Premature separation of placenta with coagulation defect, unspecified, third trimester              |
| O45.009 | Premature separation of placenta with coagulation defect, unspecified, unspecified trimester        |
| O45.011 | Premature separation of placenta with afibrinogenemia, first trimester                              |
| O45.012 | Premature separation of placenta with afibrinogenemia, second trimester                             |
| O45.013 | Premature separation of placenta with afibrinogenemia, third trimester                              |
| O45.019 | Premature separation of placenta with afibrinogenemia, unspecified trimester                        |
| O45.021 | Premature separation of placenta with disseminated intravascular coagulation, first trimester       |
| O45.022 | Premature separation of placenta with disseminated intravascular coagulation, second trimester      |
| O45.023 | Premature separation of placenta with disseminated intravascular coagulation, third trimester       |
| O45.029 | Premature separation of placenta with disseminated intravascular coagulation, unspecified trimester |
| O45.091 | Premature separation of placenta with other coagulation defect, first trimester                     |
| O45.092 | Premature separation of placenta with other coagulation defect, second trimester                    |
| O45.093 | Premature separation of placenta with other coagulation defect, third trimester                     |
| O45.099 | Premature separation of placenta with other coagulation defect, unspecified trimester               |
| O45.8X1 | Other premature separation of placenta, first trimester   |
| O45.8X2 | Other premature separation of placenta, second trimester  |
| O45.8X3 | Other premature separation of placenta, third trimester   |
| O45.8X9 | Other premature separation of placenta, unspecified trimester                                       |
| O45.90  | Premature separation of placenta, unspecified, unspecified trimester                                |
| O45.91  | Premature separation of placenta, unspecified, first trimester                                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O45.92  | Premature separation of placenta, unspecified, second trimester                          |
| O45.93  | Premature separation of placenta, unspecified, third trimester                           |
| O46.001 | Antepartum hemorrhage with coagulation defect, unspecified, first trimester              |
| O46.002 | Antepartum hemorrhage with coagulation defect, unspecified, second trimester             |
| O46.003 | Antepartum hemorrhage with coagulation defect, unspecified, third trimester              |
| O46.009 | Antepartum hemorrhage with coagulation defect, unspecified, unspecified trimester        |
| O46.011 | Antepartum hemorrhage with afibrinogenemia, first trimester                              |
| O46.012 | Antepartum hemorrhage with afibrinogenemia, second trimester                             |
| O46.013 | Antepartum hemorrhage with afibrinogenemia, third trimester                              |
| O46.019 | Antepartum hemorrhage with afibrinogenemia, unspecified trimester                        |
| O46.021 | Antepartum hemorrhage with disseminated intravascular coagulation, first trimester       |
| O46.022 | Antepartum hemorrhage with disseminated intravascular coagulation, second trimester      |
| O46.023 | Antepartum hemorrhage with disseminated intravascular coagulation, third trimester       |
| O46.029 | Antepartum hemorrhage with disseminated intravascular coagulation, unspecified trimester |
| O46.091 | Antepartum hemorrhage with other coagulation defect, first trimester                     |
| O46.092 | Antepartum hemorrhage with other coagulation defect, second trimester                    |
| O46.093 | Antepartum hemorrhage with other coagulation defect, third trimester                     |
| O46.099 | Antepartum hemorrhage with other coagulation defect, unspecified trimester               |
| O46.8X1 | Other antepartum hemorrhage, first trimester   |
| O46.8X2 | Other antepartum hemorrhage, second trimester  |
| O46.8X3 | Other antepartum hemorrhage, third trimester   |
| O46.8X9 | Other antepartum hemorrhage, unspecified trimester                                       |
| O46.90  | Antepartum hemorrhage, unspecified, unspecified trimester                                |
| O46.91  | Antepartum hemorrhage, unspecified, first trimester                                      |
| O46.92  | Antepartum hemorrhage, unspecified, second trimester                                     |
| O46.93  | Antepartum hemorrhage, unspecified, third trimester                                      |
| O67.0   | Intrapartum hemorrhage with coagulation defect   |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O67.8   | Other intrapartum hemorrhage                                       |
| O67.9   | Intrapartum hemorrhage, unspecified                                |
| O72.0   | Third-stage hemorrhage   |
| O72.1   | Other immediate postpartum hemorrhage                              |
| O72.2   | Delayed and secondary postpartum hemorrhage                        |
| O72.3   | Postpartum coagulation defects                                     |
| O86.00  | Infection of obstetric surgical wound, unspecified                 |
| O86.01  | Infection of obstetric surgical wound, superficial incisional site |
| O86.02  | Infection of obstetric surgical wound, deep incisional site        |
| O86.03  | Infection of obstetric surgical wound, organ and space site        |
| O86.04  | Sepsis following an obstetrical procedure                          |
| O86.09  | Infection of obstetric surgical wound, other surgical site         |
| O87.0   | Superficial thrombophlebitis in the puerperium                     |
| O87.1   | Deep phlebothrombosis in the puerperium                            |
| O87.3   | Cerebral venous thrombosis in the puerperium                       |
| O88.011 | Air embolism in pregnancy, first trimester                         |
| O88.012 | Air embolism in pregnancy, second trimester                        |
| O88.013 | Air embolism in pregnancy, third trimester                         |
| O88.019 | Air embolism in pregnancy, unspecified trimester                   |
| O88.02  | Air embolism in childbirth   |
| O88.03  | Air embolism in the puerperium                                     |
| O88.111 | Amniotic fluid embolism in pregnancy, first trimester              |
| O88.112 | Amniotic fluid embolism in pregnancy, second trimester             |
| O88.113 | Amniotic fluid embolism in pregnancy, third trimester              |
| O88.119 | Amniotic fluid embolism in pregnancy, unspecified trimester        |
| O88.12  | Amniotic fluid embolism in childbirth                              |
| O88.13  | Amniotic fluid embolism in the puerperium                          |
| O88.211 | Thromboembolism in pregnancy, first trimester                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O88.212 | Thromboembolism in pregnancy, second trimester  |
| O88.213 | Thromboembolism in pregnancy, third trimester   |
| O88.219 | Thromboembolism in pregnancy, unspecified trimester   |
| O88.22  | Thromboembolism in childbirth   |
| O88.23  | Thromboembolism in the puerperium   |
| O88.311 | Pyemic and septic embolism in pregnancy, first trimester  |
| O88.312 | Pyemic and septic embolism in pregnancy, second trimester   |
| O88.313 | Pyemic and septic embolism in pregnancy, third trimester  |
| O88.319 | Pyemic and septic embolism in pregnancy, unspecified trimester  |
| O88.32  | Pyemic and septic embolism in childbirth  |
| O88.33  | Pyemic and septic embolism in the puerperium  |
| O88.811 | Other embolism in pregnancy, first trimester  |
| O88.812 | Other embolism in pregnancy, second trimester   |
| O88.813 | Other embolism in pregnancy, third trimester  |
| O88.819 | Other embolism in pregnancy, unspecified trimester  |
| O88.82  | Other embolism in childbirth  |
| O88.83  | Other embolism in the puerperium  |
| O90.2   | Hematoma of obstetric wound   |
| O99.111 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, first trimester       |
| O99.112 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, second trimester      |
| O99.113 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, third trimester       |
| O99.119 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, unspecified trimester |
| O99.12  | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating childbirth                       |
| O99.13  | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating the puerperium                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O99.891 | Other specified diseases and conditions complicating pregnancy         |
| O99.892 | Other specified diseases and conditions complicating childbirth        |
| O99.893 | Other specified diseases and conditions complicating puerperium        |
| P02.1   | Newborn affected by other forms of placental separation and hemorrhage |
| P04.40  | Newborn affected by maternal use of unspecified drugs of addiction     |
| P04.42  | Newborn affected by maternal use of hallucinogens                      |
| P05.9   | Newborn affected by slow intrauterine growth, unspecified              |
| P10.0   | Subdural hemorrhage due to birth injury                                |
| P10.1   | Cerebral hemorrhage due to birth injury                                |
| P10.2   | Intraventricular hemorrhage due to birth injury                        |
| P10.3   | Subarachnoid hemorrhage due to birth injury                            |
| P10.4   | Tentorial tear due to birth injury                                     |
| P10.8   | Other intracranial lacerations and hemorrhages due to birth injury     |
| P10.9   | Unspecified intracranial laceration and hemorrhage due to birth injury |
| P11.0   | Cerebral edema due to birth injury                                     |
| P11.1   | Other specified brain damage due to birth injury                       |
| P11.2   | Unspecified brain damage due to birth injury                           |
| P11.9   | Birth injury to central nervous system, unspecified                    |
| P12.2   | Epicranial subaponeurotic hemorrhage due to birth injury               |
| P15.0   | Birth injury to liver  |
| P15.1   | Birth injury to spleen   |
| P15.2   | Sternomastoid injury due to birth injury                               |
| P15.3   | Birth injury to eye  |
| P15.4   | Birth injury to face   |
| P15.5   | Birth injury to external genitalia                                     |
| P15.6   | Subcutaneous fat necrosis due to birth injury                          |
| P15.8   | Other specified birth injuries   |
| P26.0   | Tracheobronchial hemorrhage originating in the perinatal period        |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| P26.1  | Massive pulmonary hemorrhage originating in the perinatal period                   |
| P26.8  | Other pulmonary hemorrhages originating in the perinatal period                    |
| P26.9  | Unspecified pulmonary hemorrhage originating in the perinatal period               |
| P50.0  | Newborn affected by intrauterine (fetal) blood loss from vasa previa               |
| P50.1  | Newborn affected by intrauterine (fetal) blood loss from ruptured cord             |
| P50.2  | Newborn affected by intrauterine (fetal) blood loss from placenta                  |
| P50.3  | Newborn affected by hemorrhage into co-twin  |
| P50.4  | Newborn affected by hemorrhage into maternal circulation                           |
| P50.5  | Newborn affected by intrauterine (fetal) blood loss from cut end of co-twin's cord |
| P50.8  | Newborn affected by other intrauterine (fetal) blood loss                          |
| P50.9  | Newborn affected by intrauterine (fetal) blood loss, unspecified                   |
| P51.0  | Massive umbilical hemorrhage of newborn  |
| P51.8  | Other umbilical hemorrhages of newborn   |
| P51.9  | Umbilical hemorrhage of newborn, unspecified                                       |
| P52.0  | Intraventricular (nontraumatic) hemorrhage, grade 1, of newborn                    |
| P52.1  | Intraventricular (nontraumatic) hemorrhage, grade 2, of newborn                    |
| P52.21 | Intraventricular (nontraumatic) hemorrhage, grade 3, of newborn                    |
| P52.22 | Intraventricular (nontraumatic) hemorrhage, grade 4, of newborn                    |
| P52.3  | Unspecified intraventricular (nontraumatic) hemorrhage of newborn                  |
| P52.4  | Intracerebral (nontraumatic) hemorrhage of newborn                                 |
| P52.5  | Subarachnoid (nontraumatic) hemorrhage of newborn                                  |
| P52.6  | Cerebellar (nontraumatic) and posterior fossa hemorrhage of newborn                |
| P52.8  | Other intracranial (nontraumatic) hemorrhages of newborn                           |
| P52.9  | Intracranial (nontraumatic) hemorrhage of newborn, unspecified                     |
| P53    | Hemorrhagic disease of newborn   |
| P54.0  | Neonatal hematemesis   |
| P54.1  | Neonatal melena  |
| P54.2  | Neonatal rectal hemorrhage   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| P54.3  | Other neonatal gastrointestinal hemorrhage                       |
| P54.4  | Neonatal adrenal hemorrhage                                      |
| P54.5  | Neonatal cutaneous hemorrhage                                    |
| P54.6  | Neonatal vaginal hemorrhage                                      |
| P54.8  | Other specified neonatal hemorrhages                             |
| P54.9  | Neonatal hemorrhage, unspecified                                 |
| P57.8  | Other specified kernicterus                                      |
| P57.9  | Kernicterus, unspecified   |
| P58.0  | Neonatal jaundice due to bruising                                |
| P58.1  | Neonatal jaundice due to bleeding                                |
| P58.2  | Neonatal jaundice due to infection                               |
| P58.3  | Neonatal jaundice due to polycythemia                            |
| P58.41 | Neonatal jaundice due to drugs or toxins transmitted from mother |
| P58.42 | Neonatal jaundice due to drugs or toxins given to newborn        |
| P58.5  | Neonatal jaundice due to swallowed maternal blood                |
| P58.8  | Neonatal jaundice due to other specified excessive hemolysis     |
| P58.9  | Neonatal jaundice due to excessive hemolysis, unspecified        |
| P59.0  | Neonatal jaundice associated with preterm delivery               |
| P59.1  | Inspissated bile syndrome  |
| P59.20 | Neonatal jaundice from unspecified hepatocellular damage         |
| P59.29 | Neonatal jaundice from other hepatocellular damage               |
| P59.3  | Neonatal jaundice from breast milk inhibitor                     |
| P59.8  | Neonatal jaundice from other specified causes                    |
| P59.9  | Neonatal jaundice, unspecified                                   |
| P60    | Disseminated intravascular coagulation of newborn                |
| P61.0  | Transient neonatal thrombocytopenia                              |
| P61.1  | Polycythemia neonatorum  |
| P61.2  | Anemia of prematurity  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                                  |
|-------------|---|
| P61.3       | Congenital anemia from fetal blood loss             |
| P61.4       | Other congenital anemias, not elsewhere classified  |
| P61.5       | Transient neonatal neutropenia                      |
| P61.6       | Other transient neonatal disorders of coagulation   |
| P61.8       | Other specified perinatal hematological disorders   |
| P61.9       | Perinatal hematological disorder, unspecified       |
| R04.0       | Epistaxis   |
| R04.1       | Hemorrhage from throat                              |
| R04.2       | Hemoptysis  |
| R04.81      | Acute idiopathic pulmonary hemorrhage in infants    |
| R04.89      | Hemorrhage from other sites in respiratory passages |
| R04.9       | Hemorrhage from respiratory passages, unspecified   |
| R06.02      | Shortness of breath                                 |
| R07.82      | Intercostal pain                                    |
| R07.89      | Other chest pain                                    |
| R07.9       | Chest pain, unspecified                             |
| R10.0       | Acute abdomen                                       |
| R10.10      | Upper abdominal pain, unspecified                   |
| R10.11      | Right upper quadrant pain                           |
| R10.12      | Left upper quadrant pain                            |
| R10.13      | Epigastric pain                                     |
| R10.2       | Pelvic and perineal pain                            |
| R10.30      | Lower abdominal pain, unspecified                   |
| R10.31      | Right lower quadrant pain                           |
| R10.32      | Left lower quadrant pain                            |
| R10.33      | Periumbilical pain                                  |
| R10.83      | Colic   |
| R10.84      | Generalized abdominal pain                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                |
|---------|----------------------------|
| R10.9   | Unspecified abdominal pain |
| R17     | Unspecified jaundice       |
| R23.3   | Spontaneous ecchymoses     |
| R29.700 | NIHSS score 0              |
| R29.701 | NIHSS score 1              |
| R29.702 | NIHSS score 2              |
| R29.703 | NIHSS score 3              |
| R29.704 | NIHSS score 4              |
| R29.705 | NIHSS score 5              |
| R29.706 | NIHSS score 6              |
| R29.707 | NIHSS score 7              |
| R29.708 | NIHSS score 8              |
| R29.709 | NIHSS score 9              |
| R29.710 | NIHSS score 10             |
| R29.711 | NIHSS score 11             |
| R29.712 | NIHSS score 12             |
| R29.713 | NIHSS score 13             |
| R29.714 | NIHSS score 14             |
| R29.715 | NIHSS score 15             |
| R29.716 | NIHSS score 16             |
| R29.717 | NIHSS score 17             |
| R29.718 | NIHSS score 18             |
| R29.719 | NIHSS score 19             |
| R29.720 | NIHSS score 20             |
| R29.721 | NIHSS score 21             |
| R29.722 | NIHSS score 22             |
| R29.723 | NIHSS score 23             |
| R29.724 | NIHSS score 24             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| R29.725  | NIHSS score 25  |
| R29.726  | NIHSS score 26  |
| R29.727  | NIHSS score 27  |
| R29.728  | NIHSS score 28  |
| R29.729  | NIHSS score 29  |
| R29.730  | NIHSS score 30  |
| R29.731  | NIHSS score 31  |
| R29.732  | NIHSS score 32  |
| R29.733  | NIHSS score 33  |
| R29.734  | NIHSS score 34  |
| R29.735  | NIHSS score 35  |
| R29.736  | NIHSS score 36  |
| R29.737  | NIHSS score 37  |
| R29.738  | NIHSS score 38  |
| R29.739  | NIHSS score 39  |
| R29.740  | NIHSS score 40  |
| R29.741  | NIHSS score 41  |
| R29.742  | NIHSS score 42  |
| R31.0    | Gross hematuria   |
| R31.1    | Benign essential microscopic hematuria                                    |
| R31.21   | Asymptomatic microscopic hematuria  |
| R31.29   | Other microscopic hematuria   |
| R31.9    | Hematuria, unspecified  |
| R40.2410 | Glasgow coma scale score 13-15, unspecified time                          |
| R40.2411 | Glasgow coma scale score 13-15, in the field [EMT or ambulance]           |
| R40.2412 | Glasgow coma scale score 13-15, at arrival to emergency department        |
| R40.2413 | Glasgow coma scale score 13-15, at hospital admission                     |
| R40.2414 | Glasgow coma scale score 13-15, 24 hours or more after hospital admission |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| R40.2420 | Glasgow coma scale score 9-12, unspecified time  |
| R40.2421 | Glasgow coma scale score 9-12, in the field [EMT or ambulance]   |
| R40.2422 | Glasgow coma scale score 9-12, at arrival to emergency department  |
| R40.2423 | Glasgow coma scale score 9-12, at hospital admission   |
| R40.2424 | Glasgow coma scale score 9-12, 24 hours or more after hospital admission   |
| R40.2430 | Glasgow coma scale score 3-8, unspecified time   |
| R40.2431 | Glasgow coma scale score 3-8, in the field [EMT or ambulance]  |
| R40.2432 | Glasgow coma scale score 3-8, at arrival to emergency department   |
| R40.2433 | Glasgow coma scale score 3-8, at hospital admission  |
| R40.2434 | Glasgow coma scale score 3-8, 24 hours or more after hospital admission  |
| R40.2440 | Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time                          |
| R40.2441 | Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]           |
| R40.2442 | Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department        |
| R40.2443 | Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission                     |
| R40.2444 | Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission |
| R55      | Syncope and collapse   |
| R57.9    | Shock, unspecified   |
| R79.1    | Abnormal coagulation profile   |
| S00.03XA | Contusion of scalp, initial encounter  |
| S00.10XA | Contusion of unspecified eyelid and periocular area, initial encounter   |
| S00.11XA | Contusion of right eyelid and periocular area, initial encounter   |
| S00.12XA | Contusion of left eyelid and periocular area, initial encounter  |
| S00.33XA | Contusion of nose, initial encounter   |
| S00.431A | Contusion of right ear, initial encounter  |
| S00.432A | Contusion of left ear, initial encounter   |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S00.439A | Contusion of unspecified ear, initial encounter  |
| S00.531A | Contusion of lip, initial encounter  |
| S00.532A | Contusion of oral cavity, initial encounter  |
| S00.83XA | Contusion of other part of head, initial encounter   |
| S00.93XA | Contusion of unspecified part of head, initial encounter                                     |
| S01.90XA | Unspecified open wound of unspecified part of head, initial encounter                        |
| S02.0XXA | Fracture of vault of skull, initial encounter for closed fracture                            |
| S02.0XXB | Fracture of vault of skull, initial encounter for open fracture                              |
| S02.101A | Fracture of base of skull, right side, initial encounter for closed fracture                 |
| S02.101B | Fracture of base of skull, right side, initial encounter for open fracture                   |
| S02.102A | Fracture of base of skull, left side, initial encounter for closed fracture                  |
| S02.102B | Fracture of base of skull, left side, initial encounter for open fracture                    |
| S02.109A | Fracture of base of skull, unspecified side, initial encounter for closed fracture           |
| S02.109B | Fracture of base of skull, unspecified side, initial encounter for open fracture             |
| S02.110A | Type I occipital condyle fracture, unspecified side, initial encounter for closed fracture   |
| S02.110B | Type I occipital condyle fracture, unspecified side, initial encounter for open fracture     |
| S02.111A | Type II occipital condyle fracture, unspecified side, initial encounter for closed fracture  |
| S02.111B | Type II occipital condyle fracture, unspecified side, initial encounter for open fracture    |
| S02.112A | Type III occipital condyle fracture, unspecified side, initial encounter for closed fracture |
| S02.112B | Type III occipital condyle fracture, unspecified side, initial encounter for open fracture   |
| S02.113A | Unspecified occipital condyle fracture, initial encounter for closed fracture                |
| S02.113B | Unspecified occipital condyle fracture, initial encounter for open fracture                  |
| S02.118A | Other fracture of occiput, unspecified side, initial encounter for closed fracture           |
| S02.118B | Other fracture of occiput, unspecified side, initial encounter for open fracture             |
| S02.119A | Unspecified fracture of occiput, initial encounter for closed fracture                       |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S02.119B | Unspecified fracture of occiput, initial encounter for open fracture                         |
| S02.11AA | Type I occipital condyle fracture, right side, initial encounter for closed fracture         |
| S02.11AB | Type I occipital condyle fracture, right side, initial encounter for open fracture           |
| S02.11BA | Type I occipital condyle fracture, left side, initial encounter for closed fracture          |
| S02.11BB | Type I occipital condyle fracture, left side, initial encounter for open fracture            |
| S02.11CA | Type II occipital condyle fracture, right side, initial encounter for closed fracture        |
| S02.11CB | Type II occipital condyle fracture, right side, initial encounter for open fracture          |
| S02.11DA | Type II occipital condyle fracture, left side, initial encounter for closed fracture         |
| S02.11DB | Type II occipital condyle fracture, left side, initial encounter for open fracture           |
| S02.11EA | Type III occipital condyle fracture, right side, initial encounter for closed fracture       |
| S02.11EB | Type III occipital condyle fracture, right side, initial encounter for open fracture         |
| S02.11FA | Type III occipital condyle fracture, left side, initial encounter for closed fracture        |
| S02.11FB | Type III occipital condyle fracture, left side, initial encounter for open fracture          |
| S02.11GA | Other fracture of occiput, right side, initial encounter for closed fracture                 |
| S02.11GB | Other fracture of occiput, right side, initial encounter for open fracture                   |
| S02.11HA | Other fracture of occiput, left side, initial encounter for closed fracture                  |
| S02.11HB | Other fracture of occiput, left side, initial encounter for open fracture                    |
| S02.121A | Fracture of orbital roof, right side, initial encounter for closed fracture                  |
| S02.121B | Fracture of orbital roof, right side, initial encounter for open fracture                    |
| S02.121D | Fracture of orbital roof, right side, subsequent encounter for fracture with routine healing |
| S02.121G | Fracture of orbital roof, right side, subsequent encounter for fracture with delayed healing |
| S02.121K | Fracture of orbital roof, right side, subsequent encounter for fracture with nonunion        |
| S02.121S | Fracture of orbital roof, right side, sequela  |
| S02.122A | Fracture of orbital roof, left side, initial encounter for closed fracture                   |
| S02.122B | Fracture of orbital roof, left side, initial encounter for open fracture                     |
| S02.122D | Fracture of orbital roof, left side, subsequent encounter for fracture with routine healing  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S02.122G | Fracture of orbital roof, left side, subsequent encounter for fracture with delayed healing |
| S02.122K | Fracture of orbital roof, left side, subsequent encounter for fracture with nonunion        |
| S02.122S | Fracture of orbital roof, left side, sequela  |
| S02.19XA | Other fracture of base of skull, initial encounter for closed fracture                      |
| S02.19XB | Other fracture of base of skull, initial encounter for open fracture                        |
| S02.30XA | Fracture of orbital floor, unspecified side, initial encounter for closed fracture          |
| S02.30XB | Fracture of orbital floor, unspecified side, initial encounter for open fracture            |
| S02.31XA | Fracture of orbital floor, right side, initial encounter for closed fracture                |
| S02.31XB | Fracture of orbital floor, right side, initial encounter for open fracture                  |
| S02.32XA | Fracture of orbital floor, left side, initial encounter for closed fracture                 |
| S02.32XB | Fracture of orbital floor, left side, initial encounter for open fracture                   |
| S02.400A | Malar fracture, unspecified side, initial encounter for closed fracture                     |
| S02.400B | Malar fracture, unspecified side, initial encounter for open fracture                       |
| S02.401A | Maxillary fracture, unspecified side, initial encounter for closed fracture                 |
| S02.401B | Maxillary fracture, unspecified side, initial encounter for open fracture                   |
| S02.402A | Zygomatic fracture, unspecified side, initial encounter for closed fracture                 |
| S02.402B | Zygomatic fracture, unspecified side, initial encounter for open fracture                   |
| S02.40AA | Malar fracture, right side, initial encounter for closed fracture                           |
| S02.40AB | Malar fracture, right side, initial encounter for open fracture                             |
| S02.40BA | Malar fracture, left side, initial encounter for closed fracture                            |
| S02.40BB | Malar fracture, left side, initial encounter for open fracture                              |
| S02.40CA | Maxillary fracture, right side, initial encounter for closed fracture                       |
| S02.40CB | Maxillary fracture, right side, initial encounter for open fracture                         |
| S02.40DA | Maxillary fracture, left side, initial encounter for closed fracture                        |
| S02.40DB | Maxillary fracture, left side, initial encounter for open fracture                          |
| S02.40EA | Zygomatic fracture, right side, initial encounter for closed fracture                       |
| S02.40EB | Zygomatic fracture, right side, initial encounter for open fracture                         |
| S02.40FA | Zygomatic fracture, left side, initial encounter for closed fracture                        |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S02.40FB | Zygomatic fracture, left side, initial encounter for open fracture  |
| S02.411A | LeFort I fracture, initial encounter for closed fracture  |
| S02.411B | LeFort I fracture, initial encounter for open fracture  |
| S02.412A | LeFort II fracture, initial encounter for closed fracture   |
| S02.412B | LeFort II fracture, initial encounter for open fracture   |
| S02.413A | LeFort III fracture, initial encounter for closed fracture  |
| S02.413B | LeFort III fracture, initial encounter for open fracture  |
| S02.42XA | Fracture of alveolus of maxilla, initial encounter for closed fracture                                    |
| S02.42XB | Fracture of alveolus of maxilla, initial encounter for open fracture                                      |
| S02.600A | Fracture of unspecified part of body of mandible, unspecified side, initial encounter for closed fracture |
| S02.600B | Fracture of unspecified part of body of mandible, unspecified side, initial encounter for open fracture   |
| S02.601A | Fracture of unspecified part of body of right mandible, initial encounter for closed fracture             |
| S02.601B | Fracture of unspecified part of body of right mandible, initial encounter for open fracture               |
| S02.602A | Fracture of unspecified part of body of left mandible, initial encounter for closed fracture              |
| S02.602B | Fracture of unspecified part of body of left mandible, initial encounter for open fracture                |
| S02.609A | Fracture of mandible, unspecified, initial encounter for closed fracture                                  |
| S02.609B | Fracture of mandible, unspecified, initial encounter for open fracture                                    |
| S02.610A | Fracture of condylar process of mandible, unspecified side, initial encounter for closed fracture         |
| S02.610B | Fracture of condylar process of mandible, unspecified side, initial encounter for open fracture           |
| S02.611A | Fracture of condylar process of right mandible, initial encounter for closed fracture                     |
| S02.611B | Fracture of condylar process of right mandible, initial encounter for open fracture                       |
| S02.612A | Fracture of condylar process of left mandible, initial encounter for closed fracture                      |
| S02.612B | Fracture of condylar process of left mandible, initial encounter for open fracture                        |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S02.620A    | Fracture of subcondylar process of mandible, unspecified side, initial encounter for closed fracture |
| S02.620B    | Fracture of subcondylar process of mandible, unspecified side, initial encounter for open fracture   |
| S02.621A    | Fracture of subcondylar process of right mandible, initial encounter for closed fracture             |
| S02.621B    | Fracture of subcondylar process of right mandible, initial encounter for open fracture               |
| S02.622A    | Fracture of subcondylar process of left mandible, initial encounter for closed fracture              |
| S02.622B    | Fracture of subcondylar process of left mandible, initial encounter for open fracture                |
| S02.630A    | Fracture of coronoid process of mandible, unspecified side, initial encounter for closed fracture    |
| S02.630B    | Fracture of coronoid process of mandible, unspecified side, initial encounter for open fracture      |
| S02.631A    | Fracture of coronoid process of right mandible, initial encounter for closed fracture                |
| S02.631B    | Fracture of coronoid process of right mandible, initial encounter for open fracture                  |
| S02.632A    | Fracture of coronoid process of left mandible, initial encounter for closed fracture                 |
| S02.632B    | Fracture of coronoid process of left mandible, initial encounter for open fracture                   |
| S02.640A    | Fracture of ramus of mandible, unspecified side, initial encounter for closed fracture               |
| S02.640B    | Fracture of ramus of mandible, unspecified side, initial encounter for open fracture                 |
| S02.641A    | Fracture of ramus of right mandible, initial encounter for closed fracture                           |
| S02.641B    | Fracture of ramus of right mandible, initial encounter for open fracture                             |
| S02.642A    | Fracture of ramus of left mandible, initial encounter for closed fracture                            |
| S02.642B    | Fracture of ramus of left mandible, initial encounter for open fracture                              |
| S02.650A    | Fracture of angle of mandible, unspecified side, initial encounter for closed fracture               |
| S02.650B    | Fracture of angle of mandible, unspecified side, initial encounter for open fracture                 |
| S02.651A    | Fracture of angle of right mandible, initial encounter for closed fracture                           |
| S02.651B    | Fracture of angle of right mandible, initial encounter for open fracture                             |
| S02.652A    | Fracture of angle of left mandible, initial encounter for closed fracture                            |
| S02.652B    | Fracture of angle of left mandible, initial encounter for open fracture                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S02.66XA    | Fracture of symphysis of mandible, initial encounter for closed fracture                                    |
| S02.66XB    | Fracture of symphysis of mandible, initial encounter for open fracture                                      |
| S02.670A    | Fracture of alveolus of mandible, unspecified side, initial encounter for closed fracture                   |
| S02.670B    | Fracture of alveolus of mandible, unspecified side, initial encounter for open fracture                     |
| S02.671A    | Fracture of alveolus of right mandible, initial encounter for closed fracture                               |
| S02.671B    | Fracture of alveolus of right mandible, initial encounter for open fracture                                 |
| S02.672A    | Fracture of alveolus of left mandible, initial encounter for closed fracture                                |
| S02.672B    | Fracture of alveolus of left mandible, initial encounter for open fracture                                  |
| S02.69XA    | Fracture of mandible of other specified site, initial encounter for closed fracture                         |
| S02.69XB    | Fracture of mandible of other specified site, initial encounter for open fracture                           |
| S02.80XA    | Fracture of other specified skull and facial bones, unspecified side, initial encounter for closed fracture |
| S02.80XB    | Fracture of other specified skull and facial bones, unspecified side, initial encounter for open fracture   |
| S02.81XA    | Fracture of other specified skull and facial bones, right side, initial encounter for closed fracture       |
| S02.81XB    | Fracture of other specified skull and facial bones, right side, initial encounter for open fracture         |
| S02.82XA    | Fracture of other specified skull and facial bones, left side, initial encounter for closed fracture        |
| S02.82XB    | Fracture of other specified skull and facial bones, left side, initial encounter for open fracture          |
| S02.831A    | Fracture of medial orbital wall, right side, initial encounter for closed fracture                          |
| S02.831B    | Fracture of medial orbital wall, right side, initial encounter for open fracture                            |
| S02.831D    | Fracture of medial orbital wall, right side, subsequent encounter for fracture with routine healing         |
| S02.831G    | Fracture of medial orbital wall, right side, subsequent encounter for fracture with delayed healing         |
| S02.831K    | Fracture of medial orbital wall, right side, subsequent encounter for fracture with nonunion                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S02.831S    | Fracture of medial orbital wall, right side, sequela   |
| S02.832A    | Fracture of medial orbital wall, left side, initial encounter for closed fracture                    |
| S02.832B    | Fracture of medial orbital wall, left side, initial encounter for open fracture                      |
| S02.832D    | Fracture of medial orbital wall, left side, subsequent encounter for fracture with routine healing   |
| S02.832G    | Fracture of medial orbital wall, left side, subsequent encounter for fracture with delayed healing   |
| S02.832K    | Fracture of medial orbital wall, left side, subsequent encounter for fracture with nonunion          |
| S02.832S    | Fracture of medial orbital wall, left side, sequela  |
| S02.841A    | Fracture of lateral orbital wall, right side, initial encounter for closed fracture                  |
| S02.841B    | Fracture of lateral orbital wall, right side, initial encounter for open fracture                    |
| S02.841D    | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with routine healing |
| S02.841G    | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with delayed healing |
| S02.841K    | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with nonunion        |
| S02.841S    | Fracture of lateral orbital wall, right side, sequela  |
| S02.842A    | Fracture of lateral orbital wall, left side, initial encounter for closed fracture                   |
| S02.842B    | Fracture of lateral orbital wall, left side, initial encounter for open fracture                     |
| S02.842D    | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with routine healing  |
| S02.842G    | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with delayed healing  |
| S02.842K    | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with nonunion         |
| S02.842S    | Fracture of lateral orbital wall, left side, sequela   |
| S02.91XA    | Unspecified fracture of skull, initial encounter for closed fracture                                 |
| S02.91XB    | Unspecified fracture of skull, initial encounter for open fracture                                   |
| S02.92XA    | Unspecified fracture of facial bones, initial encounter for closed fracture                          |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S02.92XB | Unspecified fracture of facial bones, initial encounter for open fracture  |
| S05.10XA | Contusion of eyeball and orbital tissues, unspecified eye, initial encounter   |
| S05.11XA | Contusion of eyeball and orbital tissues, right eye, initial encounter   |
| S05.12XA | Contusion of eyeball and orbital tissues, left eye, initial encounter  |
| S05.90XA | Unspecified injury of unspecified eye and orbit, initial encounter   |
| S06.330A | Contusion and laceration of cerebrum, unspecified, without loss of consciousness, initial encounter  |
| S06.331A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.332A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.333A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.334A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.335A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.336A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.337A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter             |
| S06.338A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter              |
| S06.339A | Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter   |
| S06.340A | Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter  |
| S06.341A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S06.342A    | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.343A    | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter  |
| S06.344A    | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.345A    | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.346A    | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.347A    | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter             |
| S06.348A    | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter              |
| S06.349A    | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, initial encounter   |
| S06.350A    | Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter   |
| S06.351A    | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.352A    | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.353A    | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter   |
| S06.354A    | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.355A    | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                            |
| S06.356A    | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter  |
| S06.357A    | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S06.358A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter                       |
| S06.359A | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, initial encounter  |
| S06.360A | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter  |
| S06.361A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.362A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.363A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter  |
| S06.364A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.365A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.366A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.367A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter             |
| S06.368A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter              |
| S06.369A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter   |
| S06.4X0A | Epidural hemorrhage without loss of consciousness, initial encounter   |
| S06.4X1A | Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.4X2A | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.4X3A | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S06.4X4A | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.4X5A | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                                     |
| S06.4X6A | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter           |
| S06.4X7A | Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter                       |
| S06.4X8A | Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter                       |
| S06.4X9A | Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter   |
| S06.5X0A | Traumatic subdural hemorrhage without loss of consciousness, initial encounter  |
| S06.5X1A | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.5X2A | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.5X3A | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.5X4A | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.5X5A | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.5X6A | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.5X7A | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter               |
| S06.5X8A | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter                |
| S06.5X9A | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter   |
| S06.6X0A | Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S06.6X1A    | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.6X2A    | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.6X3A    | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.6X4A    | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.6X5A    | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                             |
| S06.6X6A    | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter   |
| S06.6X7A    | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter               |
| S06.6X8A    | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter                |
| S06.6X9A    | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter   |
| S06.890A    | Other specified intracranial injury without loss of consciousness, initial encounter  |
| S06.891A    | Other specified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.892A    | Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.893A    | Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.894A    | Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.895A    | Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.896A    | Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S06.897A    | Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter         |
| S06.898A    | Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter          |
| S06.899A    | Other specified intracranial injury with loss of consciousness of unspecified duration, initial encounter   |
| S06.9X0A    | Unspecified intracranial injury without loss of consciousness, initial encounter  |
| S06.9X1A    | Unspecified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.9X2A    | Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.9X3A    | Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.9X4A    | Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.9X5A    | Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.9X6A    | Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.9X7A    | Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter             |
| S06.9X8A    | Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter              |
| S06.9X9A    | Unspecified intracranial injury with loss of consciousness of unspecified duration, initial encounter   |
| S07.0XXA    | Crushing injury of face, initial encounter  |
| S07.1XXA    | Crushing injury of skull, initial encounter   |
| S07.8XXA    | Crushing injury of other parts of head, initial encounter   |
| S07.9XXA    | Crushing injury of head, part unspecified, initial encounter  |
| S09.0XXA    | Injury of blood vessels of head, not elsewhere classified, initial encounter  |
| S10.0XXA    | Contusion of throat, initial encounter  |
| S10.83XA    | Contusion of other specified part of neck, initial encounter  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S10.93XA    | Contusion of unspecified part of neck, initial encounter   |
| S12.000A    | Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture       |
| S12.000B    | Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture         |
| S12.001A    | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture    |
| S12.001B    | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture      |
| S12.01XA    | Stable burst fracture of first cervical vertebra, initial encounter for closed fracture                |
| S12.01XB    | Stable burst fracture of first cervical vertebra, initial encounter for open fracture                  |
| S12.02XA    | Unstable burst fracture of first cervical vertebra, initial encounter for closed fracture              |
| S12.02XB    | Unstable burst fracture of first cervical vertebra, initial encounter for open fracture                |
| S12.030A    | Displaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture    |
| S12.030B    | Displaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture      |
| S12.031A    | Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture |
| S12.031B    | Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture   |
| S12.040A    | Displaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture      |
| S12.040B    | Displaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture        |
| S12.041A    | Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture   |
| S12.041B    | Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture     |
| S12.090A    | Other displaced fracture of first cervical vertebra, initial encounter for closed fracture             |
| S12.090B    | Other displaced fracture of first cervical vertebra, initial encounter for open fracture               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.091A | Other nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture                           |
| S12.091B | Other nondisplaced fracture of first cervical vertebra, initial encounter for open fracture                             |
| S12.100A | Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture                       |
| S12.100B | Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture                         |
| S12.101A | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture                    |
| S12.101B | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture                      |
| S12.110A | Anterior displaced Type II dens fracture, initial encounter for closed fracture   |
| S12.110B | Anterior displaced Type II dens fracture, initial encounter for open fracture   |
| S12.111A | Posterior displaced Type II dens fracture, initial encounter for closed fracture  |
| S12.111B | Posterior displaced Type II dens fracture, initial encounter for open fracture  |
| S12.112A | Nondisplaced Type II dens fracture, initial encounter for closed fracture   |
| S12.112B | Nondisplaced Type II dens fracture, initial encounter for open fracture   |
| S12.120A | Other displaced dens fracture, initial encounter for closed fracture  |
| S12.120B | Other displaced dens fracture, initial encounter for open fracture  |
| S12.121A | Other nondisplaced dens fracture, initial encounter for closed fracture   |
| S12.121B | Other nondisplaced dens fracture, initial encounter for open fracture   |
| S12.130A | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture    |
| S12.130B | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture      |
| S12.131A | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture |
| S12.131B | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture   |
| S12.14XA | Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for closed fracture                 |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.14XB | Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for open fracture                  |
| S12.150A | Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture         |
| S12.150B | Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture           |
| S12.151A | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture      |
| S12.151B | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture        |
| S12.190A | Other displaced fracture of second cervical vertebra, initial encounter for closed fracture                            |
| S12.190B | Other displaced fracture of second cervical vertebra, initial encounter for open fracture                              |
| S12.191A | Other nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture                         |
| S12.191B | Other nondisplaced fracture of second cervical vertebra, initial encounter for open fracture                           |
| S12.200A | Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture                       |
| S12.200B | Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture                         |
| S12.201A | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture                    |
| S12.201B | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture                      |
| S12.230A | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture    |
| S12.230B | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture      |
| S12.231A | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S12.231B    | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture |
| S12.24XA    | Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for closed fracture               |
| S12.24XB    | Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for open fracture                 |
| S12.250A    | Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture        |
| S12.250B    | Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture          |
| S12.251A    | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture     |
| S12.251B    | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture       |
| S12.290A    | Other displaced fracture of third cervical vertebra, initial encounter for closed fracture                           |
| S12.290B    | Other displaced fracture of third cervical vertebra, initial encounter for open fracture                             |
| S12.291A    | Other nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture                        |
| S12.291B    | Other nondisplaced fracture of third cervical vertebra, initial encounter for open fracture                          |
| S12.300A    | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture                    |
| S12.300B    | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture                      |
| S12.301A    | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture                 |
| S12.301B    | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture                   |
| S12.330A    | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture |
| S12.330B    | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.331A | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture |
| S12.331B | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture   |
| S12.34XA | Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture                 |
| S12.34XB | Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture                   |
| S12.350A | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture          |
| S12.350B | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture            |
| S12.351A | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture       |
| S12.351B | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture         |
| S12.390A | Other displaced fracture of fourth cervical vertebra, initial encounter for closed fracture                             |
| S12.390B | Other displaced fracture of fourth cervical vertebra, initial encounter for open fracture                               |
| S12.391A | Other nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture                          |
| S12.391B | Other nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture                            |
| S12.400A | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture                        |
| S12.400B | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture                          |
| S12.401A | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture                     |
| S12.401B | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.430A | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture    |
| S12.430B | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture      |
| S12.431A | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture |
| S12.431B | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture   |
| S12.44XA | Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture                 |
| S12.44XB | Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture                   |
| S12.450A | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture          |
| S12.450B | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture            |
| S12.451A | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture       |
| S12.451B | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture         |
| S12.490A | Other displaced fracture of fifth cervical vertebra, initial encounter for closed fracture                             |
| S12.490B | Other displaced fracture of fifth cervical vertebra, initial encounter for open fracture                               |
| S12.491A | Other nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture                          |
| S12.491B | Other nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture                            |
| S12.500A | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture                       |
| S12.500B | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture                         |
| S12.501A | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.501B | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture                      |
| S12.530A | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture    |
| S12.530B | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture      |
| S12.531A | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture |
| S12.531B | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture   |
| S12.54XA | Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture                 |
| S12.54XB | Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture                   |
| S12.550A | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture          |
| S12.550B | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture            |
| S12.551A | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture       |
| S12.551B | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture         |
| S12.590A | Other displaced fracture of sixth cervical vertebra, initial encounter for closed fracture                             |
| S12.590B | Other displaced fracture of sixth cervical vertebra, initial encounter for open fracture                               |
| S12.591A | Other nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture                          |
| S12.591B | Other nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture                            |
| S12.600A | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture                     |
| S12.600B | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.601A | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture                    |
| S12.601B | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture                      |
| S12.630A | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture    |
| S12.630B | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture      |
| S12.631A | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture |
| S12.631B | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture   |
| S12.64XA | Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture                 |
| S12.64XB | Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture                   |
| S12.650A | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture          |
| S12.650B | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture            |
| S12.651A | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture       |
| S12.651B | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture         |
| S12.690A | Other displaced fracture of seventh cervical vertebra, initial encounter for closed fracture                             |
| S12.690B | Other displaced fracture of seventh cervical vertebra, initial encounter for open fracture                               |
| S12.691A | Other nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture                          |
| S12.691B | Other nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture                            |
| S12.9XXA | Fracture of neck, unspecified, initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S14.101A    | Unspecified injury at C1 level of cervical spinal cord, initial encounter          |
| S14.102A    | Unspecified injury at C2 level of cervical spinal cord, initial encounter          |
| S14.103A    | Unspecified injury at C3 level of cervical spinal cord, initial encounter          |
| S14.104A    | Unspecified injury at C4 level of cervical spinal cord, initial encounter          |
| S14.105A    | Unspecified injury at C5 level of cervical spinal cord, initial encounter          |
| S14.106A    | Unspecified injury at C6 level of cervical spinal cord, initial encounter          |
| S14.107A    | Unspecified injury at C7 level of cervical spinal cord, initial encounter          |
| S14.109A    | Unspecified injury at unspecified level of cervical spinal cord, initial encounter |
| S14.111A    | Complete lesion at C1 level of cervical spinal cord, initial encounter             |
| S14.112A    | Complete lesion at C2 level of cervical spinal cord, initial encounter             |
| S14.113A    | Complete lesion at C3 level of cervical spinal cord, initial encounter             |
| S14.114A    | Complete lesion at C4 level of cervical spinal cord, initial encounter             |
| S14.115A    | Complete lesion at C5 level of cervical spinal cord, initial encounter             |
| S14.116A    | Complete lesion at C6 level of cervical spinal cord, initial encounter             |
| S14.117A    | Complete lesion at C7 level of cervical spinal cord, initial encounter             |
| S14.121A    | Central cord syndrome at C1 level of cervical spinal cord, initial encounter       |
| S14.122A    | Central cord syndrome at C2 level of cervical spinal cord, initial encounter       |
| S14.123A    | Central cord syndrome at C3 level of cervical spinal cord, initial encounter       |
| S14.124A    | Central cord syndrome at C4 level of cervical spinal cord, initial encounter       |
| S14.125A    | Central cord syndrome at C5 level of cervical spinal cord, initial encounter       |
| S14.126A    | Central cord syndrome at C6 level of cervical spinal cord, initial encounter       |
| S14.127A    | Central cord syndrome at C7 level of cervical spinal cord, initial encounter       |
| S14.131A    | Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter      |
| S14.132A    | Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter      |
| S14.133A    | Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter      |
| S14.134A    | Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter      |
| S14.135A    | Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter      |
| S14.136A    | Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter      |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S14.137A | Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter  |
| S14.151A | Other incomplete lesion at C1 level of cervical spinal cord, initial encounter |
| S14.152A | Other incomplete lesion at C2 level of cervical spinal cord, initial encounter |
| S14.153A | Other incomplete lesion at C3 level of cervical spinal cord, initial encounter |
| S14.154A | Other incomplete lesion at C4 level of cervical spinal cord, initial encounter |
| S14.155A | Other incomplete lesion at C5 level of cervical spinal cord, initial encounter |
| S14.156A | Other incomplete lesion at C6 level of cervical spinal cord, initial encounter |
| S14.157A | Other incomplete lesion at C7 level of cervical spinal cord, initial encounter |
| S15.001A | Unspecified injury of right carotid artery, initial encounter                  |
| S15.002A | Unspecified injury of left carotid artery, initial encounter                   |
| S15.009A | Unspecified injury of unspecified carotid artery, initial encounter            |
| S15.011A | Minor laceration of right carotid artery, initial encounter                    |
| S15.012A | Minor laceration of left carotid artery, initial encounter                     |
| S15.019A | Minor laceration of unspecified carotid artery, initial encounter              |
| S15.021A | Major laceration of right carotid artery, initial encounter                    |
| S15.022A | Major laceration of left carotid artery, initial encounter                     |
| S15.029A | Major laceration of unspecified carotid artery, initial encounter              |
| S15.091A | Other specified injury of right carotid artery, initial encounter              |
| S15.092A | Other specified injury of left carotid artery, initial encounter               |
| S15.099A | Other specified injury of unspecified carotid artery, initial encounter        |
| S15.101A | Unspecified injury of right vertebral artery, initial encounter                |
| S15.102A | Unspecified injury of left vertebral artery, initial encounter                 |
| S15.109A | Unspecified injury of unspecified vertebral artery, initial encounter          |
| S15.111A | Minor laceration of right vertebral artery, initial encounter                  |
| S15.112A | Minor laceration of left vertebral artery, initial encounter                   |
| S15.119A | Minor laceration of unspecified vertebral artery, initial encounter            |
| S15.121A | Major laceration of right vertebral artery, initial encounter                  |
| S15.122A | Major laceration of left vertebral artery, initial encounter                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S15.129A | Major laceration of unspecified vertebral artery, initial encounter            |
| S15.191A | Other specified injury of right vertebral artery, initial encounter            |
| S15.192A | Other specified injury of left vertebral artery, initial encounter             |
| S15.199A | Other specified injury of unspecified vertebral artery, initial encounter      |
| S15.201A | Unspecified injury of right external jugular vein, initial encounter           |
| S15.202A | Unspecified injury of left external jugular vein, initial encounter            |
| S15.209A | Unspecified injury of unspecified external jugular vein, initial encounter     |
| S15.211A | Minor laceration of right external jugular vein, initial encounter             |
| S15.212A | Minor laceration of left external jugular vein, initial encounter              |
| S15.219A | Minor laceration of unspecified external jugular vein, initial encounter       |
| S15.221A | Major laceration of right external jugular vein, initial encounter             |
| S15.222A | Major laceration of left external jugular vein, initial encounter              |
| S15.229A | Major laceration of unspecified external jugular vein, initial encounter       |
| S15.291A | Other specified injury of right external jugular vein, initial encounter       |
| S15.292A | Other specified injury of left external jugular vein, initial encounter        |
| S15.299A | Other specified injury of unspecified external jugular vein, initial encounter |
| S15.301A | Unspecified injury of right internal jugular vein, initial encounter           |
| S15.302A | Unspecified injury of left internal jugular vein, initial encounter            |
| S15.309A | Unspecified injury of unspecified internal jugular vein, initial encounter     |
| S15.311A | Minor laceration of right internal jugular vein, initial encounter             |
| S15.312A | Minor laceration of left internal jugular vein, initial encounter              |
| S15.319A | Minor laceration of unspecified internal jugular vein, initial encounter       |
| S15.321A | Major laceration of right internal jugular vein, initial encounter             |
| S15.322A | Major laceration of left internal jugular vein, initial encounter              |
| S15.329A | Major laceration of unspecified internal jugular vein, initial encounter       |
| S15.391A | Other specified injury of right internal jugular vein, initial encounter       |
| S15.392A | Other specified injury of left internal jugular vein, initial encounter        |
| S15.399A | Other specified injury of unspecified internal jugular vein, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S15.8XXA | Injury of other specified blood vessels at neck level, initial encounter              |
| S15.9XXA | Injury of unspecified blood vessel at neck level, initial encounter                   |
| S17.0XXA | Crushing injury of larynx and trachea, initial encounter                              |
| S17.8XXA | Crushing injury of other specified parts of neck, initial encounter                   |
| S17.9XXA | Crushing injury of neck, part unspecified, initial encounter                          |
| S20.00XA | Contusion of breast, unspecified breast, initial encounter                            |
| S20.01XA | Contusion of right breast, initial encounter  |
| S20.02XA | Contusion of left breast, initial encounter   |
| S20.20XA | Contusion of thorax, unspecified, initial encounter                                   |
| S20.211A | Contusion of right front wall of thorax, initial encounter                            |
| S20.212A | Contusion of left front wall of thorax, initial encounter                             |
| S20.213A | Contusion of bilateral front wall of thorax, initial encounter                        |
| S20.213D | Contusion of bilateral front wall of thorax, subsequent encounter                     |
| S20.213S | Contusion of bilateral front wall of thorax, sequela                                  |
| S20.214A | Contusion of middle front wall of thorax, initial encounter                           |
| S20.214D | Contusion of middle front wall of thorax, subsequent encounter                        |
| S20.214S | Contusion of middle front wall of thorax, sequela                                     |
| S20.219A | Contusion of unspecified front wall of thorax, initial encounter                      |
| S20.221A | Contusion of right back wall of thorax, initial encounter                             |
| S20.222A | Contusion of left back wall of thorax, initial encounter                              |
| S20.223A | Contusion of bilateral back wall of thorax, initial encounter                         |
| S20.223D | Contusion of bilateral back wall of thorax, subsequent encounter                      |
| S20.223S | Contusion of bilateral back wall of thorax, sequela                                   |
| S20.224A | Contusion of middle back wall of thorax, initial encounter                            |
| S20.224D | Contusion of middle back wall of thorax, subsequent encounter                         |
| S20.224S | Contusion of middle back wall of thorax, sequela                                      |
| S20.229A | Contusion of unspecified back wall of thorax, initial encounter                       |
| S20.303A | Unspecified superficial injuries of bilateral front wall of thorax, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S20.303D    | Unspecified superficial injuries of bilateral front wall of thorax, subsequent encounter |
| S20.303S    | Unspecified superficial injuries of bilateral front wall of thorax, sequela              |
| S20.304A    | Unspecified superficial injuries of middle front wall of thorax, initial encounter       |
| S20.304D    | Unspecified superficial injuries of middle front wall of thorax, subsequent encounter    |
| S20.304S    | Unspecified superficial injuries of middle front wall of thorax, sequela                 |
| S20.313A    | Abrasion of bilateral front wall of thorax, initial encounter                            |
| S20.313D    | Abrasion of bilateral front wall of thorax, subsequent encounter                         |
| S20.313S    | Abrasion of bilateral front wall of thorax, sequela                                      |
| S20.314A    | Abrasion of middle front wall of thorax, initial encounter                               |
| S20.314D    | Abrasion of middle front wall of thorax, subsequent encounter                            |
| S20.314S    | Abrasion of middle front wall of thorax, sequela   |
| S20.323A    | Blister (nonthermal) of bilateral front wall of thorax, initial encounter                |
| S20.323D    | Blister (nonthermal) of bilateral front wall of thorax, subsequent encounter             |
| S20.323S    | Blister (nonthermal) of bilateral front wall of thorax, sequela                          |
| S20.324A    | Blister (nonthermal) of middle front wall of thorax, initial encounter                   |
| S20.324D    | Blister (nonthermal) of middle front wall of thorax, subsequent encounter                |
| S20.324S    | Blister (nonthermal) of middle front wall of thorax, sequela                             |
| S20.343A    | External constriction of bilateral front wall of thorax, initial encounter               |
| S20.343D    | External constriction of bilateral front wall of thorax, subsequent encounter            |
| S20.343S    | External constriction of bilateral front wall of thorax, sequela                         |
| S20.344A    | External constriction of middle front wall of thorax, initial encounter                  |
| S20.344D    | External constriction of middle front wall of thorax, subsequent encounter               |
| S20.344S    | External constriction of middle front wall of thorax, sequela                            |
| S20.353A    | Superficial foreign body of bilateral front wall of thorax, initial encounter            |
| S20.353D    | Superficial foreign body of bilateral front wall of thorax, subsequent encounter         |
| S20.353S    | Superficial foreign body of bilateral front wall of thorax, sequela                      |
| S20.354A    | Superficial foreign body of middle front wall of thorax, initial encounter               |
| S20.354D    | Superficial foreign body of middle front wall of thorax, subsequent encounter            |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S20.354S | Superficial foreign body of middle front wall of thorax, sequela   |
| S20.363A | Insect bite (nonvenomous) of bilateral front wall of thorax, initial encounter   |
| S20.363D | Insect bite (nonvenomous) of bilateral front wall of thorax, subsequent encounter  |
| S20.363S | Insect bite (nonvenomous) of bilateral front wall of thorax, sequela   |
| S20.364A | Insect bite (nonvenomous) of middle front wall of thorax, initial encounter  |
| S20.364D | Insect bite (nonvenomous) of middle front wall of thorax, subsequent encounter   |
| S20.364S | Insect bite (nonvenomous) of middle front wall of thorax, sequela  |
| S20.373A | Other superficial bite of bilateral front wall of thorax, initial encounter  |
| S20.373D | Other superficial bite of bilateral front wall of thorax, subsequent encounter   |
| S20.373S | Other superficial bite of bilateral front wall of thorax, sequela  |
| S20.374A | Other superficial bite of middle front wall of thorax, initial encounter   |
| S20.374D | Other superficial bite of middle front wall of thorax, subsequent encounter  |
| S20.374S | Other superficial bite of middle front wall of thorax, sequela   |
| S21.301A | Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, initial encounter                |
| S21.302A | Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, initial encounter                 |
| S21.309A | Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter          |
| S21.311A | Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter       |
| S21.312A | Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter        |
| S21.319A | Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter |
| S21.321A | Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter          |
| S21.322A | Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter           |
| S21.329A | Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S21.331A | Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter       |
| S21.332A | Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter        |
| S21.339A | Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter |
| S21.341A | Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter          |
| S21.342A | Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter           |
| S21.349A | Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter    |
| S21.351A | Open bite of right front wall of thorax with penetration into thoracic cavity, initial encounter                                 |
| S21.352A | Open bite of left front wall of thorax with penetration into thoracic cavity, initial encounter                                  |
| S21.359A | Open bite of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter                           |
| S21.401A | Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, initial encounter                     |
| S21.402A | Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, initial encounter                      |
| S21.409A | Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter               |
| S21.411A | Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter            |
| S21.412A | Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter             |
| S21.419A | Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter      |
| S21.421A | Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S21.422A    | Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter               |
| S21.429A    | Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter        |
| S21.431A    | Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter       |
| S21.432A    | Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter        |
| S21.439A    | Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter |
| S21.441A    | Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter          |
| S21.442A    | Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter           |
| S21.449A    | Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter    |
| S21.451A    | Open bite of right back wall of thorax with penetration into thoracic cavity, initial encounter                                 |
| S21.452A    | Open bite of left back wall of thorax with penetration into thoracic cavity, initial encounter                                  |
| S21.459A    | Open bite of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter                           |
| S22.000A    | Wedge compression fracture of unspecified thoracic vertebra, initial encounter for closed fracture                              |
| S22.000B    | Wedge compression fracture of unspecified thoracic vertebra, initial encounter for open fracture                                |
| S22.001A    | Stable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture                                   |
| S22.001B    | Stable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture                                     |
| S22.002A    | Unstable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture                                 |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S22.002B    | Unstable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture |
| S22.008A    | Other fracture of unspecified thoracic vertebra, initial encounter for closed fracture        |
| S22.008B    | Other fracture of unspecified thoracic vertebra, initial encounter for open fracture          |
| S22.009A    | Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture  |
| S22.009B    | Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture    |
| S22.010A    | Wedge compression fracture of first thoracic vertebra, initial encounter for closed fracture  |
| S22.010B    | Wedge compression fracture of first thoracic vertebra, initial encounter for open fracture    |
| S22.011A    | Stable burst fracture of first thoracic vertebra, initial encounter for closed fracture       |
| S22.011B    | Stable burst fracture of first thoracic vertebra, initial encounter for open fracture         |
| S22.012A    | Unstable burst fracture of first thoracic vertebra, initial encounter for closed fracture     |
| S22.012B    | Unstable burst fracture of first thoracic vertebra, initial encounter for open fracture       |
| S22.018A    | Other fracture of first thoracic vertebra, initial encounter for closed fracture              |
| S22.018B    | Other fracture of first thoracic vertebra, initial encounter for open fracture                |
| S22.019A    | Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture        |
| S22.019B    | Unspecified fracture of first thoracic vertebra, initial encounter for open fracture          |
| S22.020A    | Wedge compression fracture of second thoracic vertebra, initial encounter for closed fracture |
| S22.020B    | Wedge compression fracture of second thoracic vertebra, initial encounter for open fracture   |
| S22.021A    | Stable burst fracture of second thoracic vertebra, initial encounter for closed fracture      |
| S22.021B    | Stable burst fracture of second thoracic vertebra, initial encounter for open fracture        |
| S22.022A    | Unstable burst fracture of second thoracic vertebra, initial encounter for closed fracture    |
| S22.022B    | Unstable burst fracture of second thoracic vertebra, initial encounter for open fracture      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S22.028A    | Other fracture of second thoracic vertebra, initial encounter for closed fracture             |
| S22.028B    | Other fracture of second thoracic vertebra, initial encounter for open fracture               |
| S22.029A    | Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture       |
| S22.029B    | Unspecified fracture of second thoracic vertebra, initial encounter for open fracture         |
| S22.030A    | Wedge compression fracture of third thoracic vertebra, initial encounter for closed fracture  |
| S22.030B    | Wedge compression fracture of third thoracic vertebra, initial encounter for open fracture    |
| S22.031A    | Stable burst fracture of third thoracic vertebra, initial encounter for closed fracture       |
| S22.031B    | Stable burst fracture of third thoracic vertebra, initial encounter for open fracture         |
| S22.032A    | Unstable burst fracture of third thoracic vertebra, initial encounter for closed fracture     |
| S22.032B    | Unstable burst fracture of third thoracic vertebra, initial encounter for open fracture       |
| S22.038A    | Other fracture of third thoracic vertebra, initial encounter for closed fracture              |
| S22.038B    | Other fracture of third thoracic vertebra, initial encounter for open fracture                |
| S22.039A    | Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture        |
| S22.039B    | Unspecified fracture of third thoracic vertebra, initial encounter for open fracture          |
| S22.040A    | Wedge compression fracture of fourth thoracic vertebra, initial encounter for closed fracture |
| S22.040B    | Wedge compression fracture of fourth thoracic vertebra, initial encounter for open fracture   |
| S22.041A    | Stable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture      |
| S22.041B    | Stable burst fracture of fourth thoracic vertebra, initial encounter for open fracture        |
| S22.042A    | Unstable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture    |
| S22.042B    | Unstable burst fracture of fourth thoracic vertebra, initial encounter for open fracture      |
| S22.048A    | Other fracture of fourth thoracic vertebra, initial encounter for closed fracture             |
| S22.048B    | Other fracture of fourth thoracic vertebra, initial encounter for open fracture               |
| S22.049A    | Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture       |
| S22.049B    | Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture         |
| S22.050A    | Wedge compression fracture of T5-T6 vertebra, initial encounter for closed fracture           |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S22.050B | Wedge compression fracture of T5-T6 vertebra, initial encounter for open fracture    |
| S22.051A | Stable burst fracture of T5-T6 vertebra, initial encounter for closed fracture       |
| S22.051B | Stable burst fracture of T5-T6 vertebra, initial encounter for open fracture         |
| S22.052A | Unstable burst fracture of T5-T6 vertebra, initial encounter for closed fracture     |
| S22.052B | Unstable burst fracture of T5-T6 vertebra, initial encounter for open fracture       |
| S22.058A | Other fracture of T5-T6 vertebra, initial encounter for closed fracture              |
| S22.058B | Other fracture of T5-T6 vertebra, initial encounter for open fracture                |
| S22.059A | Unspecified fracture of T5-T6 vertebra, initial encounter for closed fracture        |
| S22.059B | Unspecified fracture of T5-T6 vertebra, initial encounter for open fracture          |
| S22.060A | Wedge compression fracture of T7-T8 vertebra, initial encounter for closed fracture  |
| S22.060B | Wedge compression fracture of T7-T8 vertebra, initial encounter for open fracture    |
| S22.061A | Stable burst fracture of T7-T8 vertebra, initial encounter for closed fracture       |
| S22.061B | Stable burst fracture of T7-T8 vertebra, initial encounter for open fracture         |
| S22.062A | Unstable burst fracture of T7-T8 vertebra, initial encounter for closed fracture     |
| S22.062B | Unstable burst fracture of T7-T8 vertebra, initial encounter for open fracture       |
| S22.068A | Other fracture of T7-T8 thoracic vertebra, initial encounter for closed fracture     |
| S22.068B | Other fracture of T7-T8 thoracic vertebra, initial encounter for open fracture       |
| S22.069A | Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture        |
| S22.069B | Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture          |
| S22.070A | Wedge compression fracture of T9-T10 vertebra, initial encounter for closed fracture |
| S22.070B | Wedge compression fracture of T9-T10 vertebra, initial encounter for open fracture   |
| S22.071A | Stable burst fracture of T9-T10 vertebra, initial encounter for closed fracture      |
| S22.071B | Stable burst fracture of T9-T10 vertebra, initial encounter for open fracture        |
| S22.072A | Unstable burst fracture of T9-T10 vertebra, initial encounter for closed fracture    |
| S22.072B | Unstable burst fracture of T9-T10 vertebra, initial encounter for open fracture      |
| S22.078A | Other fracture of T9-T10 vertebra, initial encounter for closed fracture             |
| S22.078B | Other fracture of T9-T10 vertebra, initial encounter for open fracture               |
| S22.079A | Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture       |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S22.079B    | Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture          |
| S22.080A    | Wedge compression fracture of T11-T12 vertebra, initial encounter for closed fracture |
| S22.080B    | Wedge compression fracture of T11-T12 vertebra, initial encounter for open fracture   |
| S22.081A    | Stable burst fracture of T11-T12 vertebra, initial encounter for closed fracture      |
| S22.081B    | Stable burst fracture of T11-T12 vertebra, initial encounter for open fracture        |
| S22.082A    | Unstable burst fracture of T11-T12 vertebra, initial encounter for closed fracture    |
| S22.082B    | Unstable burst fracture of T11-T12 vertebra, initial encounter for open fracture      |
| S22.088A    | Other fracture of T11-T12 vertebra, initial encounter for closed fracture             |
| S22.088B    | Other fracture of T11-T12 vertebra, initial encounter for open fracture               |
| S22.089A    | Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture       |
| S22.089B    | Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture         |
| S22.20XA    | Unspecified fracture of sternum, initial encounter for closed fracture                |
| S22.20XB    | Unspecified fracture of sternum, initial encounter for open fracture                  |
| S22.31XA    | Fracture of one rib, right side, initial encounter for closed fracture                |
| S22.31XB    | Fracture of one rib, right side, initial encounter for open fracture                  |
| S22.32XA    | Fracture of one rib, left side, initial encounter for closed fracture                 |
| S22.32XB    | Fracture of one rib, left side, initial encounter for open fracture                   |
| S22.39XA    | Fracture of one rib, unspecified side, initial encounter for closed fracture          |
| S22.39XB    | Fracture of one rib, unspecified side, initial encounter for open fracture            |
| S22.41XA    | Multiple fractures of ribs, right side, initial encounter for closed fracture         |
| S22.41XB    | Multiple fractures of ribs, right side, initial encounter for open fracture           |
| S22.42XA    | Multiple fractures of ribs, left side, initial encounter for closed fracture          |
| S22.42XB    | Multiple fractures of ribs, left side, initial encounter for open fracture            |
| S22.43XA    | Multiple fractures of ribs, bilateral, initial encounter for closed fracture          |
| S22.43XB    | Multiple fractures of ribs, bilateral, initial encounter for open fracture            |
| S22.49XA    | Multiple fractures of ribs, unspecified side, initial encounter for closed fracture   |
| S22.49XB    | Multiple fractures of ribs, unspecified side, initial encounter for open fracture     |
| S22.9XXA    | Fracture of bony thorax, part unspecified, initial encounter for closed fracture      |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S22.9XXB | Fracture of bony thorax, part unspecified, initial encounter for open fracture       |
| S24.101A | Unspecified injury at T1 level of thoracic spinal cord, initial encounter            |
| S24.102A | Unspecified injury at T2-T6 level of thoracic spinal cord, initial encounter         |
| S24.103A | Unspecified injury at T7-T10 level of thoracic spinal cord, initial encounter        |
| S24.104A | Unspecified injury at T11-T12 level of thoracic spinal cord, initial encounter       |
| S24.109A | Unspecified injury at unspecified level of thoracic spinal cord, initial encounter   |
| S24.111A | Complete lesion at T1 level of thoracic spinal cord, initial encounter               |
| S24.112A | Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter            |
| S24.113A | Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter           |
| S24.114A | Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter          |
| S24.131A | Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter        |
| S24.132A | Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter     |
| S24.133A | Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter    |
| S24.134A | Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter   |
| S24.151A | Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter       |
| S24.152A | Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter    |
| S24.153A | Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter   |
| S24.154A | Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter  |
| S25.00XA | Unspecified injury of thoracic aorta, initial encounter                              |
| S25.01XA | Minor laceration of thoracic aorta, initial encounter                                |
| S25.02XA | Major laceration of thoracic aorta, initial encounter                                |
| S25.09XA | Other specified injury of thoracic aorta, initial encounter                          |
| S25.101A | Unspecified injury of right innominate or subclavian artery, initial encounter       |
| S25.102A | Unspecified injury of left innominate or subclavian artery, initial encounter        |
| S25.109A | Unspecified injury of unspecified innominate or subclavian artery, initial encounter |
| S25.111A | Minor laceration of right innominate or subclavian artery, initial encounter         |
| S25.112A | Minor laceration of left innominate or subclavian artery, initial encounter          |
| S25.119A | Minor laceration of unspecified innominate or subclavian artery, initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S25.121A | Major laceration of right innominate or subclavian artery, initial encounter             |
| S25.122A | Major laceration of left innominate or subclavian artery, initial encounter              |
| S25.129A | Major laceration of unspecified innominate or subclavian artery, initial encounter       |
| S25.191A | Other specified injury of right innominate or subclavian artery, initial encounter       |
| S25.192A | Other specified injury of left innominate or subclavian artery, initial encounter        |
| S25.199A | Other specified injury of unspecified innominate or subclavian artery, initial encounter |
| S25.20XA | Unspecified injury of superior vena cava, initial encounter                              |
| S25.21XA | Minor laceration of superior vena cava, initial encounter                                |
| S25.22XA | Major laceration of superior vena cava, initial encounter                                |
| S25.29XA | Other specified injury of superior vena cava, initial encounter                          |
| S25.301A | Unspecified injury of right innominate or subclavian vein, initial encounter             |
| S25.302A | Unspecified injury of left innominate or subclavian vein, initial encounter              |
| S25.309A | Unspecified injury of unspecified innominate or subclavian vein, initial encounter       |
| S25.311A | Minor laceration of right innominate or subclavian vein, initial encounter               |
| S25.312A | Minor laceration of left innominate or subclavian vein, initial encounter                |
| S25.319A | Minor laceration of unspecified innominate or subclavian vein, initial encounter         |
| S25.321A | Major laceration of right innominate or subclavian vein, initial encounter               |
| S25.322A | Major laceration of left innominate or subclavian vein, initial encounter                |
| S25.329A | Major laceration of unspecified innominate or subclavian vein, initial encounter         |
| S25.391A | Other specified injury of right innominate or subclavian vein, initial encounter         |
| S25.392A | Other specified injury of left innominate or subclavian vein, initial encounter          |
| S25.399A | Other specified injury of unspecified innominate or subclavian vein, initial encounter   |
| S25.401A | Unspecified injury of right pulmonary blood vessels, initial encounter                   |
| S25.402A | Unspecified injury of left pulmonary blood vessels, initial encounter                    |
| S25.409A | Unspecified injury of unspecified pulmonary blood vessels, initial encounter             |
| S25.411A | Minor laceration of right pulmonary blood vessels, initial encounter                     |
| S25.412A | Minor laceration of left pulmonary blood vessels, initial encounter                      |
| S25.419A | Minor laceration of unspecified pulmonary blood vessels, initial encounter               |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S25.421A | Major laceration of right pulmonary blood vessels, initial encounter                         |
| S25.422A | Major laceration of left pulmonary blood vessels, initial encounter                          |
| S25.429A | Major laceration of unspecified pulmonary blood vessels, initial encounter                   |
| S25.491A | Other specified injury of right pulmonary blood vessels, initial encounter                   |
| S25.492A | Other specified injury of left pulmonary blood vessels, initial encounter                    |
| S25.499A | Other specified injury of unspecified pulmonary blood vessels, initial encounter             |
| S25.501A | Unspecified injury of intercostal blood vessels, right side, initial encounter               |
| S25.502A | Unspecified injury of intercostal blood vessels, left side, initial encounter                |
| S25.509A | Unspecified injury of intercostal blood vessels, unspecified side, initial encounter         |
| S25.511A | Laceration of intercostal blood vessels, right side, initial encounter                       |
| S25.512A | Laceration of intercostal blood vessels, left side, initial encounter                        |
| S25.519A | Laceration of intercostal blood vessels, unspecified side, initial encounter                 |
| S25.591A | Other specified injury of intercostal blood vessels, right side, initial encounter           |
| S25.592A | Other specified injury of intercostal blood vessels, left side, initial encounter            |
| S25.599A | Other specified injury of intercostal blood vessels, unspecified side, initial encounter     |
| S25.801A | Unspecified injury of other blood vessels of thorax, right side, initial encounter           |
| S25.802A | Unspecified injury of other blood vessels of thorax, left side, initial encounter            |
| S25.809A | Unspecified injury of other blood vessels of thorax, unspecified side, initial encounter     |
| S25.811A | Laceration of other blood vessels of thorax, right side, initial encounter                   |
| S25.812A | Laceration of other blood vessels of thorax, left side, initial encounter                    |
| S25.819A | Laceration of other blood vessels of thorax, unspecified side, initial encounter             |
| S25.891A | Other specified injury of other blood vessels of thorax, right side, initial encounter       |
| S25.892A | Other specified injury of other blood vessels of thorax, left side, initial encounter        |
| S25.899A | Other specified injury of other blood vessels of thorax, unspecified side, initial encounter |
| S25.90XA | Unspecified injury of unspecified blood vessel of thorax, initial encounter                  |
| S25.91XA | Laceration of unspecified blood vessel of thorax, initial encounter                          |
| S25.99XA | Other specified injury of unspecified blood vessel of thorax, initial encounter              |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S26.00XA | Unspecified injury of heart with hemopericardium, initial encounter                         |
| S26.01XA | Contusion of heart with hemopericardium, initial encounter                                  |
| S26.020A | Mild laceration of heart with hemopericardium, initial encounter                            |
| S26.021A | Moderate laceration of heart with hemopericardium, initial encounter                        |
| S26.022A | Major laceration of heart with hemopericardium, initial encounter                           |
| S26.09XA | Other injury of heart with hemopericardium, initial encounter                               |
| S26.10XA | Unspecified injury of heart without hemopericardium, initial encounter                      |
| S26.11XA | Contusion of heart without hemopericardium, initial encounter                               |
| S26.12XA | Laceration of heart without hemopericardium, initial encounter                              |
| S26.19XA | Other injury of heart without hemopericardium, initial encounter                            |
| S26.90XA | Unspecified injury of heart, unspecified with or without hemopericardium, initial encounter |
| S26.91XA | Contusion of heart, unspecified with or without hemopericardium, initial encounter          |
| S26.92XA | Laceration of heart, unspecified with or without hemopericardium, initial encounter         |
| S26.99XA | Other injury of heart, unspecified with or without hemopericardium, initial encounter       |
| S27.0XXA | Traumatic pneumothorax, initial encounter   |
| S27.1XXA | Traumatic hemothorax, initial encounter   |
| S27.2XXA | Traumatic hemopneumothorax, initial encounter   |
| S27.301A | Unspecified injury of lung, unilateral, initial encounter                                   |
| S27.302A | Unspecified injury of lung, bilateral, initial encounter                                    |
| S27.309A | Unspecified injury of lung, unspecified, initial encounter                                  |
| S27.311A | Primary blast injury of lung, unilateral, initial encounter                                 |
| S27.312A | Primary blast injury of lung, bilateral, initial encounter                                  |
| S27.319A | Primary blast injury of lung, unspecified, initial encounter                                |
| S27.321A | Contusion of lung, unilateral, initial encounter  |
| S27.322A | Contusion of lung, bilateral, initial encounter   |
| S27.329A | Contusion of lung, unspecified, initial encounter   |
| S27.331A | Laceration of lung, unilateral, initial encounter   |
| S27.332A | Laceration of lung, bilateral, initial encounter  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S27.339A    | Laceration of lung, unspecified, initial encounter               |
| S27.391A    | Other injuries of lung, unilateral, initial encounter            |
| S27.392A    | Other injuries of lung, bilateral, initial encounter             |
| S27.399A    | Other injuries of lung, unspecified, initial encounter           |
| S27.401A    | Unspecified injury of bronchus, unilateral, initial encounter    |
| S27.402A    | Unspecified injury of bronchus, bilateral, initial encounter     |
| S27.409A    | Unspecified injury of bronchus, unspecified, initial encounter   |
| S27.411A    | Primary blast injury of bronchus, unilateral, initial encounter  |
| S27.412A    | Primary blast injury of bronchus, bilateral, initial encounter   |
| S27.419A    | Primary blast injury of bronchus, unspecified, initial encounter |
| S27.421A    | Contusion of bronchus, unilateral, initial encounter             |
| S27.422A    | Contusion of bronchus, bilateral, initial encounter              |
| S27.429A    | Contusion of bronchus, unspecified, initial encounter            |
| S27.431A    | Laceration of bronchus, unilateral, initial encounter            |
| S27.432A    | Laceration of bronchus, bilateral, initial encounter             |
| S27.439A    | Laceration of bronchus, unspecified, initial encounter           |
| S27.491A    | Other injury of bronchus, unilateral, initial encounter          |
| S27.492A    | Other injury of bronchus, bilateral, initial encounter           |
| S27.499A    | Other injury of bronchus, unspecified, initial encounter         |
| S27.50XA    | Unspecified injury of thoracic trachea, initial encounter        |
| S27.51XA    | Primary blast injury of thoracic trachea, initial encounter      |
| S27.52XA    | Contusion of thoracic trachea, initial encounter                 |
| S27.53XA    | Laceration of thoracic trachea, initial encounter                |
| S27.59XA    | Other injury of thoracic trachea, initial encounter              |
| S27.60XA    | Unspecified injury of pleura, initial encounter                  |
| S27.63XA    | Laceration of pleura, initial encounter                          |
| S27.69XA    | Other injury of pleura, initial encounter                        |
| S27.802A    | Contusion of diaphragm, initial encounter                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S27.803A    | Laceration of diaphragm, initial encounter  |
| S27.808A    | Other injury of diaphragm, initial encounter  |
| S27.809A    | Unspecified injury of diaphragm, initial encounter  |
| S27.812A    | Contusion of esophagus (thoracic part), initial encounter   |
| S27.813A    | Laceration of esophagus (thoracic part), initial encounter  |
| S27.818A    | Other injury of esophagus (thoracic part), initial encounter  |
| S27.819A    | Unspecified injury of esophagus (thoracic part), initial encounter  |
| S27.892A    | Contusion of other specified intrathoracic organs, initial encounter  |
| S27.893A    | Laceration of other specified intrathoracic organs, initial encounter   |
| S27.898A    | Other injury of other specified intrathoracic organs, initial encounter   |
| S27.899A    | Unspecified injury of other specified intrathoracic organs, initial encounter   |
| S27.9XXA    | Injury of unspecified intrathoracic organ, initial encounter  |
| S28.0XXA    | Crushed chest, initial encounter  |
| S30.0XXA    | Contusion of lower back and pelvis, initial encounter   |
| S30.1XXA    | Contusion of abdominal wall, initial encounter  |
| S30.201A    | Contusion of unspecified external genital organ, male, initial encounter  |
| S30.202A    | Contusion of unspecified external genital organ, female, initial encounter  |
| S30.21XA    | Contusion of penis, initial encounter   |
| S30.22XA    | Contusion of scrotum and testes, initial encounter  |
| S30.23XA    | Contusion of vagina and vulva, initial encounter  |
| S30.3XXA    | Contusion of anus, initial encounter  |
| S31.001A    | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter              |
| S31.011A    | Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter     |
| S31.021A    | Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter        |
| S31.031A    | Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S31.041A    | Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter                 |
| S31.051A    | Open bite of lower back and pelvis with penetration into retroperitoneum, initial encounter  |
| S31.600A    | Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter          |
| S31.601A    | Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter           |
| S31.602A    | Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter             |
| S31.603A    | Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter          |
| S31.604A    | Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter           |
| S31.605A    | Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter            |
| S31.609A    | Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter          |
| S31.610A    | Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.611A    | Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.612A    | Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter    |
| S31.613A    | Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.614A    | Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.615A    | Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter   |
| S31.619A    | Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S31.620A | Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter        |
| S31.621A | Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter         |
| S31.622A | Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter           |
| S31.623A | Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter        |
| S31.624A | Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter         |
| S31.625A | Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter          |
| S31.629A | Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter        |
| S31.630A | Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.631A | Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.632A | Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter    |
| S31.633A | Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.634A | Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.635A | Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter   |
| S31.639A | Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter |
| S31.640A | Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter    |
| S31.641A | Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S31.642A    | Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter    |
| S31.643A    | Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.644A    | Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.645A    | Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter   |
| S31.649A    | Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter |
| S31.650A    | Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter                        |
| S31.651A    | Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter                         |
| S31.652A    | Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter                           |
| S31.653A    | Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter                        |
| S31.654A    | Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter                         |
| S31.655A    | Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter                          |
| S31.659A    | Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter                        |
| S32.000A    | Wedge compression fracture of unspecified lumbar vertebra, initial encounter for closed fracture                                    |
| S32.000B    | Wedge compression fracture of unspecified lumbar vertebra, initial encounter for open fracture                                      |
| S32.001A    | Stable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture   |
| S32.001B    | Stable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.002A | Unstable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture |
| S32.002B | Unstable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture   |
| S32.008A | Other fracture of unspecified lumbar vertebra, initial encounter for closed fracture          |
| S32.008B | Other fracture of unspecified lumbar vertebra, initial encounter for open fracture            |
| S32.009A | Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture    |
| S32.009B | Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture      |
| S32.010A | Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture    |
| S32.010B | Wedge compression fracture of first lumbar vertebra, initial encounter for open fracture      |
| S32.011A | Stable burst fracture of first lumbar vertebra, initial encounter for closed fracture         |
| S32.011B | Stable burst fracture of first lumbar vertebra, initial encounter for open fracture           |
| S32.012A | Unstable burst fracture of first lumbar vertebra, initial encounter for closed fracture       |
| S32.012B | Unstable burst fracture of first lumbar vertebra, initial encounter for open fracture         |
| S32.018A | Other fracture of first lumbar vertebra, initial encounter for closed fracture                |
| S32.018B | Other fracture of first lumbar vertebra, initial encounter for open fracture                  |
| S32.019A | Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture          |
| S32.019B | Unspecified fracture of first lumbar vertebra, initial encounter for open fracture            |
| S32.020A | Wedge compression fracture of second lumbar vertebra, initial encounter for closed fracture   |
| S32.020B | Wedge compression fracture of second lumbar vertebra, initial encounter for open fracture     |
| S32.021A | Stable burst fracture of second lumbar vertebra, initial encounter for closed fracture        |
| S32.021B | Stable burst fracture of second lumbar vertebra, initial encounter for open fracture          |
| S32.022A | Unstable burst fracture of second lumbar vertebra, initial encounter for closed fracture      |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.022B | Unstable burst fracture of second lumbar vertebra, initial encounter for open fracture      |
| S32.028A | Other fracture of second lumbar vertebra, initial encounter for closed fracture             |
| S32.028B | Other fracture of second lumbar vertebra, initial encounter for open fracture               |
| S32.029A | Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture       |
| S32.029B | Unspecified fracture of second lumbar vertebra, initial encounter for open fracture         |
| S32.030A | Wedge compression fracture of third lumbar vertebra, initial encounter for closed fracture  |
| S32.030B | Wedge compression fracture of third lumbar vertebra, initial encounter for open fracture    |
| S32.031A | Stable burst fracture of third lumbar vertebra, initial encounter for closed fracture       |
| S32.031B | Stable burst fracture of third lumbar vertebra, initial encounter for open fracture         |
| S32.032A | Unstable burst fracture of third lumbar vertebra, initial encounter for closed fracture     |
| S32.032B | Unstable burst fracture of third lumbar vertebra, initial encounter for open fracture       |
| S32.038A | Other fracture of third lumbar vertebra, initial encounter for closed fracture              |
| S32.038B | Other fracture of third lumbar vertebra, initial encounter for open fracture                |
| S32.039A | Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture        |
| S32.039B | Unspecified fracture of third lumbar vertebra, initial encounter for open fracture          |
| S32.040A | Wedge compression fracture of fourth lumbar vertebra, initial encounter for closed fracture |
| S32.040B | Wedge compression fracture of fourth lumbar vertebra, initial encounter for open fracture   |
| S32.041A | Stable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture      |
| S32.041B | Stable burst fracture of fourth lumbar vertebra, initial encounter for open fracture        |
| S32.042A | Unstable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture    |
| S32.042B | Unstable burst fracture of fourth lumbar vertebra, initial encounter for open fracture      |
| S32.048A | Other fracture of fourth lumbar vertebra, initial encounter for closed fracture             |
| S32.048B | Other fracture of fourth lumbar vertebra, initial encounter for open fracture               |
| S32.049A | Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S32.049B    | Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture        |
| S32.050A    | Wedge compression fracture of fifth lumbar vertebra, initial encounter for closed fracture |
| S32.050B    | Wedge compression fracture of fifth lumbar vertebra, initial encounter for open fracture   |
| S32.051A    | Stable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture      |
| S32.051B    | Stable burst fracture of fifth lumbar vertebra, initial encounter for open fracture        |
| S32.052A    | Unstable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture    |
| S32.052B    | Unstable burst fracture of fifth lumbar vertebra, initial encounter for open fracture      |
| S32.058A    | Other fracture of fifth lumbar vertebra, initial encounter for closed fracture             |
| S32.058B    | Other fracture of fifth lumbar vertebra, initial encounter for open fracture               |
| S32.059A    | Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture       |
| S32.059B    | Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture         |
| S32.10XA    | Unspecified fracture of sacrum, initial encounter for closed fracture                      |
| S32.10XB    | Unspecified fracture of sacrum, initial encounter for open fracture                        |
| S32.110A    | Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture              |
| S32.110B    | Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture                |
| S32.111A    | Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture       |
| S32.111B    | Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture         |
| S32.112A    | Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture        |
| S32.112B    | Severely displaced Zone I fracture of sacrum, initial encounter for open fracture          |
| S32.119A    | Unspecified Zone I fracture of sacrum, initial encounter for closed fracture               |
| S32.119B    | Unspecified Zone I fracture of sacrum, initial encounter for open fracture                 |
| S32.120A    | Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture             |
| S32.120B    | Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture               |
| S32.121A    | Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture      |
| S32.121B    | Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture        |
| S32.122A    | Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture       |
| S32.122B    | Severely displaced Zone II fracture of sacrum, initial encounter for open fracture         |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.129A | Unspecified Zone II fracture of sacrum, initial encounter for closed fracture                        |
| S32.129B | Unspecified Zone II fracture of sacrum, initial encounter for open fracture                          |
| S32.130A | Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture                      |
| S32.130B | Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture                        |
| S32.131A | Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture               |
| S32.131B | Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture                 |
| S32.132A | Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture                |
| S32.132B | Severely displaced Zone III fracture of sacrum, initial encounter for open fracture                  |
| S32.139A | Unspecified Zone III fracture of sacrum, initial encounter for closed fracture                       |
| S32.139B | Unspecified Zone III fracture of sacrum, initial encounter for open fracture                         |
| S32.14XA | Type 1 fracture of sacrum, initial encounter for closed fracture                                     |
| S32.14XB | Type 1 fracture of sacrum, initial encounter for open fracture                                       |
| S32.15XA | Type 2 fracture of sacrum, initial encounter for closed fracture                                     |
| S32.15XB | Type 2 fracture of sacrum, initial encounter for open fracture                                       |
| S32.16XA | Type 3 fracture of sacrum, initial encounter for closed fracture                                     |
| S32.16XB | Type 3 fracture of sacrum, initial encounter for open fracture                                       |
| S32.17XA | Type 4 fracture of sacrum, initial encounter for closed fracture                                     |
| S32.17XB | Type 4 fracture of sacrum, initial encounter for open fracture                                       |
| S32.19XA | Other fracture of sacrum, initial encounter for closed fracture                                      |
| S32.19XB | Other fracture of sacrum, initial encounter for open fracture  |
| S32.2XXA | Fracture of coccyx, initial encounter for closed fracture  |
| S32.2XXB | Fracture of coccyx, initial encounter for open fracture  |
| S32.9XXA | Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture |
| S32.9XXB | Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture   |
| S34.101A | Unspecified injury to L1 level of lumbar spinal cord, initial encounter                              |
| S34.102A | Unspecified injury to L2 level of lumbar spinal cord, initial encounter                              |
| S34.103A | Unspecified injury to L3 level of lumbar spinal cord, initial encounter                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S34.104A    | Unspecified injury to L4 level of lumbar spinal cord, initial encounter          |
| S34.105A    | Unspecified injury to L5 level of lumbar spinal cord, initial encounter          |
| S34.109A    | Unspecified injury to unspecified level of lumbar spinal cord, initial encounter |
| S34.111A    | Complete lesion of L1 level of lumbar spinal cord, initial encounter             |
| S34.112A    | Complete lesion of L2 level of lumbar spinal cord, initial encounter             |
| S34.113A    | Complete lesion of L3 level of lumbar spinal cord, initial encounter             |
| S34.114A    | Complete lesion of L4 level of lumbar spinal cord, initial encounter             |
| S34.115A    | Complete lesion of L5 level of lumbar spinal cord, initial encounter             |
| S34.119A    | Complete lesion of unspecified level of lumbar spinal cord, initial encounter    |
| S34.121A    | Incomplete lesion of L1 level of lumbar spinal cord, initial encounter           |
| S34.122A    | Incomplete lesion of L2 level of lumbar spinal cord, initial encounter           |
| S34.123A    | Incomplete lesion of L3 level of lumbar spinal cord, initial encounter           |
| S34.124A    | Incomplete lesion of L4 level of lumbar spinal cord, initial encounter           |
| S34.125A    | Incomplete lesion of L5 level of lumbar spinal cord, initial encounter           |
| S34.129A    | Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter  |
| S34.131A    | Complete lesion of sacral spinal cord, initial encounter                         |
| S34.132A    | Incomplete lesion of sacral spinal cord, initial encounter                       |
| S34.139A    | Unspecified injury to sacral spinal cord, initial encounter                      |
| S34.3XXA    | Injury of cauda equina, initial encounter  |
| S35.00XA    | Unspecified injury of abdominal aorta, initial encounter                         |
| S35.01XA    | Minor laceration of abdominal aorta, initial encounter                           |
| S35.02XA    | Major laceration of abdominal aorta, initial encounter                           |
| S35.09XA    | Other injury of abdominal aorta, initial encounter                               |
| S35.10XA    | Unspecified injury of inferior vena cava, initial encounter                      |
| S35.11XA    | Minor laceration of inferior vena cava, initial encounter                        |
| S35.12XA    | Major laceration of inferior vena cava, initial encounter                        |
| S35.19XA    | Other injury of inferior vena cava, initial encounter                            |
| S35.211A    | Minor laceration of celiac artery, initial encounter                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S35.212A    | Major laceration of celiac artery, initial encounter                              |
| S35.218A    | Other injury of celiac artery, initial encounter                                  |
| S35.219A    | Unspecified injury of celiac artery, initial encounter                            |
| S35.221A    | Minor laceration of superior mesenteric artery, initial encounter                 |
| S35.222A    | Major laceration of superior mesenteric artery, initial encounter                 |
| S35.228A    | Other injury of superior mesenteric artery, initial encounter                     |
| S35.229A    | Unspecified injury of superior mesenteric artery, initial encounter               |
| S35.231A    | Minor laceration of inferior mesenteric artery, initial encounter                 |
| S35.232A    | Major laceration of inferior mesenteric artery, initial encounter                 |
| S35.238A    | Other injury of inferior mesenteric artery, initial encounter                     |
| S35.239A    | Unspecified injury of inferior mesenteric artery, initial encounter               |
| S35.291A    | Minor laceration of branches of celiac and mesenteric artery, initial encounter   |
| S35.292A    | Major laceration of branches of celiac and mesenteric artery, initial encounter   |
| S35.298A    | Other injury of branches of celiac and mesenteric artery, initial encounter       |
| S35.299A    | Unspecified injury of branches of celiac and mesenteric artery, initial encounter |
| S35.311A    | Laceration of portal vein, initial encounter                                      |
| S35.318A    | Other specified injury of portal vein, initial encounter                          |
| S35.319A    | Unspecified injury of portal vein, initial encounter                              |
| S35.321A    | Laceration of splenic vein, initial encounter                                     |
| S35.328A    | Other specified injury of splenic vein, initial encounter                         |
| S35.329A    | Unspecified injury of splenic vein, initial encounter                             |
| S35.331A    | Laceration of superior mesenteric vein, initial encounter                         |
| S35.338A    | Other specified injury of superior mesenteric vein, initial encounter             |
| S35.339A    | Unspecified injury of superior mesenteric vein, initial encounter                 |
| S35.341A    | Laceration of inferior mesenteric vein, initial encounter                         |
| S35.348A    | Other specified injury of inferior mesenteric vein, initial encounter             |
| S35.349A    | Unspecified injury of inferior mesenteric vein, initial encounter                 |
| S35.401A    | Unspecified injury of right renal artery, initial encounter                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S35.402A    | Unspecified injury of left renal artery, initial encounter            |
| S35.403A    | Unspecified injury of unspecified renal artery, initial encounter     |
| S35.404A    | Unspecified injury of right renal vein, initial encounter             |
| S35.405A    | Unspecified injury of left renal vein, initial encounter              |
| S35.406A    | Unspecified injury of unspecified renal vein, initial encounter       |
| S35.411A    | Laceration of right renal artery, initial encounter                   |
| S35.412A    | Laceration of left renal artery, initial encounter                    |
| S35.413A    | Laceration of unspecified renal artery, initial encounter             |
| S35.414A    | Laceration of right renal vein, initial encounter                     |
| S35.415A    | Laceration of left renal vein, initial encounter                      |
| S35.416A    | Laceration of unspecified renal vein, initial encounter               |
| S35.491A    | Other specified injury of right renal artery, initial encounter       |
| S35.492A    | Other specified injury of left renal artery, initial encounter        |
| S35.493A    | Other specified injury of unspecified renal artery, initial encounter |
| S35.494A    | Other specified injury of right renal vein, initial encounter         |
| S35.495A    | Other specified injury of left renal vein, initial encounter          |
| S35.496A    | Other specified injury of unspecified renal vein, initial encounter   |
| S35.50XA    | Injury of unspecified iliac blood vessel(s), initial encounter        |
| S35.511A    | Injury of right iliac artery, initial encounter                       |
| S35.512A    | Injury of left iliac artery, initial encounter                        |
| S35.513A    | Injury of unspecified iliac artery, initial encounter                 |
| S35.514A    | Injury of right iliac vein, initial encounter                         |
| S35.515A    | Injury of left iliac vein, initial encounter                          |
| S35.516A    | Injury of unspecified iliac vein, initial encounter                   |
| S35.531A    | Injury of right uterine artery, initial encounter                     |
| S35.532A    | Injury of left uterine artery, initial encounter                      |
| S35.533A    | Injury of unspecified uterine artery, initial encounter               |
| S35.534A    | Injury of right uterine vein, initial encounter                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S35.535A | Injury of left uterine vein, initial encounter  |
| S35.536A | Injury of unspecified uterine vein, initial encounter   |
| S35.59XA | Injury of other iliac blood vessels, initial encounter  |
| S35.8X1A | Laceration of other blood vessels at abdomen, lower back and pelvis level, initial encounter                  |
| S35.8X8A | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter      |
| S35.8X9A | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter          |
| S35.90XA | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter     |
| S35.91XA | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter             |
| S35.99XA | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S36.00XA | Unspecified injury of spleen, initial encounter   |
| S36.020A | Minor contusion of spleen, initial encounter  |
| S36.021A | Major contusion of spleen, initial encounter  |
| S36.029A | Unspecified contusion of spleen, initial encounter  |
| S36.030A | Superficial (capsular) laceration of spleen, initial encounter  |
| S36.031A | Moderate laceration of spleen, initial encounter  |
| S36.032A | Major laceration of spleen, initial encounter   |
| S36.039A | Unspecified laceration of spleen, initial encounter   |
| S36.09XA | Other injury of spleen, initial encounter   |
| S36.112A | Contusion of liver, initial encounter   |
| S36.113A | Laceration of liver, unspecified degree, initial encounter  |
| S36.114A | Minor laceration of liver, initial encounter  |
| S36.115A | Moderate laceration of liver, initial encounter   |
| S36.116A | Major laceration of liver, initial encounter  |
| S36.118A | Other injury of liver, initial encounter  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S36.119A    | Unspecified injury of liver, initial encounter                                    |
| S36.122A    | Contusion of gallbladder, initial encounter                                       |
| S36.123A    | Laceration of gallbladder, initial encounter                                      |
| S36.128A    | Other injury of gallbladder, initial encounter                                    |
| S36.129A    | Unspecified injury of gallbladder, initial encounter                              |
| S36.13XA    | Injury of bile duct, initial encounter  |
| S36.200A    | Unspecified injury of head of pancreas, initial encounter                         |
| S36.201A    | Unspecified injury of body of pancreas, initial encounter                         |
| S36.202A    | Unspecified injury of tail of pancreas, initial encounter                         |
| S36.209A    | Unspecified injury of unspecified part of pancreas, initial encounter             |
| S36.220A    | Contusion of head of pancreas, initial encounter                                  |
| S36.221A    | Contusion of body of pancreas, initial encounter                                  |
| S36.222A    | Contusion of tail of pancreas, initial encounter                                  |
| S36.229A    | Contusion of unspecified part of pancreas, initial encounter                      |
| S36.230A    | Laceration of head of pancreas, unspecified degree, initial encounter             |
| S36.231A    | Laceration of body of pancreas, unspecified degree, initial encounter             |
| S36.232A    | Laceration of tail of pancreas, unspecified degree, initial encounter             |
| S36.239A    | Laceration of unspecified part of pancreas, unspecified degree, initial encounter |
| S36.240A    | Minor laceration of head of pancreas, initial encounter                           |
| S36.241A    | Minor laceration of body of pancreas, initial encounter                           |
| S36.242A    | Minor laceration of tail of pancreas, initial encounter                           |
| S36.249A    | Minor laceration of unspecified part of pancreas, initial encounter               |
| S36.250A    | Moderate laceration of head of pancreas, initial encounter                        |
| S36.251A    | Moderate laceration of body of pancreas, initial encounter                        |
| S36.252A    | Moderate laceration of tail of pancreas, initial encounter                        |
| S36.259A    | Moderate laceration of unspecified part of pancreas, initial encounter            |
| S36.260A    | Major laceration of head of pancreas, initial encounter                           |
| S36.261A    | Major laceration of body of pancreas, initial encounter                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S36.262A    | Major laceration of tail of pancreas, initial encounter                        |
| S36.269A    | Major laceration of unspecified part of pancreas, initial encounter            |
| S36.290A    | Other injury of head of pancreas, initial encounter                            |
| S36.291A    | Other injury of body of pancreas, initial encounter                            |
| S36.292A    | Other injury of tail of pancreas, initial encounter                            |
| S36.299A    | Other injury of unspecified part of pancreas, initial encounter                |
| S36.30XA    | Unspecified injury of stomach, initial encounter                               |
| S36.32XA    | Contusion of stomach, initial encounter  |
| S36.33XA    | Laceration of stomach, initial encounter                                       |
| S36.39XA    | Other injury of stomach, initial encounter                                     |
| S36.400A    | Unspecified injury of duodenum, initial encounter                              |
| S36.408A    | Unspecified injury of other part of small intestine, initial encounter         |
| S36.409A    | Unspecified injury of unspecified part of small intestine, initial encounter   |
| S36.410A    | Primary blast injury of duodenum, initial encounter                            |
| S36.418A    | Primary blast injury of other part of small intestine, initial encounter       |
| S36.419A    | Primary blast injury of unspecified part of small intestine, initial encounter |
| S36.420A    | Contusion of duodenum, initial encounter                                       |
| S36.428A    | Contusion of other part of small intestine, initial encounter                  |
| S36.429A    | Contusion of unspecified part of small intestine, initial encounter            |
| S36.430A    | Laceration of duodenum, initial encounter                                      |
| S36.438A    | Laceration of other part of small intestine, initial encounter                 |
| S36.439A    | Laceration of unspecified part of small intestine, initial encounter           |
| S36.490A    | Other injury of duodenum, initial encounter                                    |
| S36.498A    | Other injury of other part of small intestine, initial encounter               |
| S36.499A    | Other injury of unspecified part of small intestine, initial encounter         |
| S36.500A    | Unspecified injury of ascending [right] colon, initial encounter               |
| S36.501A    | Unspecified injury of transverse colon, initial encounter                      |
| S36.502A    | Unspecified injury of descending [left] colon, initial encounter               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S36.503A    | Unspecified injury of sigmoid colon, initial encounter               |
| S36.508A    | Unspecified injury of other part of colon, initial encounter         |
| S36.509A    | Unspecified injury of unspecified part of colon, initial encounter   |
| S36.510A    | Primary blast injury of ascending [right] colon, initial encounter   |
| S36.511A    | Primary blast injury of transverse colon, initial encounter          |
| S36.512A    | Primary blast injury of descending [left] colon, initial encounter   |
| S36.513A    | Primary blast injury of sigmoid colon, initial encounter             |
| S36.518A    | Primary blast injury of other part of colon, initial encounter       |
| S36.519A    | Primary blast injury of unspecified part of colon, initial encounter |
| S36.520A    | Contusion of ascending [right] colon, initial encounter              |
| S36.521A    | Contusion of transverse colon, initial encounter                     |
| S36.522A    | Contusion of descending [left] colon, initial encounter              |
| S36.523A    | Contusion of sigmoid colon, initial encounter                        |
| S36.528A    | Contusion of other part of colon, initial encounter                  |
| S36.529A    | Contusion of unspecified part of colon, initial encounter            |
| S36.530A    | Laceration of ascending [right] colon, initial encounter             |
| S36.531A    | Laceration of transverse colon, initial encounter                    |
| S36.532A    | Laceration of descending [left] colon, initial encounter             |
| S36.533A    | Laceration of sigmoid colon, initial encounter                       |
| S36.538A    | Laceration of other part of colon, initial encounter                 |
| S36.539A    | Laceration of unspecified part of colon, initial encounter           |
| S36.590A    | Other injury of ascending [right] colon, initial encounter           |
| S36.591A    | Other injury of transverse colon, initial encounter                  |
| S36.592A    | Other injury of descending [left] colon, initial encounter           |
| S36.593A    | Other injury of sigmoid colon, initial encounter                     |
| S36.598A    | Other injury of other part of colon, initial encounter               |
| S36.599A    | Other injury of unspecified part of colon, initial encounter         |
| S36.60XA    | Unspecified injury of rectum, initial encounter                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S36.61XA | Primary blast injury of rectum, initial encounter                          |
| S36.62XA | Contusion of rectum, initial encounter                                     |
| S36.63XA | Laceration of rectum, initial encounter                                    |
| S36.69XA | Other injury of rectum, initial encounter                                  |
| S36.81XA | Injury of peritoneum, initial encounter                                    |
| S36.892A | Contusion of other intra-abdominal organs, initial encounter               |
| S36.893A | Laceration of other intra-abdominal organs, initial encounter              |
| S36.898A | Other injury of other intra-abdominal organs, initial encounter            |
| S36.899A | Unspecified injury of other intra-abdominal organs, initial encounter      |
| S36.90XA | Unspecified injury of unspecified intra-abdominal organ, initial encounter |
| S36.92XA | Contusion of unspecified intra-abdominal organ, initial encounter          |
| S36.93XA | Laceration of unspecified intra-abdominal organ, initial encounter         |
| S36.99XA | Other injury of unspecified intra-abdominal organ, initial encounter       |
| S37.001A | Unspecified injury of right kidney, initial encounter                      |
| S37.002A | Unspecified injury of left kidney, initial encounter                       |
| S37.009A | Unspecified injury of unspecified kidney, initial encounter                |
| S37.011A | Minor contusion of right kidney, initial encounter                         |
| S37.012A | Minor contusion of left kidney, initial encounter                          |
| S37.019A | Minor contusion of unspecified kidney, initial encounter                   |
| S37.021A | Major contusion of right kidney, initial encounter                         |
| S37.022A | Major contusion of left kidney, initial encounter                          |
| S37.029A | Major contusion of unspecified kidney, initial encounter                   |
| S37.031A | Laceration of right kidney, unspecified degree, initial encounter          |
| S37.032A | Laceration of left kidney, unspecified degree, initial encounter           |
| S37.039A | Laceration of unspecified kidney, unspecified degree, initial encounter    |
| S37.041A | Minor laceration of right kidney, initial encounter                        |
| S37.042A | Minor laceration of left kidney, initial encounter                         |
| S37.049A | Minor laceration of unspecified kidney, initial encounter                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S37.051A    | Moderate laceration of right kidney, initial encounter       |
| S37.052A    | Moderate laceration of left kidney, initial encounter        |
| S37.059A    | Moderate laceration of unspecified kidney, initial encounter |
| S37.061A    | Major laceration of right kidney, initial encounter          |
| S37.062A    | Major laceration of left kidney, initial encounter           |
| S37.069A    | Major laceration of unspecified kidney, initial encounter    |
| S37.091A    | Other injury of right kidney, initial encounter              |
| S37.092A    | Other injury of left kidney, initial encounter               |
| S37.099A    | Other injury of unspecified kidney, initial encounter        |
| S37.10XA    | Unspecified injury of ureter, initial encounter              |
| S37.12XA    | Contusion of ureter, initial encounter                       |
| S37.13XA    | Laceration of ureter, initial encounter                      |
| S37.19XA    | Other injury of ureter, initial encounter                    |
| S37.20XA    | Unspecified injury of bladder, initial encounter             |
| S37.22XA    | Contusion of bladder, initial encounter                      |
| S37.23XA    | Laceration of bladder, initial encounter                     |
| S37.29XA    | Other injury of bladder, initial encounter                   |
| S37.30XA    | Unspecified injury of urethra, initial encounter             |
| S37.32XA    | Contusion of urethra, initial encounter                      |
| S37.33XA    | Laceration of urethra, initial encounter                     |
| S37.39XA    | Other injury of urethra, initial encounter                   |
| S37.401A    | Unspecified injury of ovary, unilateral, initial encounter   |
| S37.402A    | Unspecified injury of ovary, bilateral, initial encounter    |
| S37.409A    | Unspecified injury of ovary, unspecified, initial encounter  |
| S37.421A    | Contusion of ovary, unilateral, initial encounter            |
| S37.422A    | Contusion of ovary, bilateral, initial encounter             |
| S37.429A    | Contusion of ovary, unspecified, initial encounter           |
| S37.431A    | Laceration of ovary, unilateral, initial encounter           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S37.432A    | Laceration of ovary, bilateral, initial encounter                      |
| S37.439A    | Laceration of ovary, unspecified, initial encounter                    |
| S37.491A    | Other injury of ovary, unilateral, initial encounter                   |
| S37.492A    | Other injury of ovary, bilateral, initial encounter                    |
| S37.499A    | Other injury of ovary, unspecified, initial encounter                  |
| S37.501A    | Unspecified injury of fallopian tube, unilateral, initial encounter    |
| S37.502A    | Unspecified injury of fallopian tube, bilateral, initial encounter     |
| S37.509A    | Unspecified injury of fallopian tube, unspecified, initial encounter   |
| S37.511A    | Primary blast injury of fallopian tube, unilateral, initial encounter  |
| S37.512A    | Primary blast injury of fallopian tube, bilateral, initial encounter   |
| S37.519A    | Primary blast injury of fallopian tube, unspecified, initial encounter |
| S37.521A    | Contusion of fallopian tube, unilateral, initial encounter             |
| S37.522A    | Contusion of fallopian tube, bilateral, initial encounter              |
| S37.529A    | Contusion of fallopian tube, unspecified, initial encounter            |
| S37.531A    | Laceration of fallopian tube, unilateral, initial encounter            |
| S37.532A    | Laceration of fallopian tube, bilateral, initial encounter             |
| S37.539A    | Laceration of fallopian tube, unspecified, initial encounter           |
| S37.591A    | Other injury of fallopian tube, unilateral, initial encounter          |
| S37.592A    | Other injury of fallopian tube, bilateral, initial encounter           |
| S37.599A    | Other injury of fallopian tube, unspecified, initial encounter         |
| S37.60XA    | Unspecified injury of uterus, initial encounter                        |
| S37.62XA    | Contusion of uterus, initial encounter                                 |
| S37.63XA    | Laceration of uterus, initial encounter                                |
| S37.69XA    | Other injury of uterus, initial encounter                              |
| S37.812A    | Contusion of adrenal gland, initial encounter                          |
| S37.813A    | Laceration of adrenal gland, initial encounter                         |
| S37.818A    | Other injury of adrenal gland, initial encounter                       |
| S37.819A    | Unspecified injury of adrenal gland, initial encounter                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S37.822A    | Contusion of prostate, initial encounter  |
| S37.823A    | Laceration of prostate, initial encounter   |
| S37.828A    | Other injury of prostate, initial encounter   |
| S37.829A    | Unspecified injury of prostate, initial encounter                                     |
| S37.892A    | Contusion of other urinary and pelvic organ, initial encounter                        |
| S37.893A    | Laceration of other urinary and pelvic organ, initial encounter                       |
| S37.898A    | Other injury of other urinary and pelvic organ, initial encounter                     |
| S37.899A    | Unspecified injury of other urinary and pelvic organ, initial encounter               |
| S37.90XA    | Unspecified injury of unspecified urinary and pelvic organ, initial encounter         |
| S37.92XA    | Contusion of unspecified urinary and pelvic organ, initial encounter                  |
| S37.93XA    | Laceration of unspecified urinary and pelvic organ, initial encounter                 |
| S37.99XA    | Other injury of unspecified urinary and pelvic organ, initial encounter               |
| S38.001A    | Crushing injury of unspecified external genital organs, male, initial encounter       |
| S38.002A    | Crushing injury of unspecified external genital organs, female, initial encounter     |
| S38.01XA    | Crushing injury of penis, initial encounter   |
| S38.02XA    | Crushing injury of scrotum and testis, initial encounter                              |
| S38.03XA    | Crushing injury of vulva, initial encounter   |
| S38.1XXA    | Crushing injury of abdomen, lower back, and pelvis, initial encounter                 |
| S40.011A    | Contusion of right shoulder, initial encounter  |
| S40.012A    | Contusion of left shoulder, initial encounter   |
| S40.019A    | Contusion of unspecified shoulder, initial encounter                                  |
| S40.021A    | Contusion of right upper arm, initial encounter                                       |
| S40.022A    | Contusion of left upper arm, initial encounter  |
| S40.029A    | Contusion of unspecified upper arm, initial encounter                                 |
| S42.001A    | Fracture of unspecified part of right clavicle, initial encounter for closed fracture |
| S42.001B    | Fracture of unspecified part of right clavicle, initial encounter for open fracture   |
| S42.002A    | Fracture of unspecified part of left clavicle, initial encounter for closed fracture  |
| S42.002B    | Fracture of unspecified part of left clavicle, initial encounter for open fracture    |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.009A | Fracture of unspecified part of unspecified clavicle, initial encounter for closed fracture                |
| S42.009B | Fracture of unspecified part of unspecified clavicle, initial encounter for open fracture                  |
| S42.011A | Anterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture        |
| S42.011B | Anterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture          |
| S42.012A | Anterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture         |
| S42.012B | Anterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture           |
| S42.013A | Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture  |
| S42.013B | Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture    |
| S42.014A | Posterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture       |
| S42.014B | Posterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture         |
| S42.015A | Posterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture        |
| S42.015B | Posterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture          |
| S42.016A | Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture |
| S42.016B | Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture   |
| S42.017A | Nondisplaced fracture of sternal end of right clavicle, initial encounter for closed fracture              |
| S42.017B | Nondisplaced fracture of sternal end of right clavicle, initial encounter for open fracture                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.018A    | Nondisplaced fracture of sternal end of left clavicle, initial encounter for closed fracture        |
| S42.018B    | Nondisplaced fracture of sternal end of left clavicle, initial encounter for open fracture          |
| S42.019A    | Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture |
| S42.019B    | Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture   |
| S42.021A    | Displaced fracture of shaft of right clavicle, initial encounter for closed fracture                |
| S42.021B    | Displaced fracture of shaft of right clavicle, initial encounter for open fracture                  |
| S42.022A    | Displaced fracture of shaft of left clavicle, initial encounter for closed fracture                 |
| S42.022B    | Displaced fracture of shaft of left clavicle, initial encounter for open fracture                   |
| S42.023A    | Displaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture          |
| S42.023B    | Displaced fracture of shaft of unspecified clavicle, initial encounter for open fracture            |
| S42.024A    | Nondisplaced fracture of shaft of right clavicle, initial encounter for closed fracture             |
| S42.024B    | Nondisplaced fracture of shaft of right clavicle, initial encounter for open fracture               |
| S42.025A    | Nondisplaced fracture of shaft of left clavicle, initial encounter for closed fracture              |
| S42.025B    | Nondisplaced fracture of shaft of left clavicle, initial encounter for open fracture                |
| S42.026A    | Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture       |
| S42.026B    | Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for open fracture         |
| S42.031A    | Displaced fracture of lateral end of right clavicle, initial encounter for closed fracture          |
| S42.031B    | Displaced fracture of lateral end of right clavicle, initial encounter for open fracture            |
| S42.032A    | Displaced fracture of lateral end of left clavicle, initial encounter for closed fracture           |
| S42.032B    | Displaced fracture of lateral end of left clavicle, initial encounter for open fracture             |
| S42.033A    | Displaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture    |
| S42.033B    | Displaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.034A    | Nondisplaced fracture of lateral end of right clavicle, initial encounter for closed fracture        |
| S42.034B    | Nondisplaced fracture of lateral end of right clavicle, initial encounter for open fracture          |
| S42.035A    | Nondisplaced fracture of lateral end of left clavicle, initial encounter for closed fracture         |
| S42.035B    | Nondisplaced fracture of lateral end of left clavicle, initial encounter for open fracture           |
| S42.036A    | Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture  |
| S42.036B    | Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture    |
| S42.101A    | Fracture of unspecified part of scapula, right shoulder, initial encounter for closed fracture       |
| S42.101B    | Fracture of unspecified part of scapula, right shoulder, initial encounter for open fracture         |
| S42.102A    | Fracture of unspecified part of scapula, left shoulder, initial encounter for closed fracture        |
| S42.102B    | Fracture of unspecified part of scapula, left shoulder, initial encounter for open fracture          |
| S42.109A    | Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for closed fracture |
| S42.109B    | Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for open fracture   |
| S42.111A    | Displaced fracture of body of scapula, right shoulder, initial encounter for closed fracture         |
| S42.111B    | Displaced fracture of body of scapula, right shoulder, initial encounter for open fracture           |
| S42.112A    | Displaced fracture of body of scapula, left shoulder, initial encounter for closed fracture          |
| S42.112B    | Displaced fracture of body of scapula, left shoulder, initial encounter for open fracture            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.113A    | Displaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture    |
| S42.113B    | Displaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture      |
| S42.114A    | Nondisplaced fracture of body of scapula, right shoulder, initial encounter for closed fracture       |
| S42.114B    | Nondisplaced fracture of body of scapula, right shoulder, initial encounter for open fracture         |
| S42.115A    | Nondisplaced fracture of body of scapula, left shoulder, initial encounter for closed fracture        |
| S42.115B    | Nondisplaced fracture of body of scapula, left shoulder, initial encounter for open fracture          |
| S42.116A    | Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture |
| S42.116B    | Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture   |
| S42.121A    | Displaced fracture of acromial process, right shoulder, initial encounter for closed fracture         |
| S42.121B    | Displaced fracture of acromial process, right shoulder, initial encounter for open fracture           |
| S42.122A    | Displaced fracture of acromial process, left shoulder, initial encounter for closed fracture          |
| S42.122B    | Displaced fracture of acromial process, left shoulder, initial encounter for open fracture            |
| S42.123A    | Displaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture   |
| S42.123B    | Displaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture     |
| S42.124A    | Nondisplaced fracture of acromial process, right shoulder, initial encounter for closed fracture      |
| S42.124B    | Nondisplaced fracture of acromial process, right shoulder, initial encounter for open fracture        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.125A | Nondisplaced fracture of acromial process, left shoulder, initial encounter for closed fracture        |
| S42.125B | Nondisplaced fracture of acromial process, left shoulder, initial encounter for open fracture          |
| S42.126A | Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture |
| S42.126B | Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture   |
| S42.131A | Displaced fracture of coracoid process, right shoulder, initial encounter for closed fracture          |
| S42.131B | Displaced fracture of coracoid process, right shoulder, initial encounter for open fracture            |
| S42.132A | Displaced fracture of coracoid process, left shoulder, initial encounter for closed fracture           |
| S42.132B | Displaced fracture of coracoid process, left shoulder, initial encounter for open fracture             |
| S42.133A | Displaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture    |
| S42.133B | Displaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture      |
| S42.134A | Nondisplaced fracture of coracoid process, right shoulder, initial encounter for closed fracture       |
| S42.134B | Nondisplaced fracture of coracoid process, right shoulder, initial encounter for open fracture         |
| S42.135A | Nondisplaced fracture of coracoid process, left shoulder, initial encounter for closed fracture        |
| S42.135B | Nondisplaced fracture of coracoid process, left shoulder, initial encounter for open fracture          |
| S42.136A | Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture |
| S42.136B | Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.141A    | Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture          |
| S42.141B    | Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture            |
| S42.142A    | Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture           |
| S42.142B    | Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture             |
| S42.143A    | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture    |
| S42.143B    | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture      |
| S42.144A    | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture       |
| S42.144B    | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture         |
| S42.145A    | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture        |
| S42.145B    | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture          |
| S42.146A    | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture |
| S42.146B    | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture   |
| S42.151A    | Displaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture                    |
| S42.151B    | Displaced fracture of neck of scapula, right shoulder, initial encounter for open fracture                      |
| S42.152A    | Displaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture                     |
| S42.152B    | Displaced fracture of neck of scapula, left shoulder, initial encounter for open fracture                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.153A    | Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture    |
| S42.153B    | Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture      |
| S42.154A    | Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture       |
| S42.154B    | Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for open fracture         |
| S42.155A    | Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture        |
| S42.155B    | Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for open fracture          |
| S42.156A    | Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture |
| S42.156B    | Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture   |
| S42.191A    | Fracture of other part of scapula, right shoulder, initial encounter for closed fracture              |
| S42.191B    | Fracture of other part of scapula, right shoulder, initial encounter for open fracture                |
| S42.192A    | Fracture of other part of scapula, left shoulder, initial encounter for closed fracture               |
| S42.192B    | Fracture of other part of scapula, left shoulder, initial encounter for open fracture                 |
| S42.199A    | Fracture of other part of scapula, unspecified shoulder, initial encounter for closed fracture        |
| S42.199B    | Fracture of other part of scapula, unspecified shoulder, initial encounter for open fracture          |
| S42.201A    | Unspecified fracture of upper end of right humerus, initial encounter for closed fracture             |
| S42.201B    | Unspecified fracture of upper end of right humerus, initial encounter for open fracture               |
| S42.202A    | Unspecified fracture of upper end of left humerus, initial encounter for closed fracture              |
| S42.202B    | Unspecified fracture of upper end of left humerus, initial encounter for open fracture                |
| S42.209A    | Unspecified fracture of upper end of unspecified humerus, initial encounter for closed fracture       |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.209B    | Unspecified fracture of upper end of unspecified humerus, initial encounter for open fracture                    |
| S42.211A    | Unspecified displaced fracture of surgical neck of right humerus, initial encounter for closed fracture          |
| S42.211B    | Unspecified displaced fracture of surgical neck of right humerus, initial encounter for open fracture            |
| S42.212A    | Unspecified displaced fracture of surgical neck of left humerus, initial encounter for closed fracture           |
| S42.212B    | Unspecified displaced fracture of surgical neck of left humerus, initial encounter for open fracture             |
| S42.213A    | Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture    |
| S42.213B    | Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture      |
| S42.214A    | Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture       |
| S42.214B    | Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture         |
| S42.215A    | Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture        |
| S42.215B    | Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture          |
| S42.216A    | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture |
| S42.216B    | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture   |
| S42.221A    | 2-part displaced fracture of surgical neck of right humerus, initial encounter for closed fracture               |
| S42.221B    | 2-part displaced fracture of surgical neck of right humerus, initial encounter for open fracture                 |
| S42.222A    | 2-part displaced fracture of surgical neck of left humerus, initial encounter for closed fracture                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.222B | 2-part displaced fracture of surgical neck of left humerus, initial encounter for open fracture             |
| S42.223A | 2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture    |
| S42.223B | 2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture      |
| S42.224A | 2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture       |
| S42.224B | 2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture         |
| S42.225A | 2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture        |
| S42.225B | 2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture          |
| S42.226A | 2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture |
| S42.226B | 2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture   |
| S42.231A | 3-part fracture of surgical neck of right humerus, initial encounter for closed fracture                    |
| S42.231B | 3-part fracture of surgical neck of right humerus, initial encounter for open fracture                      |
| S42.232A | 3-part fracture of surgical neck of left humerus, initial encounter for closed fracture                     |
| S42.232B | 3-part fracture of surgical neck of left humerus, initial encounter for open fracture                       |
| S42.239A | 3-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture              |
| S42.239B | 3-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture                |
| S42.241A | 4-part fracture of surgical neck of right humerus, initial encounter for closed fracture                    |
| S42.241B | 4-part fracture of surgical neck of right humerus, initial encounter for open fracture                      |
| S42.242A | 4-part fracture of surgical neck of left humerus, initial encounter for closed fracture                     |
| S42.242B | 4-part fracture of surgical neck of left humerus, initial encounter for open fracture                       |
| S42.249A | 4-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.249B | 4-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture              |
| S42.251A | Displaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture          |
| S42.251B | Displaced fracture of greater tuberosity of right humerus, initial encounter for open fracture            |
| S42.252A | Displaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture           |
| S42.252B | Displaced fracture of greater tuberosity of left humerus, initial encounter for open fracture             |
| S42.253A | Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture    |
| S42.253B | Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture      |
| S42.254A | Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture       |
| S42.254B | Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for open fracture         |
| S42.255A | Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture        |
| S42.255B | Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for open fracture          |
| S42.256A | Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture |
| S42.256B | Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture   |
| S42.261A | Displaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture           |
| S42.261B | Displaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture             |
| S42.262A | Displaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.262B | Displaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture             |
| S42.263A | Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture    |
| S42.263B | Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture      |
| S42.264A | Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture       |
| S42.264B | Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture         |
| S42.265A | Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture        |
| S42.265B | Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture          |
| S42.266A | Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture |
| S42.266B | Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture   |
| S42.271A | Torus fracture of upper end of right humerus, initial encounter for closed fracture                      |
| S42.272A | Torus fracture of upper end of left humerus, initial encounter for closed fracture                       |
| S42.279A | Torus fracture of upper end of unspecified humerus, initial encounter for closed fracture                |
| S42.291A | Other displaced fracture of upper end of right humerus, initial encounter for closed fracture            |
| S42.291B | Other displaced fracture of upper end of right humerus, initial encounter for open fracture              |
| S42.292A | Other displaced fracture of upper end of left humerus, initial encounter for closed fracture             |
| S42.292B | Other displaced fracture of upper end of left humerus, initial encounter for open fracture               |
| S42.293A | Other displaced fracture of upper end of unspecified humerus, initial encounter for closed fracture      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.293B    | Other displaced fracture of upper end of unspecified humerus, initial encounter for open fracture      |
| S42.294A    | Other nondisplaced fracture of upper end of right humerus, initial encounter for closed fracture       |
| S42.294B    | Other nondisplaced fracture of upper end of right humerus, initial encounter for open fracture         |
| S42.295A    | Other nondisplaced fracture of upper end of left humerus, initial encounter for closed fracture        |
| S42.295B    | Other nondisplaced fracture of upper end of left humerus, initial encounter for open fracture          |
| S42.296A    | Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for closed fracture |
| S42.296B    | Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for open fracture   |
| S42.301A    | Unspecified fracture of shaft of humerus, right arm, initial encounter for closed fracture             |
| S42.301B    | Unspecified fracture of shaft of humerus, right arm, initial encounter for open fracture               |
| S42.302A    | Unspecified fracture of shaft of humerus, left arm, initial encounter for closed fracture              |
| S42.302B    | Unspecified fracture of shaft of humerus, left arm, initial encounter for open fracture                |
| S42.309A    | Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture       |
| S42.309B    | Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for open fracture         |
| S42.311A    | Greenstick fracture of shaft of humerus, right arm, initial encounter for closed fracture              |
| S42.312A    | Greenstick fracture of shaft of humerus, left arm, initial encounter for closed fracture               |
| S42.319A    | Greenstick fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture        |
| S42.321A    | Displaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.321B    | Displaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture            |
| S42.322A    | Displaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture           |
| S42.322B    | Displaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture             |
| S42.323A    | Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture    |
| S42.323B    | Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture      |
| S42.324A    | Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture       |
| S42.324B    | Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture         |
| S42.325A    | Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture        |
| S42.325B    | Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture          |
| S42.326A    | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture |
| S42.326B    | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture   |
| S42.331A    | Displaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture             |
| S42.331B    | Displaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture               |
| S42.332A    | Displaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture              |
| S42.332B    | Displaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture                |
| S42.333A    | Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.333B    | Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture      |
| S42.334A    | Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture       |
| S42.334B    | Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture         |
| S42.335A    | Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture        |
| S42.335B    | Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture          |
| S42.336A    | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture |
| S42.336B    | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture   |
| S42.341A    | Displaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture           |
| S42.341B    | Displaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture             |
| S42.342A    | Displaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture            |
| S42.342B    | Displaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture              |
| S42.343A    | Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture     |
| S42.343B    | Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture       |
| S42.344A    | Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture        |
| S42.344B    | Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture          |
| S42.345A    | Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture         |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.345B | Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture              |
| S42.346A | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture     |
| S42.346B | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture       |
| S42.351A | Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture          |
| S42.351B | Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture            |
| S42.352A | Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture           |
| S42.352B | Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture             |
| S42.353A | Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture    |
| S42.353B | Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture      |
| S42.354A | Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture       |
| S42.354B | Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture         |
| S42.355A | Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture        |
| S42.355B | Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture          |
| S42.356A | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture |
| S42.356B | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture   |
| S42.361A | Displaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.361B    | Displaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture            |
| S42.362A    | Displaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture           |
| S42.362B    | Displaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture             |
| S42.363A    | Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture    |
| S42.363B    | Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture      |
| S42.364A    | Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture       |
| S42.364B    | Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture         |
| S42.365A    | Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture        |
| S42.365B    | Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture          |
| S42.366A    | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture |
| S42.366B    | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture   |
| S42.391A    | Other fracture of shaft of right humerus, initial encounter for closed fracture                             |
| S42.391B    | Other fracture of shaft of right humerus, initial encounter for open fracture                               |
| S42.392A    | Other fracture of shaft of left humerus, initial encounter for closed fracture                              |
| S42.392B    | Other fracture of shaft of left humerus, initial encounter for open fracture                                |
| S42.399A    | Other fracture of shaft of unspecified humerus, initial encounter for closed fracture                       |
| S42.399B    | Other fracture of shaft of unspecified humerus, initial encounter for open fracture                         |
| S42.401A    | Unspecified fracture of lower end of right humerus, initial encounter for closed fracture                   |
| S42.401B    | Unspecified fracture of lower end of right humerus, initial encounter for open fracture                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.402A    | Unspecified fracture of lower end of left humerus, initial encounter for closed fracture  |
| S42.402B    | Unspecified fracture of lower end of left humerus, initial encounter for open fracture  |
| S42.409A    | Unspecified fracture of lower end of unspecified humerus, initial encounter for closed fracture   |
| S42.409B    | Unspecified fracture of lower end of unspecified humerus, initial encounter for open fracture   |
| S42.411A    | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture          |
| S42.411B    | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture            |
| S42.412A    | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture           |
| S42.412B    | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture             |
| S42.413A    | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture    |
| S42.413B    | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture      |
| S42.414A    | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture       |
| S42.414B    | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture         |
| S42.415A    | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture        |
| S42.415B    | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture          |
| S42.416A    | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture |
| S42.416B    | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture   |
| S42.421A    | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.421B | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture            |
| S42.422A | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture           |
| S42.422B | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture             |
| S42.423A | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture    |
| S42.423B | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture      |
| S42.424A | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture       |
| S42.424B | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture         |
| S42.425A | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture        |
| S42.425B | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture          |
| S42.426A | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture |
| S42.426B | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture   |
| S42.431A | Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture                                 |
| S42.431B | Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture                                   |
| S42.432A | Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture                                  |
| S42.432B | Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture                                    |
| S42.433A | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.433B    | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture      |
| S42.434A    | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture       |
| S42.434B    | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture         |
| S42.435A    | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture        |
| S42.435B    | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture          |
| S42.436A    | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture |
| S42.436B    | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture   |
| S42.441A    | Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture           |
| S42.441B    | Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture             |
| S42.442A    | Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture            |
| S42.442B    | Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture              |
| S42.443A    | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture     |
| S42.443B    | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture       |
| S42.444A    | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture        |
| S42.444B    | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture          |
| S42.445A    | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.445B    | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture          |
| S42.446A    | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture |
| S42.446B    | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture   |
| S42.447A    | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture       |
| S42.447B    | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture         |
| S42.448A    | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture        |
| S42.448B    | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture          |
| S42.449A    | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture |
| S42.449B    | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture   |
| S42.451A    | Displaced fracture of lateral condyle of right humerus, initial encounter for closed fracture                       |
| S42.451B    | Displaced fracture of lateral condyle of right humerus, initial encounter for open fracture                         |
| S42.452A    | Displaced fracture of lateral condyle of left humerus, initial encounter for closed fracture                        |
| S42.452B    | Displaced fracture of lateral condyle of left humerus, initial encounter for open fracture                          |
| S42.453A    | Displaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture                 |
| S42.453B    | Displaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture                   |
| S42.454A    | Nondisplaced fracture of lateral condyle of right humerus, initial encounter for closed fracture                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.454B    | Nondisplaced fracture of lateral condyle of right humerus, initial encounter for open fracture         |
| S42.455A    | Nondisplaced fracture of lateral condyle of left humerus, initial encounter for closed fracture        |
| S42.455B    | Nondisplaced fracture of lateral condyle of left humerus, initial encounter for open fracture          |
| S42.456A    | Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture |
| S42.456B    | Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture   |
| S42.461A    | Displaced fracture of medial condyle of right humerus, initial encounter for closed fracture           |
| S42.461B    | Displaced fracture of medial condyle of right humerus, initial encounter for open fracture             |
| S42.462A    | Displaced fracture of medial condyle of left humerus, initial encounter for closed fracture            |
| S42.462B    | Displaced fracture of medial condyle of left humerus, initial encounter for open fracture              |
| S42.463A    | Displaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture     |
| S42.463B    | Displaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture       |
| S42.464A    | Nondisplaced fracture of medial condyle of right humerus, initial encounter for closed fracture        |
| S42.464B    | Nondisplaced fracture of medial condyle of right humerus, initial encounter for open fracture          |
| S42.465A    | Nondisplaced fracture of medial condyle of left humerus, initial encounter for closed fracture         |
| S42.465B    | Nondisplaced fracture of medial condyle of left humerus, initial encounter for open fracture           |
| S42.466A    | Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.466B    | Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture |
| S42.471A    | Displaced transcondylar fracture of right humerus, initial encounter for closed fracture            |
| S42.471B    | Displaced transcondylar fracture of right humerus, initial encounter for open fracture              |
| S42.472A    | Displaced transcondylar fracture of left humerus, initial encounter for closed fracture             |
| S42.472B    | Displaced transcondylar fracture of left humerus, initial encounter for open fracture               |
| S42.473A    | Displaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture      |
| S42.473B    | Displaced transcondylar fracture of unspecified humerus, initial encounter for open fracture        |
| S42.474A    | Nondisplaced transcondylar fracture of right humerus, initial encounter for closed fracture         |
| S42.474B    | Nondisplaced transcondylar fracture of right humerus, initial encounter for open fracture           |
| S42.475A    | Nondisplaced transcondylar fracture of left humerus, initial encounter for closed fracture          |
| S42.475B    | Nondisplaced transcondylar fracture of left humerus, initial encounter for open fracture            |
| S42.476A    | Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture   |
| S42.476B    | Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for open fracture     |
| S42.481A    | Torus fracture of lower end of right humerus, initial encounter for closed fracture                 |
| S42.482A    | Torus fracture of lower end of left humerus, initial encounter for closed fracture                  |
| S42.489A    | Torus fracture of lower end of unspecified humerus, initial encounter for closed fracture           |
| S42.491A    | Other displaced fracture of lower end of right humerus, initial encounter for closed fracture       |
| S42.491B    | Other displaced fracture of lower end of right humerus, initial encounter for open fracture         |
| S42.492A    | Other displaced fracture of lower end of left humerus, initial encounter for closed fracture        |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.492B | Other displaced fracture of lower end of left humerus, initial encounter for open fracture             |
| S42.493A | Other displaced fracture of lower end of unspecified humerus, initial encounter for closed fracture    |
| S42.493B | Other displaced fracture of lower end of unspecified humerus, initial encounter for open fracture      |
| S42.494A | Other nondisplaced fracture of lower end of right humerus, initial encounter for closed fracture       |
| S42.494B | Other nondisplaced fracture of lower end of right humerus, initial encounter for open fracture         |
| S42.495A | Other nondisplaced fracture of lower end of left humerus, initial encounter for closed fracture        |
| S42.495B | Other nondisplaced fracture of lower end of left humerus, initial encounter for open fracture          |
| S42.496A | Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for closed fracture |
| S42.496B | Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for open fracture   |
| S42.90XA | Fracture of unspecified shoulder girdle, part unspecified, initial encounter for closed fracture       |
| S42.90XB | Fracture of unspecified shoulder girdle, part unspecified, initial encounter for open fracture         |
| S42.91XA | Fracture of right shoulder girdle, part unspecified, initial encounter for closed fracture             |
| S42.91XB | Fracture of right shoulder girdle, part unspecified, initial encounter for open fracture               |
| S42.92XA | Fracture of left shoulder girdle, part unspecified, initial encounter for closed fracture              |
| S42.92XB | Fracture of left shoulder girdle, part unspecified, initial encounter for open fracture                |
| S45.001A | Unspecified injury of axillary artery, right side, initial encounter                                   |
| S45.002A | Unspecified injury of axillary artery, left side, initial encounter                                    |
| S45.009A | Unspecified injury of axillary artery, unspecified side, initial encounter                             |
| S45.011A | Laceration of axillary artery, right side, initial encounter   |
| S45.012A | Laceration of axillary artery, left side, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S45.019A    | Laceration of axillary artery, unspecified side, initial encounter   |
| S45.091A    | Other specified injury of axillary artery, right side, initial encounter                                   |
| S45.092A    | Other specified injury of axillary artery, left side, initial encounter                                    |
| S45.099A    | Other specified injury of axillary artery, unspecified side, initial encounter                             |
| S45.101A    | Unspecified injury of brachial artery, right side, initial encounter                                       |
| S45.102A    | Unspecified injury of brachial artery, left side, initial encounter  |
| S45.109A    | Unspecified injury of brachial artery, unspecified side, initial encounter                                 |
| S45.111A    | Laceration of brachial artery, right side, initial encounter   |
| S45.112A    | Laceration of brachial artery, left side, initial encounter  |
| S45.119A    | Laceration of brachial artery, unspecified side, initial encounter   |
| S45.191A    | Other specified injury of brachial artery, right side, initial encounter                                   |
| S45.192A    | Other specified injury of brachial artery, left side, initial encounter                                    |
| S45.199A    | Other specified injury of brachial artery, unspecified side, initial encounter                             |
| S45.201A    | Unspecified injury of axillary or brachial vein, right side, initial encounter                             |
| S45.202A    | Unspecified injury of axillary or brachial vein, left side, initial encounter                              |
| S45.209A    | Unspecified injury of axillary or brachial vein, unspecified side, initial encounter                       |
| S45.211A    | Laceration of axillary or brachial vein, right side, initial encounter                                     |
| S45.212A    | Laceration of axillary or brachial vein, left side, initial encounter                                      |
| S45.219A    | Laceration of axillary or brachial vein, unspecified side, initial encounter                               |
| S45.291A    | Other specified injury of axillary or brachial vein, right side, initial encounter                         |
| S45.292A    | Other specified injury of axillary or brachial vein, left side, initial encounter                          |
| S45.299A    | Other specified injury of axillary or brachial vein, unspecified side, initial encounter                   |
| S45.301A    | Unspecified injury of superficial vein at shoulder and upper arm level, right arm, initial encounter       |
| S45.302A    | Unspecified injury of superficial vein at shoulder and upper arm level, left arm, initial encounter        |
| S45.309A    | Unspecified injury of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter |
| S45.311A    | Laceration of superficial vein at shoulder and upper arm level, right arm, initial encounter               |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S45.312A    | Laceration of superficial vein at shoulder and upper arm level, left arm, initial encounter                                 |
| S45.319A    | Laceration of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter                          |
| S45.391A    | Other specified injury of superficial vein at shoulder and upper arm level, right arm, initial encounter                    |
| S45.392A    | Other specified injury of superficial vein at shoulder and upper arm level, left arm, initial encounter                     |
| S45.399A    | Other specified injury of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter              |
| S45.801A    | Unspecified injury of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter           |
| S45.802A    | Unspecified injury of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter            |
| S45.809A    | Unspecified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter     |
| S45.811A    | Laceration of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter                   |
| S45.812A    | Laceration of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter                    |
| S45.819A    | Laceration of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter             |
| S45.891A    | Other specified injury of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter       |
| S45.892A    | Other specified injury of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter        |
| S45.899A    | Other specified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter |
| S45.901A    | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, right arm, initial encounter                |
| S45.902A    | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, left arm, initial encounter                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S45.909A | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter     |
| S45.911A | Laceration of unspecified blood vessel at shoulder and upper arm level, right arm, initial encounter                   |
| S45.912A | Laceration of unspecified blood vessel at shoulder and upper arm level, left arm, initial encounter                    |
| S45.919A | Laceration of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter             |
| S45.991A | Other specified injury of unspecified blood vessel at shoulder and upper arm level, right arm, initial encounter       |
| S45.992A | Other specified injury of unspecified blood vessel at shoulder and upper arm level, left arm, initial encounter        |
| S45.999A | Other specified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter |
| S47.1XXA | Crushing injury of right shoulder and upper arm, initial encounter   |
| S47.2XXA | Crushing injury of left shoulder and upper arm, initial encounter  |
| S47.9XXA | Crushing injury of shoulder and upper arm, unspecified arm, initial encounter  |
| S49.001A | Unspecified physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture                 |
| S49.002A | Unspecified physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture                  |
| S49.009A | Unspecified physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture           |
| S49.011A | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture        |
| S49.012A | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture         |
| S49.019A | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.021A | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture       |
| S49.022A | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S49.029A    | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.031A    | Salter-Harris Type III physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture       |
| S49.032A    | Salter-Harris Type III physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture        |
| S49.039A    | Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture |
| S49.041A    | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture        |
| S49.042A    | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture         |
| S49.049A    | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.091A    | Other physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture                        |
| S49.092A    | Other physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture                         |
| S49.099A    | Other physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture                  |
| S49.101A    | Unspecified physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture                  |
| S49.102A    | Unspecified physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture                   |
| S49.109A    | Unspecified physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture            |
| S49.111A    | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture         |
| S49.112A    | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture          |
| S49.119A    | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S49.121A | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture        |
| S49.122A | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture         |
| S49.129A | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.131A | Salter-Harris Type III physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture       |
| S49.132A | Salter-Harris Type III physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture        |
| S49.139A | Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture |
| S49.141A | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture        |
| S49.142A | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture         |
| S49.149A | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.191A | Other physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture                        |
| S49.192A | Other physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture                         |
| S49.199A | Other physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture                  |
| S50.00XA | Contusion of unspecified elbow, initial encounter   |
| S50.01XA | Contusion of right elbow, initial encounter   |
| S50.02XA | Contusion of left elbow, initial encounter  |
| S50.10XA | Contusion of unspecified forearm, initial encounter   |
| S50.11XA | Contusion of right forearm, initial encounter   |
| S50.12XA | Contusion of left forearm, initial encounter  |
| S52.001B | Unspecified fracture of upper end of right ulna, initial encounter for open fracture type I or II                       |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.001C    | Unspecified fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.002B    | Unspecified fracture of upper end of left ulna, initial encounter for open fracture type I or II   |
| S52.002C    | Unspecified fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S52.009B    | Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II  |
| S52.009C    | Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.021B    | Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II                   |
| S52.021C    | Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.022B    | Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II                    |
| S52.022C    | Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.023B    | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.023C    | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.024B    | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II                |
| S52.024C    | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.025B    | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II                 |
| S52.025C    | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.026B    | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.026C    | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.031B    | Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II                         |
| S52.031C    | Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S52.032B    | Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II                          |
| S52.032C    | Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S52.033B    | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II                   |
| S52.033C    | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.034B    | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II                      |
| S52.034C    | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.035B    | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II                       |
| S52.035C    | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.036B    | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II                |
| S52.036C    | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.041B    | Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II  |
| S52.041C    | Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.042B    | Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.042C | Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.043B | Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II                |
| S52.043C | Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.044B | Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II                   |
| S52.044C | Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.045B | Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II                    |
| S52.045C | Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.046B | Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.046C | Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.091B | Other fracture of upper end of right ulna, initial encounter for open fracture type I or II                                 |
| S52.091C | Other fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                     |
| S52.092B | Other fracture of upper end of left ulna, initial encounter for open fracture type I or II                                  |
| S52.092C | Other fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                      |
| S52.099B | Other fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II                           |
| S52.099C | Other fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S52.101B | Unspecified fracture of upper end of right radius, initial encounter for open fracture type I or II                         |
| S52.101C | Unspecified fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.102B    | Unspecified fracture of upper end of left radius, initial encounter for open fracture type I or II                    |
| S52.102C    | Unspecified fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.109B    | Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type I or II             |
| S52.109C    | Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.121B    | Displaced fracture of head of right radius, initial encounter for open fracture type I or II                          |
| S52.121C    | Displaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S52.122B    | Displaced fracture of head of left radius, initial encounter for open fracture type I or II                           |
| S52.122C    | Displaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S52.123B    | Displaced fracture of head of unspecified radius, initial encounter for open fracture type I or II                    |
| S52.123C    | Displaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.124B    | Nondisplaced fracture of head of right radius, initial encounter for open fracture type I or II                       |
| S52.124C    | Nondisplaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.125B    | Nondisplaced fracture of head of left radius, initial encounter for open fracture type I or II                        |
| S52.125C    | Nondisplaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S52.126B    | Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type I or II                 |
| S52.126C    | Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.131B | Displaced fracture of neck of right radius, initial encounter for open fracture type I or II                      |
| S52.131C | Displaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.132B | Displaced fracture of neck of left radius, initial encounter for open fracture type I or II                       |
| S52.132C | Displaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.133B | Displaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II                |
| S52.133C | Displaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.134B | Nondisplaced fracture of neck of right radius, initial encounter for open fracture type I or II                   |
| S52.134C | Nondisplaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.135B | Nondisplaced fracture of neck of left radius, initial encounter for open fracture type I or II                    |
| S52.135C | Nondisplaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.136B | Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II             |
| S52.136C | Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.181B | Other fracture of upper end of right radius, initial encounter for open fracture type I or II                     |
| S52.181C | Other fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S52.182B | Other fracture of upper end of left radius, initial encounter for open fracture type I or II                      |
| S52.182C | Other fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.189B    | Other fracture of upper end of unspecified radius, initial encounter for open fracture type I or II                      |
| S52.189C    | Other fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.201B    | Unspecified fracture of shaft of right ulna, initial encounter for open fracture type I or II                            |
| S52.201C    | Unspecified fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S52.202B    | Unspecified fracture of shaft of left ulna, initial encounter for open fracture type I or II                             |
| S52.202C    | Unspecified fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.209B    | Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II                      |
| S52.209C    | Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.221B    | Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II                   |
| S52.221C    | Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.222B    | Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II                    |
| S52.222C    | Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.223B    | Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.223C    | Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.224B    | Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II                |
| S52.224C    | Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.225B    | Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II                    |
| S52.225C    | Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.226B    | Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.226C    | Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.231B    | Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II                         |
| S52.231C    | Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S52.232B    | Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II                          |
| S52.232C    | Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S52.233B    | Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II                   |
| S52.233C    | Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.234B    | Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II                      |
| S52.234C    | Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.235B    | Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II                       |
| S52.235C    | Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.236B    | Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II                |
| S52.236C    | Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC    |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.241B    | Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                      |
| S52.241C    | Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.242B    | Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                       |
| S52.242C    | Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.243B    | Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II                |
| S52.243C    | Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.244B    | Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                   |
| S52.244C    | Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.245B    | Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                    |
| S52.245C    | Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.246B    | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II             |
| S52.246C    | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.251B    | Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                  |
| S52.251C    | Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S52.252B    | Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                   |
| S52.252C    | Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.253B    | Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II                |
| S52.253C    | Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.254B    | Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                   |
| S52.254C    | Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.255B    | Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                    |
| S52.255C    | Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.256B    | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II             |
| S52.256C    | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.261B    | Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                       |
| S52.261C    | Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.262B    | Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                        |
| S52.262C    | Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S52.263B    | Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II                 |
| S52.263C    | Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.264B    | Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                    |
| S52.264C    | Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.265B | Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                    |
| S52.265C | Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.266B | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II             |
| S52.266C | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.271B | Monteggia's fracture of right ulna, initial encounter for open fracture type I or II  |
| S52.271C | Monteggia's fracture of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                                |
| S52.272B | Monteggia's fracture of left ulna, initial encounter for open fracture type I or II   |
| S52.272C | Monteggia's fracture of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                                 |
| S52.279B | Monteggia's fracture of unspecified ulna, initial encounter for open fracture type I or II                                      |
| S52.279C | Monteggia's fracture of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                          |
| S52.281B | Bent bone of right ulna, initial encounter for open fracture type I or II   |
| S52.281C | Bent bone of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S52.282B | Bent bone of left ulna, initial encounter for open fracture type I or II  |
| S52.282C | Bent bone of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.283B | Bent bone of unspecified ulna, initial encounter for open fracture type I or II   |
| S52.283C | Bent bone of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                                     |
| S52.291B | Other fracture of shaft of right ulna, initial encounter for open fracture type I or II   |
| S52.291C | Other fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                             |
| S52.292B | Other fracture of shaft of left ulna, initial encounter for open fracture type I or II  |
| S52.292C | Other fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.299B    | Other fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II                              |
| S52.299C    | Other fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S52.301B    | Unspecified fracture of shaft of right radius, initial encounter for open fracture type I or II                            |
| S52.301C    | Unspecified fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S52.302B    | Unspecified fracture of shaft of left radius, initial encounter for open fracture type I or II                             |
| S52.302C    | Unspecified fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.309B    | Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type I or II                      |
| S52.309C    | Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.321B    | Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II                   |
| S52.321C    | Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.322B    | Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II                    |
| S52.322C    | Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.323B    | Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II             |
| S52.323C    | Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.324B    | Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II                |
| S52.324C    | Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.325B    | Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II                    |
| S52.325C    | Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.326B    | Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II             |
| S52.326C    | Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.331B    | Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II                         |
| S52.331C    | Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S52.332B    | Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II                          |
| S52.332C    | Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S52.333B    | Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II                   |
| S52.333C    | Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.334B    | Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II                      |
| S52.334C    | Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.335B    | Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II                       |
| S52.335C    | Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.336B    | Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II                |
| S52.336C    | Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.341B    | Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                      |
| S52.341C    | Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.342B    | Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                       |
| S52.342C    | Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.343B    | Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II                |
| S52.343C    | Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.344B    | Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                   |
| S52.344C    | Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.345B    | Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                    |
| S52.345C    | Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.346B    | Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II             |
| S52.346C    | Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.351B    | Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                  |
| S52.351C    | Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S52.352B    | Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                   |
| S52.352C    | Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.353B    | Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II                |
| S52.353C    | Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.354B    | Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                   |
| S52.354C    | Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.355B    | Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                    |
| S52.355C    | Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.356B    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II             |
| S52.356C    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.361B    | Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                       |
| S52.361C    | Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.362B    | Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                        |
| S52.362C    | Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S52.363B    | Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II                 |
| S52.363C    | Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.364B    | Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                    |
| S52.364C    | Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.365B    | Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                    |
| S52.365C    | Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.366B    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II             |
| S52.366C    | Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.371B    | Galeazzi's fracture of right radius, initial encounter for open fracture type I or II   |
| S52.371C    | Galeazzi's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                 |
| S52.372B    | Galeazzi's fracture of left radius, initial encounter for open fracture type I or II  |
| S52.372C    | Galeazzi's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                  |
| S52.379B    | Galeazzi's fracture of unspecified radius, initial encounter for open fracture type I or II                                       |
| S52.379C    | Galeazzi's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                           |
| S52.381B    | Bent bone of right radius, initial encounter for open fracture type I or II   |
| S52.381C    | Bent bone of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S52.382B    | Bent bone of left radius, initial encounter for open fracture type I or II  |
| S52.382C    | Bent bone of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.389B    | Bent bone of unspecified radius, initial encounter for open fracture type I or II   |
| S52.389C    | Bent bone of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                     |
| S52.391B    | Other fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                                    |
| S52.391C    | Other fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC                        |
| S52.392B    | Other fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.392C    | Other fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.399B    | Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II                      |
| S52.399C    | Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.501B    | Unspecified fracture of the lower end of right radius, initial encounter for open fracture type I or II                   |
| S52.501C    | Unspecified fracture of the lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.502B    | Unspecified fracture of the lower end of left radius, initial encounter for open fracture type I or II                    |
| S52.502C    | Unspecified fracture of the lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.509B    | Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type I or II             |
| S52.509C    | Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.511B    | Displaced fracture of right radial styloid process, initial encounter for open fracture type I or II                      |
| S52.511C    | Displaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.512B    | Displaced fracture of left radial styloid process, initial encounter for open fracture type I or II                       |
| S52.512C    | Displaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.513B    | Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II                |
| S52.513C    | Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.514B    | Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type I or II                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.514C | Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.515B | Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type I or II                    |
| S52.515C | Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.516B | Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II             |
| S52.516C | Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.531B | Colles' fracture of right radius, initial encounter for open fracture type I or II  |
| S52.531C | Colles' fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                            |
| S52.532B | Colles' fracture of left radius, initial encounter for open fracture type I or II   |
| S52.532C | Colles' fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                             |
| S52.539B | Colles' fracture of unspecified radius, initial encounter for open fracture type I or II                                  |
| S52.539C | Colles' fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                      |
| S52.541B | Smith's fracture of right radius, initial encounter for open fracture type I or II  |
| S52.541C | Smith's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                            |
| S52.542B | Smith's fracture of left radius, initial encounter for open fracture type I or II   |
| S52.542C | Smith's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                             |
| S52.549B | Smith's fracture of unspecified radius, initial encounter for open fracture type I or II                                  |
| S52.549C | Smith's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                      |
| S52.551B | Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II              |
| S52.551C | Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.552B | Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.552C    | Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.559B    | Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II             |
| S52.559C    | Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.561B    | Barton's fracture of right radius, initial encounter for open fracture type I or II  |
| S52.561C    | Barton's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                |
| S52.562B    | Barton's fracture of left radius, initial encounter for open fracture type I or II   |
| S52.562C    | Barton's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                 |
| S52.569B    | Barton's fracture of unspecified radius, initial encounter for open fracture type I or II                                      |
| S52.569C    | Barton's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                          |
| S52.571B    | Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II                   |
| S52.571C    | Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.572B    | Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II                    |
| S52.572C    | Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.579B    | Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II             |
| S52.579C    | Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.591B    | Other fractures of lower end of right radius, initial encounter for open fracture type I or II                                 |
| S52.591C    | Other fractures of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                     |
| S52.592B    | Other fractures of lower end of left radius, initial encounter for open fracture type I or II                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.592C    | Other fractures of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S52.599B    | Other fractures of lower end of unspecified radius, initial encounter for open fracture type I or II                 |
| S52.599C    | Other fractures of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.601B    | Unspecified fracture of lower end of right ulna, initial encounter for open fracture type I or II                    |
| S52.601C    | Unspecified fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.602B    | Unspecified fracture of lower end of left ulna, initial encounter for open fracture type I or II                     |
| S52.602C    | Unspecified fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S52.609B    | Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II              |
| S52.609C    | Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.611B    | Displaced fracture of right ulna styloid process, initial encounter for open fracture type I or II                   |
| S52.611C    | Displaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.612B    | Displaced fracture of left ulna styloid process, initial encounter for open fracture type I or II                    |
| S52.612C    | Displaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.613B    | Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II             |
| S52.613C    | Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.614B    | Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type I or II                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.614C    | Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.615B    | Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type I or II                    |
| S52.615C    | Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.616B    | Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II             |
| S52.616C    | Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.691B    | Other fracture of lower end of right ulna, initial encounter for open fracture type I or II                             |
| S52.691C    | Other fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.692B    | Other fracture of lower end of left ulna, initial encounter for open fracture type I or II                              |
| S52.692C    | Other fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S52.699B    | Other fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II                       |
| S52.699C    | Other fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.90XA    | Unspecified fracture of unspecified forearm, initial encounter for closed fracture                                      |
| S52.90XB    | Unspecified fracture of unspecified forearm, initial encounter for open fracture type I or II                           |
| S52.90XC    | Unspecified fracture of unspecified forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S52.91XA    | Unspecified fracture of right forearm, initial encounter for closed fracture  |
| S52.91XB    | Unspecified fracture of right forearm, initial encounter for open fracture type I or II                                 |
| S52.91XC    | Unspecified fracture of right forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC                     |
| S52.92XA    | Unspecified fracture of left forearm, initial encounter for closed fracture   |
| S52.92XB    | Unspecified fracture of left forearm, initial encounter for open fracture type I or II                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.92XC | Unspecified fracture of left forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S55.001A | Unspecified injury of ulnar artery at forearm level, right arm, initial encounter                  |
| S55.002A | Unspecified injury of ulnar artery at forearm level, left arm, initial encounter                   |
| S55.009A | Unspecified injury of ulnar artery at forearm level, unspecified arm, initial encounter            |
| S55.011A | Laceration of ulnar artery at forearm level, right arm, initial encounter                          |
| S55.012A | Laceration of ulnar artery at forearm level, left arm, initial encounter                           |
| S55.019A | Laceration of ulnar artery at forearm level, unspecified arm, initial encounter                    |
| S55.091A | Other specified injury of ulnar artery at forearm level, right arm, initial encounter              |
| S55.092A | Other specified injury of ulnar artery at forearm level, left arm, initial encounter               |
| S55.099A | Other specified injury of ulnar artery at forearm level, unspecified arm, initial encounter        |
| S55.101A | Unspecified injury of radial artery at forearm level, right arm, initial encounter                 |
| S55.102A | Unspecified injury of radial artery at forearm level, left arm, initial encounter                  |
| S55.109A | Unspecified injury of radial artery at forearm level, unspecified arm, initial encounter           |
| S55.111A | Laceration of radial artery at forearm level, right arm, initial encounter                         |
| S55.112A | Laceration of radial artery at forearm level, left arm, initial encounter                          |
| S55.119A | Laceration of radial artery at forearm level, unspecified arm, initial encounter                   |
| S55.191A | Other specified injury of radial artery at forearm level, right arm, initial encounter             |
| S55.192A | Other specified injury of radial artery at forearm level, left arm, initial encounter              |
| S55.199A | Other specified injury of radial artery at forearm level, unspecified arm, initial encounter       |
| S55.201A | Unspecified injury of vein at forearm level, right arm, initial encounter                          |
| S55.202A | Unspecified injury of vein at forearm level, left arm, initial encounter                           |
| S55.209A | Unspecified injury of vein at forearm level, unspecified arm, initial encounter                    |
| S55.211A | Laceration of vein at forearm level, right arm, initial encounter                                  |
| S55.212A | Laceration of vein at forearm level, left arm, initial encounter                                   |
| S55.219A | Laceration of vein at forearm level, unspecified arm, initial encounter                            |
| S55.291A | Other specified injury of vein at forearm level, right arm, initial encounter                      |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S55.292A | Other specified injury of vein at forearm level, left arm, initial encounter                            |
| S55.299A | Other specified injury of vein at forearm level, unspecified arm, initial encounter                     |
| S55.801A | Unspecified injury of other blood vessels at forearm level, right arm, initial encounter                |
| S55.802A | Unspecified injury of other blood vessels at forearm level, left arm, initial encounter                 |
| S55.809A | Unspecified injury of other blood vessels at forearm level, unspecified arm, initial encounter          |
| S55.811A | Laceration of other blood vessels at forearm level, right arm, initial encounter                        |
| S55.812A | Laceration of other blood vessels at forearm level, left arm, initial encounter                         |
| S55.819A | Laceration of other blood vessels at forearm level, unspecified arm, initial encounter                  |
| S55.891A | Other specified injury of other blood vessels at forearm level, right arm, initial encounter            |
| S55.892A | Other specified injury of other blood vessels at forearm level, left arm, initial encounter             |
| S55.899A | Other specified injury of other blood vessels at forearm level, unspecified arm, initial encounter      |
| S55.901A | Unspecified injury of unspecified blood vessel at forearm level, right arm, initial encounter           |
| S55.902A | Unspecified injury of unspecified blood vessel at forearm level, left arm, initial encounter            |
| S55.909A | Unspecified injury of unspecified blood vessel at forearm level, unspecified arm, initial encounter     |
| S55.911A | Laceration of unspecified blood vessel at forearm level, right arm, initial encounter                   |
| S55.912A | Laceration of unspecified blood vessel at forearm level, left arm, initial encounter                    |
| S55.919A | Laceration of unspecified blood vessel at forearm level, unspecified arm, initial encounter             |
| S55.991A | Other specified injury of unspecified blood vessel at forearm level, right arm, initial encounter       |
| S55.992A | Other specified injury of unspecified blood vessel at forearm level, left arm, initial encounter        |
| S55.999A | Other specified injury of unspecified blood vessel at forearm level, unspecified arm, initial encounter |
| S57.00XA | Crushing injury of unspecified elbow, initial encounter   |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S57.01XA    | Crushing injury of right elbow, initial encounter                                |
| S57.02XA    | Crushing injury of left elbow, initial encounter                                 |
| S57.80XA    | Crushing injury of unspecified forearm, initial encounter                        |
| S57.81XA    | Crushing injury of right forearm, initial encounter                              |
| S57.82XA    | Crushing injury of left forearm, initial encounter                               |
| S60.00XA    | Contusion of unspecified finger without damage to nail, initial encounter        |
| S60.011A    | Contusion of right thumb without damage to nail, initial encounter               |
| S60.012A    | Contusion of left thumb without damage to nail, initial encounter                |
| S60.019A    | Contusion of unspecified thumb without damage to nail, initial encounter         |
| S60.021A    | Contusion of right index finger without damage to nail, initial encounter        |
| S60.022A    | Contusion of left index finger without damage to nail, initial encounter         |
| S60.029A    | Contusion of unspecified index finger without damage to nail, initial encounter  |
| S60.031A    | Contusion of right middle finger without damage to nail, initial encounter       |
| S60.032A    | Contusion of left middle finger without damage to nail, initial encounter        |
| S60.039A    | Contusion of unspecified middle finger without damage to nail, initial encounter |
| S60.041A    | Contusion of right ring finger without damage to nail, initial encounter         |
| S60.042A    | Contusion of left ring finger without damage to nail, initial encounter          |
| S60.049A    | Contusion of unspecified ring finger without damage to nail, initial encounter   |
| S60.051A    | Contusion of right little finger without damage to nail, initial encounter       |
| S60.052A    | Contusion of left little finger without damage to nail, initial encounter        |
| S60.059A    | Contusion of unspecified little finger without damage to nail, initial encounter |
| S60.10XA    | Contusion of unspecified finger with damage to nail, initial encounter           |
| S60.111A    | Contusion of right thumb with damage to nail, initial encounter                  |
| S60.112A    | Contusion of left thumb with damage to nail, initial encounter                   |
| S60.119A    | Contusion of unspecified thumb with damage to nail, initial encounter            |
| S60.121A    | Contusion of right index finger with damage to nail, initial encounter           |
| S60.122A    | Contusion of left index finger with damage to nail, initial encounter            |
| S60.129A    | Contusion of unspecified index finger with damage to nail, initial encounter     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S60.131A | Contusion of right middle finger with damage to nail, initial encounter                              |
| S60.132A | Contusion of left middle finger with damage to nail, initial encounter                               |
| S60.139A | Contusion of unspecified middle finger with damage to nail, initial encounter                        |
| S60.141A | Contusion of right ring finger with damage to nail, initial encounter                                |
| S60.142A | Contusion of left ring finger with damage to nail, initial encounter                                 |
| S60.149A | Contusion of unspecified ring finger with damage to nail, initial encounter                          |
| S60.151A | Contusion of right little finger with damage to nail, initial encounter                              |
| S60.152A | Contusion of left little finger with damage to nail, initial encounter                               |
| S60.159A | Contusion of unspecified little finger with damage to nail, initial encounter                        |
| S60.211A | Contusion of right wrist, initial encounter  |
| S60.212A | Contusion of left wrist, initial encounter   |
| S60.219A | Contusion of unspecified wrist, initial encounter  |
| S60.221A | Contusion of right hand, initial encounter   |
| S60.222A | Contusion of left hand, initial encounter  |
| S60.229A | Contusion of unspecified hand, initial encounter   |
| S65.001A | Unspecified injury of ulnar artery at wrist and hand level of right arm, initial encounter           |
| S65.002A | Unspecified injury of ulnar artery at wrist and hand level of left arm, initial encounter            |
| S65.009A | Unspecified injury of ulnar artery at wrist and hand level of unspecified arm, initial encounter     |
| S65.011A | Laceration of ulnar artery at wrist and hand level of right arm, initial encounter                   |
| S65.012A | Laceration of ulnar artery at wrist and hand level of left arm, initial encounter                    |
| S65.019A | Laceration of ulnar artery at wrist and hand level of unspecified arm, initial encounter             |
| S65.091A | Other specified injury of ulnar artery at wrist and hand level of right arm, initial encounter       |
| S65.092A | Other specified injury of ulnar artery at wrist and hand level of left arm, initial encounter        |
| S65.099A | Other specified injury of ulnar artery at wrist and hand level of unspecified arm, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S65.101A | Unspecified injury of radial artery at wrist and hand level of right arm, initial encounter           |
| S65.102A | Unspecified injury of radial artery at wrist and hand level of left arm, initial encounter            |
| S65.109A | Unspecified injury of radial artery at wrist and hand level of unspecified arm, initial encounter     |
| S65.111A | Laceration of radial artery at wrist and hand level of right arm, initial encounter                   |
| S65.112A | Laceration of radial artery at wrist and hand level of left arm, initial encounter                    |
| S65.119A | Laceration of radial artery at wrist and hand level of unspecified arm, initial encounter             |
| S65.191A | Other specified injury of radial artery at wrist and hand level of right arm, initial encounter       |
| S65.192A | Other specified injury of radial artery at wrist and hand level of left arm, initial encounter        |
| S65.199A | Other specified injury of radial artery at wrist and hand level of unspecified arm, initial encounter |
| S65.201A | Unspecified injury of superficial palmar arch of right hand, initial encounter                        |
| S65.202A | Unspecified injury of superficial palmar arch of left hand, initial encounter                         |
| S65.209A | Unspecified injury of superficial palmar arch of unspecified hand, initial encounter                  |
| S65.211A | Laceration of superficial palmar arch of right hand, initial encounter                                |
| S65.212A | Laceration of superficial palmar arch of left hand, initial encounter                                 |
| S65.219A | Laceration of superficial palmar arch of unspecified hand, initial encounter                          |
| S65.291A | Other specified injury of superficial palmar arch of right hand, initial encounter                    |
| S65.292A | Other specified injury of superficial palmar arch of left hand, initial encounter                     |
| S65.299A | Other specified injury of superficial palmar arch of unspecified hand, initial encounter              |
| S65.301A | Unspecified injury of deep palmar arch of right hand, initial encounter                               |
| S65.302A | Unspecified injury of deep palmar arch of left hand, initial encounter                                |
| S65.309A | Unspecified injury of deep palmar arch of unspecified hand, initial encounter                         |
| S65.311A | Laceration of deep palmar arch of right hand, initial encounter                                       |
| S65.312A | Laceration of deep palmar arch of left hand, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S65.319A | Laceration of deep palmar arch of unspecified hand, initial encounter             |
| S65.391A | Other specified injury of deep palmar arch of right hand, initial encounter       |
| S65.392A | Other specified injury of deep palmar arch of left hand, initial encounter        |
| S65.399A | Other specified injury of deep palmar arch of unspecified hand, initial encounter |
| S65.401A | Unspecified injury of blood vessel of right thumb, initial encounter              |
| S65.402A | Unspecified injury of blood vessel of left thumb, initial encounter               |
| S65.409A | Unspecified injury of blood vessel of unspecified thumb, initial encounter        |
| S65.411A | Laceration of blood vessel of right thumb, initial encounter                      |
| S65.412A | Laceration of blood vessel of left thumb, initial encounter                       |
| S65.419A | Laceration of blood vessel of unspecified thumb, initial encounter                |
| S65.491A | Other specified injury of blood vessel of right thumb, initial encounter          |
| S65.492A | Other specified injury of blood vessel of left thumb, initial encounter           |
| S65.499A | Other specified injury of blood vessel of unspecified thumb, initial encounter    |
| S65.500A | Unspecified injury of blood vessel of right index finger, initial encounter       |
| S65.501A | Unspecified injury of blood vessel of left index finger, initial encounter        |
| S65.502A | Unspecified injury of blood vessel of right middle finger, initial encounter      |
| S65.503A | Unspecified injury of blood vessel of left middle finger, initial encounter       |
| S65.504A | Unspecified injury of blood vessel of right ring finger, initial encounter        |
| S65.505A | Unspecified injury of blood vessel of left ring finger, initial encounter         |
| S65.506A | Unspecified injury of blood vessel of right little finger, initial encounter      |
| S65.507A | Unspecified injury of blood vessel of left little finger, initial encounter       |
| S65.508A | Unspecified injury of blood vessel of other finger, initial encounter             |
| S65.509A | Unspecified injury of blood vessel of unspecified finger, initial encounter       |
| S65.510A | Laceration of blood vessel of right index finger, initial encounter               |
| S65.511A | Laceration of blood vessel of left index finger, initial encounter                |
| S65.512A | Laceration of blood vessel of right middle finger, initial encounter              |
| S65.513A | Laceration of blood vessel of left middle finger, initial encounter               |
| S65.514A | Laceration of blood vessel of right ring finger, initial encounter                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S65.515A    | Laceration of blood vessel of left ring finger, initial encounter                                       |
| S65.516A    | Laceration of blood vessel of right little finger, initial encounter                                    |
| S65.517A    | Laceration of blood vessel of left little finger, initial encounter                                     |
| S65.518A    | Laceration of blood vessel of other finger, initial encounter   |
| S65.519A    | Laceration of blood vessel of unspecified finger, initial encounter                                     |
| S65.590A    | Other specified injury of blood vessel of right index finger, initial encounter                         |
| S65.591A    | Other specified injury of blood vessel of left index finger, initial encounter                          |
| S65.592A    | Other specified injury of blood vessel of right middle finger, initial encounter                        |
| S65.593A    | Other specified injury of blood vessel of left middle finger, initial encounter                         |
| S65.594A    | Other specified injury of blood vessel of right ring finger, initial encounter                          |
| S65.595A    | Other specified injury of blood vessel of left ring finger, initial encounter                           |
| S65.596A    | Other specified injury of blood vessel of right little finger, initial encounter                        |
| S65.597A    | Other specified injury of blood vessel of left little finger, initial encounter                         |
| S65.598A    | Other specified injury of blood vessel of other finger, initial encounter                               |
| S65.599A    | Other specified injury of blood vessel of unspecified finger, initial encounter                         |
| S65.801A    | Unspecified injury of other blood vessels at wrist and hand level of right arm, initial encounter       |
| S65.802A    | Unspecified injury of other blood vessels at wrist and hand level of left arm, initial encounter        |
| S65.809A    | Unspecified injury of other blood vessels at wrist and hand level of unspecified arm, initial encounter |
| S65.811A    | Laceration of other blood vessels at wrist and hand level of right arm, initial encounter               |
| S65.812A    | Laceration of other blood vessels at wrist and hand level of left arm, initial encounter                |
| S65.819A    | Laceration of other blood vessels at wrist and hand level of unspecified arm, initial encounter         |
| S65.891A    | Other specified injury of other blood vessels at wrist and hand level of right arm, initial encounter   |
| S65.892A    | Other specified injury of other blood vessels at wrist and hand level of left arm, initial encounter    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S65.899A    | Other specified injury of other blood vessels at wrist and hand level of unspecified arm, initial encounter  |
| S65.901A    | Unspecified injury of unspecified blood vessel at wrist and hand level of right arm, initial encounter       |
| S65.902A    | Unspecified injury of unspecified blood vessel at wrist and hand level of left arm, initial encounter        |
| S65.909A    | Unspecified injury of unspecified blood vessel at wrist and hand level of unspecified arm, initial encounter |
| S65.911A    | Laceration of unspecified blood vessel at wrist and hand level of right arm, initial encounter               |
| S65.912A    | Laceration of unspecified blood vessel at wrist and hand level of left arm, initial encounter                |
| S65.919A    | Laceration of unspecified blood vessel at wrist and hand level of unspecified arm, initial encounter         |
| S65.991A    | Other specified injury of unspecified blood vessel at wrist and hand of right arm, initial encounter         |
| S65.992A    | Other specified injury of unspecified blood vessel at wrist and hand of left arm, initial encounter          |
| S65.999A    | Other specified injury of unspecified blood vessel at wrist and hand of unspecified arm, initial encounter   |
| S67.00XA    | Crushing injury of unspecified thumb, initial encounter  |
| S67.01XA    | Crushing injury of right thumb, initial encounter  |
| S67.02XA    | Crushing injury of left thumb, initial encounter   |
| S67.10XA    | Crushing injury of unspecified finger(s), initial encounter  |
| S67.190A    | Crushing injury of right index finger, initial encounter   |
| S67.191A    | Crushing injury of left index finger, initial encounter  |
| S67.192A    | Crushing injury of right middle finger, initial encounter  |
| S67.193A    | Crushing injury of left middle finger, initial encounter   |
| S67.194A    | Crushing injury of right ring finger, initial encounter  |
| S67.195A    | Crushing injury of left ring finger, initial encounter   |
| S67.196A    | Crushing injury of right little finger, initial encounter  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S67.197A    | Crushing injury of left little finger, initial encounter  |
| S67.198A    | Crushing injury of other finger, initial encounter  |
| S67.20XA    | Crushing injury of unspecified hand, initial encounter  |
| S67.21XA    | Crushing injury of right hand, initial encounter  |
| S67.22XA    | Crushing injury of left hand, initial encounter   |
| S67.30XA    | Crushing injury of unspecified wrist, initial encounter   |
| S67.31XA    | Crushing injury of right wrist, initial encounter   |
| S67.32XA    | Crushing injury of left wrist, initial encounter  |
| S67.40XA    | Crushing injury of unspecified wrist and hand, initial encounter  |
| S67.41XA    | Crushing injury of right wrist and hand, initial encounter  |
| S67.42XA    | Crushing injury of left wrist and hand, initial encounter   |
| S67.90XA    | Crushing injury of unspecified part(s) of unspecified wrist, hand and fingers, initial encounter                  |
| S67.91XA    | Crushing injury of unspecified part(s) of right wrist, hand and fingers, initial encounter                        |
| S67.92XA    | Crushing injury of unspecified part(s) of left wrist, hand and fingers, initial encounter                         |
| S70.00XA    | Contusion of unspecified hip, initial encounter   |
| S70.01XA    | Contusion of right hip, initial encounter   |
| S70.02XA    | Contusion of left hip, initial encounter  |
| S70.10XA    | Contusion of unspecified thigh, initial encounter   |
| S70.11XA    | Contusion of right thigh, initial encounter   |
| S70.12XA    | Contusion of left thigh, initial encounter  |
| S72.001A    | Fracture of unspecified part of neck of right femur, initial encounter for closed fracture                        |
| S72.001B    | Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II             |
| S72.001C    | Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.002A    | Fracture of unspecified part of neck of left femur, initial encounter for closed fracture                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.002B | Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II                              |
| S72.002C | Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S72.009A | Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture                                  |
| S72.009B | Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II                       |
| S72.009C | Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.011A | Unspecified intracapsular fracture of right femur, initial encounter for closed fracture  |
| S72.011B | Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II                               |
| S72.011C | Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                   |
| S72.012A | Unspecified intracapsular fracture of left femur, initial encounter for closed fracture   |
| S72.012B | Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II                                |
| S72.012C | Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                    |
| S72.019A | Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture                                    |
| S72.019B | Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II                         |
| S72.019C | Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.021A | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture                        |
| S72.021B | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II             |
| S72.021C | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.022A | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture                                  |
| S72.022B | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II                       |
| S72.022C | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.023A | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture                           |
| S72.023B | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II                |
| S72.023C | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.024A | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture                              |
| S72.024B | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II                   |
| S72.024C | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.025A | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture                               |
| S72.025B | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II                    |
| S72.025C | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.026A | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture                        |
| S72.026B | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II             |
| S72.026C | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.031A | Displaced midcervical fracture of right femur, initial encounter for closed fracture   |
| S72.031B | Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.031C    | Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S72.032A    | Displaced midcervical fracture of left femur, initial encounter for closed fracture                                  |
| S72.032B    | Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II                       |
| S72.032C    | Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.033A    | Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture                           |
| S72.033B    | Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II                |
| S72.033C    | Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.034A    | Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture                              |
| S72.034B    | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II                   |
| S72.034C    | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.035A    | Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture                               |
| S72.035B    | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II                    |
| S72.035C    | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.036A    | Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture                        |
| S72.036B    | Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II             |
| S72.036C    | Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.041A    | Displaced fracture of base of neck of right femur, initial encounter for closed fracture                             |
| S72.041B    | Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.041C    | Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S72.042A    | Displaced fracture of base of neck of left femur, initial encounter for closed fracture                                  |
| S72.042B    | Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II                       |
| S72.042C    | Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.043A    | Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture                           |
| S72.043B    | Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II                |
| S72.043C    | Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.044A    | Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture                              |
| S72.044B    | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II                   |
| S72.044C    | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.045A    | Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture                               |
| S72.045B    | Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II                    |
| S72.045C    | Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.046A    | Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture                        |
| S72.046B    | Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II             |
| S72.046C    | Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.051A    | Unspecified fracture of head of right femur, initial encounter for closed fracture                                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.051B | Unspecified fracture of head of right femur, initial encounter for open fracture type I or II                           |
| S72.051C | Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S72.052A | Unspecified fracture of head of left femur, initial encounter for closed fracture                                       |
| S72.052B | Unspecified fracture of head of left femur, initial encounter for open fracture type I or II                            |
| S72.052C | Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S72.059A | Unspecified fracture of head of unspecified femur, initial encounter for closed fracture                                |
| S72.059B | Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II                     |
| S72.059C | Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S72.061A | Displaced articular fracture of head of right femur, initial encounter for closed fracture                              |
| S72.061B | Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II                   |
| S72.061C | Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.062A | Displaced articular fracture of head of left femur, initial encounter for closed fracture                               |
| S72.062B | Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II                    |
| S72.062C | Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.063A | Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture                        |
| S72.063B | Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II             |
| S72.063C | Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.064A    | Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture                              |
| S72.064B    | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II                   |
| S72.064C    | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.065A    | Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture                               |
| S72.065B    | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II                    |
| S72.065C    | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.066A    | Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture                        |
| S72.066B    | Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II             |
| S72.066C    | Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.091A    | Other fracture of head and neck of right femur, initial encounter for closed fracture                                      |
| S72.091B    | Other fracture of head and neck of right femur, initial encounter for open fracture type I or II                           |
| S72.091C    | Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S72.092A    | Other fracture of head and neck of left femur, initial encounter for closed fracture                                       |
| S72.092B    | Other fracture of head and neck of left femur, initial encounter for open fracture type I or II                            |
| S72.092C    | Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S72.099A    | Other fracture of head and neck of unspecified femur, initial encounter for closed fracture                                |
| S72.099B    | Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II                     |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.099C | Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.101A | Unspecified trochanteric fracture of right femur, initial encounter for closed fracture                               |
| S72.101B | Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II                    |
| S72.101C | Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.102A | Unspecified trochanteric fracture of left femur, initial encounter for closed fracture                                |
| S72.102B | Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II                     |
| S72.102C | Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S72.109A | Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture                         |
| S72.109B | Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II              |
| S72.109C | Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S72.111A | Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture                        |
| S72.111B | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II             |
| S72.111C | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.112A | Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture                         |
| S72.112B | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II              |
| S72.112C | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S72.113A | Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.113B    | Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II                |
| S72.113C    | Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.114A    | Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture                              |
| S72.114B    | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II                   |
| S72.114C    | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.115A    | Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture                               |
| S72.115B    | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II                    |
| S72.115C    | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.116A    | Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture                        |
| S72.116B    | Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II             |
| S72.116C    | Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.121A    | Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture                                  |
| S72.121B    | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II                       |
| S72.121C    | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.122A    | Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture                                   |
| S72.122B    | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.122C | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.123A | Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture                           |
| S72.123B | Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II                |
| S72.123C | Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.124A | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture                              |
| S72.124B | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II                   |
| S72.124C | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.125A | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture                               |
| S72.125B | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II                    |
| S72.125C | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.126A | Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture                        |
| S72.126B | Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II             |
| S72.126C | Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.131A | Displaced apophyseal fracture of right femur, initial encounter for closed fracture   |
| S72.131B | Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II                                |
| S72.131C | Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                    |
| S72.132A | Displaced apophyseal fracture of left femur, initial encounter for closed fracture  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.132B    | Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II                       |
| S72.132C    | Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.133A    | Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture                           |
| S72.133B    | Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II                |
| S72.133C    | Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.134A    | Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture                              |
| S72.134B    | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II                   |
| S72.134C    | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.135A    | Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture                               |
| S72.135B    | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II                    |
| S72.135C    | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.136A    | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture                        |
| S72.136B    | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II             |
| S72.136C    | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.141A    | Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture                          |
| S72.141B    | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II               |
| S72.141C    | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S72.142A    | Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.142B    | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II                       |
| S72.142C    | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.143A    | Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture                           |
| S72.143B    | Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II                |
| S72.143C    | Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.144A    | Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture                              |
| S72.144B    | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II                   |
| S72.144C    | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.145A    | Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture                               |
| S72.145B    | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II                    |
| S72.145C    | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.146A    | Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture                        |
| S72.146B    | Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II             |
| S72.146C    | Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.21XA    | Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture                                   |
| S72.21XB    | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.21XC    | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S72.22XA    | Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture                                  |
| S72.22XB    | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II                       |
| S72.22XC    | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.23XA    | Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture                           |
| S72.23XB    | Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II                |
| S72.23XC    | Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.24XA    | Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture                              |
| S72.24XB    | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II                   |
| S72.24XC    | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.25XA    | Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture                               |
| S72.25XB    | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II                    |
| S72.25XC    | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.26XA    | Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture                        |
| S72.26XB    | Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II             |
| S72.26XC    | Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.301A    | Unspecified fracture of shaft of right femur, initial encounter for closed fracture                                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.301B | Unspecified fracture of shaft of right femur, initial encounter for open fracture type I or II                            |
| S72.301C | Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S72.302A | Unspecified fracture of shaft of left femur, initial encounter for closed fracture  |
| S72.302B | Unspecified fracture of shaft of left femur, initial encounter for open fracture type I or II                             |
| S72.302C | Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S72.309A | Unspecified fracture of shaft of unspecified femur, initial encounter for closed fracture                                 |
| S72.309B | Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                      |
| S72.309C | Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S72.321A | Displaced transverse fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.321B | Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.321C | Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.322A | Displaced transverse fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.322B | Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.322C | Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.323A | Displaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.323B | Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.323C | Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.324A    | Nondisplaced transverse fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.324B    | Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.324C    | Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.325A    | Nondisplaced transverse fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.325B    | Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.325C    | Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.326A    | Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.326B    | Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.326C    | Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.331A    | Displaced oblique fracture of shaft of right femur, initial encounter for closed fracture                                    |
| S72.331B    | Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II                         |
| S72.331C    | Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.332A    | Displaced oblique fracture of shaft of left femur, initial encounter for closed fracture                                     |
| S72.332B    | Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II                          |
| S72.332C    | Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S72.333A    | Displaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture                              |
| S72.333B    | Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.333C    | Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.334A    | Nondisplaced oblique fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.334B    | Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.334C    | Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.335A    | Nondisplaced oblique fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.335B    | Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.335C    | Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.336A    | Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.336B    | Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.336C    | Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.341A    | Displaced spiral fracture of shaft of right femur, initial encounter for closed fracture                                  |
| S72.341B    | Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II                       |
| S72.341C    | Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.342A    | Displaced spiral fracture of shaft of left femur, initial encounter for closed fracture                                   |
| S72.342B    | Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II                        |
| S72.342C    | Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S72.343A    | Displaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.343B    | Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                |
| S72.343C    | Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.344A    | Nondisplaced spiral fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.344B    | Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.344C    | Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.345A    | Nondisplaced spiral fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.345B    | Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.345C    | Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.346A    | Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.346B    | Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.346C    | Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.351A    | Displaced comminuted fracture of shaft of right femur, initial encounter for closed fracture                             |
| S72.351B    | Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II                  |
| S72.351C    | Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S72.352A    | Displaced comminuted fracture of shaft of left femur, initial encounter for closed fracture                              |
| S72.352B    | Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.352C    | Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.353A    | Displaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture                           |
| S72.353B    | Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                |
| S72.353C    | Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.354A    | Nondisplaced comminuted fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.354B    | Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.354C    | Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.355A    | Nondisplaced comminuted fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.355B    | Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.355C    | Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.356A    | Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.356B    | Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.356C    | Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.361A    | Displaced segmental fracture of shaft of right femur, initial encounter for closed fracture                                  |
| S72.361B    | Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II                       |
| S72.361C    | Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.362A    | Displaced segmental fracture of shaft of left femur, initial encounter for closed fracture                                  |
| S72.362B    | Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II                       |
| S72.362C    | Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.363A    | Displaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture                           |
| S72.363B    | Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                |
| S72.363C    | Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.364A    | Nondisplaced segmental fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.364B    | Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.364C    | Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.365A    | Nondisplaced segmental fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.365B    | Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.365C    | Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.366A    | Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.366B    | Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.366C    | Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.391A    | Other fracture of shaft of right femur, initial encounter for closed fracture   |
| S72.391B    | Other fracture of shaft of right femur, initial encounter for open fracture type I or II                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.391C    | Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                             |
| S72.392A    | Other fracture of shaft of left femur, initial encounter for closed fracture   |
| S72.392B    | Other fracture of shaft of left femur, initial encounter for open fracture type I or II  |
| S72.392C    | Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                              |
| S72.399A    | Other fracture of shaft of unspecified femur, initial encounter for closed fracture  |
| S72.399B    | Other fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                                   |
| S72.399C    | Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                       |
| S72.401A    | Unspecified fracture of lower end of right femur, initial encounter for closed fracture  |
| S72.401B    | Unspecified fracture of lower end of right femur, initial encounter for open fracture type I or II                               |
| S72.401C    | Unspecified fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                   |
| S72.402A    | Unspecified fracture of lower end of left femur, initial encounter for closed fracture   |
| S72.402B    | Unspecified fracture of lower end of left femur, initial encounter for open fracture type I or II                                |
| S72.402C    | Unspecified fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                    |
| S72.409A    | Unspecified fracture of lower end of unspecified femur, initial encounter for closed fracture                                    |
| S72.409B    | Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type I or II                         |
| S72.409C    | Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.411A    | Displaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture                        |
| S72.411B    | Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II             |
| S72.411C    | Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.412A    | Displaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture                                  |
| S72.412B    | Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II                       |
| S72.412C    | Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.413A    | Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture                           |
| S72.413B    | Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II                |
| S72.413C    | Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.414A    | Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture                              |
| S72.414B    | Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II                   |
| S72.414C    | Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.415A    | Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture                               |
| S72.415B    | Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II                    |
| S72.415C    | Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.416A    | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture                        |
| S72.416B    | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II             |
| S72.416C    | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.421A    | Displaced fracture of lateral condyle of right femur, initial encounter for closed fracture   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.421B    | Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II                   |
| S72.421C    | Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.422A    | Displaced fracture of lateral condyle of left femur, initial encounter for closed fracture                               |
| S72.422B    | Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II                    |
| S72.422C    | Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.423A    | Displaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture                        |
| S72.423B    | Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II             |
| S72.423C    | Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.424A    | Nondisplaced fracture of lateral condyle of right femur, initial encounter for closed fracture                           |
| S72.424B    | Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II                |
| S72.424C    | Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.425A    | Nondisplaced fracture of lateral condyle of left femur, initial encounter for closed fracture                            |
| S72.425B    | Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II                 |
| S72.425C    | Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S72.426A    | Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture                     |
| S72.426B    | Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.426C    | Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.431A    | Displaced fracture of medial condyle of right femur, initial encounter for closed fracture                                  |
| S72.431B    | Displaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II                       |
| S72.431C    | Displaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.432A    | Displaced fracture of medial condyle of left femur, initial encounter for closed fracture                                   |
| S72.432B    | Displaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II                        |
| S72.432C    | Displaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S72.433A    | Displaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture                            |
| S72.433B    | Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II                 |
| S72.433C    | Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S72.434A    | Nondisplaced fracture of medial condyle of right femur, initial encounter for closed fracture                               |
| S72.434B    | Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II                    |
| S72.434C    | Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.435A    | Nondisplaced fracture of medial condyle of left femur, initial encounter for closed fracture                                |
| S72.435B    | Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II                     |
| S72.435C    | Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.436A    | Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture                                   |
| S72.436B    | Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II                        |
| S72.436C    | Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S72.441A    | Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture                              |
| S72.441B    | Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II                   |
| S72.441C    | Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.442A    | Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture                               |
| S72.442B    | Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II                    |
| S72.442C    | Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.443A    | Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture                        |
| S72.443B    | Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II             |
| S72.443C    | Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.444A    | Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture                           |
| S72.444B    | Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II                |
| S72.444C    | Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.445A    | Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.445B    | Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II  |
| S72.445C    | Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                                |
| S72.446A    | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture  |
| S72.446B    | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II                                     |
| S72.446C    | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                         |
| S72.451A    | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture                              |
| S72.451B    | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II                   |
| S72.451C    | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.452A    | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture                               |
| S72.452B    | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II                    |
| S72.452C    | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.453A    | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture                        |
| S72.453B    | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II             |
| S72.453C    | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.454A    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture                           |
| S72.454B    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.454C    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.455A    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture                               |
| S72.455B    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II                    |
| S72.455C    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.456A    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture                        |
| S72.456B    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II             |
| S72.456C    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.461A    | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture                                    |
| S72.461B    | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II                         |
| S72.461C    | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.462A    | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture                                     |
| S72.462B    | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II                          |
| S72.462C    | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S72.463A    | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture                              |
| S72.463B    | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II                   |
| S72.463C    | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.464A | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture                              |
| S72.464B | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II                   |
| S72.464C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.465A | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture                               |
| S72.465B | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II                    |
| S72.465C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.466A | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture                        |
| S72.466B | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II             |
| S72.466C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.471A | Torus fracture of lower end of right femur, initial encounter for closed fracture  |
| S72.472A | Torus fracture of lower end of left femur, initial encounter for closed fracture   |
| S72.479A | Torus fracture of lower end of unspecified femur, initial encounter for closed fracture  |
| S72.491A | Other fracture of lower end of right femur, initial encounter for closed fracture  |
| S72.491B | Other fracture of lower end of right femur, initial encounter for open fracture type I or II   |
| S72.491C | Other fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S72.492A | Other fracture of lower end of left femur, initial encounter for closed fracture   |
| S72.492B | Other fracture of lower end of left femur, initial encounter for open fracture type I or II  |
| S72.492C | Other fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S72.499A | Other fracture of lower end of unspecified femur, initial encounter for closed fracture  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.499B    | Other fracture of lower end of unspecified femur, initial encounter for open fracture type I or II                  |
| S72.499C    | Other fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S72.8X1A    | Other fracture of right femur, initial encounter for closed fracture  |
| S72.8X1B    | Other fracture of right femur, initial encounter for open fracture type I or II                                     |
| S72.8X1C    | Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                         |
| S72.8X2A    | Other fracture of left femur, initial encounter for closed fracture   |
| S72.8X2B    | Other fracture of left femur, initial encounter for open fracture type I or II                                      |
| S72.8X2C    | Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                          |
| S72.8X9A    | Other fracture of unspecified femur, initial encounter for closed fracture  |
| S72.8X9B    | Other fracture of unspecified femur, initial encounter for open fracture type I or II                               |
| S72.8X9C    | Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                   |
| S72.90XA    | Unspecified fracture of unspecified femur, initial encounter for closed fracture                                    |
| S72.90XB    | Unspecified fracture of unspecified femur, initial encounter for open fracture type I or II                         |
| S72.90XC    | Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.90XE    | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.91XA    | Unspecified fracture of right femur, initial encounter for closed fracture  |
| S72.91XB    | Unspecified fracture of right femur, initial encounter for open fracture type I or II                               |
| S72.91XC    | Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                   |
| S72.91XE    | Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing       |
| S72.92XA    | Unspecified fracture of left femur, initial encounter for closed fracture   |
| S72.92XB    | Unspecified fracture of left femur, initial encounter for open fracture type I or II                                |
| S72.92XC    | Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                    |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.92XE | Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S75.001A | Unspecified injury of femoral artery, right leg, initial encounter   |
| S75.002A | Unspecified injury of femoral artery, left leg, initial encounter  |
| S75.009A | Unspecified injury of femoral artery, unspecified leg, initial encounter                                     |
| S75.011A | Minor laceration of femoral artery, right leg, initial encounter   |
| S75.012A | Minor laceration of femoral artery, left leg, initial encounter  |
| S75.019A | Minor laceration of femoral artery, unspecified leg, initial encounter                                       |
| S75.021A | Major laceration of femoral artery, right leg, initial encounter   |
| S75.022A | Major laceration of femoral artery, left leg, initial encounter  |
| S75.029A | Major laceration of femoral artery, unspecified leg, initial encounter                                       |
| S75.091A | Other specified injury of femoral artery, right leg, initial encounter                                       |
| S75.092A | Other specified injury of femoral artery, left leg, initial encounter  |
| S75.099A | Other specified injury of femoral artery, unspecified leg, initial encounter                                 |
| S75.101A | Unspecified injury of femoral vein at hip and thigh level, right leg, initial encounter                      |
| S75.102A | Unspecified injury of femoral vein at hip and thigh level, left leg, initial encounter                       |
| S75.109A | Unspecified injury of femoral vein at hip and thigh level, unspecified leg, initial encounter                |
| S75.111A | Minor laceration of femoral vein at hip and thigh level, right leg, initial encounter                        |
| S75.112A | Minor laceration of femoral vein at hip and thigh level, left leg, initial encounter                         |
| S75.119A | Minor laceration of femoral vein at hip and thigh level, unspecified leg, initial encounter                  |
| S75.121A | Major laceration of femoral vein at hip and thigh level, right leg, initial encounter                        |
| S75.122A | Major laceration of femoral vein at hip and thigh level, left leg, initial encounter                         |
| S75.129A | Major laceration of femoral vein at hip and thigh level, unspecified leg, initial encounter                  |
| S75.191A | Other specified injury of femoral vein at hip and thigh level, right leg, initial encounter                  |
| S75.192A | Other specified injury of femoral vein at hip and thigh level, left leg, initial encounter                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S75.199A    | Other specified injury of femoral vein at hip and thigh level, unspecified leg, initial encounter           |
| S75.201A    | Unspecified injury of greater saphenous vein at hip and thigh level, right leg, initial encounter           |
| S75.202A    | Unspecified injury of greater saphenous vein at hip and thigh level, left leg, initial encounter            |
| S75.209A    | Unspecified injury of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter     |
| S75.211A    | Minor laceration of greater saphenous vein at hip and thigh level, right leg, initial encounter             |
| S75.212A    | Minor laceration of greater saphenous vein at hip and thigh level, left leg, initial encounter              |
| S75.219A    | Minor laceration of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter       |
| S75.221A    | Major laceration of greater saphenous vein at hip and thigh level, right leg, initial encounter             |
| S75.222A    | Major laceration of greater saphenous vein at hip and thigh level, left leg, initial encounter              |
| S75.229A    | Major laceration of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter       |
| S75.291A    | Other specified injury of greater saphenous vein at hip and thigh level, right leg, initial encounter       |
| S75.292A    | Other specified injury of greater saphenous vein at hip and thigh level, left leg, initial encounter        |
| S75.299A    | Other specified injury of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter |
| S75.801A    | Unspecified injury of other blood vessels at hip and thigh level, right leg, initial encounter              |
| S75.802A    | Unspecified injury of other blood vessels at hip and thigh level, left leg, initial encounter               |
| S75.809A    | Unspecified injury of other blood vessels at hip and thigh level, unspecified leg, initial encounter        |
| S75.811A    | Laceration of other blood vessels at hip and thigh level, right leg, initial encounter                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S75.812A    | Laceration of other blood vessels at hip and thigh level, left leg, initial encounter                         |
| S75.819A    | Laceration of other blood vessels at hip and thigh level, unspecified leg, initial encounter                  |
| S75.891A    | Other specified injury of other blood vessels at hip and thigh level, right leg, initial encounter            |
| S75.892A    | Other specified injury of other blood vessels at hip and thigh level, left leg, initial encounter             |
| S75.899A    | Other specified injury of other blood vessels at hip and thigh level, unspecified leg, initial encounter      |
| S75.901A    | Unspecified injury of unspecified blood vessel at hip and thigh level, right leg, initial encounter           |
| S75.902A    | Unspecified injury of unspecified blood vessel at hip and thigh level, left leg, initial encounter            |
| S75.909A    | Unspecified injury of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter     |
| S75.911A    | Laceration of unspecified blood vessel at hip and thigh level, right leg, initial encounter                   |
| S75.912A    | Laceration of unspecified blood vessel at hip and thigh level, left leg, initial encounter                    |
| S75.919A    | Laceration of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter             |
| S75.991A    | Other specified injury of unspecified blood vessel at hip and thigh level, right leg, initial encounter       |
| S75.992A    | Other specified injury of unspecified blood vessel at hip and thigh level, left leg, initial encounter        |
| S75.999A    | Other specified injury of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter |
| S77.00XA    | Crushing injury of unspecified hip, initial encounter   |
| S77.01XA    | Crushing injury of right hip, initial encounter   |
| S77.02XA    | Crushing injury of left hip, initial encounter  |
| S77.10XA    | Crushing injury of unspecified thigh, initial encounter   |
| S77.11XA    | Crushing injury of right thigh, initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S77.12XA    | Crushing injury of left thigh, initial encounter   |
| S77.20XA    | Crushing injury of unspecified hip with thigh, initial encounter   |
| S77.21XA    | Crushing injury of right hip with thigh, initial encounter   |
| S77.22XA    | Crushing injury of left hip with thigh, initial encounter  |
| S79.001A    | Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture                |
| S79.002A    | Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture                 |
| S79.009A    | Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture          |
| S79.011A    | Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture       |
| S79.012A    | Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture        |
| S79.019A    | Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture |
| S79.091A    | Other physeal fracture of upper end of right femur, initial encounter for closed fracture                      |
| S79.092A    | Other physeal fracture of upper end of left femur, initial encounter for closed fracture                       |
| S79.099A    | Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture                |
| S79.101A    | Unspecified physeal fracture of lower end of right femur, initial encounter for closed fracture                |
| S79.102A    | Unspecified physeal fracture of lower end of left femur, initial encounter for closed fracture                 |
| S79.109A    | Unspecified physeal fracture of lower end of unspecified femur, initial encounter for closed fracture          |
| S79.111A    | Salter-Harris Type I physeal fracture of lower end of right femur, initial encounter for closed fracture       |
| S79.112A    | Salter-Harris Type I physeal fracture of lower end of left femur, initial encounter for closed fracture        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S79.119A | Salter-Harris Type I physeal fracture of lower end of unspecified femur, initial encounter for closed fracture   |
| S79.121A | Salter-Harris Type II physeal fracture of lower end of right femur, initial encounter for closed fracture        |
| S79.122A | Salter-Harris Type II physeal fracture of lower end of left femur, initial encounter for closed fracture         |
| S79.129A | Salter-Harris Type II physeal fracture of lower end of unspecified femur, initial encounter for closed fracture  |
| S79.131A | Salter-Harris Type III physeal fracture of lower end of right femur, initial encounter for closed fracture       |
| S79.132A | Salter-Harris Type III physeal fracture of lower end of left femur, initial encounter for closed fracture        |
| S79.139A | Salter-Harris Type III physeal fracture of lower end of unspecified femur, initial encounter for closed fracture |
| S79.141A | Salter-Harris Type IV physeal fracture of lower end of right femur, initial encounter for closed fracture        |
| S79.142A | Salter-Harris Type IV physeal fracture of lower end of left femur, initial encounter for closed fracture         |
| S79.149A | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, initial encounter for closed fracture  |
| S79.191A | Other physeal fracture of lower end of right femur, initial encounter for closed fracture                        |
| S79.192A | Other physeal fracture of lower end of left femur, initial encounter for closed fracture                         |
| S79.199A | Other physeal fracture of lower end of unspecified femur, initial encounter for closed fracture                  |
| S80.00XA | Contusion of unspecified knee, initial encounter   |
| S80.01XA | Contusion of right knee, initial encounter   |
| S80.02XA | Contusion of left knee, initial encounter  |
| S80.10XA | Contusion of unspecified lower leg, initial encounter  |
| S80.11XA | Contusion of right lower leg, initial encounter  |
| S80.12XA | Contusion of left lower leg, initial encounter   |
| S82.101A | Unspecified fracture of upper end of right tibia, initial encounter for closed fracture                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.101B    | Unspecified fracture of upper end of right tibia, initial encounter for open fracture type I or II                   |
| S82.101C    | Unspecified fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.102A    | Unspecified fracture of upper end of left tibia, initial encounter for closed fracture                               |
| S82.102B    | Unspecified fracture of upper end of left tibia, initial encounter for open fracture type I or II                    |
| S82.102C    | Unspecified fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.109A    | Unspecified fracture of upper end of unspecified tibia, initial encounter for closed fracture                        |
| S82.109B    | Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.109C    | Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.111A    | Displaced fracture of right tibial spine, initial encounter for closed fracture                                      |
| S82.111B    | Displaced fracture of right tibial spine, initial encounter for open fracture type I or II                           |
| S82.111C    | Displaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S82.112A    | Displaced fracture of left tibial spine, initial encounter for closed fracture                                       |
| S82.112B    | Displaced fracture of left tibial spine, initial encounter for open fracture type I or II                            |
| S82.112C    | Displaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.113A    | Displaced fracture of unspecified tibial spine, initial encounter for closed fracture                                |
| S82.113B    | Displaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II                     |
| S82.113C    | Displaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S82.114A    | Nondisplaced fracture of right tibial spine, initial encounter for closed fracture                                   |
| S82.114B    | Nondisplaced fracture of right tibial spine, initial encounter for open fracture type I or II                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.114C    | Nondisplaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.115A    | Nondisplaced fracture of left tibial spine, initial encounter for closed fracture  |
| S82.115B    | Nondisplaced fracture of left tibial spine, initial encounter for open fracture type I or II                             |
| S82.115C    | Nondisplaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S82.116A    | Nondisplaced fracture of unspecified tibial spine, initial encounter for closed fracture                                 |
| S82.116B    | Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II                      |
| S82.116C    | Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.121A    | Displaced fracture of lateral condyle of right tibia, initial encounter for closed fracture                              |
| S82.121B    | Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II                   |
| S82.121C    | Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.122A    | Displaced fracture of lateral condyle of left tibia, initial encounter for closed fracture                               |
| S82.122B    | Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II                    |
| S82.122C    | Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.123A    | Displaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture                        |
| S82.123B    | Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.123C    | Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.124A    | Nondisplaced fracture of lateral condyle of right tibia, initial encounter for closed fracture                           |
| S82.124B    | Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II                |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.124C    | Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.125A    | Nondisplaced fracture of lateral condyle of left tibia, initial encounter for closed fracture                               |
| S82.125B    | Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II                    |
| S82.125C    | Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.126A    | Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture                        |
| S82.126B    | Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.126C    | Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.131A    | Displaced fracture of medial condyle of right tibia, initial encounter for closed fracture                                  |
| S82.131B    | Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II                       |
| S82.131C    | Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.132A    | Displaced fracture of medial condyle of left tibia, initial encounter for closed fracture                                   |
| S82.132B    | Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II                        |
| S82.132C    | Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S82.133A    | Displaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture                            |
| S82.133B    | Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II                 |
| S82.133C    | Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S82.134A    | Nondisplaced fracture of medial condyle of right tibia, initial encounter for closed fracture                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.134B    | Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II                   |
| S82.134C    | Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.135A    | Nondisplaced fracture of medial condyle of left tibia, initial encounter for closed fracture                               |
| S82.135B    | Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II                    |
| S82.135C    | Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.136A    | Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture                        |
| S82.136B    | Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.136C    | Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.141A    | Displaced bicondylar fracture of right tibia, initial encounter for closed fracture  |
| S82.141B    | Displaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II                             |
| S82.141C    | Displaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S82.142A    | Displaced bicondylar fracture of left tibia, initial encounter for closed fracture   |
| S82.142B    | Displaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II                              |
| S82.142C    | Displaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S82.143A    | Displaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture                                  |
| S82.143B    | Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II                       |
| S82.143C    | Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.144A    | Nondisplaced bicondylar fracture of right tibia, initial encounter for closed fracture                                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.144B | Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II                   |
| S82.144C | Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.145A | Nondisplaced bicondylar fracture of left tibia, initial encounter for closed fracture                               |
| S82.145B | Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II                    |
| S82.145C | Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.146A | Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture                        |
| S82.146B | Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.146C | Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.151A | Displaced fracture of right tibial tuberosity, initial encounter for closed fracture                                |
| S82.151B | Displaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II                     |
| S82.151C | Displaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S82.152A | Displaced fracture of left tibial tuberosity, initial encounter for closed fracture                                 |
| S82.152B | Displaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II                      |
| S82.152C | Displaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.153A | Displaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture                          |
| S82.153B | Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II               |
| S82.153C | Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S82.154A | Nondisplaced fracture of right tibial tuberosity, initial encounter for closed fracture                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.154B    | Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II                   |
| S82.154C    | Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.155A    | Nondisplaced fracture of left tibial tuberosity, initial encounter for closed fracture                               |
| S82.155B    | Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II                    |
| S82.155C    | Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.156A    | Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture                        |
| S82.156B    | Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II             |
| S82.156C    | Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.161A    | Torus fracture of upper end of right tibia, initial encounter for closed fracture                                    |
| S82.162A    | Torus fracture of upper end of left tibia, initial encounter for closed fracture                                     |
| S82.169A    | Torus fracture of upper end of unspecified tibia, initial encounter for closed fracture                              |
| S82.191A    | Other fracture of upper end of right tibia, initial encounter for closed fracture                                    |
| S82.191B    | Other fracture of upper end of right tibia, initial encounter for open fracture type I or II                         |
| S82.191C    | Other fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S82.192A    | Other fracture of upper end of left tibia, initial encounter for closed fracture                                     |
| S82.192B    | Other fracture of upper end of left tibia, initial encounter for open fracture type I or II                          |
| S82.192C    | Other fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S82.199A    | Other fracture of upper end of unspecified tibia, initial encounter for closed fracture                              |
| S82.199B    | Other fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II                   |
| S82.199C    | Other fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.201A    | Unspecified fracture of shaft of right tibia, initial encounter for closed fracture                                       |
| S82.201B    | Unspecified fracture of shaft of right tibia, initial encounter for open fracture type I or II                            |
| S82.201C    | Unspecified fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.202A    | Unspecified fracture of shaft of left tibia, initial encounter for closed fracture  |
| S82.202B    | Unspecified fracture of shaft of left tibia, initial encounter for open fracture type I or II                             |
| S82.202C    | Unspecified fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S82.209A    | Unspecified fracture of shaft of unspecified tibia, initial encounter for closed fracture                                 |
| S82.209B    | Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                      |
| S82.209C    | Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.221A    | Displaced transverse fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.221B    | Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.221C    | Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.222A    | Displaced transverse fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.222B    | Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.222C    | Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.223A    | Displaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.223B    | Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.223C    | Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.224A    | Nondisplaced transverse fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.224B    | Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.224C    | Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.225A    | Nondisplaced transverse fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.225B    | Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.225C    | Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.226A    | Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.226B    | Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.226C    | Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.231A    | Displaced oblique fracture of shaft of right tibia, initial encounter for closed fracture                                    |
| S82.231B    | Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II                         |
| S82.231C    | Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S82.232A    | Displaced oblique fracture of shaft of left tibia, initial encounter for closed fracture                                     |
| S82.232B    | Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II                          |
| S82.232C    | Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S82.233A    | Displaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture                              |
| S82.233B    | Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.233C    | Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.234A    | Nondisplaced oblique fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.234B    | Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.234C    | Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.235A    | Nondisplaced oblique fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.235B    | Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.235C    | Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.236A    | Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.236B    | Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.236C    | Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.241A    | Displaced spiral fracture of shaft of right tibia, initial encounter for closed fracture                                  |
| S82.241B    | Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II                       |
| S82.241C    | Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.242A    | Displaced spiral fracture of shaft of left tibia, initial encounter for closed fracture                                   |
| S82.242B    | Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II                        |
| S82.242C    | Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S82.243A    | Displaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.243B    | Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                |
| S82.243C    | Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.244A    | Nondisplaced spiral fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.244B    | Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.244C    | Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.245A    | Nondisplaced spiral fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.245B    | Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.245C    | Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.246A    | Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.246B    | Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.246C    | Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.251A    | Displaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture                             |
| S82.251B    | Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II                  |
| S82.251C    | Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S82.252A    | Displaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture                              |
| S82.252B    | Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II                   |
| S82.252C    | Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.253A    | Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture                           |
| S82.253B    | Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                |
| S82.253C    | Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.254A    | Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.254B    | Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.254C    | Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.255A    | Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.255B    | Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.255C    | Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.256A    | Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.256B    | Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.256C    | Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.261A    | Displaced segmental fracture of shaft of right tibia, initial encounter for closed fracture                                  |
| S82.261B    | Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II                       |
| S82.261C    | Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.262A    | Displaced segmental fracture of shaft of left tibia, initial encounter for closed fracture                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.262B    | Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II                       |
| S82.262C    | Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.263A    | Displaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture                           |
| S82.263B    | Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                |
| S82.263C    | Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.264A    | Nondisplaced segmental fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.264B    | Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.264C    | Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.265A    | Nondisplaced segmental fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.265B    | Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.265C    | Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.266A    | Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.266B    | Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.266C    | Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.291A    | Other fracture of shaft of right tibia, initial encounter for closed fracture   |
| S82.291B    | Other fracture of shaft of right tibia, initial encounter for open fracture type I or II                                    |
| S82.291C    | Other fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                        |
| S82.292A    | Other fracture of shaft of left tibia, initial encounter for closed fracture  |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S82.292B | Other fracture of shaft of left tibia, initial encounter for open fracture type I or II                           |
| S82.292C | Other fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S82.299A | Other fracture of shaft of unspecified tibia, initial encounter for closed fracture                               |
| S82.299B | Other fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                    |
| S82.299C | Other fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.311A | Torus fracture of lower end of right tibia, initial encounter for closed fracture                                 |
| S82.312A | Torus fracture of lower end of left tibia, initial encounter for closed fracture                                  |
| S82.319A | Torus fracture of lower end of unspecified tibia, initial encounter for closed fracture                           |
| S82.401A | Unspecified fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.401B | Unspecified fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.401C | Unspecified fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.402A | Unspecified fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.402B | Unspecified fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.402C | Unspecified fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.409A | Unspecified fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.409B | Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.409C | Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.421A | Displaced transverse fracture of shaft of right fibula, initial encounter for closed fracture                     |
| S82.421B | Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.421C    | Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.422A    | Displaced transverse fracture of shaft of left fibula, initial encounter for closed fracture                                  |
| S82.422B    | Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II                       |
| S82.422C    | Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.423A    | Displaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture                           |
| S82.423B    | Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II                |
| S82.423C    | Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.424A    | Nondisplaced transverse fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.424B    | Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.424C    | Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.425A    | Nondisplaced transverse fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.425B    | Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.425C    | Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.426A    | Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.426B    | Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.426C    | Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.431A    | Displaced oblique fracture of shaft of right fibula, initial encounter for closed fracture                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.431B    | Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II                      |
| S82.431C    | Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.432A    | Displaced oblique fracture of shaft of left fibula, initial encounter for closed fracture                                  |
| S82.432B    | Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II                       |
| S82.432C    | Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.433A    | Displaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture                           |
| S82.433B    | Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II                |
| S82.433C    | Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.434A    | Nondisplaced oblique fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.434B    | Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.434C    | Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.435A    | Nondisplaced oblique fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.435B    | Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.435C    | Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.436A    | Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.436B    | Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.436C    | Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.441A    | Displaced spiral fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.441B    | Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.441C    | Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.442A    | Displaced spiral fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.442B    | Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.442C    | Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.443A    | Displaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.443B    | Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.443C    | Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.444A    | Nondisplaced spiral fracture of shaft of right fibula, initial encounter for closed fracture                           |
| S82.444B    | Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II                |
| S82.444C    | Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.445A    | Nondisplaced spiral fracture of shaft of left fibula, initial encounter for closed fracture                            |
| S82.445B    | Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II                 |
| S82.445C    | Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S82.446A    | Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture                     |
| S82.446B    | Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II          |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.446C    | Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S82.451A    | Displaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.451B    | Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.451C    | Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.452A    | Displaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.452B    | Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.452C    | Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.453A    | Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.453B    | Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.453C    | Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.454A    | Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture                           |
| S82.454B    | Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II                |
| S82.454C    | Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.455A    | Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture                            |
| S82.455B    | Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II                 |
| S82.455C    | Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.456A    | Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.456B    | Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.456C    | Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.461A    | Displaced segmental fracture of shaft of right fibula, initial encounter for closed fracture                                  |
| S82.461B    | Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II                       |
| S82.461C    | Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.462A    | Displaced segmental fracture of shaft of left fibula, initial encounter for closed fracture                                   |
| S82.462B    | Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II                        |
| S82.462C    | Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S82.463A    | Displaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture                            |
| S82.463B    | Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II                 |
| S82.463C    | Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S82.464A    | Nondisplaced segmental fracture of shaft of right fibula, initial encounter for closed fracture                               |
| S82.464B    | Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II                    |
| S82.464C    | Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.465A    | Nondisplaced segmental fracture of shaft of left fibula, initial encounter for closed fracture                                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.465B    | Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.465C    | Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.466A    | Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.466B    | Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.466C    | Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.491A    | Other fracture of shaft of right fibula, initial encounter for closed fracture   |
| S82.491B    | Other fracture of shaft of right fibula, initial encounter for open fracture type I or II                                    |
| S82.491C    | Other fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC                        |
| S82.492A    | Other fracture of shaft of left fibula, initial encounter for closed fracture  |
| S82.492B    | Other fracture of shaft of left fibula, initial encounter for open fracture type I or II                                     |
| S82.492C    | Other fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC                         |
| S82.499A    | Other fracture of shaft of unspecified fibula, initial encounter for closed fracture   |
| S82.499B    | Other fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II                              |
| S82.499C    | Other fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S82.811A    | Torus fracture of upper end of right fibula, initial encounter for closed fracture   |
| S82.812A    | Torus fracture of upper end of left fibula, initial encounter for closed fracture  |
| S82.819A    | Torus fracture of upper end of unspecified fibula, initial encounter for closed fracture                                     |
| S82.821A    | Torus fracture of lower end of right fibula, initial encounter for closed fracture   |
| S82.822A    | Torus fracture of lower end of left fibula, initial encounter for closed fracture  |
| S82.829A    | Torus fracture of lower end of unspecified fibula, initial encounter for closed fracture                                     |
| S82.831A    | Other fracture of upper and lower end of right fibula, initial encounter for closed fracture                                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.831B    | Other fracture of upper and lower end of right fibula, initial encounter for open fracture type I or II                   |
| S82.831C    | Other fracture of upper and lower end of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.832A    | Other fracture of upper and lower end of left fibula, initial encounter for closed fracture                               |
| S82.832B    | Other fracture of upper and lower end of left fibula, initial encounter for open fracture type I or II                    |
| S82.832C    | Other fracture of upper and lower end of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.839A    | Other fracture of upper and lower end of unspecified fibula, initial encounter for closed fracture                        |
| S82.839B    | Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.839C    | Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.861A    | Displaced Maisonneuve's fracture of right leg, initial encounter for closed fracture                                      |
| S82.861B    | Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II                           |
| S82.861C    | Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S82.862A    | Displaced Maisonneuve's fracture of left leg, initial encounter for closed fracture                                       |
| S82.862B    | Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II                            |
| S82.862C    | Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.863A    | Displaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture                                |
| S82.863B    | Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II                     |
| S82.863C    | Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.864A    | Nondisplaced Maisonneuve's fracture of right leg, initial encounter for closed fracture                              |
| S82.864B    | Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II                   |
| S82.864C    | Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.865A    | Nondisplaced Maisonneuve's fracture of left leg, initial encounter for closed fracture                               |
| S82.865B    | Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II                    |
| S82.865C    | Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.866A    | Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture                        |
| S82.866B    | Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II             |
| S82.866C    | Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.90XA    | Unspecified fracture of unspecified lower leg, initial encounter for closed fracture                                 |
| S82.90XB    | Unspecified fracture of unspecified lower leg, initial encounter for open fracture type I or II                      |
| S82.90XC    | Unspecified fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.91XA    | Unspecified fracture of right lower leg, initial encounter for closed fracture                                       |
| S82.91XB    | Unspecified fracture of right lower leg, initial encounter for open fracture type I or II                            |
| S82.91XC    | Unspecified fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.92XA    | Unspecified fracture of left lower leg, initial encounter for closed fracture  |
| S82.92XB    | Unspecified fracture of left lower leg, initial encounter for open fracture type I or II                             |
| S82.92XC    | Unspecified fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S85.001A    | Unspecified injury of popliteal artery, right leg, initial encounter   |
| S85.002A    | Unspecified injury of popliteal artery, left leg, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S85.009A    | Unspecified injury of popliteal artery, unspecified leg, initial encounter              |
| S85.011A    | Laceration of popliteal artery, right leg, initial encounter                            |
| S85.012A    | Laceration of popliteal artery, left leg, initial encounter                             |
| S85.019A    | Laceration of popliteal artery, unspecified leg, initial encounter                      |
| S85.091A    | Other specified injury of popliteal artery, right leg, initial encounter                |
| S85.092A    | Other specified injury of popliteal artery, left leg, initial encounter                 |
| S85.099A    | Other specified injury of popliteal artery, unspecified leg, initial encounter          |
| S85.101A    | Unspecified injury of unspecified tibial artery, right leg, initial encounter           |
| S85.102A    | Unspecified injury of unspecified tibial artery, left leg, initial encounter            |
| S85.109A    | Unspecified injury of unspecified tibial artery, unspecified leg, initial encounter     |
| S85.111A    | Laceration of unspecified tibial artery, right leg, initial encounter                   |
| S85.112A    | Laceration of unspecified tibial artery, left leg, initial encounter                    |
| S85.119A    | Laceration of unspecified tibial artery, unspecified leg, initial encounter             |
| S85.121A    | Other specified injury of unspecified tibial artery, right leg, initial encounter       |
| S85.122A    | Other specified injury of unspecified tibial artery, left leg, initial encounter        |
| S85.129A    | Other specified injury of unspecified tibial artery, unspecified leg, initial encounter |
| S85.131A    | Unspecified injury of anterior tibial artery, right leg, initial encounter              |
| S85.132A    | Unspecified injury of anterior tibial artery, left leg, initial encounter               |
| S85.139A    | Unspecified injury of anterior tibial artery, unspecified leg, initial encounter        |
| S85.141A    | Laceration of anterior tibial artery, right leg, initial encounter                      |
| S85.142A    | Laceration of anterior tibial artery, left leg, initial encounter                       |
| S85.149A    | Laceration of anterior tibial artery, unspecified leg, initial encounter                |
| S85.151A    | Other specified injury of anterior tibial artery, right leg, initial encounter          |
| S85.152A    | Other specified injury of anterior tibial artery, left leg, initial encounter           |
| S85.159A    | Other specified injury of anterior tibial artery, unspecified leg, initial encounter    |
| S85.161A    | Unspecified injury of posterior tibial artery, right leg, initial encounter             |
| S85.162A    | Unspecified injury of posterior tibial artery, left leg, initial encounter              |
| S85.169A    | Unspecified injury of posterior tibial artery, unspecified leg, initial encounter       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S85.171A | Laceration of posterior tibial artery, right leg, initial encounter                                 |
| S85.172A | Laceration of posterior tibial artery, left leg, initial encounter                                  |
| S85.179A | Laceration of posterior tibial artery, unspecified leg, initial encounter                           |
| S85.181A | Other specified injury of posterior tibial artery, right leg, initial encounter                     |
| S85.182A | Other specified injury of posterior tibial artery, left leg, initial encounter                      |
| S85.189A | Other specified injury of posterior tibial artery, unspecified leg, initial encounter               |
| S85.201A | Unspecified injury of peroneal artery, right leg, initial encounter                                 |
| S85.202A | Unspecified injury of peroneal artery, left leg, initial encounter                                  |
| S85.209A | Unspecified injury of peroneal artery, unspecified leg, initial encounter                           |
| S85.211A | Laceration of peroneal artery, right leg, initial encounter   |
| S85.212A | Laceration of peroneal artery, left leg, initial encounter  |
| S85.219A | Laceration of peroneal artery, unspecified leg, initial encounter                                   |
| S85.291A | Other specified injury of peroneal artery, right leg, initial encounter                             |
| S85.292A | Other specified injury of peroneal artery, left leg, initial encounter                              |
| S85.299A | Other specified injury of peroneal artery, unspecified leg, initial encounter                       |
| S85.301A | Unspecified injury of greater saphenous vein at lower leg level, right leg, initial encounter       |
| S85.302A | Unspecified injury of greater saphenous vein at lower leg level, left leg, initial encounter        |
| S85.309A | Unspecified injury of greater saphenous vein at lower leg level, unspecified leg, initial encounter |
| S85.311A | Laceration of greater saphenous vein at lower leg level, right leg, initial encounter               |
| S85.312A | Laceration of greater saphenous vein at lower leg level, left leg, initial encounter                |
| S85.319A | Laceration of greater saphenous vein at lower leg level, unspecified leg, initial encounter         |
| S85.391A | Other specified injury of greater saphenous vein at lower leg level, right leg, initial encounter   |
| S85.392A | Other specified injury of greater saphenous vein at lower leg level, left leg, initial encounter    |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S85.399A    | Other specified injury of greater saphenous vein at lower leg level, unspecified leg, initial encounter |
| S85.401A    | Unspecified injury of lesser saphenous vein at lower leg level, right leg, initial encounter            |
| S85.402A    | Unspecified injury of lesser saphenous vein at lower leg level, left leg, initial encounter             |
| S85.409A    | Unspecified injury of lesser saphenous vein at lower leg level, unspecified leg, initial encounter      |
| S85.411A    | Laceration of lesser saphenous vein at lower leg level, right leg, initial encounter                    |
| S85.412A    | Laceration of lesser saphenous vein at lower leg level, left leg, initial encounter                     |
| S85.419A    | Laceration of lesser saphenous vein at lower leg level, unspecified leg, initial encounter              |
| S85.491A    | Other specified injury of lesser saphenous vein at lower leg level, right leg, initial encounter        |
| S85.492A    | Other specified injury of lesser saphenous vein at lower leg level, left leg, initial encounter         |
| S85.499A    | Other specified injury of lesser saphenous vein at lower leg level, unspecified leg, initial encounter  |
| S85.501A    | Unspecified injury of popliteal vein, right leg, initial encounter                                      |
| S85.502A    | Unspecified injury of popliteal vein, left leg, initial encounter                                       |
| S85.509A    | Unspecified injury of popliteal vein, unspecified leg, initial encounter                                |
| S85.511A    | Laceration of popliteal vein, right leg, initial encounter  |
| S85.512A    | Laceration of popliteal vein, left leg, initial encounter   |
| S85.519A    | Laceration of popliteal vein, unspecified leg, initial encounter  |
| S85.591A    | Other specified injury of popliteal vein, right leg, initial encounter                                  |
| S85.592A    | Other specified injury of popliteal vein, left leg, initial encounter                                   |
| S85.599A    | Other specified injury of popliteal vein, unspecified leg, initial encounter                            |
| S85.801A    | Unspecified injury of other blood vessels at lower leg level, right leg, initial encounter              |
| S85.802A    | Unspecified injury of other blood vessels at lower leg level, left leg, initial encounter               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S85.809A    | Unspecified injury of other blood vessels at lower leg level, unspecified leg, initial encounter          |
| S85.811A    | Laceration of other blood vessels at lower leg level, right leg, initial encounter                        |
| S85.812A    | Laceration of other blood vessels at lower leg level, left leg, initial encounter                         |
| S85.819A    | Laceration of other blood vessels at lower leg level, unspecified leg, initial encounter                  |
| S85.891A    | Other specified injury of other blood vessels at lower leg level, right leg, initial encounter            |
| S85.892A    | Other specified injury of other blood vessels at lower leg level, left leg, initial encounter             |
| S85.899A    | Other specified injury of other blood vessels at lower leg level, unspecified leg, initial encounter      |
| S85.901A    | Unspecified injury of unspecified blood vessel at lower leg level, right leg, initial encounter           |
| S85.902A    | Unspecified injury of unspecified blood vessel at lower leg level, left leg, initial encounter            |
| S85.909A    | Unspecified injury of unspecified blood vessel at lower leg level, unspecified leg, initial encounter     |
| S85.911A    | Laceration of unspecified blood vessel at lower leg level, right leg, initial encounter                   |
| S85.912A    | Laceration of unspecified blood vessel at lower leg level, left leg, initial encounter                    |
| S85.919A    | Laceration of unspecified blood vessel at lower leg level, unspecified leg, initial encounter             |
| S85.991A    | Other specified injury of unspecified blood vessel at lower leg level, right leg, initial encounter       |
| S85.992A    | Other specified injury of unspecified blood vessel at lower leg level, left leg, initial encounter        |
| S85.999A    | Other specified injury of unspecified blood vessel at lower leg level, unspecified leg, initial encounter |
| S87.00XA    | Crushing injury of unspecified knee, initial encounter  |
| S87.01XA    | Crushing injury of right knee, initial encounter  |
| S87.02XA    | Crushing injury of left knee, initial encounter   |
| S87.80XA    | Crushing injury of unspecified lower leg, initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S87.81XA    | Crushing injury of right lower leg, initial encounter  |
| S87.82XA    | Crushing injury of left lower leg, initial encounter   |
| S89.001A    | Unspecified physeal fracture of upper end of right tibia, initial encounter for closed fracture                  |
| S89.002A    | Unspecified physeal fracture of upper end of left tibia, initial encounter for closed fracture                   |
| S89.009A    | Unspecified physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture            |
| S89.011A    | Salter-Harris Type I physeal fracture of upper end of right tibia, initial encounter for closed fracture         |
| S89.012A    | Salter-Harris Type I physeal fracture of upper end of left tibia, initial encounter for closed fracture          |
| S89.019A    | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture   |
| S89.021A    | Salter-Harris Type II physeal fracture of upper end of right tibia, initial encounter for closed fracture        |
| S89.022A    | Salter-Harris Type II physeal fracture of upper end of left tibia, initial encounter for closed fracture         |
| S89.029A    | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture  |
| S89.031A    | Salter-Harris Type III physeal fracture of upper end of right tibia, initial encounter for closed fracture       |
| S89.032A    | Salter-Harris Type III physeal fracture of upper end of left tibia, initial encounter for closed fracture        |
| S89.039A    | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture |
| S89.041A    | Salter-Harris Type IV physeal fracture of upper end of right tibia, initial encounter for closed fracture        |
| S89.042A    | Salter-Harris Type IV physeal fracture of upper end of left tibia, initial encounter for closed fracture         |
| S89.049A    | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture  |
| S89.091A    | Other physeal fracture of upper end of right tibia, initial encounter for closed fracture                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S89.092A    | Other physeal fracture of upper end of left tibia, initial encounter for closed fracture                         |
| S89.099A    | Other physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture                  |
| S89.201A    | Unspecified physeal fracture of upper end of right fibula, initial encounter for closed fracture                 |
| S89.202A    | Unspecified physeal fracture of upper end of left fibula, initial encounter for closed fracture                  |
| S89.209A    | Unspecified physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture           |
| S89.211A    | Salter-Harris Type I physeal fracture of upper end of right fibula, initial encounter for closed fracture        |
| S89.212A    | Salter-Harris Type I physeal fracture of upper end of left fibula, initial encounter for closed fracture         |
| S89.219A    | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture  |
| S89.221A    | Salter-Harris Type II physeal fracture of upper end of right fibula, initial encounter for closed fracture       |
| S89.222A    | Salter-Harris Type II physeal fracture of upper end of left fibula, initial encounter for closed fracture        |
| S89.229A    | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture |
| S89.291A    | Other physeal fracture of upper end of right fibula, initial encounter for closed fracture                       |
| S89.292A    | Other physeal fracture of upper end of left fibula, initial encounter for closed fracture                        |
| S89.299A    | Other physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture                 |
| S90.00XA    | Contusion of unspecified ankle, initial encounter  |
| S90.01XA    | Contusion of right ankle, initial encounter  |
| S90.02XA    | Contusion of left ankle, initial encounter   |
| S90.111A    | Contusion of right great toe without damage to nail, initial encounter   |
| S90.112A    | Contusion of left great toe without damage to nail, initial encounter  |
| S90.119A    | Contusion of unspecified great toe without damage to nail, initial encounter                                     |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S90.121A | Contusion of right lesser toe(s) without damage to nail, initial encounter       |
| S90.122A | Contusion of left lesser toe(s) without damage to nail, initial encounter        |
| S90.129A | Contusion of unspecified lesser toe(s) without damage to nail, initial encounter |
| S90.211A | Contusion of right great toe with damage to nail, initial encounter              |
| S90.212A | Contusion of left great toe with damage to nail, initial encounter               |
| S90.219A | Contusion of unspecified great toe with damage to nail, initial encounter        |
| S90.221A | Contusion of right lesser toe(s) with damage to nail, initial encounter          |
| S90.222A | Contusion of left lesser toe(s) with damage to nail, initial encounter           |
| S90.229A | Contusion of unspecified lesser toe(s) with damage to nail, initial encounter    |
| S90.30XA | Contusion of unspecified foot, initial encounter                                 |
| S90.31XA | Contusion of right foot, initial encounter                                       |
| S90.32XA | Contusion of left foot, initial encounter  |
| S92.812A | Other fracture of left foot, initial encounter for closed fracture               |
| S92.812B | Other fracture of left foot, initial encounter for open fracture                 |
| S92.819A | Other fracture of unspecified foot, initial encounter for closed fracture        |
| S92.819B | Other fracture of unspecified foot, initial encounter for open fracture          |
| S95.001A | Unspecified injury of dorsal artery of right foot, initial encounter             |
| S95.002A | Unspecified injury of dorsal artery of left foot, initial encounter              |
| S95.009A | Unspecified injury of dorsal artery of unspecified foot, initial encounter       |
| S95.011A | Laceration of dorsal artery of right foot, initial encounter                     |
| S95.012A | Laceration of dorsal artery of left foot, initial encounter                      |
| S95.019A | Laceration of dorsal artery of unspecified foot, initial encounter               |
| S95.091A | Other specified injury of dorsal artery of right foot, initial encounter         |
| S95.092A | Other specified injury of dorsal artery of left foot, initial encounter          |
| S95.099A | Other specified injury of dorsal artery of unspecified foot, initial encounter   |
| S95.101A | Unspecified injury of plantar artery of right foot, initial encounter            |
| S95.102A | Unspecified injury of plantar artery of left foot, initial encounter             |
| S95.109A | Unspecified injury of plantar artery of unspecified foot, initial encounter      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S95.111A    | Laceration of plantar artery of right foot, initial encounter   |
| S95.112A    | Laceration of plantar artery of left foot, initial encounter  |
| S95.119A    | Laceration of plantar artery of unspecified foot, initial encounter                                   |
| S95.191A    | Other specified injury of plantar artery of right foot, initial encounter                             |
| S95.192A    | Other specified injury of plantar artery of left foot, initial encounter                              |
| S95.199A    | Other specified injury of plantar artery of unspecified foot, initial encounter                       |
| S95.201A    | Unspecified injury of dorsal vein of right foot, initial encounter                                    |
| S95.202A    | Unspecified injury of dorsal vein of left foot, initial encounter                                     |
| S95.209A    | Unspecified injury of dorsal vein of unspecified foot, initial encounter                              |
| S95.211A    | Laceration of dorsal vein of right foot, initial encounter  |
| S95.212A    | Laceration of dorsal vein of left foot, initial encounter   |
| S95.219A    | Laceration of dorsal vein of unspecified foot, initial encounter                                      |
| S95.291A    | Other specified injury of dorsal vein of right foot, initial encounter                                |
| S95.292A    | Other specified injury of dorsal vein of left foot, initial encounter                                 |
| S95.299A    | Other specified injury of dorsal vein of unspecified foot, initial encounter                          |
| S95.801A    | Unspecified injury of other blood vessels at ankle and foot level, right leg, initial encounter       |
| S95.802A    | Unspecified injury of other blood vessels at ankle and foot level, left leg, initial encounter        |
| S95.809A    | Unspecified injury of other blood vessels at ankle and foot level, unspecified leg, initial encounter |
| S95.811A    | Laceration of other blood vessels at ankle and foot level, right leg, initial encounter               |
| S95.812A    | Laceration of other blood vessels at ankle and foot level, left leg, initial encounter                |
| S95.819A    | Laceration of other blood vessels at ankle and foot level, unspecified leg, initial encounter         |
| S95.891A    | Other specified injury of other blood vessels at ankle and foot level, right leg, initial encounter   |
| S95.892A    | Other specified injury of other blood vessels at ankle and foot level, left leg, initial encounter    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S95.899A    | Other specified injury of other blood vessels at ankle and foot level, unspecified leg, initial encounter      |
| S95.901A    | Unspecified injury of unspecified blood vessel at ankle and foot level, right leg, initial encounter           |
| S95.902A    | Unspecified injury of unspecified blood vessel at ankle and foot level, left leg, initial encounter            |
| S95.909A    | Unspecified injury of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter     |
| S95.911A    | Laceration of unspecified blood vessel at ankle and foot level, right leg, initial encounter                   |
| S95.912A    | Laceration of unspecified blood vessel at ankle and foot level, left leg, initial encounter                    |
| S95.919A    | Laceration of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter             |
| S95.991A    | Other specified injury of unspecified blood vessel at ankle and foot level, right leg, initial encounter       |
| S95.992A    | Other specified injury of unspecified blood vessel at ankle and foot level, left leg, initial encounter        |
| S95.999A    | Other specified injury of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter |
| S97.00XA    | Crushing injury of unspecified ankle, initial encounter  |
| S97.01XA    | Crushing injury of right ankle, initial encounter  |
| S97.02XA    | Crushing injury of left ankle, initial encounter   |
| S97.101A    | Crushing injury of unspecified right toe(s), initial encounter   |
| S97.102A    | Crushing injury of unspecified left toe(s), initial encounter  |
| S97.109A    | Crushing injury of unspecified toe(s), initial encounter   |
| S97.111A    | Crushing injury of right great toe, initial encounter  |
| S97.112A    | Crushing injury of left great toe, initial encounter   |
| S97.119A    | Crushing injury of unspecified great toe, initial encounter  |
| S97.121A    | Crushing injury of right lesser toe(s), initial encounter  |
| S97.122A    | Crushing injury of left lesser toe(s), initial encounter   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S97.129A | Crushing injury of unspecified lesser toe(s), initial encounter  |
| S97.80XA | Crushing injury of unspecified foot, initial encounter   |
| S97.81XA | Crushing injury of right foot, initial encounter   |
| S97.82XA | Crushing injury of left foot, initial encounter  |
| S99.001A | Unspecified physeal fracture of right calcaneus, initial encounter for closed fracture                           |
| S99.002A | Unspecified physeal fracture of left calcaneus, initial encounter for closed fracture                            |
| S99.002B | Unspecified physeal fracture of left calcaneus, initial encounter for open fracture                              |
| S99.009A | Unspecified physeal fracture of unspecified calcaneus, initial encounter for closed fracture                     |
| S99.009B | Unspecified physeal fracture of unspecified calcaneus, initial encounter for open fracture                       |
| S99.011B | Salter-Harris Type I physeal fracture of right calcaneus, initial encounter for open fracture                    |
| S99.011D | Salter-Harris Type I physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S99.012A | Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for closed fracture                   |
| S99.012B | Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for open fracture                     |
| S99.019A | Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for closed fracture            |
| S99.019B | Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for open fracture              |
| S99.021A | Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for closed fracture                 |
| S99.021B | Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for open fracture                   |
| S99.022A | Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for closed fracture                  |
| S99.022B | Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for open fracture                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S99.029A    | Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for closed fracture             |
| S99.029B    | Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for open fracture               |
| S99.031B    | Salter-Harris Type III physeal fracture of right calcaneus, initial encounter for open fracture                    |
| S99.031D    | Salter-Harris Type III physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S99.032A    | Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for closed fracture                   |
| S99.032B    | Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for open fracture                     |
| S99.039A    | Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for closed fracture            |
| S99.039B    | Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for open fracture              |
| S99.041A    | Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for closed fracture                   |
| S99.041B    | Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for open fracture                     |
| S99.042A    | Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for closed fracture                    |
| S99.042B    | Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for open fracture                      |
| S99.049A    | Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for closed fracture             |
| S99.049B    | Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for open fracture               |
| S99.091A    | Other physeal fracture of right calcaneus, initial encounter for closed fracture                                   |
| S99.091B    | Other physeal fracture of right calcaneus, initial encounter for open fracture                                     |
| S99.092A    | Other physeal fracture of left calcaneus, initial encounter for closed fracture                                    |
| S99.092B    | Other physeal fracture of left calcaneus, initial encounter for open fracture                                      |
| S99.099A    | Other physeal fracture of unspecified calcaneus, initial encounter for closed fracture                             |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S99.101A    | Unspecified physeal fracture of right metatarsal, initial encounter for closed fracture                 |
| S99.102A    | Unspecified physeal fracture of left metatarsal, initial encounter for closed fracture                  |
| S99.102B    | Unspecified physeal fracture of left metatarsal, initial encounter for open fracture                    |
| S99.109A    | Unspecified physeal fracture of unspecified metatarsal, initial encounter for closed fracture           |
| S99.109B    | Unspecified physeal fracture of unspecified metatarsal, initial encounter for open fracture             |
| S99.111A    | Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for closed fracture        |
| S99.111B    | Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for open fracture          |
| S99.112A    | Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for closed fracture         |
| S99.112B    | Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for open fracture           |
| S99.119A    | Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for closed fracture  |
| S99.119B    | Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for open fracture    |
| S99.121A    | Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for closed fracture       |
| S99.121B    | Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for open fracture         |
| S99.122A    | Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.122B    | Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.129A    | Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for closed fracture |
| S99.129B    | Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for open fracture   |
| S99.131A    | Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for closed fracture      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S99.131B    | Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for open fracture         |
| S99.132A    | Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.132B    | Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.139A    | Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for closed fracture |
| S99.139B    | Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for open fracture   |
| S99.141A    | Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for closed fracture        |
| S99.141B    | Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for open fracture          |
| S99.142A    | Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for closed fracture         |
| S99.142B    | Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for open fracture           |
| S99.149A    | Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for closed fracture  |
| S99.149B    | Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for open fracture    |
| S99.192A    | Other physeal fracture of left metatarsal, initial encounter for closed fracture                         |
| S99.192B    | Other physeal fracture of left metatarsal, initial encounter for open fracture                           |
| S99.199A    | Other physeal fracture of unspecified metatarsal, initial encounter for closed fracture                  |
| S99.199B    | Other physeal fracture of unspecified metatarsal, initial encounter for open fracture                    |
| S99.201A    | Unspecified physeal fracture of phalanx of right toe, initial encounter for closed fracture              |
| S99.201B    | Unspecified physeal fracture of phalanx of right toe, initial encounter for open fracture                |
| S99.202A    | Unspecified physeal fracture of phalanx of left toe, initial encounter for closed fracture               |
| S99.202B    | Unspecified physeal fracture of phalanx of left toe, initial encounter for open fracture                 |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S99.209A    | Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture           |
| S99.209B    | Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for open fracture             |
| S99.211A    | Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for closed fracture        |
| S99.211B    | Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for open fracture          |
| S99.212A    | Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for closed fracture         |
| S99.212B    | Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for open fracture           |
| S99.219A    | Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture  |
| S99.219B    | Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for open fracture    |
| S99.221A    | Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for closed fracture       |
| S99.221B    | Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for open fracture         |
| S99.222A    | Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for closed fracture        |
| S99.222B    | Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for open fracture          |
| S99.229A    | Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.229B    | Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| S99.231A    | Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for closed fracture      |
| S99.231B    | Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for open fracture        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S99.232A | Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for closed fracture        |
| S99.232B | Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for open fracture          |
| S99.239A | Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.239B | Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| S99.241A | Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for closed fracture        |
| S99.241B | Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for open fracture          |
| S99.242A | Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for closed fracture         |
| S99.242B | Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for open fracture           |
| S99.249A | Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture  |
| S99.249B | Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for open fracture    |
| S99.291A | Other physeal fracture of phalanx of right toe, initial encounter for closed fracture                        |
| S99.291B | Other physeal fracture of phalanx of right toe, initial encounter for open fracture                          |
| S99.292A | Other physeal fracture of phalanx of left toe, initial encounter for closed fracture                         |
| S99.292B | Other physeal fracture of phalanx of left toe, initial encounter for open fracture                           |
| S99.299A | Other physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture                  |
| S99.299B | Other physeal fracture of phalanx of unspecified toe, initial encounter for open fracture                    |
| T14.8XXA | Other injury of unspecified body region, initial encounter   |
| T14.90XA | Injury, unspecified, initial encounter   |
| T36.0X5A | Adverse effect of penicillins, initial encounter   |
| T36.1X5A | Adverse effect of cephalosporins and other beta-lactam antibiotics, initial encounter                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T36.2X5A | Adverse effect of chloramphenicol group, initial encounter  |
| T36.3X5A | Adverse effect of macrolides, initial encounter   |
| T36.4X5A | Adverse effect of tetracyclines, initial encounter  |
| T36.6X5A | Adverse effect of rifampicins, initial encounter  |
| T36.7X5A | Adverse effect of antifungal antibiotics, systemically used, initial encounter                                  |
| T36.8X5A | Adverse effect of other systemic antibiotics, initial encounter   |
| T36.95XA | Adverse effect of unspecified systemic antibiotic, initial encounter  |
| T37.0X5A | Adverse effect of sulfonamides, initial encounter   |
| T37.1X5A | Adverse effect of antimycobacterial drugs, initial encounter  |
| T37.2X5A | Adverse effect of antimalarials and drugs acting on other blood protozoa, initial encounter                     |
| T37.3X5A | Adverse effect of other antiprotozoal drugs, initial encounter  |
| T37.4X5A | Adverse effect of anthelmintics, initial encounter  |
| T37.5X5A | Adverse effect of antiviral drugs, initial encounter  |
| T37.8X5A | Adverse effect of other specified systemic anti-infectives and antiparasitics, initial encounter                |
| T37.95XA | Adverse effect of unspecified systemic anti-infective and antiparasitic, initial encounter                      |
| T38.0X5A | Adverse effect of glucocorticoids and synthetic analogues, initial encounter                                    |
| T38.1X5A | Adverse effect of thyroid hormones and substitutes, initial encounter   |
| T38.2X5A | Adverse effect of antithyroid drugs, initial encounter  |
| T38.4X5A | Adverse effect of oral contraceptives, initial encounter  |
| T38.5X5A | Adverse effect of other estrogens and progestogens, initial encounter   |
| T38.6X5A | Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, initial encounter |
| T38.7X5A | Adverse effect of androgens and anabolic congeners, initial encounter   |
| T38.805A | Adverse effect of unspecified hormones and synthetic substitutes, initial encounter                             |
| T38.815A | Adverse effect of anterior pituitary [adenohypophyseal] hormones, initial encounter                             |
| T38.895A | Adverse effect of other hormones and synthetic substitutes, initial encounter                                   |
| T38.905A | Adverse effect of unspecified hormone antagonists, initial encounter  |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T38.995A | Adverse effect of other hormone antagonists, initial encounter   |
| T39.015A | Adverse effect of aspirin, initial encounter   |
| T39.095A | Adverse effect of salicylates, initial encounter   |
| T39.2X5A | Adverse effect of pyrazolone derivatives, initial encounter  |
| T39.315A | Adverse effect of propionic acid derivatives, initial encounter  |
| T39.395A | Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], initial encounter                    |
| T39.4X5A | Adverse effect of antirheumatics, not elsewhere classified, initial encounter                              |
| T39.8X5A | Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, initial encounter |
| T39.95XA | Adverse effect of unspecified nonopioid analgesic, antipyretic and antirheumatic, initial encounter        |
| T40.0X5A | Adverse effect of opium, initial encounter   |
| T40.2X5A | Adverse effect of other opioids, initial encounter   |
| T40.3X5A | Adverse effect of methadone, initial encounter   |
| T40.411A | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter                   |
| T40.411D | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), subsequent encounter                |
| T40.411S | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), sequela                             |
| T40.412A | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter                        |
| T40.412D | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter                     |
| T40.412S | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela                                  |
| T40.413A | Poisoning by fentanyl or fentanyl analogs, assault, initial encounter                                      |
| T40.413D | Poisoning by fentanyl or fentanyl analogs, assault, subsequent encounter                                   |
| T40.413S | Poisoning by fentanyl or fentanyl analogs, assault, sequela  |
| T40.414A | Poisoning by fentanyl or fentanyl analogs, undetermined, initial encounter                                 |
| T40.414D | Poisoning by fentanyl or fentanyl analogs, undetermined, subsequent encounter                              |
| T40.414S | Poisoning by fentanyl or fentanyl analogs, undetermined, sequela   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T40.415A | Adverse effect of fentanyl or fentanyl analogs, initial encounter                        |
| T40.415D | Adverse effect of fentanyl or fentanyl analogs, subsequent encounter                     |
| T40.415S | Adverse effect of fentanyl or fentanyl analogs, sequela                                  |
| T40.416A | Underdosing of fentanyl or fentanyl analogs, initial encounter                           |
| T40.416D | Underdosing of fentanyl or fentanyl analogs, subsequent encounter                        |
| T40.416S | Underdosing of fentanyl or fentanyl analogs, sequela                                     |
| T40.421A | Poisoning by tramadol, accidental (unintentional), initial encounter                     |
| T40.421D | Poisoning by tramadol, accidental (unintentional), subsequent encounter                  |
| T40.421S | Poisoning by tramadol, accidental (unintentional), sequela                               |
| T40.422A | Poisoning by tramadol, intentional self-harm, initial encounter                          |
| T40.422D | Poisoning by tramadol, intentional self-harm, subsequent encounter                       |
| T40.422S | Poisoning by tramadol, intentional self-harm, sequela                                    |
| T40.423A | Poisoning by tramadol, assault, initial encounter  |
| T40.423D | Poisoning by tramadol, assault, subsequent encounter                                     |
| T40.423S | Poisoning by tramadol, assault, sequela  |
| T40.424A | Poisoning by tramadol, undetermined, initial encounter                                   |
| T40.424D | Poisoning by tramadol, undetermined, subsequent encounter                                |
| T40.424S | Poisoning by tramadol, undetermined, sequela   |
| T40.425A | Adverse effect of tramadol, initial encounter  |
| T40.425D | Adverse effect of tramadol, subsequent encounter   |
| T40.425S | Adverse effect of tramadol, sequela  |
| T40.426A | Underdosing of tramadol, initial encounter   |
| T40.426D | Underdosing of tramadol, subsequent encounter  |
| T40.426S | Underdosing of tramadol, sequela   |
| T40.491A | Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter    |
| T40.491D | Poisoning by other synthetic narcotics, accidental (unintentional), subsequent encounter |
| T40.491S | Poisoning by other synthetic narcotics, accidental (unintentional), sequela              |
| T40.492A | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter         |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T40.492D | Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter        |
| T40.492S | Poisoning by other synthetic narcotics, intentional self-harm, sequela                     |
| T40.493A | Poisoning by other synthetic narcotics, assault, initial encounter                         |
| T40.493D | Poisoning by other synthetic narcotics, assault, subsequent encounter                      |
| T40.493S | Poisoning by other synthetic narcotics, assault, sequela                                   |
| T40.494A | Poisoning by other synthetic narcotics, undetermined, initial encounter                    |
| T40.494D | Poisoning by other synthetic narcotics, undetermined, subsequent encounter                 |
| T40.494S | Poisoning by other synthetic narcotics, undetermined, sequela                              |
| T40.495A | Adverse effect of other synthetic narcotics, initial encounter                             |
| T40.495D | Adverse effect of other synthetic narcotics, subsequent encounter                          |
| T40.495S | Adverse effect of other synthetic narcotics, sequela                                       |
| T40.496A | Underdosing of other synthetic narcotics, initial encounter                                |
| T40.496D | Underdosing of other synthetic narcotics, subsequent encounter                             |
| T40.496S | Underdosing of other synthetic narcotics, sequela  |
| T40.5X5A | Adverse effect of cocaine, initial encounter   |
| T40.605A | Adverse effect of unspecified narcotics, initial encounter                                 |
| T40.695A | Adverse effect of other narcotics, initial encounter                                       |
| T40.7X5A | Adverse effect of cannabis (derivatives), initial encounter                                |
| T40.905A | Adverse effect of unspecified psychodysleptics [hallucinogens], initial encounter          |
| T40.995A | Adverse effect of other psychodysleptics [hallucinogens], initial encounter                |
| T42.0X5A | Adverse effect of hydantoin derivatives, initial encounter                                 |
| T42.1X5A | Adverse effect of iminostilbenes, initial encounter  |
| T42.2X5A | Adverse effect of succinimides and oxazolidinediones, initial encounter                    |
| T42.3X5A | Adverse effect of barbiturates, initial encounter  |
| T42.4X5A | Adverse effect of benzodiazepines, initial encounter                                       |
| T42.5X5A | Adverse effect of mixed antiepileptics, initial encounter                                  |
| T42.6X5A | Adverse effect of other antiepileptic and sedative-hypnotic drugs, initial encounter       |
| T42.75XA | Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, initial encounter |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T42.8X5A    | Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, initial encounter |
| T43.015A    | Adverse effect of tricyclic antidepressants, initial encounter  |
| T43.025A    | Adverse effect of tetracyclic antidepressants, initial encounter                                      |
| T43.205A    | Adverse effect of unspecified antidepressants, initial encounter                                      |
| T43.295A    | Adverse effect of other antidepressants, initial encounter  |
| T43.3X5A    | Adverse effect of phenothiazine antipsychotics and neuroleptics, initial encounter                    |
| T43.4X5A    | Adverse effect of butyrophenone and thiothixene neuroleptics, initial encounter                       |
| T43.505A    | Adverse effect of unspecified antipsychotics and neuroleptics, initial encounter                      |
| T43.595A    | Adverse effect of other antipsychotics and neuroleptics, initial encounter                            |
| T43.605A    | Adverse effect of unspecified psychostimulants, initial encounter                                     |
| T43.625A    | Adverse effect of amphetamines, initial encounter   |
| T43.635A    | Adverse effect of methylphenidate, initial encounter  |
| T43.641A    | Poisoning by ecstasy, accidental (unintentional), initial encounter                                   |
| T43.641D    | Poisoning by ecstasy, accidental (unintentional), subsequent encounter                                |
| T43.641S    | Poisoning by ecstasy, accidental (unintentional), sequela   |
| T43.642A    | Poisoning by ecstasy, intentional self-harm, initial encounter  |
| T43.642D    | Poisoning by ecstasy, intentional self-harm, subsequent encounter                                     |
| T43.642S    | Poisoning by ecstasy, intentional self-harm, sequela  |
| T43.643A    | Poisoning by ecstasy, assault, initial encounter  |
| T43.643D    | Poisoning by ecstasy, assault, subsequent encounter   |
| T43.643S    | Poisoning by ecstasy, assault, sequela  |
| T43.644A    | Poisoning by ecstasy, undetermined, initial encounter   |
| T43.644D    | Poisoning by ecstasy, undetermined, subsequent encounter  |
| T43.644S    | Poisoning by ecstasy, undetermined, sequela   |
| T43.695A    | Adverse effect of other psychostimulants, initial encounter   |
| T43.8X5A    | Adverse effect of other psychotropic drugs, initial encounter   |
| T43.95XA    | Adverse effect of unspecified psychotropic drug, initial encounter                                    |
| T44.7X5A    | Adverse effect of beta-adrenoreceptor antagonists, initial encounter                                  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T45.1X5A | Adverse effect of antineoplastic and immunosuppressive drugs, initial encounter                                       |
| T45.2X5A | Adverse effect of vitamins, initial encounter   |
| T45.4X5A | Adverse effect of iron and its compounds, initial encounter   |
| T45.511A | Poisoning by anticoagulants, accidental (unintentional), initial encounter  |
| T45.512A | Poisoning by anticoagulants, intentional self-harm, initial encounter   |
| T45.513A | Poisoning by anticoagulants, assault, initial encounter   |
| T45.514A | Poisoning by anticoagulants, undetermined, initial encounter  |
| T45.515A | Adverse effect of anticoagulants, initial encounter   |
| T45.521A | Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter                                      |
| T45.522A | Poisoning by antithrombotic drugs, intentional self-harm, initial encounter   |
| T45.523A | Poisoning by antithrombotic drugs, assault, initial encounter   |
| T45.524A | Poisoning by antithrombotic drugs, undetermined, initial encounter  |
| T45.525A | Adverse effect of antithrombotic drugs, initial encounter   |
| T45.605A | Adverse effect of unspecified fibrinolysis-affecting drugs, initial encounter   |
| T45.615A | Adverse effect of thrombolytic drugs, initial encounter   |
| T45.625A | Adverse effect of hemostatic drug, initial encounter  |
| T45.695A | Adverse effect of other fibrinolysis-affecting drugs, initial encounter   |
| T45.7X1A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), initial encounter |
| T45.7X2A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter      |
| T45.7X3A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, initial encounter                    |
| T45.7X4A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, initial encounter               |
| T45.7X5A | Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, initial encounter                        |
| T45.8X1A | Poisoning by other primarily systemic and hematological agents, accidental (unintentional), initial encounter         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T45.8X5A | Adverse effect of other primarily systemic and hematological agents, initial encounter   |
| T45.95XA | Adverse effect of unspecified primarily systemic and hematological agent, initial encounter                                      |
| T46.1X5A | Adverse effect of calcium-channel blockers, initial encounter  |
| T46.2X5A | Adverse effect of other antidysrhythmic drugs, initial encounter   |
| T46.3X5A | Adverse effect of coronary vasodilators, initial encounter   |
| T46.4X5A | Adverse effect of angiotensin-converting-enzyme inhibitors, initial encounter  |
| T46.5X5A | Adverse effect of other antihypertensive drugs, initial encounter  |
| T46.6X5A | Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, initial encounter   |
| T46.7X5A | Adverse effect of peripheral vasodilators, initial encounter   |
| T46.8X5A | Adverse effect of antivaricose drugs, including sclerosing agents, initial encounter   |
| T46.905A | Adverse effect of unspecified agents primarily affecting the cardiovascular system, initial encounter                            |
| T46.995A | Adverse effect of other agents primarily affecting the cardiovascular system, initial encounter                                  |
| T48.0X5A | Adverse effect of oxytocic drugs, initial encounter  |
| T48.1X5A | Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], initial encounter                                   |
| T49.1X5A | Adverse effect of antipruritics, initial encounter   |
| T50.4X5A | Adverse effect of drugs affecting uric acid metabolism, initial encounter  |
| T50.6X5A | Adverse effect of antidotes and chelating agents, initial encounter  |
| T50.7X5A | Adverse effect of analeptics and opioid receptor antagonists, initial encounter  |
| T50.905A | Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter                                    |
| T50.911A | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter    |
| T50.911D | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), subsequent encounter |
| T50.911S | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), sequela              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T50.912A | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter    |
| T50.912D | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter |
| T50.912S | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela              |
| T50.913A | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, initial encounter                  |
| T50.913D | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, subsequent encounter               |
| T50.913S | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, sequela                            |
| T50.914A | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, initial encounter             |
| T50.914D | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, subsequent encounter          |
| T50.914S | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, sequela                       |
| T50.915A | Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter                      |
| T50.915D | Adverse effect of multiple unspecified drugs, medicaments and biological substances, subsequent encounter                   |
| T50.915S | Adverse effect of multiple unspecified drugs, medicaments and biological substances, sequela                                |
| T50.916A | Underdosing of multiple unspecified drugs, medicaments and biological substances, initial encounter                         |
| T50.916D | Underdosing of multiple unspecified drugs, medicaments and biological substances, subsequent encounter                      |
| T50.916S | Underdosing of multiple unspecified drugs, medicaments and biological substances, sequela                                   |
| T50.995A | Adverse effect of other drugs, medicaments and biological substances, initial encounter                                     |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T50.A15A    | Adverse effect of pertussis vaccine, including combinations with a pertussis component, initial encounter |
| T50.B95A    | Adverse effect of other viral vaccines, initial encounter   |
| T50.Z15A    | Adverse effect of immunoglobulin, initial encounter   |
| T50.Z95A    | Adverse effect of other vaccines and biological substances, initial encounter                             |
| T51.0X1A    | Toxic effect of ethanol, accidental (unintentional), initial encounter                                    |
| T51.0X2A    | Toxic effect of ethanol, intentional self-harm, initial encounter   |
| T51.0X3A    | Toxic effect of ethanol, assault, initial encounter   |
| T51.0X4A    | Toxic effect of ethanol, undetermined, initial encounter  |
| T63.001A    | Toxic effect of unspecified snake venom, accidental (unintentional), initial encounter                    |
| T63.002A    | Toxic effect of unspecified snake venom, intentional self-harm, initial encounter                         |
| T63.003A    | Toxic effect of unspecified snake venom, assault, initial encounter                                       |
| T63.004A    | Toxic effect of unspecified snake venom, undetermined, initial encounter                                  |
| T63.011A    | Toxic effect of rattlesnake venom, accidental (unintentional), initial encounter                          |
| T63.012A    | Toxic effect of rattlesnake venom, intentional self-harm, initial encounter                               |
| T63.013A    | Toxic effect of rattlesnake venom, assault, initial encounter   |
| T63.014A    | Toxic effect of rattlesnake venom, undetermined, initial encounter  |
| T63.021A    | Toxic effect of coral snake venom, accidental (unintentional), initial encounter                          |
| T63.022A    | Toxic effect of coral snake venom, intentional self-harm, initial encounter                               |
| T63.023A    | Toxic effect of coral snake venom, assault, initial encounter   |
| T63.024A    | Toxic effect of coral snake venom, undetermined, initial encounter  |
| T63.031A    | Toxic effect of taipan venom, accidental (unintentional), initial encounter                               |
| T63.032A    | Toxic effect of taipan venom, intentional self-harm, initial encounter                                    |
| T63.033A    | Toxic effect of taipan venom, assault, initial encounter  |
| T63.034A    | Toxic effect of taipan venom, undetermined, initial encounter   |
| T63.041A    | Toxic effect of cobra venom, accidental (unintentional), initial encounter                                |
| T63.042A    | Toxic effect of cobra venom, intentional self-harm, initial encounter                                     |
| T63.043A    | Toxic effect of cobra venom, assault, initial encounter   |
| T63.044A    | Toxic effect of cobra venom, undetermined, initial encounter  |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T63.061A | Toxic effect of venom of other North and South American snake, accidental (unintentional), initial encounter |
| T63.062A | Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter      |
| T63.063A | Toxic effect of venom of other North and South American snake, assault, initial encounter                    |
| T63.064A | Toxic effect of venom of other North and South American snake, undetermined, initial encounter               |
| T63.071A | Toxic effect of venom of other Australian snake, accidental (unintentional), initial encounter               |
| T63.072A | Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter                    |
| T63.073A | Toxic effect of venom of other Australian snake, assault, initial encounter                                  |
| T63.074A | Toxic effect of venom of other Australian snake, undetermined, initial encounter                             |
| T63.081A | Toxic effect of venom of other African and Asian snake, accidental (unintentional), initial encounter        |
| T63.082A | Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter             |
| T63.083A | Toxic effect of venom of other African and Asian snake, assault, initial encounter                           |
| T63.084A | Toxic effect of venom of other African and Asian snake, undetermined, initial encounter                      |
| T63.091A | Toxic effect of venom of other snake, accidental (unintentional), initial encounter                          |
| T63.092A | Toxic effect of venom of other snake, intentional self-harm, initial encounter                               |
| T63.093A | Toxic effect of venom of other snake, assault, initial encounter   |
| T63.094A | Toxic effect of venom of other snake, undetermined, initial encounter  |
| T63.111A | Toxic effect of venom of gila monster, accidental (unintentional), initial encounter                         |
| T63.112A | Toxic effect of venom of gila monster, intentional self-harm, initial encounter                              |
| T63.113A | Toxic effect of venom of gila monster, assault, initial encounter  |
| T63.114A | Toxic effect of venom of gila monster, undetermined, initial encounter                                       |
| T63.121A | Toxic effect of venom of other venomous lizard, accidental (unintentional), initial encounter                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T63.122A    | Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter     |
| T63.123A    | Toxic effect of venom of other venomous lizard, assault, initial encounter                   |
| T63.124A    | Toxic effect of venom of other venomous lizard, undetermined, initial encounter              |
| T63.191A    | Toxic effect of venom of other reptiles, accidental (unintentional), initial encounter       |
| T63.192A    | Toxic effect of venom of other reptiles, intentional self-harm, initial encounter            |
| T63.193A    | Toxic effect of venom of other reptiles, assault, initial encounter                          |
| T63.194A    | Toxic effect of venom of other reptiles, undetermined, initial encounter                     |
| T63.2X1A    | Toxic effect of venom of scorpion, accidental (unintentional), initial encounter             |
| T63.2X2A    | Toxic effect of venom of scorpion, intentional self-harm, initial encounter                  |
| T63.2X3A    | Toxic effect of venom of scorpion, assault, initial encounter                                |
| T63.2X4A    | Toxic effect of venom of scorpion, undetermined, initial encounter                           |
| T63.301A    | Toxic effect of unspecified spider venom, accidental (unintentional), initial encounter      |
| T63.302A    | Toxic effect of unspecified spider venom, intentional self-harm, initial encounter           |
| T63.303A    | Toxic effect of unspecified spider venom, assault, initial encounter                         |
| T63.304A    | Toxic effect of unspecified spider venom, undetermined, initial encounter                    |
| T63.311A    | Toxic effect of venom of black widow spider, accidental (unintentional), initial encounter   |
| T63.312A    | Toxic effect of venom of black widow spider, intentional self-harm, initial encounter        |
| T63.313A    | Toxic effect of venom of black widow spider, assault, initial encounter                      |
| T63.314A    | Toxic effect of venom of black widow spider, undetermined, initial encounter                 |
| T63.321A    | Toxic effect of venom of tarantula, accidental (unintentional), initial encounter            |
| T63.322A    | Toxic effect of venom of tarantula, intentional self-harm, initial encounter                 |
| T63.323A    | Toxic effect of venom of tarantula, assault, initial encounter                               |
| T63.324A    | Toxic effect of venom of tarantula, undetermined, initial encounter                          |
| T63.331A    | Toxic effect of venom of brown recluse spider, accidental (unintentional), initial encounter |
| T63.332A    | Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter      |
| T63.333A    | Toxic effect of venom of brown recluse spider, assault, initial encounter                    |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T63.334A | Toxic effect of venom of brown recluse spider, undetermined, initial encounter                             |
| T63.391A | Toxic effect of venom of other spider, accidental (unintentional), initial encounter                       |
| T63.392A | Toxic effect of venom of other spider, intentional self-harm, initial encounter                            |
| T63.393A | Toxic effect of venom of other spider, assault, initial encounter  |
| T63.394A | Toxic effect of venom of other spider, undetermined, initial encounter                                     |
| T63.411A | Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), initial encounter |
| T63.412A | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter      |
| T63.413A | Toxic effect of venom of centipedes and venomous millipedes, assault, initial encounter                    |
| T63.414A | Toxic effect of venom of centipedes and venomous millipedes, undetermined, initial encounter               |
| T63.421A | Toxic effect of venom of ants, accidental (unintentional), initial encounter                               |
| T63.422A | Toxic effect of venom of ants, intentional self-harm, initial encounter                                    |
| T63.423A | Toxic effect of venom of ants, assault, initial encounter  |
| T63.424A | Toxic effect of venom of ants, undetermined, initial encounter   |
| T63.431A | Toxic effect of venom of caterpillars, accidental (unintentional), initial encounter                       |
| T63.432A | Toxic effect of venom of caterpillars, intentional self-harm, initial encounter                            |
| T63.433A | Toxic effect of venom of caterpillars, assault, initial encounter  |
| T63.434A | Toxic effect of venom of caterpillars, undetermined, initial encounter                                     |
| T63.441A | Toxic effect of venom of bees, accidental (unintentional), initial encounter                               |
| T63.442A | Toxic effect of venom of bees, intentional self-harm, initial encounter                                    |
| T63.443A | Toxic effect of venom of bees, assault, initial encounter  |
| T63.444A | Toxic effect of venom of bees, undetermined, initial encounter   |
| T63.451A | Toxic effect of venom of hornets, accidental (unintentional), initial encounter                            |
| T63.452A | Toxic effect of venom of hornets, intentional self-harm, initial encounter                                 |
| T63.453A | Toxic effect of venom of hornets, assault, initial encounter   |
| T63.454A | Toxic effect of venom of hornets, undetermined, initial encounter  |
| T63.461A | Toxic effect of venom of wasps, accidental (unintentional), initial encounter                              |

**NCD 190.16**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.462A | Toxic effect of venom of wasps, intentional self-harm, initial encounter                        |
| T63.463A | Toxic effect of venom of wasps, assault, initial encounter                                      |
| T63.464A | Toxic effect of venom of wasps, undetermined, initial encounter                                 |
| T63.481A | Toxic effect of venom of other arthropod, accidental (unintentional), initial encounter         |
| T63.482A | Toxic effect of venom of other arthropod, intentional self-harm, initial encounter              |
| T63.483A | Toxic effect of venom of other arthropod, assault, initial encounter                            |
| T63.484A | Toxic effect of venom of other arthropod, undetermined, initial encounter                       |
| T63.511A | Toxic effect of contact with stingray, accidental (unintentional), initial encounter            |
| T63.512A | Toxic effect of contact with stingray, intentional self-harm, initial encounter                 |
| T63.513A | Toxic effect of contact with stingray, assault, initial encounter                               |
| T63.514A | Toxic effect of contact with stingray, undetermined, initial encounter                          |
| T63.591A | Toxic effect of contact with other venomous fish, accidental (unintentional), initial encounter |
| T63.592A | Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter      |
| T63.593A | Toxic effect of contact with other venomous fish, assault, initial encounter                    |
| T63.594A | Toxic effect of contact with other venomous fish, undetermined, initial encounter               |
| T63.611A | Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), initial encounter |
| T63.612A | Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial encounter      |
| T63.613A | Toxic effect of contact with Portugese Man-o-war, assault, initial encounter                    |
| T63.614A | Toxic effect of contact with Portugese Man-o-war, undetermined, initial encounter               |
| T63.621A | Toxic effect of contact with other jellyfish, accidental (unintentional), initial encounter     |
| T63.622A | Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter          |
| T63.623A | Toxic effect of contact with other jellyfish, assault, initial encounter                        |
| T63.624A | Toxic effect of contact with other jellyfish, undetermined, initial encounter                   |
| T63.631A | Toxic effect of contact with sea anemone, accidental (unintentional), initial encounter         |
| T63.632A | Toxic effect of contact with sea anemone, intentional self-harm, initial encounter              |

NCD 190.16

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.633A | Toxic effect of contact with sea anemone, assault, initial encounter                                      |
| T63.634A | Toxic effect of contact with sea anemone, undetermined, initial encounter                                 |
| T63.691A | Toxic effect of contact with other venomous marine animals, accidental (unintentional), initial encounter |
| T63.692A | Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter      |
| T63.693A | Toxic effect of contact with other venomous marine animals, assault, initial encounter                    |
| T63.694A | Toxic effect of contact with other venomous marine animals, undetermined, initial encounter               |
| T63.711A | Toxic effect of contact with venomous marine plant, accidental (unintentional), initial encounter         |
| T63.712A | Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter              |
| T63.713A | Toxic effect of contact with venomous marine plant, assault, initial encounter                            |
| T63.714A | Toxic effect of contact with venomous marine plant, undetermined, initial encounter                       |
| T63.791A | Toxic effect of contact with other venomous plant, accidental (unintentional), initial encounter          |
| T63.792A | Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter               |
| T63.793A | Toxic effect of contact with other venomous plant, assault, initial encounter                             |
| T63.794A | Toxic effect of contact with other venomous plant, undetermined, initial encounter                        |
| T63.811A | Toxic effect of contact with venomous frog, accidental (unintentional), initial encounter                 |
| T63.812A | Toxic effect of contact with venomous frog, intentional self-harm, initial encounter                      |
| T63.813A | Toxic effect of contact with venomous frog, assault, initial encounter                                    |
| T63.814A | Toxic effect of contact with venomous frog, undetermined, initial encounter                               |
| T63.821A | Toxic effect of contact with venomous toad, accidental (unintentional), initial encounter                 |
| T63.822A | Toxic effect of contact with venomous toad, intentional self-harm, initial encounter                      |
| T63.823A | Toxic effect of contact with venomous toad, assault, initial encounter                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.824A | Toxic effect of contact with venomous toad, undetermined, initial encounter                             |
| T63.831A | Toxic effect of contact with other venomous amphibian, accidental (unintentional), initial encounter    |
| T63.832A | Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter         |
| T63.833A | Toxic effect of contact with other venomous amphibian, assault, initial encounter                       |
| T63.834A | Toxic effect of contact with other venomous amphibian, undetermined, initial encounter                  |
| T63.891A | Toxic effect of contact with other venomous animals, accidental (unintentional), initial encounter      |
| T63.892A | Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter           |
| T63.893A | Toxic effect of contact with other venomous animals, assault, initial encounter                         |
| T63.894A | Toxic effect of contact with other venomous animals, undetermined, initial encounter                    |
| T63.91XA | Toxic effect of contact with unspecified venomous animal, accidental (unintentional), initial encounter |
| T63.92XA | Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter      |
| T63.93XA | Toxic effect of contact with unspecified venomous animal, assault, initial encounter                    |
| T63.94XA | Toxic effect of contact with unspecified venomous animal, undetermined, initial encounter               |
| T67.01XA | Heatstroke and sunstroke, initial encounter   |
| T67.01XD | Heatstroke and sunstroke, subsequent encounter  |
| T67.02XA | Exertional heatstroke, initial encounter  |
| T67.02XD | Exertional heatstroke, subsequent encounter   |
| T67.09XA | Other heatstroke and sunstroke, initial encounter   |
| T67.09XD | Other heatstroke and sunstroke, subsequent encounter  |
| T78.41XA | Arthus phenomenon, initial encounter  |
| T79.2XXA | Traumatic secondary and recurrent hemorrhage and seroma, initial encounter                              |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T80.1XXA | Vascular complications following infusion, transfusion and therapeutic injection, initial encounter      |
| T82.817A | Embolism due to cardiac prosthetic devices, implants and grafts, initial encounter                       |
| T82.818A | Embolism due to vascular prosthetic devices, implants and grafts, initial encounter                      |
| T82.827A | Fibrosis due to cardiac prosthetic devices, implants and grafts, initial encounter                       |
| T82.828A | Fibrosis due to vascular prosthetic devices, implants and grafts, initial encounter                      |
| T82.837A | Hemorrhage due to cardiac prosthetic devices, implants and grafts, initial encounter                     |
| T82.838A | Hemorrhage due to vascular prosthetic devices, implants and grafts, initial encounter                    |
| T82.855A | Stenosis of coronary artery stent, initial encounter   |
| T82.855D | Stenosis of coronary artery stent, subsequent encounter  |
| T82.855S | Stenosis of coronary artery stent, sequela   |
| T82.856A | Stenosis of peripheral vascular stent, initial encounter   |
| T82.856D | Stenosis of peripheral vascular stent, subsequent encounter  |
| T82.856S | Stenosis of peripheral vascular stent, sequela   |
| T82.857A | Stenosis of other cardiac prosthetic devices, implants and grafts, initial encounter                     |
| T82.858A | Stenosis of other vascular prosthetic devices, implants and grafts, initial encounter                    |
| T82.867A | Thrombosis due to cardiac prosthetic devices, implants and grafts, initial encounter                     |
| T82.868A | Thrombosis due to vascular prosthetic devices, implants and grafts, initial encounter                    |
| T82.897A | Other specified complication of cardiac prosthetic devices, implants and grafts, initial encounter       |
| T82.898A | Other specified complication of vascular prosthetic devices, implants and grafts, initial encounter      |
| T82.9XXA | Unspecified complication of cardiac and vascular prosthetic device, implant and graft, initial encounter |
| T83.81XA | Embolism due to genitourinary prosthetic devices, implants and grafts, initial encounter                 |
| T83.82XA | Fibrosis due to genitourinary prosthetic devices, implants and grafts, initial encounter                 |
| T83.83XA | Hemorrhage due to genitourinary prosthetic devices, implants and grafts, initial encounter               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T83.85XA    | Stenosis due to genitourinary prosthetic devices, implants and grafts, initial encounter                       |
| T83.86XA    | Thrombosis due to genitourinary prosthetic devices, implants and grafts, initial encounter                     |
| T83.89XA    | Other specified complication of genitourinary prosthetic devices, implants and grafts, initial encounter       |
| T83.9XXA    | Unspecified complication of genitourinary prosthetic device, implant and graft, initial encounter              |
| T84.81XA    | Embolism due to internal orthopedic prosthetic devices, implants and grafts, initial encounter                 |
| T84.82XA    | Fibrosis due to internal orthopedic prosthetic devices, implants and grafts, initial encounter                 |
| T84.83XA    | Hemorrhage due to internal orthopedic prosthetic devices, implants and grafts, initial encounter               |
| T84.85XA    | Stenosis due to internal orthopedic prosthetic devices, implants and grafts, initial encounter                 |
| T84.86XA    | Thrombosis due to internal orthopedic prosthetic devices, implants and grafts, initial encounter               |
| T84.89XA    | Other specified complication of internal orthopedic prosthetic devices, implants and grafts, initial encounter |
| T84.9XXA    | Unspecified complication of internal orthopedic prosthetic device, implant and graft, initial encounter        |
| T85.810A    | Embolism due to nervous system prosthetic devices, implants and grafts, initial encounter                      |
| T85.810D    | Embolism due to nervous system prosthetic devices, implants and grafts, subsequent encounter                   |
| T85.810S    | Embolism due to nervous system prosthetic devices, implants and grafts, sequela                                |
| T85.818A    | Embolism due to other internal prosthetic devices, implants and grafts, initial encounter                      |
| T85.818D    | Embolism due to other internal prosthetic devices, implants and grafts, subsequent encounter                   |
| T85.818S    | Embolism due to other internal prosthetic devices, implants and grafts, sequela                                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T85.830A | Hemorrhage due to nervous system prosthetic devices, implants and grafts, initial encounter    |
| T85.838A | Hemorrhage due to other internal prosthetic devices, implants and grafts, initial encounter    |
| T85.840A | Pain due to nervous system prosthetic devices, implants and grafts, initial encounter          |
| T85.848A | Pain due to other internal prosthetic devices, implants and grafts, initial encounter          |
| T85.850A | Stenosis due to nervous system prosthetic devices, implants and grafts, initial encounter      |
| T85.858A | Stenosis due to other internal prosthetic devices, implants and grafts, initial encounter      |
| T85.860A | Thrombosis due to nervous system prosthetic devices, implants and grafts, initial encounter    |
| T85.860D | Thrombosis due to nervous system prosthetic devices, implants and grafts, subsequent encounter |
| T85.860S | Thrombosis due to nervous system prosthetic devices, implants and grafts, sequela              |
| T85.868A | Thrombosis due to other internal prosthetic devices, implants and grafts, initial encounter    |
| T85.868D | Thrombosis due to other internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.868S | Thrombosis due to other internal prosthetic devices, implants and grafts, sequela              |
| T85.9XXA | Unspecified complication of internal prosthetic device, implant and graft, initial encounter   |
| T86.8401 | Corneal transplant rejection, right eye  |
| T86.8402 | Corneal transplant rejection, left eye   |
| T86.8403 | Corneal transplant rejection, bilateral  |
| T86.8409 | Corneal transplant rejection, unspecified eye  |
| T86.8411 | Corneal transplant failure, right eye  |
| T86.8412 | Corneal transplant failure, left eye   |
| T86.8413 | Corneal transplant failure, bilateral  |
| T86.8419 | Corneal transplant failure, unspecified eye  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T86.8421 | Corneal transplant infection, right eye  |
| T86.8422 | Corneal transplant infection, left eye   |
| T86.8423 | Corneal transplant infection, bilateral  |
| T86.8429 | Corneal transplant infection, unspecified eye  |
| T86.8481 | Other complications of corneal transplant, right eye   |
| T86.8482 | Other complications of corneal transplant, left eye  |
| T86.8483 | Other complications of corneal transplant, bilateral   |
| T86.8489 | Other complications of corneal transplant, unspecified eye   |
| T86.8491 | Unspecified complication of corneal transplant, right eye  |
| T86.8492 | Unspecified complication of corneal transplant, left eye   |
| T86.8493 | Unspecified complication of corneal transplant, bilateral  |
| T86.8499 | Unspecified complication of corneal transplant, unspecified eye                                      |
| T88.52XA | Failed moderate sedation during procedure, initial encounter   |
| Z05.0    | Observation and evaluation of newborn for suspected cardiac condition ruled out                      |
| Z05.1    | Observation and evaluation of newborn for suspected infectious condition ruled out                   |
| Z05.2    | Observation and evaluation of newborn for suspected neurological condition ruled out                 |
| Z05.3    | Observation and evaluation of newborn for suspected respiratory condition ruled out                  |
| Z05.41   | Observation and evaluation of newborn for suspected genetic condition ruled out                      |
| Z05.42   | Observation and evaluation of newborn for suspected metabolic condition ruled out                    |
| Z05.43   | Observation and evaluation of newborn for suspected immunologic condition ruled out                  |
| Z05.5    | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out             |
| Z05.6    | Observation and evaluation of newborn for suspected genitourinary condition ruled out                |
| Z05.71   | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out |
| Z05.72   | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z05.73  | Observation and evaluation of newborn for suspected connective tissue condition ruled out                               |
| Z05.8   | Observation and evaluation of newborn for other specified suspected condition ruled out                                 |
| Z05.9   | Observation and evaluation of newborn for unspecified suspected condition ruled out                                     |
| Z19.1   | Hormone sensitive malignancy status   |
| Z19.2   | Hormone resistant malignancy status   |
| Z22.7   | Latent tuberculosis   |
| Z51.81  | Encounter for therapeutic drug level monitoring   |
| Z51.89  | Encounter for other specified aftercare   |
| Z53.31  | Laparoscopic surgical procedure converted to open procedure   |
| Z53.32  | Thoracoscopic surgical procedure converted to open procedure  |
| Z53.33  | Arthroscopic surgical procedure converted to open procedure   |
| Z53.39  | Other specified procedure converted to open procedure   |
| Z79.01  | Long term (current) use of anticoagulants   |
| Z84.82  | Family history of sudden infant death syndrome  |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs  |
| Z86.003 | Personal history of in-situ neoplasm of oral cavity, esophagus and stomach  |
| Z86.004 | Personal history of in-situ neoplasm of other and unspecified digestive organs  |
| Z86.005 | Personal history of in-situ neoplasm of middle ear and respiratory system   |
| Z86.006 | Personal history of melanoma in-situ  |
| Z86.007 | Personal history of in-situ neoplasm of skin  |
| Z86.15  | Personal history of latent tuberculosis infection   |
| Z86.2   | Personal history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z96.82  | Presence of neurostimulator   |

### **Indications**

1. The PTT is most commonly used to quantitate the effect of therapeutic unfractionated heparin and to regulate its dosing. Except during transitions between heparin and warfarin therapy, in general both the PTT and PT are not necessary together to assess the effect of anticoagulation therapy. PT and PTT must be justified separately.
2. A PTT may be used to assess patients with signs or symptoms of hemorrhage or thrombosis. For example:
  - Abnormal bleeding, hemorrhage or hematoma petechiae or other signs of thrombocytopenia that could be due to Disseminated Intravascular Coagulation
  - Swollen extremity with or without prior trauma
3. A PTT may be useful in evaluating patients who have a history of a condition known to be associated with the risk of hemorrhage or thrombosis that is related to the intrinsic coagulation pathway. Such abnormalities may be genetic or acquired. For example:
  - Dysfibrinogenemia
  - Afibrinogenemia (complete)
  - Acute or chronic liver dysfunction or failure, including Wilson's disease
  - Hemophilia
  - Liver disease and failure
  - Infectious processes
  - Bleeding disorders
  - Disseminated intravascular coagulation
  - Lupus erythematosus or other conditions associated with circulating inhibitors, e.g., factor VIII Inhibitor, lupus-like anticoagulant
  - Sepsis
  - Von Willebrand's disease
  - Arterial and venous thrombosis, including the evaluation of hypercoagulable states
  - Clinical conditions associated with nephrosis or renal failure
  - Other acquired and congenital coagulopathies as well as thrombotic states
4. A PTT may be used to assess the risk of thrombosis or hemorrhage in patients who are going to have a medical intervention known to be associated with increased risk of bleeding or thrombosis. An example is as follows: evaluation prior to invasive procedures or operations of patients with personal or family history of bleeding or who are on heparin therapy

### **Limitations**

1. The PTT is not useful in monitoring the effects of warfarin on a patient's coagulation routinely. However, a PTT may be ordered on a patient being treated with warfarin as heparin therapy is being discontinued. A PTT may also be indicated when the PT is markedly prolonged due to warfarin toxicity.



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

2. The need to repeat this test is determined by changes in the underlying medical condition and/or the dosing of heparin.
3. Testing prior to any medical intervention associated with a risk of bleeding and thrombosis (other than thrombolytic therapy) will generally be considered medically necessary only where there are signs or symptoms of a bleeding or thrombotic abnormality or a personal history of bleeding, thrombosis or a condition associated with a coagulopathy. Hospital/clinic-specific policies, protocols, etc., in and of themselves, cannot alone justify coverage.

***ICD-10-CM Codes That Do Not Support Medical Necessity***

Any ICD-10-CM code not listed in either of the ICD-10-CM sections above.

***Sources of Information***

CMD Clinical Laboratory Workgroup

1999 CPT Physicians' Current Procedural Terminology, American Medical Association

Blue Book of Diagnostic Tests; PL Liu; Saunders

Wintrobe's Clinical Hematology; 9th Ed, 1993, Lea and Febiger

Harrison's Principles of Internal Medicine, 14<sup>th</sup> Ed., McGraw Hill, 1997.

Disorders of Hemostasis, Ratnoff, Oscar D. & Forbes, Charles D., W.B. Saunders Co., 1996

Hemostasis and Thrombosis: Basic Principles and Clinical Practice. Colman, et al editors, J.B. Lippincott, 3rd Edition, 1994, pp 896-898 and 1045-1046.

"College of American Pathologists Conference XXXI on Laboratory Monitoring of Anticoagulant Therapy," Arch Pathol Lab Med, Vol 122, Sep 1998, P 782-798.

Lupus Anticoagulants/Antiphospholipid-protein Antibodies: The Great Imposters, Triplett DA, Lupus 1996:5:431



## 190.17 - Prothrombin Time (PT)

### Other Names/Abbreviations

PT

### Description

Basic plasma coagulation function is readily assessed with a few simple laboratory tests: the Partial Thromboplastin Time (PTT), Prothrombin Time (PT), Thrombin Time (TT), or a quantitative fibrinogen determination. The PT test is one in-vitro laboratory test used to assess coagulation. While the PTT assesses the intrinsic limb of the coagulation system, the PT assesses the extrinsic or tissue factor dependent pathway. Both tests also evaluate the common coagulation pathway involving all the reactions that occur after the activation of factor X. Extrinsic pathway factors are produced in the liver and their production is dependent on adequate vitamin K activity. Deficiencies of factors may be related to decreased production or increased consumption of coagulation factors. The PT/INR is most commonly used to measure the effect of warfarin and regulate its dosing. Warfarin blocks the effect of vitamin K on hepatic production of extrinsic pathway factors.

A PT is expressed in seconds and/or as an international normalized ratio (INR). The INR is the PT ratio that would result if the WHO reference thromboplastin was used in performing the test.

Current medical information does not clarify the role of laboratory PT testing in patients who are self monitoring. Therefore, the indications for testing apply regardless of whether or not the patient is also PT self-testing.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description      |
|-------|------------------|
| 85610 | Prothrombin Time |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at

<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description                          |
|--------|--------------------------------------|
| A01.00 | Typhoid fever, unspecified           |
| A01.01 | Typhoid meningitis                   |
| A01.02 | Typhoid fever with heart involvement |
| A01.03 | Typhoid pneumonia                    |
| A01.04 | Typhoid arthritis                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                 |
|--------|---|
| A01.05 | Typhoid osteomyelitis                       |
| A01.09 | Typhoid fever with other complications      |
| A01.1  | Paratyphoid fever A                         |
| A01.2  | Paratyphoid fever B                         |
| A01.3  | Paratyphoid fever C                         |
| A01.4  | Paratyphoid fever, unspecified              |
| A02.0  | Salmonella enteritis                        |
| A02.1  | Salmonella sepsis                           |
| A02.20 | Localized salmonella infection, unspecified |
| A02.21 | Salmonella meningitis                       |
| A02.22 | Salmonella pneumonia                        |
| A02.23 | Salmonella arthritis                        |
| A02.24 | Salmonella osteomyelitis                    |
| A02.25 | Salmonella pyelonephritis                   |
| A02.29 | Salmonella with other localized infection   |
| A02.8  | Other specified salmonella infections       |
| A02.9  | Salmonella infection, unspecified           |
| A18.84 | Tuberculosis of heart                       |
| A41.9  | Sepsis, unspecified organism                |
| A91    | Dengue hemorrhagic fever                    |
| A92.0  | Chikungunya virus disease                   |
| A95.0  | Sylvatic yellow fever                       |
| A95.1  | Urban yellow fever                          |
| A95.9  | Yellow fever, unspecified                   |
| A96.0  | Junin hemorrhagic fever                     |
| A96.1  | Machupo hemorrhagic fever                   |
| A96.8  | Other arenaviral hemorrhagic fevers         |
| A96.9  | Arenaviral hemorrhagic fever, unspecified   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A98.0  | Crimean-Congo hemorrhagic fever                                |
| A98.1  | Omsk hemorrhagic fever   |
| A98.2  | Kyasanur Forest disease  |
| A98.5  | Hemorrhagic fever with renal syndrome                          |
| A98.8  | Other specified viral hemorrhagic fevers                       |
| A99    | Unspecified viral hemorrhagic fever                            |
| B15.0  | Hepatitis A with hepatic coma                                  |
| B15.9  | Hepatitis A without hepatic coma                               |
| B16.0  | Acute hepatitis B with delta-agent with hepatic coma           |
| B16.1  | Acute hepatitis B with delta-agent without hepatic coma        |
| B16.2  | Acute hepatitis B without delta-agent with hepatic coma        |
| B16.9  | Acute hepatitis B without delta-agent and without hepatic coma |
| B17.0  | Acute delta-(super) infection of hepatitis B carrier           |
| B17.10 | Acute hepatitis C without hepatic coma                         |
| B17.11 | Acute hepatitis C with hepatic coma                            |
| B17.2  | Acute hepatitis E  |
| B17.8  | Other specified acute viral hepatitis                          |
| B17.9  | Acute viral hepatitis, unspecified                             |
| B18.0  | Chronic viral hepatitis B with delta-agent                     |
| B18.1  | Chronic viral hepatitis B without delta-agent                  |
| B18.2  | Chronic viral hepatitis C                                      |
| B18.8  | Other chronic viral hepatitis                                  |
| B18.9  | Chronic viral hepatitis, unspecified                           |
| B19.0  | Unspecified viral hepatitis with hepatic coma                  |
| B19.10 | Unspecified viral hepatitis B without hepatic coma             |
| B19.11 | Unspecified viral hepatitis B with hepatic coma                |
| B19.20 | Unspecified viral hepatitis C without hepatic coma             |
| B19.21 | Unspecified viral hepatitis C with hepatic coma                |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| B19.9  | Unspecified viral hepatitis without hepatic coma                         |
| B20    | Human immunodeficiency virus [HIV] disease                               |
| B25.1  | Cytomegaloviral hepatitis  |
| B25.2  | Cytomegaloviral pancreatitis   |
| B27.00 | Gammaherpesviral mononucleosis without complication                      |
| B27.01 | Gammaherpesviral mononucleosis with polyneuropathy                       |
| B27.02 | Gammaherpesviral mononucleosis with meningitis                           |
| B27.09 | Gammaherpesviral mononucleosis with other complications                  |
| B27.10 | Cytomegaloviral mononucleosis without complications                      |
| B27.11 | Cytomegaloviral mononucleosis with polyneuropathy                        |
| B27.12 | Cytomegaloviral mononucleosis with meningitis                            |
| B27.19 | Cytomegaloviral mononucleosis with other complication                    |
| B27.80 | Other infectious mononucleosis without complication                      |
| B27.81 | Other infectious mononucleosis with polyneuropathy                       |
| B27.82 | Other infectious mononucleosis with meningitis                           |
| B27.89 | Other infectious mononucleosis with other complication                   |
| B27.90 | Infectious mononucleosis, unspecified without complication               |
| B27.91 | Infectious mononucleosis, unspecified with polyneuropathy                |
| B27.92 | Infectious mononucleosis, unspecified with meningitis                    |
| B27.99 | Infectious mononucleosis, unspecified with other complication            |
| B50.8  | Other severe and complicated Plasmodium falciparum malaria               |
| B52.0  | Plasmodium malariae malaria with nephropathy                             |
| B65.0  | Schistosomiasis due to Schistosoma haematobium [urinary schistosomiasis] |
| B66.1  | Clonorchiasis  |
| B66.3  | Fascioliasis   |
| B75    | Trichinellosis   |
| B83.4  | Internal hirudiniasis  |
| B88.3  | External hirudiniasis  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| C17.0 | Malignant neoplasm of duodenum                                     |
| C17.1 | Malignant neoplasm of jejunum                                      |
| C17.2 | Malignant neoplasm of ileum  |
| C17.3 | Meckel's diverticulum, malignant                                   |
| C17.8 | Malignant neoplasm of overlapping sites of small intestine         |
| C17.9 | Malignant neoplasm of small intestine, unspecified                 |
| C22.0 | Liver cell carcinoma   |
| C22.1 | Intrahepatic bile duct carcinoma                                   |
| C22.2 | Hepatoblastoma   |
| C22.3 | Angiosarcoma of liver  |
| C22.4 | Other sarcomas of liver  |
| C22.7 | Other specified carcinomas of liver                                |
| C22.8 | Malignant neoplasm of liver, primary, unspecified as to type       |
| C22.9 | Malignant neoplasm of liver, not specified as primary or secondary |
| C23   | Malignant neoplasm of gallbladder                                  |
| C24.0 | Malignant neoplasm of extrahepatic bile duct                       |
| C24.1 | Malignant neoplasm of ampulla of Vater                             |
| C24.8 | Malignant neoplasm of overlapping sites of biliary tract           |
| C24.9 | Malignant neoplasm of biliary tract, unspecified                   |
| C25.0 | Malignant neoplasm of head of pancreas                             |
| C25.1 | Malignant neoplasm of body of pancreas                             |
| C25.2 | Malignant neoplasm of tail of pancreas                             |
| C25.3 | Malignant neoplasm of pancreatic duct                              |
| C25.4 | Malignant neoplasm of endocrine pancreas                           |
| C25.7 | Malignant neoplasm of other parts of pancreas                      |
| C25.8 | Malignant neoplasm of overlapping sites of pancreas                |
| C25.9 | Malignant neoplasm of pancreas, unspecified                        |
| C64.1 | Malignant neoplasm of right kidney, except renal pelvis            |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C64.2  | Malignant neoplasm of left kidney, except renal pelvis              |
| C64.9  | Malignant neoplasm of unspecified kidney, except renal pelvis       |
| C65.1  | Malignant neoplasm of right renal pelvis                            |
| C65.2  | Malignant neoplasm of left renal pelvis                             |
| C65.9  | Malignant neoplasm of unspecified renal pelvis                      |
| C66.1  | Malignant neoplasm of right ureter                                  |
| C66.2  | Malignant neoplasm of left ureter                                   |
| C66.9  | Malignant neoplasm of unspecified ureter                            |
| C67.0  | Malignant neoplasm of trigone of bladder                            |
| C67.1  | Malignant neoplasm of dome of bladder                               |
| C67.2  | Malignant neoplasm of lateral wall of bladder                       |
| C67.3  | Malignant neoplasm of anterior wall of bladder                      |
| C67.4  | Malignant neoplasm of posterior wall of bladder                     |
| C67.5  | Malignant neoplasm of bladder neck                                  |
| C67.6  | Malignant neoplasm of ureteric orifice                              |
| C67.7  | Malignant neoplasm of urachus                                       |
| C67.8  | Malignant neoplasm of overlapping sites of bladder                  |
| C67.9  | Malignant neoplasm of bladder, unspecified                          |
| C68.0  | Malignant neoplasm of urethra                                       |
| C68.1  | Malignant neoplasm of paraurethral glands                           |
| C68.8  | Malignant neoplasm of overlapping sites of urinary organs           |
| C68.9  | Malignant neoplasm of urinary organ, unspecified                    |
| C78.7  | Secondary malignant neoplasm of liver and intrahepatic bile duct    |
| C79.00 | Secondary malignant neoplasm of unspecified kidney and renal pelvis |
| C79.01 | Secondary malignant neoplasm of right kidney and renal pelvis       |
| C79.02 | Secondary malignant neoplasm of left kidney and renal pelvis        |
| C79.10 | Secondary malignant neoplasm of unspecified urinary organs          |
| C79.11 | Secondary malignant neoplasm of bladder                             |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C79.19  | Secondary malignant neoplasm of other urinary organs                       |
| C7A.00  | Malignant carcinoid tumor of unspecified site                              |
| C7A.090 | Malignant carcinoid tumor of the bronchus and lung                         |
| C7A.091 | Malignant carcinoid tumor of the thymus                                    |
| C7A.092 | Malignant carcinoid tumor of the stomach                                   |
| C7A.093 | Malignant carcinoid tumor of the kidney                                    |
| C7A.094 | Malignant carcinoid tumor of the foregut, unspecified                      |
| C7A.095 | Malignant carcinoid tumor of the midgut, unspecified                       |
| C7A.096 | Malignant carcinoid tumor of the hindgut, unspecified                      |
| C7A.098 | Malignant carcinoid tumors of other sites                                  |
| C7B.00  | Secondary carcinoid tumors, unspecified site                               |
| C7B.01  | Secondary carcinoid tumors of distant lymph nodes                          |
| C7B.02  | Secondary carcinoid tumors of liver  |
| C7B.03  | Secondary carcinoid tumors of bone   |
| C7B.04  | Secondary carcinoid tumors of peritoneum                                   |
| C7B.09  | Secondary carcinoid tumors of other sites                                  |
| C7B.1   | Secondary Merkel cell carcinoma  |
| C7B.8   | Other secondary neuroendocrine tumors                                      |
| C82.00  | Follicular lymphoma grade I, unspecified site                              |
| C82.01  | Follicular lymphoma grade I, lymph nodes of head, face, and neck           |
| C82.02  | Follicular lymphoma grade I, intrathoracic lymph nodes                     |
| C82.03  | Follicular lymphoma grade I, intra-abdominal lymph nodes                   |
| C82.04  | Follicular lymphoma grade I, lymph nodes of axilla and upper limb          |
| C82.05  | Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb |
| C82.06  | Follicular lymphoma grade I, intrapelvic lymph nodes                       |
| C82.07  | Follicular lymphoma grade I, spleen  |
| C82.08  | Follicular lymphoma grade I, lymph nodes of multiple sites                 |
| C82.09  | Follicular lymphoma grade I, extranodal and solid organ sites              |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C82.10      | Follicular lymphoma grade II, unspecified site  |
| C82.11      | Follicular lymphoma grade II, lymph nodes of head, face, and neck                         |
| C82.12      | Follicular lymphoma grade II, intrathoracic lymph nodes                                   |
| C82.13      | Follicular lymphoma grade II, intra-abdominal lymph nodes                                 |
| C82.14      | Follicular lymphoma grade II, lymph nodes of axilla and upper limb                        |
| C82.15      | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb               |
| C82.16      | Follicular lymphoma grade II, intrapelvic lymph nodes                                     |
| C82.17      | Follicular lymphoma grade II, spleen  |
| C82.18      | Follicular lymphoma grade II, lymph nodes of multiple sites                               |
| C82.19      | Follicular lymphoma grade II, extranodal and solid organ sites                            |
| C82.20      | Follicular lymphoma grade III, unspecified, unspecified site                              |
| C82.21      | Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck           |
| C82.22      | Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes                     |
| C82.23      | Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes                   |
| C82.24      | Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb          |
| C82.25      | Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb |
| C82.26      | Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes                       |
| C82.27      | Follicular lymphoma grade III, unspecified, spleen  |
| C82.28      | Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites                 |
| C82.29      | Follicular lymphoma grade III, unspecified, extranodal and solid organ sites              |
| C82.30      | Follicular lymphoma grade IIIa, unspecified site  |
| C82.31      | Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck                       |
| C82.32      | Follicular lymphoma grade IIIa, intrathoracic lymph nodes                                 |
| C82.33      | Follicular lymphoma grade IIIa, intra-abdominal lymph nodes                               |
| C82.34      | Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb                      |
| C82.35      | Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb             |
| C82.36      | Follicular lymphoma grade IIIa, intrapelvic lymph nodes                                   |
| C82.37      | Follicular lymphoma grade IIIa, spleen  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C82.38 | Follicular lymphoma grade IIIa, lymph nodes of multiple sites                     |
| C82.39 | Follicular lymphoma grade IIIa, extranodal and solid organ sites                  |
| C82.40 | Follicular lymphoma grade IIIb, unspecified site                                  |
| C82.41 | Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck               |
| C82.42 | Follicular lymphoma grade IIIb, intrathoracic lymph nodes                         |
| C82.43 | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes                       |
| C82.44 | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb              |
| C82.45 | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb     |
| C82.46 | Follicular lymphoma grade IIIb, intrapelvic lymph nodes                           |
| C82.47 | Follicular lymphoma grade IIIb, spleen  |
| C82.48 | Follicular lymphoma grade IIIb, lymph nodes of multiple sites                     |
| C82.49 | Follicular lymphoma grade IIIb, extranodal and solid organ sites                  |
| C82.50 | Diffuse follicle center lymphoma, unspecified site                                |
| C82.51 | Diffuse follicle center lymphoma, lymph nodes of head, face, and neck             |
| C82.52 | Diffuse follicle center lymphoma, intrathoracic lymph nodes                       |
| C82.53 | Diffuse follicle center lymphoma, intra-abdominal lymph nodes                     |
| C82.54 | Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb            |
| C82.55 | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb   |
| C82.56 | Diffuse follicle center lymphoma, intrapelvic lymph nodes                         |
| C82.57 | Diffuse follicle center lymphoma, spleen  |
| C82.58 | Diffuse follicle center lymphoma, lymph nodes of multiple sites                   |
| C82.59 | Diffuse follicle center lymphoma, extranodal and solid organ sites                |
| C82.60 | Cutaneous follicle center lymphoma, unspecified site                              |
| C82.61 | Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck           |
| C82.62 | Cutaneous follicle center lymphoma, intrathoracic lymph nodes                     |
| C82.63 | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes                   |
| C82.64 | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb          |
| C82.65 | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C82.66      | Cutaneous follicle center lymphoma, intrapelvic lymph nodes                       |
| C82.67      | Cutaneous follicle center lymphoma, spleen  |
| C82.68      | Cutaneous follicle center lymphoma, lymph nodes of multiple sites                 |
| C82.69      | Cutaneous follicle center lymphoma, extranodal and solid organ sites              |
| C82.80      | Other types of follicular lymphoma, unspecified site                              |
| C82.81      | Other types of follicular lymphoma, lymph nodes of head, face, and neck           |
| C82.82      | Other types of follicular lymphoma, intrathoracic lymph nodes                     |
| C82.83      | Other types of follicular lymphoma, intra-abdominal lymph nodes                   |
| C82.84      | Other types of follicular lymphoma, lymph nodes of axilla and upper limb          |
| C82.85      | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C82.86      | Other types of follicular lymphoma, intrapelvic lymph nodes                       |
| C82.87      | Other types of follicular lymphoma, spleen  |
| C82.88      | Other types of follicular lymphoma, lymph nodes of multiple sites                 |
| C82.89      | Other types of follicular lymphoma, extranodal and solid organ sites              |
| C82.90      | Follicular lymphoma, unspecified, unspecified site                                |
| C82.91      | Follicular lymphoma, unspecified, lymph nodes of head, face, and neck             |
| C82.92      | Follicular lymphoma, unspecified, intrathoracic lymph nodes                       |
| C82.93      | Follicular lymphoma, unspecified, intra-abdominal lymph nodes                     |
| C82.94      | Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb            |
| C82.95      | Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb   |
| C82.96      | Follicular lymphoma, unspecified, intrapelvic lymph nodes                         |
| C82.97      | Follicular lymphoma, unspecified, spleen  |
| C82.98      | Follicular lymphoma, unspecified, lymph nodes of multiple sites                   |
| C82.99      | Follicular lymphoma, unspecified, extranodal and solid organ sites                |
| C83.00      | Small cell B-cell lymphoma, unspecified site                                      |
| C83.01      | Small cell B-cell lymphoma, lymph nodes of head, face, and neck                   |
| C83.02      | Small cell B-cell lymphoma, intrathoracic lymph nodes                             |
| C83.03      | Small cell B-cell lymphoma, intra-abdominal lymph nodes                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C83.04 | Small cell B-cell lymphoma, lymph nodes of axilla and upper limb             |
| C83.05 | Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb    |
| C83.06 | Small cell B-cell lymphoma, intrapelvic lymph nodes                          |
| C83.07 | Small cell B-cell lymphoma, spleen   |
| C83.08 | Small cell B-cell lymphoma, lymph nodes of multiple sites                    |
| C83.09 | Small cell B-cell lymphoma, extranodal and solid organ sites                 |
| C83.10 | Mantle cell lymphoma, unspecified site                                       |
| C83.11 | Mantle cell lymphoma, lymph nodes of head, face, and neck                    |
| C83.12 | Mantle cell lymphoma, intrathoracic lymph nodes                              |
| C83.13 | Mantle cell lymphoma, intra-abdominal lymph nodes                            |
| C83.14 | Mantle cell lymphoma, lymph nodes of axilla and upper limb                   |
| C83.15 | Mantle cell lymphoma, lymph nodes of inguinal region and lower limb          |
| C83.16 | Mantle cell lymphoma, intrapelvic lymph nodes                                |
| C83.17 | Mantle cell lymphoma, spleen   |
| C83.18 | Mantle cell lymphoma, lymph nodes of multiple sites                          |
| C83.19 | Mantle cell lymphoma, extranodal and solid organ sites                       |
| C83.30 | Diffuse large B-cell lymphoma, unspecified site                              |
| C83.31 | Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck           |
| C83.32 | Diffuse large B-cell lymphoma, intrathoracic lymph nodes                     |
| C83.33 | Diffuse large B-cell lymphoma, intra-abdominal lymph nodes                   |
| C83.34 | Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb          |
| C83.35 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.36 | Diffuse large B-cell lymphoma, intrapelvic lymph nodes                       |
| C83.37 | Diffuse large B-cell lymphoma, spleen  |
| C83.38 | Diffuse large B-cell lymphoma, lymph nodes of multiple sites                 |
| C83.39 | Diffuse large B-cell lymphoma, extranodal and solid organ sites              |
| C83.50 | Lymphoblastic (diffuse) lymphoma, unspecified site                           |
| C83.51 | Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C83.52      | Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes                     |
| C83.53      | Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes                   |
| C83.54      | Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb          |
| C83.55      | Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb |
| C83.56      | Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes                       |
| C83.57      | Lymphoblastic (diffuse) lymphoma, spleen  |
| C83.58      | Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites                 |
| C83.59      | Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites              |
| C83.70      | Burkitt lymphoma, unspecified site  |
| C83.71      | Burkitt lymphoma, lymph nodes of head, face, and neck                           |
| C83.72      | Burkitt lymphoma, intrathoracic lymph nodes                                     |
| C83.73      | Burkitt lymphoma, intra-abdominal lymph nodes                                   |
| C83.74      | Burkitt lymphoma, lymph nodes of axilla and upper limb                          |
| C83.75      | Burkitt lymphoma, lymph nodes of inguinal region and lower limb                 |
| C83.76      | Burkitt lymphoma, intrapelvic lymph nodes                                       |
| C83.77      | Burkitt lymphoma, spleen  |
| C83.78      | Burkitt lymphoma, lymph nodes of multiple sites                                 |
| C83.79      | Burkitt lymphoma, extranodal and solid organ sites                              |
| C83.80      | Other non-follicular lymphoma, unspecified site                                 |
| C83.81      | Other non-follicular lymphoma, lymph nodes of head, face, and neck              |
| C83.82      | Other non-follicular lymphoma, intrathoracic lymph nodes                        |
| C83.83      | Other non-follicular lymphoma, intra-abdominal lymph nodes                      |
| C83.84      | Other non-follicular lymphoma, lymph nodes of axilla and upper limb             |
| C83.85      | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb    |
| C83.86      | Other non-follicular lymphoma, intrapelvic lymph nodes                          |
| C83.87      | Other non-follicular lymphoma, spleen   |
| C83.88      | Other non-follicular lymphoma, lymph nodes of multiple sites                    |
| C83.89      | Other non-follicular lymphoma, extranodal and solid organ sites                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C83.90 | Non-follicular (diffuse) lymphoma, unspecified, unspecified site                              |
| C83.91 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck           |
| C83.92 | Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes                     |
| C83.93 | Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes                   |
| C83.94 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb          |
| C83.95 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C83.96 | Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes                       |
| C83.97 | Non-follicular (diffuse) lymphoma, unspecified, spleen  |
| C83.98 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites                 |
| C83.99 | Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites              |
| C84.00 | Mycosis fungoides, unspecified site   |
| C84.01 | Mycosis fungoides, lymph nodes of head, face, and neck  |
| C84.02 | Mycosis fungoides, intrathoracic lymph nodes  |
| C84.03 | Mycosis fungoides, intra-abdominal lymph nodes  |
| C84.04 | Mycosis fungoides, lymph nodes of axilla and upper limb                                       |
| C84.05 | Mycosis fungoides, lymph nodes of inguinal region and lower limb                              |
| C84.06 | Mycosis fungoides, intrapelvic lymph nodes  |
| C84.07 | Mycosis fungoides, spleen   |
| C84.08 | Mycosis fungoides, lymph nodes of multiple sites  |
| C84.09 | Mycosis fungoides, extranodal and solid organ sites   |
| C84.10 | Sezary disease, unspecified site  |
| C84.11 | Sezary disease, lymph nodes of head, face, and neck   |
| C84.12 | Sezary disease, intrathoracic lymph nodes   |
| C84.13 | Sezary disease, intra-abdominal lymph nodes   |
| C84.14 | Sezary disease, lymph nodes of axilla and upper limb  |
| C84.15 | Sezary disease, lymph nodes of inguinal region and lower limb                                 |
| C84.16 | Sezary disease, intrapelvic lymph nodes   |
| C84.17 | Sezary disease, spleen  |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C84.18      | Sezary disease, lymph nodes of multiple sites   |
| C84.19      | Sezary disease, extranodal and solid organ sites  |
| C84.40      | Peripheral T-cell lymphoma, not classified, unspecified site                                |
| C84.41      | Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck             |
| C84.42      | Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes                       |
| C84.43      | Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes                     |
| C84.44      | Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb            |
| C84.45      | Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb   |
| C84.46      | Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes                         |
| C84.47      | Peripheral T-cell lymphoma, not classified, spleen  |
| C84.48      | Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites                   |
| C84.49      | Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites                |
| C84.60      | Anaplastic large cell lymphoma, ALK-positive, unspecified site                              |
| C84.61      | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck           |
| C84.62      | Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes                     |
| C84.63      | Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes                   |
| C84.64      | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb          |
| C84.65      | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb |
| C84.66      | Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes                       |
| C84.67      | Anaplastic large cell lymphoma, ALK-positive, spleen  |
| C84.68      | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites                 |
| C84.69      | Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites              |
| C84.70      | Anaplastic large cell lymphoma, ALK-negative, unspecified site                              |
| C84.71      | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck           |
| C84.72      | Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes                     |
| C84.73      | Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes                   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C84.74 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb          |
| C84.75 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb |
| C84.76 | Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes                       |
| C84.77 | Anaplastic large cell lymphoma, ALK-negative, spleen  |
| C84.78 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites                 |
| C84.79 | Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites              |
| C84.90 | Mature T/NK-cell lymphomas, unspecified, unspecified site                                   |
| C84.91 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck                |
| C84.92 | Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes                          |
| C84.93 | Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes                        |
| C84.94 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb               |
| C84.95 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb      |
| C84.96 | Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes                            |
| C84.97 | Mature T/NK-cell lymphomas, unspecified, spleen   |
| C84.98 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites                      |
| C84.99 | Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites                   |
| C84.A0 | Cutaneous T-cell lymphoma, unspecified, unspecified site                                    |
| C84.A1 | Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck                  |
| C84.A2 | Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes                           |
| C84.A3 | Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes                         |
| C84.A4 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb                |
| C84.A5 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb       |
| C84.A6 | Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes                             |
| C84.A7 | Cutaneous T-cell lymphoma, unspecified, spleen  |
| C84.A8 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites                       |
| C84.A9 | Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C84.Z0 | Other mature T/NK-cell lymphomas, unspecified site  |
| C84.Z1 | Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck                     |
| C84.Z2 | Other mature T/NK-cell lymphomas, intrathoracic lymph nodes                               |
| C84.Z3 | Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes                             |
| C84.Z4 | Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb                    |
| C84.Z5 | Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb           |
| C84.Z6 | Other mature T/NK-cell lymphomas, intrapelvic lymph nodes                                 |
| C84.Z7 | Other mature T/NK-cell lymphomas, spleen  |
| C84.Z8 | Other mature T/NK-cell lymphomas, lymph nodes of multiple sites                           |
| C84.Z9 | Other mature T/NK-cell lymphomas, extranodal and solid organ sites                        |
| C85.10 | Unspecified B-cell lymphoma, unspecified site   |
| C85.11 | Unspecified B-cell lymphoma, lymph nodes of head, face, and neck                          |
| C85.12 | Unspecified B-cell lymphoma, intrathoracic lymph nodes                                    |
| C85.13 | Unspecified B-cell lymphoma, intra-abdominal lymph nodes                                  |
| C85.14 | Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb                         |
| C85.15 | Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb                |
| C85.16 | Unspecified B-cell lymphoma, intrapelvic lymph nodes                                      |
| C85.17 | Unspecified B-cell lymphoma, spleen   |
| C85.18 | Unspecified B-cell lymphoma, lymph nodes of multiple sites                                |
| C85.19 | Unspecified B-cell lymphoma, extranodal and solid organ sites                             |
| C85.20 | Mediastinal (thymic) large B-cell lymphoma, unspecified site                              |
| C85.21 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck           |
| C85.22 | Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes                     |
| C85.23 | Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes                   |
| C85.24 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb          |
| C85.25 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes                       |
| C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C85.28 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites                    |
| C85.29 | Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites                 |
| C85.80 | Other specified types of non-Hodgkin lymphoma, unspecified site                              |
| C85.81 | Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C85.82 | Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C85.83 | Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C85.84 | Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C85.85 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C85.86 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C85.87 | Other specified types of non-Hodgkin lymphoma, spleen  |
| C85.88 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C85.89 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites              |
| C85.90 | Non-Hodgkin lymphoma, unspecified, unspecified site  |
| C85.91 | Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck                       |
| C85.92 | Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes                                 |
| C85.93 | Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes                               |
| C85.94 | Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb                      |
| C85.95 | Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb             |
| C85.96 | Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes                                   |
| C85.97 | Non-Hodgkin lymphoma, unspecified, spleen  |
| C85.98 | Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites                             |
| C85.99 | Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites                          |
| C86.0  | Extranodal NK/T-cell lymphoma, nasal type  |
| C86.1  | Hepatosplenic T-cell lymphoma  |
| C86.2  | Enteropathy-type (intestinal) T-cell lymphoma  |
| C86.3  | Subcutaneous panniculitis-like T-cell lymphoma   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C86.4  | Blastic NK-cell lymphoma  |
| C86.5  | Angioimmunoblastic T-cell lymphoma  |
| C86.6  | Primary cutaneous CD30-positive T-cell proliferations   |
| C88.0  | Waldenstrom macroglobulinemia   |
| C88.4  | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] |
| C88.8  | Other malignant immunoproliferative diseases  |
| C91.40 | Hairy cell leukemia not having achieved remission   |
| C91.41 | Hairy cell leukemia, in remission   |
| C91.42 | Hairy cell leukemia, in relapse   |
| C94.40 | Acute panmyelosis with myelofibrosis not having achieved remission                            |
| C94.41 | Acute panmyelosis with myelofibrosis, in remission  |
| C94.42 | Acute panmyelosis with myelofibrosis, in relapse  |
| C94.6  | Myelodysplastic disease, not classified   |
| C96.0  | Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis                     |
| C96.20 | Malignant mast cell neoplasm, unspecified   |
| C96.21 | Aggressive systemic mastocytosis  |
| C96.22 | Mast cell sarcoma   |
| C96.29 | Other malignant mast cell neoplasm  |
| C96.4  | Sarcoma of dendritic cells (accessory cells)  |
| C96.9  | Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified                 |
| C96.A  | Histiocytic sarcoma   |
| C96.Z  | Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue             |
| D30.00 | Benign neoplasm of unspecified kidney   |
| D30.01 | Benign neoplasm of right kidney   |
| D30.02 | Benign neoplasm of left kidney  |
| D30.10 | Benign neoplasm of unspecified renal pelvis   |
| D30.11 | Benign neoplasm of right renal pelvis   |
| D30.12 | Benign neoplasm of left renal pelvis  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D30.20 | Benign neoplasm of unspecified ureter   |
| D30.21 | Benign neoplasm of right ureter   |
| D30.22 | Benign neoplasm of left ureter  |
| D30.3  | Benign neoplasm of bladder  |
| D30.4  | Benign neoplasm of urethra  |
| D30.8  | Benign neoplasm of other specified urinary organs   |
| D30.9  | Benign neoplasm of urinary organ, unspecified   |
| D45    | Polycythemia vera   |
| D46.0  | Refractory anemia without ring sideroblasts, so stated                                    |
| D46.1  | Refractory anemia with ring sideroblasts  |
| D46.20 | Refractory anemia with excess of blasts, unspecified                                      |
| D46.21 | Refractory anemia with excess of blasts 1   |
| D46.22 | Refractory anemia with excess of blasts 2   |
| D46.4  | Refractory anemia, unspecified  |
| D46.9  | Myelodysplastic syndrome, unspecified   |
| D46.A  | Refractory cytopenia with multilineage dysplasia  |
| D46.B  | Refractory cytopenia with multilineage dysplasia and ring sideroblasts                    |
| D46.C  | Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality                    |
| D46.Z  | Other myelodysplastic syndromes   |
| D47.01 | Cutaneous mastocytosis  |
| D47.02 | Systemic mastocytosis   |
| D47.09 | Other mast cell neoplasms of uncertain behavior   |
| D47.1  | Chronic myeloproliferative disease  |
| D47.2  | Monoclonal gammopathy   |
| D47.3  | Essential (hemorrhagic) thrombocythemia   |
| D47.9  | Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified |
| D47.Z1 | Post-transplant lymphoproliferative disorder (PTLD)                                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D47.Z9  | Other specified neoplasms of uncertain behavior of lymphoid, hematopoietic and related tissue |
| D49.4   | Neoplasm of unspecified behavior of bladder   |
| D49.511 | Neoplasm of unspecified behavior of right kidney  |
| D49.512 | Neoplasm of unspecified behavior of left kidney   |
| D49.519 | Neoplasm of unspecified behavior of unspecified kidney  |
| D49.59  | Neoplasm of unspecified behavior of other genitourinary organ                                 |
| D49.9   | Neoplasm of unspecified behavior of unspecified site  |
| D50.0   | Iron deficiency anemia secondary to blood loss (chronic)                                      |
| D50.9   | Iron deficiency anemia, unspecified   |
| D51.0   | Vitamin B12 deficiency anemia due to intrinsic factor deficiency                              |
| D51.1   | Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuria     |
| D51.2   | Transcobalamin II deficiency  |
| D51.3   | Other dietary vitamin B12 deficiency anemia   |
| D51.8   | Other vitamin B12 deficiency anemias  |
| D51.9   | Vitamin B12 deficiency anemia, unspecified  |
| D53.9   | Nutritional anemia, unspecified   |
| D62     | Acute posthemorrhagic anemia  |
| D64.0   | Hereditary sideroblastic anemia   |
| D64.1   | Secondary sideroblastic anemia due to disease   |
| D64.2   | Secondary sideroblastic anemia due to drugs and toxins  |
| D64.3   | Other sideroblastic anemias   |
| D65     | Disseminated intravascular coagulation [defibrination syndrome]                               |
| D66     | Hereditary factor VIII deficiency   |
| D67     | Hereditary factor IX deficiency   |
| D68.0   | Von Willebrand's disease  |
| D68.1   | Hereditary factor XI deficiency   |
| D68.2   | Hereditary deficiency of other clotting factors   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D68.311 | Acquired hemophilia   |
| D68.312 | Antiphospholipid antibody with hemorrhagic disorder   |
| D68.318 | Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors |
| D68.32  | Hemorrhagic disorder due to extrinsic circulating anticoagulants                                  |
| D68.4   | Acquired coagulation factor deficiency  |
| D68.51  | Activated protein C resistance  |
| D68.52  | Prothrombin gene mutation   |
| D68.59  | Other primary thrombophilia   |
| D68.61  | Antiphospholipid syndrome   |
| D68.62  | Lupus anticoagulant syndrome  |
| D68.8   | Other specified coagulation defects   |
| D68.9   | Coagulation defect, unspecified   |
| D69.0   | Allergic purpura  |
| D69.1   | Qualitative platelet defects  |
| D69.2   | Other nonthrombocytopenic purpura   |
| D69.3   | Immune thrombocytopenic purpura   |
| D69.41  | Evans syndrome  |
| D69.42  | Congenital and hereditary thrombocytopenia purpura  |
| D69.49  | Other primary thrombocytopenia  |
| D69.51  | Posttransfusion purpura   |
| D69.59  | Other secondary thrombocytopenia  |
| D69.6   | Thrombocytopenia, unspecified   |
| D69.8   | Other specified hemorrhagic conditions  |
| D69.9   | Hemorrhagic condition, unspecified  |
| D78.01  | Intraoperative hemorrhage and hematoma of the spleen complicating a procedure on the spleen       |
| D78.02  | Intraoperative hemorrhage and hematoma of the spleen complicating other procedure                 |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D78.21  | Postprocedural hemorrhage of the spleen following a procedure on the spleen |
| D78.22  | Postprocedural hemorrhage of the spleen following other procedure           |
| D78.31  | Postprocedural hematoma of the spleen following a procedure on the spleen   |
| D78.32  | Postprocedural hematoma of the spleen following other procedure             |
| D86.0   | Sarcoidosis of lung   |
| D86.1   | Sarcoidosis of lymph nodes  |
| D86.2   | Sarcoidosis of lung with sarcoidosis of lymph nodes                         |
| D86.3   | Sarcoidosis of skin   |
| D86.81  | Sarcoid meningitis  |
| D86.82  | Multiple cranial nerve palsies in sarcoidosis                               |
| D86.83  | Sarcoid iridocyclitis   |
| D86.84  | Sarcoid pyelonephritis  |
| D86.85  | Sarcoid myocarditis   |
| D86.86  | Sarcoid arthropathy   |
| D86.87  | Sarcoid myositis  |
| D86.89  | Sarcoidosis of other sites  |
| D86.9   | Sarcoidosis, unspecified  |
| D89.0   | Polyclonal hypergammaglobulinemia   |
| D89.1   | Cryoglobulinemia  |
| D89.2   | Hypergammaglobulinemia, unspecified   |
| D89.831 | Cytokine release syndrome, grade 1  |
| D89.832 | Cytokine release syndrome, grade 2  |
| D89.833 | Cytokine release syndrome, grade 3  |
| D89.834 | Cytokine release syndrome, grade 4  |
| D89.835 | Cytokine release syndrome, grade 5  |
| D89.839 | Cytokine release syndrome, grade unspecified                                |
| E07.81  | Sick-euthyroid syndrome   |
| E07.89  | Other specified disorders of thyroid  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| E08.21 | Diabetes mellitus due to underlying condition with diabetic nephropathy                            |
| E08.22 | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease                 |
| E08.29 | Diabetes mellitus due to underlying condition with other diabetic kidney complication              |
| E08.51 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene |
| E08.52 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene    |
| E09.21 | Drug or chemical induced diabetes mellitus with diabetic nephropathy                               |
| E09.22 | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease                    |
| E09.29 | Drug or chemical induced diabetes mellitus with other diabetic kidney complication                 |
| E09.51 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene    |
| E09.52 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene       |
| E10.21 | Type 1 diabetes mellitus with diabetic nephropathy   |
| E10.22 | Type 1 diabetes mellitus with diabetic chronic kidney disease                                      |
| E10.29 | Type 1 diabetes mellitus with other diabetic kidney complication                                   |
| E10.51 | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene                      |
| E10.52 | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                         |
| E11.21 | Type 2 diabetes mellitus with diabetic nephropathy   |
| E11.22 | Type 2 diabetes mellitus with diabetic chronic kidney disease                                      |
| E11.29 | Type 2 diabetes mellitus with other diabetic kidney complication                                   |
| E11.51 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene                      |
| E11.52 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene                         |
| E13.21 | Other specified diabetes mellitus with diabetic nephropathy  |
| E13.22 | Other specified diabetes mellitus with diabetic chronic kidney disease                             |
| E13.29 | Other specified diabetes mellitus with other diabetic kidney complication                          |
| E13.51 | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E13.52  | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene   |
| E36.01  | Intraoperative hemorrhage and hematoma of an endocrine system organ or structure complicating an endocrine system procedure |
| E36.02  | Intraoperative hemorrhage and hematoma of an endocrine system organ or structure complicating other procedure               |
| E44.0   | Moderate protein-calorie malnutrition   |
| E44.1   | Mild protein-calorie malnutrition   |
| E45     | Retarded development following protein-calorie malnutrition   |
| E46     | Unspecified protein-calorie malnutrition  |
| E56.1   | Deficiency of vitamin K   |
| E56.9   | Vitamin deficiency, unspecified   |
| E64.0   | Sequelae of protein-calorie malnutrition  |
| E80.0   | Hereditary erythropoietic porphyria   |
| E80.1   | Porphyria cutanea tarda   |
| E80.20  | Unspecified porphyria   |
| E80.21  | Acute intermittent (hepatic) porphyria  |
| E80.29  | Other porphyria   |
| E83.10  | Disorder of iron metabolism, unspecified  |
| E83.110 | Hereditary hemochromatosis  |
| E83.111 | Hemochromatosis due to repeated red blood cell transfusions   |
| E83.118 | Other hemochromatosis   |
| E83.119 | Hemochromatosis, unspecified  |
| E83.19  | Other disorders of iron metabolism  |
| E85.0   | Non-neuropathic hereditary familial amyloidosis   |
| E85.1   | Neuropathic hereditary familial amyloidosis   |
| E85.2   | Hereditary familial amyloidosis, unspecified  |
| E85.3   | Secondary systemic amyloidosis  |
| E85.4   | Organ-limited amyloidosis   |
| E85.81  | Light chain (AL) amyloidosis  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E85.82  | Wild-type transthyretin-related (ATTR) amyloidosis  |
| E85.89  | Other amyloidosis   |
| E85.9   | Amyloidosis, unspecified  |
| E88.02  | Plasminogen deficiency  |
| E88.09  | Other disorders of plasma-protein metabolism, not elsewhere classified                                      |
| E89.810 | Postprocedural hemorrhage of an endocrine system organ or structure following an endocrine system procedure |
| E89.811 | Postprocedural hemorrhage of an endocrine system organ or structure following other procedure               |
| E89.820 | Postprocedural hematoma of an endocrine system organ or structure following an endocrine system procedure   |
| E89.821 | Postprocedural hematoma of an endocrine system organ or structure following other procedure                 |
| F01.50  | Vascular dementia without behavioral disturbance  |
| F01.51  | Vascular dementia with behavioral disturbance   |
| F12.13  | Cannabis abuse with withdrawal  |
| F12.23  | Cannabis dependence with withdrawal   |
| F50.82  | Avoidant/restrictive food intake disorder   |
| G08     | Intracranial and intraspinal phlebitis and thrombophlebitis   |
| G45.0   | Vertebro-basilar artery syndrome  |
| G45.1   | Carotid artery syndrome (hemispheric)   |
| G45.2   | Multiple and bilateral precerebral artery syndromes   |
| G45.3   | Amaurosis fugax   |
| G45.8   | Other transient cerebral ischemic attacks and related syndromes   |
| G45.9   | Transient cerebral ischemic attack, unspecified   |
| G46.0   | Middle cerebral artery syndrome   |
| G46.1   | Anterior cerebral artery syndrome   |
| G46.2   | Posterior cerebral artery syndrome  |
| G81.90  | Hemiplegia, unspecified affecting unspecified side  |
| G81.91  | Hemiplegia, unspecified affecting right dominant side   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| G81.92      | Hemiplegia, unspecified affecting left dominant side  |
| G81.93      | Hemiplegia, unspecified affecting right nondominant side  |
| G81.94      | Hemiplegia, unspecified affecting left nondominant side   |
| G96.00      | Cerebrospinal fluid leak, unspecified   |
| G96.01      | Cranial cerebrospinal fluid leak, spontaneous   |
| G96.02      | Spinal cerebrospinal fluid leak, spontaneous  |
| G96.08      | Other cranial cerebrospinal fluid leak  |
| G96.09      | Other spinal cerebrospinal fluid leak   |
| G96.191     | Perineural cyst   |
| G96.198     | Other disorders of meninges, not elsewhere classified   |
| G96.810     | Intracranial hypotension, unspecified   |
| G96.811     | Intracranial hypotension, spontaneous   |
| G96.819     | Other intracranial hypotension  |
| G96.89      | Other specified disorders of central nervous system   |
| G97.31      | Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating a nervous system procedure |
| G97.32      | Intraoperative hemorrhage and hematoma of a nervous system organ or structure complicating other procedure            |
| G97.51      | Postprocedural hemorrhage of a nervous system organ or structure following a nervous system procedure                 |
| G97.52      | Postprocedural hemorrhage of a nervous system organ or structure following other procedure                            |
| G97.61      | Postprocedural hematoma of a nervous system organ or structure following a nervous system procedure                   |
| G97.62      | Postprocedural hematoma of a nervous system organ or structure following other procedure                              |
| G97.83      | Intracranial hypotension following lumbar cerebrospinal fluid shunting  |
| G97.84      | Intracranial hypotension following other procedure  |
| H02.881     | Meibomian gland dysfunction right upper eyelid  |
| H02.882     | Meibomian gland dysfunction right lower eyelid  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                       |
|---------|---|
| H02.89  | Other specified disorders of eyelid               |
| H05.231 | Hemorrhage of right orbit                         |
| H05.232 | Hemorrhage of left orbit                          |
| H05.233 | Hemorrhage of bilateral orbit                     |
| H05.239 | Hemorrhage of unspecified orbit                   |
| H10.821 | Rosacea conjunctivitis, right eye                 |
| H10.822 | Rosacea conjunctivitis, left eye                  |
| H10.823 | Rosacea conjunctivitis, bilateral                 |
| H11.30  | Conjunctival hemorrhage, unspecified eye          |
| H11.31  | Conjunctival hemorrhage, right eye                |
| H11.32  | Conjunctival hemorrhage, left eye                 |
| H11.33  | Conjunctival hemorrhage, bilateral                |
| H31.301 | Unspecified choroidal hemorrhage, right eye       |
| H31.302 | Unspecified choroidal hemorrhage, left eye        |
| H31.303 | Unspecified choroidal hemorrhage, bilateral       |
| H31.309 | Unspecified choroidal hemorrhage, unspecified eye |
| H31.311 | Expulsive choroidal hemorrhage, right eye         |
| H31.312 | Expulsive choroidal hemorrhage, left eye          |
| H31.313 | Expulsive choroidal hemorrhage, bilateral         |
| H31.319 | Expulsive choroidal hemorrhage, unspecified eye   |
| H31.321 | Choroidal rupture, right eye                      |
| H31.322 | Choroidal rupture, left eye                       |
| H31.323 | Choroidal rupture, bilateral                      |
| H31.329 | Choroidal rupture, unspecified eye                |
| H31.401 | Unspecified choroidal detachment, right eye       |
| H31.402 | Unspecified choroidal detachment, left eye        |
| H31.403 | Unspecified choroidal detachment, bilateral       |
| H31.409 | Unspecified choroidal detachment, unspecified eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| H31.411  | Hemorrhagic choroidal detachment, right eye                                |
| H31.412  | Hemorrhagic choroidal detachment, left eye                                 |
| H31.413  | Hemorrhagic choroidal detachment, bilateral                                |
| H31.419  | Hemorrhagic choroidal detachment, unspecified eye                          |
| H31.421  | Serous choroidal detachment, right eye                                     |
| H31.422  | Serous choroidal detachment, left eye                                      |
| H31.423  | Serous choroidal detachment, bilateral                                     |
| H31.429  | Serous choroidal detachment, unspecified eye                               |
| H34.00   | Transient retinal artery occlusion, unspecified eye                        |
| H34.01   | Transient retinal artery occlusion, right eye                              |
| H34.02   | Transient retinal artery occlusion, left eye                               |
| H34.03   | Transient retinal artery occlusion, bilateral                              |
| H34.10   | Central retinal artery occlusion, unspecified eye                          |
| H34.11   | Central retinal artery occlusion, right eye                                |
| H34.12   | Central retinal artery occlusion, left eye                                 |
| H34.13   | Central retinal artery occlusion, bilateral                                |
| H34.211  | Partial retinal artery occlusion, right eye                                |
| H34.212  | Partial retinal artery occlusion, left eye                                 |
| H34.213  | Partial retinal artery occlusion, bilateral                                |
| H34.219  | Partial retinal artery occlusion, unspecified eye                          |
| H34.231  | Retinal artery branch occlusion, right eye                                 |
| H34.232  | Retinal artery branch occlusion, left eye                                  |
| H34.233  | Retinal artery branch occlusion, bilateral                                 |
| H34.239  | Retinal artery branch occlusion, unspecified eye                           |
| H34.8110 | Central retinal vein occlusion, right eye, with macular edema              |
| H34.8111 | Central retinal vein occlusion, right eye, with retinal neovascularization |
| H34.8112 | Central retinal vein occlusion, right eye, stable                          |
| H34.8120 | Central retinal vein occlusion, left eye, with macular edema               |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| H34.8121 | Central retinal vein occlusion, left eye, with retinal neovascularization                   |
| H34.8122 | Central retinal vein occlusion, left eye, stable  |
| H34.8130 | Central retinal vein occlusion, bilateral, with macular edema                               |
| H34.8131 | Central retinal vein occlusion, bilateral, with retinal neovascularization                  |
| H34.8132 | Central retinal vein occlusion, bilateral, stable   |
| H34.8190 | Central retinal vein occlusion, unspecified eye, with macular edema                         |
| H34.8191 | Central retinal vein occlusion, unspecified eye, with retinal neovascularization            |
| H34.8192 | Central retinal vein occlusion, unspecified eye, stable                                     |
| H34.821  | Venous engorgement, right eye   |
| H34.822  | Venous engorgement, left eye  |
| H34.823  | Venous engorgement, bilateral   |
| H34.829  | Venous engorgement, unspecified eye   |
| H34.8310 | Tributary (branch) retinal vein occlusion, right eye, with macular edema                    |
| H34.8311 | Tributary (branch) retinal vein occlusion, right eye, with retinal neovascularization       |
| H34.8312 | Tributary (branch) retinal vein occlusion, right eye, stable                                |
| H34.8320 | Tributary (branch) retinal vein occlusion, left eye, with macular edema                     |
| H34.8321 | Tributary (branch) retinal vein occlusion, left eye, with retinal neovascularization        |
| H34.8322 | Tributary (branch) retinal vein occlusion, left eye, stable                                 |
| H34.8330 | Tributary (branch) retinal vein occlusion, bilateral, with macular edema                    |
| H34.8331 | Tributary (branch) retinal vein occlusion, bilateral, with retinal neovascularization       |
| H34.8332 | Tributary (branch) retinal vein occlusion, bilateral, stable                                |
| H34.8390 | Tributary (branch) retinal vein occlusion, unspecified eye, with macular edema              |
| H34.8391 | Tributary (branch) retinal vein occlusion, unspecified eye, with retinal neovascularization |
| H34.8392 | Tributary (branch) retinal vein occlusion, unspecified eye, stable                          |
| H34.9    | Unspecified retinal vascular occlusion  |
| H35.061  | Retinal vasculitis, right eye   |
| H35.062  | Retinal vasculitis, left eye  |
| H35.063  | Retinal vasculitis, bilateral   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H35.069 | Retinal vasculitis, unspecified eye   |
| H35.60  | Retinal hemorrhage, unspecified eye   |
| H35.61  | Retinal hemorrhage, right eye   |
| H35.62  | Retinal hemorrhage, left eye  |
| H35.63  | Retinal hemorrhage, bilateral   |
| H35.731 | Hemorrhagic detachment of retinal pigment epithelium, right eye               |
| H35.732 | Hemorrhagic detachment of retinal pigment epithelium, left eye                |
| H35.733 | Hemorrhagic detachment of retinal pigment epithelium, bilateral               |
| H35.739 | Hemorrhagic detachment of retinal pigment epithelium, unspecified eye         |
| H43.10  | Vitreous hemorrhage, unspecified eye  |
| H43.11  | Vitreous hemorrhage, right eye  |
| H43.12  | Vitreous hemorrhage, left eye   |
| H43.13  | Vitreous hemorrhage, bilateral  |
| H44.2E1 | Degenerative myopia with other maculopathy, right eye                         |
| H44.2E2 | Degenerative myopia with other maculopathy, left eye                          |
| H44.2E3 | Degenerative myopia with other maculopathy, bilateral eye                     |
| H44.811 | Hemophthalmos, right eye  |
| H44.812 | Hemophthalmos, left eye   |
| H44.813 | Hemophthalmos, bilateral  |
| H44.819 | Hemophthalmos, unspecified eye  |
| H47.021 | Hemorrhage in optic nerve sheath, right eye                                   |
| H47.022 | Hemorrhage in optic nerve sheath, left eye                                    |
| H47.023 | Hemorrhage in optic nerve sheath, bilateral                                   |
| H47.029 | Hemorrhage in optic nerve sheath, unspecified eye                             |
| H47.43  | Disorders of optic chiasm in (due to) vascular disorders                      |
| H47.531 | Disorders of visual pathways in (due to) vascular disorders, right side       |
| H47.532 | Disorders of visual pathways in (due to) vascular disorders, left side        |
| H47.539 | Disorders of visual pathways in (due to) vascular disorders, unspecified side |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| H47.641     | Disorders of visual cortex in (due to) vascular disorders, right side of brain                            |
| H47.642     | Disorders of visual cortex in (due to) vascular disorders, left side of brain                             |
| H47.649     | Disorders of visual cortex in (due to) vascular disorders, unspecified side of brain                      |
| H53.9       | Unspecified visual disturbance  |
| H55.82      | Deficient smooth pursuit eye movements  |
| H59.111     | Intraoperative hemorrhage and hematoma of right eye and adnexa complicating an ophthalmic procedure       |
| H59.112     | Intraoperative hemorrhage and hematoma of left eye and adnexa complicating an ophthalmic procedure        |
| H59.113     | Intraoperative hemorrhage and hematoma of eye and adnexa complicating an ophthalmic procedure, bilateral  |
| H59.119     | Intraoperative hemorrhage and hematoma of unspecified eye and adnexa complicating an ophthalmic procedure |
| H59.121     | Intraoperative hemorrhage and hematoma of right eye and adnexa complicating other procedure               |
| H59.122     | Intraoperative hemorrhage and hematoma of left eye and adnexa complicating other procedure                |
| H59.123     | Intraoperative hemorrhage and hematoma of eye and adnexa complicating other procedure, bilateral          |
| H59.129     | Intraoperative hemorrhage and hematoma of unspecified eye and adnexa complicating other procedure         |
| H59.311     | Postprocedural hemorrhage of right eye and adnexa following an ophthalmic procedure                       |
| H59.312     | Postprocedural hemorrhage of left eye and adnexa following an ophthalmic procedure                        |
| H59.313     | Postprocedural hemorrhage of eye and adnexa following an ophthalmic procedure, bilateral                  |
| H59.319     | Postprocedural hemorrhage of unspecified eye and adnexa following an ophthalmic procedure                 |
| H59.321     | Postprocedural hemorrhage of right eye and adnexa following other procedure                               |
| H59.322     | Postprocedural hemorrhage of left eye and adnexa following other procedure                                |
| H59.323     | Postprocedural hemorrhage of eye and adnexa following other procedure, bilateral                          |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H59.329 | Postprocedural hemorrhage of unspecified eye and adnexa following other procedure   |
| H59.331 | Postprocedural hematoma of right eye and adnexa following an ophthalmic procedure   |
| H59.332 | Postprocedural hematoma of left eye and adnexa following an ophthalmic procedure  |
| H59.333 | Postprocedural hematoma of eye and adnexa following an ophthalmic procedure, bilateral                                    |
| H59.339 | Postprocedural hematoma of unspecified eye and adnexa following an ophthalmic procedure                                   |
| H59.341 | Postprocedural hematoma of right eye and adnexa following other procedure   |
| H59.342 | Postprocedural hematoma of left eye and adnexa following other procedure  |
| H59.343 | Postprocedural hematoma of eye and adnexa following other procedure, bilateral  |
| H59.349 | Postprocedural hematoma of unspecified eye and adnexa following other procedure   |
| H61.121 | Hematoma of pinna, right ear  |
| H61.122 | Hematoma of pinna, left ear   |
| H61.123 | Hematoma of pinna, bilateral  |
| H61.129 | Hematoma of pinna, unspecified ear  |
| H81.4   | Vertigo of central origin   |
| H83.2X1 | Labyrinthine dysfunction, right ear   |
| H83.2X2 | Labyrinthine dysfunction, left ear  |
| H83.2X3 | Labyrinthine dysfunction, bilateral   |
| H83.2X9 | Labyrinthine dysfunction, unspecified ear   |
| H95.21  | Intraoperative hemorrhage and hematoma of ear and mastoid process complicating a procedure on the ear and mastoid process |
| H95.22  | Intraoperative hemorrhage and hematoma of ear and mastoid process complicating other procedure                            |
| H95.41  | Postprocedural hemorrhage of ear and mastoid process following a procedure on the ear and mastoid process                 |
| H95.42  | Postprocedural hemorrhage of ear and mastoid process following other procedure  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| H95.51 | Postprocedural hematoma of ear and mastoid process following a procedure on the ear and mastoid process |
| H95.52 | Postprocedural hematoma of ear and mastoid process following other procedure                            |
| I05.0  | Rheumatic mitral stenosis   |
| I05.1  | Rheumatic mitral insufficiency  |
| I05.2  | Rheumatic mitral stenosis with insufficiency  |
| I05.8  | Other rheumatic mitral valve diseases   |
| I05.9  | Rheumatic mitral valve disease, unspecified   |
| I06.0  | Rheumatic aortic stenosis   |
| I06.2  | Rheumatic aortic stenosis with insufficiency  |
| I07.0  | Rheumatic tricuspid stenosis  |
| I07.1  | Rheumatic tricuspid insufficiency   |
| I07.2  | Rheumatic tricuspid stenosis and insufficiency  |
| I07.8  | Other rheumatic tricuspid valve diseases  |
| I07.9  | Rheumatic tricuspid valve disease, unspecified  |
| I08.0  | Rheumatic disorders of both mitral and aortic valves  |
| I08.1  | Rheumatic disorders of both mitral and tricuspid valves   |
| I08.2  | Rheumatic disorders of both aortic and tricuspid valves   |
| I08.3  | Combined rheumatic disorders of mitral, aortic and tricuspid valves                                     |
| I08.8  | Other rheumatic multiple valve diseases   |
| I08.9  | Rheumatic multiple valve disease, unspecified   |
| I09.0  | Rheumatic myocarditis   |
| I09.1  | Rheumatic diseases of endocardium, valve unspecified  |
| I09.81 | Rheumatic heart failure   |
| I09.89 | Other specified rheumatic heart diseases  |
| I09.9  | Rheumatic heart disease, unspecified  |
| I12.0  | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| I13.11 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease |
| I16.0  | Hypertensive urgency   |
| I16.1  | Hypertensive emergency   |
| I16.9  | Hypertensive crisis, unspecified   |
| I20.0  | Unstable angina  |
| I20.1  | Angina pectoris with documented spasm  |
| I20.8  | Other forms of angina pectoris   |
| I20.9  | Angina pectoris, unspecified   |
| I21.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery   |
| I21.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery  |
| I21.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall  |
| I21.11 | ST elevation (STEMI) myocardial infarction involving right coronary artery   |
| I21.19 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall  |
| I21.21 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery   |
| I21.29 | ST elevation (STEMI) myocardial infarction involving other sites   |
| I21.3  | ST elevation (STEMI) myocardial infarction of unspecified site   |
| I21.4  | Non-ST elevation (NSTEMI) myocardial infarction  |
| I21.9  | Acute myocardial infarction, unspecified   |
| I21.A1 | Myocardial infarction type 2   |
| I21.A9 | Other myocardial infarction type   |
| I22.0  | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall   |
| I22.1  | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall   |
| I22.2  | Subsequent non-ST elevation (NSTEMI) myocardial infarction   |
| I22.8  | Subsequent ST elevation (STEMI) myocardial infarction of other sites   |
| I22.9  | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site  |
| I23.0  | Hemopericardium as current complication following acute myocardial infarction  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I23.3   | Rupture of cardiac wall without hemopericardium as current complication following acute myocardial infarction           |
| I23.6   | Thrombosis of atrium, auricular appendage, and ventricle as current complications following acute myocardial infarction |
| I23.7   | Postinfarction angina   |
| I23.8   | Other current complications following acute myocardial infarction   |
| I24.0   | Acute coronary thrombosis not resulting in myocardial infarction  |
| I24.8   | Other forms of acute ischemic heart disease   |
| I24.9   | Acute ischemic heart disease, unspecified   |
| I25.10  | Atherosclerotic heart disease of native coronary artery without angina pectoris   |
| I25.110 | Atherosclerotic heart disease of native coronary artery with unstable angina pectoris                                   |
| I25.111 | Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm                      |
| I25.118 | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris                             |
| I25.119 | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris                                |
| I25.5   | Ischemic cardiomyopathy   |
| I25.6   | Silent myocardial ischemia  |
| I25.700 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris                          |
| I25.701 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm             |
| I25.708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris                    |
| I25.709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris                       |
| I25.710 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris                        |
| I25.711 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm           |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I25.718     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris                 |
| I25.719     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris                    |
| I25.720     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris                     |
| I25.721     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm        |
| I25.728     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris               |
| I25.729     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris                  |
| I25.730     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris              |
| I25.731     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm |
| I25.738     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris        |
| I25.739     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris           |
| I25.750     | Atherosclerosis of native coronary artery of transplanted heart with unstable angina                                   |
| I25.751     | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm             |
| I25.758     | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris                    |
| I25.759     | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris                       |
| I25.760     | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina                          |
| I25.761     | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm    |
| I25.768     | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I25.769 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris |
| I25.790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris                    |
| I25.791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm       |
| I25.798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris              |
| I25.799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris                 |
| I25.810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris                                |
| I25.811 | Atherosclerosis of native coronary artery of transplanted heart without angina pectoris                   |
| I25.812 | Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris          |
| I25.83  | Coronary atherosclerosis due to lipid rich plaque   |
| I25.84  | Coronary atherosclerosis due to calcified coronary lesion   |
| I25.89  | Other forms of chronic ischemic heart disease   |
| I25.9   | Chronic ischemic heart disease, unspecified   |
| I26.01  | Septic pulmonary embolism with acute cor pulmonale  |
| I26.02  | Saddle embolus of pulmonary artery with acute cor pulmonale   |
| I26.09  | Other pulmonary embolism with acute cor pulmonale   |
| I26.90  | Septic pulmonary embolism without acute cor pulmonale   |
| I26.92  | Saddle embolus of pulmonary artery without acute cor pulmonale  |
| I26.99  | Other pulmonary embolism without acute cor pulmonale  |
| I27.81  | Cor pulmonale (chronic)   |
| I27.83  | Eisenmenger's syndrome  |
| I27.9   | Pulmonary heart disease, unspecified  |
| I31.2   | Hemopericardium, not elsewhere classified   |
| I34.0   | Nonrheumatic mitral (valve) insufficiency   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| I34.1 | Nonrheumatic mitral (valve) prolapse                    |
| I34.2 | Nonrheumatic mitral (valve) stenosis                    |
| I34.8 | Other nonrheumatic mitral valve disorders               |
| I34.9 | Nonrheumatic mitral valve disorder, unspecified         |
| I35.0 | Nonrheumatic aortic (valve) stenosis                    |
| I35.1 | Nonrheumatic aortic (valve) insufficiency               |
| I35.2 | Nonrheumatic aortic (valve) stenosis with insufficiency |
| I35.8 | Other nonrheumatic aortic valve disorders               |
| I35.9 | Nonrheumatic aortic valve disorder, unspecified         |
| I38   | Endocarditis, valve unspecified                         |
| I42.0 | Dilated cardiomyopathy                                  |
| I42.1 | Obstructive hypertrophic cardiomyopathy                 |
| I42.2 | Other hypertrophic cardiomyopathy                       |
| I42.3 | Endomyocardial (eosinophilic) disease                   |
| I42.4 | Endocardial fibroelastosis                              |
| I42.5 | Other restrictive cardiomyopathy                        |
| I42.6 | Alcoholic cardiomyopathy                                |
| I42.7 | Cardiomyopathy due to drug and external agent           |
| I42.8 | Other cardiomyopathies                                  |
| I42.9 | Cardiomyopathy, unspecified                             |
| I43   | Cardiomyopathy in diseases classified elsewhere         |
| I46.2 | Cardiac arrest due to underlying cardiac condition      |
| I46.8 | Cardiac arrest due to other underlying condition        |
| I46.9 | Cardiac arrest, cause unspecified                       |
| I47.0 | Re-entry ventricular arrhythmia                         |
| I47.1 | Supraventricular tachycardia                            |
| I47.2 | Ventricular tachycardia                                 |
| I47.9 | Paroxysmal tachycardia, unspecified                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| I48.0  | Paroxysmal atrial fibrillation                        |
| I48.11 | Longstanding persistent atrial fibrillation           |
| I48.19 | Other persistent atrial fibrillation                  |
| I48.20 | Chronic atrial fibrillation, unspecified              |
| I48.21 | Permanent atrial fibrillation                         |
| I48.3  | Typical atrial flutter                                |
| I48.4  | Atypical atrial flutter                               |
| I48.91 | Unspecified atrial fibrillation                       |
| I48.92 | Unspecified atrial flutter                            |
| I49.01 | Ventricular fibrillation                              |
| I49.02 | Ventricular flutter                                   |
| I49.1  | Atrial premature depolarization                       |
| I49.2  | Junctional premature depolarization                   |
| I49.3  | Ventricular premature depolarization                  |
| I49.40 | Unspecified premature depolarization                  |
| I49.49 | Other premature depolarization                        |
| I49.5  | Sick sinus syndrome                                   |
| I49.8  | Other specified cardiac arrhythmias                   |
| I49.9  | Cardiac arrhythmia, unspecified                       |
| I50.1  | Left ventricular failure, unspecified                 |
| I50.20 | Unspecified systolic (congestive) heart failure       |
| I50.21 | Acute systolic (congestive) heart failure             |
| I50.22 | Chronic systolic (congestive) heart failure           |
| I50.23 | Acute on chronic systolic (congestive) heart failure  |
| I50.30 | Unspecified diastolic (congestive) heart failure      |
| I50.31 | Acute diastolic (congestive) heart failure            |
| I50.32 | Chronic diastolic (congestive) heart failure          |
| I50.33 | Acute on chronic diastolic (congestive) heart failure |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| I50.40 | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure      |
| I50.41 | Acute combined systolic (congestive) and diastolic (congestive) heart failure            |
| I50.42 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure          |
| I50.43 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| I50.9  | Heart failure, unspecified   |
| I51.4  | Myocarditis, unspecified   |
| I51.5  | Myocardial degeneration  |
| I51.7  | Cardiomegaly   |
| I60.00 | Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation     |
| I60.01 | Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation           |
| I60.02 | Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation            |
| I60.10 | Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery             |
| I60.11 | Nontraumatic subarachnoid hemorrhage from right middle cerebral artery                   |
| I60.12 | Nontraumatic subarachnoid hemorrhage from left middle cerebral artery                    |
| I60.2  | Nontraumatic subarachnoid hemorrhage from anterior communicating artery                  |
| I60.30 | Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery     |
| I60.31 | Nontraumatic subarachnoid hemorrhage from right posterior communicating artery           |
| I60.32 | Nontraumatic subarachnoid hemorrhage from left posterior communicating artery            |
| I60.4  | Nontraumatic subarachnoid hemorrhage from basilar artery                                 |
| I60.50 | Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery                   |
| I60.51 | Nontraumatic subarachnoid hemorrhage from right vertebral artery                         |
| I60.52 | Nontraumatic subarachnoid hemorrhage from left vertebral artery                          |
| I60.6  | Nontraumatic subarachnoid hemorrhage from other intracranial arteries                    |
| I60.7  | Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery                |
| I60.8  | Other nontraumatic subarachnoid hemorrhage   |
| I60.9  | Nontraumatic subarachnoid hemorrhage, unspecified  |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I61.0   | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical        |
| I61.1   | Nontraumatic intracerebral hemorrhage in hemisphere, cortical           |
| I61.2   | Nontraumatic intracerebral hemorrhage in hemisphere, unspecified        |
| I61.3   | Nontraumatic intracerebral hemorrhage in brain stem                     |
| I61.4   | Nontraumatic intracerebral hemorrhage in cerebellum                     |
| I61.5   | Nontraumatic intracerebral hemorrhage, intraventricular                 |
| I61.6   | Nontraumatic intracerebral hemorrhage, multiple localized               |
| I61.8   | Other nontraumatic intracerebral hemorrhage                             |
| I61.9   | Nontraumatic intracerebral hemorrhage, unspecified                      |
| I62.00  | Nontraumatic subdural hemorrhage, unspecified                           |
| I62.01  | Nontraumatic acute subdural hemorrhage                                  |
| I62.02  | Nontraumatic subacute subdural hemorrhage                               |
| I62.03  | Nontraumatic chronic subdural hemorrhage                                |
| I62.1   | Nontraumatic extradural hemorrhage                                      |
| I62.9   | Nontraumatic intracranial hemorrhage, unspecified                       |
| I63.00  | Cerebral infarction due to thrombosis of unspecified precerebral artery |
| I63.011 | Cerebral infarction due to thrombosis of right vertebral artery         |
| I63.012 | Cerebral infarction due to thrombosis of left vertebral artery          |
| I63.013 | Cerebral infarction due to thrombosis of bilateral vertebral arteries   |
| I63.019 | Cerebral infarction due to thrombosis of unspecified vertebral artery   |
| I63.02  | Cerebral infarction due to thrombosis of basilar artery                 |
| I63.031 | Cerebral infarction due to thrombosis of right carotid artery           |
| I63.032 | Cerebral infarction due to thrombosis of left carotid artery            |
| I63.033 | Cerebral infarction due to thrombosis of bilateral carotid arteries     |
| I63.039 | Cerebral infarction due to thrombosis of unspecified carotid artery     |
| I63.09  | Cerebral infarction due to thrombosis of other precerebral artery       |
| I63.10  | Cerebral infarction due to embolism of unspecified precerebral artery   |
| I63.111 | Cerebral infarction due to embolism of right vertebral artery           |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I63.112 | Cerebral infarction due to embolism of left vertebral artery                                     |
| I63.113 | Cerebral infarction due to embolism of bilateral vertebral arteries                              |
| I63.119 | Cerebral infarction due to embolism of unspecified vertebral artery                              |
| I63.12  | Cerebral infarction due to embolism of basilar artery  |
| I63.131 | Cerebral infarction due to embolism of right carotid artery                                      |
| I63.132 | Cerebral infarction due to embolism of left carotid artery                                       |
| I63.133 | Cerebral infarction due to embolism of bilateral carotid arteries                                |
| I63.139 | Cerebral infarction due to embolism of unspecified carotid artery                                |
| I63.19  | Cerebral infarction due to embolism of other precerebral artery                                  |
| I63.20  | Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries |
| I63.211 | Cerebral infarction due to unspecified occlusion or stenosis of right vertebral artery           |
| I63.212 | Cerebral infarction due to unspecified occlusion or stenosis of left vertebral artery            |
| I63.213 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral arteries     |
| I63.219 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral artery     |
| I63.22  | Cerebral infarction due to unspecified occlusion or stenosis of basilar artery                   |
| I63.231 | Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries           |
| I63.232 | Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries            |
| I63.233 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries       |
| I63.239 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid artery       |
| I63.29  | Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries       |
| I63.30  | Cerebral infarction due to thrombosis of unspecified cerebral artery                             |
| I63.311 | Cerebral infarction due to thrombosis of right middle cerebral artery                            |
| I63.312 | Cerebral infarction due to thrombosis of left middle cerebral artery                             |
| I63.313 | Cerebral infarction due to thrombosis of bilateral middle cerebral arteries                      |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I63.319 | Cerebral infarction due to thrombosis of unspecified middle cerebral artery    |
| I63.321 | Cerebral infarction due to thrombosis of right anterior cerebral artery        |
| I63.322 | Cerebral infarction due to thrombosis of left anterior cerebral artery         |
| I63.323 | Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries  |
| I63.329 | Cerebral infarction due to thrombosis of unspecified anterior cerebral artery  |
| I63.331 | Cerebral infarction due to thrombosis of right posterior cerebral artery       |
| I63.332 | Cerebral infarction due to thrombosis of left posterior cerebral artery        |
| I63.333 | Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries |
| I63.339 | Cerebral infarction due to thrombosis of unspecified posterior cerebral artery |
| I63.341 | Cerebral infarction due to thrombosis of right cerebellar artery               |
| I63.342 | Cerebral infarction due to thrombosis of left cerebellar artery                |
| I63.343 | Cerebral infarction due to thrombosis of bilateral cerebellar arteries         |
| I63.349 | Cerebral infarction due to thrombosis of unspecified cerebellar artery         |
| I63.39  | Cerebral infarction due to thrombosis of other cerebral artery                 |
| I63.40  | Cerebral infarction due to embolism of unspecified cerebral artery             |
| I63.411 | Cerebral infarction due to embolism of right middle cerebral artery            |
| I63.412 | Cerebral infarction due to embolism of left middle cerebral artery             |
| I63.413 | Cerebral infarction due to embolism of bilateral middle cerebral arteries      |
| I63.419 | Cerebral infarction due to embolism of unspecified middle cerebral artery      |
| I63.421 | Cerebral infarction due to embolism of right anterior cerebral artery          |
| I63.422 | Cerebral infarction due to embolism of left anterior cerebral artery           |
| I63.423 | Cerebral infarction due to embolism of bilateral anterior cerebral arteries    |
| I63.429 | Cerebral infarction due to embolism of unspecified anterior cerebral artery    |
| I63.431 | Cerebral infarction due to embolism of right posterior cerebral artery         |
| I63.432 | Cerebral infarction due to embolism of left posterior cerebral artery          |
| I63.433 | Cerebral infarction due to embolism of bilateral posterior cerebral arteries   |
| I63.439 | Cerebral infarction due to embolism of unspecified posterior cerebral artery   |
| I63.441 | Cerebral infarction due to embolism of right cerebellar artery                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I63.442 | Cerebral infarction due to embolism of left cerebellar artery   |
| I63.443 | Cerebral infarction due to embolism of bilateral cerebellar arteries                                  |
| I63.449 | Cerebral infarction due to embolism of unspecified cerebellar artery                                  |
| I63.49  | Cerebral infarction due to embolism of other cerebral artery  |
| I63.50  | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery           |
| I63.511 | Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery          |
| I63.512 | Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery           |
| I63.513 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral arteries    |
| I63.519 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery    |
| I63.521 | Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery        |
| I63.522 | Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery         |
| I63.523 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior cerebral arteries  |
| I63.529 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery  |
| I63.531 | Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery       |
| I63.532 | Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery        |
| I63.533 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior cerebral arteries |
| I63.539 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery |
| I63.541 | Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery               |
| I63.542 | Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I63.543 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries |
| I63.549 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery |
| I63.59  | Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery         |
| I63.6   | Cerebral infarction due to cerebral venous thrombosis, nonpyogenic                            |
| I63.81  | Other cerebral infarction due to occlusion or stenosis of small artery                        |
| I63.89  | Other cerebral infarction   |
| I63.9   | Cerebral infarction, unspecified  |
| I65.01  | Occlusion and stenosis of right vertebral artery  |
| I65.02  | Occlusion and stenosis of left vertebral artery   |
| I65.03  | Occlusion and stenosis of bilateral vertebral arteries  |
| I65.09  | Occlusion and stenosis of unspecified vertebral artery  |
| I65.1   | Occlusion and stenosis of basilar artery  |
| I65.21  | Occlusion and stenosis of right carotid artery  |
| I65.22  | Occlusion and stenosis of left carotid artery   |
| I65.23  | Occlusion and stenosis of bilateral carotid arteries  |
| I65.29  | Occlusion and stenosis of unspecified carotid artery  |
| I65.8   | Occlusion and stenosis of other precerebral arteries  |
| I65.9   | Occlusion and stenosis of unspecified precerebral artery                                      |
| I66.01  | Occlusion and stenosis of right middle cerebral artery  |
| I66.02  | Occlusion and stenosis of left middle cerebral artery   |
| I66.03  | Occlusion and stenosis of bilateral middle cerebral arteries                                  |
| I66.09  | Occlusion and stenosis of unspecified middle cerebral artery                                  |
| I66.11  | Occlusion and stenosis of right anterior cerebral artery                                      |
| I66.12  | Occlusion and stenosis of left anterior cerebral artery                                       |
| I66.13  | Occlusion and stenosis of bilateral anterior cerebral arteries                                |
| I66.19  | Occlusion and stenosis of unspecified anterior cerebral artery                                |
| I66.21  | Occlusion and stenosis of right posterior cerebral artery                                     |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I66.22  | Occlusion and stenosis of left posterior cerebral artery   |
| I66.23  | Occlusion and stenosis of bilateral posterior cerebral arteries                                  |
| I66.29  | Occlusion and stenosis of unspecified posterior cerebral artery                                  |
| I66.3   | Occlusion and stenosis of cerebellar arteries  |
| I66.8   | Occlusion and stenosis of other cerebral arteries  |
| I66.9   | Occlusion and stenosis of unspecified cerebral artery  |
| I67.0   | Dissection of cerebral arteries, nonruptured   |
| I67.2   | Cerebral atherosclerosis   |
| I67.6   | Nonpyogenic thrombosis of intracranial venous system   |
| I67.81  | Acute cerebrovascular insufficiency  |
| I67.82  | Cerebral ischemia  |
| I67.841 | Reversible cerebrovascular vasoconstriction syndrome   |
| I67.848 | Other cerebrovascular vasospasm and vasoconstriction   |
| I67.850 | Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy       |
| I67.858 | Other hereditary cerebrovascular disease   |
| I67.89  | Other cerebrovascular disease  |
| I70.0   | Atherosclerosis of aorta   |
| I70.1   | Atherosclerosis of renal artery  |
| I70.201 | Unspecified atherosclerosis of native arteries of extremities, right leg                         |
| I70.202 | Unspecified atherosclerosis of native arteries of extremities, left leg                          |
| I70.203 | Unspecified atherosclerosis of native arteries of extremities, bilateral legs                    |
| I70.208 | Unspecified atherosclerosis of native arteries of extremities, other extremity                   |
| I70.209 | Unspecified atherosclerosis of native arteries of extremities, unspecified extremity             |
| I70.211 | Atherosclerosis of native arteries of extremities with intermittent claudication, right leg      |
| I70.212 | Atherosclerosis of native arteries of extremities with intermittent claudication, left leg       |
| I70.213 | Atherosclerosis of native arteries of extremities with intermittent claudication, bilateral legs |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.218 | Atherosclerosis of native arteries of extremities with intermittent claudication, other extremity       |
| I70.219 | Atherosclerosis of native arteries of extremities with intermittent claudication, unspecified extremity |
| I70.221 | Atherosclerosis of native arteries of extremities with rest pain, right leg                             |
| I70.222 | Atherosclerosis of native arteries of extremities with rest pain, left leg                              |
| I70.223 | Atherosclerosis of native arteries of extremities with rest pain, bilateral legs                        |
| I70.228 | Atherosclerosis of native arteries of extremities with rest pain, other extremity                       |
| I70.229 | Atherosclerosis of native arteries of extremities with rest pain, unspecified extremity                 |
| I70.231 | Atherosclerosis of native arteries of right leg with ulceration of thigh                                |
| I70.232 | Atherosclerosis of native arteries of right leg with ulceration of calf                                 |
| I70.233 | Atherosclerosis of native arteries of right leg with ulceration of ankle                                |
| I70.234 | Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot                     |
| I70.235 | Atherosclerosis of native arteries of right leg with ulceration of other part of foot                   |
| I70.238 | Atherosclerosis of native arteries of right leg with ulceration of other part of lower leg              |
| I70.239 | Atherosclerosis of native arteries of right leg with ulceration of unspecified site                     |
| I70.241 | Atherosclerosis of native arteries of left leg with ulceration of thigh                                 |
| I70.242 | Atherosclerosis of native arteries of left leg with ulceration of calf                                  |
| I70.243 | Atherosclerosis of native arteries of left leg with ulceration of ankle                                 |
| I70.244 | Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot                      |
| I70.245 | Atherosclerosis of native arteries of left leg with ulceration of other part of foot                    |
| I70.248 | Atherosclerosis of native arteries of left leg with ulceration of other part of lower leg               |
| I70.249 | Atherosclerosis of native arteries of left leg with ulceration of unspecified site                      |
| I70.25  | Atherosclerosis of native arteries of other extremities with ulceration                                 |
| I70.261 | Atherosclerosis of native arteries of extremities with gangrene, right leg                              |
| I70.262 | Atherosclerosis of native arteries of extremities with gangrene, left leg                               |
| I70.263 | Atherosclerosis of native arteries of extremities with gangrene, bilateral legs                         |
| I70.268 | Atherosclerosis of native arteries of extremities with gangrene, other extremity                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.269 | Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity  |
| I70.291 | Other atherosclerosis of native arteries of extremities, right leg  |
| I70.292 | Other atherosclerosis of native arteries of extremities, left leg   |
| I70.293 | Other atherosclerosis of native arteries of extremities, bilateral legs   |
| I70.298 | Other atherosclerosis of native arteries of extremities, other extremity  |
| I70.299 | Other atherosclerosis of native arteries of extremities, unspecified extremity  |
| I70.301 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg                                |
| I70.302 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg                                 |
| I70.303 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs                           |
| I70.308 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity                          |
| I70.309 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity                    |
| I70.311 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, right leg             |
| I70.312 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, left leg              |
| I70.313 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.318 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.319 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.321 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.322 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.323 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, bilateral legs                        |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I70.328     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, other extremity          |
| I70.329     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, unspecified extremity    |
| I70.331     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of thigh                   |
| I70.332     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of calf                    |
| I70.333     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of ankle                   |
| I70.334     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.335     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.338     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.339     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.341     | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.342     | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of calf                     |
| I70.343     | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of ankle                    |
| I70.344     | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of heel and midfoot         |
| I70.345     | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of foot       |
| I70.348     | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of lower leg  |
| I70.349     | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of unspecified site         |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.35  | Atherosclerosis of unspecified type of bypass graft(s) of other extremity with ulceration                      |
| I70.361 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg             |
| I70.362 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg              |
| I70.363 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs        |
| I70.368 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity       |
| I70.369 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity |
| I70.391 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg                     |
| I70.392 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg                      |
| I70.393 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs                |
| I70.398 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity               |
| I70.399 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity         |
| I70.401 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg                   |
| I70.402 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg                    |
| I70.403 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs              |
| I70.408 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity             |
| I70.409 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I70.411     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, right leg             |
| I70.412     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, left leg              |
| I70.413     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.418     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.419     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.421     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.422     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.423     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, bilateral legs                        |
| I70.428     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, other extremity                       |
| I70.429     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, unspecified extremity                 |
| I70.431     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of thigh                                |
| I70.432     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of calf                                 |
| I70.433     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of ankle                                |
| I70.434     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of heel and midfoot                     |
| I70.435     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of foot                   |
| I70.438     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of lower leg              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.439 | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of unspecified site       |
| I70.441 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of thigh                   |
| I70.442 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of calf                    |
| I70.443 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of ankle                   |
| I70.444 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of heel and midfoot        |
| I70.445 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of foot      |
| I70.448 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of lower leg |
| I70.449 | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of unspecified site        |
| I70.45  | Atherosclerosis of autologous vein bypass graft(s) of other extremity with ulceration                         |
| I70.461 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg                |
| I70.462 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg                 |
| I70.463 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs           |
| I70.468 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity          |
| I70.469 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity    |
| I70.491 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg                        |
| I70.492 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg                         |
| I70.493 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs                   |
| I70.498 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.499 | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity                                   |
| I70.501 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg                                |
| I70.502 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg                                 |
| I70.503 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs                           |
| I70.508 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity                          |
| I70.509 | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity                    |
| I70.511 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, right leg             |
| I70.512 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, left leg              |
| I70.513 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.518 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.519 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.521 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.522 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.523 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, bilateral legs                        |
| I70.528 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, other extremity                       |
| I70.529 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, unspecified extremity                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.531 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of thigh                   |
| I70.532 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of calf                    |
| I70.533 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of ankle                   |
| I70.534 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.535 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.538 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.539 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.541 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.542 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of calf                     |
| I70.543 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of ankle                    |
| I70.544 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of heel and midfoot         |
| I70.545 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of foot       |
| I70.548 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of lower leg  |
| I70.549 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of unspecified site         |
| I70.55  | Atherosclerosis of nonautologous biological bypass graft(s) of other extremity with ulceration                          |
| I70.561 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.562 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg              |
| I70.563 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs        |
| I70.568 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity       |
| I70.569 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity |
| I70.591 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg                     |
| I70.592 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg                      |
| I70.593 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs                |
| I70.598 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity               |
| I70.599 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity         |
| I70.601 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg                          |
| I70.602 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg                           |
| I70.603 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs                     |
| I70.608 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity                    |
| I70.609 | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity              |
| I70.611 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, right leg       |
| I70.612 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, left leg        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.613 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.618 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.619 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.621 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.622 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.623 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, bilateral legs                        |
| I70.628 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, other extremity                       |
| I70.629 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, unspecified extremity                 |
| I70.631 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of thigh                                |
| I70.632 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of calf                                 |
| I70.633 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of ankle                                |
| I70.634 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of heel and midfoot                     |
| I70.635 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of foot                   |
| I70.638 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of lower leg              |
| I70.639 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of unspecified site                     |
| I70.641 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of thigh                                 |
| I70.642 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of calf                                  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.643 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of ankle                   |
| I70.644 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of heel and midfoot        |
| I70.645 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of foot      |
| I70.648 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of lower leg |
| I70.649 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of unspecified site        |
| I70.65  | Atherosclerosis of nonbiological bypass graft(s) of other extremity with ulceration                         |
| I70.661 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg                |
| I70.662 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg                 |
| I70.663 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs           |
| I70.668 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity          |
| I70.669 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity    |
| I70.691 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg                        |
| I70.692 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg                         |
| I70.693 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs                   |
| I70.698 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity                  |
| I70.699 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity            |
| I70.701 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, right leg                  |
| I70.702 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, left leg                   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.703 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs                           |
| I70.708 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, other extremity                          |
| I70.709 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity                    |
| I70.711 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, right leg             |
| I70.712 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, left leg              |
| I70.713 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.718 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.719 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.721 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.722 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.723 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, bilateral legs                        |
| I70.728 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, other extremity                       |
| I70.729 | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, unspecified extremity                 |
| I70.731 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of thigh                                |
| I70.732 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of calf                                 |
| I70.733 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of ankle                                |
| I70.734 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of heel and midfoot                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.735 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.738 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.739 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.741 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.742 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of calf                     |
| I70.743 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of ankle                    |
| I70.744 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of heel and midfoot         |
| I70.745 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of foot       |
| I70.748 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of lower leg  |
| I70.749 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of unspecified site         |
| I70.75  | Atherosclerosis of other type of bypass graft(s) of other extremity with ulceration                          |
| I70.761 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg                 |
| I70.762 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg                  |
| I70.763 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs            |
| I70.768 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity           |
| I70.769 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity     |
| I70.791 | Other atherosclerosis of other type of bypass graft(s) of the extremities, right leg                         |
| I70.792 | Other atherosclerosis of other type of bypass graft(s) of the extremities, left leg                          |
| I70.793 | Other atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.798 | Other atherosclerosis of other type of bypass graft(s) of the extremities, other extremity       |
| I70.799 | Other atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity |
| I70.8   | Atherosclerosis of other arteries  |
| I70.90  | Unspecified atherosclerosis  |
| I70.91  | Generalized atherosclerosis  |
| I70.92  | Chronic total occlusion of artery of the extremities   |
| I71.00  | Dissection of unspecified site of aorta  |
| I71.01  | Dissection of thoracic aorta   |
| I71.02  | Dissection of abdominal aorta  |
| I71.03  | Dissection of thoracoabdominal aorta   |
| I71.1   | Thoracic aortic aneurysm, ruptured   |
| I71.2   | Thoracic aortic aneurysm, without rupture  |
| I71.3   | Abdominal aortic aneurysm, ruptured  |
| I71.4   | Abdominal aortic aneurysm, without rupture   |
| I71.5   | Thoracoabdominal aortic aneurysm, ruptured   |
| I71.6   | Thoracoabdominal aortic aneurysm, without rupture  |
| I71.8   | Aortic aneurysm of unspecified site, ruptured  |
| I71.9   | Aortic aneurysm of unspecified site, without rupture   |
| I73.00  | Raynaud's syndrome without gangrene  |
| I73.01  | Raynaud's syndrome with gangrene   |
| I73.1   | Thromboangiitis obliterans [Buerger's disease]   |
| I73.81  | Erythromelalgia  |
| I73.89  | Other specified peripheral vascular diseases   |
| I73.9   | Peripheral vascular disease, unspecified   |
| I74.01  | Saddle embolus of abdominal aorta  |
| I74.09  | Other arterial embolism and thrombosis of abdominal aorta  |
| I74.10  | Embolism and thrombosis of unspecified parts of aorta  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| I74.11 | Embolism and thrombosis of thoracic aorta  |
| I74.19 | Embolism and thrombosis of other parts of aorta  |
| I74.2  | Embolism and thrombosis of arteries of the upper extremities                             |
| I74.3  | Embolism and thrombosis of arteries of the lower extremities                             |
| I74.4  | Embolism and thrombosis of arteries of extremities, unspecified                          |
| I74.5  | Embolism and thrombosis of iliac artery  |
| I74.8  | Embolism and thrombosis of other arteries  |
| I74.9  | Embolism and thrombosis of unspecified artery  |
| I77.1  | Stricture of artery  |
| I77.2  | Rupture of artery  |
| I77.6  | Arteritis, unspecified   |
| I77.71 | Dissection of carotid artery   |
| I77.72 | Dissection of iliac artery   |
| I77.73 | Dissection of renal artery   |
| I77.74 | Dissection of vertebral artery   |
| I77.79 | Dissection of other specified artery   |
| I78.0  | Hereditary hemorrhagic telangiectasia  |
| I78.8  | Other diseases of capillaries  |
| I78.9  | Disease of capillaries, unspecified  |
| I79.0  | Aneurysm of aorta in diseases classified elsewhere                                       |
| I79.1  | Aortitis in diseases classified elsewhere  |
| I79.8  | Other disorders of arteries, arterioles and capillaries in diseases classified elsewhere |
| I80.00 | Phlebitis and thrombophlebitis of superficial vessels of unspecified lower extremity     |
| I80.01 | Phlebitis and thrombophlebitis of superficial vessels of right lower extremity           |
| I80.02 | Phlebitis and thrombophlebitis of superficial vessels of left lower extremity            |
| I80.03 | Phlebitis and thrombophlebitis of superficial vessels of lower extremities, bilateral    |
| I80.10 | Phlebitis and thrombophlebitis of unspecified femoral vein                               |
| I80.11 | Phlebitis and thrombophlebitis of right femoral vein                                     |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I80.12  | Phlebitis and thrombophlebitis of left femoral vein  |
| I80.13  | Phlebitis and thrombophlebitis of femoral vein, bilateral                                  |
| I80.201 | Phlebitis and thrombophlebitis of unspecified deep vessels of right lower extremity        |
| I80.202 | Phlebitis and thrombophlebitis of unspecified deep vessels of left lower extremity         |
| I80.203 | Phlebitis and thrombophlebitis of unspecified deep vessels of lower extremities, bilateral |
| I80.209 | Phlebitis and thrombophlebitis of unspecified deep vessels of unspecified lower extremity  |
| I80.211 | Phlebitis and thrombophlebitis of right iliac vein   |
| I80.212 | Phlebitis and thrombophlebitis of left iliac vein  |
| I80.213 | Phlebitis and thrombophlebitis of iliac vein, bilateral                                    |
| I80.219 | Phlebitis and thrombophlebitis of unspecified iliac vein                                   |
| I80.221 | Phlebitis and thrombophlebitis of right popliteal vein                                     |
| I80.222 | Phlebitis and thrombophlebitis of left popliteal vein                                      |
| I80.223 | Phlebitis and thrombophlebitis of popliteal vein, bilateral                                |
| I80.229 | Phlebitis and thrombophlebitis of unspecified popliteal vein                               |
| I80.231 | Phlebitis and thrombophlebitis of right tibial vein  |
| I80.232 | Phlebitis and thrombophlebitis of left tibial vein   |
| I80.233 | Phlebitis and thrombophlebitis of tibial vein, bilateral                                   |
| I80.239 | Phlebitis and thrombophlebitis of unspecified tibial vein                                  |
| I80.241 | Phlebitis and thrombophlebitis of right peroneal vein                                      |
| I80.242 | Phlebitis and thrombophlebitis of left peroneal vein                                       |
| I80.243 | Phlebitis and thrombophlebitis of peroneal vein, bilateral                                 |
| I80.249 | Phlebitis and thrombophlebitis of unspecified peroneal vein                                |
| I80.251 | Phlebitis and thrombophlebitis of right calf muscular vein                                 |
| I80.252 | Phlebitis and thrombophlebitis of left calf muscular vein                                  |
| I80.253 | Phlebitis and thrombophlebitis of calf muscular vein, bilateral                            |
| I80.259 | Phlebitis and thrombophlebitis of unspecified calf muscular vein                           |
| I80.291 | Phlebitis and thrombophlebitis of other deep vessels of right lower extremity              |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I80.292 | Phlebitis and thrombophlebitis of other deep vessels of left lower extremity           |
| I80.293 | Phlebitis and thrombophlebitis of other deep vessels of lower extremity, bilateral     |
| I80.299 | Phlebitis and thrombophlebitis of other deep vessels of unspecified lower extremity    |
| I80.3   | Phlebitis and thrombophlebitis of lower extremities, unspecified                       |
| I80.8   | Phlebitis and thrombophlebitis of other sites  |
| I80.9   | Phlebitis and thrombophlebitis of unspecified site                                     |
| I81     | Portal vein thrombosis   |
| I82.0   | Budd-Chiari syndrome   |
| I82.1   | Thrombophlebitis migrans   |
| I82.210 | Acute embolism and thrombosis of superior vena cava                                    |
| I82.211 | Chronic embolism and thrombosis of superior vena cava                                  |
| I82.220 | Acute embolism and thrombosis of inferior vena cava                                    |
| I82.221 | Chronic embolism and thrombosis of inferior vena cava                                  |
| I82.290 | Acute embolism and thrombosis of other thoracic veins                                  |
| I82.291 | Chronic embolism and thrombosis of other thoracic veins                                |
| I82.3   | Embolism and thrombosis of renal vein  |
| I82.401 | Acute embolism and thrombosis of unspecified deep veins of right lower extremity       |
| I82.402 | Acute embolism and thrombosis of unspecified deep veins of left lower extremity        |
| I82.403 | Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral  |
| I82.409 | Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity |
| I82.411 | Acute embolism and thrombosis of right femoral vein                                    |
| I82.412 | Acute embolism and thrombosis of left femoral vein                                     |
| I82.413 | Acute embolism and thrombosis of femoral vein, bilateral                               |
| I82.419 | Acute embolism and thrombosis of unspecified femoral vein                              |
| I82.421 | Acute embolism and thrombosis of right iliac vein                                      |
| I82.422 | Acute embolism and thrombosis of left iliac vein                                       |
| I82.423 | Acute embolism and thrombosis of iliac vein, bilateral                                 |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I82.429 | Acute embolism and thrombosis of unspecified iliac vein  |
| I82.431 | Acute embolism and thrombosis of right popliteal vein  |
| I82.432 | Acute embolism and thrombosis of left popliteal vein   |
| I82.433 | Acute embolism and thrombosis of popliteal vein, bilateral                                     |
| I82.439 | Acute embolism and thrombosis of unspecified popliteal vein                                    |
| I82.441 | Acute embolism and thrombosis of right tibial vein   |
| I82.442 | Acute embolism and thrombosis of left tibial vein  |
| I82.443 | Acute embolism and thrombosis of tibial vein, bilateral  |
| I82.449 | Acute embolism and thrombosis of unspecified tibial vein                                       |
| I82.451 | Acute embolism and thrombosis of right peroneal vein   |
| I82.452 | Acute embolism and thrombosis of left peroneal vein  |
| I82.453 | Acute embolism and thrombosis of peroneal vein, bilateral                                      |
| I82.459 | Acute embolism and thrombosis of unspecified peroneal vein                                     |
| I82.461 | Acute embolism and thrombosis of right calf muscular vein                                      |
| I82.462 | Acute embolism and thrombosis of left calf muscular vein                                       |
| I82.463 | Acute embolism and thrombosis of calf muscular vein, bilateral                                 |
| I82.469 | Acute embolism and thrombosis of unspecified calf muscular vein                                |
| I82.491 | Acute embolism and thrombosis of other specified deep vein of right lower extremity            |
| I82.492 | Acute embolism and thrombosis of other specified deep vein of left lower extremity             |
| I82.493 | Acute embolism and thrombosis of other specified deep vein of lower extremity, bilateral       |
| I82.499 | Acute embolism and thrombosis of other specified deep vein of unspecified lower extremity      |
| I82.4Y1 | Acute embolism and thrombosis of unspecified deep veins of right proximal lower extremity      |
| I82.4Y2 | Acute embolism and thrombosis of unspecified deep veins of left proximal lower extremity       |
| I82.4Y3 | Acute embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.4Y9 | Acute embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity |
| I82.4Z1 | Acute embolism and thrombosis of unspecified deep veins of right distal lower extremity         |
| I82.4Z2 | Acute embolism and thrombosis of unspecified deep veins of left distal lower extremity          |
| I82.4Z3 | Acute embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral    |
| I82.4Z9 | Acute embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity   |
| I82.501 | Chronic embolism and thrombosis of unspecified deep veins of right lower extremity              |
| I82.502 | Chronic embolism and thrombosis of unspecified deep veins of left lower extremity               |
| I82.503 | Chronic embolism and thrombosis of unspecified deep veins of lower extremity, bilateral         |
| I82.509 | Chronic embolism and thrombosis of unspecified deep veins of unspecified lower extremity        |
| I82.511 | Chronic embolism and thrombosis of right femoral vein   |
| I82.512 | Chronic embolism and thrombosis of left femoral vein  |
| I82.513 | Chronic embolism and thrombosis of femoral vein, bilateral                                      |
| I82.519 | Chronic embolism and thrombosis of unspecified femoral vein                                     |
| I82.521 | Chronic embolism and thrombosis of right iliac vein   |
| I82.522 | Chronic embolism and thrombosis of left iliac vein  |
| I82.523 | Chronic embolism and thrombosis of iliac vein, bilateral  |
| I82.529 | Chronic embolism and thrombosis of unspecified iliac vein                                       |
| I82.531 | Chronic embolism and thrombosis of right popliteal vein   |
| I82.532 | Chronic embolism and thrombosis of left popliteal vein  |
| I82.533 | Chronic embolism and thrombosis of popliteal vein, bilateral                                    |
| I82.539 | Chronic embolism and thrombosis of unspecified popliteal vein                                   |
| I82.541 | Chronic embolism and thrombosis of right tibial vein  |
| I82.542 | Chronic embolism and thrombosis of left tibial vein   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.543 | Chronic embolism and thrombosis of tibial vein, bilateral   |
| I82.549 | Chronic embolism and thrombosis of unspecified tibial vein  |
| I82.551 | Chronic embolism and thrombosis of right peroneal vein  |
| I82.552 | Chronic embolism and thrombosis of left peroneal vein   |
| I82.553 | Chronic embolism and thrombosis of peroneal vein, bilateral                                       |
| I82.559 | Chronic embolism and thrombosis of unspecified peroneal vein                                      |
| I82.561 | Chronic embolism and thrombosis of right calf muscular vein                                       |
| I82.562 | Chronic embolism and thrombosis of left calf muscular vein  |
| I82.563 | Chronic embolism and thrombosis of calf muscular vein, bilateral                                  |
| I82.569 | Chronic embolism and thrombosis of unspecified calf muscular vein                                 |
| I82.591 | Chronic embolism and thrombosis of other specified deep vein of right lower extremity             |
| I82.592 | Chronic embolism and thrombosis of other specified deep vein of left lower extremity              |
| I82.593 | Chronic embolism and thrombosis of other specified deep vein of lower extremity, bilateral        |
| I82.599 | Chronic embolism and thrombosis of other specified deep vein of unspecified lower extremity       |
| I82.5Y1 | Chronic embolism and thrombosis of unspecified deep veins of right proximal lower extremity       |
| I82.5Y2 | Chronic embolism and thrombosis of unspecified deep veins of left proximal lower extremity        |
| I82.5Y3 | Chronic embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral  |
| I82.5Y9 | Chronic embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity |
| I82.5Z1 | Chronic embolism and thrombosis of unspecified deep veins of right distal lower extremity         |
| I82.5Z2 | Chronic embolism and thrombosis of unspecified deep veins of left distal lower extremity          |
| I82.5Z3 | Chronic embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral    |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.5Z9 | Chronic embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity |
| I82.601 | Acute embolism and thrombosis of unspecified veins of right upper extremity                     |
| I82.602 | Acute embolism and thrombosis of unspecified veins of left upper extremity                      |
| I82.603 | Acute embolism and thrombosis of unspecified veins of upper extremity, bilateral                |
| I82.609 | Acute embolism and thrombosis of unspecified veins of unspecified upper extremity               |
| I82.611 | Acute embolism and thrombosis of superficial veins of right upper extremity                     |
| I82.612 | Acute embolism and thrombosis of superficial veins of left upper extremity                      |
| I82.613 | Acute embolism and thrombosis of superficial veins of upper extremity, bilateral                |
| I82.619 | Acute embolism and thrombosis of superficial veins of unspecified upper extremity               |
| I82.621 | Acute embolism and thrombosis of deep veins of right upper extremity                            |
| I82.622 | Acute embolism and thrombosis of deep veins of left upper extremity                             |
| I82.623 | Acute embolism and thrombosis of deep veins of upper extremity, bilateral                       |
| I82.629 | Acute embolism and thrombosis of deep veins of unspecified upper extremity                      |
| I82.701 | Chronic embolism and thrombosis of unspecified veins of right upper extremity                   |
| I82.702 | Chronic embolism and thrombosis of unspecified veins of left upper extremity                    |
| I82.703 | Chronic embolism and thrombosis of unspecified veins of upper extremity, bilateral              |
| I82.709 | Chronic embolism and thrombosis of unspecified veins of unspecified upper extremity             |
| I82.711 | Chronic embolism and thrombosis of superficial veins of right upper extremity                   |
| I82.712 | Chronic embolism and thrombosis of superficial veins of left upper extremity                    |
| I82.713 | Chronic embolism and thrombosis of superficial veins of upper extremity, bilateral              |
| I82.719 | Chronic embolism and thrombosis of superficial veins of unspecified upper extremity             |
| I82.721 | Chronic embolism and thrombosis of deep veins of right upper extremity                          |
| I82.722 | Chronic embolism and thrombosis of deep veins of left upper extremity                           |
| I82.723 | Chronic embolism and thrombosis of deep veins of upper extremity, bilateral                     |
| I82.729 | Chronic embolism and thrombosis of deep veins of unspecified upper extremity                    |
| I82.811 | Embolism and thrombosis of superficial veins of right lower extremity                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I82.812 | Embolism and thrombosis of superficial veins of left lower extremity         |
| I82.813 | Embolism and thrombosis of superficial veins of lower extremities, bilateral |
| I82.819 | Embolism and thrombosis of superficial veins of unspecified lower extremity  |
| I82.890 | Acute embolism and thrombosis of other specified veins                       |
| I82.891 | Chronic embolism and thrombosis of other specified veins                     |
| I82.90  | Acute embolism and thrombosis of unspecified vein                            |
| I82.91  | Chronic embolism and thrombosis of unspecified vein                          |
| I82.A11 | Acute embolism and thrombosis of right axillary vein                         |
| I82.A12 | Acute embolism and thrombosis of left axillary vein                          |
| I82.A13 | Acute embolism and thrombosis of axillary vein, bilateral                    |
| I82.A19 | Acute embolism and thrombosis of unspecified axillary vein                   |
| I82.A21 | Chronic embolism and thrombosis of right axillary vein                       |
| I82.A22 | Chronic embolism and thrombosis of left axillary vein                        |
| I82.A23 | Chronic embolism and thrombosis of axillary vein, bilateral                  |
| I82.A29 | Chronic embolism and thrombosis of unspecified axillary vein                 |
| I82.B11 | Acute embolism and thrombosis of right subclavian vein                       |
| I82.B12 | Acute embolism and thrombosis of left subclavian vein                        |
| I82.B13 | Acute embolism and thrombosis of subclavian vein, bilateral                  |
| I82.B19 | Acute embolism and thrombosis of unspecified subclavian vein                 |
| I82.B21 | Chronic embolism and thrombosis of right subclavian vein                     |
| I82.B22 | Chronic embolism and thrombosis of left subclavian vein                      |
| I82.B23 | Chronic embolism and thrombosis of subclavian vein, bilateral                |
| I82.B29 | Chronic embolism and thrombosis of unspecified subclavian vein               |
| I82.C11 | Acute embolism and thrombosis of right internal jugular vein                 |
| I82.C12 | Acute embolism and thrombosis of left internal jugular vein                  |
| I82.C13 | Acute embolism and thrombosis of internal jugular vein, bilateral            |
| I82.C19 | Acute embolism and thrombosis of unspecified internal jugular vein           |
| I82.C21 | Chronic embolism and thrombosis of right internal jugular vein               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I82.C22 | Chronic embolism and thrombosis of left internal jugular vein                      |
| I82.C23 | Chronic embolism and thrombosis of internal jugular vein, bilateral                |
| I82.C29 | Chronic embolism and thrombosis of unspecified internal jugular vein               |
| I85.00  | Esophageal varices without bleeding  |
| I85.01  | Esophageal varices with bleeding   |
| I86.4   | Gastric varices  |
| I86.8   | Varicose veins of other specified sites  |
| I87.001 | Postthrombotic syndrome without complications of right lower extremity             |
| I87.002 | Postthrombotic syndrome without complications of left lower extremity              |
| I87.003 | Postthrombotic syndrome without complications of bilateral lower extremity         |
| I87.009 | Postthrombotic syndrome without complications of unspecified extremity             |
| I87.011 | Postthrombotic syndrome with ulcer of right lower extremity                        |
| I87.012 | Postthrombotic syndrome with ulcer of left lower extremity                         |
| I87.013 | Postthrombotic syndrome with ulcer of bilateral lower extremity                    |
| I87.019 | Postthrombotic syndrome with ulcer of unspecified lower extremity                  |
| I87.021 | Postthrombotic syndrome with inflammation of right lower extremity                 |
| I87.022 | Postthrombotic syndrome with inflammation of left lower extremity                  |
| I87.023 | Postthrombotic syndrome with inflammation of bilateral lower extremity             |
| I87.029 | Postthrombotic syndrome with inflammation of unspecified lower extremity           |
| I87.031 | Postthrombotic syndrome with ulcer and inflammation of right lower extremity       |
| I87.032 | Postthrombotic syndrome with ulcer and inflammation of left lower extremity        |
| I87.033 | Postthrombotic syndrome with ulcer and inflammation of bilateral lower extremity   |
| I87.039 | Postthrombotic syndrome with ulcer and inflammation of unspecified lower extremity |
| I87.091 | Postthrombotic syndrome with other complications of right lower extremity          |
| I87.092 | Postthrombotic syndrome with other complications of left lower extremity           |
| I87.093 | Postthrombotic syndrome with other complications of bilateral lower extremity      |
| I87.099 | Postthrombotic syndrome with other complications of unspecified lower extremity    |
| I87.1   | Compression of vein  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I87.2   | Venous insufficiency (chronic) (peripheral)   |
| I87.8   | Other specified disorders of veins  |
| I96     | Gangrene, not elsewhere classified  |
| I97.0   | Postcardiotomy syndrome   |
| I97.110 | Postprocedural cardiac insufficiency following cardiac surgery  |
| I97.111 | Postprocedural cardiac insufficiency following other surgery  |
| I97.120 | Postprocedural cardiac arrest following cardiac surgery   |
| I97.121 | Postprocedural cardiac arrest following other surgery   |
| I97.130 | Postprocedural heart failure following cardiac surgery  |
| I97.131 | Postprocedural heart failure following other surgery  |
| I97.190 | Other postprocedural cardiac functional disturbances following cardiac surgery  |
| I97.191 | Other postprocedural cardiac functional disturbances following other surgery  |
| I97.410 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating a cardiac catheterization          |
| I97.411 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating a cardiac bypass                   |
| I97.418 | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating other circulatory system procedure |
| I97.42  | Intraoperative hemorrhage and hematoma of a circulatory system organ or structure complicating other procedure                    |
| I97.610 | Postprocedural hemorrhage of a circulatory system organ or structure following a cardiac catheterization                          |
| I97.611 | Postprocedural hemorrhage of a circulatory system organ or structure following cardiac bypass                                     |
| I97.618 | Postprocedural hemorrhage of a circulatory system organ or structure following other circulatory system procedure                 |
| I97.620 | Postprocedural hemorrhage of a circulatory system organ or structure following other procedure                                    |
| I97.621 | Postprocedural hematoma of a circulatory system organ or structure following other procedure                                      |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I97.630 | Postprocedural hematoma of a circulatory system organ or structure following a cardiac catheterization                        |
| I97.631 | Postprocedural hematoma of a circulatory system organ or structure following cardiac bypass                                   |
| I97.638 | Postprocedural hematoma of a circulatory system organ or structure following other circulatory system procedure               |
| I97.810 | Intraoperative cerebrovascular infarction during cardiac surgery  |
| I97.811 | Intraoperative cerebrovascular infarction during other surgery  |
| I97.820 | Postprocedural cerebrovascular infarction following cardiac surgery   |
| I97.821 | Postprocedural cerebrovascular infarction following other surgery   |
| I99.8   | Other disorder of circulatory system  |
| J18.2   | Hypostatic pneumonia, unspecified organism  |
| J81.1   | Chronic pulmonary edema   |
| J82.81  | Chronic eosinophilic pneumonia  |
| J82.82  | Acute eosinophilic pneumonia  |
| J82.83  | Eosinophilic asthma   |
| J82.89  | Other pulmonary eosinophilia, not elsewhere classified  |
| J84.170 | Interstitial lung disease with progressive fibrotic phenotype in diseases classified elsewhere                                |
| J84.178 | Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere  |
| J90     | Pleural effusion, not elsewhere classified  |
| J91.0   | Malignant pleural effusion  |
| J94.0   | Chylous effusion  |
| J94.2   | Hemothorax  |
| J94.8   | Other specified pleural conditions  |
| J95.61  | Intraoperative hemorrhage and hematoma of a respiratory system organ or structure complicating a respiratory system procedure |
| J95.62  | Intraoperative hemorrhage and hematoma of a respiratory system organ or structure complicating other procedure                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| J95.830 | Postprocedural hemorrhage of a respiratory system organ or structure following a respiratory system procedure |
| J95.831 | Postprocedural hemorrhage of a respiratory system organ or structure following other procedure                |
| J95.860 | Postprocedural hematoma of a respiratory system organ or structure following a respiratory system procedure   |
| J95.861 | Postprocedural hematoma of a respiratory system organ or structure following other procedure                  |
| K22.6   | Gastro-esophageal laceration-hemorrhage syndrome  |
| K22.8   | Other specified diseases of esophagus   |
| K25.0   | Acute gastric ulcer with hemorrhage   |
| K25.1   | Acute gastric ulcer with perforation  |
| K25.2   | Acute gastric ulcer with both hemorrhage and perforation  |
| K25.3   | Acute gastric ulcer without hemorrhage or perforation   |
| K25.4   | Chronic or unspecified gastric ulcer with hemorrhage  |
| K25.5   | Chronic or unspecified gastric ulcer with perforation   |
| K25.6   | Chronic or unspecified gastric ulcer with both hemorrhage and perforation                                     |
| K25.7   | Chronic gastric ulcer without hemorrhage or perforation   |
| K25.9   | Gastric ulcer, unspecified as acute or chronic, without hemorrhage or perforation                             |
| K26.0   | Acute duodenal ulcer with hemorrhage  |
| K26.1   | Acute duodenal ulcer with perforation   |
| K26.2   | Acute duodenal ulcer with both hemorrhage and perforation   |
| K26.3   | Acute duodenal ulcer without hemorrhage or perforation  |
| K26.4   | Chronic or unspecified duodenal ulcer with hemorrhage   |
| K26.5   | Chronic or unspecified duodenal ulcer with perforation  |
| K26.6   | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation                                    |
| K26.7   | Chronic duodenal ulcer without hemorrhage or perforation  |
| K26.9   | Duodenal ulcer, unspecified as acute or chronic, without hemorrhage or perforation                            |
| K27.0   | Acute peptic ulcer, site unspecified, with hemorrhage   |
| K27.1   | Acute peptic ulcer, site unspecified, with perforation  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K27.2  | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation                         |
| K27.3  | Acute peptic ulcer, site unspecified, without hemorrhage or perforation                            |
| K27.4  | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage                             |
| K27.5  | Chronic or unspecified peptic ulcer, site unspecified, with perforation                            |
| K27.6  | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and perforation        |
| K27.7  | Chronic peptic ulcer, site unspecified, without hemorrhage or perforation                          |
| K27.9  | Peptic ulcer, site unspecified, unspecified as acute or chronic, without hemorrhage or perforation |
| K28.0  | Acute gastrojejunal ulcer with hemorrhage  |
| K28.1  | Acute gastrojejunal ulcer with perforation   |
| K28.2  | Acute gastrojejunal ulcer with both hemorrhage and perforation                                     |
| K28.3  | Acute gastrojejunal ulcer without hemorrhage or perforation  |
| K28.4  | Chronic or unspecified gastrojejunal ulcer with hemorrhage   |
| K28.5  | Chronic or unspecified gastrojejunal ulcer with perforation  |
| K28.6  | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation                    |
| K28.7  | Chronic gastrojejunal ulcer without hemorrhage or perforation                                      |
| K28.9  | Gastrojejunal ulcer, unspecified as acute or chronic, without hemorrhage or perforation            |
| K29.00 | Acute gastritis without bleeding   |
| K29.01 | Acute gastritis with bleeding  |
| K29.20 | Alcoholic gastritis without bleeding   |
| K29.21 | Alcoholic gastritis with bleeding  |
| K29.30 | Chronic superficial gastritis without bleeding   |
| K29.31 | Chronic superficial gastritis with bleeding  |
| K29.40 | Chronic atrophic gastritis without bleeding  |
| K29.41 | Chronic atrophic gastritis with bleeding   |
| K29.50 | Unspecified chronic gastritis without bleeding   |
| K29.51 | Unspecified chronic gastritis with bleeding  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K29.60  | Other gastritis without bleeding  |
| K29.61  | Other gastritis with bleeding   |
| K29.70  | Gastritis, unspecified, without bleeding                                      |
| K29.71  | Gastritis, unspecified, with bleeding   |
| K29.80  | Duodenitis without bleeding   |
| K29.81  | Duodenitis with bleeding  |
| K29.90  | Gastroduodenitis, unspecified, without bleeding                               |
| K29.91  | Gastroduodenitis, unspecified, with bleeding                                  |
| K50.00  | Crohn's disease of small intestine without complications                      |
| K50.011 | Crohn's disease of small intestine with rectal bleeding                       |
| K50.012 | Crohn's disease of small intestine with intestinal obstruction                |
| K50.013 | Crohn's disease of small intestine with fistula                               |
| K50.014 | Crohn's disease of small intestine with abscess                               |
| K50.018 | Crohn's disease of small intestine with other complication                    |
| K50.019 | Crohn's disease of small intestine with unspecified complications             |
| K50.10  | Crohn's disease of large intestine without complications                      |
| K50.111 | Crohn's disease of large intestine with rectal bleeding                       |
| K50.112 | Crohn's disease of large intestine with intestinal obstruction                |
| K50.113 | Crohn's disease of large intestine with fistula                               |
| K50.114 | Crohn's disease of large intestine with abscess                               |
| K50.118 | Crohn's disease of large intestine with other complication                    |
| K50.119 | Crohn's disease of large intestine with unspecified complications             |
| K50.80  | Crohn's disease of both small and large intestine without complications       |
| K50.811 | Crohn's disease of both small and large intestine with rectal bleeding        |
| K50.812 | Crohn's disease of both small and large intestine with intestinal obstruction |
| K50.813 | Crohn's disease of both small and large intestine with fistula                |
| K50.814 | Crohn's disease of both small and large intestine with abscess                |
| K50.818 | Crohn's disease of both small and large intestine with other complication     |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K50.819     | Crohn's disease of both small and large intestine with unspecified complications |
| K50.90      | Crohn's disease, unspecified, without complications                              |
| K50.911     | Crohn's disease, unspecified, with rectal bleeding                               |
| K50.912     | Crohn's disease, unspecified, with intestinal obstruction                        |
| K50.913     | Crohn's disease, unspecified, with fistula                                       |
| K50.914     | Crohn's disease, unspecified, with abscess                                       |
| K50.918     | Crohn's disease, unspecified, with other complication                            |
| K50.919     | Crohn's disease, unspecified, with unspecified complications                     |
| K51.00      | Ulcerative (chronic) pancolitis without complications                            |
| K51.011     | Ulcerative (chronic) pancolitis with rectal bleeding                             |
| K51.012     | Ulcerative (chronic) pancolitis with intestinal obstruction                      |
| K51.013     | Ulcerative (chronic) pancolitis with fistula                                     |
| K51.014     | Ulcerative (chronic) pancolitis with abscess                                     |
| K51.018     | Ulcerative (chronic) pancolitis with other complication                          |
| K51.019     | Ulcerative (chronic) pancolitis with unspecified complications                   |
| K51.20      | Ulcerative (chronic) proctitis without complications                             |
| K51.211     | Ulcerative (chronic) proctitis with rectal bleeding                              |
| K51.212     | Ulcerative (chronic) proctitis with intestinal obstruction                       |
| K51.213     | Ulcerative (chronic) proctitis with fistula                                      |
| K51.214     | Ulcerative (chronic) proctitis with abscess                                      |
| K51.218     | Ulcerative (chronic) proctitis with other complication                           |
| K51.219     | Ulcerative (chronic) proctitis with unspecified complications                    |
| K51.30      | Ulcerative (chronic) rectosigmoiditis without complications                      |
| K51.311     | Ulcerative (chronic) rectosigmoiditis with rectal bleeding                       |
| K51.312     | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction                |
| K51.313     | Ulcerative (chronic) rectosigmoiditis with fistula                               |
| K51.314     | Ulcerative (chronic) rectosigmoiditis with abscess                               |
| K51.318     | Ulcerative (chronic) rectosigmoiditis with other complication                    |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K51.319     | Ulcerative (chronic) rectosigmoiditis with unspecified complications |
| K51.40      | Inflammatory polyps of colon without complications                   |
| K51.411     | Inflammatory polyps of colon with rectal bleeding                    |
| K51.412     | Inflammatory polyps of colon with intestinal obstruction             |
| K51.413     | Inflammatory polyps of colon with fistula                            |
| K51.414     | Inflammatory polyps of colon with abscess                            |
| K51.418     | Inflammatory polyps of colon with other complication                 |
| K51.419     | Inflammatory polyps of colon with unspecified complications          |
| K51.50      | Left sided colitis without complications                             |
| K51.511     | Left sided colitis with rectal bleeding                              |
| K51.512     | Left sided colitis with intestinal obstruction                       |
| K51.513     | Left sided colitis with fistula                                      |
| K51.514     | Left sided colitis with abscess                                      |
| K51.518     | Left sided colitis with other complication                           |
| K51.519     | Left sided colitis with unspecified complications                    |
| K51.80      | Other ulcerative colitis without complications                       |
| K51.811     | Other ulcerative colitis with rectal bleeding                        |
| K51.812     | Other ulcerative colitis with intestinal obstruction                 |
| K51.813     | Other ulcerative colitis with fistula                                |
| K51.814     | Other ulcerative colitis with abscess                                |
| K51.818     | Other ulcerative colitis with other complication                     |
| K51.819     | Other ulcerative colitis with unspecified complications              |
| K51.90      | Ulcerative colitis, unspecified, without complications               |
| K51.911     | Ulcerative colitis, unspecified with rectal bleeding                 |
| K51.912     | Ulcerative colitis, unspecified with intestinal obstruction          |
| K51.913     | Ulcerative colitis, unspecified with fistula                         |
| K51.914     | Ulcerative colitis, unspecified with abscess                         |
| K51.918     | Ulcerative colitis, unspecified with other complication              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K51.919 | Ulcerative colitis, unspecified with unspecified complications                     |
| K52.81  | Eosinophilic gastritis or gastroenteritis  |
| K55.011 | Focal (segmental) acute (reversible) ischemia of small intestine                   |
| K55.012 | Diffuse acute (reversible) ischemia of small intestine                             |
| K55.019 | Acute (reversible) ischemia of small intestine, extent unspecified                 |
| K55.021 | Focal (segmental) acute infarction of small intestine                              |
| K55.022 | Diffuse acute infarction of small intestine  |
| K55.029 | Acute infarction of small intestine, extent unspecified                            |
| K55.031 | Focal (segmental) acute (reversible) ischemia of large intestine                   |
| K55.032 | Diffuse acute (reversible) ischemia of large intestine                             |
| K55.039 | Acute (reversible) ischemia of large intestine, extent unspecified                 |
| K55.041 | Focal (segmental) acute infarction of large intestine                              |
| K55.042 | Diffuse acute infarction of large intestine  |
| K55.049 | Acute infarction of large intestine, extent unspecified                            |
| K55.051 | Focal (segmental) acute (reversible) ischemia of intestine, part unspecified       |
| K55.052 | Diffuse acute (reversible) ischemia of intestine, part unspecified                 |
| K55.059 | Acute (reversible) ischemia of intestine, part and extent unspecified              |
| K55.061 | Focal (segmental) acute infarction of intestine, part unspecified                  |
| K55.062 | Diffuse acute infarction of intestine, part unspecified                            |
| K55.069 | Acute infarction of intestine, part and extent unspecified                         |
| K55.1   | Chronic vascular disorders of intestine  |
| K55.30  | Necrotizing enterocolitis, unspecified   |
| K55.31  | Stage 1 necrotizing enterocolitis  |
| K55.32  | Stage 2 necrotizing enterocolitis  |
| K55.33  | Stage 3 necrotizing enterocolitis  |
| K55.8   | Other vascular disorders of intestine  |
| K55.9   | Vascular disorder of intestine, unspecified  |
| K56.699 | Other intestinal obstruction unspecified as to partial versus complete obstruction |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K57.01 | Diverticulitis of small intestine with perforation and abscess with bleeding                     |
| K57.11 | Diverticulosis of small intestine without perforation or abscess with bleeding                   |
| K57.13 | Diverticulitis of small intestine without perforation or abscess with bleeding                   |
| K57.20 | Diverticulitis of large intestine with perforation and abscess without bleeding                  |
| K57.21 | Diverticulitis of large intestine with perforation and abscess with bleeding                     |
| K57.30 | Diverticulosis of large intestine without perforation or abscess without bleeding                |
| K57.31 | Diverticulosis of large intestine without perforation or abscess with bleeding                   |
| K57.32 | Diverticulitis of large intestine without perforation or abscess without bleeding                |
| K57.33 | Diverticulitis of large intestine without perforation or abscess with bleeding                   |
| K57.40 | Diverticulitis of both small and large intestine with perforation and abscess without bleeding   |
| K57.41 | Diverticulitis of both small and large intestine with perforation and abscess with bleeding      |
| K57.50 | Diverticulosis of both small and large intestine without perforation or abscess without bleeding |
| K57.51 | Diverticulosis of both small and large intestine without perforation or abscess with bleeding    |
| K57.52 | Diverticulitis of both small and large intestine without perforation or abscess without bleeding |
| K57.53 | Diverticulitis of both small and large intestine without perforation or abscess with bleeding    |
| K57.80 | Diverticulitis of intestine, part unspecified, with perforation and abscess without bleeding     |
| K57.81 | Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding        |
| K57.90 | Diverticulosis of intestine, part unspecified, without perforation or abscess without bleeding   |
| K57.91 | Diverticulosis of intestine, part unspecified, without perforation or abscess with bleeding      |
| K57.92 | Diverticulitis of intestine, part unspecified, without perforation or abscess without bleeding   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K57.93 | Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding |
| K59.31 | Toxic megacolon   |
| K62.5  | Hemorrhage of anus and rectum   |
| K64.0  | First degree hemorrhoids  |
| K64.1  | Second degree hemorrhoids   |
| K64.2  | Third degree hemorrhoids  |
| K64.3  | Fourth degree hemorrhoids   |
| K64.8  | Other hemorrhoids   |
| K66.1  | Hemoperitoneum  |
| K70.0  | Alcoholic fatty liver   |
| K70.10 | Alcoholic hepatitis without ascites   |
| K70.11 | Alcoholic hepatitis with ascites  |
| K70.2  | Alcoholic fibrosis and sclerosis of liver   |
| K70.30 | Alcoholic cirrhosis of liver without ascites  |
| K70.31 | Alcoholic cirrhosis of liver with ascites   |
| K70.40 | Alcoholic hepatic failure without coma  |
| K70.41 | Alcoholic hepatic failure with coma   |
| K70.9  | Alcoholic liver disease, unspecified  |
| K71.0  | Toxic liver disease with cholestasis  |
| K71.10 | Toxic liver disease with hepatic necrosis, without coma                                     |
| K71.11 | Toxic liver disease with hepatic necrosis, with coma  |
| K71.2  | Toxic liver disease with acute hepatitis  |
| K71.3  | Toxic liver disease with chronic persistent hepatitis                                       |
| K71.4  | Toxic liver disease with chronic lobular hepatitis  |
| K71.50 | Toxic liver disease with chronic active hepatitis without ascites                           |
| K71.51 | Toxic liver disease with chronic active hepatitis with ascites                              |
| K71.6  | Toxic liver disease with hepatitis, not elsewhere classified                                |
| K71.7  | Toxic liver disease with fibrosis and cirrhosis of liver                                    |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K71.8  | Toxic liver disease with other disorders of liver      |
| K71.9  | Toxic liver disease, unspecified                       |
| K72.01 | Acute and subacute hepatic failure with coma           |
| K72.10 | Chronic hepatic failure without coma                   |
| K72.11 | Chronic hepatic failure with coma                      |
| K72.90 | Hepatic failure, unspecified without coma              |
| K72.91 | Hepatic failure, unspecified with coma                 |
| K73.0  | Chronic persistent hepatitis, not elsewhere classified |
| K73.1  | Chronic lobular hepatitis, not elsewhere classified    |
| K73.2  | Chronic active hepatitis, not elsewhere classified     |
| K73.8  | Other chronic hepatitis, not elsewhere classified      |
| K73.9  | Chronic hepatitis, unspecified                         |
| K74.00 | Hepatic fibrosis, unspecified                          |
| K74.01 | Hepatic fibrosis, early fibrosis                       |
| K74.02 | Hepatic fibrosis, advanced fibrosis                    |
| K74.1  | Hepatic sclerosis                                      |
| K74.2  | Hepatic fibrosis with hepatic sclerosis                |
| K74.3  | Primary biliary cirrhosis                              |
| K74.4  | Secondary biliary cirrhosis                            |
| K74.5  | Biliary cirrhosis, unspecified                         |
| K74.60 | Unspecified cirrhosis of liver                         |
| K74.69 | Other cirrhosis of liver                               |
| K75.2  | Nonspecific reactive hepatitis                         |
| K75.3  | Granulomatous hepatitis, not elsewhere classified      |
| K75.4  | Autoimmune hepatitis                                   |
| K75.81 | Nonalcoholic steatohepatitis (NASH)                    |
| K75.89 | Other specified inflammatory liver diseases            |
| K75.9  | Inflammatory liver disease, unspecified                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K76.0  | Fatty (change of) liver, not elsewhere classified                            |
| K76.1  | Chronic passive congestion of liver  |
| K76.3  | Infarction of liver  |
| K76.4  | Peliosis hepatis   |
| K76.5  | Hepatic veno-occlusive disease   |
| K76.7  | Hepatorenal syndrome   |
| K76.81 | Hepatopulmonary syndrome   |
| K76.89 | Other specified diseases of liver  |
| K76.9  | Liver disease, unspecified   |
| K77    | Liver disorders in diseases classified elsewhere                             |
| K80.30 | Calculus of bile duct with cholangitis, unspecified, without obstruction     |
| K80.31 | Calculus of bile duct with cholangitis, unspecified, with obstruction        |
| K80.32 | Calculus of bile duct with acute cholangitis without obstruction             |
| K80.33 | Calculus of bile duct with acute cholangitis with obstruction                |
| K80.34 | Calculus of bile duct with chronic cholangitis without obstruction           |
| K80.35 | Calculus of bile duct with chronic cholangitis with obstruction              |
| K80.36 | Calculus of bile duct with acute and chronic cholangitis without obstruction |
| K80.37 | Calculus of bile duct with acute and chronic cholangitis with obstruction    |
| K82.A1 | Gangrene of gallbladder in cholecystitis                                     |
| K82.A2 | Perforation of gallbladder in cholecystitis                                  |
| K83.01 | Primary sclerosing cholangitis   |
| K83.09 | Other cholangitis  |
| K83.1  | Obstruction of bile duct   |
| K83.2  | Perforation of bile duct   |
| K83.3  | Fistula of bile duct   |
| K83.4  | Spasm of sphincter of Oddi   |
| K83.5  | Biliary cyst   |
| K83.8  | Other specified diseases of biliary tract                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K83.9  | Disease of biliary tract, unspecified   |
| K85.00 | Idiopathic acute pancreatitis without necrosis or infection                           |
| K85.01 | Idiopathic acute pancreatitis with uninfected necrosis                                |
| K85.02 | Idiopathic acute pancreatitis with infected necrosis                                  |
| K85.10 | Biliary acute pancreatitis without necrosis or infection                              |
| K85.11 | Biliary acute pancreatitis with uninfected necrosis                                   |
| K85.12 | Biliary acute pancreatitis with infected necrosis                                     |
| K85.20 | Alcohol induced acute pancreatitis without necrosis or infection                      |
| K85.21 | Alcohol induced acute pancreatitis with uninfected necrosis                           |
| K85.22 | Alcohol induced acute pancreatitis with infected necrosis                             |
| K85.30 | Drug induced acute pancreatitis without necrosis or infection                         |
| K85.31 | Drug induced acute pancreatitis with uninfected necrosis                              |
| K85.32 | Drug induced acute pancreatitis with infected necrosis                                |
| K85.80 | Other acute pancreatitis without necrosis or infection                                |
| K85.81 | Other acute pancreatitis with uninfected necrosis                                     |
| K85.82 | Other acute pancreatitis with infected necrosis                                       |
| K85.90 | Acute pancreatitis without necrosis or infection, unspecified                         |
| K85.91 | Acute pancreatitis with uninfected necrosis, unspecified                              |
| K85.92 | Acute pancreatitis with infected necrosis, unspecified                                |
| K87    | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| K90.0  | Celiac disease  |
| K90.1  | Tropical sprue  |
| K90.2  | Blind loop syndrome, not elsewhere classified   |
| K90.3  | Pancreatic steatorrhea  |
| K90.41 | Non-celiac gluten sensitivity   |
| K90.49 | Malabsorption due to intolerance, not elsewhere classified                            |
| K90.89 | Other intestinal malabsorption  |
| K90.9  | Intestinal malabsorption, unspecified   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K91.2   | Postsurgical malabsorption, not elsewhere classified  |
| K91.30  | Postprocedural intestinal obstruction, unspecified as to partial versus complete  |
| K91.31  | Postprocedural partial intestinal obstruction   |
| K91.32  | Postprocedural complete intestinal obstruction  |
| K91.5   | Postcholecystectomy syndrome  |
| K91.61  | Intraoperative hemorrhage and hematoma of a digestive system organ or structure complicating a digestive system procedure |
| K91.62  | Intraoperative hemorrhage and hematoma of a digestive system organ or structure complicating other procedure              |
| K91.81  | Other intraoperative complications of digestive system  |
| K91.82  | Postprocedural hepatic failure  |
| K91.83  | Postprocedural hepatorenal syndrome   |
| K91.840 | Postprocedural hemorrhage of a digestive system organ or structure following a digestive system procedure                 |
| K91.841 | Postprocedural hemorrhage of a digestive system organ or structure following other procedure                              |
| K91.86  | Retained cholelithiasis following cholecystectomy   |
| K91.870 | Postprocedural hematoma of a digestive system organ or structure following a digestive system procedure                   |
| K91.871 | Postprocedural hematoma of a digestive system organ or structure following other procedure                                |
| K91.89  | Other postprocedural complications and disorders of digestive system  |
| K92.0   | Hematemesis   |
| K92.1   | Melena  |
| K92.2   | Gastrointestinal hemorrhage, unspecified  |
| K94.30  | Esophagostomy complications, unspecified  |
| K94.31  | Esophagostomy hemorrhage  |
| K94.32  | Esophagostomy infection   |
| K94.33  | Esophagostomy malfunction   |
| K94.39  | Other complications of esophagostomy  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L76.01  | Intraoperative hemorrhage and hematoma of skin and subcutaneous tissue complicating a dermatologic procedure |
| L76.02  | Intraoperative hemorrhage and hematoma of skin and subcutaneous tissue complicating other procedure          |
| L76.21  | Postprocedural hemorrhage of skin and subcutaneous tissue following a dermatologic procedure                 |
| L76.22  | Postprocedural hemorrhage of skin and subcutaneous tissue following other procedure                          |
| L76.31  | Postprocedural hematoma of skin and subcutaneous tissue following a dermatologic procedure                   |
| L76.32  | Postprocedural hematoma of skin and subcutaneous tissue following other procedure                            |
| M02.20  | Postimmunization arthropathy, unspecified site   |
| M02.211 | Postimmunization arthropathy, right shoulder   |
| M02.212 | Postimmunization arthropathy, left shoulder  |
| M02.219 | Postimmunization arthropathy, unspecified shoulder   |
| M02.221 | Postimmunization arthropathy, right elbow  |
| M02.222 | Postimmunization arthropathy, left elbow   |
| M02.229 | Postimmunization arthropathy, unspecified elbow  |
| M02.231 | Postimmunization arthropathy, right wrist  |
| M02.232 | Postimmunization arthropathy, left wrist   |
| M02.239 | Postimmunization arthropathy, unspecified wrist  |
| M02.241 | Postimmunization arthropathy, right hand   |
| M02.242 | Postimmunization arthropathy, left hand  |
| M02.249 | Postimmunization arthropathy, unspecified hand   |
| M02.251 | Postimmunization arthropathy, right hip  |
| M02.252 | Postimmunization arthropathy, left hip   |
| M02.259 | Postimmunization arthropathy, unspecified hip  |
| M02.261 | Postimmunization arthropathy, right knee   |
| M02.262 | Postimmunization arthropathy, left knee  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M02.269 | Postimmunization arthropathy, unspecified knee                                      |
| M02.271 | Postimmunization arthropathy, right ankle and foot                                  |
| M02.272 | Postimmunization arthropathy, left ankle and foot                                   |
| M02.279 | Postimmunization arthropathy, unspecified ankle and foot                            |
| M02.28  | Postimmunization arthropathy, vertebrae   |
| M02.29  | Postimmunization arthropathy, multiple sites  |
| M19.09  | Primary osteoarthritis, other specified site  |
| M19.19  | Post-traumatic osteoarthritis, other specified site                                 |
| M19.29  | Secondary osteoarthritis, other specified site                                      |
| M24.19  | Other articular cartilage disorders, other specified site                           |
| M24.29  | Disorder of ligament, other specified site  |
| M24.39  | Pathological dislocation of other specified joint, not elsewhere classified         |
| M24.49  | Recurrent dislocation, other specified joint  |
| M24.59  | Contracture, other specified joint  |
| M24.69  | Ankylosis, other specified joint  |
| M24.89  | Other specific joint derangement of other specified joint, not elsewhere classified |
| M25.00  | Hemarthrosis, unspecified joint   |
| M25.051 | Hemarthrosis, right hip   |
| M25.052 | Hemarthrosis, left hip  |
| M25.059 | Hemarthrosis, unspecified hip   |
| M25.061 | Hemarthrosis, right knee  |
| M25.062 | Hemarthrosis, left knee   |
| M25.069 | Hemarthrosis, unspecified knee  |
| M25.39  | Other instability, other specified joint  |
| M25.59  | Pain in other specified joint   |
| M25.69  | Stiffness of other specified joint, not elsewhere classified                        |
| M26.641 | Arthritis of right temporomandibular joint  |
| M26.642 | Arthritis of left temporomandibular joint   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M26.643 | Arthritis of bilateral temporomandibular joint                 |
| M26.649 | Arthritis of unspecified temporomandibular joint               |
| M26.651 | Arthropathy of right temporomandibular joint                   |
| M26.652 | Arthropathy of left temporomandibular joint                    |
| M26.653 | Arthropathy of bilateral temporomandibular joint               |
| M26.659 | Arthropathy of unspecified temporomandibular joint             |
| M36.2   | Hemophilic arthropathy   |
| M36.3   | Arthropathy in other blood disorders                           |
| M36.4   | Arthropathy in hypersensitivity reactions classified elsewhere |
| M79.601 | Pain in right arm  |
| M79.602 | Pain in left arm   |
| M79.603 | Pain in arm, unspecified                                       |
| M79.604 | Pain in right leg  |
| M79.605 | Pain in left leg   |
| M79.606 | Pain in leg, unspecified                                       |
| M79.609 | Pain in unspecified limb                                       |
| M79.621 | Pain in right upper arm  |
| M79.622 | Pain in left upper arm   |
| M79.629 | Pain in unspecified upper arm                                  |
| M79.631 | Pain in right forearm  |
| M79.632 | Pain in left forearm   |
| M79.639 | Pain in unspecified forearm                                    |
| M79.641 | Pain in right hand   |
| M79.642 | Pain in left hand  |
| M79.643 | Pain in unspecified hand                                       |
| M79.644 | Pain in right finger(s)  |
| M79.645 | Pain in left finger(s)   |
| M79.646 | Pain in unspecified finger(s)                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M79.651  | Pain in right thigh   |
| M79.652  | Pain in left thigh  |
| M79.659  | Pain in unspecified thigh   |
| M79.661  | Pain in right lower leg   |
| M79.662  | Pain in left lower leg  |
| M79.669  | Pain in unspecified lower leg   |
| M79.671  | Pain in right foot  |
| M79.672  | Pain in left foot   |
| M79.673  | Pain in unspecified foot  |
| M79.674  | Pain in right toe(s)  |
| M79.675  | Pain in left toe(s)   |
| M79.676  | Pain in unspecified toe(s)  |
| M79.89   | Other specified soft tissue disorders   |
| M80.00XA | Age-related osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture                   |
| M80.0AXA | Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture                         |
| M80.0AXD | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.0AXG | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.0AXK | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.0AXP | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |
| M80.0AXS | Age-related osteoporosis with current pathological fracture, other site, sequela  |
| M80.80XA | Other osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture                         |
| M80.8AXA | Other osteoporosis with current pathological fracture, other site, initial encounter for fracture                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.8AXD | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.8AXG | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.8AXK | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.8AXP | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |
| M80.8AXS | Other osteoporosis with current pathological fracture, other site, sequela  |
| M84.40XA | Pathological fracture, unspecified site, initial encounter for fracture   |
| M84.50XA | Pathological fracture in neoplastic disease, unspecified site, initial encounter for fracture                             |
| M84.60XA | Pathological fracture in other disease, unspecified site, initial encounter for fracture                                  |
| M84.752A | Incomplete atypical femoral fracture, left leg, initial encounter for fracture  |
| M84.753A | Incomplete atypical femoral fracture, unspecified leg, initial encounter for fracture                                     |
| M84.754A | Complete transverse atypical femoral fracture, right leg, initial encounter for fracture                                  |
| M84.755A | Complete transverse atypical femoral fracture, left leg, initial encounter for fracture                                   |
| M84.756A | Complete transverse atypical femoral fracture, unspecified leg, initial encounter for fracture                            |
| M84.757A | Complete oblique atypical femoral fracture, right leg, initial encounter for fracture                                     |
| M84.758A | Complete oblique atypical femoral fracture, left leg, initial encounter for fracture                                      |
| M84.759A | Complete oblique atypical femoral fracture, unspecified leg, initial encounter for fracture                               |
| M96.810  | Intraoperative hemorrhage and hematoma of a musculoskeletal structure complicating a musculoskeletal system procedure     |
| M96.811  | Intraoperative hemorrhage and hematoma of a musculoskeletal structure complicating other procedure                        |
| M96.830  | Postprocedural hemorrhage of a musculoskeletal structure following a musculoskeletal system procedure                     |
| M96.831  | Postprocedural hemorrhage of a musculoskeletal structure following other procedure  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M96.840  | Postprocedural hematoma of a musculoskeletal structure following a musculoskeletal system procedure |
| M96.841  | Postprocedural hematoma of a musculoskeletal structure following other procedure                    |
| M97.01XA | Periprosthetic fracture around internal prosthetic right hip joint, initial encounter               |
| M97.02XA | Periprosthetic fracture around internal prosthetic left hip joint, initial encounter                |
| M97.11XA | Periprosthetic fracture around internal prosthetic right knee joint, initial encounter              |
| M97.12XA | Periprosthetic fracture around internal prosthetic left knee joint, initial encounter               |
| M97.21XA | Periprosthetic fracture around internal prosthetic right ankle joint, initial encounter             |
| M97.22XA | Periprosthetic fracture around internal prosthetic left ankle joint, initial encounter              |
| M97.31XA | Periprosthetic fracture around internal prosthetic right shoulder joint, initial encounter          |
| M97.32XA | Periprosthetic fracture around internal prosthetic left shoulder joint, initial encounter           |
| N00.A    | Acute nephritic syndrome with C3 glomerulonephritis   |
| N01.A    | Rapidly progressive nephritic syndrome with C3 glomerulonephritis                                   |
| N02.0    | Recurrent and persistent hematuria with minor glomerular abnormality                                |
| N02.1    | Recurrent and persistent hematuria with focal and segmental glomerular lesions                      |
| N02.2    | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis                       |
| N02.3    | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis          |
| N02.4    | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis      |
| N02.5    | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis                |
| N02.6    | Recurrent and persistent hematuria with dense deposit disease                                       |
| N02.7    | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis                       |
| N02.8    | Recurrent and persistent hematuria with other morphologic changes                                   |
| N02.9    | Recurrent and persistent hematuria with unspecified morphologic changes                             |
| N02.A    | Recurrent and persistent hematuria with C3 glomerulonephritis                                       |
| N03.A    | Chronic nephritic syndrome with C3 glomerulonephritis   |
| N04.0    | Nephrotic syndrome with minor glomerular abnormality  |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| N04.1 | Nephrotic syndrome with focal and segmental glomerular lesions                        |
| N04.2 | Nephrotic syndrome with diffuse membranous glomerulonephritis                         |
| N04.3 | Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis            |
| N04.4 | Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis        |
| N04.5 | Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis                  |
| N04.6 | Nephrotic syndrome with dense deposit disease   |
| N04.7 | Nephrotic syndrome with diffuse crescentic glomerulonephritis                         |
| N04.8 | Nephrotic syndrome with other morphologic changes                                     |
| N04.9 | Nephrotic syndrome with unspecified morphologic changes                               |
| N04.A | Nephrotic syndrome with C3 glomerulonephritis   |
| N05.9 | Unspecified nephritic syndrome with unspecified morphologic changes                   |
| N05.A | Unspecified nephritic syndrome with C3 glomerulonephritis                             |
| N06.9 | Isolated proteinuria with unspecified morphologic lesion                              |
| N06.A | Isolated proteinuria with C3 glomerulonephritis                                       |
| N07.9 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions |
| N07.A | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis           |
| N15.9 | Renal tubulo-interstitial disease, unspecified  |
| N17.0 | Acute kidney failure with tubular necrosis  |
| N17.1 | Acute kidney failure with acute cortical necrosis                                     |
| N17.2 | Acute kidney failure with medullary necrosis  |
| N17.8 | Other acute kidney failure  |
| N17.9 | Acute kidney failure, unspecified   |
| N18.4 | Chronic kidney disease, stage 4 (severe)  |
| N18.5 | Chronic kidney disease, stage 5   |
| N18.6 | End stage renal disease   |
| N18.9 | Chronic kidney disease, unspecified   |
| N19   | Unspecified kidney failure  |
| N28.0 | Ischemia and infarction of kidney   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| N28.82 | Megaloureter   |
| N28.89 | Other specified disorders of kidney and ureter                                       |
| N32.89 | Other specified disorders of bladder   |
| N33    | Bladder disorders in diseases classified elsewhere                                   |
| N50.1  | Vascular disorders of male genital organs  |
| N61.20 | Granulomatous mastitis, unspecified breast   |
| N61.21 | Granulomatous mastitis, right breast   |
| N61.22 | Granulomatous mastitis, left breast  |
| N61.23 | Granulomatous mastitis, bilateral breast   |
| N64.89 | Other specified disorders of breast  |
| N83.7  | Hematoma of broad ligament   |
| N85.7  | Hematometra  |
| N88.8  | Other specified noninflammatory disorders of cervix uteri                            |
| N89.7  | Hematocolpos   |
| N89.8  | Other specified noninflammatory disorders of vagina                                  |
| N90.89 | Other specified noninflammatory disorders of vulva and perineum                      |
| N92.0  | Excessive and frequent menstruation with regular cycle                               |
| N92.1  | Excessive and frequent menstruation with irregular cycle                             |
| N92.2  | Excessive menstruation at puberty  |
| N92.3  | Ovulation bleeding   |
| N92.4  | Excessive bleeding in the premenopausal period                                       |
| N92.5  | Other specified irregular menstruation   |
| N92.6  | Irregular menstruation, unspecified  |
| N93.0  | Postcoital and contact bleeding  |
| N93.1  | Pre-pubertal vaginal bleeding  |
| N93.8  | Other specified abnormal uterine and vaginal bleeding                                |
| N93.9  | Abnormal uterine and vaginal bleeding, unspecified                                   |
| N94.89 | Other specified conditions associated with female genital organs and menstrual cycle |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N95.0   | Postmenopausal bleeding   |
| N99.116 | Postprocedural urethral stricture, male, overlapping sites  |
| N99.510 | Cystostomy hemorrhage   |
| N99.511 | Cystostomy infection  |
| N99.512 | Cystostomy malfunction  |
| N99.518 | Other cystostomy complication   |
| N99.61  | Intraoperative hemorrhage and hematoma of a genitourinary system organ or structure complicating a genitourinary system procedure |
| N99.62  | Intraoperative hemorrhage and hematoma of a genitourinary system organ or structure complicating other procedure                  |
| N99.820 | Postprocedural hemorrhage of a genitourinary system organ or structure following a genitourinary system procedure                 |
| N99.821 | Postprocedural hemorrhage of a genitourinary system organ or structure following other procedure                                  |
| N99.840 | Postprocedural hematoma of a genitourinary system organ or structure following a genitourinary system procedure                   |
| N99.841 | Postprocedural hematoma of a genitourinary system organ or structure following other procedure                                    |
| O02.1   | Missed abortion   |
| O03.1   | Delayed or excessive hemorrhage following incomplete spontaneous abortion   |
| O03.6   | Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion  |
| O04.6   | Delayed or excessive hemorrhage following (induced) termination of pregnancy  |
| O07.1   | Delayed or excessive hemorrhage following failed attempted termination of pregnancy   |
| O08.1   | Delayed or excessive hemorrhage following ectopic and molar pregnancy   |
| O08.2   | Embolism following ectopic and molar pregnancy  |
| O10.011 | Pre-existing essential hypertension complicating pregnancy, first trimester   |
| O10.012 | Pre-existing essential hypertension complicating pregnancy, second trimester  |
| O10.013 | Pre-existing essential hypertension complicating pregnancy, third trimester   |
| O10.019 | Pre-existing essential hypertension complicating pregnancy, unspecified trimester   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O10.02  | Pre-existing essential hypertension complicating childbirth  |
| O10.03  | Pre-existing essential hypertension complicating the puerperium  |
| O10.111 | Pre-existing hypertensive heart disease complicating pregnancy, first trimester                          |
| O10.112 | Pre-existing hypertensive heart disease complicating pregnancy, second trimester                         |
| O10.113 | Pre-existing hypertensive heart disease complicating pregnancy, third trimester                          |
| O10.119 | Pre-existing hypertensive heart disease complicating pregnancy, unspecified trimester                    |
| O10.12  | Pre-existing hypertensive heart disease complicating childbirth  |
| O10.13  | Pre-existing hypertensive heart disease complicating the puerperium                                      |
| O10.211 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester                 |
| O10.212 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester                |
| O10.213 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester                 |
| O10.219 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, unspecified trimester           |
| O10.22  | Pre-existing hypertensive chronic kidney disease complicating childbirth                                 |
| O10.23  | Pre-existing hypertensive chronic kidney disease complicating the puerperium                             |
| O10.311 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester       |
| O10.312 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester      |
| O10.313 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester       |
| O10.319 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, unspecified trimester |
| O10.32  | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth                       |
| O10.33  | Pre-existing hypertensive heart and chronic kidney disease complicating the puerperium                   |
| O10.411 | Pre-existing secondary hypertension complicating pregnancy, first trimester                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O10.412 | Pre-existing secondary hypertension complicating pregnancy, second trimester                          |
| O10.413 | Pre-existing secondary hypertension complicating pregnancy, third trimester                           |
| O10.419 | Pre-existing secondary hypertension complicating pregnancy, unspecified trimester                     |
| O10.42  | Pre-existing secondary hypertension complicating childbirth   |
| O10.43  | Pre-existing secondary hypertension complicating the puerperium                                       |
| O10.911 | Unspecified pre-existing hypertension complicating pregnancy, first trimester                         |
| O10.912 | Unspecified pre-existing hypertension complicating pregnancy, second trimester                        |
| O10.913 | Unspecified pre-existing hypertension complicating pregnancy, third trimester                         |
| O10.919 | Unspecified pre-existing hypertension complicating pregnancy, unspecified trimester                   |
| O10.92  | Unspecified pre-existing hypertension complicating childbirth   |
| O10.93  | Unspecified pre-existing hypertension complicating the puerperium                                     |
| O11.1   | Pre-existing hypertension with pre-eclampsia, first trimester   |
| O11.2   | Pre-existing hypertension with pre-eclampsia, second trimester  |
| O11.3   | Pre-existing hypertension with pre-eclampsia, third trimester   |
| O11.9   | Pre-existing hypertension with pre-eclampsia, unspecified trimester                                   |
| O12.04  | Gestational edema, complicating childbirth  |
| O12.05  | Gestational edema, complicating the puerperium  |
| O12.14  | Gestational proteinuria, complicating childbirth  |
| O12.15  | Gestational proteinuria, complicating the puerperium  |
| O12.24  | Gestational edema with proteinuria, complicating childbirth   |
| O12.25  | Gestational edema with proteinuria, complicating the puerperium                                       |
| O13.1   | Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester         |
| O13.2   | Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester        |
| O13.3   | Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester         |
| O13.4   | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| O13.5  | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O13.9  | Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester       |
| O14.00 | Mild to moderate pre-eclampsia, unspecified trimester   |
| O14.02 | Mild to moderate pre-eclampsia, second trimester  |
| O14.03 | Mild to moderate pre-eclampsia, third trimester   |
| O14.04 | Mild to moderate pre-eclampsia, complicating childbirth   |
| O14.05 | Mild to moderate pre-eclampsia, complicating the puerperium   |
| O14.10 | Severe pre-eclampsia, unspecified trimester   |
| O14.12 | Severe pre-eclampsia, second trimester  |
| O14.13 | Severe pre-eclampsia, third trimester   |
| O14.14 | Severe pre-eclampsia complicating childbirth  |
| O14.15 | Severe pre-eclampsia, complicating the puerperium   |
| O14.20 | HELLP syndrome (HELLP), unspecified trimester   |
| O14.22 | HELLP syndrome (HELLP), second trimester  |
| O14.23 | HELLP syndrome (HELLP), third trimester   |
| O14.24 | HELLP syndrome, complicating childbirth   |
| O14.25 | HELLP syndrome, complicating the puerperium   |
| O14.90 | Unspecified pre-eclampsia, unspecified trimester  |
| O14.92 | Unspecified pre-eclampsia, second trimester   |
| O14.93 | Unspecified pre-eclampsia, third trimester  |
| O14.94 | Unspecified pre-eclampsia, complicating childbirth  |
| O14.95 | Unspecified pre-eclampsia, complicating the puerperium  |
| O15.00 | Eclampsia complicating pregnancy, unspecified trimester   |
| O15.02 | Eclampsia complicating pregnancy, second trimester  |
| O15.03 | Eclampsia complicating pregnancy, third trimester   |
| O15.1  | Eclampsia complicating labor  |
| O15.2  | Eclampsia complicating the puerperium   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O15.9   | Eclampsia, unspecified as to time period                         |
| O16.1   | Unspecified maternal hypertension, first trimester               |
| O16.2   | Unspecified maternal hypertension, second trimester              |
| O16.3   | Unspecified maternal hypertension, third trimester               |
| O16.4   | Unspecified maternal hypertension, complicating childbirth       |
| O16.5   | Unspecified maternal hypertension, complicating the puerperium   |
| O16.9   | Unspecified maternal hypertension, unspecified trimester         |
| O20.0   | Threatened abortion  |
| O20.8   | Other hemorrhage in early pregnancy                              |
| O20.9   | Hemorrhage in early pregnancy, unspecified                       |
| O22.20  | Superficial thrombophlebitis in pregnancy, unspecified trimester |
| O22.21  | Superficial thrombophlebitis in pregnancy, first trimester       |
| O22.22  | Superficial thrombophlebitis in pregnancy, second trimester      |
| O22.23  | Superficial thrombophlebitis in pregnancy, third trimester       |
| O22.30  | Deep phlebothrombosis in pregnancy, unspecified trimester        |
| O22.31  | Deep phlebothrombosis in pregnancy, first trimester              |
| O22.32  | Deep phlebothrombosis in pregnancy, second trimester             |
| O22.33  | Deep phlebothrombosis in pregnancy, third trimester              |
| O22.40  | Hemorrhoids in pregnancy, unspecified trimester                  |
| O22.41  | Hemorrhoids in pregnancy, first trimester                        |
| O22.42  | Hemorrhoids in pregnancy, second trimester                       |
| O22.43  | Hemorrhoids in pregnancy, third trimester                        |
| O22.50  | Cerebral venous thrombosis in pregnancy, unspecified trimester   |
| O22.51  | Cerebral venous thrombosis in pregnancy, first trimester         |
| O22.52  | Cerebral venous thrombosis in pregnancy, second trimester        |
| O22.53  | Cerebral venous thrombosis in pregnancy, third trimester         |
| O22.8X1 | Other venous complications in pregnancy, first trimester         |
| O22.8X2 | Other venous complications in pregnancy, second trimester        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O22.8X3  | Other venous complications in pregnancy, third trimester  |
| O22.8X9  | Other venous complications in pregnancy, unspecified trimester  |
| O22.90   | Venous complication in pregnancy, unspecified, unspecified trimester                                  |
| O22.91   | Venous complication in pregnancy, unspecified, first trimester  |
| O22.92   | Venous complication in pregnancy, unspecified, second trimester                                       |
| O22.93   | Venous complication in pregnancy, unspecified, third trimester  |
| O24.415  | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs                     |
| O24.425  | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs                    |
| O24.435  | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs                    |
| O26.611  | Liver and biliary tract disorders in pregnancy, first trimester                                       |
| O26.612  | Liver and biliary tract disorders in pregnancy, second trimester                                      |
| O26.613  | Liver and biliary tract disorders in pregnancy, third trimester                                       |
| O26.619  | Liver and biliary tract disorders in pregnancy, unspecified trimester                                 |
| O26.62   | Liver and biliary tract disorders in childbirth   |
| O26.851  | Spotting complicating pregnancy, first trimester  |
| O26.852  | Spotting complicating pregnancy, second trimester   |
| O26.853  | Spotting complicating pregnancy, third trimester  |
| O26.859  | Spotting complicating pregnancy, unspecified trimester  |
| O41.1010 | Infection of amniotic sac and membranes, unspecified, first trimester, not applicable or unspecified  |
| O41.1011 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 1                        |
| O41.1012 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 2                        |
| O41.1013 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 3                        |
| O41.1014 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 4                        |
| O41.1015 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 5                        |
| O41.1019 | Infection of amniotic sac and membranes, unspecified, first trimester, other fetus                    |
| O41.1020 | Infection of amniotic sac and membranes, unspecified, second trimester, not applicable or unspecified |
| O41.1021 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 1                       |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| O41.1022 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 2                            |
| O41.1023 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 3                            |
| O41.1024 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 4                            |
| O41.1025 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 5                            |
| O41.1029 | Infection of amniotic sac and membranes, unspecified, second trimester, other fetus                        |
| O41.1030 | Infection of amniotic sac and membranes, unspecified, third trimester, not applicable or unspecified       |
| O41.1031 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 1                             |
| O41.1032 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 2                             |
| O41.1033 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 3                             |
| O41.1034 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 4                             |
| O41.1035 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 5                             |
| O41.1039 | Infection of amniotic sac and membranes, unspecified, third trimester, other fetus                         |
| O41.1090 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, not applicable or unspecified |
| O41.1091 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 1                       |
| O41.1092 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 2                       |
| O41.1093 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 3                       |
| O41.1094 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 4                       |
| O41.1095 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, fetus 5                       |
| O41.1099 | Infection of amniotic sac and membranes, unspecified, unspecified trimester, other fetus                   |
| O41.1210 | Chorioamnionitis, first trimester, not applicable or unspecified   |
| O41.1211 | Chorioamnionitis, first trimester, fetus 1   |
| O41.1212 | Chorioamnionitis, first trimester, fetus 2   |
| O41.1213 | Chorioamnionitis, first trimester, fetus 3   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| O41.1214    | Chorioamnionitis, first trimester, fetus 4                             |
| O41.1215    | Chorioamnionitis, first trimester, fetus 5                             |
| O41.1219    | Chorioamnionitis, first trimester, other fetus                         |
| O41.1220    | Chorioamnionitis, second trimester, not applicable or unspecified      |
| O41.1221    | Chorioamnionitis, second trimester, fetus 1                            |
| O41.1222    | Chorioamnionitis, second trimester, fetus 2                            |
| O41.1223    | Chorioamnionitis, second trimester, fetus 3                            |
| O41.1224    | Chorioamnionitis, second trimester, fetus 4                            |
| O41.1225    | Chorioamnionitis, second trimester, fetus 5                            |
| O41.1229    | Chorioamnionitis, second trimester, other fetus                        |
| O41.1230    | Chorioamnionitis, third trimester, not applicable or unspecified       |
| O41.1231    | Chorioamnionitis, third trimester, fetus 1                             |
| O41.1232    | Chorioamnionitis, third trimester, fetus 2                             |
| O41.1233    | Chorioamnionitis, third trimester, fetus 3                             |
| O41.1234    | Chorioamnionitis, third trimester, fetus 4                             |
| O41.1235    | Chorioamnionitis, third trimester, fetus 5                             |
| O41.1239    | Chorioamnionitis, third trimester, other fetus                         |
| O41.1290    | Chorioamnionitis, unspecified trimester, not applicable or unspecified |
| O41.1291    | Chorioamnionitis, unspecified trimester, fetus 1                       |
| O41.1292    | Chorioamnionitis, unspecified trimester, fetus 2                       |
| O41.1293    | Chorioamnionitis, unspecified trimester, fetus 3                       |
| O41.1294    | Chorioamnionitis, unspecified trimester, fetus 4                       |
| O41.1295    | Chorioamnionitis, unspecified trimester, fetus 5                       |
| O41.1299    | Chorioamnionitis, unspecified trimester, other fetus                   |
| O41.1410    | Placentitis, first trimester, not applicable or unspecified            |
| O41.1411    | Placentitis, first trimester, fetus 1                                  |
| O41.1412    | Placentitis, first trimester, fetus 2                                  |
| O41.1413    | Placentitis, first trimester, fetus 3                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| O41.1414 | Placentitis, first trimester, fetus 4                              |
| O41.1415 | Placentitis, first trimester, fetus 5                              |
| O41.1419 | Placentitis, first trimester, other fetus                          |
| O41.1420 | Placentitis, second trimester, not applicable or unspecified       |
| O41.1421 | Placentitis, second trimester, fetus 1                             |
| O41.1422 | Placentitis, second trimester, fetus 2                             |
| O41.1423 | Placentitis, second trimester, fetus 3                             |
| O41.1424 | Placentitis, second trimester, fetus 4                             |
| O41.1425 | Placentitis, second trimester, fetus 5                             |
| O41.1429 | Placentitis, second trimester, other fetus                         |
| O41.1430 | Placentitis, third trimester, not applicable or unspecified        |
| O41.1431 | Placentitis, third trimester, fetus 1                              |
| O41.1432 | Placentitis, third trimester, fetus 2                              |
| O41.1433 | Placentitis, third trimester, fetus 3                              |
| O41.1434 | Placentitis, third trimester, fetus 4                              |
| O41.1435 | Placentitis, third trimester, fetus 5                              |
| O41.1439 | Placentitis, third trimester, other fetus                          |
| O41.1490 | Placentitis, unspecified trimester, not applicable or unspecified  |
| O41.1491 | Placentitis, unspecified trimester, fetus 1                        |
| O41.1492 | Placentitis, unspecified trimester, fetus 2                        |
| O41.1493 | Placentitis, unspecified trimester, fetus 3                        |
| O41.1494 | Placentitis, unspecified trimester, fetus 4                        |
| O41.1495 | Placentitis, unspecified trimester, fetus 5                        |
| O41.1499 | Placentitis, unspecified trimester, other fetus                    |
| O43.011  | Fetomaternal placental transfusion syndrome, first trimester       |
| O43.012  | Fetomaternal placental transfusion syndrome, second trimester      |
| O43.013  | Fetomaternal placental transfusion syndrome, third trimester       |
| O43.019  | Fetomaternal placental transfusion syndrome, unspecified trimester |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O44.00  | Complete placenta previa NOS or without hemorrhage, unspecified trimester               |
| O44.01  | Complete placenta previa NOS or without hemorrhage, first trimester                     |
| O44.02  | Complete placenta previa NOS or without hemorrhage, second trimester                    |
| O44.03  | Complete placenta previa NOS or without hemorrhage, third trimester                     |
| O44.10  | Complete placenta previa with hemorrhage, unspecified trimester                         |
| O44.11  | Complete placenta previa with hemorrhage, first trimester                               |
| O44.12  | Complete placenta previa with hemorrhage, second trimester                              |
| O44.13  | Complete placenta previa with hemorrhage, third trimester                               |
| O44.20  | Partial placenta previa NOS or without hemorrhage, unspecified trimester                |
| O44.21  | Partial placenta previa NOS or without hemorrhage, first trimester                      |
| O44.22  | Partial placenta previa NOS or without hemorrhage, second trimester                     |
| O44.23  | Partial placenta previa NOS or without hemorrhage, third trimester                      |
| O44.30  | Partial placenta previa with hemorrhage, unspecified trimester                          |
| O44.31  | Partial placenta previa with hemorrhage, first trimester                                |
| O44.32  | Partial placenta previa with hemorrhage, second trimester                               |
| O44.33  | Partial placenta previa with hemorrhage, third trimester                                |
| O44.40  | Low lying placenta NOS or without hemorrhage, unspecified trimester                     |
| O44.41  | Low lying placenta NOS or without hemorrhage, first trimester                           |
| O44.42  | Low lying placenta NOS or without hemorrhage, second trimester                          |
| O44.43  | Low lying placenta NOS or without hemorrhage, third trimester                           |
| O44.50  | Low lying placenta with hemorrhage, unspecified trimester                               |
| O44.51  | Low lying placenta with hemorrhage, first trimester                                     |
| O44.52  | Low lying placenta with hemorrhage, second trimester                                    |
| O44.53  | Low lying placenta with hemorrhage, third trimester                                     |
| O45.001 | Premature separation of placenta with coagulation defect, unspecified, first trimester  |
| O45.002 | Premature separation of placenta with coagulation defect, unspecified, second trimester |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| O45.003     | Premature separation of placenta with coagulation defect, unspecified, third trimester              |
| O45.009     | Premature separation of placenta with coagulation defect, unspecified, unspecified trimester        |
| O45.011     | Premature separation of placenta with afibrinogenemia, first trimester                              |
| O45.012     | Premature separation of placenta with afibrinogenemia, second trimester                             |
| O45.013     | Premature separation of placenta with afibrinogenemia, third trimester                              |
| O45.019     | Premature separation of placenta with afibrinogenemia, unspecified trimester                        |
| O45.021     | Premature separation of placenta with disseminated intravascular coagulation, first trimester       |
| O45.022     | Premature separation of placenta with disseminated intravascular coagulation, second trimester      |
| O45.023     | Premature separation of placenta with disseminated intravascular coagulation, third trimester       |
| O45.029     | Premature separation of placenta with disseminated intravascular coagulation, unspecified trimester |
| O45.091     | Premature separation of placenta with other coagulation defect, first trimester                     |
| O45.092     | Premature separation of placenta with other coagulation defect, second trimester                    |
| O45.093     | Premature separation of placenta with other coagulation defect, third trimester                     |
| O45.099     | Premature separation of placenta with other coagulation defect, unspecified trimester               |
| O45.8X1     | Other premature separation of placenta, first trimester   |
| O45.8X2     | Other premature separation of placenta, second trimester  |
| O45.8X3     | Other premature separation of placenta, third trimester   |
| O45.8X9     | Other premature separation of placenta, unspecified trimester                                       |
| O45.90      | Premature separation of placenta, unspecified, unspecified trimester                                |
| O45.91      | Premature separation of placenta, unspecified, first trimester                                      |
| O45.92      | Premature separation of placenta, unspecified, second trimester                                     |
| O45.93      | Premature separation of placenta, unspecified, third trimester                                      |
| O46.001     | Antepartum hemorrhage with coagulation defect, unspecified, first trimester                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O46.002 | Antepartum hemorrhage with coagulation defect, unspecified, second trimester             |
| O46.003 | Antepartum hemorrhage with coagulation defect, unspecified, third trimester              |
| O46.009 | Antepartum hemorrhage with coagulation defect, unspecified, unspecified trimester        |
| O46.011 | Antepartum hemorrhage with afibrinogenemia, first trimester                              |
| O46.012 | Antepartum hemorrhage with afibrinogenemia, second trimester                             |
| O46.013 | Antepartum hemorrhage with afibrinogenemia, third trimester                              |
| O46.019 | Antepartum hemorrhage with afibrinogenemia, unspecified trimester                        |
| O46.021 | Antepartum hemorrhage with disseminated intravascular coagulation, first trimester       |
| O46.022 | Antepartum hemorrhage with disseminated intravascular coagulation, second trimester      |
| O46.023 | Antepartum hemorrhage with disseminated intravascular coagulation, third trimester       |
| O46.029 | Antepartum hemorrhage with disseminated intravascular coagulation, unspecified trimester |
| O46.091 | Antepartum hemorrhage with other coagulation defect, first trimester                     |
| O46.092 | Antepartum hemorrhage with other coagulation defect, second trimester                    |
| O46.093 | Antepartum hemorrhage with other coagulation defect, third trimester                     |
| O46.099 | Antepartum hemorrhage with other coagulation defect, unspecified trimester               |
| O46.8X1 | Other antepartum hemorrhage, first trimester   |
| O46.8X2 | Other antepartum hemorrhage, second trimester  |
| O46.8X3 | Other antepartum hemorrhage, third trimester   |
| O46.8X9 | Other antepartum hemorrhage, unspecified trimester                                       |
| O46.90  | Antepartum hemorrhage, unspecified, unspecified trimester                                |
| O46.91  | Antepartum hemorrhage, unspecified, first trimester                                      |
| O46.92  | Antepartum hemorrhage, unspecified, second trimester                                     |
| O46.93  | Antepartum hemorrhage, unspecified, third trimester                                      |
| O67.0   | Intrapartum hemorrhage with coagulation defect   |
| O67.8   | Other intrapartum hemorrhage   |
| O67.9   | Intrapartum hemorrhage, unspecified  |
| O72.0   | Third-stage hemorrhage   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O72.1   | Other immediate postpartum hemorrhage                              |
| O72.2   | Delayed and secondary postpartum hemorrhage                        |
| O72.3   | Postpartum coagulation defects                                     |
| O86.00  | Infection of obstetric surgical wound, unspecified                 |
| O86.01  | Infection of obstetric surgical wound, superficial incisional site |
| O86.02  | Infection of obstetric surgical wound, deep incisional site        |
| O86.03  | Infection of obstetric surgical wound, organ and space site        |
| O86.04  | Sepsis following an obstetrical procedure                          |
| O86.09  | Infection of obstetric surgical wound, other surgical site         |
| O87.0   | Superficial thrombophlebitis in the puerperium                     |
| O87.1   | Deep phlebothrombosis in the puerperium                            |
| O87.2   | Hemorrhoids in the puerperium                                      |
| O87.3   | Cerebral venous thrombosis in the puerperium                       |
| O87.8   | Other venous complications in the puerperium                       |
| O87.9   | Venous complication in the puerperium, unspecified                 |
| O88.011 | Air embolism in pregnancy, first trimester                         |
| O88.012 | Air embolism in pregnancy, second trimester                        |
| O88.013 | Air embolism in pregnancy, third trimester                         |
| O88.019 | Air embolism in pregnancy, unspecified trimester                   |
| O88.02  | Air embolism in childbirth   |
| O88.03  | Air embolism in the puerperium                                     |
| O88.111 | Amniotic fluid embolism in pregnancy, first trimester              |
| O88.112 | Amniotic fluid embolism in pregnancy, second trimester             |
| O88.113 | Amniotic fluid embolism in pregnancy, third trimester              |
| O88.119 | Amniotic fluid embolism in pregnancy, unspecified trimester        |
| O88.12  | Amniotic fluid embolism in childbirth                              |
| O88.13  | Amniotic fluid embolism in the puerperium                          |
| O88.211 | Thromboembolism in pregnancy, first trimester                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O88.212 | Thromboembolism in pregnancy, second trimester  |
| O88.213 | Thromboembolism in pregnancy, third trimester   |
| O88.219 | Thromboembolism in pregnancy, unspecified trimester   |
| O88.22  | Thromboembolism in childbirth   |
| O88.23  | Thromboembolism in the puerperium   |
| O88.311 | Pyemic and septic embolism in pregnancy, first trimester  |
| O88.312 | Pyemic and septic embolism in pregnancy, second trimester   |
| O88.313 | Pyemic and septic embolism in pregnancy, third trimester  |
| O88.319 | Pyemic and septic embolism in pregnancy, unspecified trimester  |
| O88.32  | Pyemic and septic embolism in childbirth  |
| O88.33  | Pyemic and septic embolism in the puerperium  |
| O88.811 | Other embolism in pregnancy, first trimester  |
| O88.812 | Other embolism in pregnancy, second trimester   |
| O88.813 | Other embolism in pregnancy, third trimester  |
| O88.819 | Other embolism in pregnancy, unspecified trimester  |
| O88.82  | Other embolism in childbirth  |
| O88.83  | Other embolism in the puerperium  |
| O90.2   | Hematoma of obstetric wound   |
| O99.111 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, first trimester       |
| O99.112 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, second trimester      |
| O99.113 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, third trimester       |
| O99.119 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, unspecified trimester |
| O99.12  | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating childbirth                       |
| O99.13  | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating the puerperium                   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O99.891 | Other specified diseases and conditions complicating pregnancy         |
| O99.892 | Other specified diseases and conditions complicating childbirth        |
| O99.893 | Other specified diseases and conditions complicating puerperium        |
| P02.1   | Newborn affected by other forms of placental separation and hemorrhage |
| P04.40  | Newborn affected by maternal use of unspecified drugs of addiction     |
| P04.42  | Newborn affected by maternal use of hallucinogens                      |
| P10.0   | Subdural hemorrhage due to birth injury                                |
| P10.1   | Cerebral hemorrhage due to birth injury                                |
| P10.2   | Intraventricular hemorrhage due to birth injury                        |
| P10.3   | Subarachnoid hemorrhage due to birth injury                            |
| P10.4   | Tentorial tear due to birth injury                                     |
| P10.8   | Other intracranial lacerations and hemorrhages due to birth injury     |
| P10.9   | Unspecified intracranial laceration and hemorrhage due to birth injury |
| P11.0   | Cerebral edema due to birth injury                                     |
| P11.1   | Other specified brain damage due to birth injury                       |
| P11.2   | Unspecified brain damage due to birth injury                           |
| P11.9   | Birth injury to central nervous system, unspecified                    |
| P12.2   | Epicranial subaponeurotic hemorrhage due to birth injury               |
| P15.0   | Birth injury to liver  |
| P15.1   | Birth injury to spleen   |
| P15.2   | Sternomastoid injury due to birth injury                               |
| P15.3   | Birth injury to eye  |
| P15.4   | Birth injury to face   |
| P15.5   | Birth injury to external genitalia                                     |
| P15.6   | Subcutaneous fat necrosis due to birth injury                          |
| P15.8   | Other specified birth injuries   |
| P26.0   | Tracheobronchial hemorrhage originating in the perinatal period        |
| P26.1   | Massive pulmonary hemorrhage originating in the perinatal period       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| P26.8  | Other pulmonary hemorrhages originating in the perinatal period                    |
| P26.9  | Unspecified pulmonary hemorrhage originating in the perinatal period               |
| P50.0  | Newborn affected by intrauterine (fetal) blood loss from vasa previa               |
| P50.1  | Newborn affected by intrauterine (fetal) blood loss from ruptured cord             |
| P50.2  | Newborn affected by intrauterine (fetal) blood loss from placenta                  |
| P50.3  | Newborn affected by hemorrhage into co-twin  |
| P50.4  | Newborn affected by hemorrhage into maternal circulation                           |
| P50.5  | Newborn affected by intrauterine (fetal) blood loss from cut end of co-twin's cord |
| P50.8  | Newborn affected by other intrauterine (fetal) blood loss                          |
| P50.9  | Newborn affected by intrauterine (fetal) blood loss, unspecified                   |
| P51.0  | Massive umbilical hemorrhage of newborn  |
| P51.8  | Other umbilical hemorrhages of newborn   |
| P51.9  | Umbilical hemorrhage of newborn, unspecified                                       |
| P52.0  | Intraventricular (nontraumatic) hemorrhage, grade 1, of newborn                    |
| P52.1  | Intraventricular (nontraumatic) hemorrhage, grade 2, of newborn                    |
| P52.21 | Intraventricular (nontraumatic) hemorrhage, grade 3, of newborn                    |
| P52.22 | Intraventricular (nontraumatic) hemorrhage, grade 4, of newborn                    |
| P52.3  | Unspecified intraventricular (nontraumatic) hemorrhage of newborn                  |
| P52.4  | Intracerebral (nontraumatic) hemorrhage of newborn                                 |
| P52.5  | Subarachnoid (nontraumatic) hemorrhage of newborn                                  |
| P52.6  | Cerebellar (nontraumatic) and posterior fossa hemorrhage of newborn                |
| P52.8  | Other intracranial (nontraumatic) hemorrhages of newborn                           |
| P52.9  | Intracranial (nontraumatic) hemorrhage of newborn, unspecified                     |
| P53    | Hemorrhagic disease of newborn   |
| P54.0  | Neonatal hematemesis   |
| P54.1  | Neonatal melena  |
| P54.2  | Neonatal rectal hemorrhage   |
| P54.3  | Other neonatal gastrointestinal hemorrhage   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| P54.4  | Neonatal adrenal hemorrhage  |
| P54.5  | Neonatal cutaneous hemorrhage  |
| P54.6  | Neonatal vaginal hemorrhage  |
| P54.8  | Other specified neonatal hemorrhages                                     |
| P54.9  | Neonatal hemorrhage, unspecified   |
| P59.9  | Neonatal jaundice, unspecified   |
| P60    | Disseminated intravascular coagulation of newborn                        |
| P61.0  | Transient neonatal thrombocytopenia                                      |
| P61.1  | Polycythemia neonatorum  |
| P61.2  | Anemia of prematurity  |
| P61.3  | Congenital anemia from fetal blood loss                                  |
| P61.4  | Other congenital anemias, not elsewhere classified                       |
| P61.5  | Transient neonatal neutropenia   |
| P61.6  | Other transient neonatal disorders of coagulation                        |
| P61.8  | Other specified perinatal hematological disorders                        |
| P61.9  | Perinatal hematological disorder, unspecified                            |
| P78.84 | Gestational alloimmune liver disease                                     |
| Q20.9  | Congenital malformation of cardiac chambers and connections, unspecified |
| Q22.0  | Pulmonary valve atresia  |
| Q22.1  | Congenital pulmonary valve stenosis                                      |
| Q22.2  | Congenital pulmonary valve insufficiency                                 |
| Q22.3  | Other congenital malformations of pulmonary valve                        |
| Q22.4  | Congenital tricuspid stenosis  |
| Q22.5  | Ebstein's anomaly  |
| Q22.6  | Hypoplastic right heart syndrome   |
| Q22.8  | Other congenital malformations of tricuspid valve                        |
| Q22.9  | Congenital malformation of tricuspid valve, unspecified                  |
| Q23.0  | Congenital stenosis of aortic valve                                      |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| Q23.1  | Congenital insufficiency of aortic valve                         |
| Q23.2  | Congenital mitral stenosis                                       |
| Q23.3  | Congenital mitral insufficiency                                  |
| Q23.4  | Hypoplastic left heart syndrome                                  |
| Q23.8  | Other congenital malformations of aortic and mitral valves       |
| Q23.9  | Congenital malformation of aortic and mitral valves, unspecified |
| Q24.0  | Dextrocardia   |
| Q24.1  | Levocardia   |
| Q24.2  | Cor triatriatum  |
| Q24.3  | Pulmonary infundibular stenosis                                  |
| Q24.4  | Congenital subaortic stenosis                                    |
| Q24.5  | Malformation of coronary vessels                                 |
| Q24.6  | Congenital heart block   |
| Q24.8  | Other specified congenital malformations of heart                |
| Q24.9  | Congenital malformation of heart, unspecified                    |
| R00.1  | Bradycardia, unspecified   |
| R04.0  | Epistaxis  |
| R04.1  | Hemorrhage from throat   |
| R04.2  | Hemoptysis   |
| R04.81 | Acute idiopathic pulmonary hemorrhage in infants                 |
| R04.89 | Hemorrhage from other sites in respiratory passages              |
| R04.9  | Hemorrhage from respiratory passages, unspecified                |
| R06.02 | Shortness of breath  |
| R07.2  | Precordial pain  |
| R07.82 | Intercostal pain   |
| R07.89 | Other chest pain   |
| R07.9  | Chest pain, unspecified  |
| R10.0  | Acute abdomen  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| R10.10  | Upper abdominal pain, unspecified                        |
| R10.11  | Right upper quadrant pain                                |
| R10.12  | Left upper quadrant pain                                 |
| R10.13  | Epigastric pain  |
| R10.2   | Pelvic and perineal pain                                 |
| R10.30  | Lower abdominal pain, unspecified                        |
| R10.31  | Right lower quadrant pain                                |
| R10.32  | Left lower quadrant pain                                 |
| R10.33  | Periumbilical pain                                       |
| R10.83  | Colic  |
| R10.84  | Generalized abdominal pain                               |
| R10.9   | Unspecified abdominal pain                               |
| R16.0   | Hepatomegaly, not elsewhere classified                   |
| R16.2   | Hepatomegaly with splenomegaly, not elsewhere classified |
| R17     | Unspecified jaundice                                     |
| R18.0   | Malignant ascites  |
| R18.8   | Other ascites  |
| R23.3   | Spontaneous ecchymoses                                   |
| R29.700 | NIHSS score 0  |
| R29.701 | NIHSS score 1  |
| R29.702 | NIHSS score 2  |
| R29.703 | NIHSS score 3  |
| R29.704 | NIHSS score 4  |
| R29.705 | NIHSS score 5  |
| R29.706 | NIHSS score 6  |
| R29.707 | NIHSS score 7  |
| R29.708 | NIHSS score 8  |
| R29.709 | NIHSS score 9  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b> |
|-------------|--------------------|
| R29.710     | NIHSS score 10     |
| R29.711     | NIHSS score 11     |
| R29.712     | NIHSS score 12     |
| R29.713     | NIHSS score 13     |
| R29.714     | NIHSS score 14     |
| R29.715     | NIHSS score 15     |
| R29.716     | NIHSS score 16     |
| R29.717     | NIHSS score 17     |
| R29.718     | NIHSS score 18     |
| R29.719     | NIHSS score 19     |
| R29.720     | NIHSS score 20     |
| R29.721     | NIHSS score 21     |
| R29.722     | NIHSS score 22     |
| R29.723     | NIHSS score 23     |
| R29.724     | NIHSS score 24     |
| R29.725     | NIHSS score 25     |
| R29.726     | NIHSS score 26     |
| R29.727     | NIHSS score 27     |
| R29.728     | NIHSS score 28     |
| R29.729     | NIHSS score 29     |
| R29.730     | NIHSS score 30     |
| R29.731     | NIHSS score 31     |
| R29.732     | NIHSS score 32     |
| R29.733     | NIHSS score 33     |
| R29.734     | NIHSS score 34     |
| R29.735     | NIHSS score 35     |
| R29.736     | NIHSS score 36     |
| R29.737     | NIHSS score 37     |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| R29.738  | NIHSS score 38   |
| R29.739  | NIHSS score 39   |
| R29.740  | NIHSS score 40   |
| R29.741  | NIHSS score 41   |
| R29.742  | NIHSS score 42   |
| R31.0    | Gross hematuria  |
| R31.1    | Benign essential microscopic hematuria   |
| R31.21   | Asymptomatic microscopic hematuria   |
| R31.29   | Other microscopic hematuria  |
| R31.9    | Hematuria, unspecified   |
| R40.2410 | Glasgow coma scale score 13-15, unspecified time   |
| R40.2411 | Glasgow coma scale score 13-15, in the field [EMT or ambulance]  |
| R40.2412 | Glasgow coma scale score 13-15, at arrival to emergency department   |
| R40.2413 | Glasgow coma scale score 13-15, at hospital admission  |
| R40.2414 | Glasgow coma scale score 13-15, 24 hours or more after hospital admission  |
| R40.2420 | Glasgow coma scale score 9-12, unspecified time  |
| R40.2421 | Glasgow coma scale score 9-12, in the field [EMT or ambulance]   |
| R40.2422 | Glasgow coma scale score 9-12, at arrival to emergency department  |
| R40.2423 | Glasgow coma scale score 9-12, at hospital admission   |
| R40.2424 | Glasgow coma scale score 9-12, 24 hours or more after hospital admission   |
| R40.2430 | Glasgow coma scale score 3-8, unspecified time   |
| R40.2431 | Glasgow coma scale score 3-8, in the field [EMT or ambulance]  |
| R40.2432 | Glasgow coma scale score 3-8, at arrival to emergency department   |
| R40.2433 | Glasgow coma scale score 3-8, at hospital admission  |
| R40.2434 | Glasgow coma scale score 3-8, 24 hours or more after hospital admission  |
| R40.2440 | Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time                |
| R40.2441 | Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance] |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| R40.2442    | Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department        |
| R40.2443    | Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission                     |
| R40.2444    | Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission |
| R55         | Syncope and collapse   |
| R57.9       | Shock, unspecified   |
| R58         | Hemorrhage, not elsewhere classified   |
| R60.0       | Localized edema  |
| R60.1       | Generalized edema  |
| R60.9       | Edema, unspecified   |
| R79.1       | Abnormal coagulation profile   |
| R82.3       | Hemoglobinuria   |
| R94.5       | Abnormal results of liver function studies   |
| S00.03XA    | Contusion of scalp, initial encounter  |
| S00.10XA    | Contusion of unspecified eyelid and periocular area, initial encounter   |
| S00.11XA    | Contusion of right eyelid and periocular area, initial encounter   |
| S00.12XA    | Contusion of left eyelid and periocular area, initial encounter  |
| S00.33XA    | Contusion of nose, initial encounter   |
| S00.431A    | Contusion of right ear, initial encounter  |
| S00.432A    | Contusion of left ear, initial encounter   |
| S00.439A    | Contusion of unspecified ear, initial encounter  |
| S00.531A    | Contusion of lip, initial encounter  |
| S00.532A    | Contusion of oral cavity, initial encounter  |
| S00.83XA    | Contusion of other part of head, initial encounter   |
| S00.93XA    | Contusion of unspecified part of head, initial encounter   |
| S02.0XXA    | Fracture of vault of skull, initial encounter for closed fracture  |
| S02.0XXB    | Fracture of vault of skull, initial encounter for open fracture  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S02.101A | Fracture of base of skull, right side, initial encounter for closed fracture                 |
| S02.101B | Fracture of base of skull, right side, initial encounter for open fracture                   |
| S02.102A | Fracture of base of skull, left side, initial encounter for closed fracture                  |
| S02.102B | Fracture of base of skull, left side, initial encounter for open fracture                    |
| S02.109A | Fracture of base of skull, unspecified side, initial encounter for closed fracture           |
| S02.109B | Fracture of base of skull, unspecified side, initial encounter for open fracture             |
| S02.110A | Type I occipital condyle fracture, unspecified side, initial encounter for closed fracture   |
| S02.110B | Type I occipital condyle fracture, unspecified side, initial encounter for open fracture     |
| S02.111A | Type II occipital condyle fracture, unspecified side, initial encounter for closed fracture  |
| S02.111B | Type II occipital condyle fracture, unspecified side, initial encounter for open fracture    |
| S02.112A | Type III occipital condyle fracture, unspecified side, initial encounter for closed fracture |
| S02.112B | Type III occipital condyle fracture, unspecified side, initial encounter for open fracture   |
| S02.113A | Unspecified occipital condyle fracture, initial encounter for closed fracture                |
| S02.113B | Unspecified occipital condyle fracture, initial encounter for open fracture                  |
| S02.118A | Other fracture of occiput, unspecified side, initial encounter for closed fracture           |
| S02.118B | Other fracture of occiput, unspecified side, initial encounter for open fracture             |
| S02.119A | Unspecified fracture of occiput, initial encounter for closed fracture                       |
| S02.119B | Unspecified fracture of occiput, initial encounter for open fracture                         |
| S02.11AA | Type I occipital condyle fracture, right side, initial encounter for closed fracture         |
| S02.11AB | Type I occipital condyle fracture, right side, initial encounter for open fracture           |
| S02.11BA | Type I occipital condyle fracture, left side, initial encounter for closed fracture          |
| S02.11BB | Type I occipital condyle fracture, left side, initial encounter for open fracture            |
| S02.11CA | Type II occipital condyle fracture, right side, initial encounter for closed fracture        |
| S02.11CB | Type II occipital condyle fracture, right side, initial encounter for open fracture          |
| S02.11DA | Type II occipital condyle fracture, left side, initial encounter for closed fracture         |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S02.11DB | Type II occipital condyle fracture, left side, initial encounter for open fracture           |
| S02.11EA | Type III occipital condyle fracture, right side, initial encounter for closed fracture       |
| S02.11EB | Type III occipital condyle fracture, right side, initial encounter for open fracture         |
| S02.11FA | Type III occipital condyle fracture, left side, initial encounter for closed fracture        |
| S02.11FB | Type III occipital condyle fracture, left side, initial encounter for open fracture          |
| S02.11GA | Other fracture of occiput, right side, initial encounter for closed fracture                 |
| S02.11GB | Other fracture of occiput, right side, initial encounter for open fracture                   |
| S02.11HA | Other fracture of occiput, left side, initial encounter for closed fracture                  |
| S02.11HB | Other fracture of occiput, left side, initial encounter for open fracture                    |
| S02.121A | Fracture of orbital roof, right side, initial encounter for closed fracture                  |
| S02.121B | Fracture of orbital roof, right side, initial encounter for open fracture                    |
| S02.121D | Fracture of orbital roof, right side, subsequent encounter for fracture with routine healing |
| S02.121G | Fracture of orbital roof, right side, subsequent encounter for fracture with delayed healing |
| S02.121K | Fracture of orbital roof, right side, subsequent encounter for fracture with nonunion        |
| S02.121S | Fracture of orbital roof, right side, sequela  |
| S02.122A | Fracture of orbital roof, left side, initial encounter for closed fracture                   |
| S02.122B | Fracture of orbital roof, left side, initial encounter for open fracture                     |
| S02.122D | Fracture of orbital roof, left side, subsequent encounter for fracture with routine healing  |
| S02.122G | Fracture of orbital roof, left side, subsequent encounter for fracture with delayed healing  |
| S02.122K | Fracture of orbital roof, left side, subsequent encounter for fracture with nonunion         |
| S02.122S | Fracture of orbital roof, left side, sequela   |
| S02.19XA | Other fracture of base of skull, initial encounter for closed fracture                       |
| S02.19XB | Other fracture of base of skull, initial encounter for open fracture                         |
| S02.30XA | Fracture of orbital floor, unspecified side, initial encounter for closed fracture           |
| S02.30XB | Fracture of orbital floor, unspecified side, initial encounter for open fracture             |
| S02.31XA | Fracture of orbital floor, right side, initial encounter for closed fracture                 |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S02.31XB | Fracture of orbital floor, right side, initial encounter for open fracture  |
| S02.32XA | Fracture of orbital floor, left side, initial encounter for closed fracture |
| S02.32XB | Fracture of orbital floor, left side, initial encounter for open fracture   |
| S02.400A | Malar fracture, unspecified side, initial encounter for closed fracture     |
| S02.400B | Malar fracture, unspecified side, initial encounter for open fracture       |
| S02.401A | Maxillary fracture, unspecified side, initial encounter for closed fracture |
| S02.401B | Maxillary fracture, unspecified side, initial encounter for open fracture   |
| S02.402A | Zygomatic fracture, unspecified side, initial encounter for closed fracture |
| S02.402B | Zygomatic fracture, unspecified side, initial encounter for open fracture   |
| S02.40AA | Malar fracture, right side, initial encounter for closed fracture           |
| S02.40AB | Malar fracture, right side, initial encounter for open fracture             |
| S02.40BA | Malar fracture, left side, initial encounter for closed fracture            |
| S02.40BB | Malar fracture, left side, initial encounter for open fracture              |
| S02.40CA | Maxillary fracture, right side, initial encounter for closed fracture       |
| S02.40CB | Maxillary fracture, right side, initial encounter for open fracture         |
| S02.40DA | Maxillary fracture, left side, initial encounter for closed fracture        |
| S02.40DB | Maxillary fracture, left side, initial encounter for open fracture          |
| S02.40EA | Zygomatic fracture, right side, initial encounter for closed fracture       |
| S02.40EB | Zygomatic fracture, right side, initial encounter for open fracture         |
| S02.40FA | Zygomatic fracture, left side, initial encounter for closed fracture        |
| S02.40FB | Zygomatic fracture, left side, initial encounter for open fracture          |
| S02.411A | LeFort I fracture, initial encounter for closed fracture                    |
| S02.411B | LeFort I fracture, initial encounter for open fracture                      |
| S02.412A | LeFort II fracture, initial encounter for closed fracture                   |
| S02.412B | LeFort II fracture, initial encounter for open fracture                     |
| S02.413A | LeFort III fracture, initial encounter for closed fracture                  |
| S02.413B | LeFort III fracture, initial encounter for open fracture                    |
| S02.42XA | Fracture of alveolus of maxilla, initial encounter for closed fracture      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S02.42XB    | Fracture of alveolus of maxilla, initial encounter for open fracture                                      |
| S02.600A    | Fracture of unspecified part of body of mandible, unspecified side, initial encounter for closed fracture |
| S02.600B    | Fracture of unspecified part of body of mandible, unspecified side, initial encounter for open fracture   |
| S02.601A    | Fracture of unspecified part of body of right mandible, initial encounter for closed fracture             |
| S02.601B    | Fracture of unspecified part of body of right mandible, initial encounter for open fracture               |
| S02.602A    | Fracture of unspecified part of body of left mandible, initial encounter for closed fracture              |
| S02.602B    | Fracture of unspecified part of body of left mandible, initial encounter for open fracture                |
| S02.609A    | Fracture of mandible, unspecified, initial encounter for closed fracture                                  |
| S02.609B    | Fracture of mandible, unspecified, initial encounter for open fracture                                    |
| S02.610A    | Fracture of condylar process of mandible, unspecified side, initial encounter for closed fracture         |
| S02.610B    | Fracture of condylar process of mandible, unspecified side, initial encounter for open fracture           |
| S02.611A    | Fracture of condylar process of right mandible, initial encounter for closed fracture                     |
| S02.611B    | Fracture of condylar process of right mandible, initial encounter for open fracture                       |
| S02.612A    | Fracture of condylar process of left mandible, initial encounter for closed fracture                      |
| S02.612B    | Fracture of condylar process of left mandible, initial encounter for open fracture                        |
| S02.620A    | Fracture of subcondylar process of mandible, unspecified side, initial encounter for closed fracture      |
| S02.620B    | Fracture of subcondylar process of mandible, unspecified side, initial encounter for open fracture        |
| S02.621A    | Fracture of subcondylar process of right mandible, initial encounter for closed fracture                  |
| S02.621B    | Fracture of subcondylar process of right mandible, initial encounter for open fracture                    |
| S02.622A    | Fracture of subcondylar process of left mandible, initial encounter for closed fracture                   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S02.622B    | Fracture of subcondylar process of left mandible, initial encounter for open fracture             |
| S02.630A    | Fracture of coronoid process of mandible, unspecified side, initial encounter for closed fracture |
| S02.630B    | Fracture of coronoid process of mandible, unspecified side, initial encounter for open fracture   |
| S02.631A    | Fracture of coronoid process of right mandible, initial encounter for closed fracture             |
| S02.631B    | Fracture of coronoid process of right mandible, initial encounter for open fracture               |
| S02.632A    | Fracture of coronoid process of left mandible, initial encounter for closed fracture              |
| S02.632B    | Fracture of coronoid process of left mandible, initial encounter for open fracture                |
| S02.640A    | Fracture of ramus of mandible, unspecified side, initial encounter for closed fracture            |
| S02.640B    | Fracture of ramus of mandible, unspecified side, initial encounter for open fracture              |
| S02.641A    | Fracture of ramus of right mandible, initial encounter for closed fracture                        |
| S02.641B    | Fracture of ramus of right mandible, initial encounter for open fracture                          |
| S02.642A    | Fracture of ramus of left mandible, initial encounter for closed fracture                         |
| S02.642B    | Fracture of ramus of left mandible, initial encounter for open fracture                           |
| S02.650A    | Fracture of angle of mandible, unspecified side, initial encounter for closed fracture            |
| S02.650B    | Fracture of angle of mandible, unspecified side, initial encounter for open fracture              |
| S02.651A    | Fracture of angle of right mandible, initial encounter for closed fracture                        |
| S02.651B    | Fracture of angle of right mandible, initial encounter for open fracture                          |
| S02.652A    | Fracture of angle of left mandible, initial encounter for closed fracture                         |
| S02.652B    | Fracture of angle of left mandible, initial encounter for open fracture                           |
| S02.66XA    | Fracture of symphysis of mandible, initial encounter for closed fracture                          |
| S02.66XB    | Fracture of symphysis of mandible, initial encounter for open fracture                            |
| S02.670A    | Fracture of alveolus of mandible, unspecified side, initial encounter for closed fracture         |
| S02.670B    | Fracture of alveolus of mandible, unspecified side, initial encounter for open fracture           |
| S02.671A    | Fracture of alveolus of right mandible, initial encounter for closed fracture                     |
| S02.671B    | Fracture of alveolus of right mandible, initial encounter for open fracture                       |
| S02.672A    | Fracture of alveolus of left mandible, initial encounter for closed fracture                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S02.672B    | Fracture of alveolus of left mandible, initial encounter for open fracture                                  |
| S02.69XA    | Fracture of mandible of other specified site, initial encounter for closed fracture                         |
| S02.69XB    | Fracture of mandible of other specified site, initial encounter for open fracture                           |
| S02.80XA    | Fracture of other specified skull and facial bones, unspecified side, initial encounter for closed fracture |
| S02.80XB    | Fracture of other specified skull and facial bones, unspecified side, initial encounter for open fracture   |
| S02.81XA    | Fracture of other specified skull and facial bones, right side, initial encounter for closed fracture       |
| S02.81XB    | Fracture of other specified skull and facial bones, right side, initial encounter for open fracture         |
| S02.82XA    | Fracture of other specified skull and facial bones, left side, initial encounter for closed fracture        |
| S02.82XB    | Fracture of other specified skull and facial bones, left side, initial encounter for open fracture          |
| S02.831A    | Fracture of medial orbital wall, right side, initial encounter for closed fracture                          |
| S02.831B    | Fracture of medial orbital wall, right side, initial encounter for open fracture                            |
| S02.831D    | Fracture of medial orbital wall, right side, subsequent encounter for fracture with routine healing         |
| S02.831G    | Fracture of medial orbital wall, right side, subsequent encounter for fracture with delayed healing         |
| S02.831K    | Fracture of medial orbital wall, right side, subsequent encounter for fracture with nonunion                |
| S02.831S    | Fracture of medial orbital wall, right side, sequela  |
| S02.832A    | Fracture of medial orbital wall, left side, initial encounter for closed fracture                           |
| S02.832B    | Fracture of medial orbital wall, left side, initial encounter for open fracture                             |
| S02.832D    | Fracture of medial orbital wall, left side, subsequent encounter for fracture with routine healing          |
| S02.832G    | Fracture of medial orbital wall, left side, subsequent encounter for fracture with delayed healing          |
| S02.832K    | Fracture of medial orbital wall, left side, subsequent encounter for fracture with nonunion                 |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S02.832S    | Fracture of medial orbital wall, left side, sequela  |
| S02.841A    | Fracture of lateral orbital wall, right side, initial encounter for closed fracture                        |
| S02.841B    | Fracture of lateral orbital wall, right side, initial encounter for open fracture                          |
| S02.841D    | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with routine healing       |
| S02.841G    | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with delayed healing       |
| S02.841K    | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with nonunion              |
| S02.841S    | Fracture of lateral orbital wall, right side, sequela  |
| S02.842A    | Fracture of lateral orbital wall, left side, initial encounter for closed fracture                         |
| S02.842B    | Fracture of lateral orbital wall, left side, initial encounter for open fracture                           |
| S02.842D    | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with routine healing        |
| S02.842G    | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with delayed healing        |
| S02.842K    | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with nonunion               |
| S02.842S    | Fracture of lateral orbital wall, left side, sequela   |
| S02.91XA    | Unspecified fracture of skull, initial encounter for closed fracture                                       |
| S02.91XB    | Unspecified fracture of skull, initial encounter for open fracture   |
| S02.92XA    | Unspecified fracture of facial bones, initial encounter for closed fracture                                |
| S02.92XB    | Unspecified fracture of facial bones, initial encounter for open fracture                                  |
| S05.10XA    | Contusion of eyeball and orbital tissues, unspecified eye, initial encounter                               |
| S05.11XA    | Contusion of eyeball and orbital tissues, right eye, initial encounter                                     |
| S05.12XA    | Contusion of eyeball and orbital tissues, left eye, initial encounter                                      |
| S05.90XA    | Unspecified injury of unspecified eye and orbit, initial encounter   |
| S06.340A    | Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter                    |
| S06.341A    | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S06.342A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.343A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter  |
| S06.344A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.345A | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.346A | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.347A | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter             |
| S06.348A | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter              |
| S06.349A | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, initial encounter   |
| S06.350A | Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter   |
| S06.351A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.352A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.353A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter   |
| S06.354A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter   |
| S06.355A | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                            |
| S06.356A | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter  |
| S06.357A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S06.358A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter                       |
| S06.359A | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, initial encounter  |
| S06.360A | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter  |
| S06.361A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.362A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.363A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter  |
| S06.364A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.365A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.366A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.367A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter             |
| S06.368A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter              |
| S06.369A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter   |
| S06.4X0A | Epidural hemorrhage without loss of consciousness, initial encounter   |
| S06.4X1A | Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter  |
| S06.4X2A | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter  |
| S06.4X3A | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S06.4X4A    | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.4X5A    | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                                     |
| S06.4X6A    | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter           |
| S06.4X7A    | Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter                       |
| S06.4X8A    | Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter                       |
| S06.4X9A    | Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter   |
| S06.5X0A    | Traumatic subdural hemorrhage without loss of consciousness, initial encounter  |
| S06.5X1A    | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.5X2A    | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.5X3A    | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.5X4A    | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.5X5A    | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.5X6A    | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.5X7A    | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter               |
| S06.5X8A    | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter                |
| S06.5X9A    | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter   |
| S06.6X0A    | Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S06.6X1A | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter   |
| S06.6X2A | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter   |
| S06.6X3A | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S06.6X4A | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter  |
| S06.6X5A | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter                           |
| S06.6X6A | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter |
| S06.6X7A | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter             |
| S06.6X8A | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter              |
| S06.6X9A | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter   |
| S06.9X0A | Unspecified intracranial injury without loss of consciousness, initial encounter  |
| S06.9X3A | Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter   |
| S07.0XXA | Crushing injury of face, initial encounter  |
| S07.1XXA | Crushing injury of skull, initial encounter   |
| S07.8XXA | Crushing injury of other parts of head, initial encounter   |
| S07.9XXA | Crushing injury of head, part unspecified, initial encounter  |
| S09.0XXA | Injury of blood vessels of head, not elsewhere classified, initial encounter  |
| S10.0XXA | Contusion of throat, initial encounter  |
| S10.83XA | Contusion of other specified part of neck, initial encounter  |
| S10.93XA | Contusion of unspecified part of neck, initial encounter  |
| S12.000A | Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture  |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S12.000B    | Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture         |
| S12.001A    | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture    |
| S12.001B    | Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture      |
| S12.01XA    | Stable burst fracture of first cervical vertebra, initial encounter for closed fracture                |
| S12.01XB    | Stable burst fracture of first cervical vertebra, initial encounter for open fracture                  |
| S12.02XA    | Unstable burst fracture of first cervical vertebra, initial encounter for closed fracture              |
| S12.02XB    | Unstable burst fracture of first cervical vertebra, initial encounter for open fracture                |
| S12.030A    | Displaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture    |
| S12.030B    | Displaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture      |
| S12.031A    | Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture |
| S12.031B    | Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture   |
| S12.040A    | Displaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture      |
| S12.040B    | Displaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture        |
| S12.041A    | Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture   |
| S12.041B    | Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture     |
| S12.090A    | Other displaced fracture of first cervical vertebra, initial encounter for closed fracture             |
| S12.090B    | Other displaced fracture of first cervical vertebra, initial encounter for open fracture               |
| S12.091A    | Other nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture          |
| S12.091B    | Other nondisplaced fracture of first cervical vertebra, initial encounter for open fracture            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.100A | Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture                       |
| S12.100B | Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture                         |
| S12.101A | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture                    |
| S12.101B | Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture                      |
| S12.110A | Anterior displaced Type II dens fracture, initial encounter for closed fracture   |
| S12.110B | Anterior displaced Type II dens fracture, initial encounter for open fracture   |
| S12.111A | Posterior displaced Type II dens fracture, initial encounter for closed fracture  |
| S12.111B | Posterior displaced Type II dens fracture, initial encounter for open fracture  |
| S12.112A | Nondisplaced Type II dens fracture, initial encounter for closed fracture   |
| S12.112B | Nondisplaced Type II dens fracture, initial encounter for open fracture   |
| S12.120A | Other displaced dens fracture, initial encounter for closed fracture  |
| S12.120B | Other displaced dens fracture, initial encounter for open fracture  |
| S12.121A | Other nondisplaced dens fracture, initial encounter for closed fracture   |
| S12.121B | Other nondisplaced dens fracture, initial encounter for open fracture   |
| S12.130A | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture    |
| S12.130B | Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture      |
| S12.131A | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture |
| S12.131B | Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture   |
| S12.14XA | Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for closed fracture                 |
| S12.14XB | Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for open fracture                   |
| S12.150A | Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture          |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.150B | Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture           |
| S12.151A | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture      |
| S12.151B | Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture        |
| S12.190A | Other displaced fracture of second cervical vertebra, initial encounter for closed fracture                            |
| S12.190B | Other displaced fracture of second cervical vertebra, initial encounter for open fracture                              |
| S12.191A | Other nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture                         |
| S12.191B | Other nondisplaced fracture of second cervical vertebra, initial encounter for open fracture                           |
| S12.200A | Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture                       |
| S12.200B | Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture                         |
| S12.201A | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture                    |
| S12.201B | Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture                      |
| S12.230A | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture    |
| S12.230B | Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture      |
| S12.231A | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture |
| S12.231B | Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture   |
| S12.24XA | Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for closed fracture                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S12.24XB | Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for open fracture                    |
| S12.250A | Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture           |
| S12.250B | Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture             |
| S12.251A | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture        |
| S12.251B | Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture          |
| S12.290A | Other displaced fracture of third cervical vertebra, initial encounter for closed fracture                              |
| S12.290B | Other displaced fracture of third cervical vertebra, initial encounter for open fracture                                |
| S12.291A | Other nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture                           |
| S12.291B | Other nondisplaced fracture of third cervical vertebra, initial encounter for open fracture                             |
| S12.300A | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture                       |
| S12.300B | Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture                         |
| S12.301A | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture                    |
| S12.301B | Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture                      |
| S12.330A | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture    |
| S12.330B | Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture      |
| S12.331A | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture |
| S12.331B | Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S12.34XA    | Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture             |
| S12.34XB    | Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture               |
| S12.350A    | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture      |
| S12.350B    | Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture        |
| S12.351A    | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture   |
| S12.351B    | Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture     |
| S12.390A    | Other displaced fracture of fourth cervical vertebra, initial encounter for closed fracture                         |
| S12.390B    | Other displaced fracture of fourth cervical vertebra, initial encounter for open fracture                           |
| S12.391A    | Other nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture                      |
| S12.391B    | Other nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture                        |
| S12.400A    | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture                    |
| S12.400B    | Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture                      |
| S12.401A    | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture                 |
| S12.401B    | Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture                   |
| S12.430A    | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture |
| S12.430B    | Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S12.431A    | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture |
| S12.431B    | Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture   |
| S12.44XA    | Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture                 |
| S12.44XB    | Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture                   |
| S12.450A    | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture          |
| S12.450B    | Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture            |
| S12.451A    | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture       |
| S12.451B    | Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture         |
| S12.490A    | Other displaced fracture of fifth cervical vertebra, initial encounter for closed fracture                             |
| S12.490B    | Other displaced fracture of fifth cervical vertebra, initial encounter for open fracture                               |
| S12.491A    | Other nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture                          |
| S12.491B    | Other nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture                            |
| S12.500A    | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture                       |
| S12.500B    | Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture                         |
| S12.501A    | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture                    |
| S12.501B    | Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture                      |
| S12.530A    | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.530B | Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture      |
| S12.531A | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture |
| S12.531B | Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture   |
| S12.54XA | Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture                 |
| S12.54XB | Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture                   |
| S12.550A | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture          |
| S12.550B | Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture            |
| S12.551A | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture       |
| S12.551B | Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture         |
| S12.590A | Other displaced fracture of sixth cervical vertebra, initial encounter for closed fracture                             |
| S12.590B | Other displaced fracture of sixth cervical vertebra, initial encounter for open fracture                               |
| S12.591A | Other nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture                          |
| S12.591B | Other nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture                            |
| S12.600A | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture                     |
| S12.600B | Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture                       |
| S12.601A | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture                  |
| S12.601B | Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S12.630A | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture    |
| S12.630B | Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture      |
| S12.631A | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture |
| S12.631B | Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture   |
| S12.64XA | Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture                 |
| S12.64XB | Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture                   |
| S12.650A | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture          |
| S12.650B | Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture            |
| S12.651A | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture       |
| S12.651B | Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture         |
| S12.690A | Other displaced fracture of seventh cervical vertebra, initial encounter for closed fracture                             |
| S12.690B | Other displaced fracture of seventh cervical vertebra, initial encounter for open fracture                               |
| S12.691A | Other nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture                          |
| S12.691B | Other nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture                            |
| S12.9XXA | Fracture of neck, unspecified, initial encounter   |
| S15.001A | Unspecified injury of right carotid artery, initial encounter  |
| S15.002A | Unspecified injury of left carotid artery, initial encounter   |
| S15.009A | Unspecified injury of unspecified carotid artery, initial encounter  |
| S15.011A | Minor laceration of right carotid artery, initial encounter  |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S15.012A    | Minor laceration of left carotid artery, initial encounter                 |
| S15.019A    | Minor laceration of unspecified carotid artery, initial encounter          |
| S15.021A    | Major laceration of right carotid artery, initial encounter                |
| S15.022A    | Major laceration of left carotid artery, initial encounter                 |
| S15.029A    | Major laceration of unspecified carotid artery, initial encounter          |
| S15.091A    | Other specified injury of right carotid artery, initial encounter          |
| S15.092A    | Other specified injury of left carotid artery, initial encounter           |
| S15.099A    | Other specified injury of unspecified carotid artery, initial encounter    |
| S15.101A    | Unspecified injury of right vertebral artery, initial encounter            |
| S15.102A    | Unspecified injury of left vertebral artery, initial encounter             |
| S15.109A    | Unspecified injury of unspecified vertebral artery, initial encounter      |
| S15.111A    | Minor laceration of right vertebral artery, initial encounter              |
| S15.112A    | Minor laceration of left vertebral artery, initial encounter               |
| S15.119A    | Minor laceration of unspecified vertebral artery, initial encounter        |
| S15.121A    | Major laceration of right vertebral artery, initial encounter              |
| S15.122A    | Major laceration of left vertebral artery, initial encounter               |
| S15.129A    | Major laceration of unspecified vertebral artery, initial encounter        |
| S15.191A    | Other specified injury of right vertebral artery, initial encounter        |
| S15.192A    | Other specified injury of left vertebral artery, initial encounter         |
| S15.199A    | Other specified injury of unspecified vertebral artery, initial encounter  |
| S15.201A    | Unspecified injury of right external jugular vein, initial encounter       |
| S15.202A    | Unspecified injury of left external jugular vein, initial encounter        |
| S15.209A    | Unspecified injury of unspecified external jugular vein, initial encounter |
| S15.211A    | Minor laceration of right external jugular vein, initial encounter         |
| S15.212A    | Minor laceration of left external jugular vein, initial encounter          |
| S15.219A    | Minor laceration of unspecified external jugular vein, initial encounter   |
| S15.221A    | Major laceration of right external jugular vein, initial encounter         |
| S15.222A    | Major laceration of left external jugular vein, initial encounter          |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S15.229A    | Major laceration of unspecified external jugular vein, initial encounter       |
| S15.291A    | Other specified injury of right external jugular vein, initial encounter       |
| S15.292A    | Other specified injury of left external jugular vein, initial encounter        |
| S15.299A    | Other specified injury of unspecified external jugular vein, initial encounter |
| S15.301A    | Unspecified injury of right internal jugular vein, initial encounter           |
| S15.302A    | Unspecified injury of left internal jugular vein, initial encounter            |
| S15.309A    | Unspecified injury of unspecified internal jugular vein, initial encounter     |
| S15.311A    | Minor laceration of right internal jugular vein, initial encounter             |
| S15.312A    | Minor laceration of left internal jugular vein, initial encounter              |
| S15.319A    | Minor laceration of unspecified internal jugular vein, initial encounter       |
| S15.321A    | Major laceration of right internal jugular vein, initial encounter             |
| S15.322A    | Major laceration of left internal jugular vein, initial encounter              |
| S15.329A    | Major laceration of unspecified internal jugular vein, initial encounter       |
| S15.391A    | Other specified injury of right internal jugular vein, initial encounter       |
| S15.392A    | Other specified injury of left internal jugular vein, initial encounter        |
| S15.399A    | Other specified injury of unspecified internal jugular vein, initial encounter |
| S15.8XXA    | Injury of other specified blood vessels at neck level, initial encounter       |
| S15.9XXA    | Injury of unspecified blood vessel at neck level, initial encounter            |
| S17.0XXA    | Crushing injury of larynx and trachea, initial encounter                       |
| S17.8XXA    | Crushing injury of other specified parts of neck, initial encounter            |
| S17.9XXA    | Crushing injury of neck, part unspecified, initial encounter                   |
| S20.00XA    | Contusion of breast, unspecified breast, initial encounter                     |
| S20.01XA    | Contusion of right breast, initial encounter                                   |
| S20.02XA    | Contusion of left breast, initial encounter                                    |
| S20.20XA    | Contusion of thorax, unspecified, initial encounter                            |
| S20.211A    | Contusion of right front wall of thorax, initial encounter                     |
| S20.212A    | Contusion of left front wall of thorax, initial encounter                      |
| S20.213A    | Contusion of bilateral front wall of thorax, initial encounter                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S20.213D    | Contusion of bilateral front wall of thorax, subsequent encounter                        |
| S20.213S    | Contusion of bilateral front wall of thorax, sequela                                     |
| S20.214A    | Contusion of middle front wall of thorax, initial encounter                              |
| S20.214D    | Contusion of middle front wall of thorax, subsequent encounter                           |
| S20.214S    | Contusion of middle front wall of thorax, sequela  |
| S20.219A    | Contusion of unspecified front wall of thorax, initial encounter                         |
| S20.221A    | Contusion of right back wall of thorax, initial encounter                                |
| S20.222A    | Contusion of left back wall of thorax, initial encounter                                 |
| S20.223A    | Contusion of bilateral back wall of thorax, initial encounter                            |
| S20.223D    | Contusion of bilateral back wall of thorax, subsequent encounter                         |
| S20.223S    | Contusion of bilateral back wall of thorax, sequela                                      |
| S20.224A    | Contusion of middle back wall of thorax, initial encounter                               |
| S20.224D    | Contusion of middle back wall of thorax, subsequent encounter                            |
| S20.224S    | Contusion of middle back wall of thorax, sequela   |
| S20.229A    | Contusion of unspecified back wall of thorax, initial encounter                          |
| S20.303A    | Unspecified superficial injuries of bilateral front wall of thorax, initial encounter    |
| S20.303D    | Unspecified superficial injuries of bilateral front wall of thorax, subsequent encounter |
| S20.303S    | Unspecified superficial injuries of bilateral front wall of thorax, sequela              |
| S20.304A    | Unspecified superficial injuries of middle front wall of thorax, initial encounter       |
| S20.304D    | Unspecified superficial injuries of middle front wall of thorax, subsequent encounter    |
| S20.304S    | Unspecified superficial injuries of middle front wall of thorax, sequela                 |
| S20.313A    | Abrasion of bilateral front wall of thorax, initial encounter                            |
| S20.313D    | Abrasion of bilateral front wall of thorax, subsequent encounter                         |
| S20.313S    | Abrasion of bilateral front wall of thorax, sequela                                      |
| S20.314A    | Abrasion of middle front wall of thorax, initial encounter                               |
| S20.314D    | Abrasion of middle front wall of thorax, subsequent encounter                            |
| S20.314S    | Abrasion of middle front wall of thorax, sequela   |
| S20.323A    | Blister (nonthermal) of bilateral front wall of thorax, initial encounter                |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S20.323D    | Blister (nonthermal) of bilateral front wall of thorax, subsequent encounter      |
| S20.323S    | Blister (nonthermal) of bilateral front wall of thorax, sequela                   |
| S20.324A    | Blister (nonthermal) of middle front wall of thorax, initial encounter            |
| S20.324D    | Blister (nonthermal) of middle front wall of thorax, subsequent encounter         |
| S20.324S    | Blister (nonthermal) of middle front wall of thorax, sequela                      |
| S20.343A    | External constriction of bilateral front wall of thorax, initial encounter        |
| S20.343D    | External constriction of bilateral front wall of thorax, subsequent encounter     |
| S20.343S    | External constriction of bilateral front wall of thorax, sequela                  |
| S20.344A    | External constriction of middle front wall of thorax, initial encounter           |
| S20.344D    | External constriction of middle front wall of thorax, subsequent encounter        |
| S20.344S    | External constriction of middle front wall of thorax, sequela                     |
| S20.353A    | Superficial foreign body of bilateral front wall of thorax, initial encounter     |
| S20.353D    | Superficial foreign body of bilateral front wall of thorax, subsequent encounter  |
| S20.353S    | Superficial foreign body of bilateral front wall of thorax, sequela               |
| S20.354A    | Superficial foreign body of middle front wall of thorax, initial encounter        |
| S20.354D    | Superficial foreign body of middle front wall of thorax, subsequent encounter     |
| S20.354S    | Superficial foreign body of middle front wall of thorax, sequela                  |
| S20.363A    | Insect bite (nonvenomous) of bilateral front wall of thorax, initial encounter    |
| S20.363D    | Insect bite (nonvenomous) of bilateral front wall of thorax, subsequent encounter |
| S20.363S    | Insect bite (nonvenomous) of bilateral front wall of thorax, sequela              |
| S20.364A    | Insect bite (nonvenomous) of middle front wall of thorax, initial encounter       |
| S20.364D    | Insect bite (nonvenomous) of middle front wall of thorax, subsequent encounter    |
| S20.364S    | Insect bite (nonvenomous) of middle front wall of thorax, sequela                 |
| S20.373A    | Other superficial bite of bilateral front wall of thorax, initial encounter       |
| S20.373D    | Other superficial bite of bilateral front wall of thorax, subsequent encounter    |
| S20.373S    | Other superficial bite of bilateral front wall of thorax, sequela                 |
| S20.374A    | Other superficial bite of middle front wall of thorax, initial encounter          |
| S20.374D    | Other superficial bite of middle front wall of thorax, subsequent encounter       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S20.374S    | Other superficial bite of middle front wall of thorax, sequela   |
| S21.301A    | Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, initial encounter                    |
| S21.302A    | Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, initial encounter                     |
| S21.309A    | Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter              |
| S21.311A    | Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter           |
| S21.312A    | Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter            |
| S21.319A    | Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter     |
| S21.321A    | Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter              |
| S21.322A    | Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter               |
| S21.329A    | Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter        |
| S21.331A    | Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter       |
| S21.332A    | Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter        |
| S21.339A    | Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter |
| S21.341A    | Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter          |
| S21.342A    | Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter           |
| S21.349A    | Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter    |
| S21.351A    | Open bite of right front wall of thorax with penetration into thoracic cavity, initial encounter                                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S21.352A    | Open bite of left front wall of thorax with penetration into thoracic cavity, initial encounter                                 |
| S21.359A    | Open bite of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter                          |
| S21.401A    | Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, initial encounter                    |
| S21.402A    | Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, initial encounter                     |
| S21.409A    | Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter              |
| S21.411A    | Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter           |
| S21.412A    | Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter            |
| S21.419A    | Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter     |
| S21.421A    | Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter              |
| S21.422A    | Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter               |
| S21.429A    | Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter        |
| S21.431A    | Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter       |
| S21.432A    | Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter        |
| S21.439A    | Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter |
| S21.441A    | Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter          |
| S21.442A    | Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S21.449A | Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter |
| S21.451A | Open bite of right back wall of thorax with penetration into thoracic cavity, initial encounter                              |
| S21.452A | Open bite of left back wall of thorax with penetration into thoracic cavity, initial encounter                               |
| S21.459A | Open bite of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter                        |
| S22.000A | Wedge compression fracture of unspecified thoracic vertebra, initial encounter for closed fracture                           |
| S22.000B | Wedge compression fracture of unspecified thoracic vertebra, initial encounter for open fracture                             |
| S22.001A | Stable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture                                |
| S22.001B | Stable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture                                  |
| S22.002A | Unstable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture                              |
| S22.002B | Unstable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture                                |
| S22.008A | Other fracture of unspecified thoracic vertebra, initial encounter for closed fracture                                       |
| S22.008B | Other fracture of unspecified thoracic vertebra, initial encounter for open fracture   |
| S22.009A | Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture                                 |
| S22.009B | Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture                                   |
| S22.010A | Wedge compression fracture of first thoracic vertebra, initial encounter for closed fracture                                 |
| S22.010B | Wedge compression fracture of first thoracic vertebra, initial encounter for open fracture                                   |
| S22.011A | Stable burst fracture of first thoracic vertebra, initial encounter for closed fracture                                      |
| S22.011B | Stable burst fracture of first thoracic vertebra, initial encounter for open fracture  |
| S22.012A | Unstable burst fracture of first thoracic vertebra, initial encounter for closed fracture                                    |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S22.012B    | Unstable burst fracture of first thoracic vertebra, initial encounter for open fracture       |
| S22.018A    | Other fracture of first thoracic vertebra, initial encounter for closed fracture              |
| S22.018B    | Other fracture of first thoracic vertebra, initial encounter for open fracture                |
| S22.019A    | Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture        |
| S22.019B    | Unspecified fracture of first thoracic vertebra, initial encounter for open fracture          |
| S22.020A    | Wedge compression fracture of second thoracic vertebra, initial encounter for closed fracture |
| S22.020B    | Wedge compression fracture of second thoracic vertebra, initial encounter for open fracture   |
| S22.021A    | Stable burst fracture of second thoracic vertebra, initial encounter for closed fracture      |
| S22.021B    | Stable burst fracture of second thoracic vertebra, initial encounter for open fracture        |
| S22.022A    | Unstable burst fracture of second thoracic vertebra, initial encounter for closed fracture    |
| S22.022B    | Unstable burst fracture of second thoracic vertebra, initial encounter for open fracture      |
| S22.028A    | Other fracture of second thoracic vertebra, initial encounter for closed fracture             |
| S22.028B    | Other fracture of second thoracic vertebra, initial encounter for open fracture               |
| S22.029A    | Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture       |
| S22.029B    | Unspecified fracture of second thoracic vertebra, initial encounter for open fracture         |
| S22.030A    | Wedge compression fracture of third thoracic vertebra, initial encounter for closed fracture  |
| S22.030B    | Wedge compression fracture of third thoracic vertebra, initial encounter for open fracture    |
| S22.031A    | Stable burst fracture of third thoracic vertebra, initial encounter for closed fracture       |
| S22.031B    | Stable burst fracture of third thoracic vertebra, initial encounter for open fracture         |
| S22.032A    | Unstable burst fracture of third thoracic vertebra, initial encounter for closed fracture     |
| S22.032B    | Unstable burst fracture of third thoracic vertebra, initial encounter for open fracture       |
| S22.038A    | Other fracture of third thoracic vertebra, initial encounter for closed fracture              |
| S22.038B    | Other fracture of third thoracic vertebra, initial encounter for open fracture                |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S22.039A | Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture        |
| S22.039B | Unspecified fracture of third thoracic vertebra, initial encounter for open fracture          |
| S22.040A | Wedge compression fracture of fourth thoracic vertebra, initial encounter for closed fracture |
| S22.040B | Wedge compression fracture of fourth thoracic vertebra, initial encounter for open fracture   |
| S22.041A | Stable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture      |
| S22.041B | Stable burst fracture of fourth thoracic vertebra, initial encounter for open fracture        |
| S22.042A | Unstable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture    |
| S22.042B | Unstable burst fracture of fourth thoracic vertebra, initial encounter for open fracture      |
| S22.048A | Other fracture of fourth thoracic vertebra, initial encounter for closed fracture             |
| S22.048B | Other fracture of fourth thoracic vertebra, initial encounter for open fracture               |
| S22.049A | Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture       |
| S22.049B | Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture         |
| S22.050A | Wedge compression fracture of T5-T6 vertebra, initial encounter for closed fracture           |
| S22.050B | Wedge compression fracture of T5-T6 vertebra, initial encounter for open fracture             |
| S22.051A | Stable burst fracture of T5-T6 vertebra, initial encounter for closed fracture                |
| S22.051B | Stable burst fracture of T5-T6 vertebra, initial encounter for open fracture                  |
| S22.052A | Unstable burst fracture of T5-T6 vertebra, initial encounter for closed fracture              |
| S22.052B | Unstable burst fracture of T5-T6 vertebra, initial encounter for open fracture                |
| S22.058A | Other fracture of T5-T6 vertebra, initial encounter for closed fracture                       |
| S22.058B | Other fracture of T5-T6 vertebra, initial encounter for open fracture                         |
| S22.059A | Unspecified fracture of T5-T6 vertebra, initial encounter for closed fracture                 |
| S22.059B | Unspecified fracture of T5-T6 vertebra, initial encounter for open fracture                   |
| S22.060A | Wedge compression fracture of T7-T8 vertebra, initial encounter for closed fracture           |
| S22.060B | Wedge compression fracture of T7-T8 vertebra, initial encounter for open fracture             |
| S22.061A | Stable burst fracture of T7-T8 vertebra, initial encounter for closed fracture                |
| S22.061B | Stable burst fracture of T7-T8 vertebra, initial encounter for open fracture                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S22.062A | Unstable burst fracture of T7-T8 vertebra, initial encounter for closed fracture      |
| S22.062B | Unstable burst fracture of T7-T8 vertebra, initial encounter for open fracture        |
| S22.068A | Other fracture of T7-T8 thoracic vertebra, initial encounter for closed fracture      |
| S22.068B | Other fracture of T7-T8 thoracic vertebra, initial encounter for open fracture        |
| S22.069A | Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture         |
| S22.069B | Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture           |
| S22.070A | Wedge compression fracture of T9-T10 vertebra, initial encounter for closed fracture  |
| S22.070B | Wedge compression fracture of T9-T10 vertebra, initial encounter for open fracture    |
| S22.071A | Stable burst fracture of T9-T10 vertebra, initial encounter for closed fracture       |
| S22.071B | Stable burst fracture of T9-T10 vertebra, initial encounter for open fracture         |
| S22.072A | Unstable burst fracture of T9-T10 vertebra, initial encounter for closed fracture     |
| S22.072B | Unstable burst fracture of T9-T10 vertebra, initial encounter for open fracture       |
| S22.078A | Other fracture of T9-T10 vertebra, initial encounter for closed fracture              |
| S22.078B | Other fracture of T9-T10 vertebra, initial encounter for open fracture                |
| S22.079A | Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture        |
| S22.079B | Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture          |
| S22.080A | Wedge compression fracture of T11-T12 vertebra, initial encounter for closed fracture |
| S22.080B | Wedge compression fracture of T11-T12 vertebra, initial encounter for open fracture   |
| S22.081A | Stable burst fracture of T11-T12 vertebra, initial encounter for closed fracture      |
| S22.081B | Stable burst fracture of T11-T12 vertebra, initial encounter for open fracture        |
| S22.082A | Unstable burst fracture of T11-T12 vertebra, initial encounter for closed fracture    |
| S22.082B | Unstable burst fracture of T11-T12 vertebra, initial encounter for open fracture      |
| S22.088A | Other fracture of T11-T12 vertebra, initial encounter for closed fracture             |
| S22.088B | Other fracture of T11-T12 vertebra, initial encounter for open fracture               |
| S22.089A | Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture       |
| S22.089B | Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture         |
| S22.20XA | Unspecified fracture of sternum, initial encounter for closed fracture                |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S22.20XB    | Unspecified fracture of sternum, initial encounter for open fracture                 |
| S22.31XA    | Fracture of one rib, right side, initial encounter for closed fracture               |
| S22.31XB    | Fracture of one rib, right side, initial encounter for open fracture                 |
| S22.32XA    | Fracture of one rib, left side, initial encounter for closed fracture                |
| S22.32XB    | Fracture of one rib, left side, initial encounter for open fracture                  |
| S22.39XA    | Fracture of one rib, unspecified side, initial encounter for closed fracture         |
| S22.39XB    | Fracture of one rib, unspecified side, initial encounter for open fracture           |
| S22.41XA    | Multiple fractures of ribs, right side, initial encounter for closed fracture        |
| S22.41XB    | Multiple fractures of ribs, right side, initial encounter for open fracture          |
| S22.42XA    | Multiple fractures of ribs, left side, initial encounter for closed fracture         |
| S22.42XB    | Multiple fractures of ribs, left side, initial encounter for open fracture           |
| S22.43XA    | Multiple fractures of ribs, bilateral, initial encounter for closed fracture         |
| S22.43XB    | Multiple fractures of ribs, bilateral, initial encounter for open fracture           |
| S22.49XA    | Multiple fractures of ribs, unspecified side, initial encounter for closed fracture  |
| S22.49XB    | Multiple fractures of ribs, unspecified side, initial encounter for open fracture    |
| S22.9XXA    | Fracture of bony thorax, part unspecified, initial encounter for closed fracture     |
| S22.9XXB    | Fracture of bony thorax, part unspecified, initial encounter for open fracture       |
| S25.00XA    | Unspecified injury of thoracic aorta, initial encounter                              |
| S25.01XA    | Minor laceration of thoracic aorta, initial encounter                                |
| S25.02XA    | Major laceration of thoracic aorta, initial encounter                                |
| S25.09XA    | Other specified injury of thoracic aorta, initial encounter                          |
| S25.101A    | Unspecified injury of right innominate or subclavian artery, initial encounter       |
| S25.102A    | Unspecified injury of left innominate or subclavian artery, initial encounter        |
| S25.109A    | Unspecified injury of unspecified innominate or subclavian artery, initial encounter |
| S25.111A    | Minor laceration of right innominate or subclavian artery, initial encounter         |
| S25.112A    | Minor laceration of left innominate or subclavian artery, initial encounter          |
| S25.119A    | Minor laceration of unspecified innominate or subclavian artery, initial encounter   |
| S25.121A    | Major laceration of right innominate or subclavian artery, initial encounter         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S25.122A | Major laceration of left innominate or subclavian artery, initial encounter              |
| S25.129A | Major laceration of unspecified innominate or subclavian artery, initial encounter       |
| S25.191A | Other specified injury of right innominate or subclavian artery, initial encounter       |
| S25.192A | Other specified injury of left innominate or subclavian artery, initial encounter        |
| S25.199A | Other specified injury of unspecified innominate or subclavian artery, initial encounter |
| S25.20XA | Unspecified injury of superior vena cava, initial encounter                              |
| S25.21XA | Minor laceration of superior vena cava, initial encounter                                |
| S25.22XA | Major laceration of superior vena cava, initial encounter                                |
| S25.29XA | Other specified injury of superior vena cava, initial encounter                          |
| S25.301A | Unspecified injury of right innominate or subclavian vein, initial encounter             |
| S25.302A | Unspecified injury of left innominate or subclavian vein, initial encounter              |
| S25.309A | Unspecified injury of unspecified innominate or subclavian vein, initial encounter       |
| S25.311A | Minor laceration of right innominate or subclavian vein, initial encounter               |
| S25.312A | Minor laceration of left innominate or subclavian vein, initial encounter                |
| S25.319A | Minor laceration of unspecified innominate or subclavian vein, initial encounter         |
| S25.321A | Major laceration of right innominate or subclavian vein, initial encounter               |
| S25.322A | Major laceration of left innominate or subclavian vein, initial encounter                |
| S25.329A | Major laceration of unspecified innominate or subclavian vein, initial encounter         |
| S25.391A | Other specified injury of right innominate or subclavian vein, initial encounter         |
| S25.392A | Other specified injury of left innominate or subclavian vein, initial encounter          |
| S25.399A | Other specified injury of unspecified innominate or subclavian vein, initial encounter   |
| S25.401A | Unspecified injury of right pulmonary blood vessels, initial encounter                   |
| S25.402A | Unspecified injury of left pulmonary blood vessels, initial encounter                    |
| S25.409A | Unspecified injury of unspecified pulmonary blood vessels, initial encounter             |
| S25.411A | Minor laceration of right pulmonary blood vessels, initial encounter                     |
| S25.412A | Minor laceration of left pulmonary blood vessels, initial encounter                      |
| S25.419A | Minor laceration of unspecified pulmonary blood vessels, initial encounter               |
| S25.421A | Major laceration of right pulmonary blood vessels, initial encounter                     |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S25.422A    | Major laceration of left pulmonary blood vessels, initial encounter                          |
| S25.429A    | Major laceration of unspecified pulmonary blood vessels, initial encounter                   |
| S25.491A    | Other specified injury of right pulmonary blood vessels, initial encounter                   |
| S25.492A    | Other specified injury of left pulmonary blood vessels, initial encounter                    |
| S25.499A    | Other specified injury of unspecified pulmonary blood vessels, initial encounter             |
| S25.501A    | Unspecified injury of intercostal blood vessels, right side, initial encounter               |
| S25.502A    | Unspecified injury of intercostal blood vessels, left side, initial encounter                |
| S25.509A    | Unspecified injury of intercostal blood vessels, unspecified side, initial encounter         |
| S25.511A    | Laceration of intercostal blood vessels, right side, initial encounter                       |
| S25.512A    | Laceration of intercostal blood vessels, left side, initial encounter                        |
| S25.519A    | Laceration of intercostal blood vessels, unspecified side, initial encounter                 |
| S25.591A    | Other specified injury of intercostal blood vessels, right side, initial encounter           |
| S25.592A    | Other specified injury of intercostal blood vessels, left side, initial encounter            |
| S25.599A    | Other specified injury of intercostal blood vessels, unspecified side, initial encounter     |
| S25.801A    | Unspecified injury of other blood vessels of thorax, right side, initial encounter           |
| S25.802A    | Unspecified injury of other blood vessels of thorax, left side, initial encounter            |
| S25.809A    | Unspecified injury of other blood vessels of thorax, unspecified side, initial encounter     |
| S25.811A    | Laceration of other blood vessels of thorax, right side, initial encounter                   |
| S25.812A    | Laceration of other blood vessels of thorax, left side, initial encounter                    |
| S25.819A    | Laceration of other blood vessels of thorax, unspecified side, initial encounter             |
| S25.891A    | Other specified injury of other blood vessels of thorax, right side, initial encounter       |
| S25.892A    | Other specified injury of other blood vessels of thorax, left side, initial encounter        |
| S25.899A    | Other specified injury of other blood vessels of thorax, unspecified side, initial encounter |
| S25.90XA    | Unspecified injury of unspecified blood vessel of thorax, initial encounter                  |
| S25.91XA    | Laceration of unspecified blood vessel of thorax, initial encounter                          |
| S25.99XA    | Other specified injury of unspecified blood vessel of thorax, initial encounter              |
| S26.00XA    | Unspecified injury of heart with hemopericardium, initial encounter                          |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S26.01XA    | Contusion of heart with hemopericardium, initial encounter                                  |
| S26.020A    | Mild laceration of heart with hemopericardium, initial encounter                            |
| S26.021A    | Moderate laceration of heart with hemopericardium, initial encounter                        |
| S26.022A    | Major laceration of heart with hemopericardium, initial encounter                           |
| S26.09XA    | Other injury of heart with hemopericardium, initial encounter                               |
| S26.10XA    | Unspecified injury of heart without hemopericardium, initial encounter                      |
| S26.11XA    | Contusion of heart without hemopericardium, initial encounter                               |
| S26.12XA    | Laceration of heart without hemopericardium, initial encounter                              |
| S26.19XA    | Other injury of heart without hemopericardium, initial encounter                            |
| S26.90XA    | Unspecified injury of heart, unspecified with or without hemopericardium, initial encounter |
| S26.91XA    | Contusion of heart, unspecified with or without hemopericardium, initial encounter          |
| S26.92XA    | Laceration of heart, unspecified with or without hemopericardium, initial encounter         |
| S26.99XA    | Other injury of heart, unspecified with or without hemopericardium, initial encounter       |
| S27.0XXA    | Traumatic pneumothorax, initial encounter   |
| S27.1XXA    | Traumatic hemothorax, initial encounter   |
| S27.2XXA    | Traumatic hemopneumothorax, initial encounter   |
| S27.301A    | Unspecified injury of lung, unilateral, initial encounter                                   |
| S27.302A    | Unspecified injury of lung, bilateral, initial encounter                                    |
| S27.309A    | Unspecified injury of lung, unspecified, initial encounter                                  |
| S27.311A    | Primary blast injury of lung, unilateral, initial encounter                                 |
| S27.312A    | Primary blast injury of lung, bilateral, initial encounter                                  |
| S27.319A    | Primary blast injury of lung, unspecified, initial encounter                                |
| S27.321A    | Contusion of lung, unilateral, initial encounter  |
| S27.322A    | Contusion of lung, bilateral, initial encounter   |
| S27.329A    | Contusion of lung, unspecified, initial encounter   |
| S27.331A    | Laceration of lung, unilateral, initial encounter   |
| S27.332A    | Laceration of lung, bilateral, initial encounter  |
| S27.339A    | Laceration of lung, unspecified, initial encounter  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S27.391A    | Other injuries of lung, unilateral, initial encounter            |
| S27.392A    | Other injuries of lung, bilateral, initial encounter             |
| S27.399A    | Other injuries of lung, unspecified, initial encounter           |
| S27.401A    | Unspecified injury of bronchus, unilateral, initial encounter    |
| S27.402A    | Unspecified injury of bronchus, bilateral, initial encounter     |
| S27.409A    | Unspecified injury of bronchus, unspecified, initial encounter   |
| S27.411A    | Primary blast injury of bronchus, unilateral, initial encounter  |
| S27.412A    | Primary blast injury of bronchus, bilateral, initial encounter   |
| S27.419A    | Primary blast injury of bronchus, unspecified, initial encounter |
| S27.421A    | Contusion of bronchus, unilateral, initial encounter             |
| S27.422A    | Contusion of bronchus, bilateral, initial encounter              |
| S27.429A    | Contusion of bronchus, unspecified, initial encounter            |
| S27.431A    | Laceration of bronchus, unilateral, initial encounter            |
| S27.432A    | Laceration of bronchus, bilateral, initial encounter             |
| S27.439A    | Laceration of bronchus, unspecified, initial encounter           |
| S27.491A    | Other injury of bronchus, unilateral, initial encounter          |
| S27.492A    | Other injury of bronchus, bilateral, initial encounter           |
| S27.499A    | Other injury of bronchus, unspecified, initial encounter         |
| S27.50XA    | Unspecified injury of thoracic trachea, initial encounter        |
| S27.51XA    | Primary blast injury of thoracic trachea, initial encounter      |
| S27.52XA    | Contusion of thoracic trachea, initial encounter                 |
| S27.53XA    | Laceration of thoracic trachea, initial encounter                |
| S27.59XA    | Other injury of thoracic trachea, initial encounter              |
| S27.60XA    | Unspecified injury of pleura, initial encounter                  |
| S27.63XA    | Laceration of pleura, initial encounter                          |
| S27.69XA    | Other injury of pleura, initial encounter                        |
| S27.802A    | Contusion of diaphragm, initial encounter                        |
| S27.803A    | Laceration of diaphragm, initial encounter                       |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S27.808A | Other injury of diaphragm, initial encounter  |
| S27.809A | Unspecified injury of diaphragm, initial encounter  |
| S27.812A | Contusion of esophagus (thoracic part), initial encounter   |
| S27.813A | Laceration of esophagus (thoracic part), initial encounter  |
| S27.818A | Other injury of esophagus (thoracic part), initial encounter  |
| S27.819A | Unspecified injury of esophagus (thoracic part), initial encounter  |
| S27.892A | Contusion of other specified intrathoracic organs, initial encounter  |
| S27.893A | Laceration of other specified intrathoracic organs, initial encounter   |
| S27.898A | Other injury of other specified intrathoracic organs, initial encounter   |
| S27.899A | Unspecified injury of other specified intrathoracic organs, initial encounter   |
| S27.9XXA | Injury of unspecified intrathoracic organ, initial encounter  |
| S28.0XXA | Crushed chest, initial encounter  |
| S30.0XXA | Contusion of lower back and pelvis, initial encounter   |
| S30.1XXA | Contusion of abdominal wall, initial encounter  |
| S30.201A | Contusion of unspecified external genital organ, male, initial encounter  |
| S30.202A | Contusion of unspecified external genital organ, female, initial encounter  |
| S30.21XA | Contusion of penis, initial encounter   |
| S30.22XA | Contusion of scrotum and testes, initial encounter  |
| S30.23XA | Contusion of vagina and vulva, initial encounter  |
| S30.3XXA | Contusion of anus, initial encounter  |
| S31.001A | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter              |
| S31.011A | Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter     |
| S31.021A | Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter        |
| S31.031A | Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter |
| S31.041A | Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter    |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S31.051A    | Open bite of lower back and pelvis with penetration into retroperitoneum, initial encounter  |
| S31.600A    | Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter          |
| S31.601A    | Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter           |
| S31.602A    | Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter             |
| S31.603A    | Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter          |
| S31.604A    | Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter           |
| S31.605A    | Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter            |
| S31.609A    | Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter          |
| S31.610A    | Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.611A    | Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.612A    | Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter    |
| S31.613A    | Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.614A    | Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.615A    | Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter   |
| S31.619A    | Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter |
| S31.620A    | Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S31.621A    | Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter         |
| S31.622A    | Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter           |
| S31.623A    | Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter        |
| S31.624A    | Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter         |
| S31.625A    | Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter          |
| S31.629A    | Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter        |
| S31.630A    | Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter |
| S31.631A    | Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.632A    | Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter    |
| S31.633A    | Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.634A    | Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.635A    | Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter   |
| S31.639A    | Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter |
| S31.640A    | Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter    |
| S31.641A    | Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter     |
| S31.642A    | Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S31.643A    | Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter |
| S31.644A    | Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter  |
| S31.645A    | Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter   |
| S31.649A    | Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter |
| S31.650A    | Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter                        |
| S31.651A    | Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter                         |
| S31.652A    | Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter                           |
| S31.653A    | Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter                        |
| S31.654A    | Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter                         |
| S31.655A    | Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter                          |
| S31.659A    | Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter                        |
| S32.000A    | Wedge compression fracture of unspecified lumbar vertebra, initial encounter for closed fracture                                    |
| S32.000B    | Wedge compression fracture of unspecified lumbar vertebra, initial encounter for open fracture                                      |
| S32.001A    | Stable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture   |
| S32.001B    | Stable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture   |
| S32.002A    | Unstable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture                                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S32.002B    | Unstable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture |
| S32.008A    | Other fracture of unspecified lumbar vertebra, initial encounter for closed fracture        |
| S32.008B    | Other fracture of unspecified lumbar vertebra, initial encounter for open fracture          |
| S32.009A    | Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture  |
| S32.009B    | Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture    |
| S32.010A    | Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture  |
| S32.010B    | Wedge compression fracture of first lumbar vertebra, initial encounter for open fracture    |
| S32.011A    | Stable burst fracture of first lumbar vertebra, initial encounter for closed fracture       |
| S32.011B    | Stable burst fracture of first lumbar vertebra, initial encounter for open fracture         |
| S32.012A    | Unstable burst fracture of first lumbar vertebra, initial encounter for closed fracture     |
| S32.012B    | Unstable burst fracture of first lumbar vertebra, initial encounter for open fracture       |
| S32.018A    | Other fracture of first lumbar vertebra, initial encounter for closed fracture              |
| S32.018B    | Other fracture of first lumbar vertebra, initial encounter for open fracture                |
| S32.019A    | Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture        |
| S32.019B    | Unspecified fracture of first lumbar vertebra, initial encounter for open fracture          |
| S32.020A    | Wedge compression fracture of second lumbar vertebra, initial encounter for closed fracture |
| S32.020B    | Wedge compression fracture of second lumbar vertebra, initial encounter for open fracture   |
| S32.021A    | Stable burst fracture of second lumbar vertebra, initial encounter for closed fracture      |
| S32.021B    | Stable burst fracture of second lumbar vertebra, initial encounter for open fracture        |
| S32.022A    | Unstable burst fracture of second lumbar vertebra, initial encounter for closed fracture    |
| S32.022B    | Unstable burst fracture of second lumbar vertebra, initial encounter for open fracture      |
| S32.028A    | Other fracture of second lumbar vertebra, initial encounter for closed fracture             |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S32.028B | Other fracture of second lumbar vertebra, initial encounter for open fracture               |
| S32.029A | Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture       |
| S32.029B | Unspecified fracture of second lumbar vertebra, initial encounter for open fracture         |
| S32.030A | Wedge compression fracture of third lumbar vertebra, initial encounter for closed fracture  |
| S32.030B | Wedge compression fracture of third lumbar vertebra, initial encounter for open fracture    |
| S32.031A | Stable burst fracture of third lumbar vertebra, initial encounter for closed fracture       |
| S32.031B | Stable burst fracture of third lumbar vertebra, initial encounter for open fracture         |
| S32.032A | Unstable burst fracture of third lumbar vertebra, initial encounter for closed fracture     |
| S32.032B | Unstable burst fracture of third lumbar vertebra, initial encounter for open fracture       |
| S32.038A | Other fracture of third lumbar vertebra, initial encounter for closed fracture              |
| S32.038B | Other fracture of third lumbar vertebra, initial encounter for open fracture                |
| S32.039A | Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture        |
| S32.039B | Unspecified fracture of third lumbar vertebra, initial encounter for open fracture          |
| S32.040A | Wedge compression fracture of fourth lumbar vertebra, initial encounter for closed fracture |
| S32.040B | Wedge compression fracture of fourth lumbar vertebra, initial encounter for open fracture   |
| S32.041A | Stable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture      |
| S32.041B | Stable burst fracture of fourth lumbar vertebra, initial encounter for open fracture        |
| S32.042A | Unstable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture    |
| S32.042B | Unstable burst fracture of fourth lumbar vertebra, initial encounter for open fracture      |
| S32.048A | Other fracture of fourth lumbar vertebra, initial encounter for closed fracture             |
| S32.048B | Other fracture of fourth lumbar vertebra, initial encounter for open fracture               |
| S32.049A | Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture       |
| S32.049B | Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture         |
| S32.050A | Wedge compression fracture of fifth lumbar vertebra, initial encounter for closed fracture  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.050B | Wedge compression fracture of fifth lumbar vertebra, initial encounter for open fracture |
| S32.051A | Stable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture    |
| S32.051B | Stable burst fracture of fifth lumbar vertebra, initial encounter for open fracture      |
| S32.052A | Unstable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture  |
| S32.052B | Unstable burst fracture of fifth lumbar vertebra, initial encounter for open fracture    |
| S32.058A | Other fracture of fifth lumbar vertebra, initial encounter for closed fracture           |
| S32.058B | Other fracture of fifth lumbar vertebra, initial encounter for open fracture             |
| S32.059A | Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture     |
| S32.059B | Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture       |
| S32.10XA | Unspecified fracture of sacrum, initial encounter for closed fracture                    |
| S32.10XB | Unspecified fracture of sacrum, initial encounter for open fracture                      |
| S32.110A | Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture            |
| S32.110B | Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture              |
| S32.111A | Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture     |
| S32.111B | Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture       |
| S32.112A | Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture      |
| S32.112B | Severely displaced Zone I fracture of sacrum, initial encounter for open fracture        |
| S32.119A | Unspecified Zone I fracture of sacrum, initial encounter for closed fracture             |
| S32.119B | Unspecified Zone I fracture of sacrum, initial encounter for open fracture               |
| S32.120A | Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture           |
| S32.120B | Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture             |
| S32.121A | Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture    |
| S32.121B | Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture      |
| S32.122A | Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture     |
| S32.122B | Severely displaced Zone II fracture of sacrum, initial encounter for open fracture       |
| S32.129A | Unspecified Zone II fracture of sacrum, initial encounter for closed fracture            |
| S32.129B | Unspecified Zone II fracture of sacrum, initial encounter for open fracture              |
| S32.130A | Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture          |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S32.130B | Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture                        |
| S32.131A | Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture               |
| S32.131B | Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture                 |
| S32.132A | Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture                |
| S32.132B | Severely displaced Zone III fracture of sacrum, initial encounter for open fracture                  |
| S32.139A | Unspecified Zone III fracture of sacrum, initial encounter for closed fracture                       |
| S32.139B | Unspecified Zone III fracture of sacrum, initial encounter for open fracture                         |
| S32.14XA | Type 1 fracture of sacrum, initial encounter for closed fracture                                     |
| S32.14XB | Type 1 fracture of sacrum, initial encounter for open fracture                                       |
| S32.15XA | Type 2 fracture of sacrum, initial encounter for closed fracture                                     |
| S32.15XB | Type 2 fracture of sacrum, initial encounter for open fracture                                       |
| S32.16XA | Type 3 fracture of sacrum, initial encounter for closed fracture                                     |
| S32.16XB | Type 3 fracture of sacrum, initial encounter for open fracture                                       |
| S32.17XA | Type 4 fracture of sacrum, initial encounter for closed fracture                                     |
| S32.17XB | Type 4 fracture of sacrum, initial encounter for open fracture                                       |
| S32.19XA | Other fracture of sacrum, initial encounter for closed fracture                                      |
| S32.19XB | Other fracture of sacrum, initial encounter for open fracture  |
| S32.2XXA | Fracture of coccyx, initial encounter for closed fracture  |
| S32.2XXB | Fracture of coccyx, initial encounter for open fracture  |
| S32.9XXA | Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture |
| S32.9XXB | Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture   |
| S35.00XA | Unspecified injury of abdominal aorta, initial encounter   |
| S35.01XA | Minor laceration of abdominal aorta, initial encounter   |
| S35.02XA | Major laceration of abdominal aorta, initial encounter   |
| S35.09XA | Other injury of abdominal aorta, initial encounter   |
| S35.10XA | Unspecified injury of inferior vena cava, initial encounter  |
| S35.11XA | Minor laceration of inferior vena cava, initial encounter  |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S35.12XA | Major laceration of inferior vena cava, initial encounter                         |
| S35.19XA | Other injury of inferior vena cava, initial encounter                             |
| S35.211A | Minor laceration of celiac artery, initial encounter                              |
| S35.212A | Major laceration of celiac artery, initial encounter                              |
| S35.218A | Other injury of celiac artery, initial encounter                                  |
| S35.219A | Unspecified injury of celiac artery, initial encounter                            |
| S35.221A | Minor laceration of superior mesenteric artery, initial encounter                 |
| S35.222A | Major laceration of superior mesenteric artery, initial encounter                 |
| S35.228A | Other injury of superior mesenteric artery, initial encounter                     |
| S35.229A | Unspecified injury of superior mesenteric artery, initial encounter               |
| S35.231A | Minor laceration of inferior mesenteric artery, initial encounter                 |
| S35.232A | Major laceration of inferior mesenteric artery, initial encounter                 |
| S35.238A | Other injury of inferior mesenteric artery, initial encounter                     |
| S35.239A | Unspecified injury of inferior mesenteric artery, initial encounter               |
| S35.291A | Minor laceration of branches of celiac and mesenteric artery, initial encounter   |
| S35.292A | Major laceration of branches of celiac and mesenteric artery, initial encounter   |
| S35.298A | Other injury of branches of celiac and mesenteric artery, initial encounter       |
| S35.299A | Unspecified injury of branches of celiac and mesenteric artery, initial encounter |
| S35.311A | Laceration of portal vein, initial encounter                                      |
| S35.318A | Other specified injury of portal vein, initial encounter                          |
| S35.319A | Unspecified injury of portal vein, initial encounter                              |
| S35.321A | Laceration of splenic vein, initial encounter                                     |
| S35.328A | Other specified injury of splenic vein, initial encounter                         |
| S35.329A | Unspecified injury of splenic vein, initial encounter                             |
| S35.331A | Laceration of superior mesenteric vein, initial encounter                         |
| S35.338A | Other specified injury of superior mesenteric vein, initial encounter             |
| S35.339A | Unspecified injury of superior mesenteric vein, initial encounter                 |
| S35.341A | Laceration of inferior mesenteric vein, initial encounter                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S35.348A    | Other specified injury of inferior mesenteric vein, initial encounter |
| S35.349A    | Unspecified injury of inferior mesenteric vein, initial encounter     |
| S35.401A    | Unspecified injury of right renal artery, initial encounter           |
| S35.402A    | Unspecified injury of left renal artery, initial encounter            |
| S35.403A    | Unspecified injury of unspecified renal artery, initial encounter     |
| S35.404A    | Unspecified injury of right renal vein, initial encounter             |
| S35.405A    | Unspecified injury of left renal vein, initial encounter              |
| S35.406A    | Unspecified injury of unspecified renal vein, initial encounter       |
| S35.411A    | Laceration of right renal artery, initial encounter                   |
| S35.412A    | Laceration of left renal artery, initial encounter                    |
| S35.413A    | Laceration of unspecified renal artery, initial encounter             |
| S35.414A    | Laceration of right renal vein, initial encounter                     |
| S35.415A    | Laceration of left renal vein, initial encounter                      |
| S35.416A    | Laceration of unspecified renal vein, initial encounter               |
| S35.491A    | Other specified injury of right renal artery, initial encounter       |
| S35.492A    | Other specified injury of left renal artery, initial encounter        |
| S35.493A    | Other specified injury of unspecified renal artery, initial encounter |
| S35.494A    | Other specified injury of right renal vein, initial encounter         |
| S35.495A    | Other specified injury of left renal vein, initial encounter          |
| S35.496A    | Other specified injury of unspecified renal vein, initial encounter   |
| S35.50XA    | Injury of unspecified iliac blood vessel(s), initial encounter        |
| S35.511A    | Injury of right iliac artery, initial encounter                       |
| S35.512A    | Injury of left iliac artery, initial encounter                        |
| S35.513A    | Injury of unspecified iliac artery, initial encounter                 |
| S35.514A    | Injury of right iliac vein, initial encounter                         |
| S35.515A    | Injury of left iliac vein, initial encounter                          |
| S35.516A    | Injury of unspecified iliac vein, initial encounter                   |
| S35.531A    | Injury of right uterine artery, initial encounter                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S35.532A | Injury of left uterine artery, initial encounter  |
| S35.533A | Injury of unspecified uterine artery, initial encounter   |
| S35.534A | Injury of right uterine vein, initial encounter   |
| S35.535A | Injury of left uterine vein, initial encounter  |
| S35.536A | Injury of unspecified uterine vein, initial encounter   |
| S35.59XA | Injury of other iliac blood vessels, initial encounter  |
| S35.8X1A | Laceration of other blood vessels at abdomen, lower back and pelvis level, initial encounter                  |
| S35.8X8A | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter      |
| S35.8X9A | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter          |
| S35.90XA | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter     |
| S35.91XA | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter             |
| S35.99XA | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S36.00XA | Unspecified injury of spleen, initial encounter   |
| S36.020A | Minor contusion of spleen, initial encounter  |
| S36.021A | Major contusion of spleen, initial encounter  |
| S36.029A | Unspecified contusion of spleen, initial encounter  |
| S36.030A | Superficial (capsular) laceration of spleen, initial encounter  |
| S36.031A | Moderate laceration of spleen, initial encounter  |
| S36.032A | Major laceration of spleen, initial encounter   |
| S36.039A | Unspecified laceration of spleen, initial encounter   |
| S36.09XA | Other injury of spleen, initial encounter   |
| S36.112A | Contusion of liver, initial encounter   |
| S36.113A | Laceration of liver, unspecified degree, initial encounter  |
| S36.114A | Minor laceration of liver, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S36.115A    | Moderate laceration of liver, initial encounter                                   |
| S36.116A    | Major laceration of liver, initial encounter                                      |
| S36.118A    | Other injury of liver, initial encounter  |
| S36.119A    | Unspecified injury of liver, initial encounter                                    |
| S36.122A    | Contusion of gallbladder, initial encounter                                       |
| S36.123A    | Laceration of gallbladder, initial encounter                                      |
| S36.128A    | Other injury of gallbladder, initial encounter                                    |
| S36.129A    | Unspecified injury of gallbladder, initial encounter                              |
| S36.13XA    | Injury of bile duct, initial encounter  |
| S36.200A    | Unspecified injury of head of pancreas, initial encounter                         |
| S36.201A    | Unspecified injury of body of pancreas, initial encounter                         |
| S36.202A    | Unspecified injury of tail of pancreas, initial encounter                         |
| S36.209A    | Unspecified injury of unspecified part of pancreas, initial encounter             |
| S36.220A    | Contusion of head of pancreas, initial encounter                                  |
| S36.221A    | Contusion of body of pancreas, initial encounter                                  |
| S36.222A    | Contusion of tail of pancreas, initial encounter                                  |
| S36.229A    | Contusion of unspecified part of pancreas, initial encounter                      |
| S36.230A    | Laceration of head of pancreas, unspecified degree, initial encounter             |
| S36.231A    | Laceration of body of pancreas, unspecified degree, initial encounter             |
| S36.232A    | Laceration of tail of pancreas, unspecified degree, initial encounter             |
| S36.239A    | Laceration of unspecified part of pancreas, unspecified degree, initial encounter |
| S36.240A    | Minor laceration of head of pancreas, initial encounter                           |
| S36.241A    | Minor laceration of body of pancreas, initial encounter                           |
| S36.242A    | Minor laceration of tail of pancreas, initial encounter                           |
| S36.249A    | Minor laceration of unspecified part of pancreas, initial encounter               |
| S36.250A    | Moderate laceration of head of pancreas, initial encounter                        |
| S36.251A    | Moderate laceration of body of pancreas, initial encounter                        |
| S36.252A    | Moderate laceration of tail of pancreas, initial encounter                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S36.259A | Moderate laceration of unspecified part of pancreas, initial encounter         |
| S36.260A | Major laceration of head of pancreas, initial encounter                        |
| S36.261A | Major laceration of body of pancreas, initial encounter                        |
| S36.262A | Major laceration of tail of pancreas, initial encounter                        |
| S36.269A | Major laceration of unspecified part of pancreas, initial encounter            |
| S36.290A | Other injury of head of pancreas, initial encounter                            |
| S36.291A | Other injury of body of pancreas, initial encounter                            |
| S36.292A | Other injury of tail of pancreas, initial encounter                            |
| S36.299A | Other injury of unspecified part of pancreas, initial encounter                |
| S36.30XA | Unspecified injury of stomach, initial encounter                               |
| S36.32XA | Contusion of stomach, initial encounter  |
| S36.33XA | Laceration of stomach, initial encounter                                       |
| S36.39XA | Other injury of stomach, initial encounter                                     |
| S36.400A | Unspecified injury of duodenum, initial encounter                              |
| S36.408A | Unspecified injury of other part of small intestine, initial encounter         |
| S36.409A | Unspecified injury of unspecified part of small intestine, initial encounter   |
| S36.410A | Primary blast injury of duodenum, initial encounter                            |
| S36.418A | Primary blast injury of other part of small intestine, initial encounter       |
| S36.419A | Primary blast injury of unspecified part of small intestine, initial encounter |
| S36.420A | Contusion of duodenum, initial encounter                                       |
| S36.428A | Contusion of other part of small intestine, initial encounter                  |
| S36.429A | Contusion of unspecified part of small intestine, initial encounter            |
| S36.430A | Laceration of duodenum, initial encounter                                      |
| S36.438A | Laceration of other part of small intestine, initial encounter                 |
| S36.439A | Laceration of unspecified part of small intestine, initial encounter           |
| S36.490A | Other injury of duodenum, initial encounter                                    |
| S36.498A | Other injury of other part of small intestine, initial encounter               |
| S36.499A | Other injury of unspecified part of small intestine, initial encounter         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S36.500A    | Unspecified injury of ascending [right] colon, initial encounter     |
| S36.501A    | Unspecified injury of transverse colon, initial encounter            |
| S36.502A    | Unspecified injury of descending [left] colon, initial encounter     |
| S36.503A    | Unspecified injury of sigmoid colon, initial encounter               |
| S36.508A    | Unspecified injury of other part of colon, initial encounter         |
| S36.509A    | Unspecified injury of unspecified part of colon, initial encounter   |
| S36.510A    | Primary blast injury of ascending [right] colon, initial encounter   |
| S36.511A    | Primary blast injury of transverse colon, initial encounter          |
| S36.512A    | Primary blast injury of descending [left] colon, initial encounter   |
| S36.513A    | Primary blast injury of sigmoid colon, initial encounter             |
| S36.518A    | Primary blast injury of other part of colon, initial encounter       |
| S36.519A    | Primary blast injury of unspecified part of colon, initial encounter |
| S36.520A    | Contusion of ascending [right] colon, initial encounter              |
| S36.521A    | Contusion of transverse colon, initial encounter                     |
| S36.522A    | Contusion of descending [left] colon, initial encounter              |
| S36.523A    | Contusion of sigmoid colon, initial encounter                        |
| S36.528A    | Contusion of other part of colon, initial encounter                  |
| S36.529A    | Contusion of unspecified part of colon, initial encounter            |
| S36.530A    | Laceration of ascending [right] colon, initial encounter             |
| S36.531A    | Laceration of transverse colon, initial encounter                    |
| S36.532A    | Laceration of descending [left] colon, initial encounter             |
| S36.533A    | Laceration of sigmoid colon, initial encounter                       |
| S36.538A    | Laceration of other part of colon, initial encounter                 |
| S36.539A    | Laceration of unspecified part of colon, initial encounter           |
| S36.590A    | Other injury of ascending [right] colon, initial encounter           |
| S36.591A    | Other injury of transverse colon, initial encounter                  |
| S36.592A    | Other injury of descending [left] colon, initial encounter           |
| S36.593A    | Other injury of sigmoid colon, initial encounter                     |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S36.598A    | Other injury of other part of colon, initial encounter                     |
| S36.599A    | Other injury of unspecified part of colon, initial encounter               |
| S36.60XA    | Unspecified injury of rectum, initial encounter                            |
| S36.61XA    | Primary blast injury of rectum, initial encounter                          |
| S36.62XA    | Contusion of rectum, initial encounter                                     |
| S36.63XA    | Laceration of rectum, initial encounter                                    |
| S36.69XA    | Other injury of rectum, initial encounter                                  |
| S36.81XA    | Injury of peritoneum, initial encounter                                    |
| S36.892A    | Contusion of other intra-abdominal organs, initial encounter               |
| S36.893A    | Laceration of other intra-abdominal organs, initial encounter              |
| S36.898A    | Other injury of other intra-abdominal organs, initial encounter            |
| S36.899A    | Unspecified injury of other intra-abdominal organs, initial encounter      |
| S36.90XA    | Unspecified injury of unspecified intra-abdominal organ, initial encounter |
| S36.92XA    | Contusion of unspecified intra-abdominal organ, initial encounter          |
| S36.93XA    | Laceration of unspecified intra-abdominal organ, initial encounter         |
| S36.99XA    | Other injury of unspecified intra-abdominal organ, initial encounter       |
| S37.001A    | Unspecified injury of right kidney, initial encounter                      |
| S37.002A    | Unspecified injury of left kidney, initial encounter                       |
| S37.009A    | Unspecified injury of unspecified kidney, initial encounter                |
| S37.011A    | Minor contusion of right kidney, initial encounter                         |
| S37.012A    | Minor contusion of left kidney, initial encounter                          |
| S37.019A    | Minor contusion of unspecified kidney, initial encounter                   |
| S37.021A    | Major contusion of right kidney, initial encounter                         |
| S37.022A    | Major contusion of left kidney, initial encounter                          |
| S37.029A    | Major contusion of unspecified kidney, initial encounter                   |
| S37.031A    | Laceration of right kidney, unspecified degree, initial encounter          |
| S37.032A    | Laceration of left kidney, unspecified degree, initial encounter           |
| S37.039A    | Laceration of unspecified kidney, unspecified degree, initial encounter    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S37.041A    | Minor laceration of right kidney, initial encounter          |
| S37.042A    | Minor laceration of left kidney, initial encounter           |
| S37.049A    | Minor laceration of unspecified kidney, initial encounter    |
| S37.051A    | Moderate laceration of right kidney, initial encounter       |
| S37.052A    | Moderate laceration of left kidney, initial encounter        |
| S37.059A    | Moderate laceration of unspecified kidney, initial encounter |
| S37.061A    | Major laceration of right kidney, initial encounter          |
| S37.062A    | Major laceration of left kidney, initial encounter           |
| S37.069A    | Major laceration of unspecified kidney, initial encounter    |
| S37.091A    | Other injury of right kidney, initial encounter              |
| S37.092A    | Other injury of left kidney, initial encounter               |
| S37.099A    | Other injury of unspecified kidney, initial encounter        |
| S37.10XA    | Unspecified injury of ureter, initial encounter              |
| S37.12XA    | Contusion of ureter, initial encounter                       |
| S37.13XA    | Laceration of ureter, initial encounter                      |
| S37.19XA    | Other injury of ureter, initial encounter                    |
| S37.20XA    | Unspecified injury of bladder, initial encounter             |
| S37.22XA    | Contusion of bladder, initial encounter                      |
| S37.23XA    | Laceration of bladder, initial encounter                     |
| S37.29XA    | Other injury of bladder, initial encounter                   |
| S37.30XA    | Unspecified injury of urethra, initial encounter             |
| S37.32XA    | Contusion of urethra, initial encounter                      |
| S37.33XA    | Laceration of urethra, initial encounter                     |
| S37.39XA    | Other injury of urethra, initial encounter                   |
| S37.401A    | Unspecified injury of ovary, unilateral, initial encounter   |
| S37.402A    | Unspecified injury of ovary, bilateral, initial encounter    |
| S37.409A    | Unspecified injury of ovary, unspecified, initial encounter  |
| S37.421A    | Contusion of ovary, unilateral, initial encounter            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S37.422A    | Contusion of ovary, bilateral, initial encounter                       |
| S37.429A    | Contusion of ovary, unspecified, initial encounter                     |
| S37.431A    | Laceration of ovary, unilateral, initial encounter                     |
| S37.432A    | Laceration of ovary, bilateral, initial encounter                      |
| S37.439A    | Laceration of ovary, unspecified, initial encounter                    |
| S37.491A    | Other injury of ovary, unilateral, initial encounter                   |
| S37.492A    | Other injury of ovary, bilateral, initial encounter                    |
| S37.499A    | Other injury of ovary, unspecified, initial encounter                  |
| S37.501A    | Unspecified injury of fallopian tube, unilateral, initial encounter    |
| S37.502A    | Unspecified injury of fallopian tube, bilateral, initial encounter     |
| S37.509A    | Unspecified injury of fallopian tube, unspecified, initial encounter   |
| S37.511A    | Primary blast injury of fallopian tube, unilateral, initial encounter  |
| S37.512A    | Primary blast injury of fallopian tube, bilateral, initial encounter   |
| S37.519A    | Primary blast injury of fallopian tube, unspecified, initial encounter |
| S37.521A    | Contusion of fallopian tube, unilateral, initial encounter             |
| S37.522A    | Contusion of fallopian tube, bilateral, initial encounter              |
| S37.529A    | Contusion of fallopian tube, unspecified, initial encounter            |
| S37.531A    | Laceration of fallopian tube, unilateral, initial encounter            |
| S37.532A    | Laceration of fallopian tube, bilateral, initial encounter             |
| S37.539A    | Laceration of fallopian tube, unspecified, initial encounter           |
| S37.591A    | Other injury of fallopian tube, unilateral, initial encounter          |
| S37.592A    | Other injury of fallopian tube, bilateral, initial encounter           |
| S37.599A    | Other injury of fallopian tube, unspecified, initial encounter         |
| S37.60XA    | Unspecified injury of uterus, initial encounter                        |
| S37.62XA    | Contusion of uterus, initial encounter                                 |
| S37.63XA    | Laceration of uterus, initial encounter                                |
| S37.69XA    | Other injury of uterus, initial encounter                              |
| S37.812A    | Contusion of adrenal gland, initial encounter                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S37.813A    | Laceration of adrenal gland, initial encounter  |
| S37.818A    | Other injury of adrenal gland, initial encounter                                      |
| S37.819A    | Unspecified injury of adrenal gland, initial encounter                                |
| S37.822A    | Contusion of prostate, initial encounter  |
| S37.823A    | Laceration of prostate, initial encounter   |
| S37.828A    | Other injury of prostate, initial encounter   |
| S37.829A    | Unspecified injury of prostate, initial encounter                                     |
| S37.892A    | Contusion of other urinary and pelvic organ, initial encounter                        |
| S37.893A    | Laceration of other urinary and pelvic organ, initial encounter                       |
| S37.898A    | Other injury of other urinary and pelvic organ, initial encounter                     |
| S37.899A    | Unspecified injury of other urinary and pelvic organ, initial encounter               |
| S37.90XA    | Unspecified injury of unspecified urinary and pelvic organ, initial encounter         |
| S37.92XA    | Contusion of unspecified urinary and pelvic organ, initial encounter                  |
| S37.93XA    | Laceration of unspecified urinary and pelvic organ, initial encounter                 |
| S37.99XA    | Other injury of unspecified urinary and pelvic organ, initial encounter               |
| S38.001A    | Crushing injury of unspecified external genital organs, male, initial encounter       |
| S38.002A    | Crushing injury of unspecified external genital organs, female, initial encounter     |
| S38.01XA    | Crushing injury of penis, initial encounter   |
| S38.02XA    | Crushing injury of scrotum and testis, initial encounter                              |
| S38.03XA    | Crushing injury of vulva, initial encounter   |
| S38.1XXA    | Crushing injury of abdomen, lower back, and pelvis, initial encounter                 |
| S40.011A    | Contusion of right shoulder, initial encounter  |
| S40.012A    | Contusion of left shoulder, initial encounter   |
| S40.019A    | Contusion of unspecified shoulder, initial encounter                                  |
| S40.021A    | Contusion of right upper arm, initial encounter                                       |
| S40.022A    | Contusion of left upper arm, initial encounter  |
| S40.029A    | Contusion of unspecified upper arm, initial encounter                                 |
| S42.001A    | Fracture of unspecified part of right clavicle, initial encounter for closed fracture |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.001B | Fracture of unspecified part of right clavicle, initial encounter for open fracture                        |
| S42.002A | Fracture of unspecified part of left clavicle, initial encounter for closed fracture                       |
| S42.002B | Fracture of unspecified part of left clavicle, initial encounter for open fracture                         |
| S42.009A | Fracture of unspecified part of unspecified clavicle, initial encounter for closed fracture                |
| S42.009B | Fracture of unspecified part of unspecified clavicle, initial encounter for open fracture                  |
| S42.011A | Anterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture        |
| S42.011B | Anterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture          |
| S42.012A | Anterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture         |
| S42.012B | Anterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture           |
| S42.013A | Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture  |
| S42.013B | Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture    |
| S42.014A | Posterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture       |
| S42.014B | Posterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture         |
| S42.015A | Posterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture        |
| S42.015B | Posterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture          |
| S42.016A | Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture |
| S42.016B | Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture   |
| S42.017A | Nondisplaced fracture of sternal end of right clavicle, initial encounter for closed fracture              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.017B | Nondisplaced fracture of sternal end of right clavicle, initial encounter for open fracture         |
| S42.018A | Nondisplaced fracture of sternal end of left clavicle, initial encounter for closed fracture        |
| S42.018B | Nondisplaced fracture of sternal end of left clavicle, initial encounter for open fracture          |
| S42.019A | Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture |
| S42.019B | Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture   |
| S42.021A | Displaced fracture of shaft of right clavicle, initial encounter for closed fracture                |
| S42.021B | Displaced fracture of shaft of right clavicle, initial encounter for open fracture                  |
| S42.022A | Displaced fracture of shaft of left clavicle, initial encounter for closed fracture                 |
| S42.022B | Displaced fracture of shaft of left clavicle, initial encounter for open fracture                   |
| S42.023A | Displaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture          |
| S42.023B | Displaced fracture of shaft of unspecified clavicle, initial encounter for open fracture            |
| S42.024A | Nondisplaced fracture of shaft of right clavicle, initial encounter for closed fracture             |
| S42.024B | Nondisplaced fracture of shaft of right clavicle, initial encounter for open fracture               |
| S42.025A | Nondisplaced fracture of shaft of left clavicle, initial encounter for closed fracture              |
| S42.025B | Nondisplaced fracture of shaft of left clavicle, initial encounter for open fracture                |
| S42.026A | Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture       |
| S42.026B | Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for open fracture         |
| S42.031A | Displaced fracture of lateral end of right clavicle, initial encounter for closed fracture          |
| S42.031B | Displaced fracture of lateral end of right clavicle, initial encounter for open fracture            |
| S42.032A | Displaced fracture of lateral end of left clavicle, initial encounter for closed fracture           |
| S42.032B | Displaced fracture of lateral end of left clavicle, initial encounter for open fracture             |
| S42.033A | Displaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.033B    | Displaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture       |
| S42.034A    | Nondisplaced fracture of lateral end of right clavicle, initial encounter for closed fracture        |
| S42.034B    | Nondisplaced fracture of lateral end of right clavicle, initial encounter for open fracture          |
| S42.035A    | Nondisplaced fracture of lateral end of left clavicle, initial encounter for closed fracture         |
| S42.035B    | Nondisplaced fracture of lateral end of left clavicle, initial encounter for open fracture           |
| S42.036A    | Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture  |
| S42.036B    | Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture    |
| S42.101A    | Fracture of unspecified part of scapula, right shoulder, initial encounter for closed fracture       |
| S42.101B    | Fracture of unspecified part of scapula, right shoulder, initial encounter for open fracture         |
| S42.102A    | Fracture of unspecified part of scapula, left shoulder, initial encounter for closed fracture        |
| S42.102B    | Fracture of unspecified part of scapula, left shoulder, initial encounter for open fracture          |
| S42.109A    | Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for closed fracture |
| S42.109B    | Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for open fracture   |
| S42.111A    | Displaced fracture of body of scapula, right shoulder, initial encounter for closed fracture         |
| S42.111B    | Displaced fracture of body of scapula, right shoulder, initial encounter for open fracture           |
| S42.112A    | Displaced fracture of body of scapula, left shoulder, initial encounter for closed fracture          |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.112B    | Displaced fracture of body of scapula, left shoulder, initial encounter for open fracture             |
| S42.113A    | Displaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture    |
| S42.113B    | Displaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture      |
| S42.114A    | Nondisplaced fracture of body of scapula, right shoulder, initial encounter for closed fracture       |
| S42.114B    | Nondisplaced fracture of body of scapula, right shoulder, initial encounter for open fracture         |
| S42.115A    | Nondisplaced fracture of body of scapula, left shoulder, initial encounter for closed fracture        |
| S42.115B    | Nondisplaced fracture of body of scapula, left shoulder, initial encounter for open fracture          |
| S42.116A    | Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture |
| S42.116B    | Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture   |
| S42.121A    | Displaced fracture of acromial process, right shoulder, initial encounter for closed fracture         |
| S42.121B    | Displaced fracture of acromial process, right shoulder, initial encounter for open fracture           |
| S42.122A    | Displaced fracture of acromial process, left shoulder, initial encounter for closed fracture          |
| S42.122B    | Displaced fracture of acromial process, left shoulder, initial encounter for open fracture            |
| S42.123A    | Displaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture   |
| S42.123B    | Displaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture     |
| S42.124A    | Nondisplaced fracture of acromial process, right shoulder, initial encounter for closed fracture      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.124B | Nondisplaced fracture of acromial process, right shoulder, initial encounter for open fracture         |
| S42.125A | Nondisplaced fracture of acromial process, left shoulder, initial encounter for closed fracture        |
| S42.125B | Nondisplaced fracture of acromial process, left shoulder, initial encounter for open fracture          |
| S42.126A | Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture |
| S42.126B | Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture   |
| S42.131A | Displaced fracture of coracoid process, right shoulder, initial encounter for closed fracture          |
| S42.131B | Displaced fracture of coracoid process, right shoulder, initial encounter for open fracture            |
| S42.132A | Displaced fracture of coracoid process, left shoulder, initial encounter for closed fracture           |
| S42.132B | Displaced fracture of coracoid process, left shoulder, initial encounter for open fracture             |
| S42.133A | Displaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture    |
| S42.133B | Displaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture      |
| S42.134A | Nondisplaced fracture of coracoid process, right shoulder, initial encounter for closed fracture       |
| S42.134B | Nondisplaced fracture of coracoid process, right shoulder, initial encounter for open fracture         |
| S42.135A | Nondisplaced fracture of coracoid process, left shoulder, initial encounter for closed fracture        |
| S42.135B | Nondisplaced fracture of coracoid process, left shoulder, initial encounter for open fracture          |
| S42.136A | Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.136B    | Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture            |
| S42.141A    | Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture          |
| S42.141B    | Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture            |
| S42.142A    | Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture           |
| S42.142B    | Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture             |
| S42.143A    | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture    |
| S42.143B    | Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture      |
| S42.144A    | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture       |
| S42.144B    | Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture         |
| S42.145A    | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture        |
| S42.145B    | Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture          |
| S42.146A    | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture |
| S42.146B    | Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture   |
| S42.151A    | Displaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture                    |
| S42.151B    | Displaced fracture of neck of scapula, right shoulder, initial encounter for open fracture                      |
| S42.152A    | Displaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.152B    | Displaced fracture of neck of scapula, left shoulder, initial encounter for open fracture             |
| S42.153A    | Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture    |
| S42.153B    | Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture      |
| S42.154A    | Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture       |
| S42.154B    | Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for open fracture         |
| S42.155A    | Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture        |
| S42.155B    | Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for open fracture          |
| S42.156A    | Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture |
| S42.156B    | Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture   |
| S42.191A    | Fracture of other part of scapula, right shoulder, initial encounter for closed fracture              |
| S42.191B    | Fracture of other part of scapula, right shoulder, initial encounter for open fracture                |
| S42.192A    | Fracture of other part of scapula, left shoulder, initial encounter for closed fracture               |
| S42.192B    | Fracture of other part of scapula, left shoulder, initial encounter for open fracture                 |
| S42.199A    | Fracture of other part of scapula, unspecified shoulder, initial encounter for closed fracture        |
| S42.199B    | Fracture of other part of scapula, unspecified shoulder, initial encounter for open fracture          |
| S42.201A    | Unspecified fracture of upper end of right humerus, initial encounter for closed fracture             |
| S42.201B    | Unspecified fracture of upper end of right humerus, initial encounter for open fracture               |
| S42.202A    | Unspecified fracture of upper end of left humerus, initial encounter for closed fracture              |
| S42.202B    | Unspecified fracture of upper end of left humerus, initial encounter for open fracture                |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.209A | Unspecified fracture of upper end of unspecified humerus, initial encounter for closed fracture                  |
| S42.209B | Unspecified fracture of upper end of unspecified humerus, initial encounter for open fracture                    |
| S42.211A | Unspecified displaced fracture of surgical neck of right humerus, initial encounter for closed fracture          |
| S42.211B | Unspecified displaced fracture of surgical neck of right humerus, initial encounter for open fracture            |
| S42.212A | Unspecified displaced fracture of surgical neck of left humerus, initial encounter for closed fracture           |
| S42.212B | Unspecified displaced fracture of surgical neck of left humerus, initial encounter for open fracture             |
| S42.213A | Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture    |
| S42.213B | Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture      |
| S42.214A | Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture       |
| S42.214B | Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture         |
| S42.215A | Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture        |
| S42.215B | Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture          |
| S42.216A | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture |
| S42.216B | Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture   |
| S42.221A | 2-part displaced fracture of surgical neck of right humerus, initial encounter for closed fracture               |
| S42.221B | 2-part displaced fracture of surgical neck of right humerus, initial encounter for open fracture                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.222A    | 2-part displaced fracture of surgical neck of left humerus, initial encounter for closed fracture           |
| S42.222B    | 2-part displaced fracture of surgical neck of left humerus, initial encounter for open fracture             |
| S42.223A    | 2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture    |
| S42.223B    | 2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture      |
| S42.224A    | 2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture       |
| S42.224B    | 2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture         |
| S42.225A    | 2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture        |
| S42.225B    | 2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture          |
| S42.226A    | 2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture |
| S42.226B    | 2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture   |
| S42.231A    | 3-part fracture of surgical neck of right humerus, initial encounter for closed fracture                    |
| S42.231B    | 3-part fracture of surgical neck of right humerus, initial encounter for open fracture                      |
| S42.232A    | 3-part fracture of surgical neck of left humerus, initial encounter for closed fracture                     |
| S42.232B    | 3-part fracture of surgical neck of left humerus, initial encounter for open fracture                       |
| S42.239A    | 3-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture              |
| S42.239B    | 3-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture                |
| S42.241A    | 4-part fracture of surgical neck of right humerus, initial encounter for closed fracture                    |
| S42.241B    | 4-part fracture of surgical neck of right humerus, initial encounter for open fracture                      |
| S42.242A    | 4-part fracture of surgical neck of left humerus, initial encounter for closed fracture                     |
| S42.242B    | 4-part fracture of surgical neck of left humerus, initial encounter for open fracture                       |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.249A    | 4-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture            |
| S42.249B    | 4-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture              |
| S42.251A    | Displaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture          |
| S42.251B    | Displaced fracture of greater tuberosity of right humerus, initial encounter for open fracture            |
| S42.252A    | Displaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture           |
| S42.252B    | Displaced fracture of greater tuberosity of left humerus, initial encounter for open fracture             |
| S42.253A    | Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture    |
| S42.253B    | Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture      |
| S42.254A    | Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture       |
| S42.254B    | Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for open fracture         |
| S42.255A    | Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture        |
| S42.255B    | Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for open fracture          |
| S42.256A    | Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture |
| S42.256B    | Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture   |
| S42.261A    | Displaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture           |
| S42.261B    | Displaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S42.262A | Displaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture           |
| S42.262B | Displaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture             |
| S42.263A | Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture    |
| S42.263B | Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture      |
| S42.264A | Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture       |
| S42.264B | Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture         |
| S42.265A | Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture        |
| S42.265B | Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture          |
| S42.266A | Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture |
| S42.266B | Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture   |
| S42.271A | Torus fracture of upper end of right humerus, initial encounter for closed fracture                      |
| S42.272A | Torus fracture of upper end of left humerus, initial encounter for closed fracture                       |
| S42.279A | Torus fracture of upper end of unspecified humerus, initial encounter for closed fracture                |
| S42.291A | Other displaced fracture of upper end of right humerus, initial encounter for closed fracture            |
| S42.291B | Other displaced fracture of upper end of right humerus, initial encounter for open fracture              |
| S42.292A | Other displaced fracture of upper end of left humerus, initial encounter for closed fracture             |
| S42.292B | Other displaced fracture of upper end of left humerus, initial encounter for open fracture               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.293A    | Other displaced fracture of upper end of unspecified humerus, initial encounter for closed fracture    |
| S42.293B    | Other displaced fracture of upper end of unspecified humerus, initial encounter for open fracture      |
| S42.294A    | Other nondisplaced fracture of upper end of right humerus, initial encounter for closed fracture       |
| S42.294B    | Other nondisplaced fracture of upper end of right humerus, initial encounter for open fracture         |
| S42.295A    | Other nondisplaced fracture of upper end of left humerus, initial encounter for closed fracture        |
| S42.295B    | Other nondisplaced fracture of upper end of left humerus, initial encounter for open fracture          |
| S42.296A    | Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for closed fracture |
| S42.296B    | Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for open fracture   |
| S42.301A    | Unspecified fracture of shaft of humerus, right arm, initial encounter for closed fracture             |
| S42.301B    | Unspecified fracture of shaft of humerus, right arm, initial encounter for open fracture               |
| S42.302A    | Unspecified fracture of shaft of humerus, left arm, initial encounter for closed fracture              |
| S42.302B    | Unspecified fracture of shaft of humerus, left arm, initial encounter for open fracture                |
| S42.309A    | Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture       |
| S42.309B    | Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for open fracture         |
| S42.311A    | Greenstick fracture of shaft of humerus, right arm, initial encounter for closed fracture              |
| S42.312A    | Greenstick fracture of shaft of humerus, left arm, initial encounter for closed fracture               |
| S42.319A    | Greenstick fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.321A    | Displaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture          |
| S42.321B    | Displaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture            |
| S42.322A    | Displaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture           |
| S42.322B    | Displaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture             |
| S42.323A    | Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture    |
| S42.323B    | Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture      |
| S42.324A    | Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture       |
| S42.324B    | Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture         |
| S42.325A    | Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture        |
| S42.325B    | Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture          |
| S42.326A    | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture |
| S42.326B    | Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture   |
| S42.331A    | Displaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture             |
| S42.331B    | Displaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture               |
| S42.332A    | Displaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture              |
| S42.332B    | Displaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.333A    | Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture    |
| S42.333B    | Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture      |
| S42.334A    | Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture       |
| S42.334B    | Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture         |
| S42.335A    | Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture        |
| S42.335B    | Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture          |
| S42.336A    | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture |
| S42.336B    | Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture   |
| S42.341A    | Displaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture           |
| S42.341B    | Displaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture             |
| S42.342A    | Displaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture            |
| S42.342B    | Displaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture              |
| S42.343A    | Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture     |
| S42.343B    | Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture       |
| S42.344A    | Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture        |
| S42.344B    | Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.345A    | Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture            |
| S42.345B    | Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture              |
| S42.346A    | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture     |
| S42.346B    | Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture       |
| S42.351A    | Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture          |
| S42.351B    | Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture            |
| S42.352A    | Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture           |
| S42.352B    | Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture             |
| S42.353A    | Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture    |
| S42.353B    | Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture      |
| S42.354A    | Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture       |
| S42.354B    | Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture         |
| S42.355A    | Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture        |
| S42.355B    | Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture          |
| S42.356A    | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture |
| S42.356B    | Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.361A    | Displaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture          |
| S42.361B    | Displaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture            |
| S42.362A    | Displaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture           |
| S42.362B    | Displaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture             |
| S42.363A    | Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture    |
| S42.363B    | Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture      |
| S42.364A    | Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture       |
| S42.364B    | Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture         |
| S42.365A    | Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture        |
| S42.365B    | Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture          |
| S42.366A    | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture |
| S42.366B    | Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture   |
| S42.391A    | Other fracture of shaft of right humerus, initial encounter for closed fracture                             |
| S42.391B    | Other fracture of shaft of right humerus, initial encounter for open fracture                               |
| S42.392A    | Other fracture of shaft of left humerus, initial encounter for closed fracture                              |
| S42.392B    | Other fracture of shaft of left humerus, initial encounter for open fracture                                |
| S42.399A    | Other fracture of shaft of unspecified humerus, initial encounter for closed fracture                       |
| S42.399B    | Other fracture of shaft of unspecified humerus, initial encounter for open fracture                         |
| S42.401A    | Unspecified fracture of lower end of right humerus, initial encounter for closed fracture                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S42.401B | Unspecified fracture of lower end of right humerus, initial encounter for open fracture   |
| S42.402A | Unspecified fracture of lower end of left humerus, initial encounter for closed fracture  |
| S42.402B | Unspecified fracture of lower end of left humerus, initial encounter for open fracture  |
| S42.409A | Unspecified fracture of lower end of unspecified humerus, initial encounter for closed fracture   |
| S42.409B | Unspecified fracture of lower end of unspecified humerus, initial encounter for open fracture   |
| S42.411A | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture          |
| S42.411B | Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture            |
| S42.412A | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture           |
| S42.412B | Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture             |
| S42.413A | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture    |
| S42.413B | Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture      |
| S42.414A | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture       |
| S42.414B | Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture         |
| S42.415A | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture        |
| S42.415B | Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture          |
| S42.416A | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture |
| S42.416B | Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.421A    | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture          |
| S42.421B    | Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture            |
| S42.422A    | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture           |
| S42.422B    | Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture             |
| S42.423A    | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture    |
| S42.423B    | Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture      |
| S42.424A    | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture       |
| S42.424B    | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture         |
| S42.425A    | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture        |
| S42.425B    | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture          |
| S42.426A    | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture |
| S42.426B    | Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture   |
| S42.431A    | Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture                                 |
| S42.431B    | Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture                                   |
| S42.432A    | Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture                                  |
| S42.432B    | Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.433A    | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture    |
| S42.433B    | Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture      |
| S42.434A    | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture       |
| S42.434B    | Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture         |
| S42.435A    | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture        |
| S42.435B    | Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture          |
| S42.436A    | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture |
| S42.436B    | Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture   |
| S42.441A    | Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture           |
| S42.441B    | Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture             |
| S42.442A    | Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture            |
| S42.442B    | Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture              |
| S42.443A    | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture     |
| S42.443B    | Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture       |
| S42.444A    | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture        |
| S42.444B    | Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.445A    | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture        |
| S42.445B    | Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture          |
| S42.446A    | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture |
| S42.446B    | Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture   |
| S42.447A    | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture       |
| S42.447B    | Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture         |
| S42.448A    | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture        |
| S42.448B    | Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture          |
| S42.449A    | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture |
| S42.449B    | Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture   |
| S42.451A    | Displaced fracture of lateral condyle of right humerus, initial encounter for closed fracture                       |
| S42.451B    | Displaced fracture of lateral condyle of right humerus, initial encounter for open fracture                         |
| S42.452A    | Displaced fracture of lateral condyle of left humerus, initial encounter for closed fracture                        |
| S42.452B    | Displaced fracture of lateral condyle of left humerus, initial encounter for open fracture                          |
| S42.453A    | Displaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture                 |
| S42.453B    | Displaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.454A    | Nondisplaced fracture of lateral condyle of right humerus, initial encounter for closed fracture       |
| S42.454B    | Nondisplaced fracture of lateral condyle of right humerus, initial encounter for open fracture         |
| S42.455A    | Nondisplaced fracture of lateral condyle of left humerus, initial encounter for closed fracture        |
| S42.455B    | Nondisplaced fracture of lateral condyle of left humerus, initial encounter for open fracture          |
| S42.456A    | Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture |
| S42.456B    | Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture   |
| S42.461A    | Displaced fracture of medial condyle of right humerus, initial encounter for closed fracture           |
| S42.461B    | Displaced fracture of medial condyle of right humerus, initial encounter for open fracture             |
| S42.462A    | Displaced fracture of medial condyle of left humerus, initial encounter for closed fracture            |
| S42.462B    | Displaced fracture of medial condyle of left humerus, initial encounter for open fracture              |
| S42.463A    | Displaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture     |
| S42.463B    | Displaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture       |
| S42.464A    | Nondisplaced fracture of medial condyle of right humerus, initial encounter for closed fracture        |
| S42.464B    | Nondisplaced fracture of medial condyle of right humerus, initial encounter for open fracture          |
| S42.465A    | Nondisplaced fracture of medial condyle of left humerus, initial encounter for closed fracture         |
| S42.465B    | Nondisplaced fracture of medial condyle of left humerus, initial encounter for open fracture           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S42.466A    | Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture |
| S42.466B    | Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture   |
| S42.471A    | Displaced transcondylar fracture of right humerus, initial encounter for closed fracture              |
| S42.471B    | Displaced transcondylar fracture of right humerus, initial encounter for open fracture                |
| S42.472A    | Displaced transcondylar fracture of left humerus, initial encounter for closed fracture               |
| S42.472B    | Displaced transcondylar fracture of left humerus, initial encounter for open fracture                 |
| S42.473A    | Displaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture        |
| S42.473B    | Displaced transcondylar fracture of unspecified humerus, initial encounter for open fracture          |
| S42.474A    | Nondisplaced transcondylar fracture of right humerus, initial encounter for closed fracture           |
| S42.474B    | Nondisplaced transcondylar fracture of right humerus, initial encounter for open fracture             |
| S42.475A    | Nondisplaced transcondylar fracture of left humerus, initial encounter for closed fracture            |
| S42.475B    | Nondisplaced transcondylar fracture of left humerus, initial encounter for open fracture              |
| S42.476A    | Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture     |
| S42.476B    | Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for open fracture       |
| S42.481A    | Torus fracture of lower end of right humerus, initial encounter for closed fracture                   |
| S42.482A    | Torus fracture of lower end of left humerus, initial encounter for closed fracture                    |
| S42.489A    | Torus fracture of lower end of unspecified humerus, initial encounter for closed fracture             |
| S42.491A    | Other displaced fracture of lower end of right humerus, initial encounter for closed fracture         |
| S42.491B    | Other displaced fracture of lower end of right humerus, initial encounter for open fracture           |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S42.492A    | Other displaced fracture of lower end of left humerus, initial encounter for closed fracture           |
| S42.492B    | Other displaced fracture of lower end of left humerus, initial encounter for open fracture             |
| S42.493A    | Other displaced fracture of lower end of unspecified humerus, initial encounter for closed fracture    |
| S42.493B    | Other displaced fracture of lower end of unspecified humerus, initial encounter for open fracture      |
| S42.494A    | Other nondisplaced fracture of lower end of right humerus, initial encounter for closed fracture       |
| S42.494B    | Other nondisplaced fracture of lower end of right humerus, initial encounter for open fracture         |
| S42.495A    | Other nondisplaced fracture of lower end of left humerus, initial encounter for closed fracture        |
| S42.495B    | Other nondisplaced fracture of lower end of left humerus, initial encounter for open fracture          |
| S42.496A    | Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for closed fracture |
| S42.496B    | Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for open fracture   |
| S42.90XA    | Fracture of unspecified shoulder girdle, part unspecified, initial encounter for closed fracture       |
| S42.90XB    | Fracture of unspecified shoulder girdle, part unspecified, initial encounter for open fracture         |
| S42.91XA    | Fracture of right shoulder girdle, part unspecified, initial encounter for closed fracture             |
| S42.91XB    | Fracture of right shoulder girdle, part unspecified, initial encounter for open fracture               |
| S42.92XA    | Fracture of left shoulder girdle, part unspecified, initial encounter for closed fracture              |
| S42.92XB    | Fracture of left shoulder girdle, part unspecified, initial encounter for open fracture                |
| S45.001A    | Unspecified injury of axillary artery, right side, initial encounter                                   |
| S45.002A    | Unspecified injury of axillary artery, left side, initial encounter                                    |
| S45.009A    | Unspecified injury of axillary artery, unspecified side, initial encounter                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S45.011A | Laceration of axillary artery, right side, initial encounter   |
| S45.012A | Laceration of axillary artery, left side, initial encounter  |
| S45.019A | Laceration of axillary artery, unspecified side, initial encounter                                   |
| S45.091A | Other specified injury of axillary artery, right side, initial encounter                             |
| S45.092A | Other specified injury of axillary artery, left side, initial encounter                              |
| S45.099A | Other specified injury of axillary artery, unspecified side, initial encounter                       |
| S45.101A | Unspecified injury of brachial artery, right side, initial encounter                                 |
| S45.102A | Unspecified injury of brachial artery, left side, initial encounter                                  |
| S45.109A | Unspecified injury of brachial artery, unspecified side, initial encounter                           |
| S45.111A | Laceration of brachial artery, right side, initial encounter   |
| S45.112A | Laceration of brachial artery, left side, initial encounter  |
| S45.119A | Laceration of brachial artery, unspecified side, initial encounter                                   |
| S45.191A | Other specified injury of brachial artery, right side, initial encounter                             |
| S45.192A | Other specified injury of brachial artery, left side, initial encounter                              |
| S45.199A | Other specified injury of brachial artery, unspecified side, initial encounter                       |
| S45.201A | Unspecified injury of axillary or brachial vein, right side, initial encounter                       |
| S45.202A | Unspecified injury of axillary or brachial vein, left side, initial encounter                        |
| S45.209A | Unspecified injury of axillary or brachial vein, unspecified side, initial encounter                 |
| S45.211A | Laceration of axillary or brachial vein, right side, initial encounter                               |
| S45.212A | Laceration of axillary or brachial vein, left side, initial encounter                                |
| S45.219A | Laceration of axillary or brachial vein, unspecified side, initial encounter                         |
| S45.291A | Other specified injury of axillary or brachial vein, right side, initial encounter                   |
| S45.292A | Other specified injury of axillary or brachial vein, left side, initial encounter                    |
| S45.299A | Other specified injury of axillary or brachial vein, unspecified side, initial encounter             |
| S45.301A | Unspecified injury of superficial vein at shoulder and upper arm level, right arm, initial encounter |
| S45.302A | Unspecified injury of superficial vein at shoulder and upper arm level, left arm, initial encounter  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S45.309A    | Unspecified injury of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter                  |
| S45.311A    | Laceration of superficial vein at shoulder and upper arm level, right arm, initial encounter                                |
| S45.312A    | Laceration of superficial vein at shoulder and upper arm level, left arm, initial encounter                                 |
| S45.319A    | Laceration of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter                          |
| S45.391A    | Other specified injury of superficial vein at shoulder and upper arm level, right arm, initial encounter                    |
| S45.392A    | Other specified injury of superficial vein at shoulder and upper arm level, left arm, initial encounter                     |
| S45.399A    | Other specified injury of superficial vein at shoulder and upper arm level, unspecified arm, initial encounter              |
| S45.801A    | Unspecified injury of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter           |
| S45.802A    | Unspecified injury of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter            |
| S45.809A    | Unspecified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter     |
| S45.811A    | Laceration of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter                   |
| S45.812A    | Laceration of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter                    |
| S45.819A    | Laceration of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter             |
| S45.891A    | Other specified injury of other specified blood vessels at shoulder and upper arm level, right arm, initial encounter       |
| S45.892A    | Other specified injury of other specified blood vessels at shoulder and upper arm level, left arm, initial encounter        |
| S45.899A    | Other specified injury of other specified blood vessels at shoulder and upper arm level, unspecified arm, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S45.901A    | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, right arm, initial encounter           |
| S45.902A    | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, left arm, initial encounter            |
| S45.909A    | Unspecified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter     |
| S45.911A    | Laceration of unspecified blood vessel at shoulder and upper arm level, right arm, initial encounter                   |
| S45.912A    | Laceration of unspecified blood vessel at shoulder and upper arm level, left arm, initial encounter                    |
| S45.919A    | Laceration of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter             |
| S45.991A    | Other specified injury of unspecified blood vessel at shoulder and upper arm level, right arm, initial encounter       |
| S45.992A    | Other specified injury of unspecified blood vessel at shoulder and upper arm level, left arm, initial encounter        |
| S45.999A    | Other specified injury of unspecified blood vessel at shoulder and upper arm level, unspecified arm, initial encounter |
| S47.1XXA    | Crushing injury of right shoulder and upper arm, initial encounter   |
| S47.2XXA    | Crushing injury of left shoulder and upper arm, initial encounter  |
| S47.9XXA    | Crushing injury of shoulder and upper arm, unspecified arm, initial encounter  |
| S49.001A    | Unspecified physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture                 |
| S49.002A    | Unspecified physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture                  |
| S49.009A    | Unspecified physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture           |
| S49.011A    | Salter-Harris Type I physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture        |
| S49.012A    | Salter-Harris Type I physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture         |
| S49.019A    | Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S49.021A    | Salter-Harris Type II physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture        |
| S49.022A    | Salter-Harris Type II physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture         |
| S49.029A    | Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.031A    | Salter-Harris Type III physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture       |
| S49.032A    | Salter-Harris Type III physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture        |
| S49.039A    | Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture |
| S49.041A    | Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture        |
| S49.042A    | Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture         |
| S49.049A    | Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.091A    | Other physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture                        |
| S49.092A    | Other physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture                         |
| S49.099A    | Other physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture                  |
| S49.101A    | Unspecified physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture                  |
| S49.102A    | Unspecified physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture                   |
| S49.109A    | Unspecified physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture            |
| S49.111A    | Salter-Harris Type I physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S49.112A    | Salter-Harris Type I physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture          |
| S49.119A    | Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture   |
| S49.121A    | Salter-Harris Type II physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture        |
| S49.122A    | Salter-Harris Type II physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture         |
| S49.129A    | Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.131A    | Salter-Harris Type III physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture       |
| S49.132A    | Salter-Harris Type III physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture        |
| S49.139A    | Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture |
| S49.141A    | Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture        |
| S49.142A    | Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture         |
| S49.149A    | Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture  |
| S49.191A    | Other physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture                        |
| S49.192A    | Other physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture                         |
| S49.199A    | Other physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture                  |
| S50.00XA    | Contusion of unspecified elbow, initial encounter   |
| S50.01XA    | Contusion of right elbow, initial encounter   |
| S50.02XA    | Contusion of left elbow, initial encounter  |
| S50.10XA    | Contusion of unspecified forearm, initial encounter   |
| S50.11XA    | Contusion of right forearm, initial encounter   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S50.12XA    | Contusion of left forearm, initial encounter   |
| S52.001B    | Unspecified fracture of upper end of right ulna, initial encounter for open fracture type I or II  |
| S52.001C    | Unspecified fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.002B    | Unspecified fracture of upper end of left ulna, initial encounter for open fracture type I or II   |
| S52.002C    | Unspecified fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S52.009B    | Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II  |
| S52.009C    | Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.021B    | Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II                   |
| S52.021C    | Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.022B    | Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II                    |
| S52.022C    | Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.023B    | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.023C    | Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.024B    | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II                |
| S52.024C    | Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.025B    | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II                 |
| S52.025C    | Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.026B    | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.026C    | Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.031B    | Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II                         |
| S52.031C    | Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S52.032B    | Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II                          |
| S52.032C    | Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S52.033B    | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II                   |
| S52.033C    | Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.034B    | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II                      |
| S52.034C    | Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.035B    | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II                       |
| S52.035C    | Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.036B    | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II                |
| S52.036C    | Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.041B    | Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II  |
| S52.041C    | Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.042B    | Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II                       |
| S52.042C    | Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.043B    | Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II                |
| S52.043C    | Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.044B    | Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II                   |
| S52.044C    | Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.045B    | Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II                    |
| S52.045C    | Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.046B    | Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.046C    | Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.091B    | Other fracture of upper end of right ulna, initial encounter for open fracture type I or II                                 |
| S52.091C    | Other fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                     |
| S52.092B    | Other fracture of upper end of left ulna, initial encounter for open fracture type I or II                                  |
| S52.092C    | Other fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                      |
| S52.099B    | Other fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II                           |
| S52.099C    | Other fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S52.101B    | Unspecified fracture of upper end of right radius, initial encounter for open fracture type I or II                         |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.101C | Unspecified fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.102B | Unspecified fracture of upper end of left radius, initial encounter for open fracture type I or II                    |
| S52.102C | Unspecified fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.109B | Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type I or II             |
| S52.109C | Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.121B | Displaced fracture of head of right radius, initial encounter for open fracture type I or II                          |
| S52.121C | Displaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S52.122B | Displaced fracture of head of left radius, initial encounter for open fracture type I or II                           |
| S52.122C | Displaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S52.123B | Displaced fracture of head of unspecified radius, initial encounter for open fracture type I or II                    |
| S52.123C | Displaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.124B | Nondisplaced fracture of head of right radius, initial encounter for open fracture type I or II                       |
| S52.124C | Nondisplaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.125B | Nondisplaced fracture of head of left radius, initial encounter for open fracture type I or II                        |
| S52.125C | Nondisplaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S52.126B | Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type I or II                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.126C | Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.131B | Displaced fracture of neck of right radius, initial encounter for open fracture type I or II                      |
| S52.131C | Displaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.132B | Displaced fracture of neck of left radius, initial encounter for open fracture type I or II                       |
| S52.132C | Displaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.133B | Displaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II                |
| S52.133C | Displaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.134B | Nondisplaced fracture of neck of right radius, initial encounter for open fracture type I or II                   |
| S52.134C | Nondisplaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.135B | Nondisplaced fracture of neck of left radius, initial encounter for open fracture type I or II                    |
| S52.135C | Nondisplaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.136B | Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II             |
| S52.136C | Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.181B | Other fracture of upper end of right radius, initial encounter for open fracture type I or II                     |
| S52.181C | Other fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S52.182B | Other fracture of upper end of left radius, initial encounter for open fracture type I or II                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.182C | Other fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.189B | Other fracture of upper end of unspecified radius, initial encounter for open fracture type I or II                      |
| S52.189C | Other fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.201B | Unspecified fracture of shaft of right ulna, initial encounter for open fracture type I or II                            |
| S52.201C | Unspecified fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S52.202B | Unspecified fracture of shaft of left ulna, initial encounter for open fracture type I or II                             |
| S52.202C | Unspecified fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.209B | Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II                      |
| S52.209C | Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.221B | Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II                   |
| S52.221C | Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.222B | Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II                    |
| S52.222C | Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.223B | Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.223C | Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.224B | Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.224C    | Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.225B    | Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II                    |
| S52.225C    | Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.226B    | Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II             |
| S52.226C    | Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.231B    | Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II                         |
| S52.231C    | Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S52.232B    | Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II                          |
| S52.232C    | Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S52.233B    | Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II                   |
| S52.233C    | Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.234B    | Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II                      |
| S52.234C    | Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.235B    | Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II                       |
| S52.235C    | Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.236B    | Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.236C    | Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.241B    | Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                      |
| S52.241C    | Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.242B    | Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                       |
| S52.242C    | Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.243B    | Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II                |
| S52.243C    | Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.244B    | Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                   |
| S52.244C    | Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.245B    | Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                    |
| S52.245C    | Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.246B    | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II             |
| S52.246C    | Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.251B    | Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                  |
| S52.251C    | Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S52.252B    | Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.252C    | Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.253B    | Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II                |
| S52.253C    | Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.254B    | Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                   |
| S52.254C    | Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.255B    | Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                    |
| S52.255C    | Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.256B    | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II             |
| S52.256C    | Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.261B    | Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                       |
| S52.261C    | Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.262B    | Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                        |
| S52.262C    | Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S52.263B    | Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II                 |
| S52.263C    | Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.264B    | Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.264C | Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.265B | Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II                    |
| S52.265C | Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.266B | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II             |
| S52.266C | Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.271B | Monteggia's fracture of right ulna, initial encounter for open fracture type I or II  |
| S52.271C | Monteggia's fracture of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                                |
| S52.272B | Monteggia's fracture of left ulna, initial encounter for open fracture type I or II   |
| S52.272C | Monteggia's fracture of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                                 |
| S52.279B | Monteggia's fracture of unspecified ulna, initial encounter for open fracture type I or II                                      |
| S52.279C | Monteggia's fracture of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                          |
| S52.281B | Bent bone of right ulna, initial encounter for open fracture type I or II   |
| S52.281C | Bent bone of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S52.282B | Bent bone of left ulna, initial encounter for open fracture type I or II  |
| S52.282C | Bent bone of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.283B | Bent bone of unspecified ulna, initial encounter for open fracture type I or II   |
| S52.283C | Bent bone of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                                     |
| S52.291B | Other fracture of shaft of right ulna, initial encounter for open fracture type I or II   |
| S52.291C | Other fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                             |
| S52.292B | Other fracture of shaft of left ulna, initial encounter for open fracture type I or II  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.292C    | Other fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                         |
| S52.299B    | Other fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II                              |
| S52.299C    | Other fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S52.301B    | Unspecified fracture of shaft of right radius, initial encounter for open fracture type I or II                            |
| S52.301C    | Unspecified fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S52.302B    | Unspecified fracture of shaft of left radius, initial encounter for open fracture type I or II                             |
| S52.302C    | Unspecified fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.309B    | Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type I or II                      |
| S52.309C    | Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.321B    | Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II                   |
| S52.321C    | Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.322B    | Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II                    |
| S52.322C    | Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.323B    | Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II             |
| S52.323C    | Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.324B    | Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.324C    | Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.325B    | Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II                    |
| S52.325C    | Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.326B    | Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II             |
| S52.326C    | Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.331B    | Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II                         |
| S52.331C    | Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S52.332B    | Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II                          |
| S52.332C    | Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S52.333B    | Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II                   |
| S52.333C    | Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.334B    | Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II                      |
| S52.334C    | Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.335B    | Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II                       |
| S52.335C    | Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.336B    | Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.336C    | Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.341B    | Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                      |
| S52.341C    | Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.342B    | Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                       |
| S52.342C    | Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.343B    | Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II                |
| S52.343C    | Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.344B    | Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                   |
| S52.344C    | Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.345B    | Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                    |
| S52.345C    | Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.346B    | Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II             |
| S52.346C    | Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.351B    | Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                  |
| S52.351C    | Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S52.352B    | Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.352C    | Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.353B    | Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II                |
| S52.353C    | Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S52.354B    | Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                   |
| S52.354C    | Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.355B    | Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                    |
| S52.355C    | Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.356B    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II             |
| S52.356C    | Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.361B    | Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                       |
| S52.361C    | Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.362B    | Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                        |
| S52.362C    | Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S52.363B    | Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II                 |
| S52.363C    | Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.364B    | Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.364C | Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.365B | Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                    |
| S52.365C | Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.366B | Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II             |
| S52.366C | Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.371B | Galeazzi's fracture of right radius, initial encounter for open fracture type I or II   |
| S52.371C | Galeazzi's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                 |
| S52.372B | Galeazzi's fracture of left radius, initial encounter for open fracture type I or II  |
| S52.372C | Galeazzi's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                  |
| S52.379B | Galeazzi's fracture of unspecified radius, initial encounter for open fracture type I or II                                       |
| S52.379C | Galeazzi's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                           |
| S52.381B | Bent bone of right radius, initial encounter for open fracture type I or II   |
| S52.381C | Bent bone of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S52.382B | Bent bone of left radius, initial encounter for open fracture type I or II  |
| S52.382C | Bent bone of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.389B | Bent bone of unspecified radius, initial encounter for open fracture type I or II   |
| S52.389C | Bent bone of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                     |
| S52.391B | Other fracture of shaft of radius, right arm, initial encounter for open fracture type I or II                                    |
| S52.391C | Other fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.392B    | Other fracture of shaft of radius, left arm, initial encounter for open fracture type I or II                             |
| S52.392C    | Other fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.399B    | Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II                      |
| S52.399C    | Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.501B    | Unspecified fracture of the lower end of right radius, initial encounter for open fracture type I or II                   |
| S52.501C    | Unspecified fracture of the lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.502B    | Unspecified fracture of the lower end of left radius, initial encounter for open fracture type I or II                    |
| S52.502C    | Unspecified fracture of the lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.509B    | Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type I or II             |
| S52.509C    | Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.511B    | Displaced fracture of right radial styloid process, initial encounter for open fracture type I or II                      |
| S52.511C    | Displaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S52.512B    | Displaced fracture of left radial styloid process, initial encounter for open fracture type I or II                       |
| S52.512C    | Displaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.513B    | Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II                |
| S52.513C    | Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S52.514B | Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type I or II                   |
| S52.514C | Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.515B | Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type I or II                    |
| S52.515C | Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.516B | Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II             |
| S52.516C | Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.531B | Colles' fracture of right radius, initial encounter for open fracture type I or II  |
| S52.531C | Colles' fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                            |
| S52.532B | Colles' fracture of left radius, initial encounter for open fracture type I or II   |
| S52.532C | Colles' fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                             |
| S52.539B | Colles' fracture of unspecified radius, initial encounter for open fracture type I or II                                  |
| S52.539C | Colles' fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                      |
| S52.541B | Smith's fracture of right radius, initial encounter for open fracture type I or II  |
| S52.541C | Smith's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                            |
| S52.542B | Smith's fracture of left radius, initial encounter for open fracture type I or II   |
| S52.542C | Smith's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                             |
| S52.549B | Smith's fracture of unspecified radius, initial encounter for open fracture type I or II                                  |
| S52.549C | Smith's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                      |
| S52.551B | Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II              |
| S52.551C | Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.552B    | Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II                    |
| S52.552C    | Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.559B    | Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II             |
| S52.559C    | Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.561B    | Barton's fracture of right radius, initial encounter for open fracture type I or II  |
| S52.561C    | Barton's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                |
| S52.562B    | Barton's fracture of left radius, initial encounter for open fracture type I or II   |
| S52.562C    | Barton's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                                 |
| S52.569B    | Barton's fracture of unspecified radius, initial encounter for open fracture type I or II                                      |
| S52.569C    | Barton's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                          |
| S52.571B    | Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II                   |
| S52.571C    | Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.572B    | Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II                    |
| S52.572C    | Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.579B    | Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II             |
| S52.579C    | Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.591B    | Other fractures of lower end of right radius, initial encounter for open fracture type I or II                                 |
| S52.591C    | Other fractures of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S52.592B    | Other fractures of lower end of left radius, initial encounter for open fracture type I or II                        |
| S52.592C    | Other fractures of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S52.599B    | Other fractures of lower end of unspecified radius, initial encounter for open fracture type I or II                 |
| S52.599C    | Other fractures of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S52.601B    | Unspecified fracture of lower end of right ulna, initial encounter for open fracture type I or II                    |
| S52.601C    | Unspecified fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.602B    | Unspecified fracture of lower end of left ulna, initial encounter for open fracture type I or II                     |
| S52.602C    | Unspecified fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S52.609B    | Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II              |
| S52.609C    | Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S52.611B    | Displaced fracture of right ulna styloid process, initial encounter for open fracture type I or II                   |
| S52.611C    | Displaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.612B    | Displaced fracture of left ulna styloid process, initial encounter for open fracture type I or II                    |
| S52.612C    | Displaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.613B    | Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II             |
| S52.613C    | Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S52.614B    | Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type I or II                   |
| S52.614C    | Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S52.615B    | Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type I or II                    |
| S52.615C    | Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S52.616B    | Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II             |
| S52.616C    | Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S52.691B    | Other fracture of lower end of right ulna, initial encounter for open fracture type I or II                             |
| S52.691C    | Other fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S52.692B    | Other fracture of lower end of left ulna, initial encounter for open fracture type I or II                              |
| S52.692C    | Other fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S52.699B    | Other fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II                       |
| S52.699C    | Other fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S52.90XA    | Unspecified fracture of unspecified forearm, initial encounter for closed fracture                                      |
| S52.90XB    | Unspecified fracture of unspecified forearm, initial encounter for open fracture type I or II                           |
| S52.90XC    | Unspecified fracture of unspecified forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S52.91XB    | Unspecified fracture of right forearm, initial encounter for open fracture type I or II                                 |
| S52.91XC    | Unspecified fracture of right forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC                     |
| S52.92XB    | Unspecified fracture of left forearm, initial encounter for open fracture type I or II                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S52.92XC | Unspecified fracture of left forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S55.001A | Unspecified injury of ulnar artery at forearm level, right arm, initial encounter                  |
| S55.002A | Unspecified injury of ulnar artery at forearm level, left arm, initial encounter                   |
| S55.009A | Unspecified injury of ulnar artery at forearm level, unspecified arm, initial encounter            |
| S55.011A | Laceration of ulnar artery at forearm level, right arm, initial encounter                          |
| S55.012A | Laceration of ulnar artery at forearm level, left arm, initial encounter                           |
| S55.019A | Laceration of ulnar artery at forearm level, unspecified arm, initial encounter                    |
| S55.091A | Other specified injury of ulnar artery at forearm level, right arm, initial encounter              |
| S55.092A | Other specified injury of ulnar artery at forearm level, left arm, initial encounter               |
| S55.099A | Other specified injury of ulnar artery at forearm level, unspecified arm, initial encounter        |
| S55.101A | Unspecified injury of radial artery at forearm level, right arm, initial encounter                 |
| S55.102A | Unspecified injury of radial artery at forearm level, left arm, initial encounter                  |
| S55.109A | Unspecified injury of radial artery at forearm level, unspecified arm, initial encounter           |
| S55.111A | Laceration of radial artery at forearm level, right arm, initial encounter                         |
| S55.112A | Laceration of radial artery at forearm level, left arm, initial encounter                          |
| S55.119A | Laceration of radial artery at forearm level, unspecified arm, initial encounter                   |
| S55.191A | Other specified injury of radial artery at forearm level, right arm, initial encounter             |
| S55.192A | Other specified injury of radial artery at forearm level, left arm, initial encounter              |
| S55.199A | Other specified injury of radial artery at forearm level, unspecified arm, initial encounter       |
| S55.201A | Unspecified injury of vein at forearm level, right arm, initial encounter                          |
| S55.202A | Unspecified injury of vein at forearm level, left arm, initial encounter                           |
| S55.209A | Unspecified injury of vein at forearm level, unspecified arm, initial encounter                    |
| S55.211A | Laceration of vein at forearm level, right arm, initial encounter                                  |
| S55.212A | Laceration of vein at forearm level, left arm, initial encounter                                   |
| S55.219A | Laceration of vein at forearm level, unspecified arm, initial encounter                            |
| S55.291A | Other specified injury of vein at forearm level, right arm, initial encounter                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S55.292A | Other specified injury of vein at forearm level, left arm, initial encounter                            |
| S55.299A | Other specified injury of vein at forearm level, unspecified arm, initial encounter                     |
| S55.801A | Unspecified injury of other blood vessels at forearm level, right arm, initial encounter                |
| S55.802A | Unspecified injury of other blood vessels at forearm level, left arm, initial encounter                 |
| S55.809A | Unspecified injury of other blood vessels at forearm level, unspecified arm, initial encounter          |
| S55.811A | Laceration of other blood vessels at forearm level, right arm, initial encounter                        |
| S55.812A | Laceration of other blood vessels at forearm level, left arm, initial encounter                         |
| S55.819A | Laceration of other blood vessels at forearm level, unspecified arm, initial encounter                  |
| S55.891A | Other specified injury of other blood vessels at forearm level, right arm, initial encounter            |
| S55.892A | Other specified injury of other blood vessels at forearm level, left arm, initial encounter             |
| S55.899A | Other specified injury of other blood vessels at forearm level, unspecified arm, initial encounter      |
| S55.901A | Unspecified injury of unspecified blood vessel at forearm level, right arm, initial encounter           |
| S55.902A | Unspecified injury of unspecified blood vessel at forearm level, left arm, initial encounter            |
| S55.909A | Unspecified injury of unspecified blood vessel at forearm level, unspecified arm, initial encounter     |
| S55.911A | Laceration of unspecified blood vessel at forearm level, right arm, initial encounter                   |
| S55.912A | Laceration of unspecified blood vessel at forearm level, left arm, initial encounter                    |
| S55.919A | Laceration of unspecified blood vessel at forearm level, unspecified arm, initial encounter             |
| S55.991A | Other specified injury of unspecified blood vessel at forearm level, right arm, initial encounter       |
| S55.992A | Other specified injury of unspecified blood vessel at forearm level, left arm, initial encounter        |
| S55.999A | Other specified injury of unspecified blood vessel at forearm level, unspecified arm, initial encounter |
| S57.00XA | Crushing injury of unspecified elbow, initial encounter   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S57.01XA | Crushing injury of right elbow, initial encounter                                |
| S57.02XA | Crushing injury of left elbow, initial encounter                                 |
| S57.80XA | Crushing injury of unspecified forearm, initial encounter                        |
| S57.81XA | Crushing injury of right forearm, initial encounter                              |
| S57.82XA | Crushing injury of left forearm, initial encounter                               |
| S60.00XA | Contusion of unspecified finger without damage to nail, initial encounter        |
| S60.011A | Contusion of right thumb without damage to nail, initial encounter               |
| S60.012A | Contusion of left thumb without damage to nail, initial encounter                |
| S60.019A | Contusion of unspecified thumb without damage to nail, initial encounter         |
| S60.021A | Contusion of right index finger without damage to nail, initial encounter        |
| S60.022A | Contusion of left index finger without damage to nail, initial encounter         |
| S60.029A | Contusion of unspecified index finger without damage to nail, initial encounter  |
| S60.031A | Contusion of right middle finger without damage to nail, initial encounter       |
| S60.032A | Contusion of left middle finger without damage to nail, initial encounter        |
| S60.039A | Contusion of unspecified middle finger without damage to nail, initial encounter |
| S60.041A | Contusion of right ring finger without damage to nail, initial encounter         |
| S60.042A | Contusion of left ring finger without damage to nail, initial encounter          |
| S60.049A | Contusion of unspecified ring finger without damage to nail, initial encounter   |
| S60.051A | Contusion of right little finger without damage to nail, initial encounter       |
| S60.052A | Contusion of left little finger without damage to nail, initial encounter        |
| S60.059A | Contusion of unspecified little finger without damage to nail, initial encounter |
| S60.10XA | Contusion of unspecified finger with damage to nail, initial encounter           |
| S60.111A | Contusion of right thumb with damage to nail, initial encounter                  |
| S60.112A | Contusion of left thumb with damage to nail, initial encounter                   |
| S60.119A | Contusion of unspecified thumb with damage to nail, initial encounter            |
| S60.121A | Contusion of right index finger with damage to nail, initial encounter           |
| S60.122A | Contusion of left index finger with damage to nail, initial encounter            |
| S60.129A | Contusion of unspecified index finger with damage to nail, initial encounter     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S60.131A | Contusion of right middle finger with damage to nail, initial encounter                              |
| S60.132A | Contusion of left middle finger with damage to nail, initial encounter                               |
| S60.139A | Contusion of unspecified middle finger with damage to nail, initial encounter                        |
| S60.141A | Contusion of right ring finger with damage to nail, initial encounter                                |
| S60.142A | Contusion of left ring finger with damage to nail, initial encounter                                 |
| S60.149A | Contusion of unspecified ring finger with damage to nail, initial encounter                          |
| S60.151A | Contusion of right little finger with damage to nail, initial encounter                              |
| S60.152A | Contusion of left little finger with damage to nail, initial encounter                               |
| S60.159A | Contusion of unspecified little finger with damage to nail, initial encounter                        |
| S60.211A | Contusion of right wrist, initial encounter  |
| S60.212A | Contusion of left wrist, initial encounter   |
| S60.219A | Contusion of unspecified wrist, initial encounter  |
| S60.221A | Contusion of right hand, initial encounter   |
| S60.222A | Contusion of left hand, initial encounter  |
| S60.229A | Contusion of unspecified hand, initial encounter   |
| S65.001A | Unspecified injury of ulnar artery at wrist and hand level of right arm, initial encounter           |
| S65.002A | Unspecified injury of ulnar artery at wrist and hand level of left arm, initial encounter            |
| S65.009A | Unspecified injury of ulnar artery at wrist and hand level of unspecified arm, initial encounter     |
| S65.011A | Laceration of ulnar artery at wrist and hand level of right arm, initial encounter                   |
| S65.012A | Laceration of ulnar artery at wrist and hand level of left arm, initial encounter                    |
| S65.019A | Laceration of ulnar artery at wrist and hand level of unspecified arm, initial encounter             |
| S65.091A | Other specified injury of ulnar artery at wrist and hand level of right arm, initial encounter       |
| S65.092A | Other specified injury of ulnar artery at wrist and hand level of left arm, initial encounter        |
| S65.099A | Other specified injury of ulnar artery at wrist and hand level of unspecified arm, initial encounter |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S65.101A | Unspecified injury of radial artery at wrist and hand level of right arm, initial encounter           |
| S65.102A | Unspecified injury of radial artery at wrist and hand level of left arm, initial encounter            |
| S65.109A | Unspecified injury of radial artery at wrist and hand level of unspecified arm, initial encounter     |
| S65.111A | Laceration of radial artery at wrist and hand level of right arm, initial encounter                   |
| S65.112A | Laceration of radial artery at wrist and hand level of left arm, initial encounter                    |
| S65.119A | Laceration of radial artery at wrist and hand level of unspecified arm, initial encounter             |
| S65.191A | Other specified injury of radial artery at wrist and hand level of right arm, initial encounter       |
| S65.192A | Other specified injury of radial artery at wrist and hand level of left arm, initial encounter        |
| S65.199A | Other specified injury of radial artery at wrist and hand level of unspecified arm, initial encounter |
| S65.201A | Unspecified injury of superficial palmar arch of right hand, initial encounter                        |
| S65.202A | Unspecified injury of superficial palmar arch of left hand, initial encounter                         |
| S65.209A | Unspecified injury of superficial palmar arch of unspecified hand, initial encounter                  |
| S65.211A | Laceration of superficial palmar arch of right hand, initial encounter                                |
| S65.212A | Laceration of superficial palmar arch of left hand, initial encounter                                 |
| S65.219A | Laceration of superficial palmar arch of unspecified hand, initial encounter                          |
| S65.291A | Other specified injury of superficial palmar arch of right hand, initial encounter                    |
| S65.292A | Other specified injury of superficial palmar arch of left hand, initial encounter                     |
| S65.299A | Other specified injury of superficial palmar arch of unspecified hand, initial encounter              |
| S65.301A | Unspecified injury of deep palmar arch of right hand, initial encounter                               |
| S65.302A | Unspecified injury of deep palmar arch of left hand, initial encounter                                |
| S65.309A | Unspecified injury of deep palmar arch of unspecified hand, initial encounter                         |
| S65.311A | Laceration of deep palmar arch of right hand, initial encounter                                       |
| S65.312A | Laceration of deep palmar arch of left hand, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S65.319A    | Laceration of deep palmar arch of unspecified hand, initial encounter             |
| S65.391A    | Other specified injury of deep palmar arch of right hand, initial encounter       |
| S65.392A    | Other specified injury of deep palmar arch of left hand, initial encounter        |
| S65.399A    | Other specified injury of deep palmar arch of unspecified hand, initial encounter |
| S65.401A    | Unspecified injury of blood vessel of right thumb, initial encounter              |
| S65.402A    | Unspecified injury of blood vessel of left thumb, initial encounter               |
| S65.409A    | Unspecified injury of blood vessel of unspecified thumb, initial encounter        |
| S65.411A    | Laceration of blood vessel of right thumb, initial encounter                      |
| S65.412A    | Laceration of blood vessel of left thumb, initial encounter                       |
| S65.419A    | Laceration of blood vessel of unspecified thumb, initial encounter                |
| S65.491A    | Other specified injury of blood vessel of right thumb, initial encounter          |
| S65.492A    | Other specified injury of blood vessel of left thumb, initial encounter           |
| S65.499A    | Other specified injury of blood vessel of unspecified thumb, initial encounter    |
| S65.500A    | Unspecified injury of blood vessel of right index finger, initial encounter       |
| S65.501A    | Unspecified injury of blood vessel of left index finger, initial encounter        |
| S65.502A    | Unspecified injury of blood vessel of right middle finger, initial encounter      |
| S65.503A    | Unspecified injury of blood vessel of left middle finger, initial encounter       |
| S65.504A    | Unspecified injury of blood vessel of right ring finger, initial encounter        |
| S65.505A    | Unspecified injury of blood vessel of left ring finger, initial encounter         |
| S65.506A    | Unspecified injury of blood vessel of right little finger, initial encounter      |
| S65.507A    | Unspecified injury of blood vessel of left little finger, initial encounter       |
| S65.508A    | Unspecified injury of blood vessel of other finger, initial encounter             |
| S65.509A    | Unspecified injury of blood vessel of unspecified finger, initial encounter       |
| S65.510A    | Laceration of blood vessel of right index finger, initial encounter               |
| S65.511A    | Laceration of blood vessel of left index finger, initial encounter                |
| S65.512A    | Laceration of blood vessel of right middle finger, initial encounter              |
| S65.513A    | Laceration of blood vessel of left middle finger, initial encounter               |
| S65.514A    | Laceration of blood vessel of right ring finger, initial encounter                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S65.515A | Laceration of blood vessel of left ring finger, initial encounter                                       |
| S65.516A | Laceration of blood vessel of right little finger, initial encounter                                    |
| S65.517A | Laceration of blood vessel of left little finger, initial encounter                                     |
| S65.518A | Laceration of blood vessel of other finger, initial encounter   |
| S65.519A | Laceration of blood vessel of unspecified finger, initial encounter                                     |
| S65.590A | Other specified injury of blood vessel of right index finger, initial encounter                         |
| S65.591A | Other specified injury of blood vessel of left index finger, initial encounter                          |
| S65.592A | Other specified injury of blood vessel of right middle finger, initial encounter                        |
| S65.593A | Other specified injury of blood vessel of left middle finger, initial encounter                         |
| S65.594A | Other specified injury of blood vessel of right ring finger, initial encounter                          |
| S65.595A | Other specified injury of blood vessel of left ring finger, initial encounter                           |
| S65.596A | Other specified injury of blood vessel of right little finger, initial encounter                        |
| S65.597A | Other specified injury of blood vessel of left little finger, initial encounter                         |
| S65.598A | Other specified injury of blood vessel of other finger, initial encounter                               |
| S65.599A | Other specified injury of blood vessel of unspecified finger, initial encounter                         |
| S65.801A | Unspecified injury of other blood vessels at wrist and hand level of right arm, initial encounter       |
| S65.802A | Unspecified injury of other blood vessels at wrist and hand level of left arm, initial encounter        |
| S65.809A | Unspecified injury of other blood vessels at wrist and hand level of unspecified arm, initial encounter |
| S65.811A | Laceration of other blood vessels at wrist and hand level of right arm, initial encounter               |
| S65.812A | Laceration of other blood vessels at wrist and hand level of left arm, initial encounter                |
| S65.819A | Laceration of other blood vessels at wrist and hand level of unspecified arm, initial encounter         |
| S65.891A | Other specified injury of other blood vessels at wrist and hand level of right arm, initial encounter   |
| S65.892A | Other specified injury of other blood vessels at wrist and hand level of left arm, initial encounter    |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S65.899A    | Other specified injury of other blood vessels at wrist and hand level of unspecified arm, initial encounter  |
| S65.901A    | Unspecified injury of unspecified blood vessel at wrist and hand level of right arm, initial encounter       |
| S65.902A    | Unspecified injury of unspecified blood vessel at wrist and hand level of left arm, initial encounter        |
| S65.909A    | Unspecified injury of unspecified blood vessel at wrist and hand level of unspecified arm, initial encounter |
| S65.911A    | Laceration of unspecified blood vessel at wrist and hand level of right arm, initial encounter               |
| S65.912A    | Laceration of unspecified blood vessel at wrist and hand level of left arm, initial encounter                |
| S65.919A    | Laceration of unspecified blood vessel at wrist and hand level of unspecified arm, initial encounter         |
| S65.991A    | Other specified injury of unspecified blood vessel at wrist and hand of right arm, initial encounter         |
| S65.992A    | Other specified injury of unspecified blood vessel at wrist and hand of left arm, initial encounter          |
| S65.999A    | Other specified injury of unspecified blood vessel at wrist and hand of unspecified arm, initial encounter   |
| S67.00XA    | Crushing injury of unspecified thumb, initial encounter  |
| S67.01XA    | Crushing injury of right thumb, initial encounter  |
| S67.02XA    | Crushing injury of left thumb, initial encounter   |
| S67.10XA    | Crushing injury of unspecified finger(s), initial encounter  |
| S67.190A    | Crushing injury of right index finger, initial encounter   |
| S67.191A    | Crushing injury of left index finger, initial encounter  |
| S67.192A    | Crushing injury of right middle finger, initial encounter  |
| S67.193A    | Crushing injury of left middle finger, initial encounter   |
| S67.194A    | Crushing injury of right ring finger, initial encounter  |
| S67.195A    | Crushing injury of left ring finger, initial encounter   |
| S67.196A    | Crushing injury of right little finger, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S67.197A | Crushing injury of left little finger, initial encounter  |
| S67.198A | Crushing injury of other finger, initial encounter  |
| S67.20XA | Crushing injury of unspecified hand, initial encounter  |
| S67.21XA | Crushing injury of right hand, initial encounter  |
| S67.22XA | Crushing injury of left hand, initial encounter   |
| S67.30XA | Crushing injury of unspecified wrist, initial encounter   |
| S67.31XA | Crushing injury of right wrist, initial encounter   |
| S67.32XA | Crushing injury of left wrist, initial encounter  |
| S67.40XA | Crushing injury of unspecified wrist and hand, initial encounter  |
| S67.41XA | Crushing injury of right wrist and hand, initial encounter  |
| S67.42XA | Crushing injury of left wrist and hand, initial encounter   |
| S67.90XA | Crushing injury of unspecified part(s) of unspecified wrist, hand and fingers, initial encounter                  |
| S67.91XA | Crushing injury of unspecified part(s) of right wrist, hand and fingers, initial encounter                        |
| S67.92XA | Crushing injury of unspecified part(s) of left wrist, hand and fingers, initial encounter                         |
| S70.00XA | Contusion of unspecified hip, initial encounter   |
| S70.01XA | Contusion of right hip, initial encounter   |
| S70.02XA | Contusion of left hip, initial encounter  |
| S70.10XA | Contusion of unspecified thigh, initial encounter   |
| S70.11XA | Contusion of right thigh, initial encounter   |
| S70.12XA | Contusion of left thigh, initial encounter  |
| S72.001A | Fracture of unspecified part of neck of right femur, initial encounter for closed fracture                        |
| S72.001B | Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II             |
| S72.001C | Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.002A | Fracture of unspecified part of neck of left femur, initial encounter for closed fracture                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.002B    | Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II                              |
| S72.002C    | Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S72.009A    | Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture                                  |
| S72.009B    | Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II                       |
| S72.009C    | Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.011A    | Unspecified intracapsular fracture of right femur, initial encounter for closed fracture  |
| S72.011B    | Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II                               |
| S72.011C    | Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                   |
| S72.012A    | Unspecified intracapsular fracture of left femur, initial encounter for closed fracture   |
| S72.012B    | Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II                                |
| S72.012C    | Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                    |
| S72.019A    | Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture                                    |
| S72.019B    | Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II                         |
| S72.019C    | Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.021A    | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture                        |
| S72.021B    | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II             |
| S72.021C    | Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.022A    | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture                                  |
| S72.022B    | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II                       |
| S72.022C    | Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.023A    | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture                           |
| S72.023B    | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II                |
| S72.023C    | Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.024A    | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture                              |
| S72.024B    | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II                   |
| S72.024C    | Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.025A    | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture                               |
| S72.025B    | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II                    |
| S72.025C    | Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.026A    | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture                        |
| S72.026B    | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II             |
| S72.026C    | Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.031A    | Displaced midcervical fracture of right femur, initial encounter for closed fracture   |
| S72.031B    | Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.031C | Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S72.032A | Displaced midcervical fracture of left femur, initial encounter for closed fracture                                  |
| S72.032B | Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II                       |
| S72.032C | Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.033A | Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture                           |
| S72.033B | Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II                |
| S72.033C | Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.034A | Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture                              |
| S72.034B | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II                   |
| S72.034C | Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.035A | Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture                               |
| S72.035B | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II                    |
| S72.035C | Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.036A | Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture                        |
| S72.036B | Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II             |
| S72.036C | Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.041A | Displaced fracture of base of neck of right femur, initial encounter for closed fracture                             |
| S72.041B | Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.041C    | Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S72.042A    | Displaced fracture of base of neck of left femur, initial encounter for closed fracture                                  |
| S72.042B    | Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II                       |
| S72.042C    | Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.043A    | Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture                           |
| S72.043B    | Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II                |
| S72.043C    | Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.044A    | Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture                              |
| S72.044B    | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II                   |
| S72.044C    | Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.045A    | Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture                               |
| S72.045B    | Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II                    |
| S72.045C    | Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.046A    | Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture                        |
| S72.046B    | Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II             |
| S72.046C    | Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.051A    | Unspecified fracture of head of right femur, initial encounter for closed fracture                                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.051B | Unspecified fracture of head of right femur, initial encounter for open fracture type I or II                           |
| S72.051C | Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S72.052A | Unspecified fracture of head of left femur, initial encounter for closed fracture                                       |
| S72.052B | Unspecified fracture of head of left femur, initial encounter for open fracture type I or II                            |
| S72.052C | Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S72.059A | Unspecified fracture of head of unspecified femur, initial encounter for closed fracture                                |
| S72.059B | Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II                     |
| S72.059C | Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S72.061A | Displaced articular fracture of head of right femur, initial encounter for closed fracture                              |
| S72.061B | Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II                   |
| S72.061C | Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.062A | Displaced articular fracture of head of left femur, initial encounter for closed fracture                               |
| S72.062B | Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II                    |
| S72.062C | Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.063A | Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture                        |
| S72.063B | Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II             |
| S72.063C | Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.064A    | Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture                              |
| S72.064B    | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II                   |
| S72.064C    | Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.065A    | Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture                               |
| S72.065B    | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II                    |
| S72.065C    | Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.066A    | Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture                        |
| S72.066B    | Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II             |
| S72.066C    | Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.091A    | Other fracture of head and neck of right femur, initial encounter for closed fracture                                      |
| S72.091B    | Other fracture of head and neck of right femur, initial encounter for open fracture type I or II                           |
| S72.091C    | Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S72.092A    | Other fracture of head and neck of left femur, initial encounter for closed fracture                                       |
| S72.092B    | Other fracture of head and neck of left femur, initial encounter for open fracture type I or II                            |
| S72.092C    | Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S72.099A    | Other fracture of head and neck of unspecified femur, initial encounter for closed fracture                                |
| S72.099B    | Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.099C | Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.101A | Unspecified trochanteric fracture of right femur, initial encounter for closed fracture                               |
| S72.101B | Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II                    |
| S72.101C | Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.102A | Unspecified trochanteric fracture of left femur, initial encounter for closed fracture                                |
| S72.102B | Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II                     |
| S72.102C | Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S72.109A | Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture                         |
| S72.109B | Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II              |
| S72.109C | Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S72.111A | Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture                        |
| S72.111B | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II             |
| S72.111C | Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.112A | Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture                         |
| S72.112B | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II              |
| S72.112C | Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S72.113A | Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.113B | Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II                |
| S72.113C | Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.114A | Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture                              |
| S72.114B | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II                   |
| S72.114C | Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.115A | Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture                               |
| S72.115B | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II                    |
| S72.115C | Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.116A | Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture                        |
| S72.116B | Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II             |
| S72.116C | Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.121A | Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture                                  |
| S72.121B | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II                       |
| S72.121C | Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.122A | Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture                                   |
| S72.122B | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.122C | Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.123A | Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture                           |
| S72.123B | Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II                |
| S72.123C | Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.124A | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture                              |
| S72.124B | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II                   |
| S72.124C | Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.125A | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture                               |
| S72.125B | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II                    |
| S72.125C | Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.126A | Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture                        |
| S72.126B | Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II             |
| S72.126C | Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.131A | Displaced apophyseal fracture of right femur, initial encounter for closed fracture   |
| S72.131B | Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II                                |
| S72.131C | Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                    |
| S72.132A | Displaced apophyseal fracture of left femur, initial encounter for closed fracture  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.132B | Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II                       |
| S72.132C | Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.133A | Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture                           |
| S72.133B | Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II                |
| S72.133C | Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.134A | Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture                              |
| S72.134B | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II                   |
| S72.134C | Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.135A | Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture                               |
| S72.135B | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II                    |
| S72.135C | Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.136A | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture                        |
| S72.136B | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II             |
| S72.136C | Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.141A | Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture                          |
| S72.141B | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II               |
| S72.141C | Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S72.142A | Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture                           |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.142B    | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II                       |
| S72.142C    | Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.143A    | Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture                           |
| S72.143B    | Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II                |
| S72.143C    | Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.144A    | Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture                              |
| S72.144B    | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II                   |
| S72.144C    | Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.145A    | Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture                               |
| S72.145B    | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II                    |
| S72.145C    | Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.146A    | Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture                        |
| S72.146B    | Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II             |
| S72.146C    | Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.21XA    | Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture                                   |
| S72.21XB    | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.21XC    | Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S72.22XA    | Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture                                  |
| S72.22XB    | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II                       |
| S72.22XC    | Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.23XA    | Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture                           |
| S72.23XB    | Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II                |
| S72.23XC    | Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.24XA    | Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture                              |
| S72.24XB    | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II                   |
| S72.24XC    | Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.25XA    | Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture                               |
| S72.25XB    | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II                    |
| S72.25XC    | Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.26XA    | Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture                        |
| S72.26XB    | Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II             |
| S72.26XC    | Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.301A    | Unspecified fracture of shaft of right femur, initial encounter for closed fracture                                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.301B    | Unspecified fracture of shaft of right femur, initial encounter for open fracture type I or II                            |
| S72.301C    | Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S72.302A    | Unspecified fracture of shaft of left femur, initial encounter for closed fracture  |
| S72.302B    | Unspecified fracture of shaft of left femur, initial encounter for open fracture type I or II                             |
| S72.302C    | Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S72.309A    | Unspecified fracture of shaft of unspecified femur, initial encounter for closed fracture                                 |
| S72.309B    | Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                      |
| S72.309C    | Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S72.321A    | Displaced transverse fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.321B    | Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.321C    | Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.322A    | Displaced transverse fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.322B    | Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.322C    | Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.323A    | Displaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.323B    | Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.323C    | Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.324A    | Nondisplaced transverse fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.324B    | Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.324C    | Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.325A    | Nondisplaced transverse fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.325B    | Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.325C    | Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.326A    | Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.326B    | Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.326C    | Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.331A    | Displaced oblique fracture of shaft of right femur, initial encounter for closed fracture                                    |
| S72.331B    | Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II                         |
| S72.331C    | Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.332A    | Displaced oblique fracture of shaft of left femur, initial encounter for closed fracture                                     |
| S72.332B    | Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II                          |
| S72.332C    | Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S72.333A    | Displaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture                              |
| S72.333B    | Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.333C    | Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.334A    | Nondisplaced oblique fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.334B    | Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.334C    | Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.335A    | Nondisplaced oblique fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.335B    | Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.335C    | Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.336A    | Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.336B    | Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.336C    | Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.341A    | Displaced spiral fracture of shaft of right femur, initial encounter for closed fracture                                  |
| S72.341B    | Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II                       |
| S72.341C    | Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.342A    | Displaced spiral fracture of shaft of left femur, initial encounter for closed fracture                                   |
| S72.342B    | Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II                        |
| S72.342C    | Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S72.343A    | Displaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.343B | Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                |
| S72.343C | Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.344A | Nondisplaced spiral fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.344B | Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.344C | Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.345A | Nondisplaced spiral fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.345B | Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.345C | Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.346A | Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.346B | Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.346C | Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.351A | Displaced comminuted fracture of shaft of right femur, initial encounter for closed fracture                             |
| S72.351B | Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II                  |
| S72.351C | Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S72.352A | Displaced comminuted fracture of shaft of left femur, initial encounter for closed fracture                              |
| S72.352B | Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II                   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.352C    | Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.353A    | Displaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture                           |
| S72.353B    | Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                |
| S72.353C    | Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.354A    | Nondisplaced comminuted fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.354B    | Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.354C    | Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.355A    | Nondisplaced comminuted fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.355B    | Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.355C    | Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.356A    | Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.356B    | Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.356C    | Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.361A    | Displaced segmental fracture of shaft of right femur, initial encounter for closed fracture                                  |
| S72.361B    | Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II                       |
| S72.361C    | Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.362A    | Displaced segmental fracture of shaft of left femur, initial encounter for closed fracture                                  |
| S72.362B    | Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II                       |
| S72.362C    | Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.363A    | Displaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture                           |
| S72.363B    | Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                |
| S72.363C    | Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.364A    | Nondisplaced segmental fracture of shaft of right femur, initial encounter for closed fracture                              |
| S72.364B    | Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II                   |
| S72.364C    | Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.365A    | Nondisplaced segmental fracture of shaft of left femur, initial encounter for closed fracture                               |
| S72.365B    | Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II                    |
| S72.365C    | Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.366A    | Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture                        |
| S72.366B    | Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II             |
| S72.366C    | Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.391A    | Other fracture of shaft of right femur, initial encounter for closed fracture   |
| S72.391B    | Other fracture of shaft of right femur, initial encounter for open fracture type I or II                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.391C | Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                             |
| S72.392A | Other fracture of shaft of left femur, initial encounter for closed fracture   |
| S72.392B | Other fracture of shaft of left femur, initial encounter for open fracture type I or II  |
| S72.392C | Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                              |
| S72.399A | Other fracture of shaft of unspecified femur, initial encounter for closed fracture  |
| S72.399B | Other fracture of shaft of unspecified femur, initial encounter for open fracture type I or II                                   |
| S72.399C | Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                       |
| S72.401A | Unspecified fracture of lower end of right femur, initial encounter for closed fracture  |
| S72.401B | Unspecified fracture of lower end of right femur, initial encounter for open fracture type I or II                               |
| S72.401C | Unspecified fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                   |
| S72.402A | Unspecified fracture of lower end of left femur, initial encounter for closed fracture   |
| S72.402B | Unspecified fracture of lower end of left femur, initial encounter for open fracture type I or II                                |
| S72.402C | Unspecified fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                    |
| S72.409A | Unspecified fracture of lower end of unspecified femur, initial encounter for closed fracture                                    |
| S72.409B | Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type I or II                         |
| S72.409C | Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.411A | Displaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture                        |
| S72.411B | Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II             |
| S72.411C | Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.412A    | Displaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture                                  |
| S72.412B    | Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II                       |
| S72.412C    | Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.413A    | Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture                           |
| S72.413B    | Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II                |
| S72.413C    | Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.414A    | Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture                              |
| S72.414B    | Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II                   |
| S72.414C    | Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.415A    | Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture                               |
| S72.415B    | Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II                    |
| S72.415C    | Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.416A    | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture                        |
| S72.416B    | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II             |
| S72.416C    | Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.421A    | Displaced fracture of lateral condyle of right femur, initial encounter for closed fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.421B    | Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II                   |
| S72.421C    | Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.422A    | Displaced fracture of lateral condyle of left femur, initial encounter for closed fracture                               |
| S72.422B    | Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II                    |
| S72.422C    | Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.423A    | Displaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture                        |
| S72.423B    | Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II             |
| S72.423C    | Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.424A    | Nondisplaced fracture of lateral condyle of right femur, initial encounter for closed fracture                           |
| S72.424B    | Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II                |
| S72.424C    | Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.425A    | Nondisplaced fracture of lateral condyle of left femur, initial encounter for closed fracture                            |
| S72.425B    | Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II                 |
| S72.425C    | Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S72.426A    | Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture                     |
| S72.426B    | Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.426C    | Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.431A    | Displaced fracture of medial condyle of right femur, initial encounter for closed fracture                                  |
| S72.431B    | Displaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II                       |
| S72.431C    | Displaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S72.432A    | Displaced fracture of medial condyle of left femur, initial encounter for closed fracture                                   |
| S72.432B    | Displaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II                        |
| S72.432C    | Displaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S72.433A    | Displaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture                            |
| S72.433B    | Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II                 |
| S72.433C    | Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S72.434A    | Nondisplaced fracture of medial condyle of right femur, initial encounter for closed fracture                               |
| S72.434B    | Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II                    |
| S72.434C    | Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.435A    | Nondisplaced fracture of medial condyle of left femur, initial encounter for closed fracture                                |
| S72.435B    | Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II                     |
| S72.435C    | Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.436A    | Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture                                   |
| S72.436B    | Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II                        |
| S72.436C    | Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S72.441A    | Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture                              |
| S72.441B    | Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II                   |
| S72.441C    | Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.442A    | Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture                               |
| S72.442B    | Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II                    |
| S72.442C    | Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.443A    | Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture                        |
| S72.443B    | Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II             |
| S72.443C    | Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.444A    | Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture                           |
| S72.444B    | Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II                |
| S72.444C    | Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S72.445A    | Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S72.445B    | Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II  |
| S72.445C    | Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                                |
| S72.446A    | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture  |
| S72.446B    | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II                                     |
| S72.446C    | Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                         |
| S72.451A    | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture                              |
| S72.451B    | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II                   |
| S72.451C    | Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.452A    | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture                               |
| S72.452B    | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II                    |
| S72.452C    | Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.453A    | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture                        |
| S72.453B    | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II             |
| S72.453C    | Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.454A    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture                           |
| S72.454B    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S72.454C    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.455A    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture                               |
| S72.455B    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II                    |
| S72.455C    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.456A    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture                        |
| S72.456B    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II             |
| S72.456C    | Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.461A    | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture                                    |
| S72.461B    | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II                         |
| S72.461C    | Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.462A    | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture                                     |
| S72.462B    | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II                          |
| S72.462C    | Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S72.463A    | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture                              |
| S72.463B    | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II                   |
| S72.463C    | Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.464A | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture                              |
| S72.464B | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II                   |
| S72.464C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S72.465A | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture                               |
| S72.465B | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II                    |
| S72.465C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S72.466A | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture                        |
| S72.466B | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II             |
| S72.466C | Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S72.471A | Torus fracture of lower end of right femur, initial encounter for closed fracture  |
| S72.472A | Torus fracture of lower end of left femur, initial encounter for closed fracture   |
| S72.479A | Torus fracture of lower end of unspecified femur, initial encounter for closed fracture  |
| S72.491A | Other fracture of lower end of right femur, initial encounter for closed fracture  |
| S72.491B | Other fracture of lower end of right femur, initial encounter for open fracture type I or II   |
| S72.491C | Other fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S72.492A | Other fracture of lower end of left femur, initial encounter for closed fracture   |
| S72.492B | Other fracture of lower end of left femur, initial encounter for open fracture type I or II  |
| S72.492C | Other fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S72.499A | Other fracture of lower end of unspecified femur, initial encounter for closed fracture  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S72.499B | Other fracture of lower end of unspecified femur, initial encounter for open fracture type I or II                  |
| S72.499C | Other fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S72.8X1A | Other fracture of right femur, initial encounter for closed fracture  |
| S72.8X1B | Other fracture of right femur, initial encounter for open fracture type I or II                                     |
| S72.8X1C | Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                         |
| S72.8X2A | Other fracture of left femur, initial encounter for closed fracture   |
| S72.8X2B | Other fracture of left femur, initial encounter for open fracture type I or II                                      |
| S72.8X2C | Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                          |
| S72.8X9A | Other fracture of unspecified femur, initial encounter for closed fracture  |
| S72.8X9B | Other fracture of unspecified femur, initial encounter for open fracture type I or II                               |
| S72.8X9C | Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                   |
| S72.90XA | Unspecified fracture of unspecified femur, initial encounter for closed fracture                                    |
| S72.90XB | Unspecified fracture of unspecified femur, initial encounter for open fracture type I or II                         |
| S72.90XC | Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S72.90XE | Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing |
| S72.91XA | Unspecified fracture of right femur, initial encounter for closed fracture  |
| S72.91XB | Unspecified fracture of right femur, initial encounter for open fracture type I or II                               |
| S72.91XC | Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                   |
| S72.91XE | Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing       |
| S72.92XA | Unspecified fracture of left femur, initial encounter for closed fracture   |
| S72.92XB | Unspecified fracture of left femur, initial encounter for open fracture type I or II                                |
| S72.92XC | Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S72.92XE | Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with routine healing |
| S75.001A | Unspecified injury of femoral artery, right leg, initial encounter   |
| S75.002A | Unspecified injury of femoral artery, left leg, initial encounter  |
| S75.009A | Unspecified injury of femoral artery, unspecified leg, initial encounter                                     |
| S75.011A | Minor laceration of femoral artery, right leg, initial encounter   |
| S75.012A | Minor laceration of femoral artery, left leg, initial encounter  |
| S75.019A | Minor laceration of femoral artery, unspecified leg, initial encounter                                       |
| S75.021A | Major laceration of femoral artery, right leg, initial encounter   |
| S75.022A | Major laceration of femoral artery, left leg, initial encounter  |
| S75.029A | Major laceration of femoral artery, unspecified leg, initial encounter                                       |
| S75.091A | Other specified injury of femoral artery, right leg, initial encounter                                       |
| S75.092A | Other specified injury of femoral artery, left leg, initial encounter  |
| S75.099A | Other specified injury of femoral artery, unspecified leg, initial encounter                                 |
| S75.101A | Unspecified injury of femoral vein at hip and thigh level, right leg, initial encounter                      |
| S75.102A | Unspecified injury of femoral vein at hip and thigh level, left leg, initial encounter                       |
| S75.109A | Unspecified injury of femoral vein at hip and thigh level, unspecified leg, initial encounter                |
| S75.111A | Minor laceration of femoral vein at hip and thigh level, right leg, initial encounter                        |
| S75.112A | Minor laceration of femoral vein at hip and thigh level, left leg, initial encounter                         |
| S75.119A | Minor laceration of femoral vein at hip and thigh level, unspecified leg, initial encounter                  |
| S75.121A | Major laceration of femoral vein at hip and thigh level, right leg, initial encounter                        |
| S75.122A | Major laceration of femoral vein at hip and thigh level, left leg, initial encounter                         |
| S75.129A | Major laceration of femoral vein at hip and thigh level, unspecified leg, initial encounter                  |
| S75.191A | Other specified injury of femoral vein at hip and thigh level, right leg, initial encounter                  |
| S75.192A | Other specified injury of femoral vein at hip and thigh level, left leg, initial encounter                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S75.199A    | Other specified injury of femoral vein at hip and thigh level, unspecified leg, initial encounter           |
| S75.201A    | Unspecified injury of greater saphenous vein at hip and thigh level, right leg, initial encounter           |
| S75.202A    | Unspecified injury of greater saphenous vein at hip and thigh level, left leg, initial encounter            |
| S75.209A    | Unspecified injury of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter     |
| S75.211A    | Minor laceration of greater saphenous vein at hip and thigh level, right leg, initial encounter             |
| S75.212A    | Minor laceration of greater saphenous vein at hip and thigh level, left leg, initial encounter              |
| S75.219A    | Minor laceration of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter       |
| S75.221A    | Major laceration of greater saphenous vein at hip and thigh level, right leg, initial encounter             |
| S75.222A    | Major laceration of greater saphenous vein at hip and thigh level, left leg, initial encounter              |
| S75.229A    | Major laceration of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter       |
| S75.291A    | Other specified injury of greater saphenous vein at hip and thigh level, right leg, initial encounter       |
| S75.292A    | Other specified injury of greater saphenous vein at hip and thigh level, left leg, initial encounter        |
| S75.299A    | Other specified injury of greater saphenous vein at hip and thigh level, unspecified leg, initial encounter |
| S75.801A    | Unspecified injury of other blood vessels at hip and thigh level, right leg, initial encounter              |
| S75.802A    | Unspecified injury of other blood vessels at hip and thigh level, left leg, initial encounter               |
| S75.809A    | Unspecified injury of other blood vessels at hip and thigh level, unspecified leg, initial encounter        |
| S75.811A    | Laceration of other blood vessels at hip and thigh level, right leg, initial encounter                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S75.812A    | Laceration of other blood vessels at hip and thigh level, left leg, initial encounter                         |
| S75.819A    | Laceration of other blood vessels at hip and thigh level, unspecified leg, initial encounter                  |
| S75.891A    | Other specified injury of other blood vessels at hip and thigh level, right leg, initial encounter            |
| S75.892A    | Other specified injury of other blood vessels at hip and thigh level, left leg, initial encounter             |
| S75.899A    | Other specified injury of other blood vessels at hip and thigh level, unspecified leg, initial encounter      |
| S75.901A    | Unspecified injury of unspecified blood vessel at hip and thigh level, right leg, initial encounter           |
| S75.902A    | Unspecified injury of unspecified blood vessel at hip and thigh level, left leg, initial encounter            |
| S75.909A    | Unspecified injury of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter     |
| S75.911A    | Laceration of unspecified blood vessel at hip and thigh level, right leg, initial encounter                   |
| S75.912A    | Laceration of unspecified blood vessel at hip and thigh level, left leg, initial encounter                    |
| S75.919A    | Laceration of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter             |
| S75.991A    | Other specified injury of unspecified blood vessel at hip and thigh level, right leg, initial encounter       |
| S75.992A    | Other specified injury of unspecified blood vessel at hip and thigh level, left leg, initial encounter        |
| S75.999A    | Other specified injury of unspecified blood vessel at hip and thigh level, unspecified leg, initial encounter |
| S77.00XA    | Crushing injury of unspecified hip, initial encounter   |
| S77.01XA    | Crushing injury of right hip, initial encounter   |
| S77.02XA    | Crushing injury of left hip, initial encounter  |
| S77.10XA    | Crushing injury of unspecified thigh, initial encounter   |
| S77.11XA    | Crushing injury of right thigh, initial encounter   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S77.12XA    | Crushing injury of left thigh, initial encounter   |
| S77.20XA    | Crushing injury of unspecified hip with thigh, initial encounter   |
| S77.21XA    | Crushing injury of right hip with thigh, initial encounter   |
| S77.22XA    | Crushing injury of left hip with thigh, initial encounter  |
| S79.001A    | Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture                |
| S79.002A    | Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture                 |
| S79.009A    | Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture          |
| S79.011A    | Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture       |
| S79.012A    | Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture        |
| S79.019A    | Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture |
| S79.091A    | Other physeal fracture of upper end of right femur, initial encounter for closed fracture                      |
| S79.092A    | Other physeal fracture of upper end of left femur, initial encounter for closed fracture                       |
| S79.099A    | Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture                |
| S79.101A    | Unspecified physeal fracture of lower end of right femur, initial encounter for closed fracture                |
| S79.102A    | Unspecified physeal fracture of lower end of left femur, initial encounter for closed fracture                 |
| S79.109A    | Unspecified physeal fracture of lower end of unspecified femur, initial encounter for closed fracture          |
| S79.111A    | Salter-Harris Type I physeal fracture of lower end of right femur, initial encounter for closed fracture       |
| S79.112A    | Salter-Harris Type I physeal fracture of lower end of left femur, initial encounter for closed fracture        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S79.119A    | Salter-Harris Type I physeal fracture of lower end of unspecified femur, initial encounter for closed fracture   |
| S79.121A    | Salter-Harris Type II physeal fracture of lower end of right femur, initial encounter for closed fracture        |
| S79.122A    | Salter-Harris Type II physeal fracture of lower end of left femur, initial encounter for closed fracture         |
| S79.129A    | Salter-Harris Type II physeal fracture of lower end of unspecified femur, initial encounter for closed fracture  |
| S79.131A    | Salter-Harris Type III physeal fracture of lower end of right femur, initial encounter for closed fracture       |
| S79.132A    | Salter-Harris Type III physeal fracture of lower end of left femur, initial encounter for closed fracture        |
| S79.139A    | Salter-Harris Type III physeal fracture of lower end of unspecified femur, initial encounter for closed fracture |
| S79.141A    | Salter-Harris Type IV physeal fracture of lower end of right femur, initial encounter for closed fracture        |
| S79.142A    | Salter-Harris Type IV physeal fracture of lower end of left femur, initial encounter for closed fracture         |
| S79.149A    | Salter-Harris Type IV physeal fracture of lower end of unspecified femur, initial encounter for closed fracture  |
| S79.191A    | Other physeal fracture of lower end of right femur, initial encounter for closed fracture                        |
| S79.192A    | Other physeal fracture of lower end of left femur, initial encounter for closed fracture                         |
| S79.199A    | Other physeal fracture of lower end of unspecified femur, initial encounter for closed fracture                  |
| S80.00XA    | Contusion of unspecified knee, initial encounter   |
| S80.01XA    | Contusion of right knee, initial encounter   |
| S80.02XA    | Contusion of left knee, initial encounter  |
| S80.10XA    | Contusion of unspecified lower leg, initial encounter  |
| S80.11XA    | Contusion of right lower leg, initial encounter  |
| S80.12XA    | Contusion of left lower leg, initial encounter   |
| S82.101A    | Unspecified fracture of upper end of right tibia, initial encounter for closed fracture                          |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.101B    | Unspecified fracture of upper end of right tibia, initial encounter for open fracture type I or II                   |
| S82.101C    | Unspecified fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.102A    | Unspecified fracture of upper end of left tibia, initial encounter for closed fracture                               |
| S82.102B    | Unspecified fracture of upper end of left tibia, initial encounter for open fracture type I or II                    |
| S82.102C    | Unspecified fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.109A    | Unspecified fracture of upper end of unspecified tibia, initial encounter for closed fracture                        |
| S82.109B    | Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.109C    | Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.111A    | Displaced fracture of right tibial spine, initial encounter for closed fracture                                      |
| S82.111B    | Displaced fracture of right tibial spine, initial encounter for open fracture type I or II                           |
| S82.111C    | Displaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S82.112A    | Displaced fracture of left tibial spine, initial encounter for closed fracture                                       |
| S82.112B    | Displaced fracture of left tibial spine, initial encounter for open fracture type I or II                            |
| S82.112C    | Displaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.113A    | Displaced fracture of unspecified tibial spine, initial encounter for closed fracture                                |
| S82.113B    | Displaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II                     |
| S82.113C    | Displaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S82.114A    | Nondisplaced fracture of right tibial spine, initial encounter for closed fracture                                   |
| S82.114B    | Nondisplaced fracture of right tibial spine, initial encounter for open fracture type I or II                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.114C    | Nondisplaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.115A    | Nondisplaced fracture of left tibial spine, initial encounter for closed fracture  |
| S82.115B    | Nondisplaced fracture of left tibial spine, initial encounter for open fracture type I or II                             |
| S82.115C    | Nondisplaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S82.116A    | Nondisplaced fracture of unspecified tibial spine, initial encounter for closed fracture                                 |
| S82.116B    | Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II                      |
| S82.116C    | Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.121A    | Displaced fracture of lateral condyle of right tibia, initial encounter for closed fracture                              |
| S82.121B    | Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II                   |
| S82.121C    | Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.122A    | Displaced fracture of lateral condyle of left tibia, initial encounter for closed fracture                               |
| S82.122B    | Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II                    |
| S82.122C    | Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.123A    | Displaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture                        |
| S82.123B    | Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.123C    | Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.124A    | Nondisplaced fracture of lateral condyle of right tibia, initial encounter for closed fracture                           |
| S82.124B    | Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.124C    | Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.125A    | Nondisplaced fracture of lateral condyle of left tibia, initial encounter for closed fracture                               |
| S82.125B    | Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II                    |
| S82.125C    | Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.126A    | Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture                        |
| S82.126B    | Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.126C    | Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.131A    | Displaced fracture of medial condyle of right tibia, initial encounter for closed fracture                                  |
| S82.131B    | Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II                       |
| S82.131C    | Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.132A    | Displaced fracture of medial condyle of left tibia, initial encounter for closed fracture                                   |
| S82.132B    | Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II                        |
| S82.132C    | Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S82.133A    | Displaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture                            |
| S82.133B    | Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II                 |
| S82.133C    | Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S82.134A    | Nondisplaced fracture of medial condyle of right tibia, initial encounter for closed fracture                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.134B    | Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II                   |
| S82.134C    | Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.135A    | Nondisplaced fracture of medial condyle of left tibia, initial encounter for closed fracture                               |
| S82.135B    | Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II                    |
| S82.135C    | Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.136A    | Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture                        |
| S82.136B    | Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.136C    | Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.141A    | Displaced bicondylar fracture of right tibia, initial encounter for closed fracture  |
| S82.141B    | Displaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II                             |
| S82.141C    | Displaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S82.142A    | Displaced bicondylar fracture of left tibia, initial encounter for closed fracture   |
| S82.142B    | Displaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II                              |
| S82.142C    | Displaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S82.143A    | Displaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture                                  |
| S82.143B    | Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II                       |
| S82.143C    | Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.144A    | Nondisplaced bicondylar fracture of right tibia, initial encounter for closed fracture                                     |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.144B    | Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II                   |
| S82.144C    | Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.145A    | Nondisplaced bicondylar fracture of left tibia, initial encounter for closed fracture                               |
| S82.145B    | Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II                    |
| S82.145C    | Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.146A    | Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture                        |
| S82.146B    | Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.146C    | Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.151A    | Displaced fracture of right tibial tuberosity, initial encounter for closed fracture                                |
| S82.151B    | Displaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II                     |
| S82.151C    | Displaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC         |
| S82.152A    | Displaced fracture of left tibial tuberosity, initial encounter for closed fracture                                 |
| S82.152B    | Displaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II                      |
| S82.152C    | Displaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.153A    | Displaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture                          |
| S82.153B    | Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II               |
| S82.153C    | Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC   |
| S82.154A    | Nondisplaced fracture of right tibial tuberosity, initial encounter for closed fracture                             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.154B    | Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II                   |
| S82.154C    | Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.155A    | Nondisplaced fracture of left tibial tuberosity, initial encounter for closed fracture                               |
| S82.155B    | Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II                    |
| S82.155C    | Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.156A    | Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture                        |
| S82.156B    | Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II             |
| S82.156C    | Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.161A    | Torus fracture of upper end of right tibia, initial encounter for closed fracture                                    |
| S82.162A    | Torus fracture of upper end of left tibia, initial encounter for closed fracture                                     |
| S82.169A    | Torus fracture of upper end of unspecified tibia, initial encounter for closed fracture                              |
| S82.191A    | Other fracture of upper end of right tibia, initial encounter for closed fracture                                    |
| S82.191B    | Other fracture of upper end of right tibia, initial encounter for open fracture type I or II                         |
| S82.191C    | Other fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S82.192A    | Other fracture of upper end of left tibia, initial encounter for closed fracture                                     |
| S82.192B    | Other fracture of upper end of left tibia, initial encounter for open fracture type I or II                          |
| S82.192C    | Other fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S82.199A    | Other fracture of upper end of unspecified tibia, initial encounter for closed fracture                              |
| S82.199B    | Other fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II                   |
| S82.199C    | Other fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.201A    | Unspecified fracture of shaft of right tibia, initial encounter for closed fracture                                       |
| S82.201B    | Unspecified fracture of shaft of right tibia, initial encounter for open fracture type I or II                            |
| S82.201C    | Unspecified fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.202A    | Unspecified fracture of shaft of left tibia, initial encounter for closed fracture  |
| S82.202B    | Unspecified fracture of shaft of left tibia, initial encounter for open fracture type I or II                             |
| S82.202C    | Unspecified fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S82.209A    | Unspecified fracture of shaft of unspecified tibia, initial encounter for closed fracture                                 |
| S82.209B    | Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                      |
| S82.209C    | Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.221A    | Displaced transverse fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.221B    | Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.221C    | Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.222A    | Displaced transverse fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.222B    | Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.222C    | Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.223A    | Displaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.223B    | Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.223C    | Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.224A    | Nondisplaced transverse fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.224B    | Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.224C    | Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.225A    | Nondisplaced transverse fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.225B    | Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.225C    | Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.226A    | Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.226B    | Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.226C    | Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.231A    | Displaced oblique fracture of shaft of right tibia, initial encounter for closed fracture                                    |
| S82.231B    | Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II                         |
| S82.231C    | Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC             |
| S82.232A    | Displaced oblique fracture of shaft of left tibia, initial encounter for closed fracture                                     |
| S82.232B    | Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II                          |
| S82.232C    | Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC              |
| S82.233A    | Displaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture                              |
| S82.233B    | Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.233C    | Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.234A    | Nondisplaced oblique fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.234B    | Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.234C    | Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.235A    | Nondisplaced oblique fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.235B    | Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.235C    | Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.236A    | Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.236B    | Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.236C    | Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.241A    | Displaced spiral fracture of shaft of right tibia, initial encounter for closed fracture                                  |
| S82.241B    | Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II                       |
| S82.241C    | Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.242A    | Displaced spiral fracture of shaft of left tibia, initial encounter for closed fracture                                   |
| S82.242B    | Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II                        |
| S82.242C    | Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S82.243A    | Displaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.243B    | Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                |
| S82.243C    | Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.244A    | Nondisplaced spiral fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.244B    | Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.244C    | Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.245A    | Nondisplaced spiral fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.245B    | Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.245C    | Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.246A    | Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.246B    | Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.246C    | Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.251A    | Displaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture                             |
| S82.251B    | Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II                  |
| S82.251C    | Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC      |
| S82.252A    | Displaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture                              |
| S82.252B    | Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II                   |
| S82.252C    | Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.253A    | Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture                           |
| S82.253B    | Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                |
| S82.253C    | Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.254A    | Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.254B    | Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.254C    | Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.255A    | Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.255B    | Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.255C    | Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.256A    | Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.256B    | Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.256C    | Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.261A    | Displaced segmental fracture of shaft of right tibia, initial encounter for closed fracture                                  |
| S82.261B    | Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II                       |
| S82.261C    | Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.262A    | Displaced segmental fracture of shaft of left tibia, initial encounter for closed fracture                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.262B    | Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II                       |
| S82.262C    | Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.263A    | Displaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture                           |
| S82.263B    | Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                |
| S82.263C    | Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.264A    | Nondisplaced segmental fracture of shaft of right tibia, initial encounter for closed fracture                              |
| S82.264B    | Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II                   |
| S82.264C    | Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.265A    | Nondisplaced segmental fracture of shaft of left tibia, initial encounter for closed fracture                               |
| S82.265B    | Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II                    |
| S82.265C    | Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.266A    | Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture                        |
| S82.266B    | Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II             |
| S82.266C    | Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.291A    | Other fracture of shaft of right tibia, initial encounter for closed fracture   |
| S82.291B    | Other fracture of shaft of right tibia, initial encounter for open fracture type I or II                                    |
| S82.291C    | Other fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC                        |
| S82.292A    | Other fracture of shaft of left tibia, initial encounter for closed fracture  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.292B    | Other fracture of shaft of left tibia, initial encounter for open fracture type I or II                           |
| S82.292C    | Other fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S82.299A    | Other fracture of shaft of unspecified tibia, initial encounter for closed fracture                               |
| S82.299B    | Other fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II                    |
| S82.299C    | Other fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.311A    | Torus fracture of lower end of right tibia, initial encounter for closed fracture                                 |
| S82.312A    | Torus fracture of lower end of left tibia, initial encounter for closed fracture                                  |
| S82.319A    | Torus fracture of lower end of unspecified tibia, initial encounter for closed fracture                           |
| S82.401A    | Unspecified fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.401B    | Unspecified fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.401C    | Unspecified fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.402A    | Unspecified fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.402B    | Unspecified fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.402C    | Unspecified fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.409A    | Unspecified fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.409B    | Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.409C    | Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.421A    | Displaced transverse fracture of shaft of right fibula, initial encounter for closed fracture                     |
| S82.421B    | Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.421C    | Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.422A    | Displaced transverse fracture of shaft of left fibula, initial encounter for closed fracture                                  |
| S82.422B    | Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II                       |
| S82.422C    | Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.423A    | Displaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture                           |
| S82.423B    | Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II                |
| S82.423C    | Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.424A    | Nondisplaced transverse fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.424B    | Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.424C    | Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.425A    | Nondisplaced transverse fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.425B    | Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.425C    | Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.426A    | Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.426B    | Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.426C    | Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.431A    | Displaced oblique fracture of shaft of right fibula, initial encounter for closed fracture                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.431B    | Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II                      |
| S82.431C    | Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.432A    | Displaced oblique fracture of shaft of left fibula, initial encounter for closed fracture                                  |
| S82.432B    | Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II                       |
| S82.432C    | Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.433A    | Displaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture                           |
| S82.433B    | Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II                |
| S82.433C    | Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.434A    | Nondisplaced oblique fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.434B    | Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.434C    | Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.435A    | Nondisplaced oblique fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.435B    | Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.435C    | Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.436A    | Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.436B    | Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.436C    | Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.441A    | Displaced spiral fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.441B    | Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.441C    | Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.442A    | Displaced spiral fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.442B    | Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.442C    | Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.443A    | Displaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.443B    | Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.443C    | Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.444A    | Nondisplaced spiral fracture of shaft of right fibula, initial encounter for closed fracture                           |
| S82.444B    | Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II                |
| S82.444C    | Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.445A    | Nondisplaced spiral fracture of shaft of left fibula, initial encounter for closed fracture                            |
| S82.445B    | Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II                 |
| S82.445C    | Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S82.446A    | Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture                     |
| S82.446B    | Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.446C    | Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC  |
| S82.451A    | Displaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture                              |
| S82.451B    | Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II                   |
| S82.451C    | Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.452A    | Displaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture                               |
| S82.452B    | Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.452C    | Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.453A    | Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.453B    | Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.453C    | Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.454A    | Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture                           |
| S82.454B    | Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II                |
| S82.454C    | Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC    |
| S82.455A    | Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture                            |
| S82.455B    | Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II                 |
| S82.455C    | Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.456A    | Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.456B    | Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.456C    | Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.461A    | Displaced segmental fracture of shaft of right fibula, initial encounter for closed fracture                                  |
| S82.461B    | Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II                       |
| S82.461C    | Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC           |
| S82.462A    | Displaced segmental fracture of shaft of left fibula, initial encounter for closed fracture                                   |
| S82.462B    | Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II                        |
| S82.462C    | Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC            |
| S82.463A    | Displaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture                            |
| S82.463B    | Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II                 |
| S82.463C    | Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC     |
| S82.464A    | Nondisplaced segmental fracture of shaft of right fibula, initial encounter for closed fracture                               |
| S82.464B    | Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II                    |
| S82.464C    | Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.465A    | Nondisplaced segmental fracture of shaft of left fibula, initial encounter for closed fracture                                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S82.465B | Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II                    |
| S82.465C | Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.466A | Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture                        |
| S82.466B | Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.466C | Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.491A | Other fracture of shaft of right fibula, initial encounter for closed fracture   |
| S82.491B | Other fracture of shaft of right fibula, initial encounter for open fracture type I or II                                    |
| S82.491C | Other fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC                        |
| S82.492A | Other fracture of shaft of left fibula, initial encounter for closed fracture  |
| S82.492B | Other fracture of shaft of left fibula, initial encounter for open fracture type I or II                                     |
| S82.492C | Other fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC                         |
| S82.499A | Other fracture of shaft of unspecified fibula, initial encounter for closed fracture   |
| S82.499B | Other fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II                              |
| S82.499C | Other fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC                  |
| S82.811A | Torus fracture of upper end of right fibula, initial encounter for closed fracture   |
| S82.812A | Torus fracture of upper end of left fibula, initial encounter for closed fracture  |
| S82.819A | Torus fracture of upper end of unspecified fibula, initial encounter for closed fracture                                     |
| S82.821A | Torus fracture of lower end of right fibula, initial encounter for closed fracture   |
| S82.822A | Torus fracture of lower end of left fibula, initial encounter for closed fracture  |
| S82.829A | Torus fracture of lower end of unspecified fibula, initial encounter for closed fracture                                     |
| S82.831A | Other fracture of upper and lower end of right fibula, initial encounter for closed fracture                                 |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S82.831B    | Other fracture of upper and lower end of right fibula, initial encounter for open fracture type I or II                   |
| S82.831C    | Other fracture of upper and lower end of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.832A    | Other fracture of upper and lower end of left fibula, initial encounter for closed fracture                               |
| S82.832B    | Other fracture of upper and lower end of left fibula, initial encounter for open fracture type I or II                    |
| S82.832C    | Other fracture of upper and lower end of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.839A    | Other fracture of upper and lower end of unspecified fibula, initial encounter for closed fracture                        |
| S82.839B    | Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type I or II             |
| S82.839C    | Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.861A    | Displaced Maisonneuve's fracture of right leg, initial encounter for closed fracture                                      |
| S82.861B    | Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II                           |
| S82.861C    | Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC               |
| S82.862A    | Displaced Maisonneuve's fracture of left leg, initial encounter for closed fracture                                       |
| S82.862B    | Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II                            |
| S82.862C    | Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.863A    | Displaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture                                |
| S82.863B    | Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II                     |
| S82.863C    | Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S82.864A    | Nondisplaced Maisonneuve's fracture of right leg, initial encounter for closed fracture                              |
| S82.864B    | Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II                   |
| S82.864C    | Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC       |
| S82.865A    | Nondisplaced Maisonneuve's fracture of left leg, initial encounter for closed fracture                               |
| S82.865B    | Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II                    |
| S82.865C    | Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC        |
| S82.866A    | Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture                        |
| S82.866B    | Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II             |
| S82.866C    | Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC |
| S82.90XA    | Unspecified fracture of unspecified lower leg, initial encounter for closed fracture                                 |
| S82.90XB    | Unspecified fracture of unspecified lower leg, initial encounter for open fracture type I or II                      |
| S82.90XC    | Unspecified fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC          |
| S82.91XA    | Unspecified fracture of right lower leg, initial encounter for closed fracture                                       |
| S82.91XB    | Unspecified fracture of right lower leg, initial encounter for open fracture type I or II                            |
| S82.91XC    | Unspecified fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC                |
| S82.92XA    | Unspecified fracture of left lower leg, initial encounter for closed fracture  |
| S82.92XB    | Unspecified fracture of left lower leg, initial encounter for open fracture type I or II                             |
| S82.92XC    | Unspecified fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC                 |
| S85.001A    | Unspecified injury of popliteal artery, right leg, initial encounter   |
| S85.002A    | Unspecified injury of popliteal artery, left leg, initial encounter  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S85.009A    | Unspecified injury of popliteal artery, unspecified leg, initial encounter              |
| S85.011A    | Laceration of popliteal artery, right leg, initial encounter                            |
| S85.012A    | Laceration of popliteal artery, left leg, initial encounter                             |
| S85.019A    | Laceration of popliteal artery, unspecified leg, initial encounter                      |
| S85.091A    | Other specified injury of popliteal artery, right leg, initial encounter                |
| S85.092A    | Other specified injury of popliteal artery, left leg, initial encounter                 |
| S85.099A    | Other specified injury of popliteal artery, unspecified leg, initial encounter          |
| S85.101A    | Unspecified injury of unspecified tibial artery, right leg, initial encounter           |
| S85.102A    | Unspecified injury of unspecified tibial artery, left leg, initial encounter            |
| S85.109A    | Unspecified injury of unspecified tibial artery, unspecified leg, initial encounter     |
| S85.111A    | Laceration of unspecified tibial artery, right leg, initial encounter                   |
| S85.112A    | Laceration of unspecified tibial artery, left leg, initial encounter                    |
| S85.119A    | Laceration of unspecified tibial artery, unspecified leg, initial encounter             |
| S85.121A    | Other specified injury of unspecified tibial artery, right leg, initial encounter       |
| S85.122A    | Other specified injury of unspecified tibial artery, left leg, initial encounter        |
| S85.129A    | Other specified injury of unspecified tibial artery, unspecified leg, initial encounter |
| S85.131A    | Unspecified injury of anterior tibial artery, right leg, initial encounter              |
| S85.132A    | Unspecified injury of anterior tibial artery, left leg, initial encounter               |
| S85.139A    | Unspecified injury of anterior tibial artery, unspecified leg, initial encounter        |
| S85.141A    | Laceration of anterior tibial artery, right leg, initial encounter                      |
| S85.142A    | Laceration of anterior tibial artery, left leg, initial encounter                       |
| S85.149A    | Laceration of anterior tibial artery, unspecified leg, initial encounter                |
| S85.151A    | Other specified injury of anterior tibial artery, right leg, initial encounter          |
| S85.152A    | Other specified injury of anterior tibial artery, left leg, initial encounter           |
| S85.159A    | Other specified injury of anterior tibial artery, unspecified leg, initial encounter    |
| S85.161A    | Unspecified injury of posterior tibial artery, right leg, initial encounter             |
| S85.162A    | Unspecified injury of posterior tibial artery, left leg, initial encounter              |
| S85.169A    | Unspecified injury of posterior tibial artery, unspecified leg, initial encounter       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S85.171A    | Laceration of posterior tibial artery, right leg, initial encounter                                 |
| S85.172A    | Laceration of posterior tibial artery, left leg, initial encounter                                  |
| S85.179A    | Laceration of posterior tibial artery, unspecified leg, initial encounter                           |
| S85.181A    | Other specified injury of posterior tibial artery, right leg, initial encounter                     |
| S85.182A    | Other specified injury of posterior tibial artery, left leg, initial encounter                      |
| S85.189A    | Other specified injury of posterior tibial artery, unspecified leg, initial encounter               |
| S85.201A    | Unspecified injury of peroneal artery, right leg, initial encounter                                 |
| S85.202A    | Unspecified injury of peroneal artery, left leg, initial encounter                                  |
| S85.209A    | Unspecified injury of peroneal artery, unspecified leg, initial encounter                           |
| S85.211A    | Laceration of peroneal artery, right leg, initial encounter   |
| S85.212A    | Laceration of peroneal artery, left leg, initial encounter  |
| S85.219A    | Laceration of peroneal artery, unspecified leg, initial encounter                                   |
| S85.291A    | Other specified injury of peroneal artery, right leg, initial encounter                             |
| S85.292A    | Other specified injury of peroneal artery, left leg, initial encounter                              |
| S85.299A    | Other specified injury of peroneal artery, unspecified leg, initial encounter                       |
| S85.301A    | Unspecified injury of greater saphenous vein at lower leg level, right leg, initial encounter       |
| S85.302A    | Unspecified injury of greater saphenous vein at lower leg level, left leg, initial encounter        |
| S85.309A    | Unspecified injury of greater saphenous vein at lower leg level, unspecified leg, initial encounter |
| S85.311A    | Laceration of greater saphenous vein at lower leg level, right leg, initial encounter               |
| S85.312A    | Laceration of greater saphenous vein at lower leg level, left leg, initial encounter                |
| S85.319A    | Laceration of greater saphenous vein at lower leg level, unspecified leg, initial encounter         |
| S85.391A    | Other specified injury of greater saphenous vein at lower leg level, right leg, initial encounter   |
| S85.392A    | Other specified injury of greater saphenous vein at lower leg level, left leg, initial encounter    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S85.399A    | Other specified injury of greater saphenous vein at lower leg level, unspecified leg, initial encounter |
| S85.401A    | Unspecified injury of lesser saphenous vein at lower leg level, right leg, initial encounter            |
| S85.402A    | Unspecified injury of lesser saphenous vein at lower leg level, left leg, initial encounter             |
| S85.409A    | Unspecified injury of lesser saphenous vein at lower leg level, unspecified leg, initial encounter      |
| S85.411A    | Laceration of lesser saphenous vein at lower leg level, right leg, initial encounter                    |
| S85.412A    | Laceration of lesser saphenous vein at lower leg level, left leg, initial encounter                     |
| S85.419A    | Laceration of lesser saphenous vein at lower leg level, unspecified leg, initial encounter              |
| S85.491A    | Other specified injury of lesser saphenous vein at lower leg level, right leg, initial encounter        |
| S85.492A    | Other specified injury of lesser saphenous vein at lower leg level, left leg, initial encounter         |
| S85.499A    | Other specified injury of lesser saphenous vein at lower leg level, unspecified leg, initial encounter  |
| S85.501A    | Unspecified injury of popliteal vein, right leg, initial encounter                                      |
| S85.502A    | Unspecified injury of popliteal vein, left leg, initial encounter                                       |
| S85.509A    | Unspecified injury of popliteal vein, unspecified leg, initial encounter                                |
| S85.511A    | Laceration of popliteal vein, right leg, initial encounter  |
| S85.512A    | Laceration of popliteal vein, left leg, initial encounter   |
| S85.519A    | Laceration of popliteal vein, unspecified leg, initial encounter  |
| S85.591A    | Other specified injury of popliteal vein, right leg, initial encounter                                  |
| S85.592A    | Other specified injury of popliteal vein, left leg, initial encounter                                   |
| S85.599A    | Other specified injury of popliteal vein, unspecified leg, initial encounter                            |
| S85.801A    | Unspecified injury of other blood vessels at lower leg level, right leg, initial encounter              |
| S85.802A    | Unspecified injury of other blood vessels at lower leg level, left leg, initial encounter               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S85.809A    | Unspecified injury of other blood vessels at lower leg level, unspecified leg, initial encounter          |
| S85.811A    | Laceration of other blood vessels at lower leg level, right leg, initial encounter                        |
| S85.812A    | Laceration of other blood vessels at lower leg level, left leg, initial encounter                         |
| S85.819A    | Laceration of other blood vessels at lower leg level, unspecified leg, initial encounter                  |
| S85.891A    | Other specified injury of other blood vessels at lower leg level, right leg, initial encounter            |
| S85.892A    | Other specified injury of other blood vessels at lower leg level, left leg, initial encounter             |
| S85.899A    | Other specified injury of other blood vessels at lower leg level, unspecified leg, initial encounter      |
| S85.901A    | Unspecified injury of unspecified blood vessel at lower leg level, right leg, initial encounter           |
| S85.902A    | Unspecified injury of unspecified blood vessel at lower leg level, left leg, initial encounter            |
| S85.909A    | Unspecified injury of unspecified blood vessel at lower leg level, unspecified leg, initial encounter     |
| S85.911A    | Laceration of unspecified blood vessel at lower leg level, right leg, initial encounter                   |
| S85.912A    | Laceration of unspecified blood vessel at lower leg level, left leg, initial encounter                    |
| S85.919A    | Laceration of unspecified blood vessel at lower leg level, unspecified leg, initial encounter             |
| S85.991A    | Other specified injury of unspecified blood vessel at lower leg level, right leg, initial encounter       |
| S85.992A    | Other specified injury of unspecified blood vessel at lower leg level, left leg, initial encounter        |
| S85.999A    | Other specified injury of unspecified blood vessel at lower leg level, unspecified leg, initial encounter |
| S87.00XA    | Crushing injury of unspecified knee, initial encounter  |
| S87.01XA    | Crushing injury of right knee, initial encounter  |
| S87.02XA    | Crushing injury of left knee, initial encounter   |
| S87.80XA    | Crushing injury of unspecified lower leg, initial encounter   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S87.81XA    | Crushing injury of right lower leg, initial encounter  |
| S87.82XA    | Crushing injury of left lower leg, initial encounter   |
| S89.001A    | Unspecified physeal fracture of upper end of right tibia, initial encounter for closed fracture                  |
| S89.002A    | Unspecified physeal fracture of upper end of left tibia, initial encounter for closed fracture                   |
| S89.009A    | Unspecified physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture            |
| S89.011A    | Salter-Harris Type I physeal fracture of upper end of right tibia, initial encounter for closed fracture         |
| S89.012A    | Salter-Harris Type I physeal fracture of upper end of left tibia, initial encounter for closed fracture          |
| S89.019A    | Salter-Harris Type I physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture   |
| S89.021A    | Salter-Harris Type II physeal fracture of upper end of right tibia, initial encounter for closed fracture        |
| S89.022A    | Salter-Harris Type II physeal fracture of upper end of left tibia, initial encounter for closed fracture         |
| S89.029A    | Salter-Harris Type II physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture  |
| S89.031A    | Salter-Harris Type III physeal fracture of upper end of right tibia, initial encounter for closed fracture       |
| S89.032A    | Salter-Harris Type III physeal fracture of upper end of left tibia, initial encounter for closed fracture        |
| S89.039A    | Salter-Harris Type III physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture |
| S89.041A    | Salter-Harris Type IV physeal fracture of upper end of right tibia, initial encounter for closed fracture        |
| S89.042A    | Salter-Harris Type IV physeal fracture of upper end of left tibia, initial encounter for closed fracture         |
| S89.049A    | Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture  |
| S89.091A    | Other physeal fracture of upper end of right tibia, initial encounter for closed fracture                        |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S89.092A | Other physeal fracture of upper end of left tibia, initial encounter for closed fracture                         |
| S89.099A | Other physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture                  |
| S89.201A | Unspecified physeal fracture of upper end of right fibula, initial encounter for closed fracture                 |
| S89.202A | Unspecified physeal fracture of upper end of left fibula, initial encounter for closed fracture                  |
| S89.209A | Unspecified physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture           |
| S89.211A | Salter-Harris Type I physeal fracture of upper end of right fibula, initial encounter for closed fracture        |
| S89.212A | Salter-Harris Type I physeal fracture of upper end of left fibula, initial encounter for closed fracture         |
| S89.219A | Salter-Harris Type I physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture  |
| S89.221A | Salter-Harris Type II physeal fracture of upper end of right fibula, initial encounter for closed fracture       |
| S89.222A | Salter-Harris Type II physeal fracture of upper end of left fibula, initial encounter for closed fracture        |
| S89.229A | Salter-Harris Type II physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture |
| S89.291A | Other physeal fracture of upper end of right fibula, initial encounter for closed fracture                       |
| S89.292A | Other physeal fracture of upper end of left fibula, initial encounter for closed fracture                        |
| S89.299A | Other physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture                 |
| S90.00XA | Contusion of unspecified ankle, initial encounter  |
| S90.01XA | Contusion of right ankle, initial encounter  |
| S90.02XA | Contusion of left ankle, initial encounter   |
| S90.111A | Contusion of right great toe without damage to nail, initial encounter   |
| S90.112A | Contusion of left great toe without damage to nail, initial encounter  |
| S90.119A | Contusion of unspecified great toe without damage to nail, initial encounter                                     |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S90.121A | Contusion of right lesser toe(s) without damage to nail, initial encounter       |
| S90.122A | Contusion of left lesser toe(s) without damage to nail, initial encounter        |
| S90.129A | Contusion of unspecified lesser toe(s) without damage to nail, initial encounter |
| S90.211A | Contusion of right great toe with damage to nail, initial encounter              |
| S90.212A | Contusion of left great toe with damage to nail, initial encounter               |
| S90.219A | Contusion of unspecified great toe with damage to nail, initial encounter        |
| S90.221A | Contusion of right lesser toe(s) with damage to nail, initial encounter          |
| S90.222A | Contusion of left lesser toe(s) with damage to nail, initial encounter           |
| S90.229A | Contusion of unspecified lesser toe(s) with damage to nail, initial encounter    |
| S90.30XA | Contusion of unspecified foot, initial encounter                                 |
| S90.31XA | Contusion of right foot, initial encounter                                       |
| S90.32XA | Contusion of left foot, initial encounter  |
| S92.812A | Other fracture of left foot, initial encounter for closed fracture               |
| S92.812B | Other fracture of left foot, initial encounter for open fracture                 |
| S92.819A | Other fracture of unspecified foot, initial encounter for closed fracture        |
| S92.819B | Other fracture of unspecified foot, initial encounter for open fracture          |
| S95.001A | Unspecified injury of dorsal artery of right foot, initial encounter             |
| S95.002A | Unspecified injury of dorsal artery of left foot, initial encounter              |
| S95.009A | Unspecified injury of dorsal artery of unspecified foot, initial encounter       |
| S95.011A | Laceration of dorsal artery of right foot, initial encounter                     |
| S95.012A | Laceration of dorsal artery of left foot, initial encounter                      |
| S95.019A | Laceration of dorsal artery of unspecified foot, initial encounter               |
| S95.091A | Other specified injury of dorsal artery of right foot, initial encounter         |
| S95.092A | Other specified injury of dorsal artery of left foot, initial encounter          |
| S95.099A | Other specified injury of dorsal artery of unspecified foot, initial encounter   |
| S95.101A | Unspecified injury of plantar artery of right foot, initial encounter            |
| S95.102A | Unspecified injury of plantar artery of left foot, initial encounter             |
| S95.109A | Unspecified injury of plantar artery of unspecified foot, initial encounter      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S95.111A    | Laceration of plantar artery of right foot, initial encounter   |
| S95.112A    | Laceration of plantar artery of left foot, initial encounter  |
| S95.119A    | Laceration of plantar artery of unspecified foot, initial encounter                                   |
| S95.191A    | Other specified injury of plantar artery of right foot, initial encounter                             |
| S95.192A    | Other specified injury of plantar artery of left foot, initial encounter                              |
| S95.199A    | Other specified injury of plantar artery of unspecified foot, initial encounter                       |
| S95.201A    | Unspecified injury of dorsal vein of right foot, initial encounter                                    |
| S95.202A    | Unspecified injury of dorsal vein of left foot, initial encounter                                     |
| S95.209A    | Unspecified injury of dorsal vein of unspecified foot, initial encounter                              |
| S95.211A    | Laceration of dorsal vein of right foot, initial encounter  |
| S95.212A    | Laceration of dorsal vein of left foot, initial encounter   |
| S95.219A    | Laceration of dorsal vein of unspecified foot, initial encounter                                      |
| S95.291A    | Other specified injury of dorsal vein of right foot, initial encounter                                |
| S95.292A    | Other specified injury of dorsal vein of left foot, initial encounter                                 |
| S95.299A    | Other specified injury of dorsal vein of unspecified foot, initial encounter                          |
| S95.801A    | Unspecified injury of other blood vessels at ankle and foot level, right leg, initial encounter       |
| S95.802A    | Unspecified injury of other blood vessels at ankle and foot level, left leg, initial encounter        |
| S95.809A    | Unspecified injury of other blood vessels at ankle and foot level, unspecified leg, initial encounter |
| S95.811A    | Laceration of other blood vessels at ankle and foot level, right leg, initial encounter               |
| S95.812A    | Laceration of other blood vessels at ankle and foot level, left leg, initial encounter                |
| S95.819A    | Laceration of other blood vessels at ankle and foot level, unspecified leg, initial encounter         |
| S95.891A    | Other specified injury of other blood vessels at ankle and foot level, right leg, initial encounter   |
| S95.892A    | Other specified injury of other blood vessels at ankle and foot level, left leg, initial encounter    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S95.899A    | Other specified injury of other blood vessels at ankle and foot level, unspecified leg, initial encounter      |
| S95.901A    | Unspecified injury of unspecified blood vessel at ankle and foot level, right leg, initial encounter           |
| S95.902A    | Unspecified injury of unspecified blood vessel at ankle and foot level, left leg, initial encounter            |
| S95.909A    | Unspecified injury of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter     |
| S95.911A    | Laceration of unspecified blood vessel at ankle and foot level, right leg, initial encounter                   |
| S95.912A    | Laceration of unspecified blood vessel at ankle and foot level, left leg, initial encounter                    |
| S95.919A    | Laceration of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter             |
| S95.991A    | Other specified injury of unspecified blood vessel at ankle and foot level, right leg, initial encounter       |
| S95.992A    | Other specified injury of unspecified blood vessel at ankle and foot level, left leg, initial encounter        |
| S95.999A    | Other specified injury of unspecified blood vessel at ankle and foot level, unspecified leg, initial encounter |
| S97.00XA    | Crushing injury of unspecified ankle, initial encounter  |
| S97.01XA    | Crushing injury of right ankle, initial encounter  |
| S97.02XA    | Crushing injury of left ankle, initial encounter   |
| S97.101A    | Crushing injury of unspecified right toe(s), initial encounter   |
| S97.102A    | Crushing injury of unspecified left toe(s), initial encounter  |
| S97.109A    | Crushing injury of unspecified toe(s), initial encounter   |
| S97.111A    | Crushing injury of right great toe, initial encounter  |
| S97.112A    | Crushing injury of left great toe, initial encounter   |
| S97.119A    | Crushing injury of unspecified great toe, initial encounter  |
| S97.121A    | Crushing injury of right lesser toe(s), initial encounter  |
| S97.122A    | Crushing injury of left lesser toe(s), initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S97.129A | Crushing injury of unspecified lesser toe(s), initial encounter  |
| S97.80XA | Crushing injury of unspecified foot, initial encounter   |
| S97.81XA | Crushing injury of right foot, initial encounter   |
| S97.82XA | Crushing injury of left foot, initial encounter  |
| S99.001A | Unspecified physeal fracture of right calcaneus, initial encounter for closed fracture                           |
| S99.002A | Unspecified physeal fracture of left calcaneus, initial encounter for closed fracture                            |
| S99.002B | Unspecified physeal fracture of left calcaneus, initial encounter for open fracture                              |
| S99.009A | Unspecified physeal fracture of unspecified calcaneus, initial encounter for closed fracture                     |
| S99.009B | Unspecified physeal fracture of unspecified calcaneus, initial encounter for open fracture                       |
| S99.011B | Salter-Harris Type I physeal fracture of right calcaneus, initial encounter for open fracture                    |
| S99.011D | Salter-Harris Type I physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S99.012A | Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for closed fracture                   |
| S99.012B | Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for open fracture                     |
| S99.019A | Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for closed fracture            |
| S99.019B | Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for open fracture              |
| S99.021A | Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for closed fracture                 |
| S99.021B | Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for open fracture                   |
| S99.022A | Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for closed fracture                  |
| S99.022B | Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for open fracture                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S99.029A    | Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for closed fracture             |
| S99.029B    | Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for open fracture               |
| S99.031B    | Salter-Harris Type III physeal fracture of right calcaneus, initial encounter for open fracture                    |
| S99.031D    | Salter-Harris Type III physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S99.032A    | Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for closed fracture                   |
| S99.032B    | Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for open fracture                     |
| S99.039A    | Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for closed fracture            |
| S99.039B    | Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for open fracture              |
| S99.041A    | Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for closed fracture                   |
| S99.041B    | Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for open fracture                     |
| S99.042A    | Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for closed fracture                    |
| S99.042B    | Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for open fracture                      |
| S99.049A    | Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for closed fracture             |
| S99.049B    | Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for open fracture               |
| S99.091A    | Other physeal fracture of right calcaneus, initial encounter for closed fracture                                   |
| S99.091B    | Other physeal fracture of right calcaneus, initial encounter for open fracture                                     |
| S99.092A    | Other physeal fracture of left calcaneus, initial encounter for closed fracture                                    |
| S99.092B    | Other physeal fracture of left calcaneus, initial encounter for open fracture                                      |
| S99.099A    | Other physeal fracture of unspecified calcaneus, initial encounter for closed fracture                             |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S99.101A    | Unspecified physeal fracture of right metatarsal, initial encounter for closed fracture                 |
| S99.102A    | Unspecified physeal fracture of left metatarsal, initial encounter for closed fracture                  |
| S99.102B    | Unspecified physeal fracture of left metatarsal, initial encounter for open fracture                    |
| S99.109A    | Unspecified physeal fracture of unspecified metatarsal, initial encounter for closed fracture           |
| S99.109B    | Unspecified physeal fracture of unspecified metatarsal, initial encounter for open fracture             |
| S99.111A    | Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for closed fracture        |
| S99.111B    | Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for open fracture          |
| S99.112A    | Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for closed fracture         |
| S99.112B    | Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for open fracture           |
| S99.119A    | Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for closed fracture  |
| S99.119B    | Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for open fracture    |
| S99.121A    | Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for closed fracture       |
| S99.121B    | Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for open fracture         |
| S99.122A    | Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.122B    | Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.129A    | Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for closed fracture |
| S99.129B    | Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for open fracture   |
| S99.131A    | Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for closed fracture      |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S99.131B    | Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for open fracture         |
| S99.132A    | Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.132B    | Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.139A    | Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for closed fracture |
| S99.139B    | Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for open fracture   |
| S99.141A    | Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for closed fracture        |
| S99.141B    | Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for open fracture          |
| S99.142A    | Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for closed fracture         |
| S99.142B    | Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for open fracture           |
| S99.149A    | Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for closed fracture  |
| S99.149B    | Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for open fracture    |
| S99.192A    | Other physeal fracture of left metatarsal, initial encounter for closed fracture                         |
| S99.192B    | Other physeal fracture of left metatarsal, initial encounter for open fracture                           |
| S99.199A    | Other physeal fracture of unspecified metatarsal, initial encounter for closed fracture                  |
| S99.199B    | Other physeal fracture of unspecified metatarsal, initial encounter for open fracture                    |
| S99.201A    | Unspecified physeal fracture of phalanx of right toe, initial encounter for closed fracture              |
| S99.201B    | Unspecified physeal fracture of phalanx of right toe, initial encounter for open fracture                |
| S99.202A    | Unspecified physeal fracture of phalanx of left toe, initial encounter for closed fracture               |
| S99.202B    | Unspecified physeal fracture of phalanx of left toe, initial encounter for open fracture                 |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S99.209A    | Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture           |
| S99.209B    | Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for open fracture             |
| S99.211A    | Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for closed fracture        |
| S99.211B    | Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for open fracture          |
| S99.212A    | Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for closed fracture         |
| S99.212B    | Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for open fracture           |
| S99.219A    | Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture  |
| S99.219B    | Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for open fracture    |
| S99.221A    | Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for closed fracture       |
| S99.221B    | Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for open fracture         |
| S99.222A    | Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for closed fracture        |
| S99.222B    | Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for open fracture          |
| S99.229A    | Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.229B    | Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| S99.231A    | Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for closed fracture      |
| S99.231B    | Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for open fracture        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S99.232A | Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for closed fracture        |
| S99.232B | Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for open fracture          |
| S99.239A | Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.239B | Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| S99.241A | Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for closed fracture        |
| S99.241B | Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for open fracture          |
| S99.242A | Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for closed fracture         |
| S99.242B | Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for open fracture           |
| S99.249A | Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture  |
| S99.249B | Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for open fracture    |
| S99.291A | Other physeal fracture of phalanx of right toe, initial encounter for closed fracture                        |
| S99.291B | Other physeal fracture of phalanx of right toe, initial encounter for open fracture                          |
| S99.292A | Other physeal fracture of phalanx of left toe, initial encounter for closed fracture                         |
| S99.292B | Other physeal fracture of phalanx of left toe, initial encounter for open fracture                           |
| S99.299A | Other physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture                  |
| S99.299B | Other physeal fracture of phalanx of unspecified toe, initial encounter for open fracture                    |
| T14.8XXA | Other injury of unspecified body region, initial encounter   |
| T14.90XA | Injury, unspecified, initial encounter   |
| T36.0X5A | Adverse effect of penicillins, initial encounter   |
| T36.1X5A | Adverse effect of cephalosporins and other beta-lactam antibiotics, initial encounter                        |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T36.2X5A | Adverse effect of chloramphenicol group, initial encounter  |
| T36.3X5A | Adverse effect of macrolides, initial encounter   |
| T36.4X5A | Adverse effect of tetracyclines, initial encounter  |
| T36.6X5A | Adverse effect of rifampicins, initial encounter  |
| T36.7X5A | Adverse effect of antifungal antibiotics, systemically used, initial encounter                                  |
| T36.8X5A | Adverse effect of other systemic antibiotics, initial encounter   |
| T36.95XA | Adverse effect of unspecified systemic antibiotic, initial encounter  |
| T37.0X5A | Adverse effect of sulfonamides, initial encounter   |
| T37.1X5A | Adverse effect of antimycobacterial drugs, initial encounter  |
| T37.2X5A | Adverse effect of antimalarials and drugs acting on other blood protozoa, initial encounter                     |
| T37.3X5A | Adverse effect of other antiprotozoal drugs, initial encounter  |
| T37.4X5A | Adverse effect of anthelmintics, initial encounter  |
| T37.5X5A | Adverse effect of antiviral drugs, initial encounter  |
| T37.8X5A | Adverse effect of other specified systemic anti-infectives and antiparasitics, initial encounter                |
| T37.95XA | Adverse effect of unspecified systemic anti-infective and antiparasitic, initial encounter                      |
| T38.0X5A | Adverse effect of glucocorticoids and synthetic analogues, initial encounter                                    |
| T38.1X5A | Adverse effect of thyroid hormones and substitutes, initial encounter   |
| T38.2X5A | Adverse effect of antithyroid drugs, initial encounter  |
| T38.4X5A | Adverse effect of oral contraceptives, initial encounter  |
| T38.5X5A | Adverse effect of other estrogens and progestogens, initial encounter   |
| T38.6X5A | Adverse effect of antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, initial encounter |
| T38.7X5A | Adverse effect of androgens and anabolic congeners, initial encounter   |
| T38.805A | Adverse effect of unspecified hormones and synthetic substitutes, initial encounter                             |
| T38.815A | Adverse effect of anterior pituitary [adenohypophyseal] hormones, initial encounter                             |
| T38.895A | Adverse effect of other hormones and synthetic substitutes, initial encounter                                   |
| T38.905A | Adverse effect of unspecified hormone antagonists, initial encounter  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T38.995A | Adverse effect of other hormone antagonists, initial encounter   |
| T39.015A | Adverse effect of aspirin, initial encounter   |
| T39.095A | Adverse effect of salicylates, initial encounter   |
| T39.2X5A | Adverse effect of pyrazolone derivatives, initial encounter  |
| T39.315A | Adverse effect of propionic acid derivatives, initial encounter  |
| T39.395A | Adverse effect of other nonsteroidal anti-inflammatory drugs [NSAID], initial encounter                    |
| T39.4X5A | Adverse effect of antirheumatics, not elsewhere classified, initial encounter                              |
| T39.8X5A | Adverse effect of other nonopioid analgesics and antipyretics, not elsewhere classified, initial encounter |
| T39.95XA | Adverse effect of unspecified nonopioid analgesic, antipyretic and antirheumatic, initial encounter        |
| T40.0X5A | Adverse effect of opium, initial encounter   |
| T40.2X5A | Adverse effect of other opioids, initial encounter   |
| T40.3X5A | Adverse effect of methadone, initial encounter   |
| T40.411A | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter                   |
| T40.411D | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), subsequent encounter                |
| T40.411S | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), sequela                             |
| T40.412A | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter                        |
| T40.412D | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter                     |
| T40.412S | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela                                  |
| T40.413A | Poisoning by fentanyl or fentanyl analogs, assault, initial encounter                                      |
| T40.413D | Poisoning by fentanyl or fentanyl analogs, assault, subsequent encounter                                   |
| T40.413S | Poisoning by fentanyl or fentanyl analogs, assault, sequela  |
| T40.414A | Poisoning by fentanyl or fentanyl analogs, undetermined, initial encounter                                 |
| T40.414D | Poisoning by fentanyl or fentanyl analogs, undetermined, subsequent encounter                              |
| T40.414S | Poisoning by fentanyl or fentanyl analogs, undetermined, sequela   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T40.415A    | Adverse effect of fentanyl or fentanyl analogs, initial encounter                        |
| T40.415D    | Adverse effect of fentanyl or fentanyl analogs, subsequent encounter                     |
| T40.415S    | Adverse effect of fentanyl or fentanyl analogs, sequela                                  |
| T40.416A    | Underdosing of fentanyl or fentanyl analogs, initial encounter                           |
| T40.416D    | Underdosing of fentanyl or fentanyl analogs, subsequent encounter                        |
| T40.416S    | Underdosing of fentanyl or fentanyl analogs, sequela                                     |
| T40.421A    | Poisoning by tramadol, accidental (unintentional), initial encounter                     |
| T40.421D    | Poisoning by tramadol, accidental (unintentional), subsequent encounter                  |
| T40.421S    | Poisoning by tramadol, accidental (unintentional), sequela                               |
| T40.422A    | Poisoning by tramadol, intentional self-harm, initial encounter                          |
| T40.422D    | Poisoning by tramadol, intentional self-harm, subsequent encounter                       |
| T40.422S    | Poisoning by tramadol, intentional self-harm, sequela                                    |
| T40.423A    | Poisoning by tramadol, assault, initial encounter  |
| T40.423D    | Poisoning by tramadol, assault, subsequent encounter                                     |
| T40.423S    | Poisoning by tramadol, assault, sequela  |
| T40.424A    | Poisoning by tramadol, undetermined, initial encounter                                   |
| T40.424D    | Poisoning by tramadol, undetermined, subsequent encounter                                |
| T40.424S    | Poisoning by tramadol, undetermined, sequela   |
| T40.425A    | Adverse effect of tramadol, initial encounter  |
| T40.425D    | Adverse effect of tramadol, subsequent encounter   |
| T40.425S    | Adverse effect of tramadol, sequela  |
| T40.426A    | Underdosing of tramadol, initial encounter   |
| T40.426D    | Underdosing of tramadol, subsequent encounter  |
| T40.426S    | Underdosing of tramadol, sequela   |
| T40.491A    | Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter    |
| T40.491D    | Poisoning by other synthetic narcotics, accidental (unintentional), subsequent encounter |
| T40.491S    | Poisoning by other synthetic narcotics, accidental (unintentional), sequela              |
| T40.492A    | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter         |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T40.492D | Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter        |
| T40.492S | Poisoning by other synthetic narcotics, intentional self-harm, sequela                     |
| T40.493A | Poisoning by other synthetic narcotics, assault, initial encounter                         |
| T40.493D | Poisoning by other synthetic narcotics, assault, subsequent encounter                      |
| T40.493S | Poisoning by other synthetic narcotics, assault, sequela                                   |
| T40.494A | Poisoning by other synthetic narcotics, undetermined, initial encounter                    |
| T40.494D | Poisoning by other synthetic narcotics, undetermined, subsequent encounter                 |
| T40.494S | Poisoning by other synthetic narcotics, undetermined, sequela                              |
| T40.495A | Adverse effect of other synthetic narcotics, initial encounter                             |
| T40.495D | Adverse effect of other synthetic narcotics, subsequent encounter                          |
| T40.495S | Adverse effect of other synthetic narcotics, sequela                                       |
| T40.496A | Underdosing of other synthetic narcotics, initial encounter                                |
| T40.496D | Underdosing of other synthetic narcotics, subsequent encounter                             |
| T40.496S | Underdosing of other synthetic narcotics, sequela  |
| T40.5X5A | Adverse effect of cocaine, initial encounter   |
| T40.605A | Adverse effect of unspecified narcotics, initial encounter                                 |
| T40.695A | Adverse effect of other narcotics, initial encounter                                       |
| T40.7X5A | Adverse effect of cannabis (derivatives), initial encounter                                |
| T40.905A | Adverse effect of unspecified psychodysleptics [hallucinogens], initial encounter          |
| T40.995A | Adverse effect of other psychodysleptics [hallucinogens], initial encounter                |
| T42.0X5A | Adverse effect of hydantoin derivatives, initial encounter                                 |
| T42.1X5A | Adverse effect of iminostilbenes, initial encounter  |
| T42.2X5A | Adverse effect of succinimides and oxazolidinediones, initial encounter                    |
| T42.3X5A | Adverse effect of barbiturates, initial encounter  |
| T42.4X5A | Adverse effect of benzodiazepines, initial encounter                                       |
| T42.5X5A | Adverse effect of mixed antiepileptics, initial encounter                                  |
| T42.6X5A | Adverse effect of other antiepileptic and sedative-hypnotic drugs, initial encounter       |
| T42.75XA | Adverse effect of unspecified antiepileptic and sedative-hypnotic drugs, initial encounter |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T42.8X5A | Adverse effect of antiparkinsonism drugs and other central muscle-tone depressants, initial encounter |
| T43.015A | Adverse effect of tricyclic antidepressants, initial encounter  |
| T43.025A | Adverse effect of tetracyclic antidepressants, initial encounter                                      |
| T43.205A | Adverse effect of unspecified antidepressants, initial encounter                                      |
| T43.295A | Adverse effect of other antidepressants, initial encounter  |
| T43.3X5A | Adverse effect of phenothiazine antipsychotics and neuroleptics, initial encounter                    |
| T43.4X5A | Adverse effect of butyrophenone and thiothixene neuroleptics, initial encounter                       |
| T43.505A | Adverse effect of unspecified antipsychotics and neuroleptics, initial encounter                      |
| T43.595A | Adverse effect of other antipsychotics and neuroleptics, initial encounter                            |
| T43.605A | Adverse effect of unspecified psychostimulants, initial encounter                                     |
| T43.625A | Adverse effect of amphetamines, initial encounter   |
| T43.635A | Adverse effect of methylphenidate, initial encounter  |
| T43.641A | Poisoning by ecstasy, accidental (unintentional), initial encounter                                   |
| T43.641D | Poisoning by ecstasy, accidental (unintentional), subsequent encounter                                |
| T43.641S | Poisoning by ecstasy, accidental (unintentional), sequela   |
| T43.642A | Poisoning by ecstasy, intentional self-harm, initial encounter  |
| T43.642D | Poisoning by ecstasy, intentional self-harm, subsequent encounter                                     |
| T43.642S | Poisoning by ecstasy, intentional self-harm, sequela  |
| T43.643A | Poisoning by ecstasy, assault, initial encounter  |
| T43.643D | Poisoning by ecstasy, assault, subsequent encounter   |
| T43.643S | Poisoning by ecstasy, assault, sequela  |
| T43.644A | Poisoning by ecstasy, undetermined, initial encounter   |
| T43.644D | Poisoning by ecstasy, undetermined, subsequent encounter  |
| T43.644S | Poisoning by ecstasy, undetermined, sequela   |
| T43.695A | Adverse effect of other psychostimulants, initial encounter   |
| T43.8X5A | Adverse effect of other psychotropic drugs, initial encounter   |
| T43.95XA | Adverse effect of unspecified psychotropic drug, initial encounter                                    |
| T44.7X5A | Adverse effect of beta-adrenoreceptor antagonists, initial encounter                                  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T45.1X5A | Adverse effect of antineoplastic and immunosuppressive drugs, initial encounter                      |
| T45.2X5A | Adverse effect of vitamins, initial encounter  |
| T45.4X1A | Poisoning by iron and its compounds, accidental (unintentional), initial encounter                   |
| T45.4X2A | Poisoning by iron and its compounds, intentional self-harm, initial encounter                        |
| T45.4X3A | Poisoning by iron and its compounds, assault, initial encounter                                      |
| T45.4X4A | Poisoning by iron and its compounds, undetermined, initial encounter                                 |
| T45.4X5A | Adverse effect of iron and its compounds, initial encounter  |
| T45.511A | Poisoning by anticoagulants, accidental (unintentional), initial encounter                           |
| T45.512A | Poisoning by anticoagulants, intentional self-harm, initial encounter                                |
| T45.513A | Poisoning by anticoagulants, assault, initial encounter  |
| T45.514A | Poisoning by anticoagulants, undetermined, initial encounter   |
| T45.515A | Adverse effect of anticoagulants, initial encounter  |
| T45.521A | Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter                     |
| T45.522A | Poisoning by antithrombotic drugs, intentional self-harm, initial encounter                          |
| T45.523A | Poisoning by antithrombotic drugs, assault, initial encounter  |
| T45.524A | Poisoning by antithrombotic drugs, undetermined, initial encounter                                   |
| T45.525A | Adverse effect of antithrombotic drugs, initial encounter  |
| T45.601A | Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), initial encounter |
| T45.602A | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter      |
| T45.603A | Poisoning by unspecified fibrinolysis-affecting drugs, assault, initial encounter                    |
| T45.604A | Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, initial encounter               |
| T45.605A | Adverse effect of unspecified fibrinolysis-affecting drugs, initial encounter                        |
| T45.611A | Poisoning by thrombolytic drug, accidental (unintentional), initial encounter                        |
| T45.612A | Poisoning by thrombolytic drug, intentional self-harm, initial encounter                             |
| T45.613A | Poisoning by thrombolytic drug, assault, initial encounter   |
| T45.614A | Poisoning by thrombolytic drug, undetermined, initial encounter                                      |
| T45.615A | Adverse effect of thrombolytic drugs, initial encounter  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T45.621A | Poisoning by hemostatic drug, accidental (unintentional), initial encounter   |
| T45.622A | Poisoning by hemostatic drug, intentional self-harm, initial encounter  |
| T45.623A | Poisoning by hemostatic drug, assault, initial encounter  |
| T45.624A | Poisoning by hemostatic drug, undetermined, initial encounter   |
| T45.625A | Adverse effect of hemostatic drug, initial encounter  |
| T45.691A | Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), initial encounter                        |
| T45.692A | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter                             |
| T45.693A | Poisoning by other fibrinolysis-affecting drugs, assault, initial encounter   |
| T45.694A | Poisoning by other fibrinolysis-affecting drugs, undetermined, initial encounter                                      |
| T45.695A | Adverse effect of other fibrinolysis-affecting drugs, initial encounter   |
| T45.7X1A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), initial encounter |
| T45.7X2A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter      |
| T45.7X3A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, initial encounter                    |
| T45.7X4A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, initial encounter               |
| T45.7X5A | Adverse effect of anticoagulant antagonists, vitamin K and other coagulants, initial encounter                        |
| T45.8X1A | Poisoning by other primarily systemic and hematological agents, accidental (unintentional), initial encounter         |
| T45.8X2A | Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter              |
| T45.8X3A | Poisoning by other primarily systemic and hematological agents, assault, initial encounter                            |
| T45.8X4A | Poisoning by other primarily systemic and hematological agents, undetermined, initial encounter                       |
| T45.8X5A | Adverse effect of other primarily systemic and hematological agents, initial encounter                                |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T45.91XA | Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), initial encounter |
| T45.92XA | Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter      |
| T45.93XA | Poisoning by unspecified primarily systemic and hematological agent, assault, initial encounter                    |
| T45.94XA | Poisoning by unspecified primarily systemic and hematological agent, undetermined, initial encounter               |
| T45.95XA | Adverse effect of unspecified primarily systemic and hematological agent, initial encounter                        |
| T46.1X5A | Adverse effect of calcium-channel blockers, initial encounter  |
| T46.2X5A | Adverse effect of other antidysrhythmic drugs, initial encounter   |
| T46.3X5A | Adverse effect of coronary vasodilators, initial encounter   |
| T46.4X5A | Adverse effect of angiotensin-converting-enzyme inhibitors, initial encounter                                      |
| T46.5X5A | Adverse effect of other antihypertensive drugs, initial encounter  |
| T46.6X5A | Adverse effect of antihyperlipidemic and antiarteriosclerotic drugs, initial encounter                             |
| T46.7X5A | Adverse effect of peripheral vasodilators, initial encounter   |
| T46.8X5A | Adverse effect of antivaricose drugs, including sclerosing agents, initial encounter                               |
| T46.905A | Adverse effect of unspecified agents primarily affecting the cardiovascular system, initial encounter              |
| T46.995A | Adverse effect of other agents primarily affecting the cardiovascular system, initial encounter                    |
| T48.0X5A | Adverse effect of oxytocic drugs, initial encounter  |
| T48.1X5A | Adverse effect of skeletal muscle relaxants [neuromuscular blocking agents], initial encounter                     |
| T49.1X5A | Adverse effect of antipruritics, initial encounter   |
| T50.4X5A | Adverse effect of drugs affecting uric acid metabolism, initial encounter  |
| T50.6X5A | Adverse effect of antidotes and chelating agents, initial encounter  |
| T50.7X5A | Adverse effect of analeptics and opioid receptor antagonists, initial encounter                                    |
| T50.905A | Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter                      |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T50.911A | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter    |
| T50.911D | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), subsequent encounter |
| T50.911S | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), sequela              |
| T50.912A | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter         |
| T50.912D | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter      |
| T50.912S | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela                   |
| T50.913A | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, initial encounter                       |
| T50.913D | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, subsequent encounter                    |
| T50.913S | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, sequela                                 |
| T50.914A | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, initial encounter                  |
| T50.914D | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, subsequent encounter               |
| T50.914S | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, sequela                            |
| T50.915A | Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter                           |
| T50.915D | Adverse effect of multiple unspecified drugs, medicaments and biological substances, subsequent encounter                        |
| T50.915S | Adverse effect of multiple unspecified drugs, medicaments and biological substances, sequela                                     |
| T50.916A | Underdosing of multiple unspecified drugs, medicaments and biological substances, initial encounter                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T50.916D | Underdosing of multiple unspecified drugs, medicaments and biological substances, subsequent encounter    |
| T50.916S | Underdosing of multiple unspecified drugs, medicaments and biological substances, sequela                 |
| T50.995A | Adverse effect of other drugs, medicaments and biological substances, initial encounter                   |
| T50.A15A | Adverse effect of pertussis vaccine, including combinations with a pertussis component, initial encounter |
| T50.B95A | Adverse effect of other viral vaccines, initial encounter   |
| T50.Z11A | Poisoning by immunoglobulin, accidental (unintentional), initial encounter                                |
| T50.Z12A | Poisoning by immunoglobulin, intentional self-harm, initial encounter                                     |
| T50.Z13A | Poisoning by immunoglobulin, assault, initial encounter   |
| T50.Z14A | Poisoning by immunoglobulin, undetermined, initial encounter  |
| T50.Z15A | Adverse effect of immunoglobulin, initial encounter   |
| T50.Z95A | Adverse effect of other vaccines and biological substances, initial encounter                             |
| T51.0X1A | Toxic effect of ethanol, accidental (unintentional), initial encounter                                    |
| T51.0X2A | Toxic effect of ethanol, intentional self-harm, initial encounter   |
| T51.0X3A | Toxic effect of ethanol, assault, initial encounter   |
| T51.0X4A | Toxic effect of ethanol, undetermined, initial encounter  |
| T51.1X1A | Toxic effect of methanol, accidental (unintentional), initial encounter                                   |
| T51.1X2A | Toxic effect of methanol, intentional self-harm, initial encounter  |
| T51.1X3A | Toxic effect of methanol, assault, initial encounter  |
| T51.1X4A | Toxic effect of methanol, undetermined, initial encounter   |
| T51.2X1A | Toxic effect of 2-Propanol, accidental (unintentional), initial encounter                                 |
| T51.2X2A | Toxic effect of 2-Propanol, intentional self-harm, initial encounter                                      |
| T51.2X3A | Toxic effect of 2-Propanol, assault, initial encounter  |
| T51.2X4A | Toxic effect of 2-Propanol, undetermined, initial encounter   |
| T51.3X1A | Toxic effect of fusel oil, accidental (unintentional), initial encounter                                  |
| T51.3X2A | Toxic effect of fusel oil, intentional self-harm, initial encounter                                       |
| T51.3X3A | Toxic effect of fusel oil, assault, initial encounter   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T51.3X4A | Toxic effect of fusel oil, undetermined, initial encounter                           |
| T51.8X1A | Toxic effect of other alcohols, accidental (unintentional), initial encounter        |
| T51.8X2A | Toxic effect of other alcohols, intentional self-harm, initial encounter             |
| T51.8X3A | Toxic effect of other alcohols, assault, initial encounter                           |
| T51.8X4A | Toxic effect of other alcohols, undetermined, initial encounter                      |
| T51.91XA | Toxic effect of unspecified alcohol, accidental (unintentional), initial encounter   |
| T51.92XA | Toxic effect of unspecified alcohol, intentional self-harm, initial encounter        |
| T51.93XA | Toxic effect of unspecified alcohol, assault, initial encounter                      |
| T51.94XA | Toxic effect of unspecified alcohol, undetermined, initial encounter                 |
| T52.0X1A | Toxic effect of petroleum products, accidental (unintentional), initial encounter    |
| T52.0X2A | Toxic effect of petroleum products, intentional self-harm, initial encounter         |
| T52.0X3A | Toxic effect of petroleum products, assault, initial encounter                       |
| T52.0X4A | Toxic effect of petroleum products, undetermined, initial encounter                  |
| T52.1X1A | Toxic effect of benzene, accidental (unintentional), initial encounter               |
| T52.1X2A | Toxic effect of benzene, intentional self-harm, initial encounter                    |
| T52.1X3A | Toxic effect of benzene, assault, initial encounter                                  |
| T52.1X4A | Toxic effect of benzene, undetermined, initial encounter                             |
| T52.2X1A | Toxic effect of homologues of benzene, accidental (unintentional), initial encounter |
| T52.2X2A | Toxic effect of homologues of benzene, intentional self-harm, initial encounter      |
| T52.2X3A | Toxic effect of homologues of benzene, assault, initial encounter                    |
| T52.2X4A | Toxic effect of homologues of benzene, undetermined, initial encounter               |
| T52.3X1A | Toxic effect of glycols, accidental (unintentional), initial encounter               |
| T52.3X2A | Toxic effect of glycols, intentional self-harm, initial encounter                    |
| T52.3X3A | Toxic effect of glycols, assault, initial encounter                                  |
| T52.3X4A | Toxic effect of glycols, undetermined, initial encounter                             |
| T52.4X1A | Toxic effect of ketones, accidental (unintentional), initial encounter               |
| T52.4X2A | Toxic effect of ketones, intentional self-harm, initial encounter                    |
| T52.4X3A | Toxic effect of ketones, assault, initial encounter                                  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T52.4X4A | Toxic effect of ketones, undetermined, initial encounter                                   |
| T52.8X1A | Toxic effect of other organic solvents, accidental (unintentional), initial encounter      |
| T52.8X2A | Toxic effect of other organic solvents, intentional self-harm, initial encounter           |
| T52.8X3A | Toxic effect of other organic solvents, assault, initial encounter                         |
| T52.8X4A | Toxic effect of other organic solvents, undetermined, initial encounter                    |
| T52.91XA | Toxic effect of unspecified organic solvent, accidental (unintentional), initial encounter |
| T52.92XA | Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter      |
| T52.93XA | Toxic effect of unspecified organic solvent, assault, initial encounter                    |
| T52.94XA | Toxic effect of unspecified organic solvent, undetermined, initial encounter               |
| T53.0X1A | Toxic effect of carbon tetrachloride, accidental (unintentional), initial encounter        |
| T53.0X2A | Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter             |
| T53.0X3A | Toxic effect of carbon tetrachloride, assault, initial encounter                           |
| T53.0X4A | Toxic effect of carbon tetrachloride, undetermined, initial encounter                      |
| T53.1X1A | Toxic effect of chloroform, accidental (unintentional), initial encounter                  |
| T53.1X2A | Toxic effect of chloroform, intentional self-harm, initial encounter                       |
| T53.1X3A | Toxic effect of chloroform, assault, initial encounter                                     |
| T53.1X4A | Toxic effect of chloroform, undetermined, initial encounter                                |
| T53.2X1A | Toxic effect of trichloroethylene, accidental (unintentional), initial encounter           |
| T53.2X2A | Toxic effect of trichloroethylene, intentional self-harm, initial encounter                |
| T53.2X3A | Toxic effect of trichloroethylene, assault, initial encounter                              |
| T53.2X4A | Toxic effect of trichloroethylene, undetermined, initial encounter                         |
| T53.3X1A | Toxic effect of tetrachloroethylene, accidental (unintentional), initial encounter         |
| T53.3X2A | Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter              |
| T53.3X3A | Toxic effect of tetrachloroethylene, assault, initial encounter                            |
| T53.3X4A | Toxic effect of tetrachloroethylene, undetermined, initial encounter                       |
| T53.4X1A | Toxic effect of dichloromethane, accidental (unintentional), initial encounter             |
| T53.4X2A | Toxic effect of dichloromethane, intentional self-harm, initial encounter                  |
| T53.4X3A | Toxic effect of dichloromethane, assault, initial encounter                                |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T53.4X4A | Toxic effect of dichloromethane, undetermined, initial encounter  |
| T53.5X1A | Toxic effect of chlorofluorocarbons, accidental (unintentional), initial encounter  |
| T53.5X2A | Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter   |
| T53.5X3A | Toxic effect of chlorofluorocarbons, assault, initial encounter   |
| T53.5X4A | Toxic effect of chlorofluorocarbons, undetermined, initial encounter  |
| T53.6X1A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), initial encounter                    |
| T53.6X2A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter                         |
| T53.6X3A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, initial encounter                                       |
| T53.6X4A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, initial encounter                                  |
| T53.7X1A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental (unintentional), initial encounter                     |
| T53.7X2A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter                          |
| T53.7X3A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, initial encounter  |
| T53.7X4A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, initial encounter                                   |
| T53.91XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), initial encounter |
| T53.92XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter      |
| T53.93XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, assault, initial encounter                    |
| T53.94XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, undetermined, initial encounter               |
| T55.0X1A | Toxic effect of soaps, accidental (unintentional), initial encounter  |
| T55.0X2A | Toxic effect of soaps, intentional self-harm, initial encounter   |
| T55.0X3A | Toxic effect of soaps, assault, initial encounter   |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T55.0X4A | Toxic effect of soaps, undetermined, initial encounter  |
| T55.1X1A | Toxic effect of detergents, accidental (unintentional), initial encounter                           |
| T55.1X2A | Toxic effect of detergents, intentional self-harm, initial encounter                                |
| T55.1X3A | Toxic effect of detergents, assault, initial encounter  |
| T55.1X4A | Toxic effect of detergents, undetermined, initial encounter   |
| T57.3X1A | Toxic effect of hydrogen cyanide, accidental (unintentional), initial encounter                     |
| T57.3X2A | Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter                          |
| T57.3X3A | Toxic effect of hydrogen cyanide, assault, initial encounter  |
| T57.3X4A | Toxic effect of hydrogen cyanide, undetermined, initial encounter                                   |
| T57.8X1A | Toxic effect of other specified inorganic substances, accidental (unintentional), initial encounter |
| T57.8X2A | Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter      |
| T57.8X3A | Toxic effect of other specified inorganic substances, assault, initial encounter                    |
| T57.8X4A | Toxic effect of other specified inorganic substances, undetermined, initial encounter               |
| T57.91XA | Toxic effect of unspecified inorganic substance, accidental (unintentional), initial encounter      |
| T57.92XA | Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter           |
| T57.93XA | Toxic effect of unspecified inorganic substance, assault, initial encounter                         |
| T57.94XA | Toxic effect of unspecified inorganic substance, undetermined, initial encounter                    |
| T59.0X1A | Toxic effect of nitrogen oxides, accidental (unintentional), initial encounter                      |
| T59.0X2A | Toxic effect of nitrogen oxides, intentional self-harm, initial encounter                           |
| T59.0X3A | Toxic effect of nitrogen oxides, assault, initial encounter   |
| T59.0X4A | Toxic effect of nitrogen oxides, undetermined, initial encounter                                    |
| T59.1X1A | Toxic effect of sulfur dioxide, accidental (unintentional), initial encounter                       |
| T59.1X2A | Toxic effect of sulfur dioxide, intentional self-harm, initial encounter                            |
| T59.1X3A | Toxic effect of sulfur dioxide, assault, initial encounter  |
| T59.1X4A | Toxic effect of sulfur dioxide, undetermined, initial encounter                                     |
| T59.2X1A | Toxic effect of formaldehyde, accidental (unintentional), initial encounter                         |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T59.2X2A | Toxic effect of formaldehyde, intentional self-harm, initial encounter                            |
| T59.2X3A | Toxic effect of formaldehyde, assault, initial encounter  |
| T59.2X4A | Toxic effect of formaldehyde, undetermined, initial encounter                                     |
| T59.3X1A | Toxic effect of lacrimogenic gas, accidental (unintentional), initial encounter                   |
| T59.3X2A | Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter                        |
| T59.3X3A | Toxic effect of lacrimogenic gas, assault, initial encounter                                      |
| T59.3X4A | Toxic effect of lacrimogenic gas, undetermined, initial encounter                                 |
| T59.4X1A | Toxic effect of chlorine gas, accidental (unintentional), initial encounter                       |
| T59.4X2A | Toxic effect of chlorine gas, intentional self-harm, initial encounter                            |
| T59.4X3A | Toxic effect of chlorine gas, assault, initial encounter  |
| T59.4X4A | Toxic effect of chlorine gas, undetermined, initial encounter                                     |
| T59.5X1A | Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), initial encounter |
| T59.5X2A | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter      |
| T59.5X3A | Toxic effect of fluorine gas and hydrogen fluoride, assault, initial encounter                    |
| T59.5X4A | Toxic effect of fluorine gas and hydrogen fluoride, undetermined, initial encounter               |
| T59.6X1A | Toxic effect of hydrogen sulfide, accidental (unintentional), initial encounter                   |
| T59.6X2A | Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter                        |
| T59.6X3A | Toxic effect of hydrogen sulfide, assault, initial encounter                                      |
| T59.6X4A | Toxic effect of hydrogen sulfide, undetermined, initial encounter                                 |
| T59.7X1A | Toxic effect of carbon dioxide, accidental (unintentional), initial encounter                     |
| T59.7X2A | Toxic effect of carbon dioxide, intentional self-harm, initial encounter                          |
| T59.7X3A | Toxic effect of carbon dioxide, assault, initial encounter  |
| T59.7X4A | Toxic effect of carbon dioxide, undetermined, initial encounter                                   |
| T59.811A | Toxic effect of smoke, accidental (unintentional), initial encounter                              |
| T59.812A | Toxic effect of smoke, intentional self-harm, initial encounter                                   |
| T59.813A | Toxic effect of smoke, assault, initial encounter   |
| T59.814A | Toxic effect of smoke, undetermined, initial encounter  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T59.891A | Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), initial encounter    |
| T59.892A | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter         |
| T59.893A | Toxic effect of other specified gases, fumes and vapors, assault, initial encounter                       |
| T59.894A | Toxic effect of other specified gases, fumes and vapors, undetermined, initial encounter                  |
| T59.91XA | Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), initial encounter        |
| T59.92XA | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter             |
| T59.93XA | Toxic effect of unspecified gases, fumes and vapors, assault, initial encounter                           |
| T59.94XA | Toxic effect of unspecified gases, fumes and vapors, undetermined, initial encounter                      |
| T60.0X1A | Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), initial encounter |
| T60.0X2A | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter      |
| T60.0X3A | Toxic effect of organophosphate and carbamate insecticides, assault, initial encounter                    |
| T60.0X4A | Toxic effect of organophosphate and carbamate insecticides, undetermined, initial encounter               |
| T60.1X1A | Toxic effect of halogenated insecticides, accidental (unintentional), initial encounter                   |
| T60.1X2A | Toxic effect of halogenated insecticides, intentional self-harm, initial encounter                        |
| T60.1X3A | Toxic effect of halogenated insecticides, assault, initial encounter                                      |
| T60.1X4A | Toxic effect of halogenated insecticides, undetermined, initial encounter                                 |
| T60.2X1A | Toxic effect of other insecticides, accidental (unintentional), initial encounter                         |
| T60.2X2A | Toxic effect of other insecticides, intentional self-harm, initial encounter                              |
| T60.2X3A | Toxic effect of other insecticides, assault, initial encounter  |
| T60.2X4A | Toxic effect of other insecticides, undetermined, initial encounter                                       |
| T60.3X1A | Toxic effect of herbicides and fungicides, accidental (unintentional), initial encounter                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T60.3X2A | Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter    |
| T60.3X3A | Toxic effect of herbicides and fungicides, assault, initial encounter                  |
| T60.3X4A | Toxic effect of herbicides and fungicides, undetermined, initial encounter             |
| T60.4X1A | Toxic effect of rodenticides, accidental (unintentional), initial encounter            |
| T60.4X2A | Toxic effect of rodenticides, intentional self-harm, initial encounter                 |
| T60.4X3A | Toxic effect of rodenticides, assault, initial encounter                               |
| T60.4X4A | Toxic effect of rodenticides, undetermined, initial encounter                          |
| T60.8X1A | Toxic effect of other pesticides, accidental (unintentional), initial encounter        |
| T60.8X2A | Toxic effect of other pesticides, intentional self-harm, initial encounter             |
| T60.8X3A | Toxic effect of other pesticides, assault, initial encounter                           |
| T60.8X4A | Toxic effect of other pesticides, undetermined, initial encounter                      |
| T60.91XA | Toxic effect of unspecified pesticide, accidental (unintentional), initial encounter   |
| T60.92XA | Toxic effect of unspecified pesticide, intentional self-harm, initial encounter        |
| T60.93XA | Toxic effect of unspecified pesticide, assault, initial encounter                      |
| T60.94XA | Toxic effect of unspecified pesticide, undetermined, initial encounter                 |
| T63.001A | Toxic effect of unspecified snake venom, accidental (unintentional), initial encounter |
| T63.002A | Toxic effect of unspecified snake venom, intentional self-harm, initial encounter      |
| T63.003A | Toxic effect of unspecified snake venom, assault, initial encounter                    |
| T63.004A | Toxic effect of unspecified snake venom, undetermined, initial encounter               |
| T63.011A | Toxic effect of rattlesnake venom, accidental (unintentional), initial encounter       |
| T63.012A | Toxic effect of rattlesnake venom, intentional self-harm, initial encounter            |
| T63.013A | Toxic effect of rattlesnake venom, assault, initial encounter                          |
| T63.014A | Toxic effect of rattlesnake venom, undetermined, initial encounter                     |
| T63.021A | Toxic effect of coral snake venom, accidental (unintentional), initial encounter       |
| T63.022A | Toxic effect of coral snake venom, intentional self-harm, initial encounter            |
| T63.023A | Toxic effect of coral snake venom, assault, initial encounter                          |
| T63.024A | Toxic effect of coral snake venom, undetermined, initial encounter                     |
| T63.031A | Toxic effect of taipan venom, accidental (unintentional), initial encounter            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T63.032A | Toxic effect of taipan venom, intentional self-harm, initial encounter                                       |
| T63.033A | Toxic effect of taipan venom, assault, initial encounter   |
| T63.034A | Toxic effect of taipan venom, undetermined, initial encounter  |
| T63.041A | Toxic effect of cobra venom, accidental (unintentional), initial encounter                                   |
| T63.042A | Toxic effect of cobra venom, intentional self-harm, initial encounter  |
| T63.043A | Toxic effect of cobra venom, assault, initial encounter  |
| T63.044A | Toxic effect of cobra venom, undetermined, initial encounter   |
| T63.061A | Toxic effect of venom of other North and South American snake, accidental (unintentional), initial encounter |
| T63.062A | Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter      |
| T63.063A | Toxic effect of venom of other North and South American snake, assault, initial encounter                    |
| T63.064A | Toxic effect of venom of other North and South American snake, undetermined, initial encounter               |
| T63.071A | Toxic effect of venom of other Australian snake, accidental (unintentional), initial encounter               |
| T63.072A | Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter                    |
| T63.073A | Toxic effect of venom of other Australian snake, assault, initial encounter                                  |
| T63.074A | Toxic effect of venom of other Australian snake, undetermined, initial encounter                             |
| T63.081A | Toxic effect of venom of other African and Asian snake, accidental (unintentional), initial encounter        |
| T63.082A | Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter             |
| T63.083A | Toxic effect of venom of other African and Asian snake, assault, initial encounter                           |
| T63.084A | Toxic effect of venom of other African and Asian snake, undetermined, initial encounter                      |
| T63.091A | Toxic effect of venom of other snake, accidental (unintentional), initial encounter                          |
| T63.092A | Toxic effect of venom of other snake, intentional self-harm, initial encounter                               |
| T63.093A | Toxic effect of venom of other snake, assault, initial encounter   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.094A | Toxic effect of venom of other snake, undetermined, initial encounter                         |
| T63.111A | Toxic effect of venom of gila monster, accidental (unintentional), initial encounter          |
| T63.112A | Toxic effect of venom of gila monster, intentional self-harm, initial encounter               |
| T63.113A | Toxic effect of venom of gila monster, assault, initial encounter                             |
| T63.114A | Toxic effect of venom of gila monster, undetermined, initial encounter                        |
| T63.121A | Toxic effect of venom of other venomous lizard, accidental (unintentional), initial encounter |
| T63.122A | Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter      |
| T63.123A | Toxic effect of venom of other venomous lizard, assault, initial encounter                    |
| T63.124A | Toxic effect of venom of other venomous lizard, undetermined, initial encounter               |
| T63.191A | Toxic effect of venom of other reptiles, accidental (unintentional), initial encounter        |
| T63.192A | Toxic effect of venom of other reptiles, intentional self-harm, initial encounter             |
| T63.193A | Toxic effect of venom of other reptiles, assault, initial encounter                           |
| T63.194A | Toxic effect of venom of other reptiles, undetermined, initial encounter                      |
| T63.2X1A | Toxic effect of venom of scorpion, accidental (unintentional), initial encounter              |
| T63.2X2A | Toxic effect of venom of scorpion, intentional self-harm, initial encounter                   |
| T63.2X3A | Toxic effect of venom of scorpion, assault, initial encounter                                 |
| T63.2X4A | Toxic effect of venom of scorpion, undetermined, initial encounter                            |
| T63.301A | Toxic effect of unspecified spider venom, accidental (unintentional), initial encounter       |
| T63.302A | Toxic effect of unspecified spider venom, intentional self-harm, initial encounter            |
| T63.303A | Toxic effect of unspecified spider venom, assault, initial encounter                          |
| T63.304A | Toxic effect of unspecified spider venom, undetermined, initial encounter                     |
| T63.311A | Toxic effect of venom of black widow spider, accidental (unintentional), initial encounter    |
| T63.312A | Toxic effect of venom of black widow spider, intentional self-harm, initial encounter         |
| T63.313A | Toxic effect of venom of black widow spider, assault, initial encounter                       |
| T63.314A | Toxic effect of venom of black widow spider, undetermined, initial encounter                  |
| T63.321A | Toxic effect of venom of tarantula, accidental (unintentional), initial encounter             |

NCD 190.17

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T63.322A    | Toxic effect of venom of tarantula, intentional self-harm, initial encounter                               |
| T63.323A    | Toxic effect of venom of tarantula, assault, initial encounter   |
| T63.324A    | Toxic effect of venom of tarantula, undetermined, initial encounter  |
| T63.331A    | Toxic effect of venom of brown recluse spider, accidental (unintentional), initial encounter               |
| T63.332A    | Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter                    |
| T63.333A    | Toxic effect of venom of brown recluse spider, assault, initial encounter                                  |
| T63.334A    | Toxic effect of venom of brown recluse spider, undetermined, initial encounter                             |
| T63.391A    | Toxic effect of venom of other spider, accidental (unintentional), initial encounter                       |
| T63.392A    | Toxic effect of venom of other spider, intentional self-harm, initial encounter                            |
| T63.393A    | Toxic effect of venom of other spider, assault, initial encounter  |
| T63.394A    | Toxic effect of venom of other spider, undetermined, initial encounter                                     |
| T63.411A    | Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), initial encounter |
| T63.412A    | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter      |
| T63.413A    | Toxic effect of venom of centipedes and venomous millipedes, assault, initial encounter                    |
| T63.414A    | Toxic effect of venom of centipedes and venomous millipedes, undetermined, initial encounter               |
| T63.421A    | Toxic effect of venom of ants, accidental (unintentional), initial encounter                               |
| T63.422A    | Toxic effect of venom of ants, intentional self-harm, initial encounter                                    |
| T63.423A    | Toxic effect of venom of ants, assault, initial encounter  |
| T63.424A    | Toxic effect of venom of ants, undetermined, initial encounter   |
| T63.431A    | Toxic effect of venom of caterpillars, accidental (unintentional), initial encounter                       |
| T63.432A    | Toxic effect of venom of caterpillars, intentional self-harm, initial encounter                            |
| T63.433A    | Toxic effect of venom of caterpillars, assault, initial encounter  |
| T63.434A    | Toxic effect of venom of caterpillars, undetermined, initial encounter                                     |
| T63.441A    | Toxic effect of venom of bees, accidental (unintentional), initial encounter                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T63.442A    | Toxic effect of venom of bees, intentional self-harm, initial encounter                         |
| T63.443A    | Toxic effect of venom of bees, assault, initial encounter                                       |
| T63.444A    | Toxic effect of venom of bees, undetermined, initial encounter                                  |
| T63.451A    | Toxic effect of venom of hornets, accidental (unintentional), initial encounter                 |
| T63.452A    | Toxic effect of venom of hornets, intentional self-harm, initial encounter                      |
| T63.453A    | Toxic effect of venom of hornets, assault, initial encounter                                    |
| T63.454A    | Toxic effect of venom of hornets, undetermined, initial encounter                               |
| T63.461A    | Toxic effect of venom of wasps, accidental (unintentional), initial encounter                   |
| T63.462A    | Toxic effect of venom of wasps, intentional self-harm, initial encounter                        |
| T63.463A    | Toxic effect of venom of wasps, assault, initial encounter                                      |
| T63.464A    | Toxic effect of venom of wasps, undetermined, initial encounter                                 |
| T63.481A    | Toxic effect of venom of other arthropod, accidental (unintentional), initial encounter         |
| T63.482A    | Toxic effect of venom of other arthropod, intentional self-harm, initial encounter              |
| T63.483A    | Toxic effect of venom of other arthropod, assault, initial encounter                            |
| T63.484A    | Toxic effect of venom of other arthropod, undetermined, initial encounter                       |
| T63.511A    | Toxic effect of contact with stingray, accidental (unintentional), initial encounter            |
| T63.512A    | Toxic effect of contact with stingray, intentional self-harm, initial encounter                 |
| T63.513A    | Toxic effect of contact with stingray, assault, initial encounter                               |
| T63.514A    | Toxic effect of contact with stingray, undetermined, initial encounter                          |
| T63.591A    | Toxic effect of contact with other venomous fish, accidental (unintentional), initial encounter |
| T63.592A    | Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter      |
| T63.593A    | Toxic effect of contact with other venomous fish, assault, initial encounter                    |
| T63.594A    | Toxic effect of contact with other venomous fish, undetermined, initial encounter               |
| T63.611A    | Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), initial encounter |
| T63.612A    | Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial encounter      |
| T63.613A    | Toxic effect of contact with Portugese Man-o-war, assault, initial encounter                    |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.614A | Toxic effect of contact with Portugese Man-o-war, undetermined, initial encounter                         |
| T63.621A | Toxic effect of contact with other jellyfish, accidental (unintentional), initial encounter               |
| T63.622A | Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter                    |
| T63.623A | Toxic effect of contact with other jellyfish, assault, initial encounter                                  |
| T63.624A | Toxic effect of contact with other jellyfish, undetermined, initial encounter                             |
| T63.631A | Toxic effect of contact with sea anemone, accidental (unintentional), initial encounter                   |
| T63.632A | Toxic effect of contact with sea anemone, intentional self-harm, initial encounter                        |
| T63.633A | Toxic effect of contact with sea anemone, assault, initial encounter                                      |
| T63.634A | Toxic effect of contact with sea anemone, undetermined, initial encounter                                 |
| T63.691A | Toxic effect of contact with other venomous marine animals, accidental (unintentional), initial encounter |
| T63.692A | Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter      |
| T63.693A | Toxic effect of contact with other venomous marine animals, assault, initial encounter                    |
| T63.694A | Toxic effect of contact with other venomous marine animals, undetermined, initial encounter               |
| T63.711A | Toxic effect of contact with venomous marine plant, accidental (unintentional), initial encounter         |
| T63.712A | Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter              |
| T63.713A | Toxic effect of contact with venomous marine plant, assault, initial encounter                            |
| T63.714A | Toxic effect of contact with venomous marine plant, undetermined, initial encounter                       |
| T63.791A | Toxic effect of contact with other venomous plant, accidental (unintentional), initial encounter          |
| T63.792A | Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter               |
| T63.793A | Toxic effect of contact with other venomous plant, assault, initial encounter                             |
| T63.794A | Toxic effect of contact with other venomous plant, undetermined, initial encounter                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.811A | Toxic effect of contact with venomous frog, accidental (unintentional), initial encounter               |
| T63.812A | Toxic effect of contact with venomous frog, intentional self-harm, initial encounter                    |
| T63.813A | Toxic effect of contact with venomous frog, assault, initial encounter                                  |
| T63.814A | Toxic effect of contact with venomous frog, undetermined, initial encounter                             |
| T63.821A | Toxic effect of contact with venomous toad, accidental (unintentional), initial encounter               |
| T63.822A | Toxic effect of contact with venomous toad, intentional self-harm, initial encounter                    |
| T63.823A | Toxic effect of contact with venomous toad, assault, initial encounter                                  |
| T63.824A | Toxic effect of contact with venomous toad, undetermined, initial encounter                             |
| T63.831A | Toxic effect of contact with other venomous amphibian, accidental (unintentional), initial encounter    |
| T63.832A | Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter         |
| T63.833A | Toxic effect of contact with other venomous amphibian, assault, initial encounter                       |
| T63.834A | Toxic effect of contact with other venomous amphibian, undetermined, initial encounter                  |
| T63.891A | Toxic effect of contact with other venomous animals, accidental (unintentional), initial encounter      |
| T63.892A | Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter           |
| T63.893A | Toxic effect of contact with other venomous animals, assault, initial encounter                         |
| T63.894A | Toxic effect of contact with other venomous animals, undetermined, initial encounter                    |
| T63.91XA | Toxic effect of contact with unspecified venomous animal, accidental (unintentional), initial encounter |
| T63.92XA | Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter      |
| T63.93XA | Toxic effect of contact with unspecified venomous animal, assault, initial encounter                    |
| T63.94XA | Toxic effect of contact with unspecified venomous animal, undetermined, initial encounter               |
| T64.01XA | Toxic effect of aflatoxin, accidental (unintentional), initial encounter                                |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T64.02XA    | Toxic effect of aflatoxin, intentional self-harm, initial encounter                              |
| T64.03XA    | Toxic effect of aflatoxin, assault, initial encounter  |
| T64.04XA    | Toxic effect of aflatoxin, undetermined, initial encounter                                       |
| T64.81XA    | Toxic effect of other mycotoxin food contaminants, accidental (unintentional), initial encounter |
| T64.82XA    | Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter      |
| T64.83XA    | Toxic effect of other mycotoxin food contaminants, assault, initial encounter                    |
| T64.84XA    | Toxic effect of other mycotoxin food contaminants, undetermined, initial encounter               |
| T65.0X1A    | Toxic effect of cyanides, accidental (unintentional), initial encounter                          |
| T65.0X2A    | Toxic effect of cyanides, intentional self-harm, initial encounter                               |
| T65.0X3A    | Toxic effect of cyanides, assault, initial encounter   |
| T65.0X4A    | Toxic effect of cyanides, undetermined, initial encounter  |
| T65.1X1A    | Toxic effect of strychnine and its salts, accidental (unintentional), initial encounter          |
| T65.1X2A    | Toxic effect of strychnine and its salts, intentional self-harm, initial encounter               |
| T65.1X3A    | Toxic effect of strychnine and its salts, assault, initial encounter                             |
| T65.1X4A    | Toxic effect of strychnine and its salts, undetermined, initial encounter                        |
| T65.211A    | Toxic effect of chewing tobacco, accidental (unintentional), initial encounter                   |
| T65.212A    | Toxic effect of chewing tobacco, intentional self-harm, initial encounter                        |
| T65.213A    | Toxic effect of chewing tobacco, assault, initial encounter                                      |
| T65.214A    | Toxic effect of chewing tobacco, undetermined, initial encounter                                 |
| T65.221A    | Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter                |
| T65.222A    | Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter                     |
| T65.223A    | Toxic effect of tobacco cigarettes, assault, initial encounter                                   |
| T65.224A    | Toxic effect of tobacco cigarettes, undetermined, initial encounter                              |
| T65.291A    | Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter        |
| T65.292A    | Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter             |
| T65.293A    | Toxic effect of other tobacco and nicotine, assault, initial encounter                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T65.294A | Toxic effect of other tobacco and nicotine, undetermined, initial encounter  |
| T65.3X1A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, accidental (unintentional), initial encounter |
| T65.3X2A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter      |
| T65.3X3A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, initial encounter                    |
| T65.3X4A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, initial encounter               |
| T65.4X1A | Toxic effect of carbon disulfide, accidental (unintentional), initial encounter  |
| T65.4X2A | Toxic effect of carbon disulfide, intentional self-harm, initial encounter   |
| T65.4X3A | Toxic effect of carbon disulfide, assault, initial encounter   |
| T65.4X4A | Toxic effect of carbon disulfide, undetermined, initial encounter  |
| T65.5X1A | Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), initial encounter                     |
| T65.5X2A | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter                          |
| T65.5X3A | Toxic effect of nitroglycerin and other nitric acids and esters, assault, initial encounter  |
| T65.5X4A | Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, initial encounter                                   |
| T65.6X1A | Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), initial encounter                           |
| T65.6X2A | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter                                |
| T65.6X3A | Toxic effect of paints and dyes, not elsewhere classified, assault, initial encounter  |
| T65.6X4A | Toxic effect of paints and dyes, not elsewhere classified, undetermined, initial encounter   |
| T65.811A | Toxic effect of latex, accidental (unintentional), initial encounter   |
| T65.812A | Toxic effect of latex, intentional self-harm, initial encounter  |
| T65.813A | Toxic effect of latex, assault, initial encounter  |
| T65.814A | Toxic effect of latex, undetermined, initial encounter   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T65.821A | Toxic effect of harmful algae and algae toxins, accidental (unintentional), initial encounter       |
| T65.822A | Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter            |
| T65.823A | Toxic effect of harmful algae and algae toxins, assault, initial encounter                          |
| T65.824A | Toxic effect of harmful algae and algae toxins, undetermined, initial encounter                     |
| T65.831A | Toxic effect of fiberglass, accidental (unintentional), initial encounter                           |
| T65.832A | Toxic effect of fiberglass, intentional self-harm, initial encounter                                |
| T65.833A | Toxic effect of fiberglass, assault, initial encounter  |
| T65.834A | Toxic effect of fiberglass, undetermined, initial encounter   |
| T65.891A | Toxic effect of other specified substances, accidental (unintentional), initial encounter           |
| T65.892A | Toxic effect of other specified substances, intentional self-harm, initial encounter                |
| T65.893A | Toxic effect of other specified substances, assault, initial encounter                              |
| T65.894A | Toxic effect of other specified substances, undetermined, initial encounter                         |
| T65.91XA | Toxic effect of unspecified substance, accidental (unintentional), initial encounter                |
| T65.92XA | Toxic effect of unspecified substance, intentional self-harm, initial encounter                     |
| T65.93XA | Toxic effect of unspecified substance, assault, initial encounter                                   |
| T65.94XA | Toxic effect of unspecified substance, undetermined, initial encounter                              |
| T67.01XA | Heatstroke and sunstroke, initial encounter   |
| T67.01XD | Heatstroke and sunstroke, subsequent encounter  |
| T67.02XA | Exertional heatstroke, initial encounter  |
| T67.02XD | Exertional heatstroke, subsequent encounter   |
| T67.09XA | Other heatstroke and sunstroke, initial encounter   |
| T67.09XD | Other heatstroke and sunstroke, subsequent encounter  |
| T78.41XA | Arthus phenomenon, initial encounter  |
| T79.2XXA | Traumatic secondary and recurrent hemorrhage and seroma, initial encounter                          |
| T80.1XXA | Vascular complications following infusion, transfusion and therapeutic injection, initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T80.89XA | Other complications following infusion, transfusion and therapeutic injection, initial encounter                |
| T80.910A | Acute hemolytic transfusion reaction, unspecified incompatibility, initial encounter                            |
| T80.911A | Delayed hemolytic transfusion reaction, unspecified incompatibility, initial encounter                          |
| T80.919A | Hemolytic transfusion reaction, unspecified incompatibility, unspecified as acute or delayed, initial encounter |
| T80.92XA | Unspecified transfusion reaction, initial encounter   |
| T82.855A | Stenosis of coronary artery stent, initial encounter  |
| T82.855D | Stenosis of coronary artery stent, subsequent encounter   |
| T82.855S | Stenosis of coronary artery stent, sequela  |
| T82.856A | Stenosis of peripheral vascular stent, initial encounter  |
| T82.856D | Stenosis of peripheral vascular stent, subsequent encounter   |
| T82.856S | Stenosis of peripheral vascular stent, sequela  |
| T85.810A | Embolism due to nervous system prosthetic devices, implants and grafts, initial encounter                       |
| T85.810D | Embolism due to nervous system prosthetic devices, implants and grafts, subsequent encounter                    |
| T85.810S | Embolism due to nervous system prosthetic devices, implants and grafts, sequela                                 |
| T85.818A | Embolism due to other internal prosthetic devices, implants and grafts, initial encounter                       |
| T85.818D | Embolism due to other internal prosthetic devices, implants and grafts, subsequent encounter                    |
| T85.818S | Embolism due to other internal prosthetic devices, implants and grafts, sequela                                 |
| T85.830A | Hemorrhage due to nervous system prosthetic devices, implants and grafts, initial encounter                     |
| T85.838A | Hemorrhage due to other internal prosthetic devices, implants and grafts, initial encounter                     |
| T85.840A | Pain due to nervous system prosthetic devices, implants and grafts, initial encounter                           |
| T85.848A | Pain due to other internal prosthetic devices, implants and grafts, initial encounter                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T85.850A | Stenosis due to nervous system prosthetic devices, implants and grafts, initial encounter      |
| T85.858A | Stenosis due to other internal prosthetic devices, implants and grafts, initial encounter      |
| T85.860A | Thrombosis due to nervous system prosthetic devices, implants and grafts, initial encounter    |
| T85.860D | Thrombosis due to nervous system prosthetic devices, implants and grafts, subsequent encounter |
| T85.860S | Thrombosis due to nervous system prosthetic devices, implants and grafts, sequela              |
| T85.868A | Thrombosis due to other internal prosthetic devices, implants and grafts, initial encounter    |
| T85.868D | Thrombosis due to other internal prosthetic devices, implants and grafts, subsequent encounter |
| T85.868S | Thrombosis due to other internal prosthetic devices, implants and grafts, sequela              |
| T86.40   | Unspecified complication of liver transplant   |
| T86.41   | Liver transplant rejection   |
| T86.42   | Liver transplant failure   |
| T86.43   | Liver transplant infection   |
| T86.49   | Other complications of liver transplant  |
| T86.8401 | Corneal transplant rejection, right eye  |
| T86.8402 | Corneal transplant rejection, left eye   |
| T86.8403 | Corneal transplant rejection, bilateral  |
| T86.8409 | Corneal transplant rejection, unspecified eye  |
| T86.8411 | Corneal transplant failure, right eye  |
| T86.8412 | Corneal transplant failure, left eye   |
| T86.8413 | Corneal transplant failure, bilateral  |
| T86.8419 | Corneal transplant failure, unspecified eye  |
| T86.8421 | Corneal transplant infection, right eye  |
| T86.8422 | Corneal transplant infection, left eye   |
| T86.8423 | Corneal transplant infection, bilateral  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T86.8429 | Corneal transplant infection, unspecified eye  |
| T88.52XA | Failed moderate sedation during procedure, initial encounter   |
| Z05.0    | Observation and evaluation of newborn for suspected cardiac condition ruled out                      |
| Z05.1    | Observation and evaluation of newborn for suspected infectious condition ruled out                   |
| Z05.2    | Observation and evaluation of newborn for suspected neurological condition ruled out                 |
| Z05.3    | Observation and evaluation of newborn for suspected respiratory condition ruled out                  |
| Z05.41   | Observation and evaluation of newborn for suspected genetic condition ruled out                      |
| Z05.42   | Observation and evaluation of newborn for suspected metabolic condition ruled out                    |
| Z05.43   | Observation and evaluation of newborn for suspected immunologic condition ruled out                  |
| Z05.5    | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out             |
| Z05.6    | Observation and evaluation of newborn for suspected genitourinary condition ruled out                |
| Z05.71   | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out |
| Z05.72   | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out              |
| Z05.73   | Observation and evaluation of newborn for suspected connective tissue condition ruled out            |
| Z05.8    | Observation and evaluation of newborn for other specified suspected condition ruled out              |
| Z05.9    | Observation and evaluation of newborn for unspecified suspected condition ruled out                  |
| Z19.1    | Hormone sensitive malignancy status  |
| Z19.2    | Hormone resistant malignancy status  |
| Z21      | Asymptomatic human immunodeficiency virus [HIV] infection status                                     |
| Z22.7    | Latent tuberculosis  |
| Z48.21   | Encounter for aftercare following heart transplant   |
| Z48.22   | Encounter for aftercare following kidney transplant  |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z48.23  | Encounter for aftercare following liver transplant  |
| Z48.24  | Encounter for aftercare following lung transplant   |
| Z48.280 | Encounter for aftercare following heart-lung transplant   |
| Z48.290 | Encounter for aftercare following bone marrow transplant  |
| Z48.298 | Encounter for aftercare following other organ transplant  |
| Z51.81  | Encounter for therapeutic drug level monitoring   |
| Z51.89  | Encounter for other specified aftercare   |
| Z53.31  | Laparoscopic surgical procedure converted to open procedure   |
| Z53.32  | Thoracoscopic surgical procedure converted to open procedure  |
| Z53.33  | Arthroscopic surgical procedure converted to open procedure   |
| Z53.39  | Other specified procedure converted to open procedure   |
| Z79.01  | Long term (current) use of anticoagulants   |
| Z84.82  | Family history of sudden infant death syndrome  |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs  |
| Z86.003 | Personal history of in-situ neoplasm of oral cavity, esophagus and stomach  |
| Z86.004 | Personal history of in-situ neoplasm of other and unspecified digestive organs  |
| Z86.005 | Personal history of in-situ neoplasm of middle ear and respiratory system   |
| Z86.006 | Personal history of melanoma in-situ  |
| Z86.007 | Personal history of in-situ neoplasm of skin  |
| Z86.15  | Personal history of latent tuberculosis infection   |
| Z86.2   | Personal history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z86.39  | Personal history of other endocrine, nutritional and metabolic disease  |
| Z86.711 | Personal history of pulmonary embolism  |
| Z86.718 | Personal history of other venous thrombosis and embolism  |
| Z86.72  | Personal history of thrombophlebitis  |
| Z86.73  | Personal history of transient ischemic attack (TIA), and cerebral infarction without residual deficits                  |
| Z86.74  | Personal history of sudden cardiac arrest   |

**NCD 190.17**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z86.79  | Personal history of other diseases of the circulatory system    |
| Z94.0   | Kidney transplant status  |
| Z94.1   | Heart transplant status   |
| Z94.2   | Lung transplant status  |
| Z94.3   | Heart and lungs transplant status                               |
| Z94.4   | Liver transplant status   |
| Z94.81  | Bone marrow transplant status                                   |
| Z94.82  | Intestine transplant status                                     |
| Z94.83  | Pancreas transplant status                                      |
| Z94.84  | Stem cells transplant status                                    |
| Z94.89  | Other transplanted organ and tissue status                      |
| Z95.2   | Presence of prosthetic heart valve                              |
| Z95.3   | Presence of xenogenic heart valve                               |
| Z95.4   | Presence of other heart-valve replacement                       |
| Z95.811 | Presence of heart assist device                                 |
| Z95.812 | Presence of fully implantable artificial heart                  |
| Z95.820 | Peripheral vascular angioplasty status with implants and grafts |
| Z95.828 | Presence of other vascular implants and grafts                  |
| Z96.82  | Presence of neurostimulator                                     |
| Z98.870 | Personal history of in utero procedure during pregnancy         |
| Z98.871 | Personal history of in utero procedure while a fetus            |
| Z98.890 | Other specified postprocedural states                           |
| Z98.891 | History of uterine scar from previous surgery                   |

**Indications**

1. A PT may be used to assess patients taking warfarin. The PT is generally not useful in monitoring patients receiving heparin who are not taking warfarin.
2. A PT may be used to assess patients with signs or symptoms of abnormal bleeding or thrombosis. For example:

- Swollen extremity with or without prior trauma
  - Unexplained bruising
  - Abnormal bleeding, hemorrhage or hematoma
  - Petechiae or other signs of thrombocytopenia that could be due to Disseminated Intravascular Coagulation
3. A PT may be useful in evaluating patients who have a history of a condition known to be associated with the risk of bleeding or thrombosis that is related to the extrinsic coagulation pathway. Such abnormalities may be genetic or acquired. For example:
- Dysfibrinogenemia
  - Afibrinogenemia (complete)
  - Acute or chronic liver dysfunction or failure, including Wilson's disease and Hemochromatosis
  - Disseminated intravascular coagulation (DIC)
  - Congenital and acquired deficiencies of factors II, V, VII, X
  - Vitamin K deficiency
  - Lupus erythematosus
  - Hypercoagulable state
  - Paraproteinemia
  - Lymphoma
  - Amyloidosis
  - Acute and chronic leukemias
  - Plasma cell dyscrasia
  - HIV infection
  - Malignant neoplasms
  - Hemorrhagic fever
  - Salicylate poisoning
  - Obstructive jaundice
  - Intestinal fistula
  - Malabsorption syndrome
  - Colitis
  - Chronic diarrhea
  - Presence of peripheral venous or arterial thrombosis or pulmonary emboli or myocardial infarction
  - Patients with bleeding or clotting tendencies
  - Organ transplantation
  - Presence of circulating coagulation inhibitors
4. A PT may be used to assess the risk of hemorrhage or thrombosis in patients who are going to have a medical intervention known to be associated with increased risk of bleeding or thrombosis. For example:





## **Medicare National Coverage Determinations (NCD) Coding Policy Manual and Change Report (ICD-10-CM)**

- Evaluation prior to invasive procedures or operations of patients with personal history of bleeding or a condition associated with coagulopathy.
- Prior to the use of thrombolytic medication

### **Limitations**

1. When an ESRD patient is tested for PT, testing more frequently than weekly requires documentation of medical necessity, e.g., other than chronic renal failure or renal failure unspecified.
2. The need to repeat this test is determined by changes in the underlying medical condition and/or the dosing of warfarin. In a patient on stable warfarin therapy, it is ordinarily not necessary to repeat testing more than every two to three weeks. When testing is performed to evaluate a patient with signs or symptoms of abnormal bleeding or thrombosis and the initial test result is normal, it is ordinarily not necessary to repeat testing unless there is a change in the patient's medical status.
3. Since the INR is a calculation, it will not be paid in addition to the PT when expressed in seconds, and is considered part of the conventional PT test.
4. Testing prior to any medical intervention associated with a risk of bleeding and thrombosis (other than thrombolytic therapy) will generally be considered medically necessary only where there are signs or symptoms of a bleeding or thrombotic abnormality or a personal history of bleeding, thrombosis or a condition associated with a coagulopathy. Hospital/clinic-specific policies, protocols, etc., in and of themselves, cannot alone justify coverage.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

CMD Clinical Laboratory Workgroup

1999 CPT Physicians' Current Procedural Terminology, American Medical Association

Wintrobe's Clinical Hematology 9th Ed. Lea and Febinger

Harrison's Principles of Internal Medicine, McGraw Hill, 14th Ed., 1997.

Diagnostic Tests Handbook, Springhouse Corporation, 1987.

Hemostasis and Thrombosis: Basic Principles and Clinical Practice. Colman, et al editors, J.B. Lippincott, 3rd Edition, 1994, pp 896-898 and 1045-1046.

Disorders of Hemostasis, Ratnoff, Oscar D. and Forbes, Charles D., W.B. Saunders Co. 1996.

Merck Manual of Diagnosis and Therapy, 16th Edition (should be replaced w/17th Edition 1999.)

"Performance of the Coumatrak System at a Large Anticoagulation Clinic". *Coagulation and Transfusion Medicine*. January 1995. p. 98-102.

"Monitoring Oral Anticoagulation Therapy with Point-of-Care Devices. Correlation and Caveats". *Clinical Chemistry*: No. 9, 1997, p1785-1786.



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

“College of American Pathologists Conference XXXI on Laboratory Monitoring of Anticoagulant Therapy”. *Arch.Pathol.Lab.Med.* Vol.122. September 1998. p. 768-780.

“A Structured Teaching and Self-management Program for Patients Receiving Oral Anti-coagulation”. *JAMA*; 1999; 281: 145-150.

## **190.18 - Serum Iron Studies**

### **Description**

Serum iron studies are useful in the evaluation of disorders of iron metabolism, particularly iron deficiency and iron excess. Iron studies are best performed when the patient is fasting in the morning and has abstained from medications that may influence iron balance.

Iron deficiency is the most common cause of anemia. In young children on a milk diet, iron deficiency is often secondary to dietary deficiency. In adults, iron deficiency is usually the result of blood loss and is only occasionally secondary to dietary deficiency or malabsorption. Following major surgery the patient may have iron deficient erythropoietin for months or years if adequate iron replacement has not been given. High doses of supplemental iron may cause the serum iron to be elevated. Serum iron may also be altered in acute and chronic inflammatory and neoplastic conditions.

Total Iron Binding Capacity (TIBC) is an indirect measure of transferrin, a protein that binds and transports iron. TIBC quantifies transferrin by the amount of iron that it can bind. TIBC and transferrin are elevated in iron deficiency, and with oral contraceptive use, and during pregnancy. TIBC and transferrin may be decreased in malabsorption syndromes or in those affected with chronic diseases. The percent saturation represents the ratio of iron to the TIBC.

Assays for ferritin are also useful in assessing iron balance. Low concentrations are associated with iron deficiency and are highly specific. High concentrations are found in hemosiderosis (iron overload without associated tissue injury) and hemochromatosis (iron overload with associated tissue injury). In these conditions the iron is elevated, the TIBC and transferrin are within the reference range or low, and the percent saturation is elevated. Serum ferritin can be useful for both initiating and monitoring treatment for iron overload.

Transferrin and ferritin belong to a group of serum proteins known as acute phase reactants, and are increased in response to stressful or inflammatory conditions and also can occur with infection and tissue injury due to surgery, trauma or necrosis. Ferritin and iron/TIBC (or transferrin) are affected by acute and chronic inflammatory conditions, and in patients with these disorders, tests of iron status may be difficult to interpret.

### **HCPCS Codes (Alphanumeric, CPT® AMA)**

| <b>Code</b> | <b>Description</b>    |
|-------------|-----------------------|
| 82728       | Ferritin              |
| 83540       | Iron                  |
| 83550       | Iron Binding capacity |
| 84466       | Transferrin           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

**ICD-10-CM Codes Covered by Medicare Program**

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description                                 |
|--------|---|
| A01.00 | Typhoid fever, unspecified                  |
| A01.01 | Typhoid meningitis                          |
| A01.02 | Typhoid fever with heart involvement        |
| A01.03 | Typhoid pneumonia                           |
| A01.04 | Typhoid arthritis                           |
| A01.05 | Typhoid osteomyelitis                       |
| A01.09 | Typhoid fever with other complications      |
| A01.1  | Paratyphoid fever A                         |
| A01.2  | Paratyphoid fever B                         |
| A01.3  | Paratyphoid fever C                         |
| A01.4  | Paratyphoid fever, unspecified              |
| A02.0  | Salmonella enteritis                        |
| A02.1  | Salmonella sepsis                           |
| A02.20 | Localized salmonella infection, unspecified |
| A02.21 | Salmonella meningitis                       |
| A02.22 | Salmonella pneumonia                        |
| A02.23 | Salmonella arthritis                        |
| A02.24 | Salmonella osteomyelitis                    |
| A02.25 | Salmonella pyelonephritis                   |
| A02.29 | Salmonella with other localized infection   |
| A02.8  | Other specified salmonella infections       |
| A02.9  | Salmonella infection, unspecified           |
| A04.0  | Enteropathogenic Escherichia coli infection |
| A04.1  | Enterotoxigenic Escherichia coli infection  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A04.2  | Enteroinvasive Escherichia coli infection                              |
| A04.3  | Enterohemorrhagic Escherichia coli infection                           |
| A04.4  | Other intestinal Escherichia coli infections                           |
| A04.5  | Campylobacter enteritis  |
| A04.6  | Enteritis due to Yersinia enterocolitica                               |
| A04.71 | Enterocolitis due to Clostridium difficile, recurrent                  |
| A04.72 | Enterocolitis due to Clostridium difficile, not specified as recurrent |
| A04.8  | Other specified bacterial intestinal infections                        |
| A04.9  | Bacterial intestinal infection, unspecified                            |
| A06.0  | Acute amebic dysentery   |
| A06.1  | Chronic intestinal amebiasis   |
| A06.2  | Amebic nondysenteric colitis   |
| A06.3  | Ameboma of intestine   |
| A06.4  | Amebic liver abscess   |
| A06.5  | Amebic lung abscess  |
| A06.6  | Amebic brain abscess   |
| A06.7  | Cutaneous amebiasis  |
| A06.81 | Amebic cystitis  |
| A06.82 | Other amebic genitourinary infections                                  |
| A06.89 | Other amebic infections  |
| A06.9  | Amebiasis, unspecified   |
| A07.0  | Balantidiasis  |
| A07.1  | Giardiasis [lambliasis]  |
| A07.2  | Cryptosporidiosis  |
| A07.3  | Isosporiasis   |
| A07.4  | Cyclosporiasis   |
| A07.8  | Other specified protozoal intestinal diseases                          |
| A07.9  | Protozoal intestinal disease, unspecified                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A08.0  | Rotaviral enteritis  |
| A08.11 | Acute gastroenteropathy due to Norwalk agent                     |
| A08.19 | Acute gastroenteropathy due to other small round viruses         |
| A08.2  | Adenoviral enteritis   |
| A08.31 | Calicivirus enteritis  |
| A08.32 | Astrovirus enteritis   |
| A08.39 | Other viral enteritis  |
| A08.4  | Viral intestinal infection, unspecified                          |
| A08.8  | Other specified intestinal infections                            |
| A09    | Infectious gastroenteritis and colitis, unspecified              |
| A15.0  | Tuberculosis of lung   |
| A18.01 | Tuberculosis of spine  |
| A18.02 | Tuberculous arthritis of other joints                            |
| A18.03 | Tuberculosis of other bones                                      |
| A18.09 | Other musculoskeletal tuberculosis                               |
| A18.11 | Tuberculosis of kidney and ureter                                |
| A18.12 | Tuberculosis of bladder  |
| A18.13 | Tuberculosis of other urinary organs                             |
| A18.31 | Tuberculous peritonitis  |
| A18.32 | Tuberculous enteritis  |
| A18.39 | Retroperitoneal tuberculosis                                     |
| A18.83 | Tuberculosis of digestive tract organs, not elsewhere classified |
| A18.84 | Tuberculosis of heart  |
| B15.0  | Hepatitis A with hepatic coma                                    |
| B15.9  | Hepatitis A without hepatic coma                                 |
| B16.0  | Acute hepatitis B with delta-agent with hepatic coma             |
| B16.1  | Acute hepatitis B with delta-agent without hepatic coma          |
| B16.2  | Acute hepatitis B without delta-agent with hepatic coma          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| B16.9  | Acute hepatitis B without delta-agent and without hepatic coma |
| B17.0  | Acute delta-(super) infection of hepatitis B carrier           |
| B17.10 | Acute hepatitis C without hepatic coma                         |
| B17.11 | Acute hepatitis C with hepatic coma                            |
| B17.2  | Acute hepatitis E  |
| B17.8  | Other specified acute viral hepatitis                          |
| B17.9  | Acute viral hepatitis, unspecified                             |
| B18.0  | Chronic viral hepatitis B with delta-agent                     |
| B18.1  | Chronic viral hepatitis B without delta-agent                  |
| B18.2  | Chronic viral hepatitis C                                      |
| B18.8  | Other chronic viral hepatitis                                  |
| B18.9  | Chronic viral hepatitis, unspecified                           |
| B19.0  | Unspecified viral hepatitis with hepatic coma                  |
| B19.10 | Unspecified viral hepatitis B without hepatic coma             |
| B19.11 | Unspecified viral hepatitis B with hepatic coma                |
| B19.20 | Unspecified viral hepatitis C without hepatic coma             |
| B19.21 | Unspecified viral hepatitis C with hepatic coma                |
| B19.9  | Unspecified viral hepatitis without hepatic coma               |
| B20    | Human immunodeficiency virus [HIV] disease                     |
| B25.1  | Cytomegaloviral hepatitis                                      |
| B52.0  | Plasmodium malariae malaria with nephropathy                   |
| C00.0  | Malignant neoplasm of external upper lip                       |
| C00.1  | Malignant neoplasm of external lower lip                       |
| C00.2  | Malignant neoplasm of external lip, unspecified                |
| C00.3  | Malignant neoplasm of upper lip, inner aspect                  |
| C00.4  | Malignant neoplasm of lower lip, inner aspect                  |
| C00.5  | Malignant neoplasm of lip, unspecified, inner aspect           |
| C00.6  | Malignant neoplasm of commissure of lip, unspecified           |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C00.8  | Malignant neoplasm of overlapping sites of lip                        |
| C00.9  | Malignant neoplasm of lip, unspecified                                |
| C01    | Malignant neoplasm of base of tongue                                  |
| C02.0  | Malignant neoplasm of dorsal surface of tongue                        |
| C02.1  | Malignant neoplasm of border of tongue                                |
| C02.2  | Malignant neoplasm of ventral surface of tongue                       |
| C02.3  | Malignant neoplasm of anterior two-thirds of tongue, part unspecified |
| C02.4  | Malignant neoplasm of lingual tonsil                                  |
| C02.8  | Malignant neoplasm of overlapping sites of tongue                     |
| C02.9  | Malignant neoplasm of tongue, unspecified                             |
| C03.0  | Malignant neoplasm of upper gum                                       |
| C03.1  | Malignant neoplasm of lower gum                                       |
| C03.9  | Malignant neoplasm of gum, unspecified                                |
| C04.0  | Malignant neoplasm of anterior floor of mouth                         |
| C04.1  | Malignant neoplasm of lateral floor of mouth                          |
| C04.8  | Malignant neoplasm of overlapping sites of floor of mouth             |
| C04.9  | Malignant neoplasm of floor of mouth, unspecified                     |
| C05.0  | Malignant neoplasm of hard palate                                     |
| C05.1  | Malignant neoplasm of soft palate                                     |
| C05.2  | Malignant neoplasm of uvula   |
| C05.8  | Malignant neoplasm of overlapping sites of palate                     |
| C05.9  | Malignant neoplasm of palate, unspecified                             |
| C06.0  | Malignant neoplasm of cheek mucosa                                    |
| C06.1  | Malignant neoplasm of vestibule of mouth                              |
| C06.2  | Malignant neoplasm of retromolar area                                 |
| C06.80 | Malignant neoplasm of overlapping sites of unspecified parts of mouth |
| C06.89 | Malignant neoplasm of overlapping sites of other parts of mouth       |
| C06.9  | Malignant neoplasm of mouth, unspecified                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| C07   | Malignant neoplasm of parotid gland                             |
| C08.0 | Malignant neoplasm of submandibular gland                       |
| C08.1 | Malignant neoplasm of sublingual gland                          |
| C08.9 | Malignant neoplasm of major salivary gland, unspecified         |
| C09.0 | Malignant neoplasm of tonsillar fossa                           |
| C09.1 | Malignant neoplasm of tonsillar pillar (anterior) (posterior)   |
| C09.8 | Malignant neoplasm of overlapping sites of tonsil               |
| C09.9 | Malignant neoplasm of tonsil, unspecified                       |
| C10.0 | Malignant neoplasm of vallecula                                 |
| C10.1 | Malignant neoplasm of anterior surface of epiglottis            |
| C10.2 | Malignant neoplasm of lateral wall of oropharynx                |
| C10.3 | Malignant neoplasm of posterior wall of oropharynx              |
| C10.4 | Malignant neoplasm of branchial cleft                           |
| C10.8 | Malignant neoplasm of overlapping sites of oropharynx           |
| C10.9 | Malignant neoplasm of oropharynx, unspecified                   |
| C11.0 | Malignant neoplasm of superior wall of nasopharynx              |
| C11.1 | Malignant neoplasm of posterior wall of nasopharynx             |
| C11.2 | Malignant neoplasm of lateral wall of nasopharynx               |
| C11.3 | Malignant neoplasm of anterior wall of nasopharynx              |
| C11.8 | Malignant neoplasm of overlapping sites of nasopharynx          |
| C11.9 | Malignant neoplasm of nasopharynx, unspecified                  |
| C12   | Malignant neoplasm of pyriform sinus                            |
| C13.0 | Malignant neoplasm of postcricoid region                        |
| C13.1 | Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect |
| C13.2 | Malignant neoplasm of posterior wall of hypopharynx             |
| C13.8 | Malignant neoplasm of overlapping sites of hypopharynx          |
| C13.9 | Malignant neoplasm of hypopharynx, unspecified                  |
| C14.0 | Malignant neoplasm of pharynx, unspecified                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| C14.2 | Malignant neoplasm of Waldeyer's ring                                   |
| C14.8 | Malignant neoplasm of overlapping sites of lip, oral cavity and pharynx |
| C15.3 | Malignant neoplasm of upper third of esophagus                          |
| C15.4 | Malignant neoplasm of middle third of esophagus                         |
| C15.5 | Malignant neoplasm of lower third of esophagus                          |
| C15.8 | Malignant neoplasm of overlapping sites of esophagus                    |
| C15.9 | Malignant neoplasm of esophagus, unspecified                            |
| C16.0 | Malignant neoplasm of cardia  |
| C16.1 | Malignant neoplasm of fundus of stomach                                 |
| C16.2 | Malignant neoplasm of body of stomach                                   |
| C16.3 | Malignant neoplasm of pyloric antrum                                    |
| C16.4 | Malignant neoplasm of pylorus   |
| C16.5 | Malignant neoplasm of lesser curvature of stomach, unspecified          |
| C16.6 | Malignant neoplasm of greater curvature of stomach, unspecified         |
| C16.8 | Malignant neoplasm of overlapping sites of stomach                      |
| C16.9 | Malignant neoplasm of stomach, unspecified                              |
| C17.0 | Malignant neoplasm of duodenum  |
| C17.1 | Malignant neoplasm of jejunum   |
| C17.2 | Malignant neoplasm of ileum   |
| C17.3 | Meckel's diverticulum, malignant  |
| C17.8 | Malignant neoplasm of overlapping sites of small intestine              |
| C17.9 | Malignant neoplasm of small intestine, unspecified                      |
| C18.0 | Malignant neoplasm of cecum   |
| C18.1 | Malignant neoplasm of appendix  |
| C18.2 | Malignant neoplasm of ascending colon                                   |
| C18.3 | Malignant neoplasm of hepatic flexure                                   |
| C18.4 | Malignant neoplasm of transverse colon                                  |
| C18.5 | Malignant neoplasm of splenic flexure                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| C18.6 | Malignant neoplasm of descending colon                                 |
| C18.7 | Malignant neoplasm of sigmoid colon                                    |
| C18.8 | Malignant neoplasm of overlapping sites of colon                       |
| C18.9 | Malignant neoplasm of colon, unspecified                               |
| C19   | Malignant neoplasm of rectosigmoid junction                            |
| C20   | Malignant neoplasm of rectum   |
| C21.0 | Malignant neoplasm of anus, unspecified                                |
| C21.1 | Malignant neoplasm of anal canal                                       |
| C21.2 | Malignant neoplasm of cloacogenic zone                                 |
| C21.8 | Malignant neoplasm of overlapping sites of rectum, anus and anal canal |
| C22.0 | Liver cell carcinoma   |
| C22.1 | Intrahepatic bile duct carcinoma                                       |
| C22.2 | Hepatoblastoma   |
| C22.3 | Angiosarcoma of liver  |
| C22.4 | Other sarcomas of liver  |
| C22.7 | Other specified carcinomas of liver                                    |
| C22.8 | Malignant neoplasm of liver, primary, unspecified as to type           |
| C22.9 | Malignant neoplasm of liver, not specified as primary or secondary     |
| C23   | Malignant neoplasm of gallbladder                                      |
| C24.0 | Malignant neoplasm of extrahepatic bile duct                           |
| C24.1 | Malignant neoplasm of ampulla of Vater                                 |
| C24.8 | Malignant neoplasm of overlapping sites of biliary tract               |
| C24.9 | Malignant neoplasm of biliary tract, unspecified                       |
| C25.0 | Malignant neoplasm of head of pancreas                                 |
| C25.1 | Malignant neoplasm of body of pancreas                                 |
| C25.2 | Malignant neoplasm of tail of pancreas                                 |
| C25.3 | Malignant neoplasm of pancreatic duct                                  |
| C25.4 | Malignant neoplasm of endocrine pancreas                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C25.7  | Malignant neoplasm of other parts of pancreas                       |
| C25.8  | Malignant neoplasm of overlapping sites of pancreas                 |
| C25.9  | Malignant neoplasm of pancreas, unspecified                         |
| C26.0  | Malignant neoplasm of intestinal tract, part unspecified            |
| C26.1  | Malignant neoplasm of spleen  |
| C26.9  | Malignant neoplasm of ill-defined sites within the digestive system |
| C30.0  | Malignant neoplasm of nasal cavity                                  |
| C30.1  | Malignant neoplasm of middle ear                                    |
| C31.0  | Malignant neoplasm of maxillary sinus                               |
| C31.1  | Malignant neoplasm of ethmoidal sinus                               |
| C31.2  | Malignant neoplasm of frontal sinus                                 |
| C31.3  | Malignant neoplasm of sphenoid sinus                                |
| C31.8  | Malignant neoplasm of overlapping sites of accessory sinuses        |
| C31.9  | Malignant neoplasm of accessory sinus, unspecified                  |
| C32.0  | Malignant neoplasm of glottis                                       |
| C32.1  | Malignant neoplasm of supraglottis                                  |
| C32.2  | Malignant neoplasm of subglottis                                    |
| C32.3  | Malignant neoplasm of laryngeal cartilage                           |
| C32.8  | Malignant neoplasm of overlapping sites of larynx                   |
| C32.9  | Malignant neoplasm of larynx, unspecified                           |
| C33    | Malignant neoplasm of trachea                                       |
| C34.00 | Malignant neoplasm of unspecified main bronchus                     |
| C34.01 | Malignant neoplasm of right main bronchus                           |
| C34.02 | Malignant neoplasm of left main bronchus                            |
| C34.10 | Malignant neoplasm of upper lobe, unspecified bronchus or lung      |
| C34.11 | Malignant neoplasm of upper lobe, right bronchus or lung            |
| C34.12 | Malignant neoplasm of upper lobe, left bronchus or lung             |
| C34.2  | Malignant neoplasm of middle lobe, bronchus or lung                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C34.30 | Malignant neoplasm of lower lobe, unspecified bronchus or lung           |
| C34.31 | Malignant neoplasm of lower lobe, right bronchus or lung                 |
| C34.32 | Malignant neoplasm of lower lobe, left bronchus or lung                  |
| C34.80 | Malignant neoplasm of overlapping sites of unspecified bronchus and lung |
| C34.81 | Malignant neoplasm of overlapping sites of right bronchus and lung       |
| C34.82 | Malignant neoplasm of overlapping sites of left bronchus and lung        |
| C34.90 | Malignant neoplasm of unspecified part of unspecified bronchus or lung   |
| C34.91 | Malignant neoplasm of unspecified part of right bronchus or lung         |
| C34.92 | Malignant neoplasm of unspecified part of left bronchus or lung          |
| C37    | Malignant neoplasm of thymus   |
| C38.0  | Malignant neoplasm of heart  |
| C38.1  | Malignant neoplasm of anterior mediastinum                               |
| C38.2  | Malignant neoplasm of posterior mediastinum                              |
| C38.3  | Malignant neoplasm of mediastinum, part unspecified                      |
| C38.4  | Malignant neoplasm of pleura   |
| C38.8  | Malignant neoplasm of overlapping sites of heart, mediastinum and pleura |
| C39.0  | Malignant neoplasm of upper respiratory tract, part unspecified          |
| C39.9  | Malignant neoplasm of lower respiratory tract, part unspecified          |
| C40.00 | Malignant neoplasm of scapula and long bones of unspecified upper limb   |
| C40.01 | Malignant neoplasm of scapula and long bones of right upper limb         |
| C40.02 | Malignant neoplasm of scapula and long bones of left upper limb          |
| C40.10 | Malignant neoplasm of short bones of unspecified upper limb              |
| C40.11 | Malignant neoplasm of short bones of right upper limb                    |
| C40.12 | Malignant neoplasm of short bones of left upper limb                     |
| C40.20 | Malignant neoplasm of long bones of unspecified lower limb               |
| C40.21 | Malignant neoplasm of long bones of right lower limb                     |
| C40.22 | Malignant neoplasm of long bones of left lower limb                      |
| C40.30 | Malignant neoplasm of short bones of unspecified lower limb              |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C40.31  | Malignant neoplasm of short bones of right lower limb                                       |
| C40.32  | Malignant neoplasm of short bones of left lower limb  |
| C40.80  | Malignant neoplasm of overlapping sites of bone and articular cartilage of unspecified limb |
| C40.81  | Malignant neoplasm of overlapping sites of bone and articular cartilage of right limb       |
| C40.82  | Malignant neoplasm of overlapping sites of bone and articular cartilage of left limb        |
| C40.90  | Malignant neoplasm of unspecified bones and articular cartilage of unspecified limb         |
| C40.91  | Malignant neoplasm of unspecified bones and articular cartilage of right limb               |
| C40.92  | Malignant neoplasm of unspecified bones and articular cartilage of left limb                |
| C41.0   | Malignant neoplasm of bones of skull and face   |
| C41.1   | Malignant neoplasm of mandible  |
| C41.2   | Malignant neoplasm of vertebral column  |
| C41.3   | Malignant neoplasm of ribs, sternum and clavicle  |
| C41.4   | Malignant neoplasm of pelvic bones, sacrum and coccyx                                       |
| C41.9   | Malignant neoplasm of bone and articular cartilage, unspecified                             |
| C43.0   | Malignant melanoma of lip   |
| C43.10  | Malignant melanoma of unspecified eyelid, including canthus                                 |
| C43.111 | Malignant melanoma of right upper eyelid, including canthus                                 |
| C43.112 | Malignant melanoma of right lower eyelid, including canthus                                 |
| C43.121 | Malignant melanoma of left upper eyelid, including canthus                                  |
| C43.122 | Malignant melanoma of left lower eyelid, including canthus                                  |
| C43.20  | Malignant melanoma of unspecified ear and external auricular canal                          |
| C43.21  | Malignant melanoma of right ear and external auricular canal                                |
| C43.22  | Malignant melanoma of left ear and external auricular canal                                 |
| C43.30  | Malignant melanoma of unspecified part of face  |
| C43.31  | Malignant melanoma of nose  |
| C43.39  | Malignant melanoma of other parts of face   |
| C43.4   | Malignant melanoma of scalp and neck  |
| C43.51  | Malignant melanoma of anal skin   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| C43.52   | Malignant melanoma of skin of breast  |
| C43.59   | Malignant melanoma of other part of trunk                                       |
| C43.60   | Malignant melanoma of unspecified upper limb, including shoulder                |
| C43.61   | Malignant melanoma of right upper limb, including shoulder                      |
| C43.62   | Malignant melanoma of left upper limb, including shoulder                       |
| C43.70   | Malignant melanoma of unspecified lower limb, including hip                     |
| C43.71   | Malignant melanoma of right lower limb, including hip                           |
| C43.72   | Malignant melanoma of left lower limb, including hip                            |
| C43.8    | Malignant melanoma of overlapping sites of skin                                 |
| C43.9    | Malignant melanoma of skin, unspecified   |
| C44.00   | Unspecified malignant neoplasm of skin of lip                                   |
| C44.01   | Basal cell carcinoma of skin of lip   |
| C44.02   | Squamous cell carcinoma of skin of lip  |
| C44.09   | Other specified malignant neoplasm of skin of lip                               |
| C44.101  | Unspecified malignant neoplasm of skin of unspecified eyelid, including canthus |
| C44.1021 | Unspecified malignant neoplasm of skin of right upper eyelid, including canthus |
| C44.1022 | Unspecified malignant neoplasm of skin of right lower eyelid, including canthus |
| C44.1091 | Unspecified malignant neoplasm of skin of left upper eyelid, including canthus  |
| C44.1092 | Unspecified malignant neoplasm of skin of left lower eyelid, including canthus  |
| C44.111  | Basal cell carcinoma of skin of unspecified eyelid, including canthus           |
| C44.1121 | Basal cell carcinoma of skin of right upper eyelid, including canthus           |
| C44.1122 | Basal cell carcinoma of skin of right lower eyelid, including canthus           |
| C44.1191 | Basal cell carcinoma of skin of left upper eyelid, including canthus            |
| C44.1192 | Basal cell carcinoma of skin of left lower eyelid, including canthus            |
| C44.121  | Squamous cell carcinoma of skin of unspecified eyelid, including canthus        |
| C44.1221 | Squamous cell carcinoma of skin of right upper eyelid, including canthus        |
| C44.1222 | Squamous cell carcinoma of skin of right lower eyelid, including canthus        |
| C44.1291 | Squamous cell carcinoma of skin of left upper eyelid, including canthus         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| C44.1292 | Squamous cell carcinoma of skin of left lower eyelid, including canthus                    |
| C44.1321 | Sebaceous cell carcinoma of skin of right upper eyelid, including canthus                  |
| C44.1322 | Sebaceous cell carcinoma of skin of right lower eyelid, including canthus                  |
| C44.1391 | Sebaceous cell carcinoma of skin of left upper eyelid, including canthus                   |
| C44.1392 | Sebaceous cell carcinoma of skin of left lower eyelid, including canthus                   |
| C44.191  | Other specified malignant neoplasm of skin of unspecified eyelid, including canthus        |
| C44.1921 | Other specified malignant neoplasm of skin of right upper eyelid, including canthus        |
| C44.1922 | Other specified malignant neoplasm of skin of right lower eyelid, including canthus        |
| C44.1991 | Other specified malignant neoplasm of skin of left upper eyelid, including canthus         |
| C44.1992 | Other specified malignant neoplasm of skin of left lower eyelid, including canthus         |
| C44.201  | Unspecified malignant neoplasm of skin of unspecified ear and external auricular canal     |
| C44.202  | Unspecified malignant neoplasm of skin of right ear and external auricular canal           |
| C44.209  | Unspecified malignant neoplasm of skin of left ear and external auricular canal            |
| C44.211  | Basal cell carcinoma of skin of unspecified ear and external auricular canal               |
| C44.212  | Basal cell carcinoma of skin of right ear and external auricular canal                     |
| C44.219  | Basal cell carcinoma of skin of left ear and external auricular canal                      |
| C44.221  | Squamous cell carcinoma of skin of unspecified ear and external auricular canal            |
| C44.222  | Squamous cell carcinoma of skin of right ear and external auricular canal                  |
| C44.229  | Squamous cell carcinoma of skin of left ear and external auricular canal                   |
| C44.291  | Other specified malignant neoplasm of skin of unspecified ear and external auricular canal |
| C44.292  | Other specified malignant neoplasm of skin of right ear and external auricular canal       |
| C44.299  | Other specified malignant neoplasm of skin of left ear and external auricular canal        |
| C44.300  | Unspecified malignant neoplasm of skin of unspecified part of face                         |
| C44.301  | Unspecified malignant neoplasm of skin of nose   |
| C44.309  | Unspecified malignant neoplasm of skin of other parts of face                              |
| C44.310  | Basal cell carcinoma of skin of unspecified parts of face                                  |
| C44.311  | Basal cell carcinoma of skin of nose   |

NCD 190.18

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C44.319 | Basal cell carcinoma of skin of other parts of face                                  |
| C44.320 | Squamous cell carcinoma of skin of unspecified parts of face                         |
| C44.321 | Squamous cell carcinoma of skin of nose  |
| C44.329 | Squamous cell carcinoma of skin of other parts of face                               |
| C44.390 | Other specified malignant neoplasm of skin of unspecified parts of face              |
| C44.391 | Other specified malignant neoplasm of skin of nose                                   |
| C44.399 | Other specified malignant neoplasm of skin of other parts of face                    |
| C44.40  | Unspecified malignant neoplasm of skin of scalp and neck                             |
| C44.41  | Basal cell carcinoma of skin of scalp and neck                                       |
| C44.42  | Squamous cell carcinoma of skin of scalp and neck                                    |
| C44.49  | Other specified malignant neoplasm of skin of scalp and neck                         |
| C44.500 | Unspecified malignant neoplasm of anal skin  |
| C44.501 | Unspecified malignant neoplasm of skin of breast                                     |
| C44.509 | Unspecified malignant neoplasm of skin of other part of trunk                        |
| C44.510 | Basal cell carcinoma of anal skin  |
| C44.511 | Basal cell carcinoma of skin of breast   |
| C44.519 | Basal cell carcinoma of skin of other part of trunk                                  |
| C44.520 | Squamous cell carcinoma of anal skin   |
| C44.521 | Squamous cell carcinoma of skin of breast  |
| C44.529 | Squamous cell carcinoma of skin of other part of trunk                               |
| C44.590 | Other specified malignant neoplasm of anal skin                                      |
| C44.591 | Other specified malignant neoplasm of skin of breast                                 |
| C44.599 | Other specified malignant neoplasm of skin of other part of trunk                    |
| C44.601 | Unspecified malignant neoplasm of skin of unspecified upper limb, including shoulder |
| C44.602 | Unspecified malignant neoplasm of skin of right upper limb, including shoulder       |
| C44.609 | Unspecified malignant neoplasm of skin of left upper limb, including shoulder        |
| C44.611 | Basal cell carcinoma of skin of unspecified upper limb, including shoulder           |
| C44.612 | Basal cell carcinoma of skin of right upper limb, including shoulder                 |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| C44.619     | Basal cell carcinoma of skin of left upper limb, including shoulder                      |
| C44.621     | Squamous cell carcinoma of skin of unspecified upper limb, including shoulder            |
| C44.622     | Squamous cell carcinoma of skin of right upper limb, including shoulder                  |
| C44.629     | Squamous cell carcinoma of skin of left upper limb, including shoulder                   |
| C44.691     | Other specified malignant neoplasm of skin of unspecified upper limb, including shoulder |
| C44.692     | Other specified malignant neoplasm of skin of right upper limb, including shoulder       |
| C44.699     | Other specified malignant neoplasm of skin of left upper limb, including shoulder        |
| C44.701     | Unspecified malignant neoplasm of skin of unspecified lower limb, including hip          |
| C44.702     | Unspecified malignant neoplasm of skin of right lower limb, including hip                |
| C44.709     | Unspecified malignant neoplasm of skin of left lower limb, including hip                 |
| C44.711     | Basal cell carcinoma of skin of unspecified lower limb, including hip                    |
| C44.712     | Basal cell carcinoma of skin of right lower limb, including hip                          |
| C44.719     | Basal cell carcinoma of skin of left lower limb, including hip                           |
| C44.721     | Squamous cell carcinoma of skin of unspecified lower limb, including hip                 |
| C44.722     | Squamous cell carcinoma of skin of right lower limb, including hip                       |
| C44.729     | Squamous cell carcinoma of skin of left lower limb, including hip                        |
| C44.791     | Other specified malignant neoplasm of skin of unspecified lower limb, including hip      |
| C44.792     | Other specified malignant neoplasm of skin of right lower limb, including hip            |
| C44.799     | Other specified malignant neoplasm of skin of left lower limb, including hip             |
| C44.80      | Unspecified malignant neoplasm of overlapping sites of skin                              |
| C44.81      | Basal cell carcinoma of overlapping sites of skin  |
| C44.82      | Squamous cell carcinoma of overlapping sites of skin                                     |
| C44.89      | Other specified malignant neoplasm of overlapping sites of skin                          |
| C44.90      | Unspecified malignant neoplasm of skin, unspecified                                      |
| C44.91      | Basal cell carcinoma of skin, unspecified  |
| C44.92      | Squamous cell carcinoma of skin, unspecified   |
| C44.99      | Other specified malignant neoplasm of skin, unspecified                                  |
| C45.0       | Mesothelioma of pleura   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C45.1  | Mesothelioma of peritoneum  |
| C45.2  | Mesothelioma of pericardium   |
| C45.7  | Mesothelioma of other sites   |
| C45.9  | Mesothelioma, unspecified   |
| C46.0  | Kaposi's sarcoma of skin  |
| C46.1  | Kaposi's sarcoma of soft tissue   |
| C46.2  | Kaposi's sarcoma of palate  |
| C46.3  | Kaposi's sarcoma of lymph nodes   |
| C46.4  | Kaposi's sarcoma of gastrointestinal sites  |
| C46.50 | Kaposi's sarcoma of unspecified lung  |
| C46.51 | Kaposi's sarcoma of right lung  |
| C46.52 | Kaposi's sarcoma of left lung   |
| C46.7  | Kaposi's sarcoma of other sites   |
| C46.9  | Kaposi's sarcoma, unspecified   |
| C47.0  | Malignant neoplasm of peripheral nerves of head, face and neck                            |
| C47.10 | Malignant neoplasm of peripheral nerves of unspecified upper limb, including shoulder     |
| C47.11 | Malignant neoplasm of peripheral nerves of right upper limb, including shoulder           |
| C47.12 | Malignant neoplasm of peripheral nerves of left upper limb, including shoulder            |
| C47.20 | Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip          |
| C47.21 | Malignant neoplasm of peripheral nerves of right lower limb, including hip                |
| C47.22 | Malignant neoplasm of peripheral nerves of left lower limb, including hip                 |
| C47.3  | Malignant neoplasm of peripheral nerves of thorax   |
| C47.4  | Malignant neoplasm of peripheral nerves of abdomen  |
| C47.5  | Malignant neoplasm of peripheral nerves of pelvis   |
| C47.6  | Malignant neoplasm of peripheral nerves of trunk, unspecified                             |
| C47.8  | Malignant neoplasm of overlapping sites of peripheral nerves and autonomic nervous system |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C47.9  | Malignant neoplasm of peripheral nerves and autonomic nervous system, unspecified              |
| C48.0  | Malignant neoplasm of retroperitoneum  |
| C48.1  | Malignant neoplasm of specified parts of peritoneum  |
| C48.2  | Malignant neoplasm of peritoneum, unspecified  |
| C48.8  | Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum                      |
| C49.0  | Malignant neoplasm of connective and soft tissue of head, face and neck                        |
| C49.10 | Malignant neoplasm of connective and soft tissue of unspecified upper limb, including shoulder |
| C49.11 | Malignant neoplasm of connective and soft tissue of right upper limb, including shoulder       |
| C49.12 | Malignant neoplasm of connective and soft tissue of left upper limb, including shoulder        |
| C49.20 | Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip      |
| C49.21 | Malignant neoplasm of connective and soft tissue of right lower limb, including hip            |
| C49.22 | Malignant neoplasm of connective and soft tissue of left lower limb, including hip             |
| C49.3  | Malignant neoplasm of connective and soft tissue of thorax                                     |
| C49.4  | Malignant neoplasm of connective and soft tissue of abdomen                                    |
| C49.5  | Malignant neoplasm of connective and soft tissue of pelvis                                     |
| C49.6  | Malignant neoplasm of connective and soft tissue of trunk, unspecified                         |
| C49.8  | Malignant neoplasm of overlapping sites of connective and soft tissue                          |
| C49.9  | Malignant neoplasm of connective and soft tissue, unspecified                                  |
| C49.A0 | Gastrointestinal stromal tumor, unspecified site   |
| C49.A1 | Gastrointestinal stromal tumor of esophagus  |
| C49.A2 | Gastrointestinal stromal tumor of stomach  |
| C49.A3 | Gastrointestinal stromal tumor of small intestine  |
| C49.A4 | Gastrointestinal stromal tumor of large intestine  |
| C49.A5 | Gastrointestinal stromal tumor of rectum   |
| C49.A9 | Gastrointestinal stromal tumor of other sites  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C4A.0   | Merkel cell carcinoma of lip  |
| C4A.10  | Merkel cell carcinoma of unspecified eyelid, including canthus        |
| C4A.111 | Merkel cell carcinoma of right upper eyelid, including canthus        |
| C4A.112 | Merkel cell carcinoma of right lower eyelid, including canthus        |
| C4A.121 | Merkel cell carcinoma of left upper eyelid, including canthus         |
| C4A.122 | Merkel cell carcinoma of left lower eyelid, including canthus         |
| C4A.20  | Merkel cell carcinoma of unspecified ear and external auricular canal |
| C4A.21  | Merkel cell carcinoma of right ear and external auricular canal       |
| C4A.22  | Merkel cell carcinoma of left ear and external auricular canal        |
| C4A.30  | Merkel cell carcinoma of unspecified part of face                     |
| C4A.31  | Merkel cell carcinoma of nose   |
| C4A.39  | Merkel cell carcinoma of other parts of face                          |
| C4A.4   | Merkel cell carcinoma of scalp and neck                               |
| C4A.51  | Merkel cell carcinoma of anal skin                                    |
| C4A.52  | Merkel cell carcinoma of skin of breast                               |
| C4A.59  | Merkel cell carcinoma of other part of trunk                          |
| C4A.60  | Merkel cell carcinoma of unspecified upper limb, including shoulder   |
| C4A.61  | Merkel cell carcinoma of right upper limb, including shoulder         |
| C4A.62  | Merkel cell carcinoma of left upper limb, including shoulder          |
| C4A.70  | Merkel cell carcinoma of unspecified lower limb, including hip        |
| C4A.71  | Merkel cell carcinoma of right lower limb, including hip              |
| C4A.72  | Merkel cell carcinoma of left lower limb, including hip               |
| C4A.8   | Merkel cell carcinoma of overlapping sites                            |
| C4A.9   | Merkel cell carcinoma, unspecified                                    |
| C50.011 | Malignant neoplasm of nipple and areola, right female breast          |
| C50.012 | Malignant neoplasm of nipple and areola, left female breast           |
| C50.019 | Malignant neoplasm of nipple and areola, unspecified female breast    |
| C50.021 | Malignant neoplasm of nipple and areola, right male breast            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C50.022 | Malignant neoplasm of nipple and areola, left male breast               |
| C50.029 | Malignant neoplasm of nipple and areola, unspecified male breast        |
| C50.111 | Malignant neoplasm of central portion of right female breast            |
| C50.112 | Malignant neoplasm of central portion of left female breast             |
| C50.119 | Malignant neoplasm of central portion of unspecified female breast      |
| C50.121 | Malignant neoplasm of central portion of right male breast              |
| C50.122 | Malignant neoplasm of central portion of left male breast               |
| C50.129 | Malignant neoplasm of central portion of unspecified male breast        |
| C50.211 | Malignant neoplasm of upper-inner quadrant of right female breast       |
| C50.212 | Malignant neoplasm of upper-inner quadrant of left female breast        |
| C50.219 | Malignant neoplasm of upper-inner quadrant of unspecified female breast |
| C50.221 | Malignant neoplasm of upper-inner quadrant of right male breast         |
| C50.222 | Malignant neoplasm of upper-inner quadrant of left male breast          |
| C50.229 | Malignant neoplasm of upper-inner quadrant of unspecified male breast   |
| C50.311 | Malignant neoplasm of lower-inner quadrant of right female breast       |
| C50.312 | Malignant neoplasm of lower-inner quadrant of left female breast        |
| C50.319 | Malignant neoplasm of lower-inner quadrant of unspecified female breast |
| C50.321 | Malignant neoplasm of lower-inner quadrant of right male breast         |
| C50.322 | Malignant neoplasm of lower-inner quadrant of left male breast          |
| C50.329 | Malignant neoplasm of lower-inner quadrant of unspecified male breast   |
| C50.411 | Malignant neoplasm of upper-outer quadrant of right female breast       |
| C50.412 | Malignant neoplasm of upper-outer quadrant of left female breast        |
| C50.419 | Malignant neoplasm of upper-outer quadrant of unspecified female breast |
| C50.421 | Malignant neoplasm of upper-outer quadrant of right male breast         |
| C50.422 | Malignant neoplasm of upper-outer quadrant of left male breast          |
| C50.429 | Malignant neoplasm of upper-outer quadrant of unspecified male breast   |
| C50.511 | Malignant neoplasm of lower-outer quadrant of right female breast       |
| C50.512 | Malignant neoplasm of lower-outer quadrant of left female breast        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C50.519 | Malignant neoplasm of lower-outer quadrant of unspecified female breast |
| C50.521 | Malignant neoplasm of lower-outer quadrant of right male breast         |
| C50.522 | Malignant neoplasm of lower-outer quadrant of left male breast          |
| C50.529 | Malignant neoplasm of lower-outer quadrant of unspecified male breast   |
| C50.611 | Malignant neoplasm of axillary tail of right female breast              |
| C50.612 | Malignant neoplasm of axillary tail of left female breast               |
| C50.619 | Malignant neoplasm of axillary tail of unspecified female breast        |
| C50.621 | Malignant neoplasm of axillary tail of right male breast                |
| C50.622 | Malignant neoplasm of axillary tail of left male breast                 |
| C50.629 | Malignant neoplasm of axillary tail of unspecified male breast          |
| C50.811 | Malignant neoplasm of overlapping sites of right female breast          |
| C50.812 | Malignant neoplasm of overlapping sites of left female breast           |
| C50.819 | Malignant neoplasm of overlapping sites of unspecified female breast    |
| C50.821 | Malignant neoplasm of overlapping sites of right male breast            |
| C50.822 | Malignant neoplasm of overlapping sites of left male breast             |
| C50.829 | Malignant neoplasm of overlapping sites of unspecified male breast      |
| C50.911 | Malignant neoplasm of unspecified site of right female breast           |
| C50.912 | Malignant neoplasm of unspecified site of left female breast            |
| C50.919 | Malignant neoplasm of unspecified site of unspecified female breast     |
| C50.921 | Malignant neoplasm of unspecified site of right male breast             |
| C50.922 | Malignant neoplasm of unspecified site of left male breast              |
| C50.929 | Malignant neoplasm of unspecified site of unspecified male breast       |
| C51.0   | Malignant neoplasm of labium majus                                      |
| C51.1   | Malignant neoplasm of labium minus                                      |
| C51.2   | Malignant neoplasm of clitoris  |
| C51.8   | Malignant neoplasm of overlapping sites of vulva                        |
| C51.9   | Malignant neoplasm of vulva, unspecified                                |
| C52     | Malignant neoplasm of vagina  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C53.0  | Malignant neoplasm of endocervix                                 |
| C53.1  | Malignant neoplasm of exocervix                                  |
| C53.8  | Malignant neoplasm of overlapping sites of cervix uteri          |
| C53.9  | Malignant neoplasm of cervix uteri, unspecified                  |
| C54.0  | Malignant neoplasm of isthmus uteri                              |
| C54.1  | Malignant neoplasm of endometrium                                |
| C54.2  | Malignant neoplasm of myometrium                                 |
| C54.3  | Malignant neoplasm of fundus uteri                               |
| C54.8  | Malignant neoplasm of overlapping sites of corpus uteri          |
| C54.9  | Malignant neoplasm of corpus uteri, unspecified                  |
| C55    | Malignant neoplasm of uterus, part unspecified                   |
| C56.1  | Malignant neoplasm of right ovary                                |
| C56.2  | Malignant neoplasm of left ovary                                 |
| C56.9  | Malignant neoplasm of unspecified ovary                          |
| C57.00 | Malignant neoplasm of unspecified fallopian tube                 |
| C57.01 | Malignant neoplasm of right fallopian tube                       |
| C57.02 | Malignant neoplasm of left fallopian tube                        |
| C57.10 | Malignant neoplasm of unspecified broad ligament                 |
| C57.11 | Malignant neoplasm of right broad ligament                       |
| C57.12 | Malignant neoplasm of left broad ligament                        |
| C57.20 | Malignant neoplasm of unspecified round ligament                 |
| C57.21 | Malignant neoplasm of right round ligament                       |
| C57.22 | Malignant neoplasm of left round ligament                        |
| C57.3  | Malignant neoplasm of parametrium                                |
| C57.4  | Malignant neoplasm of uterine adnexa, unspecified                |
| C57.7  | Malignant neoplasm of other specified female genital organs      |
| C57.8  | Malignant neoplasm of overlapping sites of female genital organs |
| C57.9  | Malignant neoplasm of female genital organ, unspecified          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C58    | Malignant neoplasm of placenta   |
| C60.0  | Malignant neoplasm of prepuce  |
| C60.1  | Malignant neoplasm of glans penis  |
| C60.2  | Malignant neoplasm of body of penis  |
| C60.8  | Malignant neoplasm of overlapping sites of penis                                       |
| C60.9  | Malignant neoplasm of penis, unspecified   |
| C61    | Malignant neoplasm of prostate   |
| C62.00 | Malignant neoplasm of unspecified undescended testis                                   |
| C62.01 | Malignant neoplasm of undescended right testis   |
| C62.02 | Malignant neoplasm of undescended left testis  |
| C62.10 | Malignant neoplasm of unspecified descended testis                                     |
| C62.11 | Malignant neoplasm of descended right testis   |
| C62.12 | Malignant neoplasm of descended left testis  |
| C62.90 | Malignant neoplasm of unspecified testis, unspecified whether descended or undescended |
| C62.91 | Malignant neoplasm of right testis, unspecified whether descended or undescended       |
| C62.92 | Malignant neoplasm of left testis, unspecified whether descended or undescended        |
| C63.00 | Malignant neoplasm of unspecified epididymis   |
| C63.01 | Malignant neoplasm of right epididymis   |
| C63.02 | Malignant neoplasm of left epididymis  |
| C63.10 | Malignant neoplasm of unspecified spermatic cord                                       |
| C63.11 | Malignant neoplasm of right spermatic cord   |
| C63.12 | Malignant neoplasm of left spermatic cord  |
| C63.2  | Malignant neoplasm of scrotum  |
| C63.7  | Malignant neoplasm of other specified male genital organs                              |
| C63.8  | Malignant neoplasm of overlapping sites of male genital organs                         |
| C63.9  | Malignant neoplasm of male genital organ, unspecified                                  |
| C64.1  | Malignant neoplasm of right kidney, except renal pelvis                                |
| C64.2  | Malignant neoplasm of left kidney, except renal pelvis                                 |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C64.9  | Malignant neoplasm of unspecified kidney, except renal pelvis |
| C65.1  | Malignant neoplasm of right renal pelvis                      |
| C65.2  | Malignant neoplasm of left renal pelvis                       |
| C65.9  | Malignant neoplasm of unspecified renal pelvis                |
| C66.1  | Malignant neoplasm of right ureter                            |
| C66.2  | Malignant neoplasm of left ureter                             |
| C66.9  | Malignant neoplasm of unspecified ureter                      |
| C67.0  | Malignant neoplasm of trigone of bladder                      |
| C67.1  | Malignant neoplasm of dome of bladder                         |
| C67.2  | Malignant neoplasm of lateral wall of bladder                 |
| C67.3  | Malignant neoplasm of anterior wall of bladder                |
| C67.4  | Malignant neoplasm of posterior wall of bladder               |
| C67.5  | Malignant neoplasm of bladder neck                            |
| C67.6  | Malignant neoplasm of ureteric orifice                        |
| C67.7  | Malignant neoplasm of urachus                                 |
| C67.8  | Malignant neoplasm of overlapping sites of bladder            |
| C67.9  | Malignant neoplasm of bladder, unspecified                    |
| C68.0  | Malignant neoplasm of urethra                                 |
| C68.1  | Malignant neoplasm of paraurethral glands                     |
| C68.8  | Malignant neoplasm of overlapping sites of urinary organs     |
| C68.9  | Malignant neoplasm of urinary organ, unspecified              |
| C69.00 | Malignant neoplasm of unspecified conjunctiva                 |
| C69.01 | Malignant neoplasm of right conjunctiva                       |
| C69.02 | Malignant neoplasm of left conjunctiva                        |
| C69.10 | Malignant neoplasm of unspecified cornea                      |
| C69.11 | Malignant neoplasm of right cornea                            |
| C69.12 | Malignant neoplasm of left cornea                             |
| C69.20 | Malignant neoplasm of unspecified retina                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C69.21 | Malignant neoplasm of right retina                                    |
| C69.22 | Malignant neoplasm of left retina                                     |
| C69.30 | Malignant neoplasm of unspecified choroid                             |
| C69.31 | Malignant neoplasm of right choroid                                   |
| C69.32 | Malignant neoplasm of left choroid                                    |
| C69.40 | Malignant neoplasm of unspecified ciliary body                        |
| C69.41 | Malignant neoplasm of right ciliary body                              |
| C69.42 | Malignant neoplasm of left ciliary body                               |
| C69.50 | Malignant neoplasm of unspecified lacrimal gland and duct             |
| C69.51 | Malignant neoplasm of right lacrimal gland and duct                   |
| C69.52 | Malignant neoplasm of left lacrimal gland and duct                    |
| C69.60 | Malignant neoplasm of unspecified orbit                               |
| C69.61 | Malignant neoplasm of right orbit                                     |
| C69.62 | Malignant neoplasm of left orbit                                      |
| C69.80 | Malignant neoplasm of overlapping sites of unspecified eye and adnexa |
| C69.81 | Malignant neoplasm of overlapping sites of right eye and adnexa       |
| C69.82 | Malignant neoplasm of overlapping sites of left eye and adnexa        |
| C69.90 | Malignant neoplasm of unspecified site of unspecified eye             |
| C69.91 | Malignant neoplasm of unspecified site of right eye                   |
| C69.92 | Malignant neoplasm of unspecified site of left eye                    |
| C70.0  | Malignant neoplasm of cerebral meninges                               |
| C70.1  | Malignant neoplasm of spinal meninges                                 |
| C70.9  | Malignant neoplasm of meninges, unspecified                           |
| C71.0  | Malignant neoplasm of cerebrum, except lobes and ventricles           |
| C71.1  | Malignant neoplasm of frontal lobe                                    |
| C71.2  | Malignant neoplasm of temporal lobe                                   |
| C71.3  | Malignant neoplasm of parietal lobe                                   |
| C71.4  | Malignant neoplasm of occipital lobe                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C71.5  | Malignant neoplasm of cerebral ventricle                            |
| C71.6  | Malignant neoplasm of cerebellum                                    |
| C71.7  | Malignant neoplasm of brain stem                                    |
| C71.8  | Malignant neoplasm of overlapping sites of brain                    |
| C71.9  | Malignant neoplasm of brain, unspecified                            |
| C72.0  | Malignant neoplasm of spinal cord                                   |
| C72.1  | Malignant neoplasm of cauda equina                                  |
| C72.20 | Malignant neoplasm of unspecified olfactory nerve                   |
| C72.21 | Malignant neoplasm of right olfactory nerve                         |
| C72.22 | Malignant neoplasm of left olfactory nerve                          |
| C72.30 | Malignant neoplasm of unspecified optic nerve                       |
| C72.31 | Malignant neoplasm of right optic nerve                             |
| C72.32 | Malignant neoplasm of left optic nerve                              |
| C72.40 | Malignant neoplasm of unspecified acoustic nerve                    |
| C72.41 | Malignant neoplasm of right acoustic nerve                          |
| C72.42 | Malignant neoplasm of left acoustic nerve                           |
| C72.50 | Malignant neoplasm of unspecified cranial nerve                     |
| C72.59 | Malignant neoplasm of other cranial nerves                          |
| C72.9  | Malignant neoplasm of central nervous system, unspecified           |
| C73    | Malignant neoplasm of thyroid gland                                 |
| C74.00 | Malignant neoplasm of cortex of unspecified adrenal gland           |
| C74.01 | Malignant neoplasm of cortex of right adrenal gland                 |
| C74.02 | Malignant neoplasm of cortex of left adrenal gland                  |
| C74.10 | Malignant neoplasm of medulla of unspecified adrenal gland          |
| C74.11 | Malignant neoplasm of medulla of right adrenal gland                |
| C74.12 | Malignant neoplasm of medulla of left adrenal gland                 |
| C74.90 | Malignant neoplasm of unspecified part of unspecified adrenal gland |
| C74.91 | Malignant neoplasm of unspecified part of right adrenal gland       |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C74.92 | Malignant neoplasm of unspecified part of left adrenal gland                        |
| C75.0  | Malignant neoplasm of parathyroid gland   |
| C75.1  | Malignant neoplasm of pituitary gland   |
| C75.2  | Malignant neoplasm of craniopharyngeal duct   |
| C75.3  | Malignant neoplasm of pineal gland  |
| C75.4  | Malignant neoplasm of carotid body  |
| C75.5  | Malignant neoplasm of aortic body and other paraganglia                             |
| C75.8  | Malignant neoplasm with pluriglandular involvement, unspecified                     |
| C75.9  | Malignant neoplasm of endocrine gland, unspecified                                  |
| C76.0  | Malignant neoplasm of head, face and neck   |
| C76.1  | Malignant neoplasm of thorax  |
| C76.2  | Malignant neoplasm of abdomen   |
| C76.3  | Malignant neoplasm of pelvis  |
| C76.40 | Malignant neoplasm of unspecified upper limb  |
| C76.41 | Malignant neoplasm of right upper limb  |
| C76.42 | Malignant neoplasm of left upper limb   |
| C76.50 | Malignant neoplasm of unspecified lower limb  |
| C76.51 | Malignant neoplasm of right lower limb  |
| C76.52 | Malignant neoplasm of left lower limb   |
| C76.8  | Malignant neoplasm of other specified ill-defined sites                             |
| C77.0  | Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck  |
| C77.1  | Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes           |
| C77.2  | Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes         |
| C77.3  | Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes   |
| C77.4  | Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes |
| C77.5  | Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C77.8  | Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions |
| C77.9  | Secondary and unspecified malignant neoplasm of lymph node, unspecified         |
| C78.00 | Secondary malignant neoplasm of unspecified lung                                |
| C78.01 | Secondary malignant neoplasm of right lung                                      |
| C78.02 | Secondary malignant neoplasm of left lung                                       |
| C78.1  | Secondary malignant neoplasm of mediastinum                                     |
| C78.2  | Secondary malignant neoplasm of pleura  |
| C78.30 | Secondary malignant neoplasm of unspecified respiratory organ                   |
| C78.39 | Secondary malignant neoplasm of other respiratory organs                        |
| C78.4  | Secondary malignant neoplasm of small intestine                                 |
| C78.5  | Secondary malignant neoplasm of large intestine and rectum                      |
| C78.6  | Secondary malignant neoplasm of retroperitoneum and peritoneum                  |
| C78.7  | Secondary malignant neoplasm of liver and intrahepatic bile duct                |
| C78.80 | Secondary malignant neoplasm of unspecified digestive organ                     |
| C78.89 | Secondary malignant neoplasm of other digestive organs                          |
| C79.00 | Secondary malignant neoplasm of unspecified kidney and renal pelvis             |
| C79.01 | Secondary malignant neoplasm of right kidney and renal pelvis                   |
| C79.02 | Secondary malignant neoplasm of left kidney and renal pelvis                    |
| C79.10 | Secondary malignant neoplasm of unspecified urinary organs                      |
| C79.11 | Secondary malignant neoplasm of bladder   |
| C79.19 | Secondary malignant neoplasm of other urinary organs                            |
| C79.2  | Secondary malignant neoplasm of skin  |
| C79.31 | Secondary malignant neoplasm of brain   |
| C79.32 | Secondary malignant neoplasm of cerebral meninges                               |
| C79.40 | Secondary malignant neoplasm of unspecified part of nervous system              |
| C79.49 | Secondary malignant neoplasm of other parts of nervous system                   |
| C79.51 | Secondary malignant neoplasm of bone  |
| C79.52 | Secondary malignant neoplasm of bone marrow                                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C79.60  | Secondary malignant neoplasm of unspecified ovary                     |
| C79.61  | Secondary malignant neoplasm of right ovary                           |
| C79.62  | Secondary malignant neoplasm of left ovary                            |
| C79.70  | Secondary malignant neoplasm of unspecified adrenal gland             |
| C79.71  | Secondary malignant neoplasm of right adrenal gland                   |
| C79.72  | Secondary malignant neoplasm of left adrenal gland                    |
| C79.81  | Secondary malignant neoplasm of breast                                |
| C79.82  | Secondary malignant neoplasm of genital organs                        |
| C79.89  | Secondary malignant neoplasm of other specified sites                 |
| C79.9   | Secondary malignant neoplasm of unspecified site                      |
| C7A.00  | Malignant carcinoid tumor of unspecified site                         |
| C7A.010 | Malignant carcinoid tumor of the duodenum                             |
| C7A.011 | Malignant carcinoid tumor of the jejunum                              |
| C7A.012 | Malignant carcinoid tumor of the ileum                                |
| C7A.019 | Malignant carcinoid tumor of the small intestine, unspecified portion |
| C7A.020 | Malignant carcinoid tumor of the appendix                             |
| C7A.021 | Malignant carcinoid tumor of the cecum                                |
| C7A.022 | Malignant carcinoid tumor of the ascending colon                      |
| C7A.023 | Malignant carcinoid tumor of the transverse colon                     |
| C7A.024 | Malignant carcinoid tumor of the descending colon                     |
| C7A.025 | Malignant carcinoid tumor of the sigmoid colon                        |
| C7A.026 | Malignant carcinoid tumor of the rectum                               |
| C7A.029 | Malignant carcinoid tumor of the large intestine, unspecified portion |
| C7A.090 | Malignant carcinoid tumor of the bronchus and lung                    |
| C7A.091 | Malignant carcinoid tumor of the thymus                               |
| C7A.092 | Malignant carcinoid tumor of the stomach                              |
| C7A.093 | Malignant carcinoid tumor of the kidney                               |
| C7A.094 | Malignant carcinoid tumor of the foregut, unspecified                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C7A.095 | Malignant carcinoid tumor of the midgut, unspecified   |
| C7A.096 | Malignant carcinoid tumor of the hindgut, unspecified  |
| C7A.098 | Malignant carcinoid tumors of other sites  |
| C7A.1   | Malignant poorly differentiated neuroendocrine tumors  |
| C7A.8   | Other malignant neuroendocrine tumors  |
| C7B.00  | Secondary carcinoid tumors, unspecified site   |
| C7B.01  | Secondary carcinoid tumors of distant lymph nodes  |
| C7B.02  | Secondary carcinoid tumors of liver  |
| C7B.03  | Secondary carcinoid tumors of bone   |
| C7B.04  | Secondary carcinoid tumors of peritoneum   |
| C7B.09  | Secondary carcinoid tumors of other sites  |
| C7B.1   | Secondary Merkel cell carcinoma  |
| C7B.8   | Other secondary neuroendocrine tumors  |
| C80.0   | Disseminated malignant neoplasm, unspecified   |
| C80.1   | Malignant (primary) neoplasm, unspecified  |
| C80.2   | Malignant neoplasm associated with transplanted organ  |
| C81.00  | Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site                              |
| C81.01  | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C81.02  | Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C81.03  | Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C81.04  | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C81.05  | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.06  | Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C81.07  | Nodular lymphocyte predominant Hodgkin lymphoma, spleen  |
| C81.08  | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C81.09  | Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites              |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C81.10      | Nodular sclerosis Hodgkin lymphoma, unspecified site                                |
| C81.11      | Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck             |
| C81.12      | Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes                       |
| C81.13      | Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes                     |
| C81.14      | Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb            |
| C81.15      | Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb   |
| C81.16      | Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes                         |
| C81.17      | Nodular sclerosis Hodgkin lymphoma, spleen  |
| C81.18      | Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites                   |
| C81.19      | Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites                |
| C81.20      | Mixed cellularity Hodgkin lymphoma, unspecified site                                |
| C81.21      | Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck             |
| C81.22      | Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes                       |
| C81.23      | Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes                     |
| C81.24      | Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb            |
| C81.25      | Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb   |
| C81.26      | Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes                         |
| C81.27      | Mixed cellularity Hodgkin lymphoma, spleen  |
| C81.28      | Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites                   |
| C81.29      | Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites                |
| C81.30      | Lymphocyte depleted Hodgkin lymphoma, unspecified site                              |
| C81.31      | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C81.32      | Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C81.33      | Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C81.34      | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C81.35      | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.36      | Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes                       |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C81.37 | Lymphocyte depleted Hodgkin lymphoma, spleen                                    |
| C81.38 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites             |
| C81.39 | Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites          |
| C81.40 | Lymphocyte-rich Hodgkin lymphoma, unspecified site                              |
| C81.41 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C81.42 | Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C81.43 | Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C81.44 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C81.45 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.46 | Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C81.47 | Lymphocyte-rich Hodgkin lymphoma, spleen  |
| C81.48 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C81.49 | Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites              |
| C81.70 | Other Hodgkin lymphoma, unspecified site  |
| C81.71 | Other Hodgkin lymphoma, lymph nodes of head, face, and neck                     |
| C81.72 | Other Hodgkin lymphoma, intrathoracic lymph nodes                               |
| C81.73 | Other Hodgkin lymphoma, intra-abdominal lymph nodes                             |
| C81.74 | Other Hodgkin lymphoma, lymph nodes of axilla and upper limb                    |
| C81.75 | Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb           |
| C81.76 | Other Hodgkin lymphoma, intrapelvic lymph nodes                                 |
| C81.77 | Other Hodgkin lymphoma, spleen  |
| C81.78 | Other Hodgkin lymphoma, lymph nodes of multiple sites                           |
| C81.79 | Other Hodgkin lymphoma, extranodal and solid organ sites                        |
| C81.90 | Hodgkin lymphoma, unspecified, unspecified site                                 |
| C81.91 | Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck              |
| C81.92 | Hodgkin lymphoma, unspecified, intrathoracic lymph nodes                        |
| C81.93 | Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes                      |
| C81.94 | Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C81.95 | Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb    |
| C81.96 | Hodgkin lymphoma, unspecified, intrapelvic lymph nodes                          |
| C81.97 | Hodgkin lymphoma, unspecified, spleen   |
| C81.98 | Hodgkin lymphoma, unspecified, lymph nodes of multiple sites                    |
| C81.99 | Hodgkin lymphoma, unspecified, extranodal and solid organ sites                 |
| C82.00 | Follicular lymphoma grade I, unspecified site                                   |
| C82.01 | Follicular lymphoma grade I, lymph nodes of head, face, and neck                |
| C82.02 | Follicular lymphoma grade I, intrathoracic lymph nodes                          |
| C82.03 | Follicular lymphoma grade I, intra-abdominal lymph nodes                        |
| C82.04 | Follicular lymphoma grade I, lymph nodes of axilla and upper limb               |
| C82.05 | Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb      |
| C82.06 | Follicular lymphoma grade I, intrapelvic lymph nodes                            |
| C82.07 | Follicular lymphoma grade I, spleen   |
| C82.08 | Follicular lymphoma grade I, lymph nodes of multiple sites                      |
| C82.09 | Follicular lymphoma grade I, extranodal and solid organ sites                   |
| C82.10 | Follicular lymphoma grade II, unspecified site                                  |
| C82.11 | Follicular lymphoma grade II, lymph nodes of head, face, and neck               |
| C82.12 | Follicular lymphoma grade II, intrathoracic lymph nodes                         |
| C82.13 | Follicular lymphoma grade II, intra-abdominal lymph nodes                       |
| C82.14 | Follicular lymphoma grade II, lymph nodes of axilla and upper limb              |
| C82.15 | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb     |
| C82.16 | Follicular lymphoma grade II, intrapelvic lymph nodes                           |
| C82.17 | Follicular lymphoma grade II, spleen  |
| C82.18 | Follicular lymphoma grade II, lymph nodes of multiple sites                     |
| C82.19 | Follicular lymphoma grade II, extranodal and solid organ sites                  |
| C82.20 | Follicular lymphoma grade III, unspecified, unspecified site                    |
| C82.21 | Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck |
| C82.22 | Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes           |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C82.23      | Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes                   |
| C82.24      | Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb          |
| C82.25      | Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb |
| C82.26      | Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes                       |
| C82.27      | Follicular lymphoma grade III, unspecified, spleen  |
| C82.28      | Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites                 |
| C82.29      | Follicular lymphoma grade III, unspecified, extranodal and solid organ sites              |
| C82.30      | Follicular lymphoma grade IIIa, unspecified site  |
| C82.31      | Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck                       |
| C82.32      | Follicular lymphoma grade IIIa, intrathoracic lymph nodes                                 |
| C82.33      | Follicular lymphoma grade IIIa, intra-abdominal lymph nodes                               |
| C82.34      | Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb                      |
| C82.35      | Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb             |
| C82.36      | Follicular lymphoma grade IIIa, intrapelvic lymph nodes                                   |
| C82.37      | Follicular lymphoma grade IIIa, spleen  |
| C82.38      | Follicular lymphoma grade IIIa, lymph nodes of multiple sites                             |
| C82.39      | Follicular lymphoma grade IIIa, extranodal and solid organ sites                          |
| C82.40      | Follicular lymphoma grade IIIb, unspecified site  |
| C82.41      | Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck                       |
| C82.42      | Follicular lymphoma grade IIIb, intrathoracic lymph nodes                                 |
| C82.43      | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes                               |
| C82.44      | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb                      |
| C82.45      | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb             |
| C82.46      | Follicular lymphoma grade IIIb, intrapelvic lymph nodes                                   |
| C82.47      | Follicular lymphoma grade IIIb, spleen  |
| C82.48      | Follicular lymphoma grade IIIb, lymph nodes of multiple sites                             |
| C82.49      | Follicular lymphoma grade IIIb, extranodal and solid organ sites                          |
| C82.50      | Diffuse follicle center lymphoma, unspecified site  |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C82.51      | Diffuse follicle center lymphoma, lymph nodes of head, face, and neck             |
| C82.52      | Diffuse follicle center lymphoma, intrathoracic lymph nodes                       |
| C82.53      | Diffuse follicle center lymphoma, intra-abdominal lymph nodes                     |
| C82.54      | Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb            |
| C82.55      | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb   |
| C82.56      | Diffuse follicle center lymphoma, intrapelvic lymph nodes                         |
| C82.57      | Diffuse follicle center lymphoma, spleen  |
| C82.58      | Diffuse follicle center lymphoma, lymph nodes of multiple sites                   |
| C82.59      | Diffuse follicle center lymphoma, extranodal and solid organ sites                |
| C82.60      | Cutaneous follicle center lymphoma, unspecified site                              |
| C82.61      | Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck           |
| C82.62      | Cutaneous follicle center lymphoma, intrathoracic lymph nodes                     |
| C82.63      | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes                   |
| C82.64      | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb          |
| C82.65      | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.66      | Cutaneous follicle center lymphoma, intrapelvic lymph nodes                       |
| C82.67      | Cutaneous follicle center lymphoma, spleen  |
| C82.68      | Cutaneous follicle center lymphoma, lymph nodes of multiple sites                 |
| C82.69      | Cutaneous follicle center lymphoma, extranodal and solid organ sites              |
| C82.80      | Other types of follicular lymphoma, unspecified site                              |
| C82.81      | Other types of follicular lymphoma, lymph nodes of head, face, and neck           |
| C82.82      | Other types of follicular lymphoma, intrathoracic lymph nodes                     |
| C82.83      | Other types of follicular lymphoma, intra-abdominal lymph nodes                   |
| C82.84      | Other types of follicular lymphoma, lymph nodes of axilla and upper limb          |
| C82.85      | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C82.86      | Other types of follicular lymphoma, intrapelvic lymph nodes                       |
| C82.87      | Other types of follicular lymphoma, spleen  |
| C82.88      | Other types of follicular lymphoma, lymph nodes of multiple sites                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C82.89      | Other types of follicular lymphoma, extranodal and solid organ sites            |
| C82.90      | Follicular lymphoma, unspecified, unspecified site                              |
| C82.91      | Follicular lymphoma, unspecified, lymph nodes of head, face, and neck           |
| C82.92      | Follicular lymphoma, unspecified, intrathoracic lymph nodes                     |
| C82.93      | Follicular lymphoma, unspecified, intra-abdominal lymph nodes                   |
| C82.94      | Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb          |
| C82.95      | Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C82.96      | Follicular lymphoma, unspecified, intrapelvic lymph nodes                       |
| C82.97      | Follicular lymphoma, unspecified, spleen  |
| C82.98      | Follicular lymphoma, unspecified, lymph nodes of multiple sites                 |
| C82.99      | Follicular lymphoma, unspecified, extranodal and solid organ sites              |
| C83.00      | Small cell B-cell lymphoma, unspecified site                                    |
| C83.01      | Small cell B-cell lymphoma, lymph nodes of head, face, and neck                 |
| C83.02      | Small cell B-cell lymphoma, intrathoracic lymph nodes                           |
| C83.03      | Small cell B-cell lymphoma, intra-abdominal lymph nodes                         |
| C83.04      | Small cell B-cell lymphoma, lymph nodes of axilla and upper limb                |
| C83.05      | Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb       |
| C83.06      | Small cell B-cell lymphoma, intrapelvic lymph nodes                             |
| C83.07      | Small cell B-cell lymphoma, spleen  |
| C83.08      | Small cell B-cell lymphoma, lymph nodes of multiple sites                       |
| C83.09      | Small cell B-cell lymphoma, extranodal and solid organ sites                    |
| C83.10      | Mantle cell lymphoma, unspecified site  |
| C83.11      | Mantle cell lymphoma, lymph nodes of head, face, and neck                       |
| C83.12      | Mantle cell lymphoma, intrathoracic lymph nodes                                 |
| C83.13      | Mantle cell lymphoma, intra-abdominal lymph nodes                               |
| C83.14      | Mantle cell lymphoma, lymph nodes of axilla and upper limb                      |
| C83.15      | Mantle cell lymphoma, lymph nodes of inguinal region and lower limb             |
| C83.16      | Mantle cell lymphoma, intrapelvic lymph nodes                                   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C83.17 | Mantle cell lymphoma, spleen  |
| C83.18 | Mantle cell lymphoma, lymph nodes of multiple sites                             |
| C83.19 | Mantle cell lymphoma, extranodal and solid organ sites                          |
| C83.30 | Diffuse large B-cell lymphoma, unspecified site                                 |
| C83.31 | Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck              |
| C83.32 | Diffuse large B-cell lymphoma, intrathoracic lymph nodes                        |
| C83.33 | Diffuse large B-cell lymphoma, intra-abdominal lymph nodes                      |
| C83.34 | Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb             |
| C83.35 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb    |
| C83.36 | Diffuse large B-cell lymphoma, intrapelvic lymph nodes                          |
| C83.37 | Diffuse large B-cell lymphoma, spleen   |
| C83.38 | Diffuse large B-cell lymphoma, lymph nodes of multiple sites                    |
| C83.39 | Diffuse large B-cell lymphoma, extranodal and solid organ sites                 |
| C83.50 | Lymphoblastic (diffuse) lymphoma, unspecified site                              |
| C83.51 | Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck           |
| C83.52 | Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes                     |
| C83.53 | Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes                   |
| C83.54 | Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb          |
| C83.55 | Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb |
| C83.56 | Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes                       |
| C83.57 | Lymphoblastic (diffuse) lymphoma, spleen  |
| C83.58 | Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites                 |
| C83.59 | Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites              |
| C83.70 | Burkitt lymphoma, unspecified site  |
| C83.71 | Burkitt lymphoma, lymph nodes of head, face, and neck                           |
| C83.72 | Burkitt lymphoma, intrathoracic lymph nodes                                     |
| C83.73 | Burkitt lymphoma, intra-abdominal lymph nodes                                   |
| C83.74 | Burkitt lymphoma, lymph nodes of axilla and upper limb                          |

NCD 190.18

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C83.75 | Burkitt lymphoma, lymph nodes of inguinal region and lower limb                               |
| C83.76 | Burkitt lymphoma, intrapelvic lymph nodes   |
| C83.77 | Burkitt lymphoma, spleen  |
| C83.78 | Burkitt lymphoma, lymph nodes of multiple sites   |
| C83.79 | Burkitt lymphoma, extranodal and solid organ sites  |
| C83.80 | Other non-follicular lymphoma, unspecified site   |
| C83.81 | Other non-follicular lymphoma, lymph nodes of head, face, and neck                            |
| C83.82 | Other non-follicular lymphoma, intrathoracic lymph nodes                                      |
| C83.83 | Other non-follicular lymphoma, intra-abdominal lymph nodes                                    |
| C83.84 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb                           |
| C83.85 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb                  |
| C83.86 | Other non-follicular lymphoma, intrapelvic lymph nodes  |
| C83.87 | Other non-follicular lymphoma, spleen   |
| C83.88 | Other non-follicular lymphoma, lymph nodes of multiple sites                                  |
| C83.89 | Other non-follicular lymphoma, extranodal and solid organ sites                               |
| C83.90 | Non-follicular (diffuse) lymphoma, unspecified, unspecified site                              |
| C83.91 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck           |
| C83.92 | Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes                     |
| C83.93 | Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes                   |
| C83.94 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb          |
| C83.95 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C83.96 | Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes                       |
| C83.97 | Non-follicular (diffuse) lymphoma, unspecified, spleen  |
| C83.98 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites                 |
| C83.99 | Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites              |
| C84.00 | Mycosis fungoides, unspecified site   |
| C84.01 | Mycosis fungoides, lymph nodes of head, face, and neck  |
| C84.02 | Mycosis fungoides, intrathoracic lymph nodes  |

NCD 190.18

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C84.03 | Mycosis fungoides, intra-abdominal lymph nodes  |
| C84.04 | Mycosis fungoides, lymph nodes of axilla and upper limb                                   |
| C84.05 | Mycosis fungoides, lymph nodes of inguinal region and lower limb                          |
| C84.06 | Mycosis fungoides, intrapelvic lymph nodes  |
| C84.07 | Mycosis fungoides, spleen   |
| C84.08 | Mycosis fungoides, lymph nodes of multiple sites  |
| C84.09 | Mycosis fungoides, extranodal and solid organ sites                                       |
| C84.10 | Sezary disease, unspecified site  |
| C84.11 | Sezary disease, lymph nodes of head, face, and neck                                       |
| C84.12 | Sezary disease, intrathoracic lymph nodes   |
| C84.13 | Sezary disease, intra-abdominal lymph nodes   |
| C84.14 | Sezary disease, lymph nodes of axilla and upper limb                                      |
| C84.15 | Sezary disease, lymph nodes of inguinal region and lower limb                             |
| C84.16 | Sezary disease, intrapelvic lymph nodes   |
| C84.17 | Sezary disease, spleen  |
| C84.18 | Sezary disease, lymph nodes of multiple sites   |
| C84.19 | Sezary disease, extranodal and solid organ sites  |
| C84.40 | Peripheral T-cell lymphoma, not classified, unspecified site                              |
| C84.41 | Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck           |
| C84.42 | Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes                     |
| C84.43 | Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes                   |
| C84.44 | Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb          |
| C84.45 | Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb |
| C84.46 | Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes                       |
| C84.47 | Peripheral T-cell lymphoma, not classified, spleen  |
| C84.48 | Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites                 |
| C84.49 | Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites              |
| C84.60 | Anaplastic large cell lymphoma, ALK-positive, unspecified site                            |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C84.61 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck           |
| C84.62 | Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes                     |
| C84.63 | Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes                   |
| C84.64 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb          |
| C84.65 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb |
| C84.66 | Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes                       |
| C84.67 | Anaplastic large cell lymphoma, ALK-positive, spleen  |
| C84.68 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites                 |
| C84.69 | Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites              |
| C84.70 | Anaplastic large cell lymphoma, ALK-negative, unspecified site                              |
| C84.71 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck           |
| C84.72 | Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes                     |
| C84.73 | Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes                   |
| C84.74 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb          |
| C84.75 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb |
| C84.76 | Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes                       |
| C84.77 | Anaplastic large cell lymphoma, ALK-negative, spleen  |
| C84.78 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites                 |
| C84.79 | Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites              |
| C84.90 | Mature T/NK-cell lymphomas, unspecified, unspecified site                                   |
| C84.91 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck                |
| C84.92 | Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes                          |
| C84.93 | Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes                        |
| C84.94 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb               |
| C84.95 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb      |
| C84.96 | Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes                            |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C84.97 | Mature T/NK-cell lymphomas, unspecified, spleen                                       |
| C84.98 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites                |
| C84.99 | Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites             |
| C84.A0 | Cutaneous T-cell lymphoma, unspecified, unspecified site                              |
| C84.A1 | Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck            |
| C84.A2 | Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes                     |
| C84.A3 | Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes                   |
| C84.A4 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb          |
| C84.A5 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C84.A6 | Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes                       |
| C84.A7 | Cutaneous T-cell lymphoma, unspecified, spleen  |
| C84.A8 | Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites                 |
| C84.A9 | Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites              |
| C84.Z0 | Other mature T/NK-cell lymphomas, unspecified site                                    |
| C84.Z1 | Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck                 |
| C84.Z2 | Other mature T/NK-cell lymphomas, intrathoracic lymph nodes                           |
| C84.Z3 | Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes                         |
| C84.Z4 | Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb                |
| C84.Z5 | Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb       |
| C84.Z6 | Other mature T/NK-cell lymphomas, intrapelvic lymph nodes                             |
| C84.Z7 | Other mature T/NK-cell lymphomas, spleen  |
| C84.Z8 | Other mature T/NK-cell lymphomas, lymph nodes of multiple sites                       |
| C84.Z9 | Other mature T/NK-cell lymphomas, extranodal and solid organ sites                    |
| C85.10 | Unspecified B-cell lymphoma, unspecified site   |
| C85.11 | Unspecified B-cell lymphoma, lymph nodes of head, face, and neck                      |
| C85.12 | Unspecified B-cell lymphoma, intrathoracic lymph nodes                                |
| C85.13 | Unspecified B-cell lymphoma, intra-abdominal lymph nodes                              |
| C85.14 | Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb                     |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C85.15 | Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb                   |
| C85.16 | Unspecified B-cell lymphoma, intrapelvic lymph nodes   |
| C85.17 | Unspecified B-cell lymphoma, spleen  |
| C85.18 | Unspecified B-cell lymphoma, lymph nodes of multiple sites                                   |
| C85.19 | Unspecified B-cell lymphoma, extranodal and solid organ sites                                |
| C85.20 | Mediastinal (thymic) large B-cell lymphoma, unspecified site                                 |
| C85.21 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck              |
| C85.22 | Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes                        |
| C85.23 | Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes                      |
| C85.24 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb             |
| C85.25 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb    |
| C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes                          |
| C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen   |
| C85.28 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites                    |
| C85.29 | Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites                 |
| C85.80 | Other specified types of non-Hodgkin lymphoma, unspecified site                              |
| C85.81 | Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C85.82 | Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C85.83 | Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C85.84 | Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C85.85 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C85.86 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C85.87 | Other specified types of non-Hodgkin lymphoma, spleen  |
| C85.88 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C85.89 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites              |
| C85.90 | Non-Hodgkin lymphoma, unspecified, unspecified site  |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C85.91 | Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck                        |
| C85.92 | Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes                                  |
| C85.93 | Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes                                |
| C85.94 | Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb                       |
| C85.95 | Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb              |
| C85.96 | Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes                                    |
| C85.97 | Non-Hodgkin lymphoma, unspecified, spleen   |
| C85.98 | Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites                              |
| C85.99 | Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites                           |
| C86.0  | Extranodal NK/T-cell lymphoma, nasal type   |
| C86.1  | Hepatosplenic T-cell lymphoma   |
| C86.2  | Enteropathy-type (intestinal) T-cell lymphoma   |
| C86.3  | Subcutaneous panniculitis-like T-cell lymphoma  |
| C86.4  | Blastic NK-cell lymphoma  |
| C86.5  | Angioimmunoblastic T-cell lymphoma  |
| C86.6  | Primary cutaneous CD30-positive T-cell proliferations   |
| C88.2  | Heavy chain disease   |
| C88.3  | Immunoproliferative small intestinal disease  |
| C88.4  | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] |
| C88.8  | Other malignant immunoproliferative diseases  |
| C88.9  | Malignant immunoproliferative disease, unspecified  |
| C90.00 | Multiple myeloma not having achieved remission  |
| C90.01 | Multiple myeloma in remission   |
| C90.02 | Multiple myeloma in relapse   |
| C90.10 | Plasma cell leukemia not having achieved remission  |
| C90.11 | Plasma cell leukemia in remission   |
| C90.12 | Plasma cell leukemia in relapse   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C90.20 | Extramedullary plasmacytoma not having achieved remission                        |
| C90.21 | Extramedullary plasmacytoma in remission   |
| C90.22 | Extramedullary plasmacytoma in relapse   |
| C90.30 | Solitary plasmacytoma not having achieved remission                              |
| C90.31 | Solitary plasmacytoma in remission   |
| C90.32 | Solitary plasmacytoma in relapse   |
| C91.00 | Acute lymphoblastic leukemia not having achieved remission                       |
| C91.01 | Acute lymphoblastic leukemia, in remission                                       |
| C91.02 | Acute lymphoblastic leukemia, in relapse   |
| C91.10 | Chronic lymphocytic leukemia of B-cell type not having achieved remission        |
| C91.11 | Chronic lymphocytic leukemia of B-cell type in remission                         |
| C91.12 | Chronic lymphocytic leukemia of B-cell type in relapse                           |
| C91.30 | Prolymphocytic leukemia of B-cell type not having achieved remission             |
| C91.31 | Prolymphocytic leukemia of B-cell type, in remission                             |
| C91.32 | Prolymphocytic leukemia of B-cell type, in relapse                               |
| C91.40 | Hairy cell leukemia not having achieved remission                                |
| C91.41 | Hairy cell leukemia, in remission  |
| C91.42 | Hairy cell leukemia, in relapse  |
| C91.50 | Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission |
| C91.51 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission                 |
| C91.52 | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse                   |
| C91.60 | Prolymphocytic leukemia of T-cell type not having achieved remission             |
| C91.61 | Prolymphocytic leukemia of T-cell type, in remission                             |
| C91.62 | Prolymphocytic leukemia of T-cell type, in relapse                               |
| C91.90 | Lymphoid leukemia, unspecified not having achieved remission                     |
| C91.91 | Lymphoid leukemia, unspecified, in remission                                     |
| C91.92 | Lymphoid leukemia, unspecified, in relapse                                       |
| C91.A0 | Mature B-cell leukemia Burkitt-type not having achieved remission                |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| C91.A1      | Mature B-cell leukemia Burkitt-type, in remission                                  |
| C91.A2      | Mature B-cell leukemia Burkitt-type, in relapse                                    |
| C91.Z0      | Other lymphoid leukemia not having achieved remission                              |
| C91.Z1      | Other lymphoid leukemia, in remission  |
| C91.Z2      | Other lymphoid leukemia, in relapse  |
| C92.00      | Acute myeloblastic leukemia, not having achieved remission                         |
| C92.01      | Acute myeloblastic leukemia, in remission  |
| C92.02      | Acute myeloblastic leukemia, in relapse  |
| C92.10      | Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission          |
| C92.11      | Chronic myeloid leukemia, BCR/ABL-positive, in remission                           |
| C92.12      | Chronic myeloid leukemia, BCR/ABL-positive, in relapse                             |
| C92.20      | Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission |
| C92.21      | Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission                  |
| C92.22      | Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse                    |
| C92.30      | Myeloid sarcoma, not having achieved remission                                     |
| C92.31      | Myeloid sarcoma, in remission  |
| C92.32      | Myeloid sarcoma, in relapse  |
| C92.40      | Acute promyelocytic leukemia, not having achieved remission                        |
| C92.41      | Acute promyelocytic leukemia, in remission   |
| C92.42      | Acute promyelocytic leukemia, in relapse   |
| C92.50      | Acute myelomonocytic leukemia, not having achieved remission                       |
| C92.51      | Acute myelomonocytic leukemia, in remission  |
| C92.52      | Acute myelomonocytic leukemia, in relapse  |
| C92.60      | Acute myeloid leukemia with 11q23-abnormality not having achieved remission        |
| C92.61      | Acute myeloid leukemia with 11q23-abnormality in remission                         |
| C92.62      | Acute myeloid leukemia with 11q23-abnormality in relapse                           |
| C92.90      | Myeloid leukemia, unspecified, not having achieved remission                       |
| C92.91      | Myeloid leukemia, unspecified in remission   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C92.92 | Myeloid leukemia, unspecified in relapse  |
| C92.A0 | Acute myeloid leukemia with multilineage dysplasia, not having achieved remission |
| C92.A1 | Acute myeloid leukemia with multilineage dysplasia, in remission                  |
| C92.A2 | Acute myeloid leukemia with multilineage dysplasia, in relapse                    |
| C92.Z0 | Other myeloid leukemia not having achieved remission                              |
| C92.Z1 | Other myeloid leukemia, in remission  |
| C92.Z2 | Other myeloid leukemia, in relapse  |
| C93.00 | Acute monoblastic/monocytic leukemia, not having achieved remission               |
| C93.01 | Acute monoblastic/monocytic leukemia, in remission                                |
| C93.02 | Acute monoblastic/monocytic leukemia, in relapse                                  |
| C93.10 | Chronic myelomonocytic leukemia not having achieved remission                     |
| C93.11 | Chronic myelomonocytic leukemia, in remission                                     |
| C93.12 | Chronic myelomonocytic leukemia, in relapse                                       |
| C93.30 | Juvenile myelomonocytic leukemia, not having achieved remission                   |
| C93.31 | Juvenile myelomonocytic leukemia, in remission                                    |
| C93.32 | Juvenile myelomonocytic leukemia, in relapse                                      |
| C93.90 | Monocytic leukemia, unspecified, not having achieved remission                    |
| C93.91 | Monocytic leukemia, unspecified in remission                                      |
| C93.92 | Monocytic leukemia, unspecified in relapse  |
| C93.Z0 | Other monocytic leukemia, not having achieved remission                           |
| C93.Z1 | Other monocytic leukemia, in remission  |
| C93.Z2 | Other monocytic leukemia, in relapse  |
| C94.00 | Acute erythroid leukemia, not having achieved remission                           |
| C94.01 | Acute erythroid leukemia, in remission  |
| C94.02 | Acute erythroid leukemia, in relapse  |
| C94.20 | Acute megakaryoblastic leukemia not having achieved remission                     |
| C94.21 | Acute megakaryoblastic leukemia, in remission                                     |
| C94.22 | Acute megakaryoblastic leukemia, in relapse                                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C94.30 | Mast cell leukemia not having achieved remission                                  |
| C94.31 | Mast cell leukemia, in remission  |
| C94.32 | Mast cell leukemia, in relapse  |
| C94.40 | Acute panmyelosis with myelofibrosis not having achieved remission                |
| C94.41 | Acute panmyelosis with myelofibrosis, in remission                                |
| C94.42 | Acute panmyelosis with myelofibrosis, in relapse                                  |
| C94.6  | Myelodysplastic disease, not classified   |
| C94.80 | Other specified leukemias not having achieved remission                           |
| C94.81 | Other specified leukemias, in remission   |
| C94.82 | Other specified leukemias, in relapse   |
| C95.00 | Acute leukemia of unspecified cell type not having achieved remission             |
| C95.01 | Acute leukemia of unspecified cell type, in remission                             |
| C95.02 | Acute leukemia of unspecified cell type, in relapse                               |
| C95.10 | Chronic leukemia of unspecified cell type not having achieved remission           |
| C95.11 | Chronic leukemia of unspecified cell type, in remission                           |
| C95.12 | Chronic leukemia of unspecified cell type, in relapse                             |
| C95.90 | Leukemia, unspecified not having achieved remission                               |
| C95.91 | Leukemia, unspecified, in remission   |
| C95.92 | Leukemia, unspecified, in relapse   |
| C96.0  | Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis         |
| C96.4  | Sarcoma of dendritic cells (accessory cells)                                      |
| C96.9  | Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified     |
| C96.A  | Histiocytic sarcoma   |
| C96.Z  | Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue |
| D00.00 | Carcinoma in situ of oral cavity, unspecified site                                |
| D00.01 | Carcinoma in situ of labial mucosa and vermilion border                           |
| D00.02 | Carcinoma in situ of buccal mucosa  |
| D00.03 | Carcinoma in situ of gingiva and edentulous alveolar ridge                        |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D00.04  | Carcinoma in situ of soft palate                          |
| D00.05  | Carcinoma in situ of hard palate                          |
| D00.06  | Carcinoma in situ of floor of mouth                       |
| D00.07  | Carcinoma in situ of tongue                               |
| D00.08  | Carcinoma in situ of pharynx                              |
| D00.1   | Carcinoma in situ of esophagus                            |
| D00.2   | Carcinoma in situ of stomach                              |
| D01.0   | Carcinoma in situ of colon                                |
| D01.1   | Carcinoma in situ of rectosigmoid junction                |
| D01.2   | Carcinoma in situ of rectum                               |
| D01.3   | Carcinoma in situ of anus and anal canal                  |
| D01.40  | Carcinoma in situ of unspecified part of intestine        |
| D01.49  | Carcinoma in situ of other parts of intestine             |
| D01.5   | Carcinoma in situ of liver, gallbladder and bile ducts    |
| D01.7   | Carcinoma in situ of other specified digestive organs     |
| D01.9   | Carcinoma in situ of digestive organ, unspecified         |
| D02.0   | Carcinoma in situ of larynx                               |
| D02.1   | Carcinoma in situ of trachea                              |
| D02.20  | Carcinoma in situ of unspecified bronchus and lung        |
| D02.21  | Carcinoma in situ of right bronchus and lung              |
| D02.22  | Carcinoma in situ of left bronchus and lung               |
| D02.3   | Carcinoma in situ of other parts of respiratory system    |
| D02.4   | Carcinoma in situ of respiratory system, unspecified      |
| D03.0   | Melanoma in situ of lip                                   |
| D03.10  | Melanoma in situ of unspecified eyelid, including canthus |
| D03.111 | Melanoma in situ of right upper eyelid, including canthus |
| D03.112 | Melanoma in situ of right lower eyelid, including canthus |
| D03.121 | Melanoma in situ of left upper eyelid, including canthus  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| D03.122     | Melanoma in situ of left lower eyelid, including canthus                  |
| D03.20      | Melanoma in situ of unspecified ear and external auricular canal          |
| D03.21      | Melanoma in situ of right ear and external auricular canal                |
| D03.22      | Melanoma in situ of left ear and external auricular canal                 |
| D03.30      | Melanoma in situ of unspecified part of face                              |
| D03.39      | Melanoma in situ of other parts of face                                   |
| D03.4       | Melanoma in situ of scalp and neck  |
| D03.51      | Melanoma in situ of anal skin   |
| D03.52      | Melanoma in situ of breast (skin) (soft tissue)                           |
| D03.59      | Melanoma in situ of other part of trunk                                   |
| D03.60      | Melanoma in situ of unspecified upper limb, including shoulder            |
| D03.61      | Melanoma in situ of right upper limb, including shoulder                  |
| D03.62      | Melanoma in situ of left upper limb, including shoulder                   |
| D03.70      | Melanoma in situ of unspecified lower limb, including hip                 |
| D03.71      | Melanoma in situ of right lower limb, including hip                       |
| D03.72      | Melanoma in situ of left lower limb, including hip                        |
| D03.8       | Melanoma in situ of other sites   |
| D03.9       | Melanoma in situ, unspecified   |
| D04.0       | Carcinoma in situ of skin of lip  |
| D04.10      | Carcinoma in situ of skin of unspecified eyelid, including canthus        |
| D04.111     | Carcinoma in situ of skin of right upper eyelid, including canthus        |
| D04.112     | Carcinoma in situ of skin of right lower eyelid, including canthus        |
| D04.121     | Carcinoma in situ of skin of left upper eyelid, including canthus         |
| D04.122     | Carcinoma in situ of skin of left lower eyelid, including canthus         |
| D04.20      | Carcinoma in situ of skin of unspecified ear and external auricular canal |
| D04.21      | Carcinoma in situ of skin of right ear and external auricular canal       |
| D04.22      | Carcinoma in situ of skin of left ear and external auricular canal        |
| D04.30      | Carcinoma in situ of skin of unspecified part of face                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D04.39 | Carcinoma in situ of skin of other parts of face                        |
| D04.4  | Carcinoma in situ of skin of scalp and neck                             |
| D04.5  | Carcinoma in situ of skin of trunk                                      |
| D04.60 | Carcinoma in situ of skin of unspecified upper limb, including shoulder |
| D04.61 | Carcinoma in situ of skin of right upper limb, including shoulder       |
| D04.62 | Carcinoma in situ of skin of left upper limb, including shoulder        |
| D04.70 | Carcinoma in situ of skin of unspecified lower limb, including hip      |
| D04.71 | Carcinoma in situ of skin of right lower limb, including hip            |
| D04.72 | Carcinoma in situ of skin of left lower limb, including hip             |
| D04.8  | Carcinoma in situ of skin of other sites                                |
| D04.9  | Carcinoma in situ of skin, unspecified                                  |
| D05.00 | Lobular carcinoma in situ of unspecified breast                         |
| D05.01 | Lobular carcinoma in situ of right breast                               |
| D05.02 | Lobular carcinoma in situ of left breast                                |
| D05.10 | Intraductal carcinoma in situ of unspecified breast                     |
| D05.11 | Intraductal carcinoma in situ of right breast                           |
| D05.12 | Intraductal carcinoma in situ of left breast                            |
| D05.80 | Other specified type of carcinoma in situ of unspecified breast         |
| D05.81 | Other specified type of carcinoma in situ of right breast               |
| D05.82 | Other specified type of carcinoma in situ of left breast                |
| D05.90 | Unspecified type of carcinoma in situ of unspecified breast             |
| D05.91 | Unspecified type of carcinoma in situ of right breast                   |
| D05.92 | Unspecified type of carcinoma in situ of left breast                    |
| D06.0  | Carcinoma in situ of endocervix   |
| D06.1  | Carcinoma in situ of exocervix  |
| D06.7  | Carcinoma in situ of other parts of cervix                              |
| D06.9  | Carcinoma in situ of cervix, unspecified                                |
| D07.0  | Carcinoma in situ of endometrium  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D07.1  | Carcinoma in situ of vulva                              |
| D07.2  | Carcinoma in situ of vagina                             |
| D07.30 | Carcinoma in situ of unspecified female genital organs  |
| D07.39 | Carcinoma in situ of other female genital organs        |
| D07.4  | Carcinoma in situ of penis                              |
| D07.5  | Carcinoma in situ of prostate                           |
| D07.60 | Carcinoma in situ of unspecified male genital organs    |
| D07.61 | Carcinoma in situ of scrotum                            |
| D07.69 | Carcinoma in situ of other male genital organs          |
| D09.0  | Carcinoma in situ of bladder                            |
| D09.10 | Carcinoma in situ of unspecified urinary organ          |
| D09.19 | Carcinoma in situ of other urinary organs               |
| D09.20 | Carcinoma in situ of unspecified eye                    |
| D09.21 | Carcinoma in situ of right eye                          |
| D09.22 | Carcinoma in situ of left eye                           |
| D09.3  | Carcinoma in situ of thyroid and other endocrine glands |
| D09.8  | Carcinoma in situ of other specified sites              |
| D09.9  | Carcinoma in situ, unspecified                          |
| D10.0  | Benign neoplasm of lip                                  |
| D10.1  | Benign neoplasm of tongue                               |
| D10.2  | Benign neoplasm of floor of mouth                       |
| D10.30 | Benign neoplasm of unspecified part of mouth            |
| D10.39 | Benign neoplasm of other parts of mouth                 |
| D10.4  | Benign neoplasm of tonsil                               |
| D10.5  | Benign neoplasm of other parts of oropharynx            |
| D10.6  | Benign neoplasm of nasopharynx                          |
| D10.7  | Benign neoplasm of hypopharynx                          |
| D10.9  | Benign neoplasm of pharynx, unspecified                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D11.0  | Benign neoplasm of parotid gland                                  |
| D11.7  | Benign neoplasm of other major salivary glands                    |
| D11.9  | Benign neoplasm of major salivary gland, unspecified              |
| D12.0  | Benign neoplasm of cecum  |
| D12.1  | Benign neoplasm of appendix                                       |
| D12.2  | Benign neoplasm of ascending colon                                |
| D12.3  | Benign neoplasm of transverse colon                               |
| D12.4  | Benign neoplasm of descending colon                               |
| D12.5  | Benign neoplasm of sigmoid colon                                  |
| D12.6  | Benign neoplasm of colon, unspecified                             |
| D12.7  | Benign neoplasm of rectosigmoid junction                          |
| D12.8  | Benign neoplasm of rectum   |
| D12.9  | Benign neoplasm of anus and anal canal                            |
| D13.0  | Benign neoplasm of esophagus                                      |
| D13.1  | Benign neoplasm of stomach  |
| D13.2  | Benign neoplasm of duodenum                                       |
| D13.30 | Benign neoplasm of unspecified part of small intestine            |
| D13.39 | Benign neoplasm of other parts of small intestine                 |
| D13.4  | Benign neoplasm of liver  |
| D13.5  | Benign neoplasm of extrahepatic bile ducts                        |
| D13.6  | Benign neoplasm of pancreas                                       |
| D13.7  | Benign neoplasm of endocrine pancreas                             |
| D13.9  | Benign neoplasm of ill-defined sites within the digestive system  |
| D14.0  | Benign neoplasm of middle ear, nasal cavity and accessory sinuses |
| D14.1  | Benign neoplasm of larynx   |
| D14.2  | Benign neoplasm of trachea  |
| D14.30 | Benign neoplasm of unspecified bronchus and lung                  |
| D14.31 | Benign neoplasm of right bronchus and lung                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D14.32 | Benign neoplasm of left bronchus and lung   |
| D14.4  | Benign neoplasm of respiratory system, unspecified                                |
| D15.0  | Benign neoplasm of thymus   |
| D15.1  | Benign neoplasm of heart  |
| D15.2  | Benign neoplasm of mediastinum  |
| D15.7  | Benign neoplasm of other specified intrathoracic organs                           |
| D15.9  | Benign neoplasm of intrathoracic organ, unspecified                               |
| D16.00 | Benign neoplasm of scapula and long bones of unspecified upper limb               |
| D16.01 | Benign neoplasm of scapula and long bones of right upper limb                     |
| D16.02 | Benign neoplasm of scapula and long bones of left upper limb                      |
| D16.10 | Benign neoplasm of short bones of unspecified upper limb                          |
| D16.11 | Benign neoplasm of short bones of right upper limb                                |
| D16.12 | Benign neoplasm of short bones of left upper limb                                 |
| D16.20 | Benign neoplasm of long bones of unspecified lower limb                           |
| D16.21 | Benign neoplasm of long bones of right lower limb                                 |
| D16.22 | Benign neoplasm of long bones of left lower limb                                  |
| D16.30 | Benign neoplasm of short bones of unspecified lower limb                          |
| D16.31 | Benign neoplasm of short bones of right lower limb                                |
| D16.32 | Benign neoplasm of short bones of left lower limb                                 |
| D16.4  | Benign neoplasm of bones of skull and face  |
| D16.5  | Benign neoplasm of lower jaw bone   |
| D16.6  | Benign neoplasm of vertebral column   |
| D16.7  | Benign neoplasm of ribs, sternum and clavicle                                     |
| D16.8  | Benign neoplasm of pelvic bones, sacrum and coccyx                                |
| D16.9  | Benign neoplasm of bone and articular cartilage, unspecified                      |
| D17.0  | Benign lipomatous neoplasm of skin and subcutaneous tissue of head, face and neck |
| D17.1  | Benign lipomatous neoplasm of skin and subcutaneous tissue of trunk               |
| D17.20 | Benign lipomatous neoplasm of skin and subcutaneous tissue of unspecified limb    |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D17.21 | Benign lipomatous neoplasm of skin and subcutaneous tissue of right arm                           |
| D17.22 | Benign lipomatous neoplasm of skin and subcutaneous tissue of left arm                            |
| D17.23 | Benign lipomatous neoplasm of skin and subcutaneous tissue of right leg                           |
| D17.24 | Benign lipomatous neoplasm of skin and subcutaneous tissue of left leg                            |
| D17.30 | Benign lipomatous neoplasm of skin and subcutaneous tissue of unspecified sites                   |
| D17.39 | Benign lipomatous neoplasm of skin and subcutaneous tissue of other sites                         |
| D17.4  | Benign lipomatous neoplasm of intrathoracic organs  |
| D17.5  | Benign lipomatous neoplasm of intra-abdominal organs  |
| D17.6  | Benign lipomatous neoplasm of spermatic cord  |
| D17.71 | Benign lipomatous neoplasm of kidney  |
| D17.72 | Benign lipomatous neoplasm of other genitourinary organ   |
| D17.79 | Benign lipomatous neoplasm of other sites   |
| D17.9  | Benign lipomatous neoplasm, unspecified   |
| D18.00 | Hemangioma unspecified site   |
| D18.01 | Hemangioma of skin and subcutaneous tissue  |
| D18.02 | Hemangioma of intracranial structures   |
| D18.03 | Hemangioma of intra-abdominal structures  |
| D18.09 | Hemangioma of other sites   |
| D18.1  | Lymphangioma, any site  |
| D19.0  | Benign neoplasm of mesothelial tissue of pleura   |
| D19.1  | Benign neoplasm of mesothelial tissue of peritoneum   |
| D19.7  | Benign neoplasm of mesothelial tissue of other sites  |
| D19.9  | Benign neoplasm of mesothelial tissue, unspecified  |
| D20.0  | Benign neoplasm of soft tissue of retroperitoneum   |
| D20.1  | Benign neoplasm of soft tissue of peritoneum  |
| D21.0  | Benign neoplasm of connective and other soft tissue of head, face and neck                        |
| D21.10 | Benign neoplasm of connective and other soft tissue of unspecified upper limb, including shoulder |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| D21.11  | Benign neoplasm of connective and other soft tissue of right upper limb, including shoulder  |
| D21.12  | Benign neoplasm of connective and other soft tissue of left upper limb, including shoulder   |
| D21.20  | Benign neoplasm of connective and other soft tissue of unspecified lower limb, including hip |
| D21.21  | Benign neoplasm of connective and other soft tissue of right lower limb, including hip       |
| D21.22  | Benign neoplasm of connective and other soft tissue of left lower limb, including hip        |
| D21.3   | Benign neoplasm of connective and other soft tissue of thorax                                |
| D21.4   | Benign neoplasm of connective and other soft tissue of abdomen                               |
| D21.5   | Benign neoplasm of connective and other soft tissue of pelvis                                |
| D21.6   | Benign neoplasm of connective and other soft tissue of trunk, unspecified                    |
| D21.9   | Benign neoplasm of connective and other soft tissue, unspecified                             |
| D22.0   | Melanocytic nevi of lip  |
| D22.10  | Melanocytic nevi of unspecified eyelid, including canthus                                    |
| D22.111 | Melanocytic nevi of right upper eyelid, including canthus                                    |
| D22.112 | Melanocytic nevi of right lower eyelid, including canthus                                    |
| D22.121 | Melanocytic nevi of left upper eyelid, including canthus                                     |
| D22.122 | Melanocytic nevi of left lower eyelid, including canthus                                     |
| D22.20  | Melanocytic nevi of unspecified ear and external auricular canal                             |
| D22.21  | Melanocytic nevi of right ear and external auricular canal                                   |
| D22.22  | Melanocytic nevi of left ear and external auricular canal                                    |
| D22.30  | Melanocytic nevi of unspecified part of face   |
| D22.39  | Melanocytic nevi of other parts of face  |
| D22.4   | Melanocytic nevi of scalp and neck   |
| D22.5   | Melanocytic nevi of trunk  |
| D22.60  | Melanocytic nevi of unspecified upper limb, including shoulder                               |
| D22.61  | Melanocytic nevi of right upper limb, including shoulder                                     |
| D22.62  | Melanocytic nevi of left upper limb, including shoulder                                      |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D22.70  | Melanocytic nevi of unspecified lower limb, including hip                     |
| D22.71  | Melanocytic nevi of right lower limb, including hip                           |
| D22.72  | Melanocytic nevi of left lower limb, including hip                            |
| D22.9   | Melanocytic nevi, unspecified   |
| D23.0   | Other benign neoplasm of skin of lip  |
| D23.10  | Other benign neoplasm of skin of unspecified eyelid, including canthus        |
| D23.111 | Other benign neoplasm of skin of right upper eyelid, including canthus        |
| D23.112 | Other benign neoplasm of skin of right lower eyelid, including canthus        |
| D23.121 | Other benign neoplasm of skin of left upper eyelid, including canthus         |
| D23.122 | Other benign neoplasm of skin of left lower eyelid, including canthus         |
| D23.20  | Other benign neoplasm of skin of unspecified ear and external auricular canal |
| D23.21  | Other benign neoplasm of skin of right ear and external auricular canal       |
| D23.22  | Other benign neoplasm of skin of left ear and external auricular canal        |
| D23.30  | Other benign neoplasm of skin of unspecified part of face                     |
| D23.39  | Other benign neoplasm of skin of other parts of face                          |
| D23.4   | Other benign neoplasm of skin of scalp and neck                               |
| D23.5   | Other benign neoplasm of skin of trunk  |
| D23.60  | Other benign neoplasm of skin of unspecified upper limb, including shoulder   |
| D23.61  | Other benign neoplasm of skin of right upper limb, including shoulder         |
| D23.62  | Other benign neoplasm of skin of left upper limb, including shoulder          |
| D23.70  | Other benign neoplasm of skin of unspecified lower limb, including hip        |
| D23.71  | Other benign neoplasm of skin of right lower limb, including hip              |
| D23.72  | Other benign neoplasm of skin of left lower limb, including hip               |
| D23.9   | Other benign neoplasm of skin, unspecified                                    |
| D24.1   | Benign neoplasm of right breast   |
| D24.2   | Benign neoplasm of left breast  |
| D24.9   | Benign neoplasm of unspecified breast   |
| D25.0   | Submucous leiomyoma of uterus   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| D25.1  | Intramural leiomyoma of uterus                           |
| D25.2  | Subserosal leiomyoma of uterus                           |
| D25.9  | Leiomyoma of uterus, unspecified                         |
| D26.0  | Other benign neoplasm of cervix uteri                    |
| D26.1  | Other benign neoplasm of corpus uteri                    |
| D26.7  | Other benign neoplasm of other parts of uterus           |
| D26.9  | Other benign neoplasm of uterus, unspecified             |
| D27.0  | Benign neoplasm of right ovary                           |
| D27.1  | Benign neoplasm of left ovary                            |
| D27.9  | Benign neoplasm of unspecified ovary                     |
| D28.0  | Benign neoplasm of vulva                                 |
| D28.1  | Benign neoplasm of vagina                                |
| D28.2  | Benign neoplasm of uterine tubes and ligaments           |
| D28.7  | Benign neoplasm of other specified female genital organs |
| D28.9  | Benign neoplasm of female genital organ, unspecified     |
| D29.0  | Benign neoplasm of penis                                 |
| D29.1  | Benign neoplasm of prostate                              |
| D29.20 | Benign neoplasm of unspecified testis                    |
| D29.21 | Benign neoplasm of right testis                          |
| D29.22 | Benign neoplasm of left testis                           |
| D29.30 | Benign neoplasm of unspecified epididymis                |
| D29.31 | Benign neoplasm of right epididymis                      |
| D29.32 | Benign neoplasm of left epididymis                       |
| D29.4  | Benign neoplasm of scrotum                               |
| D29.8  | Benign neoplasm of other specified male genital organs   |
| D29.9  | Benign neoplasm of male genital organ, unspecified       |
| D30.00 | Benign neoplasm of unspecified kidney                    |
| D30.01 | Benign neoplasm of right kidney                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| D30.02 | Benign neoplasm of left kidney                         |
| D30.10 | Benign neoplasm of unspecified renal pelvis            |
| D30.11 | Benign neoplasm of right renal pelvis                  |
| D30.12 | Benign neoplasm of left renal pelvis                   |
| D30.20 | Benign neoplasm of unspecified ureter                  |
| D30.21 | Benign neoplasm of right ureter                        |
| D30.22 | Benign neoplasm of left ureter                         |
| D30.3  | Benign neoplasm of bladder                             |
| D30.4  | Benign neoplasm of urethra                             |
| D30.8  | Benign neoplasm of other specified urinary organs      |
| D30.9  | Benign neoplasm of urinary organ, unspecified          |
| D31.00 | Benign neoplasm of unspecified conjunctiva             |
| D31.01 | Benign neoplasm of right conjunctiva                   |
| D31.02 | Benign neoplasm of left conjunctiva                    |
| D31.10 | Benign neoplasm of unspecified cornea                  |
| D31.11 | Benign neoplasm of right cornea                        |
| D31.12 | Benign neoplasm of left cornea                         |
| D31.20 | Benign neoplasm of unspecified retina                  |
| D31.21 | Benign neoplasm of right retina                        |
| D31.22 | Benign neoplasm of left retina                         |
| D31.30 | Benign neoplasm of unspecified choroid                 |
| D31.31 | Benign neoplasm of right choroid                       |
| D31.32 | Benign neoplasm of left choroid                        |
| D31.40 | Benign neoplasm of unspecified ciliary body            |
| D31.41 | Benign neoplasm of right ciliary body                  |
| D31.42 | Benign neoplasm of left ciliary body                   |
| D31.50 | Benign neoplasm of unspecified lacrimal gland and duct |
| D31.51 | Benign neoplasm of right lacrimal gland and duct       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| D31.52      | Benign neoplasm of left lacrimal gland and duct                    |
| D31.60      | Benign neoplasm of unspecified site of unspecified orbit           |
| D31.61      | Benign neoplasm of unspecified site of right orbit                 |
| D31.62      | Benign neoplasm of unspecified site of left orbit                  |
| D31.90      | Benign neoplasm of unspecified part of unspecified eye             |
| D31.91      | Benign neoplasm of unspecified part of right eye                   |
| D31.92      | Benign neoplasm of unspecified part of left eye                    |
| D32.0       | Benign neoplasm of cerebral meninges                               |
| D32.1       | Benign neoplasm of spinal meninges                                 |
| D32.9       | Benign neoplasm of meninges, unspecified                           |
| D33.0       | Benign neoplasm of brain, supratentorial                           |
| D33.1       | Benign neoplasm of brain, infratentorial                           |
| D33.2       | Benign neoplasm of brain, unspecified                              |
| D33.3       | Benign neoplasm of cranial nerves                                  |
| D33.4       | Benign neoplasm of spinal cord                                     |
| D33.7       | Benign neoplasm of other specified parts of central nervous system |
| D33.9       | Benign neoplasm of central nervous system, unspecified             |
| D34         | Benign neoplasm of thyroid gland                                   |
| D35.00      | Benign neoplasm of unspecified adrenal gland                       |
| D35.01      | Benign neoplasm of right adrenal gland                             |
| D35.02      | Benign neoplasm of left adrenal gland                              |
| D35.1       | Benign neoplasm of parathyroid gland                               |
| D35.2       | Benign neoplasm of pituitary gland                                 |
| D35.3       | Benign neoplasm of craniopharyngeal duct                           |
| D35.4       | Benign neoplasm of pineal gland                                    |
| D35.5       | Benign neoplasm of carotid body                                    |
| D35.6       | Benign neoplasm of aortic body and other paraganglia               |
| D35.7       | Benign neoplasm of other specified endocrine glands                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D35.9   | Benign neoplasm of endocrine gland, unspecified   |
| D36.0   | Benign neoplasm of lymph nodes  |
| D36.10  | Benign neoplasm of peripheral nerves and autonomic nervous system, unspecified                    |
| D36.11  | Benign neoplasm of peripheral nerves and autonomic nervous system of face, head, and neck         |
| D36.12  | Benign neoplasm of peripheral nerves and autonomic nervous system, upper limb, including shoulder |
| D36.13  | Benign neoplasm of peripheral nerves and autonomic nervous system of lower limb, including hip    |
| D36.14  | Benign neoplasm of peripheral nerves and autonomic nervous system of thorax                       |
| D36.15  | Benign neoplasm of peripheral nerves and autonomic nervous system of abdomen                      |
| D36.16  | Benign neoplasm of peripheral nerves and autonomic nervous system of pelvis                       |
| D36.17  | Benign neoplasm of peripheral nerves and autonomic nervous system of trunk, unspecified           |
| D36.7   | Benign neoplasm of other specified sites  |
| D36.9   | Benign neoplasm, unspecified site   |
| D37.01  | Neoplasm of uncertain behavior of lip   |
| D37.02  | Neoplasm of uncertain behavior of tongue  |
| D37.030 | Neoplasm of uncertain behavior of the parotid salivary glands                                     |
| D37.031 | Neoplasm of uncertain behavior of the sublingual salivary glands                                  |
| D37.032 | Neoplasm of uncertain behavior of the submandibular salivary glands                               |
| D37.039 | Neoplasm of uncertain behavior of the major salivary glands, unspecified                          |
| D37.04  | Neoplasm of uncertain behavior of the minor salivary glands                                       |
| D37.05  | Neoplasm of uncertain behavior of pharynx   |
| D37.09  | Neoplasm of uncertain behavior of other specified sites of the oral cavity                        |
| D37.1   | Neoplasm of uncertain behavior of stomach   |
| D37.2   | Neoplasm of uncertain behavior of small intestine   |
| D37.3   | Neoplasm of uncertain behavior of appendix  |
| D37.4   | Neoplasm of uncertain behavior of colon   |
| D37.5   | Neoplasm of uncertain behavior of rectum  |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D37.6   | Neoplasm of uncertain behavior of liver, gallbladder and bile ducts     |
| D37.8   | Neoplasm of uncertain behavior of other specified digestive organs      |
| D37.9   | Neoplasm of uncertain behavior of digestive organ, unspecified          |
| D38.0   | Neoplasm of uncertain behavior of larynx                                |
| D38.1   | Neoplasm of uncertain behavior of trachea, bronchus and lung            |
| D38.2   | Neoplasm of uncertain behavior of pleura                                |
| D38.3   | Neoplasm of uncertain behavior of mediastinum                           |
| D38.4   | Neoplasm of uncertain behavior of thymus                                |
| D38.5   | Neoplasm of uncertain behavior of other respiratory organs              |
| D38.6   | Neoplasm of uncertain behavior of respiratory organ, unspecified        |
| D39.0   | Neoplasm of uncertain behavior of uterus                                |
| D39.10  | Neoplasm of uncertain behavior of unspecified ovary                     |
| D39.11  | Neoplasm of uncertain behavior of right ovary                           |
| D39.12  | Neoplasm of uncertain behavior of left ovary                            |
| D39.2   | Neoplasm of uncertain behavior of placenta                              |
| D39.8   | Neoplasm of uncertain behavior of other specified female genital organs |
| D39.9   | Neoplasm of uncertain behavior of female genital organ, unspecified     |
| D3A.00  | Benign carcinoid tumor of unspecified site                              |
| D3A.010 | Benign carcinoid tumor of the duodenum                                  |
| D3A.011 | Benign carcinoid tumor of the jejunum                                   |
| D3A.012 | Benign carcinoid tumor of the ileum                                     |
| D3A.019 | Benign carcinoid tumor of the small intestine, unspecified portion      |
| D3A.020 | Benign carcinoid tumor of the appendix                                  |
| D3A.021 | Benign carcinoid tumor of the cecum                                     |
| D3A.022 | Benign carcinoid tumor of the ascending colon                           |
| D3A.023 | Benign carcinoid tumor of the transverse colon                          |
| D3A.024 | Benign carcinoid tumor of the descending colon                          |
| D3A.025 | Benign carcinoid tumor of the sigmoid colon                             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D3A.026 | Benign carcinoid tumor of the rectum                                  |
| D3A.029 | Benign carcinoid tumor of the large intestine, unspecified portion    |
| D3A.090 | Benign carcinoid tumor of the bronchus and lung                       |
| D3A.091 | Benign carcinoid tumor of the thymus                                  |
| D3A.092 | Benign carcinoid tumor of the stomach                                 |
| D3A.093 | Benign carcinoid tumor of the kidney                                  |
| D3A.094 | Benign carcinoid tumor of the foregut, unspecified                    |
| D3A.095 | Benign carcinoid tumor of the midgut, unspecified                     |
| D3A.096 | Benign carcinoid tumor of the hindgut, unspecified                    |
| D3A.098 | Benign carcinoid tumors of other sites                                |
| D3A.8   | Other benign neuroendocrine tumors                                    |
| D40.0   | Neoplasm of uncertain behavior of prostate                            |
| D40.10  | Neoplasm of uncertain behavior of unspecified testis                  |
| D40.11  | Neoplasm of uncertain behavior of right testis                        |
| D40.12  | Neoplasm of uncertain behavior of left testis                         |
| D40.8   | Neoplasm of uncertain behavior of other specified male genital organs |
| D40.9   | Neoplasm of uncertain behavior of male genital organ, unspecified     |
| D41.00  | Neoplasm of uncertain behavior of unspecified kidney                  |
| D41.01  | Neoplasm of uncertain behavior of right kidney                        |
| D41.02  | Neoplasm of uncertain behavior of left kidney                         |
| D41.10  | Neoplasm of uncertain behavior of unspecified renal pelvis            |
| D41.11  | Neoplasm of uncertain behavior of right renal pelvis                  |
| D41.12  | Neoplasm of uncertain behavior of left renal pelvis                   |
| D41.20  | Neoplasm of uncertain behavior of unspecified ureter                  |
| D41.21  | Neoplasm of uncertain behavior of right ureter                        |
| D41.22  | Neoplasm of uncertain behavior of left ureter                         |
| D41.3   | Neoplasm of uncertain behavior of urethra                             |
| D41.4   | Neoplasm of uncertain behavior of bladder                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D41.8  | Neoplasm of uncertain behavior of other specified urinary organs                  |
| D41.9  | Neoplasm of uncertain behavior of unspecified urinary organ                       |
| D42.0  | Neoplasm of uncertain behavior of cerebral meninges                               |
| D42.1  | Neoplasm of uncertain behavior of spinal meninges                                 |
| D42.9  | Neoplasm of uncertain behavior of meninges, unspecified                           |
| D43.0  | Neoplasm of uncertain behavior of brain, supratentorial                           |
| D43.1  | Neoplasm of uncertain behavior of brain, infratentorial                           |
| D43.2  | Neoplasm of uncertain behavior of brain, unspecified                              |
| D43.3  | Neoplasm of uncertain behavior of cranial nerves                                  |
| D43.4  | Neoplasm of uncertain behavior of spinal cord                                     |
| D43.8  | Neoplasm of uncertain behavior of other specified parts of central nervous system |
| D43.9  | Neoplasm of uncertain behavior of central nervous system, unspecified             |
| D44.0  | Neoplasm of uncertain behavior of thyroid gland                                   |
| D44.10 | Neoplasm of uncertain behavior of unspecified adrenal gland                       |
| D44.11 | Neoplasm of uncertain behavior of right adrenal gland                             |
| D44.12 | Neoplasm of uncertain behavior of left adrenal gland                              |
| D44.2  | Neoplasm of uncertain behavior of parathyroid gland                               |
| D44.3  | Neoplasm of uncertain behavior of pituitary gland                                 |
| D44.4  | Neoplasm of uncertain behavior of craniopharyngeal duct                           |
| D44.5  | Neoplasm of uncertain behavior of pineal gland                                    |
| D44.6  | Neoplasm of uncertain behavior of carotid body                                    |
| D44.7  | Neoplasm of uncertain behavior of aortic body and other paraganglia               |
| D44.9  | Neoplasm of uncertain behavior of unspecified endocrine gland                     |
| D45    | Polycythemia vera   |
| D46.0  | Refractory anemia without ring sideroblasts, so stated                            |
| D46.1  | Refractory anemia with ring sideroblasts  |
| D46.20 | Refractory anemia with excess of blasts, unspecified                              |
| D46.21 | Refractory anemia with excess of blasts 1   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D46.22 | Refractory anemia with excess of blasts 2   |
| D46.4  | Refractory anemia, unspecified  |
| D46.9  | Myelodysplastic syndrome, unspecified   |
| D46.A  | Refractory cytopenia with multilineage dysplasia  |
| D46.B  | Refractory cytopenia with multilineage dysplasia and ring sideroblasts                        |
| D46.C  | Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality                        |
| D46.Z  | Other myelodysplastic syndromes   |
| D47.09 | Other mast cell neoplasms of uncertain behavior   |
| D47.1  | Chronic myeloproliferative disease  |
| D47.3  | Essential (hemorrhagic) thrombocythemia   |
| D47.9  | Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified     |
| D47.Z1 | Post-transplant lymphoproliferative disorder (PTLD)   |
| D47.Z2 | Castleman disease   |
| D47.Z9 | Other specified neoplasms of uncertain behavior of lymphoid, hematopoietic and related tissue |
| D48.0  | Neoplasm of uncertain behavior of bone and articular cartilage                                |
| D48.1  | Neoplasm of uncertain behavior of connective and other soft tissue                            |
| D48.2  | Neoplasm of uncertain behavior of peripheral nerves and autonomic nervous system              |
| D48.3  | Neoplasm of uncertain behavior of retroperitoneum   |
| D48.4  | Neoplasm of uncertain behavior of peritoneum  |
| D48.5  | Neoplasm of uncertain behavior of skin  |
| D48.60 | Neoplasm of uncertain behavior of unspecified breast  |
| D48.61 | Neoplasm of uncertain behavior of right breast  |
| D48.62 | Neoplasm of uncertain behavior of left breast   |
| D48.7  | Neoplasm of uncertain behavior of other specified sites                                       |
| D48.9  | Neoplasm of uncertain behavior, unspecified   |
| D49.0  | Neoplasm of unspecified behavior of digestive system  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D49.1   | Neoplasm of unspecified behavior of respiratory system                                    |
| D49.2   | Neoplasm of unspecified behavior of bone, soft tissue, and skin                           |
| D49.3   | Neoplasm of unspecified behavior of breast  |
| D49.4   | Neoplasm of unspecified behavior of bladder   |
| D49.511 | Neoplasm of unspecified behavior of right kidney  |
| D49.512 | Neoplasm of unspecified behavior of left kidney   |
| D49.519 | Neoplasm of unspecified behavior of unspecified kidney                                    |
| D49.59  | Neoplasm of unspecified behavior of other genitourinary organ                             |
| D49.6   | Neoplasm of unspecified behavior of brain   |
| D49.7   | Neoplasm of unspecified behavior of endocrine glands and other parts of nervous system    |
| D49.81  | Neoplasm of unspecified behavior of retina and choroid                                    |
| D49.89  | Neoplasm of unspecified behavior of other specified sites                                 |
| D49.9   | Neoplasm of unspecified behavior of unspecified site                                      |
| D50.0   | Iron deficiency anemia secondary to blood loss (chronic)                                  |
| D50.1   | Sideropenic dysphagia   |
| D50.8   | Other iron deficiency anemias   |
| D50.9   | Iron deficiency anemia, unspecified   |
| D51.0   | Vitamin B12 deficiency anemia due to intrinsic factor deficiency                          |
| D51.1   | Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuria |
| D51.2   | Transcobalamin II deficiency  |
| D51.3   | Other dietary vitamin B12 deficiency anemia   |
| D51.8   | Other vitamin B12 deficiency anemias  |
| D51.9   | Vitamin B12 deficiency anemia, unspecified  |
| D52.0   | Dietary folate deficiency anemia  |
| D52.1   | Drug-induced folate deficiency anemia   |
| D52.8   | Other folate deficiency anemias   |
| D52.9   | Folate deficiency anemia, unspecified   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| D53.0   | Protein deficiency anemia  |
| D53.1   | Other megaloblastic anemias, not elsewhere classified                    |
| D53.2   | Scorbutic anemia   |
| D53.8   | Other specified nutritional anemias                                      |
| D53.9   | Nutritional anemia, unspecified  |
| D56.0   | Alpha thalassemia  |
| D56.1   | Beta thalassemia   |
| D56.2   | Delta-beta thalassemia   |
| D56.3   | Thalassemia minor  |
| D56.5   | Hemoglobin E-beta thalassemia  |
| D56.8   | Other thalassemias   |
| D56.9   | Thalassemia, unspecified   |
| D57.00  | Hb-SS disease with crisis, unspecified                                   |
| D57.01  | Hb-SS disease with acute chest syndrome                                  |
| D57.02  | Hb-SS disease with splenic sequestration                                 |
| D57.03  | Hb-SS disease with cerebral vascular involvement                         |
| D57.09  | Hb-SS disease with crisis with other specified complication              |
| D57.1   | Sickle-cell disease without crisis                                       |
| D57.20  | Sickle-cell/Hb-C disease without crisis                                  |
| D57.211 | Sickle-cell/Hb-C disease with acute chest syndrome                       |
| D57.212 | Sickle-cell/Hb-C disease with splenic sequestration                      |
| D57.213 | Sickle-cell/Hb-C disease with cerebral vascular involvement              |
| D57.218 | Sickle-cell/Hb-C disease with crisis with other specified complication   |
| D57.219 | Sickle-cell/Hb-C disease with crisis, unspecified                        |
| D57.40  | Sickle-cell thalassemia without crisis                                   |
| D57.411 | Sickle-cell thalassemia, unspecified, with acute chest syndrome          |
| D57.412 | Sickle-cell thalassemia, unspecified, with splenic sequestration         |
| D57.413 | Sickle-cell thalassemia, unspecified, with cerebral vascular involvement |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D57.418 | Sickle-cell thalassemia, unspecified, with crisis with other specified complication |
| D57.419 | Sickle-cell thalassemia, unspecified, with crisis                                   |
| D57.42  | Sickle-cell thalassemia beta zero without crisis                                    |
| D57.431 | Sickle-cell thalassemia beta zero with acute chest syndrome                         |
| D57.432 | Sickle-cell thalassemia beta zero with splenic sequestration                        |
| D57.433 | Sickle-cell thalassemia beta zero with cerebral vascular involvement                |
| D57.438 | Sickle-cell thalassemia beta zero with crisis with other specified complication     |
| D57.439 | Sickle-cell thalassemia beta zero with crisis, unspecified                          |
| D57.44  | Sickle-cell thalassemia beta plus without crisis                                    |
| D57.451 | Sickle-cell thalassemia beta plus with acute chest syndrome                         |
| D57.452 | Sickle-cell thalassemia beta plus with splenic sequestration                        |
| D57.453 | Sickle-cell thalassemia beta plus with cerebral vascular involvement                |
| D57.458 | Sickle-cell thalassemia beta plus with crisis with other specified complication     |
| D57.459 | Sickle-cell thalassemia beta plus with crisis, unspecified                          |
| D57.80  | Other sickle-cell disorders without crisis  |
| D57.811 | Other sickle-cell disorders with acute chest syndrome                               |
| D57.812 | Other sickle-cell disorders with splenic sequestration                              |
| D57.813 | Other sickle-cell disorders with cerebral vascular involvement                      |
| D57.818 | Other sickle-cell disorders with crisis with other specified complication           |
| D57.819 | Other sickle-cell disorders with crisis, unspecified                                |
| D62     | Acute posthemorrhagic anemia  |
| D63.0   | Anemia in neoplastic disease  |
| D63.1   | Anemia in chronic kidney disease  |
| D63.8   | Anemia in other chronic diseases classified elsewhere                               |
| D64.0   | Hereditary sideroblastic anemia   |
| D64.1   | Secondary sideroblastic anemia due to disease                                       |
| D64.2   | Secondary sideroblastic anemia due to drugs and toxins                              |
| D64.3   | Other sideroblastic anemias   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D64.81  | Anemia due to antineoplastic chemotherapy   |
| D64.9   | Anemia, unspecified   |
| D65     | Disseminated intravascular coagulation [defibrination syndrome]                                   |
| D66     | Hereditary factor VIII deficiency   |
| D67     | Hereditary factor IX deficiency   |
| D68.0   | Von Willebrand's disease  |
| D68.1   | Hereditary factor XI deficiency   |
| D68.2   | Hereditary deficiency of other clotting factors   |
| D68.311 | Acquired hemophilia   |
| D68.312 | Antiphospholipid antibody with hemorrhagic disorder   |
| D68.318 | Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors |
| D68.32  | Hemorrhagic disorder due to extrinsic circulating anticoagulants                                  |
| D68.4   | Acquired coagulation factor deficiency  |
| D68.8   | Other specified coagulation defects   |
| D68.9   | Coagulation defect, unspecified   |
| D69.0   | Allergic purpura  |
| D69.1   | Qualitative platelet defects  |
| D69.2   | Other nonthrombocytopenic purpura   |
| D69.3   | Immune thrombocytopenic purpura   |
| D69.41  | Evans syndrome  |
| D69.42  | Congenital and hereditary thrombocytopenia purpura  |
| D69.49  | Other primary thrombocytopenia  |
| D69.51  | Posttransfusion purpura   |
| D69.59  | Other secondary thrombocytopenia  |
| D69.6   | Thrombocytopenia, unspecified   |
| D69.8   | Other specified hemorrhagic conditions  |
| D69.9   | Hemorrhagic condition, unspecified  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E08.00      | Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)        |
| E08.01      | Diabetes mellitus due to underlying condition with hyperosmolarity with coma   |
| E08.10      | Diabetes mellitus due to underlying condition with ketoacidosis without coma   |
| E08.11      | Diabetes mellitus due to underlying condition with ketoacidosis with coma  |
| E08.21      | Diabetes mellitus due to underlying condition with diabetic nephropathy  |
| E08.22      | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease   |
| E08.29      | Diabetes mellitus due to underlying condition with other diabetic kidney complication  |
| E08.311     | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema                               |
| E08.319     | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema                            |
| E08.3211    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye          |
| E08.3212    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye           |
| E08.3213    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E08.3219    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E08.3291    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye       |
| E08.3292    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye        |
| E08.3293    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E08.3299    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E08.3311    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye      |
| E08.3312    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye       |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.3313 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E08.3319 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E08.3391 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E08.3392 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E08.3393 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E08.3399 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E08.3411 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E08.3412 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E08.3413 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E08.3419 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E08.3491 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E08.3492 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E08.3493 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E08.3499 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E08.3511 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye                      |
| E08.3512 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.3513 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral  |
| E08.3519 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E08.3521 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                                 |
| E08.3522 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                                  |
| E08.3523 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E08.3529 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E08.3531 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E08.3532 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E08.3533 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E08.3539 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E08.3541 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E08.3542 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E08.3543 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E08.3549 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E08.3551 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.3552 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye                       |
| E08.3553 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral                      |
| E08.3559 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye                |
| E08.3591 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye       |
| E08.3592 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye        |
| E08.3593 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral       |
| E08.3599 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E08.36   | Diabetes mellitus due to underlying condition with diabetic cataract   |
| E08.37X1 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye           |
| E08.37X2 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye            |
| E08.37X3 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral           |
| E08.37X9 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, unspecified eye     |
| E08.39   | Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication                                    |
| E08.40   | Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified  |
| E08.41   | Diabetes mellitus due to underlying condition with diabetic mononeuropathy   |
| E08.42   | Diabetes mellitus due to underlying condition with diabetic polyneuropathy   |
| E08.43   | Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy                                       |
| E08.44   | Diabetes mellitus due to underlying condition with diabetic amyotrophy   |
| E08.49   | Diabetes mellitus due to underlying condition with other diabetic neurological complication                                  |

NCD 190.18

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E08.51  | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene                         |
| E08.52  | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene                            |
| E08.59  | Diabetes mellitus due to underlying condition with other circulatory complications   |
| E08.610 | Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy  |
| E08.618 | Diabetes mellitus due to underlying condition with other diabetic arthropathy  |
| E08.620 | Diabetes mellitus due to underlying condition with diabetic dermatitis   |
| E08.621 | Diabetes mellitus due to underlying condition with foot ulcer  |
| E08.622 | Diabetes mellitus due to underlying condition with other skin ulcer  |
| E08.628 | Diabetes mellitus due to underlying condition with other skin complications  |
| E08.630 | Diabetes mellitus due to underlying condition with periodontal disease   |
| E08.638 | Diabetes mellitus due to underlying condition with other oral complications  |
| E08.641 | Diabetes mellitus due to underlying condition with hypoglycemia with coma  |
| E08.649 | Diabetes mellitus due to underlying condition with hypoglycemia without coma   |
| E08.65  | Diabetes mellitus due to underlying condition with hyperglycemia   |
| E08.69  | Diabetes mellitus due to underlying condition with other specified complication  |
| E08.8   | Diabetes mellitus due to underlying condition with unspecified complications   |
| E08.9   | Diabetes mellitus due to underlying condition without complications  |
| E09.00  | Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E09.01  | Drug or chemical induced diabetes mellitus with hyperosmolarity with coma  |
| E09.10  | Drug or chemical induced diabetes mellitus with ketoacidosis without coma  |
| E09.11  | Drug or chemical induced diabetes mellitus with ketoacidosis with coma   |
| E09.21  | Drug or chemical induced diabetes mellitus with diabetic nephropathy   |
| E09.22  | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease  |
| E09.29  | Drug or chemical induced diabetes mellitus with other diabetic kidney complication   |
| E09.311 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E09.319     | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema                             |
| E09.3211    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E09.3212    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E09.3213    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E09.3219    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E09.3291    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E09.3292    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E09.3293    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E09.3299    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E09.3311    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E09.3312    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E09.3313    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E09.3319    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E09.3391    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye    |
| E09.3392    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye     |
| E09.3393    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral    |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3399 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye               |
| E09.3411 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye                          |
| E09.3412 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye                           |
| E09.3413 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral                          |
| E09.3419 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                    |
| E09.3491 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye                       |
| E09.3492 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye                        |
| E09.3493 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral                       |
| E09.3499 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                 |
| E09.3511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                                    |
| E09.3512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                                     |
| E09.3513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                                    |
| E09.3519 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                              |
| E09.3521 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E09.3522 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye  |
| E09.3523 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3529 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E09.3531 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E09.3532 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E09.3533 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E09.3539 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E09.3541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E09.3542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E09.3543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E09.3549 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E09.3551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E09.3552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E09.3553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E09.3559 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E09.3591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E09.3592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E09.3599 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E09.36   | Drug or chemical induced diabetes mellitus with diabetic cataract   |
| E09.37X1 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye           |
| E09.37X2 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye            |
| E09.37X3 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral           |
| E09.37X9 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye     |
| E09.39   | Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication                                    |
| E09.40   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified          |
| E09.41   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy                   |
| E09.42   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy                   |
| E09.43   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy       |
| E09.44   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy                       |
| E09.49   | Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication  |
| E09.51   | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene                           |
| E09.52   | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene                              |
| E09.59   | Drug or chemical induced diabetes mellitus with other circulatory complications   |
| E09.610  | Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy  |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E09.618  | Drug or chemical induced diabetes mellitus with other diabetic arthropathy                                   |
| E09.620  | Drug or chemical induced diabetes mellitus with diabetic dermatitis  |
| E09.621  | Drug or chemical induced diabetes mellitus with foot ulcer   |
| E09.622  | Drug or chemical induced diabetes mellitus with other skin ulcer   |
| E09.628  | Drug or chemical induced diabetes mellitus with other skin complications                                     |
| E09.630  | Drug or chemical induced diabetes mellitus with periodontal disease  |
| E09.638  | Drug or chemical induced diabetes mellitus with other oral complications                                     |
| E09.641  | Drug or chemical induced diabetes mellitus with hypoglycemia with coma                                       |
| E09.649  | Drug or chemical induced diabetes mellitus with hypoglycemia without coma                                    |
| E09.65   | Drug or chemical induced diabetes mellitus with hyperglycemia  |
| E09.69   | Drug or chemical induced diabetes mellitus with other specified complication                                 |
| E09.8    | Drug or chemical induced diabetes mellitus with unspecified complications                                    |
| E09.9    | Drug or chemical induced diabetes mellitus without complications   |
| E10.10   | Type 1 diabetes mellitus with ketoacidosis without coma  |
| E10.11   | Type 1 diabetes mellitus with ketoacidosis with coma   |
| E10.21   | Type 1 diabetes mellitus with diabetic nephropathy   |
| E10.22   | Type 1 diabetes mellitus with diabetic chronic kidney disease  |
| E10.29   | Type 1 diabetes mellitus with other diabetic kidney complication   |
| E10.311  | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema                            |
| E10.319  | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema                         |
| E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye       |
| E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye        |
| E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E10.3219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye           |
| E10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye            |
| E10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral           |
| E10.3299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye     |
| E10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E10.3319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E10.3391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E10.3392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E10.3393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3399 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.3411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E10.3412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E10.3413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E10.3419 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3491 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye                                 |
| E10.3492 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye                                  |
| E10.3493 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral                                 |
| E10.3499 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                           |
| E10.3511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E10.3512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E10.3513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E10.3519 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E10.3521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye           |
| E10.3522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye            |
| E10.3523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral           |
| E10.3529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye     |
| E10.3531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye       |
| E10.3532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye        |
| E10.3533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral       |
| E10.3539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E10.3542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E10.3543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E10.3549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E10.3551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E10.3552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E10.3553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E10.3559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E10.3599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E10.36   | Type 1 diabetes mellitus with diabetic cataract   |
| E10.37X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E10.37X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |
| E10.37X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral   |
| E10.37X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye   |
| E10.39   | Type 1 diabetes mellitus with other diabetic ophthalmic complication  |
| E10.40   | Type 1 diabetes mellitus with diabetic neuropathy, unspecified  |

NCD 190.18

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E10.41  | Type 1 diabetes mellitus with diabetic mononeuropathy  |
| E10.42  | Type 1 diabetes mellitus with diabetic polyneuropathy  |
| E10.43  | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy  |
| E10.44  | Type 1 diabetes mellitus with diabetic amyotrophy  |
| E10.49  | Type 1 diabetes mellitus with other diabetic neurological complication                                   |
| E10.51  | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene                            |
| E10.52  | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                               |
| E10.59  | Type 1 diabetes mellitus with other circulatory complications  |
| E10.610 | Type 1 diabetes mellitus with diabetic neuropathic arthropathy   |
| E10.618 | Type 1 diabetes mellitus with other diabetic arthropathy   |
| E10.620 | Type 1 diabetes mellitus with diabetic dermatitis  |
| E10.621 | Type 1 diabetes mellitus with foot ulcer   |
| E10.622 | Type 1 diabetes mellitus with other skin ulcer   |
| E10.628 | Type 1 diabetes mellitus with other skin complications   |
| E10.630 | Type 1 diabetes mellitus with periodontal disease  |
| E10.638 | Type 1 diabetes mellitus with other oral complications   |
| E10.641 | Type 1 diabetes mellitus with hypoglycemia with coma   |
| E10.649 | Type 1 diabetes mellitus with hypoglycemia without coma  |
| E10.65  | Type 1 diabetes mellitus with hyperglycemia  |
| E10.69  | Type 1 diabetes mellitus with other specified complication   |
| E10.8   | Type 1 diabetes mellitus with unspecified complications  |
| E10.9   | Type 1 diabetes mellitus without complications   |
| E11.00  | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E11.01  | Type 2 diabetes mellitus with hyperosmolarity with coma  |
| E11.21  | Type 2 diabetes mellitus with diabetic nephropathy   |
| E11.22  | Type 2 diabetes mellitus with diabetic chronic kidney disease  |
| E11.29  | Type 2 diabetes mellitus with other diabetic kidney complication   |
| E11.311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema                        |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E11.319  | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema                             |
| E11.3211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E11.3212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E11.3213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E11.3219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E11.3291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E11.3292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E11.3293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E11.3299 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E11.3311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E11.3312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E11.3313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E11.3319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E11.3391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye    |
| E11.3392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye     |
| E11.3393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3399 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye               |
| E11.3411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye                          |
| E11.3412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye                           |
| E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral                          |
| E11.3419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                    |
| E11.3491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye                       |
| E11.3492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye                        |
| E11.3493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral                       |
| E11.3499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                 |
| E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                                    |
| E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                                     |
| E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                                    |
| E11.3519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                              |
| E11.3521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E11.3522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye  |
| E11.3523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E11.3532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E11.3533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E11.3539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E11.3541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E11.3542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E11.3543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E11.3549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E11.3551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E11.3552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E11.3553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E11.3559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E11.3599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E11.36   | Type 2 diabetes mellitus with diabetic cataract   |

NCD 190.18

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.37X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye       |
| E11.37X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye        |
| E11.37X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral       |
| E11.37X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye |
| E11.39   | Type 2 diabetes mellitus with other diabetic ophthalmic complication                                |
| E11.40   | Type 2 diabetes mellitus with diabetic neuropathy, unspecified                                      |
| E11.41   | Type 2 diabetes mellitus with diabetic mononeuropathy   |
| E11.42   | Type 2 diabetes mellitus with diabetic polyneuropathy   |
| E11.43   | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy                                   |
| E11.44   | Type 2 diabetes mellitus with diabetic amyotrophy   |
| E11.49   | Type 2 diabetes mellitus with other diabetic neurological complication                              |
| E11.51   | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene                       |
| E11.52   | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene                          |
| E11.59   | Type 2 diabetes mellitus with other circulatory complications                                       |
| E11.610  | Type 2 diabetes mellitus with diabetic neuropathic arthropathy                                      |
| E11.618  | Type 2 diabetes mellitus with other diabetic arthropathy  |
| E11.620  | Type 2 diabetes mellitus with diabetic dermatitis   |
| E11.621  | Type 2 diabetes mellitus with foot ulcer  |
| E11.622  | Type 2 diabetes mellitus with other skin ulcer  |
| E11.628  | Type 2 diabetes mellitus with other skin complications  |
| E11.630  | Type 2 diabetes mellitus with periodontal disease   |
| E11.638  | Type 2 diabetes mellitus with other oral complications  |
| E11.641  | Type 2 diabetes mellitus with hypoglycemia with coma  |
| E11.649  | Type 2 diabetes mellitus with hypoglycemia without coma   |
| E11.65   | Type 2 diabetes mellitus with hyperglycemia   |
| E11.69   | Type 2 diabetes mellitus with other specified complication  |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E11.8    | Type 2 diabetes mellitus with unspecified complications  |
| E11.9    | Type 2 diabetes mellitus without complications   |
| E13.00   | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)        |
| E13.01   | Other specified diabetes mellitus with hyperosmolarity with coma   |
| E13.10   | Other specified diabetes mellitus with ketoacidosis without coma   |
| E13.11   | Other specified diabetes mellitus with ketoacidosis with coma  |
| E13.21   | Other specified diabetes mellitus with diabetic nephropathy  |
| E13.22   | Other specified diabetes mellitus with diabetic chronic kidney disease   |
| E13.29   | Other specified diabetes mellitus with other diabetic kidney complication  |
| E13.311  | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema                               |
| E13.319  | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema                            |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye          |
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye           |
| E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye      |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E13.3312    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E13.3313    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E13.3319    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E13.3391    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3392    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3393    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3399    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.3411    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E13.3412    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E13.3413    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E13.3419    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E13.3491    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E13.3492    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E13.3493    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E13.3499    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E13.3511    | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E13.3519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                                 |
| E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                                  |
| E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E13.3529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E13.3539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E13.3549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye                      |
| E13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye                       |
| E13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral                      |
| E13.3559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye                |
| E13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye       |
| E13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye        |
| E13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.36   | Other specified diabetes mellitus with diabetic cataract   |
| E13.37X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye           |
| E13.37X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye            |
| E13.37X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral           |
| E13.37X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye     |
| E13.39   | Other specified diabetes mellitus with other diabetic ophthalmic complication                                    |
| E13.40   | Other specified diabetes mellitus with diabetic neuropathy, unspecified  |
| E13.41   | Other specified diabetes mellitus with diabetic mononeuropathy   |
| E13.42   | Other specified diabetes mellitus with diabetic polyneuropathy   |
| E13.43   | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E13.44   | Other specified diabetes mellitus with diabetic amyotrophy   |
| E13.49   | Other specified diabetes mellitus with other diabetic neurological complication                                  |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E13.51  | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene |
| E13.52  | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene    |
| E13.59  | Other specified diabetes mellitus with other circulatory complications                 |
| E13.610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy                |
| E13.618 | Other specified diabetes mellitus with other diabetic arthropathy                      |
| E13.620 | Other specified diabetes mellitus with diabetic dermatitis                             |
| E13.621 | Other specified diabetes mellitus with foot ulcer                                      |
| E13.622 | Other specified diabetes mellitus with other skin ulcer                                |
| E13.628 | Other specified diabetes mellitus with other skin complications                        |
| E13.630 | Other specified diabetes mellitus with periodontal disease                             |
| E13.638 | Other specified diabetes mellitus with other oral complications                        |
| E13.641 | Other specified diabetes mellitus with hypoglycemia with coma                          |
| E13.649 | Other specified diabetes mellitus with hypoglycemia without coma                       |
| E13.65  | Other specified diabetes mellitus with hyperglycemia                                   |
| E13.69  | Other specified diabetes mellitus with other specified complication                    |
| E13.8   | Other specified diabetes mellitus with unspecified complications                       |
| E13.9   | Other specified diabetes mellitus without complications                                |
| E23.0   | Hypopituitarism  |
| E23.1   | Drug-induced hypopituitarism   |
| E23.6   | Other disorders of pituitary gland   |
| E24.1   | Nelson's syndrome  |
| E28.310 | Symptomatic premature menopause  |
| E28.319 | Asymptomatic premature menopause   |
| E28.39  | Other primary ovarian failure  |
| E29.1   | Testicular hypofunction  |
| E40     | Kwashiorkor  |
| E41     | Nutritional marasmus   |
| E42     | Marasmic kwashiorkor   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E43     | Unspecified severe protein-calorie malnutrition                              |
| E44.0   | Moderate protein-calorie malnutrition  |
| E44.1   | Mild protein-calorie malnutrition  |
| E45     | Retarded development following protein-calorie malnutrition                  |
| E46     | Unspecified protein-calorie malnutrition                                     |
| E61.1   | Iron deficiency  |
| E64.0   | Sequelae of protein-calorie malnutrition                                     |
| E75.26  | Sulfatase deficiency   |
| E79.0   | Hyperuricemia without signs of inflammatory arthritis and tophaceous disease |
| E80.0   | Hereditary erythropoietic porphyria  |
| E80.1   | Porphyria cutanea tarda  |
| E80.20  | Unspecified porphyria  |
| E80.21  | Acute intermittent (hepatic) porphyria                                       |
| E80.29  | Other porphyria  |
| E83.10  | Disorder of iron metabolism, unspecified                                     |
| E83.110 | Hereditary hemochromatosis   |
| E83.111 | Hemochromatosis due to repeated red blood cell transfusions                  |
| E83.118 | Other hemochromatosis  |
| E83.119 | Hemochromatosis, unspecified   |
| E83.19  | Other disorders of iron metabolism   |
| E88.02  | Plasminogen deficiency   |
| E89.3   | Postprocedural hypopituitarism   |
| F45.8   | Other somatoform disorders   |
| F50.00  | Anorexia nervosa, unspecified  |
| F50.01  | Anorexia nervosa, restricting type   |
| F50.02  | Anorexia nervosa, binge eating/purging type                                  |
| F50.2   | Bulimia nervosa  |
| F50.81  | Binge eating disorder  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| F50.82 | Avoidant/restrictive food intake disorder  |
| F50.89 | Other specified eating disorder  |
| F50.9  | Eating disorder, unspecified   |
| F98.21 | Rumination disorder of infancy   |
| F98.29 | Other feeding disorders of infancy and early childhood   |
| F98.3  | Pica of infancy and childhood  |
| I12.0  | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease                                   |
| I13.11 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease |
| I13.2  | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease |
| I27.83 | Eisenmenger's syndrome   |
| I42.0  | Dilated cardiomyopathy   |
| I42.5  | Other restrictive cardiomyopathy   |
| I42.6  | Alcoholic cardiomyopathy   |
| I42.7  | Cardiomyopathy due to drug and external agent  |
| I42.8  | Other cardiomyopathies   |
| I42.9  | Cardiomyopathy, unspecified  |
| I43    | Cardiomyopathy in diseases classified elsewhere  |
| I44.0  | Atrioventricular block, first degree   |
| I44.1  | Atrioventricular block, second degree  |
| I44.2  | Atrioventricular block, complete   |
| I44.30 | Unspecified atrioventricular block   |
| I44.39 | Other atrioventricular block   |
| I44.4  | Left anterior fascicular block   |
| I44.5  | Left posterior fascicular block  |
| I44.60 | Unspecified fascicular block   |
| I44.69 | Other fascicular block   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| I44.7  | Left bundle-branch block, unspecified              |
| I45.0  | Right fascicular block                             |
| I45.10 | Unspecified right bundle-branch block              |
| I45.19 | Other right bundle-branch block                    |
| I45.2  | Bifascicular block                                 |
| I45.3  | Trifascicular block                                |
| I45.4  | Nonspecific intraventricular block                 |
| I45.5  | Other specified heart block                        |
| I45.6  | Pre-excitation syndrome                            |
| I45.89 | Other specified conduction disorders               |
| I45.9  | Conduction disorder, unspecified                   |
| I46.2  | Cardiac arrest due to underlying cardiac condition |
| I46.8  | Cardiac arrest due to other underlying condition   |
| I46.9  | Cardiac arrest, cause unspecified                  |
| I47.0  | Re-entry ventricular arrhythmia                    |
| I47.1  | Supraventricular tachycardia                       |
| I47.2  | Ventricular tachycardia                            |
| I47.9  | Paroxysmal tachycardia, unspecified                |
| I48.0  | Paroxysmal atrial fibrillation                     |
| I48.11 | Longstanding persistent atrial fibrillation        |
| I48.19 | Other persistent atrial fibrillation               |
| I48.20 | Chronic atrial fibrillation, unspecified           |
| I48.21 | Permanent atrial fibrillation                      |
| I48.3  | Typical atrial flutter                             |
| I48.4  | Atypical atrial flutter                            |
| I48.91 | Unspecified atrial fibrillation                    |
| I48.92 | Unspecified atrial flutter                         |
| I49.01 | Ventricular fibrillation                           |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| I49.02 | Ventricular flutter  |
| I49.1  | Atrial premature depolarization  |
| I49.2  | Junctional premature depolarization  |
| I49.3  | Ventricular premature depolarization   |
| I49.40 | Unspecified premature depolarization   |
| I49.49 | Other premature depolarization   |
| I49.5  | Sick sinus syndrome  |
| I49.8  | Other specified cardiac arrhythmias  |
| I49.9  | Cardiac arrhythmia, unspecified  |
| I50.1  | Left ventricular failure, unspecified  |
| I50.20 | Unspecified systolic (congestive) heart failure  |
| I50.21 | Acute systolic (congestive) heart failure  |
| I50.22 | Chronic systolic (congestive) heart failure  |
| I50.23 | Acute on chronic systolic (congestive) heart failure                                     |
| I50.30 | Unspecified diastolic (congestive) heart failure   |
| I50.31 | Acute diastolic (congestive) heart failure   |
| I50.32 | Chronic diastolic (congestive) heart failure   |
| I50.33 | Acute on chronic diastolic (congestive) heart failure                                    |
| I50.40 | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure      |
| I50.41 | Acute combined systolic (congestive) and diastolic (congestive) heart failure            |
| I50.42 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure          |
| I50.43 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| I50.9  | Heart failure, unspecified   |
| K22.6  | Gastro-esophageal laceration-hemorrhage syndrome   |
| K22.8  | Other specified diseases of esophagus  |
| K25.0  | Acute gastric ulcer with hemorrhage  |
| K25.1  | Acute gastric ulcer with perforation   |
| K25.2  | Acute gastric ulcer with both hemorrhage and perforation                                 |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| K25.3 | Acute gastric ulcer without hemorrhage or perforation  |
| K25.4 | Chronic or unspecified gastric ulcer with hemorrhage   |
| K25.5 | Chronic or unspecified gastric ulcer with perforation  |
| K25.6 | Chronic or unspecified gastric ulcer with both hemorrhage and perforation                          |
| K25.7 | Chronic gastric ulcer without hemorrhage or perforation  |
| K25.9 | Gastric ulcer, unspecified as acute or chronic, without hemorrhage or perforation                  |
| K26.0 | Acute duodenal ulcer with hemorrhage   |
| K26.1 | Acute duodenal ulcer with perforation  |
| K26.2 | Acute duodenal ulcer with both hemorrhage and perforation  |
| K26.3 | Acute duodenal ulcer without hemorrhage or perforation   |
| K26.4 | Chronic or unspecified duodenal ulcer with hemorrhage  |
| K26.5 | Chronic or unspecified duodenal ulcer with perforation   |
| K26.6 | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation                         |
| K26.7 | Chronic duodenal ulcer without hemorrhage or perforation   |
| K26.9 | Duodenal ulcer, unspecified as acute or chronic, without hemorrhage or perforation                 |
| K27.0 | Acute peptic ulcer, site unspecified, with hemorrhage  |
| K27.1 | Acute peptic ulcer, site unspecified, with perforation   |
| K27.2 | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation                         |
| K27.3 | Acute peptic ulcer, site unspecified, without hemorrhage or perforation                            |
| K27.4 | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage                             |
| K27.5 | Chronic or unspecified peptic ulcer, site unspecified, with perforation                            |
| K27.6 | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and perforation        |
| K27.7 | Chronic peptic ulcer, site unspecified, without hemorrhage or perforation                          |
| K27.9 | Peptic ulcer, site unspecified, unspecified as acute or chronic, without hemorrhage or perforation |
| K28.0 | Acute gastrojejunal ulcer with hemorrhage  |
| K28.1 | Acute gastrojejunal ulcer with perforation   |
| K28.2 | Acute gastrojejunal ulcer with both hemorrhage and perforation                                     |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K28.3   | Acute gastrojejunal ulcer without hemorrhage or perforation                             |
| K28.4   | Chronic or unspecified gastrojejunal ulcer with hemorrhage                              |
| K28.5   | Chronic or unspecified gastrojejunal ulcer with perforation                             |
| K28.6   | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation         |
| K28.7   | Chronic gastrojejunal ulcer without hemorrhage or perforation                           |
| K28.9   | Gastrojejunal ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K29.00  | Acute gastritis without bleeding  |
| K29.01  | Acute gastritis with bleeding   |
| K29.20  | Alcoholic gastritis without bleeding  |
| K29.21  | Alcoholic gastritis with bleeding   |
| K29.30  | Chronic superficial gastritis without bleeding  |
| K29.31  | Chronic superficial gastritis with bleeding   |
| K29.40  | Chronic atrophic gastritis without bleeding   |
| K29.41  | Chronic atrophic gastritis with bleeding  |
| K29.50  | Unspecified chronic gastritis without bleeding  |
| K29.51  | Unspecified chronic gastritis with bleeding   |
| K29.60  | Other gastritis without bleeding  |
| K29.61  | Other gastritis with bleeding   |
| K29.70  | Gastritis, unspecified, without bleeding  |
| K29.71  | Gastritis, unspecified, with bleeding   |
| K29.80  | Duodenitis without bleeding   |
| K29.81  | Duodenitis with bleeding  |
| K29.90  | Gastroduodenitis, unspecified, without bleeding   |
| K29.91  | Gastroduodenitis, unspecified, with bleeding  |
| K30     | Functional dyspepsia  |
| K31.0   | Acute dilatation of stomach   |
| K31.7   | Polyp of stomach and duodenum   |
| K31.811 | Angiodysplasia of stomach and duodenum with bleeding                                    |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K31.82  | Dieulafoy lesion (hemorrhagic) of stomach and duodenum                           |
| K31.83  | Achlorhydria   |
| K31.84  | Gastroparesis  |
| K31.9   | Disease of stomach and duodenum, unspecified                                     |
| K50.00  | Crohn's disease of small intestine without complications                         |
| K50.011 | Crohn's disease of small intestine with rectal bleeding                          |
| K50.012 | Crohn's disease of small intestine with intestinal obstruction                   |
| K50.013 | Crohn's disease of small intestine with fistula                                  |
| K50.014 | Crohn's disease of small intestine with abscess                                  |
| K50.018 | Crohn's disease of small intestine with other complication                       |
| K50.019 | Crohn's disease of small intestine with unspecified complications                |
| K50.10  | Crohn's disease of large intestine without complications                         |
| K50.111 | Crohn's disease of large intestine with rectal bleeding                          |
| K50.112 | Crohn's disease of large intestine with intestinal obstruction                   |
| K50.113 | Crohn's disease of large intestine with fistula                                  |
| K50.114 | Crohn's disease of large intestine with abscess                                  |
| K50.118 | Crohn's disease of large intestine with other complication                       |
| K50.119 | Crohn's disease of large intestine with unspecified complications                |
| K50.80  | Crohn's disease of both small and large intestine without complications          |
| K50.811 | Crohn's disease of both small and large intestine with rectal bleeding           |
| K50.812 | Crohn's disease of both small and large intestine with intestinal obstruction    |
| K50.813 | Crohn's disease of both small and large intestine with fistula                   |
| K50.814 | Crohn's disease of both small and large intestine with abscess                   |
| K50.818 | Crohn's disease of both small and large intestine with other complication        |
| K50.819 | Crohn's disease of both small and large intestine with unspecified complications |
| K50.90  | Crohn's disease, unspecified, without complications                              |
| K50.911 | Crohn's disease, unspecified, with rectal bleeding                               |
| K50.912 | Crohn's disease, unspecified, with intestinal obstruction                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K50.913     | Crohn's disease, unspecified, with fistula                           |
| K50.914     | Crohn's disease, unspecified, with abscess                           |
| K50.918     | Crohn's disease, unspecified, with other complication                |
| K50.919     | Crohn's disease, unspecified, with unspecified complications         |
| K51.00      | Ulcerative (chronic) pancolitis without complications                |
| K51.011     | Ulcerative (chronic) pancolitis with rectal bleeding                 |
| K51.012     | Ulcerative (chronic) pancolitis with intestinal obstruction          |
| K51.013     | Ulcerative (chronic) pancolitis with fistula                         |
| K51.014     | Ulcerative (chronic) pancolitis with abscess                         |
| K51.018     | Ulcerative (chronic) pancolitis with other complication              |
| K51.019     | Ulcerative (chronic) pancolitis with unspecified complications       |
| K51.20      | Ulcerative (chronic) proctitis without complications                 |
| K51.211     | Ulcerative (chronic) proctitis with rectal bleeding                  |
| K51.212     | Ulcerative (chronic) proctitis with intestinal obstruction           |
| K51.213     | Ulcerative (chronic) proctitis with fistula                          |
| K51.214     | Ulcerative (chronic) proctitis with abscess                          |
| K51.218     | Ulcerative (chronic) proctitis with other complication               |
| K51.219     | Ulcerative (chronic) proctitis with unspecified complications        |
| K51.30      | Ulcerative (chronic) rectosigmoiditis without complications          |
| K51.311     | Ulcerative (chronic) rectosigmoiditis with rectal bleeding           |
| K51.312     | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction    |
| K51.313     | Ulcerative (chronic) rectosigmoiditis with fistula                   |
| K51.314     | Ulcerative (chronic) rectosigmoiditis with abscess                   |
| K51.318     | Ulcerative (chronic) rectosigmoiditis with other complication        |
| K51.319     | Ulcerative (chronic) rectosigmoiditis with unspecified complications |
| K51.40      | Inflammatory polyps of colon without complications                   |
| K51.411     | Inflammatory polyps of colon with rectal bleeding                    |
| K51.412     | Inflammatory polyps of colon with intestinal obstruction             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K51.413 | Inflammatory polyps of colon with fistula                      |
| K51.414 | Inflammatory polyps of colon with abscess                      |
| K51.418 | Inflammatory polyps of colon with other complication           |
| K51.419 | Inflammatory polyps of colon with unspecified complications    |
| K51.50  | Left sided colitis without complications                       |
| K51.511 | Left sided colitis with rectal bleeding                        |
| K51.512 | Left sided colitis with intestinal obstruction                 |
| K51.513 | Left sided colitis with fistula                                |
| K51.514 | Left sided colitis with abscess                                |
| K51.518 | Left sided colitis with other complication                     |
| K51.519 | Left sided colitis with unspecified complications              |
| K51.80  | Other ulcerative colitis without complications                 |
| K51.811 | Other ulcerative colitis with rectal bleeding                  |
| K51.812 | Other ulcerative colitis with intestinal obstruction           |
| K51.813 | Other ulcerative colitis with fistula                          |
| K51.814 | Other ulcerative colitis with abscess                          |
| K51.818 | Other ulcerative colitis with other complication               |
| K51.819 | Other ulcerative colitis with unspecified complications        |
| K51.90  | Ulcerative colitis, unspecified, without complications         |
| K51.911 | Ulcerative colitis, unspecified with rectal bleeding           |
| K51.912 | Ulcerative colitis, unspecified with intestinal obstruction    |
| K51.913 | Ulcerative colitis, unspecified with fistula                   |
| K51.914 | Ulcerative colitis, unspecified with abscess                   |
| K51.918 | Ulcerative colitis, unspecified with other complication        |
| K51.919 | Ulcerative colitis, unspecified with unspecified complications |
| K52.3   | Indeterminate colitis  |
| K52.81  | Eosinophilic gastritis or gastroenteritis                      |
| K52.831 | Collagenous colitis  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K52.832     | Lymphocytic colitis  |
| K52.838     | Other microscopic colitis  |
| K52.839     | Microscopic colitis, unspecified   |
| K55.011     | Focal (segmental) acute (reversible) ischemia of small intestine                   |
| K55.012     | Diffuse acute (reversible) ischemia of small intestine                             |
| K55.019     | Acute (reversible) ischemia of small intestine, extent unspecified                 |
| K55.021     | Focal (segmental) acute infarction of small intestine                              |
| K55.022     | Diffuse acute infarction of small intestine  |
| K55.029     | Acute infarction of small intestine, extent unspecified                            |
| K55.031     | Focal (segmental) acute (reversible) ischemia of large intestine                   |
| K55.032     | Diffuse acute (reversible) ischemia of large intestine                             |
| K55.039     | Acute (reversible) ischemia of large intestine, extent unspecified                 |
| K55.041     | Focal (segmental) acute infarction of large intestine                              |
| K55.042     | Diffuse acute infarction of large intestine  |
| K55.049     | Acute infarction of large intestine, extent unspecified                            |
| K55.051     | Focal (segmental) acute (reversible) ischemia of intestine, part unspecified       |
| K55.052     | Diffuse acute (reversible) ischemia of intestine, part unspecified                 |
| K55.059     | Acute (reversible) ischemia of intestine, part and extent unspecified              |
| K55.061     | Focal (segmental) acute infarction of intestine, part unspecified                  |
| K55.062     | Diffuse acute infarction of intestine, part unspecified                            |
| K55.069     | Acute infarction of intestine, part and extent unspecified                         |
| K55.1       | Chronic vascular disorders of intestine  |
| K55.21      | Angiodysplasia of colon with hemorrhage  |
| K55.30      | Necrotizing enterocolitis, unspecified   |
| K55.31      | Stage 1 necrotizing enterocolitis  |
| K55.32      | Stage 2 necrotizing enterocolitis  |
| K55.33      | Stage 3 necrotizing enterocolitis  |
| K56.699     | Other intestinal obstruction unspecified as to partial versus complete obstruction |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K57.01 | Diverticulitis of small intestine with perforation and abscess with bleeding                  |
| K57.11 | Diverticulosis of small intestine without perforation or abscess with bleeding                |
| K57.13 | Diverticulitis of small intestine without perforation or abscess with bleeding                |
| K57.21 | Diverticulitis of large intestine with perforation and abscess with bleeding                  |
| K57.31 | Diverticulosis of large intestine without perforation or abscess with bleeding                |
| K57.33 | Diverticulitis of large intestine without perforation or abscess with bleeding                |
| K57.41 | Diverticulitis of both small and large intestine with perforation and abscess with bleeding   |
| K57.51 | Diverticulosis of both small and large intestine without perforation or abscess with bleeding |
| K57.53 | Diverticulitis of both small and large intestine without perforation or abscess with bleeding |
| K57.81 | Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding     |
| K57.91 | Diverticulosis of intestine, part unspecified, without perforation or abscess with bleeding   |
| K57.93 | Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding   |
| K62.5  | Hemorrhage of anus and rectum   |
| K63.5  | Polyp of colon  |
| K63.81 | Dieulafoy lesion of intestine   |
| K70.0  | Alcoholic fatty liver   |
| K70.10 | Alcoholic hepatitis without ascites   |
| K70.11 | Alcoholic hepatitis with ascites  |
| K70.2  | Alcoholic fibrosis and sclerosis of liver   |
| K70.30 | Alcoholic cirrhosis of liver without ascites  |
| K70.31 | Alcoholic cirrhosis of liver with ascites   |
| K70.40 | Alcoholic hepatic failure without coma  |
| K70.41 | Alcoholic hepatic failure with coma   |
| K70.9  | Alcoholic liver disease, unspecified  |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K71.0  | Toxic liver disease with cholestasis                              |
| K71.10 | Toxic liver disease with hepatic necrosis, without coma           |
| K71.11 | Toxic liver disease with hepatic necrosis, with coma              |
| K71.2  | Toxic liver disease with acute hepatitis                          |
| K71.3  | Toxic liver disease with chronic persistent hepatitis             |
| K71.4  | Toxic liver disease with chronic lobular hepatitis                |
| K71.50 | Toxic liver disease with chronic active hepatitis without ascites |
| K71.51 | Toxic liver disease with chronic active hepatitis with ascites    |
| K71.6  | Toxic liver disease with hepatitis, not elsewhere classified      |
| K71.7  | Toxic liver disease with fibrosis and cirrhosis of liver          |
| K71.8  | Toxic liver disease with other disorders of liver                 |
| K71.9  | Toxic liver disease, unspecified                                  |
| K72.00 | Acute and subacute hepatic failure without coma                   |
| K72.01 | Acute and subacute hepatic failure with coma                      |
| K72.10 | Chronic hepatic failure without coma                              |
| K72.11 | Chronic hepatic failure with coma                                 |
| K72.90 | Hepatic failure, unspecified without coma                         |
| K72.91 | Hepatic failure, unspecified with coma                            |
| K73.0  | Chronic persistent hepatitis, not elsewhere classified            |
| K73.1  | Chronic lobular hepatitis, not elsewhere classified               |
| K73.2  | Chronic active hepatitis, not elsewhere classified                |
| K73.8  | Other chronic hepatitis, not elsewhere classified                 |
| K73.9  | Chronic hepatitis, unspecified                                    |
| K74.00 | Hepatic fibrosis, unspecified                                     |
| K74.01 | Hepatic fibrosis, early fibrosis                                  |
| K74.02 | Hepatic fibrosis, advanced fibrosis                               |
| K74.1  | Hepatic sclerosis   |
| K74.2  | Hepatic fibrosis with hepatic sclerosis                           |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                       |
|--------|---|
| K74.3  | Primary biliary cirrhosis                         |
| K74.4  | Secondary biliary cirrhosis                       |
| K74.5  | Biliary cirrhosis, unspecified                    |
| K74.60 | Unspecified cirrhosis of liver                    |
| K74.69 | Other cirrhosis of liver                          |
| K75.0  | Abscess of liver                                  |
| K75.1  | Phlebitis of portal vein                          |
| K75.2  | Nonspecific reactive hepatitis                    |
| K75.3  | Granulomatous hepatitis, not elsewhere classified |
| K75.4  | Autoimmune hepatitis                              |
| K75.81 | Nonalcoholic steatohepatitis (NASH)               |
| K75.89 | Other specified inflammatory liver diseases       |
| K75.9  | Inflammatory liver disease, unspecified           |
| K76.0  | Fatty (change of) liver, not elsewhere classified |
| K76.1  | Chronic passive congestion of liver               |
| K76.2  | Central hemorrhagic necrosis of liver             |
| K76.3  | Infarction of liver                               |
| K76.4  | Peliosis hepatis                                  |
| K76.5  | Hepatic veno-occlusive disease                    |
| K76.6  | Portal hypertension                               |
| K76.7  | Hepatorenal syndrome                              |
| K76.81 | Hepatopulmonary syndrome                          |
| K76.89 | Other specified diseases of liver                 |
| K76.9  | Liver disease, unspecified                        |
| K77    | Liver disorders in diseases classified elsewhere  |
| K90.0  | Celiac disease                                    |
| K90.1  | Tropical sprue                                    |
| K90.2  | Blind loop syndrome, not elsewhere classified     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K90.41 | Non-celiac gluten sensitivity                              |
| K90.49 | Malabsorption due to intolerance, not elsewhere classified |
| K90.89 | Other intestinal malabsorption                             |
| K90.9  | Intestinal malabsorption, unspecified                      |
| K91.2  | Postsurgical malabsorption, not elsewhere classified       |
| K92.0  | Hematemesis  |
| K92.1  | Melena   |
| K92.2  | Gastrointestinal hemorrhage, unspecified                   |
| K94.20 | Gastrostomy complication, unspecified                      |
| K94.21 | Gastrostomy hemorrhage                                     |
| K94.22 | Gastrostomy infection                                      |
| K94.23 | Gastrostomy malfunction                                    |
| K94.29 | Other complications of gastrostomy                         |
| L28.0  | Lichen simplex chronicus                                   |
| L28.1  | Prurigo nodularis  |
| L28.2  | Other prurigo  |
| L29.0  | Pruritus ani   |
| L29.1  | Pruritus scroti  |
| L29.2  | Pruritus vulvae  |
| L29.3  | Anogenital pruritus, unspecified                           |
| L29.8  | Other pruritus   |
| L29.9  | Pruritus, unspecified                                      |
| L57.3  | Poikiloderma of Civatte                                    |
| L63.0  | Alopecia (capitis) totalis                                 |
| L63.1  | Alopecia universalis                                       |
| L63.2  | Ophiasis   |
| L63.8  | Other alopecia areata                                      |
| L63.9  | Alopecia areata, unspecified                               |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| L64.0  | Drug-induced androgenic alopecia   |
| L64.8  | Other androgenic alopecia  |
| L64.9  | Androgenic alopecia, unspecified   |
| L65.0  | Telogen effluvium  |
| L65.1  | Anagen effluvium   |
| L65.2  | Alopecia mucinosa  |
| L65.8  | Other specified nonscarring hair loss  |
| L65.9  | Nonscarring hair loss, unspecified   |
| L66.0  | Pseudopelade   |
| L66.2  | Folliculitis decalvans   |
| L66.8  | Other cicatricial alopecia   |
| L66.9  | Cicatricial alopecia, unspecified  |
| L80    | Vitiligo   |
| L81.0  | Postinflammatory hyperpigmentation   |
| L81.1  | Chloasma   |
| L81.2  | Freckles   |
| L81.3  | Cafe au lait spots   |
| L81.4  | Other melanin hyperpigmentation  |
| L81.5  | Leukoderma, not elsewhere classified   |
| L81.6  | Other disorders of diminished melanin formation  |
| L81.7  | Pigmented purpuric dermatosis  |
| L81.8  | Other specified disorders of pigmentation  |
| L81.9  | Disorder of pigmentation, unspecified  |
| L98.1  | Factitial dermatitis   |
| M05.7A | Rheumatoid arthritis with rheumatoid factor of other specified site without organ or systems involvement |
| M05.8A | Other rheumatoid arthritis with rheumatoid factor of other specified site                                |
| M06.0A | Rheumatoid arthritis without rheumatoid factor, other specified site                                     |
| M06.8A | Other specified rheumatoid arthritis, other specified site   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| M07.60  | Enteropathic arthropathies, unspecified site                            |
| M07.611 | Enteropathic arthropathies, right shoulder                              |
| M07.612 | Enteropathic arthropathies, left shoulder                               |
| M07.619 | Enteropathic arthropathies, unspecified shoulder                        |
| M07.621 | Enteropathic arthropathies, right elbow                                 |
| M07.622 | Enteropathic arthropathies, left elbow                                  |
| M07.629 | Enteropathic arthropathies, unspecified elbow                           |
| M07.631 | Enteropathic arthropathies, right wrist                                 |
| M07.632 | Enteropathic arthropathies, left wrist                                  |
| M07.639 | Enteropathic arthropathies, unspecified wrist                           |
| M07.641 | Enteropathic arthropathies, right hand                                  |
| M07.642 | Enteropathic arthropathies, left hand                                   |
| M07.649 | Enteropathic arthropathies, unspecified hand                            |
| M07.651 | Enteropathic arthropathies, right hip                                   |
| M07.652 | Enteropathic arthropathies, left hip                                    |
| M07.659 | Enteropathic arthropathies, unspecified hip                             |
| M07.661 | Enteropathic arthropathies, right knee                                  |
| M07.662 | Enteropathic arthropathies, left knee                                   |
| M07.669 | Enteropathic arthropathies, unspecified knee                            |
| M07.671 | Enteropathic arthropathies, right ankle and foot                        |
| M07.672 | Enteropathic arthropathies, left ankle and foot                         |
| M07.679 | Enteropathic arthropathies, unspecified ankle and foot                  |
| M07.68  | Enteropathic arthropathies, vertebrae                                   |
| M07.69  | Enteropathic arthropathies, multiple sites                              |
| M08.0A  | Unspecified juvenile rheumatoid arthritis, other specified site         |
| M08.2A  | Juvenile rheumatoid arthritis with systemic onset, other specified site |
| M08.4A  | Pauciarticular juvenile rheumatoid arthritis, other specified site      |
| M08.9A  | Juvenile arthritis, unspecified, other specified site                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M12.80  | Other specific arthropathies, not elsewhere classified, unspecified site           |
| M12.811 | Other specific arthropathies, not elsewhere classified, right shoulder             |
| M12.812 | Other specific arthropathies, not elsewhere classified, left shoulder              |
| M12.819 | Other specific arthropathies, not elsewhere classified, unspecified shoulder       |
| M12.821 | Other specific arthropathies, not elsewhere classified, right elbow                |
| M12.822 | Other specific arthropathies, not elsewhere classified, left elbow                 |
| M12.829 | Other specific arthropathies, not elsewhere classified, unspecified elbow          |
| M12.831 | Other specific arthropathies, not elsewhere classified, right wrist                |
| M12.832 | Other specific arthropathies, not elsewhere classified, left wrist                 |
| M12.839 | Other specific arthropathies, not elsewhere classified, unspecified wrist          |
| M12.841 | Other specific arthropathies, not elsewhere classified, right hand                 |
| M12.842 | Other specific arthropathies, not elsewhere classified, left hand                  |
| M12.849 | Other specific arthropathies, not elsewhere classified, unspecified hand           |
| M12.851 | Other specific arthropathies, not elsewhere classified, right hip                  |
| M12.852 | Other specific arthropathies, not elsewhere classified, left hip                   |
| M12.859 | Other specific arthropathies, not elsewhere classified, unspecified hip            |
| M12.861 | Other specific arthropathies, not elsewhere classified, right knee                 |
| M12.862 | Other specific arthropathies, not elsewhere classified, left knee                  |
| M12.869 | Other specific arthropathies, not elsewhere classified, unspecified knee           |
| M12.871 | Other specific arthropathies, not elsewhere classified, right ankle and foot       |
| M12.872 | Other specific arthropathies, not elsewhere classified, left ankle and foot        |
| M12.879 | Other specific arthropathies, not elsewhere classified, unspecified ankle and foot |
| M12.88  | Other specific arthropathies, not elsewhere classified, other specified site       |
| M12.89  | Other specific arthropathies, not elsewhere classified, multiple sites             |
| M12.9   | Arthropathy, unspecified   |
| M13.0   | Polyarthritis, unspecified   |
| M13.10  | Monoarthritis, not elsewhere classified, unspecified site                          |
| M13.111 | Monoarthritis, not elsewhere classified, right shoulder                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M13.112  | Monoarthritis, not elsewhere classified, left shoulder                           |
| M13.119  | Monoarthritis, not elsewhere classified, unspecified shoulder                    |
| M13.121  | Monoarthritis, not elsewhere classified, right elbow                             |
| M13.122  | Monoarthritis, not elsewhere classified, left elbow                              |
| M13.129  | Monoarthritis, not elsewhere classified, unspecified elbow                       |
| M13.131  | Monoarthritis, not elsewhere classified, right wrist                             |
| M13.132  | Monoarthritis, not elsewhere classified, left wrist                              |
| M13.139  | Monoarthritis, not elsewhere classified, unspecified wrist                       |
| M13.141  | Monoarthritis, not elsewhere classified, right hand                              |
| M13.142  | Monoarthritis, not elsewhere classified, left hand                               |
| M13.149  | Monoarthritis, not elsewhere classified, unspecified hand                        |
| M13.151  | Monoarthritis, not elsewhere classified, right hip                               |
| M13.152  | Monoarthritis, not elsewhere classified, left hip                                |
| M13.159  | Monoarthritis, not elsewhere classified, unspecified hip                         |
| M13.161  | Monoarthritis, not elsewhere classified, right knee                              |
| M13.162  | Monoarthritis, not elsewhere classified, left knee                               |
| M13.169  | Monoarthritis, not elsewhere classified, unspecified knee                        |
| M13.171  | Monoarthritis, not elsewhere classified, right ankle and foot                    |
| M13.172  | Monoarthritis, not elsewhere classified, left ankle and foot                     |
| M13.179  | Monoarthritis, not elsewhere classified, unspecified ankle and foot              |
| M14.80   | Arthropathies in other specified diseases classified elsewhere, unspecified site |
| M1A.10X0 | Lead-induced chronic gout, unspecified site, without tophus (tophi)              |
| M1A.10X1 | Lead-induced chronic gout, unspecified site, with tophus (tophi)                 |
| M1A.1110 | Lead-induced chronic gout, right shoulder, without tophus (tophi)                |
| M1A.1111 | Lead-induced chronic gout, right shoulder, with tophus (tophi)                   |
| M1A.1120 | Lead-induced chronic gout, left shoulder, without tophus (tophi)                 |
| M1A.1121 | Lead-induced chronic gout, left shoulder, with tophus (tophi)                    |
| M1A.1190 | Lead-induced chronic gout, unspecified shoulder, without tophus (tophi)          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M1A.1191 | Lead-induced chronic gout, unspecified shoulder, with tophus (tophi) |
| M1A.1210 | Lead-induced chronic gout, right elbow, without tophus (tophi)       |
| M1A.1211 | Lead-induced chronic gout, right elbow, with tophus (tophi)          |
| M1A.1220 | Lead-induced chronic gout, left elbow, without tophus (tophi)        |
| M1A.1221 | Lead-induced chronic gout, left elbow, with tophus (tophi)           |
| M1A.1290 | Lead-induced chronic gout, unspecified elbow, without tophus (tophi) |
| M1A.1291 | Lead-induced chronic gout, unspecified elbow, with tophus (tophi)    |
| M1A.1310 | Lead-induced chronic gout, right wrist, without tophus (tophi)       |
| M1A.1311 | Lead-induced chronic gout, right wrist, with tophus (tophi)          |
| M1A.1320 | Lead-induced chronic gout, left wrist, without tophus (tophi)        |
| M1A.1321 | Lead-induced chronic gout, left wrist, with tophus (tophi)           |
| M1A.1390 | Lead-induced chronic gout, unspecified wrist, without tophus (tophi) |
| M1A.1391 | Lead-induced chronic gout, unspecified wrist, with tophus (tophi)    |
| M1A.1410 | Lead-induced chronic gout, right hand, without tophus (tophi)        |
| M1A.1411 | Lead-induced chronic gout, right hand, with tophus (tophi)           |
| M1A.1420 | Lead-induced chronic gout, left hand, without tophus (tophi)         |
| M1A.1421 | Lead-induced chronic gout, left hand, with tophus (tophi)            |
| M1A.1490 | Lead-induced chronic gout, unspecified hand, without tophus (tophi)  |
| M1A.1491 | Lead-induced chronic gout, unspecified hand, with tophus (tophi)     |
| M1A.1510 | Lead-induced chronic gout, right hip, without tophus (tophi)         |
| M1A.1511 | Lead-induced chronic gout, right hip, with tophus (tophi)            |
| M1A.1520 | Lead-induced chronic gout, left hip, without tophus (tophi)          |
| M1A.1521 | Lead-induced chronic gout, left hip, with tophus (tophi)             |
| M1A.1590 | Lead-induced chronic gout, unspecified hip, without tophus (tophi)   |
| M1A.1591 | Lead-induced chronic gout, unspecified hip, with tophus (tophi)      |
| M1A.1610 | Lead-induced chronic gout, right knee, without tophus (tophi)        |
| M1A.1611 | Lead-induced chronic gout, right knee, with tophus (tophi)           |
| M1A.1620 | Lead-induced chronic gout, left knee, without tophus (tophi)         |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M1A.1621 | Lead-induced chronic gout, left knee, with tophus (tophi)                           |
| M1A.1690 | Lead-induced chronic gout, unspecified knee, without tophus (tophi)                 |
| M1A.1691 | Lead-induced chronic gout, unspecified knee, with tophus (tophi)                    |
| M1A.1710 | Lead-induced chronic gout, right ankle and foot, without tophus (tophi)             |
| M1A.1711 | Lead-induced chronic gout, right ankle and foot, with tophus (tophi)                |
| M1A.1720 | Lead-induced chronic gout, left ankle and foot, without tophus (tophi)              |
| M1A.1721 | Lead-induced chronic gout, left ankle and foot, with tophus (tophi)                 |
| M1A.1790 | Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi)       |
| M1A.1791 | Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)          |
| M1A.18X0 | Lead-induced chronic gout, vertebrae, without tophus (tophi)                        |
| M1A.18X1 | Lead-induced chronic gout, vertebrae, with tophus (tophi)                           |
| M1A.19X0 | Lead-induced chronic gout, multiple sites, without tophus (tophi)                   |
| M1A.19X1 | Lead-induced chronic gout, multiple sites, with tophus (tophi)                      |
| M24.19   | Other articular cartilage disorders, other specified site                           |
| M24.29   | Disorder of ligament, other specified site  |
| M24.39   | Pathological dislocation of other specified joint, not elsewhere classified         |
| M24.49   | Recurrent dislocation, other specified joint  |
| M24.59   | Contracture, other specified joint  |
| M24.69   | Ankylosis, other specified joint  |
| M24.89   | Other specific joint derangement of other specified joint, not elsewhere classified |
| M25.39   | Other instability, other specified joint  |
| M25.50   | Pain in unspecified joint   |
| M25.511  | Pain in right shoulder  |
| M25.512  | Pain in left shoulder   |
| M25.519  | Pain in unspecified shoulder  |
| M25.521  | Pain in right elbow   |
| M25.522  | Pain in left elbow  |
| M25.529  | Pain in unspecified elbow   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M25.531  | Pain in right wrist   |
| M25.532  | Pain in left wrist  |
| M25.539  | Pain in unspecified wrist   |
| M25.551  | Pain in right hip   |
| M25.552  | Pain in left hip  |
| M25.559  | Pain in unspecified hip   |
| M25.561  | Pain in right knee  |
| M25.562  | Pain in left knee   |
| M25.569  | Pain in unspecified knee  |
| M25.571  | Pain in right ankle and joints of right foot  |
| M25.572  | Pain in left ankle and joints of left foot  |
| M25.579  | Pain in unspecified ankle and joints of unspecified foot  |
| M25.59   | Pain in other specified joint   |
| M25.69   | Stiffness of other specified joint, not elsewhere classified  |
| M26.641  | Arthritis of right temporomandibular joint  |
| M26.642  | Arthritis of left temporomandibular joint   |
| M26.643  | Arthritis of bilateral temporomandibular joint  |
| M26.649  | Arthritis of unspecified temporomandibular joint  |
| M26.651  | Arthropathy of right temporomandibular joint  |
| M26.652  | Arthropathy of left temporomandibular joint   |
| M26.653  | Arthropathy of bilateral temporomandibular joint  |
| M26.659  | Arthropathy of unspecified temporomandibular joint  |
| M79.641  | Pain in right hand  |
| M79.642  | Pain in left hand   |
| M79.644  | Pain in right finger(s)   |
| M79.645  | Pain in left finger(s)  |
| M79.646  | Pain in unspecified finger(s)   |
| M80.0AXA | Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.0AXD | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.0AXG | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.0AXK | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.0AXP | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |
| M80.0AXS | Age-related osteoporosis with current pathological fracture, other site, sequela  |
| M80.8AXA | Other osteoporosis with current pathological fracture, other site, initial encounter for fracture                               |
| M80.8AXD | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing       |
| M80.8AXG | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing       |
| M80.8AXK | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion              |
| M80.8AXP | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion              |
| M80.8AXS | Other osteoporosis with current pathological fracture, other site, sequela  |
| M84.750A | Atypical femoral fracture, unspecified, initial encounter for fracture  |
| M84.750D | Atypical femoral fracture, unspecified, subsequent encounter for fracture with routine healing                                  |
| M84.750G | Atypical femoral fracture, unspecified, subsequent encounter for fracture with delayed healing                                  |
| M84.750K | Atypical femoral fracture, unspecified, subsequent encounter for fracture with nonunion   |
| M84.750P | Atypical femoral fracture, unspecified, subsequent encounter for fracture with malunion   |
| M84.750S | Atypical femoral fracture, unspecified, sequela   |
| M84.751D | Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.751G | Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing          |
| M84.751K | Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion                 |
| M84.751P | Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with malunion                 |
| M84.751S | Incomplete atypical femoral fracture, right leg, sequela   |
| M84.752A | Incomplete atypical femoral fracture, left leg, initial encounter for fracture                                   |
| M84.752D | Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing           |
| M84.752G | Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing           |
| M84.752K | Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion                  |
| M84.752P | Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with malunion                  |
| M84.752S | Incomplete atypical femoral fracture, left leg, sequela  |
| M84.753A | Incomplete atypical femoral fracture, unspecified leg, initial encounter for fracture                            |
| M84.753D | Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing    |
| M84.753G | Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing    |
| M84.753K | Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion           |
| M84.753P | Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion           |
| M84.753S | Incomplete atypical femoral fracture, unspecified leg, sequela   |
| M84.754A | Complete transverse atypical femoral fracture, right leg, initial encounter for fracture                         |
| M84.754D | Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing |
| M84.754G | Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.754K | Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion              |
| M84.754P | Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with malunion              |
| M84.754S | Complete transverse atypical femoral fracture, right leg, sequela  |
| M84.755A | Complete transverse atypical femoral fracture, left leg, initial encounter for fracture                                |
| M84.755D | Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing        |
| M84.755G | Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing        |
| M84.755K | Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion               |
| M84.755P | Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with malunion               |
| M84.755S | Complete transverse atypical femoral fracture, left leg, sequela   |
| M84.756A | Complete transverse atypical femoral fracture, unspecified leg, initial encounter for fracture                         |
| M84.756D | Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing |
| M84.756G | Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing |
| M84.756K | Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion        |
| M84.756P | Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion        |
| M84.756S | Complete transverse atypical femoral fracture, unspecified leg, sequela  |
| M84.757A | Complete oblique atypical femoral fracture, right leg, initial encounter for fracture                                  |
| M84.757D | Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing          |
| M84.757G | Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing          |
| M84.757K | Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion                 |

NCD 190.18

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M84.757P    | Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with malunion              |
| M84.757S    | Complete oblique atypical femoral fracture, right leg, sequela  |
| M84.758A    | Complete oblique atypical femoral fracture, left leg, initial encounter for fracture                                |
| M84.758D    | Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing        |
| M84.758G    | Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing        |
| M84.758K    | Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion               |
| M84.758P    | Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with malunion               |
| M84.758S    | Complete oblique atypical femoral fracture, left leg, sequela   |
| M84.759A    | Complete oblique atypical femoral fracture, unspecified leg, initial encounter for fracture                         |
| M84.759D    | Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing |
| M84.759G    | Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing |
| M84.759K    | Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion        |
| M84.759P    | Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion        |
| M84.759S    | Complete oblique atypical femoral fracture, unspecified leg, sequela  |
| M97.01XA    | Periprosthetic fracture around internal prosthetic right hip joint, initial encounter                               |
| M97.02XA    | Periprosthetic fracture around internal prosthetic left hip joint, initial encounter                                |
| M97.11XA    | Periprosthetic fracture around internal prosthetic right knee joint, initial encounter                              |
| M97.12XA    | Periprosthetic fracture around internal prosthetic left knee joint, initial encounter                               |
| M97.21XA    | Periprosthetic fracture around internal prosthetic right ankle joint, initial encounter                             |
| M97.22XA    | Periprosthetic fracture around internal prosthetic left ankle joint, initial encounter                              |
| M97.31XA    | Periprosthetic fracture around internal prosthetic right shoulder joint, initial encounter                          |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M97.32XA | Periprosthetic fracture around internal prosthetic left shoulder joint, initial encounter      |
| N00.A    | Acute nephritic syndrome with C3 glomerulonephritis  |
| N01.A    | Rapidly progressive nephritic syndrome with C3 glomerulonephritis                              |
| N02.0    | Recurrent and persistent hematuria with minor glomerular abnormality                           |
| N02.1    | Recurrent and persistent hematuria with focal and segmental glomerular lesions                 |
| N02.2    | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis                  |
| N02.3    | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis     |
| N02.4    | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis |
| N02.5    | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis           |
| N02.6    | Recurrent and persistent hematuria with dense deposit disease                                  |
| N02.7    | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis                  |
| N02.8    | Recurrent and persistent hematuria with other morphologic changes                              |
| N02.9    | Recurrent and persistent hematuria with unspecified morphologic changes                        |
| N02.A    | Recurrent and persistent hematuria with C3 glomerulonephritis                                  |
| N03.A    | Chronic nephritic syndrome with C3 glomerulonephritis  |
| N04.0    | Nephrotic syndrome with minor glomerular abnormality   |
| N04.1    | Nephrotic syndrome with focal and segmental glomerular lesions                                 |
| N04.2    | Nephrotic syndrome with diffuse membranous glomerulonephritis                                  |
| N04.3    | Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis                     |
| N04.4    | Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis                 |
| N04.5    | Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis                           |
| N04.6    | Nephrotic syndrome with dense deposit disease  |
| N04.7    | Nephrotic syndrome with diffuse crescentic glomerulonephritis                                  |
| N04.8    | Nephrotic syndrome with other morphologic changes  |
| N04.9    | Nephrotic syndrome with unspecified morphologic changes  |
| N04.A    | Nephrotic syndrome with C3 glomerulonephritis  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| N05.A | Unspecified nephritic syndrome with C3 glomerulonephritis                   |
| N06.A | Isolated proteinuria with C3 glomerulonephritis                             |
| N07.A | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis |
| N08   | Glomerular disorders in diseases classified elsewhere                       |
| N18.4 | Chronic kidney disease, stage 4 (severe)                                    |
| N18.5 | Chronic kidney disease, stage 5   |
| N18.6 | End stage renal disease   |
| N18.9 | Chronic kidney disease, unspecified   |
| N19   | Unspecified kidney failure  |
| N50.0 | Atrophy of testis   |
| N89.7 | Hematocolpos  |
| N91.0 | Primary amenorrhea  |
| N91.1 | Secondary amenorrhea  |
| N91.2 | Amenorrhea, unspecified   |
| N91.3 | Primary oligomenorrhea  |
| N91.4 | Secondary oligomenorrhea  |
| N91.5 | Oligomenorrhea, unspecified   |
| N92.0 | Excessive and frequent menstruation with regular cycle                      |
| N92.1 | Excessive and frequent menstruation with irregular cycle                    |
| N92.2 | Excessive menstruation at puberty   |
| N92.3 | Ovulation bleeding  |
| N92.4 | Excessive bleeding in the premenopausal period                              |
| N92.5 | Other specified irregular menstruation                                      |
| N92.6 | Irregular menstruation, unspecified   |
| N93.0 | Postcoital and contact bleeding   |
| N93.1 | Pre-pubertal vaginal bleeding   |
| N93.8 | Other specified abnormal uterine and vaginal bleeding                       |
| N93.9 | Abnormal uterine and vaginal bleeding, unspecified                          |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N95.0   | Postmenopausal bleeding   |
| N99.116 | Postprocedural urethral stricture, male, overlapping sites                      |
| O09.A0  | Supervision of pregnancy with history of molar pregnancy, unspecified trimester |
| O09.A1  | Supervision of pregnancy with history of molar pregnancy, first trimester       |
| O09.A2  | Supervision of pregnancy with history of molar pregnancy, second trimester      |
| O09.A3  | Supervision of pregnancy with history of molar pregnancy, third trimester       |
| O11.4   | Pre-existing hypertension with pre-eclampsia, complicating childbirth           |
| O11.5   | Pre-existing hypertension with pre-eclampsia, complicating the puerperium       |
| O90.81  | Anemia of the puerperium  |
| O99.011 | Anemia complicating pregnancy, first trimester                                  |
| O99.012 | Anemia complicating pregnancy, second trimester                                 |
| O99.013 | Anemia complicating pregnancy, third trimester                                  |
| O99.019 | Anemia complicating pregnancy, unspecified trimester                            |
| O99.02  | Anemia complicating childbirth  |
| O99.03  | Anemia complicating the puerperium  |
| O99.891 | Other specified diseases and conditions complicating pregnancy                  |
| O99.892 | Other specified diseases and conditions complicating childbirth                 |
| O99.893 | Other specified diseases and conditions complicating puerperium                 |
| P55.1   | ABO isoimmunization of newborn  |
| P55.8   | Other hemolytic diseases of newborn   |
| P55.9   | Hemolytic disease of newborn, unspecified                                       |
| P56.0   | Hydrops fetalis due to isoimmunization  |
| P56.90  | Hydrops fetalis due to unspecified hemolytic disease                            |
| P56.99  | Hydrops fetalis due to other hemolytic disease                                  |
| P57.0   | Kernicterus due to isoimmunization  |
| Q85.00  | Neurofibromatosis, unspecified  |
| Q85.01  | Neurofibromatosis, type 1   |
| Q85.02  | Neurofibromatosis, type 2   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| Q85.03   | Schwannomatosis  |
| Q85.09   | Other neurofibromatosis  |
| R00.1    | Bradycardia, unspecified   |
| R11.10   | Vomiting, unspecified  |
| R11.13   | Vomiting of fecal matter   |
| R63.8    | Other symptoms and signs concerning food and fluid intake              |
| R64      | Cachexia   |
| R71.0    | Precipitous drop in hematocrit   |
| R71.8    | Other abnormality of red blood cells                                   |
| R74.01   | Elevation of levels of liver transaminase levels                       |
| R74.02   | Elevation of levels of lactic acid dehydrogenase [LDH]                 |
| R74.8    | Abnormal levels of other serum enzymes                                 |
| R74.9    | Abnormal serum enzyme level, unspecified                               |
| R78.71   | Abnormal lead level in blood   |
| R78.79   | Finding of abnormal level of heavy metals in blood                     |
| R78.89   | Finding of other specified substances, not normally found in blood     |
| R79.0    | Abnormal level of blood mineral  |
| R79.89   | Other specified abnormal findings of blood chemistry                   |
| R79.9    | Abnormal finding of blood chemistry, unspecified                       |
| T43.641A | Poisoning by ecstasy, accidental (unintentional), initial encounter    |
| T43.641D | Poisoning by ecstasy, accidental (unintentional), subsequent encounter |
| T43.641S | Poisoning by ecstasy, accidental (unintentional), sequela              |
| T43.642A | Poisoning by ecstasy, intentional self-harm, initial encounter         |
| T43.642D | Poisoning by ecstasy, intentional self-harm, subsequent encounter      |
| T43.642S | Poisoning by ecstasy, intentional self-harm, sequela                   |
| T43.643A | Poisoning by ecstasy, assault, initial encounter                       |
| T43.643D | Poisoning by ecstasy, assault, subsequent encounter                    |
| T43.643S | Poisoning by ecstasy, assault, sequela                                 |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T43.644A | Poisoning by ecstasy, undetermined, initial encounter  |
| T43.644D | Poisoning by ecstasy, undetermined, subsequent encounter   |
| T43.644S | Poisoning by ecstasy, undetermined, sequela  |
| T45.4X1A | Poisoning by iron and its compounds, accidental (unintentional), initial encounter   |
| T45.4X2A | Poisoning by iron and its compounds, intentional self-harm, initial encounter  |
| T45.4X3A | Poisoning by iron and its compounds, assault, initial encounter  |
| T45.4X4A | Poisoning by iron and its compounds, undetermined, initial encounter   |
| T50.911A | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter    |
| T50.911D | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), subsequent encounter |
| T50.911S | Poisoning by multiple unspecified drugs, medicaments and biological substances, accidental (unintentional), sequela              |
| T50.912A | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter         |
| T50.912D | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter      |
| T50.912S | Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela                   |
| T50.913A | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, initial encounter                       |
| T50.913D | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, subsequent encounter                    |
| T50.913S | Poisoning by multiple unspecified drugs, medicaments and biological substances, assault, sequela                                 |
| T50.914A | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, initial encounter                  |
| T50.914D | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, subsequent encounter               |
| T50.914S | Poisoning by multiple unspecified drugs, medicaments and biological substances, undetermined, sequela                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T50.915A | Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter          |
| T50.915D | Adverse effect of multiple unspecified drugs, medicaments and biological substances, subsequent encounter       |
| T50.915S | Adverse effect of multiple unspecified drugs, medicaments and biological substances, sequela                    |
| T56.0X1A | Toxic effect of lead and its compounds, accidental (unintentional), initial encounter                           |
| T56.0X2A | Toxic effect of lead and its compounds, intentional self-harm, initial encounter                                |
| T56.0X3A | Toxic effect of lead and its compounds, assault, initial encounter  |
| T56.0X4A | Toxic effect of lead and its compounds, undetermined, initial encounter   |
| T80.89XA | Other complications following infusion, transfusion and therapeutic injection, initial encounter                |
| T80.910A | Acute hemolytic transfusion reaction, unspecified incompatibility, initial encounter                            |
| T80.911A | Delayed hemolytic transfusion reaction, unspecified incompatibility, initial encounter                          |
| T80.919A | Hemolytic transfusion reaction, unspecified incompatibility, unspecified as acute or delayed, initial encounter |
| T80.92XA | Unspecified transfusion reaction, initial encounter   |
| T86.00   | Unspecified complication of bone marrow transplant  |
| T86.01   | Bone marrow transplant rejection  |
| T86.02   | Bone marrow transplant failure  |
| T86.03   | Bone marrow transplant infection  |
| T86.09   | Other complications of bone marrow transplant   |
| T86.8401 | Corneal transplant rejection, right eye   |
| T86.8402 | Corneal transplant rejection, left eye  |
| T86.8403 | Corneal transplant rejection, bilateral   |
| T86.8409 | Corneal transplant rejection, unspecified eye   |
| T86.8411 | Corneal transplant failure, right eye   |
| T86.8412 | Corneal transplant failure, left eye  |
| T86.8413 | Corneal transplant failure, bilateral   |
| T86.8419 | Corneal transplant failure, unspecified eye   |

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T86.8421 | Corneal transplant infection, right eye   |
| T86.8422 | Corneal transplant infection, left eye  |
| T86.8423 | Corneal transplant infection, bilateral   |
| T86.8429 | Corneal transplant infection, unspecified eye   |
| Z21      | Asymptomatic human immunodeficiency virus [HIV] infection status  |
| Z31.7    | Encounter for procreative management and counseling for gestational carrier   |
| Z49.31   | Encounter for adequacy testing for hemodialysis   |
| Z49.32   | Encounter for adequacy testing for peritoneal dialysis  |
| Z83.430  | Family history of elevated lipoprotein(a)   |
| Z83.438  | Family history of other disorder of lipoprotein metabolism and other lipidemia  |
| Z84.82   | Family history of sudden infant death syndrome  |
| Z86.2    | Personal history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z86.39   | Personal history of other endocrine, nutritional and metabolic disease  |
| Z95.2    | Presence of prosthetic heart valve  |
| Z95.811  | Presence of heart assist device   |
| Z95.812  | Presence of fully implantable artificial heart  |
| Z95.820  | Peripheral vascular angioplasty status with implants and grafts   |
| Z95.828  | Presence of other vascular implants and grafts  |
| Z96.60   | Presence of unspecified orthopedic joint implant  |
| Z98.870  | Personal history of in utero procedure during pregnancy   |
| Z98.871  | Personal history of in utero procedure while a fetus  |
| Z98.890  | Other specified postprocedural states   |
| Z98.891  | History of uterine scar from previous surgery   |

**Indications**

1. Ferritin, iron and either iron binding capacity or transferrin are useful in the differential diagnosis of iron deficiency, anemia, and for iron overload conditions.
  - a. The following presentations are examples that may support the use of these studies for evaluating iron deficiency:

**NCD 190.18**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021

- Certain abnormal blood count values (i.e., decreased Mean Corpuscular Volume (MCV), decreased hemoglobin/hematocrit when the MCV is low or normal, or increased Red cell Distribution Width (RDW) and low or normal MCV)
  - Abnormal appetite (pica)
  - Acute or chronic gastrointestinal blood loss
  - Hematuria
  - Menorrhagia
  - Malabsorption
  - Status post-gastrectomy
  - Status post-gastrojejunostomy
  - Malnutrition
  - Preoperative autologous blood collection(s)
  - Malignant, chronic inflammatory and infectious conditions associated with anemia which may present in a similar manner to iron deficiency anemia
  - Following a significant surgical procedure where blood loss had occurred and had not been repaired with adequate iron replacement.
    - b. The following presentations are examples that may support the use of these studies for evaluating iron overload:
      - Chronic Hepatitis
      - Diabetes
      - Hyperpigmentation of skin
      - Arthropathy
      - Cirrhosis
      - Hypogonadism
      - Hypopituitarism
      - Impaired porphyrin metabolism
      - Heart failure
      - Multiple transfusions
      - Sideroblastic anemia
      - Thalassemia major
      - Cardiomyopathy, cardiac dysrhythmias and conduction disturbances
2. Follow-up testing may be appropriate to monitor response to therapy, e.g., oral or parenteral iron, ascorbic acid, and erythropoietin.
  3. Iron studies may be appropriate in patients after treatment for other nutritional deficiency anemias, such as folate and vitamin B12, because iron deficiency may not be revealed until such a nutritional deficiency is treated.
  4. Serum ferritin may be appropriate for monitoring iron status in patients with chronic renal disease with or without dialysis.





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

5. Serum iron may also be indicated for evaluation of toxic effects of iron and other metals (e.g., nickel, cadmium, aluminum, and lead) whether due to accidental, intentional exposure or metabolic causes.

**Limitations**

1. Iron studies should be used to diagnose and manage iron deficiency or iron overload states. These tests are not to be used solely to assess acute phase reactants where disease management will be unchanged. For example, infections and malignancies are associated with elevations in acute phase reactants such as ferritin, and decreases in serum iron concentration, but iron studies would only be medically necessary if results of iron studies might alter the management of the primary diagnosis or might warrant direct treatment of an iron disorder or condition.
2. If a normal serum ferritin level is documented, repeat testing would not ordinarily be medically necessary unless there is a change in the patient's condition, and ferritin assessment is needed for the ongoing management of the patient. For example, a patient presents with new onset insulin-dependent diabetes mellitus and has a serum ferritin level performed for the suspicion of hemochromatosis. If the ferritin level is normal, the repeat ferritin for diabetes mellitus would not be medically necessary.
3. When an End Stage Renal Disease (ESRD) patient is tested for ferritin, testing more frequently than every three months requires documentation of medical necessity (e.g., other than chronic renal failure or renal failure, unspecified).
4. It is ordinarily not necessary to measure both transferrin and TIBC at the same time because TIBC is an indirect measure of transferrin. When transferrin is ordered as part of the nutritional assessment for evaluating malnutrition, it is not necessary to order other iron studies unless iron deficiency or iron overload is suspected as well.
5. It is not ordinarily necessary to measure either iron/TIBC (or transferrin) and ferritin in initial patient testing. If clinically indicated after evaluation of the initial iron studies, it may be appropriate to perform additional iron studies either on the initial specimen or on a subsequently obtained specimen. After a diagnosis of iron deficiency or iron overload is established, either iron/TIBC (or transferrin) or ferritin may be medically necessary for monitoring, but not both.
6. It would not ordinarily be considered medically necessary to do a ferritin as a preoperative test except in the presence of anemia or recent autologous blood collections prior to the surgery.

**ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

**Sources of Information**

CDC. Recommendations to prevent and control iron deficiency in the United States. MMWR 1998; 47(RR-3):1-29.



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

Powell LW, George DK, McDonnell SM, Kowdley KV. Diagnosis of hemochromatosis. *Ann.Intern.Med.* 1998;129:925-931.

Spiekerman AM. Proteins used in nutritional assessment. *Clin.Lab.Med.* 1993;13:353-369.

Wallach JB. *Handbook of Interpretation of Diagnostic Tests.* Lippincott-Raven Publishers (Philadelphia) 1998, pp. 170-180.

Van Walraven C, Goel V, Chan B. Effect of Population-Based Interventions on Laboratory Utilization. *JAMA.* 1998; 280:2028-2033.

Guyatt GH, Patterson C, Ali M, Singer J, Levine M, Turpie I, Meyer R. Diagnosis of Iron-Deficiency Anemia in the Elderly. *AmJMed.* 1990; 88:205-209.

Burns ER, Goldberg SN, Lawrence C, Wenz B. *AJCP.* 1990; 3: 240-245.

Burns ER, et al. Brief Clinical Observations. *AmJMed.* 1991; 90:653-654.

Yang Q, et al. Hemochromatosis-associated Mortality in the United States from 1979 to 1992: An Analysis of Multiple-Cause Mortality Data. *AnIntMed.*1998;129:946-953.

## **190.19 - Collagen Crosslinks, Any Method**

### **Description**

Collagen crosslinks, part of the matrix of bone upon which bone mineral is deposited, are biochemical markers the excretion of which provides a quantitative measurement of bone resorption. Elevated levels of urinary collagen crosslinks indicate elevated bone resorption. Elevated bone resorption contributes to age-related and postmenopausal loss of bone leading to osteoporosis and increased risk of fracture. The collagen crosslinks assay can be performed by immunoassay or by high performance liquid chromatography (HPLC). Collagen crosslink immunoassays measure the pyridinoline crosslinks and associated telopeptides in urine.

Bone is constantly undergoing a metabolic process called turnover or remodeling. This includes a degradation process, bone resorption, mediated by the action of osteoclasts, and a building process, bone formation, mediated by the action of osteoblasts. Remodeling is required for the maintenance and overall health of bone and is tightly coupled; that is, resorption and formation must be in balance. In abnormal states of bone remodeling, when resorption exceeds formation, it results in a net loss of bone. The measurement of specific, bone-derived resorption products provides analytical data about the rate of bone resorption.

Osteoporosis is a condition characterized by low bone mass and structural deterioration of bone tissue, leading to bone fragility and an increased susceptibility to fractures of the hip, spine, and wrist. The term primary osteoporosis is applied where the causal factor in the disease is menopause or aging. The term secondary osteoporosis is applied where the causal factor is something other than menopause or aging, such as long-term administration of glucocorticosteroids, endocrine-related disorders (other than loss of estrogen due to menopause), and certain bone diseases such as cancer of the bone.

With respect to quantifying bone resorption, collagen crosslink tests can provide adjunct diagnostic information in concert with bone mass measurements. Bone mass measurements and biochemical markers may have complementary roles to play in assessing effectiveness of osteoporosis treatment. Proper management of osteoporosis patients, who are on long-term therapeutic regimens, may include laboratory testing of biochemical markers of bone turnover, such as collagen crosslinks, that provide a profile of bone turnover responses within weeks of therapy. Changes in collagen crosslinks are determined following commencement of antiresorptive therapy. These can be measured over a shorter time interval when compared to bone mass density. If bone resorption is not elevated, repeat testing is not medically necessary.

### **HCPCS Codes (Alphanumeric, CPT® AMA)**

| <b>Code</b> | <b>Description</b>               |
|-------------|----------------------------------|
| 82523       | Collagen cross links, any method |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

**ICD-10-CM Codes Covered by Medicare Program**

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at

<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code     | Description  |
|----------|--|
| C44.1321 | Sebaceous cell carcinoma of skin of right upper eyelid, including canthus          |
| C44.1322 | Sebaceous cell carcinoma of skin of right lower eyelid, including canthus          |
| C44.1391 | Sebaceous cell carcinoma of skin of left upper eyelid, including canthus           |
| C44.1392 | Sebaceous cell carcinoma of skin of left lower eyelid, including canthus           |
| E05.00   | Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm              |
| E05.01   | Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm                 |
| E05.10   | Thyrotoxicosis with toxic single thyroid nodule without thyrotoxic crisis or storm |
| E05.11   | Thyrotoxicosis with toxic single thyroid nodule with thyrotoxic crisis or storm    |
| E05.20   | Thyrotoxicosis with toxic multinodular goiter without thyrotoxic crisis or storm   |
| E05.21   | Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm      |
| E05.30   | Thyrotoxicosis from ectopic thyroid tissue without thyrotoxic crisis or storm      |
| E05.31   | Thyrotoxicosis from ectopic thyroid tissue with thyrotoxic crisis or storm         |
| E05.40   | Thyrotoxicosis factitia without thyrotoxic crisis or storm                         |
| E05.41   | Thyrotoxicosis factitia with thyrotoxic crisis or storm                            |
| E05.80   | Other thyrotoxicosis without thyrotoxic crisis or storm                            |
| E05.81   | Other thyrotoxicosis with thyrotoxic crisis or storm                               |
| E05.90   | Thyrotoxicosis, unspecified without thyrotoxic crisis or storm                     |
| E05.91   | Thyrotoxicosis, unspecified with thyrotoxic crisis or storm                        |
| E06.3    | Autoimmune thyroiditis   |
| E07.9    | Disorder of thyroid, unspecified   |
| E21.0    | Primary hyperparathyroidism  |
| E21.1    | Secondary hyperparathyroidism, not elsewhere classified                            |
| E21.2    | Other hyperparathyroidism  |
| E21.3    | Hyperparathyroidism, unspecified   |
| E28.310  | Symptomatic premature menopause  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E28.319  | Asymptomatic premature menopause  |
| E28.39   | Other primary ovarian failure   |
| E28.8    | Other ovarian dysfunction   |
| E28.9    | Ovarian dysfunction, unspecified  |
| E55.9    | Vitamin D deficiency, unspecified   |
| E58      | Dietary calcium deficiency  |
| E59      | Dietary selenium deficiency   |
| E60      | Dietary zinc deficiency   |
| E61.0    | Copper deficiency   |
| E61.1    | Iron deficiency   |
| E61.2    | Magnesium deficiency  |
| E61.3    | Manganese deficiency  |
| E61.4    | Chromium deficiency   |
| E61.5    | Molybdenum deficiency   |
| E61.6    | Vanadium deficiency   |
| E88.02   | Plasminogen deficiency  |
| E89.40   | Asymptomatic postprocedural ovarian failure   |
| E89.41   | Symptomatic postprocedural ovarian failure  |
| M48.50XA | Collapsed vertebra, not elsewhere classified, site unspecified, initial encounter for fracture              |
| M48.51XA | Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, initial encounter for fracture |
| M48.52XA | Collapsed vertebra, not elsewhere classified, cervical region, initial encounter for fracture               |
| M48.53XA | Collapsed vertebra, not elsewhere classified, cervicothoracic region, initial encounter for fracture        |
| M48.54XA | Collapsed vertebra, not elsewhere classified, thoracic region, initial encounter for fracture               |
| M48.55XA | Collapsed vertebra, not elsewhere classified, thoracolumbar region, initial encounter for fracture          |
| M48.56XA | Collapsed vertebra, not elsewhere classified, lumbar region, initial encounter for fracture                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M48.57XA    | Collapsed vertebra, not elsewhere classified, lumbosacral region, initial encounter for fracture                  |
| M48.58XA    | Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, initial encounter for fracture    |
| M80.00XA    | Age-related osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture     |
| M80.011A    | Age-related osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture       |
| M80.012A    | Age-related osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture        |
| M80.019A    | Age-related osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture |
| M80.021A    | Age-related osteoporosis with current pathological fracture, right humerus, initial encounter for fracture        |
| M80.022A    | Age-related osteoporosis with current pathological fracture, left humerus, initial encounter for fracture         |
| M80.029A    | Age-related osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture  |
| M80.031A    | Age-related osteoporosis with current pathological fracture, right forearm, initial encounter for fracture        |
| M80.032A    | Age-related osteoporosis with current pathological fracture, left forearm, initial encounter for fracture         |
| M80.039A    | Age-related osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture  |
| M80.041A    | Age-related osteoporosis with current pathological fracture, right hand, initial encounter for fracture           |
| M80.042A    | Age-related osteoporosis with current pathological fracture, left hand, initial encounter for fracture            |
| M80.049A    | Age-related osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture     |
| M80.051A    | Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture          |
| M80.052A    | Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture           |
| M80.059A    | Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture    |

**NCD 190.19**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M80.061A    | Age-related osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture                    |
| M80.062A    | Age-related osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture                     |
| M80.069A    | Age-related osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture              |
| M80.071A    | Age-related osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture               |
| M80.072A    | Age-related osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture                |
| M80.079A    | Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture         |
| M80.08XA    | Age-related osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture                        |
| M80.0AXA    | Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture                         |
| M80.0AXD    | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.0AXG    | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.0AXK    | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.0AXP    | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |
| M80.0AXS    | Age-related osteoporosis with current pathological fracture, other site, sequela  |
| M80.80XA    | Other osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture                         |
| M80.811A    | Other osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture                           |
| M80.812A    | Other osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture                            |
| M80.819A    | Other osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture                     |
| M80.821A    | Other osteoporosis with current pathological fracture, right humerus, initial encounter for fracture                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M80.822A    | Other osteoporosis with current pathological fracture, left humerus, initial encounter for fracture               |
| M80.829A    | Other osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture        |
| M80.831A    | Other osteoporosis with current pathological fracture, right forearm, initial encounter for fracture              |
| M80.832A    | Other osteoporosis with current pathological fracture, left forearm, initial encounter for fracture               |
| M80.839A    | Other osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture        |
| M80.841A    | Other osteoporosis with current pathological fracture, right hand, initial encounter for fracture                 |
| M80.842A    | Other osteoporosis with current pathological fracture, left hand, initial encounter for fracture                  |
| M80.849A    | Other osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture           |
| M80.851A    | Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture                |
| M80.852A    | Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture                 |
| M80.859A    | Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture          |
| M80.861A    | Other osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture            |
| M80.862A    | Other osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture             |
| M80.869A    | Other osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture      |
| M80.871A    | Other osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture       |
| M80.872A    | Other osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture        |
| M80.879A    | Other osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture |
| M80.88XA    | Other osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture                |

**NCD 190.19**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M80.8AXA | Other osteoporosis with current pathological fracture, other site, initial encounter for fracture                         |
| M80.8AXD | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.8AXG | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.8AXK | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.8AXP | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |
| M80.8AXS | Other osteoporosis with current pathological fracture, other site, sequela  |
| M81.0    | Age-related osteoporosis without current pathological fracture  |
| M81.6    | Localized osteoporosis [Lequesne]   |
| M81.8    | Other osteoporosis without current pathological fracture  |
| M84.40XA | Pathological fracture, unspecified site, initial encounter for fracture   |
| M84.411A | Pathological fracture, right shoulder, initial encounter for fracture   |
| M84.412A | Pathological fracture, left shoulder, initial encounter for fracture  |
| M84.419A | Pathological fracture, unspecified shoulder, initial encounter for fracture   |
| M84.421A | Pathological fracture, right humerus, initial encounter for fracture  |
| M84.422A | Pathological fracture, left humerus, initial encounter for fracture   |
| M84.429A | Pathological fracture, unspecified humerus, initial encounter for fracture  |
| M84.431A | Pathological fracture, right ulna, initial encounter for fracture   |
| M84.432A | Pathological fracture, left ulna, initial encounter for fracture  |
| M84.433A | Pathological fracture, right radius, initial encounter for fracture   |
| M84.434A | Pathological fracture, left radius, initial encounter for fracture  |
| M84.439A | Pathological fracture, unspecified ulna and radius, initial encounter for fracture  |
| M84.441A | Pathological fracture, right hand, initial encounter for fracture   |
| M84.442A | Pathological fracture, left hand, initial encounter for fracture  |
| M84.443A | Pathological fracture, unspecified hand, initial encounter for fracture   |
| M84.444A | Pathological fracture, right finger(s), initial encounter for fracture  |
| M84.445A | Pathological fracture, left finger(s), initial encounter for fracture   |
| M84.446A | Pathological fracture, unspecified finger(s), initial encounter for fracture  |

**NCD 190.19**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M84.451A | Pathological fracture, right femur, initial encounter for fracture                                |
| M84.452A | Pathological fracture, left femur, initial encounter for fracture                                 |
| M84.453A | Pathological fracture, unspecified femur, initial encounter for fracture                          |
| M84.454A | Pathological fracture, pelvis, initial encounter for fracture                                     |
| M84.459A | Pathological fracture, hip, unspecified, initial encounter for fracture                           |
| M84.461A | Pathological fracture, right tibia, initial encounter for fracture                                |
| M84.462A | Pathological fracture, left tibia, initial encounter for fracture                                 |
| M84.463A | Pathological fracture, right fibula, initial encounter for fracture                               |
| M84.464A | Pathological fracture, left fibula, initial encounter for fracture                                |
| M84.469A | Pathological fracture, unspecified tibia and fibula, initial encounter for fracture               |
| M84.471A | Pathological fracture, right ankle, initial encounter for fracture                                |
| M84.472A | Pathological fracture, left ankle, initial encounter for fracture                                 |
| M84.473A | Pathological fracture, unspecified ankle, initial encounter for fracture                          |
| M84.474A | Pathological fracture, right foot, initial encounter for fracture                                 |
| M84.475A | Pathological fracture, left foot, initial encounter for fracture                                  |
| M84.476A | Pathological fracture, unspecified foot, initial encounter for fracture                           |
| M84.477A | Pathological fracture, right toe(s), initial encounter for fracture                               |
| M84.478A | Pathological fracture, left toe(s), initial encounter for fracture                                |
| M84.479A | Pathological fracture, unspecified toe(s), initial encounter for fracture                         |
| M84.48XA | Pathological fracture, other site, initial encounter for fracture                                 |
| M84.50XA | Pathological fracture in neoplastic disease, unspecified site, initial encounter for fracture     |
| M84.511A | Pathological fracture in neoplastic disease, right shoulder, initial encounter for fracture       |
| M84.512A | Pathological fracture in neoplastic disease, left shoulder, initial encounter for fracture        |
| M84.519A | Pathological fracture in neoplastic disease, unspecified shoulder, initial encounter for fracture |
| M84.521A | Pathological fracture in neoplastic disease, right humerus, initial encounter for fracture        |
| M84.522A | Pathological fracture in neoplastic disease, left humerus, initial encounter for fracture         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M84.529A | Pathological fracture in neoplastic disease, unspecified humerus, initial encounter for fracture          |
| M84.531A | Pathological fracture in neoplastic disease, right ulna, initial encounter for fracture                   |
| M84.532A | Pathological fracture in neoplastic disease, left ulna, initial encounter for fracture                    |
| M84.533A | Pathological fracture in neoplastic disease, right radius, initial encounter for fracture                 |
| M84.534A | Pathological fracture in neoplastic disease, left radius, initial encounter for fracture                  |
| M84.539A | Pathological fracture in neoplastic disease, unspecified ulna and radius, initial encounter for fracture  |
| M84.541A | Pathological fracture in neoplastic disease, right hand, initial encounter for fracture                   |
| M84.542A | Pathological fracture in neoplastic disease, left hand, initial encounter for fracture                    |
| M84.549A | Pathological fracture in neoplastic disease, unspecified hand, initial encounter for fracture             |
| M84.550A | Pathological fracture in neoplastic disease, pelvis, initial encounter for fracture                       |
| M84.551A | Pathological fracture in neoplastic disease, right femur, initial encounter for fracture                  |
| M84.552A | Pathological fracture in neoplastic disease, left femur, initial encounter for fracture                   |
| M84.553A | Pathological fracture in neoplastic disease, unspecified femur, initial encounter for fracture            |
| M84.559A | Pathological fracture in neoplastic disease, hip, unspecified, initial encounter for fracture             |
| M84.561A | Pathological fracture in neoplastic disease, right tibia, initial encounter for fracture                  |
| M84.562A | Pathological fracture in neoplastic disease, left tibia, initial encounter for fracture                   |
| M84.563A | Pathological fracture in neoplastic disease, right fibula, initial encounter for fracture                 |
| M84.564A | Pathological fracture in neoplastic disease, left fibula, initial encounter for fracture                  |
| M84.569A | Pathological fracture in neoplastic disease, unspecified tibia and fibula, initial encounter for fracture |
| M84.571A | Pathological fracture in neoplastic disease, right ankle, initial encounter for fracture                  |
| M84.572A | Pathological fracture in neoplastic disease, left ankle, initial encounter for fracture                   |
| M84.573A | Pathological fracture in neoplastic disease, unspecified ankle, initial encounter for fracture            |
| M84.574A | Pathological fracture in neoplastic disease, right foot, initial encounter for fracture                   |
| M84.575A | Pathological fracture in neoplastic disease, left foot, initial encounter for fracture                    |
| M84.576A | Pathological fracture in neoplastic disease, unspecified foot, initial encounter for fracture             |

**NCD 190.19**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M84.58XA    | Pathological fracture in neoplastic disease, other specified site, initial encounter for fracture   |
| M84.60XA    | Pathological fracture in other disease, unspecified site, initial encounter for fracture            |
| M84.611A    | Pathological fracture in other disease, right shoulder, initial encounter for fracture              |
| M84.612A    | Pathological fracture in other disease, left shoulder, initial encounter for fracture               |
| M84.619A    | Pathological fracture in other disease, unspecified shoulder, initial encounter for fracture        |
| M84.621A    | Pathological fracture in other disease, right humerus, initial encounter for fracture               |
| M84.622A    | Pathological fracture in other disease, left humerus, initial encounter for fracture                |
| M84.629A    | Pathological fracture in other disease, unspecified humerus, initial encounter for fracture         |
| M84.631A    | Pathological fracture in other disease, right ulna, initial encounter for fracture                  |
| M84.632A    | Pathological fracture in other disease, left ulna, initial encounter for fracture                   |
| M84.633A    | Pathological fracture in other disease, right radius, initial encounter for fracture                |
| M84.634A    | Pathological fracture in other disease, left radius, initial encounter for fracture                 |
| M84.639A    | Pathological fracture in other disease, unspecified ulna and radius, initial encounter for fracture |
| M84.641A    | Pathological fracture in other disease, right hand, initial encounter for fracture                  |
| M84.642A    | Pathological fracture in other disease, left hand, initial encounter for fracture                   |
| M84.649A    | Pathological fracture in other disease, unspecified hand, initial encounter for fracture            |
| M84.650A    | Pathological fracture in other disease, pelvis, initial encounter for fracture                      |
| M84.651A    | Pathological fracture in other disease, right femur, initial encounter for fracture                 |
| M84.652A    | Pathological fracture in other disease, left femur, initial encounter for fracture                  |
| M84.653A    | Pathological fracture in other disease, unspecified femur, initial encounter for fracture           |
| M84.659A    | Pathological fracture in other disease, hip, unspecified, initial encounter for fracture            |
| M84.661A    | Pathological fracture in other disease, right tibia, initial encounter for fracture                 |
| M84.662A    | Pathological fracture in other disease, left tibia, initial encounter for fracture                  |
| M84.663A    | Pathological fracture in other disease, right fibula, initial encounter for fracture                |
| M84.664A    | Pathological fracture in other disease, left fibula, initial encounter for fracture                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| M84.669A | Pathological fracture in other disease, unspecified tibia and fibula, initial encounter for fracture |
| M84.671A | Pathological fracture in other disease, right ankle, initial encounter for fracture                  |
| M84.672A | Pathological fracture in other disease, left ankle, initial encounter for fracture                   |
| M84.673A | Pathological fracture in other disease, unspecified ankle, initial encounter for fracture            |
| M84.674A | Pathological fracture in other disease, right foot, initial encounter for fracture                   |
| M84.675A | Pathological fracture in other disease, left foot, initial encounter for fracture                    |
| M84.676A | Pathological fracture in other disease, unspecified foot, initial encounter for fracture             |
| M84.68XA | Pathological fracture in other disease, other site, initial encounter for fracture                   |
| M84.751A | Incomplete atypical femoral fracture, right leg, initial encounter for fracture                      |
| M85.80   | Other specified disorders of bone density and structure, unspecified site                            |
| M85.811  | Other specified disorders of bone density and structure, right shoulder                              |
| M85.812  | Other specified disorders of bone density and structure, left shoulder                               |
| M85.819  | Other specified disorders of bone density and structure, unspecified shoulder                        |
| M85.821  | Other specified disorders of bone density and structure, right upper arm                             |
| M85.822  | Other specified disorders of bone density and structure, left upper arm                              |
| M85.829  | Other specified disorders of bone density and structure, unspecified upper arm                       |
| M85.831  | Other specified disorders of bone density and structure, right forearm                               |
| M85.832  | Other specified disorders of bone density and structure, left forearm                                |
| M85.839  | Other specified disorders of bone density and structure, unspecified forearm                         |
| M85.841  | Other specified disorders of bone density and structure, right hand                                  |
| M85.842  | Other specified disorders of bone density and structure, left hand                                   |
| M85.849  | Other specified disorders of bone density and structure, unspecified hand                            |
| M85.851  | Other specified disorders of bone density and structure, right thigh                                 |
| M85.852  | Other specified disorders of bone density and structure, left thigh                                  |
| M85.859  | Other specified disorders of bone density and structure, unspecified thigh                           |
| M85.861  | Other specified disorders of bone density and structure, right lower leg                             |
| M85.862  | Other specified disorders of bone density and structure, left lower leg                              |
| M85.869  | Other specified disorders of bone density and structure, unspecified lower leg                       |
| M85.871  | Other specified disorders of bone density and structure, right ankle and foot                        |

**NCD 190.19**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M85.872     | Other specified disorders of bone density and structure, left ankle and foot        |
| M85.879     | Other specified disorders of bone density and structure, unspecified ankle and foot |
| M85.88      | Other specified disorders of bone density and structure, other site                 |
| M85.89      | Other specified disorders of bone density and structure, multiple sites             |
| M85.9       | Disorder of bone density and structure, unspecified                                 |
| M88.0       | Osteitis deformans of skull   |
| M88.1       | Osteitis deformans of vertebrae   |
| M88.811     | Osteitis deformans of right shoulder  |
| M88.812     | Osteitis deformans of left shoulder   |
| M88.819     | Osteitis deformans of unspecified shoulder  |
| M88.821     | Osteitis deformans of right upper arm   |
| M88.822     | Osteitis deformans of left upper arm  |
| M88.829     | Osteitis deformans of unspecified upper arm   |
| M88.831     | Osteitis deformans of right forearm   |
| M88.832     | Osteitis deformans of left forearm  |
| M88.839     | Osteitis deformans of unspecified forearm   |
| M88.841     | Osteitis deformans of right hand  |
| M88.842     | Osteitis deformans of left hand   |
| M88.849     | Osteitis deformans of unspecified hand  |
| M88.851     | Osteitis deformans of right thigh   |
| M88.852     | Osteitis deformans of left thigh  |
| M88.859     | Osteitis deformans of unspecified thigh   |
| M88.861     | Osteitis deformans of right lower leg   |
| M88.862     | Osteitis deformans of left lower leg  |
| M88.869     | Osteitis deformans of unspecified lower leg   |
| M88.871     | Osteitis deformans of right ankle and foot  |
| M88.872     | Osteitis deformans of left ankle and foot   |
| M88.879     | Osteitis deformans of unspecified ankle and foot                                    |
| M88.88      | Osteitis deformans of other bones   |
| M88.89      | Osteitis deformans of multiple sites  |

**NCD 190.19**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M88.9    | Osteitis deformans of unspecified bone                  |
| M89.9    | Disorder of bone, unspecified                           |
| M94.9    | Disorder of cartilage, unspecified                      |
| N92.4    | Excessive bleeding in the premenopausal period          |
| N95.0    | Postmenopausal bleeding                                 |
| N95.1    | Menopausal and female climacteric states                |
| N95.8    | Other specified menopausal and perimenopausal disorders |
| N95.9    | Unspecified menopausal and perimenopausal disorder      |
| P78.84   | Gestational alloimmune liver disease                    |
| S12.9XXA | Fracture of neck, unspecified, initial encounter        |
| Z79.3    | Long term (current) use of hormonal contraceptives      |
| Z79.51   | Long term (current) use of inhaled steroids             |
| Z79.52   | Long term (current) use of systemic steroids            |
| Z79.84   | Long term (current) use of oral hypoglycemic drugs      |
| Z79.891  | Long term (current) use of opiate analgesic             |
| Z79.899  | Other long term (current) drug therapy                  |

### **Indications**

Generally speaking, collagen crosslink testing is useful mostly in “fast losers” of bone. The age when these bone markers can help direct therapy is often pre-Medicare. By the time a fast loser of bone reaches age 65, she will most likely have been stabilized by appropriate therapy or have lost so much bone mass that further testing is useless. Coverage for bone marker assays may be established, however, for younger Medicare beneficiaries and for those men and women who might become fast losers because of some other therapy such as glucocorticoids. Safeguards should be incorporated to prevent excessive use of tests in patients for whom they have no clinical relevance.

Collagen crosslinks testing is used to:

- Identify individuals with elevated bone resorption, who have osteoporosis in whom response to treatment is being monitored.
- Predict response (as assessed by bone mass measurements) to FDA approved antiresorptive therapy in postmenopausal women.
- Assess response to treatment of patients with osteoporosis, Paget’s disease of the bone, or risk for osteoporosis where treatment may include FDA approved antiresorptive agents, anti-estrogens or selective estrogen receptor moderators.

**NCD 190.19**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



### **Limitations**

Because of significant specimen to specimen collagen crosslink physiologic variability (15-20%), current recommendations for appropriate utilization include: one or two base-line assays from specified urine collections on separate days; followed by a repeat assay about 3 months after starting anti-resorptive therapy; followed by a repeat assay in 12 months after the 3-month assay; and thereafter not more than annually, unless there is a change in therapy in which circumstance an additional test may be indicated 3 months after the initiation of new therapy.

Some collagen crosslink assays may not be appropriate for use in some disorders, according to FDA labeling restrictions.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

Arnaud CD. Osteoporosis: Using 'bone markers' for diagnosis and monitoring. *Geriatrics* 1996; 51:24-30.

Chesnut CH, III, Bell NH, Clark G, et al. Hormone replacement therapy in postmenopausal women: urinary N-telopeptide of type I collagen monitors therapeutic effect and predicts response of bone mineral density. *Am. J. Med.* 1997;102:29-37.

Garnero P, Delmas PD. Clinical usefulness of markers of bone remodelling in osteoporosis. In: Meunier PJ. (ed). *Osteoporosis: diagnosis and management*. London: Martin Dunitz Ltd 1998:79-101.

Garnero P, Shih WJ, Gineyts E, et al. Comparison of new biochemical markers of bone turnover in late postmenopausal osteoporotic women in response to alendronate treatment. *J. Clin. Endocrinol. Metab.* 1994;79:1693-700.

Harper KD, Weber TJ. Secondary osteoporosis - Diagnostic considerations. *Endocrinol. Metab. Clin. North Am.* 1998;27:325-48.

Hesley RP, Shepard KA, Jenkins DK, Riggs BL. Monitoring estrogen replacement therapy and identifying rapid bone losers with an immunoassay for deoxypyridinoline. *Osteoporos. Int.* 1998;8:159-64.

Melton LJ, III, Khosla S, Atkinson EJ, et al. Relationship of bone turnover to bone density and fractures. *J. Bone Miner. Res.* 1997;12:1083-91.

Millard PS. Prevention of osteoporosis: making sense of the published evidence. In: Rosen CJ (ed). *Osteoporosis: diagnostic & therapeutic principles*. Totowa: Humana Press. 1996:275-85.

Rosen CJ. Biochemical markers of bone turnover. In: Rosen CJ(ed). *Osteoporosis: diagnostic and therapeutic principles*. Totowa: Humana Press Inc. 1996:129-41.

Schneider DL, Barrett-Connor EL. Urinary N-Telopeptide levels discriminate normal, osteopenic, and osteoporotic bone mineral density. *Arch. Intern. Med.* 1997;157:1241-5.

## 190.20 - Blood Glucose Testing

### Description

This policy is intended to apply to blood samples used to determine glucose levels. Blood glucose determination may be done using whole blood, serum or plasma. It may be sampled by capillary puncture, as in the fingerstick method, or by vein puncture or arterial sampling. The method for assay may be by color comparison of an indicator stick, by meter assay of whole blood or a filtrate of whole blood, using a device approved for home monitoring, or by using a laboratory assay system using serum or plasma. The convenience of the meter or stick color method allows a patient to have access to blood glucose values in less than a minute or so and has become a standard of care for control of blood glucose, even in the inpatient setting.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description  |
|-------|--|
| 82947 | Glucose; quantitative, blood (except reagent strip)                      |
| 82948 | Glucose; blood, reagent strip  |
| 82962 | Glucose, blood by glucose monitoring device cleared by FDA for home use. |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description   |
|--------|---|
| A15.0  | Tuberculosis of lung  |
| A15.5  | Tuberculosis of larynx, trachea and bronchus                  |
| A22.1  | Pulmonary anthrax   |
| A37.01 | Whooping cough due to Bordetella pertussis with pneumonia     |
| A37.11 | Whooping cough due to Bordetella parapertussis with pneumonia |
| A37.81 | Whooping cough due to other Bordetella species with pneumonia |
| A37.91 | Whooping cough, unspecified species with pneumonia            |
| A40.0  | Sepsis due to streptococcus, group A                          |
| A40.1  | Sepsis due to streptococcus, group B                          |
| A40.3  | Sepsis due to Streptococcus pneumoniae                        |
| A40.8  | Other streptococcal sepsis                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| A40.9  | Streptococcal sepsis, unspecified                           |
| A41.01 | Sepsis due to Methicillin susceptible Staphylococcus aureus |
| A41.02 | Sepsis due to Methicillin resistant Staphylococcus aureus   |
| A41.1  | Sepsis due to other specified staphylococcus                |
| A41.2  | Sepsis due to unspecified staphylococcus                    |
| A41.3  | Sepsis due to Hemophilus influenzae                         |
| A41.4  | Sepsis due to anaerobes                                     |
| A41.50 | Gram-negative sepsis, unspecified                           |
| A41.51 | Sepsis due to Escherichia coli [E. coli]                    |
| A41.52 | Sepsis due to Pseudomonas                                   |
| A41.53 | Sepsis due to Serratia                                      |
| A41.59 | Other Gram-negative sepsis                                  |
| A41.81 | Sepsis due to Enterococcus                                  |
| A41.89 | Other specified sepsis                                      |
| A41.9  | Sepsis, unspecified organism                                |
| A42.7  | Actinomycotic sepsis  |
| A48.1  | Legionnaires' disease                                       |
| B25.0  | Cytomegaloviral pneumonitis                                 |
| B25.2  | Cytomegaloviral pancreatitis                                |
| B37.2  | Candidiasis of skin and nail                                |
| B37.3  | Candidiasis of vulva and vagina                             |
| B44.0  | Invasive pulmonary aspergillosis                            |
| B48.8  | Other specified mycoses                                     |
| B77.81 | Ascariasis pneumonia  |
| B78.1  | Cutaneous strongyloidiasis                                  |
| C25.4  | Malignant neoplasm of endocrine pancreas                    |
| C48.0  | Malignant neoplasm of retroperitoneum                       |
| D13.7  | Benign neoplasm of endocrine pancreas                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E03.5    | Myxedema coma   |
| E05.00   | Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm   |
| E05.01   | Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm  |
| E05.10   | Thyrotoxicosis with toxic single thyroid nodule without thyrotoxic crisis or storm  |
| E05.11   | Thyrotoxicosis with toxic single thyroid nodule with thyrotoxic crisis or storm   |
| E05.20   | Thyrotoxicosis with toxic multinodular goiter without thyrotoxic crisis or storm  |
| E05.21   | Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm   |
| E05.30   | Thyrotoxicosis from ectopic thyroid tissue without thyrotoxic crisis or storm   |
| E05.31   | Thyrotoxicosis from ectopic thyroid tissue with thyrotoxic crisis or storm  |
| E05.40   | Thyrotoxicosis factitia without thyrotoxic crisis or storm  |
| E05.41   | Thyrotoxicosis factitia with thyrotoxic crisis or storm   |
| E05.80   | Other thyrotoxicosis without thyrotoxic crisis or storm   |
| E05.81   | Other thyrotoxicosis with thyrotoxic crisis or storm  |
| E05.90   | Thyrotoxicosis, unspecified without thyrotoxic crisis or storm  |
| E05.91   | Thyrotoxicosis, unspecified with thyrotoxic crisis or storm   |
| E08.00   | Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E08.01   | Diabetes mellitus due to underlying condition with hyperosmolarity with coma  |
| E08.10   | Diabetes mellitus due to underlying condition with ketoacidosis without coma  |
| E08.11   | Diabetes mellitus due to underlying condition with ketoacidosis with coma   |
| E08.21   | Diabetes mellitus due to underlying condition with diabetic nephropathy   |
| E08.22   | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease  |
| E08.29   | Diabetes mellitus due to underlying condition with other diabetic kidney complication   |
| E08.311  | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema                        |
| E08.319  | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema                     |
| E08.3211 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye   |

NCD 190.20

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E08.3212    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye               |
| E08.3213    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral              |
| E08.3219    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye        |
| E08.3291    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye           |
| E08.3292    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye            |
| E08.3293    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral           |
| E08.3299    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye     |
| E08.3311    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E08.3312    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E08.3313    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E08.3319    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E08.3391    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E08.3392    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E08.3393    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E08.3399    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E08.3411    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.3412 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye                                 |
| E08.3413 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral                                |
| E08.3419 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                          |
| E08.3491 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye                             |
| E08.3492 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye                              |
| E08.3493 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral                             |
| E08.3499 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                       |
| E08.3511 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye  |
| E08.3512 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye   |
| E08.3513 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral  |
| E08.3519 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye                                    |
| E08.3521 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye       |
| E08.3522 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye        |
| E08.3523 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral       |
| E08.3529 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| E08.3531 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.3532 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E08.3533 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E08.3539 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E08.3541 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E08.3542 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E08.3543 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E08.3549 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E08.3551 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye  |
| E08.3552 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye   |
| E08.3553 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral  |
| E08.3559 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye  |
| E08.3591 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye   |
| E08.3592 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye  |
| E08.3593 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral   |
| E08.3599 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E08.36      | Diabetes mellitus due to underlying condition with diabetic cataract   |
| E08.37X1    | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye       |
| E08.37X2    | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye        |
| E08.37X3    | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral       |
| E08.37X9    | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, unspecified eye |
| E08.39      | Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication                                |
| E08.40      | Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified                                      |
| E08.41      | Diabetes mellitus due to underlying condition with diabetic mononeuropathy   |
| E08.42      | Diabetes mellitus due to underlying condition with diabetic polyneuropathy   |
| E08.43      | Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy                                   |
| E08.44      | Diabetes mellitus due to underlying condition with diabetic amyotrophy   |
| E08.49      | Diabetes mellitus due to underlying condition with other diabetic neurological complication                              |
| E08.51      | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene                       |
| E08.52      | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene                          |
| E08.59      | Diabetes mellitus due to underlying condition with other circulatory complications                                       |
| E08.610     | Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy                                      |
| E08.618     | Diabetes mellitus due to underlying condition with other diabetic arthropathy  |
| E08.620     | Diabetes mellitus due to underlying condition with diabetic dermatitis   |
| E08.621     | Diabetes mellitus due to underlying condition with foot ulcer  |
| E08.622     | Diabetes mellitus due to underlying condition with other skin ulcer  |
| E08.628     | Diabetes mellitus due to underlying condition with other skin complications  |
| E08.630     | Diabetes mellitus due to underlying condition with periodontal disease   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.638  | Diabetes mellitus due to underlying condition with other oral complications  |
| E08.641  | Diabetes mellitus due to underlying condition with hypoglycemia with coma  |
| E08.649  | Diabetes mellitus due to underlying condition with hypoglycemia without coma   |
| E08.65   | Diabetes mellitus due to underlying condition with hyperglycemia   |
| E08.69   | Diabetes mellitus due to underlying condition with other specified complication  |
| E08.8    | Diabetes mellitus due to underlying condition with unspecified complications   |
| E08.9    | Diabetes mellitus due to underlying condition without complications  |
| E09.00   | Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)     |
| E09.01   | Drug or chemical induced diabetes mellitus with hyperosmolarity with coma  |
| E09.10   | Drug or chemical induced diabetes mellitus with ketoacidosis without coma  |
| E09.11   | Drug or chemical induced diabetes mellitus with ketoacidosis with coma   |
| E09.21   | Drug or chemical induced diabetes mellitus with diabetic nephropathy   |
| E09.22   | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease  |
| E09.29   | Drug or chemical induced diabetes mellitus with other diabetic kidney complication   |
| E09.311  | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema                            |
| E09.319  | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema                         |
| E09.3211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye       |
| E09.3212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye        |
| E09.3213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E09.3219 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E09.3291 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye    |
| E09.3292 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E09.3293    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral           |
| E09.3299    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye     |
| E09.3311    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E09.3312    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E09.3313    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E09.3319    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E09.3391    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E09.3392    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E09.3393    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E09.3399    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E09.3411    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E09.3412    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E09.3413    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E09.3419    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E09.3491    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E09.3492    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3493 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral   |
| E09.3499 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E09.3511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E09.3512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E09.3513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E09.3519 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E09.3521 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                           |
| E09.3522 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                            |
| E09.3523 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                           |
| E09.3529 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                     |
| E09.3531 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                       |
| E09.3532 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                        |
| E09.3533 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                       |
| E09.3539 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                 |
| E09.3541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E09.3542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E09.3549 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E09.3551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E09.3552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E09.3553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E09.3559 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E09.3591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E09.3592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E09.3593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E09.3599 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E09.36   | Drug or chemical induced diabetes mellitus with diabetic cataract   |
| E09.37X1 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E09.37X2 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |
| E09.37X3 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral   |
| E09.37X9 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye   |
| E09.39   | Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E09.40  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified         |
| E09.41  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy                  |
| E09.42  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy                  |
| E09.43  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy      |
| E09.44  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy                      |
| E09.49  | Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication |
| E09.51  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene                          |
| E09.52  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene                             |
| E09.59  | Drug or chemical induced diabetes mellitus with other circulatory complications  |
| E09.610 | Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy   |
| E09.618 | Drug or chemical induced diabetes mellitus with other diabetic arthropathy   |
| E09.620 | Drug or chemical induced diabetes mellitus with diabetic dermatitis  |
| E09.621 | Drug or chemical induced diabetes mellitus with foot ulcer   |
| E09.622 | Drug or chemical induced diabetes mellitus with other skin ulcer   |
| E09.628 | Drug or chemical induced diabetes mellitus with other skin complications   |
| E09.630 | Drug or chemical induced diabetes mellitus with periodontal disease  |
| E09.638 | Drug or chemical induced diabetes mellitus with other oral complications   |
| E09.641 | Drug or chemical induced diabetes mellitus with hypoglycemia with coma   |
| E09.649 | Drug or chemical induced diabetes mellitus with hypoglycemia without coma  |
| E09.65  | Drug or chemical induced diabetes mellitus with hyperglycemia  |
| E09.69  | Drug or chemical induced diabetes mellitus with other specified complication   |
| E09.8   | Drug or chemical induced diabetes mellitus with unspecified complications  |
| E09.9   | Drug or chemical induced diabetes mellitus without complications   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E10.10   | Type 1 diabetes mellitus with ketoacidosis without coma  |
| E10.11   | Type 1 diabetes mellitus with ketoacidosis with coma   |
| E10.21   | Type 1 diabetes mellitus with diabetic nephropathy   |
| E10.22   | Type 1 diabetes mellitus with diabetic chronic kidney disease  |
| E10.29   | Type 1 diabetes mellitus with other diabetic kidney complication   |
| E10.311  | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema                                |
| E10.319  | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema                             |
| E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E10.3219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E10.3299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E10.3319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E10.3391    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E10.3392    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E10.3393    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3399    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.3411    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E10.3412    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E10.3413    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E10.3419    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E10.3491    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E10.3492    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E10.3493    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E10.3499    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E10.3511    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                      |
| E10.3512    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                       |
| E10.3513    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                      |
| E10.3519    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                                 |
| E10.3522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                                  |
| E10.3523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E10.3529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E10.3531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E10.3532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E10.3533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E10.3539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E10.3541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E10.3542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E10.3543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E10.3549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E10.3551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E10.3552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E10.3553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E10.3559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye        |
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.36   | Type 1 diabetes mellitus with diabetic cataract   |
| E10.37X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye           |
| E10.37X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye            |
| E10.37X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral           |
| E10.37X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye     |
| E10.39   | Type 1 diabetes mellitus with other diabetic ophthalmic complication                                    |
| E10.40   | Type 1 diabetes mellitus with diabetic neuropathy, unspecified  |
| E10.41   | Type 1 diabetes mellitus with diabetic mononeuropathy   |
| E10.42   | Type 1 diabetes mellitus with diabetic polyneuropathy   |
| E10.43   | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E10.44   | Type 1 diabetes mellitus with diabetic amyotrophy   |
| E10.49   | Type 1 diabetes mellitus with other diabetic neurological complication                                  |
| E10.51   | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene                           |
| E10.52   | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                              |
| E10.59   | Type 1 diabetes mellitus with other circulatory complications   |
| E10.610  | Type 1 diabetes mellitus with diabetic neuropathic arthropathy  |
| E10.618  | Type 1 diabetes mellitus with other diabetic arthropathy  |
| E10.620  | Type 1 diabetes mellitus with diabetic dermatitis   |
| E10.621  | Type 1 diabetes mellitus with foot ulcer  |
| E10.622  | Type 1 diabetes mellitus with other skin ulcer  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| E10.628  | Type 1 diabetes mellitus with other skin complications   |
| E10.630  | Type 1 diabetes mellitus with periodontal disease  |
| E10.638  | Type 1 diabetes mellitus with other oral complications   |
| E10.641  | Type 1 diabetes mellitus with hypoglycemia with coma   |
| E10.649  | Type 1 diabetes mellitus with hypoglycemia without coma  |
| E10.65   | Type 1 diabetes mellitus with hyperglycemia  |
| E10.69   | Type 1 diabetes mellitus with other specified complication   |
| E10.8  | Type 1 diabetes mellitus with unspecified complications  |
| E10.9  | Type 1 diabetes mellitus without complications   |
| E11.00   | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E11.01   | Type 2 diabetes mellitus with hyperosmolarity with coma  |
| E11.10<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type 2 diabetes mellitus with ketoacidosis without coma  |
| E11.11<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type 2 diabetes mellitus with ketoacidosis with coma   |
| E11.21   | Type 2 diabetes mellitus with diabetic nephropathy   |
| E11.22   | Type 2 diabetes mellitus with diabetic chronic kidney disease  |
| E11.29   | Type 2 diabetes mellitus with other diabetic kidney complication   |
| E11.311  | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema                        |
| E11.319  | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema                     |
| E11.3211   | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E11.3212    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye               |
| E11.3213    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral              |
| E11.3219    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye        |
| E11.3291    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye           |
| E11.3292    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye            |
| E11.3293    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral           |
| E11.3299    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye     |
| E11.3311    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E11.3312    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E11.3313    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E11.3319    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E11.3391    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E11.3392    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E11.3393    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E11.3399    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E11.3411    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye                                 |
| E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral                                |
| E11.3419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                          |
| E11.3491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye                             |
| E11.3492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye                              |
| E11.3493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral                             |
| E11.3499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                       |
| E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E11.3519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                                    |
| E11.3521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye       |
| E11.3522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye        |
| E11.3523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral       |
| E11.3529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E11.3532    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E11.3533    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E11.3539    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E11.3541    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E11.3542    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E11.3543    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E11.3549    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E11.3551    | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E11.3552    | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E11.3553    | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E11.3559    | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E11.3591    | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E11.3592    | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E11.3593    | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E11.3599    | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E11.36      | Type 2 diabetes mellitus with diabetic cataract   |
| E11.37X1    | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E11.37X2    | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.37X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral       |
| E11.37X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye |
| E11.39   | Type 2 diabetes mellitus with other diabetic ophthalmic complication                                |
| E11.40   | Type 2 diabetes mellitus with diabetic neuropathy, unspecified                                      |
| E11.41   | Type 2 diabetes mellitus with diabetic mononeuropathy   |
| E11.42   | Type 2 diabetes mellitus with diabetic polyneuropathy   |
| E11.43   | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy                                   |
| E11.44   | Type 2 diabetes mellitus with diabetic amyotrophy   |
| E11.49   | Type 2 diabetes mellitus with other diabetic neurological complication                              |
| E11.51   | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene                       |
| E11.52   | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene                          |
| E11.59   | Type 2 diabetes mellitus with other circulatory complications                                       |
| E11.610  | Type 2 diabetes mellitus with diabetic neuropathic arthropathy                                      |
| E11.618  | Type 2 diabetes mellitus with other diabetic arthropathy  |
| E11.620  | Type 2 diabetes mellitus with diabetic dermatitis   |
| E11.621  | Type 2 diabetes mellitus with foot ulcer  |
| E11.622  | Type 2 diabetes mellitus with other skin ulcer  |
| E11.628  | Type 2 diabetes mellitus with other skin complications  |
| E11.630  | Type 2 diabetes mellitus with periodontal disease   |
| E11.638  | Type 2 diabetes mellitus with other oral complications  |
| E11.641  | Type 2 diabetes mellitus with hypoglycemia with coma  |
| E11.649  | Type 2 diabetes mellitus with hypoglycemia without coma   |
| E11.65   | Type 2 diabetes mellitus with hyperglycemia   |
| E11.69   | Type 2 diabetes mellitus with other specified complication  |
| E11.8    | Type 2 diabetes mellitus with unspecified complications   |
| E11.9    | Type 2 diabetes mellitus without complications  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.00   | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)        |
| E13.01   | Other specified diabetes mellitus with hyperosmolarity with coma   |
| E13.10   | Other specified diabetes mellitus with ketoacidosis without coma   |
| E13.11   | Other specified diabetes mellitus with ketoacidosis with coma  |
| E13.21   | Other specified diabetes mellitus with diabetic nephropathy  |
| E13.22   | Other specified diabetes mellitus with diabetic chronic kidney disease   |
| E13.29   | Other specified diabetes mellitus with other diabetic kidney complication  |
| E13.311  | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema                               |
| E13.319  | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema                            |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye          |
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye           |
| E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye      |
| E13.3312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E13.3319 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E13.3391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3399 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E13.3412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E13.3413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E13.3419 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E13.3491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E13.3492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E13.3493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E13.3499 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E13.3511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                      |
| E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E13.3519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                                 |
| E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                                  |
| E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E13.3529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E13.3539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E13.3549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye                       |
| E13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral                      |
| E13.3559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye                |
| E13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye       |
| E13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye        |
| E13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.36   | Other specified diabetes mellitus with diabetic cataract   |
| E13.37X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye           |
| E13.37X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye            |
| E13.37X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral           |
| E13.37X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye     |
| E13.39   | Other specified diabetes mellitus with other diabetic ophthalmic complication                                    |
| E13.40   | Other specified diabetes mellitus with diabetic neuropathy, unspecified  |
| E13.41   | Other specified diabetes mellitus with diabetic mononeuropathy   |
| E13.42   | Other specified diabetes mellitus with diabetic polyneuropathy   |
| E13.43   | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E13.44   | Other specified diabetes mellitus with diabetic amyotrophy   |
| E13.49   | Other specified diabetes mellitus with other diabetic neurological complication                                  |
| E13.51   | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E13.52  | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene |
| E13.59  | Other specified diabetes mellitus with other circulatory complications              |
| E13.610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy             |
| E13.618 | Other specified diabetes mellitus with other diabetic arthropathy                   |
| E13.620 | Other specified diabetes mellitus with diabetic dermatitis                          |
| E13.621 | Other specified diabetes mellitus with foot ulcer                                   |
| E13.622 | Other specified diabetes mellitus with other skin ulcer                             |
| E13.628 | Other specified diabetes mellitus with other skin complications                     |
| E13.630 | Other specified diabetes mellitus with periodontal disease                          |
| E13.638 | Other specified diabetes mellitus with other oral complications                     |
| E13.641 | Other specified diabetes mellitus with hypoglycemia with coma                       |
| E13.649 | Other specified diabetes mellitus with hypoglycemia without coma                    |
| E13.65  | Other specified diabetes mellitus with hyperglycemia                                |
| E13.69  | Other specified diabetes mellitus with other specified complication                 |
| E13.8   | Other specified diabetes mellitus with unspecified complications                    |
| E13.9   | Other specified diabetes mellitus without complications                             |
| E15     | Nondiabetic hypoglycemic coma   |
| E16.0   | Drug-induced hypoglycemia without coma  |
| E16.1   | Other hypoglycemia  |
| E16.2   | Hypoglycemia, unspecified   |
| E16.3   | Increased secretion of glucagon   |
| E16.4   | Increased secretion of gastrin  |
| E16.8   | Other specified disorders of pancreatic internal secretion                          |
| E16.9   | Disorder of pancreatic internal secretion, unspecified                              |
| E22.0   | Acromegaly and pituitary gigantism  |
| E22.1   | Hyperprolactinemia  |
| E22.2   | Syndrome of inappropriate secretion of antidiuretic hormone                         |
| E22.8   | Other hyperfunction of pituitary gland  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| E22.9  | Hyperfunction of pituitary gland, unspecified               |
| E23.0  | Hypopituitarism   |
| E23.1  | Drug-induced hypopituitarism                                |
| E23.2  | Diabetes insipidus  |
| E23.3  | Hypothalamic dysfunction, not elsewhere classified          |
| E23.6  | Other disorders of pituitary gland                          |
| E23.7  | Disorder of pituitary gland, unspecified                    |
| E24.0  | Pituitary-dependent Cushing's disease                       |
| E24.1  | Nelson's syndrome   |
| E24.2  | Drug-induced Cushing's syndrome                             |
| E24.3  | Ectopic ACTH syndrome                                       |
| E24.4  | Alcohol-induced pseudo-Cushing's syndrome                   |
| E24.8  | Other Cushing's syndrome                                    |
| E24.9  | Cushing's syndrome, unspecified                             |
| E34.4  | Constitutional tall stature                                 |
| E44.0  | Moderate protein-calorie malnutrition                       |
| E44.1  | Mild protein-calorie malnutrition                           |
| E45    | Retarded development following protein-calorie malnutrition |
| E46    | Unspecified protein-calorie malnutrition                    |
| E64.0  | Sequelae of protein-calorie malnutrition                    |
| E67.1  | Hypercarotenemia  |
| E72.52 | Trimethylaminuria   |
| E72.53 | Primary hyperoxaluria                                       |
| E73.0  | Congenital lactase deficiency                               |
| E73.1  | Secondary lactase deficiency                                |
| E73.8  | Other lactose intolerance                                   |
| E73.9  | Lactose intolerance, unspecified                            |
| E74.00 | Glycogen storage disease, unspecified                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E74.01  | von Gierke disease                                    |
| E74.02  | Pompe disease   |
| E74.03  | Cori disease  |
| E74.04  | McArdle disease                                       |
| E74.09  | Other glycogen storage disease                        |
| E74.10  | Disorder of fructose metabolism, unspecified          |
| E74.11  | Essential fructosuria                                 |
| E74.12  | Hereditary fructose intolerance                       |
| E74.19  | Other disorders of fructose metabolism                |
| E74.20  | Disorders of galactose metabolism, unspecified        |
| E74.21  | Galactosemia  |
| E74.29  | Other disorders of galactose metabolism               |
| E74.31  | Sucrase-isomaltase deficiency                         |
| E74.39  | Other disorders of intestinal carbohydrate absorption |
| E74.4   | Disorders of pyruvate metabolism and gluconeogenesis  |
| E74.810 | Glucose transporter protein type 1 deficiency         |
| E74.818 | Other disorders of glucose transport                  |
| E74.819 | Disorders of glucose transport, unspecified           |
| E74.89  | Other specified disorders of carbohydrate metabolism  |
| E74.9   | Disorder of carbohydrate metabolism, unspecified      |
| E75.26  | Sulfatase deficiency                                  |
| E77.1   | Defects in glycoprotein degradation                   |
| E78.00  | Pure hypercholesterolemia, unspecified                |
| E78.01  | Familial hypercholesterolemia                         |
| E78.1   | Pure hyperglyceridemia                                |
| E78.2   | Mixed hyperlipidemia                                  |
| E78.3   | Hyperchylomicronemia                                  |
| E78.41  | Elevated Lipoprotein(a)                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E78.49  | Other hyperlipidemia   |
| E78.5   | Hyperlipidemia, unspecified  |
| E79.0   | Hyperuricemia without signs of inflammatory arthritis and tophaceous disease |
| E83.10  | Disorder of iron metabolism, unspecified                                     |
| E83.110 | Hereditary hemochromatosis   |
| E83.111 | Hemochromatosis due to repeated red blood cell transfusions                  |
| E83.118 | Other hemochromatosis  |
| E83.119 | Hemochromatosis, unspecified   |
| E83.19  | Other disorders of iron metabolism   |
| E83.2   | Disorders of zinc metabolism   |
| E86.0   | Dehydration  |
| E86.1   | Hypovolemia  |
| E86.9   | Volume depletion, unspecified  |
| E87.0   | Hyperosmolality and hypernatremia  |
| E87.1   | Hypo-osmolality and hyponatremia   |
| E87.2   | Acidosis   |
| E87.3   | Alkalosis  |
| E87.4   | Mixed disorder of acid-base balance  |
| E87.5   | Hyperkalemia   |
| E87.6   | Hypokalemia  |
| E87.70  | Fluid overload, unspecified  |
| E87.71  | Transfusion associated circulatory overload                                  |
| E87.79  | Other fluid overload   |
| E87.8   | Other disorders of electrolyte and fluid balance, not elsewhere classified   |
| E88.02  | Plasminogen deficiency   |
| E89.1   | Postprocedural hypoinsulinemia   |
| E89.3   | Postprocedural hypopituitarism   |
| F05     | Delirium due to known physiological condition                                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| F06.8  | Other specified mental disorders due to known physiological condition                                |
| F07.0  | Personality change due to known physiological condition  |
| F12.13<br>Covered<br>only for<br>procedure<br>code<br>82947. | Cannabis abuse with withdrawal   |
| F12.23   | Cannabis dependence with withdrawal  |
| F28  | Other psychotic disorder not due to a substance or known physiological condition                     |
| F29  | Unspecified psychosis not due to a substance or known physiological condition                        |
| F48.9  | Nonpsychotic mental disorder, unspecified  |
| F68.A  | Factitious disorder imposed on another   |
| F99  | Mental disorder, not otherwise specified   |
| G31.84   | Mild cognitive impairment, so stated   |
| G40.309  | Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus |
| G40.311  | Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus        |
| G40.319  | Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus     |
| G40.401  | Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus         |
| G40.409  | Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus      |
| G40.411  | Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus             |
| G40.419  | Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus          |
| G40.42   | Cyclin-Dependent Kinase-Like 5 Deficiency Disorder   |
| G40.833  | Dravet syndrome, intractable, with status epilepticus  |
| G40.834  | Dravet syndrome, intractable, without status epilepticus   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| G56.03<br>Covered<br>only for<br>procedure<br>code<br>82947. | Carpal tunnel syndrome, bilateral upper limbs             |
| G56.13<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other lesions of median nerve, bilateral upper limbs      |
| G56.23<br>Covered<br>only for<br>procedure<br>code<br>82947. | Lesion of ulnar nerve, bilateral upper limbs              |
| G56.33<br>Covered<br>only for<br>procedure<br>code<br>82947. | Lesion of radial nerve, bilateral upper limbs             |
| G56.43<br>Covered<br>only for<br>procedure<br>code<br>82947. | Causalgia of bilateral upper limbs                        |
| G56.83<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other specified mononeuropathies of bilateral upper limbs |
| G56.93<br>Covered  | Unspecified mononeuropathy of bilateral upper limbs       |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| only for procedure code 82947.                   |   |
| G57.83<br>Covered only for procedure code 82947. | Other specified mononeuropathies of bilateral lower limbs |
| G57.93<br>Covered only for procedure code 82947. | Unspecified mononeuropathy of bilateral lower limbs       |
| G58.8  | Other specified mononeuropathies                          |
| G58.9  | Mononeuropathy, unspecified                               |
| G59  | Mononeuropathy in diseases classified elsewhere           |
| G60.9  | Hereditary and idiopathic neuropathy, unspecified         |
| G61.82<br>Covered only for procedure code 82947. | Multifocal motor neuropathy                               |
| G61.9  | Inflammatory polyneuropathy, unspecified                  |
| G62.9  | Polyneuropathy, unspecified                               |
| G90.2  | Horner's syndrome   |
| G90.8  | Other disorders of autonomic nervous system               |
| G90.9  | Disorder of the autonomic nervous system, unspecified     |
| G93.3  | Postviral fatigue syndrome                                |
| G93.41   | Metabolic encephalopathy                                  |
| H01.001  | Unspecified blepharitis right upper eyelid                |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| H01.002   | Unspecified blepharitis right lower eyelid                     |
| H01.003   | Unspecified blepharitis right eye, unspecified eyelid          |
| H01.004   | Unspecified blepharitis left upper eyelid                      |
| H01.005   | Unspecified blepharitis left lower eyelid                      |
| H01.006   | Unspecified blepharitis left eye, unspecified eyelid           |
| H01.009   | Unspecified blepharitis unspecified eye, unspecified eyelid    |
| H02.151   | Paralytic ectropion of right upper eyelid                      |
| H02.21A   | Cicatricial lagophthalmos right eye, upper and lower eyelids   |
| H02.21B   | Cicatricial lagophthalmos left eye, upper and lower eyelids    |
| H02.21C   | Cicatricial lagophthalmos, bilateral, upper and lower eyelids  |
| H02.22A   | Mechanical lagophthalmos right eye, upper and lower eyelids    |
| H02.22B   | Mechanical lagophthalmos left eye, upper and lower eyelids     |
| H02.22C   | Mechanical lagophthalmos, bilateral, upper and lower eyelids   |
| H02.23A   | Paralytic lagophthalmos right eye, upper and lower eyelids     |
| H02.23B   | Paralytic lagophthalmos left eye, upper and lower eyelids      |
| H02.23C   | Paralytic lagophthalmos, bilateral, upper and lower eyelids    |
| H02.881   | Meibomian gland dysfunction right upper eyelid                 |
| H02.882   | Meibomian gland dysfunction right lower eyelid                 |
| H02.884<br>Covered<br>only for<br>procedure<br>code<br>82947. | Meibomian gland dysfunction left upper eyelid                  |
| H02.885<br>Covered<br>only for<br>procedure<br>code<br>82947. | Meibomian gland dysfunction left lower eyelid                  |
| H02.88A<br>Covered  | Meibomian gland dysfunction right eye, upper and lower eyelids |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|---|---|
| only for procedure code 82947.                    |   |
| H02.88B<br>Covered only for procedure code 82947. | Meibomian gland dysfunction left eye, upper and lower eyelids     |
| H10.821   | Rosacea conjunctivitis, right eye                                 |
| H10.822   | Rosacea conjunctivitis, left eye                                  |
| H10.823   | Rosacea conjunctivitis, bilateral                                 |
| H25.011   | Cortical age-related cataract, right eye                          |
| H25.012   | Cortical age-related cataract, left eye                           |
| H25.013   | Cortical age-related cataract, bilateral                          |
| H25.019   | Cortical age-related cataract, unspecified eye                    |
| H25.031   | Anterior subcapsular polar age-related cataract, right eye        |
| H25.032   | Anterior subcapsular polar age-related cataract, left eye         |
| H25.033   | Anterior subcapsular polar age-related cataract, bilateral        |
| H25.039   | Anterior subcapsular polar age-related cataract, unspecified eye  |
| H25.041   | Posterior subcapsular polar age-related cataract, right eye       |
| H25.042   | Posterior subcapsular polar age-related cataract, left eye        |
| H25.043   | Posterior subcapsular polar age-related cataract, bilateral       |
| H25.049   | Posterior subcapsular polar age-related cataract, unspecified eye |
| H25.091   | Other age-related incipient cataract, right eye                   |
| H25.092   | Other age-related incipient cataract, left eye                    |
| H25.093   | Other age-related incipient cataract, bilateral                   |
| H25.099   | Other age-related incipient cataract, unspecified eye             |
| H25.10  | Age-related nuclear cataract, unspecified eye                     |
| H25.11  | Age-related nuclear cataract, right eye                           |

NCD 190.20

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H25.12  | Age-related nuclear cataract, left eye  |
| H25.13  | Age-related nuclear cataract, bilateral   |
| H25.20  | Age-related cataract, morgagnian type, unspecified eye                          |
| H25.21  | Age-related cataract, morgagnian type, right eye                                |
| H25.22  | Age-related cataract, morgagnian type, left eye                                 |
| H25.23  | Age-related cataract, morgagnian type, bilateral                                |
| H25.811 | Combined forms of age-related cataract, right eye                               |
| H25.812 | Combined forms of age-related cataract, left eye                                |
| H25.813 | Combined forms of age-related cataract, bilateral                               |
| H25.819 | Combined forms of age-related cataract, unspecified eye                         |
| H25.89  | Other age-related cataract  |
| H25.9   | Unspecified age-related cataract  |
| H26.001 | Unspecified infantile and juvenile cataract, right eye                          |
| H26.002 | Unspecified infantile and juvenile cataract, left eye                           |
| H26.003 | Unspecified infantile and juvenile cataract, bilateral                          |
| H26.009 | Unspecified infantile and juvenile cataract, unspecified eye                    |
| H26.011 | Infantile and juvenile cortical, lamellar, or zonular cataract, right eye       |
| H26.012 | Infantile and juvenile cortical, lamellar, or zonular cataract, left eye        |
| H26.013 | Infantile and juvenile cortical, lamellar, or zonular cataract, bilateral       |
| H26.019 | Infantile and juvenile cortical, lamellar, or zonular cataract, unspecified eye |
| H26.031 | Infantile and juvenile nuclear cataract, right eye                              |
| H26.032 | Infantile and juvenile nuclear cataract, left eye                               |
| H26.033 | Infantile and juvenile nuclear cataract, bilateral                              |
| H26.039 | Infantile and juvenile nuclear cataract, unspecified eye                        |
| H26.041 | Anterior subcapsular polar infantile and juvenile cataract, right eye           |
| H26.042 | Anterior subcapsular polar infantile and juvenile cataract, left eye            |
| H26.043 | Anterior subcapsular polar infantile and juvenile cataract, bilateral           |
| H26.049 | Anterior subcapsular polar infantile and juvenile cataract, unspecified eye     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| H26.051  | Posterior subcapsular polar infantile and juvenile cataract, right eye                                    |
| H26.052  | Posterior subcapsular polar infantile and juvenile cataract, left eye                                     |
| H26.053  | Posterior subcapsular polar infantile and juvenile cataract, bilateral                                    |
| H26.059  | Posterior subcapsular polar infantile and juvenile cataract, unspecified eye                              |
| H26.061  | Combined forms of infantile and juvenile cataract, right eye  |
| H26.062  | Combined forms of infantile and juvenile cataract, left eye   |
| H26.063  | Combined forms of infantile and juvenile cataract, bilateral  |
| H26.069  | Combined forms of infantile and juvenile cataract, unspecified eye  |
| H26.09   | Other infantile and juvenile cataract   |
| H35.00   | Unspecified background retinopathy  |
| H35.061  | Retinal vasculitis, right eye   |
| H35.062  | Retinal vasculitis, left eye  |
| H35.063  | Retinal vasculitis, bilateral   |
| H35.069  | Retinal vasculitis, unspecified eye   |
| H35.20   | Other non-diabetic proliferative retinopathy, unspecified eye   |
| H35.21   | Other non-diabetic proliferative retinopathy, right eye   |
| H35.22   | Other non-diabetic proliferative retinopathy, left eye  |
| H35.23   | Other non-diabetic proliferative retinopathy, bilateral   |
| H35.30   | Unspecified macular degeneration  |
| H35.3110 | Nonexudative age-related macular degeneration, right eye, stage unspecified                               |
| H35.3111 | Nonexudative age-related macular degeneration, right eye, early dry stage                                 |
| H35.3112 | Nonexudative age-related macular degeneration, right eye, intermediate dry stage                          |
| H35.3113 | Nonexudative age-related macular degeneration, right eye, advanced atrophic without subfoveal involvement |
| H35.3114 | Nonexudative age-related macular degeneration, right eye, advanced atrophic with subfoveal involvement    |
| H35.3120 | Nonexudative age-related macular degeneration, left eye, stage unspecified                                |
| H35.3121 | Nonexudative age-related macular degeneration, left eye, early dry stage                                  |
| H35.3122 | Nonexudative age-related macular degeneration, left eye, intermediate dry stage                           |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| H35.3123 | Nonexudative age-related macular degeneration, left eye, advanced atrophic without subfoveal involvement        |
| H35.3124 | Nonexudative age-related macular degeneration, left eye, advanced atrophic with subfoveal involvement           |
| H35.3130 | Nonexudative age-related macular degeneration, bilateral, stage unspecified                                     |
| H35.3131 | Nonexudative age-related macular degeneration, bilateral, early dry stage                                       |
| H35.3132 | Nonexudative age-related macular degeneration, bilateral, intermediate dry stage                                |
| H35.3133 | Nonexudative age-related macular degeneration, bilateral, advanced atrophic without subfoveal involvement       |
| H35.3134 | Nonexudative age-related macular degeneration, bilateral, advanced atrophic with subfoveal involvement          |
| H35.3190 | Nonexudative age-related macular degeneration, unspecified eye, stage unspecified                               |
| H35.3191 | Nonexudative age-related macular degeneration, unspecified eye, early dry stage                                 |
| H35.3192 | Nonexudative age-related macular degeneration, unspecified eye, intermediate dry stage                          |
| H35.3193 | Nonexudative age-related macular degeneration, unspecified eye, advanced atrophic without subfoveal involvement |
| H35.3194 | Nonexudative age-related macular degeneration, unspecified eye, advanced atrophic with subfoveal involvement    |
| H35.3210 | Exudative age-related macular degeneration, right eye, stage unspecified  |
| H35.3211 | Exudative age-related macular degeneration, right eye, with active choroidal neovascularization                 |
| H35.3212 | Exudative age-related macular degeneration, right eye, with inactive choroidal neovascularization               |
| H35.3213 | Exudative age-related macular degeneration, right eye, with inactive scar                                       |
| H35.3220 | Exudative age-related macular degeneration, left eye, stage unspecified   |
| H35.3221 | Exudative age-related macular degeneration, left eye, with active choroidal neovascularization                  |
| H35.3222 | Exudative age-related macular degeneration, left eye, with inactive choroidal neovascularization                |
| H35.3223 | Exudative age-related macular degeneration, left eye, with inactive scar  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| H35.3230 | Exudative age-related macular degeneration, bilateral, stage unspecified                                |
| H35.3231 | Exudative age-related macular degeneration, bilateral, with active choroidal neovascularization         |
| H35.3232 | Exudative age-related macular degeneration, bilateral, with inactive choroidal neovascularization       |
| H35.3233 | Exudative age-related macular degeneration, bilateral, with inactive scar                               |
| H35.3290 | Exudative age-related macular degeneration, unspecified eye, stage unspecified                          |
| H35.3291 | Exudative age-related macular degeneration, unspecified eye, with active choroidal neovascularization   |
| H35.3292 | Exudative age-related macular degeneration, unspecified eye, with inactive choroidal neovascularization |
| H35.3293 | Exudative age-related macular degeneration, unspecified eye, with inactive scar                         |
| H35.341  | Macular cyst, hole, or pseudohole, right eye  |
| H35.342  | Macular cyst, hole, or pseudohole, left eye   |
| H35.343  | Macular cyst, hole, or pseudohole, bilateral  |
| H35.349  | Macular cyst, hole, or pseudohole, unspecified eye  |
| H35.351  | Cystoid macular degeneration, right eye   |
| H35.352  | Cystoid macular degeneration, left eye  |
| H35.353  | Cystoid macular degeneration, bilateral   |
| H35.359  | Cystoid macular degeneration, unspecified eye   |
| H35.361  | Drusen (degenerative) of macula, right eye  |
| H35.362  | Drusen (degenerative) of macula, left eye   |
| H35.363  | Drusen (degenerative) of macula, bilateral  |
| H35.369  | Drusen (degenerative) of macula, unspecified eye  |
| H35.371  | Puckering of macula, right eye  |
| H35.372  | Puckering of macula, left eye   |
| H35.373  | Puckering of macula, bilateral  |
| H35.379  | Puckering of macula, unspecified eye  |
| H35.381  | Toxic maculopathy, right eye  |
| H35.382  | Toxic maculopathy, left eye   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H35.383 | Toxic maculopathy, bilateral                                  |
| H35.389 | Toxic maculopathy, unspecified eye                            |
| H35.40  | Unspecified peripheral retinal degeneration                   |
| H35.411 | Lattice degeneration of retina, right eye                     |
| H35.412 | Lattice degeneration of retina, left eye                      |
| H35.413 | Lattice degeneration of retina, bilateral                     |
| H35.419 | Lattice degeneration of retina, unspecified eye               |
| H35.421 | Microcystoid degeneration of retina, right eye                |
| H35.422 | Microcystoid degeneration of retina, left eye                 |
| H35.423 | Microcystoid degeneration of retina, bilateral                |
| H35.429 | Microcystoid degeneration of retina, unspecified eye          |
| H35.431 | Paving stone degeneration of retina, right eye                |
| H35.432 | Paving stone degeneration of retina, left eye                 |
| H35.433 | Paving stone degeneration of retina, bilateral                |
| H35.439 | Paving stone degeneration of retina, unspecified eye          |
| H35.441 | Age-related reticular degeneration of retina, right eye       |
| H35.442 | Age-related reticular degeneration of retina, left eye        |
| H35.443 | Age-related reticular degeneration of retina, bilateral       |
| H35.449 | Age-related reticular degeneration of retina, unspecified eye |
| H35.451 | Secondary pigmentary degeneration, right eye                  |
| H35.452 | Secondary pigmentary degeneration, left eye                   |
| H35.453 | Secondary pigmentary degeneration, bilateral                  |
| H35.459 | Secondary pigmentary degeneration, unspecified eye            |
| H35.461 | Secondary vitreoretinal degeneration, right eye               |
| H35.462 | Secondary vitreoretinal degeneration, left eye                |
| H35.463 | Secondary vitreoretinal degeneration, bilateral               |
| H35.469 | Secondary vitreoretinal degeneration, unspecified eye         |
| H35.60  | Retinal hemorrhage, unspecified eye                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| H35.61   | Retinal hemorrhage, right eye                             |
| H35.62   | Retinal hemorrhage, left eye                              |
| H35.63   | Retinal hemorrhage, bilateral                             |
| H35.81   | Retinal edema   |
| H35.82   | Retinal ischemia  |
| H35.89   | Other specified retinal disorders                         |
| H35.9  | Unspecified retinal disorder                              |
| H40.051  | Ocular hypertension, right eye                            |
| H40.052  | Ocular hypertension, left eye                             |
| H40.053  | Ocular hypertension, bilateral                            |
| H40.059  | Ocular hypertension, unspecified eye                      |
| H40.1110<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, right eye, stage unspecified |
| H40.1111<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, right eye, mild stage        |
| H40.1112<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, right eye, moderate stage    |
| H40.1113<br>Covered<br>only for<br>procedure                   | Primary open-angle glaucoma, right eye, severe stage      |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| code<br>82947.   |   |
| H40.1114<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, right eye, indeterminate stage |
| H40.1120<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, left eye, stage unspecified    |
| H40.1121<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, left eye, mild stage           |
| H40.1122<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, left eye, moderate stage       |
| H40.1123<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, left eye, severe stage         |
| H40.1124<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, left eye, indeterminate stage  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| H40.1130<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, bilateral, stage unspecified       |
| H40.1131<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, bilateral, mild stage              |
| H40.1132<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, bilateral, moderate stage          |
| H40.1133<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, bilateral, severe stage            |
| H40.1134<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, bilateral, indeterminate stage     |
| H40.1190<br>Covered<br>only for<br>procedure<br>code<br>82947. | Primary open-angle glaucoma, unspecified eye, stage unspecified |
| H40.1191<br>Covered  | Primary open-angle glaucoma, unspecified eye, mild stage        |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| only for procedure code 82947.                     |   |
| H40.1192<br>Covered only for procedure code 82947. | Primary open-angle glaucoma, unspecified eye, moderate stage      |
| H40.1193<br>Covered only for procedure code 82947. | Primary open-angle glaucoma, unspecified eye, severe stage        |
| H40.1194<br>Covered only for procedure code 82947. | Primary open-angle glaucoma, unspecified eye, indeterminate stage |
| H40.60X0   | Glaucoma secondary to drugs, unspecified eye, stage unspecified   |
| H40.60X1   | Glaucoma secondary to drugs, unspecified eye, mild stage          |
| H40.60X2   | Glaucoma secondary to drugs, unspecified eye, moderate stage      |
| H40.60X3   | Glaucoma secondary to drugs, unspecified eye, severe stage        |
| H40.60X4   | Glaucoma secondary to drugs, unspecified eye, indeterminate stage |
| H40.61X0   | Glaucoma secondary to drugs, right eye, stage unspecified         |
| H40.61X1   | Glaucoma secondary to drugs, right eye, mild stage                |
| H40.61X2   | Glaucoma secondary to drugs, right eye, moderate stage            |
| H40.61X3   | Glaucoma secondary to drugs, right eye, severe stage              |
| H40.61X4   | Glaucoma secondary to drugs, right eye, indeterminate stage       |
| H40.62X0   | Glaucoma secondary to drugs, left eye, stage unspecified          |
| H40.62X1   | Glaucoma secondary to drugs, left eye, mild stage                 |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| H40.62X2 | Glaucoma secondary to drugs, left eye, moderate stage       |
| H40.62X3 | Glaucoma secondary to drugs, left eye, severe stage         |
| H40.62X4 | Glaucoma secondary to drugs, left eye, indeterminate stage  |
| H40.63X0 | Glaucoma secondary to drugs, bilateral, stage unspecified   |
| H40.63X1 | Glaucoma secondary to drugs, bilateral, mild stage          |
| H40.63X2 | Glaucoma secondary to drugs, bilateral, moderate stage      |
| H40.63X3 | Glaucoma secondary to drugs, bilateral, severe stage        |
| H40.63X4 | Glaucoma secondary to drugs, bilateral, indeterminate stage |
| H47.331  | Pseudopapilledema of optic disc, right eye                  |
| H47.332  | Pseudopapilledema of optic disc, left eye                   |
| H47.333  | Pseudopapilledema of optic disc, bilateral                  |
| H47.339  | Pseudopapilledema of optic disc, unspecified eye            |
| H47.9    | Unspecified disorder of visual pathways                     |
| H49.00   | Third [oculomotor] nerve palsy, unspecified eye             |
| H49.01   | Third [oculomotor] nerve palsy, right eye                   |
| H49.02   | Third [oculomotor] nerve palsy, left eye                    |
| H49.03   | Third [oculomotor] nerve palsy, bilateral                   |
| H49.10   | Fourth [trochlear] nerve palsy, unspecified eye             |
| H49.11   | Fourth [trochlear] nerve palsy, right eye                   |
| H49.12   | Fourth [trochlear] nerve palsy, left eye                    |
| H49.13   | Fourth [trochlear] nerve palsy, bilateral                   |
| H49.20   | Sixth [abducent] nerve palsy, unspecified eye               |
| H49.21   | Sixth [abducent] nerve palsy, right eye                     |
| H49.22   | Sixth [abducent] nerve palsy, left eye                      |
| H49.23   | Sixth [abducent] nerve palsy, bilateral                     |
| H49.40   | Progressive external ophthalmoplegia, unspecified eye       |
| H49.41   | Progressive external ophthalmoplegia, right eye             |
| H49.42   | Progressive external ophthalmoplegia, left eye              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| H49.43   | Progressive external ophthalmoplegia, bilateral   |
| H49.881  | Other paralytic strabismus, right eye   |
| H49.882  | Other paralytic strabismus, left eye  |
| H49.883  | Other paralytic strabismus, bilateral   |
| H49.889  | Other paralytic strabismus, unspecified eye   |
| H49.9  | Unspecified paralytic strabismus  |
| H52.10   | Myopia, unspecified eye   |
| H52.11   | Myopia, right eye   |
| H52.12   | Myopia, left eye  |
| H52.13   | Myopia, bilateral   |
| H53.71   | Glare sensitivity   |
| H53.72   | Impaired contrast sensitivity   |
| H53.8  | Other visual disturbances   |
| H55.82<br>Covered<br>only for<br>procedure<br>code<br>82947. | Deficient smooth pursuit eye movements  |
| H57.01   | Argyll Robertson pupil, atypical  |
| I21.01   | ST elevation (STEMI) myocardial infarction involving left main coronary artery                |
| I21.02   | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery |
| I21.09   | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall   |
| I21.11   | ST elevation (STEMI) myocardial infarction involving right coronary artery                    |
| I21.19   | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall   |
| I21.21   | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery          |
| I21.29   | ST elevation (STEMI) myocardial infarction involving other sites                              |
| I21.3  | ST elevation (STEMI) myocardial infarction of unspecified site                                |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| I21.4  | Non-ST elevation (NSTEMI) myocardial infarction  |
| I21.9<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Acute myocardial infarction, unspecified   |
| I21.A1<br>Covered<br>only for<br>procedure<br>code<br>82947. | Myocardial infarction type 2   |
| I21.A9<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other myocardial infarction type   |
| I22.0  | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall                             |
| I22.1  | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall                             |
| I22.2  | Subsequent non-ST elevation (NSTEMI) myocardial infarction   |
| I22.8  | Subsequent ST elevation (STEMI) myocardial infarction of other sites                               |
| I22.9  | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site                          |
| I25.10   | Atherosclerotic heart disease of native coronary artery without angina pectoris                    |
| I25.110  | Atherosclerotic heart disease of native coronary artery with unstable angina pectoris              |
| I25.111  | Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm |
| I25.118  | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris        |
| I25.119  | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris           |
| I25.3  | Aneurysm of heart  |
| I25.41   | Coronary artery aneurysm   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I25.42      | Coronary artery dissection   |
| I25.700     | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris                         |
| I25.701     | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm            |
| I25.708     | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris                   |
| I25.709     | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris                      |
| I25.710     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris                       |
| I25.711     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm          |
| I25.718     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris                 |
| I25.719     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris                    |
| I25.720     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris                     |
| I25.721     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm        |
| I25.728     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris               |
| I25.729     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris                  |
| I25.730     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris              |
| I25.731     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm |
| I25.738     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris        |
| I25.739     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris           |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I25.750 | Atherosclerosis of native coronary artery of transplanted heart with unstable angina                                |
| I25.751 | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm          |
| I25.758 | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris                 |
| I25.759 | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris                    |
| I25.760 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina                       |
| I25.761 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm |
| I25.768 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris        |
| I25.769 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris           |
| I25.790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris                              |
| I25.791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm                 |
| I25.798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris                        |
| I25.799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris                           |
| I25.810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris  |
| I25.811 | Atherosclerosis of native coronary artery of transplanted heart without angina pectoris                             |
| I25.812 | Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris                    |
| I25.83  | Coronary atherosclerosis due to lipid rich plaque   |
| I25.84  | Coronary atherosclerosis due to calcified coronary lesion   |
| I42.7   | Cardiomyopathy due to drug and external agent   |
| I42.9   | Cardiomyopathy, unspecified   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>                            |
|---|---|
| I50.810<br>Covered<br>only for<br>procedure<br>code<br>82947. | Right heart failure, unspecified              |
| I50.811<br>Covered<br>only for<br>procedure<br>code<br>82947. | Acute right heart failure                     |
| I50.812<br>Covered<br>only for<br>procedure<br>code<br>82947. | Chronic right heart failure                   |
| I50.813<br>Covered<br>only for<br>procedure<br>code<br>82947. | Acute on chronic right heart failure          |
| I50.814<br>Covered<br>only for<br>procedure<br>code<br>82947. | Right heart failure due to left heart failure |
| I50.82<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Biventricular heart failure                   |
| I50.83<br>Covered   | High output heart failure                     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for procedure code 82947.                   |  |
| I50.84<br>Covered only for procedure code 82947. | End stage heart failure  |
| I50.89<br>Covered only for procedure code 82947. | Other heart failure  |
| I70.231  | Atherosclerosis of native arteries of right leg with ulceration of thigh                   |
| I70.232  | Atherosclerosis of native arteries of right leg with ulceration of calf                    |
| I70.233  | Atherosclerosis of native arteries of right leg with ulceration of ankle                   |
| I70.234  | Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot        |
| I70.235  | Atherosclerosis of native arteries of right leg with ulceration of other part of foot      |
| I70.238  | Atherosclerosis of native arteries of right leg with ulceration of other part of lower leg |
| I70.239  | Atherosclerosis of native arteries of right leg with ulceration of unspecified site        |
| I70.241  | Atherosclerosis of native arteries of left leg with ulceration of thigh                    |
| I70.242  | Atherosclerosis of native arteries of left leg with ulceration of calf                     |
| I70.243  | Atherosclerosis of native arteries of left leg with ulceration of ankle                    |
| I70.244  | Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot         |
| I70.245  | Atherosclerosis of native arteries of left leg with ulceration of other part of foot       |
| I70.248  | Atherosclerosis of native arteries of left leg with ulceration of other part of lower leg  |
| I70.249  | Atherosclerosis of native arteries of left leg with ulceration of unspecified site         |
| I70.25   | Atherosclerosis of native arteries of other extremities with ulceration                    |
| I70.261  | Atherosclerosis of native arteries of extremities with gangrene, right leg                 |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.262 | Atherosclerosis of native arteries of extremities with gangrene, left leg  |
| I70.263 | Atherosclerosis of native arteries of extremities with gangrene, bilateral legs                                    |
| I70.268 | Atherosclerosis of native arteries of extremities with gangrene, other extremity                                   |
| I70.269 | Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity                             |
| I70.331 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of thigh                   |
| I70.332 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of calf                    |
| I70.333 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of ankle                   |
| I70.334 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.335 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.338 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.339 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.341 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.342 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of calf                     |
| I70.343 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of ankle                    |
| I70.344 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of heel and midfoot         |
| I70.345 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of foot       |
| I70.348 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of lower leg  |
| I70.349 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of unspecified site         |

NCD 190.20

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I70.35      | Atherosclerosis of unspecified type of bypass graft(s) of other extremity with ulceration                      |
| I70.361     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg             |
| I70.362     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg              |
| I70.363     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs        |
| I70.368     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity       |
| I70.369     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity |
| I70.431     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of thigh                   |
| I70.432     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of calf                    |
| I70.433     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of ankle                   |
| I70.434     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.435     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.438     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.439     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.441     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.442     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of calf                     |
| I70.443     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of ankle                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I70.444     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of heel and midfoot                  |
| I70.445     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of foot                |
| I70.448     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of lower leg           |
| I70.449     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of unspecified site                  |
| I70.45      | Atherosclerosis of autologous vein bypass graft(s) of other extremity with ulceration                                   |
| I70.461     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg                          |
| I70.462     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg                           |
| I70.463     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs                     |
| I70.468     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity                    |
| I70.469     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity              |
| I70.531     | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of thigh                   |
| I70.532     | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of calf                    |
| I70.533     | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of ankle                   |
| I70.534     | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.535     | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.538     | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.539     | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of unspecified site        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.541 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of thigh                   |
| I70.542 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of calf                    |
| I70.543 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of ankle                   |
| I70.544 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of heel and midfoot        |
| I70.545 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of foot      |
| I70.548 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of lower leg |
| I70.549 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of unspecified site        |
| I70.55  | Atherosclerosis of nonautologous biological bypass graft(s) of other extremity with ulceration                         |
| I70.561 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg                |
| I70.562 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg                 |
| I70.563 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs           |
| I70.568 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity          |
| I70.569 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity    |
| I70.631 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of thigh                             |
| I70.632 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of calf                              |
| I70.633 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of ankle                             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I70.634     | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.635     | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.638     | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.639     | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.641     | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.642     | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of calf                     |
| I70.643     | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of ankle                    |
| I70.644     | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of heel and midfoot         |
| I70.645     | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of foot       |
| I70.648     | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of lower leg  |
| I70.649     | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of unspecified site         |
| I70.65      | Atherosclerosis of nonbiological bypass graft(s) of other extremity with ulceration                          |
| I70.661     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg                 |
| I70.662     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg                  |
| I70.663     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs            |
| I70.668     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity           |
| I70.669     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.731 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of thigh                   |
| I70.732 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of calf                    |
| I70.733 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of ankle                   |
| I70.734 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.735 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.738 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.739 | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.741 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.742 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of calf                     |
| I70.743 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of ankle                    |
| I70.744 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of heel and midfoot         |
| I70.745 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of foot       |
| I70.748 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of lower leg  |
| I70.749 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of unspecified site         |
| I70.75  | Atherosclerosis of other type of bypass graft(s) of other extremity with ulceration                          |
| I70.761 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg                 |
| I70.762 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg                  |
| I70.763 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs            |
| I70.768 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity           |

NCD 190.20

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.769 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity |
| I70.90  | Unspecified atherosclerosis  |
| I70.91  | Generalized atherosclerosis  |
| I73.01  | Raynaud's syndrome with gangrene   |
| I95.1   | Orthostatic hypotension  |
| I96     | Gangrene, not elsewhere classified   |
| J02.8   | Acute pharyngitis due to other specified organisms   |
| J02.9   | Acute pharyngitis, unspecified   |
| J12.0   | Adenoviral pneumonia   |
| J12.1   | Respiratory syncytial virus pneumonia  |
| J12.2   | Parainfluenza virus pneumonia  |
| J12.3   | Human metapneumovirus pneumonia  |
| J12.81  | Pneumonia due to SARS-associated coronavirus   |
| J12.89  | Other viral pneumonia  |
| J12.9   | Viral pneumonia, unspecified   |
| J13     | Pneumonia due to Streptococcus pneumoniae  |
| J14     | Pneumonia due to Hemophilus influenzae   |
| J15.0   | Pneumonia due to Klebsiella pneumoniae   |
| J15.1   | Pneumonia due to Pseudomonas   |
| J15.20  | Pneumonia due to staphylococcus, unspecified   |
| J15.211 | Pneumonia due to Methicillin susceptible Staphylococcus aureus   |
| J15.212 | Pneumonia due to Methicillin resistant Staphylococcus aureus   |
| J15.29  | Pneumonia due to other staphylococcus  |
| J15.3   | Pneumonia due to streptococcus, group B  |
| J15.4   | Pneumonia due to other streptococci  |
| J15.5   | Pneumonia due to Escherichia coli  |
| J15.6   | Pneumonia due to other Gram-negative bacteria  |
| J15.7   | Pneumonia due to Mycoplasma pneumoniae   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| J15.8 | Pneumonia due to other specified bacteria                                      |
| J15.9 | Unspecified bacterial pneumonia  |
| J16.0 | Chlamydial pneumonia   |
| J16.8 | Pneumonia due to other specified infectious organisms                          |
| J17   | Pneumonia in diseases classified elsewhere                                     |
| J18.0 | Bronchopneumonia, unspecified organism   |
| J18.1 | Lobar pneumonia, unspecified organism  |
| J18.8 | Other pneumonia, unspecified organism  |
| J18.9 | Pneumonia, unspecified organism  |
| J20.0 | Acute bronchitis due to Mycoplasma pneumoniae                                  |
| J20.1 | Acute bronchitis due to Hemophilus influenzae                                  |
| J20.2 | Acute bronchitis due to streptococcus  |
| J20.3 | Acute bronchitis due to coxsackievirus   |
| J20.4 | Acute bronchitis due to parainfluenza virus                                    |
| J20.5 | Acute bronchitis due to respiratory syncytial virus                            |
| J20.6 | Acute bronchitis due to rhinovirus   |
| J20.7 | Acute bronchitis due to echovirus  |
| J20.8 | Acute bronchitis due to other specified organisms                              |
| J20.9 | Acute bronchitis, unspecified  |
| J40   | Bronchitis, not specified as acute or chronic                                  |
| J41.0 | Simple chronic bronchitis  |
| J41.1 | Mucopurulent chronic bronchitis  |
| J41.8 | Mixed simple and mucopurulent chronic bronchitis                               |
| J42   | Unspecified chronic bronchitis   |
| J44.0 | Chronic obstructive pulmonary disease with (acute) lower respiratory infection |
| J44.1 | Chronic obstructive pulmonary disease with (acute) exacerbation                |
| J44.9 | Chronic obstructive pulmonary disease, unspecified                             |
| K11.7 | Disturbances of salivary secretion   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| K12.1  | Other forms of stomatitis                                |
| K12.2  | Cellulitis and abscess of mouth                          |
| K12.30   | Oral mucositis (ulcerative), unspecified                 |
| K12.39   | Other oral mucositis (ulcerative)                        |
| K29.70   | Gastritis, unspecified, without bleeding                 |
| K29.71   | Gastritis, unspecified, with bleeding                    |
| K29.90   | Gastroduodenitis, unspecified, without bleeding          |
| K29.91   | Gastroduodenitis, unspecified, with bleeding             |
| K30  | Functional dyspepsia                                     |
| K52.21   | Food protein-induced enterocolitis syndrome              |
| K52.22   | Food protein-induced enteropathy                         |
| K52.29   | Other allergic and dietetic gastroenteritis and colitis  |
| K52.89   | Other specified noninfective gastroenteritis and colitis |
| K59.31<br>Covered<br>only for<br>procedure<br>code<br>82947. | Toxic megacolon  |
| K70.41   | Alcoholic hepatic failure with coma                      |
| K71.11   | Toxic liver disease with hepatic necrosis, with coma     |
| K72.01   | Acute and subacute hepatic failure with coma             |
| K72.10   | Chronic hepatic failure without coma                     |
| K72.11   | Chronic hepatic failure with coma                        |
| K72.90   | Hepatic failure, unspecified without coma                |
| K72.91   | Hepatic failure, unspecified with coma                   |
| K75.0  | Abscess of liver   |
| K75.1  | Phlebitis of portal vein                                 |
| K75.81   | Nonalcoholic steatohepatitis (NASH)                      |
| K76.0  | Fatty (change of) liver, not elsewhere classified        |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K76.6  | Portal hypertension  |
| K76.7  | Hepatorenal syndrome   |
| K76.89 | Other specified diseases of liver  |
| K80.30 | Calculus of bile duct with cholangitis, unspecified, without obstruction       |
| K80.31 | Calculus of bile duct with cholangitis, unspecified, with obstruction          |
| K80.32 | Calculus of bile duct with acute cholangitis without obstruction               |
| K80.33 | Calculus of bile duct with acute cholangitis with obstruction                  |
| K80.34 | Calculus of bile duct with chronic cholangitis without obstruction             |
| K80.35 | Calculus of bile duct with chronic cholangitis with obstruction                |
| K80.36 | Calculus of bile duct with acute and chronic cholangitis without obstruction   |
| K80.37 | Calculus of bile duct with acute and chronic cholangitis with obstruction      |
| K80.50 | Calculus of bile duct without cholangitis or cholecystitis without obstruction |
| K80.51 | Calculus of bile duct without cholangitis or cholecystitis with obstruction    |
| K81.0  | Acute cholecystitis  |
| K81.1  | Chronic cholecystitis  |
| K81.2  | Acute cholecystitis with chronic cholecystitis                                 |
| K81.9  | Cholecystitis, unspecified   |
| K82.A1 | Gangrene of gallbladder in cholecystitis                                       |
| K82.A2 | Perforation of gallbladder in cholecystitis                                    |
| K83.01 | Primary sclerosing cholangitis   |
| K83.09 | Other cholangitis  |
| K85.00 | Idiopathic acute pancreatitis without necrosis or infection                    |
| K85.01 | Idiopathic acute pancreatitis with uninfected necrosis                         |
| K85.02 | Idiopathic acute pancreatitis with infected necrosis                           |
| K85.10 | Biliary acute pancreatitis without necrosis or infection                       |
| K85.11 | Biliary acute pancreatitis with uninfected necrosis                            |
| K85.12 | Biliary acute pancreatitis with infected necrosis                              |
| K85.20 | Alcohol induced acute pancreatitis without necrosis or infection               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K85.21  | Alcohol induced acute pancreatitis with uninfected necrosis                           |
| K85.22  | Alcohol induced acute pancreatitis with infected necrosis                             |
| K85.30  | Drug induced acute pancreatitis without necrosis or infection                         |
| K85.31  | Drug induced acute pancreatitis with uninfected necrosis                              |
| K85.32  | Drug induced acute pancreatitis with infected necrosis                                |
| K85.80  | Other acute pancreatitis without necrosis or infection                                |
| K85.81  | Other acute pancreatitis with uninfected necrosis                                     |
| K85.82  | Other acute pancreatitis with infected necrosis                                       |
| K85.90  | Acute pancreatitis without necrosis or infection, unspecified                         |
| K85.91  | Acute pancreatitis with uninfected necrosis, unspecified                              |
| K85.92  | Acute pancreatitis with infected necrosis, unspecified                                |
| K86.0   | Alcohol-induced chronic pancreatitis  |
| K86.1   | Other chronic pancreatitis  |
| K86.81  | Exocrine pancreatic insufficiency   |
| K86.89  | Other specified diseases of pancreas  |
| K87     | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| L02.02  | Furuncle of face  |
| L02.03  | Carbuncle of face   |
| L02.12  | Furuncle of neck  |
| L02.13  | Carbuncle of neck   |
| L02.221 | Furuncle of abdominal wall  |
| L02.222 | Furuncle of back [any part, except buttock]   |
| L02.223 | Furuncle of chest wall  |
| L02.224 | Furuncle of groin   |
| L02.225 | Furuncle of perineum  |
| L02.226 | Furuncle of umbilicus   |
| L02.229 | Furuncle of trunk, unspecified  |
| L02.231 | Carbuncle of abdominal wall   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                  |
|---------|--|
| L02.232 | Carbuncle of back [any part, except buttock] |
| L02.233 | Carbuncle of chest wall                      |
| L02.234 | Carbuncle of groin                           |
| L02.235 | Carbuncle of perineum                        |
| L02.236 | Carbuncle of umbilicus                       |
| L02.239 | Carbuncle of trunk, unspecified              |
| L02.32  | Furuncle of buttock                          |
| L02.33  | Carbuncle of buttock                         |
| L02.421 | Furuncle of right axilla                     |
| L02.422 | Furuncle of left axilla                      |
| L02.423 | Furuncle of right upper limb                 |
| L02.424 | Furuncle of left upper limb                  |
| L02.425 | Furuncle of right lower limb                 |
| L02.426 | Furuncle of left lower limb                  |
| L02.429 | Furuncle of limb, unspecified                |
| L02.431 | Carbuncle of right axilla                    |
| L02.432 | Carbuncle of left axilla                     |
| L02.433 | Carbuncle of right upper limb                |
| L02.434 | Carbuncle of left upper limb                 |
| L02.435 | Carbuncle of right lower limb                |
| L02.436 | Carbuncle of left lower limb                 |
| L02.439 | Carbuncle of limb, unspecified               |
| L02.521 | Furuncle right hand                          |
| L02.522 | Furuncle left hand                           |
| L02.529 | Furuncle unspecified hand                    |
| L02.531 | Carbuncle of right hand                      |
| L02.532 | Carbuncle of left hand                       |
| L02.539 | Carbuncle of unspecified hand                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L02.621 | Furuncle of right foot   |
| L02.622 | Furuncle of left foot  |
| L02.629 | Furuncle of unspecified foot   |
| L02.631 | Carbuncle of right foot  |
| L02.632 | Carbuncle of left foot   |
| L02.639 | Carbuncle of unspecified foot  |
| L02.821 | Furuncle of head [any part, except face]                             |
| L02.828 | Furuncle of other sites  |
| L02.831 | Carbuncle of head [any part, except face]                            |
| L02.838 | Carbuncle of other sites   |
| L02.92  | Furuncle, unspecified  |
| L02.93  | Carbuncle, unspecified   |
| L08.0   | Pyoderma   |
| L08.81  | Pyoderma vegetans  |
| L08.82  | Omphalitis not of newborn  |
| L08.89  | Other specified local infections of the skin and subcutaneous tissue |
| L08.9   | Local infection of the skin and subcutaneous tissue, unspecified     |
| L29.0   | Pruritus ani   |
| L29.1   | Pruritus scroti  |
| L29.2   | Pruritus vulvae  |
| L29.3   | Anogenital pruritus, unspecified                                     |
| L68.0   | Hirsutism  |
| L68.1   | Acquired hypertrichosis lanuginosa                                   |
| L68.2   | Localized hypertrichosis   |
| L68.3   | Polytrichia  |
| L68.8   | Other hypertrichosis   |
| L68.9   | Hypertrichosis, unspecified  |
| L74.4   | Anhidrosis   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| L88     | Pyoderma gangrenosum  |
| L89.000 | Pressure ulcer of unspecified elbow, unstageable              |
| L89.001 | Pressure ulcer of unspecified elbow, stage 1                  |
| L89.002 | Pressure ulcer of unspecified elbow, stage 2                  |
| L89.003 | Pressure ulcer of unspecified elbow, stage 3                  |
| L89.004 | Pressure ulcer of unspecified elbow, stage 4                  |
| L89.009 | Pressure ulcer of unspecified elbow, unspecified stage        |
| L89.010 | Pressure ulcer of right elbow, unstageable                    |
| L89.011 | Pressure ulcer of right elbow, stage 1                        |
| L89.012 | Pressure ulcer of right elbow, stage 2                        |
| L89.013 | Pressure ulcer of right elbow, stage 3                        |
| L89.014 | Pressure ulcer of right elbow, stage 4                        |
| L89.016 | Pressure-induced deep tissue damage of right elbow            |
| L89.019 | Pressure ulcer of right elbow, unspecified stage              |
| L89.020 | Pressure ulcer of left elbow, unstageable                     |
| L89.021 | Pressure ulcer of left elbow, stage 1                         |
| L89.022 | Pressure ulcer of left elbow, stage 2                         |
| L89.023 | Pressure ulcer of left elbow, stage 3                         |
| L89.024 | Pressure ulcer of left elbow, stage 4                         |
| L89.026 | Pressure-induced deep tissue damage of left elbow             |
| L89.029 | Pressure ulcer of left elbow, unspecified stage               |
| L89.100 | Pressure ulcer of unspecified part of back, unstageable       |
| L89.101 | Pressure ulcer of unspecified part of back, stage 1           |
| L89.102 | Pressure ulcer of unspecified part of back, stage 2           |
| L89.103 | Pressure ulcer of unspecified part of back, stage 3           |
| L89.104 | Pressure ulcer of unspecified part of back, stage 4           |
| L89.109 | Pressure ulcer of unspecified part of back, unspecified stage |
| L89.110 | Pressure ulcer of right upper back, unstageable               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| L89.111 | Pressure ulcer of right upper back, stage 1             |
| L89.112 | Pressure ulcer of right upper back, stage 2             |
| L89.113 | Pressure ulcer of right upper back, stage 3             |
| L89.114 | Pressure ulcer of right upper back, stage 4             |
| L89.116 | Pressure-induced deep tissue damage of right upper back |
| L89.119 | Pressure ulcer of right upper back, unspecified stage   |
| L89.120 | Pressure ulcer of left upper back, unstageable          |
| L89.121 | Pressure ulcer of left upper back, stage 1              |
| L89.122 | Pressure ulcer of left upper back, stage 2              |
| L89.123 | Pressure ulcer of left upper back, stage 3              |
| L89.124 | Pressure ulcer of left upper back, stage 4              |
| L89.126 | Pressure-induced deep tissue damage of left upper back  |
| L89.129 | Pressure ulcer of left upper back, unspecified stage    |
| L89.130 | Pressure ulcer of right lower back, unstageable         |
| L89.131 | Pressure ulcer of right lower back, stage 1             |
| L89.132 | Pressure ulcer of right lower back, stage 2             |
| L89.133 | Pressure ulcer of right lower back, stage 3             |
| L89.134 | Pressure ulcer of right lower back, stage 4             |
| L89.136 | Pressure-induced deep tissue damage of right lower back |
| L89.139 | Pressure ulcer of right lower back, unspecified stage   |
| L89.140 | Pressure ulcer of left lower back, unstageable          |
| L89.141 | Pressure ulcer of left lower back, stage 1              |
| L89.142 | Pressure ulcer of left lower back, stage 2              |
| L89.143 | Pressure ulcer of left lower back, stage 3              |
| L89.144 | Pressure ulcer of left lower back, stage 4              |
| L89.146 | Pressure-induced deep tissue damage of left lower back  |
| L89.149 | Pressure ulcer of left lower back, unspecified stage    |
| L89.150 | Pressure ulcer of sacral region, unstageable            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L89.151 | Pressure ulcer of sacral region, stage 1             |
| L89.152 | Pressure ulcer of sacral region, stage 2             |
| L89.153 | Pressure ulcer of sacral region, stage 3             |
| L89.154 | Pressure ulcer of sacral region, stage 4             |
| L89.156 | Pressure-induced deep tissue damage of sacral region |
| L89.159 | Pressure ulcer of sacral region, unspecified stage   |
| L89.200 | Pressure ulcer of unspecified hip, unstageable       |
| L89.201 | Pressure ulcer of unspecified hip, stage 1           |
| L89.202 | Pressure ulcer of unspecified hip, stage 2           |
| L89.203 | Pressure ulcer of unspecified hip, stage 3           |
| L89.204 | Pressure ulcer of unspecified hip, stage 4           |
| L89.209 | Pressure ulcer of unspecified hip, unspecified stage |
| L89.210 | Pressure ulcer of right hip, unstageable             |
| L89.211 | Pressure ulcer of right hip, stage 1                 |
| L89.212 | Pressure ulcer of right hip, stage 2                 |
| L89.213 | Pressure ulcer of right hip, stage 3                 |
| L89.214 | Pressure ulcer of right hip, stage 4                 |
| L89.216 | Pressure-induced deep tissue damage of right hip     |
| L89.219 | Pressure ulcer of right hip, unspecified stage       |
| L89.220 | Pressure ulcer of left hip, unstageable              |
| L89.221 | Pressure ulcer of left hip, stage 1                  |
| L89.222 | Pressure ulcer of left hip, stage 2                  |
| L89.223 | Pressure ulcer of left hip, stage 3                  |
| L89.224 | Pressure ulcer of left hip, stage 4                  |
| L89.226 | Pressure-induced deep tissue damage of left hip      |
| L89.229 | Pressure ulcer of left hip, unspecified stage        |
| L89.300 | Pressure ulcer of unspecified buttock, unstageable   |
| L89.301 | Pressure ulcer of unspecified buttock, stage 1       |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| L89.302 | Pressure ulcer of unspecified buttock, stage 2                                  |
| L89.303 | Pressure ulcer of unspecified buttock, stage 3                                  |
| L89.304 | Pressure ulcer of unspecified buttock, stage 4                                  |
| L89.309 | Pressure ulcer of unspecified buttock, unspecified stage                        |
| L89.310 | Pressure ulcer of right buttock, unstageable                                    |
| L89.311 | Pressure ulcer of right buttock, stage 1  |
| L89.312 | Pressure ulcer of right buttock, stage 2  |
| L89.313 | Pressure ulcer of right buttock, stage 3  |
| L89.314 | Pressure ulcer of right buttock, stage 4  |
| L89.316 | Pressure-induced deep tissue damage of right buttock                            |
| L89.319 | Pressure ulcer of right buttock, unspecified stage                              |
| L89.320 | Pressure ulcer of left buttock, unstageable                                     |
| L89.321 | Pressure ulcer of left buttock, stage 1   |
| L89.322 | Pressure ulcer of left buttock, stage 2   |
| L89.323 | Pressure ulcer of left buttock, stage 3   |
| L89.324 | Pressure ulcer of left buttock, stage 4   |
| L89.326 | Pressure-induced deep tissue damage of left buttock                             |
| L89.329 | Pressure ulcer of left buttock, unspecified stage                               |
| L89.40  | Pressure ulcer of contiguous site of back, buttock and hip, unspecified stage   |
| L89.41  | Pressure ulcer of contiguous site of back, buttock and hip, stage 1             |
| L89.42  | Pressure ulcer of contiguous site of back, buttock and hip, stage 2             |
| L89.43  | Pressure ulcer of contiguous site of back, buttock and hip, stage 3             |
| L89.44  | Pressure ulcer of contiguous site of back, buttock and hip, stage 4             |
| L89.45  | Pressure ulcer of contiguous site of back, buttock and hip, unstageable         |
| L89.46  | Pressure-induced deep tissue damage of contiguous site of back, buttock and hip |
| L89.500 | Pressure ulcer of unspecified ankle, unstageable                                |
| L89.501 | Pressure ulcer of unspecified ankle, stage 1                                    |
| L89.502 | Pressure ulcer of unspecified ankle, stage 2                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                                     |
|-------------|--|
| L89.503     | Pressure ulcer of unspecified ankle, stage 3           |
| L89.504     | Pressure ulcer of unspecified ankle, stage 4           |
| L89.509     | Pressure ulcer of unspecified ankle, unspecified stage |
| L89.510     | Pressure ulcer of right ankle, unstageable             |
| L89.511     | Pressure ulcer of right ankle, stage 1                 |
| L89.512     | Pressure ulcer of right ankle, stage 2                 |
| L89.513     | Pressure ulcer of right ankle, stage 3                 |
| L89.514     | Pressure ulcer of right ankle, stage 4                 |
| L89.516     | Pressure-induced deep tissue damage of right ankle     |
| L89.519     | Pressure ulcer of right ankle, unspecified stage       |
| L89.520     | Pressure ulcer of left ankle, unstageable              |
| L89.521     | Pressure ulcer of left ankle, stage 1                  |
| L89.522     | Pressure ulcer of left ankle, stage 2                  |
| L89.523     | Pressure ulcer of left ankle, stage 3                  |
| L89.524     | Pressure ulcer of left ankle, stage 4                  |
| L89.526     | Pressure-induced deep tissue damage of left ankle      |
| L89.529     | Pressure ulcer of left ankle, unspecified stage        |
| L89.600     | Pressure ulcer of unspecified heel, unstageable        |
| L89.601     | Pressure ulcer of unspecified heel, stage 1            |
| L89.602     | Pressure ulcer of unspecified heel, stage 2            |
| L89.603     | Pressure ulcer of unspecified heel, stage 3            |
| L89.604     | Pressure ulcer of unspecified heel, stage 4            |
| L89.609     | Pressure ulcer of unspecified heel, unspecified stage  |
| L89.610     | Pressure ulcer of right heel, unstageable              |
| L89.611     | Pressure ulcer of right heel, stage 1                  |
| L89.612     | Pressure ulcer of right heel, stage 2                  |
| L89.613     | Pressure ulcer of right heel, stage 3                  |
| L89.614     | Pressure ulcer of right heel, stage 4                  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>                                    |
|-------------|---|
| L89.616     | Pressure-induced deep tissue damage of right heel     |
| L89.619     | Pressure ulcer of right heel, unspecified stage       |
| L89.620     | Pressure ulcer of left heel, unstageable              |
| L89.621     | Pressure ulcer of left heel, stage 1                  |
| L89.622     | Pressure ulcer of left heel, stage 2                  |
| L89.623     | Pressure ulcer of left heel, stage 3                  |
| L89.624     | Pressure ulcer of left heel, stage 4                  |
| L89.626     | Pressure-induced deep tissue damage of left heel      |
| L89.629     | Pressure ulcer of left heel, unspecified stage        |
| L89.810     | Pressure ulcer of head, unstageable                   |
| L89.811     | Pressure ulcer of head, stage 1                       |
| L89.812     | Pressure ulcer of head, stage 2                       |
| L89.813     | Pressure ulcer of head, stage 3                       |
| L89.814     | Pressure ulcer of head, stage 4                       |
| L89.816     | Pressure-induced deep tissue damage of head           |
| L89.819     | Pressure ulcer of head, unspecified stage             |
| L89.890     | Pressure ulcer of other site, unstageable             |
| L89.891     | Pressure ulcer of other site, stage 1                 |
| L89.892     | Pressure ulcer of other site, stage 2                 |
| L89.893     | Pressure ulcer of other site, stage 3                 |
| L89.894     | Pressure ulcer of other site, stage 4                 |
| L89.896     | Pressure-induced deep tissue damage of other site     |
| L89.899     | Pressure ulcer of other site, unspecified stage       |
| L89.90      | Pressure ulcer of unspecified site, unspecified stage |
| L89.91      | Pressure ulcer of unspecified site, stage 1           |
| L89.92      | Pressure ulcer of unspecified site, stage 2           |
| L89.93      | Pressure ulcer of unspecified site, stage 3           |
| L89.94      | Pressure ulcer of unspecified site, stage 4           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>   |
|---|--|
| L89.95  | Pressure ulcer of unspecified site, unstageable  |
| L92.1   | Necrobiosis lipoidica, not elsewhere classified  |
| L92.8   | Other granulomatous disorders of the skin and subcutaneous tissue                              |
| L94.2   | Calcinosis cutis   |
| L97.101   | Non-pressure chronic ulcer of unspecified thigh limited to breakdown of skin                   |
| L97.102   | Non-pressure chronic ulcer of unspecified thigh with fat layer exposed                         |
| L97.103   | Non-pressure chronic ulcer of unspecified thigh with necrosis of muscle                        |
| L97.104   | Non-pressure chronic ulcer of unspecified thigh with necrosis of bone                          |
| L97.109   | Non-pressure chronic ulcer of unspecified thigh with unspecified severity                      |
| L97.111   | Non-pressure chronic ulcer of right thigh limited to breakdown of skin                         |
| L97.112   | Non-pressure chronic ulcer of right thigh with fat layer exposed                               |
| L97.113   | Non-pressure chronic ulcer of right thigh with necrosis of muscle                              |
| L97.114   | Non-pressure chronic ulcer of right thigh with necrosis of bone                                |
| L97.115<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right thigh with muscle involvement without evidence of necrosis |
| L97.116<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right thigh with bone involvement without evidence of necrosis   |
| L97.118<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right thigh with other specified severity                        |
| L97.119   | Non-pressure chronic ulcer of right thigh with unspecified severity                            |
| L97.121   | Non-pressure chronic ulcer of left thigh limited to breakdown of skin                          |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|---|---|
| L97.122   | Non-pressure chronic ulcer of left thigh with fat layer exposed                               |
| L97.123   | Non-pressure chronic ulcer of left thigh with necrosis of muscle                              |
| L97.124   | Non-pressure chronic ulcer of left thigh with necrosis of bone                                |
| L97.125<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left thigh with muscle involvement without evidence of necrosis |
| L97.126<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left thigh with bone involvement without evidence of necrosis   |
| L97.128<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left thigh with other specified severity                        |
| L97.129   | Non-pressure chronic ulcer of left thigh with unspecified severity                            |
| L97.201   | Non-pressure chronic ulcer of unspecified calf limited to breakdown of skin                   |
| L97.202   | Non-pressure chronic ulcer of unspecified calf with fat layer exposed                         |
| L97.203   | Non-pressure chronic ulcer of unspecified calf with necrosis of muscle                        |
| L97.204   | Non-pressure chronic ulcer of unspecified calf with necrosis of bone                          |
| L97.209   | Non-pressure chronic ulcer of unspecified calf with unspecified severity                      |
| L97.211   | Non-pressure chronic ulcer of right calf limited to breakdown of skin                         |
| L97.212   | Non-pressure chronic ulcer of right calf with fat layer exposed                               |
| L97.213   | Non-pressure chronic ulcer of right calf with necrosis of muscle                              |
| L97.214   | Non-pressure chronic ulcer of right calf with necrosis of bone                                |
| L97.215<br>Covered<br>only for                                | Non-pressure chronic ulcer of right calf with muscle involvement without evidence of necrosis |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| procedure<br>code<br>82947.                                   |  |
| L97.216<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right calf with bone involvement without evidence of necrosis  |
| L97.218<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right calf with other specified severity                       |
| L97.219   | Non-pressure chronic ulcer of right calf with unspecified severity                           |
| L97.221   | Non-pressure chronic ulcer of left calf limited to breakdown of skin                         |
| L97.222   | Non-pressure chronic ulcer of left calf with fat layer exposed                               |
| L97.223   | Non-pressure chronic ulcer of left calf with necrosis of muscle                              |
| L97.224   | Non-pressure chronic ulcer of left calf with necrosis of bone                                |
| L97.225<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left calf with muscle involvement without evidence of necrosis |
| L97.226<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left calf with bone involvement without evidence of necrosis   |
| L97.228<br>Covered<br>only for<br>procedure                   | Non-pressure chronic ulcer of left calf with other specified severity                        |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| code<br>82947.  |  |
| L97.229   | Non-pressure chronic ulcer of left calf with unspecified severity                              |
| L97.301   | Non-pressure chronic ulcer of unspecified ankle limited to breakdown of skin                   |
| L97.302   | Non-pressure chronic ulcer of unspecified ankle with fat layer exposed                         |
| L97.303   | Non-pressure chronic ulcer of unspecified ankle with necrosis of muscle                        |
| L97.304   | Non-pressure chronic ulcer of unspecified ankle with necrosis of bone                          |
| L97.309   | Non-pressure chronic ulcer of unspecified ankle with unspecified severity                      |
| L97.311   | Non-pressure chronic ulcer of right ankle limited to breakdown of skin                         |
| L97.312   | Non-pressure chronic ulcer of right ankle with fat layer exposed                               |
| L97.313   | Non-pressure chronic ulcer of right ankle with necrosis of muscle                              |
| L97.314   | Non-pressure chronic ulcer of right ankle with necrosis of bone                                |
| L97.315<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right ankle with muscle involvement without evidence of necrosis |
| L97.316<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right ankle with bone involvement without evidence of necrosis   |
| L97.318<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right ankle with other specified severity                        |
| L97.319   | Non-pressure chronic ulcer of right ankle with unspecified severity                            |
| L97.321   | Non-pressure chronic ulcer of left ankle limited to breakdown of skin                          |
| L97.322   | Non-pressure chronic ulcer of left ankle with fat layer exposed                                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>  |
|---|---|
| L97.323   | Non-pressure chronic ulcer of left ankle with necrosis of muscle  |
| L97.324   | Non-pressure chronic ulcer of left ankle with necrosis of bone  |
| L97.325<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left ankle with muscle involvement without evidence of necrosis             |
| L97.326<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left ankle with bone involvement without evidence of necrosis               |
| L97.328<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left ankle with other specified severity                                    |
| L97.329   | Non-pressure chronic ulcer of left ankle with unspecified severity  |
| L97.401   | Non-pressure chronic ulcer of unspecified heel and midfoot limited to breakdown of skin                   |
| L97.402   | Non-pressure chronic ulcer of unspecified heel and midfoot with fat layer exposed                         |
| L97.403   | Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of muscle                        |
| L97.404   | Non-pressure chronic ulcer of unspecified heel and midfoot with necrosis of bone                          |
| L97.409   | Non-pressure chronic ulcer of unspecified heel and midfoot with unspecified severity                      |
| L97.411   | Non-pressure chronic ulcer of right heel and midfoot limited to breakdown of skin                         |
| L97.412   | Non-pressure chronic ulcer of right heel and midfoot with fat layer exposed                               |
| L97.413   | Non-pressure chronic ulcer of right heel and midfoot with necrosis of muscle                              |
| L97.414   | Non-pressure chronic ulcer of right heel and midfoot with necrosis of bone                                |
| L97.415<br>Covered  | Non-pressure chronic ulcer of right heel and midfoot with muscle involvement without evidence of necrosis |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| only for<br>procedure<br>code<br>82947.                       |  |
| L97.416<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right heel and midfoot with bone involvement without evidence of necrosis  |
| L97.418<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of right heel and midfoot with other specified severity                       |
| L97.419   | Non-pressure chronic ulcer of right heel and midfoot with unspecified severity                           |
| L97.421   | Non-pressure chronic ulcer of left heel and midfoot limited to breakdown of skin                         |
| L97.422   | Non-pressure chronic ulcer of left heel and midfoot with fat layer exposed                               |
| L97.423   | Non-pressure chronic ulcer of left heel and midfoot with necrosis of muscle                              |
| L97.424   | Non-pressure chronic ulcer of left heel and midfoot with necrosis of bone                                |
| L97.425<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left heel and midfoot with muscle involvement without evidence of necrosis |
| L97.426<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of left heel and midfoot with bone involvement without evidence of necrosis   |
| L97.428<br>Covered<br>only for                                | Non-pressure chronic ulcer of left heel and midfoot with other specified severity                        |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|---|---|
| procedure<br>code<br>82947.                                   |   |
| L97.429   | Non-pressure chronic ulcer of left heel and midfoot with unspecified severity                               |
| L97.501   | Non-pressure chronic ulcer of other part of unspecified foot limited to breakdown of skin                   |
| L97.502   | Non-pressure chronic ulcer of other part of unspecified foot with fat layer exposed                         |
| L97.503   | Non-pressure chronic ulcer of other part of unspecified foot with necrosis of muscle                        |
| L97.504   | Non-pressure chronic ulcer of other part of unspecified foot with necrosis of bone                          |
| L97.509   | Non-pressure chronic ulcer of other part of unspecified foot with unspecified severity                      |
| L97.511   | Non-pressure chronic ulcer of other part of right foot limited to breakdown of skin                         |
| L97.512   | Non-pressure chronic ulcer of other part of right foot with fat layer exposed                               |
| L97.513   | Non-pressure chronic ulcer of other part of right foot with necrosis of muscle                              |
| L97.514   | Non-pressure chronic ulcer of other part of right foot with necrosis of bone                                |
| L97.515<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of right foot with muscle involvement without evidence of necrosis |
| L97.516<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of right foot with bone involvement without evidence of necrosis   |
| L97.518<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of right foot with other specified severity                        |
| L97.519   | Non-pressure chronic ulcer of other part of right foot with unspecified severity                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>   |
|---|--|
| L97.521   | Non-pressure chronic ulcer of other part of left foot limited to breakdown of skin                         |
| L97.522   | Non-pressure chronic ulcer of other part of left foot with fat layer exposed                               |
| L97.523   | Non-pressure chronic ulcer of other part of left foot with necrosis of muscle                              |
| L97.524   | Non-pressure chronic ulcer of other part of left foot with necrosis of bone                                |
| L97.525<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of left foot with muscle involvement without evidence of necrosis |
| L97.526<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of left foot with bone involvement without evidence of necrosis   |
| L97.528<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of left foot with other specified severity                        |
| L97.529   | Non-pressure chronic ulcer of other part of left foot with unspecified severity                            |
| L97.801   | Non-pressure chronic ulcer of other part of unspecified lower leg limited to breakdown of skin             |
| L97.802   | Non-pressure chronic ulcer of other part of unspecified lower leg with fat layer exposed                   |
| L97.803   | Non-pressure chronic ulcer of other part of unspecified lower leg with necrosis of muscle                  |
| L97.804   | Non-pressure chronic ulcer of other part of unspecified lower leg with necrosis of bone                    |
| L97.809   | Non-pressure chronic ulcer of other part of unspecified lower leg with unspecified severity                |
| L97.811   | Non-pressure chronic ulcer of other part of right lower leg limited to breakdown of skin                   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>   |
|---|--|
| L97.812   | Non-pressure chronic ulcer of other part of right lower leg with fat layer exposed                               |
| L97.813   | Non-pressure chronic ulcer of other part of right lower leg with necrosis of muscle                              |
| L97.814   | Non-pressure chronic ulcer of other part of right lower leg with necrosis of bone                                |
| L97.815<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of right lower leg with muscle involvement without evidence of necrosis |
| L97.816<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of right lower leg with bone involvement without evidence of necrosis   |
| L97.818<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of right lower leg with other specified severity                        |
| L97.819   | Non-pressure chronic ulcer of other part of right lower leg with unspecified severity                            |
| L97.821   | Non-pressure chronic ulcer of other part of left lower leg limited to breakdown of skin                          |
| L97.822   | Non-pressure chronic ulcer of other part of left lower leg with fat layer exposed                                |
| L97.823   | Non-pressure chronic ulcer of other part of left lower leg with necrosis of muscle                               |
| L97.824   | Non-pressure chronic ulcer of other part of left lower leg with necrosis of bone                                 |
| L97.825<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of left lower leg with muscle involvement without evidence of necrosis  |
| L97.826<br>Covered  | Non-pressure chronic ulcer of other part of left lower leg with bone involvement without evidence of necrosis    |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| only for<br>procedure<br>code<br>82947.                       |  |
| L97.828<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of other part of left lower leg with other specified severity                               |
| L97.829   | Non-pressure chronic ulcer of other part of left lower leg with unspecified severity                                   |
| L97.901   | Non-pressure chronic ulcer of unspecified part of unspecified lower leg limited to breakdown of skin                   |
| L97.902   | Non-pressure chronic ulcer of unspecified part of unspecified lower leg with fat layer exposed                         |
| L97.903   | Non-pressure chronic ulcer of unspecified part of unspecified lower leg with necrosis of muscle                        |
| L97.904   | Non-pressure chronic ulcer of unspecified part of unspecified lower leg with necrosis of bone                          |
| L97.909   | Non-pressure chronic ulcer of unspecified part of unspecified lower leg with unspecified severity                      |
| L97.911   | Non-pressure chronic ulcer of unspecified part of right lower leg limited to breakdown of skin                         |
| L97.912   | Non-pressure chronic ulcer of unspecified part of right lower leg with fat layer exposed                               |
| L97.913   | Non-pressure chronic ulcer of unspecified part of right lower leg with necrosis of muscle                              |
| L97.914   | Non-pressure chronic ulcer of unspecified part of right lower leg with necrosis of bone                                |
| L97.915<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of unspecified part of right lower leg with muscle involvement without evidence of necrosis |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>  |
|---|---|
| L97.916<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of unspecified part of right lower leg with bone involvement without evidence of necrosis  |
| L97.918<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of unspecified part of right lower leg with other specified severity                       |
| L97.919   | Non-pressure chronic ulcer of unspecified part of right lower leg with unspecified severity                           |
| L97.921   | Non-pressure chronic ulcer of unspecified part of left lower leg limited to breakdown of skin                         |
| L97.922   | Non-pressure chronic ulcer of unspecified part of left lower leg with fat layer exposed                               |
| L97.923   | Non-pressure chronic ulcer of unspecified part of left lower leg with necrosis of muscle                              |
| L97.924   | Non-pressure chronic ulcer of unspecified part of left lower leg with necrosis of bone                                |
| L97.925<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of unspecified part of left lower leg with muscle involvement without evidence of necrosis |
| L97.926<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of unspecified part of left lower leg with bone involvement without evidence of necrosis   |
| L97.928<br>Covered<br>only for<br>procedure                   | Non-pressure chronic ulcer of unspecified part of left lower leg with other specified severity                        |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| code<br>82947.  |  |
| L97.929   | Non-pressure chronic ulcer of unspecified part of left lower leg with unspecified severity |
| L98.0   | Pyogenic granuloma   |
| L98.411   | Non-pressure chronic ulcer of buttock limited to breakdown of skin                         |
| L98.412   | Non-pressure chronic ulcer of buttock with fat layer exposed                               |
| L98.413   | Non-pressure chronic ulcer of buttock with necrosis of muscle                              |
| L98.414   | Non-pressure chronic ulcer of buttock with necrosis of bone                                |
| L98.415<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of buttock with muscle involvement without evidence of necrosis |
| L98.416<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of buttock with bone involvement without evidence of necrosis   |
| L98.418<br>Covered<br>only for<br>procedure<br>code<br>82947. | Non-pressure chronic ulcer of buttock with other specified severity                        |
| L98.419   | Non-pressure chronic ulcer of buttock with unspecified severity                            |
| L98.421   | Non-pressure chronic ulcer of back limited to breakdown of skin                            |
| L98.422   | Non-pressure chronic ulcer of back with fat layer exposed                                  |
| L98.423   | Non-pressure chronic ulcer of back with necrosis of muscle                                 |
| L98.424   | Non-pressure chronic ulcer of back with necrosis of bone                                   |
| L98.425<br>Covered  | Non-pressure chronic ulcer of back with muscle involvement without evidence of necrosis    |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| only for procedure code 82947.                    |  |
| L98.426<br>Covered only for procedure code 82947. | Non-pressure chronic ulcer of back with bone involvement without evidence of necrosis                  |
| L98.428<br>Covered only for procedure code 82947. | Non-pressure chronic ulcer of back with other specified severity                                       |
| L98.429   | Non-pressure chronic ulcer of back with unspecified severity   |
| L98.491   | Non-pressure chronic ulcer of skin of other sites limited to breakdown of skin                         |
| L98.492   | Non-pressure chronic ulcer of skin of other sites with fat layer exposed                               |
| L98.493   | Non-pressure chronic ulcer of skin of other sites with necrosis of muscle                              |
| L98.494   | Non-pressure chronic ulcer of skin of other sites with necrosis of bone                                |
| L98.495<br>Covered only for procedure code 82947. | Non-pressure chronic ulcer of skin of other sites with muscle involvement without evidence of necrosis |
| L98.496<br>Covered only for procedure code 82947. | Non-pressure chronic ulcer of skin of other sites with bone involvement without evidence of necrosis   |
| L98.499   | Non-pressure chronic ulcer of skin of other sites with unspecified severity                            |
| L98.8   | Other specified disorders of the skin and subcutaneous tissue  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description                                |
|---|--|
| M04.1<br>Covered<br>only for<br>procedure<br>code<br>82947. | Periodic fever syndromes                   |
| M60.80  | Other myositis, unspecified site           |
| M60.811   | Other myositis, right shoulder             |
| M60.812   | Other myositis, left shoulder              |
| M60.819   | Other myositis, unspecified shoulder       |
| M60.821   | Other myositis, right upper arm            |
| M60.822   | Other myositis, left upper arm             |
| M60.829   | Other myositis, unspecified upper arm      |
| M60.831   | Other myositis, right forearm              |
| M60.832   | Other myositis, left forearm               |
| M60.839   | Other myositis, unspecified forearm        |
| M60.841   | Other myositis, right hand                 |
| M60.842   | Other myositis, left hand                  |
| M60.849   | Other myositis, unspecified hand           |
| M60.851   | Other myositis, right thigh                |
| M60.852   | Other myositis, left thigh                 |
| M60.859   | Other myositis, unspecified thigh          |
| M60.861   | Other myositis, right lower leg            |
| M60.862   | Other myositis, left lower leg             |
| M60.869   | Other myositis, unspecified lower leg      |
| M60.871   | Other myositis, right ankle and foot       |
| M60.872   | Other myositis, left ankle and foot        |
| M60.879   | Other myositis, unspecified ankle and foot |
| M60.88  | Other myositis, other site                 |
| M60.89  | Other myositis, multiple sites             |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| M60.9  | Myositis, unspecified   |
| M79.10   | Myalgia, unspecified site   |
| M79.11   | Myalgia of mastication muscle   |
| M79.12   | Myalgia of auxiliary muscles, head and neck   |
| M79.18   | Myalgia, other site   |
| M79.7  | Fibromyalgia  |
| M80.0AXA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture                         |
| M80.0AXD<br>Covered<br>only for<br>procedure<br>code<br>82947. | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.0AXG<br>Covered<br>only for<br>procedure<br>code<br>82947. | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.0AXK<br>Covered<br>only for<br>procedure<br>code<br>82947. | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.0AXP<br>Covered<br>only for<br>procedure<br>code<br>82947. | Age-related osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| M80.0AXS<br>Covered<br>only for<br>procedure<br>code<br>82947. | Age-related osteoporosis with current pathological fracture, other site, sequela  |
| M80.8AXA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other osteoporosis with current pathological fracture, other site, initial encounter for fracture                         |
| M80.8AXD<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with routine healing |
| M80.8AXG<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with delayed healing |
| M80.8AXK<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with nonunion        |
| M80.8AXP<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other osteoporosis with current pathological fracture, other site, subsequent encounter for fracture with malunion        |
| M80.8AXS<br>Covered  | Other osteoporosis with current pathological fracture, other site, sequela  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code                                    | Description   |
|---|---|
| only for<br>procedure<br>code<br>82947. |   |
| M86.071                                 | Acute hematogenous osteomyelitis, right ankle and foot                |
| M86.072                                 | Acute hematogenous osteomyelitis, left ankle and foot                 |
| M86.079                                 | Acute hematogenous osteomyelitis, unspecified ankle and foot          |
| M86.171                                 | Other acute osteomyelitis, right ankle and foot                       |
| M86.172                                 | Other acute osteomyelitis, left ankle and foot                        |
| M86.179                                 | Other acute osteomyelitis, unspecified ankle and foot                 |
| M86.271                                 | Subacute osteomyelitis, right ankle and foot                          |
| M86.272                                 | Subacute osteomyelitis, left ankle and foot                           |
| M86.279                                 | Subacute osteomyelitis, unspecified ankle and foot                    |
| M86.371                                 | Chronic multifocal osteomyelitis, right ankle and foot                |
| M86.372                                 | Chronic multifocal osteomyelitis, left ankle and foot                 |
| M86.379                                 | Chronic multifocal osteomyelitis, unspecified ankle and foot          |
| M86.471                                 | Chronic osteomyelitis with draining sinus, right ankle and foot       |
| M86.472                                 | Chronic osteomyelitis with draining sinus, left ankle and foot        |
| M86.479                                 | Chronic osteomyelitis with draining sinus, unspecified ankle and foot |
| M86.571                                 | Other chronic hematogenous osteomyelitis, right ankle and foot        |
| M86.572                                 | Other chronic hematogenous osteomyelitis, left ankle and foot         |
| M86.579                                 | Other chronic hematogenous osteomyelitis, unspecified ankle and foot  |
| M86.671                                 | Other chronic osteomyelitis, right ankle and foot                     |
| M86.672                                 | Other chronic osteomyelitis, left ankle and foot                      |
| M86.679                                 | Other chronic osteomyelitis, unspecified ankle and foot               |
| M86.8X7                                 | Other osteomyelitis, ankle and foot                                   |
| M86.9                                   | Osteomyelitis, unspecified  |
| N10                                     | Acute pyelonephritis  |
| N11.0                                   | Nonobstructive reflux-associated chronic pyelonephritis               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N11.1   | Chronic obstructive pyelonephritis  |
| N11.8   | Other chronic tubulo-interstitial nephritis   |
| N11.9   | Chronic tubulo-interstitial nephritis, unspecified                                  |
| N12     | Tubulo-interstitial nephritis, not specified as acute or chronic                    |
| N13.6   | Pyonephrosis  |
| N15.1   | Renal and perinephric abscess   |
| N15.9   | Renal tubulo-interstitial disease, unspecified                                      |
| N16     | Renal tubulo-interstitial disorders in diseases classified elsewhere                |
| N28.84  | Pyelitis cystica  |
| N28.85  | Pyeloureteritis cystica   |
| N28.86  | Ureteritis cystica  |
| N30.90  | Cystitis, unspecified without hematuria   |
| N30.91  | Cystitis, unspecified with hematuria  |
| N31.2   | Flaccid neuropathic bladder, not elsewhere classified                               |
| N35.016 | Post-traumatic urethral stricture, male, overlapping sites                          |
| N35.116 | Postinfective urethral stricture, not elsewhere classified, male, overlapping sites |
| N39.0   | Urinary tract infection, site not specified   |
| N44.1   | Cyst of tunica albuginea testis   |
| N44.2   | Benign cyst of testis   |
| N44.8   | Other noninflammatory disorders of the testis                                       |
| N50.3   | Cyst of epididymis  |
| N50.811 | Right testicular pain   |
| N50.812 | Left testicular pain  |
| N50.819 | Testicular pain, unspecified  |
| N50.82  | Scrotal pain  |
| N50.89  | Other specified disorders of the male genital organs                                |
| N52.01  | Erectile dysfunction due to arterial insufficiency                                  |
| N52.02  | Corporo-venous occlusive erectile dysfunction                                       |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| N52.03 | Combined arterial insufficiency and corporo-venous occlusive erectile dysfunction |
| N52.1  | Erectile dysfunction due to diseases classified elsewhere                         |
| N52.2  | Drug-induced erectile dysfunction   |
| N52.31 | Erectile dysfunction following radical prostatectomy                              |
| N52.32 | Erectile dysfunction following radical cystectomy                                 |
| N52.33 | Erectile dysfunction following urethral surgery                                   |
| N52.34 | Erectile dysfunction following simple prostatectomy                               |
| N52.35 | Erectile dysfunction following radiation therapy                                  |
| N52.36 | Erectile dysfunction following interstitial seed therapy                          |
| N52.37 | Erectile dysfunction following prostate ablative therapy                          |
| N52.39 | Other and unspecified postprocedural erectile dysfunction                         |
| N52.8  | Other male erectile dysfunction   |
| N52.9  | Male erectile dysfunction, unspecified  |
| N53.12 | Painful ejaculation   |
| N53.8  | Other male sexual dysfunction   |
| N53.9  | Unspecified male sexual dysfunction   |
| N76.0  | Acute vaginitis   |
| N76.1  | Subacute and chronic vaginitis  |
| N76.2  | Acute vulvitis  |
| N76.3  | Subacute and chronic vulvitis   |
| N91.0  | Primary amenorrhea  |
| N91.1  | Secondary amenorrhea  |
| N91.2  | Amenorrhea, unspecified   |
| N92.5  | Other specified irregular menstruation  |
| N92.6  | Irregular menstruation, unspecified   |
| N97.9  | Female infertility, unspecified   |
| O09.00 | Supervision of pregnancy with history of infertility, unspecified trimester       |
| O09.01 | Supervision of pregnancy with history of infertility, first trimester             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O09.02  | Supervision of pregnancy with history of infertility, second trimester                            |
| O09.03  | Supervision of pregnancy with history of infertility, third trimester                             |
| O09.10  | Supervision of pregnancy with history of ectopic pregnancy, unspecified trimester                 |
| O09.11  | Supervision of pregnancy with history of ectopic pregnancy, first trimester                       |
| O09.12  | Supervision of pregnancy with history of ectopic pregnancy, second trimester                      |
| O09.13  | Supervision of pregnancy with history of ectopic pregnancy, third trimester                       |
| O09.211 | Supervision of pregnancy with history of pre-term labor, first trimester                          |
| O09.212 | Supervision of pregnancy with history of pre-term labor, second trimester                         |
| O09.213 | Supervision of pregnancy with history of pre-term labor, third trimester                          |
| O09.219 | Supervision of pregnancy with history of pre-term labor, unspecified trimester                    |
| O09.291 | Supervision of pregnancy with other poor reproductive or obstetric history, first trimester       |
| O09.292 | Supervision of pregnancy with other poor reproductive or obstetric history, second trimester      |
| O09.293 | Supervision of pregnancy with other poor reproductive or obstetric history, third trimester       |
| O09.299 | Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester |
| O09.30  | Supervision of pregnancy with insufficient antenatal care, unspecified trimester                  |
| O09.31  | Supervision of pregnancy with insufficient antenatal care, first trimester                        |
| O09.32  | Supervision of pregnancy with insufficient antenatal care, second trimester                       |
| O09.33  | Supervision of pregnancy with insufficient antenatal care, third trimester                        |
| O09.40  | Supervision of pregnancy with grand multiparity, unspecified trimester                            |
| O09.41  | Supervision of pregnancy with grand multiparity, first trimester                                  |
| O09.42  | Supervision of pregnancy with grand multiparity, second trimester                                 |
| O09.43  | Supervision of pregnancy with grand multiparity, third trimester                                  |
| O09.511 | Supervision of elderly primigravida, first trimester  |
| O09.512 | Supervision of elderly primigravida, second trimester   |
| O09.513 | Supervision of elderly primigravida, third trimester  |
| O09.519 | Supervision of elderly primigravida, unspecified trimester  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| O09.521     | Supervision of elderly multigravida, first trimester  |
| O09.522     | Supervision of elderly multigravida, second trimester   |
| O09.523     | Supervision of elderly multigravida, third trimester  |
| O09.529     | Supervision of elderly multigravida, unspecified trimester  |
| O09.611     | Supervision of young primigravida, first trimester  |
| O09.612     | Supervision of young primigravida, second trimester   |
| O09.613     | Supervision of young primigravida, third trimester  |
| O09.619     | Supervision of young primigravida, unspecified trimester  |
| O09.621     | Supervision of young multigravida, first trimester  |
| O09.622     | Supervision of young multigravida, second trimester   |
| O09.623     | Supervision of young multigravida, third trimester  |
| O09.629     | Supervision of young multigravida, unspecified trimester  |
| O09.70      | Supervision of high risk pregnancy due to social problems, unspecified trimester                        |
| O09.71      | Supervision of high risk pregnancy due to social problems, first trimester                              |
| O09.72      | Supervision of high risk pregnancy due to social problems, second trimester                             |
| O09.73      | Supervision of high risk pregnancy due to social problems, third trimester                              |
| O09.811     | Supervision of pregnancy resulting from assisted reproductive technology, first trimester               |
| O09.812     | Supervision of pregnancy resulting from assisted reproductive technology, second trimester              |
| O09.813     | Supervision of pregnancy resulting from assisted reproductive technology, third trimester               |
| O09.819     | Supervision of pregnancy resulting from assisted reproductive technology, unspecified trimester         |
| O09.821     | Supervision of pregnancy with history of in utero procedure during previous pregnancy, first trimester  |
| O09.822     | Supervision of pregnancy with history of in utero procedure during previous pregnancy, second trimester |
| O09.823     | Supervision of pregnancy with history of in utero procedure during previous pregnancy, third trimester  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| O09.829  | Supervision of pregnancy with history of in utero procedure during previous pregnancy, unspecified trimester |
| O09.891  | Supervision of other high risk pregnancies, first trimester  |
| O09.892  | Supervision of other high risk pregnancies, second trimester   |
| O09.893  | Supervision of other high risk pregnancies, third trimester  |
| O09.899  | Supervision of other high risk pregnancies, unspecified trimester  |
| O09.90   | Supervision of high risk pregnancy, unspecified, unspecified trimester                                       |
| O09.91   | Supervision of high risk pregnancy, unspecified, first trimester   |
| O09.92   | Supervision of high risk pregnancy, unspecified, second trimester  |
| O09.93   | Supervision of high risk pregnancy, unspecified, third trimester   |
| O09.A0<br>Covered<br>only for<br>procedure<br>code<br>82947. | Supervision of pregnancy with history of molar pregnancy, unspecified trimester                              |
| O09.A1<br>Covered<br>only for<br>procedure<br>code<br>82947. | Supervision of pregnancy with history of molar pregnancy, first trimester                                    |
| O09.A2<br>Covered<br>only for<br>procedure<br>code<br>82947. | Supervision of pregnancy with history of molar pregnancy, second trimester                                   |
| O09.A3<br>Covered<br>only for<br>procedure<br>code<br>82947. | Supervision of pregnancy with history of molar pregnancy, third trimester                                    |
| O11.4  | Pre-existing hypertension with pre-eclampsia, complicating childbirth  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| O11.5  | Pre-existing hypertension with pre-eclampsia, complicating the puerperium |
| O12.04<br>Covered<br>only for<br>procedure<br>code<br>82947. | Gestational edema, complicating childbirth                                |
| O12.05<br>Covered<br>only for<br>procedure<br>code<br>82947. | Gestational edema, complicating the puerperium                            |
| O12.14<br>Covered<br>only for<br>procedure<br>code<br>82947. | Gestational proteinuria, complicating childbirth                          |
| O12.15<br>Covered<br>only for<br>procedure<br>code<br>82947. | Gestational proteinuria, complicating the puerperium                      |
| O12.24<br>Covered<br>only for<br>procedure<br>code<br>82947. | Gestational edema with proteinuria, complicating childbirth               |
| O12.25<br>Covered<br>only for<br>procedure<br>code<br>82947. | Gestational edema with proteinuria, complicating the puerperium           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| O13.4<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth     |
| O13.5<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O14.04<br>Covered<br>only for<br>procedure<br>code<br>82947. | Mild to moderate pre-eclampsia, complicating childbirth   |
| O14.05<br>Covered<br>only for<br>procedure<br>code<br>82947. | Mild to moderate pre-eclampsia, complicating the puerperium   |
| O14.14<br>Covered<br>only for<br>procedure<br>code<br>82947. | Severe pre-eclampsia complicating childbirth  |
| O14.15<br>Covered<br>only for<br>procedure<br>code<br>82947. | Severe pre-eclampsia, complicating the puerperium   |
| O14.24<br>Covered  | HELLP syndrome, complicating childbirth   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for procedure code 82947.                   |  |
| O14.25<br>Covered only for procedure code 82947. | HELLP syndrome, complicating the puerperium                                |
| O14.94<br>Covered only for procedure code 82947. | Unspecified pre-eclampsia, complicating childbirth                         |
| O14.95<br>Covered only for procedure code 82947. | Unspecified pre-eclampsia, complicating the puerperium                     |
| O16.4<br>Covered only for procedure code 82947.  | Unspecified maternal hypertension, complicating childbirth                 |
| O16.5  | Unspecified maternal hypertension, complicating the puerperium             |
| O24.011  | Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester       |
| O24.012  | Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester      |
| O24.013  | Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester       |
| O24.019  | Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified trimester |
| O24.03   | Pre-existing type 1 diabetes mellitus, in the puerperium                   |
| O24.111  | Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O24.112 | Pre-existing type 2 diabetes mellitus, in pregnancy, second trimester              |
| O24.113 | Pre-existing type 2 diabetes mellitus, in pregnancy, third trimester               |
| O24.119 | Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified trimester         |
| O24.13  | Pre-existing type 2 diabetes mellitus, in the puerperium                           |
| O24.311 | Unspecified pre-existing diabetes mellitus in pregnancy, first trimester           |
| O24.312 | Unspecified pre-existing diabetes mellitus in pregnancy, second trimester          |
| O24.313 | Unspecified pre-existing diabetes mellitus in pregnancy, third trimester           |
| O24.319 | Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester     |
| O24.33  | Unspecified pre-existing diabetes mellitus in the puerperium                       |
| O24.410 | Gestational diabetes mellitus in pregnancy, diet controlled                        |
| O24.414 | Gestational diabetes mellitus in pregnancy, insulin controlled                     |
| O24.415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs  |
| O24.419 | Gestational diabetes mellitus in pregnancy, unspecified control                    |
| O24.425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs |
| O24.430 | Gestational diabetes mellitus in the puerperium, diet controlled                   |
| O24.434 | Gestational diabetes mellitus in the puerperium, insulin controlled                |
| O24.435 | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs |
| O24.439 | Gestational diabetes mellitus in the puerperium, unspecified control               |
| O24.811 | Other pre-existing diabetes mellitus in pregnancy, first trimester                 |
| O24.812 | Other pre-existing diabetes mellitus in pregnancy, second trimester                |
| O24.813 | Other pre-existing diabetes mellitus in pregnancy, third trimester                 |
| O24.819 | Other pre-existing diabetes mellitus in pregnancy, unspecified trimester           |
| O24.83  | Other pre-existing diabetes mellitus in the puerperium                             |
| O24.911 | Unspecified diabetes mellitus in pregnancy, first trimester                        |
| O24.912 | Unspecified diabetes mellitus in pregnancy, second trimester                       |
| O24.913 | Unspecified diabetes mellitus in pregnancy, third trimester                        |
| O24.919 | Unspecified diabetes mellitus in pregnancy, unspecified trimester                  |
| O24.93  | Unspecified diabetes mellitus in the puerperium                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| O30.131  | Triplet pregnancy, trichorionic/triamniotic, first trimester  |
| O30.132  | Triplet pregnancy, trichorionic/triamniotic, second trimester   |
| O30.133  | Triplet pregnancy, trichorionic/triamniotic, third trimester  |
| O30.139  | Triplet pregnancy, trichorionic/triamniotic, unspecified trimester  |
| O30.231  | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, first trimester  |
| O30.232  | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, second trimester   |
| O30.233  | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, third trimester  |
| O30.239  | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, unspecified trimester  |
| O30.831  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, first trimester       |
| O30.832  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, second trimester      |
| O30.833  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, third trimester       |
| O30.839  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, unspecified trimester |
| O33.7XX0<br>Covered<br>only for<br>procedure<br>code<br>82947. | Maternal care for disproportion due to other fetal deformities, not applicable or unspecified                                     |
| O33.7XX1<br>Covered<br>only for<br>procedure<br>code<br>82947. | Maternal care for disproportion due to other fetal deformities, fetus 1   |
| O33.7XX2<br>Covered<br>only for<br>procedure<br>code<br>82947. | Maternal care for disproportion due to other fetal deformities, fetus 2   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| O33.7XX3<br>Covered only for procedure code 82947. | Maternal care for disproportion due to other fetal deformities, fetus 3                        |
| O33.7XX4<br>Covered only for procedure code 82947. | Maternal care for disproportion due to other fetal deformities, fetus 4                        |
| O33.7XX5<br>Covered only for procedure code 82947. | Maternal care for disproportion due to other fetal deformities, fetus 5                        |
| O33.7XX9<br>Covered only for procedure code 82947. | Maternal care for disproportion due to other fetal deformities, other fetus                    |
| O34.218<br>Covered only for procedure code 82947.  | Maternal care for other type scar from previous cesarean delivery                              |
| O34.22<br>Covered only for procedure code 82947.   | Maternal care for cesarean scar defect (isthmocele)  |
| O36.60X0   | Maternal care for excessive fetal growth, unspecified trimester, not applicable or unspecified |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O36.60X1 | Maternal care for excessive fetal growth, unspecified trimester, fetus 1                  |
| O36.60X2 | Maternal care for excessive fetal growth, unspecified trimester, fetus 2                  |
| O36.60X3 | Maternal care for excessive fetal growth, unspecified trimester, fetus 3                  |
| O36.60X4 | Maternal care for excessive fetal growth, unspecified trimester, fetus 4                  |
| O36.60X5 | Maternal care for excessive fetal growth, unspecified trimester, fetus 5                  |
| O36.60X9 | Maternal care for excessive fetal growth, unspecified trimester, other fetus              |
| O36.61X0 | Maternal care for excessive fetal growth, first trimester, not applicable or unspecified  |
| O36.61X1 | Maternal care for excessive fetal growth, first trimester, fetus 1                        |
| O36.61X2 | Maternal care for excessive fetal growth, first trimester, fetus 2                        |
| O36.61X3 | Maternal care for excessive fetal growth, first trimester, fetus 3                        |
| O36.61X4 | Maternal care for excessive fetal growth, first trimester, fetus 4                        |
| O36.61X5 | Maternal care for excessive fetal growth, first trimester, fetus 5                        |
| O36.61X9 | Maternal care for excessive fetal growth, first trimester, other fetus                    |
| O36.62X0 | Maternal care for excessive fetal growth, second trimester, not applicable or unspecified |
| O36.62X1 | Maternal care for excessive fetal growth, second trimester, fetus 1                       |
| O36.62X2 | Maternal care for excessive fetal growth, second trimester, fetus 2                       |
| O36.62X3 | Maternal care for excessive fetal growth, second trimester, fetus 3                       |
| O36.62X4 | Maternal care for excessive fetal growth, second trimester, fetus 4                       |
| O36.62X5 | Maternal care for excessive fetal growth, second trimester, fetus 5                       |
| O36.62X9 | Maternal care for excessive fetal growth, second trimester, other fetus                   |
| O36.63X0 | Maternal care for excessive fetal growth, third trimester, not applicable or unspecified  |
| O36.63X1 | Maternal care for excessive fetal growth, third trimester, fetus 1                        |
| O36.63X2 | Maternal care for excessive fetal growth, third trimester, fetus 2                        |
| O36.63X3 | Maternal care for excessive fetal growth, third trimester, fetus 3                        |
| O36.63X4 | Maternal care for excessive fetal growth, third trimester, fetus 4                        |
| O36.63X5 | Maternal care for excessive fetal growth, third trimester, fetus 5                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| O36.63X9    | Maternal care for excessive fetal growth, third trimester, other fetus     |
| O36.80X0    | Pregnancy with inconclusive fetal viability, not applicable or unspecified |
| O36.80X1    | Pregnancy with inconclusive fetal viability, fetus 1                       |
| O36.80X2    | Pregnancy with inconclusive fetal viability, fetus 2                       |
| O36.80X3    | Pregnancy with inconclusive fetal viability, fetus 3                       |
| O36.80X4    | Pregnancy with inconclusive fetal viability, fetus 4                       |
| O36.80X5    | Pregnancy with inconclusive fetal viability, fetus 5                       |
| O36.80X9    | Pregnancy with inconclusive fetal viability, other fetus                   |
| O40.1XX0    | Polyhydramnios, first trimester, not applicable or unspecified             |
| O40.1XX1    | Polyhydramnios, first trimester, fetus 1                                   |
| O40.1XX2    | Polyhydramnios, first trimester, fetus 2                                   |
| O40.1XX3    | Polyhydramnios, first trimester, fetus 3                                   |
| O40.1XX4    | Polyhydramnios, first trimester, fetus 4                                   |
| O40.1XX5    | Polyhydramnios, first trimester, fetus 5                                   |
| O40.1XX9    | Polyhydramnios, first trimester, other fetus                               |
| O40.2XX0    | Polyhydramnios, second trimester, not applicable or unspecified            |
| O40.2XX1    | Polyhydramnios, second trimester, fetus 1                                  |
| O40.2XX2    | Polyhydramnios, second trimester, fetus 2                                  |
| O40.2XX3    | Polyhydramnios, second trimester, fetus 3                                  |
| O40.2XX4    | Polyhydramnios, second trimester, fetus 4                                  |
| O40.2XX5    | Polyhydramnios, second trimester, fetus 5                                  |
| O40.2XX9    | Polyhydramnios, second trimester, other fetus                              |
| O40.3XX0    | Polyhydramnios, third trimester, not applicable or unspecified             |
| O40.3XX1    | Polyhydramnios, third trimester, fetus 1                                   |
| O40.3XX2    | Polyhydramnios, third trimester, fetus 2                                   |
| O40.3XX3    | Polyhydramnios, third trimester, fetus 3                                   |
| O40.3XX4    | Polyhydramnios, third trimester, fetus 4                                   |
| O40.3XX5    | Polyhydramnios, third trimester, fetus 5                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| O40.3XX9   | Polyhydramnios, third trimester, other fetus                             |
| O40.9XX0   | Polyhydramnios, unspecified trimester, not applicable or unspecified     |
| O40.9XX1   | Polyhydramnios, unspecified trimester, fetus 1                           |
| O40.9XX2   | Polyhydramnios, unspecified trimester, fetus 2                           |
| O40.9XX3   | Polyhydramnios, unspecified trimester, fetus 3                           |
| O40.9XX4   | Polyhydramnios, unspecified trimester, fetus 4                           |
| O40.9XX5   | Polyhydramnios, unspecified trimester, fetus 5                           |
| O40.9XX9   | Polyhydramnios, unspecified trimester, other fetus                       |
| O44.20<br>Covered<br>only for<br>procedure<br>code<br>82947. | Partial placenta previa NOS or without hemorrhage, unspecified trimester |
| O44.21<br>Covered<br>only for<br>procedure<br>code<br>82947. | Partial placenta previa NOS or without hemorrhage, first trimester       |
| O44.22<br>Covered<br>only for<br>procedure<br>code<br>82947. | Partial placenta previa NOS or without hemorrhage, second trimester      |
| O44.23<br>Covered<br>only for<br>procedure<br>code<br>82947. | Partial placenta previa NOS or without hemorrhage, third trimester       |
| O44.30<br>Covered<br>only for                                | Partial placenta previa with hemorrhage, unspecified trimester           |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| procedure<br>code<br>82947.                                  |   |
| O44.31<br>Covered<br>only for<br>procedure<br>code<br>82947. | Partial placenta previa with hemorrhage, first trimester            |
| O44.32<br>Covered<br>only for<br>procedure<br>code<br>82947. | Partial placenta previa with hemorrhage, second trimester           |
| O44.33<br>Covered<br>only for<br>procedure<br>code<br>82947. | Partial placenta previa with hemorrhage, third trimester            |
| O44.40<br>Covered<br>only for<br>procedure<br>code<br>82947. | Low lying placenta NOS or without hemorrhage, unspecified trimester |
| O44.41<br>Covered<br>only for<br>procedure<br>code<br>82947. | Low lying placenta NOS or without hemorrhage, first trimester       |
| O44.42<br>Covered<br>only for<br>procedure                   | Low lying placenta NOS or without hemorrhage, second trimester      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| code<br>82947.   |  |
| O44.43<br>Covered<br>only for<br>procedure<br>code<br>82947. | Low lying placenta NOS or without hemorrhage, third trimester          |
| O44.50<br>Covered<br>only for<br>procedure<br>code<br>82947. | Low lying placenta with hemorrhage, unspecified trimester              |
| O44.51<br>Covered<br>only for<br>procedure<br>code<br>82947. | Low lying placenta with hemorrhage, first trimester                    |
| O44.52<br>Covered<br>only for<br>procedure<br>code<br>82947. | Low lying placenta with hemorrhage, second trimester                   |
| O44.53<br>Covered<br>only for<br>procedure<br>code<br>82947. | Low lying placenta with hemorrhage, third trimester                    |
| O99.810  | Abnormal glucose complicating pregnancy                                |
| O99.815  | Abnormal glucose complicating the puerperium                           |
| O99.840  | Bariatric surgery status complicating pregnancy, unspecified trimester |
| O99.841  | Bariatric surgery status complicating pregnancy, first trimester       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| O99.842  | Bariatric surgery status complicating pregnancy, second trimester |
| O99.843  | Bariatric surgery status complicating pregnancy, third trimester  |
| O99.844  | Bariatric surgery status complicating childbirth                  |
| O99.845  | Bariatric surgery status complicating the puerperium              |
| O99.891  | Other specified diseases and conditions complicating pregnancy    |
| O99.892  | Other specified diseases and conditions complicating childbirth   |
| O99.893  | Other specified diseases and conditions complicating puerperium   |
| P78.84<br>Covered<br>only for<br>procedure<br>code<br>82947. | Gestational alloimmune liver disease                              |
| R00.0  | Tachycardia, unspecified  |
| R06.00   | Dyspnea, unspecified  |
| R06.09   | Other forms of dyspnea  |
| R06.3  | Periodic breathing  |
| R06.4  | Hyperventilation  |
| R06.83   | Snoring   |
| R06.89   | Other abnormalities of breathing                                  |
| R07.9  | Chest pain, unspecified   |
| R15.0  | Incomplete defecation   |
| R15.1  | Fecal smearing  |
| R15.2  | Fecal urgency   |
| R15.9  | Full incontinence of feces  |
| R16.0  | Hepatomegaly, not elsewhere classified                            |
| R16.2  | Hepatomegaly with splenomegaly, not elsewhere classified          |
| R19.7  | Diarrhea, unspecified   |
| R20.0  | Anesthesia of skin  |
| R20.1  | Hypoesthesia of skin  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description                                |
|---|--|
| R20.2   | Paresthesia of skin                        |
| R20.3   | Hyperesthesia                              |
| R20.8   | Other disturbances of skin sensation       |
| R20.9   | Unspecified disturbances of skin sensation |
| R25.0   | Abnormal head movements                    |
| R25.1   | Tremor, unspecified                        |
| R25.2   | Cramp and spasm                            |
| R25.3   | Fasciculation                              |
| R25.8   | Other abnormal involuntary movements       |
| R25.9   | Unspecified abnormal involuntary movements |
| R29.2   | Abnormal reflex                            |
| R29.700<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 0                              |
| R29.701<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 1                              |
| R29.702<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 2                              |
| R29.703<br>Covered<br>only for<br>procedure                   | NIHSS score 3                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b> |
|---|--------------------|
| code<br>82947.  |                    |
| R29.704<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 4      |
| R29.705<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 5      |
| R29.706<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 6      |
| R29.707<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 7      |
| R29.708<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 8      |
| R29.709<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 9      |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b> |
|---|--------------------|
| R29.710<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 10     |
| R29.711<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 11     |
| R29.712<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 12     |
| R29.713<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 13     |
| R29.714<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 14     |
| R29.715<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 15     |
| R29.716<br>Covered  | NIHSS score 16     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b> |
|---|--------------------|
| only for<br>procedure<br>code<br>82947.                       |                    |
| R29.717<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 17     |
| R29.718<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 18     |
| R29.719<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 19     |
| R29.720<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 20     |
| R29.721<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 21     |
| R29.722<br>Covered<br>only for<br>procedure                   | NIHSS score 22     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b> |
|---|--------------------|
| code<br>82947.  |                    |
| R29.723<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 23     |
| R29.724<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 24     |
| R29.725<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 25     |
| R29.726<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 26     |
| R29.727<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 27     |
| R29.728<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 28     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b> |
|---|--------------------|
| R29.729<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 29     |
| R29.730<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 30     |
| R29.731<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 31     |
| R29.732<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 32     |
| R29.733<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 33     |
| R29.734<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 34     |
| R29.735<br>Covered  | NIHSS score 35     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b> |
|---|--------------------|
| only for<br>procedure<br>code<br>82947.                       |                    |
| R29.736<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 36     |
| R29.737<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 37     |
| R29.738<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 38     |
| R29.739<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 39     |
| R29.740<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 40     |
| R29.741<br>Covered<br>only for<br>procedure                   | NIHSS score 41     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|---|---|
| code<br>82947.  |   |
| R29.742<br>Covered<br>only for<br>procedure<br>code<br>82947. | NIHSS score 42  |
| R35.0   | Frequency of micturition  |
| R35.1   | Nocturia  |
| R35.8   | Other polyuria  |
| R40.0   | Somnolence  |
| R40.1   | Stupor  |
| R40.20  | Unspecified coma  |
| R40.2110  | Coma scale, eyes open, never, unspecified time                                    |
| R40.2111  | Coma scale, eyes open, never, in the field [EMT or ambulance]                     |
| R40.2112  | Coma scale, eyes open, never, at arrival to emergency department                  |
| R40.2113  | Coma scale, eyes open, never, at hospital admission                               |
| R40.2114  | Coma scale, eyes open, never, 24 hours or more after hospital admission           |
| R40.2120  | Coma scale, eyes open, to pain, unspecified time                                  |
| R40.2121  | Coma scale, eyes open, to pain, in the field [EMT or ambulance]                   |
| R40.2122  | Coma scale, eyes open, to pain, at arrival to emergency department                |
| R40.2123  | Coma scale, eyes open, to pain, at hospital admission                             |
| R40.2124  | Coma scale, eyes open, to pain, 24 hours or more after hospital admission         |
| R40.2210  | Coma scale, best verbal response, none, unspecified time                          |
| R40.2211  | Coma scale, best verbal response, none, in the field [EMT or ambulance]           |
| R40.2212  | Coma scale, best verbal response, none, at arrival to emergency department        |
| R40.2213  | Coma scale, best verbal response, none, at hospital admission                     |
| R40.2214  | Coma scale, best verbal response, none, 24 hours or more after hospital admission |
| R40.2220  | Coma scale, best verbal response, incomprehensible words, unspecified time        |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| R40.2221   | Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]           |
| R40.2222   | Coma scale, best verbal response, incomprehensible words, at arrival to emergency department        |
| R40.2223   | Coma scale, best verbal response, incomprehensible words, at hospital admission                     |
| R40.2224   | Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission |
| R40.2310   | Coma scale, best motor response, none, unspecified time   |
| R40.2311   | Coma scale, best motor response, none, in the field [EMT or ambulance]                              |
| R40.2312   | Coma scale, best motor response, none, at arrival to emergency department                           |
| R40.2313   | Coma scale, best motor response, none, at hospital admission  |
| R40.2314   | Coma scale, best motor response, none, 24 hours or more after hospital admission                    |
| R40.2320   | Coma scale, best motor response, extension, unspecified time  |
| R40.2321   | Coma scale, best motor response, extension, in the field [EMT or ambulance]                         |
| R40.2322   | Coma scale, best motor response, extension, at arrival to emergency department                      |
| R40.2323   | Coma scale, best motor response, extension, at hospital admission                                   |
| R40.2324   | Coma scale, best motor response, extension, 24 hours or more after hospital admission               |
| R40.2340   | Coma scale, best motor response, flexion withdrawal, unspecified time                               |
| R40.2341   | Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]                |
| R40.2342   | Coma scale, best motor response, flexion withdrawal, at arrival to emergency department             |
| R40.2343   | Coma scale, best motor response, flexion withdrawal, at hospital admission                          |
| R40.2344   | Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission      |
| R40.2410<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 13-15, unspecified time  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| R40.2411<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 13-15, in the field [EMT or ambulance]           |
| R40.2412<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 13-15, at arrival to emergency department        |
| R40.2413<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 13-15, at hospital admission                     |
| R40.2414<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 13-15, 24 hours or more after hospital admission |
| R40.2420<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 9-12, unspecified time                           |
| R40.2421<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 9-12, in the field [EMT or ambulance]            |
| R40.2422<br>Covered  | Glasgow coma scale score 9-12, at arrival to emergency department         |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for<br>procedure<br>code<br>82947.                        |  |
| R40.2423<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 9-12, at hospital admission                     |
| R40.2424<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 9-12, 24 hours or more after hospital admission |
| R40.2430<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 3-8, unspecified time                           |
| R40.2431<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 3-8, in the field [EMT or ambulance]            |
| R40.2432<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 3-8, at arrival to emergency department         |
| R40.2433<br>Covered<br>only for<br>procedure                   | Glasgow coma scale score 3-8, at hospital admission                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| code<br>82947.   |  |
| R40.2434<br>Covered<br>only for<br>procedure<br>code<br>82947. | Glasgow coma scale score 3-8, 24 hours or more after hospital admission  |
| R40.2440<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time                          |
| R40.2441<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]           |
| R40.2442<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department        |
| R40.2443<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission                     |
| R40.2444<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                            |
|--------|--|
| R40.4  | Transient alteration of awareness      |
| R42    | Dizziness and giddiness                |
| R45.2  | Unhappiness                            |
| R45.5  | Hostility                              |
| R45.6  | Violent behavior                       |
| R53.0  | Neoplastic (malignant) related fatigue |
| R53.1  | Weakness                               |
| R53.2  | Functional quadriplegia                |
| R53.81 | Other malaise                          |
| R53.82 | Chronic fatigue, unspecified           |
| R53.83 | Other fatigue                          |
| R55    | Syncope and collapse                   |
| R56.00 | Simple febrile convulsions             |
| R56.01 | Complex febrile convulsions            |
| R56.1  | Post traumatic seizures                |
| R56.9  | Unspecified convulsions                |
| R61    | Generalized hyperhidrosis              |
| R63.1  | Polydipsia                             |
| R63.2  | Polyphagia                             |
| R63.4  | Abnormal weight loss                   |
| R63.5  | Abnormal weight gain                   |
| R64    | Cachexia                               |
| R68.2  | Dry mouth, unspecified                 |
| R73.01 | Impaired fasting glucose               |
| R73.02 | Impaired glucose tolerance (oral)      |
| R73.03 | Prediabetes                            |
| R73.09 | Other abnormal glucose                 |
| R73.9  | Hyperglycemia, unspecified             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| R78.71   | Abnormal lead level in blood   |
| R78.79   | Finding of abnormal level of heavy metals in blood                           |
| R78.89   | Finding of other specified substances, not normally found in blood           |
| R79.0  | Abnormal level of blood mineral  |
| R79.89   | Other specified abnormal findings of blood chemistry                         |
| R79.9  | Abnormal finding of blood chemistry, unspecified                             |
| R80.0  | Isolated proteinuria   |
| R80.1  | Persistent proteinuria, unspecified  |
| R80.3  | Bence Jones proteinuria  |
| R80.8  | Other proteinuria  |
| R80.9  | Proteinuria, unspecified   |
| R81  | Glycosuria   |
| S02.101A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of base of skull, right side, initial encounter for closed fracture |
| S02.101B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of base of skull, right side, initial encounter for open fracture   |
| S02.102A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of base of skull, left side, initial encounter for closed fracture  |
| S02.102B<br>Covered<br>only for<br>procedure                   | Fracture of base of skull, left side, initial encounter for open fracture    |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| code<br>82947.   |  |
| S02.109A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of base of skull, unspecified side, initial encounter for closed fracture   |
| S02.109B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of base of skull, unspecified side, initial encounter for open fracture     |
| S02.11AA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type I occipital condyle fracture, right side, initial encounter for closed fracture |
| S02.11AB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type I occipital condyle fracture, right side, initial encounter for open fracture   |
| S02.11BA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type I occipital condyle fracture, left side, initial encounter for closed fracture  |
| S02.11BB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type I occipital condyle fracture, left side, initial encounter for open fracture    |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| S02.11CA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type II occipital condyle fracture, right side, initial encounter for closed fracture  |
| S02.11CB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type II occipital condyle fracture, right side, initial encounter for open fracture    |
| S02.11DA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type II occipital condyle fracture, left side, initial encounter for closed fracture   |
| S02.11DB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type II occipital condyle fracture, left side, initial encounter for open fracture     |
| S02.11EA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type III occipital condyle fracture, right side, initial encounter for closed fracture |
| S02.11EB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type III occipital condyle fracture, right side, initial encounter for open fracture   |
| S02.11FA<br>Covered  | Type III occipital condyle fracture, left side, initial encounter for closed fracture  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| only for<br>procedure<br>code<br>82947.                        |   |
| S02.11FB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Type III occipital condyle fracture, left side, initial encounter for open fracture |
| S02.11GA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other fracture of occiput, right side, initial encounter for closed fracture        |
| S02.11GB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other fracture of occiput, right side, initial encounter for open fracture          |
| S02.11HA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other fracture of occiput, left side, initial encounter for closed fracture         |
| S02.11HB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other fracture of occiput, left side, initial encounter for open fracture           |
| S02.121A<br>Covered<br>only for<br>procedure                   | Fracture of orbital roof, right side, initial encounter for closed fracture         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| code<br>82947.   |  |
| S02.121B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, right side, initial encounter for open fracture                    |
| S02.121D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, right side, subsequent encounter for fracture with routine healing |
| S02.121G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, right side, subsequent encounter for fracture with delayed healing |
| S02.121K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, right side, subsequent encounter for fracture with nonunion        |
| S02.121S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, right side, sequela  |
| S02.122A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, left side, initial encounter for closed fracture                   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| S02.122B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, left side, initial encounter for open fracture                    |
| S02.122D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, left side, subsequent encounter for fracture with routine healing |
| S02.122G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, left side, subsequent encounter for fracture with delayed healing |
| S02.122K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, left side, subsequent encounter for fracture with nonunion        |
| S02.122S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, left side, sequela  |
| S02.129A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, unspecified side, initial encounter for closed fracture           |
| S02.129B<br>Covered  | Fracture of orbital roof, unspecified side, initial encounter for open fracture             |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for<br>procedure<br>code<br>82947.                        |  |
| S02.129D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, unspecified side, subsequent encounter for fracture with routine healing |
| S02.129G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, unspecified side, subsequent encounter for fracture with delayed healing |
| S02.129K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, unspecified side, subsequent encounter for fracture with nonunion        |
| S02.129S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital roof, unspecified side, sequela  |
| S02.30XA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital floor, unspecified side, initial encounter for closed fracture                 |
| S02.30XB<br>Covered<br>only for<br>procedure                   | Fracture of orbital floor, unspecified side, initial encounter for open fracture                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| code<br>82947.   |  |
| S02.31XA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital floor, right side, initial encounter for closed fracture |
| S02.31XB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital floor, right side, initial encounter for open fracture   |
| S02.32XA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital floor, left side, initial encounter for closed fracture  |
| S02.32XB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbital floor, left side, initial encounter for open fracture    |
| S02.40AA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Malar fracture, right side, initial encounter for closed fracture            |
| S02.40AB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Malar fracture, right side, initial encounter for open fracture              |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| S02.40BA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Malar fracture, left side, initial encounter for closed fracture      |
| S02.40BB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Malar fracture, left side, initial encounter for open fracture        |
| S02.40CA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Maxillary fracture, right side, initial encounter for closed fracture |
| S02.40CB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Maxillary fracture, right side, initial encounter for open fracture   |
| S02.40DA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Maxillary fracture, left side, initial encounter for closed fracture  |
| S02.40DB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Maxillary fracture, left side, initial encounter for open fracture    |
| S02.40EA<br>Covered  | Zygomatic fracture, right side, initial encounter for closed fracture |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| only for<br>procedure<br>code<br>82947.                        |   |
| S02.40EB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Zygomatic fracture, right side, initial encounter for open fracture                           |
| S02.40FA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Zygomatic fracture, left side, initial encounter for closed fracture                          |
| S02.40FB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Zygomatic fracture, left side, initial encounter for open fracture                            |
| S02.601A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of unspecified part of body of right mandible, initial encounter for closed fracture |
| S02.601B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of unspecified part of body of right mandible, initial encounter for open fracture   |
| S02.602A<br>Covered<br>only for<br>procedure                   | Fracture of unspecified part of body of left mandible, initial encounter for closed fracture  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| code<br>82947.   |   |
| S02.602B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of unspecified part of body of left mandible, initial encounter for open fracture        |
| S02.610A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of condylar process of mandible, unspecified side, initial encounter for closed fracture |
| S02.610B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of condylar process of mandible, unspecified side, initial encounter for open fracture   |
| S02.611A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of condylar process of right mandible, initial encounter for closed fracture             |
| S02.611B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of condylar process of right mandible, initial encounter for open fracture               |
| S02.612A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of condylar process of left mandible, initial encounter for closed fracture              |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| S02.612B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of condylar process of left mandible, initial encounter for open fracture                   |
| S02.620A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of subcondylar process of mandible, unspecified side, initial encounter for closed fracture |
| S02.620B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of subcondylar process of mandible, unspecified side, initial encounter for open fracture   |
| S02.621A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of subcondylar process of right mandible, initial encounter for closed fracture             |
| S02.621B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of subcondylar process of right mandible, initial encounter for open fracture               |
| S02.622A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of subcondylar process of left mandible, initial encounter for closed fracture              |
| S02.622B<br>Covered  | Fracture of subcondylar process of left mandible, initial encounter for open fracture                |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| only for<br>procedure<br>code<br>82947.                        |   |
| S02.630A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of coronoid process of mandible, unspecified side, initial encounter for closed fracture |
| S02.630B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of coronoid process of mandible, unspecified side, initial encounter for open fracture   |
| S02.631A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of coronoid process of right mandible, initial encounter for closed fracture             |
| S02.631B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of coronoid process of right mandible, initial encounter for open fracture               |
| S02.632A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of coronoid process of left mandible, initial encounter for closed fracture              |
| S02.632B<br>Covered<br>only for<br>procedure                   | Fracture of coronoid process of left mandible, initial encounter for open fracture                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| code<br>82947.   |  |
| S02.640A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of ramus of mandible, unspecified side, initial encounter for closed fracture |
| S02.640B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of ramus of mandible, unspecified side, initial encounter for open fracture   |
| S02.641A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of ramus of right mandible, initial encounter for closed fracture             |
| S02.641B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of ramus of right mandible, initial encounter for open fracture               |
| S02.642A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of ramus of left mandible, initial encounter for closed fracture              |
| S02.642B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of ramus of left mandible, initial encounter for open fracture                |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| S02.650A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of angle of mandible, unspecified side, initial encounter for closed fracture    |
| S02.650B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of angle of mandible, unspecified side, initial encounter for open fracture      |
| S02.651A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of angle of right mandible, initial encounter for closed fracture                |
| S02.651B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of angle of right mandible, initial encounter for open fracture                  |
| S02.652A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of angle of left mandible, initial encounter for closed fracture                 |
| S02.652B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of angle of left mandible, initial encounter for open fracture                   |
| S02.670A<br>Covered  | Fracture of alveolus of mandible, unspecified side, initial encounter for closed fracture |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for<br>procedure<br>code<br>82947.                        |  |
| S02.670B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of alveolus of mandible, unspecified side, initial encounter for open fracture                        |
| S02.671A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of alveolus of right mandible, initial encounter for closed fracture                                  |
| S02.671B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of alveolus of right mandible, initial encounter for open fracture                                    |
| S02.672A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of alveolus of left mandible, initial encounter for closed fracture                                   |
| S02.672B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of alveolus of left mandible, initial encounter for open fracture                                     |
| S02.80XA<br>Covered<br>only for<br>procedure                   | Fracture of other specified skull and facial bones, unspecified side, initial encounter<br>for closed fracture |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| code<br>82947.   |   |
| S02.80XB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of other specified skull and facial bones, unspecified side, initial encounter for open fracture |
| S02.81XA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of other specified skull and facial bones, right side, initial encounter for closed fracture     |
| S02.81XB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of other specified skull and facial bones, right side, initial encounter for open fracture       |
| S02.82XA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of other specified skull and facial bones, left side, initial encounter for closed fracture      |
| S02.82XB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of other specified skull and facial bones, left side, initial encounter for open fracture        |
| S02.831A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, right side, initial encounter for closed fracture                        |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| S02.831B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, right side, initial encounter for open fracture                    |
| S02.831D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, right side, subsequent encounter for fracture with routine healing |
| S02.831G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, right side, subsequent encounter for fracture with delayed healing |
| S02.831K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, right side, subsequent encounter for fracture with nonunion        |
| S02.831S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, right side, sequela  |
| S02.832A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, left side, initial encounter for closed fracture                   |
| S02.832B<br>Covered  | Fracture of medial orbital wall, left side, initial encounter for open fracture                     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for<br>procedure<br>code<br>82947.                        |  |
| S02.832D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, left side, subsequent encounter for fracture with routine healing |
| S02.832G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, left side, subsequent encounter for fracture with delayed healing |
| S02.832K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, left side, subsequent encounter for fracture with nonunion        |
| S02.832S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, left side, sequela  |
| S02.839A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, unspecified side, initial encounter for closed fracture           |
| S02.839B<br>Covered<br>only for<br>procedure                   | Fracture of medial orbital wall, unspecified side, initial encounter for open fracture             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| code<br>82947.   |   |
| S02.839D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, unspecified side, subsequent encounter for fracture with routine healing |
| S02.839G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, unspecified side, subsequent encounter for fracture with delayed healing |
| S02.839K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, unspecified side, subsequent encounter for fracture with nonunion        |
| S02.839S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of medial orbital wall, unspecified side, sequela  |
| S02.841A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, right side, initial encounter for closed fracture                       |
| S02.841B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, right side, initial encounter for open fracture                         |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| S02.841D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with routine healing |
| S02.841G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with delayed healing |
| S02.841K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, right side, subsequent encounter for fracture with nonunion        |
| S02.841S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, right side, sequela  |
| S02.842A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, left side, initial encounter for closed fracture                   |
| S02.842B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, left side, initial encounter for open fracture                     |
| S02.842D<br>Covered  | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with routine healing  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| only for<br>procedure<br>code<br>82947.                        |  |
| S02.842G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with delayed healing        |
| S02.842K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, left side, subsequent encounter for fracture with nonunion               |
| S02.842S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, left side, sequela   |
| S02.849A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, unspecified side, initial encounter for closed fracture                  |
| S02.849B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, unspecified side, initial encounter for open fracture                    |
| S02.849D<br>Covered<br>only for<br>procedure                   | Fracture of lateral orbital wall, unspecified side, subsequent encounter for fracture with routine healing |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| code<br>82947.   |  |
| S02.849G<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, unspecified side, subsequent encounter for fracture with delayed healing |
| S02.849K<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, unspecified side, subsequent encounter for fracture with nonunion        |
| S02.849S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of lateral orbital wall, unspecified side, sequela  |
| S02.85XA<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbit, unspecified, initial encounter for closed fracture                                      |
| S02.85XB<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbit, unspecified, initial encounter for open fracture  |
| S02.85XD<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbit, unspecified, subsequent encounter for fracture with routine healing                     |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| S02.85XG<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbit, unspecified, subsequent encounter for fracture with delayed healing |
| S02.85XK<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbit, unspecified, subsequent encounter for fracture with nonunion        |
| S02.85XS<br>Covered<br>only for<br>procedure<br>code<br>82947. | Fracture of orbit, unspecified, sequela  |
| S92.812A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other fracture of left foot, initial encounter for closed fracture                     |
| S92.812B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other fracture of left foot, initial encounter for open fracture                       |
| S92.819A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other fracture of unspecified foot, initial encounter for closed fracture              |
| S92.819B<br>Covered  | Other fracture of unspecified foot, initial encounter for open fracture                |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| only for<br>procedure<br>code<br>82947.                        |   |
| S99.001A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of right calcaneus, initial encounter for closed fracture        |
| S99.002A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of left calcaneus, initial encounter for closed fracture         |
| S99.002B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of left calcaneus, initial encounter for open fracture           |
| S99.009A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of unspecified calcaneus, initial encounter for closed fracture  |
| S99.009B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of unspecified calcaneus, initial encounter for open fracture    |
| S99.011B<br>Covered<br>only for<br>procedure                   | Salter-Harris Type I physeal fracture of right calcaneus, initial encounter for open fracture |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| code<br>82947.   |  |
| S99.011D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing |
| S99.012A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for closed fracture                   |
| S99.012B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for open fracture                     |
| S99.019A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for closed fracture            |
| S99.019B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for open fracture              |
| S99.021A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for closed fracture                 |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| S99.021B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for open fracture                     |
| S99.022A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for closed fracture                    |
| S99.022B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for open fracture                      |
| S99.029A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for closed fracture             |
| S99.029B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for open fracture               |
| S99.031B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of right calcaneus, initial encounter for open fracture                    |
| S99.031D<br>Covered  | Salter-Harris Type III physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| only for<br>procedure<br>code<br>82947.                        |   |
| S99.032A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for closed fracture        |
| S99.032B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for open fracture          |
| S99.039A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for closed fracture |
| S99.039B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for open fracture   |
| S99.041A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for closed fracture        |
| S99.041B<br>Covered<br>only for<br>procedure                   | Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for open fracture          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| code<br>82947.   |  |
| S99.042A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for closed fracture        |
| S99.042B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for open fracture          |
| S99.049A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for closed fracture |
| S99.049B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for open fracture   |
| S99.091A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of right calcaneus, initial encounter for closed fracture                       |
| S99.091B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of right calcaneus, initial encounter for open fracture                         |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| S99.092A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of left calcaneus, initial encounter for closed fracture               |
| S99.092B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of left calcaneus, initial encounter for open fracture                 |
| S99.099A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of unspecified calcaneus, initial encounter for closed fracture        |
| S99.101A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of right metatarsal, initial encounter for closed fracture       |
| S99.102A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.102B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.109A<br>Covered  | Unspecified physeal fracture of unspecified metatarsal, initial encounter for closed fracture |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| only for<br>procedure<br>code<br>82947.                        |  |
| S99.109B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of unspecified metatarsal, initial encounter for open fracture            |
| S99.111A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for closed fracture       |
| S99.111B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for open fracture         |
| S99.112A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.112B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.119A<br>Covered<br>only for<br>procedure                   | Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for closed fracture |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| code<br>82947.   |   |
| S99.119B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for open fracture    |
| S99.121A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for closed fracture       |
| S99.121B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for open fracture         |
| S99.122A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.122B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.129A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for closed fracture |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| S99.129B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for open fracture    |
| S99.131A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for closed fracture       |
| S99.131B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for open fracture         |
| S99.132A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.132B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.139A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for closed fracture |
| S99.139B<br>Covered  | Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for open fracture   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| only for<br>procedure<br>code<br>82947.                        |   |
| S99.141A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for closed fracture       |
| S99.141B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for open fracture         |
| S99.142A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for closed fracture        |
| S99.142B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for open fracture          |
| S99.149A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for closed fracture |
| S99.149B<br>Covered<br>only for<br>procedure                   | Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for open fracture   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| code<br>82947.   |   |
| S99.192A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of left metatarsal, initial encounter for closed fracture            |
| S99.192B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of left metatarsal, initial encounter for open fracture              |
| S99.199A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of unspecified metatarsal, initial encounter for closed fracture     |
| S99.199B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of unspecified metatarsal, initial encounter for open fracture       |
| S99.201A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of phalanx of right toe, initial encounter for closed fracture |
| S99.201B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of phalanx of right toe, initial encounter for open fracture   |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| S99.202A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of phalanx of left toe, initial encounter for closed fracture           |
| S99.202B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of phalanx of left toe, initial encounter for open fracture             |
| S99.209A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture    |
| S99.209B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for open fracture      |
| S99.211A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for closed fracture |
| S99.211B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for open fracture   |
| S99.212A<br>Covered  | Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for closed fracture  |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for<br>procedure<br>code<br>82947.                        |  |
| S99.212B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for open fracture          |
| S99.219A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.219B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| S99.221A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for closed fracture      |
| S99.221B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for open fracture        |
| S99.222A<br>Covered<br>only for<br>procedure                   | Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for closed fracture       |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| code<br>82947.   |   |
| S99.222B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for open fracture          |
| S99.229A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.229B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| S99.231A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for closed fracture      |
| S99.231B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for open fracture        |
| S99.232A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for closed fracture       |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>   |
|--|--|
| S99.232B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for open fracture          |
| S99.239A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.239B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| S99.241A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for closed fracture        |
| S99.241B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for open fracture          |
| S99.242A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for closed fracture         |
| S99.242B<br>Covered  | Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for open fracture           |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| only for<br>procedure<br>code<br>82947.                        |   |
| S99.249A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.249B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| S99.291A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of phalanx of right toe, initial encounter for closed fracture                       |
| S99.291B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of phalanx of right toe, initial encounter for open fracture                         |
| S99.292A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of phalanx of left toe, initial encounter for closed fracture                        |
| S99.292B<br>Covered<br>only for<br>procedure                   | Other physeal fracture of phalanx of left toe, initial encounter for open fracture                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>  |
|--|---|
| code<br>82947.   |   |
| S99.299A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture |
| S99.299B<br>Covered<br>only for<br>procedure<br>code<br>82947. | Other physeal fracture of phalanx of unspecified toe, initial encounter for open fracture   |
| T82.855A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Stenosis of coronary artery stent, initial encounter  |
| T82.855D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Stenosis of coronary artery stent, subsequent encounter                                     |
| T82.855S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Stenosis of coronary artery stent, sequela  |
| T82.856A<br>Covered<br>only for<br>procedure<br>code<br>82947. | Stenosis of peripheral vascular stent, initial encounter                                    |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| T82.856D<br>Covered<br>only for<br>procedure<br>code<br>82947. | Stenosis of peripheral vascular stent, subsequent encounter                          |
| T82.856S<br>Covered<br>only for<br>procedure<br>code<br>82947. | Stenosis of peripheral vascular stent, sequela                                       |
| Z05.0<br>Covered<br>only for<br>procedure<br>code<br>82947.    | Observation and evaluation of newborn for suspected cardiac condition ruled out      |
| Z05.1<br>Covered<br>only for<br>procedure<br>code<br>82947.    | Observation and evaluation of newborn for suspected infectious condition ruled out   |
| Z05.2<br>Covered<br>only for<br>procedure<br>code<br>82947.    | Observation and evaluation of newborn for suspected neurological condition ruled out |
| Z05.3<br>Covered<br>only for<br>procedure<br>code<br>82947.    | Observation and evaluation of newborn for suspected respiratory condition ruled out  |
| Z05.41<br>Covered  | Observation and evaluation of newborn for suspected genetic condition ruled out      |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for<br>procedure<br>code<br>82947.                      |  |
| Z05.42<br>Covered<br>only for<br>procedure<br>code<br>82947. | Observation and evaluation of newborn for suspected metabolic condition ruled out                    |
| Z05.43<br>Covered<br>only for<br>procedure<br>code<br>82947. | Observation and evaluation of newborn for suspected immunologic condition ruled out                  |
| Z05.5<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out             |
| Z05.6<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Observation and evaluation of newborn for suspected genitourinary condition ruled out                |
| Z05.71<br>Covered<br>only for<br>procedure<br>code<br>82947. | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out |
| Z05.72<br>Covered<br>only for<br>procedure                   | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out              |

**NCD 190.20**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| code<br>82947.   |  |
| Z05.73<br>Covered<br>only for<br>procedure<br>code<br>82947. | Observation and evaluation of newborn for suspected connective tissue condition ruled out                  |
| Z05.8<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Observation and evaluation of newborn for other specified suspected condition ruled out                    |
| Z05.9<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Observation and evaluation of newborn for unspecified suspected condition ruled out                        |
| Z08  | Encounter for follow-up examination after completed treatment for malignant neoplasm                       |
| Z09  | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z13.1<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Encounter for screening for diabetes mellitus  |
| Z19.1<br>Covered<br>only for<br>procedure<br>code<br>82947.  | Hormone sensitive malignancy status  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| Z19.2<br>Covered<br>only for<br>procedure<br>code<br>82947. | Hormone resistant malignancy status  |
| Z79.02  | Long term (current) use of antithrombotics/antiplatelets                       |
| Z79.1   | Long term (current) use of non-steroidal anti-inflammatories (NSAID)           |
| Z79.3   | Long term (current) use of hormonal contraceptives                             |
| Z79.4   | Long term (current) use of insulin   |
| Z79.51  | Long term (current) use of inhaled steroids                                    |
| Z79.52  | Long term (current) use of systemic steroids                                   |
| Z79.84  | Long term (current) use of oral hypoglycemic drugs                             |
| Z79.891   | Long term (current) use of opiate analgesic                                    |
| Z79.899   | Other long term (current) drug therapy   |
| Z83.430   | Family history of elevated lipoprotein(a)                                      |
| Z83.438   | Family history of other disorder of lipoprotein metabolism and other lipidemia |
| Z84.82  | Family history of sudden infant death syndrome                                 |

### **Indications**

Blood glucose values are often necessary for the management of patients with diabetes mellitus, where hyperglycemia and hypoglycemia are often present. They are also critical in the determination of control of blood glucose levels in patient with impaired fasting glucose (FPG 110-125 mg/dL), patient with insulin resistance syndrome and/or carbohydrate intolerance (excessive rise in glucose following ingestion of glucose/glucose sources of food), in patient with a hypoglycemia disorder such as nesidioblastosis or insulinoma, and in patients with a catabolic or malnutrition state. In addition to conditions listed, glucose testing may be medically necessary in patients with tuberculosis, unexplained chronic or recurrent infections, alcoholism, coronary artery disease (especially in women), or unexplained skin conditions (i.e.: pruritis, skin infections, ulceration and gangrene without cause). Many medical conditions may be a consequence of a sustained elevated or depressed glucose level, including comas, seizures or epilepsy, confusion, abnormal hunger, abnormal weight loss or gain, and loss of sensation. Evaluation of glucose may be indicated in patients on medications known to affect carbohydrate metabolism.



## **Medicare National Coverage Determinations (NCD) Coding Policy Manual and Change Report (ICD-10-CM)**

Effective January 1, 2005, the Medicare law expanded coverage to diabetic screening services. Some forms of blood glucose testing covered under this NCD may be covered for screening purposes subject to specified frequencies. See 42 CFR410.18, sec. 90 ch.18 Claims Processing Manual for screening benefit description.

### ***Limitations***

Frequent home blood glucose testing by diabetic patients should be encouraged. In stable, non-hospitalized patients unable or unwilling to do home monitoring, it may necessary to measure quantitative blood glucose up to 4 times a year. Depending upon patient's age, type of diabetes, complications, degree of control, and other co-morbid conditions, more frequent testing than 4 times a year may be reasonable and necessary. In patients presenting nonspecific signs, symptoms, or diseases not normally associated with disturbances in glucose metabolism, a single blood glucose test may be medically necessary. Repeat testing may not be indicated unless abnormal results are found or there is a change in clinical condition. If repeat testing is performed, a diagnosis code (e.g., diabetes) should be reported to support medical necessity. However, repeat testing may be indicated where results are normal in patients with conditions of a continuing risk of glucose metabolism abnormality (e.g., monitoring glucocorticoid therapy).

### ***ICD-10-CM Codes That Do Not Support Medical Necessity***

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### ***Documentation Requirements***

The ordering physician must include evidence in the patient's clinical record that an evaluation of history and physical preceded the ordering of glucose testing and that manifestations of abnormal glucose levels were present to warrant the testing.

### ***Sources of Information***

AACE Guidelines for Management of Diabetes Mellitus, Endocrine Practice (1995)1:149-157.  
Bower, Bruce F. & Robert E. Moore, Endocrine Function and Carbohydrates.  
Clinical Laboratory Medicine, K. D. McClatchy, Baltimore/Williams & Wilkins, 1994. pp 321-323.  
Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus, Diabetes Care, Volume 20, Number 7, July 1997, pages 1183 et seq.  
Roberts, H. J., Difficulté Diagnoses. W. B. Saunders Co., pp 69-70.

## **190.21 - Glycated Hemoglobin/Glycated Protein**

### **Description**

The management of diabetes mellitus requires regular determinations of blood glucose levels. Glycated hemoglobin/protein levels are used to assess long-term glucose control in diabetes. Alternative names for these tests include glycated or glycosylated hemoglobin or Hgb, hemoglobin glycated or glycosylated protein, and fructosamine.

Glycated hemoglobin (equivalent to hemoglobin A1) refers to total glycosylated hemoglobin present in erythrocytes, usually determined by affinity or ion-exchange chromatographic methodology. Hemoglobin A1c refers to the major component of hemoglobin A1, usually determined by ion-exchange affinity chromatography, immunoassay or agar gel electrophoresis. Fructosamine or glycated protein refers to glycosylated protein present in a serum or plasma sample. Glycated protein refers to measurement of the component of the specific protein that is glycated usually by colorimetric method or affinity chromatography.

Glycated hemoglobin in whole blood assesses glycemic control over a period of 4-8 weeks and appears to be the more appropriate test for monitoring a patient who is capable of maintaining long-term, stable control. Measurement may be medically necessary every 3 months to determine whether a patient's metabolic control has been on average within the target range. More frequent assessments, every 1-2 months, may be appropriate in the patient whose diabetes regimen has been altered to improve control or in whom evidence is present that intercurrent events may have altered a previously satisfactory level of control (for example, post-major surgery or as a result of glucocorticoid therapy). Glycated protein in serum/plasma assesses glycemic control over a period of 1-2 weeks. It may be reasonable and necessary to monitor glycated protein monthly in pregnant diabetic women. Glycated hemoglobin/protein test results may be low, indicating significant, persistent hypoglycemia, in nesidioblastosis or insulinoma, conditions which are accompanied by inappropriate hyperinsulinemia. A below normal test value is helpful in establishing the patient's hypoglycemic state in those conditions.

### **HCPCS Codes (Alphanumeric, CPT® AMA)**

| <b>Code</b> | <b>Description</b>   |
|-------------|----------------------|
| 82985       | Glycated protein     |
| 83036       | Hemoglobin; glycated |

### **ICD-10-CM Codes Covered by Medicare Program**

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| D13.7    | Benign neoplasm of endocrine pancreas   |
| E08.00   | Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)   |
| E08.01   | Diabetes mellitus due to underlying condition with hyperosmolarity with coma  |
| E08.10   | Diabetes mellitus due to underlying condition with ketoacidosis without coma  |
| E08.11   | Diabetes mellitus due to underlying condition with ketoacidosis with coma   |
| E08.21   | Diabetes mellitus due to underlying condition with diabetic nephropathy   |
| E08.22   | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease  |
| E08.29   | Diabetes mellitus due to underlying condition with other diabetic kidney complication   |
| E08.311  | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema                          |
| E08.319  | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema                       |
| E08.3211 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye     |
| E08.3212 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye      |
| E08.3213 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral     |
| E08.3291 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye  |
| E08.3292 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye   |
| E08.3293 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral  |
| E08.3311 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye |
| E08.3312 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye  |
| E08.3313 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral |

**NCD 190.21**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E08.3391    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye                         |
| E08.3392    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye                          |
| E08.3393    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral                         |
| E08.3411    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye                              |
| E08.3412    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye                               |
| E08.3413    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral                              |
| E08.3491    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye                           |
| E08.3492    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye                            |
| E08.3493    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral                           |
| E08.3511    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye  |
| E08.3512    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye   |
| E08.3513    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral  |
| E08.3521    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye     |
| E08.3522    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye      |
| E08.3523    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral     |
| E08.3531    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.3532 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                        |
| E08.3533 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                       |
| E08.3541 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E08.3542 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye  |
| E08.3543 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E08.3551 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye  |
| E08.3552 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye   |
| E08.3553 | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral  |
| E08.3591 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye   |
| E08.3592 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye  |
| E08.3593 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral   |
| E08.36   | Diabetes mellitus due to underlying condition with diabetic cataract   |
| E08.37X1 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye   |
| E08.37X2 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye  |
| E08.37X3 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral   |
| E08.39   | Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E08.40  | Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified  |
| E08.41  | Diabetes mellitus due to underlying condition with diabetic mononeuropathy   |
| E08.42  | Diabetes mellitus due to underlying condition with diabetic polyneuropathy   |
| E08.43  | Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy                                     |
| E08.44  | Diabetes mellitus due to underlying condition with diabetic amyotrophy   |
| E08.49  | Diabetes mellitus due to underlying condition with other diabetic neurological complication                                |
| E08.51  | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene                         |
| E08.52  | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene                            |
| E08.59  | Diabetes mellitus due to underlying condition with other circulatory complications   |
| E08.610 | Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy  |
| E08.618 | Diabetes mellitus due to underlying condition with other diabetic arthropathy  |
| E08.620 | Diabetes mellitus due to underlying condition with diabetic dermatitis   |
| E08.621 | Diabetes mellitus due to underlying condition with foot ulcer  |
| E08.622 | Diabetes mellitus due to underlying condition with other skin ulcer  |
| E08.628 | Diabetes mellitus due to underlying condition with other skin complications  |
| E08.630 | Diabetes mellitus due to underlying condition with periodontal disease   |
| E08.638 | Diabetes mellitus due to underlying condition with other oral complications  |
| E08.641 | Diabetes mellitus due to underlying condition with hypoglycemia with coma  |
| E08.649 | Diabetes mellitus due to underlying condition with hypoglycemia without coma   |
| E08.65  | Diabetes mellitus due to underlying condition with hyperglycemia   |
| E08.69  | Diabetes mellitus due to underlying condition with other specified complication  |
| E08.8   | Diabetes mellitus due to underlying condition with unspecified complications   |
| E08.9   | Diabetes mellitus due to underlying condition without complications  |
| E09.00  | Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E09.01  | Drug or chemical induced diabetes mellitus with hyperosmolarity with coma  |

NCD 190.21

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.10   | Drug or chemical induced diabetes mellitus with ketoacidosis without coma   |
| E09.11   | Drug or chemical induced diabetes mellitus with ketoacidosis with coma  |
| E09.21   | Drug or chemical induced diabetes mellitus with diabetic nephropathy  |
| E09.22   | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease   |
| E09.29   | Drug or chemical induced diabetes mellitus with other diabetic kidney complication  |
| E09.311  | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema                             |
| E09.319  | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema                          |
| E09.3211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye        |
| E09.3212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye         |
| E09.3213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral        |
| E09.3291 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye     |
| E09.3292 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye      |
| E09.3293 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral     |
| E09.3311 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye    |
| E09.3312 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye     |
| E09.3313 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral    |
| E09.3391 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E09.3392 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye  |
| E09.3393 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |

**NCD 190.21**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3411 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye  |
| E09.3412 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye   |
| E09.3413 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral  |
| E09.3491 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye   |
| E09.3492 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye  |
| E09.3493 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral   |
| E09.3511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E09.3512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E09.3513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E09.3521 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                           |
| E09.3522 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                            |
| E09.3523 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                           |
| E09.3531 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                       |
| E09.3532 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                        |
| E09.3533 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                       |
| E09.3541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye  |
| E09.3543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E09.3551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E09.3552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E09.3553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E09.3591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E09.3592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E09.3593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E09.36   | Drug or chemical induced diabetes mellitus with diabetic cataract   |
| E09.37X1 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E09.37X2 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |
| E09.37X3 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral   |
| E09.39   | Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication  |
| E09.40   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified  |
| E09.41   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy   |
| E09.42   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E09.43  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy      |
| E09.44  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy                      |
| E09.49  | Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication |
| E09.51  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene                          |
| E09.52  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene                             |
| E09.59  | Drug or chemical induced diabetes mellitus with other circulatory complications  |
| E09.610 | Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy   |
| E09.618 | Drug or chemical induced diabetes mellitus with other diabetic arthropathy   |
| E09.620 | Drug or chemical induced diabetes mellitus with diabetic dermatitis  |
| E09.621 | Drug or chemical induced diabetes mellitus with foot ulcer   |
| E09.622 | Drug or chemical induced diabetes mellitus with other skin ulcer   |
| E09.628 | Drug or chemical induced diabetes mellitus with other skin complications   |
| E09.630 | Drug or chemical induced diabetes mellitus with periodontal disease  |
| E09.638 | Drug or chemical induced diabetes mellitus with other oral complications   |
| E09.641 | Drug or chemical induced diabetes mellitus with hypoglycemia with coma   |
| E09.649 | Drug or chemical induced diabetes mellitus with hypoglycemia without coma  |
| E09.65  | Drug or chemical induced diabetes mellitus with hyperglycemia  |
| E09.69  | Drug or chemical induced diabetes mellitus with other specified complication   |
| E09.8   | Drug or chemical induced diabetes mellitus with unspecified complications  |
| E09.9   | Drug or chemical induced diabetes mellitus without complications   |
| E10.10  | Type 1 diabetes mellitus with ketoacidosis without coma  |
| E10.11  | Type 1 diabetes mellitus with ketoacidosis with coma   |
| E10.21  | Type 1 diabetes mellitus with diabetic nephropathy   |
| E10.22  | Type 1 diabetes mellitus with diabetic chronic kidney disease  |
| E10.29  | Type 1 diabetes mellitus with other diabetic kidney complication   |

**NCD 190.21**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.311  | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema                             |
| E10.319  | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema                          |
| E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye        |
| E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye         |
| E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral        |
| E10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye     |
| E10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye      |
| E10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral     |
| E10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye    |
| E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye     |
| E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral    |
| E10.3391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E10.3392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye  |
| E10.3393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E10.3411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye      |
| E10.3412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye       |
| E10.3413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E10.3491    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye   |
| E10.3492    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye  |
| E10.3493    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral   |
| E10.3511    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E10.3512    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E10.3513    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E10.3521    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                           |
| E10.3522    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                            |
| E10.3523    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                           |
| E10.3531    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                       |
| E10.3532    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                        |
| E10.3533    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                       |
| E10.3541    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E10.3542    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye  |
| E10.3543    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E10.3551    | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E10.3552    | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E10.3553    | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |

**NCD 190.21**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye |
| E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral |
| E10.36   | Type 1 diabetes mellitus with diabetic cataract   |
| E10.37X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye     |
| E10.37X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye      |
| E10.37X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral     |
| E10.39   | Type 1 diabetes mellitus with other diabetic ophthalmic complication                              |
| E10.40   | Type 1 diabetes mellitus with diabetic neuropathy, unspecified                                    |
| E10.41   | Type 1 diabetes mellitus with diabetic mononeuropathy   |
| E10.42   | Type 1 diabetes mellitus with diabetic polyneuropathy   |
| E10.43   | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy                                 |
| E10.44   | Type 1 diabetes mellitus with diabetic amyotrophy   |
| E10.49   | Type 1 diabetes mellitus with other diabetic neurological complication                            |
| E10.51   | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene                     |
| E10.52   | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                        |
| E10.59   | Type 1 diabetes mellitus with other circulatory complications                                     |
| E10.610  | Type 1 diabetes mellitus with diabetic neuropathic arthropathy                                    |
| E10.618  | Type 1 diabetes mellitus with other diabetic arthropathy  |
| E10.620  | Type 1 diabetes mellitus with diabetic dermatitis   |
| E10.621  | Type 1 diabetes mellitus with foot ulcer  |
| E10.622  | Type 1 diabetes mellitus with other skin ulcer  |
| E10.628  | Type 1 diabetes mellitus with other skin complications  |
| E10.630  | Type 1 diabetes mellitus with periodontal disease   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E10.638     | Type 1 diabetes mellitus with other oral complications  |
| E10.641     | Type 1 diabetes mellitus with hypoglycemia with coma  |
| E10.649     | Type 1 diabetes mellitus with hypoglycemia without coma   |
| E10.65      | Type 1 diabetes mellitus with hyperglycemia   |
| E10.69      | Type 1 diabetes mellitus with other specified complication  |
| E10.8       | Type 1 diabetes mellitus with unspecified complications   |
| E10.9       | Type 1 diabetes mellitus without complications  |
| E11.00      | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)  |
| E11.01      | Type 2 diabetes mellitus with hyperosmolarity with coma   |
| E11.10      | Type 2 diabetes mellitus with ketoacidosis without coma   |
| E11.11      | Type 2 diabetes mellitus with ketoacidosis with coma  |
| E11.21      | Type 2 diabetes mellitus with diabetic nephropathy  |
| E11.22      | Type 2 diabetes mellitus with diabetic chronic kidney disease   |
| E11.29      | Type 2 diabetes mellitus with other diabetic kidney complication  |
| E11.311     | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema                         |
| E11.319     | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema                      |
| E11.3211    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye    |
| E11.3212    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye     |
| E11.3213    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral    |
| E11.3291    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye |
| E11.3292    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye  |
| E11.3293    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E11.3311    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye                        |
| E11.3312    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye                         |
| E11.3313    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral                        |
| E11.3391    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye                     |
| E11.3392    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye                      |
| E11.3393    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral                     |
| E11.3411    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye                          |
| E11.3412    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye                           |
| E11.3413    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral                          |
| E11.3491    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye                       |
| E11.3492    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye                        |
| E11.3493    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral                       |
| E11.3511    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                                    |
| E11.3512    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                                     |
| E11.3513    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                                    |
| E11.3521    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                            |
| E11.3523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                           |
| E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                       |
| E11.3532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                        |
| E11.3533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                       |
| E11.3541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E11.3542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye  |
| E11.3543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E11.3551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E11.3552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E11.3553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E11.36   | Type 2 diabetes mellitus with diabetic cataract   |
| E11.37X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E11.37X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |
| E11.37X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral   |
| E11.39   | Type 2 diabetes mellitus with other diabetic ophthalmic complication  |

NCD 190.21

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E11.40  | Type 2 diabetes mellitus with diabetic neuropathy, unspecified  |
| E11.41  | Type 2 diabetes mellitus with diabetic mononeuropathy   |
| E11.42  | Type 2 diabetes mellitus with diabetic polyneuropathy   |
| E11.43  | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy   |
| E11.44  | Type 2 diabetes mellitus with diabetic amyotrophy   |
| E11.49  | Type 2 diabetes mellitus with other diabetic neurological complication  |
| E11.51  | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene                                     |
| E11.52  | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene  |
| E11.59  | Type 2 diabetes mellitus with other circulatory complications   |
| E11.610 | Type 2 diabetes mellitus with diabetic neuropathic arthropathy  |
| E11.618 | Type 2 diabetes mellitus with other diabetic arthropathy  |
| E11.620 | Type 2 diabetes mellitus with diabetic dermatitis   |
| E11.621 | Type 2 diabetes mellitus with foot ulcer  |
| E11.622 | Type 2 diabetes mellitus with other skin ulcer  |
| E11.628 | Type 2 diabetes mellitus with other skin complications  |
| E11.630 | Type 2 diabetes mellitus with periodontal disease   |
| E11.638 | Type 2 diabetes mellitus with other oral complications  |
| E11.641 | Type 2 diabetes mellitus with hypoglycemia with coma  |
| E11.649 | Type 2 diabetes mellitus with hypoglycemia without coma   |
| E11.65  | Type 2 diabetes mellitus with hyperglycemia   |
| E11.69  | Type 2 diabetes mellitus with other specified complication  |
| E11.8   | Type 2 diabetes mellitus with unspecified complications   |
| E11.9   | Type 2 diabetes mellitus without complications  |
| E13.00  | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E13.01  | Other specified diabetes mellitus with hyperosmolarity with coma  |
| E13.10  | Other specified diabetes mellitus with ketoacidosis without coma  |
| E13.11  | Other specified diabetes mellitus with ketoacidosis with coma   |
| E13.21  | Other specified diabetes mellitus with diabetic nephropathy   |

**NCD 190.21**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.22   | Other specified diabetes mellitus with diabetic chronic kidney disease   |
| E13.29   | Other specified diabetes mellitus with other diabetic kidney complication  |
| E13.311  | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema                             |
| E13.319  | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema                          |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye        |
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye         |
| E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral        |
| E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye     |
| E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye      |
| E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral     |
| E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye    |
| E13.3312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye     |
| E13.3313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral    |
| E13.3391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye |
| E13.3392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye  |
| E13.3393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral |
| E13.3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye   |
| E13.3413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral  |
| E13.3491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye   |
| E13.3492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye  |
| E13.3493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral   |
| E13.3511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                           |
| E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                            |
| E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                           |
| E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                       |
| E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                        |
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                       |
| E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |
| E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E13.36   | Other specified diabetes mellitus with diabetic cataract   |
| E13.37X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E13.37X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |
| E13.37X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral   |
| E13.39   | Other specified diabetes mellitus with other diabetic ophthalmic complication  |
| E13.40   | Other specified diabetes mellitus with diabetic neuropathy, unspecified  |
| E13.41   | Other specified diabetes mellitus with diabetic mononeuropathy   |
| E13.42   | Other specified diabetes mellitus with diabetic polyneuropathy   |
| E13.43   | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy   |
| E13.44   | Other specified diabetes mellitus with diabetic amyotrophy   |
| E13.49   | Other specified diabetes mellitus with other diabetic neurological complication  |
| E13.51   | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene   |
| E13.52   | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene  |

NCD 190.21

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E13.59  | Other specified diabetes mellitus with other circulatory complications  |
| E13.610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy |
| E13.618 | Other specified diabetes mellitus with other diabetic arthropathy       |
| E13.620 | Other specified diabetes mellitus with diabetic dermatitis              |
| E13.621 | Other specified diabetes mellitus with foot ulcer                       |
| E13.622 | Other specified diabetes mellitus with other skin ulcer                 |
| E13.628 | Other specified diabetes mellitus with other skin complications         |
| E13.630 | Other specified diabetes mellitus with periodontal disease              |
| E13.638 | Other specified diabetes mellitus with other oral complications         |
| E13.641 | Other specified diabetes mellitus with hypoglycemia with coma           |
| E13.649 | Other specified diabetes mellitus with hypoglycemia without coma        |
| E13.65  | Other specified diabetes mellitus with hyperglycemia                    |
| E13.69  | Other specified diabetes mellitus with other specified complication     |
| E13.8   | Other specified diabetes mellitus with unspecified complications        |
| E13.9   | Other specified diabetes mellitus without complications                 |
| E15     | Nondiabetic hypoglycemic coma   |
| E16.0   | Drug-induced hypoglycemia without coma                                  |
| E16.1   | Other hypoglycemia  |
| E16.2   | Hypoglycemia, unspecified   |
| E16.3   | Increased secretion of glucagon   |
| E16.8   | Other specified disorders of pancreatic internal secretion              |
| E16.9   | Disorder of pancreatic internal secretion, unspecified                  |
| E31.0   | Autoimmune polyglandular failure  |
| E31.1   | Polyglandular hyperfunction   |
| E31.20  | Multiple endocrine neoplasia [MEN] syndrome, unspecified                |
| E31.21  | Multiple endocrine neoplasia [MEN] type I                               |
| E31.22  | Multiple endocrine neoplasia [MEN] type IIA                             |
| E31.23  | Multiple endocrine neoplasia [MEN] type IIB                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E31.8   | Other polyglandular dysfunction  |
| E31.9   | Polyglandular dysfunction, unspecified                                       |
| E74.810 | Glucose transporter protein type 1 deficiency                                |
| E74.818 | Other disorders of glucose transport   |
| E74.819 | Disorders of glucose transport, unspecified                                  |
| E74.89  | Other specified disorders of carbohydrate metabolism                         |
| E79.0   | Hyperuricemia without signs of inflammatory arthritis and tophaceous disease |
| E83.10  | Disorder of iron metabolism, unspecified                                     |
| E83.110 | Hereditary hemochromatosis   |
| E83.111 | Hemochromatosis due to repeated red blood cell transfusions                  |
| E83.118 | Other hemochromatosis  |
| E83.119 | Hemochromatosis, unspecified   |
| E83.19  | Other disorders of iron metabolism   |
| E88.02  | Plasminogen deficiency   |
| E89.1   | Postprocedural hypoinsulinemia   |
| H44.2E1 | Degenerative myopia with other maculopathy, right eye                        |
| H44.2E2 | Degenerative myopia with other maculopathy, left eye                         |
| H44.2E3 | Degenerative myopia with other maculopathy, bilateral eye                    |
| I21.9   | Acute myocardial infarction, unspecified                                     |
| I21.A1  | Myocardial infarction type 2   |
| I21.A9  | Other myocardial infarction type   |
| K86.0   | Alcohol-induced chronic pancreatitis   |
| K86.1   | Other chronic pancreatitis   |
| K91.2   | Postsurgical malabsorption, not elsewhere classified                         |
| L89.006 | Pressure-induced deep tissue damage of unspecified elbow                     |
| L89.016 | Pressure-induced deep tissue damage of right elbow                           |
| L89.026 | Pressure-induced deep tissue damage of left elbow                            |
| L89.116 | Pressure-induced deep tissue damage of right upper back                      |

NCD 190.21

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L89.126 | Pressure-induced deep tissue damage of left upper back   |
| L89.136 | Pressure-induced deep tissue damage of right lower back  |
| L89.146 | Pressure-induced deep tissue damage of left lower back   |
| L89.156 | Pressure-induced deep tissue damage of sacral region   |
| L89.216 | Pressure-induced deep tissue damage of right hip   |
| L89.226 | Pressure-induced deep tissue damage of left hip  |
| L89.316 | Pressure-induced deep tissue damage of right buttock   |
| L89.326 | Pressure-induced deep tissue damage of left buttock  |
| L89.46  | Pressure-induced deep tissue damage of contiguous site of back, buttock and hip                |
| L89.516 | Pressure-induced deep tissue damage of right ankle   |
| L89.526 | Pressure-induced deep tissue damage of left ankle  |
| L89.616 | Pressure-induced deep tissue damage of right heel  |
| L89.626 | Pressure-induced deep tissue damage of left heel   |
| L89.816 | Pressure-induced deep tissue damage of head  |
| L89.896 | Pressure-induced deep tissue damage of other site  |
| L97.115 | Non-pressure chronic ulcer of right thigh with muscle involvement without evidence of necrosis |
| L97.116 | Non-pressure chronic ulcer of right thigh with bone involvement without evidence of necrosis   |
| L97.118 | Non-pressure chronic ulcer of right thigh with other specified severity                        |
| L97.125 | Non-pressure chronic ulcer of left thigh with muscle involvement without evidence of necrosis  |
| L97.126 | Non-pressure chronic ulcer of left thigh with bone involvement without evidence of necrosis    |
| L97.128 | Non-pressure chronic ulcer of left thigh with other specified severity                         |
| L97.215 | Non-pressure chronic ulcer of right calf with muscle involvement without evidence of necrosis  |
| L97.216 | Non-pressure chronic ulcer of right calf with bone involvement without evidence of necrosis    |
| L97.218 | Non-pressure chronic ulcer of right calf with other specified severity                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| L97.225     | Non-pressure chronic ulcer of left calf with muscle involvement without evidence of necrosis                |
| L97.226     | Non-pressure chronic ulcer of left calf with bone involvement without evidence of necrosis                  |
| L97.228     | Non-pressure chronic ulcer of left calf with other specified severity                                       |
| L97.315     | Non-pressure chronic ulcer of right ankle with muscle involvement without evidence of necrosis              |
| L97.316     | Non-pressure chronic ulcer of right ankle with bone involvement without evidence of necrosis                |
| L97.318     | Non-pressure chronic ulcer of right ankle with other specified severity                                     |
| L97.325     | Non-pressure chronic ulcer of left ankle with muscle involvement without evidence of necrosis               |
| L97.326     | Non-pressure chronic ulcer of left ankle with bone involvement without evidence of necrosis                 |
| L97.328     | Non-pressure chronic ulcer of left ankle with other specified severity                                      |
| L97.415     | Non-pressure chronic ulcer of right heel and midfoot with muscle involvement without evidence of necrosis   |
| L97.416     | Non-pressure chronic ulcer of right heel and midfoot with bone involvement without evidence of necrosis     |
| L97.418     | Non-pressure chronic ulcer of right heel and midfoot with other specified severity                          |
| L97.425     | Non-pressure chronic ulcer of left heel and midfoot with muscle involvement without evidence of necrosis    |
| L97.426     | Non-pressure chronic ulcer of left heel and midfoot with bone involvement without evidence of necrosis      |
| L97.428     | Non-pressure chronic ulcer of left heel and midfoot with other specified severity                           |
| L97.515     | Non-pressure chronic ulcer of other part of right foot with muscle involvement without evidence of necrosis |
| L97.516     | Non-pressure chronic ulcer of other part of right foot with bone involvement without evidence of necrosis   |
| L97.518     | Non-pressure chronic ulcer of other part of right foot with other specified severity                        |
| L97.525     | Non-pressure chronic ulcer of other part of left foot with muscle involvement without evidence of necrosis  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| L97.526     | Non-pressure chronic ulcer of other part of left foot with bone involvement without evidence of necrosis               |
| L97.528     | Non-pressure chronic ulcer of other part of left foot with other specified severity                                    |
| L97.815     | Non-pressure chronic ulcer of other part of right lower leg with muscle involvement without evidence of necrosis       |
| L97.816     | Non-pressure chronic ulcer of other part of right lower leg with bone involvement without evidence of necrosis         |
| L97.818     | Non-pressure chronic ulcer of other part of right lower leg with other specified severity                              |
| L97.825     | Non-pressure chronic ulcer of other part of left lower leg with muscle involvement without evidence of necrosis        |
| L97.826     | Non-pressure chronic ulcer of other part of left lower leg with bone involvement without evidence of necrosis          |
| L97.828     | Non-pressure chronic ulcer of other part of left lower leg with other specified severity                               |
| L97.915     | Non-pressure chronic ulcer of unspecified part of right lower leg with muscle involvement without evidence of necrosis |
| L97.916     | Non-pressure chronic ulcer of unspecified part of right lower leg with bone involvement without evidence of necrosis   |
| L97.918     | Non-pressure chronic ulcer of unspecified part of right lower leg with other specified severity                        |
| L97.925     | Non-pressure chronic ulcer of unspecified part of left lower leg with muscle involvement without evidence of necrosis  |
| L97.926     | Non-pressure chronic ulcer of unspecified part of left lower leg with bone involvement without evidence of necrosis    |
| L97.928     | Non-pressure chronic ulcer of unspecified part of left lower leg with other specified severity                         |
| L98.415     | Non-pressure chronic ulcer of buttock with muscle involvement without evidence of necrosis                             |
| L98.416     | Non-pressure chronic ulcer of buttock with bone involvement without evidence of necrosis                               |
| L98.418     | Non-pressure chronic ulcer of buttock with other specified severity  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| L98.425 | Non-pressure chronic ulcer of back with muscle involvement without evidence of necrosis                |
| L98.426 | Non-pressure chronic ulcer of back with bone involvement without evidence of necrosis                  |
| L98.428 | Non-pressure chronic ulcer of back with other specified severity                                       |
| L98.495 | Non-pressure chronic ulcer of skin of other sites with muscle involvement without evidence of necrosis |
| L98.496 | Non-pressure chronic ulcer of skin of other sites with bone involvement without evidence of necrosis   |
| O24.011 | Pre-existing type 1 diabetes mellitus, in pregnancy, first trimester                                   |
| O24.012 | Pre-existing type 1 diabetes mellitus, in pregnancy, second trimester                                  |
| O24.013 | Pre-existing type 1 diabetes mellitus, in pregnancy, third trimester                                   |
| O24.019 | Pre-existing type 1 diabetes mellitus, in pregnancy, unspecified trimester                             |
| O24.03  | Pre-existing type 1 diabetes mellitus, in the puerperium   |
| O24.111 | Pre-existing type 2 diabetes mellitus, in pregnancy, first trimester                                   |
| O24.112 | Pre-existing type 2 diabetes mellitus, in pregnancy, second trimester                                  |
| O24.113 | Pre-existing type 2 diabetes mellitus, in pregnancy, third trimester                                   |
| O24.119 | Pre-existing type 2 diabetes mellitus, in pregnancy, unspecified trimester                             |
| O24.13  | Pre-existing type 2 diabetes mellitus, in the puerperium   |
| O24.311 | Unspecified pre-existing diabetes mellitus in pregnancy, first trimester                               |
| O24.312 | Unspecified pre-existing diabetes mellitus in pregnancy, second trimester                              |
| O24.313 | Unspecified pre-existing diabetes mellitus in pregnancy, third trimester                               |
| O24.319 | Unspecified pre-existing diabetes mellitus in pregnancy, unspecified trimester                         |
| O24.33  | Unspecified pre-existing diabetes mellitus in the puerperium   |
| O24.410 | Gestational diabetes mellitus in pregnancy, diet controlled  |
| O24.414 | Gestational diabetes mellitus in pregnancy, insulin controlled   |
| O24.419 | Gestational diabetes mellitus in pregnancy, unspecified control  |
| O24.430 | Gestational diabetes mellitus in the puerperium, diet controlled                                       |
| O24.434 | Gestational diabetes mellitus in the puerperium, insulin controlled                                    |
| O24.439 | Gestational diabetes mellitus in the puerperium, unspecified control                                   |

**NCD 190.21**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| O24.811 | Other pre-existing diabetes mellitus in pregnancy, first trimester  |
| O24.812 | Other pre-existing diabetes mellitus in pregnancy, second trimester   |
| O24.813 | Other pre-existing diabetes mellitus in pregnancy, third trimester  |
| O24.819 | Other pre-existing diabetes mellitus in pregnancy, unspecified trimester  |
| O24.83  | Other pre-existing diabetes mellitus in the puerperium  |
| O24.911 | Unspecified diabetes mellitus in pregnancy, first trimester   |
| O24.912 | Unspecified diabetes mellitus in pregnancy, second trimester  |
| O24.913 | Unspecified diabetes mellitus in pregnancy, third trimester   |
| O24.919 | Unspecified diabetes mellitus in pregnancy, unspecified trimester   |
| O24.93  | Unspecified diabetes mellitus in the puerperium   |
| O30.131 | Triplet pregnancy, trichorionic/triamniotic, first trimester  |
| O30.132 | Triplet pregnancy, trichorionic/triamniotic, second trimester   |
| O30.133 | Triplet pregnancy, trichorionic/triamniotic, third trimester  |
| O30.139 | Triplet pregnancy, trichorionic/triamniotic, unspecified trimester  |
| O30.231 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, first trimester  |
| O30.232 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, second trimester   |
| O30.233 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, third trimester  |
| O30.239 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, unspecified trimester  |
| O30.831 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, first trimester       |
| O30.832 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, second trimester      |
| O30.833 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, third trimester       |
| O30.839 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, unspecified trimester |
| O99.810 | Abnormal glucose complicating pregnancy   |
| O99.815 | Abnormal glucose complicating the puerperium  |
| R73.01  | Impaired fasting glucose  |
| R73.02  | Impaired glucose tolerance (oral)   |

**NCD 190.21**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| R73.03   | Prediabetes   |
| R73.09   | Other abnormal glucose  |
| R73.9    | Hyperglycemia, unspecified  |
| R78.71   | Abnormal lead level in blood  |
| R78.79   | Finding of abnormal level of heavy metals in blood  |
| R78.89   | Finding of other specified substances, not normally found in blood  |
| R79.0    | Abnormal level of blood mineral   |
| R79.89   | Other specified abnormal findings of blood chemistry  |
| R79.9    | Abnormal finding of blood chemistry, unspecified  |
| T38.3X1A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), initial encounter          |
| T38.3X2A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter               |
| T38.3X3A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, initial encounter                             |
| T38.3X4A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, initial encounter                        |
| Z79.3    | Long term (current) use of hormonal contraceptives  |
| Z79.4    | Long term (current) use of insulin  |
| Z79.84   | Long term (current) use of oral hypoglycemic drugs  |
| Z79.891  | Long term (current) use of opiate analgesic   |
| Z79.899  | Other long term (current) drug therapy  |
| Z86.2    | Personal history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z86.31   | Personal history of diabetic foot ulcer   |
| Z86.32   | Personal history of gestational diabetes  |
| Z86.39   | Personal history of other endocrine, nutritional and metabolic disease  |



### **Indications**

Glycated hemoglobin/protein testing is accepted as medically necessary for management and control of diabetes and to assess hyperglycemia, a history of hyperglycemia or dangerous hypoglycemia. Glycated protein testing may be used in place of glycated hemoglobin in the management of diabetic patients, and is useful in patients with abnormalities of erythrocytes such as hemolytic anemia or hemoglobinopathies.

### **Limitations**

It is not reasonable and necessary to perform glycated hemoglobin tests more often than every three months on a controlled diabetic patient to determine if the patient's metabolic control has been on average within the target range. It is not reasonable and necessary for these tests to be performed more frequently than once a month for diabetic pregnant women. Testing for uncontrolled type one or two diabetes mellitus may require testing more than four times a year. The above Description Section provides the clinical basis for those situations in which testing more frequently than four times per annum is indicated, and medical necessity documentation must support such testing in excess of the above guidelines.

Many analytical methods of glycated hemoglobin show interference from elevated levels of fetal hemoglobin or by variant hemoglobin molecules. When the glycated hemoglobin assay is initially performed in these patients, the laboratory may inform the ordering physician of a possible analytical interference. Alternative testing, including glycated protein, for example, fructosamine, may be indicated for monitoring the degree of glycemic control. It is therefore conceivable that a patient will have both a glycated hemoglobin and glycated protein ordered on the same day. This should be limited to the initial assay of glycated hemoglobin, with subsequent exclusive use of glycated protein. These tests are not considered to be medically necessary for the diagnosis of diabetes.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

Bower, Bruce F. and Robert Moore, Endocrine Function and Carbohydrates. Clinical Laboratory Medicine, Kenneth D. McClatchy, editor. Baltimore/Williams & Wilkins, 1994. pp. 321-323.

Tests of Glycemia in Diabetes. Diabetes Care. 1/98, 21:Supp. 1:S69-S71. American Association of Clinical Endocrinologists Guidelines for Management of Diabetes Mellitus

Dons, Robert F, Endocrine & Metabolic Testing Manual, 3rd Edition. Expert Committee on Glycated Hgb. Diabetes Care, 11/84, 7:6:602-606. Evaluation of Glycated Hgb in Diabetes, Diabetes. 7/91 30:613-617.

Foster, Daniel W., Diabetes Mellitus, Harrison's Principles of Internal Medicine. 13th ed., Kurt J. Isselbacher et al. Editors, New York/McGraw-Hill, 1994, pg. 1990.

Management of Diabetes in Older Patients. Practical Therapeutics. 1991, Drugs 41:4:548-565.

Koch, D. D, Fructosamine: How Useful Is It? Laboratory Medicine, V. 21, N. 8, August 1990, pp. 497-503.



***Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)***

Report of the Expert Committee on the Diagnosis and Classification of Diabetes Mellitus, Diabetes Care, Volume 20, Number 7, July 1997, pp. 1183 et seq.

Sacks, David B., Carbohydrates. In Tietz Textbook of Clinical Chemistry, 2nd Ed., Carl A. Burtis and Edward R. Ashwood, editors. Philadelphia, W.B. Saunders Co., 1994. pp. 980-988.

Tests of Glycemia in Diabetes, American Diabetes Association, Diabetes Care, Volume 20, Supplement I, January 1997, pp. 518-520.

## 190.22 - Thyroid Testing

### Description

Thyroid function studies are used to delineate the presence or absence of hormonal abnormalities of the thyroid and pituitary glands. These abnormalities may be either primary or secondary and often but not always accompany clinically defined signs and symptoms indicative of thyroid dysfunction.

Laboratory evaluation of thyroid function has become more scientifically defined. Tests can be done with increased specificity, thereby reducing the number of tests needed to diagnose and follow treatment of most thyroid disease. Measurements of serum sensitive thyroid-stimulating hormone (TSH) levels, complemented by determination of thyroid hormone levels [free thyroxine (fT-4) or total thyroxine (T4) with Triiodothyronine (T3) uptake] are used for diagnosis and follow-up of patients with thyroid disorders. Additional tests may be necessary to evaluate certain complex diagnostic problems or on hospitalized patients, where many circumstances can skew tests results. When a test for total thyroxine (total T4 or T4 radioimmunoassay) or T3 uptake is performed, calculation of the free thyroxine index (FTI) is useful to correct for abnormal results for either total T4 or T3 uptake due to protein binding effects.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description   |
|-------|---|
| 84436 | Thyroxine; total  |
| 84439 | Thyroxine; free   |
| 84443 | Thyroid stimulating hormone (TSH)   |
| 84479 | Thyroid hormone (T3 or T4) uptake or thyroid hormone binding ratio (THBR) |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description                             |
|--------|---|
| A18.81 | Tuberculosis of thyroid gland           |
| C56.1  | Malignant neoplasm of right ovary       |
| C56.2  | Malignant neoplasm of left ovary        |
| C56.9  | Malignant neoplasm of unspecified ovary |
| C73    | Malignant neoplasm of thyroid gland     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C75.8  | Malignant neoplasm with pluriglandular involvement, unspecified                        |
| C79.89 | Secondary malignant neoplasm of other specified sites                                  |
| C79.9  | Secondary malignant neoplasm of unspecified site                                       |
| D09.3  | Carcinoma in situ of thyroid and other endocrine glands                                |
| D09.8  | Carcinoma in situ of other specified sites   |
| D27.0  | Benign neoplasm of right ovary   |
| D27.1  | Benign neoplasm of left ovary  |
| D27.9  | Benign neoplasm of unspecified ovary   |
| D34    | Benign neoplasm of thyroid gland   |
| D35.2  | Benign neoplasm of pituitary gland   |
| D35.3  | Benign neoplasm of craniopharyngeal duct   |
| D44.0  | Neoplasm of uncertain behavior of thyroid gland  |
| D44.2  | Neoplasm of uncertain behavior of parathyroid gland                                    |
| D44.9  | Neoplasm of uncertain behavior of unspecified endocrine gland                          |
| D49.7  | Neoplasm of unspecified behavior of endocrine glands and other parts of nervous system |
| D51.0  | Vitamin B12 deficiency anemia due to intrinsic factor deficiency                       |
| D53.9  | Nutritional anemia, unspecified  |
| D59.0  | Drug-induced autoimmune hemolytic anemia   |
| D59.10 | Autoimmune hemolytic anemia, unspecified   |
| D59.11 | Warm autoimmune hemolytic anemia   |
| D59.12 | Cold autoimmune hemolytic anemia   |
| D59.13 | Mixed type autoimmune hemolytic anemia   |
| D59.19 | Other autoimmune hemolytic anemia  |
| D64.89 | Other specified anemias  |
| D64.9  | Anemia, unspecified  |
| D89.82 | Autoimmune lymphoproliferative syndrome [ALPS]   |
| D89.89 | Other specified disorders involving the immune mechanism, not elsewhere classified     |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| E00.0  | Congenital iodine-deficiency syndrome, neurological type                           |
| E00.1  | Congenital iodine-deficiency syndrome, myxedematous type                           |
| E00.2  | Congenital iodine-deficiency syndrome, mixed type                                  |
| E00.9  | Congenital iodine-deficiency syndrome, unspecified                                 |
| E01.0  | Iodine-deficiency related diffuse (endemic) goiter                                 |
| E01.1  | Iodine-deficiency related multinodular (endemic) goiter                            |
| E01.2  | Iodine-deficiency related (endemic) goiter, unspecified                            |
| E01.8  | Other iodine-deficiency related thyroid disorders and allied conditions            |
| E02    | Subclinical iodine-deficiency hypothyroidism                                       |
| E03.0  | Congenital hypothyroidism with diffuse goiter                                      |
| E03.1  | Congenital hypothyroidism without goiter   |
| E03.2  | Hypothyroidism due to medicaments and other exogenous substances                   |
| E03.3  | Postinfectious hypothyroidism  |
| E03.4  | Atrophy of thyroid (acquired)  |
| E03.5  | Myxedema coma  |
| E03.8  | Other specified hypothyroidism   |
| E03.9  | Hypothyroidism, unspecified  |
| E04.0  | Nontoxic diffuse goiter  |
| E04.1  | Nontoxic single thyroid nodule   |
| E04.2  | Nontoxic multinodular goiter   |
| E04.8  | Other specified nontoxic goiter  |
| E04.9  | Nontoxic goiter, unspecified   |
| E05.00 | Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm              |
| E05.01 | Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm                 |
| E05.10 | Thyrotoxicosis with toxic single thyroid nodule without thyrotoxic crisis or storm |
| E05.11 | Thyrotoxicosis with toxic single thyroid nodule with thyrotoxic crisis or storm    |
| E05.20 | Thyrotoxicosis with toxic multinodular goiter without thyrotoxic crisis or storm   |
| E05.21 | Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm      |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| E05.30 | Thyrotoxicosis from ectopic thyroid tissue without thyrotoxic crisis or storm   |
| E05.31 | Thyrotoxicosis from ectopic thyroid tissue with thyrotoxic crisis or storm  |
| E05.40 | Thyrotoxicosis factitia without thyrotoxic crisis or storm  |
| E05.41 | Thyrotoxicosis factitia with thyrotoxic crisis or storm   |
| E05.80 | Other thyrotoxicosis without thyrotoxic crisis or storm   |
| E05.81 | Other thyrotoxicosis with thyrotoxic crisis or storm  |
| E05.90 | Thyrotoxicosis, unspecified without thyrotoxic crisis or storm  |
| E05.91 | Thyrotoxicosis, unspecified with thyrotoxic crisis or storm   |
| E06.0  | Acute thyroiditis   |
| E06.1  | Subacute thyroiditis  |
| E06.2  | Chronic thyroiditis with transient thyrotoxicosis   |
| E06.3  | Autoimmune thyroiditis  |
| E06.4  | Drug-induced thyroiditis  |
| E06.5  | Other chronic thyroiditis   |
| E06.9  | Thyroiditis, unspecified  |
| E07.0  | Hypersecretion of calcitonin  |
| E07.1  | Dyshormogenetic goiter  |
| E07.89 | Other specified disorders of thyroid  |
| E07.9  | Disorder of thyroid, unspecified  |
| E08.00 | Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E08.01 | Diabetes mellitus due to underlying condition with hyperosmolarity with coma  |
| E08.10 | Diabetes mellitus due to underlying condition with ketoacidosis without coma  |
| E08.11 | Diabetes mellitus due to underlying condition with ketoacidosis with coma   |
| E08.21 | Diabetes mellitus due to underlying condition with diabetic nephropathy   |
| E08.22 | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease  |
| E08.29 | Diabetes mellitus due to underlying condition with other diabetic kidney complication   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E08.311  | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema                                |
| E08.319  | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema                             |
| E08.3211 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E08.3212 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E08.3213 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E08.3219 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E08.3291 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E08.3292 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E08.3293 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E08.3299 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E08.3311 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E08.3312 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E08.3313 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E08.3319 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E08.3391 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye    |
| E08.3392 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E08.3393    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral                     |
| E08.3399    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye               |
| E08.3411    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye                          |
| E08.3412    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye                           |
| E08.3413    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral                          |
| E08.3419    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                    |
| E08.3491    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye                       |
| E08.3492    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye                        |
| E08.3493    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral                       |
| E08.3499    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                 |
| E08.3511    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye                                    |
| E08.3512    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye                                     |
| E08.3513    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral                                    |
| E08.3519    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye                              |
| E08.3521    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E08.3522    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E08.3523    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E08.3529    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E08.3531    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E08.3532    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E08.3533    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E08.3539    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E08.3541    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E08.3542    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E08.3543    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E08.3549    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E08.3551    | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye  |
| E08.3552    | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye   |
| E08.3553    | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral  |
| E08.3559    | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye  |
| E08.3591    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.3592 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye        |
| E08.3593 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral       |
| E08.3599 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E08.36   | Diabetes mellitus due to underlying condition with diabetic cataract   |
| E08.37X1 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye           |
| E08.37X2 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye            |
| E08.37X3 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral           |
| E08.37X9 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, unspecified eye     |
| E08.39   | Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication                                    |
| E08.40   | Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified  |
| E08.41   | Diabetes mellitus due to underlying condition with diabetic mononeuropathy   |
| E08.42   | Diabetes mellitus due to underlying condition with diabetic polyneuropathy   |
| E08.43   | Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy                                       |
| E08.44   | Diabetes mellitus due to underlying condition with diabetic amyotrophy   |
| E08.49   | Diabetes mellitus due to underlying condition with other diabetic neurological complication                                  |
| E08.51   | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene                           |
| E08.52   | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene                              |
| E08.59   | Diabetes mellitus due to underlying condition with other circulatory complications   |
| E08.610  | Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy  |
| E08.618  | Diabetes mellitus due to underlying condition with other diabetic arthropathy  |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.620  | Diabetes mellitus due to underlying condition with diabetic dermatitis   |
| E08.621  | Diabetes mellitus due to underlying condition with foot ulcer  |
| E08.622  | Diabetes mellitus due to underlying condition with other skin ulcer  |
| E08.628  | Diabetes mellitus due to underlying condition with other skin complications  |
| E08.630  | Diabetes mellitus due to underlying condition with periodontal disease   |
| E08.638  | Diabetes mellitus due to underlying condition with other oral complications  |
| E08.641  | Diabetes mellitus due to underlying condition with hypoglycemia with coma  |
| E08.649  | Diabetes mellitus due to underlying condition with hypoglycemia without coma   |
| E08.65   | Diabetes mellitus due to underlying condition with hyperglycemia   |
| E08.69   | Diabetes mellitus due to underlying condition with other specified complication  |
| E08.8    | Diabetes mellitus due to underlying condition with unspecified complications   |
| E08.9    | Diabetes mellitus due to underlying condition without complications  |
| E09.00   | Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E09.01   | Drug or chemical induced diabetes mellitus with hyperosmolarity with coma  |
| E09.10   | Drug or chemical induced diabetes mellitus with ketoacidosis without coma  |
| E09.11   | Drug or chemical induced diabetes mellitus with ketoacidosis with coma   |
| E09.21   | Drug or chemical induced diabetes mellitus with diabetic nephropathy   |
| E09.22   | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease  |
| E09.29   | Drug or chemical induced diabetes mellitus with other diabetic kidney complication   |
| E09.311  | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema                        |
| E09.319  | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema                     |
| E09.3211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye   |
| E09.3212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye    |
| E09.3213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral   |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E09.3219    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye        |
| E09.3291    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye           |
| E09.3292    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye            |
| E09.3293    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral           |
| E09.3299    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye     |
| E09.3311    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E09.3312    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E09.3313    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E09.3319    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E09.3391    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E09.3392    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E09.3393    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E09.3399    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E09.3411    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E09.3412    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E09.3413    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E09.3419    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                          |
| E09.3491    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye                             |
| E09.3492    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye                              |
| E09.3493    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral                             |
| E09.3499    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                       |
| E09.3511    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E09.3512    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E09.3513    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E09.3519    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                                    |
| E09.3521    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye       |
| E09.3522    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye        |
| E09.3523    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral       |
| E09.3529    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| E09.3531    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye   |
| E09.3532    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye    |
| E09.3533    | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3539 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E09.3541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E09.3542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E09.3543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E09.3549 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E09.3551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E09.3552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E09.3553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E09.3559 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E09.3591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E09.3592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E09.3593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E09.3599 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E09.36   | Drug or chemical induced diabetes mellitus with diabetic cataract   |
| E09.37X1 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E09.37X2 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye           |
| E09.37X3 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral          |
| E09.37X9 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye    |
| E09.39   | Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication                                   |
| E09.40   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified         |
| E09.41   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy                  |
| E09.42   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy                  |
| E09.43   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy      |
| E09.44   | Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy                      |
| E09.49   | Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication |
| E09.51   | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene                          |
| E09.52   | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene                             |
| E09.59   | Drug or chemical induced diabetes mellitus with other circulatory complications  |
| E09.610  | Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy   |
| E09.618  | Drug or chemical induced diabetes mellitus with other diabetic arthropathy   |
| E09.620  | Drug or chemical induced diabetes mellitus with diabetic dermatitis  |
| E09.621  | Drug or chemical induced diabetes mellitus with foot ulcer   |
| E09.622  | Drug or chemical induced diabetes mellitus with other skin ulcer   |
| E09.628  | Drug or chemical induced diabetes mellitus with other skin complications   |
| E09.630  | Drug or chemical induced diabetes mellitus with periodontal disease  |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.638  | Drug or chemical induced diabetes mellitus with other oral complications  |
| E09.641  | Drug or chemical induced diabetes mellitus with hypoglycemia with coma  |
| E09.649  | Drug or chemical induced diabetes mellitus with hypoglycemia without coma                                       |
| E09.65   | Drug or chemical induced diabetes mellitus with hyperglycemia   |
| E09.69   | Drug or chemical induced diabetes mellitus with other specified complication                                    |
| E09.8    | Drug or chemical induced diabetes mellitus with unspecified complications                                       |
| E09.9    | Drug or chemical induced diabetes mellitus without complications  |
| E10.10   | Type 1 diabetes mellitus with ketoacidosis without coma   |
| E10.11   | Type 1 diabetes mellitus with ketoacidosis with coma  |
| E10.21   | Type 1 diabetes mellitus with diabetic nephropathy  |
| E10.22   | Type 1 diabetes mellitus with diabetic chronic kidney disease   |
| E10.29   | Type 1 diabetes mellitus with other diabetic kidney complication  |
| E10.311  | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema                               |
| E10.319  | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema                            |
| E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye          |
| E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye           |
| E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E10.3219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye       |
| E10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye        |
| E10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E10.3311    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E10.3312    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E10.3313    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E10.3319    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E10.3391    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E10.3392    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E10.3393    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3399    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.3411    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E10.3412    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E10.3413    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E10.3419    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E10.3491    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E10.3492    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E10.3493    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E10.3499    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E10.3511    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E10.3512    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E10.3513    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E10.3519    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E10.3521    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                                 |
| E10.3522    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                                  |
| E10.3523    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E10.3529    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E10.3531    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E10.3532    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E10.3533    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E10.3539    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E10.3541    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E10.3542    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E10.3543    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E10.3549    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye                      |
| E10.3552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye                       |
| E10.3553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral                      |
| E10.3559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye                |
| E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye       |
| E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye        |
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.36   | Type 1 diabetes mellitus with diabetic cataract   |
| E10.37X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye           |
| E10.37X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye            |
| E10.37X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral           |
| E10.37X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye     |
| E10.39   | Type 1 diabetes mellitus with other diabetic ophthalmic complication                                    |
| E10.40   | Type 1 diabetes mellitus with diabetic neuropathy, unspecified  |
| E10.41   | Type 1 diabetes mellitus with diabetic mononeuropathy   |
| E10.42   | Type 1 diabetes mellitus with diabetic polyneuropathy   |
| E10.43   | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E10.44   | Type 1 diabetes mellitus with diabetic amyotrophy   |
| E10.49   | Type 1 diabetes mellitus with other diabetic neurological complication                                  |
| E10.51   | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene                           |
| E10.52   | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                              |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E10.59   | Type 1 diabetes mellitus with other circulatory complications  |
| E10.610  | Type 1 diabetes mellitus with diabetic neuropathic arthropathy   |
| E10.618  | Type 1 diabetes mellitus with other diabetic arthropathy   |
| E10.620  | Type 1 diabetes mellitus with diabetic dermatitis  |
| E10.621  | Type 1 diabetes mellitus with foot ulcer   |
| E10.622  | Type 1 diabetes mellitus with other skin ulcer   |
| E10.628  | Type 1 diabetes mellitus with other skin complications   |
| E10.630  | Type 1 diabetes mellitus with periodontal disease  |
| E10.638  | Type 1 diabetes mellitus with other oral complications   |
| E10.641  | Type 1 diabetes mellitus with hypoglycemia with coma   |
| E10.649  | Type 1 diabetes mellitus with hypoglycemia without coma  |
| E10.65   | Type 1 diabetes mellitus with hyperglycemia  |
| E10.69   | Type 1 diabetes mellitus with other specified complication   |
| E10.8    | Type 1 diabetes mellitus with unspecified complications  |
| E10.9    | Type 1 diabetes mellitus without complications   |
| E11.00   | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E11.01   | Type 2 diabetes mellitus with hyperosmolarity with coma  |
| E11.10   | Type 2 diabetes mellitus with ketoacidosis without coma  |
| E11.11   | Type 2 diabetes mellitus with ketoacidosis with coma   |
| E11.21   | Type 2 diabetes mellitus with diabetic nephropathy   |
| E11.22   | Type 2 diabetes mellitus with diabetic chronic kidney disease  |
| E11.29   | Type 2 diabetes mellitus with other diabetic kidney complication   |
| E11.311  | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema                        |
| E11.319  | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema                     |
| E11.3211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye   |
| E11.3212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye    |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E11.3213    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral              |
| E11.3219    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye        |
| E11.3291    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye           |
| E11.3292    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye            |
| E11.3293    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral           |
| E11.3299    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye     |
| E11.3311    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E11.3312    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E11.3313    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E11.3319    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E11.3391    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E11.3392    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E11.3393    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E11.3399    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E11.3411    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E11.3412    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral                                |
| E11.3419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                          |
| E11.3491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye                             |
| E11.3492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye                              |
| E11.3493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral                             |
| E11.3499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                       |
| E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E11.3519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                                    |
| E11.3521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye       |
| E11.3522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye        |
| E11.3523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral       |
| E11.3529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye   |
| E11.3532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E11.3539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E11.3541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E11.3542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E11.3543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E11.3549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E11.3551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E11.3552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E11.3553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E11.3559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E11.3599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E11.36   | Type 2 diabetes mellitus with diabetic cataract   |
| E11.37X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E11.37X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |
| E11.37X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.37X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye               |
| E11.39   | Type 2 diabetes mellitus with other diabetic ophthalmic complication  |
| E11.40   | Type 2 diabetes mellitus with diabetic neuropathy, unspecified  |
| E11.41   | Type 2 diabetes mellitus with diabetic mononeuropathy   |
| E11.42   | Type 2 diabetes mellitus with diabetic polyneuropathy   |
| E11.43   | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy   |
| E11.44   | Type 2 diabetes mellitus with diabetic amyotrophy   |
| E11.49   | Type 2 diabetes mellitus with other diabetic neurological complication  |
| E11.51   | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene                                     |
| E11.52   | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene  |
| E11.59   | Type 2 diabetes mellitus with other circulatory complications   |
| E11.610  | Type 2 diabetes mellitus with diabetic neuropathic arthropathy  |
| E11.618  | Type 2 diabetes mellitus with other diabetic arthropathy  |
| E11.620  | Type 2 diabetes mellitus with diabetic dermatitis   |
| E11.621  | Type 2 diabetes mellitus with foot ulcer  |
| E11.622  | Type 2 diabetes mellitus with other skin ulcer  |
| E11.628  | Type 2 diabetes mellitus with other skin complications  |
| E11.630  | Type 2 diabetes mellitus with periodontal disease   |
| E11.638  | Type 2 diabetes mellitus with other oral complications  |
| E11.641  | Type 2 diabetes mellitus with hypoglycemia with coma  |
| E11.649  | Type 2 diabetes mellitus with hypoglycemia without coma   |
| E11.65   | Type 2 diabetes mellitus with hyperglycemia   |
| E11.69   | Type 2 diabetes mellitus with other specified complication  |
| E11.8    | Type 2 diabetes mellitus with unspecified complications   |
| E11.9    | Type 2 diabetes mellitus without complications  |
| E13.00   | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E13.01   | Other specified diabetes mellitus with hyperosmolarity with coma  |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E13.10   | Other specified diabetes mellitus with ketoacidosis without coma  |
| E13.11   | Other specified diabetes mellitus with ketoacidosis with coma   |
| E13.21   | Other specified diabetes mellitus with diabetic nephropathy   |
| E13.22   | Other specified diabetes mellitus with diabetic chronic kidney disease  |
| E13.29   | Other specified diabetes mellitus with other diabetic kidney complication   |
| E13.311  | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema                                |
| E13.319  | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema                             |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E13.3299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E13.3312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E13.3313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E13.3319 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3399 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E13.3412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E13.3413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E13.3419 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E13.3491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E13.3492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E13.3493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E13.3499 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E13.3511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                      |
| E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                       |
| E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                      |
| E13.3519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                                 |
| E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                                  |
| E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E13.3529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E13.3539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E13.3549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye                |
| E13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye       |
| E13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye        |
| E13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.36   | Other specified diabetes mellitus with diabetic cataract   |
| E13.37X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye           |
| E13.37X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye            |
| E13.37X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral           |
| E13.37X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye     |
| E13.39   | Other specified diabetes mellitus with other diabetic ophthalmic complication                                    |
| E13.40   | Other specified diabetes mellitus with diabetic neuropathy, unspecified  |
| E13.41   | Other specified diabetes mellitus with diabetic mononeuropathy   |
| E13.42   | Other specified diabetes mellitus with diabetic polyneuropathy   |
| E13.43   | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E13.44   | Other specified diabetes mellitus with diabetic amyotrophy   |
| E13.49   | Other specified diabetes mellitus with other diabetic neurological complication                                  |
| E13.51   | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene                           |
| E13.52   | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene                              |
| E13.59   | Other specified diabetes mellitus with other circulatory complications   |
| E13.610  | Other specified diabetes mellitus with diabetic neuropathic arthropathy  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E13.618 | Other specified diabetes mellitus with other diabetic arthropathy    |
| E13.620 | Other specified diabetes mellitus with diabetic dermatitis           |
| E13.621 | Other specified diabetes mellitus with foot ulcer                    |
| E13.622 | Other specified diabetes mellitus with other skin ulcer              |
| E13.628 | Other specified diabetes mellitus with other skin complications      |
| E13.630 | Other specified diabetes mellitus with periodontal disease           |
| E13.638 | Other specified diabetes mellitus with other oral complications      |
| E13.641 | Other specified diabetes mellitus with hypoglycemia with coma        |
| E13.649 | Other specified diabetes mellitus with hypoglycemia without coma     |
| E13.65  | Other specified diabetes mellitus with hyperglycemia                 |
| E13.69  | Other specified diabetes mellitus with other specified complication  |
| E13.8   | Other specified diabetes mellitus with unspecified complications     |
| E13.9   | Other specified diabetes mellitus without complications              |
| E20.0   | Idiopathic hypoparathyroidism  |
| E20.1   | Pseudohypoparathyroidism   |
| E20.8   | Other hypoparathyroidism   |
| E20.9   | Hypoparathyroidism, unspecified                                      |
| E21.3   | Hyperparathyroidism, unspecified                                     |
| E22.1   | Hyperprolactinemia   |
| E22.8   | Other hyperfunction of pituitary gland                               |
| E22.9   | Hyperfunction of pituitary gland, unspecified                        |
| E23.0   | Hypopituitarism  |
| E23.1   | Drug-induced hypopituitarism   |
| E23.6   | Other disorders of pituitary gland                                   |
| E25.0   | Congenital adrenogenital disorders associated with enzyme deficiency |
| E25.8   | Other adrenogenital disorders  |
| E25.9   | Adrenogenital disorder, unspecified                                  |
| E27.1   | Primary adrenocortical insufficiency                                 |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E27.2   | Addisonian crisis  |
| E27.3   | Drug-induced adrenocortical insufficiency                      |
| E27.40  | Unspecified adrenocortical insufficiency                       |
| E27.49  | Other adrenocortical insufficiency                             |
| E28.310 | Symptomatic premature menopause                                |
| E28.319 | Asymptomatic premature menopause                               |
| E28.39  | Other primary ovarian failure                                  |
| E29.1   | Testicular hypofunction  |
| E31.0   | Autoimmune polyglandular failure                               |
| E31.1   | Polyglandular hyperfunction                                    |
| E31.20  | Multiple endocrine neoplasia [MEN] syndrome, unspecified       |
| E31.21  | Multiple endocrine neoplasia [MEN] type I                      |
| E31.22  | Multiple endocrine neoplasia [MEN] type IIA                    |
| E31.23  | Multiple endocrine neoplasia [MEN] type IIB                    |
| E31.8   | Other polyglandular dysfunction                                |
| E31.9   | Polyglandular dysfunction, unspecified                         |
| E35     | Disorders of endocrine glands in diseases classified elsewhere |
| E43     | Unspecified severe protein-calorie malnutrition                |
| E44.0   | Moderate protein-calorie malnutrition                          |
| E44.1   | Mild protein-calorie malnutrition                              |
| E45     | Retarded development following protein-calorie malnutrition    |
| E46     | Unspecified protein-calorie malnutrition                       |
| E53.0   | Riboflavin deficiency  |
| E64.0   | Sequelae of protein-calorie malnutrition                       |
| E67.1   | Hypercarotenemia   |
| E75.26  | Sulfatase deficiency   |
| E78.00  | Pure hypercholesterolemia, unspecified                         |
| E78.01  | Familial hypercholesterolemia                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| E78.1  | Pure hyperglyceridemia  |
| E78.2  | Mixed hyperlipidemia  |
| E78.41 | Elevated Lipoprotein(a)   |
| E78.49 | Other hyperlipidemia  |
| E78.5  | Hyperlipidemia, unspecified   |
| E83.50 | Unspecified disorder of calcium metabolism  |
| E83.51 | Hypocalcemia  |
| E83.52 | Hypercalcemia   |
| E83.59 | Other disorders of calcium metabolism   |
| E83.81 | Hungry bone syndrome  |
| E87.0  | Hyperosmolality and hypernatremia   |
| E87.1  | Hypo-osmolality and hyponatremia  |
| E88.02 | Plasminogen deficiency  |
| E89.0  | Postprocedural hypothyroidism   |
| E89.2  | Postprocedural hypoparathyroidism   |
| E89.3  | Postprocedural hypopituitarism  |
| E89.6  | Postprocedural adrenocortical (-medullary) hypofunction                               |
| F03.90 | Unspecified dementia without behavioral disturbance                                   |
| F05    | Delirium due to known physiological condition   |
| F06.0  | Psychotic disorder with hallucinations due to known physiological condition           |
| F06.1  | Catatonic disorder due to known physiological condition                               |
| F06.2  | Psychotic disorder with delusions due to known physiological condition                |
| F06.30 | Mood disorder due to known physiological condition, unspecified                       |
| F06.31 | Mood disorder due to known physiological condition with depressive features           |
| F06.32 | Mood disorder due to known physiological condition with major depressive-like episode |
| F06.33 | Mood disorder due to known physiological condition with manic features                |
| F06.34 | Mood disorder due to known physiological condition with mixed features                |
| F06.4  | Anxiety disorder due to known physiological condition                                 |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| F06.8  | Other specified mental disorders due to known physiological condition               |
| F07.0  | Personality change due to known physiological condition                             |
| F12.23 | Cannabis dependence with withdrawal   |
| F22    | Delusional disorders  |
| F23    | Brief psychotic disorder  |
| F30.10 | Manic episode without psychotic symptoms, unspecified                               |
| F30.11 | Manic episode without psychotic symptoms, mild                                      |
| F30.12 | Manic episode without psychotic symptoms, moderate                                  |
| F30.13 | Manic episode, severe, without psychotic symptoms                                   |
| F30.2  | Manic episode, severe with psychotic symptoms                                       |
| F30.3  | Manic episode in partial remission  |
| F30.4  | Manic episode in full remission   |
| F30.8  | Other manic episodes  |
| F30.9  | Manic episode, unspecified  |
| F31.0  | Bipolar disorder, current episode hypomanic   |
| F31.10 | Bipolar disorder, current episode manic without psychotic features, unspecified     |
| F31.11 | Bipolar disorder, current episode manic without psychotic features, mild            |
| F31.12 | Bipolar disorder, current episode manic without psychotic features, moderate        |
| F31.13 | Bipolar disorder, current episode manic without psychotic features, severe          |
| F31.2  | Bipolar disorder, current episode manic severe with psychotic features              |
| F31.30 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified |
| F31.31 | Bipolar disorder, current episode depressed, mild                                   |
| F31.32 | Bipolar disorder, current episode depressed, moderate                               |
| F31.4  | Bipolar disorder, current episode depressed, severe, without psychotic features     |
| F31.5  | Bipolar disorder, current episode depressed, severe, with psychotic features        |
| F31.60 | Bipolar disorder, current episode mixed, unspecified                                |
| F31.61 | Bipolar disorder, current episode mixed, mild                                       |
| F31.62 | Bipolar disorder, current episode mixed, moderate                                   |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| F31.63 | Bipolar disorder, current episode mixed, severe, without psychotic features  |
| F31.64 | Bipolar disorder, current episode mixed, severe, with psychotic features     |
| F31.70 | Bipolar disorder, currently in remission, most recent episode unspecified    |
| F31.71 | Bipolar disorder, in partial remission, most recent episode hypomanic        |
| F31.72 | Bipolar disorder, in full remission, most recent episode hypomanic           |
| F31.73 | Bipolar disorder, in partial remission, most recent episode manic            |
| F31.74 | Bipolar disorder, in full remission, most recent episode manic               |
| F31.75 | Bipolar disorder, in partial remission, most recent episode depressed        |
| F31.76 | Bipolar disorder, in full remission, most recent episode depressed           |
| F31.77 | Bipolar disorder, in partial remission, most recent episode mixed            |
| F31.78 | Bipolar disorder, in full remission, most recent episode mixed               |
| F31.81 | Bipolar II disorder  |
| F31.89 | Other bipolar disorder   |
| F31.9  | Bipolar disorder, unspecified  |
| F32.0  | Major depressive disorder, single episode, mild                              |
| F32.1  | Major depressive disorder, single episode, moderate                          |
| F32.2  | Major depressive disorder, single episode, severe without psychotic features |
| F32.3  | Major depressive disorder, single episode, severe with psychotic features    |
| F32.4  | Major depressive disorder, single episode, in partial remission              |
| F32.5  | Major depressive disorder, single episode, in full remission                 |
| F32.81 | Premenstrual dysphoric disorder  |
| F32.89 | Other specified depressive episodes  |
| F32.9  | Major depressive disorder, single episode, unspecified                       |
| F33.0  | Major depressive disorder, recurrent, mild                                   |
| F33.1  | Major depressive disorder, recurrent, moderate                               |
| F33.2  | Major depressive disorder, recurrent severe without psychotic features       |
| F33.3  | Major depressive disorder, recurrent, severe with psychotic symptoms         |
| F33.40 | Major depressive disorder, recurrent, in remission, unspecified              |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| F33.41 | Major depressive disorder, recurrent, in partial remission             |
| F33.42 | Major depressive disorder, recurrent, in full remission                |
| F33.8  | Other recurrent depressive disorders                                   |
| F33.9  | Major depressive disorder, recurrent, unspecified                      |
| F34.81 | Disruptive mood dysregulation disorder                                 |
| F34.89 | Other specified persistent mood disorders                              |
| F34.9  | Persistent mood [affective] disorder, unspecified                      |
| F39    | Unspecified mood [affective] disorder                                  |
| F41.0  | Panic disorder [episodic paroxysmal anxiety]                           |
| F41.1  | Generalized anxiety disorder   |
| F41.3  | Other mixed anxiety disorders  |
| F41.8  | Other specified anxiety disorders                                      |
| F41.9  | Anxiety disorder, unspecified  |
| F50.82 | Avoidant/restrictive food intake disorder                              |
| F53.0  | Postpartum depression  |
| F53.1  | Puerperal psychosis  |
| F63.3  | Trichotillomania   |
| G12.23 | Primary lateral sclerosis  |
| G25.0  | Essential tremor   |
| G25.1  | Drug-induced tremor  |
| G25.2  | Other specified forms of tremor  |
| G25.70 | Drug induced movement disorder, unspecified                            |
| G25.71 | Drug induced akathisia   |
| G25.79 | Other drug induced movement disorders                                  |
| G25.89 | Other specified extrapyramidal and movement disorders                  |
| G25.9  | Extrapyramidal and movement disorder, unspecified                      |
| G26    | Extrapyramidal and movement disorders in diseases classified elsewhere |
| G30.0  | Alzheimer's disease with early onset                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| G30.1  | Alzheimer's disease with late onset                       |
| G30.8  | Other Alzheimer's disease                                 |
| G30.9  | Alzheimer's disease, unspecified                          |
| G31.01 | Pick's disease  |
| G31.09 | Other frontotemporal dementia                             |
| G31.1  | Senile degeneration of brain, not elsewhere classified    |
| G31.84 | Mild cognitive impairment, so stated                      |
| G47.00 | Insomnia, unspecified                                     |
| G47.01 | Insomnia due to medical condition                         |
| G47.09 | Other insomnia  |
| G47.30 | Sleep apnea, unspecified                                  |
| G47.39 | Other sleep apnea   |
| G47.62 | Sleep related leg cramps                                  |
| G47.8  | Other sleep disorders                                     |
| G47.9  | Sleep disorder, unspecified                               |
| G56.00 | Carpal tunnel syndrome, unspecified upper limb            |
| G56.01 | Carpal tunnel syndrome, right upper limb                  |
| G56.02 | Carpal tunnel syndrome, left upper limb                   |
| G56.03 | Carpal tunnel syndrome, bilateral upper limbs             |
| G56.13 | Other lesions of median nerve, bilateral upper limbs      |
| G56.23 | Lesion of ulnar nerve, bilateral upper limbs              |
| G56.33 | Lesion of radial nerve, bilateral upper limbs             |
| G56.43 | Causalgia of bilateral upper limbs                        |
| G56.83 | Other specified mononeuropathies of bilateral upper limbs |
| G56.93 | Unspecified mononeuropathy of bilateral upper limbs       |
| G57.83 | Other specified mononeuropathies of bilateral lower limbs |
| G57.93 | Unspecified mononeuropathy of bilateral lower limbs       |
| G60.9  | Hereditary and idiopathic neuropathy, unspecified         |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| G61.82  | Multifocal motor neuropathy                                 |
| G71.9   | Primary disorder of muscle, unspecified                     |
| G72.9   | Myopathy, unspecified                                       |
| G73.3   | Myasthenic syndromes in other diseases classified elsewhere |
| G73.7   | Myopathy in diseases classified elsewhere                   |
| G93.3   | Postviral fatigue syndrome                                  |
| H02.531 | Eyelid retraction right upper eyelid                        |
| H02.532 | Eyelid retraction right lower eyelid                        |
| H02.533 | Eyelid retraction right eye, unspecified eyelid             |
| H02.534 | Eyelid retraction left upper eyelid                         |
| H02.535 | Eyelid retraction left lower eyelid                         |
| H02.536 | Eyelid retraction left eye, unspecified eyelid              |
| H02.539 | Eyelid retraction unspecified eye, unspecified lid          |
| H02.841 | Edema of right upper eyelid                                 |
| H02.842 | Edema of right lower eyelid                                 |
| H02.843 | Edema of right eye, unspecified eyelid                      |
| H02.844 | Edema of left upper eyelid                                  |
| H02.845 | Edema of left lower eyelid                                  |
| H02.846 | Edema of left eye, unspecified eyelid                       |
| H02.849 | Edema of unspecified eye, unspecified eyelid                |
| H02.881 | Meibomian gland dysfunction right upper eyelid              |
| H02.882 | Meibomian gland dysfunction right lower eyelid              |
| H02.884 | Meibomian gland dysfunction left upper eyelid               |
| H02.885 | Meibomian gland dysfunction left lower eyelid               |
| H05.20  | Unspecified exophthalmos                                    |
| H05.221 | Edema of right orbit  |
| H05.222 | Edema of left orbit   |
| H05.223 | Edema of bilateral orbit                                    |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                     |
|---------|---|
| H05.229 | Edema of unspecified orbit                      |
| H05.241 | Constant exophthalmos, right eye                |
| H05.242 | Constant exophthalmos, left eye                 |
| H05.243 | Constant exophthalmos, bilateral                |
| H05.249 | Constant exophthalmos, unspecified eye          |
| H05.251 | Intermittent exophthalmos, right eye            |
| H05.252 | Intermittent exophthalmos, left eye             |
| H05.253 | Intermittent exophthalmos, bilateral            |
| H05.259 | Intermittent exophthalmos, unspecified eye      |
| H05.89  | Other disorders of orbit                        |
| H10.821 | Rosacea conjunctivitis, right eye               |
| H10.822 | Rosacea conjunctivitis, left eye                |
| H10.823 | Rosacea conjunctivitis, bilateral               |
| H11.421 | Conjunctival edema, right eye                   |
| H11.422 | Conjunctival edema, left eye                    |
| H11.423 | Conjunctival edema, bilateral                   |
| H11.429 | Conjunctival edema, unspecified eye             |
| H11.431 | Conjunctival hyperemia, right eye               |
| H11.432 | Conjunctival hyperemia, left eye                |
| H11.433 | Conjunctival hyperemia, bilateral               |
| H11.439 | Conjunctival hyperemia, unspecified eye         |
| H49.00  | Third [oculomotor] nerve palsy, unspecified eye |
| H49.01  | Third [oculomotor] nerve palsy, right eye       |
| H49.02  | Third [oculomotor] nerve palsy, left eye        |
| H49.03  | Third [oculomotor] nerve palsy, bilateral       |
| H49.10  | Fourth [trochlear] nerve palsy, unspecified eye |
| H49.11  | Fourth [trochlear] nerve palsy, right eye       |
| H49.12  | Fourth [trochlear] nerve palsy, left eye        |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H49.13  | Fourth [trochlear] nerve palsy, bilateral   |
| H49.20  | Sixth [abducent] nerve palsy, unspecified eye   |
| H49.21  | Sixth [abducent] nerve palsy, right eye   |
| H49.22  | Sixth [abducent] nerve palsy, left eye  |
| H49.23  | Sixth [abducent] nerve palsy, bilateral   |
| H49.40  | Progressive external ophthalmoplegia, unspecified eye   |
| H49.41  | Progressive external ophthalmoplegia, right eye   |
| H49.42  | Progressive external ophthalmoplegia, left eye  |
| H49.43  | Progressive external ophthalmoplegia, bilateral   |
| H49.881 | Other paralytic strabismus, right eye   |
| H49.882 | Other paralytic strabismus, left eye  |
| H49.883 | Other paralytic strabismus, bilateral   |
| H49.889 | Other paralytic strabismus, unspecified eye   |
| H49.9   | Unspecified paralytic strabismus  |
| H53.2   | Diplopia  |
| I10     | Essential (primary) hypertension  |
| I12.0   | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease  |
| I12.9   | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease                                  |
| I13.0   | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease      |
| I13.10  | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease |
| I13.11  | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease                            |
| I13.2   | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease                            |
| I16.0   | Hypertensive urgency  |
| I16.1   | Hypertensive emergency  |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| I16.9  | Hypertensive crisis, unspecified   |
| I31.3  | Pericardial effusion (noninflammatory)   |
| I31.9  | Disease of pericardium, unspecified  |
| I43    | Cardiomyopathy in diseases classified elsewhere  |
| I47.1  | Supraventricular tachycardia   |
| I47.9  | Paroxysmal tachycardia, unspecified  |
| I48.0  | Paroxysmal atrial fibrillation   |
| I48.11 | Longstanding persistent atrial fibrillation  |
| I48.19 | Other persistent atrial fibrillation   |
| I48.20 | Chronic atrial fibrillation, unspecified   |
| I48.21 | Permanent atrial fibrillation  |
| I48.91 | Unspecified atrial fibrillation  |
| I49.2  | Junctional premature depolarization  |
| I49.8  | Other specified cardiac arrhythmias  |
| I49.9  | Cardiac arrhythmia, unspecified  |
| I50.1  | Left ventricular failure, unspecified  |
| I50.20 | Unspecified systolic (congestive) heart failure  |
| I50.21 | Acute systolic (congestive) heart failure  |
| I50.22 | Chronic systolic (congestive) heart failure  |
| I50.23 | Acute on chronic systolic (congestive) heart failure                                     |
| I50.30 | Unspecified diastolic (congestive) heart failure   |
| I50.31 | Acute diastolic (congestive) heart failure   |
| I50.32 | Chronic diastolic (congestive) heart failure   |
| I50.33 | Acute on chronic diastolic (congestive) heart failure                                    |
| I50.40 | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure      |
| I50.41 | Acute combined systolic (congestive) and diastolic (congestive) heart failure            |
| I50.42 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure          |
| I50.43 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I50.810 | Right heart failure, unspecified  |
| I50.811 | Acute right heart failure   |
| I50.812 | Chronic right heart failure   |
| I50.813 | Acute on chronic right heart failure  |
| I50.814 | Right heart failure due to left heart failure                                     |
| I50.82  | Biventricular heart failure   |
| I50.83  | High output heart failure   |
| I50.84  | End stage heart failure   |
| I50.89  | Other heart failure   |
| I50.9   | Heart failure, unspecified  |
| I51.7   | Cardiomegaly  |
| J91.8   | Pleural effusion in other conditions classified elsewhere                         |
| J96.00  | Acute respiratory failure, unspecified whether with hypoxia or hypercapnia        |
| J96.01  | Acute respiratory failure with hypoxia  |
| J96.02  | Acute respiratory failure with hypercapnia  |
| J96.90  | Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia |
| J96.91  | Respiratory failure, unspecified with hypoxia                                     |
| J96.92  | Respiratory failure, unspecified with hypercapnia                                 |
| K14.8   | Other diseases of tongue  |
| K52.21  | Food protein-induced enterocolitis syndrome                                       |
| K52.22  | Food protein-induced enteropathy  |
| K52.29  | Other allergic and dietetic gastroenteritis and colitis                           |
| K52.89  | Other specified noninfective gastroenteritis and colitis                          |
| K56.0   | Paralytic ileus   |
| K56.7   | Ileus, unspecified  |
| K58.1   | Irritable bowel syndrome with constipation  |
| K58.2   | Mixed irritable bowel syndrome  |
| K58.8   | Other irritable bowel syndrome  |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                     |
|--------|---|
| K59.00 | Constipation, unspecified                       |
| K59.01 | Slow transit constipation                       |
| K59.02 | Outlet dysfunction constipation                 |
| K59.04 | Chronic idiopathic constipation                 |
| K59.09 | Other constipation                              |
| K59.39 | Other megacolon                                 |
| L11.0  | Acquired keratosis follicularis                 |
| L29.9  | Pruritus, unspecified                           |
| L60.1  | Onycholysis                                     |
| L60.2  | Onychogryphosis                                 |
| L60.3  | Nail dystrophy                                  |
| L60.4  | Beau's lines                                    |
| L60.5  | Yellow nail syndrome                            |
| L60.8  | Other nail disorders                            |
| L62    | Nail disorders in diseases classified elsewhere |
| L63.0  | Alopecia (capitis) totalis                      |
| L63.1  | Alopecia universalis                            |
| L63.2  | Ophiasis  |
| L63.8  | Other alopecia areata                           |
| L63.9  | Alopecia areata, unspecified                    |
| L64.0  | Drug-induced androgenic alopecia                |
| L64.8  | Other androgenic alopecia                       |
| L64.9  | Androgenic alopecia, unspecified                |
| L65.0  | Telogen effluvium                               |
| L65.1  | Anagen effluvium                                |
| L65.2  | Alopecia mucinosa                               |
| L65.8  | Other specified nonscarring hair loss           |
| L65.9  | Nonscarring hair loss, unspecified              |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| L66.0  | Pseudopelade  |
| L66.2  | Folliculitis decalvans  |
| L66.8  | Other cicatricial alopecia  |
| L66.9  | Cicatricial alopecia, unspecified                                     |
| L80    | Vitiligo  |
| L85.0  | Acquired ichthyosis   |
| L85.1  | Acquired keratosis [keratoderma] palmaris et plantaris                |
| L85.2  | Keratosis punctata (palmaris et plantaris)                            |
| L86    | Keratoderma in diseases classified elsewhere                          |
| L87.0  | Keratosis follicularis et parafollicularis in cutem penetrans         |
| L87.2  | Elastosis perforans serpiginosa                                       |
| M04.1  | Periodic fever syndromes  |
| M04.2  | Cryopyrin-associated periodic syndromes                               |
| M04.8  | Other autoinflammatory syndromes                                      |
| M04.9  | Autoinflammatory syndrome, unspecified                                |
| M32.0  | Drug-induced systemic lupus erythematosus                             |
| M32.10 | Systemic lupus erythematosus, organ or system involvement unspecified |
| M32.11 | Endocarditis in systemic lupus erythematosus                          |
| M32.12 | Pericarditis in systemic lupus erythematosus                          |
| M32.13 | Lung involvement in systemic lupus erythematosus                      |
| M32.14 | Glomerular disease in systemic lupus erythematosus                    |
| M32.15 | Tubulo-interstitial nephropathy in systemic lupus erythematosus       |
| M32.19 | Other organ or system involvement in systemic lupus erythematosus     |
| M32.8  | Other forms of systemic lupus erythematosus                           |
| M32.9  | Systemic lupus erythematosus, unspecified                             |
| M33.00 | Juvenile dermatomyositis, organ involvement unspecified               |
| M33.01 | Juvenile dermatomyositis with respiratory involvement                 |
| M33.02 | Juvenile dermatomyositis with myopathy                                |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| M33.03 | Juvenile dermatomyositis without myopathy                       |
| M33.09 | Juvenile dermatomyositis with other organ involvement           |
| M33.10 | Other dermatomyositis, organ involvement unspecified            |
| M33.11 | Other dermatomyositis with respiratory involvement              |
| M33.12 | Other dermatomyositis with myopathy                             |
| M33.13 | Other dermatomyositis without myopathy                          |
| M33.19 | Other dermatomyositis with other organ involvement              |
| M33.20 | Polymyositis, organ involvement unspecified                     |
| M33.21 | Polymyositis with respiratory involvement                       |
| M33.22 | Polymyositis with myopathy                                      |
| M33.29 | Polymyositis with other organ involvement                       |
| M33.90 | Dermatopolymyositis, unspecified, organ involvement unspecified |
| M33.91 | Dermatopolymyositis, unspecified with respiratory involvement   |
| M33.92 | Dermatopolymyositis, unspecified with myopathy                  |
| M33.93 | Dermatopolymyositis, unspecified without myopathy               |
| M33.99 | Dermatopolymyositis, unspecified with other organ involvement   |
| M34.0  | Progressive systemic sclerosis                                  |
| M34.1  | CR(E)ST syndrome  |
| M34.2  | Systemic sclerosis induced by drug and chemical                 |
| M34.81 | Systemic sclerosis with lung involvement                        |
| M34.82 | Systemic sclerosis with myopathy                                |
| M34.83 | Systemic sclerosis with polyneuropathy                          |
| M34.89 | Other systemic sclerosis  |
| M34.9  | Systemic sclerosis, unspecified                                 |
| M35.00 | Sicca syndrome, unspecified                                     |
| M35.01 | Sicca syndrome with keratoconjunctivitis                        |
| M35.02 | Sicca syndrome with lung involvement                            |
| M35.03 | Sicca syndrome with myopathy                                    |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M35.04  | Sicca syndrome with tubulo-interstitial nephropathy                            |
| M35.09  | Sicca syndrome with other organ involvement                                    |
| M35.1   | Other overlap syndromes  |
| M35.5   | Multifocal fibrosclerosis  |
| M35.8   | Other specified systemic involvement of connective tissue                      |
| M35.9   | Systemic involvement of connective tissue, unspecified                         |
| M36.0   | Dermato(poly)myositis in neoplastic disease                                    |
| M36.8   | Systemic disorders of connective tissue in other diseases classified elsewhere |
| M60.80  | Other myositis, unspecified site   |
| M60.811 | Other myositis, right shoulder   |
| M60.812 | Other myositis, left shoulder  |
| M60.819 | Other myositis, unspecified shoulder   |
| M60.821 | Other myositis, right upper arm  |
| M60.822 | Other myositis, left upper arm   |
| M60.829 | Other myositis, unspecified upper arm  |
| M60.831 | Other myositis, right forearm  |
| M60.832 | Other myositis, left forearm   |
| M60.839 | Other myositis, unspecified forearm  |
| M60.841 | Other myositis, right hand   |
| M60.842 | Other myositis, left hand  |
| M60.849 | Other myositis, unspecified hand   |
| M60.851 | Other myositis, right thigh  |
| M60.852 | Other myositis, left thigh   |
| M60.859 | Other myositis, unspecified thigh  |
| M60.861 | Other myositis, right lower leg  |
| M60.862 | Other myositis, left lower leg   |
| M60.869 | Other myositis, unspecified lower leg  |
| M60.871 | Other myositis, right ankle and foot   |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| M60.872 | Other myositis, left ankle and foot  |
| M60.879 | Other myositis, unspecified ankle and foot                                       |
| M60.88  | Other myositis, other site   |
| M60.89  | Other myositis, multiple sites   |
| M60.9   | Myositis, unspecified  |
| M62.50  | Muscle wasting and atrophy, not elsewhere classified, unspecified site           |
| M62.511 | Muscle wasting and atrophy, not elsewhere classified, right shoulder             |
| M62.512 | Muscle wasting and atrophy, not elsewhere classified, left shoulder              |
| M62.519 | Muscle wasting and atrophy, not elsewhere classified, unspecified shoulder       |
| M62.521 | Muscle wasting and atrophy, not elsewhere classified, right upper arm            |
| M62.522 | Muscle wasting and atrophy, not elsewhere classified, left upper arm             |
| M62.529 | Muscle wasting and atrophy, not elsewhere classified, unspecified upper arm      |
| M62.531 | Muscle wasting and atrophy, not elsewhere classified, right forearm              |
| M62.532 | Muscle wasting and atrophy, not elsewhere classified, left forearm               |
| M62.539 | Muscle wasting and atrophy, not elsewhere classified, unspecified forearm        |
| M62.541 | Muscle wasting and atrophy, not elsewhere classified, right hand                 |
| M62.542 | Muscle wasting and atrophy, not elsewhere classified, left hand                  |
| M62.549 | Muscle wasting and atrophy, not elsewhere classified, unspecified hand           |
| M62.551 | Muscle wasting and atrophy, not elsewhere classified, right thigh                |
| M62.552 | Muscle wasting and atrophy, not elsewhere classified, left thigh                 |
| M62.559 | Muscle wasting and atrophy, not elsewhere classified, unspecified thigh          |
| M62.561 | Muscle wasting and atrophy, not elsewhere classified, right lower leg            |
| M62.562 | Muscle wasting and atrophy, not elsewhere classified, left lower leg             |
| M62.569 | Muscle wasting and atrophy, not elsewhere classified, unspecified lower leg      |
| M62.571 | Muscle wasting and atrophy, not elsewhere classified, right ankle and foot       |
| M62.572 | Muscle wasting and atrophy, not elsewhere classified, left ankle and foot        |
| M62.579 | Muscle wasting and atrophy, not elsewhere classified, unspecified ankle and foot |
| M62.58  | Muscle wasting and atrophy, not elsewhere classified, other site                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| M62.59      | Muscle wasting and atrophy, not elsewhere classified, multiple sites             |
| M62.81      | Muscle weakness (generalized)  |
| M62.9       | Disorder of muscle, unspecified  |
| M63.80      | Disorders of muscle in diseases classified elsewhere, unspecified site           |
| M63.811     | Disorders of muscle in diseases classified elsewhere, right shoulder             |
| M63.812     | Disorders of muscle in diseases classified elsewhere, left shoulder              |
| M63.819     | Disorders of muscle in diseases classified elsewhere, unspecified shoulder       |
| M63.821     | Disorders of muscle in diseases classified elsewhere, right upper arm            |
| M63.822     | Disorders of muscle in diseases classified elsewhere, left upper arm             |
| M63.829     | Disorders of muscle in diseases classified elsewhere, unspecified upper arm      |
| M63.831     | Disorders of muscle in diseases classified elsewhere, right forearm              |
| M63.832     | Disorders of muscle in diseases classified elsewhere, left forearm               |
| M63.839     | Disorders of muscle in diseases classified elsewhere, unspecified forearm        |
| M63.841     | Disorders of muscle in diseases classified elsewhere, right hand                 |
| M63.842     | Disorders of muscle in diseases classified elsewhere, left hand                  |
| M63.849     | Disorders of muscle in diseases classified elsewhere, unspecified hand           |
| M63.851     | Disorders of muscle in diseases classified elsewhere, right thigh                |
| M63.852     | Disorders of muscle in diseases classified elsewhere, left thigh                 |
| M63.859     | Disorders of muscle in diseases classified elsewhere, unspecified thigh          |
| M63.861     | Disorders of muscle in diseases classified elsewhere, right lower leg            |
| M63.862     | Disorders of muscle in diseases classified elsewhere, left lower leg             |
| M63.869     | Disorders of muscle in diseases classified elsewhere, unspecified lower leg      |
| M63.871     | Disorders of muscle in diseases classified elsewhere, right ankle and foot       |
| M63.872     | Disorders of muscle in diseases classified elsewhere, left ankle and foot        |
| M63.879     | Disorders of muscle in diseases classified elsewhere, unspecified ankle and foot |
| M63.88      | Disorders of muscle in diseases classified elsewhere, other site                 |
| M63.89      | Disorders of muscle in diseases classified elsewhere, multiple sites             |
| M79.10      | Myalgia, unspecified site  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| M79.11 | Myalgia of mastication muscle   |
| M79.12 | Myalgia of auxiliary muscles, head and neck   |
| M79.18 | Myalgia, other site   |
| M79.7  | Fibromyalgia  |
| M81.0  | Age-related osteoporosis without current pathological fracture  |
| M81.6  | Localized osteoporosis [Lequesne]   |
| M81.8  | Other osteoporosis without current pathological fracture  |
| M86.9  | Osteomyelitis, unspecified  |
| N91.0  | Primary amenorrhea  |
| N91.1  | Secondary amenorrhea  |
| N91.2  | Amenorrhea, unspecified   |
| N91.3  | Primary oligomenorrhea  |
| N91.4  | Secondary oligomenorrhea  |
| N91.5  | Oligomenorrhea, unspecified   |
| N92.0  | Excessive and frequent menstruation with regular cycle  |
| N92.5  | Other specified irregular menstruation  |
| N92.6  | Irregular menstruation, unspecified   |
| N94.4  | Primary dysmenorrhea  |
| N94.5  | Secondary dysmenorrhea  |
| N94.6  | Dysmenorrhea, unspecified   |
| O12.04 | Gestational edema, complicating childbirth  |
| O12.05 | Gestational edema, complicating the puerperium  |
| O12.14 | Gestational proteinuria, complicating childbirth  |
| O12.15 | Gestational proteinuria, complicating the puerperium  |
| O12.24 | Gestational edema with proteinuria, complicating childbirth   |
| O12.25 | Gestational edema with proteinuria, complicating the puerperium                                       |
| O13.4  | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| O13.5    | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium          |
| O14.04   | Mild to moderate pre-eclampsia, complicating childbirth  |
| O14.05   | Mild to moderate pre-eclampsia, complicating the puerperium  |
| O14.14   | Severe pre-eclampsia complicating childbirth   |
| O14.15   | Severe pre-eclampsia, complicating the puerperium  |
| O14.24   | HELLP syndrome, complicating childbirth  |
| O14.25   | HELLP syndrome, complicating the puerperium  |
| O14.94   | Unspecified pre-eclampsia, complicating childbirth   |
| O14.95   | Unspecified pre-eclampsia, complicating the puerperium   |
| O16.4    | Unspecified maternal hypertension, complicating childbirth   |
| O16.5    | Unspecified maternal hypertension, complicating the puerperium   |
| O24.415  | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs                                  |
| O24.425  | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs                                 |
| O24.435  | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs                                 |
| O36.8310 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, not applicable or unspecified  |
| O36.8311 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 1                        |
| O36.8312 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 2                        |
| O36.8313 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 3                        |
| O36.8314 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 4                        |
| O36.8315 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, fetus 5                        |
| O36.8319 | Maternal care for abnormalities of the fetal heart rate or rhythm, first trimester, other fetus                    |
| O36.8320 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, not applicable or unspecified |

NCD 190.22

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O36.8321 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 1                            |
| O36.8322 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 2                            |
| O36.8323 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 3                            |
| O36.8324 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 4                            |
| O36.8325 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, fetus 5                            |
| O36.8329 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, other fetus                        |
| O36.8330 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, not applicable or unspecified       |
| O36.8331 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 1                             |
| O36.8332 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 2                             |
| O36.8333 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 3                             |
| O36.8334 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 4                             |
| O36.8335 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 5                             |
| O36.8339 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, other fetus                         |
| O36.8390 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, not applicable or unspecified |
| O36.8391 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 1                       |
| O36.8392 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 2                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O36.8393 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 3     |
| O36.8394 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 4     |
| O36.8395 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, fetus 5     |
| O36.8399 | Maternal care for abnormalities of the fetal heart rate or rhythm, unspecified trimester, other fetus |
| O44.20   | Partial placenta previa NOS or without hemorrhage, unspecified trimester                              |
| O44.21   | Partial placenta previa NOS or without hemorrhage, first trimester                                    |
| O44.22   | Partial placenta previa NOS or without hemorrhage, second trimester                                   |
| O44.23   | Partial placenta previa NOS or without hemorrhage, third trimester                                    |
| O44.30   | Partial placenta previa with hemorrhage, unspecified trimester  |
| O44.31   | Partial placenta previa with hemorrhage, first trimester  |
| O44.32   | Partial placenta previa with hemorrhage, second trimester   |
| O44.33   | Partial placenta previa with hemorrhage, third trimester  |
| O44.40   | Low lying placenta NOS or without hemorrhage, unspecified trimester                                   |
| O44.41   | Low lying placenta NOS or without hemorrhage, first trimester   |
| O44.42   | Low lying placenta NOS or without hemorrhage, second trimester  |
| O44.43   | Low lying placenta NOS or without hemorrhage, third trimester   |
| O44.50   | Low lying placenta with hemorrhage, unspecified trimester   |
| O44.51   | Low lying placenta with hemorrhage, first trimester   |
| O44.52   | Low lying placenta with hemorrhage, second trimester  |
| O44.53   | Low lying placenta with hemorrhage, third trimester   |
| O90.5    | Postpartum thyroiditis  |
| O92.29   | Other disorders of breast associated with pregnancy and the puerperium                                |
| O99.280  | Endocrine, nutritional and metabolic diseases complicating pregnancy, unspecified trimester           |
| O99.281  | Endocrine, nutritional and metabolic diseases complicating pregnancy, first trimester                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O99.282 | Endocrine, nutritional and metabolic diseases complicating pregnancy, second trimester |
| O99.283 | Endocrine, nutritional and metabolic diseases complicating pregnancy, third trimester  |
| O99.284 | Endocrine, nutritional and metabolic diseases complicating childbirth                  |
| O99.285 | Endocrine, nutritional and metabolic diseases complicating the puerperium              |
| O99.891 | Other specified diseases and conditions complicating pregnancy                         |
| O99.892 | Other specified diseases and conditions complicating childbirth                        |
| O99.893 | Other specified diseases and conditions complicating puerperium                        |
| P04.40  | Newborn affected by maternal use of unspecified drugs of addiction                     |
| P04.42  | Newborn affected by maternal use of hallucinogens                                      |
| P05.09  | Newborn light for gestational age, 2500 grams and over                                 |
| Q38.2   | Macroglossia   |
| Q89.2   | Congenital malformations of other endocrine glands                                     |
| R00.0   | Tachycardia, unspecified   |
| R00.1   | Bradycardia, unspecified   |
| R00.2   | Palpitations   |
| R06.00  | Dyspnea, unspecified   |
| R06.09  | Other forms of dyspnea   |
| R06.1   | Stridor  |
| R06.83  | Snoring  |
| R06.89  | Other abnormalities of breathing   |
| R07.0   | Pain in throat   |
| R09.89  | Other specified symptoms and signs involving the circulatory and respiratory systems   |
| R13.0   | Aphagia  |
| R13.10  | Dysphagia, unspecified   |
| R13.11  | Dysphagia, oral phase  |
| R13.12  | Dysphagia, oropharyngeal phase   |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| R13.13  | Dysphagia, pharyngeal phase   |
| R13.14  | Dysphagia, pharyngoesophageal phase   |
| R13.19  | Other dysphagia   |
| R18.0   | Malignant ascites   |
| R18.8   | Other ascites   |
| R19.4   | Change in bowel habit   |
| R19.7   | Diarrhea, unspecified   |
| R19.8   | Other specified symptoms and signs involving the digestive system and abdomen |
| R20.0   | Anesthesia of skin  |
| R20.1   | Hypoesthesia of skin  |
| R20.2   | Paresthesia of skin   |
| R20.3   | Hyperesthesia   |
| R20.8   | Other disturbances of skin sensation  |
| R20.9   | Unspecified disturbances of skin sensation                                    |
| R23.4   | Changes in skin texture   |
| R23.8   | Other skin changes  |
| R23.9   | Unspecified skin changes  |
| R25.0   | Abnormal head movements   |
| R25.1   | Tremor, unspecified   |
| R25.2   | Cramp and spasm   |
| R25.3   | Fasciculation   |
| R25.8   | Other abnormal involuntary movements  |
| R25.9   | Unspecified abnormal involuntary movements                                    |
| R27.0   | Ataxia, unspecified   |
| R27.8   | Other lack of coordination  |
| R27.9   | Unspecified lack of coordination  |
| R29.2   | Abnormal reflex   |
| R29.700 | NIHSS score 0   |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description    |
|---------|----------------|
| R29.701 | NIHSS score 1  |
| R29.702 | NIHSS score 2  |
| R29.703 | NIHSS score 3  |
| R29.704 | NIHSS score 4  |
| R29.705 | NIHSS score 5  |
| R29.706 | NIHSS score 6  |
| R29.707 | NIHSS score 7  |
| R29.708 | NIHSS score 8  |
| R29.709 | NIHSS score 9  |
| R29.710 | NIHSS score 10 |
| R29.711 | NIHSS score 11 |
| R29.712 | NIHSS score 12 |
| R29.713 | NIHSS score 13 |
| R29.714 | NIHSS score 14 |
| R29.715 | NIHSS score 15 |
| R29.716 | NIHSS score 16 |
| R29.717 | NIHSS score 17 |
| R29.718 | NIHSS score 18 |
| R29.719 | NIHSS score 19 |
| R29.720 | NIHSS score 20 |
| R29.721 | NIHSS score 21 |
| R29.722 | NIHSS score 22 |
| R29.723 | NIHSS score 23 |
| R29.724 | NIHSS score 24 |
| R29.725 | NIHSS score 25 |
| R29.726 | NIHSS score 26 |
| R29.727 | NIHSS score 27 |
| R29.728 | NIHSS score 28 |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| R29.729  | NIHSS score 29  |
| R29.730  | NIHSS score 30  |
| R29.731  | NIHSS score 31  |
| R29.732  | NIHSS score 32  |
| R29.733  | NIHSS score 33  |
| R29.734  | NIHSS score 34  |
| R29.735  | NIHSS score 35  |
| R29.736  | NIHSS score 36  |
| R29.737  | NIHSS score 37  |
| R29.738  | NIHSS score 38  |
| R29.739  | NIHSS score 39  |
| R29.740  | NIHSS score 40  |
| R29.741  | NIHSS score 41  |
| R29.742  | NIHSS score 42  |
| R40.0    | Somnolence  |
| R40.1    | Stupor  |
| R40.20   | Unspecified coma  |
| R40.2110 | Coma scale, eyes open, never, unspecified time                            |
| R40.2111 | Coma scale, eyes open, never, in the field [EMT or ambulance]             |
| R40.2112 | Coma scale, eyes open, never, at arrival to emergency department          |
| R40.2113 | Coma scale, eyes open, never, at hospital admission                       |
| R40.2114 | Coma scale, eyes open, never, 24 hours or more after hospital admission   |
| R40.2120 | Coma scale, eyes open, to pain, unspecified time                          |
| R40.2121 | Coma scale, eyes open, to pain, in the field [EMT or ambulance]           |
| R40.2122 | Coma scale, eyes open, to pain, at arrival to emergency department        |
| R40.2123 | Coma scale, eyes open, to pain, at hospital admission                     |
| R40.2124 | Coma scale, eyes open, to pain, 24 hours or more after hospital admission |
| R40.2210 | Coma scale, best verbal response, none, unspecified time                  |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| R40.2211 | Coma scale, best verbal response, none, in the field [EMT or ambulance]                             |
| R40.2212 | Coma scale, best verbal response, none, at arrival to emergency department                          |
| R40.2213 | Coma scale, best verbal response, none, at hospital admission                                       |
| R40.2214 | Coma scale, best verbal response, none, 24 hours or more after hospital admission                   |
| R40.2220 | Coma scale, best verbal response, incomprehensible words, unspecified time                          |
| R40.2221 | Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]           |
| R40.2222 | Coma scale, best verbal response, incomprehensible words, at arrival to emergency department        |
| R40.2223 | Coma scale, best verbal response, incomprehensible words, at hospital admission                     |
| R40.2224 | Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission |
| R40.2310 | Coma scale, best motor response, none, unspecified time   |
| R40.2311 | Coma scale, best motor response, none, in the field [EMT or ambulance]                              |
| R40.2312 | Coma scale, best motor response, none, at arrival to emergency department                           |
| R40.2313 | Coma scale, best motor response, none, at hospital admission  |
| R40.2314 | Coma scale, best motor response, none, 24 hours or more after hospital admission                    |
| R40.2320 | Coma scale, best motor response, extension, unspecified time  |
| R40.2321 | Coma scale, best motor response, extension, in the field [EMT or ambulance]                         |
| R40.2322 | Coma scale, best motor response, extension, at arrival to emergency department                      |
| R40.2323 | Coma scale, best motor response, extension, at hospital admission                                   |
| R40.2324 | Coma scale, best motor response, extension, 24 hours or more after hospital admission               |
| R40.2340 | Coma scale, best motor response, flexion withdrawal, unspecified time                               |
| R40.2341 | Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]                |
| R40.2342 | Coma scale, best motor response, flexion withdrawal, at arrival to emergency department             |
| R40.2343 | Coma scale, best motor response, flexion withdrawal, at hospital admission                          |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| R40.2344    | Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission                                     |
| R40.2410    | Glasgow coma scale score 13-15, unspecified time   |
| R40.2411    | Glasgow coma scale score 13-15, in the field [EMT or ambulance]  |
| R40.2412    | Glasgow coma scale score 13-15, at arrival to emergency department   |
| R40.2413    | Glasgow coma scale score 13-15, at hospital admission  |
| R40.2414    | Glasgow coma scale score 13-15, 24 hours or more after hospital admission  |
| R40.2420    | Glasgow coma scale score 9-12, unspecified time  |
| R40.2421    | Glasgow coma scale score 9-12, in the field [EMT or ambulance]   |
| R40.2422    | Glasgow coma scale score 9-12, at arrival to emergency department  |
| R40.2423    | Glasgow coma scale score 9-12, at hospital admission   |
| R40.2424    | Glasgow coma scale score 9-12, 24 hours or more after hospital admission   |
| R40.2430    | Glasgow coma scale score 3-8, unspecified time   |
| R40.2431    | Glasgow coma scale score 3-8, in the field [EMT or ambulance]  |
| R40.2432    | Glasgow coma scale score 3-8, at arrival to emergency department   |
| R40.2433    | Glasgow coma scale score 3-8, at hospital admission  |
| R40.2434    | Glasgow coma scale score 3-8, 24 hours or more after hospital admission  |
| R40.2440    | Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time                          |
| R40.2441    | Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]           |
| R40.2442    | Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department        |
| R40.2443    | Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission                     |
| R40.2444    | Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission |
| R40.4       | Transient alteration of awareness  |
| R41.0       | Disorientation, unspecified  |
| R41.1       | Anterograde amnesia  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| R41.2  | Retrograde amnesia   |
| R41.3  | Other amnesia  |
| R41.82 | Altered mental status, unspecified   |
| R41.9  | Unspecified symptoms and signs involving cognitive functions and awareness |
| R45.0  | Nervousness  |
| R45.1  | Restlessness and agitation   |
| R45.3  | Demoralization and apathy  |
| R45.4  | Irritability and anger   |
| R45.81 | Low self-esteem  |
| R45.82 | Worries  |
| R45.84 | Anhedonia  |
| R45.86 | Emotional lability   |
| R45.87 | Impulsiveness  |
| R45.89 | Other symptoms and signs involving emotional state                         |
| R47.02 | Dysphasia  |
| R47.1  | Dysarthria and anarthria   |
| R47.81 | Slurred speech   |
| R47.89 | Other speech disturbances  |
| R47.9  | Unspecified speech disturbances  |
| R49.0  | Dysphonia  |
| R49.21 | Hypernasality  |
| R49.22 | Hyponasality   |
| R49.8  | Other voice and resonance disorders  |
| R50.2  | Drug induced fever   |
| R50.81 | Fever presenting with conditions classified elsewhere                      |
| R50.82 | Postprocedural fever   |
| R50.83 | Postvaccination fever  |
| R50.84 | Febrile nonhemolytic transfusion reaction                                  |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| R50.9   | Fever, unspecified   |
| R52     | Pain, unspecified  |
| R53.0   | Neoplastic (malignant) related fatigue                                     |
| R53.1   | Weakness   |
| R53.2   | Functional quadriplegia  |
| R53.81  | Other malaise  |
| R53.82  | Chronic fatigue, unspecified   |
| R53.83  | Other fatigue  |
| R60.0   | Localized edema  |
| R60.1   | Generalized edema  |
| R60.9   | Edema, unspecified   |
| R61     | Generalized hyperhidrosis  |
| R63.0   | Anorexia   |
| R63.2   | Polyphagia   |
| R63.4   | Abnormal weight loss   |
| R63.5   | Abnormal weight gain   |
| R68.0   | Hypothermia, not associated with low environmental temperature             |
| R68.81  | Early satiety  |
| R68.83  | Chills (without fever)   |
| R68.89  | Other general symptoms and signs   |
| R73.03  | Prediabetes  |
| R90.89  | Other abnormal findings on diagnostic imaging of central nervous system    |
| R93.811 | Abnormal radiologic findings on diagnostic imaging of right testicle       |
| R93.812 | Abnormal radiologic findings on diagnostic imaging of left testicle        |
| R93.813 | Abnormal radiologic findings on diagnostic imaging of testicles, bilateral |
| R93.819 | Abnormal radiologic findings on diagnostic imaging of unspecified testicle |
| R93.89  | Abnormal findings on diagnostic imaging of other specified body structures |
| R94.6   | Abnormal results of thyroid function studies                               |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T66.XXXA | Radiation sickness, unspecified, initial encounter   |
| Z03.821  | Encounter for observation for suspected ingested foreign body ruled out                                    |
| Z03.822  | Encounter for observation for suspected aspirated (inhaled) foreign body ruled out                         |
| Z03.823  | Encounter for observation for suspected inserted (injected) foreign body ruled out                         |
| Z05.0    | Observation and evaluation of newborn for suspected cardiac condition ruled out                            |
| Z05.1    | Observation and evaluation of newborn for suspected infectious condition ruled out                         |
| Z05.2    | Observation and evaluation of newborn for suspected neurological condition ruled out                       |
| Z05.3    | Observation and evaluation of newborn for suspected respiratory condition ruled out                        |
| Z05.41   | Observation and evaluation of newborn for suspected genetic condition ruled out                            |
| Z05.42   | Observation and evaluation of newborn for suspected metabolic condition ruled out                          |
| Z05.43   | Observation and evaluation of newborn for suspected immunologic condition ruled out                        |
| Z05.5    | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out                   |
| Z05.6    | Observation and evaluation of newborn for suspected genitourinary condition ruled out                      |
| Z05.71   | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out       |
| Z05.72   | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out                    |
| Z05.73   | Observation and evaluation of newborn for suspected connective tissue condition ruled out                  |
| Z05.8    | Observation and evaluation of newborn for other specified suspected condition ruled out                    |
| Z05.9    | Observation and evaluation of newborn for unspecified suspected condition ruled out                        |
| Z08      | Encounter for follow-up examination after completed treatment for malignant neoplasm                       |
| Z09      | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z19.1    | Hormone sensitive malignancy status  |

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z19.2   | Hormone resistant malignancy status   |
| Z31.7   | Encounter for procreative management and counseling for gestational carrier   |
| Z79.3   | Long term (current) use of hormonal contraceptives  |
| Z79.84  | Long term (current) use of oral hypoglycemic drugs  |
| Z79.891 | Long term (current) use of opiate analgesic   |
| Z79.899 | Other long term (current) drug therapy  |
| Z83.430 | Family history of elevated lipoprotein(a)   |
| Z84.82  | Family history of sudden infant death syndrome  |
| Z85.020 | Personal history of malignant carcinoid tumor of stomach  |
| Z85.030 | Personal history of malignant carcinoid tumor of large intestine  |
| Z85.040 | Personal history of malignant carcinoid tumor of rectum   |
| Z85.060 | Personal history of malignant carcinoid tumor of small intestine  |
| Z85.110 | Personal history of malignant carcinoid tumor of bronchus and lung  |
| Z85.230 | Personal history of malignant carcinoid tumor of thymus   |
| Z85.520 | Personal history of malignant carcinoid tumor of kidney   |
| Z85.821 | Personal history of Merkel cell carcinoma   |
| Z85.850 | Personal history of malignant neoplasm of thyroid   |
| Z85.858 | Personal history of malignant neoplasm of other endocrine glands  |
| Z86.2   | Personal history of diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism |
| Z86.32  | Personal history of gestational diabetes  |
| Z86.39  | Personal history of other endocrine, nutritional and metabolic disease  |

**Indications**

Thyroid function tests are used to define hyper function, euthyroidism, or hypofunction of thyroid disease. Thyroid testing may be reasonable and necessary to:

- Distinguish between primary and secondary hypothyroidism
- Confirm or rule out primary hypothyroidism
- Monitor thyroid hormone levels (for example, patients with goiter, thyroid nodules, or thyroid cancer)

**NCD 190.22**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



- Monitor drug therapy in patients with primary hypothyroidism
- Confirm or rule out primary hyperthyroidism
- Monitor therapy in patients with hyperthyroidism

Thyroid function testing may be medically necessary in patients with disease or neoplasm of the thyroid and other endocrine glands. Thyroid function testing may also be medically necessary in patients with metabolic disorders; malnutrition; hyperlipidemia; certain types of anemia; psychosis and non-psychotic personality disorders; unexplained depression; ophthalmologic disorders; various cardiac arrhythmias; disorders of menstruation; skin conditions; myalgias; and a wide array of signs and symptoms, including alterations in consciousness; malaise; hypothermia; symptoms of the nervous and musculoskeletal system; skin and integumentary system; nutrition and metabolism; cardiovascular; and gastrointestinal system.

It may be medically necessary to do follow-up thyroid testing in patients with a history of malignant neoplasm of the endocrine system and in patients on long-term thyroid drug therapy.

### **Limitations**

Testing may be covered up to two times a year in clinically stable patients; more frequent testing may be reasonable and necessary for patients whose thyroid therapy has been altered or in whom symptoms or signs of hyperthyroidism or hypothyroidism are noted.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Documentation Requirements**

When these tests are billed at a greater frequency than the norm (two per year), the ordering physician's documentation must support the medical necessity of this frequency.

### **Sources of Information**

AACE Clinical Practice Guidelines for the Diagnosis and Management of Thyroid Nodules, Endocrine Practice (1996) 2:1, pp. 78-84.

AACE Clinical Practice Guidelines for Evaluation and Treatment of Hyperthyroidism and Hypothyroidism, Endocrine Practice (1995) 1:1, pp. 54-62.

AACE Clinical Practice Guidelines for Management of Thyroid Carcinoma, Endocrine Practice (1997) 3:1, pp. 60-71.

Cooper DS. Treatment of thyrotoxicosis. In Braverman LE, Utiger RD, eds. Werner and Ingbar's The Thyroid: A Fundamental and Clinical Text. 6th ed. Philadelphia, Pa: JB Lippincott Co; 1991:887-916.

Endocrinology. DeGroot LJ, et. al. Eds. 3rd ed. Philadelphia, Pa: W.B.Saunders Co.; 1995.

Endocrinology and Metabolism. Felig, P, Baxter, JD, Frohman, LA, eds. 3rd ed. McGraw-Hill, Inc.: 1995.

Franklyn JA. The Management of Hyperthyroidism. N Engl J Med. 1994; 330(24):1731-1738.

Glenn GC and the Laboratory Testing Strategy Task Force of the College of American Pathologists. Practice parameter on laboratory panel testing for screening and case finding in asymptomatic adults. Arch Pathol LabMed. 1996;120:929-43.





***Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)***

Larsen PR, Ingbar SH. The Thyroid Gland. In: Wilson JD, Foster DW, eds. Williams Textbook of Endocrinology. 9th ed. Philadelphia, Pa: WB Saunders Co; 1992:357-487. The Merck Manual, 16th Edition, pp. 1072-1081.

## 190.23 - Lipids Testing

### Description

Lipoproteins are a class of heterogeneous particles of varying sizes and densities containing lipid and protein. These lipoproteins include cholesterol esters and free cholesterol, triglycerides, phospholipids and A, C, and E apoproteins. Total cholesterol comprises all the cholesterol found in various lipoproteins.

Factors that affect blood cholesterol levels include age, sex, body weight, diet, alcohol and tobacco use, exercise, genetic factors, family history, medications, menopausal status, the use of hormone replacement therapy, and chronic disorders such as hypothyroidism, obstructive liver disease, pancreatic disease (including diabetes), and kidney disease.

In many individuals, an elevated blood cholesterol level constitutes an increased risk of developing coronary artery disease. Blood levels of total cholesterol and various fractions of cholesterol, especially low density lipoprotein cholesterol (LDL -C) and high density lipoprotein cholesterol (HDL-C) are useful in assessing and monitoring treatment for that risk in patients with cardiovascular and related diseases. Blood levels of the above cholesterol components including triglyceride have been separated into desirable, borderline and high-risk categories by the National Heart, Lung, and Blood Institute in their report in 1993. These categories form a useful basis for evaluation and treatment of patients with hyperlipidemia. Therapy to reduce these risk parameters includes diet, exercise and medication, and fat weight loss, which is particularly powerful when combined with diet and exercise.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description  |
|-------|--|
| 80061 | Lipid panel  |
| 82465 | Cholesterol, serum or whole blood, total   |
| 83700 | Lipoprotein, blood; electrophoretic separation and quantitation  |
| 83701 | Lipoprotein blood; high resolution fractionation and quantitation of lipoproteins including lipoprotein subclasses when performed (e.g., electrophoresis, ultracentrifugation) |
| 83704 | Lipoprotein, blood; quantitation of lipoprotein particle numbers and lipoprotein particle subclasses   |
| 83718 | Lipoprotein, direct measurement; high density cholesterol (HDL cholesterol)  |
| 83721 | Lipoprotein, direct measurement, LDL cholesterol   |
| 84478 | Triglycerides  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

**ICD-10-CM Codes Covered by Medicare Program**

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description  |
|--------|--|
| B25.2  | Cytomegaloviral pancreatitis   |
| B52.0  | Plasmodium malariae malaria with nephropathy                                       |
| E00.0  | Congenital iodine-deficiency syndrome, neurological type                           |
| E00.1  | Congenital iodine-deficiency syndrome, myxedematous type                           |
| E00.2  | Congenital iodine-deficiency syndrome, mixed type                                  |
| E00.9  | Congenital iodine-deficiency syndrome, unspecified                                 |
| E01.8  | Other iodine-deficiency related thyroid disorders and allied conditions            |
| E02    | Subclinical iodine-deficiency hypothyroidism                                       |
| E03.0  | Congenital hypothyroidism with diffuse goiter                                      |
| E03.1  | Congenital hypothyroidism without goiter   |
| E03.2  | Hypothyroidism due to medicaments and other exogenous substances                   |
| E03.3  | Postinfectious hypothyroidism  |
| E03.4  | Atrophy of thyroid (acquired)  |
| E03.8  | Other specified hypothyroidism   |
| E03.9  | Hypothyroidism, unspecified  |
| E05.00 | Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm              |
| E05.01 | Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm                 |
| E05.10 | Thyrotoxicosis with toxic single thyroid nodule without thyrotoxic crisis or storm |
| E05.11 | Thyrotoxicosis with toxic single thyroid nodule with thyrotoxic crisis or storm    |
| E05.20 | Thyrotoxicosis with toxic multinodular goiter without thyrotoxic crisis or storm   |
| E05.21 | Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm      |
| E05.30 | Thyrotoxicosis from ectopic thyroid tissue without thyrotoxic crisis or storm      |
| E05.31 | Thyrotoxicosis from ectopic thyroid tissue with thyrotoxic crisis or storm         |
| E05.40 | Thyrotoxicosis factitia without thyrotoxic crisis or storm                         |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E05.41   | Thyrotoxicosis factitia with thyrotoxic crisis or storm   |
| E05.80   | Other thyrotoxicosis without thyrotoxic crisis or storm   |
| E05.81   | Other thyrotoxicosis with thyrotoxic crisis or storm  |
| E05.90   | Thyrotoxicosis, unspecified without thyrotoxic crisis or storm  |
| E05.91   | Thyrotoxicosis, unspecified with thyrotoxic crisis or storm   |
| E06.0    | Acute thyroiditis   |
| E06.1    | Subacute thyroiditis  |
| E06.2    | Chronic thyroiditis with transient thyrotoxicosis   |
| E06.3    | Autoimmune thyroiditis  |
| E06.4    | Drug-induced thyroiditis  |
| E06.5    | Other chronic thyroiditis   |
| E06.9    | Thyroiditis, unspecified  |
| E08.00   | Diabetes mellitus due to underlying condition with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E08.01   | Diabetes mellitus due to underlying condition with hyperosmolarity with coma  |
| E08.10   | Diabetes mellitus due to underlying condition with ketoacidosis without coma  |
| E08.11   | Diabetes mellitus due to underlying condition with ketoacidosis with coma   |
| E08.21   | Diabetes mellitus due to underlying condition with diabetic nephropathy   |
| E08.22   | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease  |
| E08.29   | Diabetes mellitus due to underlying condition with other diabetic kidney complication   |
| E08.311  | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema                        |
| E08.319  | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema                     |
| E08.3211 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, right eye   |
| E08.3212 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, left eye    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E08.3213    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, bilateral              |
| E08.3219    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye        |
| E08.3291    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, right eye           |
| E08.3292    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, left eye            |
| E08.3293    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, bilateral           |
| E08.3299    | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye     |
| E08.3311    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E08.3312    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E08.3313    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E08.3319    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E08.3391    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E08.3392    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E08.3393    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E08.3399    | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E08.3411    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E08.3412    | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, left eye             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.3413 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, bilateral                                |
| E08.3419 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                          |
| E08.3491 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, right eye                             |
| E08.3492 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, left eye                              |
| E08.3493 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, bilateral                             |
| E08.3499 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                       |
| E08.3511 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, right eye  |
| E08.3512 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, left eye   |
| E08.3513 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, bilateral  |
| E08.3519 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema, unspecified eye                                    |
| E08.3521 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye       |
| E08.3522 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye        |
| E08.3523 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral       |
| E08.3529 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye |
| E08.3531 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye   |
| E08.3532 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E08.3533    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E08.3539    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E08.3541    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E08.3542    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E08.3543    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E08.3549    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E08.3551    | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, right eye  |
| E08.3552    | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, left eye   |
| E08.3553    | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, bilateral  |
| E08.3559    | Diabetes mellitus due to underlying condition with stable proliferative diabetic retinopathy, unspecified eye  |
| E08.3591    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, right eye   |
| E08.3592    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, left eye  |
| E08.3593    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, bilateral   |
| E08.3599    | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E08.36      | Diabetes mellitus due to underlying condition with diabetic cataract   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.37X1 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, right eye       |
| E08.37X2 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, left eye        |
| E08.37X3 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, bilateral       |
| E08.37X9 | Diabetes mellitus due to underlying condition with diabetic macular edema, resolved following treatment, unspecified eye |
| E08.39   | Diabetes mellitus due to underlying condition with other diabetic ophthalmic complication                                |
| E08.40   | Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified                                      |
| E08.41   | Diabetes mellitus due to underlying condition with diabetic mononeuropathy   |
| E08.42   | Diabetes mellitus due to underlying condition with diabetic polyneuropathy   |
| E08.43   | Diabetes mellitus due to underlying condition with diabetic autonomic (poly)neuropathy                                   |
| E08.44   | Diabetes mellitus due to underlying condition with diabetic amyotrophy   |
| E08.49   | Diabetes mellitus due to underlying condition with other diabetic neurological complication                              |
| E08.51   | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene                       |
| E08.52   | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene                          |
| E08.59   | Diabetes mellitus due to underlying condition with other circulatory complications                                       |
| E08.610  | Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy                                      |
| E08.618  | Diabetes mellitus due to underlying condition with other diabetic arthropathy  |
| E08.620  | Diabetes mellitus due to underlying condition with diabetic dermatitis   |
| E08.621  | Diabetes mellitus due to underlying condition with foot ulcer  |
| E08.622  | Diabetes mellitus due to underlying condition with other skin ulcer  |
| E08.628  | Diabetes mellitus due to underlying condition with other skin complications  |
| E08.630  | Diabetes mellitus due to underlying condition with periodontal disease   |
| E08.638  | Diabetes mellitus due to underlying condition with other oral complications  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E08.641  | Diabetes mellitus due to underlying condition with hypoglycemia with coma  |
| E08.649  | Diabetes mellitus due to underlying condition with hypoglycemia without coma   |
| E08.65   | Diabetes mellitus due to underlying condition with hyperglycemia   |
| E08.69   | Diabetes mellitus due to underlying condition with other specified complication  |
| E08.8    | Diabetes mellitus due to underlying condition with unspecified complications   |
| E08.9    | Diabetes mellitus due to underlying condition without complications  |
| E09.00   | Drug or chemical induced diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)     |
| E09.01   | Drug or chemical induced diabetes mellitus with hyperosmolarity with coma  |
| E09.10   | Drug or chemical induced diabetes mellitus with ketoacidosis without coma  |
| E09.11   | Drug or chemical induced diabetes mellitus with ketoacidosis with coma   |
| E09.21   | Drug or chemical induced diabetes mellitus with diabetic nephropathy   |
| E09.22   | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease  |
| E09.29   | Drug or chemical induced diabetes mellitus with other diabetic kidney complication   |
| E09.311  | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema                            |
| E09.319  | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema                         |
| E09.3211 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye       |
| E09.3212 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye        |
| E09.3213 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E09.3219 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E09.3291 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye    |
| E09.3292 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E09.3293    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral           |
| E09.3299    | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye     |
| E09.3311    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E09.3312    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E09.3313    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E09.3319    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E09.3391    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E09.3392    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E09.3393    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E09.3399    | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E09.3411    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E09.3412    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E09.3413    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E09.3419    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E09.3491    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E09.3492    | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3493 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral   |
| E09.3499 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E09.3511 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E09.3512 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E09.3513 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E09.3519 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E09.3521 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                           |
| E09.3522 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                            |
| E09.3523 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                           |
| E09.3529 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                     |
| E09.3531 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                       |
| E09.3532 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                        |
| E09.3533 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                       |
| E09.3539 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                 |
| E09.3541 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E09.3542 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye  |

NCD 190.23

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E09.3543 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E09.3549 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E09.3551 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E09.3552 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E09.3553 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E09.3559 | Drug or chemical induced diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E09.3591 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E09.3592 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E09.3593 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E09.3599 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E09.36   | Drug or chemical induced diabetes mellitus with diabetic cataract   |
| E09.37X1 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E09.37X2 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |
| E09.37X3 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral   |
| E09.37X9 | Drug or chemical induced diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye   |
| E09.39   | Drug or chemical induced diabetes mellitus with other diabetic ophthalmic complication  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E09.40  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified         |
| E09.41  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic mononeuropathy                  |
| E09.42  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy                  |
| E09.43  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic autonomic (poly)neuropathy      |
| E09.44  | Drug or chemical induced diabetes mellitus with neurological complications with diabetic amyotrophy                      |
| E09.49  | Drug or chemical induced diabetes mellitus with neurological complications with other diabetic neurological complication |
| E09.51  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene                          |
| E09.52  | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene                             |
| E09.59  | Drug or chemical induced diabetes mellitus with other circulatory complications  |
| E09.610 | Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy   |
| E09.618 | Drug or chemical induced diabetes mellitus with other diabetic arthropathy   |
| E09.620 | Drug or chemical induced diabetes mellitus with diabetic dermatitis  |
| E09.621 | Drug or chemical induced diabetes mellitus with foot ulcer   |
| E09.622 | Drug or chemical induced diabetes mellitus with other skin ulcer   |
| E09.628 | Drug or chemical induced diabetes mellitus with other skin complications   |
| E09.630 | Drug or chemical induced diabetes mellitus with periodontal disease  |
| E09.638 | Drug or chemical induced diabetes mellitus with other oral complications   |
| E09.641 | Drug or chemical induced diabetes mellitus with hypoglycemia with coma   |
| E09.649 | Drug or chemical induced diabetes mellitus with hypoglycemia without coma  |
| E09.65  | Drug or chemical induced diabetes mellitus with hyperglycemia  |
| E09.69  | Drug or chemical induced diabetes mellitus with other specified complication   |
| E09.8   | Drug or chemical induced diabetes mellitus with unspecified complications  |
| E09.9   | Drug or chemical induced diabetes mellitus without complications   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E10.10   | Type 1 diabetes mellitus with ketoacidosis without coma  |
| E10.11   | Type 1 diabetes mellitus with ketoacidosis with coma   |
| E10.21   | Type 1 diabetes mellitus with diabetic nephropathy   |
| E10.22   | Type 1 diabetes mellitus with diabetic chronic kidney disease  |
| E10.29   | Type 1 diabetes mellitus with other diabetic kidney complication   |
| E10.311  | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema                                |
| E10.319  | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema                             |
| E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E10.3219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E10.3299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E10.3319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E10.3391    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E10.3392    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E10.3393    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3399    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.3411    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E10.3412    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E10.3413    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E10.3419    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E10.3491    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E10.3492    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E10.3493    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E10.3499    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E10.3511    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                      |
| E10.3512    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                       |
| E10.3513    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                      |
| E10.3519    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                                 |
| E10.3522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                                  |
| E10.3523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E10.3529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E10.3531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E10.3532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E10.3533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E10.3539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E10.3541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E10.3542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E10.3543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E10.3549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E10.3551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E10.3552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E10.3553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E10.3559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye        |
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.36   | Type 1 diabetes mellitus with diabetic cataract   |
| E10.37X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye           |
| E10.37X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye            |
| E10.37X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral           |
| E10.37X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye     |
| E10.39   | Type 1 diabetes mellitus with other diabetic ophthalmic complication                                    |
| E10.40   | Type 1 diabetes mellitus with diabetic neuropathy, unspecified  |
| E10.41   | Type 1 diabetes mellitus with diabetic mononeuropathy   |
| E10.42   | Type 1 diabetes mellitus with diabetic polyneuropathy   |
| E10.43   | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E10.44   | Type 1 diabetes mellitus with diabetic amyotrophy   |
| E10.49   | Type 1 diabetes mellitus with other diabetic neurological complication                                  |
| E10.51   | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene                           |
| E10.52   | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                              |
| E10.59   | Type 1 diabetes mellitus with other circulatory complications   |
| E10.610  | Type 1 diabetes mellitus with diabetic neuropathic arthropathy  |
| E10.618  | Type 1 diabetes mellitus with other diabetic arthropathy  |
| E10.620  | Type 1 diabetes mellitus with diabetic dermatitis   |
| E10.621  | Type 1 diabetes mellitus with foot ulcer  |
| E10.622  | Type 1 diabetes mellitus with other skin ulcer  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| E10.628   | Type 1 diabetes mellitus with other skin complications   |
| E10.630   | Type 1 diabetes mellitus with periodontal disease  |
| E10.638   | Type 1 diabetes mellitus with other oral complications   |
| E10.641   | Type 1 diabetes mellitus with hypoglycemia with coma   |
| E10.649   | Type 1 diabetes mellitus with hypoglycemia without coma  |
| E10.65  | Type 1 diabetes mellitus with hyperglycemia  |
| E10.69  | Type 1 diabetes mellitus with other specified complication   |
| E10.8   | Type 1 diabetes mellitus with unspecified complications  |
| E10.9   | Type 1 diabetes mellitus without complications   |
| E11.00  | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) |
| E11.01  | Type 2 diabetes mellitus with hyperosmolarity with coma  |
| E11.10<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Type 2 diabetes mellitus with ketoacidosis without coma  |
| E11.11<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Type 2 diabetes mellitus with ketoacidosis with coma   |
| E11.21  | Type 2 diabetes mellitus with diabetic nephropathy   |
| E11.22  | Type 2 diabetes mellitus with diabetic chronic kidney disease  |
| E11.29  | Type 2 diabetes mellitus with other diabetic kidney complication   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E11.311     | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema                                |
| E11.319     | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema                             |
| E11.3211    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E11.3212    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E11.3213    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E11.3219    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E11.3291    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E11.3292    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E11.3293    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E11.3299    | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E11.3311    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E11.3312    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E11.3313    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E11.3319    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E11.3391    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye    |
| E11.3392    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye     |
| E11.3393    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E11.3399    | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye               |
| E11.3411    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye                          |
| E11.3412    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye                           |
| E11.3413    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral                          |
| E11.3419    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye                    |
| E11.3491    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye                       |
| E11.3492    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye                        |
| E11.3493    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral                       |
| E11.3499    | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye                 |
| E11.3511    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                                    |
| E11.3512    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                                     |
| E11.3513    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                                    |
| E11.3519    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                              |
| E11.3521    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye |
| E11.3522    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye  |
| E11.3523    | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E11.3532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E11.3533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E11.3539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E11.3541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E11.3542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E11.3543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E11.3549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E11.3551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E11.3552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E11.3553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E11.3559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E11.3599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E11.36   | Type 2 diabetes mellitus with diabetic cataract   |

NCD 190.23

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.37X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye       |
| E11.37X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye        |
| E11.37X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral       |
| E11.37X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye |
| E11.39   | Type 2 diabetes mellitus with other diabetic ophthalmic complication                                |
| E11.40   | Type 2 diabetes mellitus with diabetic neuropathy, unspecified                                      |
| E11.41   | Type 2 diabetes mellitus with diabetic mononeuropathy   |
| E11.42   | Type 2 diabetes mellitus with diabetic polyneuropathy   |
| E11.43   | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy                                   |
| E11.44   | Type 2 diabetes mellitus with diabetic amyotrophy   |
| E11.49   | Type 2 diabetes mellitus with other diabetic neurological complication                              |
| E11.51   | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene                       |
| E11.52   | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene                          |
| E11.59   | Type 2 diabetes mellitus with other circulatory complications                                       |
| E11.610  | Type 2 diabetes mellitus with diabetic neuropathic arthropathy                                      |
| E11.618  | Type 2 diabetes mellitus with other diabetic arthropathy  |
| E11.620  | Type 2 diabetes mellitus with diabetic dermatitis   |
| E11.621  | Type 2 diabetes mellitus with foot ulcer  |
| E11.622  | Type 2 diabetes mellitus with other skin ulcer  |
| E11.628  | Type 2 diabetes mellitus with other skin complications  |
| E11.630  | Type 2 diabetes mellitus with periodontal disease   |
| E11.638  | Type 2 diabetes mellitus with other oral complications  |
| E11.641  | Type 2 diabetes mellitus with hypoglycemia with coma  |
| E11.649  | Type 2 diabetes mellitus with hypoglycemia without coma   |
| E11.65   | Type 2 diabetes mellitus with hyperglycemia   |
| E11.69   | Type 2 diabetes mellitus with other specified complication  |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E11.8    | Type 2 diabetes mellitus with unspecified complications  |
| E11.9    | Type 2 diabetes mellitus without complications   |
| E13.00   | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)        |
| E13.01   | Other specified diabetes mellitus with hyperosmolarity with coma   |
| E13.10   | Other specified diabetes mellitus with ketoacidosis without coma   |
| E13.11   | Other specified diabetes mellitus with ketoacidosis with coma  |
| E13.21   | Other specified diabetes mellitus with diabetic nephropathy  |
| E13.22   | Other specified diabetes mellitus with diabetic chronic kidney disease   |
| E13.29   | Other specified diabetes mellitus with other diabetic kidney complication  |
| E13.311  | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema                               |
| E13.319  | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema                            |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye          |
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye           |
| E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye      |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E13.3312    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E13.3313    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E13.3319    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E13.3391    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3392    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3393    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3399    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.3411    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E13.3412    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E13.3413    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E13.3419    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E13.3491    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E13.3492    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E13.3493    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E13.3499    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E13.3511    | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E13.3519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                                 |
| E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                                  |
| E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                                 |
| E13.3529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                           |
| E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                             |
| E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                              |
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                             |
| E13.3539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                       |
| E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye       |
| E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye        |
| E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral       |
| E13.3549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye                      |
| E13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye                       |
| E13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral                      |
| E13.3559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye                |
| E13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye       |
| E13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye        |
| E13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.36   | Other specified diabetes mellitus with diabetic cataract   |
| E13.37X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye           |
| E13.37X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye            |
| E13.37X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral           |
| E13.37X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye     |
| E13.39   | Other specified diabetes mellitus with other diabetic ophthalmic complication                                    |
| E13.40   | Other specified diabetes mellitus with diabetic neuropathy, unspecified  |
| E13.41   | Other specified diabetes mellitus with diabetic mononeuropathy   |
| E13.42   | Other specified diabetes mellitus with diabetic polyneuropathy   |
| E13.43   | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E13.44   | Other specified diabetes mellitus with diabetic amyotrophy   |
| E13.49   | Other specified diabetes mellitus with other diabetic neurological complication                                  |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E13.51  | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene |
| E13.52  | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene    |
| E13.59  | Other specified diabetes mellitus with other circulatory complications                 |
| E13.610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy                |
| E13.618 | Other specified diabetes mellitus with other diabetic arthropathy                      |
| E13.620 | Other specified diabetes mellitus with diabetic dermatitis                             |
| E13.621 | Other specified diabetes mellitus with foot ulcer                                      |
| E13.622 | Other specified diabetes mellitus with other skin ulcer                                |
| E13.628 | Other specified diabetes mellitus with other skin complications                        |
| E13.630 | Other specified diabetes mellitus with periodontal disease                             |
| E13.638 | Other specified diabetes mellitus with other oral complications                        |
| E13.641 | Other specified diabetes mellitus with hypoglycemia with coma                          |
| E13.649 | Other specified diabetes mellitus with hypoglycemia without coma                       |
| E13.65  | Other specified diabetes mellitus with hyperglycemia                                   |
| E13.69  | Other specified diabetes mellitus with other specified complication                    |
| E13.8   | Other specified diabetes mellitus with unspecified complications                       |
| E13.9   | Other specified diabetes mellitus without complications                                |
| E24.0   | Pituitary-dependent Cushing's disease  |
| E24.2   | Drug-induced Cushing's syndrome  |
| E24.3   | Ectopic ACTH syndrome  |
| E24.4   | Alcohol-induced pseudo-Cushing's syndrome  |
| E24.8   | Other Cushing's syndrome   |
| E24.9   | Cushing's syndrome, unspecified  |
| E40     | Kwashiorkor  |
| E41     | Nutritional marasmus   |
| E42     | Marasmic kwashiorkor   |
| E43     | Unspecified severe protein-calorie malnutrition  |
| E44.0   | Moderate protein-calorie malnutrition  |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E44.1   | Mild protein-calorie malnutrition                     |
| E46     | Unspecified protein-calorie malnutrition              |
| E64.0   | Sequelae of protein-calorie malnutrition              |
| E66.01  | Morbid (severe) obesity due to excess calories        |
| E66.09  | Other obesity due to excess calories                  |
| E66.1   | Drug-induced obesity                                  |
| E66.2   | Morbid (severe) obesity with alveolar hypoventilation |
| E66.3   | Overweight  |
| E66.8   | Other obesity   |
| E66.9   | Obesity, unspecified                                  |
| E71.30  | Disorder of fatty-acid metabolism, unspecified        |
| E72.00  | Disorders of amino-acid transport, unspecified        |
| E72.01  | Cystinuria  |
| E72.02  | Hartnup's disease                                     |
| E72.04  | Cystinosis  |
| E72.09  | Other disorders of amino-acid transport               |
| E74.20  | Disorders of galactose metabolism, unspecified        |
| E74.21  | Galactosemia  |
| E74.29  | Other disorders of galactose metabolism               |
| E75.21  | Fabry (-Anderson) disease                             |
| E75.22  | Gaucher disease                                       |
| E75.240 | Niemann-Pick disease type A                           |
| E75.241 | Niemann-Pick disease type B                           |
| E75.242 | Niemann-Pick disease type C                           |
| E75.243 | Niemann-Pick disease type D                           |
| E75.248 | Other Niemann-Pick disease                            |
| E75.249 | Niemann-Pick disease, unspecified                     |
| E75.26  | Sulfatase deficiency                                  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| E75.3  | Sphingolipidosis, unspecified  |
| E75.5  | Other lipid storage disorders  |
| E75.6  | Lipid storage disorder, unspecified  |
| E77.0  | Defects in post-translational modification of lysosomal enzymes              |
| E77.1  | Defects in glycoprotein degradation  |
| E77.8  | Other disorders of glycoprotein metabolism                                   |
| E77.9  | Disorder of glycoprotein metabolism, unspecified                             |
| E78.00 | Pure hypercholesterolemia, unspecified                                       |
| E78.01 | Familial hypercholesterolemia  |
| E78.1  | Pure hyperglyceridemia   |
| E78.2  | Mixed hyperlipidemia   |
| E78.3  | Hyperchylomicronemia   |
| E78.41 | Elevated Lipoprotein(a)  |
| E78.49 | Other hyperlipidemia   |
| E78.5  | Hyperlipidemia, unspecified  |
| E78.6  | Lipoprotein deficiency   |
| E78.70 | Disorder of bile acid and cholesterol metabolism, unspecified                |
| E78.79 | Other disorders of bile acid and cholesterol metabolism                      |
| E78.81 | Lipoid dermatoarthritis  |
| E78.89 | Other lipoprotein metabolism disorders                                       |
| E78.9  | Disorder of lipoprotein metabolism, unspecified                              |
| E79.0  | Hyperuricemia without signs of inflammatory arthritis and tophaceous disease |
| E85.0  | Non-neuropathic heredofamilial amyloidosis                                   |
| E85.1  | Neuropathic heredofamilial amyloidosis                                       |
| E85.2  | Heredofamilial amyloidosis, unspecified                                      |
| E85.3  | Secondary systemic amyloidosis   |
| E85.4  | Organ-limited amyloidosis  |
| E85.82 | Wild-type transthyretin-related (ATTR) amyloidosis                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| E85.89   | Other amyloidosis   |
| E85.9  | Amyloidosis, unspecified                                  |
| E88.02   | Plasminogen deficiency                                    |
| E88.1  | Lipodystrophy, not elsewhere classified                   |
| E88.2  | Lipomatosis, not elsewhere classified                     |
| E88.89   | Other specified metabolic disorders                       |
| E89.0  | Postprocedural hypothyroidism                             |
| F10.130<br>Covered<br>only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721. | Alcohol abuse with withdrawal, uncomplicated              |
| F10.131<br>Covered<br>only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721. | Alcohol abuse with withdrawal delirium                    |
| F10.132<br>Covered<br>only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721. | Alcohol abuse with withdrawal with perceptual disturbance |
| F10.139<br>Covered   | Alcohol abuse with withdrawal, unspecified                |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721.                       |  |
| F10.20   | Alcohol dependence, uncomplicated                                    |
| F10.930<br>Covered<br>only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721. | Alcohol use, unspecified with withdrawal, uncomplicated              |
| F10.931<br>Covered<br>only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721. | Alcohol use, unspecified with withdrawal delirium                    |
| F10.932<br>Covered<br>only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721. | Alcohol use, unspecified with withdrawal with perceptual disturbance |
| F10.939<br>Covered<br>only for<br>procedure  | Alcohol use, unspecified with withdrawal, unspecified                |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|---|---|
| codes<br>83700,<br>83701,<br>83704, &<br>83721. |   |
| G45.0   | Vertebro-basilar artery syndrome                                |
| G45.1   | Carotid artery syndrome (hemispheric)                           |
| G45.2   | Multiple and bilateral precerebral artery syndromes             |
| G45.3   | Amaurosis fugax   |
| G45.8   | Other transient cerebral ischemic attacks and related syndromes |
| G45.9   | Transient cerebral ischemic attack, unspecified                 |
| G46.0   | Middle cerebral artery syndrome                                 |
| G46.1   | Anterior cerebral artery syndrome                               |
| G46.2   | Posterior cerebral artery syndrome                              |
| H02.60  | Xanthelasma of unspecified eye, unspecified eyelid              |
| H02.61  | Xanthelasma of right upper eyelid                               |
| H02.62  | Xanthelasma of right lower eyelid                               |
| H02.63  | Xanthelasma of right eye, unspecified eyelid                    |
| H02.64  | Xanthelasma of left upper eyelid                                |
| H02.65  | Xanthelasma of left lower eyelid                                |
| H02.66  | Xanthelasma of left eye, unspecified eyelid                     |
| H02.881   | Meibomian gland dysfunction right upper eyelid                  |
| H02.882   | Meibomian gland dysfunction right lower eyelid                  |
| H10.821   | Rosacea conjunctivitis, right eye                               |
| H10.822   | Rosacea conjunctivitis, left eye                                |
| H10.823   | Rosacea conjunctivitis, bilateral                               |
| H18.411   | Arcus senilis, right eye  |
| H18.412   | Arcus senilis, left eye   |
| H18.413   | Arcus senilis, bilateral  |
| H18.419   | Arcus senilis, unspecified eye                                  |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| H34.00  | Transient retinal artery occlusion, unspecified eye     |
| H34.01  | Transient retinal artery occlusion, right eye           |
| H34.02  | Transient retinal artery occlusion, left eye            |
| H34.03  | Transient retinal artery occlusion, bilateral           |
| H34.10  | Central retinal artery occlusion, unspecified eye       |
| H34.11  | Central retinal artery occlusion, right eye             |
| H34.12  | Central retinal artery occlusion, left eye              |
| H34.13  | Central retinal artery occlusion, bilateral             |
| H34.211 | Partial retinal artery occlusion, right eye             |
| H34.212 | Partial retinal artery occlusion, left eye              |
| H34.213 | Partial retinal artery occlusion, bilateral             |
| H34.219 | Partial retinal artery occlusion, unspecified eye       |
| H34.231 | Retinal artery branch occlusion, right eye              |
| H34.232 | Retinal artery branch occlusion, left eye               |
| H34.233 | Retinal artery branch occlusion, bilateral              |
| H34.239 | Retinal artery branch occlusion, unspecified eye        |
| H34.9   | Unspecified retinal vascular occlusion                  |
| H35.00  | Unspecified background retinopathy                      |
| H35.011 | Changes in retinal vascular appearance, right eye       |
| H35.012 | Changes in retinal vascular appearance, left eye        |
| H35.013 | Changes in retinal vascular appearance, bilateral       |
| H35.019 | Changes in retinal vascular appearance, unspecified eye |
| H35.021 | Exudative retinopathy, right eye                        |
| H35.022 | Exudative retinopathy, left eye                         |
| H35.023 | Exudative retinopathy, bilateral                        |
| H35.029 | Exudative retinopathy, unspecified eye                  |
| H35.031 | Hypertensive retinopathy, right eye                     |
| H35.032 | Hypertensive retinopathy, left eye                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| H35.033 | Hypertensive retinopathy, bilateral                                |
| H35.039 | Hypertensive retinopathy, unspecified eye                          |
| H35.041 | Retinal micro-aneurysms, unspecified, right eye                    |
| H35.042 | Retinal micro-aneurysms, unspecified, left eye                     |
| H35.043 | Retinal micro-aneurysms, unspecified, bilateral                    |
| H35.049 | Retinal micro-aneurysms, unspecified, unspecified eye              |
| H35.051 | Retinal neovascularization, unspecified, right eye                 |
| H35.052 | Retinal neovascularization, unspecified, left eye                  |
| H35.053 | Retinal neovascularization, unspecified, bilateral                 |
| H35.059 | Retinal neovascularization, unspecified, unspecified eye           |
| H35.071 | Retinal telangiectasis, right eye                                  |
| H35.072 | Retinal telangiectasis, left eye                                   |
| H35.073 | Retinal telangiectasis, bilateral                                  |
| H35.079 | Retinal telangiectasis, unspecified eye                            |
| H35.89  | Other specified retinal disorders                                  |
| H43.20  | Crystalline deposits in vitreous body, unspecified eye             |
| H43.21  | Crystalline deposits in vitreous body, right eye                   |
| H43.22  | Crystalline deposits in vitreous body, left eye                    |
| H43.23  | Crystalline deposits in vitreous body, bilateral                   |
| H93.011 | Transient ischemic deafness, right ear                             |
| H93.012 | Transient ischemic deafness, left ear                              |
| H93.013 | Transient ischemic deafness, bilateral                             |
| H93.019 | Transient ischemic deafness, unspecified ear                       |
| H93.091 | Unspecified degenerative and vascular disorders of right ear       |
| H93.092 | Unspecified degenerative and vascular disorders of left ear        |
| H93.093 | Unspecified degenerative and vascular disorders of ear, bilateral  |
| H93.099 | Unspecified degenerative and vascular disorders of unspecified ear |
| I10     | Essential (primary) hypertension                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| I11.0  | Hypertensive heart disease with heart failure   |
| I11.9  | Hypertensive heart disease without heart failure  |
| I12.0  | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease  |
| I12.9  | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease                                  |
| I13.0  | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease      |
| I13.10 | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease |
| I13.11 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease                            |
| I13.2  | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease                            |
| I15.0  | Renovascular hypertension   |
| I15.1  | Hypertension secondary to other renal disorders   |
| I15.2  | Hypertension secondary to endocrine disorders   |
| I15.8  | Other secondary hypertension  |
| I15.9  | Secondary hypertension, unspecified   |
| I16.0  | Hypertensive urgency  |
| I16.1  | Hypertensive emergency  |
| I16.9  | Hypertensive crisis, unspecified  |
| I20.0  | Unstable angina   |
| I20.1  | Angina pectoris with documented spasm   |
| I20.8  | Other forms of angina pectoris  |
| I20.9  | Angina pectoris, unspecified  |
| I21.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery  |
| I21.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery   |
| I21.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall   |

NCD 190.23

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I21.11  | ST elevation (STEMI) myocardial infarction involving right coronary artery                         |
| I21.19  | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall        |
| I21.21  | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery               |
| I21.29  | ST elevation (STEMI) myocardial infarction involving other sites                                   |
| I21.3   | ST elevation (STEMI) myocardial infarction of unspecified site                                     |
| I21.4   | Non-ST elevation (NSTEMI) myocardial infarction  |
| I21.9   | Acute myocardial infarction, unspecified   |
| I21.A1  | Myocardial infarction type 2   |
| I21.A9  | Other myocardial infarction type   |
| I22.0   | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall                             |
| I22.1   | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall                             |
| I22.2   | Subsequent non-ST elevation (NSTEMI) myocardial infarction   |
| I22.8   | Subsequent ST elevation (STEMI) myocardial infarction of other sites                               |
| I22.9   | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site                          |
| I24.0   | Acute coronary thrombosis not resulting in myocardial infarction                                   |
| I24.1   | Dressler's syndrome  |
| I24.8   | Other forms of acute ischemic heart disease  |
| I24.9   | Acute ischemic heart disease, unspecified  |
| I25.10  | Atherosclerotic heart disease of native coronary artery without angina pectoris                    |
| I25.110 | Atherosclerotic heart disease of native coronary artery with unstable angina pectoris              |
| I25.111 | Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm |
| I25.118 | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris        |
| I25.119 | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris           |
| I25.2   | Old myocardial infarction  |
| I25.3   | Aneurysm of heart  |
| I25.41  | Coronary artery aneurysm   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I25.42  | Coronary artery dissection   |
| I25.5   | Ischemic cardiomyopathy  |
| I25.6   | Silent myocardial ischemia   |
| I25.700 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris                         |
| I25.701 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm            |
| I25.708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris                   |
| I25.709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris                      |
| I25.710 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris                       |
| I25.711 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm          |
| I25.718 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris                 |
| I25.719 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris                    |
| I25.720 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris                     |
| I25.721 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm        |
| I25.728 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris               |
| I25.729 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris                  |
| I25.730 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris              |
| I25.731 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm |
| I25.738 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I25.739 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris        |
| I25.750 | Atherosclerosis of native coronary artery of transplanted heart with unstable angina                                |
| I25.751 | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm          |
| I25.758 | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris                 |
| I25.759 | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris                    |
| I25.760 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina                       |
| I25.761 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm |
| I25.768 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris        |
| I25.769 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris           |
| I25.790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris                              |
| I25.791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm                 |
| I25.798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris                        |
| I25.799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris                           |
| I25.810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris  |
| I25.811 | Atherosclerosis of native coronary artery of transplanted heart without angina pectoris                             |
| I25.812 | Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris                    |
| I25.83  | Coronary atherosclerosis due to lipid rich plaque   |
| I25.84  | Coronary atherosclerosis due to calcified coronary lesion   |
| I25.89  | Other forms of chronic ischemic heart disease   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| I25.9  | Chronic ischemic heart disease, unspecified  |
| I50.1  | Left ventricular failure, unspecified  |
| I50.20   | Unspecified systolic (congestive) heart failure  |
| I50.21   | Acute systolic (congestive) heart failure  |
| I50.22   | Chronic systolic (congestive) heart failure  |
| I50.23   | Acute on chronic systolic (congestive) heart failure                                     |
| I50.30   | Unspecified diastolic (congestive) heart failure   |
| I50.31   | Acute diastolic (congestive) heart failure   |
| I50.32   | Chronic diastolic (congestive) heart failure   |
| I50.33   | Acute on chronic diastolic (congestive) heart failure                                    |
| I50.40   | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure      |
| I50.41   | Acute combined systolic (congestive) and diastolic (congestive) heart failure            |
| I50.42   | Chronic combined systolic (congestive) and diastolic (congestive) heart failure          |
| I50.43   | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| I50.810<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Right heart failure, unspecified   |
| I50.811<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Acute right heart failure  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b>                            |
|--|---|
| I50.812<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Chronic right heart failure                   |
| I50.813<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Acute on chronic right heart failure          |
| I50.814<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Right heart failure due to left heart failure |
| I50.82<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778.  | Biventricular heart failure                   |
| I50.83<br>Covered<br>only for  | High output heart failure                     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| procedure codes 80061, 82465, 83718, & 84778.                            |  |
| I50.84<br>Covered only for procedure codes 80061, 82465, 83718, & 84778. | End stage heart failure  |
| I50.89<br>Covered only for procedure codes 80061, 82465, 83718, & 84778. | Other heart failure  |
| I50.9  | Heart failure, unspecified                                       |
| I51.9  | Heart disease, unspecified                                       |
| I52  | Other heart disorders in diseases classified elsewhere           |
| I61.0  | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical |
| I61.1  | Nontraumatic intracerebral hemorrhage in hemisphere, cortical    |
| I61.2  | Nontraumatic intracerebral hemorrhage in hemisphere, unspecified |
| I61.3  | Nontraumatic intracerebral hemorrhage in brain stem              |
| I61.4  | Nontraumatic intracerebral hemorrhage in cerebellum              |
| I61.5  | Nontraumatic intracerebral hemorrhage, intraventricular          |
| I61.6  | Nontraumatic intracerebral hemorrhage, multiple localized        |
| I61.8  | Other nontraumatic intracerebral hemorrhage                      |

NCD 190.23

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I61.9   | Nontraumatic intracerebral hemorrhage, unspecified   |
| I63.00  | Cerebral infarction due to thrombosis of unspecified precerebral artery                          |
| I63.011 | Cerebral infarction due to thrombosis of right vertebral artery                                  |
| I63.012 | Cerebral infarction due to thrombosis of left vertebral artery                                   |
| I63.013 | Cerebral infarction due to thrombosis of bilateral vertebral arteries                            |
| I63.019 | Cerebral infarction due to thrombosis of unspecified vertebral artery                            |
| I63.02  | Cerebral infarction due to thrombosis of basilar artery  |
| I63.031 | Cerebral infarction due to thrombosis of right carotid artery                                    |
| I63.032 | Cerebral infarction due to thrombosis of left carotid artery                                     |
| I63.033 | Cerebral infarction due to thrombosis of bilateral carotid arteries                              |
| I63.039 | Cerebral infarction due to thrombosis of unspecified carotid artery                              |
| I63.09  | Cerebral infarction due to thrombosis of other precerebral artery                                |
| I63.10  | Cerebral infarction due to embolism of unspecified precerebral artery                            |
| I63.111 | Cerebral infarction due to embolism of right vertebral artery                                    |
| I63.112 | Cerebral infarction due to embolism of left vertebral artery                                     |
| I63.113 | Cerebral infarction due to embolism of bilateral vertebral arteries                              |
| I63.119 | Cerebral infarction due to embolism of unspecified vertebral artery                              |
| I63.12  | Cerebral infarction due to embolism of basilar artery  |
| I63.131 | Cerebral infarction due to embolism of right carotid artery                                      |
| I63.132 | Cerebral infarction due to embolism of left carotid artery                                       |
| I63.133 | Cerebral infarction due to embolism of bilateral carotid arteries                                |
| I63.139 | Cerebral infarction due to embolism of unspecified carotid artery                                |
| I63.19  | Cerebral infarction due to embolism of other precerebral artery                                  |
| I63.20  | Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries |
| I63.211 | Cerebral infarction due to unspecified occlusion or stenosis of right vertebral artery           |
| I63.212 | Cerebral infarction due to unspecified occlusion or stenosis of left vertebral artery            |
| I63.213 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral arteries     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I63.219 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral artery |
| I63.22  | Cerebral infarction due to unspecified occlusion or stenosis of basilar artery               |
| I63.231 | Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries       |
| I63.232 | Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries        |
| I63.233 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries   |
| I63.239 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid artery   |
| I63.29  | Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries   |
| I63.30  | Cerebral infarction due to thrombosis of unspecified cerebral artery                         |
| I63.311 | Cerebral infarction due to thrombosis of right middle cerebral artery                        |
| I63.312 | Cerebral infarction due to thrombosis of left middle cerebral artery                         |
| I63.313 | Cerebral infarction due to thrombosis of bilateral middle cerebral arteries                  |
| I63.319 | Cerebral infarction due to thrombosis of unspecified middle cerebral artery                  |
| I63.321 | Cerebral infarction due to thrombosis of right anterior cerebral artery                      |
| I63.322 | Cerebral infarction due to thrombosis of left anterior cerebral artery                       |
| I63.323 | Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries                |
| I63.329 | Cerebral infarction due to thrombosis of unspecified anterior cerebral artery                |
| I63.331 | Cerebral infarction due to thrombosis of right posterior cerebral artery                     |
| I63.332 | Cerebral infarction due to thrombosis of left posterior cerebral artery                      |
| I63.333 | Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries               |
| I63.339 | Cerebral infarction due to thrombosis of unspecified posterior cerebral artery               |
| I63.341 | Cerebral infarction due to thrombosis of right cerebellar artery                             |
| I63.342 | Cerebral infarction due to thrombosis of left cerebellar artery                              |
| I63.343 | Cerebral infarction due to thrombosis of bilateral cerebellar arteries                       |
| I63.349 | Cerebral infarction due to thrombosis of unspecified cerebellar artery                       |
| I63.39  | Cerebral infarction due to thrombosis of other cerebral artery                               |
| I63.40  | Cerebral infarction due to embolism of unspecified cerebral artery                           |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I63.411 | Cerebral infarction due to embolism of right middle cerebral artery                                |
| I63.412 | Cerebral infarction due to embolism of left middle cerebral artery                                 |
| I63.413 | Cerebral infarction due to embolism of bilateral middle cerebral arteries                          |
| I63.419 | Cerebral infarction due to embolism of unspecified middle cerebral artery                          |
| I63.421 | Cerebral infarction due to embolism of right anterior cerebral artery                              |
| I63.422 | Cerebral infarction due to embolism of left anterior cerebral artery                               |
| I63.423 | Cerebral infarction due to embolism of bilateral anterior cerebral arteries                        |
| I63.429 | Cerebral infarction due to embolism of unspecified anterior cerebral artery                        |
| I63.431 | Cerebral infarction due to embolism of right posterior cerebral artery                             |
| I63.432 | Cerebral infarction due to embolism of left posterior cerebral artery                              |
| I63.433 | Cerebral infarction due to embolism of bilateral posterior cerebral arteries                       |
| I63.439 | Cerebral infarction due to embolism of unspecified posterior cerebral artery                       |
| I63.441 | Cerebral infarction due to embolism of right cerebellar artery                                     |
| I63.442 | Cerebral infarction due to embolism of left cerebellar artery                                      |
| I63.443 | Cerebral infarction due to embolism of bilateral cerebellar arteries                               |
| I63.449 | Cerebral infarction due to embolism of unspecified cerebellar artery                               |
| I63.49  | Cerebral infarction due to embolism of other cerebral artery                                       |
| I63.50  | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery        |
| I63.511 | Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery       |
| I63.512 | Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery        |
| I63.513 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral arteries |
| I63.519 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery |
| I63.521 | Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I63.522 | Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery         |
| I63.523 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior cerebral arteries  |
| I63.529 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery  |
| I63.531 | Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery       |
| I63.532 | Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery        |
| I63.533 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior cerebral arteries |
| I63.539 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery |
| I63.541 | Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery               |
| I63.542 | Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery                |
| I63.543 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries         |
| I63.549 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery         |
| I63.59  | Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery                 |
| I63.6   | Cerebral infarction due to cerebral venous thrombosis, nonpyogenic                                    |
| I63.81  | Other cerebral infarction due to occlusion or stenosis of small artery                                |
| I63.89  | Other cerebral infarction   |
| I63.9   | Cerebral infarction, unspecified  |
| I65.01  | Occlusion and stenosis of right vertebral artery  |
| I65.02  | Occlusion and stenosis of left vertebral artery   |
| I65.03  | Occlusion and stenosis of bilateral vertebral arteries  |
| I65.09  | Occlusion and stenosis of unspecified vertebral artery  |
| I65.1   | Occlusion and stenosis of basilar artery  |
| I65.21  | Occlusion and stenosis of right carotid artery  |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I65.22  | Occlusion and stenosis of left carotid artery  |
| I65.23  | Occlusion and stenosis of bilateral carotid arteries                                       |
| I65.29  | Occlusion and stenosis of unspecified carotid artery                                       |
| I65.8   | Occlusion and stenosis of other precerebral arteries                                       |
| I65.9   | Occlusion and stenosis of unspecified precerebral artery                                   |
| I66.01  | Occlusion and stenosis of right middle cerebral artery                                     |
| I66.02  | Occlusion and stenosis of left middle cerebral artery                                      |
| I66.03  | Occlusion and stenosis of bilateral middle cerebral arteries                               |
| I66.09  | Occlusion and stenosis of unspecified middle cerebral artery                               |
| I66.11  | Occlusion and stenosis of right anterior cerebral artery                                   |
| I66.12  | Occlusion and stenosis of left anterior cerebral artery                                    |
| I66.13  | Occlusion and stenosis of bilateral anterior cerebral arteries                             |
| I66.19  | Occlusion and stenosis of unspecified anterior cerebral artery                             |
| I66.21  | Occlusion and stenosis of right posterior cerebral artery                                  |
| I66.22  | Occlusion and stenosis of left posterior cerebral artery                                   |
| I66.23  | Occlusion and stenosis of bilateral posterior cerebral arteries                            |
| I66.29  | Occlusion and stenosis of unspecified posterior cerebral artery                            |
| I66.3   | Occlusion and stenosis of cerebellar arteries  |
| I66.8   | Occlusion and stenosis of other cerebral arteries  |
| I66.9   | Occlusion and stenosis of unspecified cerebral artery                                      |
| I67.2   | Cerebral atherosclerosis   |
| I67.5   | Moyamoya disease   |
| I67.81  | Acute cerebrovascular insufficiency  |
| I67.82  | Cerebral ischemia  |
| I67.841 | Reversible cerebrovascular vasoconstriction syndrome                                       |
| I67.848 | Other cerebrovascular vasospasm and vasoconstriction                                       |
| I67.850 | Cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy |
| I67.858 | Other hereditary cerebrovascular disease   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I67.89      | Other cerebrovascular disease   |
| I69.00      | Unspecified sequelae of nontraumatic subarachnoid hemorrhage  |
| I69.010     | Attention and concentration deficit following nontraumatic subarachnoid hemorrhage                          |
| I69.011     | Memory deficit following nontraumatic subarachnoid hemorrhage   |
| I69.012     | Visuospatial deficit and spatial neglect following nontraumatic subarachnoid hemorrhage                     |
| I69.013     | Psychomotor deficit following nontraumatic subarachnoid hemorrhage  |
| I69.014     | Frontal lobe and executive function deficit following nontraumatic subarachnoid hemorrhage                  |
| I69.015     | Cognitive social or emotional deficit following nontraumatic subarachnoid hemorrhage                        |
| I69.018     | Other symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage       |
| I69.019     | Unspecified symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage |
| I69.020     | Aphasia following nontraumatic subarachnoid hemorrhage  |
| I69.021     | Dysphasia following nontraumatic subarachnoid hemorrhage  |
| I69.022     | Dysarthria following nontraumatic subarachnoid hemorrhage   |
| I69.023     | Fluency disorder following nontraumatic subarachnoid hemorrhage   |
| I69.028     | Other speech and language deficits following nontraumatic subarachnoid hemorrhage                           |
| I69.031     | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right dominant side       |
| I69.032     | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left dominant side        |
| I69.033     | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side   |
| I69.034     | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side    |
| I69.039     | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting unspecified side          |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I69.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side       |
| I69.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side        |
| I69.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side   |
| I69.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side    |
| I69.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side          |
| I69.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side     |
| I69.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side      |
| I69.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side |
| I69.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side  |
| I69.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side        |
| I69.061 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right dominant side       |
| I69.062 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left dominant side        |
| I69.063 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right non-dominant side   |
| I69.064 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side    |
| I69.065 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral                          |
| I69.069 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting unspecified side          |
| I69.090 | Apraxia following nontraumatic subarachnoid hemorrhage  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I69.091 | Dysphagia following nontraumatic subarachnoid hemorrhage   |
| I69.092 | Facial weakness following nontraumatic subarachnoid hemorrhage   |
| I69.093 | Ataxia following nontraumatic subarachnoid hemorrhage  |
| I69.098 | Other sequelae following nontraumatic subarachnoid hemorrhage  |
| I69.10  | Unspecified sequelae of nontraumatic intracerebral hemorrhage  |
| I69.110 | Attention and concentration deficit following nontraumatic intracerebral hemorrhage                          |
| I69.111 | Memory deficit following nontraumatic intracerebral hemorrhage   |
| I69.112 | Visuospatial deficit and spatial neglect following nontraumatic intracerebral hemorrhage                     |
| I69.113 | Psychomotor deficit following nontraumatic intracerebral hemorrhage  |
| I69.114 | Frontal lobe and executive function deficit following nontraumatic intracerebral hemorrhage                  |
| I69.115 | Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage                        |
| I69.118 | Other symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage       |
| I69.119 | Unspecified symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage |
| I69.120 | Aphasia following nontraumatic intracerebral hemorrhage  |
| I69.121 | Dysphasia following nontraumatic intracerebral hemorrhage  |
| I69.122 | Dysarthria following nontraumatic intracerebral hemorrhage   |
| I69.123 | Fluency disorder following nontraumatic intracerebral hemorrhage   |
| I69.128 | Other speech and language deficits following nontraumatic intracerebral hemorrhage                           |
| I69.131 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right dominant side       |
| I69.132 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left dominant side        |
| I69.133 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side   |

NCD 190.23

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I69.134 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side    |
| I69.139 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting unspecified side          |
| I69.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side       |
| I69.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side        |
| I69.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side   |
| I69.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side    |
| I69.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side          |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side     |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side      |
| I69.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side |
| I69.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side  |
| I69.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side        |
| I69.161 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right dominant side       |
| I69.162 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left dominant side        |
| I69.163 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right non-dominant side   |
| I69.164 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left non-dominant side    |
| I69.165 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I69.169 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting unspecified side               |
| I69.190 | Apraxia following nontraumatic intracerebral hemorrhage   |
| I69.191 | Dysphagia following nontraumatic intracerebral hemorrhage   |
| I69.192 | Facial weakness following nontraumatic intracerebral hemorrhage   |
| I69.193 | Ataxia following nontraumatic intracerebral hemorrhage  |
| I69.198 | Other sequelae of nontraumatic intracerebral hemorrhage   |
| I69.20  | Unspecified sequelae of other nontraumatic intracranial hemorrhage  |
| I69.210 | Attention and concentration deficit following other nontraumatic intracranial hemorrhage                          |
| I69.211 | Memory deficit following other nontraumatic intracranial hemorrhage   |
| I69.212 | Visuospatial deficit and spatial neglect following other nontraumatic intracranial hemorrhage                     |
| I69.213 | Psychomotor deficit following other nontraumatic intracranial hemorrhage  |
| I69.214 | Frontal lobe and executive function deficit following other nontraumatic intracranial hemorrhage                  |
| I69.215 | Cognitive social or emotional deficit following other nontraumatic intracranial hemorrhage                        |
| I69.218 | Other symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage       |
| I69.219 | Unspecified symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage |
| I69.220 | Aphasia following other nontraumatic intracranial hemorrhage  |
| I69.221 | Dysphasia following other nontraumatic intracranial hemorrhage  |
| I69.222 | Dysarthria following other nontraumatic intracranial hemorrhage   |
| I69.223 | Fluency disorder following other nontraumatic intracranial hemorrhage   |
| I69.228 | Other speech and language deficits following other nontraumatic intracranial hemorrhage                           |
| I69.231 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right dominant side       |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I69.232     | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left dominant side        |
| I69.233     | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side   |
| I69.234     | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side    |
| I69.239     | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting unspecified side          |
| I69.241     | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side       |
| I69.242     | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side        |
| I69.243     | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side   |
| I69.244     | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side    |
| I69.249     | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side          |
| I69.251     | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side     |
| I69.252     | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side      |
| I69.253     | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.254     | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side  |
| I69.259     | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side        |
| I69.261     | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right dominant side       |
| I69.262     | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left dominant side        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I69.263 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right non-dominant side |
| I69.264 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left non-dominant side  |
| I69.265 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage, bilateral                        |
| I69.269 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting unspecified side        |
| I69.290 | Apraxia following other nontraumatic intracranial hemorrhage  |
| I69.291 | Dysphagia following other nontraumatic intracranial hemorrhage  |
| I69.292 | Facial weakness following other nontraumatic intracranial hemorrhage  |
| I69.293 | Ataxia following other nontraumatic intracranial hemorrhage   |
| I69.298 | Other sequelae of other nontraumatic intracranial hemorrhage  |
| I69.30  | Unspecified sequelae of cerebral infarction   |
| I69.310 | Attention and concentration deficit following cerebral infarction   |
| I69.311 | Memory deficit following cerebral infarction  |
| I69.312 | Visuospatial deficit and spatial neglect following cerebral infarction  |
| I69.313 | Psychomotor deficit following cerebral infarction   |
| I69.314 | Frontal lobe and executive function deficit following cerebral infarction                                       |
| I69.315 | Cognitive social or emotional deficit following cerebral infarction   |
| I69.318 | Other symptoms and signs involving cognitive functions following cerebral infarction                            |
| I69.319 | Unspecified symptoms and signs involving cognitive functions following cerebral infarction                      |
| I69.320 | Aphasia following cerebral infarction   |
| I69.321 | Dysphasia following cerebral infarction   |
| I69.322 | Dysarthria following cerebral infarction  |
| I69.323 | Fluency disorder following cerebral infarction  |
| I69.328 | Other speech and language deficits following cerebral infarction  |
| I69.331 | Monoplegia of upper limb following cerebral infarction affecting right dominant side                            |
| I69.332 | Monoplegia of upper limb following cerebral infarction affecting left dominant side                             |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I69.333 | Monoplegia of upper limb following cerebral infarction affecting right non-dominant side   |
| I69.334 | Monoplegia of upper limb following cerebral infarction affecting left non-dominant side    |
| I69.339 | Monoplegia of upper limb following cerebral infarction affecting unspecified side          |
| I69.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side       |
| I69.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side        |
| I69.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant side   |
| I69.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant side    |
| I69.349 | Monoplegia of lower limb following cerebral infarction affecting unspecified side          |
| I69.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant side     |
| I69.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant side      |
| I69.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side |
| I69.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side  |
| I69.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side        |
| I69.361 | Other paralytic syndrome following cerebral infarction affecting right dominant side       |
| I69.362 | Other paralytic syndrome following cerebral infarction affecting left dominant side        |
| I69.363 | Other paralytic syndrome following cerebral infarction affecting right non-dominant side   |
| I69.364 | Other paralytic syndrome following cerebral infarction affecting left non-dominant side    |
| I69.365 | Other paralytic syndrome following cerebral infarction, bilateral                          |
| I69.369 | Other paralytic syndrome following cerebral infarction affecting unspecified side          |
| I69.390 | Apraxia following cerebral infarction  |
| I69.391 | Dysphagia following cerebral infarction  |

NCD 190.23

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I69.392 | Facial weakness following cerebral infarction  |
| I69.393 | Ataxia following cerebral infarction   |
| I69.398 | Other sequelae of cerebral infarction  |
| I69.80  | Unspecified sequelae of other cerebrovascular disease  |
| I69.810 | Attention and concentration deficit following other cerebrovascular disease                          |
| I69.811 | Memory deficit following other cerebrovascular disease   |
| I69.812 | Visuospatial deficit and spatial neglect following other cerebrovascular disease                     |
| I69.813 | Psychomotor deficit following other cerebrovascular disease  |
| I69.814 | Frontal lobe and executive function deficit following other cerebrovascular disease                  |
| I69.815 | Cognitive social or emotional deficit following other cerebrovascular disease                        |
| I69.818 | Other symptoms and signs involving cognitive functions following other cerebrovascular disease       |
| I69.819 | Unspecified symptoms and signs involving cognitive functions following other cerebrovascular disease |
| I69.820 | Aphasia following other cerebrovascular disease  |
| I69.821 | Dysphasia following other cerebrovascular disease  |
| I69.822 | Dysarthria following other cerebrovascular disease   |
| I69.823 | Fluency disorder following other cerebrovascular disease   |
| I69.828 | Other speech and language deficits following other cerebrovascular disease                           |
| I69.831 | Monoplegia of upper limb following other cerebrovascular disease affecting right dominant side       |
| I69.832 | Monoplegia of upper limb following other cerebrovascular disease affecting left dominant side        |
| I69.833 | Monoplegia of upper limb following other cerebrovascular disease affecting right non-dominant side   |
| I69.834 | Monoplegia of upper limb following other cerebrovascular disease affecting left non-dominant side    |
| I69.839 | Monoplegia of upper limb following other cerebrovascular disease affecting unspecified side          |
| I69.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right dominant side       |

NCD 190.23

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I69.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left dominant side        |
| I69.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right non-dominant side   |
| I69.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side    |
| I69.849 | Monoplegia of lower limb following other cerebrovascular disease affecting unspecified side          |
| I69.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side     |
| I69.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left dominant side      |
| I69.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side |
| I69.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side  |
| I69.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting unspecified side        |
| I69.861 | Other paralytic syndrome following other cerebrovascular disease affecting right dominant side       |
| I69.862 | Other paralytic syndrome following other cerebrovascular disease affecting left dominant side        |
| I69.863 | Other paralytic syndrome following other cerebrovascular disease affecting right non-dominant side   |
| I69.864 | Other paralytic syndrome following other cerebrovascular disease affecting left non-dominant side    |
| I69.865 | Other paralytic syndrome following other cerebrovascular disease, bilateral                          |
| I69.869 | Other paralytic syndrome following other cerebrovascular disease affecting unspecified side          |
| I69.890 | Apraxia following other cerebrovascular disease  |
| I69.891 | Dysphagia following other cerebrovascular disease  |
| I69.892 | Facial weakness following other cerebrovascular disease  |
| I69.893 | Ataxia following other cerebrovascular disease   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I69.898 | Other sequelae of other cerebrovascular disease  |
| I69.90  | Unspecified sequelae of unspecified cerebrovascular disease  |
| I69.910 | Attention and concentration deficit following unspecified cerebrovascular disease                          |
| I69.911 | Memory deficit following unspecified cerebrovascular disease   |
| I69.912 | Visuospatial deficit and spatial neglect following unspecified cerebrovascular disease                     |
| I69.913 | Psychomotor deficit following unspecified cerebrovascular disease  |
| I69.914 | Frontal lobe and executive function deficit following unspecified cerebrovascular disease                  |
| I69.915 | Cognitive social or emotional deficit following unspecified cerebrovascular disease                        |
| I69.918 | Other symptoms and signs involving cognitive functions following unspecified cerebrovascular disease       |
| I69.919 | Unspecified symptoms and signs involving cognitive functions following unspecified cerebrovascular disease |
| I69.920 | Aphasia following unspecified cerebrovascular disease  |
| I69.921 | Dysphasia following unspecified cerebrovascular disease  |
| I69.922 | Dysarthria following unspecified cerebrovascular disease   |
| I69.923 | Fluency disorder following unspecified cerebrovascular disease   |
| I69.928 | Other speech and language deficits following unspecified cerebrovascular disease                           |
| I69.931 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting right dominant side       |
| I69.932 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left dominant side        |
| I69.933 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting right non-dominant side   |
| I69.934 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left non-dominant side    |
| I69.939 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting unspecified side          |
| I69.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right dominant side       |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I69.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side        |
| I69.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting right non-dominant side   |
| I69.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side    |
| I69.949 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting unspecified side          |
| I69.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side     |
| I69.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side      |
| I69.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side |
| I69.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side  |
| I69.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting unspecified side        |
| I69.961 | Other paralytic syndrome following unspecified cerebrovascular disease affecting right dominant side       |
| I69.962 | Other paralytic syndrome following unspecified cerebrovascular disease affecting left dominant side        |
| I69.963 | Other paralytic syndrome following unspecified cerebrovascular disease affecting right non-dominant side   |
| I69.964 | Other paralytic syndrome following unspecified cerebrovascular disease affecting left non-dominant side    |
| I69.965 | Other paralytic syndrome following unspecified cerebrovascular disease, bilateral                          |
| I69.969 | Other paralytic syndrome following unspecified cerebrovascular disease affecting unspecified side          |
| I69.990 | Apraxia following unspecified cerebrovascular disease  |
| I69.991 | Dysphagia following unspecified cerebrovascular disease  |
| I69.992 | Facial weakness following unspecified cerebrovascular disease  |
| I69.993 | Ataxia following unspecified cerebrovascular disease   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I69.998 | Other sequelae following unspecified cerebrovascular disease  |
| I70.0   | Atherosclerosis of aorta  |
| I70.1   | Atherosclerosis of renal artery   |
| I70.201 | Unspecified atherosclerosis of native arteries of extremities, right leg                                |
| I70.202 | Unspecified atherosclerosis of native arteries of extremities, left leg                                 |
| I70.203 | Unspecified atherosclerosis of native arteries of extremities, bilateral legs                           |
| I70.208 | Unspecified atherosclerosis of native arteries of extremities, other extremity                          |
| I70.209 | Unspecified atherosclerosis of native arteries of extremities, unspecified extremity                    |
| I70.211 | Atherosclerosis of native arteries of extremities with intermittent claudication, right leg             |
| I70.212 | Atherosclerosis of native arteries of extremities with intermittent claudication, left leg              |
| I70.213 | Atherosclerosis of native arteries of extremities with intermittent claudication, bilateral legs        |
| I70.218 | Atherosclerosis of native arteries of extremities with intermittent claudication, other extremity       |
| I70.219 | Atherosclerosis of native arteries of extremities with intermittent claudication, unspecified extremity |
| I70.221 | Atherosclerosis of native arteries of extremities with rest pain, right leg                             |
| I70.222 | Atherosclerosis of native arteries of extremities with rest pain, left leg                              |
| I70.223 | Atherosclerosis of native arteries of extremities with rest pain, bilateral legs                        |
| I70.228 | Atherosclerosis of native arteries of extremities with rest pain, other extremity                       |
| I70.229 | Atherosclerosis of native arteries of extremities with rest pain, unspecified extremity                 |
| I70.231 | Atherosclerosis of native arteries of right leg with ulceration of thigh                                |
| I70.232 | Atherosclerosis of native arteries of right leg with ulceration of calf                                 |
| I70.233 | Atherosclerosis of native arteries of right leg with ulceration of ankle                                |
| I70.234 | Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot                     |
| I70.235 | Atherosclerosis of native arteries of right leg with ulceration of other part of foot                   |
| I70.238 | Atherosclerosis of native arteries of right leg with ulceration of other part of lower leg              |
| I70.239 | Atherosclerosis of native arteries of right leg with ulceration of unspecified site                     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.241 | Atherosclerosis of native arteries of left leg with ulceration of thigh                                      |
| I70.242 | Atherosclerosis of native arteries of left leg with ulceration of calf                                       |
| I70.243 | Atherosclerosis of native arteries of left leg with ulceration of ankle                                      |
| I70.244 | Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot                           |
| I70.245 | Atherosclerosis of native arteries of left leg with ulceration of other part of foot                         |
| I70.248 | Atherosclerosis of native arteries of left leg with ulceration of other part of lower leg                    |
| I70.249 | Atherosclerosis of native arteries of left leg with ulceration of unspecified site                           |
| I70.25  | Atherosclerosis of native arteries of other extremities with ulceration                                      |
| I70.261 | Atherosclerosis of native arteries of extremities with gangrene, right leg                                   |
| I70.262 | Atherosclerosis of native arteries of extremities with gangrene, left leg                                    |
| I70.263 | Atherosclerosis of native arteries of extremities with gangrene, bilateral legs                              |
| I70.268 | Atherosclerosis of native arteries of extremities with gangrene, other extremity                             |
| I70.269 | Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity                       |
| I70.291 | Other atherosclerosis of native arteries of extremities, right leg   |
| I70.292 | Other atherosclerosis of native arteries of extremities, left leg  |
| I70.293 | Other atherosclerosis of native arteries of extremities, bilateral legs                                      |
| I70.298 | Other atherosclerosis of native arteries of extremities, other extremity                                     |
| I70.299 | Other atherosclerosis of native arteries of extremities, unspecified extremity                               |
| I70.301 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg             |
| I70.302 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg              |
| I70.303 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs        |
| I70.308 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity       |
| I70.309 | Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I70.311     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, right leg             |
| I70.312     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, left leg              |
| I70.313     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.318     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.319     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.321     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.322     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.323     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, bilateral legs                        |
| I70.328     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, other extremity                       |
| I70.329     | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, unspecified extremity                 |
| I70.331     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of thigh                                |
| I70.332     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of calf                                 |
| I70.333     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of ankle                                |
| I70.334     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of heel and midfoot                     |
| I70.335     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of foot                   |
| I70.338     | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of lower leg              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.339 | Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of unspecified site       |
| I70.341 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of thigh                   |
| I70.342 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of calf                    |
| I70.343 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of ankle                   |
| I70.344 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of heel and midfoot        |
| I70.345 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of foot      |
| I70.348 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of lower leg |
| I70.349 | Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of unspecified site        |
| I70.35  | Atherosclerosis of unspecified type of bypass graft(s) of other extremity with ulceration                         |
| I70.361 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg                |
| I70.362 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg                 |
| I70.363 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs           |
| I70.368 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity          |
| I70.369 | Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity    |
| I70.391 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg                        |
| I70.392 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.393 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs                             |
| I70.398 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity                            |
| I70.399 | Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity                      |
| I70.401 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg                                |
| I70.402 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg                                 |
| I70.403 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs                           |
| I70.408 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity                          |
| I70.409 | Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity                    |
| I70.411 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, right leg             |
| I70.412 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, left leg              |
| I70.413 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.418 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.419 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.421 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.422 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.423 | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, bilateral legs                        |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I70.428     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, other extremity          |
| I70.429     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, unspecified extremity    |
| I70.431     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of thigh                   |
| I70.432     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of calf                    |
| I70.433     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of ankle                   |
| I70.434     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.435     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.438     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.439     | Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.441     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.442     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of calf                     |
| I70.443     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of ankle                    |
| I70.444     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of heel and midfoot         |
| I70.445     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of foot       |
| I70.448     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of lower leg  |
| I70.449     | Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of unspecified site         |
| I70.45      | Atherosclerosis of autologous vein bypass graft(s) of other extremity with ulceration                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I70.461     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg                           |
| I70.462     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg                            |
| I70.463     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs                      |
| I70.468     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity                     |
| I70.469     | Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity               |
| I70.491     | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg                                   |
| I70.492     | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg                                    |
| I70.493     | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs                              |
| I70.498     | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity                             |
| I70.499     | Other atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity                       |
| I70.501     | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg                    |
| I70.502     | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg                     |
| I70.503     | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs               |
| I70.508     | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity              |
| I70.509     | Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity        |
| I70.511     | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, right leg |
| I70.512     | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, left leg  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.513 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.518 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.519 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.521 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.522 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.523 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, bilateral legs                        |
| I70.528 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, other extremity                       |
| I70.529 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, unspecified extremity                 |
| I70.531 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of thigh                                |
| I70.532 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of calf                                 |
| I70.533 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of ankle                                |
| I70.534 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of heel and midfoot                     |
| I70.535 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of foot                   |
| I70.538 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of lower leg              |
| I70.539 | Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of unspecified site                     |
| I70.541 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of thigh                                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.542 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of calf                    |
| I70.543 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of ankle                   |
| I70.544 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of heel and midfoot        |
| I70.545 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of foot      |
| I70.548 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of lower leg |
| I70.549 | Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of unspecified site        |
| I70.55  | Atherosclerosis of nonautologous biological bypass graft(s) of other extremity with ulceration                         |
| I70.561 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg                |
| I70.562 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg                 |
| I70.563 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs           |
| I70.568 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity          |
| I70.569 | Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity    |
| I70.591 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg                        |
| I70.592 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg                         |
| I70.593 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs                   |
| I70.598 | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I70.599     | Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity               |
| I70.601     | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg                                |
| I70.602     | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg                                 |
| I70.603     | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs                           |
| I70.608     | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity                          |
| I70.609     | Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity                    |
| I70.611     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, right leg             |
| I70.612     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, left leg              |
| I70.613     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, bilateral legs        |
| I70.618     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, other extremity       |
| I70.619     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.621     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.622     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.623     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, bilateral legs                        |
| I70.628     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, other extremity                       |
| I70.629     | Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, unspecified extremity                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I70.631 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of thigh                   |
| I70.632 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of calf                    |
| I70.633 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of ankle                   |
| I70.634 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of heel and midfoot        |
| I70.635 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of foot      |
| I70.638 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of lower leg |
| I70.639 | Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of unspecified site        |
| I70.641 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of thigh                    |
| I70.642 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of calf                     |
| I70.643 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of ankle                    |
| I70.644 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of heel and midfoot         |
| I70.645 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of foot       |
| I70.648 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of lower leg  |
| I70.649 | Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of unspecified site         |
| I70.65  | Atherosclerosis of nonbiological bypass graft(s) of other extremity with ulceration                          |
| I70.661 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg                 |
| I70.662 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.663 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs                   |
| I70.668 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity                  |
| I70.669 | Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity            |
| I70.691 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg                                |
| I70.692 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg                                 |
| I70.693 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs                           |
| I70.698 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity                          |
| I70.699 | Other atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity                    |
| I70.701 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, right leg                          |
| I70.702 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, left leg                           |
| I70.703 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs                     |
| I70.708 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, other extremity                    |
| I70.709 | Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity              |
| I70.711 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, right leg       |
| I70.712 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, left leg        |
| I70.713 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs  |
| I70.718 | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, other extremity |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| I70.719     | Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity |
| I70.721     | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, right leg                             |
| I70.722     | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, left leg                              |
| I70.723     | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, bilateral legs                        |
| I70.728     | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, other extremity                       |
| I70.729     | Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, unspecified extremity                 |
| I70.731     | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of thigh                                |
| I70.732     | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of calf                                 |
| I70.733     | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of ankle                                |
| I70.734     | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of heel and midfoot                     |
| I70.735     | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of foot                   |
| I70.738     | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of lower leg              |
| I70.739     | Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of unspecified site                     |
| I70.741     | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of thigh                                 |
| I70.742     | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of calf                                  |
| I70.743     | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of ankle                                 |
| I70.744     | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of heel and midfoot                      |
| I70.745     | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of foot                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I70.748 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of lower leg |
| I70.749 | Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of unspecified site        |
| I70.75  | Atherosclerosis of other type of bypass graft(s) of other extremity with ulceration                         |
| I70.761 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg                |
| I70.762 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg                 |
| I70.763 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs           |
| I70.768 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity          |
| I70.769 | Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity    |
| I70.791 | Other atherosclerosis of other type of bypass graft(s) of the extremities, right leg                        |
| I70.792 | Other atherosclerosis of other type of bypass graft(s) of the extremities, left leg                         |
| I70.793 | Other atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs                   |
| I70.798 | Other atherosclerosis of other type of bypass graft(s) of the extremities, other extremity                  |
| I70.799 | Other atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity            |
| I70.8   | Atherosclerosis of other arteries   |
| I70.90  | Unspecified atherosclerosis   |
| I70.91  | Generalized atherosclerosis   |
| I70.92  | Chronic total occlusion of artery of the extremities  |
| I71.00  | Dissection of unspecified site of aorta   |
| I71.01  | Dissection of thoracic aorta  |
| I71.02  | Dissection of abdominal aorta   |
| I71.03  | Dissection of thoracoabdominal aorta  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| I71.1  | Thoracic aortic aneurysm, ruptured                        |
| I71.2  | Thoracic aortic aneurysm, without rupture                 |
| I71.3  | Abdominal aortic aneurysm, ruptured                       |
| I71.4  | Abdominal aortic aneurysm, without rupture                |
| I71.5  | Thoracoabdominal aortic aneurysm, ruptured                |
| I71.6  | Thoracoabdominal aortic aneurysm, without rupture         |
| I71.8  | Aortic aneurysm of unspecified site, ruptured             |
| I71.9  | Aortic aneurysm of unspecified site, without rupture      |
| I72.1  | Aneurysm of artery of upper extremity                     |
| I72.2  | Aneurysm of renal artery                                  |
| I72.3  | Aneurysm of iliac artery                                  |
| I72.5<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Aneurysm of other precerebral arteries                    |
| I72.6<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Aneurysm of vertebral artery                              |
| I74.01   | Saddle embolus of abdominal aorta                         |
| I74.09   | Other arterial embolism and thrombosis of abdominal aorta |
| I74.10   | Embolism and thrombosis of unspecified parts of aorta     |
| I74.11   | Embolism and thrombosis of thoracic aorta                 |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>  |
|---|---|
| I74.19  | Embolism and thrombosis of other parts of aorta                 |
| I74.2   | Embolism and thrombosis of arteries of the upper extremities    |
| I74.3   | Embolism and thrombosis of arteries of the lower extremities    |
| I74.4   | Embolism and thrombosis of arteries of extremities, unspecified |
| I74.5   | Embolism and thrombosis of iliac artery                         |
| I74.8   | Embolism and thrombosis of other arteries                       |
| I74.9   | Embolism and thrombosis of unspecified artery                   |
| I77.70<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Dissection of unspecified artery                                |
| I77.75<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Dissection of other precerebral arteries                        |
| I77.76<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Dissection of artery of upper extremity                         |
| I77.77<br>Covered   | Dissection of artery of lower extremity                         |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. |  |
| I79.0  | Aneurysm of aorta in diseases classified elsewhere               |
| K55.1  | Chronic vascular disorders of intestine                          |
| K74.1  | Hepatic sclerosis  |
| K74.2  | Hepatic fibrosis with hepatic sclerosis                          |
| K75.81   | Nonalcoholic steatohepatitis (NASH)                              |
| K76.0  | Fatty (change of) liver, not elsewhere classified                |
| K76.1  | Chronic passive congestion of liver                              |
| K76.5  | Hepatic veno-occlusive disease                                   |
| K76.81   | Hepatopulmonary syndrome   |
| K76.89   | Other specified diseases of liver                                |
| K76.9  | Liver disease, unspecified                                       |
| K77  | Liver disorders in diseases classified elsewhere                 |
| K85.00   | Idiopathic acute pancreatitis without necrosis or infection      |
| K85.01   | Idiopathic acute pancreatitis with uninfected necrosis           |
| K85.02   | Idiopathic acute pancreatitis with infected necrosis             |
| K85.10   | Biliary acute pancreatitis without necrosis or infection         |
| K85.11   | Biliary acute pancreatitis with uninfected necrosis              |
| K85.12   | Biliary acute pancreatitis with infected necrosis                |
| K85.20   | Alcohol induced acute pancreatitis without necrosis or infection |
| K85.21   | Alcohol induced acute pancreatitis with uninfected necrosis      |
| K85.22   | Alcohol induced acute pancreatitis with infected necrosis        |
| K85.30   | Drug induced acute pancreatitis without necrosis or infection    |
| K85.31   | Drug induced acute pancreatitis with uninfected necrosis         |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K85.32 | Drug induced acute pancreatitis with infected necrosis                                |
| K85.80 | Other acute pancreatitis without necrosis or infection                                |
| K85.81 | Other acute pancreatitis with uninfected necrosis                                     |
| K85.82 | Other acute pancreatitis with infected necrosis                                       |
| K85.90 | Acute pancreatitis without necrosis or infection, unspecified                         |
| K85.91 | Acute pancreatitis with uninfected necrosis, unspecified                              |
| K85.92 | Acute pancreatitis with infected necrosis, unspecified                                |
| K86.0  | Alcohol-induced chronic pancreatitis  |
| K86.1  | Other chronic pancreatitis  |
| K86.2  | Cyst of pancreas  |
| K86.3  | Pseudocyst of pancreas  |
| K86.81 | Exocrine pancreatic insufficiency   |
| K86.89 | Other specified diseases of pancreas  |
| K86.9  | Disease of pancreas, unspecified  |
| K87    | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| K90.41 | Non-celiac gluten sensitivity   |
| K90.49 | Malabsorption due to intolerance, not elsewhere classified                            |
| K90.89 | Other intestinal malabsorption  |
| K91.2  | Postsurgical malabsorption, not elsewhere classified                                  |
| L40.0  | Psoriasis vulgaris  |
| L40.1  | Generalized pustular psoriasis  |
| L40.2  | Acrodermatitis continua   |
| L40.3  | Pustulosis palmaris et plantaris  |
| L40.4  | Guttate psoriasis   |
| L40.50 | Arthropathic psoriasis, unspecified   |
| L40.51 | Distal interphalangeal psoriatic arthropathy  |
| L40.52 | Psoriatic arthritis mutilans  |
| L40.53 | Psoriatic spondylitis   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| L40.54 | Psoriatic juvenile arthropathy   |
| L40.59 | Other psoriatic arthropathy  |
| L40.8  | Other psoriasis  |
| L40.9  | Psoriasis, unspecified   |
| N00.A  | Acute nephritic syndrome with C3 glomerulonephritis  |
| N01.A  | Rapidly progressive nephritic syndrome with C3 glomerulonephritis                              |
| N02.0  | Recurrent and persistent hematuria with minor glomerular abnormality                           |
| N02.1  | Recurrent and persistent hematuria with focal and segmental glomerular lesions                 |
| N02.2  | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis                  |
| N02.3  | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis     |
| N02.4  | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis |
| N02.5  | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis           |
| N02.6  | Recurrent and persistent hematuria with dense deposit disease                                  |
| N02.7  | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis                  |
| N02.8  | Recurrent and persistent hematuria with other morphologic changes                              |
| N02.9  | Recurrent and persistent hematuria with unspecified morphologic changes                        |
| N02.A  | Recurrent and persistent hematuria with C3 glomerulonephritis                                  |
| N03.A  | Chronic nephritic syndrome with C3 glomerulonephritis  |
| N04.0  | Nephrotic syndrome with minor glomerular abnormality   |
| N04.1  | Nephrotic syndrome with focal and segmental glomerular lesions                                 |
| N04.2  | Nephrotic syndrome with diffuse membranous glomerulonephritis                                  |
| N04.3  | Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis                     |
| N04.4  | Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis                 |
| N04.5  | Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis                           |
| N04.6  | Nephrotic syndrome with dense deposit disease  |
| N04.7  | Nephrotic syndrome with diffuse crescentic glomerulonephritis                                  |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---|
| N04.8  | Nephrotic syndrome with other morphologic changes                                 |
| N04.9  | Nephrotic syndrome with unspecified morphologic changes                           |
| N04.A  | Nephrotic syndrome with C3 glomerulonephritis                                     |
| N05.A  | Unspecified nephritic syndrome with C3 glomerulonephritis                         |
| N06.A  | Isolated proteinuria with C3 glomerulonephritis                                   |
| N07.A  | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis       |
| N17.0  | Acute kidney failure with tubular necrosis  |
| N18.4  | Chronic kidney disease, stage 4 (severe)  |
| N18.5  | Chronic kidney disease, stage 5   |
| N18.6  | End stage renal disease   |
| N18.9  | Chronic kidney disease, unspecified   |
| N25.0  | Renal osteodystrophy  |
| N25.1  | Nephrogenic diabetes insipidus  |
| N25.81   | Secondary hyperparathyroidism of renal origin                                     |
| N25.89   | Other disorders resulting from impaired renal tubular function                    |
| N25.9  | Disorder resulting from impaired renal tubular function, unspecified              |
| N26.2  | Page kidney   |
| N52.01   | Erectile dysfunction due to arterial insufficiency                                |
| N52.02   | Corporo-venous occlusive erectile dysfunction                                     |
| N52.03   | Combined arterial insufficiency and corporo-venous occlusive erectile dysfunction |
| N52.1  | Erectile dysfunction due to diseases classified elsewhere                         |
| N52.2<br>Covered<br>only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721. | Drug-induced erectile dysfunction   |
| N52.31   | Erectile dysfunction following radical prostatectomy                              |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N52.32  | Erectile dysfunction following radical cystectomy   |
| N52.33  | Erectile dysfunction following urethral surgery   |
| N52.34  | Erectile dysfunction following simple prostatectomy   |
| N52.35  | Erectile dysfunction following radiation therapy  |
| N52.36  | Erectile dysfunction following interstitial seed therapy  |
| N52.37  | Erectile dysfunction following prostate ablative therapy  |
| N52.39  | Other and unspecified postprocedural erectile dysfunction   |
| N52.8   | Other male erectile dysfunction   |
| N52.9   | Male erectile dysfunction, unspecified  |
| O26.611 | Liver and biliary tract disorders in pregnancy, first trimester   |
| O26.612 | Liver and biliary tract disorders in pregnancy, second trimester  |
| O26.613 | Liver and biliary tract disorders in pregnancy, third trimester   |
| O26.619 | Liver and biliary tract disorders in pregnancy, unspecified trimester   |
| O26.62  | Liver and biliary tract disorders in childbirth   |
| O30.131 | Triplet pregnancy, trichorionic/triamniotic, first trimester  |
| O30.132 | Triplet pregnancy, trichorionic/triamniotic, second trimester   |
| O30.133 | Triplet pregnancy, trichorionic/triamniotic, third trimester  |
| O30.139 | Triplet pregnancy, trichorionic/triamniotic, unspecified trimester  |
| O30.231 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, first trimester  |
| O30.232 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, second trimester   |
| O30.233 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, third trimester  |
| O30.239 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, unspecified trimester  |
| O30.831 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, first trimester       |
| O30.832 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, second trimester      |
| O30.833 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, third trimester       |
| O30.839 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, unspecified trimester |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|---|---|
| O90.5   | Postpartum thyroiditis  |
| O99.280   | Endocrine, nutritional and metabolic diseases complicating pregnancy, unspecified trimester |
| O99.281   | Endocrine, nutritional and metabolic diseases complicating pregnancy, first trimester       |
| O99.282   | Endocrine, nutritional and metabolic diseases complicating pregnancy, second trimester      |
| O99.283   | Endocrine, nutritional and metabolic diseases complicating pregnancy, third trimester       |
| O99.284   | Endocrine, nutritional and metabolic diseases complicating childbirth                       |
| O99.891   | Other specified diseases and conditions complicating pregnancy                              |
| O99.892   | Other specified diseases and conditions complicating childbirth                             |
| O99.893   | Other specified diseases and conditions complicating puerperium                             |
| P04.40  | Newborn affected by maternal use of unspecified drugs of addiction                          |
| P04.42  | Newborn affected by maternal use of hallucinogens   |
| P05.10  | Newborn small for gestational age, unspecified weight                                       |
| P05.11  | Newborn small for gestational age, less than 500 grams                                      |
| P05.12  | Newborn small for gestational age, 500-749 grams  |
| P05.13  | Newborn small for gestational age, 750-999 grams  |
| P05.14  | Newborn small for gestational age, 1000-1249 grams  |
| P05.15  | Newborn small for gestational age, 1250-1499 grams  |
| P05.16  | Newborn small for gestational age, 1500-1749 grams  |
| P05.17  | Newborn small for gestational age, 1750-1999 grams  |
| P05.18  | Newborn small for gestational age, 2000-2499 grams  |
| Q25.21<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465, | Interruption of aortic arch   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>                           |
|---|--|
| 83718, &<br>84778.  |  |
| Q25.40<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Congenital malformation of aorta unspecified |
| Q25.44<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Congenital dilation of aorta                 |
| Q25.45<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Double aortic arch                           |
| Q25.46<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Tortuous aortic arch                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| Q25.47<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Right aortic arch  |
| Q25.48<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Anomalous origin of subclavian artery                    |
| Q25.49<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Other congenital malformations of aorta                  |
| Q44.2   | Atresia of bile ducts                                    |
| Q44.3   | Congenital stenosis and stricture of bile ducts          |
| R07.2   | Precordial pain  |
| R07.82  | Intercostal pain   |
| R07.89  | Other chest pain   |
| R07.9   | Chest pain, unspecified                                  |
| R16.0   | Hepatomegaly, not elsewhere classified                   |
| R16.2   | Hepatomegaly with splenomegaly, not elsewhere classified |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b> |
|--|--------------------|
| R29.700<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 0      |
| R29.701<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 1      |
| R29.702<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 2      |
| R29.703<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 3      |
| R29.704<br>Covered<br>only for   | NIHSS score 4      |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--|---------------|
| procedure codes<br>80061,<br>82465,<br>83718, &<br>84778.                                      |               |
| R29.705<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 5 |
| R29.706<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 6 |
| R29.707<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 7 |
| R29.708<br>Covered<br>only for<br>procedure<br>codes<br>80061,                                 | NIHSS score 8 |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b> |
|--|--------------------|
| 82465,<br>83718, &<br>84778.   |                    |
| R29.709<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 9      |
| R29.710<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 10     |
| R29.711<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 11     |
| R29.712<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 12     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b> |
|--|--------------------|
| R29.713<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 13     |
| R29.714<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 14     |
| R29.715<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 15     |
| R29.716<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 16     |
| R29.717<br>Covered<br>only for   | NIHSS score 17     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description    |
|---|----------------|
| procedure codes 80061, 82465, 83718, & 84778.                             |                |
| R29.718<br>Covered only for procedure codes 80061, 82465, 83718, & 84778. | NIHSS score 18 |
| R29.719<br>Covered only for procedure codes 80061, 82465, 83718, & 84778. | NIHSS score 19 |
| R29.720<br>Covered only for procedure codes 80061, 82465, 83718, & 84778. | NIHSS score 20 |
| R29.721<br>Covered only for procedure codes 80061,                        | NIHSS score 21 |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b> |
|--|--------------------|
| 82465,<br>83718, &<br>84778.   |                    |
| R29.722<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 22     |
| R29.723<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 23     |
| R29.724<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 24     |
| R29.725<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 25     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b> |
|--|--------------------|
| R29.726<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 26     |
| R29.727<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 27     |
| R29.728<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 28     |
| R29.729<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 29     |
| R29.730<br>Covered<br>only for   | NIHSS score 30     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b> |
|---|--------------------|
| procedure codes 80061, 82465, 83718, & 84778.                             |                    |
| R29.731<br>Covered only for procedure codes 80061, 82465, 83718, & 84778. | NIHSS score 31     |
| R29.732<br>Covered only for procedure codes 80061, 82465, 83718, & 84778. | NIHSS score 32     |
| R29.733<br>Covered only for procedure codes 80061, 82465, 83718, & 84778. | NIHSS score 33     |
| R29.734<br>Covered only for procedure codes 80061,                        | NIHSS score 34     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>  | <b>Description</b> |
|--|--------------------|
| 82465,<br>83718, &<br>84778.   |                    |
| R29.735<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 35     |
| R29.736<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 36     |
| R29.737<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 37     |
| R29.738<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 38     |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--|--|
| R29.739<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 39   |
| R29.740<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 40   |
| R29.741<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 41   |
| R29.742<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | NIHSS score 42   |
| R74.01   | Elevation of levels of liver transaminase levels       |
| R74.02   | Elevation of levels of lactic acid dehydrogenase [LDH] |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| R74.8   | Abnormal levels of other serum enzymes   |
| R74.9   | Abnormal serum enzyme level, unspecified   |
| R78.89  | Finding of other specified substances, not normally found in blood                                     |
| R79.0   | Abnormal level of blood mineral  |
| R79.89  | Other specified abnormal findings of blood chemistry   |
| R79.9   | Abnormal finding of blood chemistry, unspecified   |
| R93.3   | Abnormal findings on diagnostic imaging of other parts of digestive tract                              |
| T59.811A  | Toxic effect of smoke, accidental (unintentional), initial encounter                                   |
| T59.812A  | Toxic effect of smoke, intentional self-harm, initial encounter  |
| T59.813A  | Toxic effect of smoke, assault, initial encounter  |
| T59.814A  | Toxic effect of smoke, undetermined, initial encounter   |
| T59.891A  | Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), initial encounter |
| T59.892A  | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter      |
| T59.893A  | Toxic effect of other specified gases, fumes and vapors, assault, initial encounter                    |
| T59.894A  | Toxic effect of other specified gases, fumes and vapors, undetermined, initial encounter               |
| T59.91XA  | Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), initial encounter     |
| T59.92XA  | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter          |
| T59.93XA  | Toxic effect of unspecified gases, fumes and vapors, assault, initial encounter                        |
| T59.94XA  | Toxic effect of unspecified gases, fumes and vapors, undetermined, initial encounter                   |
| T82.855A<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465, | Stenosis of coronary artery stent, initial encounter   |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b>   | <b>Description</b>  |
|---|---|
| 83718, &<br>84778.  |   |
| T82.855D<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Stenosis of coronary artery stent, subsequent encounter     |
| T82.855S<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Stenosis of coronary artery stent, sequela                  |
| T82.856A<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Stenosis of peripheral vascular stent, initial encounter    |
| T82.856D<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Stenosis of peripheral vascular stent, subsequent encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| T82.856S<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,<br>83718, &<br>84778. | Stenosis of peripheral vascular stent, sequela       |
| T86.10  | Unspecified complication of kidney transplant        |
| T86.11  | Kidney transplant rejection                          |
| T86.12  | Kidney transplant failure                            |
| T86.13  | Kidney transplant infection                          |
| T86.19  | Other complication of kidney transplant              |
| T86.8401  | Corneal transplant rejection, right eye              |
| T86.8402  | Corneal transplant rejection, left eye               |
| T86.8403  | Corneal transplant rejection, bilateral              |
| T86.8409  | Corneal transplant rejection, unspecified eye        |
| T86.8411  | Corneal transplant failure, right eye                |
| T86.8412  | Corneal transplant failure, left eye                 |
| T86.8413  | Corneal transplant failure, bilateral                |
| T86.8419  | Corneal transplant failure, unspecified eye          |
| T86.8421  | Corneal transplant infection, right eye              |
| T86.8422  | Corneal transplant infection, left eye               |
| T86.8423  | Corneal transplant infection, bilateral              |
| T86.8429  | Corneal transplant infection, unspecified eye        |
| Z13.6<br>Covered<br>only for<br>procedure<br>codes<br>80061,<br>82465,                          | Encounter for screening for cardiovascular disorders |

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|---|--|
| 83718, &<br>84478.  |  |
| Z48.22  | Encounter for aftercare following kidney transplant                  |
| Z48.23  | Encounter for aftercare following liver transplant                   |
| Z79.02  | Long term (current) use of antithrombotics/antiplatelets             |
| Z79.1   | Long term (current) use of non-steroidal anti-inflammatories (NSAID) |
| Z79.3   | Long term (current) use of hormonal contraceptives                   |
| Z79.84  | Long term (current) use of oral hypoglycemic drugs                   |
| Z79.899   | Other long term (current) drug therapy                               |
| Z83.42  | Family history of familial hypercholesterolemia                      |
| Z83.430   | Family history of elevated lipoprotein(a)                            |
| Z84.82<br>Covered<br>only for<br>procedure<br>codes<br>83700,<br>83701,<br>83704, &<br>83721. | Family history of sudden infant death syndrome                       |
| Z94.0   | Kidney transplant status   |
| Z94.4   | Liver transplant status  |

**Indications**

The medical community recognizes lipid testing as appropriate for evaluating atherosclerotic cardiovascular disease. Conditions in which lipid testing may be indicated include:

- Assessment of patients with atherosclerotic cardiovascular disease
- Evaluation of primary dyslipidemia
- Any form of atherosclerotic disease, or any disease leading to the formation of atherosclerotic disease
- Diagnostic evaluation of diseases associated with altered lipid metabolism, such as: nephrotic syndrome, pancreatitis, hepatic disease, and hypo and hyperthyroidism
- Secondary dyslipidemia, including diabetes mellitus, disorders of gastrointestinal absorption, chronic renal failure

**NCD 190.23**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021

- Signs or symptoms of dyslipidemias, such as skin lesions
- As follow-up to the initial screen for coronary heart disease (total cholesterol + HDL cholesterol) when total cholesterol is determined to be high (>240 mg/dL), or borderline-high (200-240 mg/dL) plus two or more coronary heart disease risk factors, or an HDL cholesterol <35 mg/dL.

To monitor the progress of patients on anti-lipid dietary management and pharmacologic therapy for the treatment of elevated blood lipid disorders, total cholesterol, HDL cholesterol and LDL cholesterol may be used. Triglycerides may be obtained if this lipid fraction is also elevated or if the patient is put on drugs (for example, thiazide diuretics, beta blockers, estrogens, glucocorticoids, and tamoxifen) which may raise the triglyceride level.

When monitoring long-term anti-lipid dietary or pharmacologic therapy and when following patients with borderline high total or LDL cholesterol levels, it may be reasonable to perform the lipid panel annually. A lipid panel at a yearly interval will usually be adequate while measurement of the serum total cholesterol or a measured LDL should suffice for interim visits if the patient does not have hypertriglyceridemia.

Any one component of the panel or a measured LDL may be reasonable and necessary up to six times the first year for monitoring dietary or pharmacologic therapy. More frequent total cholesterol HDL cholesterol, LDL cholesterol and triglyceride testing may be indicated for marked elevations or for changes to anti-lipid therapy due to inadequate initial patient response to dietary or pharmacologic therapy. The LDL cholesterol or total cholesterol may be measured three times yearly after treatment goals have been achieved.

Electrophoretic or other quantitation of lipoproteins may be indicated if the patient has a primary disorder of lipid metabolism.

Effective January 1, 2005, the Medicare law expanded coverage to cardiovascular screening services. Several of the procedures included in this NCD may be covered for screening purposes subject to specified frequencies. See 42 CFR 410.17 and section 100, chapter 18, of the Claims Processing Manual, for a full description of this benefit.

### **Limitations**

Lipid panel and hepatic panel testing may be used for patients with severe psoriasis which has not responded to conventional therapy and for which the retinoid etretinate has been prescribed and who have developed hyperlipidemia or hepatic toxicity. Specific examples include erythrodermia and generalized pustular type and psoriasis associated with arthritis. Routine screening and prophylactic testing for lipid disorder are not covered by Medicare. While lipid screening may be medically appropriate, Medicare by statute does not pay for it. Lipid testing in asymptomatic individuals is considered to be screening regardless of the presence of other risk factors such as family history, tobacco use, etc.

Once a diagnosis is established, one or several specific tests are usually adequate for monitoring the course of the disease. Less specific diagnoses (for example, other chest pain) alone do not support medical necessity of these tests.



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

When monitoring long-term anti-lipid dietary or pharmacologic therapy and when following patients with borderline high total or LDL cholesterol levels, it is reasonable to perform the lipid panel annually. A lipid panel at a yearly interval will usually be adequate while measurement of the serum total cholesterol or a measured LDL should suffice for interim visits if the patient does not have hypertriglyceridemia.

Any one component of the panel or a measured LDL may be medically necessary up to six times the first year for monitoring dietary or pharmacologic therapy. More frequent total cholesterol HDL cholesterol, LDL cholesterol and triglyceride testing may be indicated for marked elevations or for changes to anti-lipid therapy due to inadequate initial patient response to dietary or pharmacologic therapy. The LDL cholesterol or total cholesterol may be measured three times yearly after treatment goals have been achieved.

If no dietary or pharmacological therapy is advised, monitoring is not necessary.

When evaluating non-specific chronic abnormalities of the liver (for example, elevations of transaminase, alkaline phosphatase, abnormal imaging studies, etc.), a lipid panel would generally not be indicated more than twice per year.

***ICD-10-CM Codes That Do Not Support Medical Necessity***

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

***Sources of Information***

American Diabetes Association. Management of Dyslipidemia in Adults with Diabetes. J. Florida M.A. 1998; 85:2 30-34.

Jialal, I. Evolving lipoprotein risk factors: lipoprotein (a) and oxidizing low-density lipoprotein. Clin Chem 1998; 44:8(B) 1827-1832.

McMorrow, ME, Malarkey, L. Laboratory and Diagnostic Tests: A Pocket Guide. W.B. Saunders Company. 206-207.

U.S. Department of Health and Human Services. National Cholesterol Education Program. Recommendations for Improving Cholesterol Measurement. NIH Publication 90-2964. February 1990.

National Institutes of Health. Second Report of the Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults. NIH Publication 93-3095. September 1993.

Bierman EL. Atherosclerosis and other forms of arteriosclerosis. Harrison's Principles of Internal Medicine. Eds. Isselbacher KJ, Braunwald E, Wilson JD, et al. McGraw-Hill. New York. 1994; 2058-2069.

Brown MS and Goldstein JL. The hyperlipoproteinemias and other disorders of lipid metabolism. Harrison's Principles of Internal Medicine. Eds. Isselbacher KJ, Braunwald E, Wilson JD, et al. McGraw-Hill. New York. 1994; 1106-1116.





## 190.24 - Digoxin Therapeutic Drug Assay

### Description

A digoxin therapeutic drug assay is useful for diagnosis and prevention of digoxin toxicity, and/or prevention for under dosage of digoxin.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description                      |
|-------|----------------------------------|
| 80162 | Digoxin (Therapeutic Drug Assay) |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description  |
|--------|--|
| A18.84 | Tuberculosis of heart  |
| E00.0  | Congenital iodine-deficiency syndrome, neurological type                           |
| E00.1  | Congenital iodine-deficiency syndrome, myxedematous type                           |
| E00.2  | Congenital iodine-deficiency syndrome, mixed type                                  |
| E00.9  | Congenital iodine-deficiency syndrome, unspecified                                 |
| E01.8  | Other iodine-deficiency related thyroid disorders and allied conditions            |
| E02    | Subclinical iodine-deficiency hypothyroidism                                       |
| E03.0  | Congenital hypothyroidism with diffuse goiter                                      |
| E03.1  | Congenital hypothyroidism without goiter   |
| E03.2  | Hypothyroidism due to medicaments and other exogenous substances                   |
| E03.3  | Postinfectious hypothyroidism  |
| E03.5  | Myxedema coma  |
| E03.8  | Other specified hypothyroidism   |
| E03.9  | Hypothyroidism, unspecified  |
| E05.00 | Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm              |
| E05.01 | Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm                 |
| E05.10 | Thyrotoxicosis with toxic single thyroid nodule without thyrotoxic crisis or storm |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| E05.11 | Thyrotoxicosis with toxic single thyroid nodule with thyrotoxic crisis or storm  |
| E05.20 | Thyrotoxicosis with toxic multinodular goiter without thyrotoxic crisis or storm |
| E05.21 | Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm    |
| E05.30 | Thyrotoxicosis from ectopic thyroid tissue without thyrotoxic crisis or storm    |
| E05.31 | Thyrotoxicosis from ectopic thyroid tissue with thyrotoxic crisis or storm       |
| E05.40 | Thyrotoxicosis factitia without thyrotoxic crisis or storm                       |
| E05.41 | Thyrotoxicosis factitia with thyrotoxic crisis or storm                          |
| E05.80 | Other thyrotoxicosis without thyrotoxic crisis or storm                          |
| E05.81 | Other thyrotoxicosis with thyrotoxic crisis or storm                             |
| E05.90 | Thyrotoxicosis, unspecified without thyrotoxic crisis or storm                   |
| E05.91 | Thyrotoxicosis, unspecified with thyrotoxic crisis or storm                      |
| E06.0  | Acute thyroiditis  |
| E06.1  | Subacute thyroiditis   |
| E06.2  | Chronic thyroiditis with transient thyrotoxicosis                                |
| E06.3  | Autoimmune thyroiditis   |
| E06.4  | Drug-induced thyroiditis   |
| E06.5  | Other chronic thyroiditis  |
| E06.9  | Thyroiditis, unspecified   |
| E20.1  | Pseudohypoparathyroidism   |
| E83.40 | Disorders of magnesium metabolism, unspecified                                   |
| E83.41 | Hypermagnesemia  |
| E83.42 | Hypomagnesemia   |
| E83.49 | Other disorders of magnesium metabolism  |
| E83.50 | Unspecified disorder of calcium metabolism                                       |
| E83.51 | Hypocalcemia   |
| E83.52 | Hypercalcemia  |
| E83.59 | Other disorders of calcium metabolism  |
| E83.81 | Hungry bone syndrome   |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| E86.0  | Dehydration  |
| E86.1  | Hypovolemia  |
| E86.9  | Volume depletion, unspecified  |
| E87.0  | Hyperosmolality and hypernatremia  |
| E87.1  | Hypo-osmolality and hyponatremia   |
| E87.2  | Acidosis   |
| E87.3  | Alkalosis  |
| E87.4  | Mixed disorder of acid-base balance  |
| E87.5  | Hyperkalemia   |
| E87.6  | Hypokalemia  |
| E87.70 | Fluid overload, unspecified  |
| E87.71 | Transfusion associated circulatory overload                                |
| E87.79 | Other fluid overload   |
| E87.8  | Other disorders of electrolyte and fluid balance, not elsewhere classified |
| E88.02 | Plasminogen deficiency   |
| E89.0  | Postprocedural hypothyroidism  |
| F05    | Delirium due to known physiological condition                              |
| F12.13 | Cannabis abuse with withdrawal   |
| F12.23 | Cannabis dependence with withdrawal  |
| F51.5  | Nightmare disorder   |
| G44.1  | Vascular headache, not elsewhere classified                                |
| G44.40 | Drug-induced headache, not elsewhere classified, not intractable           |
| G44.41 | Drug-induced headache, not elsewhere classified, intractable               |
| H53.16 | Psychophysical visual disturbances   |
| H53.71 | Glare sensitivity  |
| H53.72 | Impaired contrast sensitivity  |
| H53.8  | Other visual disturbances  |
| H53.9  | Unspecified visual disturbance   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| I08.1  | Rheumatic disorders of both mitral and tricuspid valves   |
| I08.2  | Rheumatic disorders of both aortic and tricuspid valves   |
| I08.3  | Combined rheumatic disorders of mitral, aortic and tricuspid valves   |
| I08.8  | Other rheumatic multiple valve diseases   |
| I08.9  | Rheumatic multiple valve disease, unspecified   |
| I09.0  | Rheumatic myocarditis   |
| I09.1  | Rheumatic diseases of endocardium, valve unspecified  |
| I09.81 | Rheumatic heart failure   |
| I11.0  | Hypertensive heart disease with heart failure   |
| I12.0  | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease  |
| I12.9  | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease                                  |
| I13.0  | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease      |
| I13.10 | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease |
| I13.11 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease                            |
| I13.2  | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease                            |
| I20.0  | Unstable angina   |
| I20.1  | Angina pectoris with documented spasm   |
| I20.8  | Other forms of angina pectoris  |
| I20.9  | Angina pectoris, unspecified  |
| I21.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery  |
| I21.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery   |
| I21.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall   |
| I21.11 | ST elevation (STEMI) myocardial infarction involving right coronary artery  |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I21.19  | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall        |
| I21.21  | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery               |
| I21.29  | ST elevation (STEMI) myocardial infarction involving other sites                                   |
| I21.3   | ST elevation (STEMI) myocardial infarction of unspecified site                                     |
| I21.4   | Non-ST elevation (NSTEMI) myocardial infarction  |
| I22.0   | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall                             |
| I22.1   | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall                             |
| I22.2   | Subsequent non-ST elevation (NSTEMI) myocardial infarction   |
| I22.8   | Subsequent ST elevation (STEMI) myocardial infarction of other sites                               |
| I22.9   | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site                          |
| I23.1   | Atrial septal defect as current complication following acute myocardial infarction                 |
| I23.2   | Ventricular septal defect as current complication following acute myocardial infarction            |
| I23.4   | Rupture of chordae tendineae as current complication following acute myocardial infarction         |
| I23.5   | Rupture of papillary muscle as current complication following acute myocardial infarction          |
| I24.0   | Acute coronary thrombosis not resulting in myocardial infarction                                   |
| I24.1   | Dressler's syndrome  |
| I24.8   | Other forms of acute ischemic heart disease  |
| I24.9   | Acute ischemic heart disease, unspecified  |
| I25.10  | Atherosclerotic heart disease of native coronary artery without angina pectoris                    |
| I25.110 | Atherosclerotic heart disease of native coronary artery with unstable angina pectoris              |
| I25.111 | Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm |
| I25.118 | Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris        |
| I25.119 | Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris           |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| I25.700     | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris                         |
| I25.701     | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm            |
| I25.708     | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris                   |
| I25.709     | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris                      |
| I25.710     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris                       |
| I25.711     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm          |
| I25.718     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris                 |
| I25.719     | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris                    |
| I25.720     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris                     |
| I25.721     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm        |
| I25.728     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris               |
| I25.729     | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris                  |
| I25.730     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris              |
| I25.731     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm |
| I25.738     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris        |
| I25.739     | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris           |
| I25.750     | Atherosclerosis of native coronary artery of transplanted heart with unstable angina                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I25.751 | Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm          |
| I25.758 | Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris                 |
| I25.759 | Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris                    |
| I25.760 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina                       |
| I25.761 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm |
| I25.768 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris        |
| I25.769 | Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris           |
| I25.790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris                              |
| I25.791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm                 |
| I25.798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris                        |
| I25.799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris                           |
| I25.84  | Coronary atherosclerosis due to calcified coronary lesion   |
| I27.83  | Eisenmenger's syndrome  |
| I40.0   | Infective myocarditis   |
| I40.1   | Isolated myocarditis  |
| I40.8   | Other acute myocarditis   |
| I40.9   | Acute myocarditis, unspecified  |
| I41     | Myocarditis in diseases classified elsewhere  |
| I42.0   | Dilated cardiomyopathy  |
| I42.1   | Obstructive hypertrophic cardiomyopathy   |
| I42.2   | Other hypertrophic cardiomyopathy   |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                     |
|--------|---|
| I42.3  | Endomyocardial (eosinophilic) disease           |
| I42.4  | Endocardial fibroelastosis                      |
| I42.5  | Other restrictive cardiomyopathy                |
| I42.6  | Alcoholic cardiomyopathy                        |
| I42.7  | Cardiomyopathy due to drug and external agent   |
| I42.8  | Other cardiomyopathies                          |
| I42.9  | Cardiomyopathy, unspecified                     |
| I43    | Cardiomyopathy in diseases classified elsewhere |
| I44.0  | Atrioventricular block, first degree            |
| I44.1  | Atrioventricular block, second degree           |
| I44.2  | Atrioventricular block, complete                |
| I44.30 | Unspecified atrioventricular block              |
| I44.39 | Other atrioventricular block                    |
| I44.4  | Left anterior fascicular block                  |
| I44.5  | Left posterior fascicular block                 |
| I44.60 | Unspecified fascicular block                    |
| I44.69 | Other fascicular block                          |
| I44.7  | Left bundle-branch block, unspecified           |
| I45.0  | Right fascicular block                          |
| I45.10 | Unspecified right bundle-branch block           |
| I45.19 | Other right bundle-branch block                 |
| I45.2  | Bifascicular block                              |
| I45.3  | Trifascicular block                             |
| I45.4  | Nonspecific intraventricular block              |
| I45.5  | Other specified heart block                     |
| I45.6  | Pre-excitation syndrome                         |
| I45.81 | Long QT syndrome                                |
| I45.89 | Other specified conduction disorders            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| I45.9  | Conduction disorder, unspecified                   |
| I46.2  | Cardiac arrest due to underlying cardiac condition |
| I46.8  | Cardiac arrest due to other underlying condition   |
| I46.9  | Cardiac arrest, cause unspecified                  |
| I47.0  | Re-entry ventricular arrhythmia                    |
| I47.1  | Supraventricular tachycardia                       |
| I47.2  | Ventricular tachycardia                            |
| I47.9  | Paroxysmal tachycardia, unspecified                |
| I48.0  | Paroxysmal atrial fibrillation                     |
| I48.11 | Longstanding persistent atrial fibrillation        |
| I48.19 | Other persistent atrial fibrillation               |
| I48.20 | Chronic atrial fibrillation, unspecified           |
| I48.21 | Permanent atrial fibrillation                      |
| I48.3  | Typical atrial flutter                             |
| I48.4  | Atypical atrial flutter                            |
| I48.91 | Unspecified atrial fibrillation                    |
| I48.92 | Unspecified atrial flutter                         |
| I49.01 | Ventricular fibrillation                           |
| I49.02 | Ventricular flutter                                |
| I49.1  | Atrial premature depolarization                    |
| I49.2  | Junctional premature depolarization                |
| I49.3  | Ventricular premature depolarization               |
| I49.40 | Unspecified premature depolarization               |
| I49.49 | Other premature depolarization                     |
| I49.5  | Sick sinus syndrome                                |
| I49.8  | Other specified cardiac arrhythmias                |
| I49.9  | Cardiac arrhythmia, unspecified                    |
| I50.1  | Left ventricular failure, unspecified              |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I50.20  | Unspecified systolic (congestive) heart failure  |
| I50.21  | Acute systolic (congestive) heart failure  |
| I50.22  | Chronic systolic (congestive) heart failure  |
| I50.23  | Acute on chronic systolic (congestive) heart failure                                     |
| I50.30  | Unspecified diastolic (congestive) heart failure   |
| I50.31  | Acute diastolic (congestive) heart failure   |
| I50.32  | Chronic diastolic (congestive) heart failure   |
| I50.33  | Acute on chronic diastolic (congestive) heart failure                                    |
| I50.40  | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure      |
| I50.41  | Acute combined systolic (congestive) and diastolic (congestive) heart failure            |
| I50.42  | Chronic combined systolic (congestive) and diastolic (congestive) heart failure          |
| I50.43  | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| I50.814 | Right heart failure due to left heart failure  |
| I50.82  | Biventricular heart failure  |
| I50.84  | End stage heart failure  |
| I50.89  | Other heart failure  |
| I50.9   | Heart failure, unspecified   |
| I51.0   | Cardiac septal defect, acquired  |
| I51.1   | Rupture of chordae tendineae, not elsewhere classified                                   |
| I51.2   | Rupture of papillary muscle, not elsewhere classified                                    |
| I74.01  | Saddle embolus of abdominal aorta  |
| I74.09  | Other arterial embolism and thrombosis of abdominal aorta                                |
| I74.10  | Embolism and thrombosis of unspecified parts of aorta                                    |
| I74.19  | Embolism and thrombosis of other parts of aorta  |
| I97.0   | Postcardiotomy syndrome  |
| I97.110 | Postprocedural cardiac insufficiency following cardiac surgery                           |
| I97.111 | Postprocedural cardiac insufficiency following other surgery                             |
| I97.120 | Postprocedural cardiac arrest following cardiac surgery                                  |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I97.121 | Postprocedural cardiac arrest following other surgery  |
| I97.130 | Postprocedural heart failure following cardiac surgery   |
| I97.131 | Postprocedural heart failure following other surgery   |
| I97.190 | Other postprocedural cardiac functional disturbances following cardiac surgery                 |
| I97.191 | Other postprocedural cardiac functional disturbances following other surgery                   |
| J81.1   | Chronic pulmonary edema  |
| J82.81  | Chronic eosinophilic pneumonia   |
| J82.82  | Acute eosinophilic pneumonia   |
| J82.83  | Eosinophilic asthma  |
| J82.89  | Other pulmonary eosinophilia, not elsewhere classified   |
| J84.170 | Interstitial lung disease with progressive fibrotic phenotype in diseases classified elsewhere |
| J84.178 | Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere           |
| K52.21  | Food protein-induced enterocolitis syndrome  |
| K52.22  | Food protein-induced enteropathy   |
| K52.29  | Other allergic and dietetic gastroenteritis and colitis  |
| K52.89  | Other specified noninfective gastroenteritis and colitis                                       |
| K76.81  | Hepatopulmonary syndrome   |
| K90.9   | Intestinal malabsorption, unspecified  |
| N00.A   | Acute nephritic syndrome with C3 glomerulonephritis  |
| N01.A   | Rapidly progressive nephritic syndrome with C3 glomerulonephritis                              |
| N02.A   | Recurrent and persistent hematuria with C3 glomerulonephritis                                  |
| N03.A   | Chronic nephritic syndrome with C3 glomerulonephritis  |
| N04.A   | Nephrotic syndrome with C3 glomerulonephritis  |
| N05.A   | Unspecified nephritic syndrome with C3 glomerulonephritis                                      |
| N06.A   | Isolated proteinuria with C3 glomerulonephritis  |
| N07.A   | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis                    |
| N17.0   | Acute kidney failure with tubular necrosis   |
| N17.1   | Acute kidney failure with acute cortical necrosis  |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| N17.2   | Acute kidney failure with medullary necrosis                                 |
| N17.8   | Other acute kidney failure   |
| N17.9   | Acute kidney failure, unspecified  |
| N18.1   | Chronic kidney disease, stage 1  |
| N18.2   | Chronic kidney disease, stage 2 (mild)                                       |
| N18.30  | Chronic kidney disease, stage 3 unspecified                                  |
| N18.31  | Chronic kidney disease, stage 3a   |
| N18.32  | Chronic kidney disease, stage 3b   |
| N18.4   | Chronic kidney disease, stage 4 (severe)                                     |
| N18.5   | Chronic kidney disease, stage 5  |
| N18.6   | End stage renal disease  |
| N18.9   | Chronic kidney disease, unspecified  |
| N19     | Unspecified kidney failure   |
| N25.0   | Renal osteodystrophy   |
| N25.1   | Nephrogenic diabetes insipidus   |
| N25.81  | Secondary hyperparathyroidism of renal origin                                |
| N25.89  | Other disorders resulting from impaired renal tubular function               |
| N25.9   | Disorder resulting from impaired renal tubular function, unspecified         |
| N26.1   | Atrophy of kidney (terminal)   |
| N26.9   | Renal sclerosis, unspecified   |
| O30.131 | Triplet pregnancy, trichorionic/triamniotic, first trimester                 |
| O30.132 | Triplet pregnancy, trichorionic/triamniotic, second trimester                |
| O30.133 | Triplet pregnancy, trichorionic/triamniotic, third trimester                 |
| O30.139 | Triplet pregnancy, trichorionic/triamniotic, unspecified trimester           |
| O30.231 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, first trimester       |
| O30.232 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, second trimester      |
| O30.233 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, third trimester       |
| O30.239 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, unspecified trimester |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O30.831  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, first trimester       |
| O30.832  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, second trimester      |
| O30.833  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, third trimester       |
| O30.839  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, unspecified trimester |
| O34.218  | Maternal care for other type scar from previous cesarean delivery   |
| O34.22   | Maternal care for cesarean scar defect (isthmocele)   |
| O36.8329 | Maternal care for abnormalities of the fetal heart rate or rhythm, second trimester, other fetus                                  |
| O36.8330 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, not applicable or unspecified                 |
| O36.8331 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 1                                       |
| O36.8332 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 2                                       |
| O36.8333 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 3                                       |
| O36.8334 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 4                                       |
| O36.8335 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, fetus 5                                       |
| O36.8339 | Maternal care for abnormalities of the fetal heart rate or rhythm, third trimester, other fetus                                   |
| R00.1    | Bradycardia, unspecified  |
| R11.0    | Nausea  |
| R11.10   | Vomiting, unspecified   |
| R11.11   | Vomiting without nausea   |
| R11.12   | Projectile vomiting   |
| R11.14   | Bilious vomiting  |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| R11.15   | Cyclical vomiting syndrome unrelated to migraine  |
| R11.2    | Nausea with vomiting, unspecified   |
| R19.7    | Diarrhea, unspecified   |
| R40.0    | Somnolence  |
| R40.1    | Stupor  |
| R40.20   | Unspecified coma  |
| R40.2110 | Coma scale, eyes open, never, unspecified time  |
| R40.2111 | Coma scale, eyes open, never, in the field [EMT or ambulance]                                       |
| R40.2112 | Coma scale, eyes open, never, at arrival to emergency department                                    |
| R40.2113 | Coma scale, eyes open, never, at hospital admission   |
| R40.2114 | Coma scale, eyes open, never, 24 hours or more after hospital admission                             |
| R40.2120 | Coma scale, eyes open, to pain, unspecified time  |
| R40.2121 | Coma scale, eyes open, to pain, in the field [EMT or ambulance]                                     |
| R40.2122 | Coma scale, eyes open, to pain, at arrival to emergency department                                  |
| R40.2123 | Coma scale, eyes open, to pain, at hospital admission   |
| R40.2124 | Coma scale, eyes open, to pain, 24 hours or more after hospital admission                           |
| R40.2210 | Coma scale, best verbal response, none, unspecified time  |
| R40.2211 | Coma scale, best verbal response, none, in the field [EMT or ambulance]                             |
| R40.2212 | Coma scale, best verbal response, none, at arrival to emergency department                          |
| R40.2213 | Coma scale, best verbal response, none, at hospital admission                                       |
| R40.2214 | Coma scale, best verbal response, none, 24 hours or more after hospital admission                   |
| R40.2220 | Coma scale, best verbal response, incomprehensible words, unspecified time                          |
| R40.2221 | Coma scale, best verbal response, incomprehensible words, in the field [EMT or ambulance]           |
| R40.2222 | Coma scale, best verbal response, incomprehensible words, at arrival to emergency department        |
| R40.2223 | Coma scale, best verbal response, incomprehensible words, at hospital admission                     |
| R40.2224 | Coma scale, best verbal response, incomprehensible words, 24 hours or more after hospital admission |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| R40.2310 | Coma scale, best motor response, none, unspecified time  |
| R40.2311 | Coma scale, best motor response, none, in the field [EMT or ambulance]                         |
| R40.2312 | Coma scale, best motor response, none, at arrival to emergency department                      |
| R40.2313 | Coma scale, best motor response, none, at hospital admission                                   |
| R40.2314 | Coma scale, best motor response, none, 24 hours or more after hospital admission               |
| R40.2320 | Coma scale, best motor response, extension, unspecified time                                   |
| R40.2321 | Coma scale, best motor response, extension, in the field [EMT or ambulance]                    |
| R40.2322 | Coma scale, best motor response, extension, at arrival to emergency department                 |
| R40.2323 | Coma scale, best motor response, extension, at hospital admission                              |
| R40.2324 | Coma scale, best motor response, extension, 24 hours or more after hospital admission          |
| R40.2340 | Coma scale, best motor response, flexion withdrawal, unspecified time                          |
| R40.2341 | Coma scale, best motor response, flexion withdrawal, in the field [EMT or ambulance]           |
| R40.2342 | Coma scale, best motor response, flexion withdrawal, at arrival to emergency department        |
| R40.2343 | Coma scale, best motor response, flexion withdrawal, at hospital admission                     |
| R40.2344 | Coma scale, best motor response, flexion withdrawal, 24 hours or more after hospital admission |
| R40.4    | Transient alteration of awareness  |
| R42      | Dizziness and giddiness  |
| R44.0    | Auditory hallucinations  |
| R44.1    | Visual hallucinations  |
| R44.2    | Other hallucinations   |
| R44.3    | Hallucinations, unspecified  |
| R45.0    | Nervousness  |
| R45.3    | Demoralization and apathy  |
| R45.4    | Irritability and anger   |
| R45.86   | Emotional lability   |
| R45.87   | Impulsiveness  |

**NCD 190.24**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code       | Description  |
|------------|--|
| R45.89     | Other symptoms and signs involving emotional state   |
| R48.3      | Visual agnosia   |
| R51.0      | Headache with orthostatic component, not elsewhere classified  |
| R51.9      | Headache, unspecified  |
| R53.1      | Weakness   |
| R53.2      | Functional quadriplegia  |
| R53.81     | Other malaise  |
| R53.82     | Chronic fatigue, unspecified   |
| R53.83     | Other fatigue  |
| R55        | Syncope and collapse   |
| R63.0      | Anorexia   |
| R94.31     | Abnormal electrocardiogram [ECG] [EKG]   |
| T46.0X1A   | Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), initial encounter |
| T46.0X2A   | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter      |
| T46.0X3A   | Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, initial encounter                    |
| T46.0X4A   | Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, initial encounter               |
| **T46.0X5A | Adverse effect of cardiac-stimulant glycosides and drugs of similar action, initial encounter                        |
| **T46.0X5S | Adverse effect of cardiac-stimulant glycosides and drugs of similar action, sequela                                  |
| T46.1X5A   | Adverse effect of calcium-channel blockers, initial encounter  |
| T46.2X1A   | Poisoning by other antidysrhythmic drugs, accidental (unintentional), initial encounter                              |
| T46.2X2A   | Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter                                   |
| T46.2X3A   | Poisoning by other antidysrhythmic drugs, assault, initial encounter   |
| T46.2X4A   | Poisoning by other antidysrhythmic drugs, undetermined, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|---|---|
| T46.2X5A  | Adverse effect of other antidysrhythmic drugs, initial encounter                              |
| T50.905A  | Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter |
| T50.995A  | Adverse effect of other drugs, medicaments and biological substances, initial encounter       |
| T78.41XA  | Arthus phenomenon, initial encounter  |
| T88.52XA  | Failed moderate sedation during procedure, initial encounter                                  |
| Z79.84  | Long term (current) use of oral hypoglycemic drugs  |
| Z79.899   | Other long term (current) drug therapy  |
| **Codes may not be reported as a stand-alone or first-listed code on the claim. |   |

### **Indications**

Digoxin levels may be performed to monitor drug levels of individuals receiving digoxin therapy because the margin of safety between side effects and toxicity is narrow or because the blood level may not be high enough to achieve the desired clinical effect.

Clinical indications may include individuals on digoxin:

- With symptoms, signs or electrocardiogram (ECG) suggestive of digoxin toxicity
- Taking medications that influence absorption, bioavailability, distribution, and/or elimination of digoxin
- With impaired renal, hepatic, gastrointestinal, or thyroid function
- With pH and/or electrolyte abnormalities
- With unstable cardiovascular status, including myocarditis
- Requiring monitoring of patient compliance

Clinical indications may include individuals:

- Suspected of accidental or intended overdose
- Who have an acceptable cardiac diagnosis (as listed) and for whom an accurate history of use of digoxin is unobtainable

The value of obtaining regular serum digoxin levels is uncertain, but it may be reasonable to check levels once yearly after a steady state is achieved. In addition, it may be reasonable to check the level if:

- Heart failure status worsens
- Renal function deteriorates
- Additional medications are added that could affect the digoxin level
- Signs or symptoms of toxicity develop

Steady state will be reached in approximately 1 week in patients with normal renal function, although 2-3 weeks may be needed in patients with renal impairment. After changes in dosages



or the addition of a medication that could affect the digoxin level, it is reasonable to check the digoxin level one week after the change or addition. Based on the clinical situation, in cases of digoxin toxicity, testing may need to be done more than once a week.

Digoxin is indicated for the treatment of patients with heart failure due to systolic dysfunction and for reduction of the ventricular response in patients with atrial fibrillation or flutter. Digoxin may also be indicated to treat other supraventricular arrhythmias, particularly with heart failure.

### **Limitations**

This test is not appropriate for patients on digitoxin or treated with digoxin FAB (fragment antigen binding) antibody.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

Doherty JE. Digitalis serum levels: clinical use. *Ann Intern Med* 1971 May; 74(5):787-789.

Duhme DW, Greenblatt DJ, Koch-Weser J. Reduction of digoxin toxicity associated with measurement of serum levels. A report from the Boston Collaborative Drug Surveillance Program. *Ann Intern Med* 1974 Apr; 80(4):516-519

Goldman RH. Use of Serum Digoxin Levels in Clinical Practice. *JAMA* 1974, Jul 15, 229(3).

Howanitz PJ, Steindel SJ. Digoxin therapeutic drug monitoring practices. A College of American Pathologists Q-Probes study of 666 institutions and 18,679 toxic levels. *Arch Pathol Lab Med* 1993 Jul; 117(7):684-690.

Marcus FI. Pharmacokinetic interactions between digoxin and other drugs. *J Am Coll Cardiol* 1985 May; 5(5 Suppl A):82A-90A.

Rodin SM, Johnson BF. Pharmacokinetic interactions with digoxin. *Clin Pharmacokinetics* 1988 Oct; 15(4):227-244.

Smith TW, Butler VP Jr, Haber E. Determination of therapeutic and toxic serum digoxin concentrations by radioimmunoassay. *N Engl J Med* 1969 Nov 27; 281(22):1212-1216.

Smith TW, Haber E. Digoxin intoxication: the relationship of clinical presentation to serum digoxin concentration. *J Clin Invest* 1970, Dec; 49 (12):2377-2386.

Valdes R. Jr, Jortani SA, Gheorghiade M. Standards of laboratory practice: cardiac drug monitoring. National Academy of Clinical Biochemistry. *Clin Chem* 1998 May; 44(5): 1096-1109.

Konstam M, Dracup K, Baker D, et al. Heart Failure: Evaluation and Care of Patients with Left-Ventricular Systolic Dysfunction. Clinical Practice Guideline No.11. AHCPR Pub. No. 94-0612. Rockville, MD: Agency for Health Care Policy & Research, Public Health Service, U.S. Dept. of Health and Human Services. June 1994.



## 190.25 - Alpha-fetoprotein

### Other Names/Abbreviations

AFP

### Description

Alpha-fetoprotein (AFP) is a polysaccharide found in some carcinomas. It is effective as a biochemical marker for monitoring the response of certain malignancies to therapy.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description              |
|-------|--------------------------|
| 82105 | Alpha-fetoprotein; serum |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description  |
|--------|--|
| A52.74 | Syphilis of liver and other viscera                                |
| B18.0  | Chronic viral hepatitis B with delta-agent                         |
| B18.1  | Chronic viral hepatitis B without delta-agent                      |
| B18.2  | Chronic viral hepatitis C  |
| B66.1  | Clonorchiasis  |
| B66.3  | Fascioliasis   |
| C22.0  | Liver cell carcinoma   |
| C22.1  | Intrahepatic bile duct carcinoma                                   |
| C22.2  | Hepatoblastoma   |
| C22.3  | Angiosarcoma of liver  |
| C22.4  | Other sarcomas of liver  |
| C22.7  | Other specified carcinomas of liver                                |
| C22.8  | Malignant neoplasm of liver, primary, unspecified as to type       |
| C22.9  | Malignant neoplasm of liver, not specified as primary or secondary |
| C38.1  | Malignant neoplasm of anterior mediastinum                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| C38.2    | Malignant neoplasm of posterior mediastinum  |
| C38.3    | Malignant neoplasm of mediastinum, part unspecified                                    |
| C38.8    | Malignant neoplasm of overlapping sites of heart, mediastinum and pleura               |
| C44.1321 | Sebaceous cell carcinoma of skin of right upper eyelid, including canthus              |
| C44.1322 | Sebaceous cell carcinoma of skin of right lower eyelid, including canthus              |
| C44.1391 | Sebaceous cell carcinoma of skin of left upper eyelid, including canthus               |
| C44.1392 | Sebaceous cell carcinoma of skin of left lower eyelid, including canthus               |
| C56.1    | Malignant neoplasm of right ovary  |
| C56.2    | Malignant neoplasm of left ovary   |
| C56.9    | Malignant neoplasm of unspecified ovary  |
| C62.00   | Malignant neoplasm of unspecified undescended testis                                   |
| C62.01   | Malignant neoplasm of undescended right testis   |
| C62.02   | Malignant neoplasm of undescended left testis  |
| C62.10   | Malignant neoplasm of unspecified descended testis                                     |
| C62.11   | Malignant neoplasm of descended right testis   |
| C62.12   | Malignant neoplasm of descended left testis  |
| C62.90   | Malignant neoplasm of unspecified testis, unspecified whether descended or undescended |
| C62.91   | Malignant neoplasm of right testis, unspecified whether descended or undescended       |
| C62.92   | Malignant neoplasm of left testis, unspecified whether descended or undescended        |
| C78.1    | Secondary malignant neoplasm of mediastinum  |
| C78.7    | Secondary malignant neoplasm of liver and intrahepatic bile duct                       |
| C79.60   | Secondary malignant neoplasm of unspecified ovary                                      |
| C79.61   | Secondary malignant neoplasm of right ovary  |
| C79.62   | Secondary malignant neoplasm of left ovary   |
| C79.82   | Secondary malignant neoplasm of genital organs   |
| C7A.00   | Malignant carcinoid tumor of unspecified site  |
| C7A.090  | Malignant carcinoid tumor of the bronchus and lung                                     |
| C7A.091  | Malignant carcinoid tumor of the thymus  |

**NCD 190.25**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C7A.092 | Malignant carcinoid tumor of the stomach                            |
| C7A.093 | Malignant carcinoid tumor of the kidney                             |
| C7A.094 | Malignant carcinoid tumor of the foregut, unspecified               |
| C7A.095 | Malignant carcinoid tumor of the midgut, unspecified                |
| C7A.096 | Malignant carcinoid tumor of the hindgut, unspecified               |
| C7A.098 | Malignant carcinoid tumors of other sites                           |
| C7B.00  | Secondary carcinoid tumors, unspecified site                        |
| C7B.01  | Secondary carcinoid tumors of distant lymph nodes                   |
| C7B.02  | Secondary carcinoid tumors of liver                                 |
| C7B.03  | Secondary carcinoid tumors of bone                                  |
| C7B.04  | Secondary carcinoid tumors of peritoneum                            |
| C7B.09  | Secondary carcinoid tumors of other sites                           |
| C7B.1   | Secondary Merkel cell carcinoma                                     |
| C7B.8   | Other secondary neuroendocrine tumors                               |
| D13.4   | Benign neoplasm of liver  |
| D13.5   | Benign neoplasm of extrahepatic bile ducts                          |
| D37.6   | Neoplasm of uncertain behavior of liver, gallbladder and bile ducts |
| D64.0   | Hereditary sideroblastic anemia                                     |
| D64.1   | Secondary sideroblastic anemia due to disease                       |
| D64.2   | Secondary sideroblastic anemia due to drugs and toxins              |
| D64.3   | Other sideroblastic anemias   |
| D81.810 | Biotinidase deficiency  |
| D84.1   | Defects in the complement system                                    |
| E78.2   | Mixed hyperlipidemia  |
| E83.00  | Disorder of copper metabolism, unspecified                          |
| E83.01  | Wilson's disease  |
| E83.09  | Other disorders of copper metabolism                                |
| E83.10  | Disorder of iron metabolism, unspecified                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E83.110 | Hereditary hemochromatosis                                  |
| E83.111 | Hemochromatosis due to repeated red blood cell transfusions |
| E83.118 | Other hemochromatosis                                       |
| E83.119 | Hemochromatosis, unspecified                                |
| E83.19  | Other disorders of iron metabolism                          |
| E84.19  | Cystic fibrosis with other intestinal manifestations        |
| E84.9   | Cystic fibrosis, unspecified                                |
| E88.01  | Alpha-1-antitrypsin deficiency                              |
| E88.02  | Plasminogen deficiency                                      |
| G89.3   | Neoplasm related pain (acute) (chronic)                     |
| I25.84  | Coronary atherosclerosis due to calcified coronary lesion   |
| I74.01  | Saddle embolus of abdominal aorta                           |
| I74.09  | Other arterial embolism and thrombosis of abdominal aorta   |
| I74.10  | Embolism and thrombosis of unspecified parts of aorta       |
| I74.19  | Embolism and thrombosis of other parts of aorta             |
| J98.59  | Other diseases of mediastinum, not elsewhere classified     |
| K70.2   | Alcoholic fibrosis and sclerosis of liver                   |
| K70.30  | Alcoholic cirrhosis of liver without ascites                |
| K70.31  | Alcoholic cirrhosis of liver with ascites                   |
| K73.0   | Chronic persistent hepatitis, not elsewhere classified      |
| K73.1   | Chronic lobular hepatitis, not elsewhere classified         |
| K73.2   | Chronic active hepatitis, not elsewhere classified          |
| K73.8   | Other chronic hepatitis, not elsewhere classified           |
| K73.9   | Chronic hepatitis, unspecified                              |
| K74.00  | Hepatic fibrosis, unspecified                               |
| K74.01  | Hepatic fibrosis, early fibrosis                            |
| K74.02  | Hepatic fibrosis, advanced fibrosis                         |
| K74.60  | Unspecified cirrhosis of liver                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K74.69  | Other cirrhosis of liver  |
| K75.4   | Autoimmune hepatitis  |
| K76.81  | Hepatopulmonary syndrome  |
| N44.1   | Cyst of tunica albuginea testis   |
| N44.2   | Benign cyst of testis   |
| N44.8   | Other noninflammatory disorders of the testis   |
| N50.3   | Cyst of epididymis  |
| N50.811 | Right testicular pain   |
| N50.812 | Left testicular pain  |
| N50.819 | Testicular pain, unspecified  |
| N50.82  | Scrotal pain  |
| N50.89  | Other specified disorders of the male genital organs  |
| N53.12  | Painful ejaculation   |
| N53.8   | Other male sexual dysfunction   |
| N53.9   | Unspecified male sexual dysfunction   |
| Q53.111 | Unilateral intraabdominal testis  |
| Q53.112 | Unilateral inguinal testis  |
| Q53.13  | Unilateral high scrotal testis  |
| Q53.211 | Bilateral intraabdominal testes   |
| Q53.212 | Bilateral inguinal testes   |
| Q53.23  | Bilateral high scrotal testes   |
| R39.83  | Unilateral non-palpable testicle  |
| R39.84  | Bilateral non-palpable testicles  |
| R91.1   | Solitary pulmonary nodule   |
| R91.8   | Other nonspecific abnormal finding of lung field  |
| R93.1   | Abnormal findings on diagnostic imaging of heart and coronary circulation                     |
| R93.2   | Abnormal findings on diagnostic imaging of liver and biliary tract                            |
| R93.5   | Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum |

**NCD 190.25**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| R93.811 | Abnormal radiologic findings on diagnostic imaging of right testicle           |
| R93.812 | Abnormal radiologic findings on diagnostic imaging of left testicle            |
| R93.813 | Abnormal radiologic findings on diagnostic imaging of testicles, bilateral     |
| R93.819 | Abnormal radiologic findings on diagnostic imaging of unspecified testicle     |
| R93.89  | Abnormal findings on diagnostic imaging of other specified body structures     |
| R97.8   | Other abnormal tumor markers   |
| Z17.0   | Estrogen receptor positive status [ER+]  |
| Z17.1   | Estrogen receptor negative status [ER-]  |
| Z85.05  | Personal history of malignant neoplasm of liver                                |
| Z85.43  | Personal history of malignant neoplasm of ovary                                |
| Z85.47  | Personal history of malignant neoplasm of testis                               |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs   |
| Z86.003 | Personal history of in-situ neoplasm of oral cavity, esophagus and stomach     |
| Z86.004 | Personal history of in-situ neoplasm of other and unspecified digestive organs |

### **Indications**

AFP is useful for the diagnosis of hepatocellular carcinoma in high-risk patients (such as alcoholic cirrhosis, cirrhosis of viral etiology, hemochromatosis, and alpha 1-antitrypsin deficiency) and in separating patients with benign hepatocellular neoplasms or metastases from those with hepatocellular carcinoma and, as a non-specific tumor associated antigen, serves in marking germ cell neoplasms of the testis, ovary, retro peritoneum, and mediastinum.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

Tatsuta M. Yamamura H. Iishi H. Kasugai H. Okuda S. Value of serum alpha-fetoprotein and ferritin in the diagnosis of hepatocellular carcinoma. *Oncology*. 43(5):306-10, 1986.



## 190.26 - Carcinoembryonic Antigen

### Other Names/Abbreviations

CEA

### Description

Carcinoembryonic antigen (CEA) is a protein polysaccharide found in some carcinomas. It is effective as a biochemical marker for monitoring the response of certain malignancies to therapy.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description                    |
|-------|--------------------------------|
| 82378 | Carcinoembryonic antigen (CEA) |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDs/ICD10.html>

| Code  | Description   |
|-------|---|
| C15.3 | Malignant neoplasm of upper third of esophagus                  |
| C15.4 | Malignant neoplasm of middle third of esophagus                 |
| C15.5 | Malignant neoplasm of lower third of esophagus                  |
| C15.8 | Malignant neoplasm of overlapping sites of esophagus            |
| C15.9 | Malignant neoplasm of esophagus, unspecified                    |
| C16.0 | Malignant neoplasm of cardia                                    |
| C16.1 | Malignant neoplasm of fundus of stomach                         |
| C16.2 | Malignant neoplasm of body of stomach                           |
| C16.3 | Malignant neoplasm of pyloric antrum                            |
| C16.4 | Malignant neoplasm of pylorus                                   |
| C16.5 | Malignant neoplasm of lesser curvature of stomach, unspecified  |
| C16.6 | Malignant neoplasm of greater curvature of stomach, unspecified |
| C16.8 | Malignant neoplasm of overlapping sites of stomach              |
| C16.9 | Malignant neoplasm of stomach, unspecified                      |
| C17.0 | Malignant neoplasm of duodenum                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| C17.1 | Malignant neoplasm of jejunum  |
| C17.2 | Malignant neoplasm of ileum  |
| C17.3 | Meckel's diverticulum, malignant                                       |
| C17.8 | Malignant neoplasm of overlapping sites of small intestine             |
| C17.9 | Malignant neoplasm of small intestine, unspecified                     |
| C18.0 | Malignant neoplasm of cecum  |
| C18.1 | Malignant neoplasm of appendix   |
| C18.2 | Malignant neoplasm of ascending colon                                  |
| C18.3 | Malignant neoplasm of hepatic flexure                                  |
| C18.4 | Malignant neoplasm of transverse colon                                 |
| C18.5 | Malignant neoplasm of splenic flexure                                  |
| C18.6 | Malignant neoplasm of descending colon                                 |
| C18.7 | Malignant neoplasm of sigmoid colon                                    |
| C18.8 | Malignant neoplasm of overlapping sites of colon                       |
| C18.9 | Malignant neoplasm of colon, unspecified                               |
| C19   | Malignant neoplasm of rectosigmoid junction                            |
| C20   | Malignant neoplasm of rectum   |
| C21.0 | Malignant neoplasm of anus, unspecified                                |
| C21.1 | Malignant neoplasm of anal canal                                       |
| C21.2 | Malignant neoplasm of cloacogenic zone                                 |
| C21.8 | Malignant neoplasm of overlapping sites of rectum, anus and anal canal |
| C25.0 | Malignant neoplasm of head of pancreas                                 |
| C25.1 | Malignant neoplasm of body of pancreas                                 |
| C25.2 | Malignant neoplasm of tail of pancreas                                 |
| C25.3 | Malignant neoplasm of pancreatic duct                                  |
| C25.4 | Malignant neoplasm of endocrine pancreas                               |
| C25.7 | Malignant neoplasm of other parts of pancreas                          |
| C25.8 | Malignant neoplasm of overlapping sites of pancreas                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| C25.9    | Malignant neoplasm of pancreas, unspecified                               |
| C26.0    | Malignant neoplasm of intestinal tract, part unspecified                  |
| C33      | Malignant neoplasm of trachea   |
| C34.00   | Malignant neoplasm of unspecified main bronchus                           |
| C34.01   | Malignant neoplasm of right main bronchus                                 |
| C34.02   | Malignant neoplasm of left main bronchus                                  |
| C34.10   | Malignant neoplasm of upper lobe, unspecified bronchus or lung            |
| C34.11   | Malignant neoplasm of upper lobe, right bronchus or lung                  |
| C34.12   | Malignant neoplasm of upper lobe, left bronchus or lung                   |
| C34.2    | Malignant neoplasm of middle lobe, bronchus or lung                       |
| C34.30   | Malignant neoplasm of lower lobe, unspecified bronchus or lung            |
| C34.31   | Malignant neoplasm of lower lobe, right bronchus or lung                  |
| C34.32   | Malignant neoplasm of lower lobe, left bronchus or lung                   |
| C34.80   | Malignant neoplasm of overlapping sites of unspecified bronchus and lung  |
| C34.81   | Malignant neoplasm of overlapping sites of right bronchus and lung        |
| C34.82   | Malignant neoplasm of overlapping sites of left bronchus and lung         |
| C34.90   | Malignant neoplasm of unspecified part of unspecified bronchus or lung    |
| C34.91   | Malignant neoplasm of unspecified part of right bronchus or lung          |
| C34.92   | Malignant neoplasm of unspecified part of left bronchus or lung           |
| C44.1321 | Sebaceous cell carcinoma of skin of right upper eyelid, including canthus |
| C44.1322 | Sebaceous cell carcinoma of skin of right lower eyelid, including canthus |
| C44.1391 | Sebaceous cell carcinoma of skin of left upper eyelid, including canthus  |
| C44.1392 | Sebaceous cell carcinoma of skin of left lower eyelid, including canthus  |
| C50.011  | Malignant neoplasm of nipple and areola, right female breast              |
| C50.012  | Malignant neoplasm of nipple and areola, left female breast               |
| C50.019  | Malignant neoplasm of nipple and areola, unspecified female breast        |
| C50.021  | Malignant neoplasm of nipple and areola, right male breast                |
| C50.022  | Malignant neoplasm of nipple and areola, left male breast                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C50.029 | Malignant neoplasm of nipple and areola, unspecified male breast        |
| C50.111 | Malignant neoplasm of central portion of right female breast            |
| C50.112 | Malignant neoplasm of central portion of left female breast             |
| C50.119 | Malignant neoplasm of central portion of unspecified female breast      |
| C50.121 | Malignant neoplasm of central portion of right male breast              |
| C50.122 | Malignant neoplasm of central portion of left male breast               |
| C50.129 | Malignant neoplasm of central portion of unspecified male breast        |
| C50.211 | Malignant neoplasm of upper-inner quadrant of right female breast       |
| C50.212 | Malignant neoplasm of upper-inner quadrant of left female breast        |
| C50.219 | Malignant neoplasm of upper-inner quadrant of unspecified female breast |
| C50.221 | Malignant neoplasm of upper-inner quadrant of right male breast         |
| C50.222 | Malignant neoplasm of upper-inner quadrant of left male breast          |
| C50.229 | Malignant neoplasm of upper-inner quadrant of unspecified male breast   |
| C50.311 | Malignant neoplasm of lower-inner quadrant of right female breast       |
| C50.312 | Malignant neoplasm of lower-inner quadrant of left female breast        |
| C50.319 | Malignant neoplasm of lower-inner quadrant of unspecified female breast |
| C50.321 | Malignant neoplasm of lower-inner quadrant of right male breast         |
| C50.322 | Malignant neoplasm of lower-inner quadrant of left male breast          |
| C50.329 | Malignant neoplasm of lower-inner quadrant of unspecified male breast   |
| C50.411 | Malignant neoplasm of upper-outer quadrant of right female breast       |
| C50.412 | Malignant neoplasm of upper-outer quadrant of left female breast        |
| C50.419 | Malignant neoplasm of upper-outer quadrant of unspecified female breast |
| C50.421 | Malignant neoplasm of upper-outer quadrant of right male breast         |
| C50.422 | Malignant neoplasm of upper-outer quadrant of left male breast          |
| C50.429 | Malignant neoplasm of upper-outer quadrant of unspecified male breast   |
| C50.511 | Malignant neoplasm of lower-outer quadrant of right female breast       |
| C50.512 | Malignant neoplasm of lower-outer quadrant of left female breast        |
| C50.519 | Malignant neoplasm of lower-outer quadrant of unspecified female breast |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C50.521 | Malignant neoplasm of lower-outer quadrant of right male breast       |
| C50.522 | Malignant neoplasm of lower-outer quadrant of left male breast        |
| C50.529 | Malignant neoplasm of lower-outer quadrant of unspecified male breast |
| C50.611 | Malignant neoplasm of axillary tail of right female breast            |
| C50.612 | Malignant neoplasm of axillary tail of left female breast             |
| C50.619 | Malignant neoplasm of axillary tail of unspecified female breast      |
| C50.621 | Malignant neoplasm of axillary tail of right male breast              |
| C50.622 | Malignant neoplasm of axillary tail of left male breast               |
| C50.629 | Malignant neoplasm of axillary tail of unspecified male breast        |
| C50.811 | Malignant neoplasm of overlapping sites of right female breast        |
| C50.812 | Malignant neoplasm of overlapping sites of left female breast         |
| C50.819 | Malignant neoplasm of overlapping sites of unspecified female breast  |
| C50.821 | Malignant neoplasm of overlapping sites of right male breast          |
| C50.822 | Malignant neoplasm of overlapping sites of left male breast           |
| C50.829 | Malignant neoplasm of overlapping sites of unspecified male breast    |
| C50.911 | Malignant neoplasm of unspecified site of right female breast         |
| C50.912 | Malignant neoplasm of unspecified site of left female breast          |
| C50.919 | Malignant neoplasm of unspecified site of unspecified female breast   |
| C50.921 | Malignant neoplasm of unspecified site of right male breast           |
| C50.922 | Malignant neoplasm of unspecified site of left male breast            |
| C50.929 | Malignant neoplasm of unspecified site of unspecified male breast     |
| C56.1   | Malignant neoplasm of right ovary                                     |
| C56.2   | Malignant neoplasm of left ovary                                      |
| C56.9   | Malignant neoplasm of unspecified ovary                               |
| C78.00  | Secondary malignant neoplasm of unspecified lung                      |
| C78.01  | Secondary malignant neoplasm of right lung                            |
| C78.02  | Secondary malignant neoplasm of left lung                             |
| C78.4   | Secondary malignant neoplasm of small intestine                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C78.5   | Secondary malignant neoplasm of large intestine and rectum            |
| C7A.00  | Malignant carcinoid tumor of unspecified site                         |
| C7A.010 | Malignant carcinoid tumor of the duodenum                             |
| C7A.011 | Malignant carcinoid tumor of the jejunum                              |
| C7A.012 | Malignant carcinoid tumor of the ileum                                |
| C7A.019 | Malignant carcinoid tumor of the small intestine, unspecified portion |
| C7A.020 | Malignant carcinoid tumor of the appendix                             |
| C7A.021 | Malignant carcinoid tumor of the cecum                                |
| C7A.022 | Malignant carcinoid tumor of the ascending colon                      |
| C7A.023 | Malignant carcinoid tumor of the transverse colon                     |
| C7A.024 | Malignant carcinoid tumor of the descending colon                     |
| C7A.025 | Malignant carcinoid tumor of the sigmoid colon                        |
| C7A.026 | Malignant carcinoid tumor of the rectum                               |
| C7A.029 | Malignant carcinoid tumor of the large intestine, unspecified portion |
| C7A.090 | Malignant carcinoid tumor of the bronchus and lung                    |
| C7A.091 | Malignant carcinoid tumor of the thymus                               |
| C7A.092 | Malignant carcinoid tumor of the stomach                              |
| C7A.093 | Malignant carcinoid tumor of the kidney                               |
| C7A.094 | Malignant carcinoid tumor of the foregut, unspecified                 |
| C7A.095 | Malignant carcinoid tumor of the midgut, unspecified                  |
| C7A.096 | Malignant carcinoid tumor of the hindgut, unspecified                 |
| C7A.098 | Malignant carcinoid tumors of other sites                             |
| C7B.00  | Secondary carcinoid tumors, unspecified site                          |
| C7B.01  | Secondary carcinoid tumors of distant lymph nodes                     |
| C7B.02  | Secondary carcinoid tumors of liver                                   |
| C7B.03  | Secondary carcinoid tumors of bone                                    |
| C7B.04  | Secondary carcinoid tumors of peritoneum                              |
| C7B.09  | Secondary carcinoid tumors of other sites                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C7B.1  | Secondary Merkel cell carcinoma  |
| C7B.8  | Other secondary neuroendocrine tumors  |
| D01.0  | Carcinoma in situ of colon   |
| D01.1  | Carcinoma in situ of rectosigmoid junction   |
| D01.2  | Carcinoma in situ of rectum  |
| D01.40 | Carcinoma in situ of unspecified part of intestine                                   |
| D01.49 | Carcinoma in situ of other parts of intestine  |
| D01.7  | Carcinoma in situ of other specified digestive organs                                |
| D01.9  | Carcinoma in situ of digestive organ, unspecified                                    |
| D37.1  | Neoplasm of uncertain behavior of stomach  |
| D37.2  | Neoplasm of uncertain behavior of small intestine                                    |
| D37.3  | Neoplasm of uncertain behavior of appendix   |
| D37.4  | Neoplasm of uncertain behavior of colon  |
| D37.5  | Neoplasm of uncertain behavior of rectum   |
| G89.3  | Neoplasm related pain (acute) (chronic)  |
| R70.1  | Abnormal plasma viscosity  |
| R77.0  | Abnormality of albumin   |
| R77.1  | Abnormality of globulin  |
| R77.2  | Abnormality of alphafetoprotein  |
| R77.8  | Other specified abnormalities of plasma proteins                                     |
| R77.9  | Abnormality of plasma protein, unspecified   |
| R78.89 | Finding of other specified substances, not normally found in blood                   |
| R78.9  | Finding of unspecified substance, not normally found in blood                        |
| R79.89 | Other specified abnormal findings of blood chemistry                                 |
| R97.0  | Elevated carcinoembryonic antigen [CEA]  |
| R97.8  | Other abnormal tumor markers   |
| Z08    | Encounter for follow-up examination after completed treatment for malignant neoplasm |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| Z09     | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z85.00  | Personal history of malignant neoplasm of unspecified digestive organ                                      |
| Z85.038 | Personal history of other malignant neoplasm of large intestine  |
| Z85.048 | Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus                    |
| Z85.118 | Personal history of other malignant neoplasm of bronchus and lung  |
| Z85.3   | Personal history of malignant neoplasm of breast   |
| Z85.43  | Personal history of malignant neoplasm of ovary  |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs                               |
| Z86.003 | Personal history of in-situ neoplasm of oral cavity, esophagus and stomach                                 |
| Z86.004 | Personal history of in-situ neoplasm of other and unspecified digestive organs                             |

### **Indications**

CEA may be medically necessary for follow-up of patients with colorectal carcinoma. It would however only be medically necessary at treatment decision-making points. In some clinical situations (e.g. adenocarcinoma of the lung, small cell carcinoma of the lung, and some gastrointestinal carcinomas) when a more specific marker is not expressed by the tumor, CEA may be a medically necessary alternative marker for monitoring. Preoperative CEA may also be helpful in determining the post-operative adequacy of surgical resection and subsequent medical management. In general, a single tumor marker will suffice in following patients with colorectal carcinoma or other malignancies that express such tumor markers.

In following patients who have had treatment for colorectal carcinoma, ASCO guideline suggests that if resection of liver metastasis would be indicated, it is recommended that post-operative CEA testing be performed every two to three months in patients with initial stage II or stage III disease for at least two years after diagnosis.

For patients with metastatic solid tumors which express CEA, CEA may be measured at the start of the treatment and with subsequent treatment cycles to assess the tumor's response to therapy.

### **Limitations**

Serum CEA determinations are generally not indicated more frequently than once per chemotherapy treatment cycle for patients with metastatic solid tumors which express CEA or every two months post-surgical treatment for patients who have had colorectal carcinoma. However, it may be proper to order the test more frequently in certain situations, for example,



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

when there has been a significant change from prior CEA level or a significant change in patient status which could reflect disease progression or recurrence.

Testing with a diagnosis of an in situ carcinoma is not reasonably done more frequently than once, unless the result is abnormal, in which case the test may be repeated once.

***ICD-10-CM Codes That Do Not Support Medical Necessity***

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

***Sources of Information***

Journal Clinical Oncol: 14(10:2843-2877), 1996

Vauthey JN. Dudrick PS. Lind DS. Copeland EM 3rd. Management of recurrent colorectal cancer: another look at carcinoembryonic antigen detected recurrence [see comments]. [Review] Digestive Diseases. 14(1):5©13, 1996 Jan-Feb.

Germ J. The prognostic importance of tumor markers in adenocarcinoma of the gastrointestinal tract. [Review] [38 refs] Current Opinion in Oncology. 9(4):380-7, 1997 Jul.

Bergama chi R. Arnaud JP. Routine compared with nonscheduled follow-up of patients with “curative” surgery for colorectal cancer. Annals of Surgical Oncology. 3(5):464-9, 1996 Sep.

Kim YH. Ajani JA. Ota DM. Lynch P. Roth JA. Value of serial carcinoembryonic antigen levels in patients with respectable adenocarcinoma of the esophagus and stomach Cancer. 75(2):451©6, 1995 Jan 15.

## 190.27 - Human Chorionic Gonadotropin

### Other Names/Abbreviations

hCG

### Description

Human Chorionic Gonadotropin (hCG) is useful for monitoring and diagnosis of germ cell neoplasms of the ovary, testis, mediastinum, retroperitoneum, and central nervous system. In addition, hCG is useful for monitoring pregnant patients with vaginal bleeding, hypertension and/or suspected fetal loss.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description                                 |
|-------|---|
| 84702 | Gonadotropin, chorionic (hCG); quantitative |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code  | Description   |
|-------|---|
| C38.1 | Malignant neoplasm of anterior mediastinum                                |
| C38.2 | Malignant neoplasm of posterior mediastinum                               |
| C38.3 | Malignant neoplasm of mediastinum, part unspecified                       |
| C38.8 | Malignant neoplasm of overlapping sites of heart, mediastinum and pleura  |
| C45.1 | Mesothelioma of peritoneum  |
| C48.0 | Malignant neoplasm of retroperitoneum                                     |
| C48.1 | Malignant neoplasm of specified parts of peritoneum                       |
| C48.8 | Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum |
| C56.1 | Malignant neoplasm of right ovary   |
| C56.2 | Malignant neoplasm of left ovary  |
| C56.9 | Malignant neoplasm of unspecified ovary                                   |
| C57.4 | Malignant neoplasm of uterine adnexa, unspecified                         |
| C58   | Malignant neoplasm of placenta  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C62.00  | Malignant neoplasm of unspecified undescended testis                                   |
| C62.01  | Malignant neoplasm of undescended right testis   |
| C62.02  | Malignant neoplasm of undescended left testis  |
| C62.10  | Malignant neoplasm of unspecified descended testis                                     |
| C62.11  | Malignant neoplasm of descended right testis   |
| C62.12  | Malignant neoplasm of descended left testis  |
| C62.90  | Malignant neoplasm of unspecified testis, unspecified whether descended or undescended |
| C62.91  | Malignant neoplasm of right testis, unspecified whether descended or undescended       |
| C62.92  | Malignant neoplasm of left testis, unspecified whether descended or undescended        |
| C75.3   | Malignant neoplasm of pineal gland   |
| C78.1   | Secondary malignant neoplasm of mediastinum  |
| C78.6   | Secondary malignant neoplasm of retroperitoneum and peritoneum                         |
| C79.60  | Secondary malignant neoplasm of unspecified ovary                                      |
| C79.61  | Secondary malignant neoplasm of right ovary  |
| C79.62  | Secondary malignant neoplasm of left ovary   |
| C79.82  | Secondary malignant neoplasm of genital organs   |
| D39.2   | Neoplasm of uncertain behavior of placenta   |
| D49.59  | Neoplasm of unspecified behavior of other genitourinary organ                          |
| G89.3   | Neoplasm related pain (acute) (chronic)  |
| J98.59  | Other diseases of mediastinum, not elsewhere classified                                |
| N89.8   | Other specified noninflammatory disorders of vagina                                    |
| N94.89  | Other specified conditions associated with female genital organs and menstrual cycle   |
| N99.116 | Postprocedural urethral stricture, male, overlapping sites                             |
| O00.00  | Abdominal pregnancy without intrauterine pregnancy                                     |
| O00.01  | Abdominal pregnancy with intrauterine pregnancy  |
| O00.101 | Right tubal pregnancy without intrauterine pregnancy                                   |
| O00.102 | Left tubal pregnancy without intrauterine pregnancy                                    |

**NCD 190.27**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O00.109 | Unspecified tubal pregnancy without intrauterine pregnancy                                 |
| O00.111 | Right tubal pregnancy with intrauterine pregnancy  |
| O00.112 | Left tubal pregnancy with intrauterine pregnancy   |
| O00.119 | Unspecified tubal pregnancy with intrauterine pregnancy                                    |
| O00.201 | Right ovarian pregnancy without intrauterine pregnancy                                     |
| O00.202 | Left ovarian pregnancy without intrauterine pregnancy                                      |
| O00.209 | Unspecified ovarian pregnancy without intrauterine pregnancy                               |
| O00.211 | Right ovarian pregnancy with intrauterine pregnancy  |
| O00.212 | Left ovarian pregnancy with intrauterine pregnancy   |
| O00.219 | Unspecified ovarian pregnancy with intrauterine pregnancy                                  |
| O00.80  | Other ectopic pregnancy without intrauterine pregnancy                                     |
| O00.81  | Other ectopic pregnancy with intrauterine pregnancy  |
| O00.90  | Unspecified ectopic pregnancy without intrauterine pregnancy                               |
| O00.91  | Unspecified ectopic pregnancy with intrauterine pregnancy                                  |
| O01.0   | Classical hydatidiform mole  |
| O01.1   | Incomplete and partial hydatidiform mole   |
| O01.9   | Hydatidiform mole, unspecified   |
| O02.0   | Blighted ovum and nonhydatidiform mole   |
| O02.1   | Missed abortion  |
| O02.81  | Inappropriate change in quantitative human chorionic gonadotropin (hCG) in early pregnancy |
| O02.89  | Other abnormal products of conception  |
| O02.9   | Abnormal product of conception, unspecified  |
| O03.0   | Genital tract and pelvic infection following incomplete spontaneous abortion               |
| O03.37  | Sepsis following incomplete spontaneous abortion   |
| O03.5   | Genital tract and pelvic infection following complete or unspecified spontaneous abortion  |
| O03.87  | Sepsis following complete or unspecified spontaneous abortion                              |
| O09.A0  | Supervision of pregnancy with history of molar pregnancy, unspecified trimester            |

**NCD 190.27**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| O09.A1 | Supervision of pregnancy with history of molar pregnancy, first trimester                                 |
| O09.A2 | Supervision of pregnancy with history of molar pregnancy, second trimester                                |
| O09.A3 | Supervision of pregnancy with history of molar pregnancy, third trimester                                 |
| O11.1  | Pre-existing hypertension with pre-eclampsia, first trimester   |
| O11.2  | Pre-existing hypertension with pre-eclampsia, second trimester  |
| O11.3  | Pre-existing hypertension with pre-eclampsia, third trimester   |
| O11.4  | Pre-existing hypertension with pre-eclampsia, complicating childbirth                                     |
| O11.5  | Pre-existing hypertension with pre-eclampsia, complicating the puerperium                                 |
| O11.9  | Pre-existing hypertension with pre-eclampsia, unspecified trimester                                       |
| O12.04 | Gestational edema, complicating childbirth  |
| O12.05 | Gestational edema, complicating the puerperium  |
| O12.14 | Gestational proteinuria, complicating childbirth  |
| O12.15 | Gestational proteinuria, complicating the puerperium  |
| O12.24 | Gestational edema with proteinuria, complicating childbirth   |
| O12.25 | Gestational edema with proteinuria, complicating the puerperium   |
| O13.1  | Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester             |
| O13.2  | Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester            |
| O13.3  | Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester             |
| O13.4  | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating childbirth     |
| O13.5  | Gestational [pregnancy-induced] hypertension without significant proteinuria, complicating the puerperium |
| O13.9  | Gestational [pregnancy-induced] hypertension without significant proteinuria, unspecified trimester       |
| O14.00 | Mild to moderate pre-eclampsia, unspecified trimester   |
| O14.02 | Mild to moderate pre-eclampsia, second trimester  |
| O14.03 | Mild to moderate pre-eclampsia, third trimester   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| O14.04 | Mild to moderate pre-eclampsia, complicating childbirth        |
| O14.05 | Mild to moderate pre-eclampsia, complicating the puerperium    |
| O14.10 | Severe pre-eclampsia, unspecified trimester                    |
| O14.12 | Severe pre-eclampsia, second trimester                         |
| O14.13 | Severe pre-eclampsia, third trimester                          |
| O14.14 | Severe pre-eclampsia complicating childbirth                   |
| O14.15 | Severe pre-eclampsia, complicating the puerperium              |
| O14.20 | HELLP syndrome (HELLP), unspecified trimester                  |
| O14.22 | HELLP syndrome (HELLP), second trimester                       |
| O14.23 | HELLP syndrome (HELLP), third trimester                        |
| O14.24 | HELLP syndrome, complicating childbirth                        |
| O14.25 | HELLP syndrome, complicating the puerperium                    |
| O14.90 | Unspecified pre-eclampsia, unspecified trimester               |
| O14.92 | Unspecified pre-eclampsia, second trimester                    |
| O14.93 | Unspecified pre-eclampsia, third trimester                     |
| O14.94 | Unspecified pre-eclampsia, complicating childbirth             |
| O14.95 | Unspecified pre-eclampsia, complicating the puerperium         |
| O15.00 | Eclampsia complicating pregnancy, unspecified trimester        |
| O15.02 | Eclampsia complicating pregnancy, second trimester             |
| O15.03 | Eclampsia complicating pregnancy, third trimester              |
| O15.1  | Eclampsia complicating labor                                   |
| O15.2  | Eclampsia complicating the puerperium                          |
| O15.9  | Eclampsia, unspecified as to time period                       |
| O16.1  | Unspecified maternal hypertension, first trimester             |
| O16.2  | Unspecified maternal hypertension, second trimester            |
| O16.3  | Unspecified maternal hypertension, third trimester             |
| O16.4  | Unspecified maternal hypertension, complicating childbirth     |
| O16.5  | Unspecified maternal hypertension, complicating the puerperium |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| O16.9   | Unspecified maternal hypertension, unspecified trimester                           |
| O20.0   | Threatened abortion  |
| O24.415 | Gestational diabetes mellitus in pregnancy, controlled by oral hypoglycemic drugs  |
| O24.425 | Gestational diabetes mellitus in childbirth, controlled by oral hypoglycemic drugs |
| O24.435 | Gestational diabetes mellitus in puerperium, controlled by oral hypoglycemic drugs |
| O44.20  | Partial placenta previa NOS or without hemorrhage, unspecified trimester           |
| O44.21  | Partial placenta previa NOS or without hemorrhage, first trimester                 |
| O44.22  | Partial placenta previa NOS or without hemorrhage, second trimester                |
| O44.23  | Partial placenta previa NOS or without hemorrhage, third trimester                 |
| O44.30  | Partial placenta previa with hemorrhage, unspecified trimester                     |
| O44.31  | Partial placenta previa with hemorrhage, first trimester                           |
| O44.32  | Partial placenta previa with hemorrhage, second trimester                          |
| O44.33  | Partial placenta previa with hemorrhage, third trimester                           |
| O44.40  | Low lying placenta NOS or without hemorrhage, unspecified trimester                |
| O44.41  | Low lying placenta NOS or without hemorrhage, first trimester                      |
| O44.42  | Low lying placenta NOS or without hemorrhage, second trimester                     |
| O44.43  | Low lying placenta NOS or without hemorrhage, third trimester                      |
| O44.50  | Low lying placenta with hemorrhage, unspecified trimester                          |
| O44.51  | Low lying placenta with hemorrhage, first trimester                                |
| O44.52  | Low lying placenta with hemorrhage, second trimester                               |
| O44.53  | Low lying placenta with hemorrhage, third trimester                                |
| Q53.13  | Unilateral high scrotal testis   |
| Q53.23  | Bilateral high scrotal testes  |
| R10.2   | Pelvic and perineal pain   |
| R39.83  | Unilateral non-palpable testicle   |
| R39.84  | Bilateral non-palpable testicles   |
| R93.49  | Abnormal radiologic findings on diagnostic imaging of other urinary organs         |
| R97.8   | Other abnormal tumor markers   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| Z31.7   | Encounter for procreative management and counseling for gestational carrier          |
| Z34.00  | Encounter for supervision of normal first pregnancy, unspecified trimester           |
| Z34.01  | Encounter for supervision of normal first pregnancy, first trimester                 |
| Z34.02  | Encounter for supervision of normal first pregnancy, second trimester                |
| Z34.03  | Encounter for supervision of normal first pregnancy, third trimester                 |
| Z34.80  | Encounter for supervision of other normal pregnancy, unspecified trimester           |
| Z34.81  | Encounter for supervision of other normal pregnancy, first trimester                 |
| Z34.82  | Encounter for supervision of other normal pregnancy, second trimester                |
| Z34.83  | Encounter for supervision of other normal pregnancy, third trimester                 |
| Z34.90  | Encounter for supervision of normal pregnancy, unspecified, unspecified trimester    |
| Z34.91  | Encounter for supervision of normal pregnancy, unspecified, first trimester          |
| Z34.92  | Encounter for supervision of normal pregnancy, unspecified, second trimester         |
| Z34.93  | Encounter for supervision of normal pregnancy, unspecified, third trimester          |
| Z83.438 | Family history of other disorder of lipoprotein metabolism and other lipidemia       |
| Z84.82  | Family history of sudden infant death syndrome                                       |
| Z85.068 | Personal history of other malignant neoplasm of small intestine                      |
| Z85.07  | Personal history of malignant neoplasm of pancreas                                   |
| Z85.09  | Personal history of malignant neoplasm of other digestive organs                     |
| Z85.238 | Personal history of other malignant neoplasm of thymus                               |
| Z85.29  | Personal history of malignant neoplasm of other respiratory and intrathoracic organs |
| Z85.43  | Personal history of malignant neoplasm of ovary                                      |
| Z85.47  | Personal history of malignant neoplasm of testis                                     |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs         |

### **Limitations**

It is not reasonable and necessary to perform hCG testing more than once per month for diagnostic purposes. It may be performed as needed for monitoring of patient progress and treatment. Qualitative hCG assays are not appropriate for medically managing patients with known or suspected germ cell neoplasms.

**NCD 190.27**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

***ICD-10-CM Codes That Do Not Support Medical Necessity***

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

***Sources of Information***

O'Callaghan A. Mead GM. Testicular carcinoma. [Review] [23 Refs] Postgraduate Medical Journal. 73(862):4816, 1997 Aug.

Sawamura Y. Current diagnosis and treatment of central nervous system germ cell tumors. [Review] [47 Refs] Current Opinion in Neurology. 9(6):41923, 1996 Dec.

Wilkins M. Horwich A. Diagnosis and treatment of urological malignancy: The testes. [Review] [23 Refs] British Journal of Hospital Medicine. 55(4): 199203, 1996. Feb 21, Mar 5.



## 190.28 - Tumor Antigen by Immunoassay CA 125

### Description

Immunoassay determinations of the serum levels of certain proteins or carbohydrates serve as tumor markers. When elevated, serum concentration of these markers may reflect tumor size and grade. This policy specifically addresses tumor antigen CA 125.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description   |
|-------|---|
| 86304 | Immunoassay for tumor antigen, quantitative, CA 125 |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description   |
|--------|---|
| C45.1  | Mesothelioma of peritoneum  |
| C48.1  | Malignant neoplasm of specified parts of peritoneum                       |
| C48.2  | Malignant neoplasm of peritoneum, unspecified                             |
| C48.8  | Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum |
| C51.8  | Malignant neoplasm of overlapping sites of vulva                          |
| C53.0  | Malignant neoplasm of endocervix  |
| C54.1  | Malignant neoplasm of endometrium   |
| C54.2  | Malignant neoplasm of myometrium  |
| C54.3  | Malignant neoplasm of fundus uteri  |
| C54.9  | Malignant neoplasm of corpus uteri, unspecified                           |
| C56.1  | Malignant neoplasm of right ovary   |
| C56.2  | Malignant neoplasm of left ovary  |
| C56.9  | Malignant neoplasm of unspecified ovary                                   |
| C57.00 | Malignant neoplasm of unspecified fallopian tube                          |
| C57.01 | Malignant neoplasm of right fallopian tube                                |
| C57.02 | Malignant neoplasm of left fallopian tube                                 |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C57.4  | Malignant neoplasm of uterine adnexa, unspecified                       |
| C57.7  | Malignant neoplasm of other specified female genital organs             |
| C57.8  | Malignant neoplasm of overlapping sites of female genital organs        |
| C79.60 | Secondary malignant neoplasm of unspecified ovary                       |
| C79.61 | Secondary malignant neoplasm of right ovary                             |
| C79.62 | Secondary malignant neoplasm of left ovary                              |
| C79.82 | Secondary malignant neoplasm of genital organs                          |
| D39.0  | Neoplasm of uncertain behavior of uterus                                |
| D39.10 | Neoplasm of uncertain behavior of unspecified ovary                     |
| D39.11 | Neoplasm of uncertain behavior of right ovary                           |
| D39.12 | Neoplasm of uncertain behavior of left ovary                            |
| D39.2  | Neoplasm of uncertain behavior of placenta                              |
| D39.8  | Neoplasm of uncertain behavior of other specified female genital organs |
| D39.9  | Neoplasm of uncertain behavior of female genital organ, unspecified     |
| G89.3  | Neoplasm related pain (acute) (chronic)                                 |
| M33.03 | Juvenile dermatomyositis without myopathy                               |
| M33.13 | Other dermatomyositis without myopathy                                  |
| M33.93 | Dermatopolymyositis, unspecified without myopathy                       |
| R19.09 | Other intra-abdominal and pelvic swelling, mass and lump                |
| R97.1  | Elevated cancer antigen 125 [CA 125]                                    |
| R97.8  | Other abnormal tumor markers  |
| Z85.41 | Personal history of malignant neoplasm of cervix uteri                  |
| Z85.42 | Personal history of malignant neoplasm of other parts of uterus         |
| Z85.43 | Personal history of malignant neoplasm of ovary                         |
| Z85.44 | Personal history of malignant neoplasm of other female genital organs   |

**Indications**

CA 125 is a high molecular weight serum tumor marker elevated in 80% of patients who present with epithelial ovarian carcinoma. It is also elevated in carcinomas of the fallopian tube,

**NCD 190.28**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



endometrium, and endocervix. An elevated level may also be associated with the presence of a malignant mesothelioma or primary peritoneal carcinoma.

A CA 125 level may be obtained as part of the initial pre-operative work-up for women presenting with a suspicious pelvic mass to be used as a baseline for purposes of post-operative monitoring. Initial declines in CA 125 after initial surgery and/or chemotherapy for ovarian carcinoma are also measured by obtaining three serum levels during the first month post treatment to determine the patient's CA 125 half-life, which has significant prognostic implications.

The CA 125 levels are again obtained at the completion of chemotherapy as an index of residual disease. Surveillance CA 125 measurements are generally obtained every 3 months for 2 years, every 6 months for the next 3 years, and yearly thereafter. CA 125 levels are also an important indicator of a patient's response to therapy in the presence of advanced or recurrent disease. In this setting, CA 125 levels may be obtained prior to each treatment cycle.

### **Limitations**

These services are not covered for the evaluation of patients with signs or symptoms suggestive of malignancy. The service may be ordered at times necessary to assess either the presence of recurrent disease or the patient's response to treatment with subsequent treatment cycles.

The CA 125 is specifically not covered for aiding in the differential diagnosis of patients with a pelvic mass as the sensitivity and specificity of the test is not sufficient. In general, a single "tumor marker" will suffice in following a patient with one of these malignancies.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Documentation Requirements**

Indicated if service request for CA125 is requested more frequently than stipulated.

### **Sources of Information**

Clinical Pancreatic Guideline for the Use of Tumor Markers in Breast and Colorectal Cancer, American Society of Clinical Oncology. J Clin Oncol 14:2843-2877, 1996.

Chan DW, Beveridge RA, Muss H, et al. Use of Triquant BR Radioimmunoassay for Early Detection of Breast Cancer Recurrence in Patients with Stage II and Stage III Disease. J Clin Oncol 1977, 15(6):2322-2328.



## 190.29 - Tumor Antigen by Immunoassay CA 15-3/CA 27.29

### Description

Immunoassay determinations of the serum levels of certain proteins or carbohydrates serve as tumor markers. When elevated, serum concentration of markers may reflect tumor size & grade. This policy specifically addresses the following tumor antigens: CA 15-3 and CA 27.29

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description  |
|-------|--|
| 86300 | Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29) |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code     | Description   |
|----------|---|
| C44.1321 | Sebaceous cell carcinoma of skin of right upper eyelid, including canthus |
| C44.1322 | Sebaceous cell carcinoma of skin of right lower eyelid, including canthus |
| C44.1391 | Sebaceous cell carcinoma of skin of left upper eyelid, including canthus  |
| C44.1392 | Sebaceous cell carcinoma of skin of left lower eyelid, including canthus  |
| C50.011  | Malignant neoplasm of nipple and areola, right female breast              |
| C50.012  | Malignant neoplasm of nipple and areola, left female breast               |
| C50.019  | Malignant neoplasm of nipple and areola, unspecified female breast        |
| C50.021  | Malignant neoplasm of nipple and areola, right male breast                |
| C50.022  | Malignant neoplasm of nipple and areola, left male breast                 |
| C50.029  | Malignant neoplasm of nipple and areola, unspecified male breast          |
| C50.111  | Malignant neoplasm of central portion of right female breast              |
| C50.112  | Malignant neoplasm of central portion of left female breast               |
| C50.119  | Malignant neoplasm of central portion of unspecified female breast        |
| C50.121  | Malignant neoplasm of central portion of right male breast                |
| C50.122  | Malignant neoplasm of central portion of left male breast                 |
| C50.129  | Malignant neoplasm of central portion of unspecified male breast          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C50.211 | Malignant neoplasm of upper-inner quadrant of right female breast       |
| C50.212 | Malignant neoplasm of upper-inner quadrant of left female breast        |
| C50.219 | Malignant neoplasm of upper-inner quadrant of unspecified female breast |
| C50.221 | Malignant neoplasm of upper-inner quadrant of right male breast         |
| C50.222 | Malignant neoplasm of upper-inner quadrant of left male breast          |
| C50.229 | Malignant neoplasm of upper-inner quadrant of unspecified male breast   |
| C50.311 | Malignant neoplasm of lower-inner quadrant of right female breast       |
| C50.312 | Malignant neoplasm of lower-inner quadrant of left female breast        |
| C50.319 | Malignant neoplasm of lower-inner quadrant of unspecified female breast |
| C50.321 | Malignant neoplasm of lower-inner quadrant of right male breast         |
| C50.322 | Malignant neoplasm of lower-inner quadrant of left male breast          |
| C50.329 | Malignant neoplasm of lower-inner quadrant of unspecified male breast   |
| C50.411 | Malignant neoplasm of upper-outer quadrant of right female breast       |
| C50.412 | Malignant neoplasm of upper-outer quadrant of left female breast        |
| C50.419 | Malignant neoplasm of upper-outer quadrant of unspecified female breast |
| C50.421 | Malignant neoplasm of upper-outer quadrant of right male breast         |
| C50.422 | Malignant neoplasm of upper-outer quadrant of left male breast          |
| C50.429 | Malignant neoplasm of upper-outer quadrant of unspecified male breast   |
| C50.511 | Malignant neoplasm of lower-outer quadrant of right female breast       |
| C50.512 | Malignant neoplasm of lower-outer quadrant of left female breast        |
| C50.519 | Malignant neoplasm of lower-outer quadrant of unspecified female breast |
| C50.521 | Malignant neoplasm of lower-outer quadrant of right male breast         |
| C50.522 | Malignant neoplasm of lower-outer quadrant of left male breast          |
| C50.529 | Malignant neoplasm of lower-outer quadrant of unspecified male breast   |
| C50.611 | Malignant neoplasm of axillary tail of right female breast              |
| C50.612 | Malignant neoplasm of axillary tail of left female breast               |
| C50.619 | Malignant neoplasm of axillary tail of unspecified female breast        |
| C50.621 | Malignant neoplasm of axillary tail of right male breast                |

**NCD 190.29**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C50.622 | Malignant neoplasm of axillary tail of left male breast                        |
| C50.629 | Malignant neoplasm of axillary tail of unspecified male breast                 |
| C50.811 | Malignant neoplasm of overlapping sites of right female breast                 |
| C50.812 | Malignant neoplasm of overlapping sites of left female breast                  |
| C50.819 | Malignant neoplasm of overlapping sites of unspecified female breast           |
| C50.821 | Malignant neoplasm of overlapping sites of right male breast                   |
| C50.822 | Malignant neoplasm of overlapping sites of left male breast                    |
| C50.829 | Malignant neoplasm of overlapping sites of unspecified male breast             |
| C50.911 | Malignant neoplasm of unspecified site of right female breast                  |
| C50.912 | Malignant neoplasm of unspecified site of left female breast                   |
| C50.919 | Malignant neoplasm of unspecified site of unspecified female breast            |
| C50.921 | Malignant neoplasm of unspecified site of right male breast                    |
| C50.922 | Malignant neoplasm of unspecified site of left male breast                     |
| C50.929 | Malignant neoplasm of unspecified site of unspecified male breast              |
| C79.2   | Secondary malignant neoplasm of skin   |
| C79.81  | Secondary malignant neoplasm of breast   |
| G89.3   | Neoplasm related pain (acute) (chronic)  |
| R97.8   | Other abnormal tumor markers   |
| Z85.3   | Personal history of malignant neoplasm of breast                               |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs   |
| Z86.003 | Personal history of in-situ neoplasm of oral cavity, esophagus and stomach     |
| Z86.004 | Personal history of in-situ neoplasm of other and unspecified digestive organs |
| Z86.005 | Personal history of in-situ neoplasm of middle ear and respiratory system      |
| Z86.006 | Personal history of melanoma in-situ   |
| Z86.007 | Personal history of in-situ neoplasm of skin                                   |

**Indications**

Multiple tumor markers are available for monitoring the response of certain malignancies to therapy and assessing whether a residual tumor exists post-surgical therapy. CA 15-3 is often

**NCD 190.29**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

medically necessary to aid in the management of patients with breast cancer. Serial testing must be used in conjunction with other clinical methods for monitoring breast cancer. For monitoring, if medically necessary, use consistently either CA 15-3 or CA 27.29, not both. CA 27.29 is equivalent to CA 15-3 in its usage in management of patients with breast cancer.

***Limitations***

These services are not covered for the evaluation of patients with signs or symptoms suggestive of malignancy. The service may be ordered at times necessary to assess either the presence of recurrent disease or the patient's response to treatment with subsequent treatment cycles.

***ICD-10-CM Codes That Do Not Support Medical Necessity***

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

***Sources of Information***

Clinical Pancreatic Guideline for the Use of Tumor Markers in Breast and Colorectal Cancer, American Society of Clinical Oncology. J Clin Oncol 14:2843-2877, 1996.

Chan DW, Beveridge RA, Muss H, et al. Use of Triquant BR Radioimmunoassay for Early Detection of Breast Cancer Recurrence in Patients with Stage II & Stage III Disease. J Clin Oncol 1977, 15(6):2322-2328.

Bone GG, von Mensdorff-Pouilly S, Kenemans P, van Kamp GJ, et al. Clinical and Technical Evaluation of ACS BR Serum Assay of MUC-1 Gene Derived Glycoprotein in Breast Cancer, and Compared with CA15-3 Assays. Clin Chem 1997, 43(4):585-593.



## 190.30 - Tumor Antigen by Immunoassay CA 19-9

### Description

Immunoassay determinations of the serum levels of certain proteins or carbohydrates serve as tumor markers. When elevated, serum concentration of these markers may reflect tumor size and grade. This policy specifically addresses the following tumor antigen: CA19-9.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description  |
|-------|--|
| 86301 | Immunoassay for tumor antigen, quantitative; CA 19-9 |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C22.1   | Intrahepatic bile duct carcinoma                                    |
| C23     | Malignant neoplasm of gallbladder                                   |
| C24.0   | Malignant neoplasm of extrahepatic bile duct                        |
| C24.1   | Malignant neoplasm of ampulla of Vater                              |
| C24.8   | Malignant neoplasm of overlapping sites of biliary tract            |
| C24.9   | Malignant neoplasm of biliary tract, unspecified                    |
| C25.0   | Malignant neoplasm of head of pancreas                              |
| C25.1   | Malignant neoplasm of body of pancreas                              |
| C25.2   | Malignant neoplasm of tail of pancreas                              |
| C25.3   | Malignant neoplasm of pancreatic duct                               |
| C25.4   | Malignant neoplasm of endocrine pancreas                            |
| C25.7   | Malignant neoplasm of other parts of pancreas                       |
| C25.8   | Malignant neoplasm of overlapping sites of pancreas                 |
| C25.9   | Malignant neoplasm of pancreas, unspecified                         |
| C78.7   | Secondary malignant neoplasm of liver and intrahepatic bile duct    |
| C78.80  | Secondary malignant neoplasm of unspecified digestive organ         |
| C78.89  | Secondary malignant neoplasm of other digestive organs              |
| D37.6   | Neoplasm of uncertain behavior of liver, gallbladder and bile ducts |
| D37.8   | Neoplasm of uncertain behavior of other specified digestive organs  |
| D37.9   | Neoplasm of uncertain behavior of digestive organ, unspecified      |
| G89.3   | Neoplasm related pain (acute) (chronic)                             |
| M33.03  | Juvenile dermatomyositis without myopathy                           |
| M33.13  | Other dermatomyositis without myopathy                              |
| M33.93  | Dermatopolymyositis, unspecified without myopathy                   |
| R97.8   | Other abnormal tumor markers  |
| Z85.068 | Personal history of other malignant neoplasm of small intestine     |
| Z85.07  | Personal history of malignant neoplasm of pancreas                  |
| Z85.09  | Personal history of malignant neoplasm of other digestive organs    |

**NCD 190.30**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



### **Indications**

Multiple tumor markers are available for monitoring the response of certain malignancies to therapy and assessing whether residual tumor exists post-surgical therapy.

Levels are useful in following the course of patients with established diagnosis of pancreatic and biliary ductal carcinoma. The test is not indicated for diagnosing these two diseases.

### **Limitations**

These services are not covered for the evaluation of patients with signs or symptoms suggestive of malignancy. The service may be ordered at times necessary to assess either the presence of recurrent disease or the patient's response to treatment with subsequent treatment cycles.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

Clinical Pancreatic Guideline for the Use of Tumor Markers in Breast and Colorectal Cancer, American Society of Clinical Oncology. J Clin Oncol 14:2843-2877, 1996.

Richter JM, Christensen MR, Rustgi AK, and Silverstein MD. The Clinical Utility of the CA19-9 Radioimmunoassay for the Diagnosis of Pancreatic Cancer Presenting as Pain or Weight Loss: A Cost Effective Analysis. Arch Intern Med 1989, 149:2292-2297.

Safi F, SchlosseW, Falkenreck S, et. al. Prognostic Value of CA 19-9 Serum Course in Pancreatic Cancer. Hepaetogastroenterology 1998 Jan-Feb; 45(19):253-9.



## 190.31 - Prostate Specific Antigen

### Other Names/Abbreviations

Total PSA

### Description

Prostate Specific Antigen (PSA), a tumor marker for adenocarcinoma of the prostate, can predict residual tumor in the post-operative phase of prostate cancer. Three to 6 months after radical prostatectomy, PSA is reported to provide a sensitive indicator of persistent disease. Six months following introduction of antiandrogen therapy, PSA is reported of distinguishing patients with favorable response from those in whom limited response is anticipated.

PSA when used in conjunction with other prostate cancer tests, such as digital rectal examination, may assist in the decision-making process for diagnosing prostate cancer. PSA also, serves as a marker in following the progress of most prostate tumors once a diagnosis has been established. This test is also an aid in the management of prostate cancer patients and in detecting metastatic or persistent disease in patients following treatment.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description                            |
|-------|--|
| 84153 | Prostate Specific Antigen (PSA), total |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description   |
|--------|---|
| C61    | Malignant neoplasm of prostate  |
| C67.5  | Malignant neoplasm of bladder neck  |
| C77.4  | Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes |
| C77.5  | Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes             |
| C77.8  | Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions     |
| C79.51 | Secondary malignant neoplasm of bone  |
| C79.52 | Secondary malignant neoplasm of bone marrow   |
| C79.82 | Secondary malignant neoplasm of genital organs                                      |
| D07.5  | Carcinoma in situ of prostate   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D40.0   | Neoplasm of uncertain behavior of prostate                        |
| D49.511 | Neoplasm of unspecified behavior of right kidney                  |
| D49.512 | Neoplasm of unspecified behavior of left kidney                   |
| D49.519 | Neoplasm of unspecified behavior of unspecified kidney            |
| D49.59  | Neoplasm of unspecified behavior of other genitourinary organ     |
| M33.03  | Juvenile dermatomyositis without myopathy                         |
| M33.13  | Other dermatomyositis without myopathy                            |
| M33.93  | Dermatopolymyositis, unspecified without myopathy                 |
| N13.9   | Obstructive and reflux uropathy, unspecified                      |
| N32.0   | Bladder-neck obstruction  |
| N40.0   | Benign prostatic hyperplasia without lower urinary tract symptoms |
| N40.1   | Benign prostatic hyperplasia with lower urinary tract symptoms    |
| N40.2   | Nodular prostate without lower urinary tract symptoms             |
| N40.3   | Nodular prostate with lower urinary tract symptoms                |
| N41.9   | Inflammatory disease of prostate, unspecified                     |
| N42.9   | Disorder of prostate, unspecified                                 |
| R31.0   | Gross hematuria   |
| R31.1   | Benign essential microscopic hematuria                            |
| R31.21  | Asymptomatic microscopic hematuria                                |
| R31.29  | Other microscopic hematuria                                       |
| R31.9   | Hematuria, unspecified  |
| R32     | Unspecified urinary incontinence                                  |
| R33.9   | Retention of urine, unspecified                                   |
| R35.0   | Frequency of micturition  |
| R35.1   | Nocturia  |
| R39.11  | Hesitancy of micturition  |
| R39.12  | Poor urinary stream   |
| R39.14  | Feeling of incomplete bladder emptying                            |
| R39.15  | Urgency of urination  |
| R39.16  | Straining to void   |

**NCD 190.31**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| R93.5  | Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum |
| R93.6  | Abnormal findings on diagnostic imaging of limbs  |
| R93.7  | Abnormal findings on diagnostic imaging of other parts of musculoskeletal system              |
| R94.8  | Abnormal results of function studies of other organs and systems                              |
| R97.20 | Elevated prostate specific antigen [PSA]  |
| R97.21 | Rising PSA following treatment for malignant neoplasm of prostate                             |
| Z85.46 | Personal history of malignant neoplasm of prostate  |

### **Indications**

PSA is of proven value in differentiating benign from malignant disease in men with lower urinary tract signs & symptoms (e.g., hematuria, slow urine stream, hesitancy, urgency, frequency, nocturia & incontinence) as well as with patients with palpably abnormal prostate glands on physician exam, and in patients with other laboratory or imaging studies that suggest the possibility of a malignant prostate disorder. PSA is also a marker used to follow the progress of prostate cancer once a diagnosis has been established, such as detecting metastatic or persistent disease in patients who may require additional treatment. PSA testing may also be useful in the differential diagnosis of men presenting with as yet undiagnosed disseminated metastatic disease.

### **Limitations**

Generally, for patients with lower urinary tract signs or symptoms, the test is performed only once per year unless there is a change in the patient's medical condition.

Testing with a diagnosis of in situ carcinoma is not reasonably done more frequently than once, unless the result is abnormal, in which case the test may be repeated once.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

Laboratory Test Handbook, 3rd edition, pp.338-340.

Cooner WH, Mosley BR, Rutherford CL, et al. Prostate Cancer Detection in a Clinical Urological Practice by Ultrasonography, Digital Rectal Examination and Prostate Specific Antigen. J.Urol.1990; 143: 1146-1154.

## 190.32 - Gamma Glutamyl Transferase

### Other Names/Abbreviations

GGT

### Description

Gamma glutamyl transferase (GGT) is an intracellular enzyme that appears in blood following leakage from cells. Renal tubules, liver, and pancreas contain high amounts, although the measurement of GGT in serum is almost always used for assessment of Hepatobiliary function. Unlike other enzymes which are found in heart, skeletal muscle, and intestinal mucosa as well as liver, the appearance of an elevated level of GGT in serum is almost always the result of liver disease or injury. It is specifically useful to differentiate elevated alkaline phosphatase levels when the source of the alkaline phosphatase increase (bone, liver, or placenta) is unclear. The combination of high alkaline phosphatase and a normal GGT does not, however, rule out liver disease completely.

As well as being a very specific marker of Hepatobiliary function, GGT is also a very sensitive marker for hepatocellular damage. Abnormal concentrations typically appear before elevations of other liver enzymes or biliuria are evident. Obstruction of the biliary tract, viral infection (e.g., hepatitis, mononucleosis), metastatic cancer, exposure to hepatotoxins (e.g., organic solvents, drugs, alcohol), and use of drugs that induce microsomal enzymes in the liver (e.g., cimetidine, barbiturates, phenytoin, and carbamazepine) all can cause a moderate to marked increase in GGT serum concentration. In addition, some drugs can cause or exacerbate liver dysfunction (e.g., atorvastatin, troglitazone, and others as noted in FDA Contraindications and Warnings.)

GGT is useful for diagnosis of liver disease or injury, exclusion of hepatobiliary involvement related to other diseases, and patient management during the resolution of existing disease or following injury.

### HCPCS Codes (Alphanumeric, CPT® AMA)

| Code  | Description                       |
|-------|-----------------------------------|
| 82977 | Glutamyl transferase, gamma (GGT) |

### ICD-10-CM Codes Covered by Medicare Program

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of  
Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code  | Description            |
|-------|------------------------|
| A02.1 | Salmonella sepsis      |
| A06.0 | Acute amebic dysentery |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A06.1  | Chronic intestinal amebiasis                                     |
| A06.2  | Amebic nondysenteric colitis                                     |
| A06.3  | Ameboma of intestine   |
| A06.4  | Amebic liver abscess   |
| A06.5  | Amebic lung abscess  |
| A06.6  | Amebic brain abscess   |
| A06.7  | Cutaneous amebiasis  |
| A06.81 | Amebic cystitis  |
| A06.82 | Other amebic genitourinary infections                            |
| A06.89 | Other amebic infections  |
| A06.9  | Amebiasis, unspecified   |
| A17.83 | Tuberculous neuritis   |
| A17.9  | Tuberculosis of nervous system, unspecified                      |
| A18.31 | Tuberculous peritonitis  |
| A18.32 | Tuberculous enteritis  |
| A18.39 | Retroperitoneal tuberculosis                                     |
| A18.82 | Tuberculosis of other endocrine glands                           |
| A18.83 | Tuberculosis of digestive tract organs, not elsewhere classified |
| A18.84 | Tuberculosis of heart  |
| A18.89 | Tuberculosis of other sites                                      |
| A19.9  | Miliary tuberculosis, unspecified                                |
| A20.0  | Bubonic plague   |
| A20.1  | Cellulocutaneous plague  |
| A20.2  | Pneumonic plague   |
| A20.3  | Plague meningitis  |
| A20.7  | Septicemic plague  |
| A20.8  | Other forms of plague  |
| A20.9  | Plague, unspecified  |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| A22.7  | Anthrax sepsis  |
| A26.0  | Cutaneous erysipeloid                                       |
| A26.7  | Erysipelothrix sepsis                                       |
| A26.8  | Other forms of erysipeloid                                  |
| A26.9  | Erysipeloid, unspecified                                    |
| A27.0  | Leptospirosis icterohemorrhagica                            |
| A30.1  | Tuberculoid leprosy   |
| A32.0  | Cutaneous listeriosis                                       |
| A32.11 | Listerial meningitis  |
| A32.12 | Listerial meningoencephalitis                               |
| A32.7  | Listerial sepsis  |
| A32.81 | Oculoglandular listeriosis                                  |
| A32.82 | Listerial endocarditis                                      |
| A32.89 | Other forms of listeriosis                                  |
| A32.9  | Listeriosis, unspecified                                    |
| A36.89 | Other diphtheritic complications                            |
| A39.2  | Acute meningococcemia                                       |
| A39.3  | Chronic meningococcemia                                     |
| A39.4  | Meningococcemia, unspecified                                |
| A39.81 | Meningococcal encephalitis                                  |
| A40.0  | Sepsis due to streptococcus, group A                        |
| A40.1  | Sepsis due to streptococcus, group B                        |
| A40.3  | Sepsis due to Streptococcus pneumoniae                      |
| A40.8  | Other streptococcal sepsis                                  |
| A40.9  | Streptococcal sepsis, unspecified                           |
| A41.01 | Sepsis due to Methicillin susceptible Staphylococcus aureus |
| A41.02 | Sepsis due to Methicillin resistant Staphylococcus aureus   |
| A41.1  | Sepsis due to other specified staphylococcus                |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                   |
|--------|---|
| A41.2  | Sepsis due to unspecified staphylococcus      |
| A41.3  | Sepsis due to Hemophilus influenzae           |
| A41.4  | Sepsis due to anaerobes                       |
| A41.50 | Gram-negative sepsis, unspecified             |
| A41.51 | Sepsis due to Escherichia coli [E. coli]      |
| A41.52 | Sepsis due to Pseudomonas                     |
| A41.53 | Sepsis due to Serratia                        |
| A41.59 | Other Gram-negative sepsis                    |
| A41.81 | Sepsis due to Enterococcus                    |
| A41.89 | Other specified sepsis                        |
| A41.9  | Sepsis, unspecified organism                  |
| A42.1  | Abdominal actinomycosis                       |
| A42.7  | Actinomycotic sepsis                          |
| A48.0  | Gas gangrene                                  |
| A51.45 | Secondary syphilitic hepatitis                |
| A52.74 | Syphilis of liver and other viscera           |
| A69.20 | Lyme disease, unspecified                     |
| A69.21 | Meningitis due to Lyme disease                |
| A69.22 | Other neurologic disorders in Lyme disease    |
| A69.23 | Arthritis due to Lyme disease                 |
| A69.29 | Other conditions associated with Lyme disease |
| A70    | Chlamydia psittaci infections                 |
| A77.0  | Spotted fever due to Rickettsia rickettsii    |
| A77.1  | Spotted fever due to Rickettsia conorii       |
| A77.2  | Spotted fever due to Rickettsia siberica      |
| A77.3  | Spotted fever due to Rickettsia australis     |
| A77.40 | Ehrlichiosis, unspecified                     |
| A77.41 | Ehrlichiosis chafeensis [E. chafeensis]       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A77.49 | Other ehrlichiosis   |
| A77.8  | Other spotted fevers   |
| A77.9  | Spotted fever, unspecified                                     |
| A79.9  | Rickettsiosis, unspecified                                     |
| A95.0  | Sylvatic yellow fever  |
| A95.1  | Urban yellow fever   |
| B00.0  | Eczema herpeticum  |
| B00.7  | Disseminated herpesviral disease                               |
| B15.0  | Hepatitis A with hepatic coma                                  |
| B15.9  | Hepatitis A without hepatic coma                               |
| B16.0  | Acute hepatitis B with delta-agent with hepatic coma           |
| B16.1  | Acute hepatitis B with delta-agent without hepatic coma        |
| B16.2  | Acute hepatitis B without delta-agent with hepatic coma        |
| B16.9  | Acute hepatitis B without delta-agent and without hepatic coma |
| B17.0  | Acute delta-(super) infection of hepatitis B carrier           |
| B17.10 | Acute hepatitis C without hepatic coma                         |
| B17.11 | Acute hepatitis C with hepatic coma                            |
| B17.2  | Acute hepatitis E  |
| B17.8  | Other specified acute viral hepatitis                          |
| B17.9  | Acute viral hepatitis, unspecified                             |
| B18.0  | Chronic viral hepatitis B with delta-agent                     |
| B18.1  | Chronic viral hepatitis B without delta-agent                  |
| B18.2  | Chronic viral hepatitis C                                      |
| B18.8  | Other chronic viral hepatitis                                  |
| B18.9  | Chronic viral hepatitis, unspecified                           |
| B19.0  | Unspecified viral hepatitis with hepatic coma                  |
| B19.10 | Unspecified viral hepatitis B without hepatic coma             |
| B19.11 | Unspecified viral hepatitis B with hepatic coma                |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| B19.20 | Unspecified viral hepatitis C without hepatic coma            |
| B19.21 | Unspecified viral hepatitis C with hepatic coma               |
| B19.9  | Unspecified viral hepatitis without hepatic coma              |
| B20    | Human immunodeficiency virus [HIV] disease                    |
| B25.0  | Cytomegaloviral pneumonitis                                   |
| B25.1  | Cytomegaloviral hepatitis                                     |
| B25.2  | Cytomegaloviral pancreatitis                                  |
| B25.8  | Other cytomegaloviral diseases                                |
| B25.9  | Cytomegaloviral disease, unspecified                          |
| B26.81 | Mumps hepatitis   |
| B27.00 | Gammaherpesviral mononucleosis without complication           |
| B27.01 | Gammaherpesviral mononucleosis with polyneuropathy            |
| B27.02 | Gammaherpesviral mononucleosis with meningitis                |
| B27.09 | Gammaherpesviral mononucleosis with other complications       |
| B27.10 | Cytomegaloviral mononucleosis without complications           |
| B27.11 | Cytomegaloviral mononucleosis with polyneuropathy             |
| B27.12 | Cytomegaloviral mononucleosis with meningitis                 |
| B27.19 | Cytomegaloviral mononucleosis with other complication         |
| B27.80 | Other infectious mononucleosis without complication           |
| B27.81 | Other infectious mononucleosis with polyneuropathy            |
| B27.82 | Other infectious mononucleosis with meningitis                |
| B27.89 | Other infectious mononucleosis with other complication        |
| B27.90 | Infectious mononucleosis, unspecified without complication    |
| B27.91 | Infectious mononucleosis, unspecified with polyneuropathy     |
| B27.92 | Infectious mononucleosis, unspecified with meningitis         |
| B27.99 | Infectious mononucleosis, unspecified with other complication |
| B34.1  | Enterovirus infection, unspecified                            |
| B37.7  | Candidal sepsis   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| B39.4  | Histoplasmosis capsulati, unspecified                                 |
| B50.0  | Plasmodium falciparum malaria with cerebral complications             |
| B50.8  | Other severe and complicated Plasmodium falciparum malaria            |
| B51.0  | Plasmodium vivax malaria with rupture of spleen                       |
| B51.8  | Plasmodium vivax malaria with other complications                     |
| B52.0  | Plasmodium malariae malaria with nephropathy                          |
| B52.8  | Plasmodium malariae malaria with other complications                  |
| B57.30 | Chagas' disease with digestive system involvement, unspecified        |
| B57.31 | Megaesophagus in Chagas' disease                                      |
| B57.32 | Megacolon in Chagas' disease  |
| B57.39 | Other digestive system involvement in Chagas' disease                 |
| B57.40 | Chagas' disease with nervous system involvement, unspecified          |
| B57.41 | Meningitis in Chagas' disease   |
| B57.42 | Meningoencephalitis in Chagas' disease                                |
| B57.49 | Other nervous system involvement in Chagas' disease                   |
| B57.5  | Chagas' disease (chronic) with other organ involvement                |
| B58.1  | Toxoplasma hepatitis  |
| B65.9  | Schistosomiasis, unspecified  |
| B66.1  | Clonorchiasis   |
| B66.3  | Fascioliasis  |
| B67.0  | Echinococcus granulosus infection of liver                            |
| B67.5  | Echinococcus multilocularis infection of liver                        |
| B67.8  | Echinococcosis, unspecified, of liver                                 |
| B67.90 | Echinococcosis, unspecified   |
| B67.99 | Other echinococcosis  |
| B97.10 | Unspecified enterovirus as the cause of diseases classified elsewhere |
| B97.89 | Other viral agents as the cause of diseases classified elsewhere      |
| C15.3  | Malignant neoplasm of upper third of esophagus                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| C15.4 | Malignant neoplasm of middle third of esophagus                 |
| C15.5 | Malignant neoplasm of lower third of esophagus                  |
| C15.8 | Malignant neoplasm of overlapping sites of esophagus            |
| C15.9 | Malignant neoplasm of esophagus, unspecified                    |
| C16.0 | Malignant neoplasm of cardia                                    |
| C16.1 | Malignant neoplasm of fundus of stomach                         |
| C16.2 | Malignant neoplasm of body of stomach                           |
| C16.3 | Malignant neoplasm of pyloric antrum                            |
| C16.4 | Malignant neoplasm of pylorus                                   |
| C16.5 | Malignant neoplasm of lesser curvature of stomach, unspecified  |
| C16.6 | Malignant neoplasm of greater curvature of stomach, unspecified |
| C16.8 | Malignant neoplasm of overlapping sites of stomach              |
| C16.9 | Malignant neoplasm of stomach, unspecified                      |
| C17.0 | Malignant neoplasm of duodenum                                  |
| C17.1 | Malignant neoplasm of jejunum                                   |
| C17.2 | Malignant neoplasm of ileum                                     |
| C17.3 | Meckel's diverticulum, malignant                                |
| C17.8 | Malignant neoplasm of overlapping sites of small intestine      |
| C17.9 | Malignant neoplasm of small intestine, unspecified              |
| C18.0 | Malignant neoplasm of cecum                                     |
| C18.1 | Malignant neoplasm of appendix                                  |
| C18.2 | Malignant neoplasm of ascending colon                           |
| C18.3 | Malignant neoplasm of hepatic flexure                           |
| C18.4 | Malignant neoplasm of transverse colon                          |
| C18.5 | Malignant neoplasm of splenic flexure                           |
| C18.6 | Malignant neoplasm of descending colon                          |
| C18.7 | Malignant neoplasm of sigmoid colon                             |
| C18.8 | Malignant neoplasm of overlapping sites of colon                |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| C18.9 | Malignant neoplasm of colon, unspecified                               |
| C19   | Malignant neoplasm of rectosigmoid junction                            |
| C20   | Malignant neoplasm of rectum   |
| C21.0 | Malignant neoplasm of anus, unspecified                                |
| C21.1 | Malignant neoplasm of anal canal                                       |
| C21.2 | Malignant neoplasm of cloacogenic zone                                 |
| C21.8 | Malignant neoplasm of overlapping sites of rectum, anus and anal canal |
| C22.0 | Liver cell carcinoma   |
| C22.1 | Intrahepatic bile duct carcinoma                                       |
| C22.2 | Hepatoblastoma   |
| C22.3 | Angiosarcoma of liver  |
| C22.4 | Other sarcomas of liver  |
| C22.7 | Other specified carcinomas of liver                                    |
| C22.8 | Malignant neoplasm of liver, primary, unspecified as to type           |
| C22.9 | Malignant neoplasm of liver, not specified as primary or secondary     |
| C23   | Malignant neoplasm of gallbladder                                      |
| C24.0 | Malignant neoplasm of extrahepatic bile duct                           |
| C24.1 | Malignant neoplasm of ampulla of Vater                                 |
| C24.8 | Malignant neoplasm of overlapping sites of biliary tract               |
| C24.9 | Malignant neoplasm of biliary tract, unspecified                       |
| C25.0 | Malignant neoplasm of head of pancreas                                 |
| C25.1 | Malignant neoplasm of body of pancreas                                 |
| C25.2 | Malignant neoplasm of tail of pancreas                                 |
| C25.3 | Malignant neoplasm of pancreatic duct                                  |
| C25.4 | Malignant neoplasm of endocrine pancreas                               |
| C25.7 | Malignant neoplasm of other parts of pancreas                          |
| C25.8 | Malignant neoplasm of overlapping sites of pancreas                    |
| C25.9 | Malignant neoplasm of pancreas, unspecified                            |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C26.0  | Malignant neoplasm of intestinal tract, part unspecified            |
| C26.1  | Malignant neoplasm of spleen  |
| C26.9  | Malignant neoplasm of ill-defined sites within the digestive system |
| C30.0  | Malignant neoplasm of nasal cavity                                  |
| C30.1  | Malignant neoplasm of middle ear                                    |
| C31.0  | Malignant neoplasm of maxillary sinus                               |
| C31.1  | Malignant neoplasm of ethmoidal sinus                               |
| C31.2  | Malignant neoplasm of frontal sinus                                 |
| C31.3  | Malignant neoplasm of sphenoid sinus                                |
| C31.8  | Malignant neoplasm of overlapping sites of accessory sinuses        |
| C31.9  | Malignant neoplasm of accessory sinus, unspecified                  |
| C32.0  | Malignant neoplasm of glottis                                       |
| C32.1  | Malignant neoplasm of supraglottis                                  |
| C32.2  | Malignant neoplasm of subglottis                                    |
| C32.3  | Malignant neoplasm of laryngeal cartilage                           |
| C32.8  | Malignant neoplasm of overlapping sites of larynx                   |
| C32.9  | Malignant neoplasm of larynx, unspecified                           |
| C33    | Malignant neoplasm of trachea                                       |
| C34.00 | Malignant neoplasm of unspecified main bronchus                     |
| C34.01 | Malignant neoplasm of right main bronchus                           |
| C34.02 | Malignant neoplasm of left main bronchus                            |
| C34.10 | Malignant neoplasm of upper lobe, unspecified bronchus or lung      |
| C34.11 | Malignant neoplasm of upper lobe, right bronchus or lung            |
| C34.12 | Malignant neoplasm of upper lobe, left bronchus or lung             |
| C34.2  | Malignant neoplasm of middle lobe, bronchus or lung                 |
| C34.30 | Malignant neoplasm of lower lobe, unspecified bronchus or lung      |
| C34.31 | Malignant neoplasm of lower lobe, right bronchus or lung            |
| C34.32 | Malignant neoplasm of lower lobe, left bronchus or lung             |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C34.80 | Malignant neoplasm of overlapping sites of unspecified bronchus and lung                    |
| C34.81 | Malignant neoplasm of overlapping sites of right bronchus and lung                          |
| C34.82 | Malignant neoplasm of overlapping sites of left bronchus and lung                           |
| C34.90 | Malignant neoplasm of unspecified part of unspecified bronchus or lung                      |
| C34.91 | Malignant neoplasm of unspecified part of right bronchus or lung                            |
| C34.92 | Malignant neoplasm of unspecified part of left bronchus or lung                             |
| C37    | Malignant neoplasm of thymus  |
| C38.0  | Malignant neoplasm of heart   |
| C38.1  | Malignant neoplasm of anterior mediastinum  |
| C38.2  | Malignant neoplasm of posterior mediastinum   |
| C38.3  | Malignant neoplasm of mediastinum, part unspecified   |
| C38.4  | Malignant neoplasm of pleura  |
| C38.8  | Malignant neoplasm of overlapping sites of heart, mediastinum and pleura                    |
| C39.0  | Malignant neoplasm of upper respiratory tract, part unspecified                             |
| C39.9  | Malignant neoplasm of lower respiratory tract, part unspecified                             |
| C40.00 | Malignant neoplasm of scapula and long bones of unspecified upper limb                      |
| C40.01 | Malignant neoplasm of scapula and long bones of right upper limb                            |
| C40.02 | Malignant neoplasm of scapula and long bones of left upper limb                             |
| C40.10 | Malignant neoplasm of short bones of unspecified upper limb                                 |
| C40.11 | Malignant neoplasm of short bones of right upper limb                                       |
| C40.12 | Malignant neoplasm of short bones of left upper limb  |
| C40.20 | Malignant neoplasm of long bones of unspecified lower limb                                  |
| C40.21 | Malignant neoplasm of long bones of right lower limb  |
| C40.22 | Malignant neoplasm of long bones of left lower limb   |
| C40.30 | Malignant neoplasm of short bones of unspecified lower limb                                 |
| C40.31 | Malignant neoplasm of short bones of right lower limb                                       |
| C40.32 | Malignant neoplasm of short bones of left lower limb  |
| C40.80 | Malignant neoplasm of overlapping sites of bone and articular cartilage of unspecified limb |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C40.81  | Malignant neoplasm of overlapping sites of bone and articular cartilage of right limb |
| C40.82  | Malignant neoplasm of overlapping sites of bone and articular cartilage of left limb  |
| C40.90  | Malignant neoplasm of unspecified bones and articular cartilage of unspecified limb   |
| C40.91  | Malignant neoplasm of unspecified bones and articular cartilage of right limb         |
| C40.92  | Malignant neoplasm of unspecified bones and articular cartilage of left limb          |
| C41.0   | Malignant neoplasm of bones of skull and face   |
| C41.1   | Malignant neoplasm of mandible  |
| C41.2   | Malignant neoplasm of vertebral column  |
| C41.3   | Malignant neoplasm of ribs, sternum and clavicle                                      |
| C41.4   | Malignant neoplasm of pelvic bones, sacrum and coccyx                                 |
| C41.9   | Malignant neoplasm of bone and articular cartilage, unspecified                       |
| C43.0   | Malignant melanoma of lip   |
| C43.10  | Malignant melanoma of unspecified eyelid, including canthus                           |
| C43.111 | Malignant melanoma of right upper eyelid, including canthus                           |
| C43.112 | Malignant melanoma of right lower eyelid, including canthus                           |
| C43.121 | Malignant melanoma of left upper eyelid, including canthus                            |
| C43.122 | Malignant melanoma of left lower eyelid, including canthus                            |
| C43.20  | Malignant melanoma of unspecified ear and external auricular canal                    |
| C43.21  | Malignant melanoma of right ear and external auricular canal                          |
| C43.22  | Malignant melanoma of left ear and external auricular canal                           |
| C43.30  | Malignant melanoma of unspecified part of face  |
| C43.31  | Malignant melanoma of nose  |
| C43.39  | Malignant melanoma of other parts of face   |
| C43.4   | Malignant melanoma of scalp and neck  |
| C43.51  | Malignant melanoma of anal skin   |
| C43.52  | Malignant melanoma of skin of breast  |
| C43.59  | Malignant melanoma of other part of trunk   |
| C43.60  | Malignant melanoma of unspecified upper limb, including shoulder                      |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| C43.61   | Malignant melanoma of right upper limb, including shoulder                      |
| C43.62   | Malignant melanoma of left upper limb, including shoulder                       |
| C43.70   | Malignant melanoma of unspecified lower limb, including hip                     |
| C43.71   | Malignant melanoma of right lower limb, including hip                           |
| C43.72   | Malignant melanoma of left lower limb, including hip                            |
| C43.8    | Malignant melanoma of overlapping sites of skin                                 |
| C43.9    | Malignant melanoma of skin, unspecified   |
| C44.00   | Unspecified malignant neoplasm of skin of lip                                   |
| C44.01   | Basal cell carcinoma of skin of lip   |
| C44.02   | Squamous cell carcinoma of skin of lip  |
| C44.09   | Other specified malignant neoplasm of skin of lip                               |
| C44.101  | Unspecified malignant neoplasm of skin of unspecified eyelid, including canthus |
| C44.1021 | Unspecified malignant neoplasm of skin of right upper eyelid, including canthus |
| C44.1022 | Unspecified malignant neoplasm of skin of right lower eyelid, including canthus |
| C44.1091 | Unspecified malignant neoplasm of skin of left upper eyelid, including canthus  |
| C44.1092 | Unspecified malignant neoplasm of skin of left lower eyelid, including canthus  |
| C44.111  | Basal cell carcinoma of skin of unspecified eyelid, including canthus           |
| C44.1121 | Basal cell carcinoma of skin of right upper eyelid, including canthus           |
| C44.1122 | Basal cell carcinoma of skin of right lower eyelid, including canthus           |
| C44.1191 | Basal cell carcinoma of skin of left upper eyelid, including canthus            |
| C44.1192 | Basal cell carcinoma of skin of left lower eyelid, including canthus            |
| C44.121  | Squamous cell carcinoma of skin of unspecified eyelid, including canthus        |
| C44.1221 | Squamous cell carcinoma of skin of right upper eyelid, including canthus        |
| C44.1222 | Squamous cell carcinoma of skin of right lower eyelid, including canthus        |
| C44.1291 | Squamous cell carcinoma of skin of left upper eyelid, including canthus         |
| C44.1292 | Squamous cell carcinoma of skin of left lower eyelid, including canthus         |
| C44.1321 | Sebaceous cell carcinoma of skin of right upper eyelid, including canthus       |
| C44.1322 | Sebaceous cell carcinoma of skin of right lower eyelid, including canthus       |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| C44.1391    | Sebaceous cell carcinoma of skin of left upper eyelid, including canthus                   |
| C44.1392    | Sebaceous cell carcinoma of skin of left lower eyelid, including canthus                   |
| C44.191     | Other specified malignant neoplasm of skin of unspecified eyelid, including canthus        |
| C44.1921    | Other specified malignant neoplasm of skin of right upper eyelid, including canthus        |
| C44.1922    | Other specified malignant neoplasm of skin of right lower eyelid, including canthus        |
| C44.1991    | Other specified malignant neoplasm of skin of left upper eyelid, including canthus         |
| C44.1992    | Other specified malignant neoplasm of skin of left lower eyelid, including canthus         |
| C44.201     | Unspecified malignant neoplasm of skin of unspecified ear and external auricular canal     |
| C44.202     | Unspecified malignant neoplasm of skin of right ear and external auricular canal           |
| C44.209     | Unspecified malignant neoplasm of skin of left ear and external auricular canal            |
| C44.211     | Basal cell carcinoma of skin of unspecified ear and external auricular canal               |
| C44.212     | Basal cell carcinoma of skin of right ear and external auricular canal                     |
| C44.219     | Basal cell carcinoma of skin of left ear and external auricular canal                      |
| C44.221     | Squamous cell carcinoma of skin of unspecified ear and external auricular canal            |
| C44.222     | Squamous cell carcinoma of skin of right ear and external auricular canal                  |
| C44.229     | Squamous cell carcinoma of skin of left ear and external auricular canal                   |
| C44.291     | Other specified malignant neoplasm of skin of unspecified ear and external auricular canal |
| C44.292     | Other specified malignant neoplasm of skin of right ear and external auricular canal       |
| C44.299     | Other specified malignant neoplasm of skin of left ear and external auricular canal        |
| C44.300     | Unspecified malignant neoplasm of skin of unspecified part of face                         |
| C44.301     | Unspecified malignant neoplasm of skin of nose   |
| C44.309     | Unspecified malignant neoplasm of skin of other parts of face                              |
| C44.310     | Basal cell carcinoma of skin of unspecified parts of face                                  |
| C44.311     | Basal cell carcinoma of skin of nose   |
| C44.319     | Basal cell carcinoma of skin of other parts of face  |
| C44.320     | Squamous cell carcinoma of skin of unspecified parts of face                               |
| C44.321     | Squamous cell carcinoma of skin of nose  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C44.329 | Squamous cell carcinoma of skin of other parts of face                               |
| C44.390 | Other specified malignant neoplasm of skin of unspecified parts of face              |
| C44.391 | Other specified malignant neoplasm of skin of nose                                   |
| C44.399 | Other specified malignant neoplasm of skin of other parts of face                    |
| C44.40  | Unspecified malignant neoplasm of skin of scalp and neck                             |
| C44.41  | Basal cell carcinoma of skin of scalp and neck                                       |
| C44.42  | Squamous cell carcinoma of skin of scalp and neck                                    |
| C44.49  | Other specified malignant neoplasm of skin of scalp and neck                         |
| C44.500 | Unspecified malignant neoplasm of anal skin  |
| C44.501 | Unspecified malignant neoplasm of skin of breast                                     |
| C44.509 | Unspecified malignant neoplasm of skin of other part of trunk                        |
| C44.510 | Basal cell carcinoma of anal skin  |
| C44.511 | Basal cell carcinoma of skin of breast   |
| C44.519 | Basal cell carcinoma of skin of other part of trunk                                  |
| C44.520 | Squamous cell carcinoma of anal skin   |
| C44.521 | Squamous cell carcinoma of skin of breast  |
| C44.529 | Squamous cell carcinoma of skin of other part of trunk                               |
| C44.590 | Other specified malignant neoplasm of anal skin                                      |
| C44.591 | Other specified malignant neoplasm of skin of breast                                 |
| C44.599 | Other specified malignant neoplasm of skin of other part of trunk                    |
| C44.601 | Unspecified malignant neoplasm of skin of unspecified upper limb, including shoulder |
| C44.602 | Unspecified malignant neoplasm of skin of right upper limb, including shoulder       |
| C44.609 | Unspecified malignant neoplasm of skin of left upper limb, including shoulder        |
| C44.611 | Basal cell carcinoma of skin of unspecified upper limb, including shoulder           |
| C44.612 | Basal cell carcinoma of skin of right upper limb, including shoulder                 |
| C44.619 | Basal cell carcinoma of skin of left upper limb, including shoulder                  |
| C44.621 | Squamous cell carcinoma of skin of unspecified upper limb, including shoulder        |
| C44.622 | Squamous cell carcinoma of skin of right upper limb, including shoulder              |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C44.629 | Squamous cell carcinoma of skin of left upper limb, including shoulder                   |
| C44.691 | Other specified malignant neoplasm of skin of unspecified upper limb, including shoulder |
| C44.692 | Other specified malignant neoplasm of skin of right upper limb, including shoulder       |
| C44.699 | Other specified malignant neoplasm of skin of left upper limb, including shoulder        |
| C44.701 | Unspecified malignant neoplasm of skin of unspecified lower limb, including hip          |
| C44.702 | Unspecified malignant neoplasm of skin of right lower limb, including hip                |
| C44.709 | Unspecified malignant neoplasm of skin of left lower limb, including hip                 |
| C44.711 | Basal cell carcinoma of skin of unspecified lower limb, including hip                    |
| C44.712 | Basal cell carcinoma of skin of right lower limb, including hip                          |
| C44.719 | Basal cell carcinoma of skin of left lower limb, including hip                           |
| C44.721 | Squamous cell carcinoma of skin of unspecified lower limb, including hip                 |
| C44.722 | Squamous cell carcinoma of skin of right lower limb, including hip                       |
| C44.729 | Squamous cell carcinoma of skin of left lower limb, including hip                        |
| C44.791 | Other specified malignant neoplasm of skin of unspecified lower limb, including hip      |
| C44.792 | Other specified malignant neoplasm of skin of right lower limb, including hip            |
| C44.799 | Other specified malignant neoplasm of skin of left lower limb, including hip             |
| C44.80  | Unspecified malignant neoplasm of overlapping sites of skin                              |
| C44.81  | Basal cell carcinoma of overlapping sites of skin  |
| C44.82  | Squamous cell carcinoma of overlapping sites of skin                                     |
| C44.89  | Other specified malignant neoplasm of overlapping sites of skin                          |
| C44.90  | Unspecified malignant neoplasm of skin, unspecified                                      |
| C44.91  | Basal cell carcinoma of skin, unspecified  |
| C44.92  | Squamous cell carcinoma of skin, unspecified   |
| C44.99  | Other specified malignant neoplasm of skin, unspecified                                  |
| C45.0   | Mesothelioma of pleura   |
| C45.1   | Mesothelioma of peritoneum   |
| C45.2   | Mesothelioma of pericardium  |
| C46.0   | Kaposi's sarcoma of skin   |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C46.1  | Kaposi's sarcoma of soft tissue   |
| C46.2  | Kaposi's sarcoma of palate  |
| C46.3  | Kaposi's sarcoma of lymph nodes   |
| C46.4  | Kaposi's sarcoma of gastrointestinal sites  |
| C46.50 | Kaposi's sarcoma of unspecified lung  |
| C46.51 | Kaposi's sarcoma of right lung  |
| C46.52 | Kaposi's sarcoma of left lung   |
| C46.7  | Kaposi's sarcoma of other sites   |
| C46.9  | Kaposi's sarcoma, unspecified   |
| C47.0  | Malignant neoplasm of peripheral nerves of head, face and neck                            |
| C47.10 | Malignant neoplasm of peripheral nerves of unspecified upper limb, including shoulder     |
| C47.11 | Malignant neoplasm of peripheral nerves of right upper limb, including shoulder           |
| C47.12 | Malignant neoplasm of peripheral nerves of left upper limb, including shoulder            |
| C47.20 | Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip          |
| C47.21 | Malignant neoplasm of peripheral nerves of right lower limb, including hip                |
| C47.22 | Malignant neoplasm of peripheral nerves of left lower limb, including hip                 |
| C47.3  | Malignant neoplasm of peripheral nerves of thorax   |
| C47.4  | Malignant neoplasm of peripheral nerves of abdomen  |
| C47.5  | Malignant neoplasm of peripheral nerves of pelvis   |
| C47.6  | Malignant neoplasm of peripheral nerves of trunk, unspecified                             |
| C47.8  | Malignant neoplasm of overlapping sites of peripheral nerves and autonomic nervous system |
| C47.9  | Malignant neoplasm of peripheral nerves and autonomic nervous system, unspecified         |
| C48.0  | Malignant neoplasm of retroperitoneum   |
| C48.1  | Malignant neoplasm of specified parts of peritoneum                                       |
| C48.2  | Malignant neoplasm of peritoneum, unspecified   |
| C48.8  | Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C49.0   | Malignant neoplasm of connective and soft tissue of head, face and neck                        |
| C49.10  | Malignant neoplasm of connective and soft tissue of unspecified upper limb, including shoulder |
| C49.11  | Malignant neoplasm of connective and soft tissue of right upper limb, including shoulder       |
| C49.12  | Malignant neoplasm of connective and soft tissue of left upper limb, including shoulder        |
| C49.20  | Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip      |
| C49.21  | Malignant neoplasm of connective and soft tissue of right lower limb, including hip            |
| C49.22  | Malignant neoplasm of connective and soft tissue of left lower limb, including hip             |
| C49.3   | Malignant neoplasm of connective and soft tissue of thorax                                     |
| C49.4   | Malignant neoplasm of connective and soft tissue of abdomen                                    |
| C49.5   | Malignant neoplasm of connective and soft tissue of pelvis                                     |
| C49.6   | Malignant neoplasm of connective and soft tissue of trunk, unspecified                         |
| C49.8   | Malignant neoplasm of overlapping sites of connective and soft tissue                          |
| C49.9   | Malignant neoplasm of connective and soft tissue, unspecified                                  |
| C49.A0  | Gastrointestinal stromal tumor, unspecified site   |
| C49.A1  | Gastrointestinal stromal tumor of esophagus  |
| C49.A2  | Gastrointestinal stromal tumor of stomach  |
| C49.A3  | Gastrointestinal stromal tumor of small intestine  |
| C49.A4  | Gastrointestinal stromal tumor of large intestine  |
| C49.A5  | Gastrointestinal stromal tumor of rectum   |
| C49.A9  | Gastrointestinal stromal tumor of other sites  |
| C50.011 | Malignant neoplasm of nipple and areola, right female breast                                   |
| C50.012 | Malignant neoplasm of nipple and areola, left female breast                                    |
| C50.019 | Malignant neoplasm of nipple and areola, unspecified female breast                             |
| C50.021 | Malignant neoplasm of nipple and areola, right male breast                                     |
| C50.022 | Malignant neoplasm of nipple and areola, left male breast                                      |
| C50.029 | Malignant neoplasm of nipple and areola, unspecified male breast                               |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C50.111 | Malignant neoplasm of central portion of right female breast            |
| C50.112 | Malignant neoplasm of central portion of left female breast             |
| C50.119 | Malignant neoplasm of central portion of unspecified female breast      |
| C50.121 | Malignant neoplasm of central portion of right male breast              |
| C50.122 | Malignant neoplasm of central portion of left male breast               |
| C50.129 | Malignant neoplasm of central portion of unspecified male breast        |
| C50.211 | Malignant neoplasm of upper-inner quadrant of right female breast       |
| C50.212 | Malignant neoplasm of upper-inner quadrant of left female breast        |
| C50.219 | Malignant neoplasm of upper-inner quadrant of unspecified female breast |
| C50.221 | Malignant neoplasm of upper-inner quadrant of right male breast         |
| C50.222 | Malignant neoplasm of upper-inner quadrant of left male breast          |
| C50.229 | Malignant neoplasm of upper-inner quadrant of unspecified male breast   |
| C50.311 | Malignant neoplasm of lower-inner quadrant of right female breast       |
| C50.312 | Malignant neoplasm of lower-inner quadrant of left female breast        |
| C50.319 | Malignant neoplasm of lower-inner quadrant of unspecified female breast |
| C50.321 | Malignant neoplasm of lower-inner quadrant of right male breast         |
| C50.322 | Malignant neoplasm of lower-inner quadrant of left male breast          |
| C50.329 | Malignant neoplasm of lower-inner quadrant of unspecified male breast   |
| C50.411 | Malignant neoplasm of upper-outer quadrant of right female breast       |
| C50.412 | Malignant neoplasm of upper-outer quadrant of left female breast        |
| C50.419 | Malignant neoplasm of upper-outer quadrant of unspecified female breast |
| C50.421 | Malignant neoplasm of upper-outer quadrant of right male breast         |
| C50.422 | Malignant neoplasm of upper-outer quadrant of left male breast          |
| C50.429 | Malignant neoplasm of upper-outer quadrant of unspecified male breast   |
| C50.511 | Malignant neoplasm of lower-outer quadrant of right female breast       |
| C50.512 | Malignant neoplasm of lower-outer quadrant of left female breast        |
| C50.519 | Malignant neoplasm of lower-outer quadrant of unspecified female breast |
| C50.521 | Malignant neoplasm of lower-outer quadrant of right male breast         |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C50.522 | Malignant neoplasm of lower-outer quadrant of left male breast        |
| C50.529 | Malignant neoplasm of lower-outer quadrant of unspecified male breast |
| C50.611 | Malignant neoplasm of axillary tail of right female breast            |
| C50.612 | Malignant neoplasm of axillary tail of left female breast             |
| C50.619 | Malignant neoplasm of axillary tail of unspecified female breast      |
| C50.621 | Malignant neoplasm of axillary tail of right male breast              |
| C50.622 | Malignant neoplasm of axillary tail of left male breast               |
| C50.629 | Malignant neoplasm of axillary tail of unspecified male breast        |
| C50.811 | Malignant neoplasm of overlapping sites of right female breast        |
| C50.812 | Malignant neoplasm of overlapping sites of left female breast         |
| C50.819 | Malignant neoplasm of overlapping sites of unspecified female breast  |
| C50.821 | Malignant neoplasm of overlapping sites of right male breast          |
| C50.822 | Malignant neoplasm of overlapping sites of left male breast           |
| C50.829 | Malignant neoplasm of overlapping sites of unspecified male breast    |
| C50.911 | Malignant neoplasm of unspecified site of right female breast         |
| C50.912 | Malignant neoplasm of unspecified site of left female breast          |
| C50.919 | Malignant neoplasm of unspecified site of unspecified female breast   |
| C50.921 | Malignant neoplasm of unspecified site of right male breast           |
| C50.922 | Malignant neoplasm of unspecified site of left male breast            |
| C50.929 | Malignant neoplasm of unspecified site of unspecified male breast     |
| C51.0   | Malignant neoplasm of labium majus                                    |
| C51.1   | Malignant neoplasm of labium minus                                    |
| C51.2   | Malignant neoplasm of clitoris  |
| C51.8   | Malignant neoplasm of overlapping sites of vulva                      |
| C51.9   | Malignant neoplasm of vulva, unspecified                              |
| C52     | Malignant neoplasm of vagina  |
| C53.0   | Malignant neoplasm of endocervix                                      |
| C53.1   | Malignant neoplasm of exocervix                                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C53.8  | Malignant neoplasm of overlapping sites of cervix uteri          |
| C53.9  | Malignant neoplasm of cervix uteri, unspecified                  |
| C54.0  | Malignant neoplasm of isthmus uteri                              |
| C54.1  | Malignant neoplasm of endometrium                                |
| C54.2  | Malignant neoplasm of myometrium                                 |
| C54.3  | Malignant neoplasm of fundus uteri                               |
| C54.8  | Malignant neoplasm of overlapping sites of corpus uteri          |
| C54.9  | Malignant neoplasm of corpus uteri, unspecified                  |
| C55    | Malignant neoplasm of uterus, part unspecified                   |
| C56.1  | Malignant neoplasm of right ovary                                |
| C56.2  | Malignant neoplasm of left ovary                                 |
| C56.9  | Malignant neoplasm of unspecified ovary                          |
| C57.00 | Malignant neoplasm of unspecified fallopian tube                 |
| C57.01 | Malignant neoplasm of right fallopian tube                       |
| C57.02 | Malignant neoplasm of left fallopian tube                        |
| C57.10 | Malignant neoplasm of unspecified broad ligament                 |
| C57.11 | Malignant neoplasm of right broad ligament                       |
| C57.12 | Malignant neoplasm of left broad ligament                        |
| C57.20 | Malignant neoplasm of unspecified round ligament                 |
| C57.21 | Malignant neoplasm of right round ligament                       |
| C57.22 | Malignant neoplasm of left round ligament                        |
| C57.3  | Malignant neoplasm of parametrium                                |
| C57.4  | Malignant neoplasm of uterine adnexa, unspecified                |
| C57.7  | Malignant neoplasm of other specified female genital organs      |
| C57.8  | Malignant neoplasm of overlapping sites of female genital organs |
| C57.9  | Malignant neoplasm of female genital organ, unspecified          |
| C58    | Malignant neoplasm of placenta                                   |
| C60.0  | Malignant neoplasm of prepuce                                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C60.1  | Malignant neoplasm of glans penis  |
| C60.2  | Malignant neoplasm of body of penis  |
| C60.8  | Malignant neoplasm of overlapping sites of penis                                       |
| C60.9  | Malignant neoplasm of penis, unspecified   |
| C61    | Malignant neoplasm of prostate   |
| C62.00 | Malignant neoplasm of unspecified undescended testis                                   |
| C62.01 | Malignant neoplasm of undescended right testis   |
| C62.02 | Malignant neoplasm of undescended left testis  |
| C62.10 | Malignant neoplasm of unspecified descended testis                                     |
| C62.11 | Malignant neoplasm of descended right testis   |
| C62.12 | Malignant neoplasm of descended left testis  |
| C62.90 | Malignant neoplasm of unspecified testis, unspecified whether descended or undescended |
| C62.91 | Malignant neoplasm of right testis, unspecified whether descended or undescended       |
| C62.92 | Malignant neoplasm of left testis, unspecified whether descended or undescended        |
| C63.00 | Malignant neoplasm of unspecified epididymis   |
| C63.01 | Malignant neoplasm of right epididymis   |
| C63.02 | Malignant neoplasm of left epididymis  |
| C63.10 | Malignant neoplasm of unspecified spermatic cord                                       |
| C63.11 | Malignant neoplasm of right spermatic cord   |
| C63.12 | Malignant neoplasm of left spermatic cord  |
| C63.2  | Malignant neoplasm of scrotum  |
| C63.7  | Malignant neoplasm of other specified male genital organs                              |
| C63.8  | Malignant neoplasm of overlapping sites of male genital organs                         |
| C63.9  | Malignant neoplasm of male genital organ, unspecified                                  |
| C64.1  | Malignant neoplasm of right kidney, except renal pelvis                                |
| C64.2  | Malignant neoplasm of left kidney, except renal pelvis                                 |
| C64.9  | Malignant neoplasm of unspecified kidney, except renal pelvis                          |
| C65.1  | Malignant neoplasm of right renal pelvis   |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C65.2   | Malignant neoplasm of left renal pelvis                   |
| C65.9   | Malignant neoplasm of unspecified renal pelvis            |
| C66.1   | Malignant neoplasm of right ureter                        |
| C66.2   | Malignant neoplasm of left ureter                         |
| C66.9   | Malignant neoplasm of unspecified ureter                  |
| C67.0   | Malignant neoplasm of trigone of bladder                  |
| C67.1   | Malignant neoplasm of dome of bladder                     |
| C67.2   | Malignant neoplasm of lateral wall of bladder             |
| C67.3   | Malignant neoplasm of anterior wall of bladder            |
| C67.4   | Malignant neoplasm of posterior wall of bladder           |
| C67.5   | Malignant neoplasm of bladder neck                        |
| C67.6   | Malignant neoplasm of ureteric orifice                    |
| C67.7   | Malignant neoplasm of urachus                             |
| C67.8   | Malignant neoplasm of overlapping sites of bladder        |
| C67.9   | Malignant neoplasm of bladder, unspecified                |
| C68.0   | Malignant neoplasm of urethra                             |
| C68.1   | Malignant neoplasm of paraurethral glands                 |
| C68.8   | Malignant neoplasm of overlapping sites of urinary organs |
| C68.9   | Malignant neoplasm of urinary organ, unspecified          |
| C7A.00  | Malignant carcinoid tumor of unspecified site             |
| C7A.090 | Malignant carcinoid tumor of the bronchus and lung        |
| C7A.091 | Malignant carcinoid tumor of the thymus                   |
| C7A.092 | Malignant carcinoid tumor of the stomach                  |
| C7A.093 | Malignant carcinoid tumor of the kidney                   |
| C7A.094 | Malignant carcinoid tumor of the foregut, unspecified     |
| C7A.095 | Malignant carcinoid tumor of the midgut, unspecified      |
| C7A.096 | Malignant carcinoid tumor of the hindgut, unspecified     |
| C7A.098 | Malignant carcinoid tumors of other sites                 |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C7B.00 | Secondary carcinoid tumors, unspecified site   |
| C7B.01 | Secondary carcinoid tumors of distant lymph nodes  |
| C7B.02 | Secondary carcinoid tumors of liver  |
| C7B.03 | Secondary carcinoid tumors of bone   |
| C7B.04 | Secondary carcinoid tumors of peritoneum   |
| C7B.09 | Secondary carcinoid tumors of other sites  |
| C7B.1  | Secondary Merkel cell carcinoma  |
| C7B.8  | Other secondary neuroendocrine tumors  |
| C81.00 | Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site                              |
| C81.01 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C81.02 | Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C81.03 | Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C81.04 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C81.05 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.06 | Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C81.07 | Nodular lymphocyte predominant Hodgkin lymphoma, spleen  |
| C81.08 | Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C81.09 | Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites              |
| C81.10 | Nodular sclerosis Hodgkin lymphoma, unspecified site   |
| C81.11 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck                        |
| C81.12 | Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes                                  |
| C81.13 | Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes                                |
| C81.14 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb                       |
| C81.15 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb              |
| C81.16 | Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes                                    |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C81.17 | Nodular sclerosis Hodgkin lymphoma, spleen  |
| C81.18 | Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites                   |
| C81.19 | Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites                |
| C81.20 | Mixed cellularity Hodgkin lymphoma, unspecified site                                |
| C81.21 | Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck             |
| C81.22 | Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes                       |
| C81.23 | Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes                     |
| C81.24 | Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb            |
| C81.25 | Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb   |
| C81.26 | Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes                         |
| C81.27 | Mixed cellularity Hodgkin lymphoma, spleen  |
| C81.28 | Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites                   |
| C81.29 | Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites                |
| C81.30 | Lymphocyte depleted Hodgkin lymphoma, unspecified site                              |
| C81.31 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C81.32 | Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C81.33 | Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C81.34 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C81.35 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.36 | Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C81.37 | Lymphocyte depleted Hodgkin lymphoma, spleen  |
| C81.38 | Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C81.39 | Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites              |
| C81.40 | Lymphocyte-rich Hodgkin lymphoma, unspecified site                                  |
| C81.41 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck               |
| C81.42 | Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes                         |
| C81.43 | Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes                       |
| C81.44 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb              |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C81.45 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C81.46 | Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C81.47 | Lymphocyte-rich Hodgkin lymphoma, spleen  |
| C81.48 | Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C81.49 | Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites              |
| C81.70 | Other Hodgkin lymphoma, unspecified site  |
| C81.71 | Other Hodgkin lymphoma, lymph nodes of head, face, and neck                     |
| C81.72 | Other Hodgkin lymphoma, intrathoracic lymph nodes                               |
| C81.73 | Other Hodgkin lymphoma, intra-abdominal lymph nodes                             |
| C81.74 | Other Hodgkin lymphoma, lymph nodes of axilla and upper limb                    |
| C81.75 | Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb           |
| C81.76 | Other Hodgkin lymphoma, intrapelvic lymph nodes                                 |
| C81.77 | Other Hodgkin lymphoma, spleen  |
| C81.78 | Other Hodgkin lymphoma, lymph nodes of multiple sites                           |
| C81.79 | Other Hodgkin lymphoma, extranodal and solid organ sites                        |
| C81.90 | Hodgkin lymphoma, unspecified, unspecified site                                 |
| C81.91 | Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck              |
| C81.92 | Hodgkin lymphoma, unspecified, intrathoracic lymph nodes                        |
| C81.93 | Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes                      |
| C81.94 | Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb             |
| C81.95 | Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb    |
| C81.96 | Hodgkin lymphoma, unspecified, intrapelvic lymph nodes                          |
| C81.97 | Hodgkin lymphoma, unspecified, spleen   |
| C81.98 | Hodgkin lymphoma, unspecified, lymph nodes of multiple sites                    |
| C81.99 | Hodgkin lymphoma, unspecified, extranodal and solid organ sites                 |
| C82.00 | Follicular lymphoma grade I, unspecified site                                   |
| C82.01 | Follicular lymphoma grade I, lymph nodes of head, face, and neck                |
| C82.02 | Follicular lymphoma grade I, intrathoracic lymph nodes                          |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C82.03      | Follicular lymphoma grade I, intra-abdominal lymph nodes                                  |
| C82.04      | Follicular lymphoma grade I, lymph nodes of axilla and upper limb                         |
| C82.05      | Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb                |
| C82.06      | Follicular lymphoma grade I, intrapelvic lymph nodes                                      |
| C82.07      | Follicular lymphoma grade I, spleen   |
| C82.08      | Follicular lymphoma grade I, lymph nodes of multiple sites                                |
| C82.09      | Follicular lymphoma grade I, extranodal and solid organ sites                             |
| C82.10      | Follicular lymphoma grade II, unspecified site  |
| C82.11      | Follicular lymphoma grade II, lymph nodes of head, face, and neck                         |
| C82.12      | Follicular lymphoma grade II, intrathoracic lymph nodes                                   |
| C82.13      | Follicular lymphoma grade II, intra-abdominal lymph nodes                                 |
| C82.14      | Follicular lymphoma grade II, lymph nodes of axilla and upper limb                        |
| C82.15      | Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb               |
| C82.16      | Follicular lymphoma grade II, intrapelvic lymph nodes                                     |
| C82.17      | Follicular lymphoma grade II, spleen  |
| C82.18      | Follicular lymphoma grade II, lymph nodes of multiple sites                               |
| C82.19      | Follicular lymphoma grade II, extranodal and solid organ sites                            |
| C82.20      | Follicular lymphoma grade III, unspecified, unspecified site                              |
| C82.21      | Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck           |
| C82.22      | Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes                     |
| C82.23      | Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes                   |
| C82.24      | Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb          |
| C82.25      | Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb |
| C82.26      | Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes                       |
| C82.27      | Follicular lymphoma grade III, unspecified, spleen  |
| C82.28      | Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites                 |
| C82.29      | Follicular lymphoma grade III, unspecified, extranodal and solid organ sites              |
| C82.30      | Follicular lymphoma grade IIIa, unspecified site  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C82.31 | Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck             |
| C82.32 | Follicular lymphoma grade IIIa, intrathoracic lymph nodes                       |
| C82.33 | Follicular lymphoma grade IIIa, intra-abdominal lymph nodes                     |
| C82.34 | Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb            |
| C82.35 | Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb   |
| C82.36 | Follicular lymphoma grade IIIa, intrapelvic lymph nodes                         |
| C82.37 | Follicular lymphoma grade IIIa, spleen  |
| C82.38 | Follicular lymphoma grade IIIa, lymph nodes of multiple sites                   |
| C82.39 | Follicular lymphoma grade IIIa, extranodal and solid organ sites                |
| C82.40 | Follicular lymphoma grade IIIb, unspecified site                                |
| C82.41 | Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck             |
| C82.42 | Follicular lymphoma grade IIIb, intrathoracic lymph nodes                       |
| C82.43 | Follicular lymphoma grade IIIb, intra-abdominal lymph nodes                     |
| C82.44 | Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb            |
| C82.45 | Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb   |
| C82.46 | Follicular lymphoma grade IIIb, intrapelvic lymph nodes                         |
| C82.47 | Follicular lymphoma grade IIIb, spleen  |
| C82.48 | Follicular lymphoma grade IIIb, lymph nodes of multiple sites                   |
| C82.49 | Follicular lymphoma grade IIIb, extranodal and solid organ sites                |
| C82.50 | Diffuse follicle center lymphoma, unspecified site                              |
| C82.51 | Diffuse follicle center lymphoma, lymph nodes of head, face, and neck           |
| C82.52 | Diffuse follicle center lymphoma, intrathoracic lymph nodes                     |
| C82.53 | Diffuse follicle center lymphoma, intra-abdominal lymph nodes                   |
| C82.54 | Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb          |
| C82.55 | Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.56 | Diffuse follicle center lymphoma, intrapelvic lymph nodes                       |
| C82.57 | Diffuse follicle center lymphoma, spleen  |
| C82.58 | Diffuse follicle center lymphoma, lymph nodes of multiple sites                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C82.59 | Diffuse follicle center lymphoma, extranodal and solid organ sites                |
| C82.60 | Cutaneous follicle center lymphoma, unspecified site                              |
| C82.61 | Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck           |
| C82.62 | Cutaneous follicle center lymphoma, intrathoracic lymph nodes                     |
| C82.63 | Cutaneous follicle center lymphoma, intra-abdominal lymph nodes                   |
| C82.64 | Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb          |
| C82.65 | Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb |
| C82.66 | Cutaneous follicle center lymphoma, intrapelvic lymph nodes                       |
| C82.67 | Cutaneous follicle center lymphoma, spleen  |
| C82.68 | Cutaneous follicle center lymphoma, lymph nodes of multiple sites                 |
| C82.69 | Cutaneous follicle center lymphoma, extranodal and solid organ sites              |
| C82.80 | Other types of follicular lymphoma, unspecified site                              |
| C82.81 | Other types of follicular lymphoma, lymph nodes of head, face, and neck           |
| C82.82 | Other types of follicular lymphoma, intrathoracic lymph nodes                     |
| C82.83 | Other types of follicular lymphoma, intra-abdominal lymph nodes                   |
| C82.84 | Other types of follicular lymphoma, lymph nodes of axilla and upper limb          |
| C82.85 | Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb |
| C82.86 | Other types of follicular lymphoma, intrapelvic lymph nodes                       |
| C82.87 | Other types of follicular lymphoma, spleen  |
| C82.88 | Other types of follicular lymphoma, lymph nodes of multiple sites                 |
| C82.89 | Other types of follicular lymphoma, extranodal and solid organ sites              |
| C82.90 | Follicular lymphoma, unspecified, unspecified site                                |
| C82.91 | Follicular lymphoma, unspecified, lymph nodes of head, face, and neck             |
| C82.92 | Follicular lymphoma, unspecified, intrathoracic lymph nodes                       |
| C82.93 | Follicular lymphoma, unspecified, intra-abdominal lymph nodes                     |
| C82.94 | Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb            |
| C82.95 | Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb   |
| C82.96 | Follicular lymphoma, unspecified, intrapelvic lymph nodes                         |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C82.97      | Follicular lymphoma, unspecified, spleen                                  |
| C82.98      | Follicular lymphoma, unspecified, lymph nodes of multiple sites           |
| C82.99      | Follicular lymphoma, unspecified, extranodal and solid organ sites        |
| C83.00      | Small cell B-cell lymphoma, unspecified site                              |
| C83.01      | Small cell B-cell lymphoma, lymph nodes of head, face, and neck           |
| C83.02      | Small cell B-cell lymphoma, intrathoracic lymph nodes                     |
| C83.03      | Small cell B-cell lymphoma, intra-abdominal lymph nodes                   |
| C83.04      | Small cell B-cell lymphoma, lymph nodes of axilla and upper limb          |
| C83.05      | Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb |
| C83.06      | Small cell B-cell lymphoma, intrapelvic lymph nodes                       |
| C83.07      | Small cell B-cell lymphoma, spleen  |
| C83.08      | Small cell B-cell lymphoma, lymph nodes of multiple sites                 |
| C83.09      | Small cell B-cell lymphoma, extranodal and solid organ sites              |
| C83.10      | Mantle cell lymphoma, unspecified site                                    |
| C83.11      | Mantle cell lymphoma, lymph nodes of head, face, and neck                 |
| C83.12      | Mantle cell lymphoma, intrathoracic lymph nodes                           |
| C83.13      | Mantle cell lymphoma, intra-abdominal lymph nodes                         |
| C83.14      | Mantle cell lymphoma, lymph nodes of axilla and upper limb                |
| C83.15      | Mantle cell lymphoma, lymph nodes of inguinal region and lower limb       |
| C83.16      | Mantle cell lymphoma, intrapelvic lymph nodes                             |
| C83.17      | Mantle cell lymphoma, spleen  |
| C83.18      | Mantle cell lymphoma, lymph nodes of multiple sites                       |
| C83.19      | Mantle cell lymphoma, extranodal and solid organ sites                    |
| C83.30      | Diffuse large B-cell lymphoma, unspecified site                           |
| C83.31      | Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck        |
| C83.32      | Diffuse large B-cell lymphoma, intrathoracic lymph nodes                  |
| C83.33      | Diffuse large B-cell lymphoma, intra-abdominal lymph nodes                |
| C83.34      | Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb       |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C83.35 | Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb    |
| C83.36 | Diffuse large B-cell lymphoma, intrapelvic lymph nodes                          |
| C83.37 | Diffuse large B-cell lymphoma, spleen   |
| C83.38 | Diffuse large B-cell lymphoma, lymph nodes of multiple sites                    |
| C83.39 | Diffuse large B-cell lymphoma, extranodal and solid organ sites                 |
| C83.50 | Lymphoblastic (diffuse) lymphoma, unspecified site                              |
| C83.51 | Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck           |
| C83.52 | Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes                     |
| C83.53 | Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes                   |
| C83.54 | Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb          |
| C83.55 | Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb |
| C83.56 | Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes                       |
| C83.57 | Lymphoblastic (diffuse) lymphoma, spleen  |
| C83.58 | Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites                 |
| C83.59 | Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites              |
| C83.70 | Burkitt lymphoma, unspecified site  |
| C83.71 | Burkitt lymphoma, lymph nodes of head, face, and neck                           |
| C83.72 | Burkitt lymphoma, intrathoracic lymph nodes                                     |
| C83.73 | Burkitt lymphoma, intra-abdominal lymph nodes                                   |
| C83.74 | Burkitt lymphoma, lymph nodes of axilla and upper limb                          |
| C83.75 | Burkitt lymphoma, lymph nodes of inguinal region and lower limb                 |
| C83.76 | Burkitt lymphoma, intrapelvic lymph nodes                                       |
| C83.77 | Burkitt lymphoma, spleen  |
| C83.78 | Burkitt lymphoma, lymph nodes of multiple sites                                 |
| C83.79 | Burkitt lymphoma, extranodal and solid organ sites                              |
| C83.80 | Other non-follicular lymphoma, unspecified site                                 |
| C83.81 | Other non-follicular lymphoma, lymph nodes of head, face, and neck              |
| C83.82 | Other non-follicular lymphoma, intrathoracic lymph nodes                        |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C83.83 | Other non-follicular lymphoma, intra-abdominal lymph nodes                                    |
| C83.84 | Other non-follicular lymphoma, lymph nodes of axilla and upper limb                           |
| C83.85 | Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb                  |
| C83.86 | Other non-follicular lymphoma, intrapelvic lymph nodes  |
| C83.87 | Other non-follicular lymphoma, spleen   |
| C83.88 | Other non-follicular lymphoma, lymph nodes of multiple sites                                  |
| C83.89 | Other non-follicular lymphoma, extranodal and solid organ sites                               |
| C83.90 | Non-follicular (diffuse) lymphoma, unspecified, unspecified site                              |
| C83.91 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck           |
| C83.92 | Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes                     |
| C83.93 | Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes                   |
| C83.94 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb          |
| C83.95 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C83.96 | Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes                       |
| C83.97 | Non-follicular (diffuse) lymphoma, unspecified, spleen  |
| C83.98 | Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites                 |
| C83.99 | Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites              |
| C84.00 | Mycosis fungoides, unspecified site   |
| C84.01 | Mycosis fungoides, lymph nodes of head, face, and neck  |
| C84.02 | Mycosis fungoides, intrathoracic lymph nodes  |
| C84.03 | Mycosis fungoides, intra-abdominal lymph nodes  |
| C84.04 | Mycosis fungoides, lymph nodes of axilla and upper limb                                       |
| C84.05 | Mycosis fungoides, lymph nodes of inguinal region and lower limb                              |
| C84.06 | Mycosis fungoides, intrapelvic lymph nodes  |
| C84.07 | Mycosis fungoides, spleen   |
| C84.08 | Mycosis fungoides, lymph nodes of multiple sites  |
| C84.09 | Mycosis fungoides, extranodal and solid organ sites   |
| C84.10 | Sezary disease, unspecified site  |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C84.11 | Sezary disease, lymph nodes of head, face, and neck   |
| C84.12 | Sezary disease, intrathoracic lymph nodes   |
| C84.13 | Sezary disease, intra-abdominal lymph nodes   |
| C84.14 | Sezary disease, lymph nodes of axilla and upper limb  |
| C84.15 | Sezary disease, lymph nodes of inguinal region and lower limb                               |
| C84.16 | Sezary disease, intrapelvic lymph nodes   |
| C84.17 | Sezary disease, spleen  |
| C84.18 | Sezary disease, lymph nodes of multiple sites   |
| C84.19 | Sezary disease, extranodal and solid organ sites  |
| C84.40 | Peripheral T-cell lymphoma, not classified, unspecified site                                |
| C84.41 | Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck             |
| C84.42 | Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes                       |
| C84.43 | Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes                     |
| C84.44 | Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb            |
| C84.45 | Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb   |
| C84.46 | Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes                         |
| C84.47 | Peripheral T-cell lymphoma, not classified, spleen  |
| C84.48 | Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites                   |
| C84.49 | Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites                |
| C84.60 | Anaplastic large cell lymphoma, ALK-positive, unspecified site                              |
| C84.61 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck           |
| C84.62 | Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes                     |
| C84.63 | Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes                   |
| C84.64 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb          |
| C84.65 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb |
| C84.66 | Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes                       |
| C84.67 | Anaplastic large cell lymphoma, ALK-positive, spleen  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C84.68 | Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites                 |
| C84.69 | Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites              |
| C84.70 | Anaplastic large cell lymphoma, ALK-negative, unspecified site                              |
| C84.71 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck           |
| C84.72 | Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes                     |
| C84.73 | Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes                   |
| C84.74 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb          |
| C84.75 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb |
| C84.76 | Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes                       |
| C84.77 | Anaplastic large cell lymphoma, ALK-negative, spleen  |
| C84.78 | Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites                 |
| C84.79 | Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites              |
| C84.90 | Mature T/NK-cell lymphomas, unspecified, unspecified site                                   |
| C84.91 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck                |
| C84.92 | Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes                          |
| C84.93 | Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes                        |
| C84.94 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb               |
| C84.95 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb      |
| C84.96 | Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes                            |
| C84.97 | Mature T/NK-cell lymphomas, unspecified, spleen   |
| C84.98 | Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites                      |
| C84.99 | Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites                   |
| C84.A0 | Cutaneous T-cell lymphoma, unspecified, unspecified site                                    |
| C84.A1 | Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck                  |
| C84.A2 | Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes                           |
| C84.A3 | Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes                         |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| C84.A4      | Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb          |
| C84.A5      | Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb |
| C84.A6      | Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes                       |
| C84.A7      | Cutaneous T-cell lymphoma, unspecified, spleen  |
| C84.A8      | Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites                 |
| C84.A9      | Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites              |
| C84.Z0      | Other mature T/NK-cell lymphomas, unspecified site                                    |
| C84.Z1      | Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck                 |
| C84.Z2      | Other mature T/NK-cell lymphomas, intrathoracic lymph nodes                           |
| C84.Z3      | Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes                         |
| C84.Z4      | Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb                |
| C84.Z5      | Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb       |
| C84.Z6      | Other mature T/NK-cell lymphomas, intrapelvic lymph nodes                             |
| C84.Z7      | Other mature T/NK-cell lymphomas, spleen  |
| C84.Z8      | Other mature T/NK-cell lymphomas, lymph nodes of multiple sites                       |
| C84.Z9      | Other mature T/NK-cell lymphomas, extranodal and solid organ sites                    |
| C85.10      | Unspecified B-cell lymphoma, unspecified site   |
| C85.11      | Unspecified B-cell lymphoma, lymph nodes of head, face, and neck                      |
| C85.12      | Unspecified B-cell lymphoma, intrathoracic lymph nodes                                |
| C85.13      | Unspecified B-cell lymphoma, intra-abdominal lymph nodes                              |
| C85.14      | Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb                     |
| C85.15      | Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb            |
| C85.16      | Unspecified B-cell lymphoma, intrapelvic lymph nodes                                  |
| C85.17      | Unspecified B-cell lymphoma, spleen   |
| C85.18      | Unspecified B-cell lymphoma, lymph nodes of multiple sites                            |
| C85.19      | Unspecified B-cell lymphoma, extranodal and solid organ sites                         |
| C85.20      | Mediastinal (thymic) large B-cell lymphoma, unspecified site                          |
| C85.21      | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck       |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C85.22 | Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes                        |
| C85.23 | Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes                      |
| C85.24 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb             |
| C85.25 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb    |
| C85.26 | Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes                          |
| C85.27 | Mediastinal (thymic) large B-cell lymphoma, spleen   |
| C85.28 | Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites                    |
| C85.29 | Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites                 |
| C85.80 | Other specified types of non-Hodgkin lymphoma, unspecified site                              |
| C85.81 | Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck           |
| C85.82 | Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes                     |
| C85.83 | Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes                   |
| C85.84 | Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb          |
| C85.85 | Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb |
| C85.86 | Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes                       |
| C85.87 | Other specified types of non-Hodgkin lymphoma, spleen  |
| C85.88 | Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites                 |
| C85.89 | Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites              |
| C85.90 | Non-Hodgkin lymphoma, unspecified, unspecified site  |
| C85.91 | Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck                       |
| C85.92 | Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes                                 |
| C85.93 | Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes                               |
| C85.94 | Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb                      |
| C85.95 | Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb             |
| C85.96 | Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes                                   |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C85.97 | Non-Hodgkin lymphoma, unspecified, spleen   |
| C85.98 | Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites                              |
| C85.99 | Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites                           |
| C86.0  | Extranodal NK/T-cell lymphoma, nasal type   |
| C86.1  | Hepatosplenic T-cell lymphoma   |
| C86.2  | Enteropathy-type (intestinal) T-cell lymphoma   |
| C86.3  | Subcutaneous panniculitis-like T-cell lymphoma  |
| C86.4  | Blastic NK-cell lymphoma  |
| C86.5  | Angioimmunoblastic T-cell lymphoma  |
| C86.6  | Primary cutaneous CD30-positive T-cell proliferations   |
| C88.2  | Heavy chain disease   |
| C88.3  | Immunoproliferative small intestinal disease  |
| C88.4  | Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] |
| C88.8  | Other malignant immunoproliferative diseases  |
| C88.9  | Malignant immunoproliferative disease, unspecified  |
| C90.00 | Multiple myeloma not having achieved remission  |
| C90.01 | Multiple myeloma in remission   |
| C90.02 | Multiple myeloma in relapse   |
| C90.10 | Plasma cell leukemia not having achieved remission  |
| C90.11 | Plasma cell leukemia in remission   |
| C90.12 | Plasma cell leukemia in relapse   |
| C90.20 | Extramedullary plasmacytoma not having achieved remission                                     |
| C90.21 | Extramedullary plasmacytoma in remission  |
| C90.22 | Extramedullary plasmacytoma in relapse  |
| C90.30 | Solitary plasmacytoma not having achieved remission   |
| C90.31 | Solitary plasmacytoma in remission  |
| C90.32 | Solitary plasmacytoma in relapse  |
| C91.00 | Acute lymphoblastic leukemia not having achieved remission                                    |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| C91.01      | Acute lymphoblastic leukemia, in remission                                       |
| C91.02      | Acute lymphoblastic leukemia, in relapse   |
| C91.10      | Chronic lymphocytic leukemia of B-cell type not having achieved remission        |
| C91.11      | Chronic lymphocytic leukemia of B-cell type in remission                         |
| C91.12      | Chronic lymphocytic leukemia of B-cell type in relapse                           |
| C91.30      | Prolymphocytic leukemia of B-cell type not having achieved remission             |
| C91.31      | Prolymphocytic leukemia of B-cell type, in remission                             |
| C91.32      | Prolymphocytic leukemia of B-cell type, in relapse                               |
| C91.40      | Hairy cell leukemia not having achieved remission                                |
| C91.41      | Hairy cell leukemia, in remission  |
| C91.42      | Hairy cell leukemia, in relapse  |
| C91.50      | Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission |
| C91.51      | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission                 |
| C91.52      | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse                   |
| C91.60      | Prolymphocytic leukemia of T-cell type not having achieved remission             |
| C91.61      | Prolymphocytic leukemia of T-cell type, in remission                             |
| C91.62      | Prolymphocytic leukemia of T-cell type, in relapse                               |
| C91.90      | Lymphoid leukemia, unspecified not having achieved remission                     |
| C91.91      | Lymphoid leukemia, unspecified, in remission                                     |
| C91.92      | Lymphoid leukemia, unspecified, in relapse                                       |
| C91.A0      | Mature B-cell leukemia Burkitt-type not having achieved remission                |
| C91.A1      | Mature B-cell leukemia Burkitt-type, in remission                                |
| C91.A2      | Mature B-cell leukemia Burkitt-type, in relapse                                  |
| C91.Z0      | Other lymphoid leukemia not having achieved remission                            |
| C91.Z1      | Other lymphoid leukemia, in remission  |
| C91.Z2      | Other lymphoid leukemia, in relapse  |
| C92.00      | Acute myeloblastic leukemia, not having achieved remission                       |
| C92.01      | Acute myeloblastic leukemia, in remission  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C92.02 | Acute myeloblastic leukemia, in relapse  |
| C92.10 | Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission          |
| C92.11 | Chronic myeloid leukemia, BCR/ABL-positive, in remission                           |
| C92.12 | Chronic myeloid leukemia, BCR/ABL-positive, in relapse                             |
| C92.20 | Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission |
| C92.21 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission                  |
| C92.22 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse                    |
| C92.30 | Myeloid sarcoma, not having achieved remission                                     |
| C92.31 | Myeloid sarcoma, in remission  |
| C92.32 | Myeloid sarcoma, in relapse  |
| C92.40 | Acute promyelocytic leukemia, not having achieved remission                        |
| C92.41 | Acute promyelocytic leukemia, in remission   |
| C92.42 | Acute promyelocytic leukemia, in relapse   |
| C92.50 | Acute myelomonocytic leukemia, not having achieved remission                       |
| C92.51 | Acute myelomonocytic leukemia, in remission  |
| C92.52 | Acute myelomonocytic leukemia, in relapse  |
| C92.60 | Acute myeloid leukemia with 11q23-abnormality not having achieved remission        |
| C92.61 | Acute myeloid leukemia with 11q23-abnormality in remission                         |
| C92.62 | Acute myeloid leukemia with 11q23-abnormality in relapse                           |
| C92.90 | Myeloid leukemia, unspecified, not having achieved remission                       |
| C92.91 | Myeloid leukemia, unspecified in remission   |
| C92.92 | Myeloid leukemia, unspecified in relapse   |
| C92.A0 | Acute myeloid leukemia with multilineage dysplasia, not having achieved remission  |
| C92.A1 | Acute myeloid leukemia with multilineage dysplasia, in remission                   |
| C92.A2 | Acute myeloid leukemia with multilineage dysplasia, in relapse                     |
| C92.Z0 | Other myeloid leukemia not having achieved remission                               |
| C92.Z1 | Other myeloid leukemia, in remission   |
| C92.Z2 | Other myeloid leukemia, in relapse   |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C93.00 | Acute monoblastic/monocytic leukemia, not having achieved remission |
| C93.01 | Acute monoblastic/monocytic leukemia, in remission                  |
| C93.02 | Acute monoblastic/monocytic leukemia, in relapse                    |
| C93.10 | Chronic myelomonocytic leukemia not having achieved remission       |
| C93.11 | Chronic myelomonocytic leukemia, in remission                       |
| C93.12 | Chronic myelomonocytic leukemia, in relapse                         |
| C93.30 | Juvenile myelomonocytic leukemia, not having achieved remission     |
| C93.31 | Juvenile myelomonocytic leukemia, in remission                      |
| C93.32 | Juvenile myelomonocytic leukemia, in relapse                        |
| C93.90 | Monocytic leukemia, unspecified, not having achieved remission      |
| C93.91 | Monocytic leukemia, unspecified in remission                        |
| C93.92 | Monocytic leukemia, unspecified in relapse                          |
| C93.Z0 | Other monocytic leukemia, not having achieved remission             |
| C93.Z1 | Other monocytic leukemia, in remission                              |
| C93.Z2 | Other monocytic leukemia, in relapse                                |
| C94.00 | Acute erythroid leukemia, not having achieved remission             |
| C94.01 | Acute erythroid leukemia, in remission                              |
| C94.02 | Acute erythroid leukemia, in relapse                                |
| C94.20 | Acute megakaryoblastic leukemia not having achieved remission       |
| C94.21 | Acute megakaryoblastic leukemia, in remission                       |
| C94.22 | Acute megakaryoblastic leukemia, in relapse                         |
| C94.30 | Mast cell leukemia not having achieved remission                    |
| C94.31 | Mast cell leukemia, in remission                                    |
| C94.32 | Mast cell leukemia, in relapse                                      |
| C94.40 | Acute panmyelosis with myelofibrosis not having achieved remission  |
| C94.41 | Acute panmyelosis with myelofibrosis, in remission                  |
| C94.42 | Acute panmyelosis with myelofibrosis, in relapse                    |
| C94.6  | Myelodysplastic disease, not classified                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C94.80  | Other specified leukemias not having achieved remission                           |
| C94.81  | Other specified leukemias, in remission   |
| C94.82  | Other specified leukemias, in relapse   |
| C95.00  | Acute leukemia of unspecified cell type not having achieved remission             |
| C95.01  | Acute leukemia of unspecified cell type, in remission                             |
| C95.02  | Acute leukemia of unspecified cell type, in relapse                               |
| C95.10  | Chronic leukemia of unspecified cell type not having achieved remission           |
| C95.11  | Chronic leukemia of unspecified cell type, in remission                           |
| C95.12  | Chronic leukemia of unspecified cell type, in relapse                             |
| C95.90  | Leukemia, unspecified not having achieved remission                               |
| C95.91  | Leukemia, unspecified, in remission   |
| C95.92  | Leukemia, unspecified, in relapse   |
| C96.0   | Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis         |
| C96.4   | Sarcoma of dendritic cells (accessory cells)                                      |
| C96.9   | Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified     |
| C96.A   | Histiocytic sarcoma   |
| C96.Z   | Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue |
| D01.40  | Carcinoma in situ of unspecified part of intestine                                |
| D01.49  | Carcinoma in situ of other parts of intestine                                     |
| D01.5   | Carcinoma in situ of liver, gallbladder and bile ducts                            |
| D01.7   | Carcinoma in situ of other specified digestive organs                             |
| D01.9   | Carcinoma in situ of digestive organ, unspecified                                 |
| D03.0   | Melanoma in situ of lip   |
| D03.10  | Melanoma in situ of unspecified eyelid, including canthus                         |
| D03.111 | Melanoma in situ of right upper eyelid, including canthus                         |
| D03.112 | Melanoma in situ of right lower eyelid, including canthus                         |
| D03.121 | Melanoma in situ of left upper eyelid, including canthus                          |
| D03.122 | Melanoma in situ of left lower eyelid, including canthus                          |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| D03.20  | Melanoma in situ of unspecified ear and external auricular canal         |
| D03.21  | Melanoma in situ of right ear and external auricular canal               |
| D03.22  | Melanoma in situ of left ear and external auricular canal                |
| D03.30  | Melanoma in situ of unspecified part of face                             |
| D03.39  | Melanoma in situ of other parts of face                                  |
| D03.4   | Melanoma in situ of scalp and neck                                       |
| D03.51  | Melanoma in situ of anal skin  |
| D03.52  | Melanoma in situ of breast (skin) (soft tissue)                          |
| D03.59  | Melanoma in situ of other part of trunk                                  |
| D03.60  | Melanoma in situ of unspecified upper limb, including shoulder           |
| D03.61  | Melanoma in situ of right upper limb, including shoulder                 |
| D03.62  | Melanoma in situ of left upper limb, including shoulder                  |
| D03.70  | Melanoma in situ of unspecified lower limb, including hip                |
| D03.71  | Melanoma in situ of right lower limb, including hip                      |
| D03.72  | Melanoma in situ of left lower limb, including hip                       |
| D03.8   | Melanoma in situ of other sites  |
| D03.9   | Melanoma in situ, unspecified  |
| D13.4   | Benign neoplasm of liver   |
| D13.5   | Benign neoplasm of extrahepatic bile ducts                               |
| D13.6   | Benign neoplasm of pancreas  |
| D13.7   | Benign neoplasm of endocrine pancreas                                    |
| D18.03  | Hemangioma of intra-abdominal structures                                 |
| D37.01  | Neoplasm of uncertain behavior of lip                                    |
| D37.02  | Neoplasm of uncertain behavior of tongue                                 |
| D37.030 | Neoplasm of uncertain behavior of the parotid salivary glands            |
| D37.031 | Neoplasm of uncertain behavior of the sublingual salivary glands         |
| D37.032 | Neoplasm of uncertain behavior of the submandibular salivary glands      |
| D37.039 | Neoplasm of uncertain behavior of the major salivary glands, unspecified |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| D37.04 | Neoplasm of uncertain behavior of the minor salivary glands                |
| D37.05 | Neoplasm of uncertain behavior of pharynx                                  |
| D37.09 | Neoplasm of uncertain behavior of other specified sites of the oral cavity |
| D37.1  | Neoplasm of uncertain behavior of stomach                                  |
| D37.2  | Neoplasm of uncertain behavior of small intestine                          |
| D37.3  | Neoplasm of uncertain behavior of appendix                                 |
| D37.4  | Neoplasm of uncertain behavior of colon                                    |
| D37.5  | Neoplasm of uncertain behavior of rectum                                   |
| D37.6  | Neoplasm of uncertain behavior of liver, gallbladder and bile ducts        |
| D37.8  | Neoplasm of uncertain behavior of other specified digestive organs         |
| D37.9  | Neoplasm of uncertain behavior of digestive organ, unspecified             |
| D38.0  | Neoplasm of uncertain behavior of larynx                                   |
| D38.1  | Neoplasm of uncertain behavior of trachea, bronchus and lung               |
| D38.2  | Neoplasm of uncertain behavior of pleura                                   |
| D38.3  | Neoplasm of uncertain behavior of mediastinum                              |
| D38.4  | Neoplasm of uncertain behavior of thymus                                   |
| D38.5  | Neoplasm of uncertain behavior of other respiratory organs                 |
| D38.6  | Neoplasm of uncertain behavior of respiratory organ, unspecified           |
| D39.0  | Neoplasm of uncertain behavior of uterus                                   |
| D39.10 | Neoplasm of uncertain behavior of unspecified ovary                        |
| D39.11 | Neoplasm of uncertain behavior of right ovary                              |
| D39.12 | Neoplasm of uncertain behavior of left ovary                               |
| D39.2  | Neoplasm of uncertain behavior of placenta                                 |
| D39.8  | Neoplasm of uncertain behavior of other specified female genital organs    |
| D39.9  | Neoplasm of uncertain behavior of female genital organ, unspecified        |
| D40.0  | Neoplasm of uncertain behavior of prostate                                 |
| D40.10 | Neoplasm of uncertain behavior of unspecified testis                       |
| D40.11 | Neoplasm of uncertain behavior of right testis                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D40.12 | Neoplasm of uncertain behavior of left testis                                     |
| D40.8  | Neoplasm of uncertain behavior of other specified male genital organs             |
| D40.9  | Neoplasm of uncertain behavior of male genital organ, unspecified                 |
| D41.00 | Neoplasm of uncertain behavior of unspecified kidney                              |
| D41.01 | Neoplasm of uncertain behavior of right kidney                                    |
| D41.02 | Neoplasm of uncertain behavior of left kidney                                     |
| D41.10 | Neoplasm of uncertain behavior of unspecified renal pelvis                        |
| D41.11 | Neoplasm of uncertain behavior of right renal pelvis                              |
| D41.12 | Neoplasm of uncertain behavior of left renal pelvis                               |
| D41.20 | Neoplasm of uncertain behavior of unspecified ureter                              |
| D41.21 | Neoplasm of uncertain behavior of right ureter                                    |
| D41.22 | Neoplasm of uncertain behavior of left ureter                                     |
| D41.3  | Neoplasm of uncertain behavior of urethra   |
| D41.4  | Neoplasm of uncertain behavior of bladder   |
| D41.8  | Neoplasm of uncertain behavior of other specified urinary organs                  |
| D41.9  | Neoplasm of uncertain behavior of unspecified urinary organ                       |
| D42.0  | Neoplasm of uncertain behavior of cerebral meninges                               |
| D42.1  | Neoplasm of uncertain behavior of spinal meninges                                 |
| D42.9  | Neoplasm of uncertain behavior of meninges, unspecified                           |
| D43.0  | Neoplasm of uncertain behavior of brain, supratentorial                           |
| D43.1  | Neoplasm of uncertain behavior of brain, infratentorial                           |
| D43.2  | Neoplasm of uncertain behavior of brain, unspecified                              |
| D43.3  | Neoplasm of uncertain behavior of cranial nerves                                  |
| D43.4  | Neoplasm of uncertain behavior of spinal cord                                     |
| D43.8  | Neoplasm of uncertain behavior of other specified parts of central nervous system |
| D43.9  | Neoplasm of uncertain behavior of central nervous system, unspecified             |
| D44.0  | Neoplasm of uncertain behavior of thyroid gland                                   |
| D44.10 | Neoplasm of uncertain behavior of unspecified adrenal gland                       |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D44.11 | Neoplasm of uncertain behavior of right adrenal gland                                     |
| D44.12 | Neoplasm of uncertain behavior of left adrenal gland                                      |
| D44.2  | Neoplasm of uncertain behavior of parathyroid gland                                       |
| D44.3  | Neoplasm of uncertain behavior of pituitary gland   |
| D44.4  | Neoplasm of uncertain behavior of craniopharyngeal duct                                   |
| D44.5  | Neoplasm of uncertain behavior of pineal gland  |
| D44.6  | Neoplasm of uncertain behavior of carotid body  |
| D44.7  | Neoplasm of uncertain behavior of aortic body and other paraganglia                       |
| D44.9  | Neoplasm of uncertain behavior of unspecified endocrine gland                             |
| D45    | Polycythemia vera   |
| D46.0  | Refractory anemia without ring sideroblasts, so stated                                    |
| D46.1  | Refractory anemia with ring sideroblasts  |
| D46.20 | Refractory anemia with excess of blasts, unspecified                                      |
| D46.21 | Refractory anemia with excess of blasts 1   |
| D46.22 | Refractory anemia with excess of blasts 2   |
| D46.4  | Refractory anemia, unspecified  |
| D46.9  | Myelodysplastic syndrome, unspecified   |
| D46.A  | Refractory cytopenia with multilineage dysplasia  |
| D46.B  | Refractory cytopenia with multilineage dysplasia and ring sideroblasts                    |
| D46.C  | Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality                    |
| D46.Z  | Other myelodysplastic syndromes   |
| D47.09 | Other mast cell neoplasms of uncertain behavior   |
| D47.1  | Chronic myeloproliferative disease  |
| D47.3  | Essential (hemorrhagic) thrombocythemia   |
| D47.9  | Neoplasm of uncertain behavior of lymphoid, hematopoietic and related tissue, unspecified |
| D47.Z1 | Post-transplant lymphoproliferative disorder (PTLD)                                       |
| D47.Z2 | Castleman disease   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D47.Z9  | Other specified neoplasms of uncertain behavior of lymphoid, hematopoietic and related tissue |
| D48.0   | Neoplasm of uncertain behavior of bone and articular cartilage                                |
| D48.1   | Neoplasm of uncertain behavior of connective and other soft tissue                            |
| D48.2   | Neoplasm of uncertain behavior of peripheral nerves and autonomic nervous system              |
| D48.3   | Neoplasm of uncertain behavior of retroperitoneum   |
| D48.4   | Neoplasm of uncertain behavior of peritoneum  |
| D48.5   | Neoplasm of uncertain behavior of skin  |
| D48.60  | Neoplasm of uncertain behavior of unspecified breast  |
| D48.61  | Neoplasm of uncertain behavior of right breast  |
| D48.62  | Neoplasm of uncertain behavior of left breast   |
| D48.7   | Neoplasm of uncertain behavior of other specified sites                                       |
| D48.9   | Neoplasm of uncertain behavior, unspecified   |
| D49.0   | Neoplasm of unspecified behavior of digestive system  |
| D57.00  | Hb-SS disease with crisis, unspecified  |
| D57.01  | Hb-SS disease with acute chest syndrome   |
| D57.02  | Hb-SS disease with splenic sequestration  |
| D57.1   | Sickle-cell disease without crisis  |
| D57.20  | Sickle-cell/Hb-C disease without crisis   |
| D57.211 | Sickle-cell/Hb-C disease with acute chest syndrome  |
| D57.212 | Sickle-cell/Hb-C disease with splenic sequestration   |
| D57.219 | Sickle-cell/Hb-C disease with crisis, unspecified   |
| D57.412 | Sickle-cell thalassemia, unspecified, with splenic sequestration                              |
| D57.80  | Other sickle-cell disorders without crisis  |
| D57.811 | Other sickle-cell disorders with acute chest syndrome   |
| D57.812 | Other sickle-cell disorders with splenic sequestration  |
| D57.819 | Other sickle-cell disorders with crisis, unspecified  |
| D65     | Disseminated intravascular coagulation [defibrination syndrome]                               |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D68.32  | Hemorrhagic disorder due to extrinsic circulating anticoagulants                      |
| D68.4   | Acquired coagulation factor deficiency  |
| D73.1   | Hypersplenism   |
| D81.810 | Biotinidase deficiency  |
| D84.1   | Defects in the complement system  |
| D86.0   | Sarcoidosis of lung   |
| D86.1   | Sarcoidosis of lymph nodes  |
| D86.2   | Sarcoidosis of lung with sarcoidosis of lymph nodes                                   |
| D86.3   | Sarcoidosis of skin   |
| D86.81  | Sarcoid meningitis  |
| D86.82  | Multiple cranial nerve palsies in sarcoidosis   |
| D86.83  | Sarcoid iridocyclitis   |
| D86.84  | Sarcoid pyelonephritis  |
| D86.85  | Sarcoid myocarditis   |
| D86.86  | Sarcoid arthropathy   |
| D86.87  | Sarcoid myositis  |
| D86.89  | Sarcoidosis of other sites  |
| D86.9   | Sarcoidosis, unspecified  |
| E08.21  | Diabetes mellitus due to underlying condition with diabetic nephropathy               |
| E08.22  | Diabetes mellitus due to underlying condition with diabetic chronic kidney disease    |
| E08.29  | Diabetes mellitus due to underlying condition with other diabetic kidney complication |
| E09.21  | Drug or chemical induced diabetes mellitus with diabetic nephropathy                  |
| E09.22  | Drug or chemical induced diabetes mellitus with diabetic chronic kidney disease       |
| E09.29  | Drug or chemical induced diabetes mellitus with other diabetic kidney complication    |
| E10.10  | Type 1 diabetes mellitus with ketoacidosis without coma                               |
| E10.11  | Type 1 diabetes mellitus with ketoacidosis with coma                                  |
| E10.21  | Type 1 diabetes mellitus with diabetic nephropathy                                    |
| E10.22  | Type 1 diabetes mellitus with diabetic chronic kidney disease                         |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E10.29      | Type 1 diabetes mellitus with other diabetic kidney complication   |
| E10.311     | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema                                |
| E10.319     | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema                             |
| E10.3211    | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E10.3212    | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E10.3213    | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E10.3219    | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E10.3291    | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E10.3292    | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E10.3293    | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E10.3299    | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E10.3311    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E10.3312    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E10.3313    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E10.3319    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |
| E10.3391    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye    |
| E10.3392    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| E10.3393    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3399    | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.3411    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E10.3412    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E10.3413    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E10.3419    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E10.3491    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E10.3492    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E10.3493    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E10.3499    | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E10.3511    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                      |
| E10.3512    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                       |
| E10.3513    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                      |
| E10.3519    | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                |
| E10.3591    | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye                   |
| E10.3592    | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E10.3599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E10.36   | Type 1 diabetes mellitus with diabetic cataract   |
| E10.39   | Type 1 diabetes mellitus with other diabetic ophthalmic complication                                    |
| E10.40   | Type 1 diabetes mellitus with diabetic neuropathy, unspecified  |
| E10.41   | Type 1 diabetes mellitus with diabetic mononeuropathy   |
| E10.42   | Type 1 diabetes mellitus with diabetic polyneuropathy   |
| E10.43   | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E10.44   | Type 1 diabetes mellitus with diabetic amyotrophy   |
| E10.49   | Type 1 diabetes mellitus with other diabetic neurological complication                                  |
| E10.51   | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene                           |
| E10.52   | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene                              |
| E10.59   | Type 1 diabetes mellitus with other circulatory complications   |
| E10.610  | Type 1 diabetes mellitus with diabetic neuropathic arthropathy  |
| E10.618  | Type 1 diabetes mellitus with other diabetic arthropathy  |
| E10.620  | Type 1 diabetes mellitus with diabetic dermatitis   |
| E10.621  | Type 1 diabetes mellitus with foot ulcer  |
| E10.622  | Type 1 diabetes mellitus with other skin ulcer  |
| E10.628  | Type 1 diabetes mellitus with other skin complications  |
| E10.630  | Type 1 diabetes mellitus with periodontal disease   |
| E10.638  | Type 1 diabetes mellitus with other oral complications  |
| E10.641  | Type 1 diabetes mellitus with hypoglycemia with coma  |
| E10.649  | Type 1 diabetes mellitus with hypoglycemia without coma   |
| E10.65   | Type 1 diabetes mellitus with hyperglycemia   |
| E10.69   | Type 1 diabetes mellitus with other specified complication  |
| E10.8    | Type 1 diabetes mellitus with unspecified complications   |
| E10.9    | Type 1 diabetes mellitus without complications  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E11.00   | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)         |
| E11.01   | Type 2 diabetes mellitus with hyperosmolarity with coma  |
| E11.21   | Type 2 diabetes mellitus with diabetic nephropathy   |
| E11.22   | Type 2 diabetes mellitus with diabetic chronic kidney disease  |
| E11.29   | Type 2 diabetes mellitus with other diabetic kidney complication   |
| E11.311  | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema                                |
| E11.319  | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema                             |
| E11.3211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye           |
| E11.3212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye            |
| E11.3213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral           |
| E11.3219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye     |
| E11.3291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye        |
| E11.3292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye         |
| E11.3293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral        |
| E11.3299 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye  |
| E11.3311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye       |
| E11.3312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye        |
| E11.3313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral       |
| E11.3319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E11.3392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E11.3393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E11.3399 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E11.3411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E11.3412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E11.3419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E11.3491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E11.3492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E11.3493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E11.3499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |
| E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye                      |
| E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye                       |
| E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral                      |
| E11.3519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye       |
| E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye        |
| E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral       |
| E11.3599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye |
| E11.36   | Type 2 diabetes mellitus with diabetic cataract   |
| E11.39   | Type 2 diabetes mellitus with other diabetic ophthalmic complication                                    |
| E11.40   | Type 2 diabetes mellitus with diabetic neuropathy, unspecified  |
| E11.41   | Type 2 diabetes mellitus with diabetic mononeuropathy   |
| E11.42   | Type 2 diabetes mellitus with diabetic polyneuropathy   |
| E11.43   | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy                                       |
| E11.44   | Type 2 diabetes mellitus with diabetic amyotrophy   |
| E11.49   | Type 2 diabetes mellitus with other diabetic neurological complication                                  |
| E11.51   | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene                           |
| E11.52   | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene                              |
| E11.59   | Type 2 diabetes mellitus with other circulatory complications   |
| E11.610  | Type 2 diabetes mellitus with diabetic neuropathic arthropathy  |
| E11.618  | Type 2 diabetes mellitus with other diabetic arthropathy  |
| E11.620  | Type 2 diabetes mellitus with diabetic dermatitis   |
| E11.621  | Type 2 diabetes mellitus with foot ulcer  |
| E11.622  | Type 2 diabetes mellitus with other skin ulcer  |
| E11.628  | Type 2 diabetes mellitus with other skin complications  |
| E11.630  | Type 2 diabetes mellitus with periodontal disease   |
| E11.638  | Type 2 diabetes mellitus with other oral complications  |
| E11.641  | Type 2 diabetes mellitus with hypoglycemia with coma  |
| E11.649  | Type 2 diabetes mellitus with hypoglycemia without coma   |
| E11.65   | Type 2 diabetes mellitus with hyperglycemia   |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E11.69   | Type 2 diabetes mellitus with other specified complication   |
| E11.8    | Type 2 diabetes mellitus with unspecified complications  |
| E11.9    | Type 2 diabetes mellitus without complications   |
| E13.00   | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC)        |
| E13.01   | Other specified diabetes mellitus with hyperosmolarity with coma   |
| E13.10   | Other specified diabetes mellitus with ketoacidosis without coma   |
| E13.11   | Other specified diabetes mellitus with ketoacidosis with coma  |
| E13.21   | Other specified diabetes mellitus with diabetic nephropathy  |
| E13.22   | Other specified diabetes mellitus with diabetic chronic kidney disease   |
| E13.29   | Other specified diabetes mellitus with other diabetic kidney complication  |
| E13.311  | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema                               |
| E13.319  | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema                            |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye          |
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye           |
| E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecified eye |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| E13.3311    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye          |
| E13.3312    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye           |
| E13.3313    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral          |
| E13.3319    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecified eye    |
| E13.3391    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right eye       |
| E13.3392    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left eye        |
| E13.3393    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilateral       |
| E13.3399    | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspecified eye |
| E13.3411    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye            |
| E13.3412    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye             |
| E13.3413    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral            |
| E13.3419    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified eye      |
| E13.3491    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye         |
| E13.3492    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye          |
| E13.3493    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilateral         |
| E13.3499    | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecified eye   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye  |
| E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye   |
| E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral  |
| E13.3519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye  |
| E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, right eye                           |
| E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, left eye                            |
| E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, bilateral                           |
| E13.3529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involving the macula, unspecified eye                     |
| E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, right eye                       |
| E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, left eye                        |
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, bilateral                       |
| E13.3539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not involving the macula, unspecified eye                 |
| E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, right eye |
| E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, left eye  |
| E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, bilateral |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| E13.3549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment and rhegmatogenous retinal detachment, unspecified eye |
| E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye  |
| E13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye   |
| E13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral  |
| E13.3559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye  |
| E13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye   |
| E13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye  |
| E13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral   |
| E13.3599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye   |
| E13.36   | Other specified diabetes mellitus with diabetic cataract   |
| E13.37X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye   |
| E13.37X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye  |
| E13.37X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral   |
| E13.37X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye   |
| E13.39   | Other specified diabetes mellitus with other diabetic ophthalmic complication  |
| E13.40   | Other specified diabetes mellitus with diabetic neuropathy, unspecified  |
| E13.41   | Other specified diabetes mellitus with diabetic mononeuropathy   |
| E13.42   | Other specified diabetes mellitus with diabetic polyneuropathy   |
| E13.43   | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy   |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| E13.44  | Other specified diabetes mellitus with diabetic amyotrophy                             |
| E13.49  | Other specified diabetes mellitus with other diabetic neurological complication        |
| E13.51  | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene |
| E13.52  | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene    |
| E13.59  | Other specified diabetes mellitus with other circulatory complications                 |
| E13.610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy                |
| E13.618 | Other specified diabetes mellitus with other diabetic arthropathy                      |
| E13.620 | Other specified diabetes mellitus with diabetic dermatitis                             |
| E13.621 | Other specified diabetes mellitus with foot ulcer                                      |
| E13.622 | Other specified diabetes mellitus with other skin ulcer                                |
| E13.628 | Other specified diabetes mellitus with other skin complications                        |
| E13.630 | Other specified diabetes mellitus with periodontal disease                             |
| E13.638 | Other specified diabetes mellitus with other oral complications                        |
| E13.641 | Other specified diabetes mellitus with hypoglycemia with coma                          |
| E13.649 | Other specified diabetes mellitus with hypoglycemia without coma                       |
| E13.65  | Other specified diabetes mellitus with hyperglycemia                                   |
| E13.69  | Other specified diabetes mellitus with other specified complication                    |
| E13.8   | Other specified diabetes mellitus with unspecified complications                       |
| E13.9   | Other specified diabetes mellitus without complications                                |
| E20.1   | Pseudohypoparathyroidism   |
| E21.0   | Primary hyperparathyroidism  |
| E21.1   | Secondary hyperparathyroidism, not elsewhere classified                                |
| E21.2   | Other hyperparathyroidism  |
| E21.3   | Hyperparathyroidism, unspecified   |
| E44.1   | Mild protein-calorie malnutrition  |
| E46     | Unspecified protein-calorie malnutrition   |
| E55.0   | Rickets, active  |
| E56.1   | Deficiency of vitamin K  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E64.0   | Sequelae of protein-calorie malnutrition                |
| E70.20  | Disorder of tyrosine metabolism, unspecified            |
| E70.21  | Tyrosinemia   |
| E70.29  | Other disorders of tyrosine metabolism                  |
| E70.30  | Albinism, unspecified                                   |
| E70.310 | X-linked ocular albinism                                |
| E70.311 | Autosomal recessive ocular albinism                     |
| E70.318 | Other ocular albinism                                   |
| E70.319 | Ocular albinism, unspecified                            |
| E70.320 | Tyrosinase negative oculocutaneous albinism             |
| E70.321 | Tyrosinase positive oculocutaneous albinism             |
| E70.328 | Other oculocutaneous albinism                           |
| E70.329 | Oculocutaneous albinism, unspecified                    |
| E70.330 | Chediak-Higashi syndrome                                |
| E70.331 | Hermansky-Pudlak syndrome                               |
| E70.338 | Other albinism with hematologic abnormality             |
| E70.339 | Albinism with hematologic abnormality, unspecified      |
| E70.39  | Other specified albinism                                |
| E70.5   | Disorders of tryptophan metabolism                      |
| E70.81  | Aromatic L-amino acid decarboxylase deficiency          |
| E70.89  | Other disorders of aromatic amino-acid metabolism       |
| E70.9   | Disorder of aromatic amino-acid metabolism, unspecified |
| E72.9   | Disorder of amino-acid metabolism, unspecified          |
| E74.00  | Glycogen storage disease, unspecified                   |
| E74.01  | von Gierke disease                                      |
| E74.02  | Pompe disease   |
| E74.03  | Cori disease  |
| E74.04  | McArdle disease   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E74.09  | Other glycogen storage disease                                  |
| E74.4   | Disorders of pyruvate metabolism and gluconeogenesis            |
| E75.21  | Fabry (-Anderson) disease                                       |
| E75.22  | Gaucher disease   |
| E75.240 | Niemann-Pick disease type A                                     |
| E75.241 | Niemann-Pick disease type B                                     |
| E75.242 | Niemann-Pick disease type C                                     |
| E75.243 | Niemann-Pick disease type D                                     |
| E75.248 | Other Niemann-Pick disease                                      |
| E75.249 | Niemann-Pick disease, unspecified                               |
| E75.26  | Sulfatase deficiency  |
| E75.3   | Sphingolipidosis, unspecified                                   |
| E75.6   | Lipid storage disorder, unspecified                             |
| E77.0   | Defects in post-translational modification of lysosomal enzymes |
| E77.1   | Defects in glycoprotein degradation                             |
| E77.8   | Other disorders of glycoprotein metabolism                      |
| E77.9   | Disorder of glycoprotein metabolism, unspecified                |
| E78.00  | Pure hypercholesterolemia, unspecified                          |
| E78.01  | Familial hypercholesterolemia                                   |
| E78.1   | Pure hyperglyceridemia  |
| E78.2   | Mixed hyperlipidemia  |
| E78.41  | Elevated Lipoprotein(a)   |
| E78.49  | Other hyperlipidemia  |
| E78.5   | Hyperlipidemia, unspecified                                     |
| E78.70  | Disorder of bile acid and cholesterol metabolism, unspecified   |
| E78.9   | Disorder of lipoprotein metabolism, unspecified                 |
| E80.0   | Hereditary erythropoietic porphyria                             |
| E80.1   | Porphyria cutanea tarda   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E80.20  | Unspecified porphyria                                       |
| E80.21  | Acute intermittent (hepatic) porphyria                      |
| E80.29  | Other porphyria   |
| E80.4   | Gilbert syndrome  |
| E80.5   | Crigler-Najjar syndrome                                     |
| E80.6   | Other disorders of bilirubin metabolism                     |
| E80.7   | Disorder of bilirubin metabolism, unspecified               |
| E83.00  | Disorder of copper metabolism, unspecified                  |
| E83.01  | Wilson's disease  |
| E83.09  | Other disorders of copper metabolism                        |
| E83.10  | Disorder of iron metabolism, unspecified                    |
| E83.110 | Hereditary hemochromatosis                                  |
| E83.111 | Hemochromatosis due to repeated red blood cell transfusions |
| E83.118 | Other hemochromatosis                                       |
| E83.119 | Hemochromatosis, unspecified                                |
| E83.19  | Other disorders of iron metabolism                          |
| E83.30  | Disorder of phosphorus metabolism, unspecified              |
| E83.31  | Familial hypophosphatemia                                   |
| E83.32  | Hereditary vitamin D-dependent rickets (type 1) (type 2)    |
| E83.39  | Other disorders of phosphorus metabolism                    |
| E83.40  | Disorders of magnesium metabolism, unspecified              |
| E83.41  | Hypermagnesemia   |
| E83.42  | Hypomagnesemia  |
| E83.49  | Other disorders of magnesium metabolism                     |
| E83.50  | Unspecified disorder of calcium metabolism                  |
| E83.51  | Hypocalcemia  |
| E83.52  | Hypercalcemia   |
| E83.59  | Other disorders of calcium metabolism                       |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| E83.81  | Hungry bone syndrome  |
| E85.0   | Non-neuropathic heredofamilial amyloidosis                                |
| E85.1   | Neuropathic heredofamilial amyloidosis                                    |
| E85.2   | Heredofamilial amyloidosis, unspecified                                   |
| E85.3   | Secondary systemic amyloidosis  |
| E85.4   | Organ-limited amyloidosis   |
| E85.82  | Wild-type transthyretin-related (ATTR) amyloidosis                        |
| E85.89  | Other amyloidosis   |
| E85.9   | Amyloidosis, unspecified  |
| E88.01  | Alpha-1-antitrypsin deficiency  |
| E88.02  | Plasminogen deficiency  |
| F10.10  | Alcohol abuse, uncomplicated  |
| F10.11  | Alcohol abuse, in remission   |
| F10.120 | Alcohol abuse with intoxication, uncomplicated                            |
| F10.121 | Alcohol abuse with intoxication delirium                                  |
| F10.129 | Alcohol abuse with intoxication, unspecified                              |
| F10.14  | Alcohol abuse with alcohol-induced mood disorder                          |
| F10.150 | Alcohol abuse with alcohol-induced psychotic disorder with delusions      |
| F10.151 | Alcohol abuse with alcohol-induced psychotic disorder with hallucinations |
| F10.159 | Alcohol abuse with alcohol-induced psychotic disorder, unspecified        |
| F10.180 | Alcohol abuse with alcohol-induced anxiety disorder                       |
| F10.181 | Alcohol abuse with alcohol-induced sexual dysfunction                     |
| F10.182 | Alcohol abuse with alcohol-induced sleep disorder                         |
| F10.188 | Alcohol abuse with other alcohol-induced disorder                         |
| F10.19  | Alcohol abuse with unspecified alcohol-induced disorder                   |
| F10.20  | Alcohol dependence, uncomplicated   |
| F10.21  | Alcohol dependence, in remission  |
| F10.220 | Alcohol dependence with intoxication, uncomplicated                       |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| F10.221 | Alcohol dependence with intoxication delirium  |
| F10.229 | Alcohol dependence with intoxication, unspecified                                    |
| F10.230 | Alcohol dependence with withdrawal, uncomplicated                                    |
| F10.231 | Alcohol dependence with withdrawal delirium  |
| F10.232 | Alcohol dependence with withdrawal with perceptual disturbance                       |
| F10.239 | Alcohol dependence with withdrawal, unspecified                                      |
| F10.24  | Alcohol dependence with alcohol-induced mood disorder                                |
| F10.250 | Alcohol dependence with alcohol-induced psychotic disorder with delusions            |
| F10.251 | Alcohol dependence with alcohol-induced psychotic disorder with hallucinations       |
| F10.259 | Alcohol dependence with alcohol-induced psychotic disorder, unspecified              |
| F10.26  | Alcohol dependence with alcohol-induced persisting amnestic disorder                 |
| F10.27  | Alcohol dependence with alcohol-induced persisting dementia                          |
| F10.280 | Alcohol dependence with alcohol-induced anxiety disorder                             |
| F10.281 | Alcohol dependence with alcohol-induced sexual dysfunction                           |
| F10.282 | Alcohol dependence with alcohol-induced sleep disorder                               |
| F10.288 | Alcohol dependence with other alcohol-induced disorder                               |
| F10.29  | Alcohol dependence with unspecified alcohol-induced disorder                         |
| F10.920 | Alcohol use, unspecified with intoxication, uncomplicated                            |
| F10.921 | Alcohol use, unspecified with intoxication delirium                                  |
| F10.929 | Alcohol use, unspecified with intoxication, unspecified                              |
| F10.94  | Alcohol use, unspecified with alcohol-induced mood disorder                          |
| F10.950 | Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions      |
| F10.951 | Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations |
| F10.959 | Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified        |
| F10.96  | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder           |
| F10.97  | Alcohol use, unspecified with alcohol-induced persisting dementia                    |
| F10.980 | Alcohol use, unspecified with alcohol-induced anxiety disorder                       |
| F10.981 | Alcohol use, unspecified with alcohol-induced sexual dysfunction                     |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| F10.982 | Alcohol use, unspecified with alcohol-induced sleep disorder                 |
| F10.988 | Alcohol use, unspecified with other alcohol-induced disorder                 |
| F10.99  | Alcohol use, unspecified with unspecified alcohol-induced disorder           |
| F11.10  | Opioid abuse, uncomplicated  |
| F11.120 | Opioid abuse with intoxication, uncomplicated                                |
| F11.129 | Opioid abuse with intoxication, unspecified                                  |
| F11.20  | Opioid dependence, uncomplicated   |
| F11.21  | Opioid dependence, in remission  |
| F11.220 | Opioid dependence with intoxication, uncomplicated                           |
| F11.221 | Opioid dependence with intoxication delirium                                 |
| F11.222 | Opioid dependence with intoxication with perceptual disturbance              |
| F11.229 | Opioid dependence with intoxication, unspecified                             |
| F11.23  | Opioid dependence with withdrawal  |
| F11.24  | Opioid dependence with opioid-induced mood disorder                          |
| F11.250 | Opioid dependence with opioid-induced psychotic disorder with delusions      |
| F11.251 | Opioid dependence with opioid-induced psychotic disorder with hallucinations |
| F11.259 | Opioid dependence with opioid-induced psychotic disorder, unspecified        |
| F11.281 | Opioid dependence with opioid-induced sexual dysfunction                     |
| F11.282 | Opioid dependence with opioid-induced sleep disorder                         |
| F11.288 | Opioid dependence with other opioid-induced disorder                         |
| F11.29  | Opioid dependence with unspecified opioid-induced disorder                   |
| F11.90  | Opioid use, unspecified, uncomplicated                                       |
| F12.10  | Cannabis abuse, uncomplicated  |
| F12.11  | Cannabis abuse, in remission   |
| F12.20  | Cannabis dependence, uncomplicated   |
| F12.21  | Cannabis dependence, in remission  |
| F12.220 | Cannabis dependence with intoxication, uncomplicated                         |
| F12.221 | Cannabis dependence with intoxication delirium                               |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| F12.222 | Cannabis dependence with intoxication with perceptual disturbance  |
| F12.229 | Cannabis dependence with intoxication, unspecified   |
| F12.23  | Cannabis dependence with withdrawal  |
| F12.250 | Cannabis dependence with psychotic disorder with delusions   |
| F12.251 | Cannabis dependence with psychotic disorder with hallucinations  |
| F12.259 | Cannabis dependence with psychotic disorder, unspecified   |
| F12.280 | Cannabis dependence with cannabis-induced anxiety disorder   |
| F12.288 | Cannabis dependence with other cannabis-induced disorder   |
| F12.29  | Cannabis dependence with unspecified cannabis-induced disorder   |
| F12.90  | Cannabis use, unspecified, uncomplicated   |
| F12.93  | Cannabis use, unspecified with withdrawal  |
| F13.10  | Sedative, hypnotic or anxiolytic abuse, uncomplicated  |
| F13.11  | Sedative, hypnotic or anxiolytic abuse, in remission   |
| F13.120 | Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated  |
| F13.20  | Sedative, hypnotic or anxiolytic dependence, uncomplicated   |
| F13.21  | Sedative, hypnotic or anxiolytic dependence, in remission  |
| F13.220 | Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated   |
| F13.221 | Sedative, hypnotic or anxiolytic dependence with intoxication delirium   |
| F13.229 | Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified   |
| F13.230 | Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated   |
| F13.231 | Sedative, hypnotic or anxiolytic dependence with withdrawal delirium   |
| F13.232 | Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance  |
| F13.239 | Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified   |
| F13.24  | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder                          |
| F13.250 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions      |
| F13.251 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| F13.259 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified |
| F13.26  | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder     |
| F13.27  | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia             |
| F13.280 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder                |
| F13.281 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction              |
| F13.282 | Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder                  |
| F13.288 | Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder                  |
| F13.29  | Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder            |
| F13.90  | Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated   |
| F14.10  | Cocaine abuse, uncomplicated  |
| F14.120 | Cocaine abuse with intoxication, uncomplicated  |
| F14.20  | Cocaine dependence, uncomplicated   |
| F14.21  | Cocaine dependence, in remission  |
| F14.220 | Cocaine dependence with intoxication, uncomplicated   |
| F14.221 | Cocaine dependence with intoxication delirium   |
| F14.222 | Cocaine dependence with intoxication with perceptual disturbance  |
| F14.229 | Cocaine dependence with intoxication, unspecified   |
| F14.23  | Cocaine dependence with withdrawal  |
| F14.24  | Cocaine dependence with cocaine-induced mood disorder   |
| F14.250 | Cocaine dependence with cocaine-induced psychotic disorder with delusions   |
| F14.251 | Cocaine dependence with cocaine-induced psychotic disorder with hallucinations  |
| F14.259 | Cocaine dependence with cocaine-induced psychotic disorder, unspecified   |
| F14.280 | Cocaine dependence with cocaine-induced anxiety disorder  |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| F14.281 | Cocaine dependence with cocaine-induced sexual dysfunction                               |
| F14.282 | Cocaine dependence with cocaine-induced sleep disorder                                   |
| F14.288 | Cocaine dependence with other cocaine-induced disorder                                   |
| F14.29  | Cocaine dependence with unspecified cocaine-induced disorder                             |
| F14.90  | Cocaine use, unspecified, uncomplicated  |
| F15.10  | Other stimulant abuse, uncomplicated   |
| F15.120 | Other stimulant abuse with intoxication, uncomplicated                                   |
| F15.20  | Other stimulant dependence, uncomplicated  |
| F15.21  | Other stimulant dependence, in remission   |
| F15.220 | Other stimulant dependence with intoxication, uncomplicated                              |
| F15.221 | Other stimulant dependence with intoxication delirium                                    |
| F15.222 | Other stimulant dependence with intoxication with perceptual disturbance                 |
| F15.229 | Other stimulant dependence with intoxication, unspecified                                |
| F15.23  | Other stimulant dependence with withdrawal   |
| F15.24  | Other stimulant dependence with stimulant-induced mood disorder                          |
| F15.250 | Other stimulant dependence with stimulant-induced psychotic disorder with delusions      |
| F15.251 | Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations |
| F15.259 | Other stimulant dependence with stimulant-induced psychotic disorder, unspecified        |
| F15.280 | Other stimulant dependence with stimulant-induced anxiety disorder                       |
| F15.281 | Other stimulant dependence with stimulant-induced sexual dysfunction                     |
| F15.282 | Other stimulant dependence with stimulant-induced sleep disorder                         |
| F15.288 | Other stimulant dependence with other stimulant-induced disorder                         |
| F15.29  | Other stimulant dependence with unspecified stimulant-induced disorder                   |
| F15.90  | Other stimulant use, unspecified, uncomplicated  |
| F16.10  | Hallucinogen abuse, uncomplicated  |
| F16.11  | Hallucinogen abuse, in remission   |
| F16.120 | Hallucinogen abuse with intoxication, uncomplicated                                      |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| F16.20  | Hallucinogen dependence, uncomplicated   |
| F16.21  | Hallucinogen dependence, in remission  |
| F16.220 | Hallucinogen dependence with intoxication, uncomplicated                                 |
| F16.221 | Hallucinogen dependence with intoxication with delirium                                  |
| F16.229 | Hallucinogen dependence with intoxication, unspecified                                   |
| F16.24  | Hallucinogen dependence with hallucinogen-induced mood disorder                          |
| F16.250 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions      |
| F16.251 | Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations |
| F16.259 | Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified        |
| F16.280 | Hallucinogen dependence with hallucinogen-induced anxiety disorder                       |
| F16.283 | Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)    |
| F16.288 | Hallucinogen dependence with other hallucinogen-induced disorder                         |
| F16.29  | Hallucinogen dependence with unspecified hallucinogen-induced disorder                   |
| F16.90  | Hallucinogen use, unspecified, uncomplicated   |
| F17.200 | Nicotine dependence, unspecified, uncomplicated  |
| F17.201 | Nicotine dependence, unspecified, in remission   |
| F17.210 | Nicotine dependence, cigarettes, uncomplicated   |
| F17.211 | Nicotine dependence, cigarettes, in remission  |
| F17.220 | Nicotine dependence, chewing tobacco, uncomplicated                                      |
| F17.221 | Nicotine dependence, chewing tobacco, in remission                                       |
| F17.290 | Nicotine dependence, other tobacco product, uncomplicated                                |
| F17.291 | Nicotine dependence, other tobacco product, in remission                                 |
| F18.10  | Inhalant abuse, uncomplicated  |
| F18.11  | Inhalant abuse, in remission   |
| F18.120 | Inhalant abuse with intoxication, uncomplicated  |
| F18.20  | Inhalant dependence, uncomplicated   |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| F18.21  | Inhalant dependence, in remission   |
| F18.220 | Inhalant dependence with intoxication, uncomplicated                                  |
| F18.221 | Inhalant dependence with intoxication delirium  |
| F18.229 | Inhalant dependence with intoxication, unspecified                                    |
| F18.24  | Inhalant dependence with inhalant-induced mood disorder                               |
| F18.250 | Inhalant dependence with inhalant-induced psychotic disorder with delusions           |
| F18.251 | Inhalant dependence with inhalant-induced psychotic disorder with hallucinations      |
| F18.259 | Inhalant dependence with inhalant-induced psychotic disorder, unspecified             |
| F18.27  | Inhalant dependence with inhalant-induced dementia                                    |
| F18.280 | Inhalant dependence with inhalant-induced anxiety disorder                            |
| F18.288 | Inhalant dependence with other inhalant-induced disorder                              |
| F18.29  | Inhalant dependence with unspecified inhalant-induced disorder                        |
| F18.90  | Inhalant use, unspecified, uncomplicated  |
| F19.10  | Other psychoactive substance abuse, uncomplicated                                     |
| F19.11  | Other psychoactive substance abuse, in remission                                      |
| F19.120 | Other psychoactive substance abuse with intoxication, uncomplicated                   |
| F19.20  | Other psychoactive substance dependence, uncomplicated                                |
| F19.21  | Other psychoactive substance dependence, in remission                                 |
| F19.220 | Other psychoactive substance dependence with intoxication, uncomplicated              |
| F19.221 | Other psychoactive substance dependence with intoxication delirium                    |
| F19.222 | Other psychoactive substance dependence with intoxication with perceptual disturbance |
| F19.229 | Other psychoactive substance dependence with intoxication, unspecified                |
| F19.230 | Other psychoactive substance dependence with withdrawal, uncomplicated                |
| F19.231 | Other psychoactive substance dependence with withdrawal delirium                      |
| F19.232 | Other psychoactive substance dependence with withdrawal with perceptual disturbance   |
| F19.239 | Other psychoactive substance dependence with withdrawal, unspecified                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| F19.24  | Other psychoactive substance dependence with psychoactive substance-induced mood disorder                          |
| F19.250 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions      |
| F19.251 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations |
| F19.259 | Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified        |
| F19.26  | Other psychoactive substance dependence with psychoactive substance-induced persisting amnestic disorder           |
| F19.27  | Other psychoactive substance dependence with psychoactive substance-induced persisting dementia                    |
| F19.280 | Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder                       |
| F19.281 | Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction                     |
| F19.282 | Other psychoactive substance dependence with psychoactive substance-induced sleep disorder                         |
| F19.288 | Other psychoactive substance dependence with other psychoactive substance-induced disorder                         |
| F19.29  | Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder                   |
| F19.90  | Other psychoactive substance use, unspecified, uncomplicated   |
| F50.82  | Avoidant/restrictive food intake disorder  |
| F55.0   | Abuse of antacids  |
| F55.1   | Abuse of herbal or folk remedies   |
| F55.2   | Abuse of laxatives   |
| F55.3   | Abuse of steroids or hormones  |
| F55.4   | Abuse of vitamins  |
| F55.8   | Abuse of other non-psychoactive substances   |
| G62.1   | Alcoholic polyneuropathy   |
| G71.11  | Myotonic muscular dystrophy  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| G71.12  | Myotonia congenita  |
| G71.13  | Myotonic chondrodystrophy                                       |
| G71.14  | Drug induced myotonia   |
| G71.19  | Other specified myotonic disorders                              |
| I27.83  | Eisenmenger's syndrome  |
| I50.810 | Right heart failure, unspecified                                |
| I50.811 | Acute right heart failure                                       |
| I50.812 | Chronic right heart failure                                     |
| I50.813 | Acute on chronic right heart failure                            |
| I50.814 | Right heart failure due to left heart failure                   |
| I50.82  | Biventricular heart failure                                     |
| I50.83  | High output heart failure                                       |
| I50.84  | End stage heart failure   |
| I50.89  | Other heart failure   |
| I80.241 | Phlebitis and thrombophlebitis of right peroneal vein           |
| I80.242 | Phlebitis and thrombophlebitis of left peroneal vein            |
| I80.243 | Phlebitis and thrombophlebitis of peroneal vein, bilateral      |
| I80.251 | Phlebitis and thrombophlebitis of right calf muscular vein      |
| I80.252 | Phlebitis and thrombophlebitis of left calf muscular vein       |
| I80.253 | Phlebitis and thrombophlebitis of calf muscular vein, bilateral |
| I81     | Portal vein thrombosis  |
| I82.0   | Budd-Chiari syndrome  |
| I82.1   | Thrombophlebitis migrans  |
| I82.210 | Acute embolism and thrombosis of superior vena cava             |
| I82.211 | Chronic embolism and thrombosis of superior vena cava           |
| I82.220 | Acute embolism and thrombosis of inferior vena cava             |
| I82.221 | Chronic embolism and thrombosis of inferior vena cava           |
| I82.290 | Acute embolism and thrombosis of other thoracic veins           |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I82.291 | Chronic embolism and thrombosis of other thoracic veins                                |
| I82.3   | Embolism and thrombosis of renal vein  |
| I82.401 | Acute embolism and thrombosis of unspecified deep veins of right lower extremity       |
| I82.402 | Acute embolism and thrombosis of unspecified deep veins of left lower extremity        |
| I82.403 | Acute embolism and thrombosis of unspecified deep veins of lower extremity, bilateral  |
| I82.409 | Acute embolism and thrombosis of unspecified deep veins of unspecified lower extremity |
| I82.411 | Acute embolism and thrombosis of right femoral vein                                    |
| I82.412 | Acute embolism and thrombosis of left femoral vein                                     |
| I82.413 | Acute embolism and thrombosis of femoral vein, bilateral                               |
| I82.419 | Acute embolism and thrombosis of unspecified femoral vein                              |
| I82.421 | Acute embolism and thrombosis of right iliac vein                                      |
| I82.422 | Acute embolism and thrombosis of left iliac vein                                       |
| I82.423 | Acute embolism and thrombosis of iliac vein, bilateral                                 |
| I82.429 | Acute embolism and thrombosis of unspecified iliac vein                                |
| I82.431 | Acute embolism and thrombosis of right popliteal vein                                  |
| I82.432 | Acute embolism and thrombosis of left popliteal vein                                   |
| I82.433 | Acute embolism and thrombosis of popliteal vein, bilateral                             |
| I82.439 | Acute embolism and thrombosis of unspecified popliteal vein                            |
| I82.441 | Acute embolism and thrombosis of right tibial vein                                     |
| I82.442 | Acute embolism and thrombosis of left tibial vein                                      |
| I82.443 | Acute embolism and thrombosis of tibial vein, bilateral                                |
| I82.449 | Acute embolism and thrombosis of unspecified tibial vein                               |
| I82.451 | Acute embolism and thrombosis of right peroneal vein                                   |
| I82.452 | Acute embolism and thrombosis of left peroneal vein                                    |
| I82.453 | Acute embolism and thrombosis of peroneal vein, bilateral                              |
| I82.461 | Acute embolism and thrombosis of right calf muscular vein                              |
| I82.462 | Acute embolism and thrombosis of left calf muscular vein                               |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.463 | Acute embolism and thrombosis of calf muscular vein, bilateral                                  |
| I82.491 | Acute embolism and thrombosis of other specified deep vein of right lower extremity             |
| I82.492 | Acute embolism and thrombosis of other specified deep vein of left lower extremity              |
| I82.493 | Acute embolism and thrombosis of other specified deep vein of lower extremity, bilateral        |
| I82.499 | Acute embolism and thrombosis of other specified deep vein of unspecified lower extremity       |
| I82.4Y1 | Acute embolism and thrombosis of unspecified deep veins of right proximal lower extremity       |
| I82.4Y2 | Acute embolism and thrombosis of unspecified deep veins of left proximal lower extremity        |
| I82.4Y3 | Acute embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral  |
| I82.4Y9 | Acute embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity |
| I82.4Z1 | Acute embolism and thrombosis of unspecified deep veins of right distal lower extremity         |
| I82.4Z2 | Acute embolism and thrombosis of unspecified deep veins of left distal lower extremity          |
| I82.4Z3 | Acute embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral    |
| I82.4Z9 | Acute embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity   |
| I82.501 | Chronic embolism and thrombosis of unspecified deep veins of right lower extremity              |
| I82.502 | Chronic embolism and thrombosis of unspecified deep veins of left lower extremity               |
| I82.503 | Chronic embolism and thrombosis of unspecified deep veins of lower extremity, bilateral         |
| I82.509 | Chronic embolism and thrombosis of unspecified deep veins of unspecified lower extremity        |
| I82.511 | Chronic embolism and thrombosis of right femoral vein   |
| I82.512 | Chronic embolism and thrombosis of left femoral vein  |
| I82.513 | Chronic embolism and thrombosis of femoral vein, bilateral                                      |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.519 | Chronic embolism and thrombosis of unspecified femoral vein                                 |
| I82.521 | Chronic embolism and thrombosis of right iliac vein   |
| I82.522 | Chronic embolism and thrombosis of left iliac vein  |
| I82.523 | Chronic embolism and thrombosis of iliac vein, bilateral                                    |
| I82.529 | Chronic embolism and thrombosis of unspecified iliac vein                                   |
| I82.531 | Chronic embolism and thrombosis of right popliteal vein                                     |
| I82.532 | Chronic embolism and thrombosis of left popliteal vein                                      |
| I82.533 | Chronic embolism and thrombosis of popliteal vein, bilateral                                |
| I82.539 | Chronic embolism and thrombosis of unspecified popliteal vein                               |
| I82.541 | Chronic embolism and thrombosis of right tibial vein  |
| I82.542 | Chronic embolism and thrombosis of left tibial vein   |
| I82.543 | Chronic embolism and thrombosis of tibial vein, bilateral                                   |
| I82.549 | Chronic embolism and thrombosis of unspecified tibial vein                                  |
| I82.551 | Chronic embolism and thrombosis of right peroneal vein                                      |
| I82.552 | Chronic embolism and thrombosis of left peroneal vein                                       |
| I82.553 | Chronic embolism and thrombosis of peroneal vein, bilateral                                 |
| I82.561 | Chronic embolism and thrombosis of right calf muscular vein                                 |
| I82.562 | Chronic embolism and thrombosis of left calf muscular vein                                  |
| I82.563 | Chronic embolism and thrombosis of calf muscular vein, bilateral                            |
| I82.591 | Chronic embolism and thrombosis of other specified deep vein of right lower extremity       |
| I82.592 | Chronic embolism and thrombosis of other specified deep vein of left lower extremity        |
| I82.593 | Chronic embolism and thrombosis of other specified deep vein of lower extremity, bilateral  |
| I82.599 | Chronic embolism and thrombosis of other specified deep vein of unspecified lower extremity |
| I82.5Y1 | Chronic embolism and thrombosis of unspecified deep veins of right proximal lower extremity |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.5Y2 | Chronic embolism and thrombosis of unspecified deep veins of left proximal lower extremity        |
| I82.5Y3 | Chronic embolism and thrombosis of unspecified deep veins of proximal lower extremity, bilateral  |
| I82.5Y9 | Chronic embolism and thrombosis of unspecified deep veins of unspecified proximal lower extremity |
| I82.5Z1 | Chronic embolism and thrombosis of unspecified deep veins of right distal lower extremity         |
| I82.5Z2 | Chronic embolism and thrombosis of unspecified deep veins of left distal lower extremity          |
| I82.5Z3 | Chronic embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral    |
| I82.5Z9 | Chronic embolism and thrombosis of unspecified deep veins of unspecified distal lower extremity   |
| I82.601 | Acute embolism and thrombosis of unspecified veins of right upper extremity                       |
| I82.602 | Acute embolism and thrombosis of unspecified veins of left upper extremity                        |
| I82.603 | Acute embolism and thrombosis of unspecified veins of upper extremity, bilateral                  |
| I82.609 | Acute embolism and thrombosis of unspecified veins of unspecified upper extremity                 |
| I82.611 | Acute embolism and thrombosis of superficial veins of right upper extremity                       |
| I82.612 | Acute embolism and thrombosis of superficial veins of left upper extremity                        |
| I82.613 | Acute embolism and thrombosis of superficial veins of upper extremity, bilateral                  |
| I82.619 | Acute embolism and thrombosis of superficial veins of unspecified upper extremity                 |
| I82.621 | Acute embolism and thrombosis of deep veins of right upper extremity                              |
| I82.622 | Acute embolism and thrombosis of deep veins of left upper extremity                               |
| I82.623 | Acute embolism and thrombosis of deep veins of upper extremity, bilateral                         |
| I82.629 | Acute embolism and thrombosis of deep veins of unspecified upper extremity                        |
| I82.701 | Chronic embolism and thrombosis of unspecified veins of right upper extremity                     |
| I82.702 | Chronic embolism and thrombosis of unspecified veins of left upper extremity                      |
| I82.703 | Chronic embolism and thrombosis of unspecified veins of upper extremity, bilateral                |
| I82.709 | Chronic embolism and thrombosis of unspecified veins of unspecified upper extremity               |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| I82.711 | Chronic embolism and thrombosis of superficial veins of right upper extremity       |
| I82.712 | Chronic embolism and thrombosis of superficial veins of left upper extremity        |
| I82.713 | Chronic embolism and thrombosis of superficial veins of upper extremity, bilateral  |
| I82.719 | Chronic embolism and thrombosis of superficial veins of unspecified upper extremity |
| I82.721 | Chronic embolism and thrombosis of deep veins of right upper extremity              |
| I82.722 | Chronic embolism and thrombosis of deep veins of left upper extremity               |
| I82.723 | Chronic embolism and thrombosis of deep veins of upper extremity, bilateral         |
| I82.729 | Chronic embolism and thrombosis of deep veins of unspecified upper extremity        |
| I82.811 | Embolism and thrombosis of superficial veins of right lower extremity               |
| I82.812 | Embolism and thrombosis of superficial veins of left lower extremity                |
| I82.813 | Embolism and thrombosis of superficial veins of lower extremities, bilateral        |
| I82.819 | Embolism and thrombosis of superficial veins of unspecified lower extremity         |
| I82.890 | Acute embolism and thrombosis of other specified veins                              |
| I82.891 | Chronic embolism and thrombosis of other specified veins                            |
| I82.90  | Acute embolism and thrombosis of unspecified vein                                   |
| I82.91  | Chronic embolism and thrombosis of unspecified vein                                 |
| I82.A11 | Acute embolism and thrombosis of right axillary vein                                |
| I82.A12 | Acute embolism and thrombosis of left axillary vein                                 |
| I82.A13 | Acute embolism and thrombosis of axillary vein, bilateral                           |
| I82.A19 | Acute embolism and thrombosis of unspecified axillary vein                          |
| I82.A21 | Chronic embolism and thrombosis of right axillary vein                              |
| I82.A22 | Chronic embolism and thrombosis of left axillary vein                               |
| I82.A23 | Chronic embolism and thrombosis of axillary vein, bilateral                         |
| I82.A29 | Chronic embolism and thrombosis of unspecified axillary vein                        |
| I82.B11 | Acute embolism and thrombosis of right subclavian vein                              |
| I82.B12 | Acute embolism and thrombosis of left subclavian vein                               |
| I82.B13 | Acute embolism and thrombosis of subclavian vein, bilateral                         |
| I82.B19 | Acute embolism and thrombosis of unspecified subclavian vein                        |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| I82.B21 | Chronic embolism and thrombosis of right subclavian vein             |
| I82.B22 | Chronic embolism and thrombosis of left subclavian vein              |
| I82.B23 | Chronic embolism and thrombosis of subclavian vein, bilateral        |
| I82.B29 | Chronic embolism and thrombosis of unspecified subclavian vein       |
| I82.C11 | Acute embolism and thrombosis of right internal jugular vein         |
| I82.C12 | Acute embolism and thrombosis of left internal jugular vein          |
| I82.C13 | Acute embolism and thrombosis of internal jugular vein, bilateral    |
| I82.C19 | Acute embolism and thrombosis of unspecified internal jugular vein   |
| I82.C21 | Chronic embolism and thrombosis of right internal jugular vein       |
| I82.C22 | Chronic embolism and thrombosis of left internal jugular vein        |
| I82.C23 | Chronic embolism and thrombosis of internal jugular vein, bilateral  |
| I82.C29 | Chronic embolism and thrombosis of unspecified internal jugular vein |
| I85.00  | Esophageal varices without bleeding                                  |
| I85.01  | Esophageal varices with bleeding                                     |
| I85.10  | Secondary esophageal varices without bleeding                        |
| I85.11  | Secondary esophageal varices with bleeding                           |
| J17     | Pneumonia in diseases classified elsewhere                           |
| K50.00  | Crohn's disease of small intestine without complications             |
| K50.011 | Crohn's disease of small intestine with rectal bleeding              |
| K50.012 | Crohn's disease of small intestine with intestinal obstruction       |
| K50.013 | Crohn's disease of small intestine with fistula                      |
| K50.014 | Crohn's disease of small intestine with abscess                      |
| K50.018 | Crohn's disease of small intestine with other complication           |
| K50.019 | Crohn's disease of small intestine with unspecified complications    |
| K50.10  | Crohn's disease of large intestine without complications             |
| K50.111 | Crohn's disease of large intestine with rectal bleeding              |
| K50.112 | Crohn's disease of large intestine with intestinal obstruction       |
| K50.113 | Crohn's disease of large intestine with fistula                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K50.114 | Crohn's disease of large intestine with abscess                                  |
| K50.118 | Crohn's disease of large intestine with other complication                       |
| K50.119 | Crohn's disease of large intestine with unspecified complications                |
| K50.80  | Crohn's disease of both small and large intestine without complications          |
| K50.811 | Crohn's disease of both small and large intestine with rectal bleeding           |
| K50.812 | Crohn's disease of both small and large intestine with intestinal obstruction    |
| K50.813 | Crohn's disease of both small and large intestine with fistula                   |
| K50.814 | Crohn's disease of both small and large intestine with abscess                   |
| K50.818 | Crohn's disease of both small and large intestine with other complication        |
| K50.819 | Crohn's disease of both small and large intestine with unspecified complications |
| K50.90  | Crohn's disease, unspecified, without complications                              |
| K50.911 | Crohn's disease, unspecified, with rectal bleeding                               |
| K50.912 | Crohn's disease, unspecified, with intestinal obstruction                        |
| K50.913 | Crohn's disease, unspecified, with fistula                                       |
| K50.914 | Crohn's disease, unspecified, with abscess                                       |
| K50.918 | Crohn's disease, unspecified, with other complication                            |
| K50.919 | Crohn's disease, unspecified, with unspecified complications                     |
| K51.00  | Ulcerative (chronic) pancolitis without complications                            |
| K51.011 | Ulcerative (chronic) pancolitis with rectal bleeding                             |
| K51.012 | Ulcerative (chronic) pancolitis with intestinal obstruction                      |
| K51.013 | Ulcerative (chronic) pancolitis with fistula                                     |
| K51.014 | Ulcerative (chronic) pancolitis with abscess                                     |
| K51.018 | Ulcerative (chronic) pancolitis with other complication                          |
| K51.019 | Ulcerative (chronic) pancolitis with unspecified complications                   |
| K51.20  | Ulcerative (chronic) proctitis without complications                             |
| K51.211 | Ulcerative (chronic) proctitis with rectal bleeding                              |
| K51.212 | Ulcerative (chronic) proctitis with intestinal obstruction                       |
| K51.213 | Ulcerative (chronic) proctitis with fistula                                      |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K51.214     | Ulcerative (chronic) proctitis with abscess                          |
| K51.218     | Ulcerative (chronic) proctitis with other complication               |
| K51.219     | Ulcerative (chronic) proctitis with unspecified complications        |
| K51.30      | Ulcerative (chronic) rectosigmoiditis without complications          |
| K51.311     | Ulcerative (chronic) rectosigmoiditis with rectal bleeding           |
| K51.312     | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction    |
| K51.313     | Ulcerative (chronic) rectosigmoiditis with fistula                   |
| K51.314     | Ulcerative (chronic) rectosigmoiditis with abscess                   |
| K51.318     | Ulcerative (chronic) rectosigmoiditis with other complication        |
| K51.319     | Ulcerative (chronic) rectosigmoiditis with unspecified complications |
| K51.40      | Inflammatory polyps of colon without complications                   |
| K51.411     | Inflammatory polyps of colon with rectal bleeding                    |
| K51.412     | Inflammatory polyps of colon with intestinal obstruction             |
| K51.413     | Inflammatory polyps of colon with fistula                            |
| K51.414     | Inflammatory polyps of colon with abscess                            |
| K51.418     | Inflammatory polyps of colon with other complication                 |
| K51.419     | Inflammatory polyps of colon with unspecified complications          |
| K51.50      | Left sided colitis without complications                             |
| K51.511     | Left sided colitis with rectal bleeding                              |
| K51.512     | Left sided colitis with intestinal obstruction                       |
| K51.513     | Left sided colitis with fistula                                      |
| K51.514     | Left sided colitis with abscess                                      |
| K51.518     | Left sided colitis with other complication                           |
| K51.519     | Left sided colitis with unspecified complications                    |
| K51.80      | Other ulcerative colitis without complications                       |
| K51.811     | Other ulcerative colitis with rectal bleeding                        |
| K51.812     | Other ulcerative colitis with intestinal obstruction                 |
| K51.813     | Other ulcerative colitis with fistula                                |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K51.814     | Other ulcerative colitis with abscess                              |
| K51.818     | Other ulcerative colitis with other complication                   |
| K51.819     | Other ulcerative colitis with unspecified complications            |
| K51.90      | Ulcerative colitis, unspecified, without complications             |
| K51.911     | Ulcerative colitis, unspecified with rectal bleeding               |
| K51.912     | Ulcerative colitis, unspecified with intestinal obstruction        |
| K51.913     | Ulcerative colitis, unspecified with fistula                       |
| K51.914     | Ulcerative colitis, unspecified with abscess                       |
| K51.918     | Ulcerative colitis, unspecified with other complication            |
| K51.919     | Ulcerative colitis, unspecified with unspecified complications     |
| K52.0       | Gastroenteritis and colitis due to radiation                       |
| K52.1       | Toxic gastroenteritis and colitis                                  |
| K52.21      | Food protein-induced enterocolitis syndrome                        |
| K52.22      | Food protein-induced enteropathy                                   |
| K52.29      | Other allergic and dietetic gastroenteritis and colitis            |
| K52.3       | Indeterminate colitis  |
| K52.81      | Eosinophilic gastritis or gastroenteritis                          |
| K52.82      | Eosinophilic colitis   |
| K52.831     | Collagenous colitis  |
| K52.832     | Lymphocytic colitis  |
| K52.838     | Other microscopic colitis  |
| K52.839     | Microscopic colitis, unspecified                                   |
| K52.89      | Other specified noninfective gastroenteritis and colitis           |
| K52.9       | Noninfective gastroenteritis and colitis, unspecified              |
| K55.011     | Focal (segmental) acute (reversible) ischemia of small intestine   |
| K55.012     | Diffuse acute (reversible) ischemia of small intestine             |
| K55.019     | Acute (reversible) ischemia of small intestine, extent unspecified |
| K55.021     | Focal (segmental) acute infarction of small intestine              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K55.022 | Diffuse acute infarction of small intestine   |
| K55.029 | Acute infarction of small intestine, extent unspecified                             |
| K55.031 | Focal (segmental) acute (reversible) ischemia of large intestine                    |
| K55.032 | Diffuse acute (reversible) ischemia of large intestine                              |
| K55.039 | Acute (reversible) ischemia of large intestine, extent unspecified                  |
| K55.041 | Focal (segmental) acute infarction of large intestine                               |
| K55.042 | Diffuse acute infarction of large intestine   |
| K55.049 | Acute infarction of large intestine, extent unspecified                             |
| K55.051 | Focal (segmental) acute (reversible) ischemia of intestine, part unspecified        |
| K55.052 | Diffuse acute (reversible) ischemia of intestine, part unspecified                  |
| K55.059 | Acute (reversible) ischemia of intestine, part and extent unspecified               |
| K55.061 | Focal (segmental) acute infarction of intestine, part unspecified                   |
| K55.062 | Diffuse acute infarction of intestine, part unspecified                             |
| K55.069 | Acute infarction of intestine, part and extent unspecified                          |
| K55.30  | Necrotizing enterocolitis, unspecified  |
| K55.31  | Stage 1 necrotizing enterocolitis   |
| K55.32  | Stage 2 necrotizing enterocolitis   |
| K55.33  | Stage 3 necrotizing enterocolitis   |
| K56.0   | Paralytic ileus   |
| K56.1   | Intussusception   |
| K56.2   | Volvulus  |
| K56.3   | Gallstone ileus   |
| K56.41  | Fecal impaction   |
| K56.49  | Other impaction of intestine  |
| K56.50  | Intestinal adhesions [bands], unspecified as to partial versus complete obstruction |
| K56.51  | Intestinal adhesions [bands], with partial obstruction                              |
| K56.52  | Intestinal adhesions [bands] with complete obstruction                              |
| K56.600 | Partial intestinal obstruction, unspecified as to cause                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K56.601 | Complete intestinal obstruction, unspecified as to cause   |
| K56.609 | Unspecified intestinal obstruction, unspecified as to partial versus complete obstruction        |
| K56.690 | Other partial intestinal obstruction   |
| K56.691 | Other complete intestinal obstruction  |
| K56.699 | Other intestinal obstruction unspecified as to partial versus complete obstruction               |
| K56.7   | Ileus, unspecified   |
| K57.00  | Diverticulitis of small intestine with perforation and abscess without bleeding                  |
| K57.01  | Diverticulitis of small intestine with perforation and abscess with bleeding                     |
| K57.12  | Diverticulitis of small intestine without perforation or abscess without bleeding                |
| K57.13  | Diverticulitis of small intestine without perforation or abscess with bleeding                   |
| K57.20  | Diverticulitis of large intestine with perforation and abscess without bleeding                  |
| K57.21  | Diverticulitis of large intestine with perforation and abscess with bleeding                     |
| K57.32  | Diverticulitis of large intestine without perforation or abscess without bleeding                |
| K57.33  | Diverticulitis of large intestine without perforation or abscess with bleeding                   |
| K57.40  | Diverticulitis of both small and large intestine with perforation and abscess without bleeding   |
| K57.41  | Diverticulitis of both small and large intestine with perforation and abscess with bleeding      |
| K57.52  | Diverticulitis of both small and large intestine without perforation or abscess without bleeding |
| K57.53  | Diverticulitis of both small and large intestine without perforation or abscess with bleeding    |
| K57.80  | Diverticulitis of intestine, part unspecified, with perforation and abscess without bleeding     |
| K57.81  | Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding        |
| K57.92  | Diverticulitis of intestine, part unspecified, without perforation or abscess without bleeding   |
| K57.93  | Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding      |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| K59.31      | Toxic megacolon   |
| K63.1       | Perforation of intestine (nontraumatic)                             |
| K65.0       | Generalized (acute) peritonitis                                     |
| K65.1       | Peritoneal abscess  |
| K65.2       | Spontaneous bacterial peritonitis                                   |
| K65.3       | Choleperitonitis  |
| K65.4       | Sclerosing mesenteritis   |
| K65.8       | Other peritonitis   |
| K65.9       | Peritonitis, unspecified  |
| K67         | Disorders of peritoneum in infectious diseases classified elsewhere |
| K68.19      | Other retroperitoneal abscess                                       |
| K68.9       | Other disorders of retroperitoneum                                  |
| K70.0       | Alcoholic fatty liver   |
| K70.10      | Alcoholic hepatitis without ascites                                 |
| K70.11      | Alcoholic hepatitis with ascites                                    |
| K70.2       | Alcoholic fibrosis and sclerosis of liver                           |
| K70.30      | Alcoholic cirrhosis of liver without ascites                        |
| K70.31      | Alcoholic cirrhosis of liver with ascites                           |
| K70.40      | Alcoholic hepatic failure without coma                              |
| K70.41      | Alcoholic hepatic failure with coma                                 |
| K70.9       | Alcoholic liver disease, unspecified                                |
| K71.0       | Toxic liver disease with cholestasis                                |
| K71.10      | Toxic liver disease with hepatic necrosis, without coma             |
| K71.11      | Toxic liver disease with hepatic necrosis, with coma                |
| K71.2       | Toxic liver disease with acute hepatitis                            |
| K71.3       | Toxic liver disease with chronic persistent hepatitis               |
| K71.4       | Toxic liver disease with chronic lobular hepatitis                  |
| K71.50      | Toxic liver disease with chronic active hepatitis without ascites   |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K71.51 | Toxic liver disease with chronic active hepatitis with ascites |
| K71.6  | Toxic liver disease with hepatitis, not elsewhere classified   |
| K71.7  | Toxic liver disease with fibrosis and cirrhosis of liver       |
| K71.8  | Toxic liver disease with other disorders of liver              |
| K71.9  | Toxic liver disease, unspecified                               |
| K72.00 | Acute and subacute hepatic failure without coma                |
| K72.01 | Acute and subacute hepatic failure with coma                   |
| K72.10 | Chronic hepatic failure without coma                           |
| K72.11 | Chronic hepatic failure with coma                              |
| K72.90 | Hepatic failure, unspecified without coma                      |
| K72.91 | Hepatic failure, unspecified with coma                         |
| K73.0  | Chronic persistent hepatitis, not elsewhere classified         |
| K73.1  | Chronic lobular hepatitis, not elsewhere classified            |
| K73.2  | Chronic active hepatitis, not elsewhere classified             |
| K73.8  | Other chronic hepatitis, not elsewhere classified              |
| K73.9  | Chronic hepatitis, unspecified                                 |
| K74.00 | Hepatic fibrosis, unspecified                                  |
| K74.01 | Hepatic fibrosis, early fibrosis                               |
| K74.02 | Hepatic fibrosis, advanced fibrosis                            |
| K74.1  | Hepatic sclerosis  |
| K74.2  | Hepatic fibrosis with hepatic sclerosis                        |
| K74.3  | Primary biliary cirrhosis                                      |
| K74.4  | Secondary biliary cirrhosis                                    |
| K74.5  | Biliary cirrhosis, unspecified                                 |
| K74.60 | Unspecified cirrhosis of liver                                 |
| K74.69 | Other cirrhosis of liver                                       |
| K75.0  | Abscess of liver   |
| K75.1  | Phlebitis of portal vein                                       |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K75.2  | Nonspecific reactive hepatitis   |
| K75.3  | Granulomatous hepatitis, not elsewhere classified                                |
| K75.4  | Autoimmune hepatitis   |
| K75.81 | Nonalcoholic steatohepatitis (NASH)  |
| K75.89 | Other specified inflammatory liver diseases                                      |
| K75.9  | Inflammatory liver disease, unspecified  |
| K76.0  | Fatty (change of) liver, not elsewhere classified                                |
| K76.1  | Chronic passive congestion of liver  |
| K76.2  | Central hemorrhagic necrosis of liver  |
| K76.3  | Infarction of liver  |
| K76.4  | Peliosis hepatis   |
| K76.5  | Hepatic veno-occlusive disease   |
| K76.6  | Portal hypertension  |
| K76.7  | Hepatorenal syndrome   |
| K76.81 | Hepatopulmonary syndrome   |
| K76.89 | Other specified diseases of liver  |
| K76.9  | Liver disease, unspecified   |
| K77    | Liver disorders in diseases classified elsewhere                                 |
| K80.00 | Calculus of gallbladder with acute cholecystitis without obstruction             |
| K80.01 | Calculus of gallbladder with acute cholecystitis with obstruction                |
| K80.10 | Calculus of gallbladder with chronic cholecystitis without obstruction           |
| K80.11 | Calculus of gallbladder with chronic cholecystitis with obstruction              |
| K80.12 | Calculus of gallbladder with acute and chronic cholecystitis without obstruction |
| K80.13 | Calculus of gallbladder with acute and chronic cholecystitis with obstruction    |
| K80.18 | Calculus of gallbladder with other cholecystitis without obstruction             |
| K80.19 | Calculus of gallbladder with other cholecystitis with obstruction                |
| K80.20 | Calculus of gallbladder without cholecystitis without obstruction                |
| K80.21 | Calculus of gallbladder without cholecystitis with obstruction                   |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K80.30 | Calculus of bile duct with cholangitis, unspecified, without obstruction                       |
| K80.31 | Calculus of bile duct with cholangitis, unspecified, with obstruction                          |
| K80.32 | Calculus of bile duct with acute cholangitis without obstruction                               |
| K80.33 | Calculus of bile duct with acute cholangitis with obstruction                                  |
| K80.34 | Calculus of bile duct with chronic cholangitis without obstruction                             |
| K80.35 | Calculus of bile duct with chronic cholangitis with obstruction                                |
| K80.36 | Calculus of bile duct with acute and chronic cholangitis without obstruction                   |
| K80.37 | Calculus of bile duct with acute and chronic cholangitis with obstruction                      |
| K80.40 | Calculus of bile duct with cholecystitis, unspecified, without obstruction                     |
| K80.41 | Calculus of bile duct with cholecystitis, unspecified, with obstruction                        |
| K80.42 | Calculus of bile duct with acute cholecystitis without obstruction                             |
| K80.43 | Calculus of bile duct with acute cholecystitis with obstruction                                |
| K80.44 | Calculus of bile duct with chronic cholecystitis without obstruction                           |
| K80.45 | Calculus of bile duct with chronic cholecystitis with obstruction                              |
| K80.46 | Calculus of bile duct with acute and chronic cholecystitis without obstruction                 |
| K80.47 | Calculus of bile duct with acute and chronic cholecystitis with obstruction                    |
| K80.50 | Calculus of bile duct without cholangitis or cholecystitis without obstruction                 |
| K80.51 | Calculus of bile duct without cholangitis or cholecystitis with obstruction                    |
| K80.60 | Calculus of gallbladder and bile duct with cholecystitis, unspecified, without obstruction     |
| K80.61 | Calculus of gallbladder and bile duct with cholecystitis, unspecified, with obstruction        |
| K80.62 | Calculus of gallbladder and bile duct with acute cholecystitis without obstruction             |
| K80.63 | Calculus of gallbladder and bile duct with acute cholecystitis with obstruction                |
| K80.64 | Calculus of gallbladder and bile duct with chronic cholecystitis without obstruction           |
| K80.65 | Calculus of gallbladder and bile duct with chronic cholecystitis with obstruction              |
| K80.66 | Calculus of gallbladder and bile duct with acute and chronic cholecystitis without obstruction |
| K80.67 | Calculus of gallbladder and bile duct with acute and chronic cholecystitis with obstruction    |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K80.70 | Calculus of gallbladder and bile duct without cholecystitis without obstruction       |
| K80.71 | Calculus of gallbladder and bile duct without cholecystitis with obstruction          |
| K80.80 | Other cholelithiasis without obstruction  |
| K80.81 | Other cholelithiasis with obstruction   |
| K81.0  | Acute cholecystitis   |
| K81.1  | Chronic cholecystitis   |
| K81.2  | Acute cholecystitis with chronic cholecystitis  |
| K81.9  | Cholecystitis, unspecified  |
| K82.0  | Obstruction of gallbladder  |
| K82.1  | Hydrops of gallbladder  |
| K82.2  | Perforation of gallbladder  |
| K82.3  | Fistula of gallbladder  |
| K82.4  | Cholesterolosis of gallbladder  |
| K82.8  | Other specified diseases of gallbladder   |
| K82.9  | Disease of gallbladder, unspecified   |
| K82.A1 | Gangrene of gallbladder in cholecystitis  |
| K82.A2 | Perforation of gallbladder in cholecystitis   |
| K83.01 | Primary sclerosing cholangitis  |
| K83.09 | Other cholangitis   |
| K83.1  | Obstruction of bile duct  |
| K83.2  | Perforation of bile duct  |
| K83.3  | Fistula of bile duct  |
| K83.4  | Spasm of sphincter of Oddi  |
| K83.5  | Biliary cyst  |
| K83.8  | Other specified diseases of biliary tract   |
| K83.9  | Disease of biliary tract, unspecified   |
| K87    | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| K91.5  | Postcholecystectomy syndrome  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| M04.1       | Periodic fever syndromes  |
| M1A.10X0    | Lead-induced chronic gout, unspecified site, without tophus (tophi)     |
| M1A.10X1    | Lead-induced chronic gout, unspecified site, with tophus (tophi)        |
| M1A.1110    | Lead-induced chronic gout, right shoulder, without tophus (tophi)       |
| M1A.1111    | Lead-induced chronic gout, right shoulder, with tophus (tophi)          |
| M1A.1120    | Lead-induced chronic gout, left shoulder, without tophus (tophi)        |
| M1A.1121    | Lead-induced chronic gout, left shoulder, with tophus (tophi)           |
| M1A.1190    | Lead-induced chronic gout, unspecified shoulder, without tophus (tophi) |
| M1A.1191    | Lead-induced chronic gout, unspecified shoulder, with tophus (tophi)    |
| M1A.1210    | Lead-induced chronic gout, right elbow, without tophus (tophi)          |
| M1A.1211    | Lead-induced chronic gout, right elbow, with tophus (tophi)             |
| M1A.1220    | Lead-induced chronic gout, left elbow, without tophus (tophi)           |
| M1A.1221    | Lead-induced chronic gout, left elbow, with tophus (tophi)              |
| M1A.1290    | Lead-induced chronic gout, unspecified elbow, without tophus (tophi)    |
| M1A.1291    | Lead-induced chronic gout, unspecified elbow, with tophus (tophi)       |
| M1A.1310    | Lead-induced chronic gout, right wrist, without tophus (tophi)          |
| M1A.1311    | Lead-induced chronic gout, right wrist, with tophus (tophi)             |
| M1A.1320    | Lead-induced chronic gout, left wrist, without tophus (tophi)           |
| M1A.1321    | Lead-induced chronic gout, left wrist, with tophus (tophi)              |
| M1A.1390    | Lead-induced chronic gout, unspecified wrist, without tophus (tophi)    |
| M1A.1391    | Lead-induced chronic gout, unspecified wrist, with tophus (tophi)       |
| M1A.1410    | Lead-induced chronic gout, right hand, without tophus (tophi)           |
| M1A.1411    | Lead-induced chronic gout, right hand, with tophus (tophi)              |
| M1A.1420    | Lead-induced chronic gout, left hand, without tophus (tophi)            |
| M1A.1421    | Lead-induced chronic gout, left hand, with tophus (tophi)               |
| M1A.1490    | Lead-induced chronic gout, unspecified hand, without tophus (tophi)     |
| M1A.1491    | Lead-induced chronic gout, unspecified hand, with tophus (tophi)        |
| M1A.1510    | Lead-induced chronic gout, right hip, without tophus (tophi)            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| M1A.1511 | Lead-induced chronic gout, right hip, with tophus (tophi)                     |
| M1A.1520 | Lead-induced chronic gout, left hip, without tophus (tophi)                   |
| M1A.1521 | Lead-induced chronic gout, left hip, with tophus (tophi)                      |
| M1A.1590 | Lead-induced chronic gout, unspecified hip, without tophus (tophi)            |
| M1A.1591 | Lead-induced chronic gout, unspecified hip, with tophus (tophi)               |
| M1A.1610 | Lead-induced chronic gout, right knee, without tophus (tophi)                 |
| M1A.1611 | Lead-induced chronic gout, right knee, with tophus (tophi)                    |
| M1A.1620 | Lead-induced chronic gout, left knee, without tophus (tophi)                  |
| M1A.1621 | Lead-induced chronic gout, left knee, with tophus (tophi)                     |
| M1A.1690 | Lead-induced chronic gout, unspecified knee, without tophus (tophi)           |
| M1A.1691 | Lead-induced chronic gout, unspecified knee, with tophus (tophi)              |
| M1A.1710 | Lead-induced chronic gout, right ankle and foot, without tophus (tophi)       |
| M1A.1711 | Lead-induced chronic gout, right ankle and foot, with tophus (tophi)          |
| M1A.1720 | Lead-induced chronic gout, left ankle and foot, without tophus (tophi)        |
| M1A.1721 | Lead-induced chronic gout, left ankle and foot, with tophus (tophi)           |
| M1A.1790 | Lead-induced chronic gout, unspecified ankle and foot, without tophus (tophi) |
| M1A.1791 | Lead-induced chronic gout, unspecified ankle and foot, with tophus (tophi)    |
| M1A.18X0 | Lead-induced chronic gout, vertebrae, without tophus (tophi)                  |
| M1A.18X1 | Lead-induced chronic gout, vertebrae, with tophus (tophi)                     |
| M1A.19X0 | Lead-induced chronic gout, multiple sites, without tophus (tophi)             |
| M1A.19X1 | Lead-induced chronic gout, multiple sites, with tophus (tophi)                |
| M32.14   | Glomerular disease in systemic lupus erythematosus                            |
| M32.15   | Tubulo-interstitial nephropathy in systemic lupus erythematosus               |
| M35.04   | Sicca syndrome with tubulo-interstitial nephropathy                           |
| M83.0    | Puerperal osteomalacia  |
| M83.1    | Senile osteomalacia   |
| M83.2    | Adult osteomalacia due to malabsorption                                       |
| M83.3    | Adult osteomalacia due to malnutrition  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| M83.4 | Aluminum bone disease  |
| M83.5 | Other drug-induced osteomalacia in adults  |
| M83.8 | Other adult osteomalacia   |
| M83.9 | Adult osteomalacia, unspecified  |
| N00.A | Acute nephritic syndrome with C3 glomerulonephritis  |
| N01.A | Rapidly progressive nephritic syndrome with C3 glomerulonephritis                              |
| N02.0 | Recurrent and persistent hematuria with minor glomerular abnormality                           |
| N02.1 | Recurrent and persistent hematuria with focal and segmental glomerular lesions                 |
| N02.2 | Recurrent and persistent hematuria with diffuse membranous glomerulonephritis                  |
| N02.3 | Recurrent and persistent hematuria with diffuse mesangial proliferative glomerulonephritis     |
| N02.4 | Recurrent and persistent hematuria with diffuse endocapillary proliferative glomerulonephritis |
| N02.5 | Recurrent and persistent hematuria with diffuse mesangiocapillary glomerulonephritis           |
| N02.6 | Recurrent and persistent hematuria with dense deposit disease                                  |
| N02.7 | Recurrent and persistent hematuria with diffuse crescentic glomerulonephritis                  |
| N02.8 | Recurrent and persistent hematuria with other morphologic changes                              |
| N02.9 | Recurrent and persistent hematuria with unspecified morphologic changes                        |
| N02.A | Recurrent and persistent hematuria with C3 glomerulonephritis                                  |
| N03.0 | Chronic nephritic syndrome with minor glomerular abnormality                                   |
| N03.1 | Chronic nephritic syndrome with focal and segmental glomerular lesions                         |
| N03.2 | Chronic nephritic syndrome with diffuse membranous glomerulonephritis                          |
| N03.3 | Chronic nephritic syndrome with diffuse mesangial proliferative glomerulonephritis             |
| N03.4 | Chronic nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis         |
| N03.5 | Chronic nephritic syndrome with diffuse mesangiocapillary glomerulonephritis                   |
| N03.6 | Chronic nephritic syndrome with dense deposit disease  |
| N03.7 | Chronic nephritic syndrome with diffuse crescentic glomerulonephritis                          |
| N03.8 | Chronic nephritic syndrome with other morphologic changes                                      |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| N03.9 | Chronic nephritic syndrome with unspecified morphologic changes                            |
| N03.A | Chronic nephritic syndrome with C3 glomerulonephritis                                      |
| N04.0 | Nephrotic syndrome with minor glomerular abnormality                                       |
| N04.1 | Nephrotic syndrome with focal and segmental glomerular lesions                             |
| N04.2 | Nephrotic syndrome with diffuse membranous glomerulonephritis                              |
| N04.3 | Nephrotic syndrome with diffuse mesangial proliferative glomerulonephritis                 |
| N04.4 | Nephrotic syndrome with diffuse endocapillary proliferative glomerulonephritis             |
| N04.5 | Nephrotic syndrome with diffuse mesangiocapillary glomerulonephritis                       |
| N04.6 | Nephrotic syndrome with dense deposit disease  |
| N04.7 | Nephrotic syndrome with diffuse crescentic glomerulonephritis                              |
| N04.8 | Nephrotic syndrome with other morphologic changes  |
| N04.9 | Nephrotic syndrome with unspecified morphologic changes                                    |
| N04.A | Nephrotic syndrome with C3 glomerulonephritis  |
| N05.0 | Unspecified nephritic syndrome with minor glomerular abnormality                           |
| N05.1 | Unspecified nephritic syndrome with focal and segmental glomerular lesions                 |
| N05.2 | Unspecified nephritic syndrome with diffuse membranous glomerulonephritis                  |
| N05.3 | Unspecified nephritic syndrome with diffuse mesangial proliferative glomerulonephritis     |
| N05.4 | Unspecified nephritic syndrome with diffuse endocapillary proliferative glomerulonephritis |
| N05.5 | Unspecified nephritic syndrome with diffuse mesangiocapillary glomerulonephritis           |
| N05.6 | Unspecified nephritic syndrome with dense deposit disease                                  |
| N05.7 | Unspecified nephritic syndrome with diffuse crescentic glomerulonephritis                  |
| N05.8 | Unspecified nephritic syndrome with other morphologic changes                              |
| N05.9 | Unspecified nephritic syndrome with unspecified morphologic changes                        |
| N05.A | Unspecified nephritic syndrome with C3 glomerulonephritis                                  |
| N06.0 | Isolated proteinuria with minor glomerular abnormality                                     |
| N06.1 | Isolated proteinuria with focal and segmental glomerular lesions                           |
| N06.2 | Isolated proteinuria with diffuse membranous glomerulonephritis                            |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| N06.3 | Isolated proteinuria with diffuse mesangial proliferative glomerulonephritis                                 |
| N06.4 | Isolated proteinuria with diffuse endocapillary proliferative glomerulonephritis                             |
| N06.5 | Isolated proteinuria with diffuse mesangiocapillary glomerulonephritis                                       |
| N06.6 | Isolated proteinuria with dense deposit disease  |
| N06.7 | Isolated proteinuria with diffuse crescentic glomerulonephritis  |
| N06.8 | Isolated proteinuria with other morphologic lesion   |
| N06.9 | Isolated proteinuria with unspecified morphologic lesion   |
| N06.A | Isolated proteinuria with C3 glomerulonephritis  |
| N07.0 | Hereditary nephropathy, not elsewhere classified with minor glomerular abnormality                           |
| N07.1 | Hereditary nephropathy, not elsewhere classified with focal and segmental glomerular lesions                 |
| N07.2 | Hereditary nephropathy, not elsewhere classified with diffuse membranous glomerulonephritis                  |
| N07.3 | Hereditary nephropathy, not elsewhere classified with diffuse mesangial proliferative glomerulonephritis     |
| N07.4 | Hereditary nephropathy, not elsewhere classified with diffuse endocapillary proliferative glomerulonephritis |
| N07.5 | Hereditary nephropathy, not elsewhere classified with diffuse mesangiocapillary glomerulonephritis           |
| N07.6 | Hereditary nephropathy, not elsewhere classified with dense deposit disease                                  |
| N07.7 | Hereditary nephropathy, not elsewhere classified with diffuse crescentic glomerulonephritis                  |
| N07.8 | Hereditary nephropathy, not elsewhere classified with other morphologic lesions                              |
| N07.9 | Hereditary nephropathy, not elsewhere classified with unspecified morphologic lesions                        |
| N07.A | Hereditary nephropathy, not elsewhere classified with C3 glomerulonephritis                                  |
| N08   | Glomerular disorders in diseases classified elsewhere  |
| N10   | Acute pyelonephritis   |
| N11.0 | Nonobstructive reflux-associated chronic pyelonephritis  |
| N11.1 | Chronic obstructive pyelonephritis   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| N11.8  | Other chronic tubulo-interstitial nephritis                                 |
| N11.9  | Chronic tubulo-interstitial nephritis, unspecified                          |
| N12    | Tubulo-interstitial nephritis, not specified as acute or chronic            |
| N13.6  | Pyonephrosis  |
| N14.0  | Analgesic nephropathy   |
| N14.1  | Nephropathy induced by other drugs, medicaments and biological substances   |
| N14.2  | Nephropathy induced by unspecified drug, medicament or biological substance |
| N14.3  | Nephropathy induced by heavy metals   |
| N14.4  | Toxic nephropathy, not elsewhere classified                                 |
| N15.0  | Balkan nephropathy  |
| N15.1  | Renal and perinephric abscess   |
| N15.8  | Other specified renal tubulo-interstitial diseases                          |
| N15.9  | Renal tubulo-interstitial disease, unspecified                              |
| N16    | Renal tubulo-interstitial disorders in diseases classified elsewhere        |
| N17.0  | Acute kidney failure with tubular necrosis                                  |
| N17.1  | Acute kidney failure with acute cortical necrosis                           |
| N17.2  | Acute kidney failure with medullary necrosis                                |
| N17.8  | Other acute kidney failure  |
| N17.9  | Acute kidney failure, unspecified   |
| N18.6  | End stage renal disease   |
| N19    | Unspecified kidney failure  |
| N25.0  | Renal osteodystrophy  |
| N25.1  | Nephrogenic diabetes insipidus  |
| N25.81 | Secondary hyperparathyroidism of renal origin                               |
| N25.89 | Other disorders resulting from impaired renal tubular function              |
| N25.9  | Disorder resulting from impaired renal tubular function, unspecified        |
| N26.1  | Atrophy of kidney (terminal)  |
| N26.9  | Renal sclerosis, unspecified  |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| N28.84  | Pyelitis cystica  |
| N28.85  | Pyeloureteritis cystica   |
| N28.86  | Ureteritis cystica  |
| N61.20  | Granulomatous mastitis, unspecified breast  |
| N61.21  | Granulomatous mastitis, right breast  |
| N61.22  | Granulomatous mastitis, left breast   |
| N61.23  | Granulomatous mastitis, bilateral breast  |
| O14.10  | Severe pre-eclampsia, unspecified trimester   |
| O14.12  | Severe pre-eclampsia, second trimester  |
| O14.13  | Severe pre-eclampsia, third trimester   |
| O14.20  | HELLP syndrome (HELLP), unspecified trimester   |
| O14.22  | HELLP syndrome (HELLP), second trimester  |
| O14.23  | HELLP syndrome (HELLP), third trimester   |
| O26.611 | Liver and biliary tract disorders in pregnancy, first trimester   |
| O26.612 | Liver and biliary tract disorders in pregnancy, second trimester  |
| O26.613 | Liver and biliary tract disorders in pregnancy, third trimester   |
| O26.619 | Liver and biliary tract disorders in pregnancy, unspecified trimester   |
| O26.62  | Liver and biliary tract disorders in childbirth   |
| O30.131 | Triplet pregnancy, trichorionic/triamniotic, first trimester  |
| O30.132 | Triplet pregnancy, trichorionic/triamniotic, second trimester   |
| O30.133 | Triplet pregnancy, trichorionic/triamniotic, third trimester  |
| O30.139 | Triplet pregnancy, trichorionic/triamniotic, unspecified trimester  |
| O30.231 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, first trimester  |
| O30.232 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, second trimester   |
| O30.233 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, third trimester  |
| O30.239 | Quadruplet pregnancy, quadrachorionic/quadra-amniotic, unspecified trimester  |
| O30.831 | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, first trimester |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| O30.832  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, second trimester      |
| O30.833  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, third trimester       |
| O30.839  | Other specified multiple gestation, number of chorions and amnions are both equal to the number of fetuses, unspecified trimester |
| P78.84   | Gestational alloimmune liver disease  |
| Q85.00   | Neurofibromatosis, unspecified  |
| Q85.01   | Neurofibromatosis, type 1   |
| Q85.02   | Neurofibromatosis, type 2   |
| Q85.03   | Schwannomatosis   |
| Q85.09   | Other neurofibromatosis   |
| R11.13   | Vomiting of fecal matter  |
| R11.15   | Cyclical vomiting syndrome unrelated to migraine  |
| R16.0    | Hepatomegaly, not elsewhere classified  |
| R16.2    | Hepatomegaly with splenomegaly, not elsewhere classified  |
| R17      | Unspecified jaundice  |
| R40.2410 | Glasgow coma scale score 13-15, unspecified time  |
| R40.2411 | Glasgow coma scale score 13-15, in the field [EMT or ambulance]   |
| R40.2412 | Glasgow coma scale score 13-15, at arrival to emergency department  |
| R40.2413 | Glasgow coma scale score 13-15, at hospital admission   |
| R40.2414 | Glasgow coma scale score 13-15, 24 hours or more after hospital admission   |
| R40.2420 | Glasgow coma scale score 9-12, unspecified time   |
| R40.2421 | Glasgow coma scale score 9-12, in the field [EMT or ambulance]  |
| R40.2422 | Glasgow coma scale score 9-12, at arrival to emergency department   |
| R40.2423 | Glasgow coma scale score 9-12, at hospital admission  |
| R40.2424 | Glasgow coma scale score 9-12, 24 hours or more after hospital admission  |
| R40.2430 | Glasgow coma scale score 3-8, unspecified time  |
| R40.2431 | Glasgow coma scale score 3-8, in the field [EMT or ambulance]   |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| R40.2432 | Glasgow coma scale score 3-8, at arrival to emergency department   |
| R40.2433 | Glasgow coma scale score 3-8, at hospital admission  |
| R40.2434 | Glasgow coma scale score 3-8, 24 hours or more after hospital admission  |
| R40.2440 | Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time                          |
| R40.2441 | Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]           |
| R40.2442 | Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department        |
| R40.2443 | Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission                     |
| R40.2444 | Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission |
| R74.01   | Elevation of levels of liver transaminase levels   |
| R74.02   | Elevation of levels of lactic acid dehydrogenase [LDH]   |
| R74.8    | Abnormal levels of other serum enzymes   |
| R74.9    | Abnormal serum enzyme level, unspecified   |
| T36.0X1A | Poisoning by penicillins, accidental (unintentional), initial encounter  |
| T36.0X2A | Poisoning by penicillins, intentional self-harm, initial encounter   |
| T36.0X3A | Poisoning by penicillins, assault, initial encounter   |
| T36.0X4A | Poisoning by penicillins, undetermined, initial encounter  |
| T36.1X1A | Poisoning by cephalosporins and other beta-lactam antibiotics, accidental (unintentional), initial encounter                       |
| T36.1X2A | Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter                            |
| T36.1X3A | Poisoning by cephalosporins and other beta-lactam antibiotics, assault, initial encounter  |
| T36.1X4A | Poisoning by cephalosporins and other beta-lactam antibiotics, undetermined, initial encounter                                     |
| T36.2X1A | Poisoning by chloramphenicol group, accidental (unintentional), initial encounter  |
| T36.2X2A | Poisoning by chloramphenicol group, intentional self-harm, initial encounter   |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T36.2X3A | Poisoning by chloramphenicol group, assault, initial encounter  |
| T36.2X4A | Poisoning by chloramphenicol group, undetermined, initial encounter                                   |
| T36.3X1A | Poisoning by macrolides, accidental (unintentional), initial encounter                                |
| T36.3X2A | Poisoning by macrolides, intentional self-harm, initial encounter                                     |
| T36.3X3A | Poisoning by macrolides, assault, initial encounter   |
| T36.3X4A | Poisoning by macrolides, undetermined, initial encounter  |
| T36.4X1A | Poisoning by tetracyclines, accidental (unintentional), initial encounter                             |
| T36.4X2A | Poisoning by tetracyclines, intentional self-harm, initial encounter                                  |
| T36.4X3A | Poisoning by tetracyclines, assault, initial encounter  |
| T36.4X4A | Poisoning by tetracyclines, undetermined, initial encounter   |
| T36.5X1A | Poisoning by aminoglycosides, accidental (unintentional), initial encounter                           |
| T36.5X2A | Poisoning by aminoglycosides, intentional self-harm, initial encounter                                |
| T36.5X3A | Poisoning by aminoglycosides, assault, initial encounter  |
| T36.5X4A | Poisoning by aminoglycosides, undetermined, initial encounter   |
| T36.6X1A | Poisoning by rifampicins, accidental (unintentional), initial encounter                               |
| T36.6X2A | Poisoning by rifampicins, intentional self-harm, initial encounter                                    |
| T36.6X3A | Poisoning by rifampicins, assault, initial encounter  |
| T36.6X4A | Poisoning by rifampicins, undetermined, initial encounter   |
| T36.7X1A | Poisoning by antifungal antibiotics, systemically used, accidental (unintentional), initial encounter |
| T36.7X2A | Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter      |
| T36.7X3A | Poisoning by antifungal antibiotics, systemically used, assault, initial encounter                    |
| T36.7X4A | Poisoning by antifungal antibiotics, systemically used, undetermined, initial encounter               |
| T36.8X1A | Poisoning by other systemic antibiotics, accidental (unintentional), initial encounter                |
| T36.8X2A | Poisoning by other systemic antibiotics, intentional self-harm, initial encounter                     |
| T36.8X3A | Poisoning by other systemic antibiotics, assault, initial encounter                                   |
| T36.8X4A | Poisoning by other systemic antibiotics, undetermined, initial encounter                              |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T36.91XA    | Poisoning by unspecified systemic antibiotic, accidental (unintentional), initial encounter                        |
| T36.92XA    | Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter                             |
| T36.93XA    | Poisoning by unspecified systemic antibiotic, assault, initial encounter   |
| T36.94XA    | Poisoning by unspecified systemic antibiotic, undetermined, initial encounter                                      |
| T37.0X1A    | Poisoning by sulfonamides, accidental (unintentional), initial encounter   |
| T37.0X2A    | Poisoning by sulfonamides, intentional self-harm, initial encounter  |
| T37.0X3A    | Poisoning by sulfonamides, assault, initial encounter  |
| T37.0X4A    | Poisoning by sulfonamides, undetermined, initial encounter   |
| T37.1X1A    | Poisoning by antimycobacterial drugs, accidental (unintentional), initial encounter                                |
| T37.1X2A    | Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter                                     |
| T37.1X3A    | Poisoning by antimycobacterial drugs, assault, initial encounter   |
| T37.1X4A    | Poisoning by antimycobacterial drugs, undetermined, initial encounter  |
| T37.2X1A    | Poisoning by antimalarials and drugs acting on other blood protozoa, accidental (unintentional), initial encounter |
| T37.2X2A    | Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter      |
| T37.2X3A    | Poisoning by antimalarials and drugs acting on other blood protozoa, assault, initial encounter                    |
| T37.2X4A    | Poisoning by antimalarials and drugs acting on other blood protozoa, undetermined, initial encounter               |
| T37.3X1A    | Poisoning by other antiprotozoal drugs, accidental (unintentional), initial encounter                              |
| T37.3X2A    | Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter                                   |
| T37.3X3A    | Poisoning by other antiprotozoal drugs, assault, initial encounter   |
| T37.3X4A    | Poisoning by other antiprotozoal drugs, undetermined, initial encounter  |
| T37.4X1A    | Poisoning by anthelmintics, accidental (unintentional), initial encounter  |
| T37.4X2A    | Poisoning by anthelmintics, intentional self-harm, initial encounter   |
| T37.4X3A    | Poisoning by anthelmintics, assault, initial encounter   |
| T37.4X4A    | Poisoning by anthelmintics, undetermined, initial encounter  |
| T37.5X1A    | Poisoning by antiviral drugs, accidental (unintentional), initial encounter  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T37.5X2A | Poisoning by antiviral drugs, intentional self-harm, initial encounter  |
| T37.5X3A | Poisoning by antiviral drugs, assault, initial encounter  |
| T37.5X4A | Poisoning by antiviral drugs, undetermined, initial encounter   |
| T37.8X1A | Poisoning by other specified systemic anti-infectives and antiparasitics, accidental (unintentional), initial encounter |
| T37.8X2A | Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter      |
| T37.8X3A | Poisoning by other specified systemic anti-infectives and antiparasitics, assault, initial encounter                    |
| T37.8X4A | Poisoning by other specified systemic anti-infectives and antiparasitics, undetermined, initial encounter               |
| T37.91XA | Poisoning by unspecified systemic anti-infective and antiparasitics, accidental (unintentional), initial encounter      |
| T37.92XA | Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter           |
| T37.93XA | Poisoning by unspecified systemic anti-infective and antiparasitics, assault, initial encounter                         |
| T37.94XA | Poisoning by unspecified systemic anti-infective and antiparasitics, undetermined, initial encounter                    |
| T38.0X1A | Poisoning by glucocorticoids and synthetic analogues, accidental (unintentional), initial encounter                     |
| T38.0X2A | Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter                          |
| T38.0X3A | Poisoning by glucocorticoids and synthetic analogues, assault, initial encounter  |
| T38.0X4A | Poisoning by glucocorticoids and synthetic analogues, undetermined, initial encounter                                   |
| T38.1X1A | Poisoning by thyroid hormones and substitutes, accidental (unintentional), initial encounter                            |
| T38.1X2A | Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter                                 |
| T38.1X3A | Poisoning by thyroid hormones and substitutes, assault, initial encounter   |
| T38.1X4A | Poisoning by thyroid hormones and substitutes, undetermined, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T38.2X1A | Poisoning by antithyroid drugs, accidental (unintentional), initial encounter  |
| T38.2X2A | Poisoning by antithyroid drugs, intentional self-harm, initial encounter   |
| T38.2X3A | Poisoning by antithyroid drugs, assault, initial encounter   |
| T38.2X4A | Poisoning by antithyroid drugs, undetermined, initial encounter  |
| T38.3X1A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, accidental (unintentional), initial encounter                         |
| T38.3X2A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter                              |
| T38.3X3A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, assault, initial encounter  |
| T38.3X4A | Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, undetermined, initial encounter                                       |
| T38.4X1A | Poisoning by oral contraceptives, accidental (unintentional), initial encounter  |
| T38.4X2A | Poisoning by oral contraceptives, intentional self-harm, initial encounter   |
| T38.4X3A | Poisoning by oral contraceptives, assault, initial encounter   |
| T38.4X4A | Poisoning by oral contraceptives, undetermined, initial encounter  |
| T38.5X1A | Poisoning by other estrogens and progestogens, accidental (unintentional), initial encounter   |
| T38.5X2A | Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter  |
| T38.5X3A | Poisoning by other estrogens and progestogens, assault, initial encounter  |
| T38.5X4A | Poisoning by other estrogens and progestogens, undetermined, initial encounter   |
| T38.6X1A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, accidental (unintentional), initial encounter |
| T38.6X2A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter      |
| T38.6X3A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, assault, initial encounter                    |
| T38.6X4A | Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, undetermined, initial encounter               |
| T38.7X1A | Poisoning by androgens and anabolic congeners, accidental (unintentional), initial encounter   |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T38.7X2A    | Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter                    |
| T38.7X3A    | Poisoning by androgens and anabolic congeners, assault, initial encounter                                  |
| T38.7X4A    | Poisoning by androgens and anabolic congeners, undetermined, initial encounter                             |
| T38.801A    | Poisoning by unspecified hormones and synthetic substitutes, accidental (unintentional), initial encounter |
| T38.802A    | Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter      |
| T38.803A    | Poisoning by unspecified hormones and synthetic substitutes, assault, initial encounter                    |
| T38.804A    | Poisoning by unspecified hormones and synthetic substitutes, undetermined, initial encounter               |
| T38.811A    | Poisoning by anterior pituitary [adenohypophyseal] hormones, accidental (unintentional), initial encounter |
| T38.812A    | Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter      |
| T38.813A    | Poisoning by anterior pituitary [adenohypophyseal] hormones, assault, initial encounter                    |
| T38.814A    | Poisoning by anterior pituitary [adenohypophyseal] hormones, undetermined, initial encounter               |
| T38.891A    | Poisoning by other hormones and synthetic substitutes, accidental (unintentional), initial encounter       |
| T38.892A    | Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter            |
| T38.893A    | Poisoning by other hormones and synthetic substitutes, assault, initial encounter                          |
| T38.894A    | Poisoning by other hormones and synthetic substitutes, undetermined, initial encounter                     |
| T38.901A    | Poisoning by unspecified hormone antagonists, accidental (unintentional), initial encounter                |
| T38.902A    | Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter                     |
| T38.903A    | Poisoning by unspecified hormone antagonists, assault, initial encounter                                   |
| T38.904A    | Poisoning by unspecified hormone antagonists, undetermined, initial encounter                              |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T38.991A | Poisoning by other hormone antagonists, accidental (unintentional), initial encounter                          |
| T38.992A | Poisoning by other hormone antagonists, intentional self-harm, initial encounter                               |
| T38.993A | Poisoning by other hormone antagonists, assault, initial encounter   |
| T38.994A | Poisoning by other hormone antagonists, undetermined, initial encounter  |
| T39.011A | Poisoning by aspirin, accidental (unintentional), initial encounter  |
| T39.012A | Poisoning by aspirin, intentional self-harm, initial encounter   |
| T39.013A | Poisoning by aspirin, assault, initial encounter   |
| T39.014A | Poisoning by aspirin, undetermined, initial encounter  |
| T39.091A | Poisoning by salicylates, accidental (unintentional), initial encounter  |
| T39.092A | Poisoning by salicylates, intentional self-harm, initial encounter   |
| T39.093A | Poisoning by salicylates, assault, initial encounter   |
| T39.094A | Poisoning by salicylates, undetermined, initial encounter  |
| T39.1X1A | Poisoning by 4-Aminophenol derivatives, accidental (unintentional), initial encounter                          |
| T39.1X2A | Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter                               |
| T39.1X3A | Poisoning by 4-Aminophenol derivatives, assault, initial encounter   |
| T39.1X4A | Poisoning by 4-Aminophenol derivatives, undetermined, initial encounter  |
| T39.2X1A | Poisoning by pyrazolone derivatives, accidental (unintentional), initial encounter                             |
| T39.2X2A | Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter                                  |
| T39.2X3A | Poisoning by pyrazolone derivatives, assault, initial encounter  |
| T39.2X4A | Poisoning by pyrazolone derivatives, undetermined, initial encounter   |
| T39.311A | Poisoning by propionic acid derivatives, accidental (unintentional), initial encounter                         |
| T39.312A | Poisoning by propionic acid derivatives, intentional self-harm, initial encounter                              |
| T39.313A | Poisoning by propionic acid derivatives, assault, initial encounter  |
| T39.314A | Poisoning by propionic acid derivatives, undetermined, initial encounter                                       |
| T39.391A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], accidental (unintentional), initial encounter |
| T39.392A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T39.393A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], assault, initial encounter                                       |
| T39.394A | Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], undetermined, initial encounter                                  |
| T39.4X1A | Poisoning by antirheumatics, not elsewhere classified, accidental (unintentional), initial encounter                              |
| T39.4X2A | Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter                                   |
| T39.4X3A | Poisoning by antirheumatics, not elsewhere classified, assault, initial encounter   |
| T39.4X4A | Poisoning by antirheumatics, not elsewhere classified, undetermined, initial encounter  |
| T39.8X1A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, accidental (unintentional), initial encounter |
| T39.8X2A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter      |
| T39.8X3A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, assault, initial encounter                    |
| T39.8X4A | Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, undetermined, initial encounter               |
| T39.91XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, accidental (unintentional), initial encounter        |
| T39.92XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter             |
| T39.93XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, assault, initial encounter                           |
| T39.94XA | Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, undetermined, initial encounter                      |
| T40.0X1A | Poisoning by opium, accidental (unintentional), initial encounter   |
| T40.0X2A | Poisoning by opium, intentional self-harm, initial encounter  |
| T40.0X3A | Poisoning by opium, assault, initial encounter  |
| T40.0X4A | Poisoning by opium, undetermined, initial encounter   |
| T40.1X1A | Poisoning by heroin, accidental (unintentional), initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T40.1X2A    | Poisoning by heroin, intentional self-harm, initial encounter                               |
| T40.1X3A    | Poisoning by heroin, assault, initial encounter   |
| T40.1X4A    | Poisoning by heroin, undetermined, initial encounter  |
| T40.2X1A    | Poisoning by other opioids, accidental (unintentional), initial encounter                   |
| T40.2X2A    | Poisoning by other opioids, intentional self-harm, initial encounter                        |
| T40.2X3A    | Poisoning by other opioids, assault, initial encounter                                      |
| T40.2X4A    | Poisoning by other opioids, undetermined, initial encounter                                 |
| T40.3X1A    | Poisoning by methadone, accidental (unintentional), initial encounter                       |
| T40.3X2A    | Poisoning by methadone, intentional self-harm, initial encounter                            |
| T40.3X3A    | Poisoning by methadone, assault, initial encounter  |
| T40.3X4A    | Poisoning by methadone, undetermined, initial encounter                                     |
| T40.411A    | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter    |
| T40.411D    | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), subsequent encounter |
| T40.411S    | Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), sequela              |
| T40.412A    | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter         |
| T40.412D    | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter      |
| T40.412S    | Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela                   |
| T40.413A    | Poisoning by fentanyl or fentanyl analogs, assault, initial encounter                       |
| T40.413D    | Poisoning by fentanyl or fentanyl analogs, assault, subsequent encounter                    |
| T40.413S    | Poisoning by fentanyl or fentanyl analogs, assault, sequela                                 |
| T40.414A    | Poisoning by fentanyl or fentanyl analogs, undetermined, initial encounter                  |
| T40.414D    | Poisoning by fentanyl or fentanyl analogs, undetermined, subsequent encounter               |
| T40.414S    | Poisoning by fentanyl or fentanyl analogs, undetermined, sequela                            |
| T40.415A    | Adverse effect of fentanyl or fentanyl analogs, initial encounter                           |
| T40.415D    | Adverse effect of fentanyl or fentanyl analogs, subsequent encounter                        |
| T40.415S    | Adverse effect of fentanyl or fentanyl analogs, sequela                                     |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T40.416A | Underdosing of fentanyl or fentanyl analogs, initial encounter                           |
| T40.416D | Underdosing of fentanyl or fentanyl analogs, subsequent encounter                        |
| T40.416S | Underdosing of fentanyl or fentanyl analogs, sequela                                     |
| T40.421A | Poisoning by tramadol, accidental (unintentional), initial encounter                     |
| T40.421D | Poisoning by tramadol, accidental (unintentional), subsequent encounter                  |
| T40.421S | Poisoning by tramadol, accidental (unintentional), sequela                               |
| T40.422A | Poisoning by tramadol, intentional self-harm, initial encounter                          |
| T40.422D | Poisoning by tramadol, intentional self-harm, subsequent encounter                       |
| T40.422S | Poisoning by tramadol, intentional self-harm, sequela                                    |
| T40.423A | Poisoning by tramadol, assault, initial encounter  |
| T40.423D | Poisoning by tramadol, assault, subsequent encounter                                     |
| T40.423S | Poisoning by tramadol, assault, sequela  |
| T40.424A | Poisoning by tramadol, undetermined, initial encounter                                   |
| T40.424D | Poisoning by tramadol, undetermined, subsequent encounter                                |
| T40.424S | Poisoning by tramadol, undetermined, sequela   |
| T40.425A | Adverse effect of tramadol, initial encounter  |
| T40.425D | Adverse effect of tramadol, subsequent encounter   |
| T40.425S | Adverse effect of tramadol, sequela  |
| T40.426A | Underdosing of tramadol, initial encounter   |
| T40.426D | Underdosing of tramadol, subsequent encounter  |
| T40.426S | Underdosing of tramadol, sequela   |
| T40.491A | Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter    |
| T40.491D | Poisoning by other synthetic narcotics, accidental (unintentional), subsequent encounter |
| T40.491S | Poisoning by other synthetic narcotics, accidental (unintentional), sequela              |
| T40.492A | Poisoning by other synthetic narcotics, intentional self-harm, initial encounter         |
| T40.492D | Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter      |
| T40.492S | Poisoning by other synthetic narcotics, intentional self-harm, sequela                   |
| T40.493A | Poisoning by other synthetic narcotics, assault, initial encounter                       |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T40.493D | Poisoning by other synthetic narcotics, assault, subsequent encounter              |
| T40.493S | Poisoning by other synthetic narcotics, assault, sequela                           |
| T40.494A | Poisoning by other synthetic narcotics, undetermined, initial encounter            |
| T40.494D | Poisoning by other synthetic narcotics, undetermined, subsequent encounter         |
| T40.494S | Poisoning by other synthetic narcotics, undetermined, sequela                      |
| T40.495A | Adverse effect of other synthetic narcotics, initial encounter                     |
| T40.495D | Adverse effect of other synthetic narcotics, subsequent encounter                  |
| T40.495S | Adverse effect of other synthetic narcotics, sequela                               |
| T40.496A | Underdosing of other synthetic narcotics, initial encounter                        |
| T40.496D | Underdosing of other synthetic narcotics, subsequent encounter                     |
| T40.496S | Underdosing of other synthetic narcotics, sequela                                  |
| T40.5X1A | Poisoning by cocaine, accidental (unintentional), initial encounter                |
| T40.5X2A | Poisoning by cocaine, intentional self-harm, initial encounter                     |
| T40.5X3A | Poisoning by cocaine, assault, initial encounter                                   |
| T40.5X4A | Poisoning by cocaine, undetermined, initial encounter                              |
| T40.601A | Poisoning by unspecified narcotics, accidental (unintentional), initial encounter  |
| T40.602A | Poisoning by unspecified narcotics, intentional self-harm, initial encounter       |
| T40.603A | Poisoning by unspecified narcotics, assault, initial encounter                     |
| T40.604A | Poisoning by unspecified narcotics, undetermined, initial encounter                |
| T40.691A | Poisoning by other narcotics, accidental (unintentional), initial encounter        |
| T40.692A | Poisoning by other narcotics, intentional self-harm, initial encounter             |
| T40.693A | Poisoning by other narcotics, assault, initial encounter                           |
| T40.694A | Poisoning by other narcotics, undetermined, initial encounter                      |
| T40.7X1A | Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter |
| T40.7X2A | Poisoning by cannabis (derivatives), intentional self-harm, initial encounter      |
| T40.7X3A | Poisoning by cannabis (derivatives), assault, initial encounter                    |
| T40.7X4A | Poisoning by cannabis (derivatives), undetermined, initial encounter               |
| T40.8X1A | Poisoning by lysergide [LSD], accidental (unintentional), initial encounter        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T40.8X2A    | Poisoning by lysergide [LSD], intentional self-harm, initial encounter                                   |
| T40.8X3A    | Poisoning by lysergide [LSD], assault, initial encounter   |
| T40.8X4A    | Poisoning by lysergide [LSD], undetermined, initial encounter  |
| T40.901A    | Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter |
| T40.902A    | Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter      |
| T40.903A    | Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter                    |
| T40.904A    | Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter               |
| T40.991A    | Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter       |
| T40.992A    | Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter            |
| T40.993A    | Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter                          |
| T40.994A    | Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter                     |
| T41.0X1A    | Poisoning by inhaled anesthetics, accidental (unintentional), initial encounter                          |
| T41.0X2A    | Poisoning by inhaled anesthetics, intentional self-harm, initial encounter                               |
| T41.0X3A    | Poisoning by inhaled anesthetics, assault, initial encounter   |
| T41.0X4A    | Poisoning by inhaled anesthetics, undetermined, initial encounter  |
| T41.1X1A    | Poisoning by intravenous anesthetics, accidental (unintentional), initial encounter                      |
| T41.1X2A    | Poisoning by intravenous anesthetics, intentional self-harm, initial encounter                           |
| T41.1X3A    | Poisoning by intravenous anesthetics, assault, initial encounter   |
| T41.1X4A    | Poisoning by intravenous anesthetics, undetermined, initial encounter                                    |
| T41.201A    | Poisoning by unspecified general anesthetics, accidental (unintentional), initial encounter              |
| T41.202A    | Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter                   |
| T41.203A    | Poisoning by unspecified general anesthetics, assault, initial encounter                                 |
| T41.204A    | Poisoning by unspecified general anesthetics, undetermined, initial encounter                            |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T41.291A | Poisoning by other general anesthetics, accidental (unintentional), initial encounter          |
| T41.292A | Poisoning by other general anesthetics, intentional self-harm, initial encounter               |
| T41.293A | Poisoning by other general anesthetics, assault, initial encounter                             |
| T41.294A | Poisoning by other general anesthetics, undetermined, initial encounter                        |
| T41.3X1A | Poisoning by local anesthetics, accidental (unintentional), initial encounter                  |
| T41.3X2A | Poisoning by local anesthetics, intentional self-harm, initial encounter                       |
| T41.3X3A | Poisoning by local anesthetics, assault, initial encounter                                     |
| T41.3X4A | Poisoning by local anesthetics, undetermined, initial encounter                                |
| T41.41XA | Poisoning by unspecified anesthetic, accidental (unintentional), initial encounter             |
| T41.42XA | Poisoning by unspecified anesthetic, intentional self-harm, initial encounter                  |
| T41.43XA | Poisoning by unspecified anesthetic, assault, initial encounter                                |
| T41.44XA | Poisoning by unspecified anesthetic, undetermined, initial encounter                           |
| T41.5X1A | Poisoning by therapeutic gases, accidental (unintentional), initial encounter                  |
| T41.5X2A | Poisoning by therapeutic gases, intentional self-harm, initial encounter                       |
| T41.5X3A | Poisoning by therapeutic gases, assault, initial encounter                                     |
| T41.5X4A | Poisoning by therapeutic gases, undetermined, initial encounter                                |
| T42.0X1A | Poisoning by hydantoin derivatives, accidental (unintentional), initial encounter              |
| T42.0X2A | Poisoning by hydantoin derivatives, intentional self-harm, initial encounter                   |
| T42.0X3A | Poisoning by hydantoin derivatives, assault, initial encounter                                 |
| T42.0X4A | Poisoning by hydantoin derivatives, undetermined, initial encounter                            |
| T42.1X1A | Poisoning by iminostilbenes, accidental (unintentional), initial encounter                     |
| T42.1X2A | Poisoning by iminostilbenes, intentional self-harm, initial encounter                          |
| T42.1X3A | Poisoning by iminostilbenes, assault, initial encounter  |
| T42.1X4A | Poisoning by iminostilbenes, undetermined, initial encounter                                   |
| T42.2X1A | Poisoning by succinimides and oxazolidinediones, accidental (unintentional), initial encounter |
| T42.2X2A | Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter      |
| T42.2X3A | Poisoning by succinimides and oxazolidinediones, assault, initial encounter                    |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T42.2X4A | Poisoning by succinimides and oxazolidinediones, undetermined, initial encounter   |
| T42.3X1A | Poisoning by barbiturates, accidental (unintentional), initial encounter   |
| T42.3X2A | Poisoning by barbiturates, intentional self-harm, initial encounter  |
| T42.3X3A | Poisoning by barbiturates, assault, initial encounter  |
| T42.3X4A | Poisoning by barbiturates, undetermined, initial encounter   |
| T42.4X1A | Poisoning by benzodiazepines, accidental (unintentional), initial encounter  |
| T42.4X2A | Poisoning by benzodiazepines, intentional self-harm, initial encounter   |
| T42.4X3A | Poisoning by benzodiazepines, assault, initial encounter   |
| T42.4X4A | Poisoning by benzodiazepines, undetermined, initial encounter  |
| T42.5X1A | Poisoning by mixed antiepileptics, accidental (unintentional), initial encounter   |
| T42.5X2A | Poisoning by mixed antiepileptics, intentional self-harm, initial encounter  |
| T42.5X3A | Poisoning by mixed antiepileptics, assault, initial encounter  |
| T42.5X4A | Poisoning by mixed antiepileptics, undetermined, initial encounter   |
| T42.6X1A | Poisoning by other antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter                  |
| T42.6X2A | Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter                       |
| T42.6X3A | Poisoning by other antiepileptic and sedative-hypnotic drugs, assault, initial encounter                                     |
| T42.6X4A | Poisoning by other antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter                                |
| T42.71XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, accidental (unintentional), initial encounter            |
| T42.72XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter                 |
| T42.73XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, assault, initial encounter                               |
| T42.74XA | Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, undetermined, initial encounter                          |
| T42.8X1A | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, accidental (unintentional), initial encounter |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T42.8X2A    | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter |
| T42.8X3A    | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, assault, initial encounter               |
| T42.8X4A    | Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, undetermined, initial encounter          |
| T43.011A    | Poisoning by tricyclic antidepressants, accidental (unintentional), initial encounter                                   |
| T43.012A    | Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter  |
| T43.013A    | Poisoning by tricyclic antidepressants, assault, initial encounter  |
| T43.014A    | Poisoning by tricyclic antidepressants, undetermined, initial encounter   |
| T43.021A    | Poisoning by tetracyclic antidepressants, accidental (unintentional), initial encounter                                 |
| T43.022A    | Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter                                      |
| T43.023A    | Poisoning by tetracyclic antidepressants, assault, initial encounter  |
| T43.024A    | Poisoning by tetracyclic antidepressants, undetermined, initial encounter   |
| T43.1X1A    | Poisoning by monoamine-oxidase-inhibitor antidepressants, accidental (unintentional), initial encounter                 |
| T43.1X2A    | Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter                      |
| T43.1X3A    | Poisoning by monoamine-oxidase-inhibitor antidepressants, assault, initial encounter                                    |
| T43.1X4A    | Poisoning by monoamine-oxidase-inhibitor antidepressants, undetermined, initial encounter                               |
| T43.201A    | Poisoning by unspecified antidepressants, accidental (unintentional), initial encounter                                 |
| T43.202A    | Poisoning by unspecified antidepressants, intentional self-harm, initial encounter                                      |
| T43.203A    | Poisoning by unspecified antidepressants, assault, initial encounter  |
| T43.204A    | Poisoning by unspecified antidepressants, undetermined, initial encounter   |
| T43.211A    | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, accidental (unintentional), initial encounter  |
| T43.212A    | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T43.213A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, assault, initial encounter       |
| T43.214A | Poisoning by selective serotonin and norepinephrine reuptake inhibitors, undetermined, initial encounter  |
| T43.221A | Poisoning by selective serotonin reuptake inhibitors, accidental (unintentional), initial encounter       |
| T43.222A | Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter            |
| T43.223A | Poisoning by selective serotonin reuptake inhibitors, assault, initial encounter                          |
| T43.224A | Poisoning by selective serotonin reuptake inhibitors, undetermined, initial encounter                     |
| T43.291A | Poisoning by other antidepressants, accidental (unintentional), initial encounter                         |
| T43.292A | Poisoning by other antidepressants, intentional self-harm, initial encounter                              |
| T43.293A | Poisoning by other antidepressants, assault, initial encounter  |
| T43.294A | Poisoning by other antidepressants, undetermined, initial encounter                                       |
| T43.3X1A | Poisoning by phenothiazine antipsychotics and neuroleptics, accidental (unintentional), initial encounter |
| T43.3X2A | Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter      |
| T43.3X3A | Poisoning by phenothiazine antipsychotics and neuroleptics, assault, initial encounter                    |
| T43.3X4A | Poisoning by phenothiazine antipsychotics and neuroleptics, undetermined, initial encounter               |
| T43.4X1A | Poisoning by butyrophenone and thiothixene neuroleptics, accidental (unintentional), initial encounter    |
| T43.4X2A | Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter         |
| T43.4X3A | Poisoning by butyrophenone and thiothixene neuroleptics, assault, initial encounter                       |
| T43.4X4A | Poisoning by butyrophenone and thiothixene neuroleptics, undetermined, initial encounter                  |
| T43.501A | Poisoning by unspecified antipsychotics and neuroleptics, accidental (unintentional), initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T43.502A | Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter |
| T43.503A | Poisoning by unspecified antipsychotics and neuroleptics, assault, initial encounter               |
| T43.504A | Poisoning by unspecified antipsychotics and neuroleptics, undetermined, initial encounter          |
| T43.591A | Poisoning by other antipsychotics and neuroleptics, accidental (unintentional), initial encounter  |
| T43.592A | Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter       |
| T43.593A | Poisoning by other antipsychotics and neuroleptics, assault, initial encounter                     |
| T43.594A | Poisoning by other antipsychotics and neuroleptics, undetermined, initial encounter                |
| T43.601A | Poisoning by unspecified psychostimulants, accidental (unintentional), initial encounter           |
| T43.602A | Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter                |
| T43.603A | Poisoning by unspecified psychostimulants, assault, initial encounter                              |
| T43.604A | Poisoning by unspecified psychostimulants, undetermined, initial encounter                         |
| T43.611A | Poisoning by caffeine, accidental (unintentional), initial encounter                               |
| T43.612A | Poisoning by caffeine, intentional self-harm, initial encounter                                    |
| T43.613A | Poisoning by caffeine, assault, initial encounter  |
| T43.614A | Poisoning by caffeine, undetermined, initial encounter   |
| T43.621A | Poisoning by amphetamines, accidental (unintentional), initial encounter                           |
| T43.622A | Poisoning by amphetamines, intentional self-harm, initial encounter                                |
| T43.623A | Poisoning by amphetamines, assault, initial encounter  |
| T43.624A | Poisoning by amphetamines, undetermined, initial encounter   |
| T43.631A | Poisoning by methylphenidate, accidental (unintentional), initial encounter                        |
| T43.632A | Poisoning by methylphenidate, intentional self-harm, initial encounter                             |
| T43.633A | Poisoning by methylphenidate, assault, initial encounter   |
| T43.634A | Poisoning by methylphenidate, undetermined, initial encounter                                      |
| T43.641A | Poisoning by ecstasy, accidental (unintentional), initial encounter                                |
| T43.641D | Poisoning by ecstasy, accidental (unintentional), subsequent encounter                             |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T43.641S | Poisoning by ecstasy, accidental (unintentional), sequela   |
| T43.642A | Poisoning by ecstasy, intentional self-harm, initial encounter  |
| T43.642D | Poisoning by ecstasy, intentional self-harm, subsequent encounter                                     |
| T43.642S | Poisoning by ecstasy, intentional self-harm, sequela  |
| T43.643A | Poisoning by ecstasy, assault, initial encounter  |
| T43.643D | Poisoning by ecstasy, assault, subsequent encounter   |
| T43.643S | Poisoning by ecstasy, assault, sequela  |
| T43.644A | Poisoning by ecstasy, undetermined, initial encounter   |
| T43.644D | Poisoning by ecstasy, undetermined, subsequent encounter  |
| T43.644S | Poisoning by ecstasy, undetermined, sequela   |
| T43.691A | Poisoning by other psychostimulants, accidental (unintentional), initial encounter                    |
| T43.692A | Poisoning by other psychostimulants, intentional self-harm, initial encounter                         |
| T43.693A | Poisoning by other psychostimulants, assault, initial encounter                                       |
| T43.694A | Poisoning by other psychostimulants, undetermined, initial encounter                                  |
| T43.8X1A | Poisoning by other psychotropic drugs, accidental (unintentional), initial encounter                  |
| T43.8X2A | Poisoning by other psychotropic drugs, intentional self-harm, initial encounter                       |
| T43.8X3A | Poisoning by other psychotropic drugs, assault, initial encounter                                     |
| T43.8X4A | Poisoning by other psychotropic drugs, undetermined, initial encounter                                |
| T43.91XA | Poisoning by unspecified psychotropic drug, accidental (unintentional), initial encounter             |
| T43.92XA | Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter                  |
| T43.93XA | Poisoning by unspecified psychotropic drug, assault, initial encounter                                |
| T43.94XA | Poisoning by unspecified psychotropic drug, undetermined, initial encounter                           |
| T44.0X1A | Poisoning by anticholinesterase agents, accidental (unintentional), initial encounter                 |
| T44.0X2A | Poisoning by anticholinesterase agents, intentional self-harm, initial encounter                      |
| T44.0X3A | Poisoning by anticholinesterase agents, assault, initial encounter                                    |
| T44.0X4A | Poisoning by anticholinesterase agents, undetermined, initial encounter                               |
| T44.1X1A | Poisoning by other parasympathomimetics [cholinergics], accidental (unintentional), initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T44.1X2A | Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter   |
| T44.1X3A | Poisoning by other parasympathomimetics [cholinergics], assault, initial encounter   |
| T44.1X4A | Poisoning by other parasympathomimetics [cholinergics], undetermined, initial encounter  |
| T44.2X1A | Poisoning by ganglionic blocking drugs, accidental (unintentional), initial encounter  |
| T44.2X2A | Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter   |
| T44.2X3A | Poisoning by ganglionic blocking drugs, assault, initial encounter   |
| T44.2X4A | Poisoning by ganglionic blocking drugs, undetermined, initial encounter  |
| T44.3X1A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, accidental (unintentional), initial encounter |
| T44.3X2A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter      |
| T44.3X3A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, assault, initial encounter                    |
| T44.3X4A | Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, undetermined, initial encounter               |
| T44.4X1A | Poisoning by predominantly alpha-adrenoreceptor agonists, accidental (unintentional), initial encounter                                      |
| T44.4X2A | Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter   |
| T44.4X3A | Poisoning by predominantly alpha-adrenoreceptor agonists, assault, initial encounter   |
| T44.4X4A | Poisoning by predominantly alpha-adrenoreceptor agonists, undetermined, initial encounter  |
| T44.5X1A | Poisoning by predominantly beta-adrenoreceptor agonists, accidental (unintentional), initial encounter                                       |
| T44.5X2A | Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter  |
| T44.5X3A | Poisoning by predominantly beta-adrenoreceptor agonists, assault, initial encounter  |
| T44.5X4A | Poisoning by predominantly beta-adrenoreceptor agonists, undetermined, initial encounter   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T44.6X1A | Poisoning by alpha-adrenoreceptor antagonists, accidental (unintentional), initial encounter                                   |
| T44.6X2A | Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter  |
| T44.6X3A | Poisoning by alpha-adrenoreceptor antagonists, assault, initial encounter  |
| T44.6X4A | Poisoning by alpha-adrenoreceptor antagonists, undetermined, initial encounter   |
| T44.7X1A | Poisoning by beta-adrenoreceptor antagonists, accidental (unintentional), initial encounter                                    |
| T44.7X2A | Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter   |
| T44.7X3A | Poisoning by beta-adrenoreceptor antagonists, assault, initial encounter   |
| T44.7X4A | Poisoning by beta-adrenoreceptor antagonists, undetermined, initial encounter  |
| T44.8X1A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, accidental (unintentional), initial encounter             |
| T44.8X2A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter                  |
| T44.8X3A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, assault, initial encounter                                |
| T44.8X4A | Poisoning by centrally-acting and adrenergic-neuron-blocking agents, undetermined, initial encounter                           |
| T44.901A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, accidental (unintentional), initial encounter |
| T44.902A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter      |
| T44.903A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, assault, initial encounter                    |
| T44.904A | Poisoning by unspecified drugs primarily affecting the autonomic nervous system, undetermined, initial encounter               |
| T44.991A | Poisoning by other drug primarily affecting the autonomic nervous system, accidental (unintentional), initial encounter        |
| T44.992A | Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T44.993A | Poisoning by other drug primarily affecting the autonomic nervous system, assault, initial encounter      |
| T44.994A | Poisoning by other drug primarily affecting the autonomic nervous system, undetermined, initial encounter |
| T45.0X1A | Poisoning by antiallergic and antiemetic drugs, accidental (unintentional), initial encounter             |
| T45.0X2A | Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter                  |
| T45.0X3A | Poisoning by antiallergic and antiemetic drugs, assault, initial encounter                                |
| T45.0X4A | Poisoning by antiallergic and antiemetic drugs, undetermined, initial encounter                           |
| T45.1X1A | Poisoning by antineoplastic and immunosuppressive drugs, accidental (unintentional), initial encounter    |
| T45.1X2A | Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter         |
| T45.1X3A | Poisoning by antineoplastic and immunosuppressive drugs, assault, initial encounter                       |
| T45.1X4A | Poisoning by antineoplastic and immunosuppressive drugs, undetermined, initial encounter                  |
| T45.2X1A | Poisoning by vitamins, accidental (unintentional), initial encounter                                      |
| T45.2X2A | Poisoning by vitamins, intentional self-harm, initial encounter   |
| T45.2X3A | Poisoning by vitamins, assault, initial encounter   |
| T45.2X4A | Poisoning by vitamins, undetermined, initial encounter  |
| T45.3X1A | Poisoning by enzymes, accidental (unintentional), initial encounter                                       |
| T45.3X2A | Poisoning by enzymes, intentional self-harm, initial encounter  |
| T45.3X3A | Poisoning by enzymes, assault, initial encounter  |
| T45.3X4A | Poisoning by enzymes, undetermined, initial encounter   |
| T45.4X1A | Poisoning by iron and its compounds, accidental (unintentional), initial encounter                        |
| T45.4X2A | Poisoning by iron and its compounds, intentional self-harm, initial encounter                             |
| T45.4X3A | Poisoning by iron and its compounds, assault, initial encounter   |
| T45.4X4A | Poisoning by iron and its compounds, undetermined, initial encounter                                      |
| T45.511A | Poisoning by anticoagulants, accidental (unintentional), initial encounter                                |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T45.512A | Poisoning by anticoagulants, intentional self-harm, initial encounter   |
| T45.513A | Poisoning by anticoagulants, assault, initial encounter   |
| T45.514A | Poisoning by anticoagulants, undetermined, initial encounter  |
| T45.521A | Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter                                      |
| T45.522A | Poisoning by antithrombotic drugs, intentional self-harm, initial encounter   |
| T45.523A | Poisoning by antithrombotic drugs, assault, initial encounter   |
| T45.524A | Poisoning by antithrombotic drugs, undetermined, initial encounter  |
| T45.601A | Poisoning by unspecified fibrinolysis-affecting drugs, accidental (unintentional), initial encounter                  |
| T45.602A | Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter                       |
| T45.603A | Poisoning by unspecified fibrinolysis-affecting drugs, assault, initial encounter                                     |
| T45.604A | Poisoning by unspecified fibrinolysis-affecting drugs, undetermined, initial encounter                                |
| T45.611A | Poisoning by thrombolytic drug, accidental (unintentional), initial encounter   |
| T45.612A | Poisoning by thrombolytic drug, intentional self-harm, initial encounter  |
| T45.613A | Poisoning by thrombolytic drug, assault, initial encounter  |
| T45.614A | Poisoning by thrombolytic drug, undetermined, initial encounter   |
| T45.621A | Poisoning by hemostatic drug, accidental (unintentional), initial encounter   |
| T45.622A | Poisoning by hemostatic drug, intentional self-harm, initial encounter  |
| T45.623A | Poisoning by hemostatic drug, assault, initial encounter  |
| T45.624A | Poisoning by hemostatic drug, undetermined, initial encounter   |
| T45.691A | Poisoning by other fibrinolysis-affecting drugs, accidental (unintentional), initial encounter                        |
| T45.692A | Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter                             |
| T45.693A | Poisoning by other fibrinolysis-affecting drugs, assault, initial encounter   |
| T45.694A | Poisoning by other fibrinolysis-affecting drugs, undetermined, initial encounter                                      |
| T45.7X1A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, accidental (unintentional), initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T45.7X2A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter     |
| T45.7X3A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, assault, initial encounter                   |
| T45.7X4A | Poisoning by anticoagulant antagonists, vitamin K and other coagulants, undetermined, initial encounter              |
| T45.8X1A | Poisoning by other primarily systemic and hematological agents, accidental (unintentional), initial encounter        |
| T45.8X2A | Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter             |
| T45.8X3A | Poisoning by other primarily systemic and hematological agents, assault, initial encounter                           |
| T45.8X4A | Poisoning by other primarily systemic and hematological agents, undetermined, initial encounter                      |
| T45.91XA | Poisoning by unspecified primarily systemic and hematological agent, accidental (unintentional), initial encounter   |
| T45.92XA | Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter        |
| T45.93XA | Poisoning by unspecified primarily systemic and hematological agent, assault, initial encounter                      |
| T45.94XA | Poisoning by unspecified primarily systemic and hematological agent, undetermined, initial encounter                 |
| T46.0X1A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, accidental (unintentional), initial encounter |
| T46.0X2A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter      |
| T46.0X3A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, assault, initial encounter                    |
| T46.0X4A | Poisoning by cardiac-stimulant glycosides and drugs of similar action, undetermined, initial encounter               |
| T46.1X1A | Poisoning by calcium-channel blockers, accidental (unintentional), initial encounter                                 |
| T46.1X2A | Poisoning by calcium-channel blockers, intentional self-harm, initial encounter                                      |
| T46.1X3A | Poisoning by calcium-channel blockers, assault, initial encounter  |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T46.1X4A | Poisoning by calcium-channel blockers, undetermined, initial encounter  |
| T46.2X1A | Poisoning by other antidysrhythmic drugs, accidental (unintentional), initial encounter                       |
| T46.2X2A | Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter                            |
| T46.2X3A | Poisoning by other antidysrhythmic drugs, assault, initial encounter  |
| T46.2X4A | Poisoning by other antidysrhythmic drugs, undetermined, initial encounter                                     |
| T46.3X1A | Poisoning by coronary vasodilators, accidental (unintentional), initial encounter                             |
| T46.3X2A | Poisoning by coronary vasodilators, intentional self-harm, initial encounter                                  |
| T46.3X3A | Poisoning by coronary vasodilators, assault, initial encounter  |
| T46.3X4A | Poisoning by coronary vasodilators, undetermined, initial encounter   |
| T46.4X1A | Poisoning by angiotensin-converting-enzyme inhibitors, accidental (unintentional), initial encounter          |
| T46.4X2A | Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter               |
| T46.4X3A | Poisoning by angiotensin-converting-enzyme inhibitors, assault, initial encounter                             |
| T46.4X4A | Poisoning by angiotensin-converting-enzyme inhibitors, undetermined, initial encounter                        |
| T46.5X1A | Poisoning by other antihypertensive drugs, accidental (unintentional), initial encounter                      |
| T46.5X2A | Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter                           |
| T46.5X3A | Poisoning by other antihypertensive drugs, assault, initial encounter   |
| T46.5X4A | Poisoning by other antihypertensive drugs, undetermined, initial encounter                                    |
| T46.6X1A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, accidental (unintentional), initial encounter |
| T46.6X2A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter      |
| T46.6X3A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, assault, initial encounter                    |
| T46.6X4A | Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, undetermined, initial encounter               |
| T46.7X1A | Poisoning by peripheral vasodilators, accidental (unintentional), initial encounter                           |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T46.7X2A    | Poisoning by peripheral vasodilators, intentional self-harm, initial encounter   |
| T46.7X3A    | Poisoning by peripheral vasodilators, assault, initial encounter   |
| T46.7X4A    | Poisoning by peripheral vasodilators, undetermined, initial encounter  |
| T46.8X1A    | Poisoning by antivaricose drugs, including sclerosing agents, accidental (unintentional), initial encounter                  |
| T46.8X2A    | Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter                       |
| T46.8X3A    | Poisoning by antivaricose drugs, including sclerosing agents, assault, initial encounter                                     |
| T46.8X4A    | Poisoning by antivaricose drugs, including sclerosing agents, undetermined, initial encounter                                |
| T46.901A    | Poisoning by unspecified agents primarily affecting the cardiovascular system, accidental (unintentional), initial encounter |
| T46.902A    | Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter      |
| T46.903A    | Poisoning by unspecified agents primarily affecting the cardiovascular system, assault, initial encounter                    |
| T46.904A    | Poisoning by unspecified agents primarily affecting the cardiovascular system, undetermined, initial encounter               |
| T46.991A    | Poisoning by other agents primarily affecting the cardiovascular system, accidental (unintentional), initial encounter       |
| T46.992A    | Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter            |
| T46.993A    | Poisoning by other agents primarily affecting the cardiovascular system, assault, initial encounter                          |
| T46.994A    | Poisoning by other agents primarily affecting the cardiovascular system, undetermined, initial encounter                     |
| T47.0X1A    | Poisoning by histamine H2-receptor blockers, accidental (unintentional), initial encounter                                   |
| T47.0X2A    | Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter  |
| T47.0X3A    | Poisoning by histamine H2-receptor blockers, assault, initial encounter  |
| T47.0X4A    | Poisoning by histamine H2-receptor blockers, undetermined, initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T47.1X1A | Poisoning by other antacids and anti-gastric-secretion drugs, accidental (unintentional), initial encounter |
| T47.1X2A | Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter      |
| T47.1X3A | Poisoning by other antacids and anti-gastric-secretion drugs, assault, initial encounter                    |
| T47.1X4A | Poisoning by other antacids and anti-gastric-secretion drugs, undetermined, initial encounter               |
| T47.2X1A | Poisoning by stimulant laxatives, accidental (unintentional), initial encounter                             |
| T47.2X2A | Poisoning by stimulant laxatives, intentional self-harm, initial encounter                                  |
| T47.2X3A | Poisoning by stimulant laxatives, assault, initial encounter  |
| T47.2X4A | Poisoning by stimulant laxatives, undetermined, initial encounter   |
| T47.3X1A | Poisoning by saline and osmotic laxatives, accidental (unintentional), initial encounter                    |
| T47.3X2A | Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter                         |
| T47.3X3A | Poisoning by saline and osmotic laxatives, assault, initial encounter                                       |
| T47.3X4A | Poisoning by saline and osmotic laxatives, undetermined, initial encounter                                  |
| T47.4X1A | Poisoning by other laxatives, accidental (unintentional), initial encounter                                 |
| T47.4X2A | Poisoning by other laxatives, intentional self-harm, initial encounter                                      |
| T47.4X3A | Poisoning by other laxatives, assault, initial encounter  |
| T47.4X4A | Poisoning by other laxatives, undetermined, initial encounter   |
| T47.5X1A | Poisoning by digestants, accidental (unintentional), initial encounter                                      |
| T47.5X2A | Poisoning by digestants, intentional self-harm, initial encounter   |
| T47.5X3A | Poisoning by digestants, assault, initial encounter   |
| T47.5X4A | Poisoning by digestants, undetermined, initial encounter  |
| T47.6X1A | Poisoning by antidiarrheal drugs, accidental (unintentional), initial encounter                             |
| T47.6X2A | Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter                                  |
| T47.6X3A | Poisoning by antidiarrheal drugs, assault, initial encounter  |
| T47.6X4A | Poisoning by antidiarrheal drugs, undetermined, initial encounter   |
| T47.7X1A | Poisoning by emetics, accidental (unintentional), initial encounter   |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T47.7X2A | Poisoning by emetics, intentional self-harm, initial encounter   |
| T47.7X3A | Poisoning by emetics, assault, initial encounter   |
| T47.7X4A | Poisoning by emetics, undetermined, initial encounter  |
| T47.8X1A | Poisoning by other agents primarily affecting gastrointestinal system, accidental (unintentional), initial encounter           |
| T47.8X2A | Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter                |
| T47.8X3A | Poisoning by other agents primarily affecting gastrointestinal system, assault, initial encounter                              |
| T47.8X4A | Poisoning by other agents primarily affecting gastrointestinal system, undetermined, initial encounter                         |
| T47.91XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, accidental (unintentional), initial encounter |
| T47.92XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter      |
| T47.93XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, assault, initial encounter                    |
| T47.94XA | Poisoning by unspecified agents primarily affecting the gastrointestinal system, undetermined, initial encounter               |
| T48.0X1A | Poisoning by oxytocic drugs, accidental (unintentional), initial encounter   |
| T48.0X2A | Poisoning by oxytocic drugs, intentional self-harm, initial encounter  |
| T48.0X3A | Poisoning by oxytocic drugs, assault, initial encounter  |
| T48.0X4A | Poisoning by oxytocic drugs, undetermined, initial encounter   |
| T48.1X1A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], accidental (unintentional), initial encounter          |
| T48.1X2A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter               |
| T48.1X3A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], assault, initial encounter                             |
| T48.1X4A | Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], undetermined, initial encounter                        |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T48.201A    | Poisoning by unspecified drugs acting on muscles, accidental (unintentional), initial encounter                           |
| T48.202A    | Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter                                |
| T48.203A    | Poisoning by unspecified drugs acting on muscles, assault, initial encounter  |
| T48.204A    | Poisoning by unspecified drugs acting on muscles, undetermined, initial encounter   |
| T48.291A    | Poisoning by other drugs acting on muscles, accidental (unintentional), initial encounter                                 |
| T48.292A    | Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter                                      |
| T48.293A    | Poisoning by other drugs acting on muscles, assault, initial encounter  |
| T48.294A    | Poisoning by other drugs acting on muscles, undetermined, initial encounter   |
| T48.3X1A    | Poisoning by antitussives, accidental (unintentional), initial encounter  |
| T48.3X2A    | Poisoning by antitussives, intentional self-harm, initial encounter   |
| T48.3X3A    | Poisoning by antitussives, assault, initial encounter   |
| T48.3X4A    | Poisoning by antitussives, undetermined, initial encounter  |
| T48.4X1A    | Poisoning by expectorants, accidental (unintentional), initial encounter  |
| T48.4X2A    | Poisoning by expectorants, intentional self-harm, initial encounter   |
| T48.4X3A    | Poisoning by expectorants, assault, initial encounter   |
| T48.4X4A    | Poisoning by expectorants, undetermined, initial encounter  |
| T48.5X1A    | Poisoning by other anti-common-cold drugs, accidental (unintentional), initial encounter                                  |
| T48.5X2A    | Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter                                       |
| T48.5X3A    | Poisoning by other anti-common-cold drugs, assault, initial encounter   |
| T48.5X4A    | Poisoning by other anti-common-cold drugs, undetermined, initial encounter  |
| T48.6X1A    | Poisoning by antiasthmatics, accidental (unintentional), initial encounter  |
| T48.6X2A    | Poisoning by antiasthmatics, intentional self-harm, initial encounter   |
| T48.6X3A    | Poisoning by antiasthmatics, assault, initial encounter   |
| T48.6X4A    | Poisoning by antiasthmatics, undetermined, initial encounter  |
| T48.901A    | Poisoning by unspecified agents primarily acting on the respiratory system, accidental (unintentional), initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T48.902A    | Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter     |
| T48.903A    | Poisoning by unspecified agents primarily acting on the respiratory system, assault, initial encounter                   |
| T48.904A    | Poisoning by unspecified agents primarily acting on the respiratory system, undetermined, initial encounter              |
| T48.991A    | Poisoning by other agents primarily acting on the respiratory system, accidental (unintentional), initial encounter      |
| T48.992A    | Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter           |
| T48.993A    | Poisoning by other agents primarily acting on the respiratory system, assault, initial encounter                         |
| T48.994A    | Poisoning by other agents primarily acting on the respiratory system, undetermined, initial encounter                    |
| T49.0X1A    | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, accidental (unintentional), initial encounter |
| T49.0X2A    | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter      |
| T49.0X3A    | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, assault, initial encounter                    |
| T49.0X4A    | Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, undetermined, initial encounter               |
| T49.1X1A    | Poisoning by antipruritics, accidental (unintentional), initial encounter  |
| T49.1X2A    | Poisoning by antipruritics, intentional self-harm, initial encounter   |
| T49.1X3A    | Poisoning by antipruritics, assault, initial encounter   |
| T49.1X4A    | Poisoning by antipruritics, undetermined, initial encounter  |
| T49.2X1A    | Poisoning by local astringents and local detergents, accidental (unintentional), initial encounter                       |
| T49.2X2A    | Poisoning by local astringents and local detergents, intentional self-harm, initial encounter                            |
| T49.2X3A    | Poisoning by local astringents and local detergents, assault, initial encounter  |
| T49.2X4A    | Poisoning by local astringents and local detergents, undetermined, initial encounter                                     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T49.3X1A    | Poisoning by emollients, demulcents and protectants, accidental (unintentional), initial encounter  |
| T49.3X2A    | Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter   |
| T49.3X3A    | Poisoning by emollients, demulcents and protectants, assault, initial encounter   |
| T49.3X4A    | Poisoning by emollients, demulcents and protectants, undetermined, initial encounter  |
| T49.4X1A    | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, accidental (unintentional), initial encounter |
| T49.4X2A    | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter      |
| T49.4X3A    | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, assault, initial encounter                    |
| T49.4X4A    | Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, undetermined, initial encounter               |
| T49.5X1A    | Poisoning by ophthalmological drugs and preparations, accidental (unintentional), initial encounter                                       |
| T49.5X2A    | Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter  |
| T49.5X3A    | Poisoning by ophthalmological drugs and preparations, assault, initial encounter  |
| T49.5X4A    | Poisoning by ophthalmological drugs and preparations, undetermined, initial encounter   |
| T49.6X1A    | Poisoning by otorhinolaryngological drugs and preparations, accidental (unintentional), initial encounter                                 |
| T49.6X2A    | Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter                                      |
| T49.6X3A    | Poisoning by otorhinolaryngological drugs and preparations, assault, initial encounter  |
| T49.6X4A    | Poisoning by otorhinolaryngological drugs and preparations, undetermined, initial encounter   |
| T49.7X1A    | Poisoning by dental drugs, topically applied, accidental (unintentional), initial encounter   |
| T49.7X2A    | Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T49.7X3A | Poisoning by dental drugs, topically applied, assault, initial encounter   |
| T49.7X4A | Poisoning by dental drugs, topically applied, undetermined, initial encounter  |
| T49.8X1A | Poisoning by other topical agents, accidental (unintentional), initial encounter   |
| T49.8X2A | Poisoning by other topical agents, intentional self-harm, initial encounter  |
| T49.8X3A | Poisoning by other topical agents, assault, initial encounter  |
| T49.8X4A | Poisoning by other topical agents, undetermined, initial encounter   |
| T49.91XA | Poisoning by unspecified topical agent, accidental (unintentional), initial encounter  |
| T49.92XA | Poisoning by unspecified topical agent, intentional self-harm, initial encounter   |
| T49.93XA | Poisoning by unspecified topical agent, assault, initial encounter   |
| T49.94XA | Poisoning by unspecified topical agent, undetermined, initial encounter  |
| T50.0X1A | Poisoning by mineralocorticoids and their antagonists, accidental (unintentional), initial encounter                             |
| T50.0X2A | Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter                                  |
| T50.0X3A | Poisoning by mineralocorticoids and their antagonists, assault, initial encounter  |
| T50.0X4A | Poisoning by mineralocorticoids and their antagonists, undetermined, initial encounter   |
| T50.1X1A | Poisoning by loop [high-ceiling] diuretics, accidental (unintentional), initial encounter  |
| T50.1X2A | Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter   |
| T50.1X3A | Poisoning by loop [high-ceiling] diuretics, assault, initial encounter   |
| T50.1X4A | Poisoning by loop [high-ceiling] diuretics, undetermined, initial encounter  |
| T50.2X1A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, accidental (unintentional), initial encounter |
| T50.2X2A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter      |
| T50.2X3A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, assault, initial encounter                    |
| T50.2X4A | Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, undetermined, initial encounter               |
| T50.3X1A | Poisoning by electrolytic, caloric and water-balance agents, accidental (unintentional), initial encounter                       |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T50.3X2A | Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter  |
| T50.3X3A | Poisoning by electrolytic, caloric and water-balance agents, assault, initial encounter                |
| T50.3X4A | Poisoning by electrolytic, caloric and water-balance agents, undetermined, initial encounter           |
| T50.4X1A | Poisoning by drugs affecting uric acid metabolism, accidental (unintentional), initial encounter       |
| T50.4X2A | Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter            |
| T50.4X3A | Poisoning by drugs affecting uric acid metabolism, assault, initial encounter                          |
| T50.4X4A | Poisoning by drugs affecting uric acid metabolism, undetermined, initial encounter                     |
| T50.5X1A | Poisoning by appetite depressants, accidental (unintentional), initial encounter                       |
| T50.5X2A | Poisoning by appetite depressants, intentional self-harm, initial encounter                            |
| T50.5X3A | Poisoning by appetite depressants, assault, initial encounter  |
| T50.5X4A | Poisoning by appetite depressants, undetermined, initial encounter                                     |
| T50.6X1A | Poisoning by antidotes and chelating agents, accidental (unintentional), initial encounter             |
| T50.6X2A | Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter                  |
| T50.6X3A | Poisoning by antidotes and chelating agents, assault, initial encounter                                |
| T50.6X4A | Poisoning by antidotes and chelating agents, undetermined, initial encounter                           |
| T50.7X1A | Poisoning by analeptics and opioid receptor antagonists, accidental (unintentional), initial encounter |
| T50.7X2A | Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter      |
| T50.7X3A | Poisoning by analeptics and opioid receptor antagonists, assault, initial encounter                    |
| T50.7X4A | Poisoning by analeptics and opioid receptor antagonists, undetermined, initial encounter               |
| T50.8X1A | Poisoning by diagnostic agents, accidental (unintentional), initial encounter                          |
| T50.8X2A | Poisoning by diagnostic agents, intentional self-harm, initial encounter                               |
| T50.8X3A | Poisoning by diagnostic agents, assault, initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T50.8X4A    | Poisoning by diagnostic agents, undetermined, initial encounter  |
| T50.901A    | Poisoning by unspecified drugs, medicaments and biological substances, accidental (unintentional), initial encounter             |
| T50.902A    | Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter                  |
| T50.903A    | Poisoning by unspecified drugs, medicaments and biological substances, assault, initial encounter                                |
| T50.904A    | Poisoning by unspecified drugs, medicaments and biological substances, undetermined, initial encounter                           |
| T50.991A    | Poisoning by other drugs, medicaments and biological substances, accidental (unintentional), initial encounter                   |
| T50.992A    | Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter                        |
| T50.993A    | Poisoning by other drugs, medicaments and biological substances, assault, initial encounter                                      |
| T50.994A    | Poisoning by other drugs, medicaments and biological substances, undetermined, initial encounter                                 |
| T50.A11A    | Poisoning by pertussis vaccine, including combinations with a pertussis component, accidental (unintentional), initial encounter |
| T50.A12A    | Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter      |
| T50.A13A    | Poisoning by pertussis vaccine, including combinations with a pertussis component, assault, initial encounter                    |
| T50.A14A    | Poisoning by pertussis vaccine, including combinations with a pertussis component, undetermined, initial encounter               |
| T50.A21A    | Poisoning by mixed bacterial vaccines without a pertussis component, accidental (unintentional), initial encounter               |
| T50.A22A    | Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter                    |
| T50.A23A    | Poisoning by mixed bacterial vaccines without a pertussis component, assault, initial encounter                                  |
| T50.A24A    | Poisoning by mixed bacterial vaccines without a pertussis component, undetermined, initial encounter                             |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T50.A91A | Poisoning by other bacterial vaccines, accidental (unintentional), initial encounter                 |
| T50.A92A | Poisoning by other bacterial vaccines, intentional self-harm, initial encounter                      |
| T50.A93A | Poisoning by other bacterial vaccines, assault, initial encounter                                    |
| T50.A94A | Poisoning by other bacterial vaccines, undetermined, initial encounter                               |
| T50.B11A | Poisoning by smallpox vaccines, accidental (unintentional), initial encounter                        |
| T50.B12A | Poisoning by smallpox vaccines, intentional self-harm, initial encounter                             |
| T50.B13A | Poisoning by smallpox vaccines, assault, initial encounter   |
| T50.B14A | Poisoning by smallpox vaccines, undetermined, initial encounter                                      |
| T50.B91A | Poisoning by other viral vaccines, accidental (unintentional), initial encounter                     |
| T50.B92A | Poisoning by other viral vaccines, intentional self-harm, initial encounter                          |
| T50.B93A | Poisoning by other viral vaccines, assault, initial encounter  |
| T50.B94A | Poisoning by other viral vaccines, undetermined, initial encounter                                   |
| T50.Z11A | Poisoning by immunoglobulin, accidental (unintentional), initial encounter                           |
| T50.Z12A | Poisoning by immunoglobulin, intentional self-harm, initial encounter                                |
| T50.Z13A | Poisoning by immunoglobulin, assault, initial encounter  |
| T50.Z14A | Poisoning by immunoglobulin, undetermined, initial encounter   |
| T50.Z91A | Poisoning by other vaccines and biological substances, accidental (unintentional), initial encounter |
| T50.Z92A | Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter      |
| T50.Z93A | Poisoning by other vaccines and biological substances, assault, initial encounter                    |
| T50.Z94A | Poisoning by other vaccines and biological substances, undetermined, initial encounter               |
| T51.0X1A | Toxic effect of ethanol, accidental (unintentional), initial encounter                               |
| T51.0X2A | Toxic effect of ethanol, intentional self-harm, initial encounter                                    |
| T51.0X3A | Toxic effect of ethanol, assault, initial encounter  |
| T51.0X4A | Toxic effect of ethanol, undetermined, initial encounter   |
| T51.1X1A | Toxic effect of methanol, accidental (unintentional), initial encounter                              |
| T51.1X2A | Toxic effect of methanol, intentional self-harm, initial encounter                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T51.1X3A | Toxic effect of methanol, assault, initial encounter                                 |
| T51.1X4A | Toxic effect of methanol, undetermined, initial encounter                            |
| T51.2X1A | Toxic effect of 2-Propanol, accidental (unintentional), initial encounter            |
| T51.2X2A | Toxic effect of 2-Propanol, intentional self-harm, initial encounter                 |
| T51.2X3A | Toxic effect of 2-Propanol, assault, initial encounter                               |
| T51.2X4A | Toxic effect of 2-Propanol, undetermined, initial encounter                          |
| T51.3X1A | Toxic effect of fusel oil, accidental (unintentional), initial encounter             |
| T51.3X2A | Toxic effect of fusel oil, intentional self-harm, initial encounter                  |
| T51.3X3A | Toxic effect of fusel oil, assault, initial encounter                                |
| T51.3X4A | Toxic effect of fusel oil, undetermined, initial encounter                           |
| T51.8X1A | Toxic effect of other alcohols, accidental (unintentional), initial encounter        |
| T51.8X2A | Toxic effect of other alcohols, intentional self-harm, initial encounter             |
| T51.8X3A | Toxic effect of other alcohols, assault, initial encounter                           |
| T51.8X4A | Toxic effect of other alcohols, undetermined, initial encounter                      |
| T51.91XA | Toxic effect of unspecified alcohol, accidental (unintentional), initial encounter   |
| T51.92XA | Toxic effect of unspecified alcohol, intentional self-harm, initial encounter        |
| T51.93XA | Toxic effect of unspecified alcohol, assault, initial encounter                      |
| T51.94XA | Toxic effect of unspecified alcohol, undetermined, initial encounter                 |
| T52.0X1A | Toxic effect of petroleum products, accidental (unintentional), initial encounter    |
| T52.0X2A | Toxic effect of petroleum products, intentional self-harm, initial encounter         |
| T52.0X3A | Toxic effect of petroleum products, assault, initial encounter                       |
| T52.0X4A | Toxic effect of petroleum products, undetermined, initial encounter                  |
| T52.1X1A | Toxic effect of benzene, accidental (unintentional), initial encounter               |
| T52.1X2A | Toxic effect of benzene, intentional self-harm, initial encounter                    |
| T52.1X3A | Toxic effect of benzene, assault, initial encounter                                  |
| T52.1X4A | Toxic effect of benzene, undetermined, initial encounter                             |
| T52.2X1A | Toxic effect of homologues of benzene, accidental (unintentional), initial encounter |
| T52.2X2A | Toxic effect of homologues of benzene, intentional self-harm, initial encounter      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T52.2X3A | Toxic effect of homologues of benzene, assault, initial encounter                          |
| T52.2X4A | Toxic effect of homologues of benzene, undetermined, initial encounter                     |
| T52.3X1A | Toxic effect of glycols, accidental (unintentional), initial encounter                     |
| T52.3X2A | Toxic effect of glycols, intentional self-harm, initial encounter                          |
| T52.3X3A | Toxic effect of glycols, assault, initial encounter  |
| T52.3X4A | Toxic effect of glycols, undetermined, initial encounter                                   |
| T52.4X1A | Toxic effect of ketones, accidental (unintentional), initial encounter                     |
| T52.4X2A | Toxic effect of ketones, intentional self-harm, initial encounter                          |
| T52.4X3A | Toxic effect of ketones, assault, initial encounter  |
| T52.4X4A | Toxic effect of ketones, undetermined, initial encounter                                   |
| T52.8X1A | Toxic effect of other organic solvents, accidental (unintentional), initial encounter      |
| T52.8X2A | Toxic effect of other organic solvents, intentional self-harm, initial encounter           |
| T52.8X3A | Toxic effect of other organic solvents, assault, initial encounter                         |
| T52.8X4A | Toxic effect of other organic solvents, undetermined, initial encounter                    |
| T52.91XA | Toxic effect of unspecified organic solvent, accidental (unintentional), initial encounter |
| T52.92XA | Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter      |
| T52.93XA | Toxic effect of unspecified organic solvent, assault, initial encounter                    |
| T52.94XA | Toxic effect of unspecified organic solvent, undetermined, initial encounter               |
| T53.0X1A | Toxic effect of carbon tetrachloride, accidental (unintentional), initial encounter        |
| T53.0X2A | Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter             |
| T53.0X3A | Toxic effect of carbon tetrachloride, assault, initial encounter                           |
| T53.0X4A | Toxic effect of carbon tetrachloride, undetermined, initial encounter                      |
| T53.1X1A | Toxic effect of chloroform, accidental (unintentional), initial encounter                  |
| T53.1X2A | Toxic effect of chloroform, intentional self-harm, initial encounter                       |
| T53.1X3A | Toxic effect of chloroform, assault, initial encounter                                     |
| T53.1X4A | Toxic effect of chloroform, undetermined, initial encounter                                |
| T53.2X1A | Toxic effect of trichloroethylene, accidental (unintentional), initial encounter           |
| T53.2X2A | Toxic effect of trichloroethylene, intentional self-harm, initial encounter                |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T53.2X3A | Toxic effect of trichloroethylene, assault, initial encounter  |
| T53.2X4A | Toxic effect of trichloroethylene, undetermined, initial encounter   |
| T53.3X1A | Toxic effect of tetrachloroethylene, accidental (unintentional), initial encounter                                 |
| T53.3X2A | Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter                                      |
| T53.3X3A | Toxic effect of tetrachloroethylene, assault, initial encounter  |
| T53.3X4A | Toxic effect of tetrachloroethylene, undetermined, initial encounter   |
| T53.4X1A | Toxic effect of dichloromethane, accidental (unintentional), initial encounter                                     |
| T53.4X2A | Toxic effect of dichloromethane, intentional self-harm, initial encounter  |
| T53.4X3A | Toxic effect of dichloromethane, assault, initial encounter  |
| T53.4X4A | Toxic effect of dichloromethane, undetermined, initial encounter   |
| T53.5X1A | Toxic effect of chlorofluorocarbons, accidental (unintentional), initial encounter                                 |
| T53.5X2A | Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter                                      |
| T53.5X3A | Toxic effect of chlorofluorocarbons, assault, initial encounter  |
| T53.5X4A | Toxic effect of chlorofluorocarbons, undetermined, initial encounter   |
| T53.6X1A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, accidental (unintentional), initial encounter |
| T53.6X2A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter      |
| T53.6X3A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, assault, initial encounter                    |
| T53.6X4A | Toxic effect of other halogen derivatives of aliphatic hydrocarbons, undetermined, initial encounter               |
| T53.7X1A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, accidental (unintentional), initial encounter  |
| T53.7X2A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter       |
| T53.7X3A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, assault, initial encounter                     |
| T53.7X4A | Toxic effect of other halogen derivatives of aromatic hydrocarbons, undetermined, initial encounter                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T53.91XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, accidental (unintentional), initial encounter |
| T53.92XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter      |
| T53.93XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, assault, initial encounter                    |
| T53.94XA | Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, undetermined, initial encounter               |
| T54.0X1A | Toxic effect of phenol and phenol homologues, accidental (unintentional), initial encounter   |
| T54.0X2A | Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter  |
| T54.0X3A | Toxic effect of phenol and phenol homologues, assault, initial encounter  |
| T54.0X4A | Toxic effect of phenol and phenol homologues, undetermined, initial encounter   |
| T54.1X1A | Toxic effect of other corrosive organic compounds, accidental (unintentional), initial encounter                                      |
| T54.1X2A | Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter   |
| T54.1X3A | Toxic effect of other corrosive organic compounds, assault, initial encounter   |
| T54.1X4A | Toxic effect of other corrosive organic compounds, undetermined, initial encounter  |
| T54.2X1A | Toxic effect of corrosive acids and acid-like substances, accidental (unintentional), initial encounter                               |
| T54.2X2A | Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter                                    |
| T54.2X3A | Toxic effect of corrosive acids and acid-like substances, assault, initial encounter  |
| T54.2X4A | Toxic effect of corrosive acids and acid-like substances, undetermined, initial encounter   |
| T54.3X1A | Toxic effect of corrosive alkalis and alkali-like substances, accidental (unintentional), initial encounter                           |
| T54.3X2A | Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter                                |
| T54.3X3A | Toxic effect of corrosive alkalis and alkali-like substances, assault, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T54.3X4A | Toxic effect of corrosive alkalis and alkali-like substances, undetermined, initial encounter  |
| T54.91XA | Toxic effect of unspecified corrosive substance, accidental (unintentional), initial encounter |
| T54.92XA | Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter      |
| T54.93XA | Toxic effect of unspecified corrosive substance, assault, initial encounter                    |
| T54.94XA | Toxic effect of unspecified corrosive substance, undetermined, initial encounter               |
| T55.0X1A | Toxic effect of soaps, accidental (unintentional), initial encounter                           |
| T55.0X2A | Toxic effect of soaps, intentional self-harm, initial encounter                                |
| T55.0X3A | Toxic effect of soaps, assault, initial encounter  |
| T55.0X4A | Toxic effect of soaps, undetermined, initial encounter   |
| T55.1X1A | Toxic effect of detergents, accidental (unintentional), initial encounter                      |
| T55.1X2A | Toxic effect of detergents, intentional self-harm, initial encounter                           |
| T55.1X3A | Toxic effect of detergents, assault, initial encounter   |
| T55.1X4A | Toxic effect of detergents, undetermined, initial encounter                                    |
| T56.0X1A | Toxic effect of lead and its compounds, accidental (unintentional), initial encounter          |
| T56.0X2A | Toxic effect of lead and its compounds, intentional self-harm, initial encounter               |
| T56.0X3A | Toxic effect of lead and its compounds, assault, initial encounter                             |
| T56.0X4A | Toxic effect of lead and its compounds, undetermined, initial encounter                        |
| T56.1X1A | Toxic effect of mercury and its compounds, accidental (unintentional), initial encounter       |
| T56.1X2A | Toxic effect of mercury and its compounds, intentional self-harm, initial encounter            |
| T56.1X3A | Toxic effect of mercury and its compounds, assault, initial encounter                          |
| T56.1X4A | Toxic effect of mercury and its compounds, undetermined, initial encounter                     |
| T56.2X1A | Toxic effect of chromium and its compounds, accidental (unintentional), initial encounter      |
| T56.2X2A | Toxic effect of chromium and its compounds, intentional self-harm, initial encounter           |
| T56.2X3A | Toxic effect of chromium and its compounds, assault, initial encounter                         |
| T56.2X4A | Toxic effect of chromium and its compounds, undetermined, initial encounter                    |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T56.3X1A | Toxic effect of cadmium and its compounds, accidental (unintentional), initial encounter   |
| T56.3X2A | Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter        |
| T56.3X3A | Toxic effect of cadmium and its compounds, assault, initial encounter                      |
| T56.3X4A | Toxic effect of cadmium and its compounds, undetermined, initial encounter                 |
| T56.4X1A | Toxic effect of copper and its compounds, accidental (unintentional), initial encounter    |
| T56.4X2A | Toxic effect of copper and its compounds, intentional self-harm, initial encounter         |
| T56.4X3A | Toxic effect of copper and its compounds, assault, initial encounter                       |
| T56.4X4A | Toxic effect of copper and its compounds, undetermined, initial encounter                  |
| T56.5X1A | Toxic effect of zinc and its compounds, accidental (unintentional), initial encounter      |
| T56.5X2A | Toxic effect of zinc and its compounds, intentional self-harm, initial encounter           |
| T56.5X3A | Toxic effect of zinc and its compounds, assault, initial encounter                         |
| T56.5X4A | Toxic effect of zinc and its compounds, undetermined, initial encounter                    |
| T56.6X1A | Toxic effect of tin and its compounds, accidental (unintentional), initial encounter       |
| T56.6X2A | Toxic effect of tin and its compounds, intentional self-harm, initial encounter            |
| T56.6X3A | Toxic effect of tin and its compounds, assault, initial encounter                          |
| T56.6X4A | Toxic effect of tin and its compounds, undetermined, initial encounter                     |
| T56.7X1A | Toxic effect of beryllium and its compounds, accidental (unintentional), initial encounter |
| T56.7X2A | Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter      |
| T56.7X3A | Toxic effect of beryllium and its compounds, assault, initial encounter                    |
| T56.7X4A | Toxic effect of beryllium and its compounds, undetermined, initial encounter               |
| T56.811A | Toxic effect of thallium, accidental (unintentional), initial encounter                    |
| T56.812A | Toxic effect of thallium, intentional self-harm, initial encounter                         |
| T56.813A | Toxic effect of thallium, assault, initial encounter                                       |
| T56.814A | Toxic effect of thallium, undetermined, initial encounter                                  |
| T56.891A | Toxic effect of other metals, accidental (unintentional), initial encounter                |
| T56.892A | Toxic effect of other metals, intentional self-harm, initial encounter                     |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T56.893A | Toxic effect of other metals, assault, initial encounter  |
| T56.894A | Toxic effect of other metals, undetermined, initial encounter                                       |
| T56.91XA | Toxic effect of unspecified metal, accidental (unintentional), initial encounter                    |
| T56.92XA | Toxic effect of unspecified metal, intentional self-harm, initial encounter                         |
| T56.93XA | Toxic effect of unspecified metal, assault, initial encounter                                       |
| T56.94XA | Toxic effect of unspecified metal, undetermined, initial encounter                                  |
| T57.0X1A | Toxic effect of arsenic and its compounds, accidental (unintentional), initial encounter            |
| T57.0X2A | Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter                 |
| T57.0X3A | Toxic effect of arsenic and its compounds, assault, initial encounter                               |
| T57.0X4A | Toxic effect of arsenic and its compounds, undetermined, initial encounter                          |
| T57.1X1A | Toxic effect of phosphorus and its compounds, accidental (unintentional), initial encounter         |
| T57.1X2A | Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter              |
| T57.1X3A | Toxic effect of phosphorus and its compounds, assault, initial encounter                            |
| T57.1X4A | Toxic effect of phosphorus and its compounds, undetermined, initial encounter                       |
| T57.2X1A | Toxic effect of manganese and its compounds, accidental (unintentional), initial encounter          |
| T57.2X2A | Toxic effect of manganese and its compounds, intentional self-harm, initial encounter               |
| T57.2X3A | Toxic effect of manganese and its compounds, assault, initial encounter                             |
| T57.2X4A | Toxic effect of manganese and its compounds, undetermined, initial encounter                        |
| T57.3X1A | Toxic effect of hydrogen cyanide, accidental (unintentional), initial encounter                     |
| T57.3X2A | Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter                          |
| T57.3X3A | Toxic effect of hydrogen cyanide, assault, initial encounter  |
| T57.3X4A | Toxic effect of hydrogen cyanide, undetermined, initial encounter                                   |
| T57.8X1A | Toxic effect of other specified inorganic substances, accidental (unintentional), initial encounter |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T57.8X2A    | Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter                                    |
| T57.8X3A    | Toxic effect of other specified inorganic substances, assault, initial encounter  |
| T57.8X4A    | Toxic effect of other specified inorganic substances, undetermined, initial encounter   |
| T58.01XA    | Toxic effect of carbon monoxide from motor vehicle exhaust, accidental (unintentional), initial encounter                         |
| T58.02XA    | Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter                              |
| T58.03XA    | Toxic effect of carbon monoxide from motor vehicle exhaust, assault, initial encounter  |
| T58.04XA    | Toxic effect of carbon monoxide from motor vehicle exhaust, undetermined, initial encounter                                       |
| T58.11XA    | Toxic effect of carbon monoxide from utility gas, accidental (unintentional), initial encounter                                   |
| T58.12XA    | Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter  |
| T58.13XA    | Toxic effect of carbon monoxide from utility gas, assault, initial encounter  |
| T58.14XA    | Toxic effect of carbon monoxide from utility gas, undetermined, initial encounter   |
| T58.2X1A    | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, accidental (unintentional), initial encounter |
| T58.2X2A    | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter      |
| T58.2X3A    | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, assault, initial encounter                    |
| T58.2X4A    | Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, undetermined, initial encounter               |
| T58.8X1A    | Toxic effect of carbon monoxide from other source, accidental (unintentional), initial encounter                                  |
| T58.8X2A    | Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter                                       |
| T58.8X3A    | Toxic effect of carbon monoxide from other source, assault, initial encounter   |
| T58.8X4A    | Toxic effect of carbon monoxide from other source, undetermined, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T58.91XA | Toxic effect of carbon monoxide from unspecified source, accidental (unintentional), initial encounter |
| T58.92XA | Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter      |
| T58.93XA | Toxic effect of carbon monoxide from unspecified source, assault, initial encounter                    |
| T58.94XA | Toxic effect of carbon monoxide from unspecified source, undetermined, initial encounter               |
| T59.0X1A | Toxic effect of nitrogen oxides, accidental (unintentional), initial encounter                         |
| T59.0X2A | Toxic effect of nitrogen oxides, intentional self-harm, initial encounter                              |
| T59.0X3A | Toxic effect of nitrogen oxides, assault, initial encounter  |
| T59.0X4A | Toxic effect of nitrogen oxides, undetermined, initial encounter                                       |
| T59.1X1A | Toxic effect of sulfur dioxide, accidental (unintentional), initial encounter                          |
| T59.1X2A | Toxic effect of sulfur dioxide, intentional self-harm, initial encounter                               |
| T59.1X3A | Toxic effect of sulfur dioxide, assault, initial encounter   |
| T59.1X4A | Toxic effect of sulfur dioxide, undetermined, initial encounter  |
| T59.2X1A | Toxic effect of formaldehyde, accidental (unintentional), initial encounter                            |
| T59.2X2A | Toxic effect of formaldehyde, intentional self-harm, initial encounter                                 |
| T59.2X3A | Toxic effect of formaldehyde, assault, initial encounter   |
| T59.2X4A | Toxic effect of formaldehyde, undetermined, initial encounter  |
| T59.3X1A | Toxic effect of lacrimogenic gas, accidental (unintentional), initial encounter                        |
| T59.3X2A | Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter                             |
| T59.3X3A | Toxic effect of lacrimogenic gas, assault, initial encounter   |
| T59.3X4A | Toxic effect of lacrimogenic gas, undetermined, initial encounter                                      |
| T59.4X1A | Toxic effect of chlorine gas, accidental (unintentional), initial encounter                            |
| T59.4X2A | Toxic effect of chlorine gas, intentional self-harm, initial encounter                                 |
| T59.4X3A | Toxic effect of chlorine gas, assault, initial encounter   |
| T59.4X4A | Toxic effect of chlorine gas, undetermined, initial encounter  |
| T59.5X1A | Toxic effect of fluorine gas and hydrogen fluoride, accidental (unintentional), initial encounter      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T59.5X2A | Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter           |
| T59.5X3A | Toxic effect of fluorine gas and hydrogen fluoride, assault, initial encounter                         |
| T59.5X4A | Toxic effect of fluorine gas and hydrogen fluoride, undetermined, initial encounter                    |
| T59.6X1A | Toxic effect of hydrogen sulfide, accidental (unintentional), initial encounter                        |
| T59.6X2A | Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter                             |
| T59.6X3A | Toxic effect of hydrogen sulfide, assault, initial encounter   |
| T59.6X4A | Toxic effect of hydrogen sulfide, undetermined, initial encounter                                      |
| T59.7X1A | Toxic effect of carbon dioxide, accidental (unintentional), initial encounter                          |
| T59.7X2A | Toxic effect of carbon dioxide, intentional self-harm, initial encounter                               |
| T59.7X3A | Toxic effect of carbon dioxide, assault, initial encounter   |
| T59.7X4A | Toxic effect of carbon dioxide, undetermined, initial encounter  |
| T59.811A | Toxic effect of smoke, accidental (unintentional), initial encounter                                   |
| T59.812A | Toxic effect of smoke, intentional self-harm, initial encounter  |
| T59.813A | Toxic effect of smoke, assault, initial encounter  |
| T59.814A | Toxic effect of smoke, undetermined, initial encounter   |
| T59.891A | Toxic effect of other specified gases, fumes and vapors, accidental (unintentional), initial encounter |
| T59.892A | Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter      |
| T59.893A | Toxic effect of other specified gases, fumes and vapors, assault, initial encounter                    |
| T59.894A | Toxic effect of other specified gases, fumes and vapors, undetermined, initial encounter               |
| T59.91XA | Toxic effect of unspecified gases, fumes and vapors, accidental (unintentional), initial encounter     |
| T59.92XA | Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter          |
| T59.93XA | Toxic effect of unspecified gases, fumes and vapors, assault, initial encounter                        |
| T59.94XA | Toxic effect of unspecified gases, fumes and vapors, undetermined, initial encounter                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T60.0X1A | Toxic effect of organophosphate and carbamate insecticides, accidental (unintentional), initial encounter |
| T60.0X2A | Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter      |
| T60.0X3A | Toxic effect of organophosphate and carbamate insecticides, assault, initial encounter                    |
| T60.0X4A | Toxic effect of organophosphate and carbamate insecticides, undetermined, initial encounter               |
| T60.1X1A | Toxic effect of halogenated insecticides, accidental (unintentional), initial encounter                   |
| T60.1X2A | Toxic effect of halogenated insecticides, intentional self-harm, initial encounter                        |
| T60.1X3A | Toxic effect of halogenated insecticides, assault, initial encounter                                      |
| T60.1X4A | Toxic effect of halogenated insecticides, undetermined, initial encounter                                 |
| T60.2X1A | Toxic effect of other insecticides, accidental (unintentional), initial encounter                         |
| T60.2X2A | Toxic effect of other insecticides, intentional self-harm, initial encounter                              |
| T60.2X3A | Toxic effect of other insecticides, assault, initial encounter  |
| T60.2X4A | Toxic effect of other insecticides, undetermined, initial encounter                                       |
| T60.3X1A | Toxic effect of herbicides and fungicides, accidental (unintentional), initial encounter                  |
| T60.3X2A | Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter                       |
| T60.3X3A | Toxic effect of herbicides and fungicides, assault, initial encounter                                     |
| T60.3X4A | Toxic effect of herbicides and fungicides, undetermined, initial encounter                                |
| T60.4X1A | Toxic effect of rodenticides, accidental (unintentional), initial encounter                               |
| T60.4X2A | Toxic effect of rodenticides, intentional self-harm, initial encounter                                    |
| T60.4X3A | Toxic effect of rodenticides, assault, initial encounter  |
| T60.4X4A | Toxic effect of rodenticides, undetermined, initial encounter   |
| T60.8X1A | Toxic effect of other pesticides, accidental (unintentional), initial encounter                           |
| T60.8X2A | Toxic effect of other pesticides, intentional self-harm, initial encounter                                |
| T60.8X3A | Toxic effect of other pesticides, assault, initial encounter  |
| T60.8X4A | Toxic effect of other pesticides, undetermined, initial encounter   |
| T60.91XA | Toxic effect of unspecified pesticide, accidental (unintentional), initial encounter                      |
| T60.92XA | Toxic effect of unspecified pesticide, intentional self-harm, initial encounter                           |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T60.93XA    | Toxic effect of unspecified pesticide, assault, initial encounter                  |
| T60.94XA    | Toxic effect of unspecified pesticide, undetermined, initial encounter             |
| T61.01XA    | Ciguatera fish poisoning, accidental (unintentional), initial encounter            |
| T61.02XA    | Ciguatera fish poisoning, intentional self-harm, initial encounter                 |
| T61.03XA    | Ciguatera fish poisoning, assault, initial encounter                               |
| T61.04XA    | Ciguatera fish poisoning, undetermined, initial encounter                          |
| T61.11XA    | Scombroid fish poisoning, accidental (unintentional), initial encounter            |
| T61.12XA    | Scombroid fish poisoning, intentional self-harm, initial encounter                 |
| T61.13XA    | Scombroid fish poisoning, assault, initial encounter                               |
| T61.14XA    | Scombroid fish poisoning, undetermined, initial encounter                          |
| T61.771A    | Other fish poisoning, accidental (unintentional), initial encounter                |
| T61.772A    | Other fish poisoning, intentional self-harm, initial encounter                     |
| T61.773A    | Other fish poisoning, assault, initial encounter                                   |
| T61.774A    | Other fish poisoning, undetermined, initial encounter                              |
| T61.781A    | Other shellfish poisoning, accidental (unintentional), initial encounter           |
| T61.782A    | Other shellfish poisoning, intentional self-harm, initial encounter                |
| T61.783A    | Other shellfish poisoning, assault, initial encounter                              |
| T61.784A    | Other shellfish poisoning, undetermined, initial encounter                         |
| T61.8X1A    | Toxic effect of other seafood, accidental (unintentional), initial encounter       |
| T61.8X2A    | Toxic effect of other seafood, intentional self-harm, initial encounter            |
| T61.8X3A    | Toxic effect of other seafood, assault, initial encounter                          |
| T61.8X4A    | Toxic effect of other seafood, undetermined, initial encounter                     |
| T61.91XA    | Toxic effect of unspecified seafood, accidental (unintentional), initial encounter |
| T61.92XA    | Toxic effect of unspecified seafood, intentional self-harm, initial encounter      |
| T61.93XA    | Toxic effect of unspecified seafood, assault, initial encounter                    |
| T61.94XA    | Toxic effect of unspecified seafood, undetermined, initial encounter               |
| T62.0X1A    | Toxic effect of ingested mushrooms, accidental (unintentional), initial encounter  |
| T62.0X2A    | Toxic effect of ingested mushrooms, intentional self-harm, initial encounter       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T62.0X3A | Toxic effect of ingested mushrooms, assault, initial encounter  |
| T62.0X4A | Toxic effect of ingested mushrooms, undetermined, initial encounter   |
| T62.1X1A | Toxic effect of ingested berries, accidental (unintentional), initial encounter                                 |
| T62.1X2A | Toxic effect of ingested berries, intentional self-harm, initial encounter                                      |
| T62.1X3A | Toxic effect of ingested berries, assault, initial encounter  |
| T62.1X4A | Toxic effect of ingested berries, undetermined, initial encounter   |
| T62.2X1A | Toxic effect of other ingested (parts of) plant(s), accidental (unintentional), initial encounter               |
| T62.2X2A | Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter                    |
| T62.2X3A | Toxic effect of other ingested (parts of) plant(s), assault, initial encounter                                  |
| T62.2X4A | Toxic effect of other ingested (parts of) plant(s), undetermined, initial encounter                             |
| T62.8X1A | Toxic effect of other specified noxious substances eaten as food, accidental (unintentional), initial encounter |
| T62.8X2A | Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter      |
| T62.8X3A | Toxic effect of other specified noxious substances eaten as food, assault, initial encounter                    |
| T62.8X4A | Toxic effect of other specified noxious substances eaten as food, undetermined, initial encounter               |
| T62.91XA | Toxic effect of unspecified noxious substance eaten as food, accidental (unintentional), initial encounter      |
| T62.92XA | Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter           |
| T62.93XA | Toxic effect of unspecified noxious substance eaten as food, assault, initial encounter                         |
| T62.94XA | Toxic effect of unspecified noxious substance eaten as food, undetermined, initial encounter                    |
| T63.001A | Toxic effect of unspecified snake venom, accidental (unintentional), initial encounter                          |
| T63.002A | Toxic effect of unspecified snake venom, intentional self-harm, initial encounter                               |
| T63.003A | Toxic effect of unspecified snake venom, assault, initial encounter   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T63.004A | Toxic effect of unspecified snake venom, undetermined, initial encounter                                     |
| T63.011A | Toxic effect of rattlesnake venom, accidental (unintentional), initial encounter                             |
| T63.012A | Toxic effect of rattlesnake venom, intentional self-harm, initial encounter                                  |
| T63.013A | Toxic effect of rattlesnake venom, assault, initial encounter  |
| T63.014A | Toxic effect of rattlesnake venom, undetermined, initial encounter   |
| T63.021A | Toxic effect of coral snake venom, accidental (unintentional), initial encounter                             |
| T63.022A | Toxic effect of coral snake venom, intentional self-harm, initial encounter                                  |
| T63.023A | Toxic effect of coral snake venom, assault, initial encounter  |
| T63.024A | Toxic effect of coral snake venom, undetermined, initial encounter   |
| T63.031A | Toxic effect of taipan venom, accidental (unintentional), initial encounter                                  |
| T63.032A | Toxic effect of taipan venom, intentional self-harm, initial encounter                                       |
| T63.033A | Toxic effect of taipan venom, assault, initial encounter   |
| T63.034A | Toxic effect of taipan venom, undetermined, initial encounter  |
| T63.041A | Toxic effect of cobra venom, accidental (unintentional), initial encounter                                   |
| T63.042A | Toxic effect of cobra venom, intentional self-harm, initial encounter  |
| T63.043A | Toxic effect of cobra venom, assault, initial encounter  |
| T63.044A | Toxic effect of cobra venom, undetermined, initial encounter   |
| T63.061A | Toxic effect of venom of other North and South American snake, accidental (unintentional), initial encounter |
| T63.062A | Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter      |
| T63.063A | Toxic effect of venom of other North and South American snake, assault, initial encounter                    |
| T63.064A | Toxic effect of venom of other North and South American snake, undetermined, initial encounter               |
| T63.071A | Toxic effect of venom of other Australian snake, accidental (unintentional), initial encounter               |
| T63.072A | Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter                    |
| T63.073A | Toxic effect of venom of other Australian snake, assault, initial encounter                                  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T63.074A    | Toxic effect of venom of other Australian snake, undetermined, initial encounter                      |
| T63.081A    | Toxic effect of venom of other African and Asian snake, accidental (unintentional), initial encounter |
| T63.082A    | Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter      |
| T63.083A    | Toxic effect of venom of other African and Asian snake, assault, initial encounter                    |
| T63.084A    | Toxic effect of venom of other African and Asian snake, undetermined, initial encounter               |
| T63.091A    | Toxic effect of venom of other snake, accidental (unintentional), initial encounter                   |
| T63.092A    | Toxic effect of venom of other snake, intentional self-harm, initial encounter                        |
| T63.093A    | Toxic effect of venom of other snake, assault, initial encounter                                      |
| T63.094A    | Toxic effect of venom of other snake, undetermined, initial encounter                                 |
| T63.111A    | Toxic effect of venom of gila monster, accidental (unintentional), initial encounter                  |
| T63.112A    | Toxic effect of venom of gila monster, intentional self-harm, initial encounter                       |
| T63.113A    | Toxic effect of venom of gila monster, assault, initial encounter                                     |
| T63.114A    | Toxic effect of venom of gila monster, undetermined, initial encounter                                |
| T63.121A    | Toxic effect of venom of other venomous lizard, accidental (unintentional), initial encounter         |
| T63.122A    | Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter              |
| T63.123A    | Toxic effect of venom of other venomous lizard, assault, initial encounter                            |
| T63.124A    | Toxic effect of venom of other venomous lizard, undetermined, initial encounter                       |
| T63.191A    | Toxic effect of venom of other reptiles, accidental (unintentional), initial encounter                |
| T63.192A    | Toxic effect of venom of other reptiles, intentional self-harm, initial encounter                     |
| T63.193A    | Toxic effect of venom of other reptiles, assault, initial encounter                                   |
| T63.194A    | Toxic effect of venom of other reptiles, undetermined, initial encounter                              |
| T63.2X1A    | Toxic effect of venom of scorpion, accidental (unintentional), initial encounter                      |
| T63.2X2A    | Toxic effect of venom of scorpion, intentional self-harm, initial encounter                           |
| T63.2X3A    | Toxic effect of venom of scorpion, assault, initial encounter   |
| T63.2X4A    | Toxic effect of venom of scorpion, undetermined, initial encounter                                    |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| T63.301A    | Toxic effect of unspecified spider venom, accidental (unintentional), initial encounter                    |
| T63.302A    | Toxic effect of unspecified spider venom, intentional self-harm, initial encounter                         |
| T63.303A    | Toxic effect of unspecified spider venom, assault, initial encounter                                       |
| T63.304A    | Toxic effect of unspecified spider venom, undetermined, initial encounter                                  |
| T63.311A    | Toxic effect of venom of black widow spider, accidental (unintentional), initial encounter                 |
| T63.312A    | Toxic effect of venom of black widow spider, intentional self-harm, initial encounter                      |
| T63.313A    | Toxic effect of venom of black widow spider, assault, initial encounter                                    |
| T63.314A    | Toxic effect of venom of black widow spider, undetermined, initial encounter                               |
| T63.321A    | Toxic effect of venom of tarantula, accidental (unintentional), initial encounter                          |
| T63.322A    | Toxic effect of venom of tarantula, intentional self-harm, initial encounter                               |
| T63.323A    | Toxic effect of venom of tarantula, assault, initial encounter   |
| T63.324A    | Toxic effect of venom of tarantula, undetermined, initial encounter  |
| T63.331A    | Toxic effect of venom of brown recluse spider, accidental (unintentional), initial encounter               |
| T63.332A    | Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter                    |
| T63.333A    | Toxic effect of venom of brown recluse spider, assault, initial encounter                                  |
| T63.334A    | Toxic effect of venom of brown recluse spider, undetermined, initial encounter                             |
| T63.391A    | Toxic effect of venom of other spider, accidental (unintentional), initial encounter                       |
| T63.392A    | Toxic effect of venom of other spider, intentional self-harm, initial encounter                            |
| T63.393A    | Toxic effect of venom of other spider, assault, initial encounter  |
| T63.394A    | Toxic effect of venom of other spider, undetermined, initial encounter                                     |
| T63.411A    | Toxic effect of venom of centipedes and venomous millipedes, accidental (unintentional), initial encounter |
| T63.412A    | Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter      |
| T63.413A    | Toxic effect of venom of centipedes and venomous millipedes, assault, initial encounter                    |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T63.414A | Toxic effect of venom of centipedes and venomous millipedes, undetermined, initial encounter |
| T63.421A | Toxic effect of venom of ants, accidental (unintentional), initial encounter                 |
| T63.422A | Toxic effect of venom of ants, intentional self-harm, initial encounter                      |
| T63.423A | Toxic effect of venom of ants, assault, initial encounter                                    |
| T63.424A | Toxic effect of venom of ants, undetermined, initial encounter                               |
| T63.431A | Toxic effect of venom of caterpillars, accidental (unintentional), initial encounter         |
| T63.432A | Toxic effect of venom of caterpillars, intentional self-harm, initial encounter              |
| T63.433A | Toxic effect of venom of caterpillars, assault, initial encounter                            |
| T63.434A | Toxic effect of venom of caterpillars, undetermined, initial encounter                       |
| T63.441A | Toxic effect of venom of bees, accidental (unintentional), initial encounter                 |
| T63.442A | Toxic effect of venom of bees, intentional self-harm, initial encounter                      |
| T63.443A | Toxic effect of venom of bees, assault, initial encounter                                    |
| T63.444A | Toxic effect of venom of bees, undetermined, initial encounter                               |
| T63.451A | Toxic effect of venom of hornets, accidental (unintentional), initial encounter              |
| T63.452A | Toxic effect of venom of hornets, intentional self-harm, initial encounter                   |
| T63.453A | Toxic effect of venom of hornets, assault, initial encounter                                 |
| T63.454A | Toxic effect of venom of hornets, undetermined, initial encounter                            |
| T63.461A | Toxic effect of venom of wasps, accidental (unintentional), initial encounter                |
| T63.462A | Toxic effect of venom of wasps, intentional self-harm, initial encounter                     |
| T63.463A | Toxic effect of venom of wasps, assault, initial encounter                                   |
| T63.464A | Toxic effect of venom of wasps, undetermined, initial encounter                              |
| T63.481A | Toxic effect of venom of other arthropod, accidental (unintentional), initial encounter      |
| T63.482A | Toxic effect of venom of other arthropod, intentional self-harm, initial encounter           |
| T63.483A | Toxic effect of venom of other arthropod, assault, initial encounter                         |
| T63.484A | Toxic effect of venom of other arthropod, undetermined, initial encounter                    |
| T63.511A | Toxic effect of contact with stingray, accidental (unintentional), initial encounter         |
| T63.512A | Toxic effect of contact with stingray, intentional self-harm, initial encounter              |
| T63.513A | Toxic effect of contact with stingray, assault, initial encounter                            |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| T63.514A | Toxic effect of contact with stingray, undetermined, initial encounter                                    |
| T63.591A | Toxic effect of contact with other venomous fish, accidental (unintentional), initial encounter           |
| T63.592A | Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter                |
| T63.593A | Toxic effect of contact with other venomous fish, assault, initial encounter                              |
| T63.594A | Toxic effect of contact with other venomous fish, undetermined, initial encounter                         |
| T63.611A | Toxic effect of contact with Portugese Man-o-war, accidental (unintentional), initial encounter           |
| T63.612A | Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial encounter                |
| T63.613A | Toxic effect of contact with Portugese Man-o-war, assault, initial encounter                              |
| T63.614A | Toxic effect of contact with Portugese Man-o-war, undetermined, initial encounter                         |
| T63.621A | Toxic effect of contact with other jellyfish, accidental (unintentional), initial encounter               |
| T63.622A | Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter                    |
| T63.623A | Toxic effect of contact with other jellyfish, assault, initial encounter                                  |
| T63.624A | Toxic effect of contact with other jellyfish, undetermined, initial encounter                             |
| T63.631A | Toxic effect of contact with sea anemone, accidental (unintentional), initial encounter                   |
| T63.632A | Toxic effect of contact with sea anemone, intentional self-harm, initial encounter                        |
| T63.633A | Toxic effect of contact with sea anemone, assault, initial encounter                                      |
| T63.634A | Toxic effect of contact with sea anemone, undetermined, initial encounter                                 |
| T63.691A | Toxic effect of contact with other venomous marine animals, accidental (unintentional), initial encounter |
| T63.692A | Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter      |
| T63.693A | Toxic effect of contact with other venomous marine animals, assault, initial encounter                    |
| T63.694A | Toxic effect of contact with other venomous marine animals, undetermined, initial encounter               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T63.711A | Toxic effect of contact with venomous marine plant, accidental (unintentional), initial encounter    |
| T63.712A | Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter         |
| T63.713A | Toxic effect of contact with venomous marine plant, assault, initial encounter                       |
| T63.714A | Toxic effect of contact with venomous marine plant, undetermined, initial encounter                  |
| T63.791A | Toxic effect of contact with other venomous plant, accidental (unintentional), initial encounter     |
| T63.792A | Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter          |
| T63.793A | Toxic effect of contact with other venomous plant, assault, initial encounter                        |
| T63.794A | Toxic effect of contact with other venomous plant, undetermined, initial encounter                   |
| T63.811A | Toxic effect of contact with venomous frog, accidental (unintentional), initial encounter            |
| T63.812A | Toxic effect of contact with venomous frog, intentional self-harm, initial encounter                 |
| T63.813A | Toxic effect of contact with venomous frog, assault, initial encounter                               |
| T63.814A | Toxic effect of contact with venomous frog, undetermined, initial encounter                          |
| T63.821A | Toxic effect of contact with venomous toad, accidental (unintentional), initial encounter            |
| T63.822A | Toxic effect of contact with venomous toad, intentional self-harm, initial encounter                 |
| T63.823A | Toxic effect of contact with venomous toad, assault, initial encounter                               |
| T63.824A | Toxic effect of contact with venomous toad, undetermined, initial encounter                          |
| T63.831A | Toxic effect of contact with other venomous amphibian, accidental (unintentional), initial encounter |
| T63.832A | Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter      |
| T63.833A | Toxic effect of contact with other venomous amphibian, assault, initial encounter                    |
| T63.834A | Toxic effect of contact with other venomous amphibian, undetermined, initial encounter               |
| T63.891A | Toxic effect of contact with other venomous animals, accidental (unintentional), initial encounter   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| T63.892A    | Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter           |
| T63.893A    | Toxic effect of contact with other venomous animals, assault, initial encounter                         |
| T63.894A    | Toxic effect of contact with other venomous animals, undetermined, initial encounter                    |
| T63.91XA    | Toxic effect of contact with unspecified venomous animal, accidental (unintentional), initial encounter |
| T63.92XA    | Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter      |
| T63.93XA    | Toxic effect of contact with unspecified venomous animal, assault, initial encounter                    |
| T63.94XA    | Toxic effect of contact with unspecified venomous animal, undetermined, initial encounter               |
| T64.01XA    | Toxic effect of aflatoxin, accidental (unintentional), initial encounter                                |
| T64.02XA    | Toxic effect of aflatoxin, intentional self-harm, initial encounter                                     |
| T64.03XA    | Toxic effect of aflatoxin, assault, initial encounter   |
| T64.04XA    | Toxic effect of aflatoxin, undetermined, initial encounter  |
| T64.81XA    | Toxic effect of other mycotoxin food contaminants, accidental (unintentional), initial encounter        |
| T64.82XA    | Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter             |
| T64.83XA    | Toxic effect of other mycotoxin food contaminants, assault, initial encounter                           |
| T64.84XA    | Toxic effect of other mycotoxin food contaminants, undetermined, initial encounter                      |
| T65.0X1A    | Toxic effect of cyanides, accidental (unintentional), initial encounter                                 |
| T65.0X2A    | Toxic effect of cyanides, intentional self-harm, initial encounter                                      |
| T65.0X3A    | Toxic effect of cyanides, assault, initial encounter  |
| T65.0X4A    | Toxic effect of cyanides, undetermined, initial encounter   |
| T65.1X1A    | Toxic effect of strychnine and its salts, accidental (unintentional), initial encounter                 |
| T65.1X2A    | Toxic effect of strychnine and its salts, intentional self-harm, initial encounter                      |
| T65.1X3A    | Toxic effect of strychnine and its salts, assault, initial encounter                                    |
| T65.1X4A    | Toxic effect of strychnine and its salts, undetermined, initial encounter                               |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T65.211A | Toxic effect of chewing tobacco, accidental (unintentional), initial encounter   |
| T65.212A | Toxic effect of chewing tobacco, intentional self-harm, initial encounter  |
| T65.213A | Toxic effect of chewing tobacco, assault, initial encounter  |
| T65.214A | Toxic effect of chewing tobacco, undetermined, initial encounter   |
| T65.221A | Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter  |
| T65.222A | Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter   |
| T65.223A | Toxic effect of tobacco cigarettes, assault, initial encounter   |
| T65.224A | Toxic effect of tobacco cigarettes, undetermined, initial encounter  |
| T65.291A | Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter  |
| T65.292A | Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter   |
| T65.293A | Toxic effect of other tobacco and nicotine, assault, initial encounter   |
| T65.294A | Toxic effect of other tobacco and nicotine, undetermined, initial encounter  |
| T65.3X1A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, accidental (unintentional), initial encounter |
| T65.3X2A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter      |
| T65.3X3A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, assault, initial encounter                    |
| T65.3X4A | Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, undetermined, initial encounter               |
| T65.4X1A | Toxic effect of carbon disulfide, accidental (unintentional), initial encounter  |
| T65.4X2A | Toxic effect of carbon disulfide, intentional self-harm, initial encounter   |
| T65.4X3A | Toxic effect of carbon disulfide, assault, initial encounter   |
| T65.4X4A | Toxic effect of carbon disulfide, undetermined, initial encounter  |
| T65.5X1A | Toxic effect of nitroglycerin and other nitric acids and esters, accidental (unintentional), initial encounter                     |
| T65.5X2A | Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter                          |
| T65.5X3A | Toxic effect of nitroglycerin and other nitric acids and esters, assault, initial encounter  |

NCD 190.32

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T65.5X4A | Toxic effect of nitroglycerin and other nitric acids and esters, undetermined, initial encounter         |
| T65.6X1A | Toxic effect of paints and dyes, not elsewhere classified, accidental (unintentional), initial encounter |
| T65.6X2A | Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter      |
| T65.6X3A | Toxic effect of paints and dyes, not elsewhere classified, assault, initial encounter                    |
| T65.6X4A | Toxic effect of paints and dyes, not elsewhere classified, undetermined, initial encounter               |
| T65.811A | Toxic effect of latex, accidental (unintentional), initial encounter                                     |
| T65.812A | Toxic effect of latex, intentional self-harm, initial encounter  |
| T65.813A | Toxic effect of latex, assault, initial encounter  |
| T65.814A | Toxic effect of latex, undetermined, initial encounter   |
| T65.821A | Toxic effect of harmful algae and algae toxins, accidental (unintentional), initial encounter            |
| T65.822A | Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter                 |
| T65.823A | Toxic effect of harmful algae and algae toxins, assault, initial encounter                               |
| T65.824A | Toxic effect of harmful algae and algae toxins, undetermined, initial encounter                          |
| T65.831A | Toxic effect of fiberglass, accidental (unintentional), initial encounter                                |
| T65.832A | Toxic effect of fiberglass, intentional self-harm, initial encounter                                     |
| T65.833A | Toxic effect of fiberglass, assault, initial encounter   |
| T65.834A | Toxic effect of fiberglass, undetermined, initial encounter  |
| T65.891A | Toxic effect of other specified substances, accidental (unintentional), initial encounter                |
| T65.892A | Toxic effect of other specified substances, intentional self-harm, initial encounter                     |
| T65.893A | Toxic effect of other specified substances, assault, initial encounter                                   |
| T65.894A | Toxic effect of other specified substances, undetermined, initial encounter                              |
| T78.1XXA | Other adverse food reactions, not elsewhere classified, initial encounter                                |
| Z05.0    | Observation and evaluation of newborn for suspected cardiac condition ruled out                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| Z05.1  | Observation and evaluation of newborn for suspected infectious condition ruled out                         |
| Z05.2  | Observation and evaluation of newborn for suspected neurological condition ruled out                       |
| Z05.3  | Observation and evaluation of newborn for suspected respiratory condition ruled out                        |
| Z05.41 | Observation and evaluation of newborn for suspected genetic condition ruled out                            |
| Z05.42 | Observation and evaluation of newborn for suspected metabolic condition ruled out                          |
| Z05.43 | Observation and evaluation of newborn for suspected immunologic condition ruled out                        |
| Z05.5  | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out                   |
| Z05.6  | Observation and evaluation of newborn for suspected genitourinary condition ruled out                      |
| Z05.71 | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out       |
| Z05.72 | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out                    |
| Z05.73 | Observation and evaluation of newborn for suspected connective tissue condition ruled out                  |
| Z05.8  | Observation and evaluation of newborn for other specified suspected condition ruled out                    |
| Z05.9  | Observation and evaluation of newborn for unspecified suspected condition ruled out                        |
| Z08    | Encounter for follow-up examination after completed treatment for malignant neoplasm                       |
| Z09    | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z19.1  | Hormone sensitive malignancy status  |
| Z19.2  | Hormone resistant malignancy status  |
| Z22.7  | Latent tuberculosis  |
| Z29.11 | Encounter for prophylactic immunotherapy for respiratory syncytial virus (RSV)                             |
| Z48.23 | Encounter for aftercare following liver transplant   |
| Z79.01 | Long term (current) use of anticoagulants  |

**NCD 190.32**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| Z79.02  | Long term (current) use of antithrombotics/antiplatelets                       |
| Z79.1   | Long term (current) use of non-steroidal anti-inflammatories (NSAID)           |
| Z79.2   | Long term (current) use of antibiotics   |
| Z79.3   | Long term (current) use of hormonal contraceptives                             |
| Z79.84  | Long term (current) use of oral hypoglycemic drugs                             |
| Z79.891 | Long term (current) use of opiate analgesic                                    |
| Z79.899 | Other long term (current) drug therapy   |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs   |
| Z86.003 | Personal history of in-situ neoplasm of oral cavity, esophagus and stomach     |
| Z86.004 | Personal history of in-situ neoplasm of other and unspecified digestive organs |
| Z86.005 | Personal history of in-situ neoplasm of middle ear and respiratory system      |
| Z86.006 | Personal history of melanoma in-situ   |
| Z86.007 | Personal history of in-situ neoplasm of skin                                   |
| Z86.15  | Personal history of latent tuberculosis infection                              |
| Z94.4   | Liver transplant status  |

**Indications**

1. To provide information about known or suspected hepatobiliary disease, for example:
  - a. Following chronic alcohol or drug ingestion
  - b. Following exposure to hepatotoxins
  - c. When using medication known to have a potential for causing liver toxicity (e.g., following the drug manufacturer's recommendations)
  - d. Following infection (e.g., viral hepatitis and other specific infections such as amebiasis, tuberculosis, psittacosis, and similar infections)
2. To assess liver injury/function following diagnosis of primary or secondary malignant neoplasms
3. To assess liver injury/function in a wide variety of disorders and diseases known to cause liver involvement (e.g., diabetes mellitus, malnutrition, disorders of iron and mineral metabolism, sarcoidosis, amyloidosis, lupus, and hypertension)
4. To assess liver function related to gastrointestinal disease
5. To assess liver function related to pancreatic disease

6. To assess liver function in patients subsequent to liver transplantation
7. To differentiate between the different sources of elevated alkaline phosphatase activity

### **Limitations**

When used to assess liver dysfunction secondary to existing non-hepatobiliary disease with no change in signs, symptoms, or treatment, it is generally not necessary to repeat a GGT determination after a normal result has been obtained unless new indications are present.

If the GGT is the only “liver” enzyme abnormally high, it is generally not necessary to pursue further evaluation for liver disease for this specific indication.

When used to determine if other abnormal enzyme tests reflect liver abnormality rather than other tissue, it generally is not necessary to repeat a GGT more than one time per week.

Because of the extreme sensitivity of GGT as a marker for cytochrome oxidase induction or cell membrane permeability, it is generally not useful in monitoring patients with known liver disease.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

Ockner, R.K., “Clinical approach to liver disease,” in Wyngaarden, J.B., and Smith, L.H. (eds.), Cecil Textbook of Medicine (18th ed.), 1988, W.B. Saunders, pp. 808-809.

Ockner, R.K., “Laboratory tests in liver disease,” in Wyngaarden, J.B., and Smith, L.H. (eds.), Cecil Textbook of Medicine (18th ed.), 1988, W.B. Saunders, pp. 814-817.

Gornall, A.G., and Goldberg, D.M., “Hepatobiliary Disorders,” in Gornall, A.G. (ed.), Applied Biochemistry of Clinical Disorders (2nd ed.), 1986, J.B. Lippincott, pp. 211-246.

Scharschmidt, B.F., “Parasitic, bacterial, fungal, and granulomatous liver disease,” in Wyngaarden, J.B., and Smith, L.H. (eds.), Cecil Textbook of Medicine (18th ed.), 1988, W.B. Saunders, pp. 834-838.

Pincus, M.R., & Schaffner, J.A., “Assessment of liver function,” Henry, J.B. (ed.), Clinical Diagnosis & Management by Laboratory Methods (19th ed.), 1996, WB Saunders, pp. 253-267.

Bordley, D.R., Nattinger, A.B., et al., “Gastrointestinal, Hepatobiliary, and Pancreatic Problems,” in Panzer, R.J., Black, E.R., and Griner, P.F. (eds.), Diagnostic Strategies for Common Medical Problems, 1991, American College of Physicians, pp. 94-185.

Tietz, N.W. (ed.), Clinical Guide to Laboratory Tests (3rd ed.), 1995, pp. 286-287.

Zakim, D., and Boyer, T.D., Hepatology (2nd ed.), 1990, W.B. Saunders.

Dufour, D.R., Clinical Use of Laboratory Data: A Practical Guide, 1998, Williams & Wilkins, pp. 142-155.

Harrison's Principles of Internal Medicine (14th ed.), 1998, McGraw Hill

Wallach, J., Interpretation of Diagnostic Tests, 1996, Little Brown and Co.

Illustrated Guide to Diagnostic Tests (2nd ed.), 1997, Springhouse Corporation.



***Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)***

Sleisenger and Fordtrans's Gastrointestinal and Liver Disease (6th ed.), 1997, W.B. Saunders.

## **190.33 - Hepatitis Panel/Acute Hepatitis Panel**

---

### **Description**

This panel consists of the following tests:

- Hepatitis A antibody (HAAb), IgM antibody;
- Hepatitis B core antibody (HBcAb), IgM antibody;
- Hepatitis B surface antigen (HBsAg); and
- Hepatitis C antibody.

Hepatitis is an inflammation of the liver resulting from viruses, drugs, toxins, and other etiologies. Viral hepatitis can be due to one of at least five different viruses, designated hepatitis A, B, C, and E. Most cases are caused by hepatitis A virus (HAV), hepatitis B virus (HBV), or hepatitis C virus (HCV).

HAV is the most common cause of hepatitis in children and adolescents in the United States. Prior exposure is indicated by a positive IgG anti-HAV. Acute HAV is diagnosed by IgM anti-HAV, which typically appears within four weeks of exposure, and which disappears within three months of its appearance. IgG anti-HAV is similar in the timing of its appearance, but it persists indefinitely. Its detection indicates prior effective immunization or recovery from infection. Although HAV is spread most commonly by fecal-oral exposure, standard immune globulin may be effective as a prophylaxis.

HBV produces three separate antigens (surface, core, and e (envelope) antigens) when it infects the liver, although only hepatitis B surface antigen (HBsAg) is included as part of this panel. Following exposure, the body normally responds by producing antibodies to each of these antigens; one of which is included in this panel: hepatitis B surface antibody (HBsAb)-IgM antibody. HBsAg is the earlier marker, appearing in serum four to eight weeks after exposure, and typically disappearing within six months after its appearance. If HBsAg remains detectable for greater than six months, this indicates chronic HBV infection. HBcAb, in the form of both IgG and IgM antibodies, are next to appear in serum, typically becoming detectable two to three months following exposure. The IgM antibody gradually declines or disappears entirely one to two years following exposure, but the IgG usually remains detectable for life. Because HBsAg is present for a relatively short period and usually displays a low titer, a negative result does not exclude an HBV diagnosis. HBcAb, on the other hand, rises to a much higher titer and remains elevated for a longer period of time, but a positive result is not diagnostic of acute disease, since it may be the result of a prior infection. The last marker to appear in the course of a typical infection is HBsAb, which appears in serum four to six months following exposure to infected blood or body fluids; in the U.S., sexual transmission accounts for 30% to 60% of new cases of HBV infection.

The diagnosis of acute HBV infection is best established by documentation of positive IgM antibody against the core antigen (HBcAb-IgM) and by identification of a positive hepatitis B surface antigen (HBsAg). The diagnosis of chronic HBV infection is established primarily by identifying a positive hepatitis B surface antigen (HBsAg) and demonstrating positive IgG antibody





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

directed against the core antigen (HBcAb-IgG). Additional tests such as hepatitis B e antigen (HBeAg) and hepatitis B e antibody (HBeAb), the envelope antigen and antibody, are not included in the hepatitis panel, but may be of importance in assessing the infectivity of patients with HBV. Following completion of a HBV vaccination series, HBsAb alone may be used monthly for up to six months, or until a positive result is obtained, to verify an adequate antibody response.

HCV is the most common cause of post-transfusion hepatitis; overall HCV is responsible for 15% to 20% of all cases of acute hepatitis, and is the most common cause of chronic liver disease. The test most commonly used to identify HCV measures HCV antibodies, which appear in blood two to four months after infection. False positive HCV results can occur. For example, a patient with a recent yeast infection may produce a false positive anti-HCV result. For this reason, at present positive results usually are confirmed by a more specific technique. Like HBV, HCV is spread exclusively through exposure to infected blood or body fluids.

This panel of tests is used for differential diagnosis in a patient with symptoms of liver disease or injury. When the time of exposure or the stage of the disease is not known, a patient with continued symptoms of liver disease despite a completely negative hepatitis panel may need a repeat panel approximately two weeks to two months later to exclude the possibility of hepatitis. Once a diagnosis is established, specific tests can be used to monitor the course of the disease.

**HCPCS Codes (Alphanumeric, CPT® AMA)**

| Code  | Description           |
|-------|-----------------------|
| 80074 | Acute Hepatitis Panel |

**ICD-10-CM Codes Covered by Medicare Program**

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code  | Description  |
|-------|--|
| A92.5 | Zika virus disease   |
| B15.0 | Hepatitis A with hepatic coma                                  |
| B15.9 | Hepatitis A without hepatic coma                               |
| B16.0 | Acute hepatitis B with delta-agent with hepatic coma           |
| B16.1 | Acute hepatitis B with delta-agent without hepatic coma        |
| B16.2 | Acute hepatitis B without delta-agent with hepatic coma        |
| B16.9 | Acute hepatitis B without delta-agent and without hepatic coma |
| B17.0 | Acute delta-(super) infection of hepatitis B carrier           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| B17.10 | Acute hepatitis C without hepatic coma             |
| B17.11 | Acute hepatitis C with hepatic coma                |
| B17.2  | Acute hepatitis E                                  |
| B17.8  | Other specified acute viral hepatitis              |
| B17.9  | Acute viral hepatitis, unspecified                 |
| B18.0  | Chronic viral hepatitis B with delta-agent         |
| B18.1  | Chronic viral hepatitis B without delta-agent      |
| B18.2  | Chronic viral hepatitis C                          |
| B18.8  | Other chronic viral hepatitis                      |
| B18.9  | Chronic viral hepatitis, unspecified               |
| B19.0  | Unspecified viral hepatitis with hepatic coma      |
| B19.10 | Unspecified viral hepatitis B without hepatic coma |
| B19.11 | Unspecified viral hepatitis B with hepatic coma    |
| B19.20 | Unspecified viral hepatitis C without hepatic coma |
| B19.21 | Unspecified viral hepatitis C with hepatic coma    |
| B19.9  | Unspecified viral hepatitis without hepatic coma   |
| F11.11 | Opioid abuse, in remission                         |
| F11.13 | Opioid abuse with withdrawal                       |
| F12.13 | Cannabis abuse with withdrawal                     |
| F12.93 | Cannabis use, unspecified with withdrawal          |
| F14.11 | Cocaine abuse, in remission                        |
| F14.13 | Cocaine abuse, unspecified with withdrawal         |
| F14.93 | Cocaine use, unspecified with withdrawal           |
| F15.11 | Other stimulant abuse, in remission                |
| F15.13 | Other stimulant abuse with withdrawal              |
| G93.3  | Postviral fatigue syndrome                         |
| I85.00 | Esophageal varices without bleeding                |
| I85.01 | Esophageal varices with bleeding                   |

NCD 190.33

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| I85.10 | Secondary esophageal varices without bleeding                     |
| I85.11 | Secondary esophageal varices with bleeding                        |
| K70.41 | Alcoholic hepatic failure with coma                               |
| K71.0  | Toxic liver disease with cholestasis                              |
| K71.10 | Toxic liver disease with hepatic necrosis, without coma           |
| K71.11 | Toxic liver disease with hepatic necrosis, with coma              |
| K71.2  | Toxic liver disease with acute hepatitis                          |
| K71.3  | Toxic liver disease with chronic persistent hepatitis             |
| K71.4  | Toxic liver disease with chronic lobular hepatitis                |
| K71.50 | Toxic liver disease with chronic active hepatitis without ascites |
| K71.51 | Toxic liver disease with chronic active hepatitis with ascites    |
| K71.6  | Toxic liver disease with hepatitis, not elsewhere classified      |
| K71.7  | Toxic liver disease with fibrosis and cirrhosis of liver          |
| K71.8  | Toxic liver disease with other disorders of liver                 |
| K71.9  | Toxic liver disease, unspecified                                  |
| K72.00 | Acute and subacute hepatic failure without coma                   |
| K72.01 | Acute and subacute hepatic failure with coma                      |
| K72.10 | Chronic hepatic failure without coma                              |
| K72.11 | Chronic hepatic failure with coma                                 |
| K72.90 | Hepatic failure, unspecified without coma                         |
| K72.91 | Hepatic failure, unspecified with coma                            |
| K74.00 | Hepatic fibrosis, unspecified                                     |
| K74.01 | Hepatic fibrosis, early fibrosis                                  |
| K74.02 | Hepatic fibrosis, advanced fibrosis                               |
| K74.60 | Unspecified cirrhosis of liver                                    |
| K74.69 | Other cirrhosis of liver  |
| K75.0  | Abscess of liver  |
| K75.1  | Phlebitis of portal vein  |

NCD 190.33

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                       |
|---------|---|
| K75.2   | Nonspecific reactive hepatitis                    |
| K75.3   | Granulomatous hepatitis, not elsewhere classified |
| K75.81  | Nonalcoholic steatohepatitis (NASH)               |
| K75.89  | Other specified inflammatory liver diseases       |
| K75.9   | Inflammatory liver disease, unspecified           |
| K76.2   | Central hemorrhagic necrosis of liver             |
| K76.4   | Peliosis hepatis                                  |
| K76.6   | Portal hypertension                               |
| K76.7   | Hepatorenal syndrome                              |
| K76.81  | Hepatopulmonary syndrome                          |
| M04.1   | Periodic fever syndromes                          |
| R10.0   | Acute abdomen                                     |
| R10.10  | Upper abdominal pain, unspecified                 |
| R10.11  | Right upper quadrant pain                         |
| R10.12  | Left upper quadrant pain                          |
| R10.13  | Epigastric pain                                   |
| R10.2   | Pelvic and perineal pain                          |
| R10.30  | Lower abdominal pain, unspecified                 |
| R10.31  | Right lower quadrant pain                         |
| R10.32  | Left lower quadrant pain                          |
| R10.33  | Periumbilical pain                                |
| R10.811 | Right upper quadrant abdominal tenderness         |
| R10.821 | Right upper quadrant rebound abdominal tenderness |
| R10.83  | Colic   |
| R10.84  | Generalized abdominal pain                        |
| R10.9   | Unspecified abdominal pain                        |
| R11.0   | Nausea  |
| R11.10  | Vomiting, unspecified                             |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| R11.11   | Vomiting without nausea   |
| R11.12   | Projectile vomiting   |
| R11.14   | Bilious vomiting  |
| R11.15   | Cyclical vomiting syndrome unrelated to migraine  |
| R11.2    | Nausea with vomiting, unspecified   |
| R16.0    | Hepatomegaly, not elsewhere classified  |
| R16.2    | Hepatomegaly with splenomegaly, not elsewhere classified  |
| R17      | Unspecified jaundice  |
| R40.2410 | Glasgow coma scale score 13-15, unspecified time  |
| R40.2411 | Glasgow coma scale score 13-15, in the field [EMT or ambulance]   |
| R40.2412 | Glasgow coma scale score 13-15, at arrival to emergency department  |
| R40.2413 | Glasgow coma scale score 13-15, at hospital admission   |
| R40.2414 | Glasgow coma scale score 13-15, 24 hours or more after hospital admission   |
| R40.2420 | Glasgow coma scale score 9-12, unspecified time   |
| R40.2421 | Glasgow coma scale score 9-12, in the field [EMT or ambulance]  |
| R40.2422 | Glasgow coma scale score 9-12, at arrival to emergency department   |
| R40.2423 | Glasgow coma scale score 9-12, at hospital admission  |
| R40.2424 | Glasgow coma scale score 9-12, 24 hours or more after hospital admission  |
| R40.2430 | Glasgow coma scale score 3-8, unspecified time  |
| R40.2431 | Glasgow coma scale score 3-8, in the field [EMT or ambulance]   |
| R40.2432 | Glasgow coma scale score 3-8, at arrival to emergency department  |
| R40.2433 | Glasgow coma scale score 3-8, at hospital admission   |
| R40.2434 | Glasgow coma scale score 3-8, 24 hours or more after hospital admission   |
| R40.2440 | Other coma, without documented Glasgow coma scale score, or with partial score reported, unspecified time                   |
| R40.2441 | Other coma, without documented Glasgow coma scale score, or with partial score reported, in the field [EMT or ambulance]    |
| R40.2442 | Other coma, without documented Glasgow coma scale score, or with partial score reported, at arrival to emergency department |

NCD 190.33

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| R40.2443 | Other coma, without documented Glasgow coma scale score, or with partial score reported, at hospital admission                     |
| R40.2444 | Other coma, without documented Glasgow coma scale score, or with partial score reported, 24 hours or more after hospital admission |
| R53.0    | Neoplastic (malignant) related fatigue   |
| R53.1    | Weakness   |
| R53.2    | Functional quadriplegia  |
| R53.81   | Other malaise  |
| R53.82   | Chronic fatigue, unspecified   |
| R53.83   | Other fatigue  |
| R56.00   | Simple febrile convulsions   |
| R56.01   | Complex febrile convulsions  |
| R56.1    | Post traumatic seizures  |
| R62.0    | Delayed milestone in childhood   |
| R62.50   | Unspecified lack of expected normal physiological development in childhood   |
| R62.51   | Failure to thrive (child)  |
| R62.52   | Short stature (child)  |
| R62.59   | Other lack of expected normal physiological development in childhood   |
| R63.0    | Anorexia   |
| R63.1    | Polydipsia   |
| R63.2    | Polyphagia   |
| R63.3    | Feeding difficulties   |
| R63.4    | Abnormal weight loss   |
| R63.5    | Abnormal weight gain   |
| R63.6    | Underweight  |
| R74.01   | Elevation of levels of liver transaminase levels   |
| R74.02   | Elevation of levels of lactic acid dehydrogenase [LDH]   |
| R94.5    | Abnormal results of liver function studies   |
| T86.40   | Unspecified complication of liver transplant   |

**NCD 190.33**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T86.41   | Liver transplant rejection   |
| T86.42   | Liver transplant failure   |
| T86.43   | Liver transplant infection   |
| T86.49   | Other complications of liver transplant  |
| T86.8401 | Corneal transplant rejection, right eye  |
| T86.8402 | Corneal transplant rejection, left eye   |
| T86.8403 | Corneal transplant rejection, bilateral  |
| T86.8409 | Corneal transplant rejection, unspecified eye  |
| T86.8411 | Corneal transplant failure, right eye  |
| T86.8412 | Corneal transplant failure, left eye   |
| T86.8413 | Corneal transplant failure, bilateral  |
| T86.8419 | Corneal transplant failure, unspecified eye  |
| T86.8421 | Corneal transplant infection, right eye  |
| T86.8422 | Corneal transplant infection, left eye   |
| T86.8423 | Corneal transplant infection, bilateral  |
| T86.8429 | Corneal transplant infection, unspecified eye  |
| Z01.89   | Encounter for other specified special examinations                                       |
| Z05.0    | Observation and evaluation of newborn for suspected cardiac condition ruled out          |
| Z05.1    | Observation and evaluation of newborn for suspected infectious condition ruled out       |
| Z05.2    | Observation and evaluation of newborn for suspected neurological condition ruled out     |
| Z05.3    | Observation and evaluation of newborn for suspected respiratory condition ruled out      |
| Z05.41   | Observation and evaluation of newborn for suspected genetic condition ruled out          |
| Z05.42   | Observation and evaluation of newborn for suspected metabolic condition ruled out        |
| Z05.43   | Observation and evaluation of newborn for suspected immunologic condition ruled out      |
| Z05.5    | Observation and evaluation of newborn for suspected gastrointestinal condition ruled out |
| Z05.6    | Observation and evaluation of newborn for suspected genitourinary condition ruled out    |

**NCD 190.33**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| Z05.71 | Observation and evaluation of newborn for suspected skin and subcutaneous tissue condition ruled out |
| Z05.72 | Observation and evaluation of newborn for suspected musculoskeletal condition ruled out              |
| Z05.73 | Observation and evaluation of newborn for suspected connective tissue condition ruled out            |
| Z05.8  | Observation and evaluation of newborn for other specified suspected condition ruled out              |
| Z05.9  | Observation and evaluation of newborn for unspecified suspected condition ruled out                  |
| Z19.1  | Hormone sensitive malignancy status  |
| Z19.2  | Hormone resistant malignancy status  |
| Z29.11 | Encounter for prophylactic immunotherapy for respiratory syncytial virus (RSV)                       |
| Z84.82 | Family history of sudden infant death syndrome   |

### **Indications**

1. To detect viral hepatitis infection when there are abnormal liver function test results, with or without signs or symptoms of hepatitis.
2. Prior to and subsequent to liver transplantation.

### **Limitations**

After a hepatitis diagnosis is established, only individual tests are needed.

### **ICD-10-CM Codes That Do Not Support Medical Necessity**

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

### **Sources of Information**

Ockner, R.K., "Approaches to the diagnosis of jaundice," in Wyngaarden, J.B., and Smith, L.H. (eds.), Cecil Textbook of Medicine (18th ed.), 1988, W.B. Saunders, pp. 817-818.

Ockner, R.K., "Acute viral hepatitis," in Wyngaarden, J.B., and Smith, L.H. (eds.), Cecil Textbook of Medicine (18th ed.), 1988, W.B. Saunders, pp. 818-826.

Ockner, R.K., "Chronic hepatitis," in Wyngaarden, J.B., and Smith, L.H. (eds.), Cecil Textbook of Medicine (18th ed.), 1988, W.B. Saunders, pp. 830-834.

Arvan, D.A., "Acute viral hepatitis," in Panzer, R.J., Black, E.R., & Griner, P.F. (eds.), Diagnostic Strategies for Common Medical Problems, 1991, American College of Physicians, pp. 141-151.

Goldberg, D.M., "Diagnostic Enzymology," in Gornall, A.G. (ed.), Applied Biochemistry of Clinical Disorders (2nd ed.), 1986, J.B. Lippincott, pp. 33-51.

**NCD 190.33**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



***Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)***

Pincus, M.R., & Schaffner, J.A., "Assessment of liver function," in Henry J.B.(ed.), *Clinical Diagnosis & Management by Laboratory Methods* (19<sup>th</sup> ed.), 1996, W.B. Saunders, pp 253-267.

Tietz, N.W. (ed.), *Clinical Guide to Laboratory Tests* (3rd ed.), 1995, pp. 320-327.

Zakim, D., and Boyer, T.D., *Hepatology* (2nd ed.), 1990, W.B. Saunders.

*Harrison's Principles of Internal Medicine* (14th ed.), 1998, McGraw Hill.

Wallach, J., *Interpretation of Diagnostic Tests*, 1996, Little Brown and Co.

*Illustrated Guide to Diagnostic Tests* (2nd ed.), 1997, Springhouse Corporation.

Sleisenger and Fordtrans's *Gastrointestinal and Liver Disease* (6th ed.), 1997, W.B. Saunders.

## **190.34 - Fecal Occult Blood Test**

---

### **Description**

The Fecal Occult Blood Test (FOBT) detects the presence of trace amounts of blood in stool. The procedure is performed by testing one or several small samples of one, two or three different stool specimens.

This test may be performed with or without evidence of iron deficiency anemia, which may be related to gastrointestinal blood loss. The range of causes for blood loss include inflammatory causes, including acid-peptic disease, non-steroidal anti-inflammatory drug use, hiatal hernia, Crohn's disease, ulcerative colitis, gastroenteritis, and colon ulcers. It is also seen with infectious causes, including hookworm, strongyloides, ascariasis, tuberculosis, and enteroamebiasis. Vascular causes include angiodysplasia, hemangiomas, varices, blue rubber bleb nevus syndrome, and watermelon stomach. Tumors and neoplastic causes include lymphoma, leiomyosarcoma, lipomas, adenocarcinoma and primary and secondary metastases to the GI tract. Drugs such as nonsteroidal anti-inflammatory drugs also cause bleeding. There are extra gastrointestinal causes such as hemoptysis, epistaxis, and oropharyngeal bleeding. Artifactual causes include hematuria, and menstrual bleeding. In addition, there may be other causes such as coagulopathies, gastrostomy tubes or other appliances, factitial causes, and long distance running.

Three basic types of fecal hemoglobin assays exist, each directed at a different component of the hemoglobin molecule.

1. Immunoassays recognize antigenic sites on the globin portion and are least affected by diet or proximal gut bleeding, but the antigen may be destroyed by fecal flora.
2. The heme-porphyrin assay measures heme-derived porphyrin and is least influenced by enterocolic metabolism or fecal storage. This assay does not discriminate dietary from endogenous heme. The capacity to detect proximal gut bleeding reduces its specificity for colorectal cancer screening but makes it more useful for evaluating overall GI bleeding in case finding for iron deficiency anemia.
3. The guaiac-based test is the most widely used. It requires the peroxidase activity of an intact heme moiety to be reactive. Positivity rates fall with storage. Fecal hydration such as adding a drop of water increases the test reactivity but also increases false positivity.

Of these three tests, the guaiac-based test is the most sensitive for detecting lower bowel bleeding. Because of this sensitivity, it is advisable, when it is used for screening, to defer the guaiac-based test if other studies of the colon are performed prior to the test. Similarly, this test's sensitivity may result in a false positive if the patient has recently ingested meat. Both of these cautions are appropriate when the test is used for screening, but when appropriate indications are present, the test should be done despite its limitations.



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

**HCPCS Codes (Alphanumeric, CPT® AMA)**

| Code  | Description   |
|-------|---|
| 82272 | Blood, occult, by peroxidase activity (e.g., guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening |

**ICD-10-CM Codes Covered by Medicare Program**

The ICD-10-CM codes in the table below can be viewed on CMS' website as part of Downloads: Lab Code List, at  
<http://www.cms.gov/Medicare/Coverage/CoverageGenInfo/LabNCDsICD10.html>

| Code   | Description  |
|--------|--|
| A02.0  | Salmonella enteritis   |
| A02.1  | Salmonella sepsis  |
| A03.0  | Shigellosis due to Shigella dysenteriae                                |
| A03.1  | Shigellosis due to Shigella flexneri                                   |
| A03.2  | Shigellosis due to Shigella boydii                                     |
| A03.3  | Shigellosis due to Shigella sonnei                                     |
| A03.8  | Other shigellosis  |
| A03.9  | Shigellosis, unspecified   |
| A04.5  | Campylobacter enteritis  |
| A04.6  | Enteritis due to Yersinia enterocolitica                               |
| A04.71 | Enterocolitis due to Clostridium difficile, recurrent                  |
| A04.72 | Enterocolitis due to Clostridium difficile, not specified as recurrent |
| A04.8  | Other specified bacterial intestinal infections                        |
| A05.0  | Foodborne staphylococcal intoxication                                  |
| A05.1  | Botulism food poisoning  |
| A05.2  | Foodborne Clostridium perfringens [Clostridium welchii] intoxication   |
| A05.3  | Foodborne Vibrio parahaemolyticus intoxication                         |
| A05.4  | Foodborne Bacillus cereus intoxication                                 |
| A05.5  | Foodborne Vibrio vulnificus intoxication                               |
| A05.8  | Other specified bacterial foodborne intoxications                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| A05.9  | Bacterial foodborne intoxication, unspecified                    |
| A06.0  | Acute amebic dysentery   |
| A06.1  | Chronic intestinal amebiasis                                     |
| A06.2  | Amebic nondysenteric colitis                                     |
| A06.3  | Ameboma of intestine   |
| A06.4  | Amebic liver abscess   |
| A06.5  | Amebic lung abscess  |
| A06.6  | Amebic brain abscess   |
| A06.7  | Cutaneous amebiasis  |
| A06.81 | Amebic cystitis  |
| A06.82 | Other amebic genitourinary infections                            |
| A06.89 | Other amebic infections  |
| A06.9  | Amebiasis, unspecified   |
| A07.0  | Balantidiasis  |
| A07.1  | Giardiasis [lambliasis]  |
| A07.2  | Cryptosporidiosis  |
| A07.3  | Isosporiasis   |
| A07.4  | Cyclosporiasis   |
| A07.8  | Other specified protozoal intestinal diseases                    |
| A07.9  | Protozoal intestinal disease, unspecified                        |
| A09    | Infectious gastroenteritis and colitis, unspecified              |
| A18.31 | Tuberculous peritonitis  |
| A18.32 | Tuberculous enteritis  |
| A18.39 | Retroperitoneal tuberculosis                                     |
| A18.83 | Tuberculosis of digestive tract organs, not elsewhere classified |
| A52.74 | Syphilis of liver and other viscera                              |
| A54.00 | Gonococcal infection of lower genitourinary tract, unspecified   |
| A54.02 | Gonococcal vulvovaginitis, unspecified                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| A54.09 | Other gonococcal infection of lower genitourinary tract   |
| A54.1  | Gonococcal infection of lower genitourinary tract with periurethral and accessory gland abscess |
| A54.6  | Gonococcal infection of anus and rectum   |
| A54.83 | Gonococcal heart infection  |
| B25.2  | Cytomegaloviral pancreatitis  |
| B68.0  | Taenia solium taeniasis   |
| B68.1  | Taenia saginata taeniasis   |
| B68.9  | Taeniasis, unspecified  |
| B69.0  | Cysticercosis of central nervous system   |
| B69.1  | Cysticercosis of eye  |
| B69.81 | Myositis in cysticercosis   |
| B69.89 | Cysticercosis of other sites  |
| B69.9  | Cysticercosis, unspecified  |
| B70.0  | Diphyllobothriasis  |
| B70.1  | Sparganosis   |
| B71.0  | Hymenolepiasis  |
| B71.1  | Dipylidiasis  |
| B71.8  | Other specified cestode infections  |
| B71.9  | Cestode infection, unspecified  |
| B75    | Trichinellosis  |
| B77.0  | Ascariasis with intestinal complications  |
| B77.81 | Ascariasis pneumonia  |
| B77.89 | Ascariasis with other complications   |
| B77.9  | Ascariasis, unspecified   |
| B78.0  | Intestinal strongyloidiasis   |
| B78.7  | Disseminated strongyloidiasis   |
| B78.9  | Strongyloidiasis, unspecified   |
| B79    | Trichuriasis  |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description   |
|-------|---|
| B80   | Enterobiasis  |
| B81.0 | Anisakiasis   |
| B81.1 | Intestinal capillariasis  |
| B81.2 | Trichostrongyliasis   |
| B81.3 | Intestinal angiostrongyliasis                                   |
| B81.4 | Mixed intestinal helminthiasis                                  |
| B81.8 | Other specified intestinal helminthiasis                        |
| B82.0 | Intestinal helminthiasis, unspecified                           |
| B92   | Sequelae of leprosy   |
| B94.2 | Sequelae of viral hepatitis                                     |
| B94.8 | Sequelae of other specified infectious and parasitic diseases   |
| B94.9 | Sequelae of unspecified infectious and parasitic disease        |
| C15.3 | Malignant neoplasm of upper third of esophagus                  |
| C15.4 | Malignant neoplasm of middle third of esophagus                 |
| C15.5 | Malignant neoplasm of lower third of esophagus                  |
| C15.8 | Malignant neoplasm of overlapping sites of esophagus            |
| C15.9 | Malignant neoplasm of esophagus, unspecified                    |
| C16.0 | Malignant neoplasm of cardia                                    |
| C16.1 | Malignant neoplasm of fundus of stomach                         |
| C16.2 | Malignant neoplasm of body of stomach                           |
| C16.3 | Malignant neoplasm of pyloric antrum                            |
| C16.4 | Malignant neoplasm of pylorus                                   |
| C16.5 | Malignant neoplasm of lesser curvature of stomach, unspecified  |
| C16.6 | Malignant neoplasm of greater curvature of stomach, unspecified |
| C16.8 | Malignant neoplasm of overlapping sites of stomach              |
| C16.9 | Malignant neoplasm of stomach, unspecified                      |
| C17.0 | Malignant neoplasm of duodenum                                  |
| C17.1 | Malignant neoplasm of jejunum                                   |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code  | Description  |
|-------|--|
| C17.2 | Malignant neoplasm of ileum  |
| C17.3 | Meckel's diverticulum, malignant                                       |
| C17.8 | Malignant neoplasm of overlapping sites of small intestine             |
| C17.9 | Malignant neoplasm of small intestine, unspecified                     |
| C18.0 | Malignant neoplasm of cecum  |
| C18.1 | Malignant neoplasm of appendix   |
| C18.2 | Malignant neoplasm of ascending colon                                  |
| C18.3 | Malignant neoplasm of hepatic flexure                                  |
| C18.4 | Malignant neoplasm of transverse colon                                 |
| C18.5 | Malignant neoplasm of splenic flexure                                  |
| C18.6 | Malignant neoplasm of descending colon                                 |
| C18.7 | Malignant neoplasm of sigmoid colon                                    |
| C18.8 | Malignant neoplasm of overlapping sites of colon                       |
| C18.9 | Malignant neoplasm of colon, unspecified                               |
| C19   | Malignant neoplasm of rectosigmoid junction                            |
| C20   | Malignant neoplasm of rectum   |
| C21.0 | Malignant neoplasm of anus, unspecified                                |
| C21.1 | Malignant neoplasm of anal canal                                       |
| C21.2 | Malignant neoplasm of cloacogenic zone                                 |
| C21.8 | Malignant neoplasm of overlapping sites of rectum, anus and anal canal |
| C22.0 | Liver cell carcinoma   |
| C22.1 | Intrahepatic bile duct carcinoma                                       |
| C22.2 | Hepatoblastoma   |
| C22.3 | Angiosarcoma of liver  |
| C22.4 | Other sarcomas of liver  |
| C22.7 | Other specified carcinomas of liver                                    |
| C22.8 | Malignant neoplasm of liver, primary, unspecified as to type           |
| C22.9 | Malignant neoplasm of liver, not specified as primary or secondary     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| C23     | Malignant neoplasm of gallbladder                                     |
| C24.0   | Malignant neoplasm of extrahepatic bile duct                          |
| C24.1   | Malignant neoplasm of ampulla of Vater                                |
| C24.8   | Malignant neoplasm of overlapping sites of biliary tract              |
| C24.9   | Malignant neoplasm of biliary tract, unspecified                      |
| C25.0   | Malignant neoplasm of head of pancreas                                |
| C25.1   | Malignant neoplasm of body of pancreas                                |
| C25.2   | Malignant neoplasm of tail of pancreas                                |
| C25.3   | Malignant neoplasm of pancreatic duct                                 |
| C25.4   | Malignant neoplasm of endocrine pancreas                              |
| C25.7   | Malignant neoplasm of other parts of pancreas                         |
| C25.8   | Malignant neoplasm of overlapping sites of pancreas                   |
| C25.9   | Malignant neoplasm of pancreas, unspecified                           |
| C26.0   | Malignant neoplasm of intestinal tract, part unspecified              |
| C26.1   | Malignant neoplasm of spleen  |
| C26.9   | Malignant neoplasm of ill-defined sites within the digestive system   |
| C46.4   | Kaposi's sarcoma of gastrointestinal sites                            |
| C78.4   | Secondary malignant neoplasm of small intestine                       |
| C78.5   | Secondary malignant neoplasm of large intestine and rectum            |
| C78.7   | Secondary malignant neoplasm of liver and intrahepatic bile duct      |
| C78.80  | Secondary malignant neoplasm of unspecified digestive organ           |
| C78.89  | Secondary malignant neoplasm of other digestive organs                |
| C7A.010 | Malignant carcinoid tumor of the duodenum                             |
| C7A.011 | Malignant carcinoid tumor of the jejunum                              |
| C7A.012 | Malignant carcinoid tumor of the ileum                                |
| C7A.019 | Malignant carcinoid tumor of the small intestine, unspecified portion |
| C7A.020 | Malignant carcinoid tumor of the appendix                             |
| C7A.021 | Malignant carcinoid tumor of the cecum                                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| C7A.022 | Malignant carcinoid tumor of the ascending colon                                 |
| C7A.023 | Malignant carcinoid tumor of the transverse colon                                |
| C7A.024 | Malignant carcinoid tumor of the descending colon                                |
| C7A.025 | Malignant carcinoid tumor of the sigmoid colon                                   |
| C7A.026 | Malignant carcinoid tumor of the rectum  |
| C7A.029 | Malignant carcinoid tumor of the large intestine, unspecified portion            |
| C7B.00  | Secondary carcinoid tumors, unspecified site                                     |
| C7B.01  | Secondary carcinoid tumors of distant lymph nodes                                |
| C7B.02  | Secondary carcinoid tumors of liver  |
| C7B.03  | Secondary carcinoid tumors of bone   |
| C7B.04  | Secondary carcinoid tumors of peritoneum   |
| C7B.09  | Secondary carcinoid tumors of other sites  |
| C7B.1   | Secondary Merkel cell carcinoma  |
| C7B.8   | Other secondary neuroendocrine tumors  |
| C80.0   | Disseminated malignant neoplasm, unspecified                                     |
| C91.00  | Acute lymphoblastic leukemia not having achieved remission                       |
| C91.01  | Acute lymphoblastic leukemia, in remission                                       |
| C91.02  | Acute lymphoblastic leukemia, in relapse   |
| C91.10  | Chronic lymphocytic leukemia of B-cell type not having achieved remission        |
| C91.11  | Chronic lymphocytic leukemia of B-cell type in remission                         |
| C91.12  | Chronic lymphocytic leukemia of B-cell type in relapse                           |
| C91.30  | Prolymphocytic leukemia of B-cell type not having achieved remission             |
| C91.31  | Prolymphocytic leukemia of B-cell type, in remission                             |
| C91.32  | Prolymphocytic leukemia of B-cell type, in relapse                               |
| C91.50  | Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission |
| C91.51  | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission                 |
| C91.52  | Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse                   |
| C91.60  | Prolymphocytic leukemia of T-cell type not having achieved remission             |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| C91.61 | Prolymphocytic leukemia of T-cell type, in remission                               |
| C91.62 | Prolymphocytic leukemia of T-cell type, in relapse                                 |
| C91.90 | Lymphoid leukemia, unspecified not having achieved remission                       |
| C91.91 | Lymphoid leukemia, unspecified, in remission                                       |
| C91.92 | Lymphoid leukemia, unspecified, in relapse   |
| C91.A0 | Mature B-cell leukemia Burkitt-type not having achieved remission                  |
| C91.A1 | Mature B-cell leukemia Burkitt-type, in remission                                  |
| C91.A2 | Mature B-cell leukemia Burkitt-type, in relapse                                    |
| C91.Z0 | Other lymphoid leukemia not having achieved remission                              |
| C91.Z1 | Other lymphoid leukemia, in remission  |
| C91.Z2 | Other lymphoid leukemia, in relapse  |
| C92.00 | Acute myeloblastic leukemia, not having achieved remission                         |
| C92.01 | Acute myeloblastic leukemia, in remission  |
| C92.02 | Acute myeloblastic leukemia, in relapse  |
| C92.10 | Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission          |
| C92.11 | Chronic myeloid leukemia, BCR/ABL-positive, in remission                           |
| C92.12 | Chronic myeloid leukemia, BCR/ABL-positive, in relapse                             |
| C92.20 | Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission |
| C92.21 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission                  |
| C92.22 | Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse                    |
| C92.30 | Myeloid sarcoma, not having achieved remission                                     |
| C92.31 | Myeloid sarcoma, in remission  |
| C92.32 | Myeloid sarcoma, in relapse  |
| C92.40 | Acute promyelocytic leukemia, not having achieved remission                        |
| C92.41 | Acute promyelocytic leukemia, in remission   |
| C92.42 | Acute promyelocytic leukemia, in relapse   |
| C92.50 | Acute myelomonocytic leukemia, not having achieved remission                       |
| C92.51 | Acute myelomonocytic leukemia, in remission  |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C92.52 | Acute myelomonocytic leukemia, in relapse   |
| C92.60 | Acute myeloid leukemia with 11q23-abnormality not having achieved remission       |
| C92.61 | Acute myeloid leukemia with 11q23-abnormality in remission                        |
| C92.62 | Acute myeloid leukemia with 11q23-abnormality in relapse                          |
| C92.90 | Myeloid leukemia, unspecified, not having achieved remission                      |
| C92.91 | Myeloid leukemia, unspecified in remission  |
| C92.92 | Myeloid leukemia, unspecified in relapse  |
| C92.A0 | Acute myeloid leukemia with multilineage dysplasia, not having achieved remission |
| C92.A1 | Acute myeloid leukemia with multilineage dysplasia, in remission                  |
| C92.A2 | Acute myeloid leukemia with multilineage dysplasia, in relapse                    |
| C92.Z0 | Other myeloid leukemia not having achieved remission                              |
| C92.Z1 | Other myeloid leukemia, in remission  |
| C92.Z2 | Other myeloid leukemia, in relapse  |
| C93.00 | Acute monoblastic/monocytic leukemia, not having achieved remission               |
| C93.01 | Acute monoblastic/monocytic leukemia, in remission                                |
| C93.02 | Acute monoblastic/monocytic leukemia, in relapse                                  |
| C93.10 | Chronic myelomonocytic leukemia not having achieved remission                     |
| C93.11 | Chronic myelomonocytic leukemia, in remission                                     |
| C93.12 | Chronic myelomonocytic leukemia, in relapse                                       |
| C93.30 | Juvenile myelomonocytic leukemia, not having achieved remission                   |
| C93.31 | Juvenile myelomonocytic leukemia, in remission                                    |
| C93.32 | Juvenile myelomonocytic leukemia, in relapse                                      |
| C93.90 | Monocytic leukemia, unspecified, not having achieved remission                    |
| C93.91 | Monocytic leukemia, unspecified in remission                                      |
| C93.92 | Monocytic leukemia, unspecified in relapse  |
| C93.Z0 | Other monocytic leukemia, not having achieved remission                           |
| C93.Z1 | Other monocytic leukemia, in remission  |
| C93.Z2 | Other monocytic leukemia, in relapse  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| C94.00 | Acute erythroid leukemia, not having achieved remission                 |
| C94.01 | Acute erythroid leukemia, in remission                                  |
| C94.02 | Acute erythroid leukemia, in relapse                                    |
| C94.20 | Acute megakaryoblastic leukemia not having achieved remission           |
| C94.21 | Acute megakaryoblastic leukemia, in remission                           |
| C94.22 | Acute megakaryoblastic leukemia, in relapse                             |
| C94.30 | Mast cell leukemia not having achieved remission                        |
| C94.31 | Mast cell leukemia, in remission  |
| C94.32 | Mast cell leukemia, in relapse  |
| C94.80 | Other specified leukemias not having achieved remission                 |
| C94.81 | Other specified leukemias, in remission                                 |
| C94.82 | Other specified leukemias, in relapse                                   |
| C95.00 | Acute leukemia of unspecified cell type not having achieved remission   |
| C95.01 | Acute leukemia of unspecified cell type, in remission                   |
| C95.02 | Acute leukemia of unspecified cell type, in relapse                     |
| C95.10 | Chronic leukemia of unspecified cell type not having achieved remission |
| C95.11 | Chronic leukemia of unspecified cell type, in remission                 |
| C95.12 | Chronic leukemia of unspecified cell type, in relapse                   |
| C95.90 | Leukemia, unspecified not having achieved remission                     |
| C95.91 | Leukemia, unspecified, in remission                                     |
| C95.92 | Leukemia, unspecified, in relapse                                       |
| D00.2  | Carcinoma in situ of stomach  |
| D01.0  | Carcinoma in situ of colon  |
| D01.1  | Carcinoma in situ of rectosigmoid junction                              |
| D01.2  | Carcinoma in situ of rectum   |
| D01.3  | Carcinoma in situ of anus and anal canal                                |
| D01.40 | Carcinoma in situ of unspecified part of intestine                      |
| D01.49 | Carcinoma in situ of other parts of intestine                           |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| D01.5  | Carcinoma in situ of liver, gallbladder and bile ducts           |
| D01.7  | Carcinoma in situ of other specified digestive organs            |
| D01.9  | Carcinoma in situ of digestive organ, unspecified                |
| D12.0  | Benign neoplasm of cecum   |
| D12.1  | Benign neoplasm of appendix                                      |
| D12.2  | Benign neoplasm of ascending colon                               |
| D12.3  | Benign neoplasm of transverse colon                              |
| D12.4  | Benign neoplasm of descending colon                              |
| D12.5  | Benign neoplasm of sigmoid colon                                 |
| D12.6  | Benign neoplasm of colon, unspecified                            |
| D12.7  | Benign neoplasm of rectosigmoid junction                         |
| D12.8  | Benign neoplasm of rectum  |
| D12.9  | Benign neoplasm of anus and anal canal                           |
| D13.0  | Benign neoplasm of esophagus                                     |
| D13.1  | Benign neoplasm of stomach                                       |
| D13.2  | Benign neoplasm of duodenum                                      |
| D13.30 | Benign neoplasm of unspecified part of small intestine           |
| D13.39 | Benign neoplasm of other parts of small intestine                |
| D13.4  | Benign neoplasm of liver   |
| D13.5  | Benign neoplasm of extrahepatic bile ducts                       |
| D13.6  | Benign neoplasm of pancreas                                      |
| D13.7  | Benign neoplasm of endocrine pancreas                            |
| D13.9  | Benign neoplasm of ill-defined sites within the digestive system |
| D18.03 | Hemangioma of intra-abdominal structures                         |
| D19.1  | Benign neoplasm of mesothelial tissue of peritoneum              |
| D20.0  | Benign neoplasm of soft tissue of retroperitoneum                |
| D20.1  | Benign neoplasm of soft tissue of peritoneum                     |
| D37.1  | Neoplasm of uncertain behavior of stomach                        |





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| D37.2   | Neoplasm of uncertain behavior of small intestine                  |
| D37.3   | Neoplasm of uncertain behavior of appendix                         |
| D37.4   | Neoplasm of uncertain behavior of colon                            |
| D37.5   | Neoplasm of uncertain behavior of rectum                           |
| D37.8   | Neoplasm of uncertain behavior of other specified digestive organs |
| D37.9   | Neoplasm of uncertain behavior of digestive organ, unspecified     |
| D3A.010 | Benign carcinoid tumor of the duodenum                             |
| D3A.011 | Benign carcinoid tumor of the jejunum                              |
| D3A.012 | Benign carcinoid tumor of the ileum                                |
| D3A.019 | Benign carcinoid tumor of the small intestine, unspecified portion |
| D3A.020 | Benign carcinoid tumor of the appendix                             |
| D3A.021 | Benign carcinoid tumor of the cecum                                |
| D3A.022 | Benign carcinoid tumor of the ascending colon                      |
| D3A.023 | Benign carcinoid tumor of the transverse colon                     |
| D3A.024 | Benign carcinoid tumor of the descending colon                     |
| D3A.025 | Benign carcinoid tumor of the sigmoid colon                        |
| D3A.026 | Benign carcinoid tumor of the rectum                               |
| D3A.029 | Benign carcinoid tumor of the large intestine, unspecified portion |
| D45     | Polycythemia vera  |
| D49.0   | Neoplasm of unspecified behavior of digestive system               |
| D50.0   | Iron deficiency anemia secondary to blood loss (chronic)           |
| D50.1   | Sideropenic dysphagia  |
| D50.8   | Other iron deficiency anemias                                      |
| D50.9   | Iron deficiency anemia, unspecified                                |
| D61.82  | Myelophthisis  |
| D62     | Acute posthemorrhagic anemia                                       |
| D63.0   | Anemia in neoplastic disease                                       |
| D63.1   | Anemia in chronic kidney disease                                   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| D63.8   | Anemia in other chronic diseases classified elsewhere   |
| D64.0   | Hereditary sideroblastic anemia   |
| D64.1   | Secondary sideroblastic anemia due to disease   |
| D64.2   | Secondary sideroblastic anemia due to drugs and toxins  |
| D64.3   | Other sideroblastic anemias   |
| D64.4   | Congenital dyserythropoietic anemia   |
| D64.81  | Anemia due to antineoplastic chemotherapy   |
| D64.89  | Other specified anemias   |
| D64.9   | Anemia, unspecified   |
| D65     | Disseminated intravascular coagulation [defibrination syndrome]                                   |
| D66     | Hereditary factor VIII deficiency   |
| D67     | Hereditary factor IX deficiency   |
| D68.0   | Von Willebrand's disease  |
| D68.1   | Hereditary factor XI deficiency   |
| D68.2   | Hereditary deficiency of other clotting factors   |
| D68.311 | Acquired hemophilia   |
| D68.312 | Antiphospholipid antibody with hemorrhagic disorder   |
| D68.318 | Other hemorrhagic disorder due to intrinsic circulating anticoagulants, antibodies, or inhibitors |
| D68.32  | Hemorrhagic disorder due to extrinsic circulating anticoagulants                                  |
| D68.4   | Acquired coagulation factor deficiency  |
| D68.8   | Other specified coagulation defects   |
| D68.9   | Coagulation defect, unspecified   |
| D69.0   | Allergic purpura  |
| D69.1   | Qualitative platelet defects  |
| D69.2   | Other nonthrombocytopenic purpura   |
| D69.3   | Immune thrombocytopenic purpura   |
| D69.41  | Evans syndrome  |
| D69.42  | Congenital and hereditary thrombocytopenia purpura  |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| D69.49 | Other primary thrombocytopenia                                      |
| D69.51 | Posttransfusion purpura   |
| D69.59 | Other secondary thrombocytopenia                                    |
| D69.6  | Thrombocytopenia, unspecified                                       |
| D69.8  | Other specified hemorrhagic conditions                              |
| D69.9  | Hemorrhagic condition, unspecified                                  |
| F11.13 | Opioid abuse with withdrawal  |
| F12.13 | Cannabis abuse with withdrawal                                      |
| F14.13 | Cocaine abuse, unspecified with withdrawal                          |
| F14.93 | Cocaine use, unspecified with withdrawal                            |
| F15.13 | Other stimulant abuse with withdrawal                               |
| G89.3  | Neoplasm related pain (acute) (chronic)                             |
| G93.3  | Postviral fatigue syndrome  |
| I78.0  | Hereditary hemorrhagic telangiectasia                               |
| I85.00 | Esophageal varices without bleeding                                 |
| I85.01 | Esophageal varices with bleeding                                    |
| I85.10 | Secondary esophageal varices without bleeding                       |
| I85.11 | Secondary esophageal varices with bleeding                          |
| J86.0  | Pyothorax with fistula  |
| K20.0  | Eosinophilic esophagitis  |
| K20.80 | Other esophagitis without bleeding                                  |
| K20.81 | Other esophagitis with bleeding                                     |
| K20.90 | Esophagitis, unspecified without bleeding                           |
| K20.91 | Esophagitis, unspecified with bleeding                              |
| K21.00 | Gastro-esophageal reflux disease with esophagitis, without bleeding |
| K21.01 | Gastro-esophageal reflux disease with esophagitis, with bleeding    |
| K21.9  | Gastro-esophageal reflux disease without esophagitis                |
| K22.10 | Ulcer of esophagus without bleeding                                 |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| K22.11  | Ulcer of esophagus with bleeding  |
| K22.2   | Esophageal obstruction  |
| K22.3   | Perforation of esophagus  |
| K22.4   | Dyskinesia of esophagus   |
| K22.5   | Diverticulum of esophagus, acquired   |
| K22.6   | Gastro-esophageal laceration-hemorrhage syndrome                                  |
| K22.70  | Barrett's esophagus without dysplasia   |
| K22.710 | Barrett's esophagus with low grade dysplasia                                      |
| K22.711 | Barrett's esophagus with high grade dysplasia                                     |
| K22.719 | Barrett's esophagus with dysplasia, unspecified                                   |
| K22.8   | Other specified diseases of esophagus   |
| K22.9   | Disease of esophagus, unspecified   |
| K23     | Disorders of esophagus in diseases classified elsewhere                           |
| K25.0   | Acute gastric ulcer with hemorrhage   |
| K25.1   | Acute gastric ulcer with perforation  |
| K25.2   | Acute gastric ulcer with both hemorrhage and perforation                          |
| K25.3   | Acute gastric ulcer without hemorrhage or perforation                             |
| K25.4   | Chronic or unspecified gastric ulcer with hemorrhage                              |
| K25.5   | Chronic or unspecified gastric ulcer with perforation                             |
| K25.6   | Chronic or unspecified gastric ulcer with both hemorrhage and perforation         |
| K25.7   | Chronic gastric ulcer without hemorrhage or perforation                           |
| K25.9   | Gastric ulcer, unspecified as acute or chronic, without hemorrhage or perforation |
| K26.0   | Acute duodenal ulcer with hemorrhage  |
| K26.1   | Acute duodenal ulcer with perforation   |
| K26.2   | Acute duodenal ulcer with both hemorrhage and perforation                         |
| K26.3   | Acute duodenal ulcer without hemorrhage or perforation                            |
| K26.4   | Chronic or unspecified duodenal ulcer with hemorrhage                             |
| K26.5   | Chronic or unspecified duodenal ulcer with perforation                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K26.6  | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation                         |
| K26.7  | Chronic duodenal ulcer without hemorrhage or perforation   |
| K26.9  | Duodenal ulcer, unspecified as acute or chronic, without hemorrhage or perforation                 |
| K27.0  | Acute peptic ulcer, site unspecified, with hemorrhage  |
| K27.1  | Acute peptic ulcer, site unspecified, with perforation   |
| K27.2  | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation                         |
| K27.3  | Acute peptic ulcer, site unspecified, without hemorrhage or perforation                            |
| K27.4  | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage                             |
| K27.5  | Chronic or unspecified peptic ulcer, site unspecified, with perforation                            |
| K27.6  | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and perforation        |
| K27.7  | Chronic peptic ulcer, site unspecified, without hemorrhage or perforation                          |
| K27.9  | Peptic ulcer, site unspecified, unspecified as acute or chronic, without hemorrhage or perforation |
| K28.0  | Acute gastrojejunal ulcer with hemorrhage  |
| K28.1  | Acute gastrojejunal ulcer with perforation   |
| K28.2  | Acute gastrojejunal ulcer with both hemorrhage and perforation                                     |
| K28.3  | Acute gastrojejunal ulcer without hemorrhage or perforation  |
| K28.4  | Chronic or unspecified gastrojejunal ulcer with hemorrhage   |
| K28.5  | Chronic or unspecified gastrojejunal ulcer with perforation  |
| K28.6  | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation                    |
| K28.7  | Chronic gastrojejunal ulcer without hemorrhage or perforation                                      |
| K28.9  | Gastrojejunal ulcer, unspecified as acute or chronic, without hemorrhage or perforation            |
| K29.00 | Acute gastritis without bleeding   |
| K29.01 | Acute gastritis with bleeding  |
| K29.20 | Alcoholic gastritis without bleeding   |
| K29.21 | Alcoholic gastritis with bleeding  |
| K29.30 | Chronic superficial gastritis without bleeding   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K29.31  | Chronic superficial gastritis with bleeding                    |
| K29.40  | Chronic atrophic gastritis without bleeding                    |
| K29.41  | Chronic atrophic gastritis with bleeding                       |
| K29.50  | Unspecified chronic gastritis without bleeding                 |
| K29.51  | Unspecified chronic gastritis with bleeding                    |
| K29.60  | Other gastritis without bleeding                               |
| K29.61  | Other gastritis with bleeding                                  |
| K29.70  | Gastritis, unspecified, without bleeding                       |
| K29.71  | Gastritis, unspecified, with bleeding                          |
| K29.80  | Duodenitis without bleeding                                    |
| K29.81  | Duodenitis with bleeding                                       |
| K29.90  | Gastroduodenitis, unspecified, without bleeding                |
| K29.91  | Gastroduodenitis, unspecified, with bleeding                   |
| K30     | Functional dyspepsia   |
| K31.1   | Adult hypertrophic pyloric stenosis                            |
| K31.4   | Gastric diverticulum   |
| K31.5   | Obstruction of duodenum  |
| K31.6   | Fistula of stomach and duodenum                                |
| K31.7   | Polyp of stomach and duodenum                                  |
| K31.811 | Angiodysplasia of stomach and duodenum with bleeding           |
| K31.819 | Angiodysplasia of stomach and duodenum without bleeding        |
| K31.82  | Dieulafoy lesion (hemorrhagic) of stomach and duodenum         |
| K31.89  | Other diseases of stomach and duodenum                         |
| K31.9   | Disease of stomach and duodenum, unspecified                   |
| K50.00  | Crohn's disease of small intestine without complications       |
| K50.011 | Crohn's disease of small intestine with rectal bleeding        |
| K50.012 | Crohn's disease of small intestine with intestinal obstruction |
| K50.013 | Crohn's disease of small intestine with fistula                |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K50.014 | Crohn's disease of small intestine with abscess                                  |
| K50.018 | Crohn's disease of small intestine with other complication                       |
| K50.019 | Crohn's disease of small intestine with unspecified complications                |
| K50.10  | Crohn's disease of large intestine without complications                         |
| K50.111 | Crohn's disease of large intestine with rectal bleeding                          |
| K50.112 | Crohn's disease of large intestine with intestinal obstruction                   |
| K50.113 | Crohn's disease of large intestine with fistula                                  |
| K50.114 | Crohn's disease of large intestine with abscess                                  |
| K50.118 | Crohn's disease of large intestine with other complication                       |
| K50.119 | Crohn's disease of large intestine with unspecified complications                |
| K50.80  | Crohn's disease of both small and large intestine without complications          |
| K50.811 | Crohn's disease of both small and large intestine with rectal bleeding           |
| K50.812 | Crohn's disease of both small and large intestine with intestinal obstruction    |
| K50.813 | Crohn's disease of both small and large intestine with fistula                   |
| K50.814 | Crohn's disease of both small and large intestine with abscess                   |
| K50.818 | Crohn's disease of both small and large intestine with other complication        |
| K50.819 | Crohn's disease of both small and large intestine with unspecified complications |
| K50.90  | Crohn's disease, unspecified, without complications                              |
| K50.911 | Crohn's disease, unspecified, with rectal bleeding                               |
| K50.912 | Crohn's disease, unspecified, with intestinal obstruction                        |
| K50.913 | Crohn's disease, unspecified, with fistula                                       |
| K50.914 | Crohn's disease, unspecified, with abscess                                       |
| K50.918 | Crohn's disease, unspecified, with other complication                            |
| K50.919 | Crohn's disease, unspecified, with unspecified complications                     |
| K51.00  | Ulcerative (chronic) pancolitis without complications                            |
| K51.011 | Ulcerative (chronic) pancolitis with rectal bleeding                             |
| K51.012 | Ulcerative (chronic) pancolitis with intestinal obstruction                      |
| K51.013 | Ulcerative (chronic) pancolitis with fistula                                     |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K51.014 | Ulcerative (chronic) pancolitis with abscess                         |
| K51.018 | Ulcerative (chronic) pancolitis with other complication              |
| K51.019 | Ulcerative (chronic) pancolitis with unspecified complications       |
| K51.20  | Ulcerative (chronic) proctitis without complications                 |
| K51.211 | Ulcerative (chronic) proctitis with rectal bleeding                  |
| K51.212 | Ulcerative (chronic) proctitis with intestinal obstruction           |
| K51.213 | Ulcerative (chronic) proctitis with fistula                          |
| K51.214 | Ulcerative (chronic) proctitis with abscess                          |
| K51.218 | Ulcerative (chronic) proctitis with other complication               |
| K51.219 | Ulcerative (chronic) proctitis with unspecified complications        |
| K51.30  | Ulcerative (chronic) rectosigmoiditis without complications          |
| K51.311 | Ulcerative (chronic) rectosigmoiditis with rectal bleeding           |
| K51.312 | Ulcerative (chronic) rectosigmoiditis with intestinal obstruction    |
| K51.313 | Ulcerative (chronic) rectosigmoiditis with fistula                   |
| K51.314 | Ulcerative (chronic) rectosigmoiditis with abscess                   |
| K51.318 | Ulcerative (chronic) rectosigmoiditis with other complication        |
| K51.319 | Ulcerative (chronic) rectosigmoiditis with unspecified complications |
| K51.40  | Inflammatory polyps of colon without complications                   |
| K51.411 | Inflammatory polyps of colon with rectal bleeding                    |
| K51.412 | Inflammatory polyps of colon with intestinal obstruction             |
| K51.413 | Inflammatory polyps of colon with fistula                            |
| K51.414 | Inflammatory polyps of colon with abscess                            |
| K51.418 | Inflammatory polyps of colon with other complication                 |
| K51.419 | Inflammatory polyps of colon with unspecified complications          |
| K51.50  | Left sided colitis without complications                             |
| K51.511 | Left sided colitis with rectal bleeding                              |
| K51.512 | Left sided colitis with intestinal obstruction                       |
| K51.513 | Left sided colitis with fistula                                      |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K51.514 | Left sided colitis with abscess                                |
| K51.518 | Left sided colitis with other complication                     |
| K51.519 | Left sided colitis with unspecified complications              |
| K51.80  | Other ulcerative colitis without complications                 |
| K51.811 | Other ulcerative colitis with rectal bleeding                  |
| K51.812 | Other ulcerative colitis with intestinal obstruction           |
| K51.813 | Other ulcerative colitis with fistula                          |
| K51.814 | Other ulcerative colitis with abscess                          |
| K51.818 | Other ulcerative colitis with other complication               |
| K51.819 | Other ulcerative colitis with unspecified complications        |
| K51.90  | Ulcerative colitis, unspecified, without complications         |
| K51.911 | Ulcerative colitis, unspecified with rectal bleeding           |
| K51.912 | Ulcerative colitis, unspecified with intestinal obstruction    |
| K51.913 | Ulcerative colitis, unspecified with fistula                   |
| K51.914 | Ulcerative colitis, unspecified with abscess                   |
| K51.918 | Ulcerative colitis, unspecified with other complication        |
| K51.919 | Ulcerative colitis, unspecified with unspecified complications |
| K52.0   | Gastroenteritis and colitis due to radiation                   |
| K52.1   | Toxic gastroenteritis and colitis                              |
| K52.21  | Food protein-induced enterocolitis syndrome                    |
| K52.22  | Food protein-induced enteropathy                               |
| K52.29  | Other allergic and dietetic gastroenteritis and colitis        |
| K52.3   | Indeterminate colitis  |
| K52.81  | Eosinophilic gastritis or gastroenteritis                      |
| K52.82  | Eosinophilic colitis   |
| K52.831 | Collagenous colitis  |
| K52.832 | Lymphocytic colitis  |
| K52.838 | Other microscopic colitis                                      |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K52.839 | Microscopic colitis, unspecified   |
| K52.89  | Other specified noninfective gastroenteritis and colitis                     |
| K52.9   | Noninfective gastroenteritis and colitis, unspecified                        |
| K55.011 | Focal (segmental) acute (reversible) ischemia of small intestine             |
| K55.012 | Diffuse acute (reversible) ischemia of small intestine                       |
| K55.019 | Acute (reversible) ischemia of small intestine, extent unspecified           |
| K55.021 | Focal (segmental) acute infarction of small intestine                        |
| K55.022 | Diffuse acute infarction of small intestine                                  |
| K55.029 | Acute infarction of small intestine, extent unspecified                      |
| K55.031 | Focal (segmental) acute (reversible) ischemia of large intestine             |
| K55.032 | Diffuse acute (reversible) ischemia of large intestine                       |
| K55.039 | Acute (reversible) ischemia of large intestine, extent unspecified           |
| K55.041 | Focal (segmental) acute infarction of large intestine                        |
| K55.042 | Diffuse acute infarction of large intestine                                  |
| K55.049 | Acute infarction of large intestine, extent unspecified                      |
| K55.051 | Focal (segmental) acute (reversible) ischemia of intestine, part unspecified |
| K55.052 | Diffuse acute (reversible) ischemia of intestine, part unspecified           |
| K55.059 | Acute (reversible) ischemia of intestine, part and extent unspecified        |
| K55.061 | Focal (segmental) acute infarction of intestine, part unspecified            |
| K55.062 | Diffuse acute infarction of intestine, part unspecified                      |
| K55.069 | Acute infarction of intestine, part and extent unspecified                   |
| K55.1   | Chronic vascular disorders of intestine                                      |
| K55.20  | Angiodysplasia of colon without hemorrhage                                   |
| K55.21  | Angiodysplasia of colon with hemorrhage                                      |
| K55.30  | Necrotizing enterocolitis, unspecified                                       |
| K55.31  | Stage 1 necrotizing enterocolitis  |
| K55.32  | Stage 2 necrotizing enterocolitis  |
| K55.33  | Stage 3 necrotizing enterocolitis  |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description  |
|---------|--|
| K55.8   | Other vascular disorders of intestine  |
| K55.9   | Vascular disorder of intestine, unspecified  |
| K56.0   | Paralytic ileus  |
| K56.1   | Intussusception  |
| K56.2   | Volvulus   |
| K56.3   | Gallstone ileus  |
| K56.41  | Fecal impaction  |
| K56.49  | Other impaction of intestine   |
| K56.699 | Other intestinal obstruction unspecified as to partial versus complete obstruction               |
| K56.7   | Ileus, unspecified   |
| K57.20  | Diverticulitis of large intestine with perforation and abscess without bleeding                  |
| K57.21  | Diverticulitis of large intestine with perforation and abscess with bleeding                     |
| K57.30  | Diverticulosis of large intestine without perforation or abscess without bleeding                |
| K57.31  | Diverticulosis of large intestine without perforation or abscess with bleeding                   |
| K57.32  | Diverticulitis of large intestine without perforation or abscess without bleeding                |
| K57.33  | Diverticulitis of large intestine without perforation or abscess with bleeding                   |
| K57.40  | Diverticulitis of both small and large intestine with perforation and abscess without bleeding   |
| K57.41  | Diverticulitis of both small and large intestine with perforation and abscess with bleeding      |
| K57.50  | Diverticulosis of both small and large intestine without perforation or abscess without bleeding |
| K57.51  | Diverticulosis of both small and large intestine without perforation or abscess with bleeding    |
| K57.52  | Diverticulitis of both small and large intestine without perforation or abscess without bleeding |
| K57.53  | Diverticulitis of both small and large intestine without perforation or abscess with bleeding    |
| K57.80  | Diverticulitis of intestine, part unspecified, with perforation and abscess without bleeding     |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K57.81 | Diverticulitis of intestine, part unspecified, with perforation and abscess with bleeding      |
| K57.90 | Diverticulosis of intestine, part unspecified, without perforation or abscess without bleeding |
| K57.91 | Diverticulosis of intestine, part unspecified, without perforation or abscess with bleeding    |
| K57.92 | Diverticulitis of intestine, part unspecified, without perforation or abscess without bleeding |
| K57.93 | Diverticulitis of intestine, part unspecified, without perforation or abscess with bleeding    |
| K58.0  | Irritable bowel syndrome with diarrhea   |
| K58.1  | Irritable bowel syndrome with constipation   |
| K58.2  | Mixed irritable bowel syndrome   |
| K58.8  | Other irritable bowel syndrome   |
| K58.9  | Irritable bowel syndrome without diarrhea  |
| K59.00 | Constipation, unspecified  |
| K59.01 | Slow transit constipation  |
| K59.02 | Outlet dysfunction constipation  |
| K59.04 | Chronic idiopathic constipation  |
| K59.09 | Other constipation   |
| K59.1  | Functional diarrhea  |
| K59.2  | Neurogenic bowel, not elsewhere classified   |
| K59.31 | Toxic megacolon  |
| K59.39 | Other megacolon  |
| K59.4  | Anal spasm   |
| K59.81 | Ogilvie syndrome   |
| K59.89 | Other specified functional intestinal disorders  |
| K59.9  | Functional intestinal disorder, unspecified  |
| K60.0  | Acute anal fissure   |
| K60.1  | Chronic anal fissure   |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description                                       |
|--------|---|
| K60.2  | Anal fissure, unspecified                         |
| K60.3  | Anal fistula                                      |
| K60.4  | Rectal fistula                                    |
| K60.5  | Anorectal fistula                                 |
| K62.0  | Anal polyp  |
| K62.1  | Rectal polyp                                      |
| K62.2  | Anal prolapse                                     |
| K62.3  | Rectal prolapse                                   |
| K62.5  | Hemorrhage of anus and rectum                     |
| K62.6  | Ulcer of anus and rectum                          |
| K62.7  | Radiation proctitis                               |
| K62.81 | Anal sphincter tear (healed) (nontraumatic) (old) |
| K62.82 | Dysplasia of anus                                 |
| K62.89 | Other specified diseases of anus and rectum       |
| K62.9  | Disease of anus and rectum, unspecified           |
| K63.1  | Perforation of intestine (nontraumatic)           |
| K63.3  | Ulcer of intestine                                |
| K63.5  | Polyp of colon                                    |
| K63.81 | Dieulafoy lesion of intestine                     |
| K64.0  | First degree hemorrhoids                          |
| K64.1  | Second degree hemorrhoids                         |
| K64.2  | Third degree hemorrhoids                          |
| K64.3  | Fourth degree hemorrhoids                         |
| K64.4  | Residual hemorrhoidal skin tags                   |
| K64.5  | Perianal venous thrombosis                        |
| K64.8  | Other hemorrhoids                                 |
| K64.9  | Unspecified hemorrhoids                           |
| K70.0  | Alcoholic fatty liver                             |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| K70.10 | Alcoholic hepatitis without ascites                    |
| K70.11 | Alcoholic hepatitis with ascites                       |
| K70.2  | Alcoholic fibrosis and sclerosis of liver              |
| K70.30 | Alcoholic cirrhosis of liver without ascites           |
| K70.31 | Alcoholic cirrhosis of liver with ascites              |
| K70.40 | Alcoholic hepatic failure without coma                 |
| K70.41 | Alcoholic hepatic failure with coma                    |
| K70.9  | Alcoholic liver disease, unspecified                   |
| K73.0  | Chronic persistent hepatitis, not elsewhere classified |
| K73.1  | Chronic lobular hepatitis, not elsewhere classified    |
| K73.2  | Chronic active hepatitis, not elsewhere classified     |
| K73.8  | Other chronic hepatitis, not elsewhere classified      |
| K73.9  | Chronic hepatitis, unspecified                         |
| K74.00 | Hepatic fibrosis, unspecified                          |
| K74.01 | Hepatic fibrosis, early fibrosis                       |
| K74.02 | Hepatic fibrosis, advanced fibrosis                    |
| K74.1  | Hepatic sclerosis                                      |
| K74.2  | Hepatic fibrosis with hepatic sclerosis                |
| K74.3  | Primary biliary cirrhosis                              |
| K74.4  | Secondary biliary cirrhosis                            |
| K74.5  | Biliary cirrhosis, unspecified                         |
| K74.60 | Unspecified cirrhosis of liver                         |
| K74.69 | Other cirrhosis of liver                               |
| K75.4  | Autoimmune hepatitis                                   |
| K75.81 | Nonalcoholic steatohepatitis (NASH)                    |
| K76.0  | Fatty (change of) liver, not elsewhere classified      |
| K76.89 | Other specified diseases of liver                      |
| K76.9  | Liver disease, unspecified                             |

NCD 190.34

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description   |
|--------|---|
| K85.00 | Idiopathic acute pancreatitis without necrosis or infection                           |
| K85.01 | Idiopathic acute pancreatitis with uninfected necrosis                                |
| K85.02 | Idiopathic acute pancreatitis with infected necrosis                                  |
| K85.10 | Biliary acute pancreatitis without necrosis or infection                              |
| K85.11 | Biliary acute pancreatitis with uninfected necrosis                                   |
| K85.12 | Biliary acute pancreatitis with infected necrosis                                     |
| K85.20 | Alcohol induced acute pancreatitis without necrosis or infection                      |
| K85.21 | Alcohol induced acute pancreatitis with uninfected necrosis                           |
| K85.22 | Alcohol induced acute pancreatitis with infected necrosis                             |
| K85.30 | Drug induced acute pancreatitis without necrosis or infection                         |
| K85.31 | Drug induced acute pancreatitis with uninfected necrosis                              |
| K85.32 | Drug induced acute pancreatitis with infected necrosis                                |
| K85.80 | Other acute pancreatitis without necrosis or infection                                |
| K85.81 | Other acute pancreatitis with uninfected necrosis                                     |
| K85.82 | Other acute pancreatitis with infected necrosis                                       |
| K85.90 | Acute pancreatitis without necrosis or infection, unspecified                         |
| K85.91 | Acute pancreatitis with uninfected necrosis, unspecified                              |
| K85.92 | Acute pancreatitis with infected necrosis, unspecified                                |
| K86.0  | Alcohol-induced chronic pancreatitis  |
| K86.1  | Other chronic pancreatitis  |
| K86.2  | Cyst of pancreas  |
| K86.3  | Pseudocyst of pancreas  |
| K86.81 | Exocrine pancreatic insufficiency   |
| K86.89 | Other specified diseases of pancreas  |
| K86.9  | Disease of pancreas, unspecified  |
| K87    | Disorders of gallbladder, biliary tract and pancreas in diseases classified elsewhere |
| K90.0  | Celiac disease  |
| K90.41 | Non-celiac gluten sensitivity   |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| K90.49      | Malabsorption due to intolerance, not elsewhere classified           |
| K90.81      | Whipple's disease  |
| K90.89      | Other intestinal malabsorption                                       |
| K91.0       | Vomiting following gastrointestinal surgery                          |
| K91.1       | Postgastric surgery syndromes  |
| K91.89      | Other postprocedural complications and disorders of digestive system |
| K92.0       | Hematemesis  |
| K92.1       | Melena   |
| K92.2       | Gastrointestinal hemorrhage, unspecified                             |
| K94.30      | Esophagostomy complications, unspecified                             |
| K94.31      | Esophagostomy hemorrhage   |
| K94.32      | Esophagostomy infection  |
| K94.33      | Esophagostomy malfunction  |
| K94.39      | Other complications of esophagostomy                                 |
| M33.03      | Juvenile dermatomyositis without myopathy                            |
| M33.13      | Other dermatomyositis without myopathy                               |
| M33.93      | Dermatopolymyositis, unspecified without myopathy                    |
| N32.1       | Vesicointestinal fistula   |
| N80.5       | Endometriosis of intestine   |
| R10.0       | Acute abdomen  |
| R10.10      | Upper abdominal pain, unspecified                                    |
| R10.11      | Right upper quadrant pain  |
| R10.12      | Left upper quadrant pain   |
| R10.13      | Epigastric pain  |
| R10.2       | Pelvic and perineal pain   |
| R10.30      | Lower abdominal pain, unspecified                                    |
| R10.31      | Right lower quadrant pain  |
| R10.32      | Left lower quadrant pain   |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description                                       |
|---------|---|
| R10.33  | Periumbilical pain                                |
| R10.811 | Right upper quadrant abdominal tenderness         |
| R10.812 | Left upper quadrant abdominal tenderness          |
| R10.813 | Right lower quadrant abdominal tenderness         |
| R10.814 | Left lower quadrant abdominal tenderness          |
| R10.815 | Periumbilic abdominal tenderness                  |
| R10.816 | Epigastric abdominal tenderness                   |
| R10.817 | Generalized abdominal tenderness                  |
| R10.819 | Abdominal tenderness, unspecified site            |
| R10.821 | Right upper quadrant rebound abdominal tenderness |
| R10.822 | Left upper quadrant rebound abdominal tenderness  |
| R10.823 | Right lower quadrant rebound abdominal tenderness |
| R10.824 | Left lower quadrant rebound abdominal tenderness  |
| R10.825 | Periumbilic rebound abdominal tenderness          |
| R10.826 | Epigastric rebound abdominal tenderness           |
| R10.827 | Generalized rebound abdominal tenderness          |
| R10.829 | Rebound abdominal tenderness, unspecified site    |
| R10.83  | Colic   |
| R10.84  | Generalized abdominal pain                        |
| R10.9   | Unspecified abdominal pain                        |
| R11.0   | Nausea  |
| R11.10  | Vomiting, unspecified                             |
| R11.11  | Vomiting without nausea                           |
| R11.12  | Projectile vomiting                               |
| R11.13  | Vomiting of fecal matter                          |
| R11.14  | Bilious vomiting                                  |
| R11.15  | Cyclical vomiting syndrome unrelated to migraine  |
| R11.2   | Nausea with vomiting, unspecified                 |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code   | Description  |
|--------|--|
| R12    | Heartburn  |
| R13.0  | Aphagia  |
| R13.10 | Dysphagia, unspecified   |
| R13.11 | Dysphagia, oral phase  |
| R13.12 | Dysphagia, oropharyngeal phase                                       |
| R13.13 | Dysphagia, pharyngeal phase  |
| R13.14 | Dysphagia, pharyngoesophageal phase                                  |
| R13.19 | Other dysphagia  |
| R18.0  | Malignant ascites  |
| R18.8  | Other ascites  |
| R19.00 | Intra-abdominal and pelvic swelling, mass and lump, unspecified site |
| R19.01 | Right upper quadrant abdominal swelling, mass and lump               |
| R19.02 | Left upper quadrant abdominal swelling, mass and lump                |
| R19.03 | Right lower quadrant abdominal swelling, mass and lump               |
| R19.04 | Left lower quadrant abdominal swelling, mass and lump                |
| R19.05 | Periumbilic swelling, mass or lump                                   |
| R19.06 | Epigastric swelling, mass or lump                                    |
| R19.07 | Generalized intra-abdominal and pelvic swelling, mass and lump       |
| R19.09 | Other intra-abdominal and pelvic swelling, mass and lump             |
| R19.30 | Abdominal rigidity, unspecified site                                 |
| R19.31 | Right upper quadrant abdominal rigidity                              |
| R19.32 | Left upper quadrant abdominal rigidity                               |
| R19.33 | Right lower quadrant abdominal rigidity                              |
| R19.34 | Left lower quadrant abdominal rigidity                               |
| R19.35 | Periumbilic abdominal rigidity                                       |
| R19.36 | Epigastric abdominal rigidity  |
| R19.37 | Generalized abdominal rigidity                                       |
| R19.4  | Change in bowel habit  |

**NCD 190.34**

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| R19.5    | Other fecal abnormalities   |
| R19.7    | Diarrhea, unspecified   |
| R19.8    | Other specified symptoms and signs involving the digestive system and abdomen   |
| R53.0    | Neoplastic (malignant) related fatigue  |
| R53.1    | Weakness  |
| R53.2    | Functional quadriplegia   |
| R53.81   | Other malaise   |
| R53.82   | Chronic fatigue, unspecified  |
| R53.83   | Other fatigue   |
| R63.0    | Anorexia  |
| R63.4    | Abnormal weight loss  |
| R79.1    | Abnormal coagulation profile  |
| R93.5    | Abnormal findings on diagnostic imaging of other abdominal regions, including retroperitoneum                             |
| R94.5    | Abnormal results of liver function studies  |
| S28.0XXA | Crushed chest, initial encounter  |
| S31.001A | Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter                  |
| S31.609A | Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter |
| S35.00XA | Unspecified injury of abdominal aorta, initial encounter  |
| S35.01XA | Minor laceration of abdominal aorta, initial encounter  |
| S35.02XA | Major laceration of abdominal aorta, initial encounter  |
| S35.09XA | Other injury of abdominal aorta, initial encounter  |
| S35.10XA | Unspecified injury of inferior vena cava, initial encounter   |
| S35.11XA | Minor laceration of inferior vena cava, initial encounter   |
| S35.12XA | Major laceration of inferior vena cava, initial encounter   |
| S35.19XA | Other injury of inferior vena cava, initial encounter   |
| S35.211A | Minor laceration of celiac artery, initial encounter  |

NCD 190.34

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S35.212A    | Major laceration of celiac artery, initial encounter                              |
| S35.218A    | Other injury of celiac artery, initial encounter                                  |
| S35.219A    | Unspecified injury of celiac artery, initial encounter                            |
| S35.221A    | Minor laceration of superior mesenteric artery, initial encounter                 |
| S35.222A    | Major laceration of superior mesenteric artery, initial encounter                 |
| S35.228A    | Other injury of superior mesenteric artery, initial encounter                     |
| S35.229A    | Unspecified injury of superior mesenteric artery, initial encounter               |
| S35.231A    | Minor laceration of inferior mesenteric artery, initial encounter                 |
| S35.232A    | Major laceration of inferior mesenteric artery, initial encounter                 |
| S35.238A    | Other injury of inferior mesenteric artery, initial encounter                     |
| S35.239A    | Unspecified injury of inferior mesenteric artery, initial encounter               |
| S35.291A    | Minor laceration of branches of celiac and mesenteric artery, initial encounter   |
| S35.292A    | Major laceration of branches of celiac and mesenteric artery, initial encounter   |
| S35.298A    | Other injury of branches of celiac and mesenteric artery, initial encounter       |
| S35.299A    | Unspecified injury of branches of celiac and mesenteric artery, initial encounter |
| S35.311A    | Laceration of portal vein, initial encounter                                      |
| S35.318A    | Other specified injury of portal vein, initial encounter                          |
| S35.319A    | Unspecified injury of portal vein, initial encounter                              |
| S35.321A    | Laceration of splenic vein, initial encounter                                     |
| S35.328A    | Other specified injury of splenic vein, initial encounter                         |
| S35.329A    | Unspecified injury of splenic vein, initial encounter                             |
| S35.331A    | Laceration of superior mesenteric vein, initial encounter                         |
| S35.338A    | Other specified injury of superior mesenteric vein, initial encounter             |
| S35.339A    | Unspecified injury of superior mesenteric vein, initial encounter                 |
| S35.341A    | Laceration of inferior mesenteric vein, initial encounter                         |
| S35.348A    | Other specified injury of inferior mesenteric vein, initial encounter             |
| S35.349A    | Unspecified injury of inferior mesenteric vein, initial encounter                 |
| S35.401A    | Unspecified injury of right renal artery, initial encounter                       |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S35.402A | Unspecified injury of left renal artery, initial encounter            |
| S35.403A | Unspecified injury of unspecified renal artery, initial encounter     |
| S35.404A | Unspecified injury of right renal vein, initial encounter             |
| S35.405A | Unspecified injury of left renal vein, initial encounter              |
| S35.406A | Unspecified injury of unspecified renal vein, initial encounter       |
| S35.411A | Laceration of right renal artery, initial encounter                   |
| S35.412A | Laceration of left renal artery, initial encounter                    |
| S35.413A | Laceration of unspecified renal artery, initial encounter             |
| S35.414A | Laceration of right renal vein, initial encounter                     |
| S35.415A | Laceration of left renal vein, initial encounter                      |
| S35.416A | Laceration of unspecified renal vein, initial encounter               |
| S35.491A | Other specified injury of right renal artery, initial encounter       |
| S35.492A | Other specified injury of left renal artery, initial encounter        |
| S35.493A | Other specified injury of unspecified renal artery, initial encounter |
| S35.494A | Other specified injury of right renal vein, initial encounter         |
| S35.495A | Other specified injury of left renal vein, initial encounter          |
| S35.496A | Other specified injury of unspecified renal vein, initial encounter   |
| S35.50XA | Injury of unspecified iliac blood vessel(s), initial encounter        |
| S35.511A | Injury of right iliac artery, initial encounter                       |
| S35.512A | Injury of left iliac artery, initial encounter                        |
| S35.513A | Injury of unspecified iliac artery, initial encounter                 |
| S35.514A | Injury of right iliac vein, initial encounter                         |
| S35.515A | Injury of left iliac vein, initial encounter                          |
| S35.516A | Injury of unspecified iliac vein, initial encounter                   |
| S35.531A | Injury of right uterine artery, initial encounter                     |
| S35.532A | Injury of left uterine artery, initial encounter                      |
| S35.533A | Injury of unspecified uterine artery, initial encounter               |
| S35.534A | Injury of right uterine vein, initial encounter                       |

NCD 190.34

**\*April 2021 Changes  
ICD-10-CM Version – Red**

Fu Associates, Ltd.

April 2021





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S35.535A    | Injury of left uterine vein, initial encounter  |
| S35.536A    | Injury of unspecified uterine vein, initial encounter   |
| S35.59XA    | Injury of other iliac blood vessels, initial encounter  |
| S35.8X1A    | Laceration of other blood vessels at abdomen, lower back and pelvis level, initial encounter                  |
| S35.8X8A    | Other specified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter      |
| S35.8X9A    | Unspecified injury of other blood vessels at abdomen, lower back and pelvis level, initial encounter          |
| S35.90XA    | Unspecified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter     |
| S35.91XA    | Laceration of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter             |
| S35.99XA    | Other specified injury of unspecified blood vessel at abdomen, lower back and pelvis level, initial encounter |
| S36.112A    | Contusion of liver, initial encounter   |
| S36.113A    | Laceration of liver, unspecified degree, initial encounter  |
| S36.114A    | Minor laceration of liver, initial encounter  |
| S36.115A    | Moderate laceration of liver, initial encounter   |
| S36.116A    | Major laceration of liver, initial encounter  |
| S36.118A    | Other injury of liver, initial encounter  |
| S36.119A    | Unspecified injury of liver, initial encounter  |
| S36.200A    | Unspecified injury of head of pancreas, initial encounter   |
| S36.201A    | Unspecified injury of body of pancreas, initial encounter   |
| S36.202A    | Unspecified injury of tail of pancreas, initial encounter   |
| S36.209A    | Unspecified injury of unspecified part of pancreas, initial encounter   |
| S36.220A    | Contusion of head of pancreas, initial encounter  |
| S36.221A    | Contusion of body of pancreas, initial encounter  |
| S36.222A    | Contusion of tail of pancreas, initial encounter  |
| S36.229A    | Contusion of unspecified part of pancreas, initial encounter  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description   |
|----------|---|
| S36.230A | Laceration of head of pancreas, unspecified degree, initial encounter             |
| S36.231A | Laceration of body of pancreas, unspecified degree, initial encounter             |
| S36.232A | Laceration of tail of pancreas, unspecified degree, initial encounter             |
| S36.239A | Laceration of unspecified part of pancreas, unspecified degree, initial encounter |
| S36.240A | Minor laceration of head of pancreas, initial encounter                           |
| S36.241A | Minor laceration of body of pancreas, initial encounter                           |
| S36.242A | Minor laceration of tail of pancreas, initial encounter                           |
| S36.249A | Minor laceration of unspecified part of pancreas, initial encounter               |
| S36.250A | Moderate laceration of head of pancreas, initial encounter                        |
| S36.251A | Moderate laceration of body of pancreas, initial encounter                        |
| S36.252A | Moderate laceration of tail of pancreas, initial encounter                        |
| S36.259A | Moderate laceration of unspecified part of pancreas, initial encounter            |
| S36.260A | Major laceration of head of pancreas, initial encounter                           |
| S36.261A | Major laceration of body of pancreas, initial encounter                           |
| S36.262A | Major laceration of tail of pancreas, initial encounter                           |
| S36.269A | Major laceration of unspecified part of pancreas, initial encounter               |
| S36.290A | Other injury of head of pancreas, initial encounter                               |
| S36.291A | Other injury of body of pancreas, initial encounter                               |
| S36.292A | Other injury of tail of pancreas, initial encounter                               |
| S36.299A | Other injury of unspecified part of pancreas, initial encounter                   |
| S36.30XA | Unspecified injury of stomach, initial encounter                                  |
| S36.32XA | Contusion of stomach, initial encounter   |
| S36.33XA | Laceration of stomach, initial encounter  |
| S36.39XA | Other injury of stomach, initial encounter  |
| S36.400A | Unspecified injury of duodenum, initial encounter                                 |
| S36.408A | Unspecified injury of other part of small intestine, initial encounter            |
| S36.409A | Unspecified injury of unspecified part of small intestine, initial encounter      |
| S36.410A | Primary blast injury of duodenum, initial encounter                               |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| S36.418A | Primary blast injury of other part of small intestine, initial encounter       |
| S36.419A | Primary blast injury of unspecified part of small intestine, initial encounter |
| S36.420A | Contusion of duodenum, initial encounter                                       |
| S36.428A | Contusion of other part of small intestine, initial encounter                  |
| S36.429A | Contusion of unspecified part of small intestine, initial encounter            |
| S36.430A | Laceration of duodenum, initial encounter                                      |
| S36.438A | Laceration of other part of small intestine, initial encounter                 |
| S36.439A | Laceration of unspecified part of small intestine, initial encounter           |
| S36.490A | Other injury of duodenum, initial encounter                                    |
| S36.498A | Other injury of other part of small intestine, initial encounter               |
| S36.499A | Other injury of unspecified part of small intestine, initial encounter         |
| S36.500A | Unspecified injury of ascending [right] colon, initial encounter               |
| S36.501A | Unspecified injury of transverse colon, initial encounter                      |
| S36.502A | Unspecified injury of descending [left] colon, initial encounter               |
| S36.503A | Unspecified injury of sigmoid colon, initial encounter                         |
| S36.508A | Unspecified injury of other part of colon, initial encounter                   |
| S36.509A | Unspecified injury of unspecified part of colon, initial encounter             |
| S36.510A | Primary blast injury of ascending [right] colon, initial encounter             |
| S36.511A | Primary blast injury of transverse colon, initial encounter                    |
| S36.512A | Primary blast injury of descending [left] colon, initial encounter             |
| S36.513A | Primary blast injury of sigmoid colon, initial encounter                       |
| S36.518A | Primary blast injury of other part of colon, initial encounter                 |
| S36.519A | Primary blast injury of unspecified part of colon, initial encounter           |
| S36.520A | Contusion of ascending [right] colon, initial encounter                        |
| S36.521A | Contusion of transverse colon, initial encounter                               |
| S36.522A | Contusion of descending [left] colon, initial encounter                        |
| S36.523A | Contusion of sigmoid colon, initial encounter                                  |
| S36.528A | Contusion of other part of colon, initial encounter                            |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>   |
|-------------|--|
| S36.529A    | Contusion of unspecified part of colon, initial encounter                  |
| S36.530A    | Laceration of ascending [right] colon, initial encounter                   |
| S36.531A    | Laceration of transverse colon, initial encounter                          |
| S36.532A    | Laceration of descending [left] colon, initial encounter                   |
| S36.533A    | Laceration of sigmoid colon, initial encounter                             |
| S36.538A    | Laceration of other part of colon, initial encounter                       |
| S36.539A    | Laceration of unspecified part of colon, initial encounter                 |
| S36.590A    | Other injury of ascending [right] colon, initial encounter                 |
| S36.591A    | Other injury of transverse colon, initial encounter                        |
| S36.592A    | Other injury of descending [left] colon, initial encounter                 |
| S36.593A    | Other injury of sigmoid colon, initial encounter                           |
| S36.598A    | Other injury of other part of colon, initial encounter                     |
| S36.599A    | Other injury of unspecified part of colon, initial encounter               |
| S36.60XA    | Unspecified injury of rectum, initial encounter                            |
| S36.61XA    | Primary blast injury of rectum, initial encounter                          |
| S36.62XA    | Contusion of rectum, initial encounter                                     |
| S36.63XA    | Laceration of rectum, initial encounter                                    |
| S36.69XA    | Other injury of rectum, initial encounter                                  |
| S36.899A    | Unspecified injury of other intra-abdominal organs, initial encounter      |
| S36.90XA    | Unspecified injury of unspecified intra-abdominal organ, initial encounter |
| S37.001A    | Unspecified injury of right kidney, initial encounter                      |
| S37.002A    | Unspecified injury of left kidney, initial encounter                       |
| S37.009A    | Unspecified injury of unspecified kidney, initial encounter                |
| S37.011A    | Minor contusion of right kidney, initial encounter                         |
| S37.012A    | Minor contusion of left kidney, initial encounter                          |
| S37.019A    | Minor contusion of unspecified kidney, initial encounter                   |
| S37.021A    | Major contusion of right kidney, initial encounter                         |
| S37.022A    | Major contusion of left kidney, initial encounter                          |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| <b>Code</b> | <b>Description</b>  |
|-------------|---|
| S37.029A    | Major contusion of unspecified kidney, initial encounter                |
| S37.031A    | Laceration of right kidney, unspecified degree, initial encounter       |
| S37.032A    | Laceration of left kidney, unspecified degree, initial encounter        |
| S37.039A    | Laceration of unspecified kidney, unspecified degree, initial encounter |
| S37.041A    | Minor laceration of right kidney, initial encounter                     |
| S37.042A    | Minor laceration of left kidney, initial encounter                      |
| S37.049A    | Minor laceration of unspecified kidney, initial encounter               |
| S37.051A    | Moderate laceration of right kidney, initial encounter                  |
| S37.052A    | Moderate laceration of left kidney, initial encounter                   |
| S37.059A    | Moderate laceration of unspecified kidney, initial encounter            |
| S37.061A    | Major laceration of right kidney, initial encounter                     |
| S37.062A    | Major laceration of left kidney, initial encounter                      |
| S37.069A    | Major laceration of unspecified kidney, initial encounter               |
| S37.091A    | Other injury of right kidney, initial encounter                         |
| S37.092A    | Other injury of left kidney, initial encounter                          |
| S37.099A    | Other injury of unspecified kidney, initial encounter                   |
| S38.1XXA    | Crushing injury of abdomen, lower back, and pelvis, initial encounter   |
| T43.641A    | Poisoning by ecstasy, accidental (unintentional), initial encounter     |
| T43.641D    | Poisoning by ecstasy, accidental (unintentional), subsequent encounter  |
| T43.641S    | Poisoning by ecstasy, accidental (unintentional), sequela               |
| T43.642A    | Poisoning by ecstasy, intentional self-harm, initial encounter          |
| T43.642D    | Poisoning by ecstasy, intentional self-harm, subsequent encounter       |
| T43.642S    | Poisoning by ecstasy, intentional self-harm, sequela                    |
| T43.643A    | Poisoning by ecstasy, assault, initial encounter                        |
| T43.643D    | Poisoning by ecstasy, assault, subsequent encounter                     |
| T43.643S    | Poisoning by ecstasy, assault, sequela                                  |
| T43.644A    | Poisoning by ecstasy, undetermined, initial encounter                   |
| T43.644D    | Poisoning by ecstasy, undetermined, subsequent encounter                |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code     | Description  |
|----------|--|
| T43.644S | Poisoning by ecstasy, undetermined, sequela  |
| T45.511A | Poisoning by anticoagulants, accidental (unintentional), initial encounter                                 |
| T45.512A | Poisoning by anticoagulants, intentional self-harm, initial encounter                                      |
| T45.513A | Poisoning by anticoagulants, assault, initial encounter  |
| T45.514A | Poisoning by anticoagulants, undetermined, initial encounter   |
| T45.521A | Poisoning by antithrombotic drugs, accidental (unintentional), initial encounter                           |
| T45.522A | Poisoning by antithrombotic drugs, intentional self-harm, initial encounter                                |
| T45.523A | Poisoning by antithrombotic drugs, assault, initial encounter  |
| T45.524A | Poisoning by antithrombotic drugs, undetermined, initial encounter   |
| T50.905A | Adverse effect of unspecified drugs, medicaments and biological substances, initial encounter              |
| T50.915A | Adverse effect of multiple unspecified drugs, medicaments and biological substances, initial encounter     |
| T88.52XA | Failed moderate sedation during procedure, initial encounter   |
| Z09      | Encounter for follow-up examination after completed treatment for conditions other than malignant neoplasm |
| Z79.01   | Long term (current) use of anticoagulants  |
| Z79.02   | Long term (current) use of antithrombotics/antiplatelets   |
| Z79.1    | Long term (current) use of non-steroidal anti-inflammatories (NSAID)                                       |
| Z79.3    | Long term (current) use of hormonal contraceptives   |
| Z79.51   | Long term (current) use of inhaled steroids  |
| Z79.52   | Long term (current) use of systemic steroids   |
| Z79.82   | Long term (current) use of aspirin   |
| Z79.84   | Long term (current) use of oral hypoglycemic drugs   |
| Z79.891  | Long term (current) use of opiate analgesic  |
| Z79.899  | Other long term (current) drug therapy   |
| Z85.00   | Personal history of malignant neoplasm of unspecified digestive organ                                      |
| Z85.01   | Personal history of malignant neoplasm of esophagus  |
| Z85.028  | Personal history of other malignant neoplasm of stomach  |



**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

| Code    | Description   |
|---------|---|
| Z85.038 | Personal history of other malignant neoplasm of large intestine                             |
| Z85.048 | Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus     |
| Z85.05  | Personal history of malignant neoplasm of liver   |
| Z85.068 | Personal history of other malignant neoplasm of small intestine                             |
| Z85.07  | Personal history of malignant neoplasm of pancreas  |
| Z85.09  | Personal history of malignant neoplasm of other digestive organs                            |
| Z85.810 | Personal history of malignant neoplasm of tongue  |
| Z85.818 | Personal history of malignant neoplasm of other sites of lip, oral cavity, and pharynx      |
| Z85.819 | Personal history of malignant neoplasm of unspecified site of lip, oral cavity, and pharynx |
| Z86.002 | Personal history of in-situ neoplasm of other and unspecified genital organs                |
| Z86.003 | Personal history of in-situ neoplasm of oral cavity, esophagus and stomach                  |
| Z86.004 | Personal history of in-situ neoplasm of other and unspecified digestive organs              |
| Z86.010 | Personal history of colonic polyps  |
| Z86.19  | Personal history of other infectious and parasitic diseases                                 |

**Indications**

1. To evaluate known or suspected alimentary tract conditions that might cause bleeding into the intestinal tract.
2. To evaluate unexpected anemia.
3. To evaluate abnormal signs, symptoms, or complaints that might be associated with loss of blood.
4. To evaluate patient complaints of black or red-tinged stools.

**Limitations**

1. The FOBT is reported once for the testing of up to three separate specimens (comprising either one or two tests per specimen).
2. In patients who are taking non-steroidal anti-inflammatory drugs and have a history of gastrointestinal bleeding but no other signs, symptoms, or complaints associated with gastrointestinal blood loss, testing for occult blood may generally be appropriate no more than once every three months.





**Medicare National Coverage Determinations (NCD)  
Coding Policy Manual and Change Report (ICD-10-CM)**

When testing is done for the purpose of screening for colorectal cancer in the absence of signs, symptoms, conditions, or complaints associated with gastrointestinal blood loss, report the HCPCS code for colorectal cancer screening; fecal-occult blood test, 1-3 simultaneous determinations should be used.

***ICD-10-CM Codes That Do Not Support Medical Necessity***

Any ICD-10-CM code not listed in either of the ICD-10-CM covered or non-covered sections.

***Sources of Information***

Ahlquist, D.A., "Approach to the patient with occult gastrointestinal bleeding," in Tadatake, Y. (ed.), Textbook of Gastroenterology (2nd ed.), 1995, J.B. Lippincott, pp. 699-717.

Tietz, N.W. (ed.), Clinical guide to Laboratory Tests (3rd ed.), 1995, pp.452-454.

Schleisenger, M.H., Wall, S.D., et al., "Part X. Gastrointestinal Diseases" in Wyngaarden, J.B., & Smith, L.H. (eds.), Cecil Textbook of Medicine (18th ed.), 1988, W.B. Saunders, pp. 656-807.

Harrison's Principles of Internal Medicine (14th ed.), 1998, McGraw Hill.

Wallach, J., Interpretation of Diagnostic Tests, 1996, Little Brown and Co.

Illustrated Guide to Diagnostic Tests (2nd ed.), 1997, Springhouse Corporation.

Sleisenger and Fordtrans's Gastrointestinal and Liver Disease (6th ed.), 1997, W.B. Saunders.