

## **PRA Disclosure Statement**

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is XXXX-XXXX. The expiration date is XX/XX/XXXX, The time required to complete this information collection is estimated to be XX minutes per data element, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. This estimate does not include time for training. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.

\*\*\*\*\*CMS Disclaimer\*\*\*\*\*Please do not send applications, claims, payments, medical records or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact XXXXXXXX National Coordinator, Home Health Quality Reporting Program Centers for Medicare & Medicaid Services.

**OUTCOME AND ASSESSMENT INFORMATION SET VERSION E2**  
**Discharge (DC)**

<b>Section A</b>	<b>Administrative Information</b>
------------------	-----------------------------------

<b>M0080. Discipline of Person Completing Assessment</b>
--

<b>Enter Code</b>  <input style="width: 40px; height: 20px;" type="text"/>	1. <b>RN</b> 2. <b>PT</b> 3. <b>SLP/ST</b> 4. <b>OT</b>
--	--

<b>M0090. Date Assessment Completed</b>
---

	<table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <span style="font-size: 1.2em;">—</span> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <span style="font-size: 1.2em;">—</span> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table>								
	Month                  Day                  Year								

<b>M0100. This Assessment is Currently Being Completed for the Following Reason</b>
---

<b>Enter Code</b>  <input style="width: 40px; height: 20px;" type="text"/>	<b>Start/Resumption of Care</b> 1. <b>Start of care</b> — further visits planned 3. <b>Resumption of Care</b> (after inpatient stay) <b>Follow-up</b> 4. <b>Recertification (follow-up) reassessment</b> 5. <b>Other follow-up</b> <b>Transfer to an Inpatient Facility</b> 6. <b>Transferred to an inpatient facility</b> — patient not discharged from agency 7. <b>Transferred to an inpatient facility</b> — patient discharged from agency <b>Discharge from Agency — Not to an Inpatient Facility</b> 8. <b>Death at home</b> 9. <b>Discharge from agency</b>
--	--

<b>M0906. Discharge/Transfer/Death Date</b>
---

Enter the date of the discharge, transfer, or death (at home) of the patient.									
	<table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <span style="font-size: 1.2em;">—</span> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <span style="font-size: 1.2em;">—</span> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table; margin-right: 5px;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table> <table border="1" style="display: inline-table;"> <tr><td style="width: 20px; height: 20px;"></td></tr> </table>								
	Month                  Day                  Year								

<b>M2301. Emergent Care</b>
-----------------------------

At the time of or at any time since the most recent SOC/ROC assessment has the patient utilized a hospital emergency department (includes holding/observation status)?

<b>Enter Code</b>  <input style="width: 40px; height: 20px;" type="text"/>	0. <b>No</b> → Skip to M2410, Inpatient Facility 1. <b>Yes, used hospital emergency department WITHOUT hospital admission</b> 2. <b>Yes, used hospital emergency department WITH hospital admission</b> UK <b>Unknown</b> → Skip to M2410, Inpatient Facility
--	--

<b>M2310. Reason for Emergent Care</b>
--

For what reason(s) did the patient seek and/or receive emergent care (with or without hospitalization)?

↓	<b>Check all that apply</b>
<input type="checkbox"/>	1. <b>Improper medication administration, adverse drug reactions, medication side effects, toxicity, anaphylaxis</b>
<input type="checkbox"/>	10. <b>Hypo/Hyperglycemia, diabetes out of control</b>
<input type="checkbox"/>	19. <b>Other than above reasons</b>
<input type="checkbox"/>	UK <b>Reason unknown</b>

**M2410. To which Inpatient Facility has the patient been admitted?****Enter  
Code**

1. **Hospital**
2. **Rehabilitation facility**
3. **Nursing home**
4. **Hospice**
- NA **No inpatient facility admission**

**M2420. Discharge Disposition**

Where is the patient after discharge from your agency? (Choose only one answer.)

**Enter  
Code**

1. **Patient remained in the community (without skilled services from a Medicare Certified HHA or non-institutional hospice) → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge**
2. **Patient remained in the community (with skilled services from a Medicare Certified HHA) → Continue to A2121, Provision of Current Reconciled Medication List to Subsequent Provider at Discharge**
3. **Patient transferred to a non-institutional hospice → Continue to A2121, Provision of Current Reconciled Medication List to Subsequent Provider at Discharge**
4. **Unknown because patient moved to a geographic location not served by this agency → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge**
- UK **Other unknown → Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge**

**A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge**

At the time of discharge to another provider, did your agency provide the patient's current reconciled medication list to the subsequent provider?

**Enter  
Code**

0. **No — Current reconciled medication list not provided to the subsequent provider → Skip to B1300, Health Literacy**
1. **Yes — Current reconciled medication list provided to the subsequent provider → Continue to A2122, Route of Current Reconciled Medication List Transmission to Subsequent Provider**

**A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider**

Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider.

Route of Transmission			
	↓	Check all that apply	↓
A. <b>Electronic Health Record</b>		<input type="checkbox"/>	
B. <b>Health Information Exchange</b>		<input type="checkbox"/>	
C. <b>Verbal</b> (e.g., in-person, telephone, video conferencing)		<input type="checkbox"/>	
D. <b>Paper-based</b> (e.g., fax, copies, printouts)		<input type="checkbox"/>	
E. <b>Other Methods</b> (e.g., texting, email, CDs)		<input type="checkbox"/>	
After completing A2122, Skip to B1300, Health Literacy			

**A2123. Provision of Current Reconciled Medication List to Patient at Discharge**

At the time of discharge, did your agency provide the patient's current reconciled medication list to the patient, family, or caregiver?

<b>Enter Code</b> <input type="checkbox"/>	0. <b>No — Current reconciled medication list not provided to the patient, family, and/or caregiver → Skip to B1300, Health Literacy</b>
	1. <b>Yes — Current reconciled medication list provided to the patient, family, and/or caregiver → Continue to A2124, Route of Current Reconciled Medication List Transmission to Patient</b>

**A2124. Route of Current Reconciled Medication List Transmission to Patient**

Indicate the route(s) of transmission of the current reconciled medication list to the patient, family, and/or caregiver.

Route of Transmission			
	↓	Check all that apply	↓
A. <b>Electronic Health Record</b>		<input type="checkbox"/>	
B. <b>Health Information Exchange</b>		<input type="checkbox"/>	
C. <b>Verbal</b> (e.g., in-person, telephone, video conferencing)		<input type="checkbox"/>	
D. <b>Paper-based</b> (e.g., fax, copies, printouts)		<input type="checkbox"/>	
E. <b>Other Methods</b> (e.g., texting, email, CDs)		<input type="checkbox"/>	

<b>Section B</b>	<b>Hearing, Speech, and Vision</b>
------------------	------------------------------------

**B1300. Health Literacy** (From Creative Commons ©)

How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy?

<b>Enter Code</b> <input type="checkbox"/>	0. <b>Never</b>
	1. <b>Rarely</b>
	2. <b>Sometimes</b>
	3. <b>Often</b>
	4. <b>Always</b>
	7. <b>Patient declines to respond</b>
	8. <b>Patient unable to respond</b>

The Single Item Literacy Screener is licensed under a Creative Commons Attribution Noncommercial 4.0 International License.

<b>Section C</b>	<b>Cognitive Patterns</b>
------------------	---------------------------

<b>C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted?</b>	
Attempt to conduct interview with all patients.	
<b>Enter Code</b>  <input style="width: 40px; height: 20px; border: 1px solid black;" type="text"/>	0. <b>No (patient is rarely/never understood)</b> → Skip to C1310, Signs and Symptoms of Delirium (from CAM ©) 1. <b>Yes</b> → Continue to C0200, Repetition of Three Words

<b>Brief Interview for Mental Status (BIMS)</b>
---

<b>C0200. Repetition of Three Words</b>	
<b>Enter Code</b>  <input style="width: 40px; height: 20px; border: 1px solid black;" type="text"/>	<p>Ask patient: <i>"I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: <b>sock, blue, and bed.</b> Now tell me the three words."</i></p> <p><b>Number of words repeated after first attempt:</b></p> <ul style="list-style-type: none"> <li>0. <b>None</b></li> <li>1. <b>One</b></li> <li>2. <b>Two</b></li> <li>3. <b>Three</b></li> </ul> <p>After the patient's first attempt, repeat the words using cues (<i>"sock, something to wear; blue, a color; bed, a piece of furniture"</i>). You may repeat the words up to two more times.</p>

<b>C0300. Temporal Orientation (Orientation to year, month, and day)</b>	
<b>Enter Code</b>  <input style="width: 40px; height: 20px; border: 1px solid black;" type="text"/>	<p>Ask patient: <i>"Please tell me what year it is right now."</i></p> <p>A. <b>Able to report correct year</b></p> <ul style="list-style-type: none"> <li>0. <b>Missed by &gt; 5 years</b> or no answer</li> <li>1. <b>Missed by 2-5 years</b></li> <li>2. <b>Missed by 1 year</b></li> <li>3. <b>Correct</b></li> </ul>
<b>Enter Code</b>  <input style="width: 40px; height: 20px; border: 1px solid black;" type="text"/>	<p>Ask patient: <i>"What month are we in right now?"</i></p> <p>B. <b>Able to report correct month</b></p> <ul style="list-style-type: none"> <li>0. <b>Missed by &gt; 1 month</b> or no answer</li> <li>1. <b>Missed by 6 days to 1 month</b></li> <li>2. <b>Accurate within 5 days</b></li> </ul>
<b>Enter Code</b>  <input style="width: 40px; height: 20px; border: 1px solid black;" type="text"/>	<p>Ask patient: <i>"What day of the week is today?"</i></p> <p>C. <b>Able to report correct day of the week</b></p> <ul style="list-style-type: none"> <li>0. <b>Incorrect</b> or no answer</li> <li>1. <b>Correct</b></li> </ul>

<b>C0400. Recall</b>	
<b>Enter Code</b>  <input style="width: 40px; height: 20px; border: 1px solid black;" type="text"/>	<p>Ask patient: <i>"Let's go back to an earlier question. What were those three words that I asked you to repeat?"</i>          If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word.</p> <p>A. <b>Able to recall "sock"</b></p> <ul style="list-style-type: none"> <li>0. <b>No</b> — could not recall</li> <li>1. <b>Yes, after cueing</b> ("something to wear")</li> <li>2. <b>Yes, no cue required</b></li> </ul>
<b>Enter Code</b>  <input style="width: 40px; height: 20px; border: 1px solid black;" type="text"/>	<p>B. <b>Able to recall "blue"</b></p> <ul style="list-style-type: none"> <li>0. <b>No</b> — could not recall</li> <li>1. <b>Yes, after cueing</b> ("a color")</li> <li>2. <b>Yes, no cue required</b></li> </ul>
<b>Enter Code</b>  <input style="width: 40px; height: 20px; border: 1px solid black;" type="text"/>	<p>C. <b>Able to recall "bed"</b></p> <ul style="list-style-type: none"> <li>0. <b>No</b> — could not recall</li> <li>1. <b>Yes, after cueing</b> ("a piece of furniture")</li> <li>2. <b>Yes, no cue required</b></li> </ul>

C0500. BIMS Summary Score	
Enter Code <input type="text"/> <input type="text"/>	Add scores for questions C0200-C0400 and fill in total score (00-15) Enter 99 if the patient was unable to complete the interview

### C1310. Signs and Symptoms of Delirium (from CAM©)

Code **after completing** Brief Interview for Mental Status and reviewing medical record.

#### A. Acute Onset of Mental Status Change

Enter Code <input type="text"/>	Is there evidence of an acute change in mental status from the patient's baseline? 0. No 1. Yes
------------------------------------	---

Coding	↓ Enter codes in boxes
0. Behavior not present	<input type="text"/> B. <b>Inattention</b> – Did the patient have difficulty focusing attention, for example, being easily distractible or having difficulty keeping track of what was being said?
1. Behavior continuously present, does not fluctuate	<input type="text"/> C. <b>Disorganized thinking</b> – Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?
2. Behavior present, fluctuates (comes and goes, changes in severity)	<input type="text"/> D. <b>Altered level of consciousness</b> — Did the patient have altered level of consciousness, as indicated by any of the following criteria? <ul style="list-style-type: none"> <li>• <b>vigilant</b> — startled easily to any sound or touch</li> <li>• <b>lethargic</b> — repeatedly dozed off when being asked questions, but responded to voice or touch</li> <li>• <b>stuporous</b> — very difficult to arouse and keep aroused for the interview</li> <li>• <b>comatose</b> — could not be aroused</li> </ul>

*Adapted from: Inouye SK, et al. Ann Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.*

### M1700. Cognitive Functioning

Patient's current (day of assessment) level of alertness, orientation, comprehension, concentration, and immediate memory for simple commands.

Enter Code <input type="text"/>	0. Alert/oriented, able to focus and shift attention, comprehends and recalls task directions independently. 1. Requires prompting (cueing, repetition, reminders) only under stressful or unfamiliar conditions. 2. Requires assistance and some direction in specific situations (for example, on all tasks involving shifting of attention) or consistently requires low stimulus environment due to distractibility. 3. Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time. 4. Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.
------------------------------------	--

### M1710. When Confused

(Reported or Observed Within the Last 14 Days):

Enter Code <input type="text"/>	0. Never 1. In new or complex situations only 2. On awakening or at night only 3. During the day and evening, but not constantly 4. Constantly NA Patient nonresponsive
------------------------------------	--

**M1720. When Anxious**

(Reported or Observed Within the Last 14 Days):

Enter Code

- 0. **None of the time**
- 1. **Less than often daily**
- 2. **Daily, but not constantly**
- 3. **All of the time**
- NA **Patient nonresponsive**

**Section D | Mood****D0150. Patient Mood Interview (PHQ-2 to 9)**

Determine if the patient is rarely/never understood verbally, in writing, or using another method. If rarely/never understood, code D0150A1 and D0150B1 as 9, No response, leave D0150A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total Severity Score blank. Otherwise, say to patient: **“Over the last 2 weeks, have you been bothered by any of the following problems?”**

If symptom is present, enter 1 (yes) in column 1, Symptom Presence.

If yes in column 1, then ask the patient: “About how often have you been bothered by this?”

Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.

1. <b>Symptom Presence</b>	2. <b>Symptom Frequency</b>	1. <b>Symptom Presence</b>	2. <b>Symptom Frequency</b>
0. <b>No</b> (enter 0 in column 2)	0. <b>Never or 1 day</b>		
1. <b>Yes</b> (enter 0-3 in column 2)	1. <b>2-6 days</b> (several days)		
9. <b>No response</b> (leave column 2 blank)	2. <b>7-11 days</b> (half or more of the days)	↓Enter Scores in Boxes↓	
	3. <b>12-14 days</b> (nearly every day)		
<b>A. Little interest or pleasure in doing things</b>		<input type="text"/>	<input type="text"/>
<b>B. Feeling down, depressed, or hopeless</b>		<input type="text"/>	<input type="text"/>
If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview, otherwise continue.			
<b>C. Trouble falling or staying asleep, or sleeping too much</b>		<input type="text"/>	<input type="text"/>
<b>D. Feeling tired or having little energy</b>		<input type="text"/>	<input type="text"/>
<b>E. Poor appetite or overeating</b>		<input type="text"/>	<input type="text"/>
<b>F. Feeling bad about yourself — or that you are a failure or have let yourself or your family down</b>		<input type="text"/>	<input type="text"/>
<b>G. Trouble concentrating on things, such as reading the newspaper or watching television</b>		<input type="text"/>	<input type="text"/>
<b>H. Moving or speaking so slowly that the other people could have noticed. Or the opposite — being so fidgety or restless that you have been moving around a lot more than usual</b>		<input type="text"/>	<input type="text"/>
<b>I. Thoughts that you would be better off dead, or of hurting yourself in some way</b>		<input type="text"/>	<input type="text"/>

Copyright © Pfizer Inc. All rights reserved. Reproduced with permission.

**D0160. Total Severity Score**

Enter Score

Add scores for all frequency responses in Column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)

**D0700. Social Isolation**

How often do you feel lonely or isolated from those around you?

Enter Code

- 0. **Never**
- 1. **Rarely**
- 2. **Sometimes**
- 3. **Often**
- 4. **Always**
- 7. **Patient declines to respond**
- 8. **Patient unable to respond**

**Section E****Behavior****M1740. Cognitive, Behavioral, and Psychiatric Symptoms that are demonstrated at least once a week** (Reported or Observed):

Check all that apply

☐

- 1. **Memory deficit:** failure to recognize familiar persons/places, inability to recall events of past 24 hours, significant memory loss so that supervision is required

☐

- 2. **Impaired decision-making:** failure to perform usual ADLs or IADLs, inability to appropriately stop activities, jeopardizes safety through actions

☐

- 3. **Verbal disruption:** yelling, threatening, excessive profanity, sexual references, etc.

☐

- 4. **Physical aggression:** aggressive or combative to self and others (for example, hits self, throws objects, punches, dangerous maneuvers with wheelchair or other objects)

☐

- 5. **Disruptive, infantile, or socially inappropriate behavior** (excludes verbal actions)

☐

- 6. **Delusional, hallucinatory, or paranoid behavior**

☐

- 7. **None of the above behaviors demonstrated**

**M1745. Frequency of Disruptive Behavior Symptoms** (Reported or Observed):

Any physical, verbal, or other disruptive/dangerous symptoms that are injurious to self or others or jeopardize personal safety.

Enter Code

- 0. **Never**
- 1. **Less than once a month**
- 2. **Once a month**
- 3. **Several times each month**
- 4. **Several times a week**
- 5. **At least daily**



<b>Section F</b>	<b>Preferences for Customary Routine and Activities</b>
------------------	---

<b>M2102. Types and Sources of Assistance</b>	
Determine the ability and willingness of non-agency caregivers (such as family members, friends, or privately paid caregivers) to provide assistance for the following activities, if assistance is needed. Excludes all care by your agency staff.	
<b>Enter Code</b> <input style="width: 40px; height: 20px; margin-top: 10px;" type="text"/>	<b>a. ADL assistance</b> (for example, transfer/ambulation, bathing, dressing, toileting, eating/feeding) 0. <b>No assistance needed — patient is independent or does not have needs in this area</b> 1. <b>Non-agency caregiver(s) currently provide assistance</b> 2. <b>Non-agency caregiver(s) need training/supportive services to provide assistance</b> 3. <b>Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance</b> 4. <b>Assistance needed, but no non-agency caregiver(s) available</b>
<b>Enter Code</b> <input style="width: 40px; height: 20px; margin-top: 10px;" type="text"/>	<b>c. Medication administration</b> (for example, oral, inhaled, or injectable) 0. <b>No assistance needed — patient is independent or does not have needs in this area</b> 1. <b>Non-agency caregiver(s) currently provide assistance</b> 2. <b>Non-agency caregiver(s) need training/supportive services to provide assistance</b> 3. <b>Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance</b> 4. <b>Assistance needed, but no non-agency caregiver(s) available</b>
<b>Enter Code</b> <input style="width: 40px; height: 20px; margin-top: 10px;" type="text"/>	<b>d. Medical procedures/treatments</b> (for example, changing wound dressing, home exercise program) 0. <b>No assistance needed — patient is independent or does not have needs in this area</b> 1. <b>Non-agency caregiver(s) currently provide assistance</b> 2. <b>Non-agency caregiver(s) need training/supportive services to provide assistance</b> 3. <b>Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance</b> 4. <b>Assistance needed, but no non-agency caregiver(s) available</b>
<b>Enter Code</b> <input style="width: 40px; height: 20px; margin-top: 10px;" type="text"/>	<b>f. Supervision and safety</b> (due to cognitive impairment) 0. <b>No assistance needed — patient is independent or does not have needs in this area</b> 1. <b>Non-agency caregiver(s) currently provide assistance</b> 2. <b>Non-agency caregiver(s) need training/supportive services to provide assistance</b> 3. <b>Non-agency caregiver(s) are not likely to provide assistance OR it is unclear if they will provide assistance</b> 4. <b>Assistance needed, but no non-agency caregiver(s) available</b>

<b>Section G</b>	<b>Functional Status</b>
------------------	--------------------------

<b>M1800. Grooming</b>	
Current ability to tend safely to personal hygiene needs (specifically: washing face and hands, hair care, shaving or make up, teeth or denture care, or fingernail care).	
<b>Enter Code</b> <input style="width: 40px; height: 20px; margin-top: 10px;" type="text"/>	0. <b>Able to groom self unaided, with or without the use of assistive devices or adapted methods.</b> 1. <b>Grooming utensils must be placed within reach before able to complete grooming activities.</b> 2. <b>Someone must assist the patient to groom self.</b> 3. <b>Patient depends entirely upon someone else for grooming needs.</b>
<b>M1810. Current Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, pullovers, front-opening shirts and blouses, managing zippers, buttons, and snaps.</b>	
<b>Enter Code</b> <input style="width: 40px; height: 20px; margin-top: 10px;" type="text"/>	0. <b>Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.</b> 1. <b>Able to dress upper body without assistance if clothing is laid out or handed to the patient.</b> 2. <b>Someone must help the patient put on upper body clothing.</b> 3. <b>Patient depends entirely upon another person to dress the upper body.</b>
<b>M1820. Current Ability to Dress <u>Lower</u> Body safely (with or without dressing aids) including undergarments, slacks, socks or nylons, shoes.</b>	
<b>Enter Code</b> <input style="width: 40px; height: 20px; margin-top: 10px;" type="text"/>	0. <b>Able to obtain, put on, and remove clothing and shoes without assistance.</b> 1. <b>Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.</b> 2. <b>Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.</b> 3. <b>Patient depends entirely upon another person to dress lower body.</b>

**M1830. Bathing**

Current ability to wash entire body safely. Excludes grooming (washing face, washing hands, and shampooing hair).

Enter Code

0. Able to bathe self in shower or tub independently, including getting in and out of tub/shower.
1. With the use of devices, is able to bathe self in shower or tub independently, including getting in and out of the tub/shower.
2. Able to bathe in shower or tub with the intermittent assistance of another person:
  - a. for intermittent supervision or encouragement or reminders, OR
  - b. to get in and out of the shower or tub, OR
  - c. for washing difficult to reach areas.
3. Able to participate in bathing self in shower or tub, but requires presence of another person throughout the bath for assistance or supervision.
4. Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode.
5. Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person.
6. Unable to participate effectively in bathing and is bathed totally by another person.

**M1840. Toilet Transferring**

Current ability to get to and from the toilet or bedside commode safely and transfer on and off toilet/commode.

Enter Code

0. Able to get to and from the toilet and transfer independently with or without a device.
1. When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.
2. Unable to get to and from the toilet but is able to use a bedside commode (with or without assistance).
3. Unable to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.
4. Is totally dependent in toileting.

**M1845. Toileting Hygiene**

Current ability to maintain perineal hygiene safely, adjust clothes and/or incontinence pads before and after using toilet, commode, bedpan, urinal. If managing ostomy, includes cleaning area around stoma, but not managing equipment.

Enter Code

0. Able to manage toileting hygiene and clothing management without assistance.
1. Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient.
2. Someone must help the patient to maintain toileting hygiene and/or adjust clothing.
3. Patient depends entirely upon another person to maintain toileting hygiene.

**M1850. Transferring**

Current ability to move safely from bed to chair, or ability to turn and position self in bed if patient is bedfast.

Enter Code

0. Able to independently transfer.
1. Able to transfer with minimal human assistance or with use of an assistive device.
2. Able to bear weight and pivot during the transfer process but unable to transfer self.
3. Unable to transfer self and is unable to bear weight or pivot when transferred by another person.
4. Bedfast, unable to transfer but is able to turn and position self in bed.
5. Bedfast, unable to transfer and is unable to turn and position self.

**M1860. Ambulation/Locomotion**

Current ability to walk safely, once in a standing position, or use a wheelchair, once in a seated position, on a variety of surfaces.

Enter Code

0. Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (specifically: needs no human assistance or assistive device).
1. With the use of a one-handed device (for example, cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings.
2. Requires use of a two-handed device (for example, walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
3. Able to walk only with the supervision or assistance of another person at all times.
4. Chairfast, unable to ambulate but is able to wheel self independently.
5. Chairfast, unable to ambulate and is unable to wheel self.
6. Bedfast, unable to ambulate or be up in a chair.

## Section GG Functional Abilities

### GG0130. Self-Care

Code the patient's usual performance at Discharge for each activity using the 6-point scale. If activity was not attempted at Discharge, code the reason.

#### Coding:

**Safety and Quality of Performance** – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

*Activities may be completed with or without assistive devices.*

- 06. **Independent** – Patient completes the activity by themselves with no assistance from a helper.
- 05. **Setup or clean-up assistance** – Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** – Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** – Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** – Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** – Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

#### If activity was not attempted, code reason:

- 07. **Patient refused**
- 09. **Not applicable** – Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. **Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)**
- 88. **Not attempted due to medical condition or safety concerns**

3. Discharge Performance	
Enter Codes in Boxes ↓	
<input type="text"/>	A. <b>Eating:</b> The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.
<input type="text"/>	B. <b>Oral Hygiene:</b> The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from mouth, and manage denture soaking and rinsing with use of equipment.
<input type="text"/>	C. <b>Toileting Hygiene:</b> The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.
<input type="text"/>	E. <b>Shower/bathe self:</b> The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.
<input type="text"/>	F. <b>Upper body dressing:</b> The ability to dress and undress above the waist; including fasteners, if applicable
<input type="text"/>	G. <b>Lower body dressing:</b> The ability to dress and undress below the waist, including fasteners; does not include footwear.
<input type="text"/>	H. <b>Putting on/taking off footwear:</b> The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.

**GG0170. Mobility**

Code the patient's usual performance at Discharge for each activity using the 6-point scale. If activity was not attempted at Discharge, code the reason.

**Coding:**

**Safety and Quality of Performance** – If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.

*Activities may be completed with or without assistive devices.*

- 06. **Independent** – Patient completes the activity by themselves with no assistance from a helper.
- 05. **Setup or clean-up assistance** – Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.
- 04. **Supervision or touching assistance** – Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.
- 03. **Partial/moderate assistance** – Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.
- 02. **Substantial/maximal assistance** – Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.
- 01. **Dependent** – Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.

**If activity was not attempted, code reason:**

- 07. **Patient refused**
- 09. **Not applicable** – Not attempted and the patient did not perform this activity prior to the current illness, exacerbation or injury.
- 10. **Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)**
- 88. **Not attempted due to medical condition or safety concerns**

**3. Discharge Performance**

**Enter Codes in Boxes**  
↓

<input type="text"/>	A. <b>Roll left and right:</b> The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
<input type="text"/>	B. <b>Sit to lying:</b> The ability to move from sitting on side of bed to lying flat on the bed.
<input type="text"/>	C. <b>Lying to sitting on side of bed:</b> The ability to move from lying on the back to sitting on the side of the bed with no back support.
<input type="text"/>	D. <b>Sit to stand:</b> The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
<input type="text"/>	E. <b>Chair/bed-to-chair transfer:</b> The ability to transfer to and from a bed to a chair (or wheelchair).
<input type="text"/>	F. <b>Toilet transfer:</b> The ability to get on and off a toilet or commode.
<input type="text"/>	G. <b>Car transfer:</b> The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
<input type="text"/>	I. <b>Walk 10 feet:</b> Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. <i>If Discharge performance is coded 07, 09, 10 or 88 → Skip to GG0170M, 1 step (curb)</i>
<input type="text"/>	J. <b>Walk 50 feet with two turns:</b> Once standing, the ability to walk 50 feet and make two turns.
<input type="text"/>	K. <b>Walk 150 feet:</b> Once standing, the ability to walk at least 150 feet in a corridor or similar space.
<input type="text"/>	L. <b>Walking 10 feet on uneven surfaces:</b> The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.
<input type="text"/>	M. <b>1 step (curb):</b> The ability to go up and down a curb or up and down one step. <i>If Discharge performance is coded 07, 09, 10 or 88 → Skip to GG0170P, Picking up object.</i>
<input type="text"/>	N. <b>4 steps:</b> The ability to go up and down four steps with or without a rail. <i>If Discharge performance is coded 07, 09, 10 or 88 → Skip to GG0170P, Picking up object.</i>

**Discharge GG0170. Mobility — Continued**

<input type="checkbox"/>	O. <b>12 steps:</b> The ability to go up and down 12 steps with or without a rail.
<input type="checkbox"/>	P. <b>Picking up object:</b> The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.
<input type="checkbox"/>	Q. <b>Does patient use wheelchair and/or scooter?</b> 0. No → <i>Skip to M1600, Urinary Tract Infection</i> 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns
<input type="checkbox"/>	R. <b>Wheel 50 feet with two turns:</b> Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.
<input type="checkbox"/>	RR1. <b>Indicate the type of wheelchair or scooter used</b> 1. Manual 2. Motorized
<input type="checkbox"/>	S. <b>Wheel 150 feet:</b> Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.
<input type="checkbox"/>	SS1. <b>Indicate the type of wheelchair or scooter used</b> 1. Manual 2. Motorized

**Section H    Bladder and Bowel****M1600. Has this patient been treated for a Urinary Tract Infection in the past 14 days?**

Enter Code

☐

0. No  
1. Yes  
NA Patient on prophylactic treatment

**M1620. Bowel Incontinence Frequency**

Enter Code

☐

0. Very rarely or never has bowel incontinence  
1. Less than once weekly  
2. One to three times weekly  
3. Four to six times weekly  
4. On a daily basis  
5. More often than once daily  
NA Patient has ostomy for bowel elimination

**Section J    Health Conditions****J0510. Pain Effect on Sleep**

Enter Code

☐

- Ask patient: "Over the past 5 days, **how much of the time has pain made it hard for you to sleep at night?**"
0. Does not apply — I have not had any pain or hurting in the past 5 days → *Skip to J1800, Any Falls Since SOC/ROC*  
1. Rarely or not at all  
2. Occasionally  
3. Frequently  
4. Almost constantly  
8. Unable to answer

J0520. Pain Interference with Therapy Activities									
Enter Code  <div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	Ask patient: "Over the past 5 days, <b>how often have you limited your participation in rehabilitation therapy sessions due to pain?</b> " <ul style="list-style-type: none"> <li>0. Does not apply — I have not received rehabilitation therapy in the past 5 days</li> <li>1. Rarely or not at all</li> <li>2. Occasionally</li> <li>3. Frequently</li> <li>4. Almost constantly</li> <li>8. Unable to answer</li> </ul>								
J0530. Pain Interference with Day-to-Day Activities									
Enter Code  <div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	Ask patient: "Over the past 5 days, <b>how often you have limited your day-to-day activities (excluding rehabilitation therapy sessions) because of pain?</b> " <ul style="list-style-type: none"> <li>1. Rarely or not at all</li> <li>2. Occasionally</li> <li>3. Frequently</li> <li>4. Almost constantly</li> <li>8. Unable to answer</li> </ul>								
J1800. Any Falls Since SOC/ROC, whichever is more recent									
Enter Code  <div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	Has the patient <b>had any falls since SOC/ROC</b> , whichever is more recent? <ul style="list-style-type: none"> <li>0. No → Skip to M1400, Short of Breath</li> <li>1. Yes → Continue to J1900, Number of Falls Since SOC/ROC</li> </ul>								
J1900. Number of Falls Since SOC/ROC, whichever is more recent									
<b>Coding:</b>  0. None 1. One 2. Two or more	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 10%;"></th> <th style="text-align: center;">↓ Enter code in boxes</th> </tr> <tr> <td style="text-align: center; vertical-align: middle;"> <div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div> </td> <td>A. <b>No injury:</b> No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall</td> </tr> <tr> <td style="text-align: center; vertical-align: middle;"> <div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div> </td> <td>B. <b>Injury (except major):</b> As described in the OASIS manual</td> </tr> <tr> <td style="text-align: center; vertical-align: middle;"> <div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div> </td> <td>C. <b>Major injury:</b> As described in the OASIS manual</td> </tr> </table>		↓ Enter code in boxes	<div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	A. <b>No injury:</b> No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall	<div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	B. <b>Injury (except major):</b> As described in the OASIS manual	<div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	C. <b>Major injury:</b> As described in the OASIS manual
	↓ Enter code in boxes								
<div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	A. <b>No injury:</b> No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall								
<div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	B. <b>Injury (except major):</b> As described in the OASIS manual								
<div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	C. <b>Major injury:</b> As described in the OASIS manual								
M1400. When is the patient dyspneic or noticeably Short of Breath?									
Enter Code  <div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto;"></div>	<ul style="list-style-type: none"> <li>0. Patient is not short of breath</li> <li>1. When walking more than 20 feet, climbing stairs</li> <li>2. With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)</li> <li>3. With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation</li> <li>4. At rest (during day or night)</li> </ul>								

<b>Section K</b>	<b>Swallowing/Nutritional Status</b>
------------------	--------------------------------------

<b>K0520. Nutritional Approaches</b>		
<b>4. Last 7 days</b> Check all of the nutritional approaches that were received in the last 7 days	<b>4.</b>	<b>5.</b>
<b>5. At discharge</b> Check all of the nutritional approaches that were being received at discharge	<b>Last 7 days</b>	<b>At discharge</b>
	↓	↓
	<b>Check all that apply</b>	
<b>A. Parenteral/IV feeding</b>	<input type="checkbox"/>	<input type="checkbox"/>
<b>B. Feeding tube</b> (e.g., nasogastric or abdominal (PEG))	<input type="checkbox"/>	<input type="checkbox"/>
<b>C. Mechanically altered diet</b> — require change in texture of food or liquids (e.g., pureed food, thickened liquids)	<input type="checkbox"/>	<input type="checkbox"/>
<b>D. Therapeutic diet</b> (e.g., low salt, diabetic, low cholesterol)	<input type="checkbox"/>	<input type="checkbox"/>
<b>Z. None of the above</b>	<input type="checkbox"/>	<input type="checkbox"/>

<b>M1870. Feeding or Eating</b>	
Current ability to feed self meals and snacks safely. Note: This refers only to the process of <u>eating</u> , <u>chewing</u> , and <u>swallowing</u> , <u>not</u> <u>preparing</u> the food to be eaten.	
<b>Enter Code</b>  <div style="border: 1px solid black; width: 40px; height: 40px; margin: 10px auto;"></div>	<ol style="list-style-type: none"> <li>0. <b>Able to independently feed self</b></li> <li>1. <b>Able to feed self independently but requires:</b> <ol style="list-style-type: none"> <li>a. <b>meal set-up; OR</b></li> <li>b. <b>intermittent assistance or supervision from another person; OR</b></li> <li>c. <b>a liquid, pureed, or ground meat diet.</b></li> </ol> </li> <li>2. <b>Unable to feed self and must be assisted or supervised throughout the meal/snack.</b></li> <li>3. <b>Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy.</b></li> <li>4. <b>Unable to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy.</b></li> <li>5. <b>Unable to take in nutrients orally or by tube feeding.</b></li> </ol>

<b>Section M</b>	<b>Skin Conditions</b>
------------------	------------------------

<b>M1306. Does this patient have at least one Unhealed Pressure Ulcer/Injury at Stage 2 or Higher or designated as Unstageable?</b> (Excludes Stage 1 pressure injuries and all healed pressure ulcers/injuries)	
<b>Enter Code</b>  <div style="border: 1px solid black; width: 40px; height: 40px; margin: 10px auto;"></div>	<ol style="list-style-type: none"> <li>0. <b>No → Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable</b></li> <li>1. <b>Yes</b></li> </ol>

<b>M1307. The Oldest Stage 2 Pressure Ulcer that is present at discharge: (Excludes healed Stage 2 pressure ulcers)</b>	
<b>Enter Code</b>  <div style="border: 1px solid black; width: 40px; height: 40px; margin: 10px auto;"></div>	<ol style="list-style-type: none"> <li>1. <b>Was present at the most recent SOC/ROC assessment</b></li> <li>2. <b>Developed since the most recent SOC/ROC assessment.</b> Record date pressure ulcer first identified:  <div style="display: flex; align-items: center; justify-content: center; margin: 10px 0;"> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="margin: 0 10px;">—</div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="margin: 0 10px;">—</div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> <div style="border: 1px solid black; width: 30px; height: 30px; margin: 0 5px;"></div> </div> <div style="display: flex; justify-content: space-around; width: 100%; font-size: small;"> <span>Month</span> <span>Day</span> <span>Year</span> </div> </li> </ol> <p>NA. <b>No Stage 2 pressure ulcers are present at discharge</b></p>



M1311. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	
Enter Number <input type="text"/>	A1. <b>Stage 2:</b> Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. <b>Number of Stage 2 pressure ulcers</b> — If 0 → <i>Skip to M1311B1, Stage 3</i>
Enter Number <input type="text"/>	A2. <b>Number of <u>these</u> Stage 2 pressure ulcers that were present at most recent SOC/ROC</b> — enter how many were noted at the time of most recent SOC/ROC
Enter Number <input type="text"/>	B1. <b>Stage 3:</b> Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. <b>Number of Stage 3 pressure ulcers</b> — If 0 → <i>Skip to M1311C1, Stage 4</i>
Enter Number <input type="text"/>	B2. <b>Number of <u>these</u> Stage 3 pressure ulcers that were present at most recent SOC/ROC</b> — enter how many were noted at the time of most recent SOC/ROC
Enter Number <input type="text"/>	C1. <b>Stage 4:</b> Full thickness tissue loss with exposed bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. <b>Number of Stage 4 pressure ulcers</b> — If 0 → <i>Skip to M1311D1, Unstageable: Non-removable dressing/device</i>
Enter Number <input type="text"/>	C2. <b>Number of <u>these</u> Stage 4 pressure ulcers that were present at most recent SOC/ROC</b> — enter how many were noted at the time of most recent SOC/ROC
Enter Number <input type="text"/>	D1. <b>Unstageable: Non-removable dressing/device:</b> Known but not stageable due to non-removable dressing/device <b>Number of unstageable pressure ulcers/injuries due to non-removable dressing/device</b> — If 0 → <i>Skip to M1311E1, Unstageable: Slough and/or eschar</i>
Enter Number <input type="text"/>	D2. <b>Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC</b> — enter how many were noted at the time of most recent SOC/ROC
Enter Number <input type="text"/>	E1. <b>Unstageable: Slough and/or eschar:</b> Known but not stageable due to coverage of wound bed by slough and/or eschar <b>Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar</b> — If 0 → <i>Skip to M1311F1, Unstageable: Deep tissue injury</i>
Enter Number <input type="text"/>	E2. <b>Number of <u>these</u> unstageable pressure ulcers/injuries that were present at most recent SOC/ROC</b> — enter how many were noted at the time of most recent SOC/ROC
Enter Number <input type="text"/>	F1. <b>Unstageable: Deep tissue injury</b> <b>Number of unstageable pressure injuries presenting as deep tissue injury</b> — If 0 → <i>Skip to M1324, Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable</i>
Enter Number <input type="text"/>	F2. <b>Number of <u>these</u> unstageable pressure injuries that were present at most recent SOC/ROC</b> — enter how many were noted at the time of most recent SOC/ROC



**M1324. Stage of Most Problematic Unhealed Pressure Ulcer/Injury that is Stageable**

Excludes pressure ulcer/injury that cannot be staged due to a non-removable dressing/device, coverage of wound bed by slough and/or eschar, or deep tissue injury.

**Enter Code**
☐

1. **Stage 1**
2. **Stage 2**
3. **Stage 3**
4. **Stage 4**
- NA **Patient has no pressure ulcers/injuries or no stageable pressure ulcers/injuries**

**M1330. Does this patient have a Stasis Ulcer?****Enter Code**
☐

0. **No → Skip to M1340, Surgical Wound**
1. **Yes, patient has BOTH observable and unobservable stasis ulcers**
2. **Yes, patient has observable stasis ulcers ONLY**
3. **Yes, patient has unobservable stasis ulcers ONLY** (known but not observable due to non-removable dressing/device) → *Skip to M1340, Surgical Wound*

**M1334. Status of Most Problematic Stasis Ulcer that is Observable****Enter Code**
☐

1. **Fully granulating**
2. **Early/partial granulation**
3. **Not healing**

**M1340. Does this patient have a Surgical Wound?****Enter Code**
☐

0. **No → Skip to N0415, High-Risk Drug Classes: Use and Indication**
1. **Yes, patient has at least one observable surgical wound**
2. **Surgical wound known but not observable due to non-removable dressing/device → Skip to N0415, High-Risk Drug Classes: Use and Indication**

**M1342. Status of Most Problematic Surgical Wound that is Observable****Enter Code**
☐

0. **Newly epithelialized**
1. **Fully granulating**
2. **Early/partial granulation**
3. **Not healing**

<b>Section N</b>	<b>Medications</b>
------------------	--------------------

**N0415. High-Risk Drug Classes: Use and Indication**

1. <b>Is taking</b> Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes	1.	2.
	<b>Is Taking</b>	<b>Indication Noted</b>
2. <b>Indication noted</b> If Column 1 is checked, check if there is an indication noted for all medications in the drug class	↓	↓
	<b>Check all that apply</b>	
A. <b>Antipsychotic</b>	<input type="checkbox"/>	<input type="checkbox"/>
E. <b>Anticoagulant</b>	<input type="checkbox"/>	<input type="checkbox"/>
F. <b>Antibiotic</b>	<input type="checkbox"/>	<input type="checkbox"/>
H. <b>Opioid</b>	<input type="checkbox"/>	<input type="checkbox"/>
I. <b>Antiplatelet</b>	<input type="checkbox"/>	<input type="checkbox"/>
J. <b>Hypoglycemic</b> (including insulin)	<input type="checkbox"/>	<input type="checkbox"/>
Z. <b>None of the above</b>	<input type="checkbox"/>	

**M2005. Medication Intervention**

Did the agency contact and complete physician (or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the SOC/ROC?

**Enter Code**

- 0. **No**
- 1. **Yes**
- 9. **NA** — There were no potential clinically significant medication issues identified since SOC/ROC or patient is not taking any medications

**M2020. Management of Oral Medications**

Patient's current ability to prepare and take all oral medications reliably and safely, including administration of the correct dosage at the appropriate times/intervals. Excludes injectable and IV medications. (NOTE: This refers to ability, not compliance or willingness.)

**Enter Code**

- 0. **Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.**
- 1. **Able to take medication(s) at the correct times if:**
  - a. **individual dosages are prepared in advance by another person; OR**
  - b. **another person develops a drug diary or chart.**
- 2. **Able to take medication(s) at the correct times if given reminders by another person at the appropriate times**
- 3. **Unable to take medication unless administered by another person.**
- NA **No oral medications prescribed.**

<b>Section O</b>	<b>Special Treatment, Procedures, and Programs</b>
------------------	--

<b>00110. Special Treatments, Procedures, and Programs</b> Check all of the following treatments, procedures, and programs that apply on discharge.	<b>c. At Discharge</b> <b>Check all that apply</b> ↓
<b>Cancer Treatments</b>	
A1. <b>Chemotherapy</b>	<input type="checkbox"/>
A2. <b>IV</b>	<input type="checkbox"/>
A3. <b>Oral</b>	<input type="checkbox"/>
A10. <b>Other</b>	<input type="checkbox"/>
B1. <b>Radiation</b>	<input type="checkbox"/>
<b>Respiratory Therapies</b>	
C1. <b>Oxygen Therapy</b>	<input type="checkbox"/>
C2. <b>Continuous</b>	<input type="checkbox"/>
C3. <b>Intermittent</b>	<input type="checkbox"/>
C4. <b>High-concentration</b>	<input type="checkbox"/>
D1. <b>Suctioning</b>	<input type="checkbox"/>
D2. <b>Scheduled</b>	<input type="checkbox"/>
D3. <b>As Needed</b>	<input type="checkbox"/>
E1. <b>Tracheostomy care</b>	<input type="checkbox"/>
F1. <b>Invasive Mechanical Ventilator</b> (ventilator or respirator)	<input type="checkbox"/>
G1. <b>Non-invasive Mechanical Ventilator</b>	<input type="checkbox"/>
G2. <b>BiPAP</b>	<input type="checkbox"/>
G3. <b>CPAP</b>	<input type="checkbox"/>
<b>Other</b>	
H1. <b>IV Medications</b>	<input type="checkbox"/>
H2. <b>Vasoactive medications</b>	<input type="checkbox"/>
H3. <b>Antibiotics</b>	<input type="checkbox"/>
H4. <b>Anticoagulation</b>	<input type="checkbox"/>
H10. <b>Other</b>	<input type="checkbox"/>
I1. <b>Transfusions</b>	<input type="checkbox"/>
J1. <b>Dialysis</b>	<input type="checkbox"/>
J2. <b>Hemodialysis</b>	<input type="checkbox"/>
J3. <b>Peritoneal dialysis</b>	<input type="checkbox"/>
O1. <b>IV Access</b>	<input type="checkbox"/>
O2. <b>Peripheral</b>	<input type="checkbox"/>
O3. <b>Mid-line</b>	<input type="checkbox"/>
O4. <b>Central</b> (e.g., PICC, tunneled, port)	<input type="checkbox"/>
<b>None of the Above</b>	
Z1. <b>None of the Above</b>	<input type="checkbox"/>

**M1041. Influenza Vaccine Data Collection Period**

Does this episode of care (SOC/ROC to Transfer/Discharge) include any dates on or between October 1 and March 31?

**Enter Code**☐

0. **No** → Skip to M2401, Intervention Synopsis
1. **Yes** → Continue to M1046, Influenza Vaccine Received

**M1046. Influenza Vaccine Received**

Did the patient receive the influenza vaccine for this year's flu season?

**Enter Code**☐

1. **Yes**; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge)
2. **Yes**; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge)
3. **Yes**; received from another health care provider (for example, physician, pharmacist)
4. **No**; patient offered and declined
5. **No**; patient assessed and determined to have medical contraindication(s)
6. **No**; not indicated – patient does not meet age/condition guidelines for influenza vaccine
7. **No**; inability to obtain vaccine due to declared shortage
8. **No**; patient did not receive the vaccine due to reasons other than those listed in responses 4-7.

**Section Q Participation in Assessment and Goal Setting****M2401. Intervention Synopsis**

At the time of or at any time since the most recent SOC/ROC assessment, were the following interventions BOTH included in the physician-ordered plan of care AND implemented? (Mark only one box in each row.)

Plan/Intervention	No	Yes	Not Applicable	
↓ Check only one box in each row ↓				
b. Falls prevention interventions	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Every standardized, validated multi-factor fall risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no risk for falls.
c. Depression intervention(s) such as medication, referral for other treatment, or a monitoring plan for current treatment	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Patient has no diagnosis of depression AND every standardized, validated depression screening conducted at or since the most recent SOC/ROC assessment indicates the patient has: 1) no symptoms of depression; or 2) has some symptoms of depression but does not meet criteria for further evaluation of depression based on screening tool used.
d. Intervention(s) to monitor and mitigate pain	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Every standardized, validated pain assessment conducted at or since the most recent SOC/ROC assessment indicates the patient has no pain.
e. Intervention(s) to prevent pressure ulcers	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Every standardized, validated pressure ulcer risk assessment conducted at or since the most recent SOC/ROC assessment indicates the patient is not at risk of developing pressure ulcers.
f. Pressure ulcer treatment based on principles of moist wound healing	<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> NA	Patient has no pressure ulcers OR has no pressure ulcers for which moist wound healing is indicated.