

HEDIS® MEASUREMENT YEAR (MY) 2021 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2022 Reporting)

3.1 HEADER RECORD

Note: Include one header row per file as the first record.

Column 1: Record Identifier—use the tilde (~) character to start the line.
 Column 2-6: CMS Contract Number—only one contract number per submission (e.g., H1205, R1234).
 Column 7-66: Organization Name—as reported to NCQA for summary-level data submission.
 Column 67-71: Submission ID—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

*Due to the addition of 5-digit submission IDs, please follow the guidelines below:
 Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

Example: In columns 67 – 71, a 5-digit ID would be entered as (12345).
 A 4-digit ID would be entered starting at column 67 as (1234) with '1' in column 67, leaving column 71 blank.

Column 72-831: Blank fill with spaces.

Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;
 i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2022.

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS MY 2021 Interactive Data Submission System (IDSS) for that measure.

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-11		11	MBI - A beneficiary's Medicare Beneficiary Identifier	<p>MBI has 11 characters. MBIs are numbers and upper-case letters. MBI uses numbers 0-9 and all letters from A to Z, except for S, L, O, I, B, and Z. The MBI's 2nd, 5th, 8th, and 9th positions will always be a letter, except for S, L, O, I, B, and Z. Positions 1st, 4th, 7th, 10th, and 11th will always be a number. Even though Position 1 allows numbers, it cannot contain the number "0". The 3rd and 6th positions will be a letter or a number. MBI does not have spaces and dashes.</p> <p>The MBI must be a continuous string, with no hyphens or embedded spaces.</p> <p>For a list of valid MBI formats, please refer to 'HEDIS_MY_2021_Patient_Level_Data_File_Specifications_File_1_of_2.docx.'</p> <p>This field is mandatory—do not leave blank.</p> <p>NOTE: Submit only MBI.</p>
12-35		24	Last Name. A beneficiary's individual Last Name	<p>The Last Name must be filled by no more than 24 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
36-50		15	First Name. A beneficiary's individual First Name	<p>The First Name must be filled by no more than 15 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
51-72		22	City. A beneficiary's individual City of residence	<p>The City must be filled by no more than 22 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
73-74		2	State. A beneficiary's individual State of residence	<p>The State must be filled with the postal code (ex. Maryland would be MD).</p> <p>This field is mandatory—do not leave blank.</p>
75-79		5	Zip Code. A beneficiary's individual Zip Code	<p>The Zip Code must be filled with 5 digits.</p> <p>This field is mandatory—do not leave blank.</p> <p>NOTE: This field is to be submitted as a 5 digit numeric field to avoid dropping leading zeroes. Only numbers (0-9) may be used as each digit.</p>
80		1	Sex. A beneficiary's gender assigned at birth	<p>Enter:</p> <p>'F' if this member is female</p> <p>'M' if this member is male</p> <p>'O' if the member refused to provide gender</p> <p>This field is mandatory—do not leave blank.</p>
81-88		8	Birth Date. A beneficiary's individual Birth Date	<p>The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970)</p> <p>No characters other than numbers are allowed</p> <p>This field is mandatory—do not leave blank.</p>
89-91		3	Plan ID Number. A beneficiary's assigned plan benefit number	<p>The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134).</p> <p>NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.</p>
92		1	SNP Enrollee Type. SNP benefit package at end of measurement year	<p>Enter:</p> <p>'0' if this member is NOT enrolled in an SNP plan benefit package</p> <p>'1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package</p> <p>'2' if this member is enrolled in an INSTITUTIONAL SNP benefit package</p> <p>'3' if this member is enrolled in a CHRONIC CONDITION SNP benefit package</p>
93-94		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure. The Enrollment by Product Line (ENP) measure should be used to determine member months.	<p>Each member should have an MMC value between 0 and 12</p>
95	COL	1	Denominator for Colorectal Cancer Screening (COL)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
96	COL	1	Numerator for Colorectal Cancer Screening (COL)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
97	BCS	1	Denominator for Breast Cancer Screening (BCS)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
98	BCS	1	Numerator for Breast Cancer Screening (BCS)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
99	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
100	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
101	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
102	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
103	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
104	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
105	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
106	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
107	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
108	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
109	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
110	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
111	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
112	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
113	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
114	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
115	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
116	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
117	SPR	1	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
118	SPR	1	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
119-120	PCE	2	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
121-122	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
123-124	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
125-126	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
127-128	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
129-130	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
131-132	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
133-134	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
135-136	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
137-138	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
139-140	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
141-142	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
143	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
144	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
145	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
146	DAE	1	Denominator for Use of High-Risk Medications in Older Adults (DAE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
147	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
148	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
149	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Total Rate	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
150	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
151	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
152	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
153	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
154	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
155	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
156	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
157	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
158	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
159	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
160	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
161	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
162	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
163	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
164	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
165	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
166	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
167	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
168	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
169	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
170	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
171	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
172	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
173	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
174	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
175	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
176	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
177	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
178	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
179	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
180	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
181	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
182	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
183	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
184	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
185	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
186-188	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Bariatric weight loss surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
189-191	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): CABG	Enter: The number of times this member is in the count '0' if the member is not in the count
192-194	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): PCI	Enter: The number of times this member is in the count '0' if the member is not in the count
195-197	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Cardiac catheterization	Enter: The number of times this member is in the count '0' if the member is not in the count
198-200	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Carotid endarterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
201-203	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Open Cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
204-206	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Laparoscopic cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
207-209	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Back surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
210-212	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Abdominal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
213-215	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Vaginal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
216-218	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Prostatectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
219-221	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total hip replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
222-224	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total knee replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
225-227	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Mastectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
228-230	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Lumpectomy	Enter: The number of times this member is in the count '0' if the member is not in the count

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
231	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Alcohol Disorder	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
232	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Opioid Disorder	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
233	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Other or Unspecified Drug Disorders	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
234	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Total	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
235	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Alcohol Disorder	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
236	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Opioid Disorder	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
237	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
238	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Total	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
239	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Alcohol Disorder	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
240	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Opioid Disorder	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
241	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
242	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Total	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
243	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Alcohol Disorder	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
244	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Opioid Disorder	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
245	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Other or Unspecified Drug Disorders	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
246	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Total	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
247	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Alcohol Disorder	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
248	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Opioid Disorder	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
249	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
250	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Total	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
251	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Alcohol Disorder	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
252	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Opioid Disorder	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
253	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
254	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Total	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
255-258	ABX	4	Antibiotic Utilization (ABX): Total number of antibiotic prescriptions	Enter: The number of times this member is in the count '0' if the member is not in the count
259-262	ABX	4	Antibiotic Utilization (ABX): Total days supplied for all antibiotic prescriptions	Enter: The total number of days for this member '0' if the member did not have any days
263-266	ABX	4	Antibiotic Utilization (ABX): Total number of prescriptions for antibiotics of concern	Enter: The number of times this member is in the count '0' if the member is not in the count
267-270	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Quinolones	Enter: The number of times this member is in the count '0' if the member is not in the count
271-274	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Cephalosporins 2nd-4th Generation	Enter: The number of times this member is in the count '0' if the member is not in the count
275-278	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Azithromycin and Clarithromycin	Enter: The number of times this member is in the count '0' if the member is not in the count
279-282	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Amoxicillin/Clavulanate	Enter: The number of times this member is in the count '0' if the member is not in the count
283-286	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Ketolides	Enter: The number of times this member is in the count '0' if the member is not in the count
287-290	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Clindamycin	Enter: The number of times this member is in the count '0' if the member is not in the count
291-294	ABX	4	Antibiotic Utilization (ABX): Miscellaneous Antibiotics of Concern	Enter: The number of times this member is in the count '0' if the member is not in the count
295-298	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Absorbable Sulfonamides	Enter: The number of times this member is in the count '0' if the member is not in the count
299-302	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Aminoglycosides	Enter: The number of times this member is in the count '0' if the member is not in the count
303-306	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—First Generation Cephalosporins	Enter: The number of times this member is in the count '0' if the member is not in the count
307-310	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Lincosamides (other than Clindamycin)	Enter: The number of times this member is in the count '0' if the member is not in the count
311-314	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Macrolides (other than Azithromycin and Clarithromycin)	Enter: The number of times this member is in the count '0' if the member is not in the count
315-318	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Penicillins	Enter: The number of times this member is in the count '0' if the member is not in the count
319-322	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Tetracyclines	Enter: The number of times this member is in the count '0' if the member is not in the count
323-326	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Miscellaneous Antibiotics	Enter: The number of times this member is in the count '0' if the member is not in the count
327	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
328	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
329	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
330	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
331	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
332	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
333	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
334	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
335	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
336	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
337	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
338	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
339	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
340	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
341	AHU	1	Acute Hospital Utilization (AHU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
342	AHU	1	Acute Hospital Utilization (AHU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
343-345	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Surgery	Enter: The total number of discharges for this member '0' if the member does not have any discharges
346-348	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Medicine	Enter: The total number of discharges for this member '0' if the member does not have any discharges
349-351	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Total Inpatient	Enter: The total number of discharges for this member '0' if the member does not have any discharges
352-363	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
364-375	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
376-387	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
388-399	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
400-411	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
412-423	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
424-435	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
436-447	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
448-459	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
460-471	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
472-483	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
484-495	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
496	EDU	1	Emergency Department Utilization (EDU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
497	EDU	1	Emergency Department Utilization (EDU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
498-500	EDU	3	Emergency Department Utilization (EDU): Observed ED Visits	Enter: The total number of visits for this member '0' if the member does not have any visits
501-512	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
513-524	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
525-536	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
537-548	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
549	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
550	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
551	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
552	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
553	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
554	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
555-556	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
557-558	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
559-560	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
561-572	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
573-584	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
585-596	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
597-608	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
609-620	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
621-632	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
633-644	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
645-656	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
657-668	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
669-680	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
681-692	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
693-704	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
705-706	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
707-708	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
709-710	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
711-712	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
713-714	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
715-716	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
717-718	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
719-720	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
721-722	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
723-724	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
725-726	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
727-728	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
729-730	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
731-732	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
733-734	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
735	HDO	1	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
736	HDO	1	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
737	UOP	1	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
738	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
739	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
740	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
741-742	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
743-744	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
745-746	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
747-748	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
749-750	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
751-752	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
753-754	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
755-756	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
757-758	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
759-760	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
761-762	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
763-764	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
765-766	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
767-768	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
769-770	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
771-772	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
773-774	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
775-776	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
777-778	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
779-780	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
781	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
782	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
783	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
784	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
785	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
786	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
787	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
788	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
789	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
790	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
791	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
792	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
793	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
794	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
795	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
796	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
797	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
798	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
799	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
800	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
801	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
802	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
803	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
804	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
805	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
806	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
807	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
808	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
809	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
810	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
811	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
812	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
813	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
814	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
815	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
816	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
817	SAA	1	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
818	SAA	1	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
819	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
820	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
821	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
822	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
823	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
824	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
825	CRE	1	Denominator for Cardiac Rehabilitation (CRE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
826	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
827	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
828	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
829	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
830	OSW	1	Denominator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
831	OSW	1	Numerator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator