

HEDIS® MEASUREMENT YEAR (MY) 2025 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2026 Reporting)

3.1 HEADER RECORD

Note: Include one header row per file as the first record.

Column 1: Record Identifier—use the tilde (~) character to start the line.
Column 2-6: CMS Contract Number—only one contract number per submission (e.g., H1205, R1234).
Column 7-66: Organization Name—as reported to NCQA for summary-level data submission.
Column 67-71: Submission ID—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

***Due to the addition of 5-digit submission IDs, please follow the guidelines below:**

Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

Example: In columns 67 – 71, a 5-digit ID would be entered as (12345).

A 4-digit ID would be entered starting at column 67 as (1234) with '1' in column 67, leaving column 71 blank.

Column 72-482: Blank fill with spaces.

Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;

i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2026.

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS MY 2025 Interactive Data Submission System (IDSS) for that measure.

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-11		11	MBI - A beneficiary's Medicare Beneficiary Identifier	<p>The MBI has 11 characters. The MBIs are numbers and upper-case letters. The MBI uses numbers 0-9 and all letters from A to Z, except for S, L, O, I, B, and Z. The MBI's 2nd, 5th, 8th, and 9th positions will always be a letter, except for S, L, O, I, B, and Z. Positions 1st, 4th, 7th, 10th, and 11th will always be a number. Even though Position 1 allows numbers, it cannot contain the number "0". The 3rd and 6th positions will be a letter or a number. The MBI does not have spaces and dashes. The MBI must be a continuous string, with no hyphens or embedded spaces.</p> <p>For a list of valid MBI formats, please refer to 'HEDIS_MY_2025_Patient_Level_Data_File_Specifications_File_1_of_2.docx.'</p> <p>This field is mandatory—do not leave blank.</p>
12-35		24	Last Name. A beneficiary's Last Name	<p>The Last Name must be filled by no more than 24 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p> <p>Double quotes are not allowed.</p>
36-50		15	First Name. A beneficiary's First Name	<p>The First Name must be filled by no more than 15 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p> <p>Double quotes are not allowed.</p>
51-72		22	City. A beneficiary's City of residence	<p>The City must be filled by no more than 22 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p> <p>Double quotes are not allowed.</p>
73-74		2	State. A beneficiary's State of residence	<p>The State must be filled with the postal code (ex. Maryland would be MD).</p> <p>This field is mandatory—do not leave blank.</p>
75-79		5	Zip Code. A beneficiary's Zip Code	<p>The Zip Code must be filled with 5 digits.</p> <p>This field is mandatory—do not leave blank.</p> <p>NOTE: This field is to be submitted as a 5 digit numeric field to avoid dropping leading zeroes. Only numbers (0-9) may be used as each digit.</p>
80		1	Sex. A beneficiary's sex assigned at birth	<p>Enter:</p> <p>'F' if this member is female</p> <p>'M' if this member is male</p> <p>'O' if the member refused to provide sex</p> <p>This field is mandatory—do not leave blank.</p>
81-88		8	Birth Date. A beneficiary's Birth Date	<p>The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (e.g., May 3, 1970 would be 05031970)</p> <p>No characters other than numbers are allowed</p> <p>This field is mandatory—do not leave blank.</p>
89-91		3	Plan ID Number. A beneficiary's assigned plan benefit number	<p>The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134).</p> <p>NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.</p>
92		1	SNP Enrollee Type. SNP benefit package at end of measurement year	<p>Enter:</p> <p>'0' if this member is NOT enrolled in an SNP plan benefit package</p> <p>'1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package</p> <p>'2' if this member is enrolled in an INSTITUTIONAL SNP benefit package</p> <p>'3' if this member is enrolled in a CHRONIC CONDITION SNP benefit package</p>
93-94		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure. The Enrollment by Product Line (ENP) measure should be used to determine member months.	<p>Each member should have an MMC value between 0 and 12</p>
95	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
96	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
97	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
98	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
99	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
100	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
101-103	PCE	3	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	<p>Enter:</p> <p>The number of times this member is in the denominator</p> <p>'0' if the member is not in the denominator</p>

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
104-106	PCE	3	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
107-109	PCE	3	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
110-111	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
112-113	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
114-115	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
116-117	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
118-119	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
120-121	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
122-123	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
124-125	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
126-127	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
128	DAE	1	Denominator for Use of High-Risk Medications in Older Adults (DAE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
129	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
130	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
131	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Total Rate	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
132	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
133	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
134	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
135	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
136	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
137	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
138	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
139	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
140	AAP	1	Denominator for Adults’ Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
141	AAP	1	Numerator for Adults’ Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
142	AAP	1	Denominator for Adults’ Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
143	AAP	1	Numerator for Adults’ Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
144-145	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
146-147	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
148-149	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
150-151	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
152-153	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
154-155	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
156-157	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
158-159	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
160-161	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
162-163	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
164-165	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
166-167	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
168-169	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
170-171	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
172-173	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
174-175	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
176-177	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
178-179	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
180-181	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
182-183	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
184-185	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
186-187	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
188-189	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
190-191	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
192-193	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
194-195	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
196-197	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
198	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
199	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
200	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
201	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
202	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
203	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
204	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
205	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
206	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
207	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
208	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
209	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
210	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
211	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
212	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
213	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
214	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
215	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
216	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
217	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
218-219	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
220-221	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
222-223	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
224-235	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
236-247	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
248-259	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
260-271	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Sex Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
272-283	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Sex Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
284-295	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Sex Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
296-307	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
308-319	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
320-331	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
332-343	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Sex Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
344-355	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Sex Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
356-367	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Sex Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
368-369	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
370-371	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
372-373	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
374-375	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
376-377	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
378-379	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
380-381	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
382-383	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
384-385	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
386-387	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
388-389	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
390-391	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
392-393	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
394-395	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
396-397	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
398-399	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
400-401	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
402-403	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
404-405	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
406-407	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
408-409	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
410-411	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
412-413	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
414-415	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
416-417	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
418-419	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
420-421	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
422-423	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
424-425	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
426	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
427	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
428	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
429	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
430	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 76-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
431	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 76-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
432	CRE	1	Denominator for Cardiac Rehabilitation (CRE): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
433	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
434	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
435	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
436	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
437	CRE	1	Denominator for Cardiac Rehabilitation (CRE): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
438	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
439	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
440	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
441	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
442	OSW	1	Denominator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
443	OSW	1	Numerator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
444	BPD	1	Denominator for Blood Pressure Control for Patients With Diabetes (BPD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
445	BPD	1	Numerator for Blood Pressure Control for Patients With Diabetes (BPD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
446	GSD	1	Denominator for Glycemic Status Assessment for Patients With Diabetes (GSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
447	GSD	1	Numerator for Glycemic Status Assessment for Patients With Diabetes (GSD): Glycemic Status <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
448	GSD	1	Numerator for Glycemic Status Assessment for Patients With Diabetes (GSD): Glycemic Status >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
449	EED	1	Denominator for Eye Exam for Patients With Diabetes (EED)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
450	EED	1	Numerator for Eye Exam for Patients With Diabetes (EED)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
451	BCS-E	1	Denominator for Breast Cancer Screening (BCS-E): 42-51 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
452	BCS-E	1	Numerator for Breast Cancer Screening (BCS-E): 42-51 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
453	BCS-E	1	Denominator for Breast Cancer Screening (BCS-E): 52-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
454	BCS-E	1	Numerator for Breast Cancer Screening (BCS-E): 52-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
455	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
456	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
457	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
458	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
459	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
460	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
461	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
462	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
463	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Influenza and Td/Tdap, 19-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
464	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Influenza, 19-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
465	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Td/Tdap, 19-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
466	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Influenza and Td/Tdap, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
467	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Influenza, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
468	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Td/Tdap, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
469	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Zoster, 50-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
470	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Zoster, 50-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
471	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Zoster, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
472	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Zoster, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
473	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Pneumococcal, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
474	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Pneumococcal, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
475	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Hepatitis B, 19-30 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
476	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Hepatitis B, 19-30 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
477	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Hepatitis B, 31-59 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
478	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Hepatitis B, 31-59 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
479	COL-E	1	Denominator for Colorectal Cancer Screening (COL-E): 46-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
480	COL-E	1	Numerator for Colorectal Cancer Screening (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
481	COL-E	1	Denominator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
482	COL-E	1	Numerator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing