

October 2019

Integrated Outpatient Code Editor Software

Installation and User Manual for PC

v20.3

3M Health Information Systems
400 Research Parkway
Meriden, CT 06450

CPT © 2018 American Medical Association. All rights reserved.
CPT is a registered trademark of the American Medical Association.

This product includes CPT and/or CPT Assistant which is commercial technical data and/or computer databases and/or commercial computer software and/or commercial computer software documentation, as applicable which were developed exclusively at private expense by the American Medical Association, 300 N. Wabash, Suite 39300, Chicago, IL 60611-5885.

The responsibility for the content of any "National Correct Coding Policy" included in this product is with the Centers for Medicare and Medicaid Services and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable to or related to any use, nonuse or interpretation of information contained in this product.

This manual was written, designed, and produced by the Technical Writing Department of 3M Health Information Systems.

3M is a trademark of 3M Company.

Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and/or other countries.

PLB-021
October 2019

Table of Contents

| | |
|--|-----------|
| About this document..... | ix |
| Chapter 1: Introduction to the Integrated OCE software..... | 11 |
| Product background..... | 11 |
| Versions of the program | 12 |
| Included versions..... | 13 |
| Purpose of the OPPS functionality..... | 13 |
| Purpose of the non-OPPS functionality | 14 |
| Changes since OPPS..... | 14 |
| Coding for Outpatient services..... | 14 |
| Program input..... | 15 |
| Dispositions | 15 |
| Multiple day claims..... | 16 |
| Edits | 16 |
| Information on APCs for OPPS | 16 |
| Payment information..... | 17 |
| Packaging | 17 |
| Discounting | 18 |
| NCCI | 18 |
| Add-on code editing | 19 |
| Fee schedule | 20 |
| Status indicators..... | 20 |
| Modifiers..... | 20 |
| Same day medical and procedure APC..... | 20 |
| Contractor (MAC) actions impacting IOCE processing | 20 |
| Chapter 2: Installing the software..... | 23 |
| Minimum system requirements..... | 23 |
| Other supported platforms | 23 |
| Pre-installation notes..... | 24 |
| Installation and update procedure..... | 24 |
| Uninstalling the software..... | 26 |
| Chapter 3: OPPS data entry..... | 27 |
| OPPS data entry fields..... | 28 |
| OPPS Menu items | 33 |
| OPPS command buttons | 34 |
| OPPS error messages | 35 |

| | |
|---|---------------|
| Chapter 4: OPPS data output | 36 |
| Viewing an output report..... | 36 |
| Output report fields..... | 38 |
| Menu items from the output report window | 43 |
| Dispositions | 44 |
| Edit disposition..... | 44 |
| Claim disposition | 45 |
| Edit disposition summary..... | 45 |
| Chapter 5: OPPS program edits..... | 51 |
| Special logic information..... | 64 |
| Medical visit processing..... | 64 |
| Computation of discounting fraction | 64 |
| <i>Type “T” multiple and terminated procedure discounting</i> | <i>65</i> |
| <i>Non-type T procedure discounting.....</i> | <i>66</i> |
| Inpatient procedures | 66 |
| Conditional APC processing | 66 |
| <i>Processing procedures with status indicators of Q1 and Q2</i> | <i>66</i> |
| Sometimes therapy processing for wound care services | 67 |
| Critical care processing | 68 |
| Advance care planning..... | 68 |
| Conditional processing for laboratory procedures..... | 69 |
| Composite APC processing..... | 69 |
| Partial hospitalization and community mental health center processing | 70 |
| Daily mental health processing | 71 |
| LDR prostate brachytherapy composite APC processing and assignment criteria | 72 |
| Electrophysiology/ablation composite APC processing and assignment criteria | 73 |
| EAM composite APC level I and level II assignment criteria | 73 |
| Extended assessment and management composite APC criteria | 74 |
| Direct referral logic..... | 75 |
| Multiple imaging composite assignment rules & criteria | 75 |
| Comprehensive APC processing..... | 76 |
| <i>General comprehensive APC assignment rules and criteria</i> | <i>76</i> |
| Comprehensive APC Assignment for High-Cost Procedures..... | 77 |
| Inpatient procedure processing under comprehensive APCs..... | 78 |
| Observation processing | 79 |
| <i>Comprehensive observation APC assignment criteria.....</i> | <i>79</i> |
| Device-dependent procedure editing and processing | 80 |
| Device credit conditional processing..... | 81 |
| Pass-through device processing | 81 |
| Drug administration..... | 82 |
| Blood and blood storage processing | 82 |
| Nuclear medicine procedure processing | 83 |
| Managed care processing | 83 |
| Preventative services processing | 83 |

| | |
|---|-----------|
| Special processing for drugs and biologicals..... | 84 |
| Skin substitute editing and processing | 85 |
| Biosimilar HCPCS processing | 85 |
| HSCT and donor acquisition services processing | 85 |
| Radiological processing..... | 86 |
| <i>CT scan equipment not meeting NEMA standards.....</i> | <i>86</i> |
| <i>Film x-ray HCPCS processing</i> | <i>86</i> |
| <i>Computed radiography technology HCPCS processing</i> | <i>86</i> |
| Hospice and home health processing..... | 87 |
| Non-excepted items or services in off-campus provider-based hospitals..... | 88 |
| <i>Criteria for non-excepted services reported with modifier PN.....</i> | <i>88</i> |
| <i>Hospital outpatient claims with bill type 13x without condition code 41</i> | <i>88</i> |
| <i>Hospital off-campus provider-based outpatient departments submitting claims with</i> | |
| <i>Modifier PO.....</i> | <i>89</i> |
| <i>Hospital outpatient claims with bill type 13x with condition code 41 (PHP).....</i> | <i>89</i> |
| <i>CMHC PHP outpatient claims with bill type 76x.....</i> | <i>89</i> |
| FQHC processing under FQHC PPS | 89 |
| <i>Criteria for processing FQHC PPS claims through the IOCE</i> | <i>90</i> |
| <i>Additional criteria for FQHC processing.....</i> | <i>91</i> |
| Rural health clinic processing..... | 92 |

Chapter 6: Non-OPPS data entry.....95

| | |
|----------------------------------|-----|
| Versions and date ranges..... | 95 |
| Accessing the software | 96 |
| Non-OPPS data entry fields | 97 |
| Non-OPPS menu items..... | 101 |
| Non-OPPS command buttons..... | 102 |
| Non-OPPS error messages | 103 |

Chapter 7: Non-OPPS data output105

| | |
|--|-----|
| Viewing an output report..... | 105 |
| Output report fields..... | 107 |
| Menu items from the output report window | 109 |
| Payment information..... | 109 |
| Dispositions | 109 |
| Edit disposition..... | 110 |
| Claim disposition | 110 |
| Edit disposition summary..... | 111 |

Chapter 8: Non-OPPS program edits113

| | |
|--------------------------------|-----|
| Special logic information..... | 118 |
|--------------------------------|-----|

| | |
|---|----------------|
| Chapter 9: Batch processing..... | 119 |
| Batch input | 120 |
| Input record layouts | 121 |
| Batch output..... | 126 |
| Output record formats | 127 |
| Log file..... | 142 |
| Error messages | 144 |
| Chapter 10: Accessibility features | 147 |
| System requirements..... | 147 |
| Data entry..... | 147 |
| Data entry fields | 148 |
| Data entry menu items | 152 |
| Input window command buttons | 153 |
| Error messages | 154 |
| Program output | 155 |
| Viewing an output report | 155 |
| Output report fields..... | 158 |
| Output report menu items..... | 167 |
| Output report command button | 167 |
| Program edits | 168 |
| Dispositions | 168 |
| <i>Edit disposition</i> | 168 |
| <i>Claim disposition</i> | 169 |
| Edit disposition summary..... | 169 |
| Appendix A: Diagnosis edit code lists..... | 177 |
| Adult diagnoses (ICD-10 CM codes)..... | 178 |
| Newborn diagnoses (ICD-10 CM codes)..... | 193 |
| Pediatric diagnoses (ICD-10 CM codes) | 194 |
| Maternity diagnoses (ICD-10 CM codes)..... | 197 |
| Diagnoses for females only (ICD-10 CM codes)..... | 243 |
| Diagnoses for males only (ICD-10 CM codes)..... | 304 |
| Manifestation diagnoses (ICD-10 CM codes) | 315 |
| Mental health diagnoses (ICD-10 CM codes) | 323 |
| Adult diagnoses (ICD-9 CM codes)..... | 342 |
| Newborn diagnoses (ICD-9 CM codes)..... | 345 |
| Pediatric diagnoses (ICD-9 CM codes) | 348 |
| Maternity diagnoses (ICD-9 CM codes) | 349 |
| Diagnoses for females only (ICD-9 CM codes)..... | 361 |
| Diagnoses for males only (ICD-9 CM codes)..... | 392 |
| Manifestation diagnoses (ICD-9 CM codes) | 396 |
| Mental health diagnoses (ICD-9 CM codes)..... | 399 |

| | |
|--|----------------|
| Appendix B: Procedure edit code lists | 405 |
| Procedures for females only | 406 |
| Procedures for males only | 411 |
| Non-covered under any Medicare outpatient benefit (based on statute) | 414 |
| Non-covered under any Medicare outpatient benefit (based on other than statute)..... | 417 |
| Questionable covered service | 425 |
| Inpatient procedures | 427 |
| Inpatient separate procedure | 445 |
| Code not recognized by Medicare for outpatient claims | 446 |
| Non-implantable DME | 460 |
| Code not recognized by OPPS | 468 |
| Service not billable to MAC | 474 |
| Mental Health services not approved for Partial Hospitalization Program | 487 |
| Mental Health services not payable outside Partial Hospitalization Program..... | 488 |
| Skin substitute procedures and products - low cost..... | 489 |
| Skin substitute procedures and products - high cost | 492 |
| Device procedures | 496 |
| Devices | 504 |
| Appendix C: Other code lists | 507 |
| STV-packaged services codelist | 508 |
| T-packaged services | 532 |
| Critical care-packaged..... | 539 |
| Partial hospital program services (List A and B) | 540 |
| Mental health services composite list | 541 |
| Comprehensive APC Complexity Adjusted Code Pairs | 542 |
| FQHC Encounter/Qualifying Visit Code pairs | 565 |
| Pass-through contrast..... | 569 |
| Pass-through radiopharmaceutical..... | 570 |
| Pass-through skin product | 572 |
| Appendix D: List of APCs | 573 |
| Appendix E: Summary of changes | 601 |
| Software | 601 |
| Edits | 601 |
| Files | 602 |
| Tables | 602 |
| Documentation..... | 602 |
| Index | 603 |

About this document

This manual contains information needed to install and use version 20.3 of the Integrated Outpatient Code Editor (OCE) software in a Microsoft® Windows® environment on a personal computer. This integrated version of the OCE software is for use in processing both OPPS and non-OPPS hospital claims. The software edits hospital outpatient medical records for possible errors in coding; assigns APCs for Medicare's outpatient prospective payment system (OPPS).

The manual includes an index to help you find specific information in addition to the Contents where general topics are listed. Appendix D summarizes the changes in this release.

Chapter 1: Introduction to the Integrated OCE software

The Integrated Outpatient Code Editor (OCE) program edits patient data to help identify possible errors in coding, and assigns Ambulatory Payment Classification numbers based on Healthcare Common Procedure Coding System (HCPCS) codes for payment under the mandated outpatient prospective payment system (OPPS).

The Integrated OCE program also edits claims for hospitals not subject to OPPS.

Product background

The OPPS OCE (formerly called the Outpatient Code Editor with Ambulatory Payment Classification - OCE/APC) and the Non-OPPS OCE (formerly called the Outpatient Code Editor - OCE) were combined into a single program, the Integrated Outpatient Code Editor (IOCE) effective 7/1/07.

The OPPS functionality of the Integrated Outpatient Code Editor (IOCE) software was developed for the implementation of the Medicare outpatient prospective payment system mandated by the 1997 Balanced Budget Act. CMS released the proposed OPPS rules using the Ambulatory Payment Classification (APC) system in the September 8, 1998 Federal Register. Final regulations were published in the April 7, 2000 Federal Register and the system became effective for Medicare on August 1, 2000.

The APC-based OPPS developed by CMS is the outpatient equivalent of the inpatient, DRG-based PPS. The APC system establishes groups of covered services so that the services within each group are comparable clinically and with respect to the use of resources.

Hospitals are required to use HCPCS when billing for outpatient services. HCPCS incorporates the following types of codes:

- Level I - The American Medical Association's Physicians' Current Procedural Terminology (CPT®)
- Level II - National codes developed by the Centers for Medicare & Medicaid Services (CMS)

Like the inpatient system based on Diagnosis Related Groups (DRGs), each APC has a pre-established prospective payment amount associated with it. However, unlike the inpatient system that assigns a patient to a single DRG, multiple APCs can be assigned to one outpatient record. If a patient has multiple outpatient services during a single visit, the total payment for the visit is computed as the sum of the individual payments for each service.

Certain services (e.g., physical therapy, diagnostic clinical laboratory) are excluded from Medicare's prospective payment system for hospital outpatient departments. These services are exceptions paid under fee schedules and other prospectively determined rates.

Versions of the program

The following table lists the versions and date ranges of the program contained in the current release of IOCE software for OPPTS processing. The third level in the version number (represented by an 'x' in the table) denotes the number of revisions created since the original OPPTS release. For example, 7.1.7 would be the seventh revision of the released version 7.1 product.

Note: Separately installed versions of the non-OPPTS OCE must be maintained for as long as necessary to process claims for all hospital outpatient services provided prior to August 1, 2000 when OPPTS was implemented; and non-OPPTS hospital outpatient services prior to July 1, 2007 when the non-OPPTS program was integrated into the OPPTS program.

Table 1. Program versions

| Version | Effective date range |
|---------|------------------------------------|
| 20.3.0 | 10/01/2019–10/01/2029 ^a |
| 20.2.x | 07/01/2019–09/30/2019 |
| 20.1.x | 04/01/2019–06/30/2019 |
| 20.0.x | 01/01/2019–03/31/2019 |
| 19.3.x | 10/01/2018–12/31/2018 |
| 19.2.x | 07/01/2018–09/30/2018 |
| 19.1.x | 04/01/2018–06/30/2018 |
| 19.0.x | 01/01/2018–03/31/2018 |
| 18.3.x | 10/01/2017–12/31/2017 |
| 18.2.x | 07/01/2017–09/30/2017 |
| 18.1.x | 04/01/2017–06/30/2017 |
| 18.0.x | 01/01/2017–03/31/2017 |
| 17.3.x | 10/01/2016–12/31/2016 |
| 17.2.x | 07/01/2016–09/30/2016 |
| 17.1.x | 04/01/2016–06/30/2016 |
| 17.0.x | 01/01/2016–03/31/2016 |

| Version | Effective date range |
|---------|-----------------------|
| 16.3.x | 10/01/2015–12/31/2015 |
| 16.2.x | 07/01/2015–09/30/2015 |
| 16.1.x | 04/01/2015–06/30/2015 |
| 16.0.x | 01/01/2015–03/31/2015 |
| 15.3.x | 10/01/2014–12/31/2014 |
| 15.2.x | 07/01/2014–09/30/2014 |
| 15.1.x | 04/01/2014–06/30/2014 |
| 15.0.x | 01/01/2014–03/31/2014 |
| 14.3.x | 10/01/2013–12/31/2013 |
| 14.2.x | 07/01/2013–09/30/2013 |
| 14.1.x | 04/01/2013–06/30/2013 |
| 14.0.x | 01/01/2013–03/31/2013 |

a. The ending date of the current version will be modified to the actual ending date with the next release.

Included versions

To maintain a reasonable size for the program and data files, the IOCE will include only seven years of programs and files in each update. The earliest supported version in the current release is 14.0.x (effective 01/01/13); subsequent updates will drop the version corresponding to the earliest quarter as each new quarter is added. The program version table (page [12](#)) will be updated to reflect the versions of the program contained in the current release.

Purpose of the OPPS functionality

The IOCE software combines editing logic with the new APC assignment program designed to meet the mandated OPPS implementation. The software performs the following functions when processing a claim:

- Edits a claim for accuracy of submitted data
- Assigns APCs
- Assigns CMS-designated status indicators (page [20](#))

- Assigns payment indicators
- Computes discounts, if applicable
- Determines a claim disposition based on generated edits
- Determines if packaging is applicable
- Determines payment adjustment, if applicable

Purpose of the non-OPPS functionality

The IOCE program edits non-OPPS claims primarily for accuracy of submitted data.

Appendix A (page [405](#)) contains lists of codes associated with program edits for both OPPS and non-OPPS processing.

Changes since OPPS

Prior to OPPS, the program focused solely on editing claims without specifying any action to take when an edit occurred. It also did not compute any information for payment purposes.

While the program has maintained the editing function of previous versions, assignment of APC numbers for services has been added to meet Medicare's mandated OPPS implementation. The revised program indicates what actions to take when an edit occurs, and the reason(s) why the actions are necessary. For example, an edit can cause a line item to be denied payment while still allowing the claim to be processed for payment. In this case, the line item cannot be resubmitted but can be appealed (page [44](#)).

A major change is the processing of claims with service dates that span more than one day. Each claim is represented by a collection of data, consisting of all necessary demographic (header) data, plus all services provided (line items).

Note: It is the user's responsibility to organize all applicable services into a single claim record and pass them as a unit to the software.

The IOCE only functions on a single claim and does not have any cross claim capabilities. The software will process up to 99 line items per claim interactively, and up to 450 line items per claim in batch.

Coding for Outpatient services

Diagnoses are coded in ICD-9-CM or ICD-10-CM classification; procedures are coded in HCPCS classification.

Program input

The data elements shown in the following table are entered into the program for claim processing. You are not required to have every element entered for every claim.

Table 2. Data elements

| Data element | UB-04 form locator |
|--|---------------------------|
| Type of bill | 4 |
| Period covered by statement, From, and Through dates | 6 |
| Birth date | 10 |
| Sex | 11 |
| Patient status | 17 |
| Condition codes | 18-28 |
| Occurrence codes | 31-34 |
| HCPCS/CPT procedure code(s) and modifier(s) | 44 |
| Service date | 45 |
| Revenue code | 42 |
| Service units | 46 |
| Charge | 47 |
| National provider identifier | 56 |
| OSCAR Medicare provider number | 57 |
| ICD-10-CM or ICD-9-CM diagnosis code(s) (principal dx/secondary dx) | 67 (PDX) 67A-Q (SDX) |
| ICD-10-CM or ICD-9-CM diagnosis code (patient's RVDX1, RVDX2, and RVDX3) | 70A-C (patient's RVDX) |

Dispositions

Occurrence of an edit can result in one of six dispositions that act at either the line or the claim level. For example, an edit can cause a line item rejection or return the claim to the provider (RTP). A single claim can have one or more edits across all types of edit dispositions. Edit

dispositions are described in more detail in OPPS data output (page [36](#)) and Non-OPPS data output. (page [105](#))

In addition to individual dispositions, there is a claim disposition to summarize the overall status of the claim. For example, a claim can be paid with a line item denied or rejected, or the entire claim can be denied payment. Claim dispositions are also described in more detail in OPPS data output (page [36](#)) and Non-OPPS data output (page [105](#)).

Multiple day claims

The span of time represented by a claim is determined by the From and Through dates on the UB-04 form. The software subdivides the claim into separate days in order to determine discounting and multiple visits on the same calendar day.

For emergency room and observation claims, all services spanning more than one day are processed as separate days according to the dates of the entered line items.

If the From and Through dates span the effective date ranges for two program versions, the From date will determine which version is used for processing.

Edits

The extensive edits in the software, which are applied to claims as well as individual diagnoses and procedures, are described in more detail in OPPS program edits (page [51](#)) and Non-OPPS program edits (page [113](#)).

Information on APCs for OPPS

To better understand the IOCE product, this section provides general information on the APC system.

- Each HCPCS code that represents a service paid under OPPS is assigned to an APC. Other services are identified by a status indicator representing the method of payment.
- APCs are applied in the full range of ambulatory settings, including same day surgery, hospital ER, and outpatient clinics.
- Types of APCs are:
 - Significant procedure - In general, surgical APCs are specified by the T or J1 status indicator; the status indicator for non-surgical significant procedures is S.
 - Drug/Biological pass-through - The status indicator for drug/biological pass-throughs is G.

- Device pass-through - The status indicator for device pass-throughs is H.
- Brachytherapy sources - The status indicator for brachytherapy sources is U.
- Medical visit - HCPCS codes used to assign medical APCs are specified by (SI = V or J2).
- Ancillary service - HCPCS codes used in assigning ancillary APCs are specified by the X status indicator.

Note: SI of X is deactivated as of 1/1/2015 (v16.0).

- Non-pass-through drug or non-implantable biologicals - The status indicator for drug or biological non-pass-throughs, including therapeutic radiopharmaceuticals, is K.
- Blood and blood products - The status indicator for blood and blood products is R.
- Partial hospitalization - The status indicator for partial hospitalization services is P.

Appendix D (page [573](#)) contains a complete list of current APCs with their status indicators and descriptions.

Payment information

APC assignment involves codes being examined together as a group, providing payers and providers with a common language and allowing meaningful comparative analyses. The IOCE software facilitates the classification of the coding input. The system used for payment is defined separately.




Figure 1: Logic flow for APC assignment and reimbursement

After APC group assignment, APC reimbursement is calculated using APC weights, a base rate, and payment policies. The APC weights represent the relative effort required to perform the specific procedure. The base rate is a dollar value that converts the relative weight to a reimbursement amount.

To help understand the way OPPS reimbursement is calculated, this section will explain some of the basic rules and policies mandated for OPPS using APCs.

Packaging

Ancillary packaging is the inclusion of certain ancillary services performed as part of a visit into the APC payment rate for a significant procedure or medical visit. APCs include some packaging; in some instances, the payment for services integral to the delivery of the procedure or medical visit will be packaged into the payment for the procedure or medical visit.

In addition to facility charges, other services, such as anesthesia and minor incidental services, are always packaged into the payment. Except in special circumstances (page [66](#)), a facility will not receive additional reimbursement for packaged services.

Packaged services are specified by the N status indicator. However, OPPS logic sometimes requires packaging of services with a status indicator other than N. In these instances, a specific packaging flag may be used to indicate the packaged status or the SI may be changed to N. For more information, refer to the R record layout (page [135](#)).

Discounting

When multiple significant procedures are performed, or when the same service is performed multiple times, a discount may be applied. Multiple procedures done during the same operative session that will be discounted unless certain modifiers are present, are specified by the T status indicator.

The full payment amount is paid for the surgical procedure with the highest weight, and 50% of the payment amount is paid for other surgical procedures performed during the same visit. A T procedure terminated prior to anesthesia (modifier 52 or 73) is reimbursed at a discounted rate. All line items with SI other than T are subject to terminated procedure discounting when modifier 52 or 73 is present. The terminated procedure discount is 50%.

If the status indicator of a code changes during claim processing, the newly assigned indicator is used to compute the discount formula.

NCCI

The IOCE generates NCCI edits for OPPS and Non OPPS Facilities. All applicable NCCI edits are incorporated into the IOCE. Modifiers and coding pairs in the IOCE may differ from those in the NCCI because of differences between facility and professional services.

Effective January 1, 2006, NCCI edits apply to ALL services billed under bill types 12x, 13x, 14x, 22x, 23x, 34x, 72x, 74x, 75x, 76x, and 85x by the following providers: Skilled Nursing Facilities (SNFs), ESRD facilities (ESRDs), Community Mental Health Clinics (CMHCs), Outpatient Physical Therapy and Speech-Language Pathology Providers (ORFs), CORFs, Home Health Agencies (HHAs), and Critical Access Hospitals (CAHs).

The NCCI edits are applied to services submitted on a single claim, and on lines with the same date of service. NCCI edits address unacceptable code combinations based on coding rules, standards of medical practice, two services being mutually exclusive, or a variety of other reasons. In some cases, the edit is set to pay the higher-priced service, in other cases the lesser-priced service.

In some instances, both codes in a NCCI code pair may be allowed if an appropriate modifier is used that describes the circumstances when both services may be allowed. The code pairs that may be allowed with a modifier are identified with a modifier indicator of "1"; code pairs that

are never allowed, whether or not a modifier is present, are identified with a modifier indicator of "0". Modifiers that are recognized/used to describe allowable circumstances are: 24, 25, 27, 57, 58, 59, 78, 79, and 91, E1-E4, F1-F9, FA, LC, LD, LM, LT, RI, RC, RT, T1-T9, TA, XE, XP, XS, and XU.

All institutional outpatient claims, regardless of facility type, process through the Integrated Outpatient Code Editor (IOCE); however, not all edits are performed for all sites of service or types of claim. Please see the Edits by Bill Type (OPPS=1) table, which contains IOCE edits that apply for each bill type under OPPS processing; please see the Edits by Bill Type (Non-OPPS=2) table, which contains OCE edits that apply to claims from hospitals not subject to OPPS.

Critical Access Hospitals (bill type 85x) submitting claims containing both facility services and professional services that are reported with revenue codes (096x, 097x, 098x), do not have NCCI editing applied across facility and professional services appearing on the same day; NCCI editing is applied for the professional services separately from facility services.

Add-on code editing

Effective April 1, 2018 (v19.1), claims with certain bill-types are subject to add-on code edits if the primary procedure for the add-on code is not on the same day or day before. Add-on codes describe procedures or services that are always provided "in addition to" other, related services or procedures. These add-on procedure codes cannot be reported stand alone as separately reportable services. One add-on code may have multiple primary procedures with which it can be reported. In addition, there may be circumstances where reporting multiple add-on procedure codes are necessary, and in this instance the primary procedure for both add-ons must be present on the claim. There are three different types of add-on codes defined by CMS for which the IOCE returns an edit(s) if the conditions to satisfy the edit(s) are not met.

1. Type I add-on codes have a defined list of primary procedure codes. If one or multiple Type I add-on codes are reported without their primary procedure edit 106 is returned on the add-on procedure line(s) and line item denied (LID).
2. Type II add-on codes do not have a defined list of primary procedures; individual contractors must define the list of primary procedure codes for Type II add-on codes. Type II add-on code editing in the IOCE is applied only to Critical Access Hospitals (bill type 85x) reporting professional services revenue codes (96x, 97x or 98x). Edit 107 is returned on all Type II add-on procedure line(s) for contractor review (LID).
3. Type III add-on codes have defined primary procedures but there may be additional contractor defined primary procedures. Type III add-on codes act the same as Type I in how the edit is applied, with edit 108 (LID).

Critical Access Hospitals (bill type 85x) submitting claims containing both facility services and professional services that are reported with revenue codes (096x, 097x, 098x), do not have add-on code editing applied across facility and professional services; add on code editing is applied for the professional services separately from facility services.

Fee schedule

Certain services currently paid for are not assigned to an APC, but continue to be paid according to a fee schedule. Services paid by fee schedule include, but are not limited to, ambulance, diagnostic clinical laboratory, and occupational therapy.

Status indicators

Medicare has assigned each HCPCS/CPT code a letter that signifies whether they will reimburse the service, how it will be reimbursed, and to whom the claim should be submitted, e.g., MAC (Medicare Administrative Contractor), Carrier, DMERC (durable medical equipment regional carrier), etc. This indicator also helps in determining whether policy rules, such as packaging and discounting, apply.

Modifiers

The significance of modifiers increases in coding under OPPS. Modifiers add clarification and specificity to procedures and are edited in the software. Failure to use them or use of an incorrect modifier may adversely affect the payment decision for some outpatient services.

Same day medical and procedure APC

Significant procedure visits and medical visits will not usually occur on the same day. However, if a medical visit identified by an E&M (status indicator V) code with modifier 25 occurs on the same date as a significant procedure, an additional payment will be made. Modifier 25 indicates that the medical visit was significant and separately identifiable from the procedure performed. When the E&M code does not have a modifier of 25, the claim will be returned to provider.

Contractor (MAC) actions impacting IOCE processing

The Medicare Administrative Contractor may on occasion require an override or bypass of IOCE grouping or editing results, to apply payment adjustment outside of the IOCE process or for reprocessing OPPS/ Non-OPPS adjusted claims. This may be accomplished by the following actions, which may only be applied by the MAC; these actions are not meant to be input by an end-user or provider.

- **Line Item Action Flag.** A value passed as input to the IOCE to override a line item denial or rejection or to allow the MAC to indicate the line item should be denied or rejected, even if no IOCE edits are present.

Note: If a line item action flag is present on any line item that also contains a contractor bypass, the line item action flag logic takes precedence and no contractor bypass is applied.

- Contractor Bypass. Values passed as input to bypass IOCE edits and any payment value which may need adjusted by the MAC for payment determination. The presence of an IOCE edit in the Contractor Bypass edit field allows the bypass to execute as defined by the contractor.

Note: A line level edit bypass for an OPPS claim requires all contractor bypass fields to be provided on input while a claim level edit bypass requires only the contractor bypass edit field to be populated. A NonOPPS claim with either a line level or claim level edit only require the edit to be populated in the contractor bypass edit field. Any line item with a contractor bypass applied returns a payment method flag of Z to indicate that the line(s) payment is set by the Contractor.

Chapter 2: Installing the software

The Integrated Outpatient Code Editor (IOCE) software is self-installable and is provided as a downloaded executable from a server or on one CD-ROM. You must have administrative privileges on your system in order to do the installation.

Minimum system requirements

| Component | Requirement |
|----------------------|--|
| CPU | Pentium with 1 MB cache |
| Operating system | Microsoft® Windows® 7 |
| RAM | 1 GB |
| Available disk space | 1 GB |
| Monitor | Super VGA color (1024 x 768 resolution) |
| Monitor Adapter | Super VGA supports 1024 x 768 resolution |
| Drive | CD-ROM |
| Mouse | Microsoft mouse or compatible (See chapter 10 for system requirements for accessibility features). |

Other supported platforms

The platforms listed below are supported for IOCE.

- Microsoft Windows 7
- Microsoft Windows 8.1
- Microsoft Windows 10

Pre-installation notes

The PC version of IOCE, formerly written in Microsoft Visual Basic®, was re-written using the Java™ language in the July 2010 release. If you currently have a version of IOCE software on your system that was released prior to July 2010, you must uninstall that version before you can proceed with the installation of IOCE version 20.3.

To accommodate added fields, the minimum screen resolution has changed from 800 x 600 to 1024 x 768. The recommended screen resolution is 1280 x 1024. Reset your screen resolution before proceeding with the installation, if necessary. For systems using Microsoft Windows 7, verify that your Display setting has been set to "Smaller - 100%."

Installation and update procedure

To install IOCE software, follow the steps in this section. The installation automatically checks for the appropriate operating system, screen resolution, and free disk space. If any requirement is not met, you will see messages stating the nature of the problem during the installation.

Starting with the October 2010 release, you will not see any upgrade message box. When you run the current install, it will replace all the install files in the default product directory. User created files will not be deleted.

[For instructions to uninstall IOCE \(page 26\)](#), see "[Uninstalling the software](#)" on page [26](#)

1. Close all unnecessary applications running on your computer.
2. Use one of the following options to launch the install program:

Option 1 - Installation from downloaded executable:

- ◆ Download the IOCE PC zip file to your desktop or a local drive.
- ◆ Unzip the file that was downloaded.
- ◆ Select the IOCE PC folder from the unzipped file.
- ◆ Double-click on IOCEInstaller.exe to start the software installation.

The installation process begins and you see the Introduction screen.

Option 2 - Installation from CD:

- ◆ Insert the product CD into the CD-ROM drive.

If the Auto-run feature is enabled on your system, it will start the software installation automatically, within a few seconds.

If the Auto-run feature is disabled on your system, it may instead open a window showing all the files and folders listed on the CD in your CD-ROM drive. In this case you will need to double-click on **IOCEInstaller.exe** to start the software installation. You may also manually start the software by following the steps below:

- ♦ From the Start menu, select Run.
- ♦ Type **Z:\IOCEInstaller.exe** (where Z = the CD-ROM drive).

The installation process begins and you see the Introduction screen.

Note: PCs with Windows 7 and Windows 10 may display an “unidentified publisher” warning when the install launches. Click Yes on this warning to continue with the install.

3. Click Next.

The License Agreement screen displays. You won't be able to complete the installation if you do not accept the License Agreement.

4. Select the option to accept the license agreement, then click Next.

A README file displays. This file includes a brief software release notice and describes the hardware requirements for the IOCE Software.

5. Click Next.

The Choose Install Folder screen displays for you to specify an installation destination directory. We recommend accepting the default: C:\Program Files\IOCE Software.

6. Click Next to accept the default location

— or —

Click Browse to select a different location.

The Pre-Installation Summary screen displays so you can review the installation details before proceeding.

7. Click Install.

The installation begins. The Install Complete screen displays after the installation finishes.

8. Click Done.

9. Close the Install window.

Note: Some PCs may display a Program Incompatibility Assistant screen to verify if the program installed correctly, you may close this screen.

Uninstalling the software

To uninstall the software, you have two options.

Option 1

1. From the Start menu, select Settings > Control Panel.

The Control Panel window displays.

2. Select Add/Remove Programs.

The Add/Remove dialog displays a list of programs installed on your PC.

3. Select Integrated Outpatient Code Editor.

4. Click Change/Remove.

A dialog confirms your choice to uninstall the software, and to completely remove the selected application and all of its components.

5. Click Uninstall.

— or —

Click Cancel to exit.

Assuming you have clicked Yes during the procedure, you will see an Uninstall Complete window.

6. Click Done.

The Control Panel window displays again.

7. Close the Control Panel window.

Option 2

1. Click Windows Explore and browse to C:\Program Files\IOCE Software.

2. Double-click on Uninstall.exe.

3. A dialog confirms your choice to uninstall the software, and to completely remove the selected application and all of its components.

4. Click Uninstall.

5. — or —

6. Click Cancel to exit.

7. Assuming you have clicked Yes during the procedure, you will see an Uninstall Complete window.

8. Click Done.

Chapter 3: OPPS data entry

This chapter describes how to interactively enter data into the Integrated Outpatient Code Editor (IOCE) software. See chapter 10 for instructions on using the data entry accessibility features of this software.

The chapter contains the following information for OPPS data processing: complete definitions for fields, explanations of menus and command buttons, and a list of error messages that can occur.

Note: IOCE software uses one graphical user interface for interactively processing claims from both OPPS and non-OPPS hospitals. Consequently, three new fields that were added specifically for non-OPPS data entry will be grayed-out on the OPPS data entry screen.

To access the interactive interface of IOCE software

1. On the Start menu, point to Programs, Integrated Outpatient Code Editor, and select Interactive.

The splash screen appears, followed by the Integrated Outpatient Code Editor Software window.

2. Enter claim data on the Integrated Outpatient Code Editor Software window.

Refer to the following data entry (input) window. The CPT copyright date is represented by xxxx in the figure; the actual date in your software will be current with the latest release of the product.

For help with data entry:

- Use the OPPS data entry fields table (page [29](#)) for data entry field information.
- Use the OPPS menu items table (page [33](#)) when entering diagnosis and/or procedure codes.
- If you get an error message, refer to the OPPS error messages table (page [35](#)).

OPPS data entry fields

OPPS fields on the input window are described in the following table. Refer to the Data elements table for Uniform Billing (UB) locator information for fields.

Note: Grayed-out names indicate fields that have a pre-set value or are not available for data entry.

Integrated Outpatient Code Editor Software

File Edit Help

Patient information

Patient name: Medical record number: From Date: Through Date: Opps/Non-Opps
Opps

Birth date: Age in years: Sex: Patient Status: Type of bill:

Condition Codes

Occurrence Codes:

Value Codes & Amounts:

Primary Pay Source: Patient account number: Comment:

Codes

Diagnosis Procedure Code: Add code Add RVDX Add PDX

Modifiers: Revenue code: Units of service: Clear

Charges: Service date: Action flag:

Contractor Bypass

Edits: APC: Service Indicator: Payment Indicator: Discounting Formula: Denial/Rejection Flag:

Packaging Flag: Payment Adjustment Flag: Payment Method Flag: Action Flag: Composite Adjustment Flag:

Diagnoses: Procedures:

| Code | Mod 1 | Mod 2 | Mod 3 | Mod 4 | Mod 5 | Rev Code | Units | Charges | Service Date | Action Flag | C |
|------|-------|-------|-------|-------|-------|----------|-------|---------|--------------|-------------|---|
| RVDX | | | | | | | | | | | |
| RVDX | | | | | | | | | | | |
| RVDX | | | | | | | | | | | |
| PDX | | | | | | | | | | | |
| 5 | | | | | | | | | | | |
| 6 | | | | | | | | | | | |
| 7 | | | | | | | | | | | |
| 8 | | | | | | | | | | | |
| 9 | | | | | | | | | | | |

Report

CPT codes copyright 2018 by the American Medical Association. All Rights Reserved.

Figure 2: OPPS input window

Table 3. OPPS Data entry fields

| Field name | Length | Description |
|------------------------------|---------------|---|
| Patient name | 31 | Name of the patient. |
| Medical record number | 17 | Patient's medical record number. |
| Date of service: From | 10 | Required. Beginning date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . Used for code validation. The date cannot precede the first day of the earliest version included in the current release and determines the version of codes and descriptions used for processing. |
| Date of service: Through | 10 | Required. Through date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . The date cannot precede the first day of the earliest version included in the current release. |
| OPPS flag | 1 | OPPS/non-OPPS flag. Default value = 1. 1 = OPPS 2 = Non-OPPS |
| Birth date | 10 | Patient's birth date in MM/DD/YY or MM/DD/YYYY format ^a . Used for age calculation. |
| Age in years | 3 | Patient's age in years. Valid values: 0 - 124. Calculated age (From date minus Birth date) takes precedence over entered age. |
| Sex | 1 | Patient's sex. Select a value from the drop-down list of acceptable values. |
| Patient status | 2 | Patient status code |
| Type of bill | 3 | Code indicating the specific type of bill: inpatient, outpatient, adjustments, voids, etc. |
| NPI Medicare provider number | 13 | National provider identifier Medicare provider number. |
| OSCAR Medicare provider | 6 | OSCAR Medicare provider number. |
| Condition codes | 2 | Code(s) used to identify conditions relating to the bill that may affect payer processing. Maximum of 30 condition codes. Lower case letters are automatically converted to upper case by the program. |
| Occurrence codes | 2 | Occurrence code. Maximum of 30 occurrence codes. |
| Value codes and amounts | 11 | Value code and value code amount. Maximum of 36 codes. |

| Field name | Length | Description |
|-------------------------------|--------|--|
| Primary pay source | | <p>Enter the primary pay source using one of the numbers listed below. The English description displays automatically.</p> <p>01 = Medicare 02 = Medicaid 03 = Title V 04 = Other govt 05 = Work 06 = Blue Cross 07 = Insur co 08 = Self pay 09 = Other 10 = No charge</p> |
| Patient account number | | Number of the group insurance policy or other unique patient identifier by which the patient is billed for medical care. The entry can be a combination of letters and numbers. |
| Comment | | Available for entry of additional information as specified by the user. The entry can be a combination of letters and numbers. |
| Codes: Diagnosis/Procedure | | <p>Click the Diagnosis radio button to enter a diagnosis code. Click the Procedure radio button to enter a procedure code.</p> |
| Code | 8 | <p>Enter the diagnosis or procedure code without decimal points. Lower case letters are converted to upper case by the program. The English description for the code appears in the text box to the right of this field.</p> <p>Diagnosis codes. PDX is required. Valid entries for diagnoses are 8-character ICD-10-CM or ICD-9-CM codes, to a maximum of 28 diagnoses. The first three listed diagnoses are assumed to be the patient's reasons for visit diagnosis (RVDX) and may be left blank. The fourth listed diagnosis is assumed to be the principal diagnosis and cannot be blank. Additional diagnoses are secondary and must be in contiguous locations. The first blank non-RVDX diagnosis signifies the end of the list.</p> <p>Procedure codes. Valid entries for procedures are 5-character CPT/HCPCS codes to a maximum of 99 procedures.</p> <p>Important: After entering a code, be sure to click the Add code, Add RVDX or Add PDX button to add the code to the record.</p> |

| Field name | Length | Description |
|-------------------------|--------|---|
| Modifiers | 2 | Enter a maximum of five modifiers. Each modifier must be two characters long. Lower case letters are automatically converted to upper case by the program. This field is only enabled when you are entering a procedure. |
| Revenue code | 4 | Required for line items. Code that identifies a specific accommodation, ancillary service, or billing calculation (UB-04 form locator 42). One revenue code is required for each line item. This field is only enabled when you are entering a procedure. |
| Units of service | 9 | A quantitative measure of services rendered to or for the patient, by procedure code (UB-04 form locator 46). Valid values: 0-999999999 This field is only enabled when you are entering a procedure. |
| Charges | 10 | Charges related to the revenue or procedure codes for the current billing period as entered in the Statement Covers period (UB-04 form locator 47). Valid values: 0-99999999.99. This field is only enabled when you are entering a procedure. |
| Service date | 10 | Date that the procedure was performed in MM/DD/YY or MM/DD/YYYY format ^a . This field is only enabled when you are entering a procedure. |
| Line item action flag | | Indicates to a payment program that a line item rejection or denial should be ignored or added. Select a value (0 - 4) from the drop-down list of values: 0 - Line item denial or rejection is not ignored. 1 - Line item denial or rejection is ignored (except when edit 30 is present). 2 - External line item denial. Line item is denied even if no IOCE edits are present. 3 - External line item rejection. Line item is rejected even if no IOCE edits are present. 4 - External line item adjustment. Technical charge rules apply. This field is only enabled when you are entering a procedure. |
| Contractor bypass edits | 12 | 4, 3-byte alpha-numeric characters allowed per single line item; right-justified, zero-filled, default: 000 |
| Contractor bypass APC | 5 | Numeric; right-justified, zero-filled, default: 00000 |

| Field name | Length | Description |
|--|--------|--|
| Contractor bypass status indicator | 2 | Alphanumeric; right-justified, zero-filled, default: 00 Note: If the SI value is one character, it must be reported with a leading blank value instead of 0 (example, " bA" "A") |
| Contractor bypass payment indicator | 2 | Numeric; right-justified, zero-filled, default: 00 |
| Contractor bypass discounting formula | 1 | Numeric; zero-filled, default: 0 |
| Contractor bypass line item denial or rejection flag | 1 | Numeric; zero-filled, default: 0 |
| Contractor bypass packaging flag | 1 | Numeric; zero-filled, default: 0 |
| Contractor bypass payment adjustment flag | 2 | Numeric; right-justified, zero-filled, default: 00 |
| Contractor bypass payment method flag | 1 | Alphanumeric; zero-filled, default: 0 |
| Diagnoses | | A display-only list of the diagnoses entered for the current patient record. You can delete a diagnosis from this list by selecting it and then clicking Delete row on the Edit menu. |
| Procedures | | A display-only list of the procedures (and related information) entered for the current patient record. You can delete a procedure from this list by selecting it and then clicking Delete row on the Edit menu. |

a. Dates can be entered with or without a separator (/).

OPPS Menu items

Menu items available from the input window are described in the following table.

Table 4. Menu items

| Menu | Item | Function |
|------|------------|--|
| File | New | Displays a new window, cleared of all previously entered information. |
| File | Load File | Provides a simple mechanism for the user to choose a file that will then allow the user to load a single test claim in mainframe format that auto- populates the user interface. |
| File | Exit | Exits the program. |
| Edit | Cut | Removes the selected text and copies it to the clipboard. |
| Edit | Copy | Copies the selected text to the clipboard. |
| Edit | Paste | Inserts the clipboard's contents at the insertion point. |
| Edit | Delete row | Deletes the diagnosis or procedure (and all information in the row) that was selected. |
| Help | About | Displays the About box. |

Tip

"Hot keys" in menus are displayed after you press the Alt key.

OPPS command buttons

Command buttons on the input window are described in the following table.

Table 5. Command buttons

| Button | Function |
|----------|--|
| Add code | Adds the currently displayed diagnosis or procedure code to the patient's record. The code will appear in the Diagnoses or Procedures list at the bottom of the window, as appropriate. |
| Add RVDX | Adds the currently displayed diagnosis code to the RVDX field in the Diagnoses list at the bottom of the window. |
| Add PDX | Adds the currently displayed diagnosis code to the PDX field in the Diagnoses list at the bottom of the window. |
| Clear | Clears the Code field and the code description that appears next to it. For procedures, associated Modifiers, Revenue code, Units of service, Charges, Service date, and Line item action flag are also cleared. |
| Report | Displays a pre-formatted output report that can be printed or saved. Chapter 4 (page 36) contains more output report information. |

OPPS error messages

To help ensure the entry of accurate information, the program automatically performs data entry checks, such as for a month entered as 14, or an age entered as -2. When an error is detected, an error message appears in a message box. Click OK to close the message box.

The following table describes the error messages that can occur during data entry.

Table 6. OPPS error messages

| Message | Occurs when ... |
|--|---|
| Birth date cannot be after From date. | Birth date is after the From date. |
| Invalid date. Valid formats are mm/dd/yyyy or mm/dd/yy or mmdyyy or mmdyy. | The value entered for the month, day or year is outside the valid range for mm, dd or yyyy, or the format is incorrect. Note: This error message applies to the "Birth date", "From date", or "Through date" fields. |
| Charges are invalid. Charges must be between 0 and 99999999.99. | Entry for Charges is outside the field's valid entry range. |
| From date cannot be after Through date. | From date is after the Through date. |
| From date cannot be after today's date. | Date entry is after the system (today's) date. |
| From date cannot precede Birth date. | From date precedes the Birth date. |
| Invalid age. Age in years must be between 0 and 124. | Entered age or calculated age exceeds 124 years. |
| Partial hospitalization condition code 41 not approved for type of bill. | Bill type is 12x or 14x with a condition code of 41. |
| Revenue code is a required field. Please enter a revenue code. | User attempts to add a procedure to the patient record without first entering a revenue code. |
| Service date is a required field. Please enter a service date. | User attempts to add a procedure to the patient record without first entering a service date. |
| Service date must be within the range of the From and Through dates. | Service date is not within the range of the From and Through dates. |
| The maximum number of diagnosis codes is 28. | User attempts to add a 29th diagnosis code. |
| The maximum number of procedure codes is 99. | User attempts to add a 100th procedure code. |
| Through date cannot be after today's date. | Through date is after the system (today's) date. |
| Through date cannot precede Birth date. | Through date is prior to the Birth date. |
| Through date cannot precede From date. | Through date is prior to the From date. |

Chapter 4: OPPS data output

This chapter describes the Integrated Outpatient Code Editor (IOCE) program output, including output report fields, edit information, status indicators, and payment indicators. See chapter 10 for instructions on using the data output accessibility features of this software.

Viewing an output report

To view the output report for a claim

1. Complete your data entry using the input window.
2. At the bottom of the input window click Report.

The output report is displayed.

The current version of software installed on your system is noted as a two-digit number in the report heading. In the body of the report, a three-digit number specifies the version of software that was used to process the claim based on the date of service; the third digit represents revisions created since the original release and does not affect your use of the product.

The format of a sample output report is shown below. In actual use, the fields will contain real data. Descriptions of output report fields follow the figure.

Integrated Outpatient Code Editor Software v20.3

Patient Name:
 Medical Record Number:
 Dates of Service: From: 01/01/2018 Through: 01/01/2018
 Birth Date: Age in years: 65 Sex: 1 Male
 Patient Status: Type of Bill: 131
 NPI: OSCAR:
 Condition Codes:
 Payer Condition Codes:
 Occurrence Codes:
 Value codes (Input):
 Value codes (Output):
 OCE Version Used: 20.3.0 OPPS Flag: 1

Reason For Visit Diagnosis

Principal Diagnosis

I110 : Hypertensive heart disease with heart failure

Procedures

G0463 Hospital outpt clinic visit
 Modifiers : Revenue Code : 521
 Units of Service : 1 Charges : 0.00 Date : 01/01/2018
 Status Indicator : V Pay Indicator : 1
 HCPCS APC : 05012 Payment APC : 05012
 Discount Formula : 1 Payment Adj Flag : 0 Comp Adj Flag : 00
 Line Item Action Flag : Packaging Flag : 0 Payment Method Flag : 0
 Line Item Denial or Rej Flag : 0 HCPCS Modifier :

Claim Level Edits

No Claim Level Edits Reported.

Overall Claim Disposition

No edits present on claim.

Output report fields

Fields on the output report are described in the following table.

Table 7. Output report fields

| Name | Description |
|---|---|
| Patient name Medical record number Dates of service: From and Through Birth date Age in years Sex Patient status Type of bill OPPS flag Condition codes Payer condition codes NPI provider number OSCAR provider number Occurrence codes Value code and amount Payer value code Payer value code amount ICD Code Type Diagnoses Procedures Modifiers Revenue code Units of service Line item charges (Charge) Service date (Date) Line item action flag | Data that was entered on input window. See the Data entry table for descriptions of these fields. |

| Name | Description |
|------------------|--|
| Status indicator | <p>Medicare has assigned each HCPCS/CPT code a letter that signifies whether Medicare will reimburse the service and how it will be reimbursed. The indicator also helps in determining whether policy rules, such as packaging and discounting, apply. Values are:</p> <p>A - Services not paid under OPPS; paid under fee schedule or other payment system</p> <p>B - Non-allowed item or service for OPPS</p> <p>C - Inpatient procedure</p> <p>E - Non-allowed item or service (discontinued 01/01/2017)</p> <p>E1 - Non-allowed item or service</p> <p>E2 - Items and services for which pricing information and claims data are not available</p> <p>F - Corneal tissue acquisition; certain CRNA services and hepatitis B vaccines</p> <p>G - Drug/Biological pass-through</p> <p>H - Pass-through device categories</p> <p>J - New drug or new biological pass-through (discontinued 04/01/2002 and replaced by status indicator G for all drugs/biologicals)</p> <p>J1 - Outpatient department services paid through a comprehensive APC</p> <p>J2 - Hospital Part B services that may be paid through a comprehensive APC</p> <p>K - Non pass-through drugs and non-implantable biologicals, including therapeutic radiopharmaceuticals</p> <p>L - Flu/PPV vaccines</p> <p>M - Service not billable to the FI/MAC</p> <p>N - Items and Services packaged into APC rates</p> <p>P - Partial hospitalization service</p> <p>Q - Packaged services subject to separate payment based on payment criteria (discontinued 01/01/2009 and replaced by status indicators Q1, Q2, Q3, Q4)</p> <p>Q1 - STVX-packaged codes</p> <p>Q2 - T-packaged codes</p> <p>Q3 - Codes that may be paid through a composite APC</p> <p>Q4 - Conditionally packaged laboratory services</p> <p>R - Blood and blood products</p> <p>S - Significant procedure not subject to multiple procedure discounting</p> |

| Name | Description |
|-------------------|--|
| | <p>T - Significant procedure subject to multiple procedure discounting</p> <p>U - Brachytherapy sources</p> <p>V - Clinic or emergency department visit</p> <p>W - Invalid HCPCS or Invalid revenue code with blank HCPCS</p> <p>X - Ancillary service</p> <p>Y - Non-implantable DME</p> <p>Z - Valid revenue code with blank HCPCS and no other SI assigned</p> |
| Payment indicator | <p>Payment indicator. Values are:</p> <p>1 - Paid standard hospital OPPS amount (status indicators J1, J2, R, S, T, U, V, X)</p> <p>2 - Services not paid by OPPS Pricer; paid under fee schedule or other payment system (status indicators A, G, K)</p> <p>3 - Not paid (status indicators E, M, Q, Q1, Q2, Q3, Q4, W, Y), or not paid under OPPS (status indicators B, C, Z)</p> <p>4 - Paid at reasonable cost (status indicator F, L)</p> <p>5 - Paid standard amount for pass-through drug or biological (status indicator G) (discontinued 10/01/2016)</p> <p>6 - Payment based on charge adjusted to cost (status indicator H)</p> <p>7 - Additional payment for new drug or new biological (status indicator J; services prior to 04/01/2002 only)</p> <p>8 - Paid partial hospitalization per diem (status indicator P)</p> <p>9 - No additional payment; payment included in line items with APCs (status indicator N; or no HCPCS code and certain revenue codes; or HCPCS codes G0176 - activity therapy, G0129 - occupational therapy, or G0177 - patient education and training services)</p> <p>10 - Paid FQHC encounter payment</p> <p>11 - Not paid or not included under FQHC encounter payment</p> <p>12 - No additional payment, included in payment for FQHC encounter</p> <p>13 - Paid FQHC encounter payment for New patient or IPPE/AWV</p> <p>14 - Grandfathered tribal FQHC encounter payment</p> |
| HCPCS APC | APC assigned to the procedure code. See appendix C (page 573) for a list of APCs with their status indicators and descriptions. |
| Payment APC | APC assigned for payment. Except when specified otherwise (e.g., partial hospitalization, mental health, observation logic, codes with SI of 'Q', etc.), the payment APC and the HCPCS APC are the same. See appendix C (page 573) for a list of APCs with their status indicators and descriptions. |

| Name | Description |
|-------------------------|---|
| Payment adjustment flag | <p>0 - No payment adjustment</p> <p>1 - Paid standard amount for pass-through drug or biological (status indicator G) (v3.0-v16.2 only)</p> <p>2 - Payment based on charge adjusted to cost (status indicator H) (v1.0-v10.3 only)</p> <p>3 - Additional payment for new drug or new biological applies to APC (status indicator J) (v1.0-v2.3 only)</p> <p>4 - Deductible not applicable (specific list of HCPCS codes) or condition code "MA" is present on the claim</p> <p>5 - Blood/blood product used in blood deductible calculation</p> <p>6 - Blood processing/storage not subject to blood deductible</p> <p>7 - Item provided without cost to provider (deactivated 01/01/2014, v.15.0)</p> <p>8 - Item provided with partial credit to provider (deactivated 01/01/2014, v.15.0)</p> <p>9 - Deductible/co-insurance not applicable</p> <p>10 - Co-insurance not applicable</p> <p>11 - Multiple service units reduced to one by IOCE processing; payment based on single payment rate</p> <p>12 - Offset for device pass-through</p> <p>13 - Offset for additional device pass-through</p> <p>14 - PAMA Section 218 reduction on CT scan</p> <p>15 - Reserved for future use</p> <p>16 - Terminated procedure with pass-through device</p> <p>17 - Condition for device credit present</p> <p>18 - Offset for first pass-through drug or biological</p> <p>19 - Offset for second pass-through drug or biological</p> <p>20 - Offset for third pass-through drug or biological</p> <p>21 - CAA Section 502(b) reduction on film X-ray</p> <p>22 - CAA Section 502(b) reduction on computed radiography technology</p> <p>23 - Co-insurance deductible n/a, as well as subject to a reduction due to film x-ray (CAA Section 502b)</p> <p>24 - Co-insurance deductible n/a, as well as subject to a reduction due to computed radiography technology (CAA Section 502b)</p> <p>91-99 - Each composite APC present, same value for prime and non-prime codes (v9.0 - v9.3 only)</p> |

| Name | Description |
|------------------------------------|---|
| Payment method flag | 0 - OPPS pricer determines payment for service 1 - Service not paid based on coverage or billing rules 2 - Service is not subject to OPPS 3 - Service is not subject to OPPS and has an OCE line item denial or rejection 4 - Line item is denied or rejected by MAC; OCE not applied to line item 5 - Payment for service determined under FQHC PPS 6 - CMHC outlier limitation reached 7 - Section 603 service with no reduction in OPPS Pricer 8 - Section 603 service with PFS reduction applied in OPPS Pricer A - Payment reduction for off-campus clinic visit Z - Contractor bypass determines payment for services |
| Line Item Denial or Rejection Flag | 0 - Line item not denied or rejected 1 - Line item denied or rejected (procedure edit return buffer for line item contains a 9, 13, 18, 20, 28, 30, 40, 45, 47, 49, 53, 64, 65, 67, 68, 69, 76, 83, 91, 93, 103-108, 110-111) 2 - The line is not denied or rejected, but occurs on a day that has been denied or rejected (not used as of 4/1/2002 - v3.0) 3 - Line item not denied or rejected; identified for informational alert only |
| HCPCS Modifier | Reserved for future use |
| Edit | Edit number, description, and disposition generated by the diagnosis or procedure. The edit dispositions are abbreviated as follows: RTP - Return to provider LIR - Line item rejection LID - Line item denial CD - Claim denial S - Claim suspension For more information on individual edits,. |
| Claim level edits | Edits that affect the entire claim, rather than an individual diagnosis or procedure. |

| Name | Description |
|-------------------------------------|---|
| Overall claim disposition statement | <p>Because it is possible for a claim to have one or more edits in all dispositions, the program assigns an overall disposition to the claim. Values are:</p> <p>0 - No edits are present on the claim.</p> <p>1 - The only edits present are for line item denial or rejection.</p> <p>2 - Claim is for multiple days with one or more days denied or rejected.</p> <p>3 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only post-payment edits.</p> <p>4 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only pre-payment edits.</p> <p>5 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with both post- and pre-payment edits.</p> |

Menu items from the output report window

Menu items available from the output report window are described in the following table.

Table 8. Menu items

| Menu | Item | Function |
|------|------------|--|
| File | Print | Prints the output report. |
| File | Save As... | Opens the Save As dialog box to save the currently displayed output report as a text file. |
| File | Exit | Closes the output report window. |
| Edit | Copy | Copies the selected text and moves it to the clipboard. |
| Edit | Select All | Selects the entire output report. |

Tip

"Hot keys" in menus are displayed after you press the Alt key.

Dispositions

Each edit is associated with a disposition. For example, there can be a rejection of the line item itself or a rejection of the entire claim. In addition to edit dispositions, the program assigns an overall disposition to the claim. Edit and claim dispositions are discussed in the following sections.

Edit disposition

A disposition is assigned based on the presence of any edits on a line. The meaning of each edit disposition is described in the following table. It is possible for a claim to have one or more edits in all dispositions.

Table 9. Edit disposition definitions

| Disposition | Definition |
|--------------------------------|--|
| Claim rejection | The provider can correct and resubmit the claim but cannot appeal the rejection. |
| Claim denial | The provider cannot resubmit the claim but can appeal the denial. |
| Claim return to provider (RTP) | The provider can resubmit the claim once the problems are corrected. |
| Claim suspension | The claim is not returned to the provider, but it is not processed for payment until the fiscal intermediary/Medicare Administrative Contractor (FI/MAC) makes a determination or obtains further information. |
| Line item rejection | The claim can be processed for payment with some line items rejected for payment (i.e., the line item can be corrected and resubmitted but cannot be appealed). |
| Line item denial | There are one or more edits that cause one or more individual line items to be denied. The claim can be processed for payment with some line items denied for payment (i.e., the line item cannot be resubmitted but can be appealed). |

Refer to the Edit disposition summary table for a complete list of program edits and edit dispositions.

Claim disposition

Since a claim can have several edit dispositions assigned to line items, the claim is assigned an overall disposition. Claim dispositions are shown in the "Overall claim disposition statement" section of the Output report fields table (page [38](#)).

Edit disposition summary

The following table lists each edit in the program with its disposition. The meaning of each disposition is provided in the Edit disposition definitions table (page [110](#)). Chapter 5 (page [51](#)) contains information on what conditions will generate an edit, as well as relevant important comments for specific edits.

Table 10. Edit disposition summary

| Edit | Edit disposition |
|--|----------------------------|
| 1. Invalid diagnosis code | Claim returned to provider |
| 2. Diagnosis and age conflict | Claim returned to provider |
| 3. Diagnosis and sex conflict | Claim returned to provider |
| 4. Medicare secondary payer alert (v1.0 and v1.1 only) ^a | Claim suspension |
| 5. E-diagnosis code can not be used as principal diagnosis | Claim returned to provider |
| 6. Invalid procedure code | Claim returned to provider |
| 7. Procedure and age conflict (inactive) | |
| 8. Procedure and sex conflict | Claim returned to provider |
| 9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion | Line item denial |
| 10. Service submitted for denial (condition code 21) | Claim denial |
| 11. Service submitted for FI/MAC review (condition code 20) | Claim suspension |
| 12. Questionable covered service | Claim suspension |
| 13. Separate payment for services is not provided by Medicare (v1.0–v6.3 and v.18.0- for codes with SI = E2) | Line item rejection |
| 14. Code indicates a site of service not included in OPPS (v1.0–v6.3 only) ^a | Claim returned to provider |
| 15. Service unit out of range for procedure | Claim returned to provider |
| 16. Multiple bilateral procedures without modifier 50 (v1.0–v6.2 only) ^a | Claim returned to provider |

| Edit | Edit disposition |
|--|----------------------------|
| 17. Inappropriate specification of bilateral procedure | Claim returned to provider |
| 18. Inpatient procedure | Line item denial |
| 19. Mutually exclusive procedure that is not allowed by NCCI even if appropriate modifier is present (<i>deleted, combined with edit 20 retroactive to earliest included version</i>) ^a | Line item rejection |
| 20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present | Line item rejection |
| 21. Medical visit on same day as a type T or S procedure without modifier 25 | Claim returned to provider |
| 22. Invalid modifier | Claim returned to provider |
| 23. Invalid date | Claim returned to provider |
| 24. Date out of OCE range | Claim suspension |
| 25. Invalid age | Claim returned to provider |
| 26. Invalid sex | Claim returned to provider |
| 27. Only incidental services reported | Claim rejection |
| 28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available | Line item rejection |
| 29. Partial hospitalization service for non-mental health diagnosis | Claim returned to provider |
| 30. Insufficient services on day of partial hospitalization | Line item denial |
| 31. Partial hospitalization on same day as ECT or type T procedure (v1.0–v6.3 only) ^a | Claim suspension |
| 32. Partial hospitalization claim spans 3 or less days with insufficient services on at least one of the days (v1.0 - v9.3) ^a | Claim suspension |
| 33. Partial hospitalization claim spans more than 3 days with insufficient number of days having mental health services (v1.0 - v9.3) ^a | Claim suspension |
| 34. Partial hospitalization claim spans more than 3 days with insufficient number of days meeting partial hospitalization criteria (v1.0 - v9.3) ^a | Claim suspension |
| 35. Only Mental Health education and training services provided | Claim returned to provider |
| 36. Extensive mental health services provided on day of ECT or type T procedure (v1.0–v6.3 only) ^a | Claim suspension |
| 37. Terminated bilateral procedure or terminated procedure with units greater than one | Claim returned to provider |

| Edit | Edit disposition |
|---|----------------------------|
| 38. Inconsistency between implanted device or administered substance and implantation or associated procedure | Claim returned to provider |
| 39. Mutually exclusive procedure that would be allowed by NCCI if appropriate modifier were present (<i>deleted, combined with edit 40 retroactive to earliest included version</i>) ^a | Line item rejection |
| 40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present | Line item rejection |
| 41. Invalid revenue code | Claim returned to provider |
| 42. Multiple medical visits on same day with same revenue code without condition code G0 | Claim returned to provider |
| 43. Transfusion or blood product exchange without specification of blood product | Claim returned to provider |
| 44. Observation revenue code on line item with non-observation HCPCS code | Claim returned to provider |
| 45. Inpatient separate procedures not paid | Line item rejection |
| 46. Partial hospitalization condition code 41 not approved for type of bill | Claim returned to provider |
| 47. Service is not separately payable | Line item rejection |
| 48. Revenue center requires HCPCS | Claim returned to provider |
| 49. Service on same day as inpatient procedure | Line item denial |
| 50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion | Claim returned to provider |
| 51. Multiple observations overlap in time (inactive) | |
| 52. Observation does not meet minimum hours, qualifying diagnoses, and/or 'T' procedure conditions (v3.0–v6.3 only) ^a | Claim returned to provider |
| 53. Codes G0378 and G0379 only allowed with bill type 13x or 85x | Line item rejection |
| 54. Multiple codes for the same service | Claim returned to provider |
| 55. Non-reportable for site of service | Claim returned to provider |
| 56. E/M condition not met and line item date for obs code G0244 is not 12/31 or 1/1 (v4.0–v6.3 only) ^a | Claim returned to provider |
| 57. Composite E/M condition not met for observation and line item date for code G0378 is 1/1 | Claim suspension |
| 58. G0379 only allowed with G0378 | Claim returned to provider |

| Edit | Edit disposition |
|---|----------------------------|
| 59. Clinical trial requires diagnosis code V707 as other than primary diagnosis (<i>deleted, retroactive to the earliest included version</i>) ^a | Claim returned to provider |
| 60. Use of modifier CA with more than one procedure not allowed | Claim returned to provider |
| 61. Service can only be billed to the DMERC | Claim returned to provider |
| 62. Code not recognized by OPPS; alternate code for same service may be available | Claim returned to provider |
| 63. This OT code only billed on partial hospitalization claims (v1.0 - v13.3) | Claim returned to provider |
| 64. AT service not payable outside the partial hospitalization program (v1.0 - v13.3) | Line item rejection |
| 65. Revenue code not recognized by Medicare | Line item rejection |
| 66. Code requires manual pricing | Claim suspension |
| 67. Service provided prior to FDA approval | Line item denial |
| 68. Service provided prior to date of National Coverage Determination (NCD) approval | Line item denial |
| 69. Service provided outside approval period | Line item denial |
| 70. CA modifier requires patient discharge status indicating expired or transferred | Claim returned to provider |
| 71. Claim lacks required device code (v6.1–v15.3 only) | Claim returned to provider |
| 72. Service not billable to the Fiscal Intermediary/Medicare Administrative Contractor | Claim returned to provider |
| 73. Incorrect billing of blood and blood products | Claim returned to provider |
| 74. Units greater than one for bilateral procedure billed with modifier 50 | Claim returned to provider |
| 75. Incorrect billing of modifier FB or FC (v.8.0–v15.3 only) | Claim returned to provider |
| 76. Trauma response critical care code without revenue code 068x and CPT 99291 | Line item rejection |
| 77. Claim lacks allowed procedure code (v6.1–v15.3 only) | Claim returned to provider |
| 78. Claim lacks required radiolabeled product (v9.0–v14.3) | Claim returned to provider |
| 79. Incorrect billing of revenue code with HCPCS code | Claim returned to provider |
| 80. Mental health code not approved for partial hospitalization program | Claim returned to provider |

| Edit | Edit disposition |
|--|--|
| 81. Mental health service not payable outside the partial hospitalization program | Claim returned to provider |
| 82. Charge exceeds token charge (\$1.01) | Claim returned to provider |
| 83. Service provided on or after effective date of NCD non-coverage | Line item denial |
| 84. Claim lacks required primary code | Claim returned to provider |
| 85. Claim lacks required device code or required procedure code (v.13.0–v.14.3) | Claim returned to provider |
| 86. Manifestation code not allowed as principal diagnosis | Claim returned to provider |
| 87. Skin substitute application procedure without appropriate skin substitute product code | Claim returned to provider |
| 88. FQHC payment code not reported for FQHC claim | Claim returned to provider |
| 89. FQHC claim lacks required qualifying visit code | Claim returned to provider |
| 90. Incorrect revenue code reported for FQHC payment code | Claim returned to provider |
| 91. Item or service not covered under FQHC PPS | Line item rejection |
| 92. Device-dependent procedure reported without device code | Claim returned to provider |
| 93. Corneal tissue processing reported without cornea transplant procedure | Line item rejection |
| 94. Biosimilar HCPCS reported without biosimilar modifier (v17.0–v19.0 only) | Claim returned to provider |
| 95. Weekly partial hospitalization services require a minimum of 20 hours of service as evidenced in PHP plan of care (v17.2 only-RTP, v18.3-present, LIR) | Line item rejection (informational only, no impact to payment) |
| 96. Partial hospitalization interim claim From and Through dates must span more than 4 days | Claim returned to provider |
| 97. Partial hospitalization services are required to be billed weekly | Claim returned to provider |
| 98. Claim with pass-through device, drug or biological lacks required procedure | Claim returned to provider |
| 100. Claim for HSCT allogeneic transplantation lacks required revenue code line for donor acquisition services | Claim returned to provider |
| 101. Item or service with modifier PN not allowed under PFS | Claim returned to provider |
| 102. Modifier pairing not allowed on the same line | Claim returned to provider |

| Edit | Edit disposition |
|--|----------------------------|
| 103. Modifier reported prior to FDA approval date (v19.0 only) | Line item denial |
| 104. Service not eligible for all-inclusive rate | Line item rejection |
| 105. Claim reported with pass-through device prior to FDA approval for procedure | Line item denial |
| 106. Add-on code reported without required primary procedure code | Line item denial |
| 108. Add-on code reported without required primary procedure or without required contractor-defined primary procedure code | Line item denial |
| 109. Code first diagnosis present without mental health diagnosis as the first secondary diagnosis | Claim returned to provider |
| 110. Service provided prior to initial marketing date | Line item rejection |
| 111. Service cost is duplicative; included in cost of associated biological | Line item rejection |

a. Edits are active only on claims that are more than 7 years old that are processed with previously archived software.

Chapter 5: OPPS program edits

This chapter contains information on the condition(s) which, when present, will generate an edit in the Integrated Outpatient Code Editor (IOCE) program.

At the end of this chapter is a section that contains additional information about certain cases where the logic in arriving at an edit or APC is not particularly obvious (see "[Special logic information](#)" on page [64](#)).

The following table summarizes when edits are generated and also includes other relevant information. Edit dispositions and overall claim disposition information are located in chapter 4 (page [36](#)).

Table 11. Edit summary

| Edit | Generated when ... |
|---|---|
| 1. Invalid diagnosis code | The principal diagnosis field (fourth dx position) is blank, there are no diagnoses entered on the claim, or the entered diagnosis code is not valid for the selected version of the program. |
| 2. Diagnosis and age conflict | The diagnosis code includes an age range, and the age is outside that range. |
| 3. Diagnosis and sex conflict | The diagnosis code includes sex designation, and the sex does not match. This edit is bypassed if condition code 45 is present on the claim. |
| 4. Medicare secondary payer alert ^a | The procedure code has a MSP alert warning indicator. This edit applies to v1.0 and v1.1 only, and is not applicable for reason for visit diagnosis. |
| 5. External cause of morbidity code cannot be used as principal diagnosis | The principal diagnosis code is in the range V00-Y99. (For claims containing ICD-9-CM diagnosis codes, the first letter of the principal diagnosis code is an E.) |
| 6. Invalid procedure code | The entered HCPCS code is not valid for the selected version of the program. |
| 7. Procedure and age conflict (inactive) | N/A |
| 8. Procedure and sex conflict | The sex of the patient does not match the sex designated for the procedure coded on the record. This edit is bypassed if condition code 45 is present on the claim. |

| Edit | Generated when ... |
|--|--|
| 9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion | The procedure code has a Non-covered for reasons other than statute service flag or Revenue code is 099x with SI of E and is submitted without a HCPCS code. This edit is bypassed when code G0428 is present with SI of E. |
| 10. Service submitted for denial (condition code 21) | The claim has a condition code 21. |
| 11. Service submitted for MAC review (condition code 20) | The claim has a condition code 20. |
| 12. Questionable covered service | The procedure code has a Questionable covered service flag. |
| 13. Separate payment for services is not provided by Medicare ^a | The claim is OPPS and the bill type is 12/14x without condition code 41 or the bill type is 13x, and the HCPCS code is on the 'Separate payment for service not provided by Medicare' list or The claim is non-OPPS and the bill type is any other than those defined for OPPS claims (above), the HCPCS code is on the 'Separate payment for service not provided by Medicare' list, and the status indicator is not B. This edit applies to v1.0–v6.3 and v.18.0- for codes with SI = E2. |
| 14. Code indicates a site of service not included in OPPS ^a | The procedure code has a Not included in OPPS indicator. This edit applies to v1.0–v6.3 only. |

| Edit | Generated when ... |
|--|---|
| 15. Service unit out of range for procedure (inactive) | <p>The maximum units allowed is greater than zero and</p> <p>The sum of the service units for all line items with the same procedure code on the same day exceeds the maximum allowed for this procedure and</p> <p>Modifier 91 is not present or modifier 91 is present but the HCPCS code is not on the list of laboratory/pathology codes which are exempt from this edit.</p> <p>Units for all line items with the same HCPCS code on the same day are added together when applying this edit. If the total units exceed the code's limits, the procedure edit return buffer is set for all line items that have the HCPCS code. If modifier 91 is present on a line item and the HCPCS code is on a list of codes that are exempt, the unit edits are not applied.</p> |
| 16. Multiple bilateral procedures without modifier 50 ^a | <p>The same bilateral procedure code occurs two or more times on the same service date. This edit is applied to all relevant procedure lines for dates of service prior to 10/01/05 only (v1.0–v6.2).</p> |
| 17. Inappropriate specification of bilateral procedure | <p>(A)</p> <p>The same bilateral procedure code occurs two or more times (based on units and/or lines) on the same service date. This condition (A) is for dates of service prior to 10/01/05 only (v1.0–v6.2).</p> <p>(B)</p> <p>The same inherent bilateral procedure code occurs two or more times (based on units and/or lines) on the same service date.</p> <p>This edit is applied to all relevant bilateral procedure lines, except when modifier 76 or 77 is submitted on the second or subsequent line or units of an inherently bilateral code.</p> <p>Note: For codes with an SI of V that are also on the Inherent Bilateral list, condition code G0 will take precedence over the bilateral edit; these claims will not receive edit 17. This edit is also bypassed if the bill type is 85x.</p> |

| Edit | Generated when ... |
|--|---|
| 18. Inpatient procedure | <p>A line has a C status indicator and is not on the 'separate procedure' list.</p> <p>or</p> <p>A line has a C status indicator and is on the 'separate procedure' list, and there are no type T lines on the same day.</p> <p>and</p> <p>Modifier CA is not present.</p> <p>All other line items on the same day as the line with a C status indicator are denied (line item denial/rejection flag = 1, APC return buffer) and edit 49 is assigned. Edit 18 is performed before any other non-fatal edits. No other edits are run on any line(s) with edit 18 or 49.</p> <p>For additional information on inpatient procedure processing see "Inpatient procedures" on page 66.</p> |
| 19. Mutually exclusive procedure that is not allowed by NCCI even if appropriate modifier is present (<i>deleted, combined with edit 20 retroactive to earliest included version</i>) ^a | <p>The procedure is one of a pair of mutually exclusive procedures in the NCCI table coded on the same day, where the use of a modifier is not appropriate. Only the code in column 2 of a mutually exclusive pair is rejected; the column 1 code of the pair is not marked as an edit.</p> |
| 20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present | <p>The procedure is identified as part of another procedure on the claim coded on the same day, where the use of a modifier is not appropriate. Only the code in column 2 of a code pair is rejected; the column 1 code of the pair is not marked as an edit.</p> |
| 21. Medical visit on the same day as a type T or S procedure without modifier 25 | <p>One or more type T or S procedures occur on the same day as a line item containing an E&M code without modifier 25.</p> |
| 22. Invalid modifier | <p>The modifier is not in the list of valid modifier entries and the revenue code is not 540.</p> |
| 23. Invalid date | <p>The From, Through, or Service date is invalid, or the Service date falls outside the range of the From and Through dates. This edit terminates processing for the claim. Prior to 10/01/2003, a blank service date is not considered an error when the HCPCS code field is blank; as of that date, all lines must have a service date.</p> |

| Edit | Generated when ... |
|--|--|
| 24. Date out of OCE range | The From date falls outside the date range of any version of the program (page 12). The From date will be used for program version selection, even if the From-Through dates span more than one version. Presence of this edit condition terminates processing for the claim. |
| 25. Invalid age | The age is non-numeric or outside the range of 0-124 years. |
| 26. Invalid sex | The sex is non-numeric or outside the range of 0-2. |
| 27. Only incidental services reported | All line items are incidental (status indicator N) and All line items have a line item denial/rejection flag = 0 and All line items have a line item action flag = 0. Edit 27 is run immediately when edit 18 is not triggered; no other edits are performed on a claim with edit 27. |
| 28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available | The procedure code has a 'Not recognized by Medicare' indicator. |
| 29. Partial hospitalization service for non-mental health diagnosis | The principal diagnosis is not related to mental health. |
| 30. Insufficient services on day of partial hospitalization | Three or more services from the partial hospitalization services list are not present, or at least one of the three is not a psychotherapy service. |
| 31. Partial hospitalization on same day as ECT or type T procedure ^a | Electroconvulsive therapy or a significant procedure (status indicator T) occurs on the same day as partial hospitalization, and APC 33 (partial hospitalization) is assigned to a mental health service on the same day. This edit applies to v1.0–v6.3 only. |
| 32. Partial hospitalization claim spans 3 or less days with insufficient services on at least one of the days ^a | A claim suspended for medical review (edit 30) does not span more than three days. This edit applies to v1.0–v9.3 only. |
| 33. Partial hospitalization claim spans more than 3 days with insufficient number of days having mental health services ^a | A claim suspended for medical review (edit 30) spans more than three days. However, partial hospitalization services were not provided on at least 57% (4/7) of the days. This edit applies to v1.0–v9.3 only. |

| Edit | Generated when ... |
|---|---|
| 34. Partial hospitalization claim spans more than 3 days with insufficient number of days meeting partial hospitalization criteria ^a | A claim suspended for medical review (edit 30) spans more than three days and partial hospitalization services were provided on at least 57% (4/7) of the days. However, on the days when partial hospitalization services were provided, less than 75% of the days met the partial hospitalization day of service criteria (i.e., edit 30 occurred on the line item). This edit applies to v1.0–v9.3 only. |
| 35. Only Mental Health education and training services provided | Only education and training services are present without other mental health service; the claim fails mental health status. |
| 36. Extensive mental health services provided on day of type T procedure ^a | Electroconvulsive therapy or a non mental health type T procedure APC is present on the same day as extensive mental health service. This edit applies to v1.0–v6.3 only. |
| 37. Terminated bilateral procedure or terminated procedure with units greater than one | A modifier 52 or 73 is present, as well as: a) an independent or conditional bilateral procedure with modifier 50 or b) a procedure with units greater than 1. |
| 38. Inconsistency between implanted device or administered substance and implantation or associated procedure | The status indicator is H, U, or APC 987-997 (Implant) is present, but no type S, T, or non-implant type X procedures are present on the claim (v1.0-15.3 only). There is a code with status indicator H or U present, but no type S, T, or J1 procedures are present on the same claim. |
| 39. Mutually exclusive procedure that would be allowed by NCCI if appropriate modifier were present (<i>deleted, combined with edit 40 retroactive to earliest included version</i>) ^a | The procedure is one of a pair of mutually exclusive procedures in the NCCI table coded on the same day, where the modifier was either not coded or is not an NCCI modifier. Only the code in column 2 of a mutually exclusive pair is rejected; the column 1 code of the pair is not marked as an edit. |
| 40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present | The procedure is identified as part of another procedure on the claim coded on the same day, where the modifier was either not coded or is not an NCCI modifier. Only the code in column 2 of a code pair is rejected; the column 1 code of the pair is not marked as an edit. |
| 41. Invalid revenue code | The revenue code is not in the list of valid revenue code entries. |

| Edit | Generated when ... |
|--|---|
| 42. Multiple medical visits on same day with same revenue code without condition code G0 | Multiple medical visits (based on units and/or lines) are present on the same day with the same revenue code, without condition code G0 to indicate that the visits were distinct and independent of each other. |
| 43. Transfusion or blood product exchange without specification of blood product | A blood transfusion or exchange is coded but no blood product is coded. |
| 44. Observation revenue code on line item with non-observation HCPCS code | A 762 (observation) revenue code is used with a HCPCS other than observation (99217-99220, 99234-99236, G0378, G0379). |
| 45. Inpatient separate procedures not paid | On the same day, all lines with status indicator C are on the 'separate procedure' list, and there is at least one type T or J1 line. |
| 46. Partial hospitalization condition code 41 not approved for type of bill | Bill type 12x or 14x is present with condition code 41. |
| 47. Service is not separately payable | <p>The claim consists entirely of a combination of lines that:</p> <ul style="list-style-type: none"> a) are denied or rejected or b) have a status indicator N <p>Edit 47 is assigned to all lines with status indicator N, or that change from Q to N, that are not already denied or rejected and have no other service on the claim.</p> |
| 48. Revenue center requires HCPCS | <p>The bill type is 13x, 74x, 75x, 76x, or 12x/14x without condition code 41, HCPCS is blank, and the revenue center status indicator is not N or F.</p> <p>This edit is bypassed when the revenue code is 100x, 210x, 310x, 099x, 0905-0907, 0500, 0509, 0583, 0660-0663, 0669, 0931, 0932, 0521, 0522, 0524, 0525, 0527, 0528, 0637, or 0948; see also edit 65.</p> |
| 49. Service on same day as inpatient procedure | Line item occurs on the same day as a C status indicator. |
| 50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion | <p>Code is on 'statutory exclusion' list</p> <p>or</p> <p>Revenue code is 0637 with SI of E when submitted without a HCPCS code</p> |
| 51. Multiple observations overlap in time (inactive) | |

| Edit | Generated when ... |
|---|---|
| 52. Observation does not meet minimum hours, qualifying diagnoses, and/or 'T' procedure conditions ^a | The observation period is less than 8 hours or There is no diagnosis of CHF, chest pain or asthma or There is a T procedure (except 90780) on the same or previous day. This edit applies to v3.0–v6.3 only. |
| 53. Codes G0378 and G0379 only allowed with bill type 13x or 85x | Codes G0378 and/or G0379 appear on the claim and the bill type is not 13x or 85x. |
| 54. Multiple codes for the same service | Any of the following three pairs of codes appear on the same claim: C1012 and P9033, C1013 and P9031, or C1014 and P9035. |
| 55. Non-reportable for site of service | A HCPCS code beginning with the letter C is entered and the bill type is not 12x, 13x or 14x. |
| 56. E/M condition not met and line item date for obs code G0244 is not 12/31 or 1/1 ^a | There is no E/M visit the day of or the day preceding the observation and The date of observation is not 12/31/yyyy or 01/01/yyyy. This edit applies to v4.0–v6.3 only. |
| 57. E/M condition not met for observation and line item date for code G0378 is 1/1 | There is no specified E/M or critical care visit the day of or the day preceding the observation and The date of observation is 01/01/yyyy. |
| 58. G0379 only allowed with G0378 | Code G0379 is present without code G0378 for the same line item date. |
| 59. Clinical trial requires diagnosis code V707 as other than primary diagnosis (<i>deleted, retroactive to the earliest included version</i>) ^a | Code G0292, G0293 or G0294 is present and Diagnosis code V707 is not present as admit or secondary diagnosis. |
| 60. Use of modifier CA with more than one procedure not allowed | Modifier CA is present on more than one line or Modifier CA is submitted on a line with multiple units. |
| 61. Service can only be billed to the DMERC | The procedure code has a 'DME only' indicator. |

| Edit | Generated when ... |
|--|--|
| 62. Code not recognized by OPPS; alternate code for same service may be available | The procedure code has a 'Not recognized by Medicare for OPPS' indicator. |
| 63. This OT code only billed on partial hospitalization claims | Occupational therapy services are present and the bill type is 12x or 13x without condition code 41. This edit applies to v1.0–v13.3 only. |
| 64. AT service not payable outside the partial hospitalization program | Activity therapy services are present and the bill type is 12x or 13x without condition code 41. This edit applies to v1.0–v13.3 only. |
| 65. Revenue code not recognized by Medicare | The revenue code is 100x, 210x, 310x, 0500, 0509, 0583, 0660-0663, 0669, 0905-0907, 0931, or 0932; see also edit 48. |
| 66. Code requires manual pricing | The HCPCS code is an unclassified drug code. |
| 67. Service provided prior to FDA approval | The line item date of service of a code is prior to the date of FDA approval. |
| 68. Service provided prior to date of National Coverage Determination (NCD) approval | The line item date of service of a code is prior to the code activation date. |
| 69. Service provided outside approval period | The service was provided outside the period approved by CMS. |
| 70. CA modifier requires patient discharge status indicating expired or transferred | CA modifier requires patient discharge status indicating expired or transferred. |
| 71. Claim lacks required device code | A specified procedure is submitted on a claim without the code(s) for the required device(s). (This edit is bypassed if the procedure is terminated - modifier 52, 73, or 74.) This edit applies to v6.1–v15.3 only |
| 72. Service not billable to the Medicare Administrative Contractor | A code has a status indicator M. This edit is bypassed when the bill type is 85x and revenue code is 096x, 097x, or 098x. This edit is also bypassed when the bill type is 81x or 82x and the revenue code is 657. (Note: The status indicator for the HCPCS code is changed from M to A) |
| 73. Incorrect billing of blood and blood products | Blood product claims lack two identical lines (of HCPCS code, units, and modifier BL), one line with revenue code 38x and the other line with revenue code 39x. |

| Edit | Generated when ... |
|---|--|
| 74. Units greater than one for bilateral procedure billed with modifier 50 | Any code on the Conditional or Independent bilateral list is submitted with modifier 50 and units of service are greater than one on the same line. |
| 75. Incorrect billing of modifier FB or FC | Modifier FB or FC is present and SI is not S, T, V or X. This edit applies to v8.0–v15.3 only. |
| 76. Trauma response critical care code without revenue code 068x and CPT 99291 | Trauma response critical care code is present without revenue code 068x and CPT code 99291 on the same date of service. |
| 77. Claim lacks allowed procedure code | A specified device is submitted on a claim without a code for an allowed procedure, and the bill type is not 12x. This edit applies to v6.1–v15.3 only. |
| 78. Claim lacks required radiolabeled product | A specified nuclear medicine procedure is submitted on a claim without the code for a required radiopharmaceutical. This edit applies to v9.0–v14.3 only. |
| 79. Incorrect billing of revenue code with HCPCS code | The revenue code is 381 with a HCPCS code other than packed red cells (P9016, P9021, P9022, P9038, P9039, P9040, P9051, P9054, P9057, P9058) or The revenue code is 382 with a HCPCS code other than whole blood (P9010, P9051, P9054, P9056). |
| 80. Mental health code not approved for partial hospitalization | Mental health HCPCS codes that are not approved for partial hospitalization program submitted on bill type 13x with condition code 41, or bill type 76x. |
| 81. Mental health service not payable outside the partial hospitalization program | Mental health HCPCS codes that are not payable outside the partial hospital program submitted on bill type 12x or 13x without condition code 41. |
| 82. Charge exceeds token charge (\$1.01) | Code C9898 is billed with charges greater than \$1.01. |
| 83. Service provided on or after effective date of NCD non-coverage | The line item date of service of a code is after the date of non-coverage determination. |
| 84. Claim lacks required primary code | Add-on codes 33225, 90785, 90833, 90836 or 90838 are submitted without one of the required primary codes on the same day. (Note: Psychiatric add-on codes are edited only on PHP claims.) |

| Edit | Generated when ... |
|--|---|
| 85. Claim lacks required device code or required procedure code | Code C9732 and C1840 not submitted together on the same day. (Code for insertion of ocular telescopic lens submitted without the code for the lens, or vice versa). This edit applies to v13.0–v14.3 only. |
| 86. Manifestation code not allowed as principal diagnosis | A diagnosis code considered to be a manifestation code from the Medicare Code Editor (MCE) manifestation diagnosis list is reported as the principal diagnosis code on a hospice bill type claim (81X, 82X). |
| 87. Skin substitute application procedure without appropriate skin substitute product code | A List A skin substitute application procedure is submitted without a list A skin substitute product; or a list B skin substitute application procedure is submitted without a list B skin substitute product on the same date of service. |
| 88. FQHC payment code not reported for FQHC claim | <p>FQHC payment code not reported for a claim with bill type 77x and without Condition Code 65.</p> <p>Note: If the bill type is 770 (No payment claim), edit 88 is not applicable.</p> <p>Note: Edit 88 is bypassed for FQHC PPS claims when Telehealth originating site services HCPCS code Q3014 or Chronic Care Management HCPCS 99490 is reported and there is no FQHC payment code; also edit 88 is bypassed for FQHC when only FQHC non-covered services are present with edit 91.</p> |
| 89. FQHC claim lacks required qualifying visit code | <p>FQHC payment code reported for FQHC claim (bill type is 77x without Condition Code 65) without a qualifying visit HCPCS.</p> <p>Note: Edit 89 is bypassed for FQHC PPS claims when Telehealth originating site services HCPCS code Q3014 or Chronic Care Management HCPCS 99490 is reported and there is no FQHC payment code or qualifying visit code present; also edit 89 is bypassed for FQHC when only FQHC non-covered services are present with edit 91.</p> |
| 90. Incorrect revenue code reported for FQHC payment code | FQHC payment code not reported with revenue code 519, 52X or 900. |
| 91. Item or service not covered under FQHC PPS or for RHC | A service considered to be non-covered under FQHC PPS or for RHC is reported. |
| 92. Device-dependent procedure reported without device code | A device-dependent procedure is reported without a device code. |

| Edit | Generated when ... |
|---|--|
| 93. Corneal tissue processing reported without cornea transplant procedure | Corneal tissue processing HCPCS (V2785) is reported and there is no corneal transplant procedure present for the same service date. |
| 94. Biosimilar HCPCS reported without biosimilar modifier | A biosimilar HCPCS code is reported on the claim without its corresponding biosimilar manufacturing modifier. This edit applies to v17.0–v19.0 only. |
| 95. Weekly partial hospitalization services require a minimum of 20 hours of service as evidenced in PHP plan of care | A PHP claim contains weekly PH services that total less than 20 hours per 7-day span. This edit applies to v17.2 only-RTP, and v18.3-present, LIR. |
| 96. Partial hospitalization interim claim from and through dates must span more than 4 days | An interim PHP claim (bill type 763 or 133 with condition code 41) From and Through date spans less than 5 days. This edit applies to v17.2 only. |
| 97. Partial hospitalization services are required to be billed weekly | A PHP claim From and Through date spans more than 7 days. This edit applies to v17.2 only. |
| 98. Claim with pass-through device lacks required procedure | A pass-through device is present without an associated, required procedure. |
| 99. Claim with pass-through or non-pass-through drug or biological lacks OPPS payable procedure | There is a pass-through drug or biological HCPCS code present on a claim without an associated OPPS procedure with SI = J1, J2, P, Q1, Q2, Q3, R, S, T, U, V. |
| 100. Claim for HSCT allogeneic transplantation lacks required revenue code line for donor acquisition services | A claim reporting HSCT allogeneic transplantation (procedure code 38240) is reported and there is no additional line on the claim reporting revenue code 815 for donor acquisition services. |
| 101. Item or service with modifier PN not allowed under PFS | Modifier PN is reported for an item or service that is considered to be non-excepted for an off-campus provider-based hospital outpatient department under Section 603. |
| 102. Modifier pairing not allowed on the same line | A line item is reported with a pair of modifiers that have conflicting meaning and should not be reported together. Please reference the data files for a report named Modifier Pairs, which contains an up to date list of modifiers not allowed to be reported on the same line. |
| 103. Modifier reported prior to FDA approval date | A modifier is reported prior to the mid-quarter activation date. This edit applies to v19.0 only. |
| 104. Service not eligible for all-inclusive rate | RHC claim with bill type 71x contains a line reported with modifier CG that is not eligible for the RHC all-inclusive rate. |

| Edit | Generated when ... |
|--|---|
| 105. Claim reported with pass-through device prior to FDA approval for procedure | A procedure is reported with a pass-through device prior to the FDA approval date for the procedure paired with the device. The line item denial is returned on the device line. |
| 106. Add-on code reported without required primary procedure code | A claim is submitted with a Type I add-on code(s) without the applicable defined primary procedure(s). The edit is returned on the add-on code line(s) when conditions of the edit are not met. |
| 108. Add-on code reported without required primary procedure or required contractor-defined primary procedure code | A claim is submitted with a Type III add-on code(s) without a defined primary(s) or contractor defined primary(s) procedure. This edit is returned on the add-on code line(s) when conditions are not met. |
| 109. Code first diagnosis present without mental health diagnosis as the first secondary diagnosis | A PHP claim is submitted with a Code First Diagnosis without a mental health diagnosis in the first secondary diagnosis position. If the first secondary diagnosis position is blank edit 109 is still returned. Note: Edit 29 is suppressed from being returned if a code first diagnosis is present in the pdx position. |
| 110. Service provided prior to initial marketing date | The line item date of service of a code is prior to the initial marketing date for which it can be reported. |
| 111. Service cost is duplicative; included in cost of associated biological | The reported line item is considered duplicative as the routine costs of all steps in creating a biological are bundled into the covered benefit, the biological. Any procedure identified as being "bundled into biological," and reported as a line item are rejected. Additionally, this edit is returned if revenue codes 870-873 are submitted as line items with blank HCPCS. |

a. Edits are active only on claims that are more than 7 years old that are processed with previously archived software.

Special logic information

This section describes special conditions that apply to the IOCE software program logic for OPPS.

Medical visit processing

Rules for Medical and Procedure Visits on the Same Day and for Multiple Medical Visits on Same Day:

Under some circumstances, medical visits on the same date as a procedure result in additional payments. Modifier 25 reported with an Evaluation and Management (E&M) code, status indicator V, is used to report a medical visit that takes place on the same date that a procedure with status indicator S or T is performed, but that is significant and separately identifiable from the procedure. However, if any E&M code that occurs on a day with a type “T” or “S” procedure does not have a modifier of 25, then edit 21 applies and the claim is returned to the provider.

The condition code G0 specifies that multiple medical visits occurred on the same day with the same revenue center, and that these visits were distinct and constituted independent visits (e.g., two visits to the ER for chest pain, one in the morning and one in the afternoon, and/or two visits to the ER, one in the morning for a fractured arm and one later in the day for chest pain).

Note: For codes with SI of V that are also on the Inherent Bilateral list, condition code "G0" takes precedence over the bilateral edit to allow multiple medical visits on the same day.

Computation of discounting fraction

There are nine different discount formulas that can be applied to a line item:

D = Discounting Fraction (Currently 0.5)

U = Number of Units

T = Terminated Procedure Discount (Currently 0.5)

1. 1.0
2. $(1.0 + D(U-1))/U$
3. T/U
4. $(1 + D)/U$
5. D
6. TD/U (Discontinued 1/1/2008, v9.0)

7. $D(1 + D)/U$ (Discontinued 1/1/2008, v9.0)
8. 2.0
9. 2D

Note: Formula six and seven are discontinued and replaced with formula 3 and 9.

Type “T” multiple and terminated procedure discounting

Line items with a status indicator of “T” are subject to multiple-procedure discounting unless modifiers 76, 77, 78 and/or 79 are present. The “T” line item with the highest payment amount is not multiple procedure discounted, and all other “T” line items are multiple procedure discounted. All line items that do not have a status indicator of “T” are ignored in determining the multiple procedure discount. A modifier of 52 or 73 indicates that a procedure was terminated prior to anesthesia. A terminated type “T” procedure is also discounted although not necessarily at the same level as the discount for multiple type “T” procedures. Terminated bilateral procedures or terminated procedures with units greater than one should not occur, and have the discounting factor set so as to result in the equivalent of a single procedure. Claims submitted with terminated bilateral procedures or terminated procedure with units greater than one are returned to the provider (edit 37).

Bilateral procedures are identified from the “bilateral” field in the physician fee schedule. Bilateral procedures have the following values in the “bilateral” field:

1. Conditional bilateral (i.e. procedure is considered bilateral if the modifier 50 is present)
2. Inherent bilateral (i.e. procedure in and of itself is bilateral)
3. Independent bilateral (i.e., procedure is considered bilateral if the modifier 50 is present, but full payment should be made for each procedure (e.g., certain radiological procedures))

Inherent bilateral procedures are treated as non-bilateral procedures since the bilateralism of the procedure is encompassed in the code. For bilateral procedures the type “T” procedure discounting rules take precedence over the discounting specified in the physician fee schedule.

All line items for which the line item denial or reject indicator is 1 and the line item action flag is zero, or the line item action flag is 2, 3 or 4, are ignored in determining the discount; packaged line items, (the packaging flag is not zero or 3), is also ignored in determining the discount. The discounting process utilizes an APC payment amount file. The discounting factor for bilateral procedures is the same as the discounting factor for multiple type “T” procedures.

Note: There may be some procedure codes that have a SI value assigned that differs from the APC SI (for example, HCPCS SI = T, but APC SI =S). In these circumstances, the discounting formula is assigned based on the HCPCS SI; the APC with the highest payment rate (if multiple ‘T’ procedures are present) although having a different SI, is used to determine the discounted amount for the multiple procedures that may be present.

For the purpose of determining which APC has the highest payment amount, the terminated procedure discount (T) and any applicable offset, is applied prior to selecting the type T

procedure with the highest payment amount. If both offset and terminated procedure discount apply, the offset is applied first, before the terminated procedure discount.

If modifier 50 is present on an independent or conditional bilateral line that has a composite APC, or a separately paid STVX/T-packaged procedure, or a comprehensive APC, the modifier is ignored in assigning the discount formula.

Non-type T procedure discounting

All line items with SI other than “T” are subject to terminated procedure discounting when modifier 52 or 73 is present.

For Discount Formulas applied to non-type T procedures: If not terminated, non-type T Conditional bilateral procedures with modifier 50 are assigned discount formula eight; non-type T Independent bilateral procedures with modifier 50 are also assigned to formula eight (*8).

Inpatient procedures

Through IOCE version 16.3, for outpatients who undergo inpatient-only procedures on an emergency basis who expire before they can be admitted to the hospital, a specified APC payment is made to the provider as reimbursement for all services on that day. The presence of modifier CA (procedure payable inpatient) on the inpatient-only procedure line assigns the specified payment APC and associated status and payment indicators to the line. The packaging flag is turned on for all other lines on that day. Payment is only allowed for one procedure with modifier CA. If multiple inpatient-only procedures are submitted with the modifier CA, the claim is returned to the provider (edit 60). If modifier CA is submitted with an inpatient-only procedure for a patient who did not expire (patient status code is not 20), the claim is returned to the provider (edit 70). See also Inpatient Procedure Processing under Comprehensive APCs for processing logic (v17.0-Current).

Conditional APC processing

Processing procedures with status indicators of Q1 and Q2

Effective January 1, 2017 (v18.0), conditional APC assignment and packaging discussed in this section for procedures with SI = Q1 or Q2 are executed across the claim if multiple service dates are present, and not by individual date of service. References noted as processed by day are to be considered for claims with From Dates prior to January 1, 2017. Procedure codes with SI of Q1 or Q2 are packaged when they appear with other specified services on the same day or claim; however, they may be assigned to a payable SI and APC and paid separately if there are no other specified services on the same day or claim. Procedures with SI = Q1 are packaged in the presence of any payable procedure code with SI of S, T, or V (and through version 15.3, SI = X). Procedures with SI = Q2 are packaged only in the presence of payable codes with SI = T or

effective with version 16.0, J1. The SI is changed from Q1 or Q2 to N for packaging if present with other payable services, or to the standard SI and APC specified for the code when separately payable. If there are multiple Q1 or Q2 procedures on a specific date or claim and no service with which the codes would be packaged on the same date or claim, the Q1/Q2 code assigned to the APC with the highest payment rate is paid and all other codes are packaged. If a procedure with SI = Q1 or Q2 has been previously packaged (SI = N) prior to the execution of the conditional APC processing logic, the packaged Q1 or Q2 is ignored from the selection as the service with the highest paying APC payment rate. Additionally, procedures with SI = Q1 or Q2 that are packaged with SI = N under conditional APC processing logic are not evaluated in any subsequent processing (e.g. composite or comprehensive APC processing).

There are several codes with SI = Q2 that may resolve to a final SI of J1 (comprehensive APC procedure) if they are present with no other payable procedures. In the event this occurs, the Q2 procedure is not subject to comprehensive APC procedure ranking or complexity adjustment, but all other comprehensive APC packaging and exclusion processing is applied.

In the execution of conditional APC processing logic, which occurs prior to the composite APC logic, procedure codes with SI of Q3 (composite candidates) that may be present with Q1 or Q2 procedures are evaluated as payable procedures using the standard SI associated with the Q3 procedure's standard APC.

If a Q1 or Q2 procedure is an independent or conditional bilateral code with modifier 50 and resolves to a standard SI and APC assignment (i.e. not packaged), the modifier is ignored in assigning the discount formula.

Procedures with SI = Q1 or Q2 that are denied or rejected are not included in any subsequent conditional packaging logic, and the default SI (Q1, Q2) is retained as the final SI. If codes with SI of Q1 or Q2 that are denied or rejected are present with other non-denied/rejected Q1 or Q2 codes, if no other payable procedure is present, the non-denied/rejected Q1 or Q2 codes are evaluated and processed for separate payment. There is an exception if Line Item Action Flag = 1 is assigned to the line; the denial or rejection is ignored, and the line is included in subsequent conditional packaging logic, from which the final SI is determined.

Service units are reduced to 1 for any line where an SI of Q1 or Q2 is changed to a separately payable SI and APC and Payment Adjustment Flag 11 is assigned. The reduction of units for procedures designated as sometimes therapy that may have default SI assignment of Q1 or Q2 does not occur if the reporting of the sometimes therapy service under a therapy plan of care results in final assignment of SI = A.

Sometimes therapy processing for wound care services

Certain wound care services considered "sometimes therapy" may be paid an APC rate or from the Physician Fee Schedule, depending on the circumstances under which the service was provided. The IOCE changes the status indicator to A and removes the APC assignment when sometimes therapy codes are appended with therapy modifiers (GP for physical therapy, GO for occupational therapy, or GN for speech language pathology) or therapy revenue codes (042x,

043x, 044x). If the SI is changed to A these services are excluded from being packaged in the presence of a comprehensive APC.

Critical care processing

Processing of certain ancillary services with SI of Q1 or Q3 that are reported with critical care code 99291 are packaged when reported on the same service date, or effective with version 18.0, on the same claim, as the critical care code. If procedure code 99291 is present with any of the specified ancillary procedure codes, the IOCE changes the SI of the ancillary procedure code from Q1 or Q3 to N for packaging. An exception applies if code 99291 is present and modifier 59, XE, XP, XS or XU are present on any line with the same date of service or on the same claim, the specified critical care ancillary codes are not packaged; the SI is changed to the standard SI and APC specified for the code. If 99291 is not present on the same date of service or the same claim, the SI for the ancillary procedures is changed to the standard SI and APC specified for the code when separately payable, or packaged under previous conditional APC processing logic for specified ancillary services with SI = Q1, if there are other payable procedures present.

If critical care code 99291 is present and the claim meets the criteria for assignment under the Comprehensive Observation APC (version 17.0), the exception for the presence of modifier 59, XE, XP, XS or XU does not occur; all ancillary, adjunctive services are packaged under the Comprehensive Observation APC.

Critical care-packaged ancillary service code 94762 is not subject to the modifier 59, XE, XP, XS, XU exception, and always packages when present with critical care code 99291. If reported in the absence of 99291, 94762 (SI = Q3) is subject to packaging under comprehensive APC processing, otherwise it is assigned its standard APC and SI for separate payment. Note: effective with version 18.3, critical care ancillary service code 36600 is no longer subject to the modifier exception.

Advance care planning

Effective January 1, 2016 (v17.0), Advance Care Planning services reported with procedure codes 99497 and 99498, that are also reported on the same date of service with the Medicare annual wellness visit (initial or subsequent), are paid under the Medicare Physician Fee Schedule (SI changed to A); otherwise, advance care planning is subject to conditional packaging. If advance care planning procedure 99497 is reported with no other payable OPPS service, it is assigned its standard SI and APC values; if reported with other OPPS payable services (SI = S, T, V, J1, J2, Q1, Q2, Q3), on the same claim, it is packaged (SI = N).

Note that procedure code 99498 is an add-on procedure code with standard SI = N. If 99498 is reported with the annual wellness visit but the primary code 99497 is not present, it continues to be packaged with SI = N. If 99498 is not reported with the annual wellness visit, it retains packaging status with SI = N.

Conditional processing for laboratory procedures

Effective 1/1/2014 (v15.0 – v16.3), packaged laboratory codes (with status indicator of N) that are submitted on a claim with bill type 12x or 14x, or 13x when the L1 modifier is appended to a packaged laboratory code, have the SI changed to A and set the packaging flag to 0 (not applicable to edit 27). If packaged laboratory codes are submitted on a claim with bill type 12x and condition code W2 is present, the laboratory codes remain packaged (status indicator N).

Effective January 1, 2016 (v17.0), laboratory codes with SI = Q4 are subject to conditional packaging criteria in determining the final SI assignment, i.e., paid under the clinical lab fee schedule (SI = A), or packaged (SI = N): If a laboratory code with an SI= Q4 results in a final SI assignment of A, it returns a PMF value of 2.

For claims with bill type 13x: if the laboratory code(s) with SI Q4 is reported with modifier L1 and is present with other payable OPPS services that have SI = J1, J2, S, T, V, Q1, Q2, or Q3 on the same claim, the SI is changed to A; otherwise the laboratory code(s) is packaged with SI=N. If there are only laboratory codes present, all laboratory codes with SI=Q4 are changed to SI=A.

Note: Modifier L1 is deactivated as of January 1, 2017 (v18.0), and the provision to change the SI to A if modifier L1 is present is discontinued. If laboratory codes with SI = Q4 are present with other payable OPPS procedures, the laboratory codes are packaged with SI = N.

- Effective January 1, 2017 (v18.0), special conditions apply to OPPS services that have a final SI of Q1, Q3, S, T, or V and a line item action flag of 2 or 3 present. If the payable OPPS service(s) has the line item action flag (2/3) present, the laboratory codes with SI = Q4, are processed for payment by having the SI changed from SI=Q4 to SI=A.
- For claims with bill type 12x without condition code W2, and for claims with bill type 14x: if a laboratory code(s) is present with SI Q4, the SI is changed to A. Laboratory services on claims with bill type 12x that do contain condition code W2 remain packaged (SI = N).

Note: Some laboratory codes (e.g. molecular pathology codes) are always assigned SI = A, and are not subject to the conditional packaging logic. There are also laboratory codes that are assigned SI = N and are not subject to conditional packaging logic; laboratory codes with SI = N are always packaged.

Composite APC processing

Certain codes may be grouped together for reimbursement as a "composite" APC when they occur together on the same claim with the same date of service (SI = Q3). When the composite criteria for a group are met, the primary code is assigned the composite APC and status indicator for payment; non-primary codes, and additional primary codes from the same composite group, are assigned status indicator N and packaged into the composite APC. Special composite adjustment flags identify each composite and all the packaged codes on the claim that are related to that composite. Composite adjustment flags are not assigned for composite-packaged lines that are included on a claim containing a comprehensive APC. Multiple composites, from different composite groups, may be assigned to a claim for the same date. Terminated codes

(modifier 52 or 73) are not included in the composite criteria. If the composite criteria are not met, each code is assigned an individual SI/APC for standard OPPS processing. Some composites may have additional or different assignment criteria. Lines that are denied or rejected are ignored in the composite criteria.

Partial hospitalization and community mental health center processing

Effective January 1, 2017 (v18.0), partial hospitalizations are paid a single level per diem PH APC dependent on the provider type (hospital-based PHP program or a CMHC program), condition codes, bill types and HCPCS codes. To obtain the PH APC a minimum of three or more PH services must be reported per day, one of which must be from the PHP Primary List. (Please reference the HCPCS Map within the data files for the PHP Primary list as well as the list for All PHP services.) The first line item containing the HCPCS code from the PHP Primary list is assigned the PH APC and the final SI = P. All other partial hospitalization services on the same day are packaged, SI is changed to N. A composite adjustment flag identifies the PH APC and all the packaged PH services on the day; a different composite adjustment flag is assigned for each PHP day on the claim. Effective 4/1/2015 through the current version, the payment adjustment flag value of 11 is assigned to the PHP payment APC line when the service units are greater than one, indicating the service units are reduced to one by IOCE processing.

If there is an inpatient only procedure (SI = C) on the same claim as PHP or Daily Mental Health services, no Partial Hospitalization or Daily Mental Health processing logic is performed.

If less than the minimum amount (number and type) of services required for PHP are reported for any day, the PHP day is denied, i.e., all PHP services on the day are denied and no PHP APC is assigned (edit30). Note that certain PHP services that are add-on codes are not included in the count of number of services for the day (Please reference the HCPCS Map within the data files for list of PHP services flagged as add-on codes). Any non-PHP services on the same day are processed per the usual OPPS rules. Lines that are denied or rejected are ignored in PHP processing. If mental health services that are not approved for the partial hospitalization program are submitted on a PHP claim (13x TOB with condition code 41 or TOB 76x), the claim is returned to the provider (edit 80).

Effective October 1, 2017 (v18.3), edit 95 is reactivated for informational purposes only, with no impact on payment. Edit 95 is returned if a PHP claim contains weekly services with less than 20 hours of PHP services per week. Hours of service for PHP services that result in packaging (SI = N) due to PHP APC processing are included in the total count of hours per week; however, certain PHP services that are add-on codes are not included towards the weekly count of hours. If the PHP service indicates a fractional time-based requirement in the procedure code description (e.g. 30 minutes), the fractional amount and the service units are utilized in the calculation of total hours per week. If conditions are present for edit 95, an informational only line item denial or rejection flag value of 3 is returned, indicating that although the conditions for edit 95 exist, payment is not impacted, and the line item rejection disposition flag in the claim return buffer is not set. The IOCE continues to process lines with edit 95 for payment by the OPPS Pricer. The IOCE does not apply edit 95 on the admission week submitted on an admission PHP claim (761, 762, 131 w CC 41, or 132 w CC41), instead if the admission week has

less than 20 hours of PHP services, Payer Condition Code MP is provided. The IOCE also does not apply edit 95 on the discharge week when submitted on a PHP discharge claim (761, 764, 131 w CC 41, or 134 w CC41), instead Payer Condition Code MQ is provided if the discharge week contains less than 20 hours of PHP services. Effective July 1, 2019 (v20.2) the discharge week is identified as the last full (7 day) week on the claim and is never edited with 95 nor any partial days that follow, instead MQ is returned if the last full week contains less than 20 hours of PHP services.

Effective July 1, 2019 (v20.2), the IOCE returns Payer Value Code and Value Code Amount QW 0.0000 on Interim PHP claims that have a partial last week present. The last 5 values of the Value Code Amount provided with QW represent the count of days and hours in which PHP services are provided for the partial week (first portion of week). For example; if the last week on an interim PHP claim is not 7 days but instead only 3 days, and in those 3 days 15 ½ hours of PHP services are provided, the last 5 values in the Value Code Amount is 3.1550. Note that the partial week is not edited with 95. The IOCE processes the next claim and can combine the partial week (first portion) from the previous claim to the next claim by input Value Code and Value Code Amount QA 0.0000 which is submitted by the Shared System Maintainer (SSM). The IOCE combines the two partial weeks into one full week (7 days) and if the full week does not contain up to 20 hours of PHP services, the lines on the second portion of the full week are editing with 95 and Payer Value Code MV is output. The output of MV requires the SSM to adjust the claim containing the first portion of the partial week. The SSM submits Condition Code MW on input to a PHP adjustment claim indicating that the IOCE needs to edit the partial last week present on the claim. The IOCE edits with 95 on the line items associated with the partial week and outputs QW with the value code amount applicable.

Effective January 1, 2017 (v18.0), CMHC providers may be subject to outlier payment limitations. If condition code 66 (Provider does not wish outlier payment) is present for a CMHC claim with bill type 76x, payment method flag value of 6 is provided on each OPPS payable line (OPPS paid lines are those that would have previously had payment method flag 0). If condition code MY (Outlier cap bypass) is passed to the IOCE by the MAC, with or without condition code 66, payment method flag value of 9 is returned and the outlier payment limitation is bypassed.

Effective October 1, 2018 (v19.3), PHP claims submitting a claim with a code first diagnosis in the principal diagnosis position without a mental health diagnosis in the first secondary diagnosis position, return edit 109. Please reference the Dx10Map within the data files for diagnoses flagged as code first as well as diagnoses flagged as mental health diagnoses.

Daily mental health processing

Effective January 1, 2017 (v18.0), the comparison for summing the payment of the individual MH services to the level II partial hospital-based per diem APC payment rate is changed to compare the sum to the single level PH hospital-based per diem APC payment rate.

Reimbursement for a day of outpatient mental health services in a non-PH program is capped at the amount of the level II hospital-based partial hospital per diem. On a non-PHP claim, the IOCE totals the payments for all the designated MH services with the same date of service; if the sum

of the payments for the individual MH services exceeds the level II hospital-based partial hospital per-diem, the IOCE assigns a special "Mental Health Service" composite payment APC to one of the line items that represent MH services. All other MH services for that day are packaged; SI changed from Q3 to N. A composite adjustment flag identifies the Mental Health Service composite APC and all the packaged MH services on the day that are related to that composite. The payment rate for the Mental Health Services composite APC is the same as that for the level II hospital-based partial hospitalization APC. Lines that are denied or rejected are ignored in the Daily Mental Health logic. Some mental health services are specific to partial hospitalization and are not payable outside of a PH program; if any of these codes is submitted on a 12x, or 13x TOB without condition code 41, the claim is returned to the provider (edit 81).

Effective 4/1/2015 (v16.1), payment adjustment flag value 11 is assigned to the Mental Health payment APC line when the service units are greater than one, indicating the service units are reduced to one by IOCE processing.

LDR prostate brachytherapy composite APC processing and assignment criteria

Note: The LDR composite APC is effective only for versions 9.0 – 18.3; LDR claims with From Dates on or after 1/1/2018 (v19.0) are included in the comprehensive APC processing logic.

- If a "prime" code is present with at least one non-prime code from the same composite on the same date of service, assign the composite APC and related status indicator to the prime code; assign status indicator N to the non-primary code(s) present.
- Assign units of service = 1 to the line with the composite APC.
- Effective 4/1/2015 (v16.1), if the units of service are greater than one for the line with the composite APC, assign units of service = 1 and payment adjustment flag = 11.
- If there is more than one prime code present, assign the composite APC to the prime code with the lowest numerical value and assign status indicator N to the additional prime code(s) on the same day.
- Assign the indicated composite adjustment flag to the composite and all component codes present.
- If the composite APC assignment criterion is not met, assign the standard APC and related SI to any/all component codes present.
- Terminated codes (modifier 52 or 73 present) are ignored in composite APC assignment.
- Procedures that are packaged (SI changed to 'N' in an earlier processing step) are not included in the composite assignment logic.
- Effective 1/1/2017 (v18.0), prime code 55875 may be subject to comprehensive APC processing when reported without non-prime code 77778.

Electrophysiology/ablation composite APC processing and assignment criteria

Note: The electrophysiology/ablation composite APC is effective only for versions 9.0 – v15.3; electrophysiology/ablation claims with From Dates on or after 1/1/2015 (v16.0) are included in the comprehensive APC processing logic.)

- If there is a single code present from group C, or one 'prime' code (group A) and at least one non-prime code (group B) on the same date of service, assign status indicator N to the non-primary code(s) present.
- Assign units of service = 1 to the line with the composite APC.
- If multiple codes from group C are present, assign the composite APC to the code with the lowest numerical value and assign status indicator N to additional group C codes on the same day.
- If there is more than one prime code present, assign the composite APC to the prime code with the lowest numerical value and assign status indicator N to the additional prime code(s) on the same day.
- If the criteria for APC assignment are met with a code from group C as well as from groups A&B, assign the composite APC to the group C code and assign SI of N to the codes from groups A&B.
- If there is one or more codes from group C present with one or more codes from either group A or group B; assign the composite APC to the group C code and assign the standard APC and related SI to any separate group A or group B codes present.
- Assign the indicated composite adjustment flag to the composite and all component codes present.
- If the composite APC assignment criterion is not met, assign the standard APC and related SI to any/all component group A and group B codes present.
- Terminated codes (modifier 52 or 73 present) in group C are assigned to the composite APC; terminated codes in groups A and B are ignored in composite APC assignment
- Procedures that are packaged (SI changed to 'N' in an earlier processing step) are not included in the composite assignment logic.

EAM composite APC level I and level II assignment criteria

Note: Level I and II EAM APCs deleted effective 1/1/2014 (v9.0-v14.3)

- G0378 is used to identify all outpatient observation services, regardless of the reason for observation (diagnosis), the duration of the service, or whether the criteria for the EAM composite APCs are met.
- G0379 is used to identify direct referral from a physician in the community to hospital for observation care, regardless of the reason for observation (diagnosis).

- If there is at least one Level I APC Prime List A clinic visit codes on the day of or day before observation (G0378), or code G0379 is present on the same day as G0378, assign the Level I composite APC and related status indicator to the clinic visit or direct referral code.
- If there is at least one Level II APC Prime List A critical care or emergency room visit code on the day of or day before observation (G0378), assign the composite APC and related SI to the critical care or emergency visit code.
- Hours/Units of service for observation (G0378) must be at least 8 or the composite APC is not assigned. A composite adjustment flag will be applied to the visit line that gains the CAPC and the line for G0378. Note: The SI for G0378 is always N.
- If the criteria is met for a level I and a level II EAM composite APC, assignment of the Level II takes precedence.
- Extended assessment and management composite APCs have SI = V if paid and are assigned units of service =1.
- If multiple qualifying Prime Codes (visit or CC) appear on the day of or day before G0378, assign the composite APC to the prime code with the highest separately paid payment rate; assign the standard APC to any/all other visit codes present.
- Additional clinic, critical care, or emergency room visit codes (whether or not on the prime lists) are assigned to their standard APCs as separately paid items. Exception: Additional reporting of G0379 is always packaged (SI = N) if there is an extended assessment and management APC on the claim. Note: Only one EAM composite APC is assigned per claim.
- If a "T" or "J1" procedure occurs on the day of or day before observation, the composite APC is not assigned.
- Lines with G0378 and G0379 are rejected if the bill type is not 13x (or 85x).
- EAM logic is performed only for claims with bill type 13x, with or without condition code 41.

Extended assessment and management composite APC criteria

Note: Effective 1/1/14, (v15.0-v16.3) a new EAM composite APC was created, replacing Level I and Level II EAM composite APCs. Any logic point referenced above is still relevant to how the EAM composite is assigned or not assigned unless stated otherwise below.

- If there is at least one of the critical care, emergency room, or clinic visit codes on the day of or day before observation (G0378), or code G0379 is present on the same day as G0378, assign the composite APC and related status indicator to the critical care, emergency department, clinic visit, or direct referral code.
- Effective 4/1/2015 (v16.1), if the units of service are greater than one for the line with the composite APC, the units will be reduced to 1 and a payment adjustment flag value of 11 will be returned.
- Sometimes therapy codes subject to conditional APC processing due to default SI= Q1 with standard SI=T that meet therapy requirements and have final SI= A, are not considered for

“T” procedure criteria that would prevent EAM composite APC assignment (v15.0-v16.3 only).

Note: Effective 1/1/2016 (v17.0), all EAM Composite APC logic is deactivated; observation claims meeting specified criteria are assigned under a comprehensive observation APC. See Comprehensive Observation Logic for more information.

Direct referral logic

Prior to version 17.0, direct referral from a physician in the community to a hospital for observation care may be used in the assignment of an extended assessment and management composite APC or packaged into T, V or critical care service procedure if present; otherwise, the direct referral is processed as a medical visit. Direct referral for observation that is denied or rejected is not included in any subsequent special direct referral logic, and the default SI is retained as the final SI. Exception: If line item action flag = 1 has been assigned to the line with G0379, the denial/rejection is ignored, the line is included in subsequent direct referral logic, and that logic determines the final SI.

Multiple imaging composite assignment rules & criteria

- Multiple imaging composite APCs are assigned for three "families" of imaging procedures – ultrasound, computed tomography and computed tomographic angiography (CT/CTA), and magnetic resonance imaging and magnetic resonance angiography (MRI/MRA).
- Within two of the imaging families (i.e, CT/CTA and MRI/MRA), imaging composite APCs are further assigned based on procedures performed with contrast and procedures performed without contrast. There is currently a total of five multiple imaging composite APCs (8004, 8005, 8006, 8007, and 8008). For a list of procedures eligible for the composite assignment, refer to the report within the data files labeled, Multiple Imaging Composite APC's.
- If multiple imaging procedures from the same family are performed on the same DOS, a multiple imaging composite APC is assigned to the first eligible code encountered; all other eligible imaging procedures from the same family on the same day are packaged (the status indicator is changed to N).
- Multiple lines or multiple units of the same imaging procedure count to assign the composite APC; independent or conditional bilateral imaging procedures with modifier 50 count as 2 units.
- If multiple imaging procedures within the CT/CTA family, or the MRI/MRA family are performed with contrast and without contrast during the same session (same DOS), the 'with contrast' composite APC is assigned.
- Imaging procedures that are terminated (modifier 52 or 73 present), are not included in the multiple imaging composite assignment logic; standard imaging APC is assigned to the line(s) with modifier 52 or 73 (SI changed from Q3 to separately payable SI and APC).

- Imaging procedures that are packaged (SI changed from Q# to N in an earlier processing step) are not included in the multiple imaging composite assignment logic.
- If the imaging composite APC is assigned to an independent or conditional bilateral code with modifier 50, the modifier is ignored in assigning the discount formula.
- Effective 4/1/2015 (v16.1), if the units of service are greater than one for the line with the composite APC, the OCE re-assigns units of service = 1 and returns a payment adjustment flag = 11.
- Effective 1/1/2016 (v17.0), certain CT scan codes performed on equipment not meeting NEMA standards are reported with modifier CT. If multiple CT scan codes reported with modifier CT are present, and contribute to the assignment of a composite APC, the first eligible line assigned to the composite APC receives payment adjustment flag 14, whether or not modifier CT is reported on the line. All other CT scan codes reported with modifier CT that are included for composite APC assignment are packaged (SI = N), and do not have payment adjustment flag 14 assigned.
- Lines that are candidates for composite APC assignment that are present on a comprehensive APC claim do not have the composite adjustment flag applied; composite candidates are packaged with SI = N under comprehensive APCs.
- Special consideration is given to code 75635, which is a current composite candidate under ultrasound with SI = Q2 which makes it eligible for conditional APC processing. If 75635 is present, consideration of separate payment under conditional APC processing is evaluated prior to composite candidate consideration. If composite conditions are not present, then 75635 is processed for separate payment or packaging under conditional APC processing.

Comprehensive APC processing

Effective 1/1/2015 (v16.0), certain high cost procedures which have an SI=J1 are paid an all-inclusive rate to include all services submitted on the claim, except, for services excluded by statute. All allowed, adjunctive services submitted on the claim are packaged into the "comprehensive" APC payment rate (i.e., the status indicator is changed to N). Multiple comprehensive procedures, if present on the claim in specified combinations, may be assigned to a higher-paying comprehensive APC representing a complexity adjustment. Services that are excluded from the all-inclusive payment retain their standard APC and SI for standard processing.

Effective v17.0, if SRS planning and preparation codes are present on the same claim with the SRS C-APC, the planning and preparation codes are excluded from the C-APC packaging logic.

General comprehensive APC assignment rules and criteria

- Comprehensive APC processing is performed only for OPPS claims with bill type 13x, or claims with bill type 12x with condition code W2.
- Comprehensive APCs are assigned using the following hierarchy:

- Inpatient-Only Patient Expired (SI = J1)
- High-Cost Procedures (SI = J1)
- Comprehensive Observation (SI = J2)
- If there are multiple comprehensive APC procedures existing on the same claim from the different categories listed above, the comprehensive APC procedures are packaged (SI = N) according to the hierarchy of services present; the procedure or service highest in the hierarchy is assigned the comprehensive APC for the claim. Additional processing conditions for each of the different categories is listed separately below.
- Claims containing a payable inpatient procedure (modifier CA and patient status 20) suppress comprehensive APC processing for v16.0 – v16.3, and are processed under inpatient procedure processing previously in place.
- Multiple service units reported on a comprehensive APC line are reduced to one for processing payment based on a single comprehensive APC payment rate; payment adjustment flag 11 is assigned.
- Services that are excluded by statute from packaging include; ambulance, brachytherapy (SI=U), mammography, pass-through drugs, biologicals and devices (SI= G or H), preventive care including influenza and pneumococcal vaccines (SI=L), corneal tissue acquisition, certain CRNA services and Hepatitis B vaccines (SI = F). Certain blood products (i.e. packed red cells or whole blood) reported with the appropriate revenue code are also excluded from packaging under comprehensive APCs.
- Additionally, certain wound care services identified as “sometimes therapy” when appended with a therapy modifier (GP for physical therapy, GO for occupational therapy, or GN for speech language pathology) or a therapy revenue code (042x, 043x, 044x), change the SI of the service to A, and are excluded from comprehensive APC packaging.
- Procedures that are not allowed on OPPS claims (SI = B, C, E, E1, E2 or M) are edited as usual and retain the standard SI, with the exception of procedure codes representing DME services with SI = Y (Billable only to DMERC); DME codes with SI = Y are packaged into the comprehensive APC payment; edit 61 is not returned.
- Comprehensive APC claims containing lines that may be composite APC candidates do not have the composite adjustment flag applied.

Comprehensive APC Assignment for High-Cost Procedures

- If a single comprehensive procedure (SI = J1) is present on a claim, assign the standard comprehensive APC for all-inclusive claim payment.
- If multiple comprehensive APC procedures are present, select the highest ranked comprehensive procedure for standard comprehensive APC assignment.
- Once the highest ranked comprehensive procedure is determined, if there are multiple comprehensive procedures present with SI = J1 or there are qualifying add-on procedure codes present (SI = N), determine if there are any pairings that may qualify for a complexity

- adjustment. Multiple occurrences or service units of the same comprehensive procedure, or the reporting of modifier 50, may qualify for complexity adjustment. If there is a qualifying pair present associated with the highest ranked comprehensive procedure, assign the complexity-adjusted comprehensive APC.
- If the highest ranked comprehensive procedure has service units greater than one, reduce the service units to one and assign payment adjustment flag 11.
 - If a comprehensive APC procedure is terminated by the reporting of modifier 52, 73 or 74, no complexity adjustment is performed for the claim; the standard comprehensive APC is assigned to the comprehensive procedure with the highest rank. Usual terminated procedure discounting is applied if modifiers 52 or 73 are reported (modifier 74 does not apply the terminated procedure discount).
 - If the comprehensive APC is assigned to an independent or conditional bilateral code with modifier 50, the modifier is ignored in assigning the discount formula.
 - Effective 1/1/2016 (v17.0), when SRS (stereotactic radiosurgery) planning and preparation codes are reported on the same claim as the comprehensive APC for SRS (APC 5627), the planning and preparation codes are excluded from packaging; the standard SI and APC, or the composite APC and SI (if criteria is met for multiple CT scan imaging procedures) are assigned. If the SRS planning and preparation codes are reported on a claim with any other comprehensive APC procedure, the codes are packaged under the comprehensive APC packaging criteria.
 - Effective 1/1/2016 (v17.0), if conditions are present for pass-through device offset, a single device offset is provided for comprehensive APC claims only if the comprehensive APC procedure is paired with the pass-through device. Otherwise, no device offset is provided for device offset conditions that may be present for procedures that are packaged (SI = N) as a result of comprehensive APC processing.
 - Effective 1/1/2019 (v20.0), procedure codes assigned to New Technology APCs are excluded from packaging under C-APC processing logic; standard SI and APC are assigned.

Inpatient procedure processing under comprehensive APCs

Effective January 1, 2016 (v17.0), if an inpatient-only procedure is present with modifier CA for a patient who expires or transfers to another hospital (patient status code is 2, 5, 20, 62, 63, 65, 66, 82, 85, 90, 91, 93 or 94), the inpatient procedure is assigned under a comprehensive APC (SI = J1), and all other services reported on the claim are packaged (SI = N), except for those items excluded under comprehensive APC processing. Excluded items with non-covered SI = B, E, C or M return the standard SI; any edits associated with the non-covered SI are not returned. If modifier CA is reported for an inpatient-only procedure and the discharge status does not indicate the patient expired or transferred, the claim is returned to the provider (edit 70). Additional comprehensive APC procedures (SI = J1 or J2) reported on the same claim as the inpatient-only procedure where the patient expired or transferred are packaged (SI = N). If multiple lines, or one line with multiple units, have SI = C and modifier CA, generate edit 60 for all lines with SI = C and modifier CA.

Inpatient-only procedures that are on the s procedure list are bypassed when performed incidental to a surgical procedure with Status Indicator T, or effective 1/1/2015, if reported on a claim with a comprehensive APC procedure (SI = J1). The line(s) with the inpatient-separate procedure is rejected (edit 45) and the claim is processed per usual OPPS rules.

Effective January 1, 2018 if procedure code 01402 (Anesthesia for TKA) is reported on the same day as procedure code 27447 (Total Knee Arthroplasty) the SI of 01402 changes from C to N and will always package. If code 01402 is reported with any other procedure without 27447 reported on the same claim, the SI remains its standard SI = C and processes as usual.

See Inpatient Procedure Processing through v16.3 for older logic in which Inpatient Procedures were not processed under Comprehensive APCs.

Observation processing

Effective January 1, 2016 (v17.0), claims for observation services (SI = J2) meeting specified criteria are paid under a single Comprehensive Observation C-APC payment rate, to include all services submitted on the claim. The same exception criteria for excluded services under high cost procedure comprehensive APCs (SI = J1) apply to the Comprehensive Observation APC, and all allowed adjunctive services submitted on the claim with the Comprehensive Observation APC are packaged (SI is changed to N). If multiple visits are present for qualified Comprehensive Observation C-APC assignment, the visit code with the highest standard APC payment rate is assigned the Comprehensive Observation APC; all other visits are packaged.

Comprehensive observation APC assignment criteria

- There is no procedure with SI = T present for the claim.
- HCPCS G0378 is reported with 8 or more service units.
- There is a visit code present from the following list on the same day or one day before HCPCS G0378: Type A/Type B emergency department visits, critical care, outpatient clinic visit, or HCPCS G0379 for direct referral is present on the same day as G0378.
- The claim does not contain a comprehensive APC procedure with SI = J1.
- If multiple visit codes with SI = J2 are present, the visit code with the highest standard APC payment rate is chosen as the comprehensive observation APC; all other visit codes are packaged (SI = N).
- If the claim does not meet the conditions for comprehensive observation APC assignment, the visit code(s) is/are assigned their standard APC and SI.
- If HCPCS G0379 is present and criteria is not met for comprehensive observation APC, and there are other visit codes present (SI = J2 resulting in standard APC and SI = V), G0379 is packaged. Additional reporting (subsequent occurrences) of HCPCS G0379 are packaged (SI = N).

Device-dependent procedure editing and processing

The use of a device, or multiple devices, is necessary to the performance of certain outpatient procedures. If any of these procedures is submitted without a code for the required device(s), the claim is returned to the provider. Discontinued procedures (indicated by the presence of modifier 52, 73 or 74 on the line) are not returned for a missing device code. Conversely, some devices are allowed only with certain procedures, whether or not the specific device is required. If any of these devices is submitted without a code for an allowed procedure, the claim is returned to the provider (v6.1 – v15.3).

Effective 1/1/2015 (v16.0), the submission of a device-dependent procedure also requires that a device be submitted on the same claim/day. If any device-dependent procedure is submitted without a code for a device on the same claim with the same date of service, the claim is returned to the provider (edit 92). Discontinued procedures (indicated by the presence of modifier 52, 73 or 74 on the line) are not returned for a missing device code.

Effective 1/1/2019 (v20.3), certain device-dependent procedures codes are applicable for bypassing edit 92 if an insertion of a device is not completed (i.e., revised only). In order for the edit to be bypassed a device procedure on the “Mod CG device bypass” list is reported with modifier CG. For a list of applicable device procedures, reference the respective columns in the HcpcsMap data file.

Effective 1/1/2016 (v17.0), if there is a terminated device intensive procedure from a specified list reported with modifier 73, the device portion cost of the procedure APC is output by the IOCE with a Payer Value Code of QQ. The device portion amount is used by the OPPS Pricer program to reduce the APC payment rate prior to application of the terminated procedure discount. A unique payment adjustment flag value of 16 identifies the device intensive procedure reported with modifier 73. In the event there are multiple terminated device intensive procedures present with modifier 73, the device portion amounts are summed and the total device portion is provided; the payment adjustment flag of 16 is assigned for each terminated procedure. Terminated procedure lines present with modifier 73 that may be packaged (SI = N) do not contribute to the device portion amount, and a payment adjustment flag is not returned.

Note: Effective January 1, 2017 (v18.0), the device portion cost for the terminated procedure offset is determined at the individual HCPCS code level, regardless of the APC assignment.

Some implanted devices and some administered substances (SI = H, U), require an implantation or other associated procedure (SI = S, T or X) to be billed on the same claim. If an associated procedure is not present, the claim is returned to the provider (edit 38).

Special conditions apply for a specified procedure pair, Cardioverter Defibrillator and Pacing Electrode, 33249 and 33225. Both codes have a default SI of Q3, however they are not components of a composite APC. The SIs for 33249 and 33225 is changed from Q3 to the specified SI/APC for standard OPPS processing when they do not appear on the same claim with the same date of service. When both procedures are submitted together on the same date of service, the primary procedure is assigned to the standard APC for payment and the secondary procedure is packaged. [v13.0 – v15.3]

Device credit conditional processing

Providers must append modifier 'FB' to procedures that represent implantation of devices that are obtained at no cost to the provider; modifier 'FC' is appended if a replacement device is obtained at reduced cost. If there is an offset payment amount for the procedure with the modifier, and if there is a device present on the claim that is matched with that procedure on the offset procedure/device reduction crosswalk, the IOCE applies the appropriate payment adjustment flag (corresponding to the FB or FC modifier) to the procedure line. The IOCE also reduces the APC rate by the full offset amount (for FB), or by 50% of the offset amount (for FC) before determining the highest rate for multiple or terminated procedure discounting. If the modifier is used inappropriately (appended to procedure with SI other than S, T, X, V or Q3), the claim is returned to the provider [edit 75, v8.0 – 14.3]. If both the FB and FC modifiers are appended to the same line, the FB modifier takes precedence and the full offset reduction is applied [v10.0 - v14.3].

Effective 1/1/2014, if modifier FB or FC is reported on a claim with a device implantation procedure, the claim is returned to the provider [edit 75, v15.0 – 15.3].

Standard device requirements apply to both procedures under all circumstances; however, modifier FB or FC on the secondary procedure is ignored for offset reduction if the SI for the procedure is changed to N. (Device requirements changed; modifier FB/FC no longer used for offset reduction, effective v15.0).

Effective 1/1/2016 (v17.0), if conditions exist for full or partial device credit for a device intensive APC represented by the presence of Condition Code 49, 50 or 53, the device credit amount is output by the IOCE with Payer Value Code QU, which is used by the OPPS Pricer program to reduce the device intensive APC payment rate by the device credit amount. A unique payment adjustment flag value of 17 identifies the device intensive procedure for which the device credit applies. In the event there are multiple device intensive APCs present for device credit, the credits are summed and the total is provided in the value code amount field; the payment adjustment flag of 17 is assigned for each device intensive procedure associated with the device credit. Device intensive procedures that are packaged (SI = N) do not contribute to the device credit amount, and a payment adjustment flag is not returned. If the device intensive procedure is a comprehensive APC procedure and is also eligible for complexity-adjusted APC assignment under comprehensive APCs, the device credit amount for the complexity-adjusted comprehensive APC is provided.

Note: Effective January 1, 2017 (v18.0), the full or partial device credit amount is determined at the individual HCPCS code level, regardless of the APC assignment.

Pass-through device processing

Claims with pass-through device HCPCS codes (SI = H) furnished with certain device-intensive procedures require a payment offset to the APC payment rate for the procedure. Effective January 1, 2016 (v17.0), the IOCE shall identify the offset condition for the pass-through device HCPCS and associated device-intensive procedure by providing a unique claim level Payer Value

Code (QN), with Value Code amount representing the payment offset in the claim return buffer. A payment adjustment flag is returned to identify the pass-through device HCPCS line(s) associated with the payment offset(s) multiple iterations of the same payment adjustment flag value may be returned in the event there are multiple pass-through device HCPCS lines present that are associated with the same device-intensive procedure. An additional claim level Payer Value Code (QO) and payment adjustment flag value may be returned if there is an additional condition present for a separate device offset on the same claim (Payment adjustment flag values of 12 & 13 identify the pass-through devices which require offsets). Claims with pass-through devices reported without the associated device-intensive procedure are returned to the provider (edit 98).

Effective April 1, 2018 (v19.1), certain procedure and pass-through device pairings may have a mid-quarter activation date associated with FDA approval. Claims reporting pass-through devices prior to the mid-quarter activation date are line item denied (edit 105). The edit will be returned on the line containing the pass-through device.

Note: Effective January 1, 2017 (v18.0), the pass-through device offset amounts are determined at the HCPCS code level, regardless of the APC assignment.

If there is a comprehensive APC procedure present (SI = J1) and there are conditions present on the claim for pass-through device payment offset, if there is a pass-through device associated (paired) with the primary comprehensive APC procedure, then a single device offset condition is identified for the claim (Payer Value Code QN only with corresponding offset amount). Conditions that may be present for pass-through device offset on a claim with a comprehensive APC that result in packaging of the device intensive procedure (SI = N) paired with the pass-through device do not produce a pass-through device payment offset.

An exception is made for claims containing the comprehensive APC for an inpatient-only procedure reported with modifier CA for a patient who expires that also contain conditions for pass-through device payment offset; the pass-through device payment offset is provided.

Drug administration

When multiple occurrences of any APC that represents drug administration are assigned in a single day, modifier 59 is required on the code(s) to permit payment for multiple units of that APC, up to a specified maximum; additional units above the maximum are packaged. If modifier 59 is not used, only one occurrence of any drug administration APC is allowed, and any additional units are packaged (v6.0–v7.3 only).

Blood and blood storage processing

In some circumstances, in order for Medicare to correctly allocate payment for blood processing and storage, providers are required to submit two lines with different revenue codes for the same service when blood products are billed. One line is required with revenue code 39X and an identical line (same HCPCS, modifier and units) with revenue code 38X. Revenue code 381 is

reserved for billing packed red cells, and revenue code 382 for billing whole blood; if either of these revenue codes is submitted on a line with any other service, the claim is returned to the provider (edit 79) (HCPCS codes with descriptions that include packed red cells or whole blood may be billed with either revenue code).

Effective 1/1/2015, packed red cells reported with revenue code 381 and whole blood reported with revenue code 382 that appear on a claim with a comprehensive APC procedure (SI = J1) are excluded from packaging; the standard SI is retained.

Nuclear medicine procedure processing

Providers must append modifier 'FB' to specified Nuclear Medicine procedures when the diagnostic radiopharmaceutical is received at no cost/full credit. The IOCE appends the corresponding payment adjustment flag of 7 to the nuclear medicine procedure line as indication to Pricer to deduct the standard policy packaged offset amount from the APC rate. (Assignment of the discounting formula by IOCE is not affected; nuclear medicine procedures are non-type T) (v12.0 - v14.3).

Certain nuclear medicine procedures are performed with specific radiolabeled products. If any specified nuclear medicine procedure is submitted without a code for one of the specified radiolabeled products on the same claim, the claim is returned to the provider (edit 78) (v9.0 – v14.3).

Managed care processing

OPPS claims for Managed Care beneficiaries, as identified by the MAC (Payer only condition code MA – Managed Care enrollee), are not subject to line level deductible. Payment adjustment flag 4 is applied to all line items except for those that are packaged (SI = N) with line item charges = \$0.00.

Preventative services processing

Deductible and co-insurance may be waived for certain preventive services (See HCPCS Map within the data files for services flagged as preventive) and for any services submitted with modifier Q3 (Live kidney donor surgery and related services) on the line. A payment adjustment flag value of 9 or 10 is applied to preventive services to specify that either the deductible/ co-insurance is not applicable (PAF 9) or that the Co-insurance is not applicable (PAF 10) (v12.0 - Current). Preventive services or services reporting modifier Q3 that are packaged (SI = N) with line item charges = \$0.00 do not have a payment adjustment flag assigned for deductible and/ or coinsurance waiver.

Deductible is waived for all services coded in the CPT range 10000 – 69999, on any day/date of service when modifier PT (Colorectal cancer screening test converted to diagnostic test or other

procedure) is also present on a valid code in the same range on the claim. The IOCE sets the specified payment adjustment flag of 4 on the line, except when any other payment adjustment flag is already applied to the same line. If a line reporting modifier PT is packaged (SI = N) with charges = \$0.00, the payment adjustment flag for deductible waiver is not applied.

Special processing for drugs and biologicals

Effective April 1, 2016 (v17.1), claims containing specified pass-through drugs or biologicals furnished with an associated procedure require pass-through payment offset. If conditions exist for pass-through drug or biological payment offset, the IOCE shall provide a unique Payer Value Code with Value Code amount representing the amount of the payment offset. A payment adjustment flag will be assigned to the pass-through drug or biological to identify which line(s) is associated with the corresponding Payer Value Code and Value Code amount; PAF 18, identify the first pass-through drug or biological, while PAFs 19 and 20 identify the second and third pass-through drug or biologicals. Multiple iterations of the same payment adjustment flag value may be returned in the event there are multiple pass-through drugs or biologicals present that are associated with the same offset condition. Claims that may contain multiple conditions eligible for pass-through drug or biological offset return additional Payer Value Codes.

Conditions that may be present for pass-through drug or biological payment offset on a claim with a comprehensive APC that result in packaging of the associated procedure (SI = N) paired with the pass-through drug or biological continue to produce a pass-through drug or biological payment offset. Specific pass-through drugs and biologicals that are not reported with an associated procedure for APC payment offset do not have coinsurance applied. Each PT drug present must be paired with an associated procedure (APC) in order to complete processing (edit 98).

There are four categories of pass-through drug and biological conditions eligible for payment offset: radiopharmaceuticals, skin substitute products, contrast agents and stress agents. Conditions for payment offset for pass-through radiopharmaceuticals reported with an associated nuclear medicine procedure are considered across the claim; otherwise conditions for payment offset for other pass-through drug and biological categories reported with an associated procedure are performed for the same service date.

Effective October 1, 2016 (v17.3), claims containing drugs and biological HCPCS codes with pass-through status (SI =G) or non-pass-through status (SI = K) that are reported without an OPPS payable procedure (SI = J1, J2, P, Q1, Q2, Q3, R, S, T, U, V) are returned to the provider (edit 99). There are exceptions for blood clotting factor HCPCS which may be self-administered, and certain biologic response modifier HCPCS, which do not require that an OPPS procedure is present. Additionally, payment for pass-through and non-pass-through drugs is no longer determined by the OPPS Pricer; the IOCE assigns payment indicator value of 2 for pass-through and non-pass-through drug HCPCS codes, representing drugs HCPCS priced by fee schedule (e.g. ASP drug file), although the final payment APC is provided.

Effective January 1, 2018 (v19.0), services that are necessary to perform in order to produce a biological are bundled into the total cost of the biological. Claims submitted using these bundled

services (HCPCS) are line item rejected with edit 111, indicating that the service cost is duplicative. Additionally, if revenue code 870-873 (Cell/Gene Therapy) are reported with blank hcpcs, edit 111 is returned (LIR) to identify that the charges associated with the revenue center are bundled into the cost of a biological.

Skin substitute editing and processing

Certain skin substitute products are separately paid, based on their standard SI/APC assignment, only when billed with specified skin substitute application procedure codes. If one of the specified application procedure codes is not present on the same date of service as the skin substitute, the skin substitute product is packaged (has its SI changed to N) (v13.0 – v14.3).

Effective 1/1/2014 (v15.0), the submission of certain skin substitute application procedures require the reporting of a skin substitute product for the same day. Certain skin substitute application procedures and skin substitute products are divided into two lists based on high or low cost. Claims containing a high cost skin substitute application procedure without any of the high cost skin substitute product codes, and conversely any low cost skin substitute application procedure without a low cost skin substitute product code for the same day, are returned to the provider (edit 87). (See HCPCS map within the data files for products flagged as high or low cost skin substitutes.)

Effective 10/1/2015 (v16.3), if a skin substitute product code is present with line item action flag value of 2 representing an external line item denial, the line is not ignored by the IOCE for the purposes of applying edit 87. If the denied skin substitute product is on the list of skin substitute products and the skin substitute application procedure is also present, edit 87 is not returned.

Biosimilar HCPCS processing

Effective January 1, 2016 (v17.0), OPPS and non-OPPS claims containing biosimilar HCPCS codes without a corresponding modifier representing the biosimilar manufacturer, are returned to the provider (edit 94).

Effective July 1, 2017, certain modifiers used for biosimilar HCPCS reporting may have a mid-quarter activation date associated with the FDA approval. Claims reporting these specific modifiers prior to the mid-quarter activation date are line item denied (edit 103).

Note: Edits 94 and 103 are discontinued effective April 1/2018 (v19.1). These edits are returned on claims submitted within their respective effective dates.

HSCT and donor acquisition services processing

Effective January 1, 2017 (v18.0), claims containing HSCT (hematopoietic stem cell transplantation) allogeneic transplantation procedure 38240 require the reporting of a separate

line representing donor acquisition costs with revenue code 815. If the separate line with revenue code 815 is not present, the claim is returned to the provider (edit 100).

Radiological processing

CT scan equipment not meeting NEMA standards

Effective January 1, 2016 (v17.0), if modifier CT is reported for certain imaging codes for CT scans performed on equipment not meeting NEMA standards, a payment adjustment flag value of 14 is passed to the OPPS Pricer indicating the line is subject to payment reduction. Codes from the specified list that are reported with modifier CT and are packaged (SI = N) due to multiple imaging composite APC assignment or comprehensive APC assignment, do not receive payment adjustment. The first code assigned to a multiple imaging composite APC receives the payment adjustment flag if there are CT scan codes reported with modifier CT that are constituents of the composite APC (i.e., the composite APC line may or may not have modifier CT reported).

Note: Modifier CT should not be reported on the same hcpcs line with X-ray Modifiers FX or FY as they are modifier conflicts, edit 102 is returned to the provider.

Film x-ray HCPCS processing

Effective January 1, 2017 (v18.0), if modifier FX (x-ray taken using film) is reported with a film x-ray HCPCS code, a payment adjustment flag value of 21 is passed to the OPPS Pricer program indicating the line is subject to payment reduction. If the film x-ray reported with modifier FX is packaged (SI = N), no payment adjustment flag is assigned. If a film x-ray HCPCS code is reported with modifier FX and is also on the coinsurance deductible n/a procedure list, payment adjustment flag 23 is returned to pricer indicating that the line is subject to a payment reduction as well as the coinsurance/ deductible being not applicable.

Computed radiography technology HCPCS processing

Effective January 1, 2018 (v19.0), if modifier FY (X-ray using computed radiography technology/cassette-based imaging) is reported with an x-ray HCPCS code using computed radiography technology, a payment adjustment flag value of 22 is passed to the OPPS Pricer program indicating the line is subject to payment reduction. If the computed radiography x-ray reported with modifier FY is packaged (SI = N), no payment adjustment flag is assigned. If an x-ray HCPCS code is reported with modifier FY and is also on the coinsurance deductible n/a procedure list, payment adjustment flag 24 is returned to pricer indicating that the line is subject to a payment reduction as well as the coinsurance/ deductible being not applicable.

Note: Effective January 1, 2018 (v19.0), edit 102 is returned if modifiers FX and FY are reported together on the same line as they are identified as a modifier pairing conflicts. To review the list

of modifier conflicts subject to edit 102, please reference the data files and the report named modifier conflicts.

Hospice and home health processing

In order to allow the MAC to process and pay for certain services on Hospice claims, any HCPCS code with status indicator M that is submitted with revenue code 657 on 81x or 82x bill types have the status indicator changed from M to A; the claim is not returned to the provider.

Note: This logic is discontinued effective 1/1/2014 as edit 61 and 72 are excluded from hospice claims processing (bill type 81x, 82x).

Home health claim submissions are episode-based with dates of service that can span a maximum of 60 days. To allow for the claims to be processed through the IOCE, diagnosis codes reported on a claim with dates of service that span the annual October diagnosis update and the previous release are not edited.

Effective 10/1/2014, diagnosis codes considered to be manifestation codes (per the Medicare Code Editor [MCE]) are not allowed as the principal diagnosis on hospice claims and effective 1/1/2015 for home health claims submitted with bill type 32x. Hospice and Home Health claims submitted with a manifestation code as principal diagnosis are returned to the provider with (edit 86).

Vaccine administration, antigens, splints, and casts are paid under OPPS for hospitals. In certain situations, these services when provided by HHAs not under the Home Health PPS, and to hospice patients for the treatment of a non-terminal illness, are also paid under OPPS.

Effective January 1, 2017 (v18.0), Negative Pressure Wound Therapy (NPWT), reported with procedure codes 97607 or 97608, are separately payable OPPS services for HHAs when submitted on claims with bill type 34x, not under the Home Health PPS. If the NPWT codes are reported as a therapy service (therapy modifier and/or therapy revenue code present for the line), the codes are not processed as “sometimes therapy” and changed to SI=A by the IOCE; the standard SI and APC are retained for payment purposes. For the specified lists of services mentioned above please refer to the HCPCS map within data files.

Effective with the July 2018 release (v19.2), HHA claims (bill type 32x) are subject to procedure based edits 6 (Invalid Procedure) and 22 (Invalid Modifier); except in the instance of reporting a HIPPS code with revenue code 0023. Effective with the April 2019 release (v20.1), HHA’s (32x) submitting claims with dates of services that span the annual (January) release and the previous quarter do not return edit 6 if the service provided is effective for the reported line item date of service.

Non-excepted items or services in off-campus provider-based hospitals

Effective January 1, 2017 (v18.0), certain items and services, when provided in an off-campus provider-based hospital outpatient department, may be considered non-excepted under Section 603 of the Bipartisan Budget Act of 2015. Non-excepted services are reported with modifier PN (Non-excepted off-campus svc), and are subject to special processing in the IOCE for determination of whether or not payment is to be made or reduced under an alternative method (i.e. Physician Fee Schedule (PFS)). Claims containing certain services that are not allowable with modifier PN are returned to the provider (edit 101). Claims that are reported with two of the following modifiers (PO, PN, or ER) on the same line item are returned to the provider, (edit 102).

Criteria for non-excepted services reported with modifier PN

- Special processing occurs only for hospital outpatient claims with bill type 13x with and without condition code 41, and bill type 76x (CMHC).
- Non-excepted processing logic occurs after all other IOCE processing.
- Services reported with modifier PN are identified using the Payment Method Flag for determination of payment method or reduction by the OPPS Pricer (PMF 7 or PMF 8).

Hospital outpatient claims with bill type 13x without condition code 41

- Emergency department visits and critical care encounters that have standard assignment under SI = V or S (critical care) are not allowed with modifier PN. Edit 101 is applied (RTP) and the Payment Method Flag is not set to a value of 7 or 8.
- Payment Method Flag Value 7 is applied for the following:
 - Services with SI = F, H, L, R and U that are excepted under Section 603
 - Services with SI = J1, J2, Q1, Q2, Q3, Q4, S, T and V that have Payment Adjustment Flag Value 4, 9 or 10 assigned (preventive services)
 - Certain HCPCS codes for radiation treatment with SI = B when reported with modifier PN have the SI changed to S and are assigned a special APC (see quarterly data file reports for a list of procedure codes)
- Payment Method Flag Value 8 is applied for the following:
 - Services with SI = J1, J2, Q1, Q2, Q3, Q4, S, T, and V, except for emergency department visits with SI = V and critical care encounters with SI = S.

Note: HCPCS G0463 for clinic visit with SI = J2 (for comprehensive observation APC) or standard SI = V is always assigned Payment Method Flag 8; it is not included in the list of emergency department visit codes or critical care encounters that are subject to edit 101.

- Effective January 1, 2019, off-campus provider-based outpatient departments submitting clinic visit HCPCS code G0463 with modifier PO also have payment method

flag of 8 returned, to apply the physician fee schedule reduction in the OPPS Pricer.
 Note: Modifiers PO and PN cannot be submitted on the same hcpcs line item, edit 102 is returned to the provider.

- Services with SI = A, G, K and N have no impact; Payment Method Flag values 7 and 8 are not applicable.

Hospital off-campus provider-based outpatient departments submitting claims with Modifier PO

- Effective January 1, 2015, modifier PO is added as a valid modifier to voluntarily report items or services furnished in an off-campus provider-based outpatient department of a hospital. Effective January 1, 2016, reporting modifier PO is required to be reported for items or services performed in a hospital off-campus provider-based outpatient department.
- Effective January 1, 2019, off-campus provider-based outpatient departments submitting clinic visit HCPCS code G0463 with modifier PO have payment method flag A returned, to apply a payment reduction in the OPPS Pricer. Note: Modifiers PO, PN, or ER cannot be submitted on the same HCPCS line item, edit 102 is returned to the provider.

Hospital outpatient claims with bill type 13x with condition code 41 (PHP)

- PHP services with SI = P have a change in APC assignment to the CMHC PHP APC, with Payment Method Flag 7 applied.

Note: Non-PHP services reported with modifier PN that may be present on a hospital PHP claim are subject to the logic listed above for claims with bill type 13x without condition code 41.

CMHC PHP outpatient claims with bill type 76x

- PHP services with SI = P are not allowed with modifier PN. Edit 101 is applied (RTP) and the Payment Method Flag is not set to a value of 7 or 8.

FQHC processing under FQHC PPS

Effective for claims with From Dates on or after October 1, 2014, claims submitted through the IOCE with bill type 77x for Federally Qualified Health Centers (FQHC) are processed under FQHC PPS. Processing occurs for each date of service if the claim contains multiple dates. FQHC claims are paid under a per encounter basis for qualified clinic visits. Any supporting ancillary services provided on the day of the FQHC visit are packaged into the encounter payment. If the FQHC claim contains multiple dates of service, each day is processed separately through the IOCE. Special output flag values are assigned during FQHC processing under the IOCE to facilitate identification of FQHC payment processing by the Pricer program.

Criteria for processing FQHC PPS claims through the IOCE

FQHC encounters require the reporting of both a unique FQHC payment HCPCS code indicating the type of visit (New or established medical visit, new or established mental health visit, or Initial Preventive Physical Exam/Annual Wellness Visit), and a qualifying visit HCPCS related to the services performed. FQHC claims that do not contain a required FQHC payment HCPCS code are returned to the provider (edit 88). The FQHC HCPCS payment code must be reported with revenue code 519, 52x or 900. FQHC payment HCPCS codes reporting revenue codes other than those listed are returned to the provider (edit 90). FQHC claims that do not contain both the FQHC payment HCPCS code and a qualifying visit code are also returned to the provider (edit 89). The FQHC payment HCPCS code identifies the line where the Pricer program applies the FQHC encounter payment. (For a list of paired qualifying visit codes, reference the code pairs report within the data files.)

Specific revenue code to FQHC payment code requirements are as follows:

- Medical visit codes require revenue code 52x or 519
- Mental health visit codes require revenue code 900 or 519

FQHC encounters for new patient visits or for the IPPE/AWV are identified by the IOCE for additional payment adjustment by the Pricer program. Only one FQHC payment code per day is identified for the new patient/IPPE/AWV payment adjustment.

Payable FQHC payment code lines are flagged with a Payment Indicator (PI) = 10, unless there is a new patient or IPPE/AWV visit present. If there is a new patient visit or IPPE/AWV reported, PI= 13 is assigned to the FQHC payment code representing the new patient/IPPE/AWV visit. If multiple visits are reported, only one new patient FQHC payment HCPCS is assigned PI=13 per day. Any additional FQHC payment codes present for the same day are assigned PI=10. Qualifying visit codes that accompany the FQHC payment code are flagged with PI=12 and are packaged with Packaging Flag =5.

If a mental health visit is provided on the same day as a medical clinic visit, both visits are recognized for FQHC encounter payments, providing the claim meets the criteria for payment of each visit, i.e. FQHC payment HCPCS codes are present for each visit, qualifying visit HCPCS codes are present, and appropriate revenue codes are reported.

If there is an additional FQHC payment code for an established medical visit reported on the same day with modifier 59, this indicates that the visit is a subsequent, unrelated illness or injury provided on the same day as another FQHC visit. The subsequent visit may be eligible for FQHC encounter payment, provided the appropriate FQHC visit criteria are met for the established patient FQHC visit reported with modifier 59. Any additional FQHC visits reported on the same day, reported with or without modifier 59, are packaged.

A composite adjustment flag is assigned for lines reporting FQHC payment codes, identifying the type of FQHC visit(s) present for a date of service, whether for: 01) medical visit or IPPE/AWV, 02) mental health visit, or 03) a subsequent visit reported with modifier 59. The composite adjustment flag is used by the Pricer program to identify line item charges associated with each type of FQHC encounter. All FQHC payment codes are assigned a composite adjustment flag by

the IOCE; the assignment of the composite adjustment flag has no bearing on whether or not the visit is eligible for separate FQHC encounter payment.

Additional criteria for FQHC processing

Effective January 1, 2016 (v17.0), Grandfathered Tribal FQHC providers are identified by the presence of payer only condition code MG passed to the IOCE on a claim for FQHC PPS services. Claims submitted for Grandfathered Tribal FQHC providers have different encounter requirements than other FQHC PPS providers. Only one visit is payable per day; if multiple visits are present for the same day, the first medical visit (or first mental health visit if no medical visits are reported) is identified to OPPS Pricer for payment with a payment indicator (PI=14); all other visits are packaged.

Preventive services under the FQHC PPS shall be packaged into the FQHC encounter payment; however, line items reporting preventive services are subject to a waiver of coinsurance payment. The IOCE shall identify to the Pricer program the FQHC packaged preventive services by way of a specific packaging flag value 6 (Packaged preventive service as part of FQHC encounter payment not subject to coinsurance payment).

Effective January 1, 2016, Advance Care Planning services reported with code 99497 are considered a preventive service under FQHC PPS when reported with an annual wellness visit (initial or subsequent). If advance care planning is reported with the annual wellness visit it is identified as a packaged preventive service. If advance care planning is reported without the annual wellness visit, it is treated as a qualifying visit code to satisfy the FQHC encounter requirements and is packaged as a qualifying visit code.

Influenza and pneumococcal vaccines and associated vaccine administration services continue to be paid under reasonable cost through the cost report, and are not packaged into the FQHC encounter payment. If influenza and/or pneumococcal vaccine and vaccine administration is reported on the FQHC claim, the services are identified for the Pricer program as non-packaged services that are excluded from the FQHC encounter payment (PI=11).

Telehealth facility fees continue to be paid by the Medicare physician fee schedule, and are not packaged into the FQHC encounter payment. If telehealth facility fees are reported on the FQHC claim, the service is processed through the IOCE and identified as a non-packaged service for the Pricer program in order to be processed for fee schedule payment (packaging flag = 0). Effective July 1, 2015 (v16.2), Telehealth facility fees reported without a FQHC payment code and qualifying visit code are not returned to the provider.

Items or services that are not covered under the FQHC are line item rejected PPS (DME, ambulance, laboratory, and other non-covered services). Non-covered lines are assigned line item action flag 5 and PI=3, and although SI is ignored under FQHC, all non-covered lines are assigned to SI=E1. If line items with non-covered charges are passed into the IOCE with Line Item Action flag 5 previously assigned, these lines are not line item rejected.

Note: All line item submitted on a claim with bill type 770 (No payment claim) are submitted to the IOCE with Line Item Action Flag 5 assigned; edit 91 is not returned for claims with bill type 770, nor is any other editing performed.

FQHC non-covered items or services include durable medical equipment submitted with revenue code 29X, ambulance services submitted with revenue code 54X, laboratory services paid under the Clinical Lab Fee Schedule (excluding venipuncture, 36415, which is packaged), hospital-based care, group services and non-face-to-face services.

Effective October 1, 2015 (v16.3), claims containing only FQHC non-covered services reported without a FQHC payment code and qualifying visit code are not returned to the provider.

Effective 1/1/2016 (v17.0), Chronic Care Management (CCM) services are not packaged under FQHC PPS. If Chronic Care Management is reported, PI = 2 is assigned, indicating that it is paid under the Medicare Physician Fee Schedule. CCM services reported without a FQHC payment code or qualifying visit code bypass edits 88 and 89.

For claims with From dates on or after October 1, 2014 through March 31, 2015 (v15.3 – v16.0), mental health visits reporting psychotherapy services that are add-on codes require the reporting of a primary service code. A subset of the primary service codes for psychotherapy are also considered qualifying visit codes under the FQHC PPS. In order to satisfy the criteria for a FQHC mental health visit reporting a psychotherapy add-on code, if a psychotherapy add-on code is present with a mental health FQHC payment code, the psychotherapy add-on code is paired to a qualifying visit code that represents a primary service for the psychotherapy add-on code. If the primary service code is missing from a claim containing a FQHC mental health visit with a psychotherapy add-on code, the claim shall be returned to the provider (edit 84). If there are multiple visits present for the day, once the criteria for a FQHC mental health visit with psychotherapy is satisfied for the add-on code, the paired qualifying visit code cannot be used as a qualifying visit code for other FQHC payment codes that may be present. However, the processing of psychotherapy add-on codes occurs after the assignment of any new patient, IPPE/AWV, or other medical visit processing; qualifying visit codes that are utilized for previous medical visit assignment are not available for pairing with the psychotherapy add-on code for FQHC mental health clinic visits. For claims with From dates on or after April 1, 2015 (v16.1), mental health visits reporting psychotherapy add-on codes are no longer considered qualifying visits under the FQHC PPS. The psychotherapy add-on codes are packaged into the FQHC encounter payment when reported with a qualifying visit.

Services with SI = M are not billable to the MAC and are subject to edit 72. Effective 4/1/2018 (v19.1), there is a list of HCPCS codes with SI = M that are reportable for FQHC claims and therefore bypass edit 72 processing. For the list of HCPCS applicable to the edit 72 bypass condition, see the HCPCS Map within the quarterly data files.

Rural health clinic processing

Effective 4/1/2016 (v17.1), the non-covered services list for FQHC is applied to RHC (Rural Health Clinic) claims with bill type 71x. Program logic associated with the execution of edit 91 and the

return of line item action flag 5 is included for RHC claims (Note: RHC claims are not subject to any additional FQHC PPS logic.)

Services with SI = M are not billable to the MAC and are subject to edit 72. Effective 4/1/2018 (v19.1), there is a list of HCPCS codes with SI = M that are reportable for RHC claims and therefore bypass edit 72 processing. For the list of HCPCS applicable to the edit 72 bypass condition, see the HCPCS Map within the quarterly data files.

Effective 4/1/2018 (v19.1), certain services deemed incorrectly reported with modifier CG (Policy criteria applied) for RHC claims are line item rejected (edit 104) as not being included in the RHC all-inclusive rate.

Chapter 6: Non-OPPS data entry

This chapter describes how to interactively enter data into the Integrated Outpatient Code Editor (IOCE) software. See chapter 10 for instructions on using the data entry accessibility features of this software.

The chapter contains the following information for non-OPPS data processing: complete definitions for fields, explanations of menus and command buttons, and a list of error messages that can occur.

Note: IOCE software uses one graphical user interface for interactively processing claims from both OPPS and non-OPPS hospitals. Consequently, three new fields (Primary Pay Source, Patient account number, and Comment) were added specifically for non-OPPS data entry.

Versions and date ranges

The following table lists the versions contained in this release of IOCE software for non-OPPS hospital claims processing. The date entered in the program as Date of Service From determines the version used for processing.

Table 12. Program versions

| IOCE version | Effective date range |
|--------------|------------------------------------|
| 20.3.0 | 10/01/2019–10/01/2029 ^a |
| 20.2.x | 07/01/2019–09/30/2019 |
| 20.1.x | 04/01/2019–06/30/2019 |
| 20.0.x | 01/01/2019–03/31/2019 |
| 19.3.x | 10/01/2018–12/31/2018 |
| 19.2.x | 07/01/2018–09/30/2018 |
| 19.1.x | 04/01/2018–06/30/2018 |
| 19.0.x | 01/01/2018–03/31/2018 |
| 18.3.x | 10/01/2017–12/31/2017 |
| 18.2.x | 07/01/2017–09/30/2017 |
| 18.1.x | 04/01/2017–06/30/2017 |
| 18.0.x | 01/01/2017–03/31/2017 |

| IOCE version | Effective date range |
|---------------------|-----------------------------|
| 17.3.x | 10/01/2016–12/31/2016 |
| 17.2.x | 07/01/2016–09/30/2016 |
| 17.1.x | 04/01/2016–06/30/2016 |
| 17.0.x | 01/01/2016–03/31/2016 |
| 16.3.x | 10/01/2015–12/31/2015 |
| 16.2.x | 07/01/2015–09/30/2015 |
| 16.1.x | 04/01/2015–06/30/2015 |
| 16.0.x | 01/01/2015–03/31/2015 |
| 15.3.x | 10/01/2014–12/31/2014 |
| 15.2.x | 07/01/2014–09/30/2014 |
| 15.1.x | 04/01/2014–06/30/2014 |
| 15.0.x | 01/01/2014–03/31/2014 |
| 14.3.x | 10/01/2013–12/31/2013 |
| 14.2.x | 07/01/2013–09/30/2013 |
| 14.1.x | 04/01/2013–06/30/2013 |
| 14.0.x | 01/01/2013–03/31/2013 |

a. The ending date of the current version will be modified to the actual ending date with the next release.

Accessing the software

To access the interactive interface of IOCE software, follow these steps:

1. On the Start menu, point to Programs, Integrated Outpatient Code Editor, and select IOCE Interactive.

The splash screen appears, followed by the Integrated Outpatient Code Editor Software window.

2. Enter claim data on the Integrated Outpatient Code Editor Software window.

The data entry (input) window is shown in the following figure. The CPT copyright date is represented by xxxx in the figure; the actual date in your software will be current with the latest release of the product.

For help with data entry:

- Use the data entry table for data entry field information.
- Use the non-OPPS menu items table (page [101](#)) when entering diagnosis and/or procedure codes.
- If you get an error message, refer to the non-OPPS error messages table (page [103](#)).

Non-OPPS data entry fields

Non-OPPS fields on the input window are described in the following table. Refer to the Data elements table for Uniform Billing (UB) locator information for fields.

Note: Grayed-out names indicate fields that have a pre-set value or are not available for data entry.

The screenshot shows the 'Integrated Outpatient Code Editor Software' window. Annotations on the left point to various fields:

- Patient information:** Points to the 'Patient name' field.
- Codes section:** Points to the 'Codes' section header.
- Click to add codes:** Points to the 'Add code' button.
- Contractor bypass fields:** Points to the 'Contractor Bypass' section.
- Click to add codes as RVDX:** Points to the 'Add RVDX' button.
- Click to add codes as PDX:** Points to the 'Add PDX' button.
- Click to clear code information:** Points to the 'Clear' button.
- Click to see report:** Points to the 'Report' button.

The form includes fields for Patient name, Medical record number, Birth date, Age in years, Sex, Patient Status, Type of bill, From Date, Through Date, Condition Codes, Occurrence Codes, Value Codes & Amounts, Primary Pay Source, Patient account number, Comment, Codes (Diagnosis/Procedure), Modifier, Revenue code, Units of service, Charges, Service date, Action Flag, Contractor Bypass, Edit, APC, Service Indicator, Payment Indicator, Discounting Formula, Denial/Rejection Flag, Packaging Flag, Payment Adjustment Flag, Payment Method Flag, and a table for Diagnoses and Procedures.

| Diagnoses | Code | Mod 1 | Mod 2 | Mod 3 | Mod 4 | Mod 5 | Rev Code | Units | Charges | Service Date | Action Flag | C |
|-----------|------|-------|-------|-------|-------|-------|----------|-------|---------|--------------|-------------|---|
| RVDX | 1 | | | | | | | | | | | |
| RVDX | 2 | | | | | | | | | | | |
| RVDX | 3 | | | | | | | | | | | |
| PDX | 4 | | | | | | | | | | | |
| 5 | 5 | | | | | | | | | | | |
| 6 | 6 | | | | | | | | | | | |
| 7 | 7 | | | | | | | | | | | |
| 8 | 8 | | | | | | | | | | | |
| 9 | 9 | | | | | | | | | | | |

Procedures table (partially visible):

| Code | Mod 1 | Mod 2 | Mod 3 | Mod 4 | Mod 5 | Rev Code | Units | Charges | Service Date | Action Flag | C |
|------|-------|-------|-------|-------|-------|----------|-------|---------|--------------|-------------|---|
| 1 | | | | | | | | | | | |
| 2 | | | | | | | | | | | |
| 3 | | | | | | | | | | | |
| 4 | | | | | | | | | | | |
| 5 | | | | | | | | | | | |
| 6 | | | | | | | | | | | |
| 7 | | | | | | | | | | | |
| 8 | | | | | | | | | | | |
| 9 | | | | | | | | | | | |

Report button is located at the bottom right of the table area.

Figure 3: Non-OPPS input window

Table 13. Non-OPPS data entry fields

| Field name | Length | Description |
|---------------------------------|--------|---|
| Patient name | 31 | Name of the patient. |
| Medical record number | 17 | Patient's medical record number. |
| Date of service: From | 10 | Required. Beginning date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . Used for code validation. The date cannot precede the first day of the earliest non-OPPS version in the current release and determines the version of codes and descriptions used for processing. |
| Date of service: Through | 10 | Required. Through date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . The date cannot precede the first day of the earliest non-OPPS version in the current release. |
| OPPS flag | 1 | OPPS/non-OPPS flag. Default value = 1. 1 = OPPS 2 = Non-OPPS |
| Birth date | 10 | Patient's birth date in MM/DD/YY or MM/DD/YYYY format. Used for age calculation. |
| Age in years | 3 | Patient's age in years. Valid values: 0 - 124. Calculated age (From date minus Birth date) takes precedence over entered age. |
| Sex | 1 | Patient's sex. Select a value from the drop-down list of acceptable values. |
| Patient status | 2 | Patient status code |
| Type of bill | 3 | Code indicating the specific type of bill: inpatient, outpatient, adjustments, voids, etc. |
| NPI Medicare provider number | 13 | National provider identifier Medicare provider number. |
| OSCAR Medicare provider number. | 6 | OSCAR Medicare provider number. |
| Condition codes | 2 | Code(s) used to identify conditions relating to the bill that may affect payer processing. Maximum of 30 condition codes. Lower case letters are automatically converted to upper case by the program. |
| Occurrence codes | 2 | Occurrence code. Maximum of 30 occurrence codes. |
| Value codes and amount | 11 | Value code and value code amount. Maximum of 36 value codes. |

| Field name | Length | Description |
|-------------------------------|--------|--|
| Primary pay source | | <p>Enter the primary pay source using one of the numbers listed below. The English description displays automatically.</p> <p>01 = Medicare 02 = Medicaid 03 = Title V 04 = Other govt 05 = Work 06 = Blue Cross 07 = Insur co 08 = Self pay 09 = Other 10 = No charge</p> |
| Patient account number | | Number of the group insurance policy or other unique patient identifier by which the patient is billed for medical care. The entry can be a combination of letters and numbers. |
| Comment | | Available for entry of additional information as specified by the user. The entry can be a combination of letters and numbers. |
| Codes: Diagnosis/Procedure | | <p>Click the Diagnosis radio button to enter a diagnosis code. Click the Procedure radio button to enter a procedure code.</p> |
| Code | 8 | <p>Enter the diagnosis or procedure code without decimal points. Lower case letters are converted to upper case by the program. The English description for the code appears in the text box to the right of this field.</p> <p>Diagnosis codes. PDX is required. Valid entries for diagnoses are 8-character ICD-10-CM or ICD-9-CM codes, to a maximum of 28 diagnoses. The first three listed diagnoses are assumed to be the patient's reasons for visit diagnosis (RVDX) and may be left blank. The fourth listed diagnosis is assumed to be the principal diagnosis and cannot be blank. Additional diagnoses are secondary and must be in contiguous locations. The first blank non-RVDX diagnosis signifies the end of the list.</p> <p>Procedure codes. Valid entries for procedures are 5-character CPT/HCPCS codes to a maximum of 99 procedures.</p> <p>Important: After entering a code, be sure to click the Add code, Add RVDX or Add PDX button to add the code to the record.</p> |

| Field name | Length | Description |
|--|--------|---|
| Modifiers | 2 | Enter a maximum of five modifiers. Each modifier must be two characters long. Lower case letters are automatically converted to upper case by the program. This field is only enabled when you are entering a procedure. |
| Revenue code | 4 | Required for line items. Code that identifies a specific accommodation, ancillary service, or billing calculation (UB-04 form locator 42). One revenue code is required for each line item. This field is only enabled when you are entering a procedure. |
| Contractor bypass edits | 12 | 4, 3-byte alpha-numeric characters allowed per single line item; right-justified, zero-filled, default: 000 |
| Contractor bypass APC | 5 | Numeric; right-justified, zero-filled, default: 00000 |
| Contractor bypass status indicator | 2 | Contractor bypass status indicator; Alphanumeric; right-justified, zero-filled, default: 00 Note: If the SI value is one character, it must be reported with a leading blank value instead of 0 (example, " bA" "A") |
| Contractor bypass payment indicator | 2 | Numeric; right-justified, zero-filled, default: 00 |
| Contractor bypass discounting formula | 1 | Numeric; zero-filled, default: 0 |
| Contractor bypass line item denial or rejection flag | 1 | Numeric; zero-filled, default: 0 |
| Contractor bypass packaging flag | 1 | Numeric; zero-filled, default: 0 |
| Contractor bypass payment adjustment flag | 2 | Numeric; right-justified, zero-filled, default: 00 |
| Contractor bypass payment method flag | 1 | Alphanumeric; zero-filled, default: 0 |

a. Dates can be entered with or without a separator (/)

Non-OPPS menu items

Menu items available from the input window are described in the following table.

Table 14. Menu items

| Menu | Item | Function |
|------|------------|--|
| File | New | Displays a new window, cleared of all previously entered information. |
| File | Exit | Exits the program. |
| Edit | Cut | Removes the selected text and copies it to the clipboard. |
| Edit | Copy | Copies the selected text to the clipboard. |
| Edit | Paste | Inserts the clipboard's contents at the insertion point. |
| Edit | Delete row | Deletes the diagnosis or procedure (and all information in the row) that was selected. |
| Help | About | Displays the About box. |

Tip

"Hot keys" in menus are displayed after you press the Alt key.

Non-OPPS command buttons

Command buttons on the input window are described in the following table.

Table 15. Command buttons

| Button | Function |
|----------|--|
| Add code | Adds the currently displayed diagnosis or procedure code to the patient's record. The code will appear in the Diagnoses or Procedures list at the bottom of the window, as appropriate. |
| Add RVDX | Adds the currently displayed diagnosis code to the RVDX field in the Diagnoses list at the bottom of the window. |
| Add PDX | Adds the currently displayed diagnosis code to the PDX field in the Diagnoses list at the bottom of the window. |
| Clear | Clears the Code field and the code description that appears next to it. For procedures, associated Modifiers, Revenue code, Units of service, Charges, Service date, and Line item action flag are also cleared. |
| Report | Displays a pre-formatted output report that can be printed or saved. For more output report information, see " Non-OPPS data output " on page 105 . |

Non-OPPS error messages

To help ensure the entry of accurate information, the program automatically performs data entry checks, such as for a month entered as 14, or an age entered as -2. When an error is detected, an error message appears in a message box. Click OK to close the message box.

Table 16. Non-OPPS error messages

| Message | Occurs when ... |
|--|---|
| Birth date cannot be after From date. | Birth date is after the From date. |
| Birth date cannot be after today's date. | Date in the date field is after the system (today's) date. |
| Invalid date. Valid formats are mm/dd/yyyy or mm/dd/yy or mmdyyy or mmdyy. | The value entered for the month, day or year is outside the valid range for mm, dd or yyyy, or the format is incorrect. Note: This error message applies to the "Birth date", "From date", or "Through date" fields. |
| Charges are invalid. Charges must be between 0 and 99999999.99. | Entry for Charges is outside the field's valid entry range. |
| From date cannot be after Through date. | From date is after the Through date. |
| From date cannot be after today's date. | Date entry is after the system (today's) date. |
| From date cannot precede Birth date. | From date precedes the Birth date. |
| From date cannot precede mm/dd/yyyy. | Date is prior to the first day of the earliest non-OPPS version included in the current release. |
| Invalid age. Age in years must be between 0 and 124. | Entered age or calculated age exceeds 124 years. |
| Partial hospitalization condition code 41 not approved for type of bill. | Bill type is 12x or 14x with a condition code of 41. |
| Revenue code is a required field. Please enter a revenue code. | User attempts to add a procedure to the patient record without first entering a revenue code. |
| Service date is a required field. Please enter a service date. | User attempts to add a procedure to the patient record without first entering a service date. |
| Service date must be within the range of the From and Through dates. | Service date is not within the range of the From and Through dates. |
| The maximum number of diagnosis codes is 28. | User attempts to add a 29th diagnosis code. |

| Message | Occurs when ... |
|--|--|
| The maximum number of procedure codes is 99. | User attempts to add a 100th procedure code. |
| Through date cannot be after today's date. | Through date is after the system (today's) date. |
| Through date cannot precede Birth date. | Through date is prior to the Birth date. |
| Through date cannot precede From date. | Through date is prior to the From date. |
| Through date cannot precede mm/dd/yyyy. | Through date is prior to the first day of the earliest non-OPPS version included in the current release. |

Chapter 7: Non-OPPS data output

This chapter describes the Integrated Outpatient Code Editor (IOCE) program output, including output report fields, edit information, status indicators, and payment indicators. See chapter 10 for instructions on using the data output accessibility features of this software.

Viewing an output report

To view the output report for a claim

1. Complete your data entry using the input window.
2. At the bottom of the input window click Report.

The output report is displayed.

The current version of software installed on your system is noted as a two-digit number in the report heading. In the body of the report, a three-digit number specifies the version of software that was used to process the claim based on the date of service; the third digit represents revisions created since the original release and does not affect your use of the product.

The format of a sample output report is shown below. In actual use, the fields will contain real data. Descriptions of output report fields follow the figure.

Integrated Outpatient Code Editor Software v20.3

Patient Name:
 Medical Record Number:
 Patient Acct#:
 Dates of Service: From: 01/01/2018 Through: 01/01/2018
 Birth Date: Age in years: 65 Sex: 1 Male
 Patient Status: Type of Bill: 851
 NPI: OSCAR:
 Condition Codes:
 Payer Condition Codes:
 Occurrence Codes:
 Value codes (Input):
 Value codes (Output):
 OCE Version Used: 20.3.0 OPPS Flag: 2

Comment:

Reason For Visit Diagnosis

Principal Diagnosis

I110 : Hypertensive heart disease with heart failure

Procedures

G0463 Hospital outpt clinic visit
 Modifiers : Revenue Code : 521
 Units of Service : 1 Charges : 0.00 Date : 01/01/2018
 Status Indicator : Pay Indicator :
 HCPCS APC : 00000 Payment APC : 00000
 Discount Formula : 0 Payment Adj Flag : 0 Comp Adj Flag :
 Line Item Action Flag : Packaging Flag : 0 Payment Method Flag :
 Line Item Denial or Rej Flag : 0 HCPCS Modifier :

Claim Level Edits

No Claim Level Edits Reported.

Overall Claim Disposition

No edits present on claim.

Bill Type should not be 83x

Primary Pay Source:

Output report fields

Fields on the output report are described in the following table.

Table 17. Output report fields

| Name | Description |
|--|--|
| Patient name Medical record number Dates of service: From and Through Birth date Age in years Sex Patient status Type of bill OPPS flag Condition codes Payer condition codes NPI provider number OSCAR provider number Occurrence codes Value code and amount Patient value code ^a Patient value code amount ^a ICD Code Type Diagnoses Procedures Modifiers Revenue code Units of service Line item charges (Charge) Service date (Date) Line item action flag ^a | Data that was entered on input window. See the Non-OPPS data entry fields table (page 98) for descriptions of these fields. |
| Status indicator ^a | |
| Payment indicator ^a | |
| ASCs | When applicable, the ASC group number will be returned in the Payment APC field on 83x bill types. (v8.2 and 8.3 only) |
| Discounting formula ^a | |
| Payment adjustment flag ^a | |

| Name | Description |
|-------------------------------------|---|
| Line Item Denial or Rejection Flag | <p>0 - Line item not denied or rejected</p> <p>1 - Line item denied or rejected (procedure edit return buffer for line item contains a 9, 13, 18, 20, 28, 30, 40, 45, 47, 49, 53, 64-65, 67-69, 76, 83, 91, 93, 103-108, 110-111)</p> <p>2 - The line is not denied or rejected, but occurs on a day that has been denied or rejected (not used as of 4/1/2002 - v3.0)</p> <p>3 - Line item not denied or rejected; identified for informational alert only</p> |
| HCPCS Modifier | Reserved for future use |
| Edit | <p>Edit number, description, and disposition generated by the diagnosis or procedure. The edit dispositions are abbreviated as follows:</p> <p>RTP - Return to provider</p> <p>LIR - Line item rejection</p> <p>LID - Line item denial</p> <p>CD - Claim denial</p> <p>S - Claim suspension</p> <p>See "Edit disposition summary" for more information on individual edits.</p> |
| Claim level edits | Edits that affect the entire claim, rather than an individual diagnosis or procedure. |
| Overall claim disposition statement | <p>Because it is possible for a claim to have one or more edits in all dispositions, the program assigns an overall disposition to the claim. Values are:</p> <p>0 - No edits are present on the claim.</p> <p>1 - The only edits present are for line item denial or rejection.</p> <p>2 - Claim is for multiple days with one or more days denied or rejected.</p> <p>3 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only post-payment edits.</p> <p>4 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only pre-payment edits.</p> <p>5 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with both post- and pre-payment edits.</p> |

a. No value will be returned on non-OPPS claims.

Menu items from the output report window

Menu items available from the output report window are described in the following table.

Table 18. Menu items

| Menu | Item | Function |
|------|------------|--|
| File | Print | Prints the output report. |
| File | Save As... | Opens the Save As dialog box to save the currently displayed output report as a text file. |
| File | Exit | Closes the output report window. |
| Edit | Copy | Copies the selected text and moves it to the clipboard. |
| Edit | Select All | Selects the entire output report. |

Tip

"Hot keys" in menus are displayed after you press the Alt key.

Payment information

Non-OPPS payment is not directed by the IOCE.

Dispositions

Each edit is associated with a disposition. For example, there can be a rejection of the line item itself or a rejection of the entire claim. In addition to edit dispositions, the program assigns an overall disposition to the claim. Edit and claim dispositions are discussed in the following sections.

Edit disposition

A disposition is assigned based on the presence of any edits on a line. The meaning of each edit disposition is described in the following table. It is possible for a claim to have one or more edits in all dispositions.

Table 19. Edit disposition definitions

| Disposition | Definition |
|--------------------------------|--|
| Claim rejection | The provider can correct and resubmit the claim but cannot appeal the rejection. |
| Claim denial | The provider cannot resubmit the claim but can appeal the denial. |
| Claim return to provider (RTP) | The provider can resubmit the claim once the problems are corrected. |
| Claim suspension | The claim is not returned to the provider, but it is not processed for payment until the fiscal intermediary/Medicare Administrative Contractor (FI/MAC) makes a determination or obtains further information. |
| Line item rejection | The claim can be processed for payment with some line items rejected for payment (i.e., the line item can be corrected and resubmitted but cannot be appealed). |
| Line item denial | There are one or more edits that cause one or more individual line items to be denied. The claim can be processed for payment with some line items denied for payment (i.e., the line item cannot be resubmitted but can be appealed). |

Refer to the Edit disposition summary table for a complete list of program edits and edit dispositions.

Claim disposition

Since a claim can have several edit dispositions assigned to line items, the claim is assigned an overall disposition. Claim dispositions are shown in the "Overall claim disposition statement" in the Edit disposition summary.

Edit disposition summary

The table below lists the edits currently applied to non-OPPS hospital outpatient claims with their dispositions. Note that edits are not numbered sequentially; IOCE edits that are not currently applied to non-OPPS hospital claims are not listed. The meaning of each disposition is described in the edit disposition section (page [110](#)). The non-OPPS program edits chapter (page [113](#)) contains information on what conditions will generate an edit, as well as relevant important comments for specific edits.

Table 20. Edit disposition summary

| Edit | Edit disposition |
|---|----------------------------|
| 1. Invalid diagnosis code | Claim returned to provider |
| 2. Diagnosis and age conflict | Claim returned to provider |
| 3. Diagnosis and sex conflict | Claim returned to provider |
| 5. External cause of morbidity code cannot be used as principal diagnosis | Claim returned to provider |
| 6. Invalid procedure code | Claim returned to provider |
| 8. Procedure and sex conflict | Claim returned to provider |
| 9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion | Line item denial |
| 10. Service submitted for denial (condition code 21) | Claim denial |
| 11. Service submitted for FI/MAC review (condition code 20) | Claim suspension |
| 12. Questionable covered service | Claim suspension |
| 15. Service unit out of range for procedure | Claim returned to provider |
| 17. Inappropriate specification of bilateral procedure | Claim returned to provider |
| 20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present | Line item rejection |
| 22. Invalid modifier | Claim returned to provider |
| 23. Invalid date | Claim returned to provider |
| 24. Date out of OCE range | Claim suspension |
| 25. Invalid age | Claim returned to provider |
| 26. Invalid sex | Claim returned to provider |
| 28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available | Line item rejection |

| Edit | Edit disposition |
|--|----------------------------|
| 40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present | Line item rejection |
| 41. Invalid revenue code | Claim returned to provider |
| 46. Partial hospitalization condition code 41 not approved for type of bill | Claim returned to provider |
| 50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion | Claim returned to provider |
| 53. Codes G0378 and G0379 only allowed with bill type 13x or 85x | Line item rejection |
| 54. Multiple codes for the same service | Claim returned to provider |
| 61. Service can only be billed to the DMERC | Claim returned to provider |
| 65. Revenue code not recognized by Medicare | Line item rejection |
| 67. Service provided prior to FDA approval | Line item denial |
| 68. Service provided prior to date of National Coverage Determination (NCD) approval | Line item denial |
| 69. Service provided outside approval period | Line item denial |
| 72. Service not billable to the Medicare Administrative Contractor | Claim returned to provider |
| 74. Units greater than one for bilateral procedure billed with modifier 50 | Claim returned to provider |
| 83. Service provided on or after effective date of NCD non-coverage | Line item denial |
| 94. Biosimilar HCPCS reported without biosimilar modifier (v17.0–v19.0 only) | Claim returned to provider |
| 102. Modifier pairing not allowed on the same line | Claim returned to provider |
| 103. Modifier reported prior to FDA approval date (v19.0 only) | Line item denial |
| 106. Add-on code reported without required primary procedure code | Line item denial |
| 107. Add-on code reported without required contractor-defined primary procedure code | Line item denial |
| 108. Add-on code reported without required primary procedure or without required contractor-defined primary procedure code | Line item denial |
| 110. Service provided prior to initial marketing date | Line item rejection |
| 111. Service cost is duplicative; included in cost of associated biological | Line item rejection |

Chapter 8: Non-OPPS program edits

This chapter contains information on the condition(s) which, when present, will generate an edit in the Integrated Outpatient Code Editor (IOCE) program for non-OPPS claims.

At the end of this chapter is a "Special logic information" (page [118](#)) section that contains additional information about specific non-OPPS editing logic in the IOCE.

The following table summarizes when edits are generated and also includes other relevant information. Note that edits are not numbered sequentially; IOCE edits that are not currently applied to non-OPPS hospital claims are not listed. Edit dispositions and overall claim disposition information are located in the non-OPPS data output chapter (page [105](#)).

Table 21. Edit summary

| Edit | Generated when ... |
|--|---|
| 1. Invalid diagnosis code | The principal diagnosis field (fourth dx position) is blank, there are no diagnoses entered on the claim, or the entered diagnosis code is not valid for the selected version of the program. |
| 2. Diagnosis and age conflict | The diagnosis code includes an age range, and the age is outside that range. |
| 3. Diagnosis and sex conflict | The diagnosis code includes sex designation, and the sex does not match. This edit is bypassed if condition code 45 is present on the claim. |
| 5. External cause of morbidity code cannot be used as principal diagnosis | The principal diagnosis code is in the range V00-Y99. (For claims containing ICD-9-CM diagnosis codes, the first letter of the principal diagnosis code is an E.) |
| 6. Invalid procedure code | The entered HCPCS code is not valid for the selected version of the program. |
| 8. Procedure and sex conflict | The sex of the patient does not match the sex designated for the procedure coded on the record. This edit is bypassed if condition code 45 is present on the claim. |
| 9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion | The procedure code has a Non-covered for reasons other than statute service flag. This edit is bypassed when code G0428 is present with SI of E. |

| Edit | Generated when ... |
|--|--|
| 10. Service submitted for denial (condition code 21) | The claim has a condition code 21. |
| 11. Service submitted for MAC review (condition code 20) | The claim has a condition code 20. |
| 12. Questionable covered service | The procedure code has a Questionable covered service flag. |
| 15. Service unit out of range for procedure (inactive) | <p>The maximum units allowed is greater than zero and</p> <p>The sum of the service units for all line items with the same procedure code on the same day exceeds the maximum allowed for this procedure and</p> <p>Modifier p is not present or modifier 91 is present but the HCPCS code is not on the list of laboratory/pathology codes which are exempt from this edit.</p> <p>Units for all line items with the same HCPCS code on the same day are added together when applying this edit. If the total units exceed the code's limits, the procedure edit return buffer is set for all line items that have the HCPCS code. If modifier 91 is present on a line item and the HCPCS code is on a list of codes that are exempt, the unit edits are not applied.</p> |
| 17. Inappropriate specification of bilateral procedure | <p>The same inherent bilateral procedure code occurs two or more times (based on units and/or lines) on the same service date.</p> <p>This edit is applied to all relevant bilateral procedure lines, except when modifier 76 or 77 is submitted on the second or subsequent line or units of an inherently bilateral code.</p> <p>Note: For codes with an SI of V that are also on the Inherent Bilateral list, condition code G0 will take precedence over the bilateral edit; these claims will not receive edit 17. This edit is also bypassed if the bill type is 85x.</p> |
| 20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present | The procedure is identified as part of another procedure on the claim coded on the same day, where the use of a modifier is not appropriate. Only the code in column 2 of a code pair is rejected; the column 1 code of the pair is not marked as an edit. |

| Edit | Generated when ... |
|---|--|
| 22. Invalid modifier | The modifier is not in the list of valid modifier entries and the revenue code is not 540. |
| 23. Invalid date | The From, Through, or Service date is invalid, or the Service date falls outside the range of the From and Through dates. This edit terminates processing for the claim. All lines must have a service date. |
| 24. Date out of OCE range | The From date falls outside the date range of any version of the program (page 95). The From date will be used for program version selection, even if the From-Through dates span more than one version. Presence of this edit condition terminates processing for the claim. |
| 25. Invalid age | The age is non-numeric or outside the range of 0-124 years. |
| 26. Invalid sex | The sex is non-numeric or outside the range of 0-2. |
| 28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available | The procedure code has a 'Not recognized by Medicare' indicator. |
| 40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present | The procedure is identified as part of another procedure on the claim coded on the same day, where the modifier was either not coded or is not an NCCI modifier. Only the code in column 2 of a code pair is rejected; the column 1 code of the pair is not marked as an edit. |
| 41. Invalid revenue code | The revenue code is not in the list of valid revenue code entries. |
| 46. Partial hospitalization condition code 41 not approved for type of bill | Bill type 12x or 14x is present with condition code 41. |
| 50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion | Code is on 'statutory exclusion' list or Revenue code is 0637 with SI of E when submitted without a HCPCS code. |
| 53. Codes G0378 and G0379 only allowed with bill type 13x or 85x | Codes G0378 and/or G0379 appear on the claim and the bill type is not 13x or 85x. |
| 54. Multiple codes for the same service | Any of the following three pairs of codes appear on the same claim: C1012 and P9033, C1013 and P9031, or C1014 and P9035. |

| Edit | Generated when ... |
|--|--|
| 61. Service can only be billed to the DMERC | The procedure code has a 'DME only' indicator. |
| 65. Revenue code not recognized by Medicare | The revenue code is 100x, 210x, 310x, 0500, 0509, 0583, 0660-0663, 0669, 0905-0907, 0931, or 0932. |
| 67. Service provided prior to FDA approval | The line item date of service of a code is prior to the date of FDA approval. |
| 68. Service provided prior to date of National Coverage Determination (NCD) approval | The line item date of service of a code is prior to the code activation date. |
| 69. Service provided outside approval period | The service was provided outside the period approved by CMS. |
| 72. Service not billable to the Medicare Administrative Contractor | A code has a status indicator M. This edit is bypassed when the bill type is 85x and revenue code is 096x, 097x, or 098x. This edit is also bypassed when the bill type is 81x or 82x and the revenue code is 657. (Note: The status indicator for the HCPCS code is changed from M to A) |
| 74. Units greater than one for bilateral procedure billed with modifier 50 | Any code on the Conditional or Independent bilateral list is submitted with modifier 50 and units of service are greater than one on the same or multiple lines, and the bill type is 85x with revenue code 96x, 97x, or 98x. |
| 83. Service provided on or after effective date of NCD non-coverage | The line item date of service of a code is after the date of non-coverage determination. |
| 94. Biosimilar HCPCS reported without biosimilar modifier | A biosimilar HCPCS code is reported on the claim without its corresponding biosimilar manufacturing modifier. This edit applies to v17.0–v19.0 only. |
| 102. Modifier pairing not allowed on the same line | A line item is reported with a pair of modifiers that have conflicting meaning and should not be reported together. Please reference the data files for a report named Modifier Pairs, which contains an up to date list of modifiers not allowed to be reported on the same line |
| 103. Modifier reported prior to FDA approval date | A modifier is reported prior to the mid-quarter activation date. This edit applies to v19.0 only. |
| 106. Add-on code reported without required primary procedure code | A claim is submitted with a Type I add-on code(s) without the applicable defined primary procedure(s). The edit is returned on the add-on code line(s) when conditions of the edit are not met. |

| Edit | Generated when ... |
|--|---|
| 107. Add-on code reported without required contractor-defined primary procedure code | A claim with bill type 85x (CAH) is submitted with a Type II add-on code(s) reported with a professional services revenue code (96x, 97x or 98x), to allow for contractors to review and define the primary procedure on the claim. |
| 108. Add-on code reported without required primary procedure or without required contractor-defined primary procedure code | A claim is submitted with a Type III add-on code(s) without a defined primary(s) or contractor defined primary(s) procedure. This edit is returned on the add-on code line(s) when conditions are not met.. |
| 110. Service provided prior to initial marketing date | The reported line item date of service of a code is prior to the initial marketing date, for which it can be reported. |
| 111. Service cost is duplicative; included in cost of associated biological | The reported line item is considered duplicative as the routine costs of all steps in creating a biological are bundled into the covered benefit, the biological. Any procedure identified as being “bundled into biological,” and reported as a line item are rejected. Additionally, this edit is returned if revenue codes 870-873 are submitted as line items with blank HCPCS. |

Special logic information

There is no longer any special logic applied for non-OPPS claims. For a list of applicable non-OPPS edits, please see Edit summary for non-OPPS (page [113](#)).

Chapter 9: Batch processing

This chapter describes how to process data with the Integrated Outpatient Code Editor (IOCE) program in batch as an alternate to interactively processing claims one at a time.

Data entry for batch processing is done using a standard ASCII file that you create with your file editor.

The advantage of batch processing is fast data entry with a single processing step for all claims.

To use batch processing:

1. On the Start menu, point to Programs, IOCE Software, and select MS-DOS prompt.

Note: If using Microsoft® Windows® 7, right-click on the MS-DOS prompt and select "Run as administrator." Then map the DOS prompt to point to the IOCE software folder: C:\Program Files\IOCE Software.

2. At the DOS prompt, enter the following command to batch process the claims in your input file:

```
oce <input filename> <output filename>
```

where <input filename> is a user-specified file that contains data for each claim to be processed, and <output filename> is a user-specified file where the processed information will be saved.

Batch input

The batch input file is a fixed-format, sequential file that allows 300 characters of data for each record. There are three types of records that comprise one claim in the input file. These records are defined in the following table.

Table 22. Input record types

| Code | Name | Description |
|------|----------------------|--|
| C | Claim data | This record contains demographic (age, sex, patient status) data, From and Through dates for the claim, OPPS/non-OPPS flag, and a patient ID number. |
| D | Diagnosis codes | This record contains a list of up to 28 ICD-10-CM or ICD-9-CM diagnosis codes that apply to the entire claim. First three diagnosis codes assumed to be Reason for Visit Diagnoses; Fourth diagnosis code assumed to be Principal Diagnosis. |
| E | Value codes (Part 1) | This record contains value codes 1-24. |
| F | Value codes (Part 2) | This record contains value codes 25-36. |
| L | Line item data | This record contains the line item data for each procedure on the claim. A maximum of 450 L records can be entered for each claim. |

Each claim in the input file must contain at least 5 input records (C, D, E, F and L, in that order), and may contain as many as 454 input records (1 C record, 1 D record, 1 E record, 1 F record and 450 L records). The end of each claim is detected when the next C record is read, or when the end of the file is reached.

Input record layouts

The input layout for each of the three types of input records is provided in the following three tables.

Table 23. C record layout (Claim data)

| Position | Length | Description |
|----------|--------|--|
| 1 | 1 | Uppercase C to indicate the record type. |
| 2 | 17 | Claim identification number. This number should be unique to each claim in the input file. |
| 19 | 3 | Age (right-justified, blank-filled). Maximum age is 124. |
| 22 | 1 | Sex. Valid values: 0 - Unknown 1 - Male 2 - Female |
| 23 | 8 | From date. The opening date of the claim in yyymmdd format. |
| 31 | 8 | Through date. The closing date of the claim in yyymmdd format. |
| 39 | 22 | Unused |
| 61 | 3 | Bill type (inpatient, outpatient, void, etc.). |
| 64 | 13 | NPI (National Provider Identifier) Medicare provider number. |
| 77 | 6 | OSCAR Medicare provider number. |
| 83 | 2 | Patient status code. |
| 85 | 1 | OPPS/non-OPPS flag. Default value = 1. A blank, zero, or other value is defaulted to '1'. 1 = OPPS 2 = Non-OPPS |
| 86 | 60 | List of occurrence codes (Max. 30, 2-byte fields). Note: Each entry must be contiguous: the first blank occurrence code is assumed to signify the end of the occurrence code list. |

| Position | Length | Description |
|----------|--------|---|
| 146 | 60 | List of condition codes (Max. 30, 2-byte fields). Note: Each entry must be contiguous: the first blank condition code is assumed to signify the end of the condition code list. |
| 206 | 95 | Room for optional user data. This data is passed directly to output and does not impact processing. |

Table 24. D record layout (Diagnosis codes)

| Position | Length | Description |
|----------|--------|--|
| 1 | 1 | Uppercase D to indicate the record type. |
| 2 | 17 | Claim identification number. |
| 19 | 224 | List of diagnosis codes (left-justified). Accepts a maximum of 28 eight-character codes. The first three codes are assumed to be the reason for visit diagnoses (RVDX) and may be left blank; the fourth code is the principal diagnosis (PDX) and cannot be blank. The remaining diagnoses are secondary. Input must be contiguous; the program interprets the first blank non-RVDX diagnosis field as the end of the listing. DX code is listed in first 7 bytes, left-justified, blank-filled. The eighth byte in each dx input space is reserved for POA indicator (future use). |
| 243 | 58 | Unused, blank-filled. |

Table 25. E record layout (Value codes - Part 1)

| Position | Length | Description |
|----------|--------|---|
| 1 | 1 | Uppercase E to indicate the record type. |
| 2 | 17 | Claim Identifier (must match C record claim identifier). |
| 19 | 264 | <p>Value Codes and Amounts (Max. 24, 11-byte fields)</p> <p>Note: The field is split into two parts, a 2-byte value code part left-aligned, and a 9-byte part, the amount, right-justified, blank-filled.</p> <p>Note: Each entry must be contiguous: the first blank value code (first 2 bytes) is assumed to signify the end of the value code list.</p> <p>Note: This line must be filled with 24 valid value codes before value codes are entered on line F.</p> |
| 283 | 18 | Unused, blank-filled. |

Table 26. F record layout (Value codes - Part 2)

| Position | Length | Description |
|----------|--------|---|
| 1 | 1 | Uppercase F to indicate the record type. |
| 2 | 17 | Claim Identifier (must match C record claim identifier). |
| 19 | 132 | <p>Value Codes and Amounts (Max. 12, 11-byte fields)</p> <p>Note: The field is split into two parts, a 2-byte value code part left-aligned, and a 9-byte part, the amount, right-justified, blank-filled.</p> <p>Note: Each entry must be contiguous: the first blank value code (first 2 bytes) is assumed to signify the end of the value code list.</p> <p>Note: Value codes on this line are ignored unless line E has 24 valid value codes.</p> |
| 151 | 150 | Unused, blank-filled. |

Table 27. L record layout (Line item data)

| Position | Length | Description |
|----------|--------|---|
| 1 | 1 | Uppercase L to indicate the record type. |
| 2 | 17 | Claim identification number. |
| 19 | 3 | Line item ID number. This number should be unique among all line items for this claim. |
| 22 | 5 | HCPCS procedure code. |
| 27 | 10 | <p>List of HCPCS modifiers (left-justified, blank-filled).</p> <p>Accepts a maximum of 5 two-character modifiers. Input must be contiguous; the program interprets the first blank field as the end of the listing.</p> |

| Position | Length | Description |
|----------|--------|--|
| 37 | 8 | Service date in yyyymmdd format, required for all line items. |
| 45 | 4 | Revenue code (right-justified, zero or blank-filled). A code that identifies a specific accommodation, ancillary service, or billing calculation (form locator 42). One revenue code is required for each line item. |
| 49 | 9 | Units of service (right-justified, zero-filled). A quantitative measure of services rendered to or for the patient, by procedure code (form locator 46). |
| 58 | 10 | Line item charge (right-justified, zero-filled). Charges related to the revenue code for the current billing period as entered in the Statement Covers period (form locator 47). |
| 68 | 1 | Line item action flag. |
| 69 | 12 | Contractor bypass edits; 4, 3-byte alphanumeric characters allowed per single line item; right-justified, zero-filled, default: 000 |
| 81 | 5 | Contractor bypass APC; Numeric; right-justified, zero-filled, default: 00000 |
| 86 | 2 | Contractor bypass status indicator; Alphanumeric; right-justified, zero-filled, default: 00 Note: If the SI value is one character, it must be reported with a leading blank value instead of 0 (example, " bA" "A") |
| 88 | 2 | Contractor bypass payment indicator; Numeric; right-justified, zero-filled, default: 00 |
| 90 | 1 | Contractor bypass discounting formula; Numeric; zero-filled, default: 0 |
| 91 | 1 | Contractor bypass line item denial or rejection flag; Numeric; zero-filled, default: 0 |

| Position | Length | Description |
|----------|--------|---|
| 92 | 1 | Contractor bypass packaging flag; Numeric; zero-filled, default: 0 |
| 93 | 2 | Contractor bypass payment adjustment flag; Numeric; right-justified, zero-filled, default: 00 |
| 95 | 1 | Contractor bypass payment method flag; Alphanumeric; zero-filled, default: 0 |
| 96 | 205 | Unused; blank-filled |

Batch output

When claims are batch processed, the output is saved to the user-specified output file that was entered after the -o option on the command line (see the beginning of this chapter for a sample of the command line). The output file is a fixed-format, sequential file that allows 300 characters of data for each record. There are seven types of records that comprise one claim in the output file. These records are defined in the following table.

Table 28. Output record types

| Code | Name | Description |
|------|--------------------------|--|
| M | Claim edits - part 1 | Claim edits. |
| N | Claim edits - part 2 | More claim edits. |
| O | Diagnosis edits - part 1 | Edits for diagnoses 1–9. |
| P | Diagnosis edits - part 2 | Edits for diagnoses 10–18. If the claim contained fewer than 6 diagnoses, there will be no P record for the claim. |
| Q | Diagnosis edits - part 3 | Edits for diagnoses 19–28. If the claim contained fewer than 11 diagnoses, there will be no Q record for the claim. |
| R | Line item edits - part 1 | APC and procedure line item edits. For each L record the claim contained, there will be one R record. |
| S | Line item edits - part 2 | Modifier, date, and revenue code line item edits. For each L record the claim contained, there will be one S record. |

Each claim in the output file will contain all of the input records for that claim followed by all of the IOCE-created output records. For example, the output file for a claim that contains four diagnoses and three line item records would consist of the following records:

CDLLLMNORSRSRS

Since the claim contains only four diagnoses, neither a P nor a Q record is created. Also, since the claim contains three line item data records, three sets of RS records are created.

Output record formats

The output layout for each type of output record (M,N,O,P,Q,R,S) is provided in the following tables.

Table 29. M record (Claim edits - part 1)

| Position | Length | Description |
|----------|--------|---|
| 1 | 1 | Uppercase M to indicate the record type. |
| 2 | 17 | Claim identification number (copied from the C record). |
| 19 | 1 | Claim processed flag. Valid values: 0 - Claim processed 1 - Claim not processed: invalid date (edit 23 or 24); inappropriate bill type/condition code combination (edit 46 - only for bill types where no other edits are applied); or 83x bill type (or other invalid bill type) 2 - Claim not processed: no line items present 3 - Claim not processed: condition code 21 present (edit 10) 4 - Fatal error; Contractor bypass issue, claim could not be processed; exit immediately. 9 - A fatal error has been detected during initialization; processing should be terminated immediately. |

| Position | Length | Description |
|----------|--------|--|
| 20 | 1 | <p>Overall claim disposition. Valid values:</p> <p>0 - No edits are present on the claim</p> <p>1 - The only edits present are for line item denial or rejection</p> <p>2 - Claim is for multiple days with one or more days denied or rejected</p> <p>3 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only post-payment edits</p> <p>4 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only pre-payment edits</p> <p>5 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with both post- and pre- payment edits</p> |
| 21 | 1 | <p>Claim rejection disposition. The provider can correct and resubmit the claim but cannot appeal the rejection.</p> <p>0 - Claim not rejected</p> <p>1 - One or more edits are present that cause the claim to be rejected</p> <p>2 - One or more edits are present that cause one or more days of a multiple-day claim to be rejected</p> |
| 22 | 1 | <p>Claim denial disposition. The provider cannot resubmit the claim but can appeal the denial.</p> <p>0 - Claim not denied</p> <p>1 - One or more edits are present that cause the claim to be denied</p> <p>2 - One or more edits are present that cause one or more days of a multiple-day claim to be denied, or a single-day claim with all lines denied (edit 18 only)</p> |
| 23 | 1 | <p>Claim returned to provider disposition. The provider can resubmit the claim once the problems are corrected.</p> <p>0 - Claim is not returned to provider</p> <p>1 - One or more edits are present that cause the claim to be returned to provider</p> |

| Position | Length | Description |
|----------|--------|---|
| 24 | 1 | <p>Claim suspension disposition. The claim is not returned to the provider, but it is not processed for payment until the fiscal intermediary/Medicare Administrative Contractor makes a determination or obtains further information.</p> <p>0 - Claim is not suspended</p> <p>1 - One or more edits are present that cause the entire claim to be suspended</p> |
| 25 | 1 | <p>Line item rejection disposition. The claim can be processed for payment with some line items rejected for payment (i.e., the line item can be corrected and resubmitted but cannot be appealed).</p> <p>0 - No line items are rejected.</p> <p>1 - One or more edits are present that cause one or more line items to be rejected.</p> |
| 26 | 1 | <p>Line item denial disposition. There are one or more edits that cause one or more individual line items to be denied. The claim can be processed for payment with some line items rejected for payment (i.e., the line item cannot be resubmitted but can be appealed).</p> <p>0 - No line items are denied</p> <p>1 - One or more edits are present that cause one or more line items to be denied</p> |
| 27 | 12 | <p>Claim rejection reasons; 4 three-byte fields that identify the edits that caused the claim to be rejected. Edits are right-justified, zero-filled.</p> |
| 39 | 24 | <p>Claim denial reasons; 8 three-byte fields that identify the edits that caused the claim to be denied. Edits are right-justified, zero-filled.</p> |
| 63 | 90 | <p>Claim return to provider reasons; 30 three-byte fields that identify the edits that could cause the claim to be returned to the provider. Edits are right-justified, zero-filled.</p> |

| Position | Length | Description |
|----------|--------|--|
| 153 | 110 | <p>Payer Value Code and Payer Value Code Amount. 10 eleven-character fields (2-character value code (QN-QW) followed by 9-character amount (nnnnnnn.nn*)). Assigned by IOCE based on criteria for APC payment offset.</p> <p>QN—First APC device offset QO—Additional APC device offset QP—Placeholder reserved for future use QQ—Terminated procedure with pass-through device OR condition for device credit present QR—First APC pass-through drug or biological offset QS—Second APC pass-through drug or biological offset QT—Third APC pass-through drug or biological offset QU—Condition for device credit present QV—(Reserved for future use) QW—Partial week present on interim PHP claim</p> <p>Note: Value Code QA is provided on input and the value code amount provided should zero-fill the first 4 values, the next 5 values represent an IOCE calculated amount for total days and hours of PHP services. One byte for days and 4 bytes to record full and partial hours. For example, 2 days and 8 and ½ hours converts to the following value code amount 000020850.</p> <p>Note: If offset conditions do not exist, the value code label (QN-QW) is blank; the amount is zero-filled.</p> |
| 263 | 38 | Unused; blank-filled |

Table 30. N record (Claim edits - part 2)

| Position | Length | Description |
|----------|--------|---|
| 1 | 1 | Uppercase N to indicate the record type |
| 2 | 17 | Claim identification number (copied from the C record) |
| 19 | 48 | Claim suspension reasons; 16 three-byte fields that identify the edits that caused the claim to be suspended. Edits are right-justified, zero-filled. |
| 67 | 36 | Line item rejection reasons; 12 three-byte fields that identify the edits that caused the line item to be rejected. Edits are right-justified, zero-filled. |
| 103 | 18 | Line item denial reasons; 6 three-byte fields that identify the edits that caused the line item to be denied. Edits are right-justified, zero-filled. |
| 121 | 1 | APC return buffer flag |
| 122 | 13 | NPI Medicare provider number (from input) |
| 135 | 6 | OSCAR Medicare provider number (from input) |
| 141 | 3 | Number of line items (from input) |
| 144 | 8 | Two-byte ID of the software version used in processing the claim in yy.vv.rr format |
| 152 | 2 | Patient status code, transferred from input |
| 154 | 1 | OPPS/non-OPPS flag, transferred from input |
| 155 | 1 | Non-OPPS Bill Type Flag 0 = N/A 1 = Bill type should be 83x (v8.2 - v8.3) 2 = Bill type should not be 83x |
| 156 | 20 | Payer condition codes (10 codes, 2-byte fields, used for output) |
| 176 | 2 | Claim return code. Two digit code that describes how the claim processed successfully, or if errors occurred, which prevented further processing. |
| 178 | 123 | Unused; blank-filled |

Table 31. O record (Diagnosis edits - part 1)

| Position | Length | Description |
|----------|--------|--|
| 1 | 1 | Uppercase O to indicate the record type |
| 2 | 17 | Claim identification number (copied from the C record) |
| 19 | 24 | Diagnosis 1 (RVDX1) edits ^a (8 three-byte fields). Admit Diagnosis. Edits are right-justified, zero-filled. |
| 43 | 24 | Diagnosis 2 (RVDX2) edits (8 three-byte fields). Principal Diagnosis. Edits are right-justified, zero-filled. |
| 67 | 24 | Diagnosis 3 (RVDX3) edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 91 | 24 | Diagnosis 4 (PDX) edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 115 | 24 | Diagnosis 5 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 139 | 24 | Diagnosis 6 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 163 | 24 | Diagnosis 7 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 187 | 24 | Diagnosis 8 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 211 | 24 | Diagnosis 9 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 235 | 66 | Unused, blank-filled |

a. For more information on edits, see the chapters on "OPPS data output" (page [36](#)) and "OPPS program edits" (page [51](#)).

Table 32. P record (Diagnosis edits - part 2)

| Position | Length | Description |
|----------|--------|--|
| 1 | 1 | Uppercase P to indicate the record type |
| 2 | 17 | Claim identification number (copied from the C record) |
| 19 | 24 | Diagnosis 10 edits ^a (8 three-byte fields). Edits are right-justified, zero-filled. |
| 43 | 24 | Diagnosis 11 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 67 | 24 | Diagnosis 12 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 91 | 24 | Diagnosis 13 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 115 | 24 | Diagnosis 14 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 139 | 24 | Diagnosis 15 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 163 | 24 | Diagnosis 16 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 187 | 24 | Diagnosis 17 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 211 | 24 | Diagnosis 18 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 235 | 66 | Unused, blank-filled |

a. For more information on edits, see the chapters on "OPPS data output" (page [36](#)) and "OPPS program edits" (page [51](#)).

Table 33. Q record (Diagnosis edits - part 3)

| Position | Length | Description |
|----------|--------|--|
| 1 | 1 | Uppercase Q to indicate the record type |
| 2 | 17 | Claim identification number (copied from the C record) |
| 19 | 24 | Diagnosis 19 edits ^a (8 three-byte fields). Edits are right-justified, zero-filled. |
| 43 | 24 | Diagnosis 20 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 67 | 24 | Diagnosis 21 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 91 | 24 | Diagnosis 22 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 115 | 24 | Diagnosis 23 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 139 | 24 | Diagnosis 24 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 163 | 24 | Diagnosis 25 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 187 | 24 | Diagnosis 26 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 211 | 24 | Diagnosis 27 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 235 | 24 | Diagnosis 28 edits (8 three-byte fields). Edits are right-justified, zero-filled. |
| 259 | 42 | Unused, blank-filled |

a. For more information on edits, see the chapters on "OPPS data output" (page [36](#)) and "OPPS program edits" (page [51](#)).

Table 34. R record (Line item edits - part 1)

| Position | Length | Description |
|----------|--------|--|
| 1 | 1 | Uppercase R to indicate the record type |
| 2 | 17 | Claim identification number (copied from the C record) |
| 19 | 3 | Line item number (copied from the L record that is associated with these edits) |
| 22 | 5 | APC assigned for payment. Except when specified otherwise (e.g., partial hospitalization, some inpatient-only, and other procedure claims, etc.), the payment APC and the HCPCS APC are the same. See the "List of APCs" appendix (page 573) for a list of APCs with their status indicators and descriptions. Note: The ASC number will be assigned on 83x bill types when applicable (v8.2 and 8.3 only). |
| 27 | 5 | APC assigned to the HCPCS code. See the "List of APCs" appendix (page 573) for a list of APCs with their status indicators and descriptions. |
| 32 | 2 | Status indicator ^a (right-justified, blank-filled). Values are: A - Services not paid under OPPS; paid under fee schedule or other payment system B - Non-allowed item or service for OPPS C - Inpatient procedure E - Non-allowed item or service ^s E1 - Non-allowed item or service E2 - Items and services for which pricing information and claims data are not available F - Corneal tissue acquisition; certain CRNA services and hepatitis B vaccines G - Drug/Biological pass-through H - Pass-through device categories |

| Position | Length | Description |
|----------|--------|---|
| | | <p>J - New drug or new biological pass-through (discontinued 04/01/2002 and replaced by status indicator G for all drugs/biologicals)</p> <p>J1 - Outpatient department services paid through a comprehensive APC</p> <p>J2 - Hospital Part B services that may be paid through a comprehensive AP</p> <p>K - Non pass-through drugs and non-implantable biologicals, including therapeutic radiopharmaceuticals</p> <p>L - Flu/PPV vaccines</p> <p>M - Service not billable to the MAC</p> <p>N - Items and Services packaged into APC rates</p> <p>P - Partial hospitalization service</p> <p>Q - Packaged services and other codes subject to separate payment based on payment criteria^b</p> <p>Q1 - STV-packaged codes</p> <p>Q2 - T-packaged codes</p> <p>Q3 - Codes that may be paid through a composite APC</p> <p>Q4 - Conditionally packaged laboratory services</p> <p>R - Blood and blood products</p> <p>S - Significant procedure not subject to multiple procedure discounting</p> <p>T - Significant procedure subject to multiple procedure discounting</p> <p>U - Brachytherapy sources</p> <p>V - Clinic or emergency department visit</p> <p>W - Invalid HCPCS or Invalid revenue code with blank HCPCS</p> <p>X - Ancillary service (valid through 15.3)ⁱ</p> <p>Y - Non-implantable DME</p> <p>Z - Valid revenue code with blank HCPCS and no other SI assigned</p> |

| Position | Length | Description |
|----------|--------|--|
| 34 | 2 | <p>Payment indicator^{ar} (right-justified, blank-filled). Values are:</p> <p>1 - Paid standard hospital OPPS amount (status indicators J1, K, R, S, T, U, V, X)</p> <p>2 - Services not paid by OPPS Pricer; paid under fee schedule or other payment system (status indicators A, G, K)</p> <p>3 - Not paid (status indicators E, M, Q, Q1, Q2, Q3, W, Y), or not paid under OPPS (status indicators B, C, Z)</p> <p>4 - Paid at reasonable cost (status indicator F, L)</p> <p>5 - Paid standard amount for pass-through drug or biological (status indicator G)</p> <p>6 - Payment based on charge adjusted to cost (status indicator H)</p> <p>7 - Additional payment for new drug or new biological (status indicator J; services prior to 04/01/2002 only)</p> <p>8 - Paid partial hospitalization per diem (status indicator P)</p> <p>9 - No additional payment; payment included in line items with APCs (status indicator N; or no HCPCS code and certain revenue codes; or HCPCS codes G0176 - activity therapy, G0129 - occupational therapy, or G0177 - patient education and training services)</p> <p>10 - Paid FQHC encounter payment</p> <p>11 - Not paid or not included under FQHC encounter payment</p> <p>12 - No additional payment, included in payment for FQHC encounter</p> <p>13 - Paid FQHC encounter payment for New patient or IPPE/AWV</p> <p>14 - Grandfathered tribal FQHC encounter payment</p> |

| Position | Length | Description |
|----------|--------|---|
| 36 | 1 | <p>Discounting formula^a. One of the following nine discount formulas can be applied to a line item:</p> <p>1 - 1.0</p> <p>2 - $(1.0 + D(U-1))/U$</p> <p>3 - T/U</p> <p>4 - $(1+D)/U$</p> <p>5 - D</p> <p>6 - TD/U</p> <p>7 - $D(1+D)/U$</p> <p>8 - 2.0</p> <p>9 - $2D/U$</p> <p>Where:</p> <p>D = discounting fraction (currently 0.5)</p> <p>U = number of units</p> <p>T = terminated procedure discount (currently 0.5)</p> <p>Note: Effective 1/1/08 (v9.0), formula #6 and #7 are discontinued.</p> |
| 37 | 1 | <p>Line item denial or rejection flag^a</p> <p>0 - Line item not denied or rejected</p> <p>1 - Line item is denied or rejected</p> <p>2 - The line is not denied or rejected, but occurs on a day that has been denied or rejected (not used as of 04/01/2002)</p> <p>3 - Line item not denied or rejected; identified for informational alert only</p> |
| 38 | 1 | <p>Packaging flag^a</p> <p>0 - Not packaged</p> <p>1 - Packaged service (status indicator N, or no HCPCS code and certain revenue codes)</p> <p>2 - Packaged as part of partial hospitalization per diem or daily mental health service per diem (v1.0-9.3 only)^c</p> <p>3 - Artificial charges for surgical procedures (submitted charges for surgical HCPCS < \$1.01)</p> <p>4 - Packaged as part of drug administration APC payment (v6.0–v7.3 only)</p> <p>5 - Packaged as part of FQHC encounter payment</p> <p>6 - Packaged preventive service as part of FQHC encounter payment not subject to coinsurance payment</p> |

| Position | Length | Description |
|----------|--------|---|
| 39 | 2 | <p>Payment adjustment flag^a (right-justified, blank-filled)</p> <p>0 - No payment adjustment</p> <p>1 - Paid standard amount for pass-through drug or biological (status indicator G)</p> <p>2 - Payment based on charge adjusted to cost (status indicator H)</p> <p>3 - Additional payment for new drug or new biological applies to APC (status indicator J)^g</p> <p>4 - Deductible not applicable (specific list of HCPCS codes) or condition code "MA" is present on the claim</p> <p>5 - Blood/blood product used in blood deductible calculation</p> <p>6 - Blood processing/storage not subject to blood deductible</p> <p>7 - Item provided without cost to provider^f</p> <p>8 - Item provided with partial credit to provider^f</p> <p>9 - Deductible/co-insurance not applicable^e</p> <p>10 - Co-insurance not applicable^e</p> <p>11 - Multiple units of service present paid at single comprehensive APC payment rateⁱ</p> <p>12 - Offset for device pass-through^k</p> <p>13 - Offset for additional device pass-through^k</p> <p>14 - PAMA Section 218 reduction on CT scan^l</p> <p>15 - Placeholder reserved for future use</p> <p>16 - Terminated procedure with pass-through device^o</p> <p>17 - Condition for device credit present^p</p> <p>18 - Offset for first pass-through drug or biological^q</p> <p>19 - Offset for second pass-through drug or biological^q</p> <p>20 - Offset for third pass-through drug or biological^q</p> <p>21 - CAA Section 502b reduction on film x-ray</p> <p>22 - CAA Section 502b reduction on computed radiography technology</p> <p>23 - Co-insurance deductible n/a, as well as subject to a reduction due to film x-ray (CAA Section 502b)</p> <p>24 - Co-insurance deductible n/a, as well as subject to a reduction due to computed radiography technology (CAA Section 502b)</p> <p>91-99 - Each composite APC present, same value for prime and non-prime codes (v9.0 - 9.3 only)^d</p> |

| Position | Length | Description |
|----------|--------|---|
| 41 | 1 | Payment method flag ^a 0 - OPPS pricer determines payment for service 1 - Service not paid based on coverage or billing rules 2 - Service is not subject to OPPS 3 - Service is not subject to OPPS and has an OCE line item denial or rejection 4 - Line item is denied or rejected by MAC; OCE not applied to line item 5 - Payment for service determined under FQHC PPS 6 – CMHC outlier limitation reached 7 – Section 603 service with no reduction in OPPS Pricer 8 – Section 603 service with PFS reduction applied in OPPS Pricer 9 – CMHC outlier limitation bypassed A – Payment reduction for off-campus clinic visit Z – Contractor bypass determines payment for services |
| 42 | 9 | Service units (from input) |
| 51 | 90 | Procedure edits ^e (30 three-byte fields). Edits are right-justified, zero-filled. |
| 141 | 5 | HCPCS procedure codes (from input) |
| 146 | 1 | Line item action flag (from input) |
| 147 | 2 | Composite Adjustment Flag ^{ah} |
| 149 | 4 | Reserved for future use |
| 153 | 148 | Unused, blank-filled |

a. Not activated for claims with OPPS flag = 2 (blanks are returned in the APC return buffer), unless the contractor edit bypass logic is applied and Payment Method Flag of Z is output to identify that the line(s) payment is determined by the contractor.

b. Status indicator Q was replaced by status indicators Q(#) in January 2009 (v10.0)

c. Packaging flag 2 was replaced by the composite adjustment flag starting in January 2009 (v10.0)

d. Payment adjustment flag values 91-99 discontinued 1/1/09, replaced by the composite adjustment flag (v10.0)

e. Two new payment adjustment flags (9, 10) added for January 2011

f. Payment adjustment flags 7 & 8 deactivated effective January 2014 (v15.0)

g. Discontinued 04/01/2002 and replaced by status indicator G for all drugs/biologicals.

h. Values defined for composite adjustment flag that are used only for FQHC PPS processing are output on claims with bill type 77x without condition code 65; no composite APCs are assigned (v15.3).

- i. Status indicator X is deactivated as of January 1, 2015 (v16.0).
- j. Description for payment adjustment flag 11 modified 4/1/2015 (v16.1).
- k. Payment adjustment flags 12 and 13 are associated with conditions present for APC pass-through device offset; multiple conditions for the same claim requiring payment offset due to the presence of multiple device/procedure combinations may require the assignment of both payment adjustment flags 12 and 13.
- l. Payment adjustment flag 14 is applied to a specific list of CT scan procedure codes; if there is a CT scan code from the specified list reported with modifier CT that is packaged with SI = N as a result of composite APC or comprehensive APC processing, payment adjustment flag 14 is not applied.
- m. Status Indicators J2 and Q4 are added effective 1/1/2016 (v17.0).
- n. Effective 1/1/2016, laboratory codes with SI = Q4 that result in a final SI = A are assigned PMF = 2
- o. Payment adjustment flag 16 is assigned to a terminated device intensive procedure reported with modifier 73.
- p. Payment adjustment flag 17 is assigned to a device intensive procedure if condition code 49, 50 or 53 is reported.
- q. Payment adjustment flags 18-20 are assigned for conditions that may be present for pass-through drugs or biologicals requiring payment offset.
- r. Effective 10/1/2016 (v17.3) payment indicator assignments for pass-through drugs (SI = G) and non-pass-through drugs (SI = K) change to a value of 2; payment indicator 5 is discontinued*.
- s. Effective 1/1/2017 (v18.0) SI E is deactivated and replaced with new SI values E1 and E2.

Table 35. S record (Line item edits - part 2)

| Position | Length | Description |
|----------|--------|---|
| 1 | 1 | Uppercase S to indicate the record type |
| 2 | 17 | Claim identification number (copied from the C record) |
| 19 | 3 | Line item number (copied from L record associated with these edits) |
| 22 | 12 | Modifier 1 edits (4 three-byte fields). Edits are right-justified, zero-filled. |
| 34 | 12 | Modifier 2 edits (4 three-byte fields). Edits are right-justified, zero-filled. |
| 46 | 12 | Modifier 3 edits (4 three-byte fields). Edits are right-justified, zero-filled. |
| 58 | 12 | Modifier 4 edits (4 three-byte fields). Edits are right-justified, zero-filled. |
| 70 | 12 | Modifier 5 edits (4 three-byte fields). Edits are right-justified, zero-filled. |

| Position | Length | Description |
|----------|--------|--|
| 82 | 12 | Date edits (4 three-byte fields). Edits are right-justified, zero-filled. |
| 94 | 15 | Revenue edits (5 three-byte fields). Edits are right-justified, zero-filled. |
| 109 | 10 | Charge (from input) |
| 119 | 182 | Unused, blank-filled |

Log file

The software generates a log file for each batch run. The default name for the log file is oce.log. Information that can be found in the log file includes:

- Name and version number of the program
- Copyright statement
- Input file name
- Output file name
- Start time of the batch run
- Claim ID (if no claim ID, patient number) followed by the error message
- End time of the batch run
- Ignored line items (450 is maximum allowed per record)
- A list of records that were ignored (identified by record number)

Below is an example of a log file; during actual use, vx.x and mm/dd/yyyy will be replaced with real data.

| | |
|-----------------------|---|
| Program name | Integrated Outpatient Code Editor Software vx.x |
| Copyright statement | CPT codes, descriptions and material only are copyright 2011 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values or related listings are included in CPT. AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained herein. |
| Input and output file | All rights reserved. Input file: testlog.in Output file: testlog.out |
| Run start time | Start Time: 10:44:02 mm/dd/yyyy |
| Errors | Too many L records on this patient. Only the first 450 were processed. |
| Run end time | End Time: 10:44:02 mm/dd/yyyy |
| Ignored line items | The following input lines were ignored: 453, 454, 455. |

Figure 4: IOCE PC log file

Error messages

Error messages that can occur during batch processing are listed in the following table.

Table 36. Error messages

| Message | Reason for occurrence | Where displayed |
|---|--|-------------------|
| Claim could not be processed (claim has no line items). | Each claim must have at least one line item (L-record) | Log file |
| Claim could not be processed (edit 10 - condition code 21 is present). | The claim could not be fully processed due to Edit 10 (Service submitted for denial (condition code 21) | Log file |
| Claim could not be processed (edits 23, 24, 46, TOB 83x or other invalid bill type) | The claim was not fully processed due to one of the following reasons: Edit 23 (Invalid Date - from, through or service); Edit 24 (Date out of OCE range); Edit 46 (Partial hospitalization condition code 41 not approved for type of bill); Invalid Bill Type; A subsequent message will be provided on from and through reasons related to from and through date editing | Log file |
| Error opening input file: <filename>. | The file name specified on the command line could not be opened or is missing. | Window & Log file |
| Error reading input file: <filename>. | The file name specified on the command line could not be read. | Window & Log file |
| Fatal error; IOCE cannot run - the environment cannot be set up as needed; | Run time environment not established | Log file |
| From date cannot be after Through date. | The date in the From date field is after the Through date. | Log file |
| The date is outside the IOCE date range. | The date is outside the range mm/dd/yyyy (first day of the earliest version (page 12)) to 01/01/20xx where 20xx is the end year for the most current version ^a | Log file |

| Message | Reason for occurrence | Where displayed |
|--|--|-----------------|
| Through date is invalid. | The value of either mm, dd or yyyy in the date is not in the valid range for mm, dd or yyyy. | Log file |
| Too many L records on this patient. Only the first 450 were processed. | The input file contains more than 450 L records for one patient. | Log file |
| Was not processed as it contains multiple D records | There was more than one D-record within the claim - only one allowed | Log file |

a. The IOCE date range for claims from non-OPPS hospitals is 07/01/2007 to 01/01/20xx, where 20xx is the end year for the most current version (page [95](#)).

Chapter 10: Accessibility features

This chapter describes how to interactively enter data into the Integrated Outpatient Code Editor (IOCE) software.

The chapter contains the following information for OPPS data processing: complete definitions for fields, explanations of menus and command buttons, and a list of error messages that can occur.

System requirements

The following are system requirements for accessibility.

- Windows-based Assistive Technology software (needs to be running prior to using IOCE).
- JAVA Access Bridge

Note: IOCE software uses one graphical user interface for interactively processing claims from both OPPS and non-OPPS hospitals. Consequently, three fields for non-OPPS data entry will be grayed-out on the OPPS data entry screen.

Data entry

This section provides information about the data entry fields, including valid entry ranges, where appropriate. It also explains how to navigate through the data entry window and perform functions, such as editing fields or copying text. Any error messages that can occur during data entry are also listed and explained.

To access the interactive interface of IOCE software

1. On the Start menu, point to Programs, Integrated Outpatient Code Editor, and select IOCE Interactive.

The splash screen appears, followed by the Integrated Outpatient Code Editor Software window.

2. Enter claim data on the Integrated Outpatient Code Editor Software window.

The data entry (input) window is shown in the Viewing an output report section (page [155](#)). The CPT copyright date is represented by xxxx in the figure; the actual date in your software will be current with the latest release of the product.

For help with data entry:

- Use the Data entry table for data entry field information.
- Use the Data entry menu items table (page [152](#)) when entering diagnosis and/or procedure codes.
- If you get an error message, refer to the error messages table (page [154](#)).

Data entry fields

Fields on the input window, for both OPPS and non-OPPS claims, are described in the following table. Refer to the Data elements table for Uniform Billing (UB) locator information for fields. You can access the fields on the data entry window using the Tab key to advance from field to field. The order of the fields in the following table represents the tab order as you advance from one field to the next.

Table 37. Data entry fields

| Field name | Length | Description |
|--------------------------|--------|---|
| Patient name | 31 | Name of the patient. |
| Medical record number | 17 | Patient's medical record number. |
| Date of service: From | 10 | Required. Beginning date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . Used for code validation. The date cannot precede the first day of the earliest version included in the current release and determines the version of codes and descriptions used for processing. |
| Date of service: Through | 10 | Required. Through date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . The date cannot precede the first day of the earliest version included in the current release. |
| OPPS flag | 1 | OPPS/non-OPPS flag. Default value = 1. 1 = OPPS 2 = Non-OPPS |
| Birth date | 10 | Patient's birth date in MM/DD/YY or MM/DD/YYYY format ^a . Used for age calculation. |
| Age in years | 3 | Patient's age in years. Valid values: 0 - 124. Calculated age (From date minus Birth date) takes precedence over entered age. |
| Sex | 1 | Patient's sex. Select a value from the drop-down list of acceptable values. |
| Patient status | 2 | Patient status code |

| Field name | Length | Description |
|--------------------------------|--------|--|
| Type of bill | 3 | Code indicating the specific type of bill: inpatient, outpatient, adjustments, voids, etc. |
| NPI Medicare provider number | 13 | National provider identifier Medicare provider number. |
| OSCAR Medicare provider number | 6 | OSCAR Medicare provider number. |
| Condition codes | 2 | Code(s) used to identify conditions relating to the bill that may affect payer processing. Maximum of 30 condition codes. Lower case letters are automatically converted to upper case by the program. |
| Occurrence codes | 30 | Occurrence code. Maximum of 30 occurrence codes. |
| Value codes and amounts | 36 | Value code and value code amount. |
| Primary pay source | | Enter the primary pay source using one of the numbers listed below. The English description displays automatically. 01 = Medicare 02 = Medicaid 03 = Title V 04 = Other govt 05 = Work 06 = Blue Cross 07 = Insur co 08 = Self pay 09 = Other 10 = No charge |
| Patient account number | | For non-OPPS only. Number of the group insurance policy or other unique patient identifier by which the patient is billed for medical care. The entry can be a combination of letters and numbers. |
| Comment | | For non-OPPS only. Available for entry of additional information as specified by the user. The entry can be a combination of letters and numbers. |
| Codes: Diagnosis/Procedure | | Click the Diagnosis radio button to enter a diagnosis code. Click the Procedure radio button to enter a procedure code. |

| Field name | Length | Description |
|------------------|--------|--|
| Code | 8 | <p>Enter the diagnosis or procedure code without decimal points. Lower case letters are converted to upper case by the program. The English description for the code appears in the text box to the right of this field.</p> <p>Diagnosis codes. PDX is required. Valid entries for diagnoses are 8-character ICD-10-CM or ICD-9-CM codes, to a maximum of 28 diagnoses. The first three listed diagnoses are assumed to be the patient's reasons for visit diagnosis (RVDX) and may be left blank. The fourth listed diagnosis is assumed to be the principal diagnosis and cannot be blank. Additional diagnoses are secondary and must be in contiguous locations. The first blank non-RVDX diagnosis signifies the end of the list.</p> <p>Procedure codes. Valid entries for procedures are 5-character CPT/HCPCS codes to a maximum of 99 procedures.</p> <p>Important: After entering a code, be sure to click the Add code, Add RVDX or Add PDX button to add the code to the record.</p> |
| Modifiers | 2 | Enter a maximum of five modifiers. Each modifier must be two characters long. Lower case letters are automatically converted to upper case by the program. This field is only enabled when you are entering a procedure. |
| Revenue code | 4 | Required for line items. Code that identifies a specific accommodation, ancillary service, or billing calculation (UB-04 form locator 42). One revenue code is required for each line item. This field is only enabled when you are entering a procedure. |
| Units of service | 9 | <p>A quantitative measure of services rendered to or for the patient, by procedure code (UB-04 form locator 46). Valid values: 0-999999999</p> <p>This field is only enabled when you are entering a procedure.</p> |
| Charges | 10 | Charges related to the revenue or procedure codes for the current billing period as entered in the Statement Covers period (UB-04 form locator 47). Valid values: 0-99999999.99. This field is only enabled when you are entering a procedure. |
| Service date | 10 | Date that the procedure was performed in MM/DD/YY or MM/DD/YYYY format ^a . This field is only enabled when you are entering a procedure. |

| Field name | Length | Description |
|-----------------------|--------|--|
| Line item action flag | 1 | <p>Indicates to a payment program that a line item rejection or denial should be ignored or added.</p> <p>Select a value (0 - 4) from the drop-down list of values:</p> <p>0 - Line item denial or rejection is not ignored.</p> <p>1 - Line item denial or rejection is ignored (except when edit 30 is present).</p> <p>2 - External line item denial. Line item is denied even if no IOCE edits are present.</p> <p>3 - External line item rejection. Line item is rejected even if no IOCE edits are present.</p> <p>4 - External line item adjustment. Technical charge rules apply.</p> <p>This field is only enabled when you are entering a procedure.</p> |
| Diagnoses | 8 | <p>A display-only list of the diagnoses entered for the current patient record. You can delete a diagnosis from this list by selecting it and then clicking Delete row on the Edit menu. To select the Diagnosis radio button, press Alt+D.</p> |
| Procedures | 5 | <p>A display-only list of the procedures (and related information) entered for the current patient record. You can delete a procedure from this list by selecting it and then clicking Delete row on the Edit menu. To select the Procedure radio button, press Alt+O.</p> |

a. Dates can be entered with or without a separator (/).

Data entry menu items

Menu items available from the data entry window are described in the following table. Refer to the function column to locate the task you want to perform. Accelerator keys allow you to bypass a menu and activate a function more quickly.

Table 38. Menu items

| Function | Description | Accelerator keys |
|------------|--|------------------|
| New | Displays a new window, cleared of all previously entered information. | Ctrl+N |
| Load File | Provides a simple mechanism for the user to choose a file that will then allow the user to load a single test claim in mainframe format that auto- populates the user interface. | Ctrl+L |
| Exit | Exits the program. | Ctrl+Q |
| Cut | Removes the selected text and copies it to the clipboard. | Ctrl+X |
| Copy | Copies the selected text to the clipboard. | Ctrl+C |
| Paste | Inserts the clipboard's contents at the insertion point. | Ctrl+P |
| Delete row | Deletes the diagnosis or procedure (and all information in the row) that was selected. | Ctrl+D |
| About | Displays the About box and the copyright information for the IOCE software. | Alt+H+A |

Note: The Load File feature provides the option to load a single test record to the user interface from a file and generate output reports. Using this feature, the user can quickly load a test record to the user interface, as well as edit data from the user interface to see how it affects a claim.

Input window command buttons

Command buttons on the input window are described in the following table. Refer to the Function column to locate the task you want to perform, including the Accelerator keys. To switch between the Diagnosis and Procedure tables on the input window, press Ctrl+Tab.

Table 39. Command buttons

| Button | Function |
|----------|--|
| Add code | Adds the currently displayed diagnosis or procedure code to the patient's record. The code will appear in the Diagnoses or Procedures list at the bottom of the window, as appropriate. Press Alt+A to activate this function. |
| Add RVDX | Adds the currently displayed diagnosis code to the RVDX field in the Diagnoses list at the bottom of the window. |
| Add PDX | Adds the currently displayed diagnosis code to the PDX field in the Diagnoses list at the bottom of the window. |
| Clear | Clears the Code field and the code description that appears next to it. For procedures, Modifiers, Revenue code, Units of service, Charges, Service date, and Line item action flag are also cleared. |
| Report | Displays a pre-formatted output report that can be printed or saved. See the Output report fields table (page 158) for more information on the output report. Press Alt+R to activate this function. |

Error messages

To help ensure the entry of accurate information, the program automatically performs data entry checks, such as for a month entered as 14, or an age entered as -2. When an error is detected, an error message appears in a message box.

The following table describes the error messages that can occur during data entry.

Table 40. Error messages

| Message | Occurs when ... |
|--|---|
| Birth date cannot be after From date. | Birth date is after the From date. |
| Invalid date. Valid formats are mm/dd/yyyy or mm/dd/yy or mmdyyy or mmdyy. | The value entered for the month, day or year is outside the valid range for mm, dd or yyyy, or the format is incorrect. Note: This error message applies to the "Birth date", "From date", or "Through date" fields. |
| Birth date cannot be after today's date. | Date in the date field is after the system (today's) date, for non-OPPS claims only. |
| Charges are invalid. Charges must be between 0 and 99999999.99. | Entry for Charges is outside the field's valid entry range. |
| From date cannot be after Through date. | From date is after the Through date. |
| From date cannot be after today's date. | Date entry is after the system (today's) date. |
| From date cannot precede Birth date. | From date precedes the Birth date. |
| From date cannot precede mm/dd/yyyy ^a . | Date is prior to the first day of the earliest non-OPPS version included in the current release, for non-OPPS claims only. |
| Invalid age. Age in years must be between 0 and 124. | Entered age or calculated age exceeds 124 years. |
| Partial hospitalization condition code 41 not approved for type of bill. | Bill type is 12x or 14x with a condition code of 41. |
| Revenue code is a required field. Please enter a revenue code. | User attempts to add a procedure to the patient record without first entering a revenue code. |
| Service date is a required field. Please enter a service date. | User attempts to add a procedure to the patient record without first entering a service date. |
| Service date must be within the range of the From and Through dates. | Service date is not within the range of the From and Through dates. |
| The maximum number of diagnosis codes is 28. | User attempts to add a 29th diagnosis code. |

| Message | Occurs when ... |
|---|--|
| The maximum number of procedure codes is 99. | User attempts to add a 100th procedure code. |
| Through date cannot be after today's date. | Through date is after the system (today's) date. |
| Through date cannot precede Birth date. | Through date is prior to the Birth date. |
| Through date cannot precede From date. | Through date is prior to the From date. |
| Through date cannot precede mm/dd/yyyy ^a . | Through date is prior to the first day of the earliest non-OPPS version included in the current release, for non-OPPS claims only. |

a. Dates can be entered with or without a separator (/).

Program output

This section describes the output generated by the software after you have entered your data into the program on the data entry window. The output is displayed on your computer screen and can be printed, copied, or saved to a text file.

Reports are created and saved singly and the IOCE Software does not append them. If you want a file of multiple reports, you can copy several output reports, one at a time as you generate them, and paste them, one at a time, into a text file. Once data is erased from the data entry window or the Report window is closed, the output is no longer available unless you re-enter the data.

This section also contains an illustration of an output report.

Viewing an output report

To view the output report for a claim,

1. Complete your data entry as described earlier in this chapter.
2. At the bottom of the data entry window, click Report (Alt+R).

The output report displays.

The current version of software installed on your system is noted as a two-digit number in the report heading. In the body of the report, a three-digit number specifies the version of software that was used to process the claim based on the date of service; the third digit represents revisions created since the original release and does not affect your use of the product.

The format of a sample output report is shown below. In actual use, the fields will contain real data. Descriptions of output report fields follow the figure.

Integrated Outpatient Code Editor Software v20.3

Patient Name:
 Medical Record Number:
 Dates of Service: From: 01/01/2018 Through: 01/01/2018
 Birth Date: Age in years: 65 Sex: 1 Male
 Patient Status: Type of Bill: 131
 NPI: OSCAR:
 Condition Codes:
 Payer Condition Codes:
 Occurrence Codes:
 Value codes (Input):
 Value codes (Output):
 OCE Version Used: 20.3.0 OPPS Flag: 1

Reason For Visit Diagnosis

Principal Diagnosis

I110 : Hypertensive heart disease with heart failure

Procedures

| | | | |
|-----------------------------------|----------------------|-------------------------|--|
| G0463 Hospital outpt clinic visit | | | |
| Modifiers : | Revenue Code : 521 | | |
| Units of Service : 1 | Charges : 0.00 | Date : 01/01/2018 | |
| Status Indicator : V | Pay Indicator : 1 | | |
| HCPCS APC : 05012 | Payment APC : 05012 | | |
| Discount Formula : 1 | Payment Adj Flag : 0 | Comp Adj Flag : 00 | |
| Line Item Action Flag : | Packaging Flag : 0 | Payment Method Flag : 0 | |
| Line Item Denial or Rej Flag : 0 | HCPCS Modifier : | | |

Claim Level Edits

No Claim Level Edits Reported.

Overall Claim Disposition

No edits present on claim.

Integrated Outpatient Code Editor Software v20.3

Patient Name:
Medical Record Number:
Patient Acct#:
Dates of Service: From: 01/01/2018 Through: 01/01/2018
Birth Date: Age in years: 65 Sex: 1 Male
Patient Status: Type of Bill: 851
NPI: OSCAR:
Condition Codes:
Payer Condition Codes:
Occurrence Codes:
Value codes (Input):
Value codes (Output):
OCE Version Used: 20.3.0 OPPS Flag: 2

Comment:

Reason For Visit Diagnosis

Principal Diagnosis

I110 : Hypertensive heart disease with heart failure

Procedures

G0463 Hospital outpt clinic visit

Modifiers :

Units of Service : 1

Status Indicator :

HCPCS APC : 00000

Discount Formula : 0

Line Item Action Flag :

Line Item Denial or Rej Flag : 0 HCPCS Modifier :

Revenue Code : 521

Charges : 0.00

Pay Indicator :

Payment APC : 00000

Payment Adj Flag : 0

Packaging Flag : 0

HCPCS Modifier :

Date : 01/01/2018

Comp Adj Flag :

Payment Method Flag :

Claim Level Edits

No Claim Level Edits Reported.

Overall Claim Disposition

No edits present on claim.

Bill Type should not be 83x

Primary Pay Source:

Output report fields

Fields on the output report are described in the following table.

Table 41. Output report fields

| Name | Description | OPPS/ non-OPPS |
|--|---|-------------------|
| Patient name Medical record number Dates of service: From and Through Birth date Age in years Sex Patient status Type of bill OPPS flag Condition codes NPI provider number OSCAR provider number Occurrence codes Value code and amount Payer value code Payer value code amount ICD Code Type Diagnoses Procedures Modifiers Revenue code Units of service Line item charges (Charge) Service date (Date) Line item action flag | Data that was entered on input window. See the Data entry table for descriptions of these fields. | OPPS and non-OPPS |

| Name | Description | OPPS/ non-OPPS |
|------------------|---|-------------------|
| Status indicator | <p>Medicare has assigned each HCPCS/CPT code a letter that signifies whether Medicare will reimburse the service and how it will be reimbursed. The indicator also helps in determining whether policy rules, such as packaging and discounting, apply. Values are:</p> <p>A - Services not paid under OPPS; paid under fee schedule or other payment system</p> <p>B - Non-allowed item or service for OPPS</p> <p>C - Inpatient procedure</p> <p>E - Non-allowed item or service (discontinued 01/01/2017)</p> <p>E1 - Non-allowed item or service</p> <p>E2 - Items and services for which pricing information and claims data are not available</p> <p>F - Corneal tissue acquisition; certain CRNA services and hepatitis B vaccines</p> <p>G - Drug/Biological pass-through</p> <p>H - Pass-through device categories</p> <p>J - New drug or new biological pass-through (discontinued 04/01/2002 and replaced by status indicator G for all drugs/biologicals)</p> <p>J1 - Outpatient department services paid through a comprehensive APC</p> <p>J2 - Hospital Part B services that may be paid through a comprehensive APC</p> <p>K - Non pass-through drugs and non-implantable biologicals, including therapeutic radiopharmaceuticals</p> <p>L - Flu/PPV vaccines</p> <p>M - Service not billable to MAC</p> <p>N - Items and Services packaged into APC rates</p> <p>P - Partial hospitalization service</p> <p>Q - Packaged services subject to separate payment based on payment criteria (discontinued 01/01/2009 and replaced by status indicators Q1, Q2, Q3)</p> <p>Q1 - STVX-packaged codes</p> <p>Q2 - T-packaged codes</p> <p>Q3 - Codes that may be paid through a composite APC</p> | OPPS only |

| Name | Description | OPPS/ non-OPPS |
|-------------------|---|-------------------|
| | Q4 - Conditionally packaged laboratory services R - Blood and blood products S - Significant procedure not subject to multiple procedure discounting T - Significant procedure subject to multiple procedure discounting U - Brachytherapy sources V - Clinic or emergency department visit W - Invalid HCPCS or Invalid revenue code with blank HCPCS X - Ancillary service Y - Non-implantable DME Z - Valid revenue code with blank HCPCS and no other SI assigned | |
| Payment indicator | Payment indicator. Values are: 1 - Paid standard hospital OPPS amount (status indicators K, R, S, T, U, V, X) 2 - Services not paid by OPPS Pricer; paid under fee schedule or other payment system (status indicators A, G, K) 3 - Not paid (status indicators E, M, Q, Q1, Q2, Q3, W, Y), or not paid under OPPS (status indicators B, C, Z) 4 - Paid at reasonable cost (status indicator F, L) 5 - Paid standard amount for pass-through drug or biological (status indicator G) 6 - Payment based on charge adjusted to cost (status indicator H) 7 - Additional payment for new drug or new biological (status indicator J; services prior to 04/01/2002 only) | OPPS only |

| Name | Description | OPPS/ non-OPPS |
|---------------------|--|-------------------|
| | <p>8 - Paid partial hospitalization per diem (status indicator P)</p> <p>9 - No additional payment; payment included in line items with APCs (status indicator N; or no HCPCS code and certain revenue codes; or HCPCS codes G0176 - activity therapy, G0129 - occupational therapy, or G0177 - patient education and training services)</p> <p>10 – Paid FQHC encounter payment</p> <p>11 – Not paid or not included under FQHC encounter payment</p> <p>12 – No additional payment, included in payment for FQHC encounter</p> <p>13 - Paid FQHC encounter payment for New patient or IPPE/AWV</p> <p>14 - Grandfathered tribal FQHC encounter payment</p> | |
| HCPCS APC | APC assigned to the procedure code. See the "List of APCs" appendix (page 573) for a list of APCs with their status indicators and descriptions. | OPPS only |
| Payment APC | APC assigned for payment. Except when specified otherwise (e.g., partial hospitalization, mental health, observation logic, codes with SI of 'Q', etc.), the payment APC and the HCPCS APC are the same. See the "List of APCs" appendix (page 573) for a list of APCs with their status indicators and descriptions. | OPPS only |
| ASCs | When applicable, the ASC group number will be returned in the Payment APC field on 83x bill types. (v8.2 and 8.3 only) | Non-OPPS only |
| Discounting formula | | OPPS only |

| Name | Description | OPPS/ non-OPPS |
|--------------------------------------|--|-------------------|
| Payment adjustment flag ^a | Right-justified, blank-filled. Values are: 0 - No payment adjustment 1 - Paid standard amount for pass-through drug or biological (status indicator G) 2 - Payment based on charge adjusted to cost (status indicator H) 3 - Additional payment for new drug or new biological applies to APC (status indicator J) 4 - Deductible not applicable (specific list of HCPCS codes) or condition code "MA" is present on the claim 5 - Blood/blood product used in blood deductible calculation 6 - Blood processing/storage not subject to blood deductible 7 - Item provided without cost to provider 8 - Item provided with partial credit to provider 9 - Deductible/co-insurance not applicable | OPPS only |

| Name | Description | OPPS/ non-OPPS |
|--|---|-------------------|
| | 10 - Co-insurance not applicable 11 - Multiple service units reduced to one by IOCE processing; payment based on single payment rate 12 - Offset for device pass-through ^c 13 - Offset for additional device pass-through ^c 14 - PAMA Section 218 reduction on CT scan ^d 15 - Reserved for future use 16 - Terminated procedure with pass-through device 17 - Condition for device credit present 18 - Offset for first pass-through drug or biological 19 - Offset for second pass-through drug or biological 20 - Offset for third pass-through drug or biological 21 - CAA Section 502(b) reduction on film X-ray 22 - CAA Section 502b reduction on computed radiography technology 23 – Co-insurance deductible n/a, as well as subject to a reduction due to film x-ray (CAA Section 502b) 24 – Co-insurance deductible n/a, as well as subject to a reduction due to computed radiography technology (CAA Section 502b) 91–99 - Each composite APC present, same value for prime and non-prime codes (v9.0 - v9.3 only) ^b | |
| Composite adjustment flag ^a | 00 - Not a composite 01–ZZ - First through the nth composite APC present; same composite flag identifies the prime and non-prime codes in each composite APC group. For FQHC PPS claims (bill type 77x) only, the following values are defined for composite adjustment flag: 01 – FQHC medical clinic visit 02 – FQHC mental health clinic visit 03 – Subsequent FQHC medical clinic visit (modifier 59 reported) | OPPS only |

| Name | Description | OPPS/ non-OPPS |
|------------------------------------|--|-------------------|
| Line item action flag ^a | <p>Used in determination of discount formula, and also passed to pricer.</p> <p>0 - Line item denial or rejection is not ignored</p> <p>1 - Line item denial or rejection is ignored (except when edit 30 is present)</p> <p>2 - External line item denial. Line item is denied even if no edits are present</p> <p>3 - External line item rejection. Line item is rejected even if no edits are present</p> <p>4 - External line item adjustment. Technical charge rules apply</p> <p>5 - Non-covered service excluded from payment under FQHC PPS</p> | OPPS only |
| Packaging flag ^a | <p>0 - Not packaged</p> <p>1 - Packaged service (status indicator N, or no HCPCS code and certain revenue codes)</p> <p>2 - Packaged as part of partial hospitalization per diem or daily mental health service per diem (v1.0 - v9.3 only)c</p> <p>3 - Artificial charges for surgical procedures (submitted charges for surgical HCPCS < \$1.01)t</p> <p>4 - Packaged as part of drug administration APC payment (v6.0–v7.3 only)</p> <p>5 – Packaged as part of FQHC encounter payment</p> <p>6 – Packaged preventive service as part of FQHC encounter payment not subject to coinsurance payment</p> | OPPS only |

| Name | Description | OPPS/ non-OPPS |
|---|--|-------------------|
| Payment method flag ^a | 0 - OPPS pricer determines payment for service 1 - Service not paid based on coverage or billing rules 2 - Service is not subject to OPPS 3 - Service is not subject to OPPS, and has an OCE line item denial or rejection 4 - Line item is denied or rejected by MAC; OCE not applied to line item 5 - Payment for service determined under FQHC PPS 6 - CMHC outlier limitation reached 7 - Section 603 service with no reduction in OPPS Pricer 8 - Section 603 service with PFS reduction applied in OPPS Pricer 9 - CMHC outlier limitation bypassed A - Payment reduction for off-campus clinic visit Z - Contractor bypass determines payment for services | OPPS only |
| Line item denial or rejection flag ^a | 0 - Line item is not denied or rejected 1 - Line item is denied or rejected (procedure edit return buffer for line item contains a 9, 13, 18, 20, 28, 30, 40, 45, 47, 49, 53, 64-65, 67-69, 76, 83, 91, 93, 103-108) 2 - The line is not denied or rejected, but occurs on a day that has been denied or rejected (not used as of 4/01/02 - v.3.0) 3 - Line item not denied or rejected; identified for informational alert only | OPPS only |
| HCPCS modifier | Reserved for future use | |

| Name | Description | OPPS/ non-OPPS |
|-------------------------------------|---|-------------------|
| Edit | Edit number, description, and disposition generated by the diagnosis or procedure. The edit dispositions are abbreviated as follows: RTP - Return to provider LIR - Line item rejection LID - Line item denial CD - Claim denial S - Claim suspension See the Edit disposition summary (page 169) for more information on individual edits. | OPPS and non-OPPS |
| Claim level edits | Edits that affect the entire claim, rather than an individual diagnosis or procedure. | OPPS and non-OPPS |
| Overall claim disposition statement | Because it is possible for a claim to have one or more edits in all dispositions, the program assigns an overall disposition to the claim. Values are: 0 - No edits are present on the claim. 1 - The only edits present are for line item denial or rejection. 2 - Claim is for multiple days with one or more days denied or rejected. 3 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only post-payment edits. 4 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only pre-payment edits. 5 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with both post- and pre- payment edits. | OPPS and non-OPPS |

- a. Not activated for claims with OPPS flag = 2 (blanks are returned in the APC return buffer), unless the contractor edit bypass logic is applied and Payment Method Flag of Z is output to identify that the line(s) payment is determined by the contractor.
- b. Payment adjustment flag values 91-99 discontinued 1/1/09, replaced by the composite adjustment flag (v10.0)
- c. Payment adjustment flags 12 and 13 are associated with conditions preset for APC pass-through device offset; multiple conditions for the same claim requiring payment offset due to the presence of multiple device/procedure combinations may require the assignment of both payment adjustment flags 12 and 13.

d. Payment adjustment flag 14 is applied to a specific list of CT scan procedure codes; if there is a CT scan code from the specified list reported with modifier CT that is packaged with SI = N as a result of composite APC or comprehensive APC processing, payment adjustment flag 14 is not applied.

Output report menu items

Menu items available from the output report window are described in the following table. Refer to the function column to locate the task you want to perform. Accelerator keys allow you to bypass a menu and activate a function more quickly.

Table 42. Menu items

| Function | Description | Accelerator key |
|------------|--|-----------------|
| Print | Prints the output report. | Ctrl+P |
| Save As... | Opens the Save As dialog box to save the currently displayed output report as a text file. | Ctrl+S |
| Exit | Closes the output report window. | Ctrl+Q |
| Copy | Copies the selected text and moves it to the clipboard. | Ctrl+C |
| Select All | Selects the entire output report. | Ctrl+A |

Output report command button

The following table describes the command button on the output report window.

Table 43. Output report command button

| Function | Description | Accelerator key |
|----------|--|-----------------|
| Close | Closes the output report window and switches the focus to the data entry window. | Ctrl+C |

Program edits

The edits in the IOCE Software are described in this section along with the edit dispositions.

Dispositions

Each edit is associated with a disposition. For example, there can be a rejection of the line item itself or a rejection of the entire claim. In addition to edit dispositions, the program assigns an overall disposition to the claim. Edit and claim dispositions are discussed below.

Edit disposition

A disposition is assigned based on the presence of any edits on a line. The meaning of each edit disposition is described in the following table. It is possible for a claim to have one or more edits in all dispositions. The Edit disposition summary table (page [169](#)) contains a complete list of program edits and edit dispositions.

Table 44. Edit disposition definitions

| Disposition | Definition |
|--------------------------------|--|
| Claim rejection | The provider can correct and resubmit the claim but cannot appeal the rejection. |
| Claim denial | The provider cannot resubmit the claim but can appeal the denial. |
| Claim return to provider (RTP) | The provider can resubmit the claim once the problems are corrected. |
| Claim suspension | The claim is not returned to the provider, but it is not processed for payment until the fiscal intermediary/Medicare Administrative Contractor (MAC) makes a determination or obtains further information. |
| Line item rejection | The claim can be processed for payment with some line items rejected for payment (i.e., the line item can be corrected and resubmitted but cannot be appealed). |
| Line item denial | There are one or more edits that cause one or more individual line items to be denied. The claim can be processed for payment with some line items denied for payment (i.e., the line item cannot be resubmitted but can be appealed). |

Claim disposition

Since a claim can have several edit dispositions assigned to line items, the claim is assigned an overall disposition. Claim dispositions are shown in the "Overall claim disposition statement" section of the Output report fields table (page [107](#)).

Edit disposition summary

The following table lists each edit in the program with its disposition. The meaning of each disposition is provided in the Edit disposition definitions table (page [168](#)). Chapter 5 (page [51](#)) and chapter 8 (page [113](#)) contain information on what conditions will generate an edit, as well as relevant important comments for specific edits.

Table 45. Edit disposition summary

| Edit | Edit disposition | OPPS/ non-OPPS |
|--|----------------------------|-------------------|
| 1. Invalid diagnosis code | Claim returned to provider | OPPS and non-OPPS |
| 2. Diagnosis and age conflict | Claim returned to provider | OPPS and non-OPPS |
| 3. Diagnosis and sex conflict | Claim returned to provider | OPPS and non-OPPS |
| 4. Medicare secondary payer alert (v1.0 and v1.1 only) ^a | Claim suspension | OPPS only |
| 5. External cause of morbidity code cannot be used as principal diagnosis | Claim returned to provider | OPPS and non-OPPS |
| 6. Invalid procedure code | Claim returned to provider | OPPS and non-OPPS |
| 7. Procedure and age conflict (inactive) | -- | OPPS only |
| 8. Procedure and sex conflict | Claim returned to provider | OPPS and non-OPPS |
| 9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion | Line item denial | OPPS and non-OPPS |
| 10. Service submitted for denial (condition code 21) | Claim denial | OPPS and non-OPPS |

| Edit | Edit disposition | OPPS/ non-OPPS |
|---|----------------------------|---------------------------|
| 11. Service submitted for MAC review (condition code 20) | Claim suspension | OPPS and non-OPPS |
| 12. Questionable covered service | Claim suspension | OPPS and non-OPPS |
| 13. Separate payment for services is not provided by Medicare (v1.0–v6.3 only) ^a | Line item rejection | OPPS only |
| 14. Code indicates a site of service not included in OPPS (v1.0–v6.3 only) ^a | Claim returned to provider | OPPS only |
| 15. Service unit out of range for procedure | Claim returned to provider | OPPS and non-OPPS |
| 16. Multiple bilateral procedures without modifier 50 (v1.0–v6.2 only) ^a | Claim returned to provider | OPPS only |
| 17. Inappropriate specification of bilateral procedure | Claim returned to provider | OPPS and non-OPPS |
| 18. Inpatient procedure | Line item denial | OPPS only |
| 19. Mutually exclusive procedure that is not allowed by NCCI even if appropriate modifier is present (<i>deleted, combined with edit 20 retroactive to earliest included version</i>) ^a | Line item rejection | OPPS only |
| 20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present | Line item rejection | OPPS and non-OPPS |
| 21. Medical visit on same day as a type T or S procedure without modifier 25 | Claim returned to provider | OPPS only |
| 22. Invalid modifier | Claim returned to provider | OPPS and non-OPPS |
| 23. Invalid date | Claim returned to provider | OPPS and non-OPPS |
| 24. Date out of OCE range | Claim suspension | OPPS and non-OPPS |
| 25. Invalid age | Claim returned to provider | OPPS and non-OPPS |
| 26. Invalid sex | Claim returned to provider | OPPS and non-OPPS |
| 27. Only incidental services reported | Claim rejection | OPPS only |

| Edit | Edit disposition | OPPS/ non-OPPS |
|---|----------------------------|---------------------------|
| 28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available | Line item rejection | OPPS and non-OPPS |
| 29. Partial hospitalization service for non-mental health diagnosis | Claim returned to provider | OPPS only |
| 30. Insufficient services on day of partial hospitalization | Line item denial | OPPS only |
| 31. Partial hospitalization on same day as ECT or type T procedure (v1.0–v6.3 only) ^a | Claim suspension | OPPS only |
| 32. Partial hospitalization claim spans 3 or less days with insufficient services on at least one of the days (v1.0 - v9.3) ^a | Claim suspension | OPPS only |
| 33. Partial hospitalization claim spans more than 3 days with insufficient number of days having mental health services (v1.0 - v9.3) ^a | Claim suspension | OPPS only |
| 34. Partial hospitalization claim spans more than 3 days with insufficient number of days meeting partial hospitalization criteria (v1.0 - v9.3) ^a | Claim suspension | OPPS only |
| 35. Only Mental Health education and training services provided | Claim returned to provider | OPPS only |
| 36. Extensive mental health services provided on day of ECT or type T procedure (v1.0–v6.3 only) ^a | Claim suspension | OPPS only |
| 37. Terminated bilateral procedure or terminated procedure with units greater than one | Claim returned to provider | OPPS only |
| 38. Inconsistency between implanted device or administered substance and implantation or associated procedure | Claim returned to provider | OPPS only |
| 39. Mutually exclusive procedure that would be allowed by NCCI if appropriate modifier were present <i>(deleted, combined with edit 40 retroactive to earliest included version)</i> ^a | Line item rejection | OPPS only |
| 40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present | Line item rejection | OPPS and non-OPPS |
| 41. Invalid revenue code | Claim returned to provider | OPPS and non-OPPS |

| Edit | Edit disposition | OPPS/ non-OPPS |
|---|----------------------------|---------------------------|
| 42. Multiple medical visits on same day with same revenue code without condition code G0 | Claim returned to provider | OPPS only |
| 43. Transfusion or blood product exchange without specification of blood product | Claim returned to provider | OPPS only |
| 44. Observation revenue code on line item with non-observation HCPCS code | Claim returned to provider | OPPS only |
| 45. Inpatient separate procedures not paid | Line item rejection | OPPS only |
| 46. Partial hospitalization condition code 41 not approved for type of bill | Claim returned to provider | OPPS and non-OPPS |
| 47. Service is not separately payable | Line item rejection | OPPS only |
| 48. Revenue center requires HCPCS | Claim returned to provider | OPPS only |
| 49. Service on same day as inpatient procedure | Line item denial | OPPS only |
| 50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion | Claim returned to provider | OPPS and non-OPPS |
| 51. Multiple observations overlap in time (inactive) | -- | OPPS only |
| 52. Observation does not meet minimum hours, qualifying diagnoses, and/or 'T' procedure conditions (v3.0–v6.3 only) ^a | Claim returned to provider | OPPS only |
| 53. Codes G0378 and G0379 only allowed with bill type 13x or 85x | Line item rejection | OPPS and non-OPPS |
| 54. Multiple codes for the same service | Claim returned to provider | OPPS and non-OPPS |
| 55. Non-reportable for site of service | Claim returned to provider | OPPS only |
| 56. E/M condition not met and line item date for obs code G0244 is not 12/31 or 1/1 (v4.0–v6.3 only) ^a | Claim returned to provider | OPPS only |
| 57. Composite E/M condition not met for observation and line item date for code G0378 is 1/1 | Claim suspension | OPPS only |
| 58. G0379 only allowed with G0378 | Claim returned to provider | OPPS only |
| 59. Clinical trial requires diagnosis code V707 as other than primary diagnosis (deleted, retroactive to the earliest included version) ^a | Claim returned to provider | OPPS only |
| 60. Use of modifier CA with more than one procedure not allowed | Claim returned to provider | OPPS only |

| Edit | Edit disposition | OPPS/ non-OPPS |
|--|----------------------------|---------------------------|
| 61. Service can only be billed to the DMERC | Claim returned to provider | OPPS and non-OPPS |
| 62. Code not recognized by OPPS; alternate code for same service may be available | Claim returned to provider | OPPS only |
| 63. This OT code only billed on partial hospitalization claims | Claim returned to provider | OPPS only |
| 64. AT service not payable outside the partial hospitalization program | Line item rejection | OPPS only |
| 65. Revenue code not recognized by Medicare | Line item rejection | OPPS and non-OPPS |
| 66. Code requires manual pricing | Claim suspension | OPPS only |
| 67. Service provided prior to FDA approval | Line item denial | OPPS and non-OPPS |
| 68. Service provided prior to date of National Coverage Determination (NCD) approval | Line item denial | OPPS and non-OPPS |
| 69. Service provided outside approval period | Line item denial | OPPS and non-OPPS |
| 70. CA modifier requires patient status code 20 | Claim returned to provider | OPPS only |
| 71. Claim lacks required device code | Claim returned to provider | OPPS only |
| 72. Service not billable to the Fiscal Intermediary/Medicare Administrative Contractor | Claim returned to provider | OPPS and non-OPPS |
| 73. Incorrect billing of blood and blood products | Claim returned to provider | OPPS only |
| 74. Units greater than one for bilateral procedure billed with modifier 50 | Claim returned to provider | OPPS and non-OPPS |
| 75. Incorrect billing of modifier FB or FC | Claim returned to provider | OPPS only |
| 76. Trauma response critical care code without revenue code 068x and CPT 99291 | Line item rejection | OPPS only |
| 77. Claim lacks allowed procedure code | Claim returned to provider | OPPS only |
| 78. Claim lacks required radiolabeled product | Claim returned to provider | OPPS only |
| 79. Incorrect billing of revenue code with HCPCS code | Claim returned to provider | OPPS only |
| 80. Mental health code not approved for partial hospitalization program | Claim returned to provider | OPPS only |

| Edit | Edit disposition | OPPS/ non-OPPS |
|--|--|---------------------------|
| 81. Mental health service not payable outside the partial hospitalization program | Claim returned to provider | OPPS only |
| 82. Charge exceeds token charge (\$1.01) | Claim returned to provider | OPPS only |
| 83. Service provided on or after effective date of NCD non-coverage | Line item denial | OPPS and non-OPPS |
| 84. Claim lacks required primary code | Claim returned to provider | OPPS only |
| 85. Claim lacks required device code or required procedure code | Claim returned to provider | OPPS only |
| 86. Manifestation code not allowed as principal diagnosis | Claim returned to provider | OPPS only |
| 87. Skin substitute application procedure without appropriate skin substitute product code | Claim returned to provider | OPPS only |
| 88. FQHC payment code not reported for FQHC claim | Claim returned to provider | OPPS only |
| 89. FQHC claim lacks required qualifying visit code | Claim returned to provider | OPPS only |
| 90. Incorrect revenue code reported for FQHC payment code | Claim returned to provider | OPPS only |
| 91. Item or service not covered under FQHC PPS | Line item rejection | OPPS only |
| 92. Device-dependent procedure reported without device code | Claim returned to provider | OPPS only |
| 93. Corneal tissue processing reported without cornea transplant procedure | Line item rejection | OPPS only |
| 94. Biosimilar HCPCS reported without biosimilar modifier (v17.0–v19.0 only) | Claim returned to provider | OPPS and non-OPPS |
| 95. Weekly partial hospitalization services require a minimum of 20 hours of service as evidenced in PHP plan of care (v17.2 only-RTP, v18.2-present, LIR) | Line item rejection (informational only, no impact to payment) | OPPS only |
| 96. Partial hospitalization interim claim From and Through dates must span more than 4 days | Claim returned to provider | OPPS only |
| 97. Partial hospitalization services are required to be billed weekly | Claim returned to provider | OPPS only |

| Edit | Edit disposition | OPPS/ non-OPPS |
|--|----------------------------|---------------------------|
| 98. Claim with pass-through device, drug or biological lacks required procedure | Claim returned to provider | OPPS only |
| 99. Claim with pass-through or non-pass-through drug or biological lacks OPPS payable procedure | Claim returned to provider | OPPS only |
| 100. Claim for HSCT allogeneic transplantation lacks required revenue code line for donor acquisition services | Claim returned to provider | OPPS only |
| 101. Item or service with modifier PN not allowed under PFS | Claim returned to provider | OPPS only |
| 102. Modifier pairing not allowed on the same line | Claim returned to provider | OPPS and non-OPPS |
| 103. Modifier reported prior to FDA approval date (v19.0 only) | Line item denial | OPPS and non-OPPS |
| 104. Service not eligible for all-inclusive rate | Line item rejection | OPPS only |
| 105. Claim reported with pass-through device prior to FDA approval for the procedure | Line item denial | OPPS only |
| 106. Add-on code reported without required primary procedure code | Line item denial | OPPS and non-OPPS |
| 107. Add-on code reported without required contractor-defined primary procedure code | Line item denial | Non-OPPS only |
| 108. Add-on code reported without required primary procedure or required contractor-defined primary procedure code | Line item denial | OPPS and non-OPPS |
| 109. Code first diagnosis present without mental health diagnosis as the first secondary diagnosis | Claim returned to provider | OPPS only |
| 110. Service provided prior to initial marketing date | Line item rejection | OPPS and non-OPPS |
| 111. Service cost is duplicative; included in cost of associated biological | Line item rejection | OPPS and non-OPPS |

a. Edits are active only on claims that are more than 7 years old that are processed with previously archived software.

Appendix A: Diagnosis edit code lists

This appendix lists the diagnosis codes for the following categories associated with edits in the program.

Diagnosis code categories (ICD-10 CM codes)

- Adult diagnoses
- Newborn diagnoses
- Pediatric diagnoses
- Maternity diagnoses
- Diagnoses for females only
- Diagnoses for males only
- Manifestation diagnoses
- Mental health diagnoses

Diagnosis code categories (ICD-9 CM codes)

- Adult diagnoses
- Newborn diagnoses
- Pediatric diagnoses
- Maternity diagnoses
- Diagnoses for females only
- Diagnoses for males only
- Manifestation diagnoses
- Mental health diagnoses

Adult diagnoses (ICD-10 CM codes)

| | |
|--------|--|
| A1814 | Tuberculosis of prostate |
| C9150 | Adult T-cell lymph/leuk (HTLV-1-assoc) not achieve remission |
| C9151 | Adult T-cell lymphoma/leukemia (HTLV-1-assoc), in remission |
| C9152 | Adult T-cell lymphoma/leukemia (HTLV-1-assoc), in relapse |
| E28310 | Symptomatic premature menopause |
| E28319 | Asymptomatic premature menopause |
| F0150 | Vascular dementia without behavioral disturbance |
| F0151 | Vascular dementia with behavioral disturbance |
| F0390 | Unspecified dementia without behavioral disturbance |
| F0391 | Unspecified dementia with behavioral disturbance |
| F69 | Unspecified disorder of adult personality and behavior |
| G112 | Late-onset cerebellar ataxia |
| G1221 | Amyotrophic lateral sclerosis |
| G301 | Alzheimer's disease with late onset |
| H02031 | Senile entropion of right upper eyelid |
| H02032 | Senile entropion of right lower eyelid |
| H02033 | Senile entropion of right eye, unspecified eyelid |
| H02034 | Senile entropion of left upper eyelid |
| H02035 | Senile entropion of left lower eyelid |
| H02036 | Senile entropion of left eye, unspecified eyelid |
| H02039 | Senile entropion of unspecified eye, unspecified eyelid |
| H02131 | Senile ectropion of right upper eyelid |
| H02132 | Senile ectropion of right lower eyelid |
| H02133 | Senile ectropion of right eye, unspecified eyelid |
| H02134 | Senile ectropion of left upper eyelid |
| H02135 | Senile ectropion of left lower eyelid |
| H02136 | Senile ectropion of left eye, unspecified eyelid |
| H02139 | Senile ectropion of unspecified eye, unspecified eyelid |
| H25011 | Cortical age-related cataract, right eye |
| H25012 | Cortical age-related cataract, left eye |
| H25013 | Cortical age-related cataract, bilateral |
| H25019 | Cortical age-related cataract, unspecified eye |
| H25031 | Anterior subcapsular polar age-related cataract, right eye |
| H25032 | Anterior subcapsular polar age-related cataract, left eye |
| H25033 | Anterior subcapsular polar age-related cataract, bilateral |
| H25039 | Anterior subcapsular polar age-related cataract, unsp eye |
| H25041 | Posterior subcapsular polar age-related cataract, right eye |
| H25042 | Posterior subcapsular polar age-related cataract, left eye |
| H25043 | Posterior subcapsular polar age-related cataract, bilateral |
| H25049 | Posterior subcapsular polar age-related cataract, unsp eye |
| H25091 | Other age-related incipient cataract, right eye |
| H25092 | Other age-related incipient cataract, left eye |
| H25093 | Other age-related incipient cataract, bilateral |
| H25099 | Other age-related incipient cataract, unspecified eye |
| H2510 | Age-related nuclear cataract, unspecified eye |
| H2511 | Age-related nuclear cataract, right eye |
| H2512 | Age-related nuclear cataract, left eye |

| | |
|---------|--|
| H2513 | Age-related nuclear cataract, bilateral |
| H2520 | Age-related cataract, morgagnian type, unspecified eye |
| H2521 | Age-related cataract, morgagnian type, right eye |
| H2522 | Age-related cataract, morgagnian type, left eye |
| H2523 | Age-related cataract, morgagnian type, bilateral |
| H25811 | Combined forms of age-related cataract, right eye |
| H25812 | Combined forms of age-related cataract, left eye |
| H25813 | Combined forms of age-related cataract, bilateral |
| H25819 | Combined forms of age-related cataract, unspecified eye |
| H2589 | Other age-related cataract |
| H259 | Unspecified age-related cataract |
| H31111 | Age-related choroidal atrophy, right eye |
| H31112 | Age-related choroidal atrophy, left eye |
| H31113 | Age-related choroidal atrophy, bilateral |
| H31119 | Age-related choroidal atrophy, unspecified eye |
| H3530 | Unspecified macular degeneration |
| H353110 | Nextdte age-related mclr degn, right eye, stage unspecified |
| H353111 | Nextdte age-related mclr degn, right eye, early dry stage |
| H353112 | Nextdte age-related mclr degn, right eye, intermed dry stage |
| H353113 | Nextdte age-rel mclr degn, r eye, adv atrpc w/o sbfvl invl |
| H353114 | Nextdte age-rel mclr degn, r eye, adv atrpc with sbfvl invl |
| H353120 | Nextdte age-related mclr degn, left eye, stage unspecified |
| H353121 | Nextdte age-related mclr degn, left eye, early dry stage |
| H353122 | Nextdte age-related mclr degn, left eye, intermed dry stage |
| H353123 | Nextdte age-rel mclr degn, l eye, adv atrpc w/o sbfvl invl |
| H353124 | Nextdte age-rel mclr degn, l eye, adv atrpc with sbfvl invl |
| H353130 | Nextdte age-related mclr degn, bilateral, stage unspecified |
| H353131 | Nextdte age-related mclr degn, bilateral, early dry stage |
| H353132 | Nextdte age-related mclr degn, bilateral, intermed dry stage |
| H353133 | Nextdte age-rel mclr degn, bi, adv atrpc without sbfvl invl |
| H353134 | Nextdte age-rel mclr degn, bi, adv atrpc with subfoveal invl |
| H353190 | Nonexudative age-related mclr degn, unsp, stage unspecified |
| H353191 | Nonexudative age-related mclr degn, unsp, early dry stage |
| H353192 | Nonexudative age-related mclr degn, unsp, intermed dry stage |
| H353193 | Nextdte age-rel mclr degn, unsp, adv atrpc w/o sbfvl invl |
| H353194 | Nextdte age-rel mclr degn, unsp, adv atrpc with sbfvl invl |
| H353210 | Exudative age-rel mclr degn, right eye, stage unspecified |
| H353211 | Exdtve age-rel mclr degn, right eye, with actv chrdl neovas |
| H353212 | Exdtve age-rel mclr degn, right eye, with inact chrdl neovas |
| H353213 | Exudative age-rel mclr degn, right eye, with inactive scar |
| H353220 | Exudative age-related mclr degn, left eye, stage unspecified |
| H353221 | Exdtve age-rel mclr degn, left eye, with actv chrdl neovas |
| H353222 | Exdtve age-rel mclr degn, left eye, with inact chrdl neovas |
| H353223 | Exudative age-rel mclr degn, left eye, with inactive scar |
| H353230 | Exudative age-rel mclr degn, bilateral, stage unspecified |
| H353231 | Exudative age-rel mclr degn, bi, with actv chrdl neovas |
| H353232 | Exudative age-rel mclr degn, bi, with inact chrdl neovas |
| H353233 | Exudative age-rel mclr degn, bilateral, with inactive scar |
| H353290 | Exudative age-related mclr degn, unsp, stage unspecified |
| H353291 | Exudative age-rel mclr degn, unsp, with actv chrdl neovas |
| H353292 | Exudative age-rel mclr degn, unsp, with inact chrdl neovas |
| H353293 | Exudative age-related mclr degn, unsp, with inactive scar |

| | |
|--------|--|
| H35441 | Age-related reticular degeneration of retina, right eye |
| H35442 | Age-related reticular degeneration of retina, left eye |
| H35443 | Age-related reticular degeneration of retina, bilateral |
| H35449 | Age-related reticular degeneration of retina, unsp eye |
| H43821 | Vitreomacular adhesion, right eye |
| H43822 | Vitreomacular adhesion, left eye |
| H43823 | Vitreomacular adhesion, bilateral |
| H43829 | Vitreomacular adhesion, unspecified eye |
| I230 | Hemopericardium as current complication following AMI |
| I231 | Atrial septal defect as current complication following AMI |
| I232 | Ventricular septal defect as current comp following AMI |
| I233 | Rupture of card wall w/o hemoperic as current comp fol AMI |
| I236 | Thombos of atrium/auric append/ventr as current comp fol AMI |
| I237 | Postinfarction angina |
| I238 | Oth current complications following AMI |
| I2510 | Athscl heart disease of native coronary artery w/o ang pctrs |
| I25110 | Athscl heart disease of native cor art w unstable ang pctrs |
| I25111 | Athscl heart disease of native cor art w ang pctrs w spasm |
| I25118 | Athscl heart disease of native cor art w oth ang pctrs |
| I25119 | Athscl heart disease of native cor art w unsp ang pctrs |
| I25700 | Atherosclerosis of CABG, unsp, w unstable angina pectoris |
| I25701 | Athscl CABG, unsp, w angina pectoris w documented spasm |
| I25708 | Atherosclerosis of CABG, unsp, w oth angina pectoris |
| I25709 | Atherosclerosis of CABG, unsp, w unsp angina pectoris |
| I25710 | Athscl autologous vein CABG w unstable angina pectoris |
| I25711 | Athscl autologous vein CABG w ang pctrs w documented spasm |
| I25718 | Athscl autologous vein CABG w oth angina pectoris |
| I25719 | Athscl autologous vein CABG w unsp angina pectoris |
| I25720 | Athscl autologous artery CABG w unstable angina pectoris |
| I25721 | Athscl autologous artery CABG w ang pctrs w documented spasm |
| I25728 | Athscl autologous artery CABG w oth angina pectoris |
| I25729 | Athscl autologous artery CABG w unsp angina pectoris |
| I25730 | Athscl nonautologous biological CABG w unstable ang pctrs |
| I25731 | Athscl nonaut biological CABG w ang pctrs w documented spasm |
| I25738 | Athscl nonautologous biological CABG w oth angina pectoris |
| I25739 | Athscl nonautologous biological CABG w unsp angina pectoris |
| I25760 | Athscl bypass of cor art of txplt heart w unstable angina |
| I25761 | Athscl bypass of cor art of txplt heart w ang pctrs w spasm |
| I25768 | Athscl bypass of cor art of txplt heart w oth ang pctrs |
| I25769 | Athscl bypass of cor art of txplt heart w unsp ang pctrs |
| I25790 | Atherosclerosis of CABG w unstable angina pectoris |
| I25791 | Atherosclerosis of CABG w angina pectoris w documented spasm |
| I25798 | Atherosclerosis of CABG w oth angina pectoris |
| I25799 | Atherosclerosis of CABG w unsp angina pectoris |
| I25810 | Atherosclerosis of CABG w/o angina pectoris |
| I25812 | Athscl bypass of cor art of transplanted heart w/o ang pctrs |
| I2583 | Coronary atherosclerosis due to lipid rich plaque |
| I510 | Cardiac septal defect, acquired |
| I672 | Cerebral atherosclerosis |
| I700 | Atherosclerosis of aorta |
| I701 | Atherosclerosis of renal artery |
| I70201 | Unsp athscl native arteries of extremities, right leg |

| | |
|--------|--|
| I70202 | Unsp athscl native arteries of extremities, left leg |
| I70203 | Unsp athscl native arteries of extremities, bilateral legs |
| I70208 | Unsp athscl native arteries of extremities, oth extremity |
| I70209 | Unsp athscl native arteries of extremities, unsp extremity |
| I70211 | Athscl native arteries of extrm w intrmt claud, right leg |
| I70212 | Athscl native arteries of extrm w intrmt claud, left leg |
| I70213 | Athscl native arteries of extrm w intrmt claud, bi legs |
| I70218 | Athscl native arteries of extrm w intrmt claud, oth extrm |
| I70219 | Athscl native arteries of extrm w intrmt claud, unsp extrm |
| I70221 | Athscl native arteries of extremities w rest pain, right leg |
| I70222 | Athscl native arteries of extremities w rest pain, left leg |
| I70223 | Athscl native arteries of extrm w rest pain, bilateral legs |
| I70228 | Athscl native arteries of extrm w rest pain, oth extremity |
| I70229 | Athscl native arteries of extrm w rest pain, unsp extremity |
| I70231 | Athscl native arteries of right leg w ulceration of thigh |
| I70232 | Athscl native arteries of right leg w ulceration of calf |
| I70233 | Athscl native arteries of right leg w ulceration of ankle |
| I70234 | Athscl native art of right leg w ulcer of heel and midfoot |
| I70235 | Athscl native arteries of right leg w ulcer oth prt foot |
| I70238 | Athscl native art of right leg with ulcer oth prt low leg |
| I70239 | Athscl native arteries of right leg w ulcer of unsp site |
| I70241 | Athscl native arteries of left leg w ulceration of thigh |
| I70242 | Athscl native arteries of left leg w ulceration of calf |
| I70243 | Athscl native arteries of left leg w ulceration of ankle |
| I70244 | Athscl native art of left leg w ulcer of heel and midfoot |
| I70245 | Athscl native arteries of left leg w ulceration oth prt foot |
| I70248 | Athscl native art of left leg with ulcer oth prt low leg |
| I70249 | Athscl native arteries of left leg w ulceration of unsp site |
| I7025 | Athscl native arteries of extremities w ulceration |
| I70261 | Athscl native arteries of extremities w gangrene, right leg |
| I70262 | Athscl native arteries of extremities w gangrene, left leg |
| I70263 | Athscl native arteries of extrm w gangrene, bilateral legs |
| I70268 | Athscl native arteries of extrm w gangrene, oth extremity |
| I70269 | Athscl native arteries of extrm w gangrene, unsp extremity |
| I70291 | Oth athscl native arteries of extremities, right leg |
| I70292 | Oth athscl native arteries of extremities, left leg |
| I70293 | Oth athscl native arteries of extremities, bilateral legs |
| I70298 | Oth athscl native arteries of extremities, oth extremity |
| I70299 | Oth athscl native arteries of extremities, unsp extremity |
| I70301 | Unsp athscl unsp type bypass of the extremities, right leg |
| I70302 | Unsp athscl unsp type bypass of the extremities, left leg |
| I70303 | Unsp athscl unsp type bypass of the extrm, bilateral legs |
| I70308 | Unsp athscl unsp type bypass of the extrm, oth extremity |
| I70309 | Unsp athscl unsp type bypass of the extrm, unsp extremity |
| I70311 | Athscl unsp type bypass of extrm w intrmt claud, right leg |
| I70312 | Athscl unsp type bypass of extrm w intrmt claud, left leg |
| I70313 | Athscl unsp type bypass of the extrm w intrmt claud, bi legs |
| I70318 | Athscl unsp type bypass of extrm w intrmt claud, oth extrm |
| I70319 | Athscl unsp type bypass of extrm w intrmt claud, unsp extrm |
| I70321 | Athscl unsp type bypass of the extrm w rest pain, right leg |
| I70322 | Athscl unsp type bypass of the extrm w rest pain, left leg |
| I70323 | Athscl unsp type bypass of the extrm w rest pain, bi legs |

| | |
|--------|--|
| I70328 | Athscl unsp type bypass of the extrm w rest pain, oth extrm |
| I70329 | Athscl unsp type bypass of the extrm w rest pain, unsp extrm |
| I70331 | Athscl unsp type bypass of the right leg w ulcer of thigh |
| I70332 | Athscl unsp type bypass of the right leg w ulcer of calf |
| I70333 | Athscl unsp type bypass of the right leg w ulcer of ankle |
| I70334 | Athscl unsp type bypass of r leg w ulcer of heel and midft |
| I70335 | Athscl unsp type bypass of right leg w ulcer oth prt foot |
| I70338 | Athscl unsp type bypass of right leg w ulcer oth prt low leg |
| I70339 | Athscl unsp type bypass of right leg w ulcer of unsp site |
| I70341 | Athscl unsp type bypass of the left leg w ulcer of thigh |
| I70342 | Athscl unsp type bypass of the left leg w ulceration of calf |
| I70343 | Athscl unsp type bypass of the left leg w ulcer of ankle |
| I70344 | Athscl unsp type bypass of left leg w ulc of heel and midft |
| I70345 | Athscl unsp type bypass of the left leg w ulcer oth prt foot |
| I70348 | Athscl unsp type bypass of left leg w ulcer oth prt low leg |
| I70349 | Athscl unsp type bypass of the left leg w ulcer of unsp site |
| I7035 | Athscl unsp type bypass graft(s) of extremity w ulceration |
| I70361 | Athscl unsp type bypass of the extrm w gangrene, right leg |
| I70362 | Athscl unsp type bypass of the extrm w gangrene, left leg |
| I70363 | Athscl unsp type bypass of the extrm w gangrene, bi legs |
| I70368 | Athscl unsp type bypass of the extrm w gangrene, oth extrm |
| I70369 | Athscl unsp type bypass of the extrm w gangrene, unsp extrm |
| I70391 | Oth athscl unsp type bypass of the extremities, right leg |
| I70392 | Oth athscl unsp type bypass of the extremities, left leg |
| I70393 | Oth athscl unsp type bypass of the extrm, bilateral legs |
| I70398 | Oth athscl unsp type bypass of the extrm, oth extremity |
| I70399 | Oth athscl unsp type bypass of the extrm, unsp extremity |
| I70401 | Unsp athscl autologous vein bypass of the extrm, right leg |
| I70402 | Unsp athscl autologous vein bypass of the extrm, left leg |
| I70403 | Unsp athscl autol vein bypass of the extrm, bilateral legs |
| I70408 | Unsp athscl autol vein bypass of the extrm, oth extremity |
| I70409 | Unsp athscl autol vein bypass of the extrm, unsp extremity |
| I70411 | Athscl autol vein bypass of extrm w intrmt claud, right leg |
| I70412 | Athscl autol vein bypass of extrm w intrmt claud, left leg |
| I70413 | Athscl autol vein bypass of extrm w intrmt claud, bi legs |
| I70418 | Athscl autol vein bypass of extrm w intrmt claud, oth extrm |
| I70419 | Athscl autol vein bypass of extrm w intrmt claud, unsp extrm |
| I70421 | Athscl autol vein bypass of the extrm w rest pain, right leg |
| I70422 | Athscl autol vein bypass of the extrm w rest pain, left leg |
| I70423 | Athscl autol vein bypass of the extrm w rest pain, bi legs |
| I70428 | Athscl autol vein bypass of the extrm w rest pain, oth extrm |
| I70429 | Athscl autol vein bypass of extrm w rest pain, unsp extrm |
| I70431 | Athscl autol vein bypass of the right leg w ulcer of thigh |
| I70432 | Athscl autol vein bypass of the right leg w ulcer of calf |
| I70433 | Athscl autol vein bypass of the right leg w ulcer of ankle |
| I70434 | Athscl autol vein bypass of r leg w ulcer of heel and midft |
| I70435 | Athscl autol vein bypass of right leg w ulcer oth prt foot |
| I70438 | Athscl autol vein bypass of r leg w ulcer oth prt low leg |
| I70439 | Athscl autol vein bypass of right leg w ulcer of unsp site |
| I70441 | Athscl autol vein bypass of the left leg w ulcer of thigh |
| I70442 | Athscl autol vein bypass of the left leg w ulcer of calf |
| I70443 | Athscl autol vein bypass of the left leg w ulcer of ankle |

| | |
|--------|--|
| I70444 | Athscl autol vein bypass of left leg w ulc of heel and midft |
| I70445 | Athscl autol vein bypass of left leg w ulcer oth prt foot |
| I70448 | Athscl autol vein bypass of left leg w ulcer oth prt low leg |
| I70449 | Athscl autol vein bypass of left leg w ulcer of unsp site |
| I7045 | Athscl autologous vein bypass of extremity w ulceration |
| I70461 | Athscl autol vein bypass of the extrm w gangrene, right leg |
| I70462 | Athscl autol vein bypass of the extrm w gangrene, left leg |
| I70463 | Athscl autol vein bypass of the extrm w gangrene, bi legs |
| I70468 | Athscl autol vein bypass of the extrm w gangrene, oth extrm |
| I70469 | Athscl autol vein bypass of the extrm w gangrene, unsp extrm |
| I70491 | Oth athscl autologous vein bypass of the extrm, right leg |
| I70492 | Oth athscl autologous vein bypass of the extrm, left leg |
| I70493 | Oth athscl autol vein bypass of the extrm, bilateral legs |
| I70498 | Oth athscl autol vein bypass of the extrm, oth extremity |
| I70499 | Oth athscl autol vein bypass of the extrm, unsp extremity |
| I70501 | Unsp athscl nonaut bio bypass of the extremities, right leg |
| I70502 | Unsp athscl nonaut bio bypass of the extremities, left leg |
| I70503 | Unsp athscl nonaut bio bypass of the extrm, bilateral legs |
| I70508 | Unsp athscl nonaut bio bypass of the extrm, oth extremity |
| I70509 | Unsp athscl nonaut bio bypass of the extrm, unsp extremity |
| I70511 | Athscl nonaut bio bypass of extrm w intrmt claud, right leg |
| I70512 | Athscl nonaut bio bypass of extrm w intrmt claud, left leg |
| I70513 | Athscl nonaut bio bypass of extrm w intrmt claud, bi legs |
| I70518 | Athscl nonaut bio bypass of extrm w intrmt claud, oth extrm |
| I70519 | Athscl nonaut bio bypass of extrm w intrmt claud, unsp extrm |
| I70521 | Athscl nonaut bio bypass of the extrm w rest pain, right leg |
| I70522 | Athscl nonaut bio bypass of the extrm w rest pain, left leg |
| I70523 | Athscl nonaut bio bypass of the extrm w rest pain, bi legs |
| I70528 | Athscl nonaut bio bypass of the extrm w rest pain, oth extrm |
| I70529 | Athscl nonaut bio bypass of extrm w rest pain, unsp extrm |
| I70531 | Athscl nonaut bio bypass of the right leg w ulcer of thigh |
| I70532 | Athscl nonaut bio bypass of the right leg w ulcer of calf |
| I70533 | Athscl nonaut bio bypass of the right leg w ulcer of ankle |
| I70534 | Athscl nonaut bio bypass of r leg w ulcer of heel and midft |
| I70535 | Athscl nonaut bio bypass of right leg w ulcer oth prt foot |
| I70538 | Athscl nonaut bio bypass of r leg w ulcer oth prt low leg |
| I70539 | Athscl nonaut bio bypass of right leg w ulcer of unsp site |
| I70541 | Athscl nonaut bio bypass of the left leg w ulcer of thigh |
| I70542 | Athscl nonaut bio bypass of the left leg w ulcer of calf |
| I70543 | Athscl nonaut bio bypass of the left leg w ulcer of ankle |
| I70544 | Athscl nonaut bio bypass of left leg w ulc of heel and midft |
| I70545 | Athscl nonaut bio bypass of left leg w ulcer oth prt foot |
| I70548 | Athscl nonaut bio bypass of left leg w ulcer oth prt low leg |
| I70549 | Athscl nonaut bio bypass of left leg w ulcer of unsp site |
| I7055 | Athscl nonautologous bio bypass of extremity w ulceration |
| I70561 | Athscl nonaut bio bypass of the extrm w gangrene, right leg |
| I70562 | Athscl nonaut bio bypass of the extrm w gangrene, left leg |
| I70563 | Athscl nonaut bio bypass of the extrm w gangrene, bi legs |
| I70568 | Athscl nonaut bio bypass of the extrm w gangrene, oth extrm |
| I70569 | Athscl nonaut bio bypass of the extrm w gangrene, unsp extrm |
| I70591 | Oth athscl nonaut bio bypass of the extremities, right leg |
| I70592 | Oth athscl nonaut bio bypass of the extremities, left leg |

| | |
|--------|--|
| I70593 | Oth athscl nonaut bio bypass of the extrm, bilateral legs |
| I70598 | Oth athscl nonaut bio bypass of the extrm, oth extremity |
| I70599 | Oth athscl nonaut bio bypass of the extrm, unsp extremity |
| I70601 | Unsp athscl nonbiol bypass of the extremities, right leg |
| I70602 | Unsp athscl nonbiol bypass of the extremities, left leg |
| I70603 | Unsp athscl nonbiol bypass of the extrm, bilateral legs |
| I70608 | Unsp athscl nonbiol bypass of the extremities, oth extremity |
| I70609 | Unsp athscl nonbiol bypass of the extrm, unsp extremity |
| I70611 | Athscl nonbiol bypass of the extrm w intrmt claud, right leg |
| I70612 | Athscl nonbiol bypass of the extrm w intrmt claud, left leg |
| I70613 | Athscl nonbiol bypass of the extrm w intrmt claud, bi legs |
| I70618 | Athscl nonbiol bypass of the extrm w intrmt claud, oth extrm |
| I70619 | Athscl nonbiol bypass of extrm w intrmt claud, unsp extrm |
| I70621 | Athscl nonbiol bypass of the extrm w rest pain, right leg |
| I70622 | Athscl nonbiol bypass of the extrm w rest pain, left leg |
| I70623 | Athscl nonbiol bypass of the extrm w rest pain, bi legs |
| I70628 | Athscl nonbiol bypass of the extrm w rest pain, oth extrm |
| I70629 | Athscl nonbiol bypass of the extrm w rest pain, unsp extrm |
| I70631 | Athscl nonbiol bypass of the right leg w ulceration of thigh |
| I70632 | Athscl nonbiol bypass of the right leg w ulceration of calf |
| I70633 | Athscl nonbiol bypass of the right leg w ulceration of ankle |
| I70634 | Athscl nonbiol bypass of right leg w ulcer of heel and midft |
| I70635 | Athscl nonbiol bypass of the right leg w ulcer oth prt foot |
| I70638 | Athscl nonbiol bypass of right leg w ulcer oth prt low leg |
| I70639 | Athscl nonbiol bypass of the right leg w ulcer of unsp site |
| I70641 | Athscl nonbiol bypass of the left leg w ulceration of thigh |
| I70642 | Athscl nonbiol bypass of the left leg w ulceration of calf |
| I70643 | Athscl nonbiol bypass of the left leg w ulceration of ankle |
| I70644 | Athscl nonbiol bypass of left leg w ulcer of heel and midft |
| I70645 | Athscl nonbiol bypass of the left leg w ulcer oth prt foot |
| I70648 | Athscl nonbiol bypass of left leg w ulcer oth prt low leg |
| I70649 | Athscl nonbiol bypass of the left leg w ulcer of unsp site |
| I7065 | Athscl nonbiological bypass of extremity w ulceration |
| I70661 | Athscl nonbiol bypass of the extrm w gangrene, right leg |
| I70662 | Athscl nonbiol bypass of the extrm w gangrene, left leg |
| I70663 | Athscl nonbiol bypass of the extrm w gangrene, bi legs |
| I70668 | Athscl nonbiol bypass of the extrm w gangrene, oth extremity |
| I70669 | Athscl nonbiol bypass of the extrm w gangrene, unsp extrm |
| I70691 | Oth athscl nonbiol bypass of the extremities, right leg |
| I70692 | Oth athscl nonbiological bypass of the extremities, left leg |
| I70693 | Oth athscl nonbiol bypass of the extremities, bilateral legs |
| I70698 | Oth athscl nonbiol bypass of the extremities, oth extremity |
| I70699 | Oth athscl nonbiol bypass of the extremities, unsp extremity |
| I70701 | Unsp athscl type of bypass of the extremities, right leg |
| I70702 | Unsp athscl type of bypass of the extremities, left leg |
| I70703 | Unsp athscl type of bypass of the extrm, bilateral legs |
| I70708 | Unsp athscl type of bypass of the extremities, oth extremity |
| I70709 | Unsp athscl type of bypass of the extrm, unsp extremity |
| I70711 | Athscl type of bypass of the extrm w intrmt claud, right leg |
| I70712 | Athscl type of bypass of the extrm w intrmt claud, left leg |
| I70713 | Athscl type of bypass of the extrm w intrmt claud, bi legs |
| I70718 | Athscl type of bypass of the extrm w intrmt claud, oth extrm |

| | |
|--------|--|
| 170719 | Athscl type of bypass of extrm w intrmt claud, unsp extrm |
| 170721 | Athscl type of bypass of the extrm w rest pain, right leg |
| 170722 | Athscl type of bypass of the extrm w rest pain, left leg |
| 170723 | Athscl type of bypass of the extrm w rest pain, bi legs |
| 170728 | Athscl type of bypass of the extrm w rest pain, oth extrm |
| 170729 | Athscl type of bypass of the extrm w rest pain, unsp extrm |
| 170731 | Athscl type of bypass of the right leg w ulceration of thigh |
| 170732 | Athscl type of bypass of the right leg w ulceration of calf |
| 170733 | Athscl type of bypass of the right leg w ulceration of ankle |
| 170734 | Athscl type of bypass of right leg w ulcer of heel and midft |
| 170735 | Athscl type of bypass of the right leg w ulcer oth prt foot |
| 170738 | Athscl type of bypass of right leg w ulcer oth prt low leg |
| 170739 | Athscl type of bypass of the right leg w ulcer of unsp site |
| 170741 | Athscl type of bypass of the left leg w ulceration of thigh |
| 170742 | Athscl type of bypass of the left leg w ulceration of calf |
| 170743 | Athscl type of bypass of the left leg w ulceration of ankle |
| 170744 | Athscl type of bypass of left leg w ulcer of heel and midft |
| 170745 | Athscl type of bypass of the left leg w ulcer oth prt foot |
| 170748 | Athscl type of bypass of left leg w ulcer oth prt low leg |
| 170749 | Athscl type of bypass of the left leg w ulcer of unsp site |
| 17075 | Athscl type of bypass graft(s) of extremity w ulceration |
| 170761 | Athscl type of bypass of the extrm w gangrene, right leg |
| 170762 | Athscl type of bypass of the extrm w gangrene, left leg |
| 170763 | Athscl type of bypass of the extrm w gangrene, bi legs |
| 170768 | Athscl type of bypass of the extrm w gangrene, oth extremity |
| 170769 | Athscl type of bypass of the extrm w gangrene, unsp extrm |
| 170791 | Oth athscl type of bypass of the extremities, right leg |
| 170792 | Oth athscl type of bypass of the extremities, left leg |
| 170793 | Oth athscl type of bypass of the extremities, bilateral legs |
| 170798 | Oth athscl type of bypass of the extremities, oth extremity |
| 170799 | Oth athscl type of bypass of the extremities, unsp extremity |
| 1708 | Atherosclerosis of other arteries |
| 17090 | Unspecified atherosclerosis |
| 17091 | Generalized atherosclerosis |
| 17092 | Chronic total occlusion of artery of the extremities |
| 183001 | Varicose veins of unsp lower extremity with ulcer of thigh |
| 183002 | Varicose veins of unsp lower extremity with ulcer of calf |
| 183003 | Varicose veins of unsp lower extremity with ulcer of ankle |
| 183004 | Varicos vn unsp lower extremity w ulcer of heel and midfoot |
| 183005 | Varicos vn unsp lower extremity w ulcer oth part of foot |
| 183008 | Varicos vn unsp low extrm w ulcer oth part of lower leg |
| 183009 | Varicose veins of unsp lower extremity w ulcer of unsp site |
| 183011 | Varicose veins of right lower extremity with ulcer of thigh |
| 183012 | Varicose veins of right lower extremity with ulcer of calf |
| 183013 | Varicose veins of right lower extremity with ulcer of ankle |
| 183014 | Varicose veins of r low extrem w ulcer of heel and midfoot |
| 183015 | Varicose veins of r low extrem w ulcer oth part of foot |
| 183018 | Varicose veins of r low extrem w ulcer oth part of lower leg |
| 183019 | Varicose veins of right lower extremity w ulcer of unsp site |
| 183021 | Varicose veins of left lower extremity with ulcer of thigh |
| 183022 | Varicose veins of left lower extremity with ulcer of calf |
| 183023 | Varicose veins of left lower extremity with ulcer of ankle |

| | |
|--------|--|
| I83024 | Varicose veins of l low extrem w ulcer of heel and midfoot |
| I83025 | Varicose veins of l low extrem w ulcer oth part of foot |
| I83028 | Varicose veins of l low extrem w ulcer oth part of lower leg |
| I83029 | Varicose veins of left lower extremity w ulcer of unsp site |
| I8310 | Varicose veins of unsp lower extremity with inflammation |
| I8311 | Varicose veins of right lower extremity with inflammation |
| I8312 | Varicose veins of left lower extremity with inflammation |
| I83201 | Varicos vn unsp low extrm w ulc of thigh and inflammation |
| I83202 | Varicos vn unsp low extrm w ulc of calf and inflammation |
| I83203 | Varicos vn unsp low extrm w ulc of ankle and inflammation |
| I83204 | Varicos vn unsp low extrm w ulc of heel and midft and inflam |
| I83205 | Varicos vn unsp low extrm w ulc oth part of foot and inflam |
| I83208 | Varicos vn unsp low extrm w ulc oth prt low extrm and inflam |
| I83209 | Varicos vn unsp low extrm w ulc of unsp site and inflam |
| I83211 | Varicos vn of r low extrem w ulc of thigh and inflammation |
| I83212 | Varicos vn of r low extrem w ulc of calf and inflammation |
| I83213 | Varicos vn of r low extrem w ulc of ankle and inflammation |
| I83214 | Varicos vn of r low extrem w ulc of heel & midft and inflam |
| I83215 | Varicos vn of r low extrem w ulc oth part of foot and inflam |
| I83218 | Varicos vn of r low extrem w ulc oth prt low extrm & inflam |
| I83219 | Varicos vn of r low extrem w ulc of unsp site and inflam |
| I83221 | Varicos vn of l low extrem w ulc of thigh and inflammation |
| I83222 | Varicos vn of l low extrem w ulc of calf and inflammation |
| I83223 | Varicos vn of l low extrem w ulc of ankle and inflammation |
| I83224 | Varicos vn of l low extrem w ulc of heel & midft and inflam |
| I83225 | Varicos vn of l low extrem w ulc oth part of foot and inflam |
| I83228 | Varicos vn of l low extrem w ulc oth prt low extrm & inflam |
| I83229 | Varicos vn of l low extrem w ulc of unsp site and inflam |
| I83811 | Varicose veins of right lower extremity with pain |
| I83812 | Varicose veins of left lower extremity with pain |
| I83813 | Varicose veins of bilateral lower extremities with pain |
| I83819 | Varicose veins of unspecified lower extremity with pain |
| I83891 | Varicose veins of r low extrem with other complications |
| I83892 | Varicose veins of l low extrem with other complications |
| I83893 | Varicose veins of bi low extrem w oth complications |
| I83899 | Varicos vn unsp lower extremity with other complications |
| I8390 | Asymptomatic varicose veins of unspecified lower extremity |
| I8391 | Asymptomatic varicose veins of right lower extremity |
| I8392 | Asymptomatic varicose veins of left lower extremity |
| I8393 | Asymptomatic varicose veins of bilateral lower extremities |
| I868 | Varicose veins of other specified sites |
| I972 | Postmastectomy lymphedema syndrome |
| J60 | Coalworker's pneumoconiosis |
| J61 | Pneumoconiosis due to asbestos and other mineral fibers |
| J8482 | Adult pulmonary Langerhans cell histiocytosis |
| K311 | Adult hypertrophic pyloric stenosis |
| K700 | Alcoholic fatty liver |
| K7010 | Alcoholic hepatitis without ascites |
| K7011 | Alcoholic hepatitis with ascites |
| K702 | Alcoholic fibrosis and sclerosis of liver |
| K7030 | Alcoholic cirrhosis of liver without ascites |
| K7031 | Alcoholic cirrhosis of liver with ascites |

| | |
|---------|--|
| K7040 | Alcoholic hepatic failure without coma |
| K7041 | Alcoholic hepatic failure with coma |
| K709 | Alcoholic liver disease, unspecified |
| M061 | Adult-onset Still's disease |
| M4210 | Adult osteochondrosis of spine, site unspecified |
| M4211 | Adult osteochondrosis of spine, occipt-atlan-ax region |
| M4212 | Adult osteochondrosis of spine, cervical region |
| M4213 | Adult osteochondrosis of spine, cervicothoracic region |
| M4214 | Adult osteochondrosis of spine, thoracic region |
| M4215 | Adult osteochondrosis of spine, thoracolumbar region |
| M4216 | Adult osteochondrosis of spine, lumbar region |
| M4217 | Adult osteochondrosis of spine, lumbosacral region |
| M4218 | Adult osteochondrosis of spine, sac/sacrocygl region |
| M4219 | Adult osteochondrosis of spine, multiple sites in spine |
| M720 | Palmar fascial fibromatosis [Dupuytren] |
| M8000XA | Age-rel osteopor w current path fracture, unsp site, init |
| M8000XD | Age-rel osteopor w crnt path fx, unsp site, 7thD |
| M8000XG | Age-rel osteopor w crnt path fx, unsp site, 7thG |
| M8000XK | Age-rel osteopor w crnt path fx, unsp site, 7thK |
| M8000XP | Age-rel osteopor w crnt path fx, unsp site, 7thP |
| M8000XS | Age-rel osteopor w current path fracture, unsp site, sequela |
| M80011A | Age-rel osteopor w current path fracture, r shoulder, init |
| M80011D | Age-rel osteopor w crnt path fx, r shldr, 7thD |
| M80011G | Age-rel osteopor w crnt path fx, r shldr, 7thG |
| M80011K | Age-rel osteopor w crnt path fx, r shldr, 7thK |
| M80011P | Age-rel osteopor w crnt path fx, r shldr, 7thP |
| M80011S | Age-rel osteopor w current path fx, r shoulder, sequela |
| M80012A | Age-rel osteopor w current path fracture, l shoulder, init |
| M80012D | Age-rel osteopor w crnt path fx, l shldr, 7thD |
| M80012G | Age-rel osteopor w crnt path fx, l shldr, 7thG |
| M80012K | Age-rel osteopor w crnt path fx, l shldr, 7thK |
| M80012P | Age-rel osteopor w crnt path fx, l shldr, 7thP |
| M80012S | Age-rel osteopor w current path fx, l shoulder, sequela |
| M80019A | Age-rel osteopor w current path fx, unsp shoulder, init |
| M80019D | Age-rel osteopor w crnt path fx, unsp shldr, 7thD |
| M80019G | Age-rel osteopor w crnt path fx, unsp shldr, 7thG |
| M80019K | Age-rel osteopor w crnt path fx, unsp shldr, 7thK |
| M80019P | Age-rel osteopor w crnt path fx, unsp shldr, 7thP |
| M80019S | Age-rel osteopor w current path fx, unsp shoulder, sequela |
| M80021A | Age-rel osteopor w current path fracture, r humerus, init |
| M80021D | Age-rel osteopor w crnt path fx, r humer, 7thD |
| M80021G | Age-rel osteopor w crnt path fx, r humer, 7thG |
| M80021K | Age-rel osteopor w crnt path fx, r humer, 7thK |
| M80021P | Age-rel osteopor w crnt path fx, r humer, 7thP |
| M80021S | Age-rel osteopor w current path fracture, r humerus, sequela |
| M80022A | Age-rel osteopor w current path fracture, l humerus, init |
| M80022D | Age-rel osteopor w crnt path fx, l humer, 7thD |
| M80022G | Age-rel osteopor w crnt path fx, l humer, 7thG |
| M80022K | Age-rel osteopor w crnt path fx, l humer, 7thK |
| M80022P | Age-rel osteopor w crnt path fx, l humer, 7thP |
| M80022S | Age-rel osteopor w current path fracture, l humerus, sequela |
| M80029A | Age-rel osteopor w current path fracture, unsp humerus, init |

| | |
|---------|--|
| M80029D | Age-rel osteopor w crnt path fx, unsp humer, 7thD |
| M80029G | Age-rel osteopor w crnt path fx, unsp humer, 7thG |
| M80029K | Age-rel osteopor w crnt path fx, unsp humer, 7thK |
| M80029P | Age-rel osteopor w crnt path fx, unsp humer, 7thP |
| M80029S | Age-rel osteopor w current path fx, unsp humerus, sequela |
| M80031A | Age-rel osteopor w current path fracture, r forearm, init |
| M80031D | Age-rel osteopor w crnt path fx, r forearm, 7thD |
| M80031G | Age-rel osteopor w crnt path fx, r forearm, 7thG |
| M80031K | Age-rel osteopor w crnt path fx, r forearm, 7thK |
| M80031P | Age-rel osteopor w crnt path fx, r forearm, 7thP |
| M80031S | Age-rel osteopor w current path fracture, r forearm, sequela |
| M80032A | Age-rel osteopor w current path fracture, l forearm, init |
| M80032D | Age-rel osteopor w crnt path fx, l forearm, 7thD |
| M80032G | Age-rel osteopor w crnt path fx, l forearm, 7thG |
| M80032K | Age-rel osteopor w crnt path fx, l forearm, 7thK |
| M80032P | Age-rel osteopor w crnt path fx, l forearm, 7thP |
| M80032S | Age-rel osteopor w current path fracture, l forearm, sequela |
| M80039A | Age-rel osteopor w current path fracture, unsp forearm, init |
| M80039D | Age-rel osteopor w crnt path fx, unsp forearm, 7thD |
| M80039G | Age-rel osteopor w crnt path fx, unsp forearm, 7thG |
| M80039K | Age-rel osteopor w crnt path fx, unsp forearm, 7thK |
| M80039P | Age-rel osteopor w crnt path fx, unsp forearm, 7thP |
| M80039S | Age-rel osteopor w current path fx, unsp forearm, sequela |
| M80041A | Age-rel osteopor w current path fracture, right hand, init |
| M80041D | Age-rel osteopor w crnt path fx, r hand, 7thD |
| M80041G | Age-rel osteopor w crnt path fx, r hand, 7thG |
| M80041K | Age-rel osteopor w crnt path fx, r hand, 7thK |
| M80041P | Age-rel osteopor w crnt path fx, r hand, 7thP |
| M80041S | Age-rel osteopor w current path fracture, r hand, sequela |
| M80042A | Age-rel osteopor w current path fracture, left hand, init |
| M80042D | Age-rel osteopor w crnt path fx, l hand, 7thD |
| M80042G | Age-rel osteopor w crnt path fx, l hand, 7thG |
| M80042K | Age-rel osteopor w crnt path fx, l hand, 7thK |
| M80042P | Age-rel osteopor w crnt path fx, l hand, 7thP |
| M80042S | Age-rel osteopor w current path fracture, left hand, sequela |
| M80049A | Age-rel osteopor w current path fracture, unsp hand, init |
| M80049D | Age-rel osteopor w crnt path fx, unsp hand, 7thD |
| M80049G | Age-rel osteopor w crnt path fx, unsp hand, 7thG |
| M80049K | Age-rel osteopor w crnt path fx, unsp hand, 7thK |
| M80049P | Age-rel osteopor w crnt path fx, unsp hand, 7thP |
| M80049S | Age-rel osteopor w current path fracture, unsp hand, sequela |
| M80051A | Age-rel osteopor w current path fracture, right femur, init |
| M80051D | Age-rel osteopor w crnt path fx, r femr, 7thD |
| M80051G | Age-rel osteopor w crnt path fx, r femr, 7thG |
| M80051K | Age-rel osteopor w crnt path fx, r femr, 7thK |
| M80051P | Age-rel osteopor w crnt path fx, r femr, 7thP |
| M80051S | Age-rel osteopor w current path fracture, r femur, sequela |
| M80052A | Age-rel osteopor w current path fracture, left femur, init |
| M80052D | Age-rel osteopor w crnt path fx, l femr, 7thD |
| M80052G | Age-rel osteopor w crnt path fx, l femr, 7thG |
| M80052K | Age-rel osteopor w crnt path fx, l femr, 7thK |
| M80052P | Age-rel osteopor w crnt path fx, l femr, 7thP |

| | |
|---------|--|
| M80052S | Age-rel osteopor w current path fracture, l femur, sequela |
| M80059A | Age-rel osteopor w current path fracture, unsp femur, init |
| M80059D | Age-rel osteopor w crnt path fx, unsp femr, 7thD |
| M80059G | Age-rel osteopor w crnt path fx, unsp femr, 7thG |
| M80059K | Age-rel osteopor w crnt path fx, unsp femr, 7thK |
| M80059P | Age-rel osteopor w crnt path fx, unsp femr, 7thP |
| M80059S | Age-rel osteopor w current path fx, unsp femur, sequela |
| M80061A | Age-rel osteopor w current path fracture, r low leg, init |
| M80061D | Age-rel osteopor w crnt path fx, r low leg, 7thD |
| M80061G | Age-rel osteopor w crnt path fx, r low leg, 7thG |
| M80061K | Age-rel osteopor w crnt path fx, r low leg, 7thK |
| M80061P | Age-rel osteopor w crnt path fx, r low leg, 7thP |
| M80061S | Age-rel osteopor w current path fracture, r low leg, sequela |
| M80062A | Age-rel osteopor w current path fracture, l low leg, init |
| M80062D | Age-rel osteopor w crnt path fx, l low leg, 7thD |
| M80062G | Age-rel osteopor w crnt path fx, l low leg, 7thG |
| M80062K | Age-rel osteopor w crnt path fx, l low leg, 7thK |
| M80062P | Age-rel osteopor w crnt path fx, l low leg, 7thP |
| M80062S | Age-rel osteopor w current path fracture, l low leg, sequela |
| M80069A | Age-rel osteopor w current path fracture, unsp low leg, init |
| M80069D | Age-rel osteopor w crnt path fx, unsp low leg, 7thD |
| M80069G | Age-rel osteopor w crnt path fx, unsp low leg, 7thG |
| M80069K | Age-rel osteopor w crnt path fx, unsp low leg, 7thK |
| M80069P | Age-rel osteopor w crnt path fx, unsp low leg, 7thP |
| M80069S | Age-rel osteopor w current path fx, unsp low leg, sequela |
| M80071A | Age-rel osteopor w current path fracture, right ank/ft, init |
| M80071D | Age-rel osteopor w crnt path fx, r ank/ft, 7thD |
| M80071G | Age-rel osteopor w crnt path fx, r ank/ft, 7thG |
| M80071K | Age-rel osteopor w crnt path fx, r ank/ft, 7thK |
| M80071P | Age-rel osteopor w crnt path fx, r ank/ft, 7thP |
| M80071S | Age-rel osteopor w current path fx, right ank/ft, sequela |
| M80072A | Age-rel osteopor w current path fracture, left ank/ft, init |
| M80072D | Age-rel osteopor w crnt path fx, l ank/ft, 7thD |
| M80072G | Age-rel osteopor w crnt path fx, l ank/ft, 7thG |
| M80072K | Age-rel osteopor w crnt path fx, l ank/ft, 7thK |
| M80072P | Age-rel osteopor w crnt path fx, l ank/ft, 7thP |
| M80072S | Age-rel osteopor w current path fx, left ank/ft, sequela |
| M80079A | Age-rel osteopor w current path fracture, unsp ank/ft, init |
| M80079D | Age-rel osteopor w crnt path fx, unsp ank/ft, 7thD |
| M80079G | Age-rel osteopor w crnt path fx, unsp ank/ft, 7thG |
| M80079K | Age-rel osteopor w crnt path fx, unsp ank/ft, 7thK |
| M80079P | Age-rel osteopor w crnt path fx, unsp ank/ft, 7thP |
| M80079S | Age-rel osteopor w current path fx, unsp ank/ft, sequela |
| M8008XA | Age-rel osteopor w current path fracture, vertebra(e), init |
| M8008XD | Age-rel osteopor w crnt path fx, verteb, 7thD |
| M8008XG | Age-rel osteopor w crnt path fx, verteb, 7thG |
| M8008XK | Age-rel osteopor w crnt path fx, verteb, 7thK |
| M8008XP | Age-rel osteopor w crnt path fx, verteb, 7thP |
| M8008XS | Age-rel osteopor w current path fracture, verteb, sequela |
| M810 | Age-related osteoporosis w/o current pathological fracture |
| M831 | Senile osteomalacia |
| M832 | Adult osteomalacia due to malabsorption |

| | |
|--------|---|
| M833 | Adult osteomalacia due to malnutrition |
| M835 | Other drug-induced osteomalacia in adults |
| M838 | Other adult osteomalacia |
| M839 | Adult osteomalacia, unspecified |
| M931 | Kienbock's disease of adults |
| N400 | Benign prostatic hyperplasia without lower urinary tract symp |
| N401 | Benign prostatic hyperplasia with lower urinary tract symp |
| N402 | Nodular prostate without lower urinary tract symptoms |
| N403 | Nodular prostate with lower urinary tract symptoms |
| N410 | Acute prostatitis |
| N411 | Chronic prostatitis |
| N412 | Abscess of prostate |
| N413 | Prostatocystitis |
| N414 | Granulomatous prostatitis |
| N418 | Other inflammatory diseases of prostate |
| N419 | Inflammatory disease of prostate, unspecified |
| N420 | Calculus of prostate |
| N421 | Congestion and hemorrhage of prostate |
| N4281 | Prostatodynia syndrome |
| N4282 | Prostatosis syndrome |
| N4283 | Cyst of prostate |
| N4289 | Other specified disorders of prostate |
| N429 | Disorder of prostate, unspecified |
| N4601 | Organic azoospermia |
| N46021 | Azoospermia due to drug therapy |
| N46022 | Azoospermia due to infection |
| N46023 | Azoospermia due to obstruction of efferent ducts |
| N46024 | Azoospermia due to radiation |
| N46025 | Azoospermia due to systemic disease |
| N46029 | Azoospermia due to other extratesticular causes |
| N4611 | Organic oligospermia |
| N46121 | Oligospermia due to drug therapy |
| N46122 | Oligospermia due to infection |
| N46123 | Oligospermia due to obstruction of efferent ducts |
| N46124 | Oligospermia due to radiation |
| N46125 | Oligospermia due to systemic disease |
| N46129 | Oligospermia due to other extratesticular causes |
| N468 | Other male infertility |
| N469 | Male infertility, unspecified |
| N5201 | Erectile dysfunction due to arterial insufficiency |
| N5202 | Corporo-venous occlusive erectile dysfunction |
| N5203 | Comb artrl insuff & corporo-venous occlusv erectile dysfnct |
| N521 | Erectile dysfunction due to diseases classified elsewhere |
| N522 | Drug-induced erectile dysfunction |
| N5231 | Erectile dysfunction following radical prostatectomy |
| N5232 | Erectile dysfunction following radical cystectomy |
| N5233 | Erectile dysfunction following urethral surgery |
| N5234 | Erectile dysfunction following simple prostatectomy |
| N5235 | Erectile dysfunction following radiation therapy |
| N5236 | Erectile dysfunction following interstitial seed therapy |
| N5237 | Erectile dysfunction following prostate ablative therapy |
| N5239 | Other and unspecified postprocedural erectile dysfunction |

| | |
|---------|--|
| N528 | Other male erectile dysfunction |
| N529 | Male erectile dysfunction, unspecified |
| N6011 | Diffuse cystic mastopathy of right breast |
| N6012 | Diffuse cystic mastopathy of left breast |
| N6019 | Diffuse cystic mastopathy of unspecified breast |
| N6481 | Ptosis of breast |
| N6482 | Hypoplasia of breast |
| N650 | Deformity of reconstructed breast |
| N651 | Disproportion of reconstructed breast |
| R4181 | Age-related cognitive decline |
| R54 | Age-related physical debility |
| R627 | Adult failure to thrive |
| R6882 | Decreased libido |
| R9720 | Elevated prostate specific antigen [PSA] |
| R9721 | Rising PSA fol treatment for malignant neoplasm of prostate |
| T7401XA | Adult neglect or abandonment, confirmed, initial encounter |
| T7401XD | Adult neglect or abandonment, confirmed, subs encntr |
| T7401XS | Adult neglect or abandonment, confirmed, sequela |
| T7411XA | Adult physical abuse, confirmed, initial encounter |
| T7411XD | Adult physical abuse, confirmed, subsequent encounter |
| T7411XS | Adult physical abuse, confirmed, sequela |
| T7421XA | Adult sexual abuse, confirmed, initial encounter |
| T7421XD | Adult sexual abuse, confirmed, subsequent encounter |
| T7421XS | Adult sexual abuse, confirmed, sequela |
| T7431XA | Adult psychological abuse, confirmed, initial encounter |
| T7431XD | Adult psychological abuse, confirmed, subsequent encounter |
| T7431XS | Adult psychological abuse, confirmed, sequela |
| T7451XA | Adult forced sexual exploitation, confirmed, init |
| T7451XD | Adult forced sexual exploitation, confirmed, subs |
| T7451XS | Adult forced sexual exploitation, confirmed, sequela |
| T7461XA | Adult forced labor exploitation, confirmed, init |
| T7461XD | Adult forced labor exploitation, confirmed, subs |
| T7461XS | Adult forced labor exploitation, confirmed, sequela |
| T7491XA | Unspecified adult maltreatment, confirmed, initial encounter |
| T7491XD | Unspecified adult maltreatment, confirmed, subs encntr |
| T7491XS | Unspecified adult maltreatment, confirmed, sequela |
| T7601XA | Adult neglect or abandonment, suspected, initial encounter |
| T7601XD | Adult neglect or abandonment, suspected, subs encntr |
| T7601XS | Adult neglect or abandonment, suspected, sequela |
| T7611XA | Adult physical abuse, suspected, initial encounter |
| T7611XD | Adult physical abuse, suspected, subsequent encounter |
| T7611XS | Adult physical abuse, suspected, sequela |
| T7621XA | Adult sexual abuse, suspected, initial encounter |
| T7621XD | Adult sexual abuse, suspected, subsequent encounter |
| T7621XS | Adult sexual abuse, suspected, sequela |
| T7631XA | Adult psychological abuse, suspected, initial encounter |
| T7631XD | Adult psychological abuse, suspected, subsequent encounter |
| T7631XS | Adult psychological abuse, suspected, sequela |
| T7651XA | Adult forced sexual exploitation, suspected, init |
| T7651XD | Adult forced sexual exploitation, suspected, subs |
| T7651XS | Adult forced sexual exploitation, suspected, sequela |
| T7661XA | Adult forced labor exploitation, suspected, init |

| | |
|---------|--|
| T7661XD | Adult forced labor exploitation, suspected, subs |
| T7661XS | Adult forced labor exploitation, suspected, sequela |
| T7691XA | Unspecified adult maltreatment, suspected, initial encounter |
| T7691XD | Unspecified adult maltreatment, suspected, subs encntr |
| T7691XS | Unspecified adult maltreatment, suspected, sequela |
| Z0000 | Encntr for general adult medical exam w/o abnormal findings |
| Z0001 | Encounter for general adult medical exam w abnormal findings |
| Z0441 | Encounter for exam and obs following alleged adult rape |
| Z0471 | Encntr for exam and obs fol alleged adult physical abuse |
| Z31441 | Encntr for testing of male prtnr of pt w recur preg loss |
| Z31448 | Encounter for oth genetic testing of male for pro mgmt |
| Z421 | Encounter for breast reconstruction following mastectomy |
| Z561 | Change of job |
| Z681 | Body mass index (BMI) 19.9 or less, adult |
| Z6820 | Body mass index (BMI) 20.0-20.9, adult |
| Z6821 | Body mass index (BMI) 21.0-21.9, adult |
| Z6822 | Body mass index (BMI) 22.0-22.9, adult |
| Z6823 | Body mass index (BMI) 23.0-23.9, adult |
| Z6824 | Body mass index (BMI) 24.0-24.9, adult |
| Z6825 | Body mass index (BMI) 25.0-25.9, adult |
| Z6826 | Body mass index (BMI) 26.0-26.9, adult |
| Z6827 | Body mass index (BMI) 27.0-27.9, adult |
| Z6828 | Body mass index (BMI) 28.0-28.9, adult |
| Z6829 | Body mass index (BMI) 29.0-29.9, adult |
| Z6830 | Body mass index (BMI) 30.0-30.9, adult |
| Z6831 | Body mass index (BMI) 31.0-31.9, adult |
| Z6832 | Body mass index (BMI) 32.0-32.9, adult |
| Z6833 | Body mass index (BMI) 33.0-33.9, adult |
| Z6834 | Body mass index (BMI) 34.0-34.9, adult |
| Z6835 | Body mass index (BMI) 35.0-35.9, adult |
| Z6836 | Body mass index (BMI) 36.0-36.9, adult |
| Z6837 | Body mass index (BMI) 37.0-37.9, adult |
| Z6838 | Body mass index (BMI) 38.0-38.9, adult |
| Z6839 | Body mass index (BMI) 39.0-39.9, adult |
| Z6841 | Body mass index (BMI) 40.0-44.9, adult |
| Z6842 | Body mass index (BMI) 45.0-49.9, adult |
| Z6843 | Body mass index (BMI) 50.0-59.9, adult |
| Z6844 | Body mass index (BMI) 60.0-69.9, adult |
| Z6845 | Body mass index (BMI) 70 or greater, adult |
| Z72811 | Adult antisocial behavior |
| Z780 | Asymptomatic menopausal state |
| Z8651 | Personal history of combat and operational stress reaction |
| Z91410 | Personal history of adult physical and sexual abuse |
| Z91411 | Personal history of adult psychological abuse |
| Z91412 | Personal history of adult neglect |
| Z91419 | Personal history of unspecified adult abuse |
| Z9182 | Personal history of military deployment |
| Z9852 | Vasectomy status |

Newborn diagnoses (ICD-10 CM codes)

| | |
|--------|--|
| A33 | Tetanus neonatorum |
| E8411 | Meconium ileus in cystic fibrosis |
| H04531 | Neonatal obstruction of right nasolacrimal duct |
| H04532 | Neonatal obstruction of left nasolacrimal duct |
| H04533 | Neonatal obstruction of bilateral nasolacrimal duct |
| H04539 | Neonatal obstruction of unspecified nasolacrimal duct |
| N470 | Adherent prepuce, newborn |
| Z00110 | Health examination for newborn under 8 days old |
| Z00111 | Health examination for newborn 8 to 28 days old |
| Z050 | Obs & eval of NB for suspected cardiac condition ruled out |
| Z051 | Obs & eval of NB for suspected infect condition ruled out |
| Z052 | Obs & eval of NB for suspected neuro condition ruled out |
| Z053 | Obs & eval of NB for suspected resp condition ruled out |
| Z0541 | Obs & eval of NB for suspected genetic condition ruled out |
| Z0542 | Obs & eval of NB for suspected metabolic condition ruled out |
| Z0543 | Obs & eval of NB for suspected immunologic cond ruled out |
| Z055 | Obs & eval of NB for suspected GI condition ruled out |
| Z056 | Obs & eval of NB for suspected GU condition ruled out |
| Z0571 | Obs & eval of NB for suspected skin, subcu cond ruled out |
| Z0572 | Obs & eval of NB for suspected ms condition ruled out |
| Z0573 | Obs & eval of NB for suspected conn tiss condition ruled out |
| Z058 | Obs & eval of NB for oth suspected condition ruled out |
| Z059 | Obs & eval of NB for unsp suspected condition ruled out |
| Z3800 | Single liveborn infant, delivered vaginally |
| Z3801 | Single liveborn infant, delivered by cesarean |
| Z381 | Single liveborn infant, born outside hospital |
| Z382 | Single liveborn infant, unspecified as to place of birth |
| Z3830 | Twin liveborn infant, delivered vaginally |
| Z3831 | Twin liveborn infant, delivered by cesarean |
| Z384 | Twin liveborn infant, born outside hospital |
| Z385 | Twin liveborn infant, unspecified as to place of birth |
| Z3861 | Triplet liveborn infant, delivered vaginally |
| Z3862 | Triplet liveborn infant, delivered by cesarean |
| Z3863 | Quadruplet liveborn infant, delivered vaginally |
| Z3864 | Quadruplet liveborn infant, delivered by cesarean |
| Z3865 | Quintuplet liveborn infant, delivered vaginally |
| Z3866 | Quintuplet liveborn infant, delivered by cesarean |
| Z3868 | Other multiple liveborn infant, delivered vaginally |
| Z3869 | Other multiple liveborn infant, delivered by cesarean |
| Z387 | Other multiple liveborn infant, born outside hospital |
| Z388 | Other multiple liveborn infant, unsp as to place of birth |

Pediatric diagnoses (ICD-10 CM codes)

| | |
|--------|--|
| A4851 | Infant botulism |
| B0820 | Exanthema subitum [sixth disease], unspecified |
| B0821 | Exanthema subitum [sixth disease] due to human herpesvirus 6 |
| B0822 | Exanthema subitum [sixth disease] due to human herpesvirus 7 |
| C9330 | Juvenile myelomonocytic leukemia, not achieve remission |
| C9331 | Juvenile myelomonocytic leukemia, in remission |
| C9332 | Juvenile myelomonocytic leukemia, in relapse |
| E301 | Precocious puberty |
| E308 | Other disorders of puberty |
| F642 | Gender identity disorder of childhood |
| F843 | Other childhood disintegrative disorder |
| G937 | Reye's syndrome |
| H26001 | Unspecified infantile and juvenile cataract, right eye |
| H26002 | Unspecified infantile and juvenile cataract, left eye |
| H26003 | Unspecified infantile and juvenile cataract, bilateral |
| H26009 | Unspecified infantile and juvenile cataract, unspecified eye |
| H26011 | Infantile and juv cortical/lamellar/zonular cataract, r eye |
| H26012 | Infantile and juv cortical/lamellar/zonular cataract, l eye |
| H26013 | Infantile and juv cortical/lamellar/zonular cataract, bi |
| H26019 | Infantile & juv cortical/lamellar/zonular cataract, unsp eye |
| H26031 | Infantile and juvenile nuclear cataract, right eye |
| H26032 | Infantile and juvenile nuclear cataract, left eye |
| H26033 | Infantile and juvenile nuclear cataract, bilateral |
| H26039 | Infantile and juvenile nuclear cataract, unspecified eye |
| H26041 | Ant subcapsular polar infantile and juvenile cataract, r eye |
| H26042 | Ant subcapsular polar infantile and juv cataract, left eye |
| H26043 | Ant subcapsular polar infantile and juvenile cataract, bi |
| H26049 | Ant subcapsular polar infantile and juv cataract, unsp eye |
| H26051 | Post subcapsular polar infantile and juv cataract, r eye |
| H26052 | Post subcapsular polar infantile and juv cataract, left eye |
| H26053 | Post subcapsular polar infantile and juvenile cataract, bi |
| H26059 | Post subcapsular polar infantile and juv cataract, unsp eye |
| H26061 | Combined forms of infantile and juvenile cataract, right eye |
| H26062 | Combined forms of infantile and juvenile cataract, left eye |
| H26063 | Combined forms of infantile and juvenile cataract, bilateral |
| H26069 | Combined forms of infantile and juvenile cataract, unsp eye |
| H2609 | Other infantile and juvenile cataract |
| L122 | Chronic bullous disease of childhood |
| L2083 | Infantile (acute) (chronic) eczema |
| L211 | Seborrheic infantile dermatitis |
| L444 | Infantile papular acrodermatitis [Gianotti-Crosti] |
| L704 | Infantile acne |
| N922 | Excessive menstruation at puberty |
| R0481 | Acute idiopathic pulmonary hemorrhage in infants |
| R1083 | Colic |
| R620 | Delayed milestone in childhood |
| R6251 | Failure to thrive (child) |

| | |
|---------|--|
| R6811 | Excessive crying of infant (baby) |
| R6812 | Fussy infant (baby) |
| R6813 | Apparent life threatening event in infant (ALTE) |
| R6819 | Other nonspecific symptoms peculiar to infancy |
| T7402XA | Child neglect or abandonment, confirmed, initial encounter |
| T7402XD | Child neglect or abandonment, confirmed, subs encntr |
| T7402XS | Child neglect or abandonment, confirmed, sequela |
| T7412XA | Child physical abuse, confirmed, initial encounter |
| T7412XD | Child physical abuse, confirmed, subsequent encounter |
| T7412XS | Child physical abuse, confirmed, sequela |
| T7422XA | Child sexual abuse, confirmed, initial encounter |
| T7422XD | Child sexual abuse, confirmed, subsequent encounter |
| T7422XS | Child sexual abuse, confirmed, sequela |
| T7432XA | Child psychological abuse, confirmed, initial encounter |
| T7432XD | Child psychological abuse, confirmed, subsequent encounter |
| T7432XS | Child psychological abuse, confirmed, sequela |
| T744XXA | Shaken infant syndrome, initial encounter |
| T744XXD | Shaken infant syndrome, subsequent encounter |
| T744XXS | Shaken infant syndrome, sequela |
| T7452XA | Child sexual exploitation, confirmed, initial encounter |
| T7452XD | Child sexual exploitation, confirmed, subsequent encounter |
| T7452XS | Child sexual exploitation, confirmed, sequela |
| T7462XA | Child forced labor exploitation, confirmed, init |
| T7462XD | Child forced labor exploitation, confirmed, subs |
| T7462XS | Child forced labor exploitation, confirmed, sequela |
| T7492XA | Unspecified child maltreatment, confirmed, initial encounter |
| T7492XD | Unspecified child maltreatment, confirmed, subs encntr |
| T7492XS | Unspecified child maltreatment, confirmed, sequela |
| T7602XA | Child neglect or abandonment, suspected, initial encounter |
| T7602XD | Child neglect or abandonment, suspected, subs encntr |
| T7602XS | Child neglect or abandonment, suspected, sequela |
| T7612XA | Child physical abuse, suspected, initial encounter |
| T7612XD | Child physical abuse, suspected, subsequent encounter |
| T7612XS | Child physical abuse, suspected, sequela |
| T7622XA | Child sexual abuse, suspected, initial encounter |
| T7622XD | Child sexual abuse, suspected, subsequent encounter |
| T7622XS | Child sexual abuse, suspected, sequela |
| T7632XA | Child psychological abuse, suspected, initial encounter |
| T7632XD | Child psychological abuse, suspected, subsequent encounter |
| T7632XS | Child psychological abuse, suspected, sequela |
| T7652XA | Child sexual exploitation, suspected, initial encounter |
| T7652XD | Child sexual exploitation, suspected, subsequent encounter |
| T7652XS | Child sexual exploitation, suspected, sequela |
| T7662XA | Child forced labor exploitation, suspected, init |
| T7662XD | Child forced labor exploitation, suspected, subs |
| T7662XS | Child forced labor exploitation, suspected, sequela |
| T7692XA | Unspecified child maltreatment, suspected, initial encounter |
| T7692XD | Unspecified child maltreatment, suspected, subs encntr |
| T7692XS | Unspecified child maltreatment, suspected, sequela |
| Z00121 | Encounter for routine child health exam w abnormal findings |
| Z00129 | Encntr for routine child health exam w/o abnormal findings |
| Z002 | Encounter for exam for period of rapid growth in childhood |

| | |
|--------|--|
| Z003 | Encounter for examination for adolescent development state |
| Z0070 | Encntr for exam for delay growth in chldhd w/o abn findings |
| Z0071 | Encntr for exam for delay growth in chldhd w abn findings |
| Z0442 | Encounter for exam and obs following alleged child rape |
| Z0472 | Encntr for exam and obs fol alleged child physical abuse |
| Z6221 | Child in welfare custody |
| Z623 | Hostility towards and scapegoating of child |
| Z69010 | Encntr for mental hlth serv for victim of prntl child abuse |
| Z69020 | Encntr for mntl hlth serv for vctm of non-prntl child abuse |
| Z72810 | Child and adolescent antisocial behavior |
| Z73810 | Behavioral insomnia of childhood, sleep-onset assoc type |
| Z73811 | Behavioral insomnia of childhood, limit setting type |
| Z73812 | Behavioral insomnia of childhood, combined type |
| Z73819 | Behavioral insomnia of childhood, unspecified type |
| Z762 | Encntr for hlth suprvsn and care of healthy infant and child |

Maternity diagnoses (ICD-10 CM codes)

| | |
|--------|--|
| A34 | Obstetrical tetanus |
| C58 | Malignant neoplasm of placenta |
| D392 | Neoplasm of uncertain behavior of placenta |
| F530 | Postpartum depression |
| F531 | Puerperal psychosis |
| M830 | Puerperal osteomalacia |
| O0000 | Abdominal pregnancy without intrauterine pregnancy |
| O0001 | Abdominal pregnancy with intrauterine pregnancy |
| O00101 | Right tubal pregnancy without intrauterine pregnancy |
| O00102 | Left tubal pregnancy without intrauterine pregnancy |
| O00109 | Unspecified tubal pregnancy without intrauterine pregnancy |
| O00111 | Right tubal pregnancy with intrauterine pregnancy |
| O00112 | Left tubal pregnancy with intrauterine pregnancy |
| O00119 | Unspecified tubal pregnancy with intrauterine pregnancy |
| O00201 | Right ovarian pregnancy without intrauterine pregnancy |
| O00202 | Left ovarian pregnancy without intrauterine pregnancy |
| O00209 | Unspecified ovarian pregnancy without intrauterine pregnancy |
| O00211 | Right ovarian pregnancy with intrauterine pregnancy |
| O00212 | Left ovarian pregnancy with intrauterine pregnancy |
| O00219 | Unspecified ovarian pregnancy with intrauterine pregnancy |
| O0080 | Other ectopic pregnancy without intrauterine pregnancy |
| O0081 | Other ectopic pregnancy with intrauterine pregnancy |
| O0090 | Unspecified ectopic pregnancy without intrauterine pregnancy |
| O0091 | Unspecified ectopic pregnancy with intrauterine pregnancy |
| O010 | Classical hydatidiform mole |
| O011 | Incomplete and partial hydatidiform mole |
| O019 | Hydatidiform mole, unspecified |
| O020 | Blighted ovum and nonhydatidiform mole |
| O021 | Missed abortion |
| O0281 | Inapprop chg quantitav hCG in early pregnancy |
| O0289 | Other abnormal products of conception |
| O029 | Abnormal product of conception, unspecified |
| O030 | Genitl trct and pelvic infection fol incmpl spon abortion |
| O031 | Delayed or excessive hemor following incmpl spon abortion |
| O032 | Embolism following incomplete spontaneous abortion |
| O0330 | Unsp complication following incomplete spontaneous abortion |
| O0331 | Shock following incomplete spontaneous abortion |
| O0332 | Renal failure following incomplete spontaneous abortion |
| O0333 | Metabolic disorder following incomplete spontaneous abortion |
| O0334 | Damage to pelvic organs following incomplete spon abortion |
| O0335 | Oth venous comp following incomplete spontaneous abortion |
| O0336 | Cardiac arrest following incomplete spontaneous abortion |
| O0337 | Sepsis following incomplete spontaneous abortion |
| O0338 | Urinary tract infection following incomplete spon abortion |
| O0339 | Incomplete spontaneous abortion with other complications |
| O034 | Incomplete spontaneous abortion without complication |
| O035 | Genitl trct and pelvic infct fol complete or unsp spon abort |

| | |
|-------|--|
| 0036 | Delayed or excess hemor fol complete or unsp spon abortion |
| 0037 | Embolism following complete or unsp spontaneous abortion |
| 00380 | Unsp comp following complete or unsp spontaneous abortion |
| 00381 | Shock following complete or unspecified spontaneous abortion |
| 00382 | Renal failure following complete or unsp spon abortion |
| 00383 | Metabolic disorder following complete or unsp spon abortion |
| 00384 | Damage to pelvic organs fol complete or unsp spon abortion |
| 00385 | Oth venous comp following complete or unsp spon abortion |
| 00386 | Cardiac arrest following complete or unsp spon abortion |
| 00387 | Sepsis following complete or unsp spontaneous abortion |
| 00388 | Urinary tract infection fol complete or unsp spon abortion |
| 00389 | Complete or unsp spontaneous abortion with oth complications |
| 0039 | Complete or unsp spontaneous abortion without complication |
| 0045 | Genitl trct and pelvic infct fol (induced) term of pregnancy |
| 0046 | Delayed or excess hemor fol (induced) term of pregnancy |
| 0047 | Embolism following (induced) termination of pregnancy |
| 00480 | (Induced) termination of pregnancy with unsp complications |
| 00481 | Shock following (induced) termination of pregnancy |
| 00482 | Renal failure following (induced) termination of pregnancy |
| 00483 | Metabolic disorder following (induced) term of pregnancy |
| 00484 | Damage to pelvic organs fol (induced) term of pregnancy |
| 00485 | Oth venous comp following (induced) termination of pregnancy |
| 00486 | Cardiac arrest following (induced) termination of pregnancy |
| 00487 | Sepsis following (induced) termination of pregnancy |
| 00488 | Urinary tract infection fol (induced) term of pregnancy |
| 00489 | (Induced) termination of pregnancy with other complications |
| 0070 | Genitl trct and pelvic infct fol failed attempt term of preg |
| 0071 | Delayed or excess hemor fol failed attempt term of pregnancy |
| 0072 | Embolism following failed attempted termination of pregnancy |
| 00730 | Failed attempted termination of pregnancy w unsp comp |
| 00731 | Shock following failed attempted termination of pregnancy |
| 00732 | Renal failure following failed attempted term of pregnancy |
| 00733 | Metabolic disorder fol failed attempt term of pregnancy |
| 00734 | Damage to pelvic organs fol failed attempt term of pregnancy |
| 00735 | Oth venous comp following failed attempted term of pregnancy |
| 00736 | Cardiac arrest following failed attempted term of pregnancy |
| 00737 | Sepsis following failed attempted termination of pregnancy |
| 00738 | Urinary tract infection fol failed attempt term of pregnancy |
| 00739 | Failed attempted termination of pregnancy w oth comp |
| 0074 | Failed attempted termination of pregnancy w/o complication |
| 0080 | Genitl trct and pelvic infct fol ectopic and molar pregnancy |
| 0081 | Delayed or excess hemor fol ectopic and molar pregnancy |
| 0082 | Embolism following ectopic and molar pregnancy |
| 0083 | Shock following ectopic and molar pregnancy |
| 0084 | Renal failure following ectopic and molar pregnancy |
| 0085 | Metabolic disorders following an ectopic and molar pregnancy |
| 0086 | Damage to pelvic organs and tiss fol an ect and molar preg |
| 0087 | Oth venous comp following an ectopic and molar pregnancy |
| 00881 | Cardiac arrest following an ectopic and molar pregnancy |
| 00882 | Sepsis following ectopic and molar pregnancy |
| 00883 | Urinary tract infection fol an ectopic and molar pregnancy |
| 00889 | Other complications following an ectopic and molar pregnancy |

| | |
|--------|--|
| O089 | Unsp complication following an ectopic and molar pregnancy |
| O0900 | Suprvsn of preg w history of infertility, unsp trimester |
| O0901 | Suprvsn of preg w history of infertility, first trimester |
| O0902 | Suprvsn of preg w history of infertility, second trimester |
| O0903 | Suprvsn of preg w history of infertility, third trimester |
| O0910 | Suprvsn of preg with history of ectopic preg, unsp trimester |
| O0911 | Suprvsn of preg with history of ectopic preg, first tri |
| O0912 | Suprvsn of preg with history of ectopic preg, second tri |
| O0913 | Suprvsn of preg with history of ectopic preg, third tri |
| O09211 | Suprvsn of preg w history of pre-term labor, first trimester |
| O09212 | Suprvsn of preg w history of pre-term labor, second tri |
| O09213 | Suprvsn of preg w history of pre-term labor, third trimester |
| O09219 | Suprvsn of preg w history of pre-term labor, unsp trimester |
| O09291 | Suprvsn of preg w poor reprodctv or obstet hx, first tri |
| O09292 | Suprvsn of preg w poor reprodctv or obstet hx, second tri |
| O09293 | Suprvsn of preg w poor reprodctv or obstet hx, third tri |
| O09299 | Suprvsn of preg w poor reprodctv or obstet history, unsp tri |
| O0930 | Suprvsn of preg w insufficient antenat care, unsp trimester |
| O0931 | Suprvsn of preg w insufficient antenat care, first trimester |
| O0932 | Suprvsn of preg w insufficient antenat care, second tri |
| O0933 | Suprvsn of preg w insufficient antenat care, third trimester |
| O0940 | Supervision of pregnancy w grand multiparity, unsp trimester |
| O0941 | Suprvsn of pregnancy w grand multiparity, first trimester |
| O0942 | Suprvsn of pregnancy w grand multiparity, second trimester |
| O0943 | Suprvsn of pregnancy w grand multiparity, third trimester |
| O09511 | Supervision of elderly primigravida, first trimester |
| O09512 | Supervision of elderly primigravida, second trimester |
| O09513 | Supervision of elderly primigravida, third trimester |
| O09519 | Supervision of elderly primigravida, unspecified trimester |
| O09521 | Supervision of elderly multigravida, first trimester |
| O09522 | Supervision of elderly multigravida, second trimester |
| O09523 | Supervision of elderly multigravida, third trimester |
| O09529 | Supervision of elderly multigravida, unspecified trimester |
| O09611 | Supervision of young primigravida, first trimester |
| O09612 | Supervision of young primigravida, second trimester |
| O09613 | Supervision of young primigravida, third trimester |
| O09619 | Supervision of young primigravida, unspecified trimester |
| O09621 | Supervision of young multigravida, first trimester |
| O09622 | Supervision of young multigravida, second trimester |
| O09623 | Supervision of young multigravida, third trimester |
| O09629 | Supervision of young multigravida, unspecified trimester |
| O0970 | Suprvsn of high risk preg due to social problems, unsp tri |
| O0971 | Suprvsn of high risk preg due to social problems, first tri |
| O0972 | Suprvsn of high risk preg due to social problems, second tri |
| O0973 | Suprvsn of high risk preg due to social problems, third tri |
| O09811 | Suprvsn of preg rsIt from assisted reprodctv tech, first tri |
| O09812 | Suprvsn of preg rsIt from assist reprodctv tech, second tri |
| O09813 | Suprvsn of preg rsIt from assisted reprodctv tech, third tri |
| O09819 | Suprvsn of preg rsIt from assisted reprodctv tech, unsp tri |
| O09821 | Suprvsn of preg w hx of in utero proc dur prev preg, 1st tri |
| O09822 | Suprvsn of preg w hx of in utero proc dur prev preg, 2nd tri |
| O09823 | Suprvsn of preg w hx of in utero proc dur prev preg, 3rd tri |

| | |
|--------|--|
| O09829 | Suprvsn of preg w hx of in utero proc dur prev preg,unsp tri |
| O09891 | Supervision of other high risk pregnancies, first trimester |
| O09892 | Supervision of other high risk pregnancies, second trimester |
| O09893 | Supervision of other high risk pregnancies, third trimester |
| O09899 | Supervision of other high risk pregnancies, unsp trimester |
| O0990 | Supervision of high risk pregnancy, unsp, unsp trimester |
| O0991 | Supervision of high risk pregnancy, unsp, first trimester |
| O0992 | Supervision of high risk pregnancy, unsp, second trimester |
| O0993 | Supervision of high risk pregnancy, unsp, third trimester |
| O09A0 | Suprvsn of preg with history of molar preg, unsp trimester |
| O09A1 | Suprvsn of preg with history of molar preg, first trimester |
| O09A2 | Suprvsn of preg with history of molar preg, second trimester |
| O09A3 | Suprvsn of preg with history of molar preg, third trimester |
| O10011 | Pre-existing essential htn comp pregnancy, first trimester |
| O10012 | Pre-existing essential htn comp pregnancy, second trimester |
| O10013 | Pre-existing essential htn comp pregnancy, third trimester |
| O10019 | Pre-existing essential htn comp pregnancy, unsp trimester |
| O1002 | Pre-existing essential hypertension complicating childbirth |
| O1003 | Pre-existing essential hypertension comp the puerperium |
| O10111 | Pre-exist hyp heart disease comp pregnancy, first trimester |
| O10112 | Pre-exist hyp heart disease comp pregnancy, second trimester |
| O10113 | Pre-exist hyp heart disease comp pregnancy, third trimester |
| O10119 | Pre-exist hyp heart disease comp pregnancy, unsp trimester |
| O1012 | Pre-existing hypertensive heart disease comp childbirth |
| O1013 | Pre-existing hypertensive heart disease comp the puerperium |
| O10211 | Pre-exist hyp chronic kidney disease comp preg, first tri |
| O10212 | Pre-exist hyp chronic kidney disease comp preg, second tri |
| O10213 | Pre-exist hyp chronic kidney disease comp preg, third tri |
| O10219 | Pre-exist hyp chronic kidney disease comp preg, unsp tri |
| O1022 | Pre-existing hyp chronic kidney disease comp childbirth |
| O1023 | Pre-existing hyp chronic kidney disease comp the puerperium |
| O10311 | Pre-exist hyp heart and chr kidney dis comp preg, first tri |
| O10312 | Pre-exist hyp heart and chr kidney dis comp preg, second tri |
| O10313 | Pre-exist hyp heart and chr kidney dis comp preg, third tri |
| O10319 | Pre-exist hyp heart and chr kidney dis comp preg, unsp tri |
| O1032 | Pre-exist hyp heart and chronic kidney disease comp chldbrth |
| O1033 | Pre-exist hyp heart and chr kidney disease comp the puerp |
| O10411 | Pre-existing secondary htn comp pregnancy, first trimester |
| O10412 | Pre-existing secondary htn comp pregnancy, second trimester |
| O10413 | Pre-existing secondary htn comp pregnancy, third trimester |
| O10419 | Pre-existing secondary htn comp pregnancy, unsp trimester |
| O1042 | Pre-existing secondary hypertension complicating childbirth |
| O1043 | Pre-existing secondary hypertension comp the puerperium |
| O10911 | Unsp pre-existing htn comp pregnancy, first trimester |
| O10912 | Unsp pre-existing htn comp pregnancy, second trimester |
| O10913 | Unsp pre-existing htn comp pregnancy, third trimester |
| O10919 | Unsp pre-existing htn comp pregnancy, unsp trimester |
| O1092 | Unsp pre-existing hypertension complicating childbirth |
| O1093 | Unsp pre-existing hypertension complicating the puerperium |
| O111 | Pre-existing hypertension w pre-eclampsia, first trimester |
| O112 | Pre-existing hypertension w pre-eclampsia, second trimester |
| O113 | Pre-existing hypertension w pre-eclampsia, third trimester |

| | |
|-------|--|
| O114 | Pre-existing htn with pre-eclampsia, comp childbirth |
| O115 | Pre-existing htn with pre-eclampsia, comp the puerperium |
| O119 | Pre-existing hypertension with pre-eclampsia, unsp trimester |
| O1200 | Gestational edema, unspecified trimester |
| O1201 | Gestational edema, first trimester |
| O1202 | Gestational edema, second trimester |
| O1203 | Gestational edema, third trimester |
| O1204 | Gestational edema, complicating childbirth |
| O1205 | Gestational edema, complicating the puerperium |
| O1210 | Gestational proteinuria, unspecified trimester |
| O1211 | Gestational proteinuria, first trimester |
| O1212 | Gestational proteinuria, second trimester |
| O1213 | Gestational proteinuria, third trimester |
| O1214 | Gestational proteinuria, complicating childbirth |
| O1215 | Gestational proteinuria, complicating the puerperium |
| O1220 | Gestational edema with proteinuria, unspecified trimester |
| O1221 | Gestational edema with proteinuria, first trimester |
| O1222 | Gestational edema with proteinuria, second trimester |
| O1223 | Gestational edema with proteinuria, third trimester |
| O1224 | Gestational edema with proteinuria, complicating childbirth |
| O1225 | Gestational edema with proteinuria, comp the puerperium |
| O131 | Gestational htn w/o significant proteinuria, first trimester |
| O132 | Gestatnl htn w/o significant proteinuria, second trimester |
| O133 | Gestational htn w/o significant proteinuria, third trimester |
| O134 | Gestatnl htn without significant protein, comp childbirth |
| O135 | Gestatnl htn without significant protein, comp the puerp |
| O139 | Gestational htn w/o significant proteinuria, unsp trimester |
| O1400 | Mild to moderate pre-eclampsia, unspecified trimester |
| O1402 | Mild to moderate pre-eclampsia, second trimester |
| O1403 | Mild to moderate pre-eclampsia, third trimester |
| O1404 | Mild to moderate pre-eclampsia, complicating childbirth |
| O1405 | Mild to moderate pre-eclampsia, complicating the puerperium |
| O1410 | Severe pre-eclampsia, unspecified trimester |
| O1412 | Severe pre-eclampsia, second trimester |
| O1413 | Severe pre-eclampsia, third trimester |
| O1414 | Severe pre-eclampsia complicating childbirth |
| O1415 | Severe pre-eclampsia, complicating the puerperium |
| O1420 | HELLP syndrome (HELLP), unspecified trimester |
| O1422 | HELLP syndrome (HELLP), second trimester |
| O1423 | HELLP syndrome (HELLP), third trimester |
| O1424 | HELLP syndrome, complicating childbirth |
| O1425 | HELLP syndrome, complicating the puerperium |
| O1490 | Unspecified pre-eclampsia, unspecified trimester |
| O1492 | Unspecified pre-eclampsia, second trimester |
| O1493 | Unspecified pre-eclampsia, third trimester |
| O1494 | Unspecified pre-eclampsia, complicating childbirth |
| O1495 | Unspecified pre-eclampsia, complicating the puerperium |
| O1500 | Eclampsia complicating pregnancy, unspecified trimester |
| O1502 | Eclampsia complicating pregnancy, second trimester |
| O1503 | Eclampsia complicating pregnancy, third trimester |
| O151 | Eclampsia complicating labor |
| O152 | Eclampsia complicating the puerperium |

| | |
|--------|---|
| O159 | Eclampsia, unspecified as to time period |
| O161 | Unspecified maternal hypertension, first trimester |
| O162 | Unspecified maternal hypertension, second trimester |
| O163 | Unspecified maternal hypertension, third trimester |
| O164 | Unspecified maternal hypertension, complicating childbirth |
| O165 | Unspecified maternal hypertension, comp the puerperium |
| O169 | Unspecified maternal hypertension, unspecified trimester |
| O200 | Threatened abortion |
| O208 | Other hemorrhage in early pregnancy |
| O209 | Hemorrhage in early pregnancy, unspecified |
| O210 | Mild hyperemesis gravidarum |
| O211 | Hyperemesis gravidarum with metabolic disturbance |
| O212 | Late vomiting of pregnancy |
| O218 | Other vomiting complicating pregnancy |
| O219 | Vomiting of pregnancy, unspecified |
| O2200 | Varicose veins of low extrm in pregnancy, unsp trimester |
| O2201 | Varicose veins of low extrm in pregnancy, first trimester |
| O2202 | Varicose veins of low extrm in pregnancy, second trimester |
| O2203 | Varicose veins of low extrm in pregnancy, third trimester |
| O2210 | Genital varices in pregnancy, unspecified trimester |
| O2211 | Genital varices in pregnancy, first trimester |
| O2212 | Genital varices in pregnancy, second trimester |
| O2213 | Genital varices in pregnancy, third trimester |
| O2220 | Superficial thrombophlebitis in pregnancy, unsp trimester |
| O2221 | Superficial thrombophlebitis in pregnancy, first trimester |
| O2222 | Superficial thrombophlebitis in pregnancy, second trimester |
| O2223 | Superficial thrombophlebitis in pregnancy, third trimester |
| O2230 | Deep phlebothrombosis in pregnancy, unspecified trimester |
| O2231 | Deep phlebothrombosis in pregnancy, first trimester |
| O2232 | Deep phlebothrombosis in pregnancy, second trimester |
| O2233 | Deep phlebothrombosis in pregnancy, third trimester |
| O2240 | Hemorrhoids in pregnancy, unspecified trimester |
| O2241 | Hemorrhoids in pregnancy, first trimester |
| O2242 | Hemorrhoids in pregnancy, second trimester |
| O2243 | Hemorrhoids in pregnancy, third trimester |
| O2250 | Cerebral venous thrombosis in pregnancy, unsp trimester |
| O2251 | Cerebral venous thrombosis in pregnancy, first trimester |
| O2252 | Cerebral venous thrombosis in pregnancy, second trimester |
| O2253 | Cerebral venous thrombosis in pregnancy, third trimester |
| O228X1 | Other venous complications in pregnancy, first trimester |
| O228X2 | Other venous complications in pregnancy, second trimester |
| O228X3 | Other venous complications in pregnancy, third trimester |
| O228X9 | Other venous complications in pregnancy, unsp trimester |
| O2290 | Venous complication in pregnancy, unsp, unsp trimester |
| O2291 | Venous complication in pregnancy, unsp, first trimester |
| O2292 | Venous complication in pregnancy, unsp, second trimester |
| O2293 | Venous complication in pregnancy, unsp, third trimester |
| O2300 | Infections of kidney in pregnancy, unspecified trimester |
| O2301 | Infections of kidney in pregnancy, first trimester |
| O2302 | Infections of kidney in pregnancy, second trimester |
| O2303 | Infections of kidney in pregnancy, third trimester |
| O2310 | Infections of bladder in pregnancy, unspecified trimester |

| | |
|--------|--|
| O2311 | Infections of bladder in pregnancy, first trimester |
| O2312 | Infections of bladder in pregnancy, second trimester |
| O2313 | Infections of bladder in pregnancy, third trimester |
| O2320 | Infections of urethra in pregnancy, unspecified trimester |
| O2321 | Infections of urethra in pregnancy, first trimester |
| O2322 | Infections of urethra in pregnancy, second trimester |
| O2323 | Infections of urethra in pregnancy, third trimester |
| O2330 | Infections of prt urinary tract in pregnancy, unsp trimester |
| O2331 | Infect of prt urinary tract in pregnancy, first trimester |
| O2332 | Infect of prt urinary tract in pregnancy, second trimester |
| O2333 | Infect of prt urinary tract in pregnancy, third trimester |
| O2340 | Unsp infection of urinary tract in pregnancy, unsp trimester |
| O2341 | Unsp infct of urinary tract in pregnancy, first trimester |
| O2342 | Unsp infct of urinary tract in pregnancy, second trimester |
| O2343 | Unsp infct of urinary tract in pregnancy, third trimester |
| O23511 | Infections of cervix in pregnancy, first trimester |
| O23512 | Infections of cervix in pregnancy, second trimester |
| O23513 | Infections of cervix in pregnancy, third trimester |
| O23519 | Infections of cervix in pregnancy, unspecified trimester |
| O23521 | Salpingo-oophoritis in pregnancy, first trimester |
| O23522 | Salpingo-oophoritis in pregnancy, second trimester |
| O23523 | Salpingo-oophoritis in pregnancy, third trimester |
| O23529 | Salpingo-oophoritis in pregnancy, unspecified trimester |
| O23591 | Infection oth prt genitl trct in pregnancy, first trimester |
| O23592 | Infection oth prt genitl trct in pregnancy, second trimester |
| O23593 | Infection oth prt genitl trct in pregnancy, third trimester |
| O23599 | Infection oth prt genital tract in pregnancy, unsp trimester |
| O2390 | Unsp GU tract infection in pregnancy, unsp trimester |
| O2391 | Unsp GU tract infection in pregnancy, first trimester |
| O2392 | Unsp GU tract infection in pregnancy, second trimester |
| O2393 | Unsp GU tract infection in pregnancy, third trimester |
| O24011 | Pre-existing type 1 diabetes, in pregnancy, first trimester |
| O24012 | Pre-existing type 1 diabetes, in pregnancy, second trimester |
| O24013 | Pre-existing type 1 diabetes, in pregnancy, third trimester |
| O24019 | Pre-exist type 1 diabetes, in pregnancy, unsp trimester |
| O2402 | Pre-existing type 1 diabetes mellitus, in childbirth |
| O2403 | Pre-existing type 1 diabetes mellitus, in the puerperium |
| O24111 | Pre-existing type 2 diabetes, in pregnancy, first trimester |
| O24112 | Pre-existing type 2 diabetes, in pregnancy, second trimester |
| O24113 | Pre-existing type 2 diabetes, in pregnancy, third trimester |
| O24119 | Pre-exist type 2 diabetes, in pregnancy, unsp trimester |
| O2412 | Pre-existing type 2 diabetes mellitus, in childbirth |
| O2413 | Pre-existing type 2 diabetes mellitus, in the puerperium |
| O24311 | Unsp pre-existing diabetes in pregnancy, first trimester |
| O24312 | Unsp pre-existing diabetes in pregnancy, second trimester |
| O24313 | Unsp pre-existing diabetes in pregnancy, third trimester |
| O24319 | Unsp pre-existing diabetes in pregnancy, unsp trimester |
| O2432 | Unspecified pre-existing diabetes mellitus in childbirth |
| O2433 | Unspecified pre-existing diabetes mellitus in the puerperium |
| O24410 | Gestational diabetes mellitus in pregnancy, diet controlled |
| O24414 | Gestational diabetes in pregnancy, insulin controlled |
| O24415 | Gestatnl diabetes in preg, ctrl by oral hypoglycemic drugs |

| | |
|--------|--|
| O24419 | Gestational diabetes mellitus in pregnancy, unsp control |
| O24420 | Gestational diabetes mellitus in childbirth, diet controlled |
| O24424 | Gestational diabetes in childbirth, insulin controlled |
| O24425 | Gestatnl diab in chldbrth, ctrl by oral hypoglycemic drugs |
| O24429 | Gestational diabetes mellitus in childbirth, unsp control |
| O24430 | Gestational diabetes in the puerperium, diet controlled |
| O24434 | Gestational diabetes in the puerperium, insulin controlled |
| O24435 | Gestatnl diabetes in puerp, ctrl by oral hypoglycemic drugs |
| O24439 | Gestational diabetes in the puerperium, unsp control |
| O24811 | Oth pre-existing diabetes in pregnancy, first trimester |
| O24812 | Oth pre-existing diabetes in pregnancy, second trimester |
| O24813 | Oth pre-existing diabetes in pregnancy, third trimester |
| O24819 | Oth pre-existing diabetes in pregnancy, unsp trimester |
| O2482 | Other pre-existing diabetes mellitus in childbirth |
| O2483 | Other pre-existing diabetes mellitus in the puerperium |
| O24911 | Unspecified diabetes mellitus in pregnancy, first trimester |
| O24912 | Unspecified diabetes mellitus in pregnancy, second trimester |
| O24913 | Unspecified diabetes mellitus in pregnancy, third trimester |
| O24919 | Unsp diabetes mellitus in pregnancy, unspecified trimester |
| O2492 | Unspecified diabetes mellitus in childbirth |
| O2493 | Unspecified diabetes mellitus in the puerperium |
| O2510 | Malnutrition in pregnancy, unspecified trimester |
| O2511 | Malnutrition in pregnancy, first trimester |
| O2512 | Malnutrition in pregnancy, second trimester |
| O2513 | Malnutrition in pregnancy, third trimester |
| O252 | Malnutrition in childbirth |
| O253 | Malnutrition in the puerperium |
| O2600 | Excessive weight gain in pregnancy, unspecified trimester |
| O2601 | Excessive weight gain in pregnancy, first trimester |
| O2602 | Excessive weight gain in pregnancy, second trimester |
| O2603 | Excessive weight gain in pregnancy, third trimester |
| O2610 | Low weight gain in pregnancy, unspecified trimester |
| O2611 | Low weight gain in pregnancy, first trimester |
| O2612 | Low weight gain in pregnancy, second trimester |
| O2613 | Low weight gain in pregnancy, third trimester |
| O2620 | Preg care for patient w recurrent preg loss, unsp trimester |
| O2621 | Preg care for patient w recurrent preg loss, first trimester |
| O2622 | Preg care for patient w recur preg loss, second trimester |
| O2623 | Preg care for patient w recurrent preg loss, third trimester |
| O2630 | Retained uterin contracep dev in pregnancy, unsp trimester |
| O2631 | Retained uterin contracep dev in pregnancy, first trimester |
| O2632 | Retained uterin contracep dev in pregnancy, second trimester |
| O2633 | Retained uterin contracep dev in pregnancy, third trimester |
| O2640 | Herpes gestationis, unspecified trimester |
| O2641 | Herpes gestationis, first trimester |
| O2642 | Herpes gestationis, second trimester |
| O2643 | Herpes gestationis, third trimester |
| O2650 | Maternal hypotension syndrome, unspecified trimester |
| O2651 | Maternal hypotension syndrome, first trimester |
| O2652 | Maternal hypotension syndrome, second trimester |
| O2653 | Maternal hypotension syndrome, third trimester |
| O26611 | Liver and biliary tract disord in pregnancy, first trimester |

| | |
|--------|--|
| O26612 | Liver and biliary tract disord in preg, second trimester |
| O26613 | Liver and biliary tract disord in pregnancy, third trimester |
| O26619 | Liver and biliary tract disord in pregnancy, unsp trimester |
| O2662 | Liver and biliary tract disorders in childbirth |
| O2663 | Liver and biliary tract disorders in the puerperium |
| O26711 | Sublux of symphysis (pubis) in pregnancy, first trimester |
| O26712 | Sublux of symphysis (pubis) in pregnancy, second trimester |
| O26713 | Sublux of symphysis (pubis) in pregnancy, third trimester |
| O26719 | Sublux of symphysis (pubis) in pregnancy, unsp trimester |
| O2672 | Subluxation of symphysis (pubis) in childbirth |
| O2673 | Subluxation of symphysis (pubis) in the puerperium |
| O26811 | Pregnancy related exhaustion and fatigue, first trimester |
| O26812 | Pregnancy related exhaustion and fatigue, second trimester |
| O26813 | Pregnancy related exhaustion and fatigue, third trimester |
| O26819 | Pregnancy related exhaustion and fatigue, unsp trimester |
| O26821 | Pregnancy related peripheral neuritis, first trimester |
| O26822 | Pregnancy related peripheral neuritis, second trimester |
| O26823 | Pregnancy related peripheral neuritis, third trimester |
| O26829 | Pregnancy related peripheral neuritis, unspecified trimester |
| O26831 | Pregnancy related renal disease, first trimester |
| O26832 | Pregnancy related renal disease, second trimester |
| O26833 | Pregnancy related renal disease, third trimester |
| O26839 | Pregnancy related renal disease, unspecified trimester |
| O26841 | Uterine size-date discrepancy, first trimester |
| O26842 | Uterine size-date discrepancy, second trimester |
| O26843 | Uterine size-date discrepancy, third trimester |
| O26849 | Uterine size-date discrepancy, unspecified trimester |
| O26851 | Spotting complicating pregnancy, first trimester |
| O26852 | Spotting complicating pregnancy, second trimester |
| O26853 | Spotting complicating pregnancy, third trimester |
| O26859 | Spotting complicating pregnancy, unspecified trimester |
| O2686 | Pruritic urticarial papules and plaques of pregnancy (PUPPP) |
| O26872 | Cervical shortening, second trimester |
| O26873 | Cervical shortening, third trimester |
| O26879 | Cervical shortening, unspecified trimester |
| O26891 | Oth pregnancy related conditions, first trimester |
| O26892 | Oth pregnancy related conditions, second trimester |
| O26893 | Oth pregnancy related conditions, third trimester |
| O26899 | Oth pregnancy related conditions, unspecified trimester |
| O2690 | Pregnancy related conditions, unsp, unspecified trimester |
| O2691 | Pregnancy related conditions, unspecified, first trimester |
| O2692 | Pregnancy related conditions, unspecified, second trimester |
| O2693 | Pregnancy related conditions, unspecified, third trimester |
| O280 | Abnormal hematolog finding on antenatal screening of mother |
| O281 | Abnormal biochemical finding on antenat screening of mother |
| O282 | Abnormal cytolog finding on antenatal screening of mother |
| O283 | Abnormal ultrasonic finding on antenatal screening of mother |
| O284 | Abnormal radiolog finding on antenatal screening of mother |
| O285 | Abn chromsoml and genetic find on antenat screen of mother |
| O288 | Other abnormal findings on antenatal screening of mother |
| O289 | Unsp abnormal findings on antenatal screening of mother |
| O29011 | Aspirat pneumonitis due to anesth during preg, first tri |

| | |
|--------|--|
| O29012 | Aspirat pneumonitis due to anesth during preg, second tri |
| O29013 | Aspirat pneumonitis due to anesth during preg, third tri |
| O29019 | Aspirat pneumonitis due to anesth during preg, unsp tri |
| O29021 | Pressr collapse of lung due to anesth during preg, first tri |
| O29022 | Pressr collapse of lung d/t anesth during preg, second tri |
| O29023 | Pressr collapse of lung due to anesth during preg, third tri |
| O29029 | Pressr collapse of lung due to anesth during preg, unsp tri |
| O29091 | Oth pulmonary comp of anesth during preg, first trimester |
| O29092 | Oth pulmonary comp of anesth during preg, second trimester |
| O29093 | Oth pulmonary comp of anesth during preg, third trimester |
| O29099 | Oth pulmonary comp of anesth during preg, unsp trimester |
| O29111 | Cardiac arrest due to anesth during preg, first trimester |
| O29112 | Cardiac arrest due to anesth during preg, second trimester |
| O29113 | Cardiac arrest due to anesth during preg, third trimester |
| O29119 | Cardiac arrest due to anesth during preg, unsp trimester |
| O29121 | Cardiac failure due to anesth during preg, first trimester |
| O29122 | Cardiac failure due to anesth during preg, second trimester |
| O29123 | Cardiac failure due to anesth during preg, third trimester |
| O29129 | Cardiac failure due to anesth during preg, unsp trimester |
| O29191 | Oth cardiac comp of anesth during pregnancy, first trimester |
| O29192 | Oth cardiac comp of anesth during preg, second trimester |
| O29193 | Oth cardiac comp of anesth during pregnancy, third trimester |
| O29199 | Oth cardiac comp of anesth during pregnancy, unsp trimester |
| O29211 | Cerebral anoxia due to anesth during preg, first trimester |
| O29212 | Cerebral anoxia due to anesth during preg, second trimester |
| O29213 | Cerebral anoxia due to anesth during preg, third trimester |
| O29219 | Cerebral anoxia due to anesth during preg, unsp trimester |
| O29291 | Oth cnsl comp of anesth during pregnancy, first trimester |
| O29292 | Oth cnsl comp of anesth during pregnancy, second trimester |
| O29293 | Oth cnsl comp of anesth during pregnancy, third trimester |
| O29299 | Oth cnsl comp of anesthesia during pregnancy, unsp trimester |
| O293X1 | Toxic reaction to local anesth during preg, first trimester |
| O293X2 | Toxic reaction to local anesth during preg, second trimester |
| O293X3 | Toxic reaction to local anesth during preg, third trimester |
| O293X9 | Toxic reaction to local anesth during preg, unsp trimester |
| O2940 | Spinal and epidur anesth induce hdache during preg, unsp tri |
| O2941 | Spinal and epidur anesth induce hdache dur preg, first tri |
| O2942 | Spinal and epidur anesth induce hdache dur preg, second tri |
| O2943 | Spinal and epidur anesth induce hdache dur preg, third tri |
| O295X1 | Oth comp of spinal and epidur anesth during preg, first tri |
| O295X2 | Oth comp of spinal and epidur anesth during preg, second tri |
| O295X3 | Oth comp of spinal and epidur anesth during preg, third tri |
| O295X9 | Oth comp of spinal and epidural anesth during preg, unsp tri |
| O2960 | Failed or difficult intubation for anesth dur preg, unsp tri |
| O2961 | Fail or difficult intubation for anesth dur preg, first tri |
| O2962 | Fail or difficult intubation for anesth dur preg, second tri |
| O2963 | Fail or difficult intubation for anesth dur preg, third tri |
| O298X1 | Oth comp of anesthesia during pregnancy, first trimester |
| O298X2 | Oth comp of anesthesia during pregnancy, second trimester |
| O298X3 | Oth comp of anesthesia during pregnancy, third trimester |
| O298X9 | Oth comp of anesthesia during pregnancy, unsp trimester |
| O2990 | Unsp comp of anesthesia during pregnancy, unsp trimester |

| | |
|--------|--|
| O2991 | Unsp comp of anesthesia during pregnancy, first trimester |
| O2992 | Unsp comp of anesthesia during pregnancy, second trimester |
| O2993 | Unsp comp of anesthesia during pregnancy, third trimester |
| O30001 | Twin preg, unsp num plcnta & amnio sacs, first trimester |
| O30002 | Twin preg, unsp num plcnta & amnio sacs, second trimester |
| O30003 | Twin preg, unsp num plcnta & amnio sacs, third trimester |
| O30009 | Twin pregnancy, unsp num plcnta & amnio sacs, unsp trimester |
| O30011 | Twin pregnancy, monochorionic/monoamniotic, first trimester |
| O30012 | Twin pregnancy, monochorionic/monoamniotic, second trimester |
| O30013 | Twin pregnancy, monochorionic/monoamniotic, third trimester |
| O30019 | Twin pregnancy, monochorionic/monoamniotic, unsp trimester |
| O30021 | Conjoined twin pregnancy, first trimester |
| O30022 | Conjoined twin pregnancy, second trimester |
| O30023 | Conjoined twin pregnancy, third trimester |
| O30029 | Conjoined twin pregnancy, unspecified trimester |
| O30031 | Twin pregnancy, monochorionic/diamniotic, first trimester |
| O30032 | Twin pregnancy, monochorionic/diamniotic, second trimester |
| O30033 | Twin pregnancy, monochorionic/diamniotic, third trimester |
| O30039 | Twin pregnancy, monochorionic/diamniotic, unsp trimester |
| O30041 | Twin pregnancy, dichorionic/diamniotic, first trimester |
| O30042 | Twin pregnancy, dichorionic/diamniotic, second trimester |
| O30043 | Twin pregnancy, dichorionic/diamniotic, third trimester |
| O30049 | Twin pregnancy, dichorionic/diamniotic, unsp trimester |
| O30091 | Twin preg, unable to dtrm num plcnta & amnio sacs, first tri |
| O30092 | Twin preg, unable to dtrm num plcnta & amnio sacs, 2nd tri |
| O30093 | Twin preg, unable to dtrm num plcnta & amnio sacs, third tri |
| O30099 | Twin preg, unable to dtrm num plcnta & amnio sacs, unsp tri |
| O30101 | Triplet preg, unsp num plcnta & amnio sacs, first trimester |
| O30102 | Triplet preg, unsp num plcnta & amnio sacs, second trimester |
| O30103 | Triplet preg, unsp num plcnta & amnio sacs, third trimester |
| O30109 | Triplet preg, unsp num plcnta & amnio sacs, unsp trimester |
| O30111 | Triplet preg w two or more monochorionic fetuses, first tri |
| O30112 | Triplet preg w two or more monochorionic fetuses, second tri |
| O30113 | Triplet preg w two or more monochorionic fetuses, third tri |
| O30119 | Triplet preg w two or more monochorionic fetuses, unsp tri |
| O30121 | Triplet preg w two or more monoamnio fetuses, first tri |
| O30122 | Triplet preg w two or more monoamnio fetuses, second tri |
| O30123 | Triplet preg w two or more monoamnio fetuses, third tri |
| O30129 | Triplet preg w two or more monoamnio fetuses, unsp trimester |
| O30131 | Triplet pregnancy, trichorionic/triamniotic, first trimester |
| O30132 | Triplet preg, trichorionic/triamniotic, second trimester |
| O30133 | Triplet pregnancy, trichorionic/triamniotic, third trimester |
| O30139 | Triplet pregnancy, trichorionic/triamniotic, unsp trimester |
| O30191 | Trp preg, unable to dtrm num plcnta & amnio sacs, first tri |
| O30192 | Trp preg, unable to dtrm num plcnta & amnio sacs, second tri |
| O30193 | Trp preg, unable to dtrm num plcnta & amnio sacs, third tri |
| O30199 | Trp preg, unable to dtrm num plcnta & amnio sacs, unsp tri |
| O30201 | Quad preg, unsp num plcnta & amnio sacs, first trimester |
| O30202 | Quad preg, unsp num plcnta & amnio sacs, second trimester |
| O30203 | Quad preg, unsp num plcnta & amnio sacs, third trimester |
| O30209 | Quad pregnancy, unsp num plcnta & amnio sacs, unsp trimester |
| O30211 | Quad preg w two or more monochorionic fetuses, first tri |

| | |
|---------|---|
| O30212 | Quad preg w two or more monochorionic fetuses, second tri |
| O30213 | Quad preg w two or more monochorionic fetuses, third tri |
| O30219 | Quad preg w two or more monochorionic fetuses, unsp tri |
| O30221 | Quad preg w two or more monoamnio fetuses, first trimester |
| O30222 | Quad preg w two or more monoamnio fetuses, second trimester |
| O30223 | Quad preg w two or more monoamnio fetuses, third trimester |
| O30229 | Quad preg w two or more monoamnio fetuses, unsp trimester |
| O30231 | Quad preg, quadrachorionic/quadra-amniotic, first trimester |
| O30232 | Quad preg, quadrachorionic/quadra-amniotic, second trimester |
| O30233 | Quad preg, quadrachorionic/quadra-amniotic, third trimester |
| O30239 | Quad preg, quadrachorionic/quadra-amniotic, unsp trimester |
| O30291 | Quad preg, unable to dtrm num plcnta & amnio sacs, first tri |
| O30292 | Quad preg, unable to dtrm num plcnta & amnio sacs, 2nd tri |
| O30293 | Quad preg, unable to dtrm num plcnta & amnio sacs, third tri |
| O30299 | Quad preg, unable to dtrm num plcnta & amnio sacs, unsp tri |
| O30801 | Oth multiple gest, unsp num plcnta & amnio sacs, first tri |
| O30802 | Oth multiple gest, unsp num plcnta & amnio sacs, second tri |
| O30803 | Oth multiple gest, unsp num plcnta & amnio sacs, third tri |
| O30809 | Oth multiple gest, unsp num plcnta & amnio sacs, unsp tri |
| O30811 | Oth mult gest w two or more monochorionic fetuses, first tri |
| O30812 | Oth mult gest w two or more monochorionic fetuses, 2nd tri |
| O30813 | Oth mult gest w two or more monochorionic fetuses, third tri |
| O30819 | Oth mult gest w two or more monochorionic fetuses, unsp tri |
| O30821 | Oth multiple gest w two or more monoamnio fetuses, first tri |
| O30822 | Oth mult gest w two or more monoamnio fetuses, second tri |
| O30823 | Oth multiple gest w two or more monoamnio fetuses, third tri |
| O30829 | Oth multiple gest w two or more monoamnio fetuses, unsp tri |
| O30831 | Oth mult gest, num chorions & amnions = num ftses, 1st tri |
| O30832 | Oth mult gest, num chorions & amnions = num ftses, 2nd tri |
| O30833 | Oth mult gest, num chorions & amnions = num ftses, 3rd tri |
| O30839 | Oth mult gest, num chorions & amnions = num ftses, unsp tri |
| O30891 | Oth mult gest, unab to dtrm num plcnta & amnio sacs, 1st tri |
| O30892 | Oth mult gest, unab to dtrm num plcnta & amnio sacs, 2nd tri |
| O30893 | Oth mult gest, unab to dtrm num plcnta & amnio sacs, 3rd tri |
| O30899 | Oth mult gest, unab to dtrm num plcnta & amnio sacs, unsp tri |
| O3090 | Multiple gestation, unspecified, unspecified trimester |
| O3091 | Multiple gestation, unspecified, first trimester |
| O3092 | Multiple gestation, unspecified, second trimester |
| O3093 | Multiple gestation, unspecified, third trimester |
| O3100X0 | Papyraceous fetus, unsp trimester, not applicable or unsp |
| O3100X1 | Papyraceous fetus, unspecified trimester, fetus 1 |
| O3100X2 | Papyraceous fetus, unspecified trimester, fetus 2 |
| O3100X3 | Papyraceous fetus, unspecified trimester, fetus 3 |
| O3100X4 | Papyraceous fetus, unspecified trimester, fetus 4 |
| O3100X5 | Papyraceous fetus, unspecified trimester, fetus 5 |
| O3100X9 | Papyraceous fetus, unspecified trimester, other fetus |
| O3101X0 | Papyraceous fetus, first trimester, not applicable or unsp |
| O3101X1 | Papyraceous fetus, first trimester, fetus 1 |
| O3101X2 | Papyraceous fetus, first trimester, fetus 2 |
| O3101X3 | Papyraceous fetus, first trimester, fetus 3 |
| O3101X4 | Papyraceous fetus, first trimester, fetus 4 |
| O3101X5 | Papyraceous fetus, first trimester, fetus 5 |

| | |
|---------|--|
| 03101X9 | Papyraceous fetus, first trimester, other fetus |
| 03102X0 | Papyraceous fetus, second trimester, not applicable or unsp |
| 03102X1 | Papyraceous fetus, second trimester, fetus 1 |
| 03102X2 | Papyraceous fetus, second trimester, fetus 2 |
| 03102X3 | Papyraceous fetus, second trimester, fetus 3 |
| 03102X4 | Papyraceous fetus, second trimester, fetus 4 |
| 03102X5 | Papyraceous fetus, second trimester, fetus 5 |
| 03102X9 | Papyraceous fetus, second trimester, other fetus |
| 03103X0 | Papyraceous fetus, third trimester, not applicable or unsp |
| 03103X1 | Papyraceous fetus, third trimester, fetus 1 |
| 03103X2 | Papyraceous fetus, third trimester, fetus 2 |
| 03103X3 | Papyraceous fetus, third trimester, fetus 3 |
| 03103X4 | Papyraceous fetus, third trimester, fetus 4 |
| 03103X5 | Papyraceous fetus, third trimester, fetus 5 |
| 03103X9 | Papyraceous fetus, third trimester, other fetus |
| 03110X0 | Cont preg aft spon abort of one fts or more, unsp tri, unsp |
| 03110X1 | Cont preg aft spon abort of one fts or more, unsp tri, fts1 |
| 03110X2 | Cont preg aft spon abort of one fts or more, unsp tri, fts2 |
| 03110X3 | Cont preg aft spon abort of one fts or more, unsp tri, fts3 |
| 03110X4 | Cont preg aft spon abort of one fts or more, unsp tri, fts4 |
| 03110X5 | Cont preg aft spon abort of one fts or more, unsp tri, fts5 |
| 03110X9 | Cont preg aft spon abort of one fetus or more, unsp tri, oth |
| 03111X0 | Cont preg aft spon abort of one fts or more, first tri, unsp |
| 03111X1 | Cont preg aft spon abort of one fts or more, first tri, fts1 |
| 03111X2 | Cont preg aft spon abort of one fts or more, first tri, fts2 |
| 03111X3 | Cont preg aft spon abort of one fts or more, first tri, fts3 |
| 03111X4 | Cont preg aft spon abort of one fts or more, first tri, fts4 |
| 03111X5 | Cont preg aft spon abort of one fts or more, first tri, fts5 |
| 03111X9 | Cont preg aft spon abort of one fts or more, first tri, oth |
| 03112X0 | Cont preg aft spon abort of one fetus or more, 2nd tri, unsp |
| 03112X1 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts1 |
| 03112X2 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts2 |
| 03112X3 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts3 |
| 03112X4 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts4 |
| 03112X5 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts5 |
| 03112X9 | Cont preg aft spon abort of one fetus or more, 2nd tri, oth |
| 03113X0 | Cont preg aft spon abort of one fts or more, third tri, unsp |
| 03113X1 | Cont preg aft spon abort of one fts or more, third tri, fts1 |
| 03113X2 | Cont preg aft spon abort of one fts or more, third tri, fts2 |
| 03113X3 | Cont preg aft spon abort of one fts or more, third tri, fts3 |
| 03113X4 | Cont preg aft spon abort of one fts or more, third tri, fts4 |
| 03113X5 | Cont preg aft spon abort of one fts or more, third tri, fts5 |
| 03113X9 | Cont preg aft spon abort of one fts or more, third tri, oth |
| 03120X0 | Cont preg aft uterin dth of one fts or more, unsp tri, unsp |
| 03120X1 | Cont preg aft uterin dth of one fts or more, unsp tri, fts1 |
| 03120X2 | Cont preg aft uterin dth of one fts or more, unsp tri, fts2 |
| 03120X3 | Cont preg aft uterin dth of one fts or more, unsp tri, fts3 |
| 03120X4 | Cont preg aft uterin dth of one fts or more, unsp tri, fts4 |
| 03120X5 | Cont preg aft uterin dth of one fts or more, unsp tri, fts5 |
| 03120X9 | Cont preg aft uterin dth of one fetus or more, unsp tri, oth |
| 03121X0 | Cont preg aft uterin dth of one fts or more, first tri, unsp |
| 03121X1 | Cont preg aft uterin dth of one fts or more, first tri, fts1 |

| | |
|---------|--|
| 03121X2 | Cont preg aft uterin dth of one fts or more, first tri, fts2 |
| 03121X3 | Cont preg aft uterin dth of one fts or more, first tri, fts3 |
| 03121X4 | Cont preg aft uterin dth of one fts or more, first tri, fts4 |
| 03121X5 | Cont preg aft uterin dth of one fts or more, first tri, fts5 |
| 03121X9 | Cont preg aft uterin dth of one fts or more, first tri, oth |
| 03122X0 | Cont preg aft uterin dth of one fetus or more, 2nd tri, unsp |
| 03122X1 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts1 |
| 03122X2 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts2 |
| 03122X3 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts3 |
| 03122X4 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts4 |
| 03122X5 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts5 |
| 03122X9 | Cont preg aft uterin dth of one fetus or more, 2nd tri, oth |
| 03123X0 | Cont preg aft uterin dth of one fts or more, third tri, unsp |
| 03123X1 | Cont preg aft uterin dth of one fts or more, third tri, fts1 |
| 03123X2 | Cont preg aft uterin dth of one fts or more, third tri, fts2 |
| 03123X3 | Cont preg aft uterin dth of one fts or more, third tri, fts3 |
| 03123X4 | Cont preg aft uterin dth of one fts or more, third tri, fts4 |
| 03123X5 | Cont preg aft uterin dth of one fts or more, third tri, fts5 |
| 03123X9 | Cont preg aft uterin dth of one fts or more, third tri, oth |
| 03130X0 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,unsp |
| 03130X1 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts1 |
| 03130X2 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts2 |
| 03130X3 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts3 |
| 03130X4 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts4 |
| 03130X5 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts5 |
| 03130X9 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri, oth |
| 03131X0 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, unsp |
| 03131X1 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts1 |
| 03131X2 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts2 |
| 03131X3 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts3 |
| 03131X4 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts4 |
| 03131X5 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts5 |
| 03131X9 | Cont preg aft elctv fetl rdct of 1 fts or more, 1st tri, oth |
| 03132X0 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, unsp |
| 03132X1 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts1 |
| 03132X2 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts2 |
| 03132X3 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts3 |
| 03132X4 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts4 |
| 03132X5 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts5 |
| 03132X9 | Cont preg aft elctv fetl rdct of 1 fts or more, 2nd tri, oth |
| 03133X0 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, unsp |
| 03133X1 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts1 |
| 03133X2 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts2 |
| 03133X3 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts3 |
| 03133X4 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts4 |
| 03133X5 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts5 |
| 03133X9 | Cont preg aft elctv fetl rdct of 1 fts or more, 3rd tri, oth |
| 0318X10 | Oth comp specific to multiple gest, first trimester, unsp |
| 0318X11 | Oth comp specific to multiple gest, first trimester, fetus 1 |
| 0318X12 | Oth comp specific to multiple gest, first trimester, fetus 2 |
| 0318X13 | Oth comp specific to multiple gest, first trimester, fetus 3 |
| 0318X14 | Oth comp specific to multiple gest, first trimester, fetus 4 |

| | |
|---------|--|
| 0318X15 | Oth comp specific to multiple gest, first trimester, fetus 5 |
| 0318X19 | Oth comp specific to multiple gest, first trimester, oth |
| 0318X20 | Oth comp specific to multiple gest, second trimester, unsp |
| 0318X21 | Oth comp specific to multiple gest, second tri, fetus 1 |
| 0318X22 | Oth comp specific to multiple gest, second tri, fetus 2 |
| 0318X23 | Oth comp specific to multiple gest, second tri, fetus 3 |
| 0318X24 | Oth comp specific to multiple gest, second tri, fetus 4 |
| 0318X25 | Oth comp specific to multiple gest, second tri, fetus 5 |
| 0318X29 | Oth comp specific to multiple gest, second trimester, oth |
| 0318X30 | Oth comp specific to multiple gest, third trimester, unsp |
| 0318X31 | Oth comp specific to multiple gest, third trimester, fetus 1 |
| 0318X32 | Oth comp specific to multiple gest, third trimester, fetus 2 |
| 0318X33 | Oth comp specific to multiple gest, third trimester, fetus 3 |
| 0318X34 | Oth comp specific to multiple gest, third trimester, fetus 4 |
| 0318X35 | Oth comp specific to multiple gest, third trimester, fetus 5 |
| 0318X39 | Oth comp specific to multiple gest, third trimester, oth |
| 0318X90 | Oth comp specific to multiple gest, unsp trimester, unsp |
| 0318X91 | Oth comp specific to multiple gest, unsp trimester, fetus 1 |
| 0318X92 | Oth comp specific to multiple gest, unsp trimester, fetus 2 |
| 0318X93 | Oth comp specific to multiple gest, unsp trimester, fetus 3 |
| 0318X94 | Oth comp specific to multiple gest, unsp trimester, fetus 4 |
| 0318X95 | Oth comp specific to multiple gest, unsp trimester, fetus 5 |
| 0318X99 | Oth comp specific to multiple gestation, unsp trimester, oth |
| 0320XX0 | Maternal care for unstable lie, not applicable or unsp |
| 0320XX1 | Maternal care for unstable lie, fetus 1 |
| 0320XX2 | Maternal care for unstable lie, fetus 2 |
| 0320XX3 | Maternal care for unstable lie, fetus 3 |
| 0320XX4 | Maternal care for unstable lie, fetus 4 |
| 0320XX5 | Maternal care for unstable lie, fetus 5 |
| 0320XX9 | Maternal care for unstable lie, other fetus |
| 0321XX0 | Maternal care for breech presentation, unsp |
| 0321XX1 | Maternal care for breech presentation, fetus 1 |
| 0321XX2 | Maternal care for breech presentation, fetus 2 |
| 0321XX3 | Maternal care for breech presentation, fetus 3 |
| 0321XX4 | Maternal care for breech presentation, fetus 4 |
| 0321XX5 | Maternal care for breech presentation, fetus 5 |
| 0321XX9 | Maternal care for breech presentation, other fetus |
| 0322XX0 | Maternal care for transverse and oblique lie, unsp |
| 0322XX1 | Maternal care for transverse and oblique lie, fetus 1 |
| 0322XX2 | Maternal care for transverse and oblique lie, fetus 2 |
| 0322XX3 | Maternal care for transverse and oblique lie, fetus 3 |
| 0322XX4 | Maternal care for transverse and oblique lie, fetus 4 |
| 0322XX5 | Maternal care for transverse and oblique lie, fetus 5 |
| 0322XX9 | Maternal care for transverse and oblique lie, other fetus |
| 0323XX0 | Maternal care for face, brow and chin presentation, unsp |
| 0323XX1 | Maternal care for face, brow and chin presentation, fetus 1 |
| 0323XX2 | Maternal care for face, brow and chin presentation, fetus 2 |
| 0323XX3 | Maternal care for face, brow and chin presentation, fetus 3 |
| 0323XX4 | Maternal care for face, brow and chin presentation, fetus 4 |
| 0323XX5 | Maternal care for face, brow and chin presentation, fetus 5 |
| 0323XX9 | Maternal care for face, brow and chin presentation, oth |
| 0324XX0 | Maternal care for high head at term, not applicable or unsp |

| | |
|---------|--|
| 0324XX1 | Maternal care for high head at term, fetus 1 |
| 0324XX2 | Maternal care for high head at term, fetus 2 |
| 0324XX3 | Maternal care for high head at term, fetus 3 |
| 0324XX4 | Maternal care for high head at term, fetus 4 |
| 0324XX5 | Maternal care for high head at term, fetus 5 |
| 0324XX9 | Maternal care for high head at term, other fetus |
| 0326XX0 | Maternal care for compound presentation, unsp |
| 0326XX1 | Maternal care for compound presentation, fetus 1 |
| 0326XX2 | Maternal care for compound presentation, fetus 2 |
| 0326XX3 | Maternal care for compound presentation, fetus 3 |
| 0326XX4 | Maternal care for compound presentation, fetus 4 |
| 0326XX5 | Maternal care for compound presentation, fetus 5 |
| 0326XX9 | Maternal care for compound presentation, other fetus |
| 0328XX0 | Maternal care for oth malpresentation of fetus, unsp |
| 0328XX1 | Maternal care for other malpresentation of fetus, fetus 1 |
| 0328XX2 | Maternal care for other malpresentation of fetus, fetus 2 |
| 0328XX3 | Maternal care for other malpresentation of fetus, fetus 3 |
| 0328XX4 | Maternal care for other malpresentation of fetus, fetus 4 |
| 0328XX5 | Maternal care for other malpresentation of fetus, fetus 5 |
| 0328XX9 | Maternal care for oth malpresentation of fetus, other fetus |
| 0329XX0 | Maternal care for malpresentation of fetus, unsp, unsp |
| 0329XX1 | Maternal care for malpresentation of fetus, unsp, fetus 1 |
| 0329XX2 | Maternal care for malpresentation of fetus, unsp, fetus 2 |
| 0329XX3 | Maternal care for malpresentation of fetus, unsp, fetus 3 |
| 0329XX4 | Maternal care for malpresentation of fetus, unsp, fetus 4 |
| 0329XX5 | Maternal care for malpresentation of fetus, unsp, fetus 5 |
| 0329XX9 | Maternal care for malpresentation of fetus, unsp, oth fetus |
| 0330 | Matern care for disproprtn d/t deformity of matern pelv bone |
| 0331 | Matern care for disproprtn d/t generally contracted pelvis |
| 0332 | Maternal care for disproprtn due to inlet contrctn of pelvis |
| 0333XX0 | Matern care for disproprtn d/t outlet contrctn of pelv, unsp |
| 0333XX1 | Matern care for disproprtn d/t outlet contrctn of pelv, fts1 |
| 0333XX2 | Matern care for disproprtn d/t outlet contrctn of pelv, fts2 |
| 0333XX3 | Matern care for disproprtn d/t outlet contrctn of pelv, fts3 |
| 0333XX4 | Matern care for disproprtn d/t outlet contrctn of pelv, fts4 |
| 0333XX5 | Matern care for disproprtn d/t outlet contrctn of pelv, fts5 |
| 0333XX9 | Matern care for disproprtn d/t outlet contrctn of pelv, oth |
| 0334XX0 | Matern care for disproprtn of mix matern & fetl origin, unsp |
| 0334XX1 | Matern care for disproprtn of mix matern & fetl origin, fts1 |
| 0334XX2 | Matern care for disproprtn of mix matern & fetl origin, fts2 |
| 0334XX3 | Matern care for disproprtn of mix matern & fetl origin, fts3 |
| 0334XX4 | Matern care for disproprtn of mix matern & fetl origin, fts4 |
| 0334XX5 | Matern care for disproprtn of mix matern & fetl origin, fts5 |
| 0334XX9 | Matern care for disproprtn of mix matern & fetl origin, oth |
| 0335XX0 | Matern care for disproprtn d/t unusually large fetus, unsp |
| 0335XX1 | Matern care for disproprtn d/t unusually large fetus, fts1 |
| 0335XX2 | Matern care for disproprtn d/t unusually large fetus, fts2 |
| 0335XX3 | Matern care for disproprtn d/t unusually large fetus, fts3 |
| 0335XX4 | Matern care for disproprtn d/t unusually large fetus, fts4 |
| 0335XX5 | Matern care for disproprtn d/t unusually large fetus, fts5 |
| 0335XX9 | Matern care for disproprtn due to unusually large fetus, oth |
| 0336XX0 | Matern care for disproprtn due to hydrocephalic fetus, unsp |

| | |
|---------|--|
| 0336XX1 | Matern care for disproprtn due to hydrocephalic fetus, fts1 |
| 0336XX2 | Matern care for disproprtn due to hydrocephalic fetus, fts2 |
| 0336XX3 | Matern care for disproprtn due to hydrocephalic fetus, fts3 |
| 0336XX4 | Matern care for disproprtn due to hydrocephalic fetus, fts4 |
| 0336XX5 | Matern care for disproprtn due to hydrocephalic fetus, fts5 |
| 0336XX9 | Maternal care for disproprtn due to hydrocephalic fetus, oth |
| 0337XX0 | Maternal care for disproprtn due to other fetal deform, unsp |
| 0337XX1 | Matern care for disproprtn due to other fetal deform, fts1 |
| 0337XX2 | Matern care for disproprtn due to other fetal deform, fts2 |
| 0337XX3 | Matern care for disproprtn due to other fetal deform, fts3 |
| 0337XX4 | Matern care for disproprtn due to other fetal deform, fts4 |
| 0337XX5 | Matern care for disproprtn due to other fetal deform, fts5 |
| 0337XX9 | Maternal care for disproprtn due to other fetal deform, oth |
| 0338 | Maternal care for disproportion of other origin |
| 0339 | Maternal care for disproportion, unspecified |
| 03400 | Maternal care for unsp congen malform of uterus, unsp tri |
| 03401 | Maternal care for unsp congen malform of uterus, first tri |
| 03402 | Maternal care for unsp congen malform of uterus, second tri |
| 03403 | Maternal care for unsp congen malform of uterus, third tri |
| 03410 | Maternal care for benign tumor of corpus uteri, unsp tri |
| 03411 | Maternal care for benign tumor of corpus uteri, first tri |
| 03412 | Maternal care for benign tumor of corpus uteri, second tri |
| 03413 | Maternal care for benign tumor of corpus uteri, third tri |
| 034211 | Matern care for low transverse scar from prev cesarean del |
| 034212 | Maternal care for vertical scar from previous cesarean del |
| 034219 | Maternal care for unsp type scar from previous cesarean del |
| 03429 | Maternal care due to uterine scar from oth previous surgery |
| 03430 | Maternal care for cervical incompetence, unsp trimester |
| 03431 | Maternal care for cervical incompetence, first trimester |
| 03432 | Maternal care for cervical incompetence, second trimester |
| 03433 | Maternal care for cervical incompetence, third trimester |
| 03440 | Maternal care for oth abnlt of cervix, unsp trimester |
| 03441 | Maternal care for oth abnlt of cervix, first trimester |
| 03442 | Maternal care for oth abnlt of cervix, second trimester |
| 03443 | Maternal care for oth abnlt of cervix, third trimester |
| 034511 | Maternal care for incarceration of gravid uterus, first tri |
| 034512 | Maternal care for incarceration of gravid uterus, second tri |
| 034513 | Maternal care for incarceration of gravid uterus, third tri |
| 034519 | Maternal care for incarceration of gravid uterus, unsp tri |
| 034521 | Maternal care for prolapse of gravid uterus, first trimester |
| 034522 | Maternal care for prolapse of gravid uterus, second tri |
| 034523 | Maternal care for prolapse of gravid uterus, third trimester |
| 034529 | Maternal care for prolapse of gravid uterus, unsp trimester |
| 034531 | Maternal care for retroversion of gravid uterus, first tri |
| 034532 | Maternal care for retroversion of gravid uterus, second tri |
| 034533 | Maternal care for retroversion of gravid uterus, third tri |
| 034539 | Maternal care for retroversion of gravid uterus, unsp tri |
| 034591 | Maternal care for oth abnlt of gravid uterus, first tri |
| 034592 | Maternal care for oth abnlt of gravid uterus, second tri |
| 034593 | Maternal care for oth abnlt of gravid uterus, third tri |
| 034599 | Maternal care for oth abnlt of gravid uterus, unsp trimester |
| 03460 | Maternal care for abnormality of vagina, unsp trimester |

| | |
|---------|--|
| 03461 | Maternal care for abnormality of vagina, first trimester |
| 03462 | Maternal care for abnormality of vagina, second trimester |
| 03463 | Maternal care for abnormality of vagina, third trimester |
| 03470 | Maternal care for abnlt of vulva and perineum, unsp tri |
| 03471 | Maternal care for abnlt of vulva and perineum, first tri |
| 03472 | Maternal care for abnlt of vulva and perineum, second tri |
| 03473 | Maternal care for abnlt of vulva and perineum, third tri |
| 03480 | Maternal care for oth abnlt of pelvic organs, unsp trimester |
| 03481 | Maternal care for oth abnlt of pelvic organs, first tri |
| 03482 | Maternal care for oth abnlt of pelvic organs, second tri |
| 03483 | Maternal care for oth abnlt of pelvic organs, third tri |
| 03490 | Maternal care for abnlt of pelvic organ, unsp, unsp tri |
| 03491 | Maternal care for abnlt of pelvic organ, unsp, first tri |
| 03492 | Maternal care for abnlt of pelvic organ, unsp, second tri |
| 03493 | Maternal care for abnlt of pelvic organ, unsp, third tri |
| 0350XX0 | Maternal care for (suspected) cnsl malform in fetus, unsp |
| 0350XX1 | Maternal care for (suspected) cnsl malform in fetus, fetus 1 |
| 0350XX2 | Maternal care for (suspected) cnsl malform in fetus, fetus 2 |
| 0350XX3 | Maternal care for (suspected) cnsl malform in fetus, fetus 3 |
| 0350XX4 | Maternal care for (suspected) cnsl malform in fetus, fetus 4 |
| 0350XX5 | Maternal care for (suspected) cnsl malform in fetus, fetus 5 |
| 0350XX9 | Maternal care for (suspected) cnsl malform in fetus, oth |
| 0351XX0 | Maternal care for chromosomal abnormality in fetus, unsp |
| 0351XX1 | Maternal care for chromosomal abnormality in fetus, fetus 1 |
| 0351XX2 | Maternal care for chromosomal abnormality in fetus, fetus 2 |
| 0351XX3 | Maternal care for chromosomal abnormality in fetus, fetus 3 |
| 0351XX4 | Maternal care for chromosomal abnormality in fetus, fetus 4 |
| 0351XX5 | Maternal care for chromosomal abnormality in fetus, fetus 5 |
| 0351XX9 | Maternal care for chromosomal abnormality in fetus, oth |
| 0352XX0 | Maternal care for hereditary disease in fetus, unsp |
| 0352XX1 | Maternal care for hereditary disease in fetus, fetus 1 |
| 0352XX2 | Maternal care for hereditary disease in fetus, fetus 2 |
| 0352XX3 | Maternal care for hereditary disease in fetus, fetus 3 |
| 0352XX4 | Maternal care for hereditary disease in fetus, fetus 4 |
| 0352XX5 | Maternal care for hereditary disease in fetus, fetus 5 |
| 0352XX9 | Maternal care for hereditary disease in fetus, oth |
| 0353XX0 | Matern care for damag to fts from viral dis in mother, unsp |
| 0353XX1 | Matern care for damag to fts from viral dis in mother, fts1 |
| 0353XX2 | Matern care for damag to fts from viral dis in mother, fts2 |
| 0353XX3 | Matern care for damag to fts from viral dis in mother, fts3 |
| 0353XX4 | Matern care for damag to fts from viral dis in mother, fts4 |
| 0353XX5 | Matern care for damag to fts from viral dis in mother, fts5 |
| 0353XX9 | Matern care for damag to fetus from viral dis in mother, oth |
| 0354XX0 | Maternal care for damage to fetus from alcohol, unsp |
| 0354XX1 | Maternal care for damage to fetus from alcohol, fetus 1 |
| 0354XX2 | Maternal care for damage to fetus from alcohol, fetus 2 |
| 0354XX3 | Maternal care for damage to fetus from alcohol, fetus 3 |
| 0354XX4 | Maternal care for damage to fetus from alcohol, fetus 4 |
| 0354XX5 | Maternal care for damage to fetus from alcohol, fetus 5 |
| 0354XX9 | Maternal care for damage to fetus from alcohol, oth |
| 0355XX0 | Maternal care for (suspected) damage to fetus by drugs, unsp |
| 0355XX1 | Maternal care for damage to fetus by drugs, fetus 1 |

| | |
|---------|--|
| O355XX2 | Maternal care for damage to fetus by drugs, fetus 2 |
| O355XX3 | Maternal care for damage to fetus by drugs, fetus 3 |
| O355XX4 | Maternal care for damage to fetus by drugs, fetus 4 |
| O355XX5 | Maternal care for damage to fetus by drugs, fetus 5 |
| O355XX9 | Maternal care for (suspected) damage to fetus by drugs, oth |
| O356XX0 | Maternal care for damage to fetus by radiation, unsp |
| O356XX1 | Maternal care for damage to fetus by radiation, fetus 1 |
| O356XX2 | Maternal care for damage to fetus by radiation, fetus 2 |
| O356XX3 | Maternal care for damage to fetus by radiation, fetus 3 |
| O356XX4 | Maternal care for damage to fetus by radiation, fetus 4 |
| O356XX5 | Maternal care for damage to fetus by radiation, fetus 5 |
| O356XX9 | Maternal care for damage to fetus by radiation, oth |
| O357XX0 | Maternal care for damage to fetus by oth medical proc, unsp |
| O357XX1 | Matern care for damage to fetus by oth medical proc, fetus 1 |
| O357XX2 | Matern care for damage to fetus by oth medical proc, fetus 2 |
| O357XX3 | Matern care for damage to fetus by oth medical proc, fetus 3 |
| O357XX4 | Matern care for damage to fetus by oth medical proc, fetus 4 |
| O357XX5 | Matern care for damage to fetus by oth medical proc, fetus 5 |
| O357XX9 | Maternal care for damage to fetus by oth medical proc, oth |
| O358XX0 | Maternal care for oth fetal abnormality and damage, unsp |
| O358XX1 | Maternal care for oth fetal abnormality and damage, fetus 1 |
| O358XX2 | Maternal care for oth fetal abnormality and damage, fetus 2 |
| O358XX3 | Maternal care for oth fetal abnormality and damage, fetus 3 |
| O358XX4 | Maternal care for oth fetal abnormality and damage, fetus 4 |
| O358XX5 | Maternal care for oth fetal abnormality and damage, fetus 5 |
| O358XX9 | Maternal care for oth fetal abnormality and damage, oth |
| O359XX0 | Maternal care for fetal abnormality and damage, unsp, unsp |
| O359XX1 | Maternal care for fetal abnlt and damage, unsp, fetus 1 |
| O359XX2 | Maternal care for fetal abnlt and damage, unsp, fetus 2 |
| O359XX3 | Maternal care for fetal abnlt and damage, unsp, fetus 3 |
| O359XX4 | Maternal care for fetal abnlt and damage, unsp, fetus 4 |
| O359XX5 | Maternal care for fetal abnlt and damage, unsp, fetus 5 |
| O359XX9 | Maternal care for fetal abnormality and damage, unsp, oth |
| O360110 | Maternal care for anti-D antibodies, first trimester, unsp |
| O360111 | Maternal care for anti-D antibodies, first tri, fetus 1 |
| O360112 | Maternal care for anti-D antibodies, first tri, fetus 2 |
| O360113 | Maternal care for anti-D antibodies, first tri, fetus 3 |
| O360114 | Maternal care for anti-D antibodies, first tri, fetus 4 |
| O360115 | Maternal care for anti-D antibodies, first tri, fetus 5 |
| O360119 | Maternal care for anti-D antibodies, first trimester, oth |
| O360120 | Maternal care for anti-D antibodies, second trimester, unsp |
| O360121 | Maternal care for anti-D antibodies, second tri, fetus 1 |
| O360122 | Maternal care for anti-D antibodies, second tri, fetus 2 |
| O360123 | Maternal care for anti-D antibodies, second tri, fetus 3 |
| O360124 | Maternal care for anti-D antibodies, second tri, fetus 4 |
| O360125 | Maternal care for anti-D antibodies, second tri, fetus 5 |
| O360129 | Maternal care for anti-D antibodies, second trimester, oth |
| O360130 | Maternal care for anti-D antibodies, third trimester, unsp |
| O360131 | Maternal care for anti-D antibodies, third tri, fetus 1 |
| O360132 | Maternal care for anti-D antibodies, third tri, fetus 2 |
| O360133 | Maternal care for anti-D antibodies, third tri, fetus 3 |
| O360134 | Maternal care for anti-D antibodies, third tri, fetus 4 |

| | |
|---------|--|
| 0360135 | Maternal care for anti-D antibodies, third tri, fetus 5 |
| 0360139 | Maternal care for anti-D antibodies, third trimester, oth |
| 0360190 | Maternal care for anti-D antibodies, unsp trimester, unsp |
| 0360191 | Maternal care for anti-D antibodies, unsp trimester, fetus 1 |
| 0360192 | Maternal care for anti-D antibodies, unsp trimester, fetus 2 |
| 0360193 | Maternal care for anti-D antibodies, unsp trimester, fetus 3 |
| 0360194 | Maternal care for anti-D antibodies, unsp trimester, fetus 4 |
| 0360195 | Maternal care for anti-D antibodies, unsp trimester, fetus 5 |
| 0360199 | Maternal care for anti-D antibodies, unsp trimester, oth |
| 0360910 | Maternal care for oth rhesus isoimmun, first trimester, unsp |
| 0360911 | Maternal care for oth rhesus isoimmun, first tri, fetus 1 |
| 0360912 | Maternal care for oth rhesus isoimmun, first tri, fetus 2 |
| 0360913 | Maternal care for oth rhesus isoimmun, first tri, fetus 3 |
| 0360914 | Maternal care for oth rhesus isoimmun, first tri, fetus 4 |
| 0360915 | Maternal care for oth rhesus isoimmun, first tri, fetus 5 |
| 0360919 | Maternal care for oth rhesus isoimmun, first trimester, oth |
| 0360920 | Maternal care for oth rhesus isoimmun, second tri, unsp |
| 0360921 | Maternal care for oth rhesus isoimmun, second tri, fetus 1 |
| 0360922 | Maternal care for oth rhesus isoimmun, second tri, fetus 2 |
| 0360923 | Maternal care for oth rhesus isoimmun, second tri, fetus 3 |
| 0360924 | Maternal care for oth rhesus isoimmun, second tri, fetus 4 |
| 0360925 | Maternal care for oth rhesus isoimmun, second tri, fetus 5 |
| 0360929 | Maternal care for oth rhesus isoimmun, second trimester, oth |
| 0360930 | Maternal care for oth rhesus isoimmun, third trimester, unsp |
| 0360931 | Maternal care for oth rhesus isoimmun, third tri, fetus 1 |
| 0360932 | Maternal care for oth rhesus isoimmun, third tri, fetus 2 |
| 0360933 | Maternal care for oth rhesus isoimmun, third tri, fetus 3 |
| 0360934 | Maternal care for oth rhesus isoimmun, third tri, fetus 4 |
| 0360935 | Maternal care for oth rhesus isoimmun, third tri, fetus 5 |
| 0360939 | Maternal care for oth rhesus isoimmun, third trimester, oth |
| 0360990 | Maternal care for oth rhesus isoimmun, unsp trimester, unsp |
| 0360991 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 1 |
| 0360992 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 2 |
| 0360993 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 3 |
| 0360994 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 4 |
| 0360995 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 5 |
| 0360999 | Maternal care for oth rhesus isoimmun, unsp trimester, oth |
| 0361110 | Maternal care for Anti-A sensitization, first tri, unsp |
| 0361111 | Maternal care for Anti-A sensitization, first tri, fetus 1 |
| 0361112 | Maternal care for Anti-A sensitization, first tri, fetus 2 |
| 0361113 | Maternal care for Anti-A sensitization, first tri, fetus 3 |
| 0361114 | Maternal care for Anti-A sensitization, first tri, fetus 4 |
| 0361115 | Maternal care for Anti-A sensitization, first tri, fetus 5 |
| 0361119 | Maternal care for Anti-A sensitization, first trimester, oth |
| 0361120 | Maternal care for Anti-A sensitization, second tri, unsp |
| 0361121 | Maternal care for Anti-A sensitization, second tri, fetus 1 |
| 0361122 | Maternal care for Anti-A sensitization, second tri, fetus 2 |
| 0361123 | Maternal care for Anti-A sensitization, second tri, fetus 3 |
| 0361124 | Maternal care for Anti-A sensitization, second tri, fetus 4 |
| 0361125 | Maternal care for Anti-A sensitization, second tri, fetus 5 |
| 0361129 | Maternal care for Anti-A sensitization, second tri, oth |
| 0361130 | Maternal care for Anti-A sensitization, third tri, unsp |

| | |
|---------|--|
| 0361131 | Maternal care for Anti-A sensitization, third tri, fetus 1 |
| 0361132 | Maternal care for Anti-A sensitization, third tri, fetus 2 |
| 0361133 | Maternal care for Anti-A sensitization, third tri, fetus 3 |
| 0361134 | Maternal care for Anti-A sensitization, third tri, fetus 4 |
| 0361135 | Maternal care for Anti-A sensitization, third tri, fetus 5 |
| 0361139 | Maternal care for Anti-A sensitization, third trimester, oth |
| 0361190 | Maternal care for Anti-A sensitization, unsp trimester, unsp |
| 0361191 | Maternal care for Anti-A sensitization, unsp tri, fetus 1 |
| 0361192 | Maternal care for Anti-A sensitization, unsp tri, fetus 2 |
| 0361193 | Maternal care for Anti-A sensitization, unsp tri, fetus 3 |
| 0361194 | Maternal care for Anti-A sensitization, unsp tri, fetus 4 |
| 0361195 | Maternal care for Anti-A sensitization, unsp tri, fetus 5 |
| 0361199 | Maternal care for Anti-A sensitization, unsp trimester, oth |
| 0361910 | Maternal care for oth isoimmunization, first trimester, unsp |
| 0361911 | Maternal care for oth isoimmun, first trimester, fetus 1 |
| 0361912 | Maternal care for oth isoimmun, first trimester, fetus 2 |
| 0361913 | Maternal care for oth isoimmun, first trimester, fetus 3 |
| 0361914 | Maternal care for oth isoimmun, first trimester, fetus 4 |
| 0361915 | Maternal care for oth isoimmun, first trimester, fetus 5 |
| 0361919 | Maternal care for oth isoimmunization, first trimester, oth |
| 0361920 | Maternal care for oth isoimmun, second trimester, unsp |
| 0361921 | Maternal care for oth isoimmun, second trimester, fetus 1 |
| 0361922 | Maternal care for oth isoimmun, second trimester, fetus 2 |
| 0361923 | Maternal care for oth isoimmun, second trimester, fetus 3 |
| 0361924 | Maternal care for oth isoimmun, second trimester, fetus 4 |
| 0361925 | Maternal care for oth isoimmun, second trimester, fetus 5 |
| 0361929 | Maternal care for oth isoimmunization, second trimester, oth |
| 0361930 | Maternal care for oth isoimmunization, third trimester, unsp |
| 0361931 | Maternal care for oth isoimmun, third trimester, fetus 1 |
| 0361932 | Maternal care for oth isoimmun, third trimester, fetus 2 |
| 0361933 | Maternal care for oth isoimmun, third trimester, fetus 3 |
| 0361934 | Maternal care for oth isoimmun, third trimester, fetus 4 |
| 0361935 | Maternal care for oth isoimmun, third trimester, fetus 5 |
| 0361939 | Maternal care for oth isoimmunization, third trimester, oth |
| 0361990 | Maternal care for oth isoimmunization, unsp trimester, unsp |
| 0361991 | Maternal care for oth isoimmun, unsp trimester, fetus 1 |
| 0361992 | Maternal care for oth isoimmun, unsp trimester, fetus 2 |
| 0361993 | Maternal care for oth isoimmun, unsp trimester, fetus 3 |
| 0361994 | Maternal care for oth isoimmun, unsp trimester, fetus 4 |
| 0361995 | Maternal care for oth isoimmun, unsp trimester, fetus 5 |
| 0361999 | Maternal care for oth isoimmunization, unsp trimester, oth |
| 03620X0 | Maternal care for hydrops fetalis, unsp trimester, unsp |
| 03620X1 | Maternal care for hydrops fetalis, unsp trimester, fetus 1 |
| 03620X2 | Maternal care for hydrops fetalis, unsp trimester, fetus 2 |
| 03620X3 | Maternal care for hydrops fetalis, unsp trimester, fetus 3 |
| 03620X4 | Maternal care for hydrops fetalis, unsp trimester, fetus 4 |
| 03620X5 | Maternal care for hydrops fetalis, unsp trimester, fetus 5 |
| 03620X9 | Maternal care for hydrops fetalis, unsp trimester, oth fetus |
| 03621X0 | Maternal care for hydrops fetalis, first trimester, unsp |
| 03621X1 | Maternal care for hydrops fetalis, first trimester, fetus 1 |
| 03621X2 | Maternal care for hydrops fetalis, first trimester, fetus 2 |
| 03621X3 | Maternal care for hydrops fetalis, first trimester, fetus 3 |

| | |
|---------|--|
| 03621X4 | Maternal care for hydrops fetalis, first trimester, fetus 4 |
| 03621X5 | Maternal care for hydrops fetalis, first trimester, fetus 5 |
| 03621X9 | Maternal care for hydrops fetalis, first trimester, oth |
| 03622X0 | Maternal care for hydrops fetalis, second trimester, unsp |
| 03622X1 | Maternal care for hydrops fetalis, second trimester, fetus 1 |
| 03622X2 | Maternal care for hydrops fetalis, second trimester, fetus 2 |
| 03622X3 | Maternal care for hydrops fetalis, second trimester, fetus 3 |
| 03622X4 | Maternal care for hydrops fetalis, second trimester, fetus 4 |
| 03622X5 | Maternal care for hydrops fetalis, second trimester, fetus 5 |
| 03622X9 | Maternal care for hydrops fetalis, second trimester, oth |
| 03623X0 | Maternal care for hydrops fetalis, third trimester, unsp |
| 03623X1 | Maternal care for hydrops fetalis, third trimester, fetus 1 |
| 03623X2 | Maternal care for hydrops fetalis, third trimester, fetus 2 |
| 03623X3 | Maternal care for hydrops fetalis, third trimester, fetus 3 |
| 03623X4 | Maternal care for hydrops fetalis, third trimester, fetus 4 |
| 03623X5 | Maternal care for hydrops fetalis, third trimester, fetus 5 |
| 03623X9 | Maternal care for hydrops fetalis, third trimester, oth |
| 0364XX0 | Maternal care for intrauterine death, not applicable or unsp |
| 0364XX1 | Maternal care for intrauterine death, fetus 1 |
| 0364XX2 | Maternal care for intrauterine death, fetus 2 |
| 0364XX3 | Maternal care for intrauterine death, fetus 3 |
| 0364XX4 | Maternal care for intrauterine death, fetus 4 |
| 0364XX5 | Maternal care for intrauterine death, fetus 5 |
| 0364XX9 | Maternal care for intrauterine death, other fetus |
| 0365110 | Matern care for known or susp placntl insuff, 1st tri, unsp |
| 0365111 | Matern care for known or susp placntl insuff, 1st tri, fts1 |
| 0365112 | Matern care for known or susp placntl insuff, 1st tri, fts2 |
| 0365113 | Matern care for known or susp placntl insuff, 1st tri, fts3 |
| 0365114 | Matern care for known or susp placntl insuff, 1st tri, fts4 |
| 0365115 | Matern care for known or susp placntl insuff, 1st tri, fts5 |
| 0365119 | Matern care for known or susp placntl insuff, first tri, oth |
| 0365120 | Matern care for known or susp placntl insuff, 2nd tri, unsp |
| 0365121 | Matern care for known or susp placntl insuff, 2nd tri, fts1 |
| 0365122 | Matern care for known or susp placntl insuff, 2nd tri, fts2 |
| 0365123 | Matern care for known or susp placntl insuff, 2nd tri, fts3 |
| 0365124 | Matern care for known or susp placntl insuff, 2nd tri, fts4 |
| 0365125 | Matern care for known or susp placntl insuff, 2nd tri, fts5 |
| 0365129 | Matern care for known or susp placntl insuff, 2nd tri, oth |
| 0365130 | Matern care for or susp placntl insuff, third tri, unsp |
| 0365131 | Matern care for or susp placntl insuff, third tri, fts1 |
| 0365132 | Matern care for or susp placntl insuff, third tri, fts2 |
| 0365133 | Matern care for or susp placntl insuff, third tri, fts3 |
| 0365134 | Matern care for or susp placntl insuff, third tri, fts4 |
| 0365135 | Matern care for or susp placntl insuff, third tri, fts5 |
| 0365139 | Matern care for known or susp placntl insuff, third tri, oth |
| 0365190 | Matern care for known or susp placntl insuff, unsp tri, unsp |
| 0365191 | Matern care for known or susp placntl insuff, unsp tri, fts1 |
| 0365192 | Matern care for known or susp placntl insuff, unsp tri, fts2 |
| 0365193 | Matern care for known or susp placntl insuff, unsp tri, fts3 |
| 0365194 | Matern care for known or susp placntl insuff, unsp tri, fts4 |
| 0365195 | Matern care for known or susp placntl insuff, unsp tri, fts5 |
| 0365199 | Matern care for known or susp placntl insuff, unsp tri, oth |

| | |
|---------|--|
| 0365910 | Matern care for oth or susp poor fetl grth, 1st tri, unsp |
| 0365911 | Matern care for oth or susp poor fetl grth, 1st tri, fts1 |
| 0365912 | Matern care for oth or susp poor fetl grth, 1st tri, fts2 |
| 0365913 | Matern care for oth or susp poor fetl grth, 1st tri, fts3 |
| 0365914 | Matern care for oth or susp poor fetl grth, 1st tri, fts4 |
| 0365915 | Matern care for oth or susp poor fetl grth, 1st tri, fts5 |
| 0365919 | Matern care for oth or susp poor fetl grth, 1st tri, oth |
| 0365920 | Matern care for oth or susp poor fetl grth, 2nd tri, unsp |
| 0365921 | Matern care for oth or susp poor fetl grth, 2nd tri, fts1 |
| 0365922 | Matern care for oth or susp poor fetl grth, 2nd tri, fts2 |
| 0365923 | Matern care for oth or susp poor fetl grth, 2nd tri, fts3 |
| 0365924 | Matern care for oth or susp poor fetl grth, 2nd tri, fts4 |
| 0365925 | Matern care for oth or susp poor fetl grth, 2nd tri, fts5 |
| 0365929 | Matern care for oth or susp poor fetl grth, 2nd tri, oth |
| 0365930 | Matern care for oth or susp poor fetl grth, third tri, unsp |
| 0365931 | Matern care for oth or susp poor fetl grth, third tri, fts1 |
| 0365932 | Matern care for oth or susp poor fetl grth, third tri, fts2 |
| 0365933 | Matern care for oth or susp poor fetl grth, third tri, fts3 |
| 0365934 | Matern care for oth or susp poor fetl grth, third tri, fts4 |
| 0365935 | Matern care for oth or susp poor fetl grth, third tri, fts5 |
| 0365939 | Matern care for oth or susp poor fetl grth, third tri, oth |
| 0365990 | Matern care for oth or susp poor fetl grth, unsp tri, unsp |
| 0365991 | Matern care for oth or susp poor fetl grth, unsp tri, fts1 |
| 0365992 | Matern care for oth or susp poor fetl grth, unsp tri, fts2 |
| 0365993 | Matern care for oth or susp poor fetl grth, unsp tri, fts3 |
| 0365994 | Matern care for oth or susp poor fetl grth, unsp tri, fts4 |
| 0365995 | Matern care for oth or susp poor fetl grth, unsp tri, fts5 |
| 0365999 | Matern care for oth or susp poor fetl grth, unsp tri, oth |
| 03660X0 | Maternal care for excess fetal growth, unsp trimester, unsp |
| 03660X1 | Maternal care for excess fetal growth, unsp tri, fetus 1 |
| 03660X2 | Maternal care for excess fetal growth, unsp tri, fetus 2 |
| 03660X3 | Maternal care for excess fetal growth, unsp tri, fetus 3 |
| 03660X4 | Maternal care for excess fetal growth, unsp tri, fetus 4 |
| 03660X5 | Maternal care for excess fetal growth, unsp tri, fetus 5 |
| 03660X9 | Maternal care for excess fetal growth, unsp trimester, oth |
| 03661X0 | Maternal care for excess fetal growth, first trimester, unsp |
| 03661X1 | Maternal care for excess fetal growth, first tri, fetus 1 |
| 03661X2 | Maternal care for excess fetal growth, first tri, fetus 2 |
| 03661X3 | Maternal care for excess fetal growth, first tri, fetus 3 |
| 03661X4 | Maternal care for excess fetal growth, first tri, fetus 4 |
| 03661X5 | Maternal care for excess fetal growth, first tri, fetus 5 |
| 03661X9 | Maternal care for excess fetal growth, first trimester, oth |
| 03662X0 | Maternal care for excess fetal growth, second tri, unsp |
| 03662X1 | Maternal care for excess fetal growth, second tri, fetus 1 |
| 03662X2 | Maternal care for excess fetal growth, second tri, fetus 2 |
| 03662X3 | Maternal care for excess fetal growth, second tri, fetus 3 |
| 03662X4 | Maternal care for excess fetal growth, second tri, fetus 4 |
| 03662X5 | Maternal care for excess fetal growth, second tri, fetus 5 |
| 03662X9 | Maternal care for excess fetal growth, second trimester, oth |
| 03663X0 | Maternal care for excess fetal growth, third trimester, unsp |
| 03663X1 | Maternal care for excess fetal growth, third tri, fetus 1 |
| 03663X2 | Maternal care for excess fetal growth, third tri, fetus 2 |

| | |
|---------|--|
| 03663X3 | Maternal care for excess fetal growth, third tri, fetus 3 |
| 03663X4 | Maternal care for excess fetal growth, third tri, fetus 4 |
| 03663X5 | Maternal care for excess fetal growth, third tri, fetus 5 |
| 03663X9 | Maternal care for excess fetal growth, third trimester, oth |
| 03670X0 | Maternal care for viable fetus in abd preg, unsp tri, unsp |
| 03670X1 | Matern care for viable fetus in abd preg, unsp tri, fetus 1 |
| 03670X2 | Matern care for viable fetus in abd preg, unsp tri, fetus 2 |
| 03670X3 | Matern care for viable fetus in abd preg, unsp tri, fetus 3 |
| 03670X4 | Matern care for viable fetus in abd preg, unsp tri, fetus 4 |
| 03670X5 | Matern care for viable fetus in abd preg, unsp tri, fetus 5 |
| 03670X9 | Maternal care for viable fetus in abd preg, unsp tri, oth |
| 03671X0 | Maternal care for viable fetus in abd preg, first tri, unsp |
| 03671X1 | Matern care for viable fetus in abd preg, first tri, fetus 1 |
| 03671X2 | Matern care for viable fetus in abd preg, first tri, fetus 2 |
| 03671X3 | Matern care for viable fetus in abd preg, first tri, fetus 3 |
| 03671X4 | Matern care for viable fetus in abd preg, first tri, fetus 4 |
| 03671X5 | Matern care for viable fetus in abd preg, first tri, fetus 5 |
| 03671X9 | Maternal care for viable fetus in abd preg, first tri, oth |
| 03672X0 | Maternal care for viable fetus in abd preg, second tri, unsp |
| 03672X1 | Matern care for viable fetus in abd preg, second tri, fts1 |
| 03672X2 | Matern care for viable fetus in abd preg, second tri, fts2 |
| 03672X3 | Matern care for viable fetus in abd preg, second tri, fts3 |
| 03672X4 | Matern care for viable fetus in abd preg, second tri, fts4 |
| 03672X5 | Matern care for viable fetus in abd preg, second tri, fts5 |
| 03672X9 | Maternal care for viable fetus in abd preg, second tri, oth |
| 03673X0 | Maternal care for viable fetus in abd preg, third tri, unsp |
| 03673X1 | Matern care for viable fetus in abd preg, third tri, fetus 1 |
| 03673X2 | Matern care for viable fetus in abd preg, third tri, fetus 2 |
| 03673X3 | Matern care for viable fetus in abd preg, third tri, fetus 3 |
| 03673X4 | Matern care for viable fetus in abd preg, third tri, fetus 4 |
| 03673X5 | Matern care for viable fetus in abd preg, third tri, fetus 5 |
| 03673X9 | Maternal care for viable fetus in abd preg, third tri, oth |
| 03680X0 | Pregnancy w inconclusive fetal viability, unsp |
| 03680X1 | Pregnancy with inconclusive fetal viability, fetus 1 |
| 03680X2 | Pregnancy with inconclusive fetal viability, fetus 2 |
| 03680X3 | Pregnancy with inconclusive fetal viability, fetus 3 |
| 03680X4 | Pregnancy with inconclusive fetal viability, fetus 4 |
| 03680X5 | Pregnancy with inconclusive fetal viability, fetus 5 |
| 03680X9 | Pregnancy with inconclusive fetal viability, other fetus |
| 0368120 | Decreased fetal movements, second trimester, unsp |
| 0368121 | Decreased fetal movements, second trimester, fetus 1 |
| 0368122 | Decreased fetal movements, second trimester, fetus 2 |
| 0368123 | Decreased fetal movements, second trimester, fetus 3 |
| 0368124 | Decreased fetal movements, second trimester, fetus 4 |
| 0368125 | Decreased fetal movements, second trimester, fetus 5 |
| 0368129 | Decreased fetal movements, second trimester, other fetus |
| 0368130 | Decreased fetal movements, third trimester, unsp |
| 0368131 | Decreased fetal movements, third trimester, fetus 1 |
| 0368132 | Decreased fetal movements, third trimester, fetus 2 |
| 0368133 | Decreased fetal movements, third trimester, fetus 3 |
| 0368134 | Decreased fetal movements, third trimester, fetus 4 |
| 0368135 | Decreased fetal movements, third trimester, fetus 5 |

| | |
|---------|--|
| 0368139 | Decreased fetal movements, third trimester, other fetus |
| 0368190 | Decreased fetal movements, unsp trimester, unsp |
| 0368191 | Decreased fetal movements, unspecified trimester, fetus 1 |
| 0368192 | Decreased fetal movements, unspecified trimester, fetus 2 |
| 0368193 | Decreased fetal movements, unspecified trimester, fetus 3 |
| 0368194 | Decreased fetal movements, unspecified trimester, fetus 4 |
| 0368195 | Decreased fetal movements, unspecified trimester, fetus 5 |
| 0368199 | Decreased fetal movements, unsp trimester, other fetus |
| 0368210 | Fetal anemia and thrombocytopenia, first trimester, unsp |
| 0368211 | Fetal anemia and thrombocytopenia, first trimester, fetus 1 |
| 0368212 | Fetal anemia and thrombocytopenia, first trimester, fetus 2 |
| 0368213 | Fetal anemia and thrombocytopenia, first trimester, fetus 3 |
| 0368214 | Fetal anemia and thrombocytopenia, first trimester, fetus 4 |
| 0368215 | Fetal anemia and thrombocytopenia, first trimester, fetus 5 |
| 0368219 | Fetal anemia and thrombocytopenia, first trimester, oth |
| 0368220 | Fetal anemia and thrombocytopenia, second trimester, unsp |
| 0368221 | Fetal anemia and thrombocytopenia, second trimester, fetus 1 |
| 0368222 | Fetal anemia and thrombocytopenia, second trimester, fetus 2 |
| 0368223 | Fetal anemia and thrombocytopenia, second trimester, fetus 3 |
| 0368224 | Fetal anemia and thrombocytopenia, second trimester, fetus 4 |
| 0368225 | Fetal anemia and thrombocytopenia, second trimester, fetus 5 |
| 0368229 | Fetal anemia and thrombocytopenia, second trimester, oth |
| 0368230 | Fetal anemia and thrombocytopenia, third trimester, unsp |
| 0368231 | Fetal anemia and thrombocytopenia, third trimester, fetus 1 |
| 0368232 | Fetal anemia and thrombocytopenia, third trimester, fetus 2 |
| 0368233 | Fetal anemia and thrombocytopenia, third trimester, fetus 3 |
| 0368234 | Fetal anemia and thrombocytopenia, third trimester, fetus 4 |
| 0368235 | Fetal anemia and thrombocytopenia, third trimester, fetus 5 |
| 0368239 | Fetal anemia and thrombocytopenia, third trimester, oth |
| 0368290 | Fetal anemia and thrombocytopenia, unsp trimester, unsp |
| 0368291 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 1 |
| 0368292 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 2 |
| 0368293 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 3 |
| 0368294 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 4 |
| 0368295 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 5 |
| 0368299 | Fetal anemia and thrombocytopenia, unsp trimester, oth fetus |
| 0368310 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, unsp |
| 0368311 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts1 |
| 0368312 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts2 |
| 0368313 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts3 |
| 0368314 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts4 |
| 0368315 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts5 |
| 0368319 | Matern care for abnlt of fetl hrt rate or rhym, 1st tri, oth |
| 0368320 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, unsp |
| 0368321 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts1 |
| 0368322 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts2 |
| 0368323 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts3 |
| 0368324 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts4 |
| 0368325 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts5 |
| 0368329 | Matern care for abnlt of fetl hrt rate or rhym, 2nd tri, oth |
| 0368330 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, unsp |
| 0368331 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts1 |

| | |
|---------|--|
| 0368332 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts2 |
| 0368333 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts3 |
| 0368334 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts4 |
| 0368335 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts5 |
| 0368339 | Matern care for abnlt of fetl hrt rate or rhym, 3rd tri, oth |
| 0368390 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, unsp |
| 0368391 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts1 |
| 0368392 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts2 |
| 0368393 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts3 |
| 0368394 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts4 |
| 0368395 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts5 |
| 0368399 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, oth |
| 0368910 | Maternal care for oth fetal problems, first trimester, unsp |
| 0368911 | Maternal care for oth fetal problems, first tri, fetus 1 |
| 0368912 | Maternal care for oth fetal problems, first tri, fetus 2 |
| 0368913 | Maternal care for oth fetal problems, first tri, fetus 3 |
| 0368914 | Maternal care for oth fetal problems, first tri, fetus 4 |
| 0368915 | Maternal care for oth fetal problems, first tri, fetus 5 |
| 0368919 | Maternal care for oth fetal problems, first trimester, oth |
| 0368920 | Maternal care for oth fetal problems, second trimester, unsp |
| 0368921 | Maternal care for oth fetal problems, second tri, fetus 1 |
| 0368922 | Maternal care for oth fetal problems, second tri, fetus 2 |
| 0368923 | Maternal care for oth fetal problems, second tri, fetus 3 |
| 0368924 | Maternal care for oth fetal problems, second tri, fetus 4 |
| 0368925 | Maternal care for oth fetal problems, second tri, fetus 5 |
| 0368929 | Maternal care for oth fetal problems, second trimester, oth |
| 0368930 | Maternal care for oth fetal problems, third trimester, unsp |
| 0368931 | Maternal care for oth fetal problems, third tri, fetus 1 |
| 0368932 | Maternal care for oth fetal problems, third tri, fetus 2 |
| 0368933 | Maternal care for oth fetal problems, third tri, fetus 3 |
| 0368934 | Maternal care for oth fetal problems, third tri, fetus 4 |
| 0368935 | Maternal care for oth fetal problems, third tri, fetus 5 |
| 0368939 | Maternal care for oth fetal problems, third trimester, oth |
| 0368990 | Maternal care for oth fetal problems, unsp trimester, unsp |
| 0368991 | Maternal care for oth fetal problems, unsp tri, fetus 1 |
| 0368992 | Maternal care for oth fetal problems, unsp tri, fetus 2 |
| 0368993 | Maternal care for oth fetal problems, unsp tri, fetus 3 |
| 0368994 | Maternal care for oth fetal problems, unsp tri, fetus 4 |
| 0368995 | Maternal care for oth fetal problems, unsp tri, fetus 5 |
| 0368999 | Maternal care for oth fetal problems, unsp trimester, oth |
| 03690X0 | Maternal care for fetal problem, unsp, unsp trimester, unsp |
| 03690X1 | Maternal care for fetal problem, unsp, unsp tri, fetus 1 |
| 03690X2 | Maternal care for fetal problem, unsp, unsp tri, fetus 2 |
| 03690X3 | Maternal care for fetal problem, unsp, unsp tri, fetus 3 |
| 03690X4 | Maternal care for fetal problem, unsp, unsp tri, fetus 4 |
| 03690X5 | Maternal care for fetal problem, unsp, unsp tri, fetus 5 |
| 03690X9 | Maternal care for fetal problem, unsp, unsp trimester, oth |
| 03691X0 | Maternal care for fetal problem, unsp, first trimester, unsp |
| 03691X1 | Maternal care for fetal problem, unsp, first tri, fetus 1 |
| 03691X2 | Maternal care for fetal problem, unsp, first tri, fetus 2 |
| 03691X3 | Maternal care for fetal problem, unsp, first tri, fetus 3 |
| 03691X4 | Maternal care for fetal problem, unsp, first tri, fetus 4 |

| | |
|---------|--|
| O3691X5 | Maternal care for fetal problem, unsp, first tri, fetus 5 |
| O3691X9 | Maternal care for fetal problem, unsp, first trimester, oth |
| O3692X0 | Maternal care for fetal problem, unsp, second tri, unsp |
| O3692X1 | Maternal care for fetal problem, unsp, second tri, fetus 1 |
| O3692X2 | Maternal care for fetal problem, unsp, second tri, fetus 2 |
| O3692X3 | Maternal care for fetal problem, unsp, second tri, fetus 3 |
| O3692X4 | Maternal care for fetal problem, unsp, second tri, fetus 4 |
| O3692X5 | Maternal care for fetal problem, unsp, second tri, fetus 5 |
| O3692X9 | Maternal care for fetal problem, unsp, second trimester, oth |
| O3693X0 | Maternal care for fetal problem, unsp, third trimester, unsp |
| O3693X1 | Maternal care for fetal problem, unsp, third tri, fetus 1 |
| O3693X2 | Maternal care for fetal problem, unsp, third tri, fetus 2 |
| O3693X3 | Maternal care for fetal problem, unsp, third tri, fetus 3 |
| O3693X4 | Maternal care for fetal problem, unsp, third tri, fetus 4 |
| O3693X5 | Maternal care for fetal problem, unsp, third tri, fetus 5 |
| O3693X9 | Maternal care for fetal problem, unsp, third trimester, oth |
| O401XX0 | Polyhydramnios, first trimester, not applicable or unsp |
| O401XX1 | Polyhydramnios, first trimester, fetus 1 |
| O401XX2 | Polyhydramnios, first trimester, fetus 2 |
| O401XX3 | Polyhydramnios, first trimester, fetus 3 |
| O401XX4 | Polyhydramnios, first trimester, fetus 4 |
| O401XX5 | Polyhydramnios, first trimester, fetus 5 |
| O401XX9 | Polyhydramnios, first trimester, other fetus |
| O402XX0 | Polyhydramnios, second trimester, not applicable or unsp |
| O402XX1 | Polyhydramnios, second trimester, fetus 1 |
| O402XX2 | Polyhydramnios, second trimester, fetus 2 |
| O402XX3 | Polyhydramnios, second trimester, fetus 3 |
| O402XX4 | Polyhydramnios, second trimester, fetus 4 |
| O402XX5 | Polyhydramnios, second trimester, fetus 5 |
| O402XX9 | Polyhydramnios, second trimester, other fetus |
| O403XX0 | Polyhydramnios, third trimester, not applicable or unsp |
| O403XX1 | Polyhydramnios, third trimester, fetus 1 |
| O403XX2 | Polyhydramnios, third trimester, fetus 2 |
| O403XX3 | Polyhydramnios, third trimester, fetus 3 |
| O403XX4 | Polyhydramnios, third trimester, fetus 4 |
| O403XX5 | Polyhydramnios, third trimester, fetus 5 |
| O403XX9 | Polyhydramnios, third trimester, other fetus |
| O409XX0 | Polyhydramnios, unsp trimester, not applicable or unsp |
| O409XX1 | Polyhydramnios, unspecified trimester, fetus 1 |
| O409XX2 | Polyhydramnios, unspecified trimester, fetus 2 |
| O409XX3 | Polyhydramnios, unspecified trimester, fetus 3 |
| O409XX4 | Polyhydramnios, unspecified trimester, fetus 4 |
| O409XX5 | Polyhydramnios, unspecified trimester, fetus 5 |
| O409XX9 | Polyhydramnios, unspecified trimester, other fetus |
| O4100X0 | Oligohydramnios, unsp trimester, not applicable or unsp |
| O4100X1 | Oligohydramnios, unspecified trimester, fetus 1 |
| O4100X2 | Oligohydramnios, unspecified trimester, fetus 2 |
| O4100X3 | Oligohydramnios, unspecified trimester, fetus 3 |
| O4100X4 | Oligohydramnios, unspecified trimester, fetus 4 |
| O4100X5 | Oligohydramnios, unspecified trimester, fetus 5 |
| O4100X9 | Oligohydramnios, unspecified trimester, other fetus |
| O4101X0 | Oligohydramnios, first trimester, not applicable or unsp |

| | |
|---------|--|
| O4101X1 | Oligohydramnios, first trimester, fetus 1 |
| O4101X2 | Oligohydramnios, first trimester, fetus 2 |
| O4101X3 | Oligohydramnios, first trimester, fetus 3 |
| O4101X4 | Oligohydramnios, first trimester, fetus 4 |
| O4101X5 | Oligohydramnios, first trimester, fetus 5 |
| O4101X9 | Oligohydramnios, first trimester, other fetus |
| O4102X0 | Oligohydramnios, second trimester, not applicable or unsp |
| O4102X1 | Oligohydramnios, second trimester, fetus 1 |
| O4102X2 | Oligohydramnios, second trimester, fetus 2 |
| O4102X3 | Oligohydramnios, second trimester, fetus 3 |
| O4102X4 | Oligohydramnios, second trimester, fetus 4 |
| O4102X5 | Oligohydramnios, second trimester, fetus 5 |
| O4102X9 | Oligohydramnios, second trimester, other fetus |
| O4103X0 | Oligohydramnios, third trimester, not applicable or unsp |
| O4103X1 | Oligohydramnios, third trimester, fetus 1 |
| O4103X2 | Oligohydramnios, third trimester, fetus 2 |
| O4103X3 | Oligohydramnios, third trimester, fetus 3 |
| O4103X4 | Oligohydramnios, third trimester, fetus 4 |
| O4103X5 | Oligohydramnios, third trimester, fetus 5 |
| O4103X9 | Oligohydramnios, third trimester, other fetus |
| O411010 | Infct of amniotic sac and membrns, unsp, first tri, unsp |
| O411011 | Infct of amniotic sac and membrns, unsp, first tri, fetus 1 |
| O411012 | Infct of amniotic sac and membrns, unsp, first tri, fetus 2 |
| O411013 | Infct of amniotic sac and membrns, unsp, first tri, fetus 3 |
| O411014 | Infct of amniotic sac and membrns, unsp, first tri, fetus 4 |
| O411015 | Infct of amniotic sac and membrns, unsp, first tri, fetus 5 |
| O411019 | Infct of amniotic sac and membrns, unsp, first tri, oth |
| O411020 | Infct of amniotic sac and membrns, unsp, second tri, unsp |
| O411021 | Infct of amniotic sac and membrns, unsp, second tri, fetus 1 |
| O411022 | Infct of amniotic sac and membrns, unsp, second tri, fetus 2 |
| O411023 | Infct of amniotic sac and membrns, unsp, second tri, fetus 3 |
| O411024 | Infct of amniotic sac and membrns, unsp, second tri, fetus 4 |
| O411025 | Infct of amniotic sac and membrns, unsp, second tri, fetus 5 |
| O411029 | Infct of amniotic sac and membrns, unsp, second tri, oth |
| O411030 | Infct of amniotic sac and membrns, unsp, third tri, unsp |
| O411031 | Infct of amniotic sac and membrns, unsp, third tri, fetus 1 |
| O411032 | Infct of amniotic sac and membrns, unsp, third tri, fetus 2 |
| O411033 | Infct of amniotic sac and membrns, unsp, third tri, fetus 3 |
| O411034 | Infct of amniotic sac and membrns, unsp, third tri, fetus 4 |
| O411035 | Infct of amniotic sac and membrns, unsp, third tri, fetus 5 |
| O411039 | Infct of amniotic sac and membrns, unsp, third tri, oth |
| O411090 | Infct of amniotic sac and membrns, unsp, unsp tri, unsp |
| O411091 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 1 |
| O411092 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 2 |
| O411093 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 3 |
| O411094 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 4 |
| O411095 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 5 |
| O411099 | Infct of amniotic sac and membrns, unsp, unsp trimester, oth |
| O411210 | Chorioamnionitis, first trimester, not applicable or unsp |
| O411211 | Chorioamnionitis, first trimester, fetus 1 |
| O411212 | Chorioamnionitis, first trimester, fetus 2 |
| O411213 | Chorioamnionitis, first trimester, fetus 3 |

| | |
|---------|--|
| O411214 | Chorioamnionitis, first trimester, fetus 4 |
| O411215 | Chorioamnionitis, first trimester, fetus 5 |
| O411219 | Chorioamnionitis, first trimester, other fetus |
| O411220 | Chorioamnionitis, second trimester, not applicable or unsp |
| O411221 | Chorioamnionitis, second trimester, fetus 1 |
| O411222 | Chorioamnionitis, second trimester, fetus 2 |
| O411223 | Chorioamnionitis, second trimester, fetus 3 |
| O411224 | Chorioamnionitis, second trimester, fetus 4 |
| O411225 | Chorioamnionitis, second trimester, fetus 5 |
| O411229 | Chorioamnionitis, second trimester, other fetus |
| O411230 | Chorioamnionitis, third trimester, not applicable or unsp |
| O411231 | Chorioamnionitis, third trimester, fetus 1 |
| O411232 | Chorioamnionitis, third trimester, fetus 2 |
| O411233 | Chorioamnionitis, third trimester, fetus 3 |
| O411234 | Chorioamnionitis, third trimester, fetus 4 |
| O411235 | Chorioamnionitis, third trimester, fetus 5 |
| O411239 | Chorioamnionitis, third trimester, other fetus |
| O411290 | Chorioamnionitis, unsp trimester, not applicable or unsp |
| O411291 | Chorioamnionitis, unspecified trimester, fetus 1 |
| O411292 | Chorioamnionitis, unspecified trimester, fetus 2 |
| O411293 | Chorioamnionitis, unspecified trimester, fetus 3 |
| O411294 | Chorioamnionitis, unspecified trimester, fetus 4 |
| O411295 | Chorioamnionitis, unspecified trimester, fetus 5 |
| O411299 | Chorioamnionitis, unspecified trimester, other fetus |
| O411410 | Placentitis, first trimester, not applicable or unspecified |
| O411411 | Placentitis, first trimester, fetus 1 |
| O411412 | Placentitis, first trimester, fetus 2 |
| O411413 | Placentitis, first trimester, fetus 3 |
| O411414 | Placentitis, first trimester, fetus 4 |
| O411415 | Placentitis, first trimester, fetus 5 |
| O411419 | Placentitis, first trimester, other fetus |
| O411420 | Placentitis, second trimester, not applicable or unspecified |
| O411421 | Placentitis, second trimester, fetus 1 |
| O411422 | Placentitis, second trimester, fetus 2 |
| O411423 | Placentitis, second trimester, fetus 3 |
| O411424 | Placentitis, second trimester, fetus 4 |
| O411425 | Placentitis, second trimester, fetus 5 |
| O411429 | Placentitis, second trimester, other fetus |
| O411430 | Placentitis, third trimester, not applicable or unspecified |
| O411431 | Placentitis, third trimester, fetus 1 |
| O411432 | Placentitis, third trimester, fetus 2 |
| O411433 | Placentitis, third trimester, fetus 3 |
| O411434 | Placentitis, third trimester, fetus 4 |
| O411435 | Placentitis, third trimester, fetus 5 |
| O411439 | Placentitis, third trimester, other fetus |
| O411490 | Placentitis, unsp trimester, not applicable or unspecified |
| O411491 | Placentitis, unspecified trimester, fetus 1 |
| O411492 | Placentitis, unspecified trimester, fetus 2 |
| O411493 | Placentitis, unspecified trimester, fetus 3 |
| O411494 | Placentitis, unspecified trimester, fetus 4 |
| O411495 | Placentitis, unspecified trimester, fetus 5 |
| O411499 | Placentitis, unspecified trimester, other fetus |

| | |
|---------|--|
| O418X10 | Oth disrd of amniotic fluid and membrns, first tri, unsp |
| O418X11 | Oth disrd of amniotic fluid and membrns, first tri, fetus 1 |
| O418X12 | Oth disrd of amniotic fluid and membrns, first tri, fetus 2 |
| O418X13 | Oth disrd of amniotic fluid and membrns, first tri, fetus 3 |
| O418X14 | Oth disrd of amniotic fluid and membrns, first tri, fetus 4 |
| O418X15 | Oth disrd of amniotic fluid and membrns, first tri, fetus 5 |
| O418X19 | Oth disrd of amniotic fluid and membrns, first tri, oth |
| O418X20 | Oth disrd of amniotic fluid and membrns, second tri, unsp |
| O418X21 | Oth disrd of amniotic fluid and membrns, second tri, fetus 1 |
| O418X22 | Oth disrd of amniotic fluid and membrns, second tri, fetus 2 |
| O418X23 | Oth disrd of amniotic fluid and membrns, second tri, fetus 3 |
| O418X24 | Oth disrd of amniotic fluid and membrns, second tri, fetus 4 |
| O418X25 | Oth disrd of amniotic fluid and membrns, second tri, fetus 5 |
| O418X29 | Oth disrd of amniotic fluid and membrns, second tri, oth |
| O418X30 | Oth disrd of amniotic fluid and membrns, third tri, unsp |
| O418X31 | Oth disrd of amniotic fluid and membrns, third tri, fetus 1 |
| O418X32 | Oth disrd of amniotic fluid and membrns, third tri, fetus 2 |
| O418X33 | Oth disrd of amniotic fluid and membrns, third tri, fetus 3 |
| O418X34 | Oth disrd of amniotic fluid and membrns, third tri, fetus 4 |
| O418X35 | Oth disrd of amniotic fluid and membrns, third tri, fetus 5 |
| O418X39 | Oth disrd of amniotic fluid and membrns, third tri, oth |
| O418X90 | Oth disrd of amniotic fluid and membrns, unsp tri, unsp |
| O418X91 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 1 |
| O418X92 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 2 |
| O418X93 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 3 |
| O418X94 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 4 |
| O418X95 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 5 |
| O418X99 | Oth disrd of amniotic fluid and membrns, unsp trimester, oth |
| O4190X0 | Disorder of amniotic fluid and membrns, unsp, unsp tri, unsp |
| O4190X1 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 1 |
| O4190X2 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 2 |
| O4190X3 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 3 |
| O4190X4 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 4 |
| O4190X5 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 5 |
| O4190X9 | Disorder of amniotic fluid and membrns, unsp, unsp tri, oth |
| O4191X0 | Disorder of amnio fluid and membrns, unsp, first tri, unsp |
| O4191X1 | Disord of amnio fluid and membrns, unsp, first tri, fetus 1 |
| O4191X2 | Disord of amnio fluid and membrns, unsp, first tri, fetus 2 |
| O4191X3 | Disord of amnio fluid and membrns, unsp, first tri, fetus 3 |
| O4191X4 | Disord of amnio fluid and membrns, unsp, first tri, fetus 4 |
| O4191X5 | Disord of amnio fluid and membrns, unsp, first tri, fetus 5 |
| O4191X9 | Disorder of amniotic fluid and membrns, unsp, first tri, oth |
| O4192X0 | Disorder of amnio fluid and membrns, unsp, second tri, unsp |
| O4192X1 | Disord of amnio fluid and membrns, unsp, second tri, fetus 1 |
| O4192X2 | Disord of amnio fluid and membrns, unsp, second tri, fetus 2 |
| O4192X3 | Disord of amnio fluid and membrns, unsp, second tri, fetus 3 |
| O4192X4 | Disord of amnio fluid and membrns, unsp, second tri, fetus 4 |
| O4192X5 | Disord of amnio fluid and membrns, unsp, second tri, fetus 5 |
| O4192X9 | Disorder of amnio fluid and membrns, unsp, second tri, oth |
| O4193X0 | Disorder of amnio fluid and membrns, unsp, third tri, unsp |
| O4193X1 | Disord of amnio fluid and membrns, unsp, third tri, fetus 1 |
| O4193X2 | Disord of amnio fluid and membrns, unsp, third tri, fetus 2 |

| | |
|---------|---|
| O4193X3 | Disord of amnio fluid and membrns, unsp, third tri, fetus 3 |
| O4193X4 | Disord of amnio fluid and membrns, unsp, third tri, fetus 4 |
| O4193X5 | Disord of amnio fluid and membrns, unsp, third tri, fetus 5 |
| O4193X9 | Disorder of amniotic fluid and membrns, unsp, third tri, oth |
| O4200 | Prem ROM, onset labor w/n 24 hr of rupt, unsp weeks of gest |
| O42011 | Preterm prem ROM, onset labor w/n 24 hours of rupt, first tri |
| O42012 | Preterm prem ROM, onset labor w/n 24 hours of rupt, 2nd tri |
| O42013 | Preterm prem ROM, onset labor w/n 24 hours of rupt, third tri |
| O42019 | Preterm prem ROM, onset labor w/n 24 hours of rupt, unsp tri |
| O4202 | Full-term prem ROM, onset labor within 24 hours of rupture |
| O4210 | Prem ROM, onset labor > 24 hr fol rupt, unsp weeks of gest |
| O42111 | Preterm prem ROM, onset labor > 24 hours fol rupt, first tri |
| O42112 | Preterm prem ROM, onset labor > 24 hours fol rupt, second tri |
| O42113 | Preterm prem ROM, onset labor > 24 hours fol rupt, third tri |
| O42119 | Preterm prem ROM, onset labor > 24 hours fol rupt, unsp tri |
| O4212 | Full-term premature ROM, onset labor > 24 hours fol rupture |
| O4290 | Prem ROM, 7th0 betw rupt & onst labr, unsp weeks of gest |
| O42911 | Preterm prem ROM, unsp time betw rupt and onset labr, 1st tri |
| O42912 | Preterm prem ROM, unsp time betw rupt and onset labr, 2nd tri |
| O42913 | Preterm prem ROM, unsp time betw rupt and onst labr, 3rd tri |
| O42919 | Preterm prem ROM, unsp time betw rupt and onst labr, unsp tri |
| O4292 | Full-term prem ROM, unsp time betw rupture and onset labor |
| O43011 | Fetomaternal placental transfusion syndrome, first trimester |
| O43012 | Fetomaternal placental transfuse syndrome, second trimester |
| O43013 | Fetomaternal placental transfusion syndrome, third trimester |
| O43019 | Fetomaternal placental transfusion syndrome, unsp trimester |
| O43021 | Fetus-to-fetus placental transfuse syndrome, first trimester |
| O43022 | Fetus-to-fetus placntl transfuse syndrome, second trimester |
| O43023 | Fetus-to-fetus placental transfuse syndrome, third trimester |
| O43029 | Fetus-to-fetus placental transfuse syndrome, unsp trimester |
| O43101 | Malformation of placenta, unspecified, first trimester |
| O43102 | Malformation of placenta, unspecified, second trimester |
| O43103 | Malformation of placenta, unspecified, third trimester |
| O43109 | Malformation of placenta, unspecified, unspecified trimester |
| O43111 | Circumvallate placenta, first trimester |
| O43112 | Circumvallate placenta, second trimester |
| O43113 | Circumvallate placenta, third trimester |
| O43119 | Circumvallate placenta, unspecified trimester |
| O43121 | Velamentous insertion of umbilical cord, first trimester |
| O43122 | Velamentous insertion of umbilical cord, second trimester |
| O43123 | Velamentous insertion of umbilical cord, third trimester |
| O43129 | Velamentous insertion of umbilical cord, unsp trimester |
| O43191 | Other malformation of placenta, first trimester |
| O43192 | Other malformation of placenta, second trimester |
| O43193 | Other malformation of placenta, third trimester |
| O43199 | Other malformation of placenta, unspecified trimester |
| O43211 | Placenta accreta, first trimester |
| O43212 | Placenta accreta, second trimester |
| O43213 | Placenta accreta, third trimester |
| O43219 | Placenta accreta, unspecified trimester |
| O43221 | Placenta increta, first trimester |
| O43222 | Placenta increta, second trimester |

| | |
|--------|--|
| O43223 | Placenta increta, third trimester |
| O43229 | Placenta increta, unspecified trimester |
| O43231 | Placenta percreta, first trimester |
| O43232 | Placenta percreta, second trimester |
| O43233 | Placenta percreta, third trimester |
| O43239 | Placenta percreta, unspecified trimester |
| O43811 | Placental infarction, first trimester |
| O43812 | Placental infarction, second trimester |
| O43813 | Placental infarction, third trimester |
| O43819 | Placental infarction, unspecified trimester |
| O43891 | Other placental disorders, first trimester |
| O43892 | Other placental disorders, second trimester |
| O43893 | Other placental disorders, third trimester |
| O43899 | Other placental disorders, unspecified trimester |
| O4390 | Unspecified placental disorder, unspecified trimester |
| O4391 | Unspecified placental disorder, first trimester |
| O4392 | Unspecified placental disorder, second trimester |
| O4393 | Unspecified placental disorder, third trimester |
| O4400 | Complete placenta previa NOS or without hemor, unsp tri |
| O4401 | Complete placenta previa NOS or without hemor, first tri |
| O4402 | Complete placenta previa NOS or without hemor, second tri |
| O4403 | Complete placenta previa NOS or without hemor, third tri |
| O4410 | Complete placenta previa with hemorrhage, unsp trimester |
| O4411 | Complete placenta previa with hemorrhage, first trimester |
| O4412 | Complete placenta previa with hemorrhage, second trimester |
| O4413 | Complete placenta previa with hemorrhage, third trimester |
| O4420 | Partial placenta previa NOS or without hemor, unsp trimester |
| O4421 | Partial placenta previa NOS or without hemor, first tri |
| O4422 | Partial placenta previa NOS or without hemor, second tri |
| O4423 | Partial placenta previa NOS or without hemor, third tri |
| O4430 | Partial placenta previa with hemorrhage, unsp trimester |
| O4431 | Partial placenta previa with hemorrhage, first trimester |
| O4432 | Partial placenta previa with hemorrhage, second trimester |
| O4433 | Partial placenta previa with hemorrhage, third trimester |
| O4440 | Low lying placenta NOS or without hemorrhage, unsp trimester |
| O4441 | Low lying placenta NOS or without hemor, first trimester |
| O4442 | Low lying placenta NOS or without hemor, second trimester |
| O4443 | Low lying placenta NOS or without hemor, third trimester |
| O4450 | Low lying placenta with hemorrhage, unspecified trimester |
| O4451 | Low lying placenta with hemorrhage, first trimester |
| O4452 | Low lying placenta with hemorrhage, second trimester |
| O4453 | Low lying placenta with hemorrhage, third trimester |
| O45001 | Prem separn of placenta w coag defect, unsp, first tri |
| O45002 | Prem separn of placenta w coag defect, unsp, second tri |
| O45003 | Prem separn of placenta w coag defect, unsp, third tri |
| O45009 | Prem separn of placenta w coag defect, unsp, unsp trimester |
| O45011 | Prem separn of placenta w afibrinogenemia, first trimester |
| O45012 | Prem separn of placenta w afibrinogenemia, second trimester |
| O45013 | Prem separn of placenta w afibrinogenemia, third trimester |
| O45019 | Prem separn of placenta w afibrinogenemia, unsp trimester |
| O45021 | Prem separn of placenta w dissem intravasc coag, first tri |
| O45022 | Prem separn of placenta w dissem intravasc coag, second tri |

| | |
|---------|--|
| O45023 | Prem separtn of placenta w dissem intravasc coag, third tri |
| O45029 | Prem separtn of placenta w dissem intravasc coag, unsp tri |
| O45091 | Prem separtn of placenta w oth coag defect, first trimester |
| O45092 | Prem separtn of placenta w oth coag defect, second trimester |
| O45093 | Prem separtn of placenta w oth coag defect, third trimester |
| O45099 | Prem separtn of placenta w oth coag defect, unsp trimester |
| O458X1 | Other premature separation of placenta, first trimester |
| O458X2 | Other premature separation of placenta, second trimester |
| O458X3 | Other premature separation of placenta, third trimester |
| O458X9 | Other premature separation of placenta, unsp trimester |
| O4590 | Premature separation of placenta, unsp, unsp trimester |
| O4591 | Premature separation of placenta, unsp, first trimester |
| O4592 | Premature separation of placenta, unsp, second trimester |
| O4593 | Premature separation of placenta, unsp, third trimester |
| O46001 | Antepartum hemorrhage w coag defect, unsp, first trimester |
| O46002 | Antepartum hemorrhage w coag defect, unsp, second trimester |
| O46003 | Antepartum hemorrhage w coag defect, unsp, third trimester |
| O46009 | Antepartum hemorrhage w coag defect, unsp, unsp trimester |
| O46011 | Antepartum hemorrhage with afibrinogenemia, first trimester |
| O46012 | Antepartum hemorrhage with afibrinogenemia, second trimester |
| O46013 | Antepartum hemorrhage with afibrinogenemia, third trimester |
| O46019 | Antepartum hemorrhage with afibrinogenemia, unsp trimester |
| O46021 | Antepart hemorrhage w dissem intravasc coag, first trimester |
| O46022 | Antepart hemor w dissem intravasc coag, second trimester |
| O46023 | Antepart hemorrhage w dissem intravasc coag, third trimester |
| O46029 | Antepart hemorrhage w dissem intravasc coag, unsp trimester |
| O46091 | Antepartum hemorrhage w oth coag defect, first trimester |
| O46092 | Antepartum hemorrhage w oth coag defect, second trimester |
| O46093 | Antepartum hemorrhage w oth coag defect, third trimester |
| O46099 | Antepartum hemorrhage w oth coag defect, unsp trimester |
| O468X1 | Other antepartum hemorrhage, first trimester |
| O468X2 | Other antepartum hemorrhage, second trimester |
| O468X3 | Other antepartum hemorrhage, third trimester |
| O468X9 | Other antepartum hemorrhage, unspecified trimester |
| O4690 | Antepartum hemorrhage, unspecified, unspecified trimester |
| O4691 | Antepartum hemorrhage, unspecified, first trimester |
| O4692 | Antepartum hemorrhage, unspecified, second trimester |
| O4693 | Antepartum hemorrhage, unspecified, third trimester |
| O4700 | False labor before 37 completed weeks of gest, unsp tri |
| O4702 | False labor before 37 completed weeks of gest, second tri |
| O4703 | False labor before 37 completed weeks of gest, third tri |
| O471 | False labor at or after 37 completed weeks of gestation |
| O479 | False labor, unspecified |
| O480 | Post-term pregnancy |
| O481 | Prolonged pregnancy |
| O6000 | Preterm labor without delivery, unspecified trimester |
| O6002 | Preterm labor without delivery, second trimester |
| O6003 | Preterm labor without delivery, third trimester |
| O6010X0 | Preterm labor w preterm delivery, unsp trimester, unsp |
| O6010X1 | Preterm labor with preterm delivery, unsp trimester, fetus 1 |
| O6010X2 | Preterm labor with preterm delivery, unsp trimester, fetus 2 |
| O6010X3 | Preterm labor with preterm delivery, unsp trimester, fetus 3 |

| | |
|---------|--|
| O6010X4 | Preterm labor with preterm delivery, unsp trimester, fetus 4 |
| O6010X5 | Preterm labor with preterm delivery, unsp trimester, fetus 5 |
| O6010X9 | Preterm labor w preterm delivery, unsp trimester, oth fetus |
| O6012X0 | Preterm labor second tri w preterm delivery second tri, unsp |
| O6012X1 | Preterm labor second tri w preterm del second tri, fetus 1 |
| O6012X2 | Preterm labor second tri w preterm del second tri, fetus 2 |
| O6012X3 | Preterm labor second tri w preterm del second tri, fetus 3 |
| O6012X4 | Preterm labor second tri w preterm del second tri, fetus 4 |
| O6012X5 | Preterm labor second tri w preterm del second tri, fetus 5 |
| O6012X9 | Preterm labor second tri w preterm delivery second tri, oth |
| O6013X0 | Preterm labor second tri w preterm delivery third tri, unsp |
| O6013X1 | Preterm labor second tri w preterm del third tri, fetus 1 |
| O6013X2 | Preterm labor second tri w preterm del third tri, fetus 2 |
| O6013X3 | Preterm labor second tri w preterm del third tri, fetus 3 |
| O6013X4 | Preterm labor second tri w preterm del third tri, fetus 4 |
| O6013X5 | Preterm labor second tri w preterm del third tri, fetus 5 |
| O6013X9 | Preterm labor second tri w preterm delivery third tri, oth |
| O6014X0 | Preterm labor third tri w preterm delivery third tri, unsp |
| O6014X1 | Preterm labor third tri w preterm del third tri, fetus 1 |
| O6014X2 | Preterm labor third tri w preterm del third tri, fetus 2 |
| O6014X3 | Preterm labor third tri w preterm del third tri, fetus 3 |
| O6014X4 | Preterm labor third tri w preterm del third tri, fetus 4 |
| O6014X5 | Preterm labor third tri w preterm del third tri, fetus 5 |
| O6014X9 | Preterm labor third tri w preterm delivery third tri, oth |
| O6020X0 | Term delivery w preterm labor, unsp trimester, unsp |
| O6020X1 | Term delivery with preterm labor, unsp trimester, fetus 1 |
| O6020X2 | Term delivery with preterm labor, unsp trimester, fetus 2 |
| O6020X3 | Term delivery with preterm labor, unsp trimester, fetus 3 |
| O6020X4 | Term delivery with preterm labor, unsp trimester, fetus 4 |
| O6020X5 | Term delivery with preterm labor, unsp trimester, fetus 5 |
| O6020X9 | Term delivery with preterm labor, unsp trimester, oth fetus |
| O6022X0 | Term delivery w preterm labor, second trimester, unsp |
| O6022X1 | Term delivery with preterm labor, second trimester, fetus 1 |
| O6022X2 | Term delivery with preterm labor, second trimester, fetus 2 |
| O6022X3 | Term delivery with preterm labor, second trimester, fetus 3 |
| O6022X4 | Term delivery with preterm labor, second trimester, fetus 4 |
| O6022X5 | Term delivery with preterm labor, second trimester, fetus 5 |
| O6022X9 | Term delivery w preterm labor, second trimester, oth fetus |
| O6023X0 | Term delivery w preterm labor, third trimester, unsp |
| O6023X1 | Term delivery with preterm labor, third trimester, fetus 1 |
| O6023X2 | Term delivery with preterm labor, third trimester, fetus 2 |
| O6023X3 | Term delivery with preterm labor, third trimester, fetus 3 |
| O6023X4 | Term delivery with preterm labor, third trimester, fetus 4 |
| O6023X5 | Term delivery with preterm labor, third trimester, fetus 5 |
| O6023X9 | Term delivery with preterm labor, third trimester, oth fetus |
| O610 | Failed medical induction of labor |
| O611 | Failed instrumental induction of labor |
| O618 | Other failed induction of labor |
| O619 | Failed induction of labor, unspecified |
| O620 | Primary inadequate contractions |
| O621 | Secondary uterine inertia |
| O622 | Other uterine inertia |

| | |
|---------|--|
| O623 | Precipitate labor |
| O624 | Hypertonic, incoordinate, and prolonged uterine contractions |
| O628 | Other abnormalities of forces of labor |
| O629 | Abnormality of forces of labor, unspecified |
| O630 | Prolonged first stage (of labor) |
| O631 | Prolonged second stage (of labor) |
| O632 | Delayed delivery of second twin, triplet, etc. |
| O639 | Long labor, unspecified |
| O640XX0 | Obstructed labor due to incmpl rotation of fetal head, unsp |
| O640XX1 | Obst labor due to incmpl rotation of fetal head, fetus 1 |
| O640XX2 | Obst labor due to incmpl rotation of fetal head, fetus 2 |
| O640XX3 | Obst labor due to incmpl rotation of fetal head, fetus 3 |
| O640XX4 | Obst labor due to incmpl rotation of fetal head, fetus 4 |
| O640XX5 | Obst labor due to incmpl rotation of fetal head, fetus 5 |
| O640XX9 | Obstructed labor due to incmpl rotation of fetal head, oth |
| O641XX0 | Obstructed labor due to breech presentation, unsp |
| O641XX1 | Obstructed labor due to breech presentation, fetus 1 |
| O641XX2 | Obstructed labor due to breech presentation, fetus 2 |
| O641XX3 | Obstructed labor due to breech presentation, fetus 3 |
| O641XX4 | Obstructed labor due to breech presentation, fetus 4 |
| O641XX5 | Obstructed labor due to breech presentation, fetus 5 |
| O641XX9 | Obstructed labor due to breech presentation, other fetus |
| O642XX0 | Obstructed labor due to face presentation, unsp |
| O642XX1 | Obstructed labor due to face presentation, fetus 1 |
| O642XX2 | Obstructed labor due to face presentation, fetus 2 |
| O642XX3 | Obstructed labor due to face presentation, fetus 3 |
| O642XX4 | Obstructed labor due to face presentation, fetus 4 |
| O642XX5 | Obstructed labor due to face presentation, fetus 5 |
| O642XX9 | Obstructed labor due to face presentation, other fetus |
| O643XX0 | Obstructed labor due to brow presentation, unsp |
| O643XX1 | Obstructed labor due to brow presentation, fetus 1 |
| O643XX2 | Obstructed labor due to brow presentation, fetus 2 |
| O643XX3 | Obstructed labor due to brow presentation, fetus 3 |
| O643XX4 | Obstructed labor due to brow presentation, fetus 4 |
| O643XX5 | Obstructed labor due to brow presentation, fetus 5 |
| O643XX9 | Obstructed labor due to brow presentation, other fetus |
| O644XX0 | Obstructed labor due to shoulder presentation, unsp |
| O644XX1 | Obstructed labor due to shoulder presentation, fetus 1 |
| O644XX2 | Obstructed labor due to shoulder presentation, fetus 2 |
| O644XX3 | Obstructed labor due to shoulder presentation, fetus 3 |
| O644XX4 | Obstructed labor due to shoulder presentation, fetus 4 |
| O644XX5 | Obstructed labor due to shoulder presentation, fetus 5 |
| O644XX9 | Obstructed labor due to shoulder presentation, other fetus |
| O645XX0 | Obstructed labor due to compound presentation, unsp |
| O645XX1 | Obstructed labor due to compound presentation, fetus 1 |
| O645XX2 | Obstructed labor due to compound presentation, fetus 2 |
| O645XX3 | Obstructed labor due to compound presentation, fetus 3 |
| O645XX4 | Obstructed labor due to compound presentation, fetus 4 |
| O645XX5 | Obstructed labor due to compound presentation, fetus 5 |
| O645XX9 | Obstructed labor due to compound presentation, other fetus |
| O648XX0 | Obstructed labor due to oth malposition and malpresent, unsp |
| O648XX1 | Obstructed labor due to oth malpos and malpresent, fetus 1 |

| | |
|---------|--|
| O648XX2 | Obstructed labor due to oth malpos and malpresent, fetus 2 |
| O648XX3 | Obstructed labor due to oth malpos and malpresent, fetus 3 |
| O648XX4 | Obstructed labor due to oth malpos and malpresent, fetus 4 |
| O648XX5 | Obstructed labor due to oth malpos and malpresent, fetus 5 |
| O648XX9 | Obstructed labor due to oth malposition and malpresent, oth |
| O649XX0 | Obstructed labor due to malpos and malpresent, unsp, unsp |
| O649XX1 | Obstructed labor due to malpos and malpresent, unsp, fetus 1 |
| O649XX2 | Obstructed labor due to malpos and malpresent, unsp, fetus 2 |
| O649XX3 | Obstructed labor due to malpos and malpresent, unsp, fetus 3 |
| O649XX4 | Obstructed labor due to malpos and malpresent, unsp, fetus 4 |
| O649XX5 | Obstructed labor due to malpos and malpresent, unsp, fetus 5 |
| O649XX9 | Obstructed labor due to malpos and malpresent, unsp, oth |
| O650 | Obstructed labor due to deformed pelvis |
| O651 | Obstructed labor due to generally contracted pelvis |
| O652 | Obstructed labor due to pelvic inlet contraction |
| O653 | Obst labor due to pelvic outlet and mid-cavity contrctn |
| O654 | Obstructed labor due to fetopelvic disproportion, unsp |
| O655 | Obstructed labor due to abnlt of maternal pelvic organs |
| O658 | Obstructed labor due to other maternal pelvic abnormalities |
| O659 | Obstructed labor due to maternal pelvic abnormality, unsp |
| O660 | Obstructed labor due to shoulder dystocia |
| O661 | Obstructed labor due to locked twins |
| O662 | Obstructed labor due to unusually large fetus |
| O663 | Obstructed labor due to other abnormalities of fetus |
| O6640 | Failed trial of labor, unspecified |
| O6641 | Failed attempt vaginal birth after previous cesarean del |
| O665 | Attempted application of vacuum extractor and forceps |
| O666 | Obstructed labor due to other multiple fetuses |
| O668 | Other specified obstructed labor |
| O669 | Obstructed labor, unspecified |
| O670 | Intrapartum hemorrhage with coagulation defect |
| O678 | Other intrapartum hemorrhage |
| O679 | Intrapartum hemorrhage, unspecified |
| O68 | Labor and delivery comp by abnlt of fetal acid-base balance |
| O690XX0 | Labor and delivery complicated by prolapse of cord, unsp |
| O690XX1 | Labor and delivery complicated by prolapse of cord, fetus 1 |
| O690XX2 | Labor and delivery complicated by prolapse of cord, fetus 2 |
| O690XX3 | Labor and delivery complicated by prolapse of cord, fetus 3 |
| O690XX4 | Labor and delivery complicated by prolapse of cord, fetus 4 |
| O690XX5 | Labor and delivery complicated by prolapse of cord, fetus 5 |
| O690XX9 | Labor and delivery complicated by prolapse of cord, oth |
| O691XX0 | Labor and delivery comp by cord around neck, w comprsn, unsp |
| O691XX1 | Labor and del comp by cord around neck, w comprsn, fetus 1 |
| O691XX2 | Labor and del comp by cord around neck, w comprsn, fetus 2 |
| O691XX3 | Labor and del comp by cord around neck, w comprsn, fetus 3 |
| O691XX4 | Labor and del comp by cord around neck, w comprsn, fetus 4 |
| O691XX5 | Labor and del comp by cord around neck, w comprsn, fetus 5 |
| O691XX9 | Labor and delivery comp by cord around neck, w comprsn, oth |
| O692XX0 | Labor and del comp by oth cord entangle, w comprsn, unsp |
| O692XX1 | Labor and del comp by oth cord entangle, w comprsn, fetus 1 |
| O692XX2 | Labor and del comp by oth cord entangle, w comprsn, fetus 2 |
| O692XX3 | Labor and del comp by oth cord entangle, w comprsn, fetus 3 |

| | |
|---------|--|
| O692XX4 | Labor and del comp by oth cord entangle, w comprsn, fetus 4 |
| O692XX5 | Labor and del comp by oth cord entangle, w comprsn, fetus 5 |
| O692XX9 | Labor and delivery comp by oth cord entangle, w comprsn, oth |
| O693XX0 | Labor and delivery complicated by short cord, unsp |
| O693XX1 | Labor and delivery complicated by short cord, fetus 1 |
| O693XX2 | Labor and delivery complicated by short cord, fetus 2 |
| O693XX3 | Labor and delivery complicated by short cord, fetus 3 |
| O693XX4 | Labor and delivery complicated by short cord, fetus 4 |
| O693XX5 | Labor and delivery complicated by short cord, fetus 5 |
| O693XX9 | Labor and delivery complicated by short cord, other fetus |
| O694XX0 | Labor and delivery complicated by vasa previa, unsp |
| O694XX1 | Labor and delivery complicated by vasa previa, fetus 1 |
| O694XX2 | Labor and delivery complicated by vasa previa, fetus 2 |
| O694XX3 | Labor and delivery complicated by vasa previa, fetus 3 |
| O694XX4 | Labor and delivery complicated by vasa previa, fetus 4 |
| O694XX5 | Labor and delivery complicated by vasa previa, fetus 5 |
| O694XX9 | Labor and delivery complicated by vasa previa, other fetus |
| O695XX0 | Labor and delivery comp by vascular lesion of cord, unsp |
| O695XX1 | Labor and delivery comp by vascular lesion of cord, fetus 1 |
| O695XX2 | Labor and delivery comp by vascular lesion of cord, fetus 2 |
| O695XX3 | Labor and delivery comp by vascular lesion of cord, fetus 3 |
| O695XX4 | Labor and delivery comp by vascular lesion of cord, fetus 4 |
| O695XX5 | Labor and delivery comp by vascular lesion of cord, fetus 5 |
| O695XX9 | Labor and delivery comp by vascular lesion of cord, oth |
| O6981X0 | Labor and del comp by cord around neck, w/o comprsn, unsp |
| O6981X1 | Labor and del comp by cord around neck, w/o comprsn, fetus 1 |
| O6981X2 | Labor and del comp by cord around neck, w/o comprsn, fetus 2 |
| O6981X3 | Labor and del comp by cord around neck, w/o comprsn, fetus 3 |
| O6981X4 | Labor and del comp by cord around neck, w/o comprsn, fetus 4 |
| O6981X5 | Labor and del comp by cord around neck, w/o comprsn, fetus 5 |
| O6981X9 | Labor and del comp by cord around neck, w/o comprsn, oth |
| O6982X0 | Labor and del comp by oth cord entangle, w/o comprsn, unsp |
| O6982X1 | Labor and del comp by oth cord entangle, w/o comprsn, fts1 |
| O6982X2 | Labor and del comp by oth cord entangle, w/o comprsn, fts2 |
| O6982X3 | Labor and del comp by oth cord entangle, w/o comprsn, fts3 |
| O6982X4 | Labor and del comp by oth cord entangle, w/o comprsn, fts4 |
| O6982X5 | Labor and del comp by oth cord entangle, w/o comprsn, fts5 |
| O6982X9 | Labor and del comp by oth cord entangle, w/o comprsn, oth |
| O6989X0 | Labor and delivery complicated by oth cord comp, unsp |
| O6989X1 | Labor and delivery complicated by oth cord comp, fetus 1 |
| O6989X2 | Labor and delivery complicated by oth cord comp, fetus 2 |
| O6989X3 | Labor and delivery complicated by oth cord comp, fetus 3 |
| O6989X4 | Labor and delivery complicated by oth cord comp, fetus 4 |
| O6989X5 | Labor and delivery complicated by oth cord comp, fetus 5 |
| O6989X9 | Labor and delivery complicated by oth cord comp, oth |
| O699XX0 | Labor and delivery complicated by cord comp, unsp, unsp |
| O699XX1 | Labor and delivery complicated by cord comp, unsp, fetus 1 |
| O699XX2 | Labor and delivery complicated by cord comp, unsp, fetus 2 |
| O699XX3 | Labor and delivery complicated by cord comp, unsp, fetus 3 |
| O699XX4 | Labor and delivery complicated by cord comp, unsp, fetus 4 |
| O699XX5 | Labor and delivery complicated by cord comp, unsp, fetus 5 |
| O699XX9 | Labor and delivery complicated by cord comp, unsp, oth |

| | |
|-------|--|
| O700 | First degree perineal laceration during delivery |
| O701 | Second degree perineal laceration during delivery |
| O7020 | Third degree perineal laceration during delivery, unsp |
| O7021 | Third degree perineal laceration during delivery, IIIa |
| O7022 | Third degree perineal laceration during delivery, IIIb |
| O7023 | Third degree perineal laceration during delivery, IIIc |
| O703 | Fourth degree perineal laceration during delivery |
| O704 | Anal sphincter tear comp del, not assoc w third degree lac |
| O709 | Perineal laceration during delivery, unspecified |
| O7100 | Rupture of uterus before onset of labor, unsp trimester |
| O7102 | Rupture of uterus before onset of labor, second trimester |
| O7103 | Rupture of uterus before onset of labor, third trimester |
| O711 | Rupture of uterus during labor |
| O712 | Postpartum inversion of uterus |
| O713 | Obstetric laceration of cervix |
| O714 | Obstetric high vaginal laceration alone |
| O715 | Other obstetric injury to pelvic organs |
| O716 | Obstetric damage to pelvic joints and ligaments |
| O717 | Obstetric hematoma of pelvis |
| O7181 | Laceration of uterus, not elsewhere classified |
| O7182 | Other specified trauma to perineum and vulva |
| O7189 | Other specified obstetric trauma |
| O719 | Obstetric trauma, unspecified |
| O720 | Third-stage hemorrhage |
| O721 | Other immediate postpartum hemorrhage |
| O722 | Delayed and secondary postpartum hemorrhage |
| O723 | Postpartum coagulation defects |
| O730 | Retained placenta without hemorrhage |
| O731 | Retained portions of placenta and membranes, w/o hemorrhage |
| O740 | Aspirat pneumonitis due to anesth during labor and delivery |
| O741 | Oth pulmonary comp of anesthesia during labor and delivery |
| O742 | Cardiac comp of anesthesia during labor and delivery |
| O743 | Cnsl complications of anesthesia during labor and delivery |
| O744 | Toxic reaction to local anesthesia during labor and delivery |
| O745 | Spinal and epidur anesthesia-induced hdache dur labr and del |
| O746 | Oth comp of spinal and epidural anesth during labor and del |
| O747 | Failed or difficult intubation for anesth dur labor and del |
| O748 | Other complications of anesthesia during labor and delivery |
| O749 | Complication of anesthesia during labor and delivery, unsp |
| O750 | Maternal distress during labor and delivery |
| O751 | Shock during or following labor and delivery |
| O752 | Pyrexia during labor, not elsewhere classified |
| O753 | Other infection during labor |
| O754 | Other complications of obstetric surgery and procedures |
| O755 | Delayed delivery after artificial rupture of membranes |
| O7581 | Maternal exhaustion complicating labor and delivery |
| O7582 | Onset labor 37-39 weeks, w del by (planned) cesarean section |
| O7589 | Other specified complications of labor and delivery |
| O759 | Complication of labor and delivery, unspecified |
| O76 | Abnlt in fetal heart rate and rhythm comp labor and delivery |
| O770 | Labor and delivery complicated by meconium in amniotic fluid |
| O771 | Fetal stress in labor or delivery due to drug administration |

| | |
|--------|---|
| O778 | Labor and delivery comp by oth evidence of fetal stress |
| O779 | Labor and delivery complicated by fetal stress, unspecified |
| O80 | Encounter for full-term uncomplicated delivery |
| O82 | Encounter for cesarean delivery without indication |
| O85 | Puerperal sepsis |
| O8600 | Infection of obstetric surgical wound, unspecified |
| O8601 | Infct of obstetric surgical wound, superfic incisional site |
| O8602 | Infection of obstetric surgical wound, deep incisional site |
| O8603 | Infection of obstetric surgical wound, organ and space site |
| O8604 | Sepsis following an obstetrical procedure |
| O8609 | Infection of obstetric surgical wound, other surgical site |
| O8611 | Cervicitis following delivery |
| O8612 | Endometritis following delivery |
| O8613 | Vaginitis following delivery |
| O8619 | Other infection of genital tract following delivery |
| O8620 | Urinary tract infection following delivery, unspecified |
| O8621 | Infection of kidney following delivery |
| O8622 | Infection of bladder following delivery |
| O8629 | Other urinary tract infection following delivery |
| O864 | Pyrexia of unknown origin following delivery |
| O8681 | Puerperal septic thrombophlebitis |
| O8689 | Other specified puerperal infections |
| O870 | Superficial thrombophlebitis in the puerperium |
| O871 | Deep phlebothrombosis in the puerperium |
| O872 | Hemorrhoids in the puerperium |
| O873 | Cerebral venous thrombosis in the puerperium |
| O874 | Varicose veins of lower extremity in the puerperium |
| O878 | Other venous complications in the puerperium |
| O879 | Venous complication in the puerperium, unspecified |
| O88011 | Air embolism in pregnancy, first trimester |
| O88012 | Air embolism in pregnancy, second trimester |
| O88013 | Air embolism in pregnancy, third trimester |
| O88019 | Air embolism in pregnancy, unspecified trimester |
| O8802 | Air embolism in childbirth |
| O8803 | Air embolism in the puerperium |
| O88111 | Amniotic fluid embolism in pregnancy, first trimester |
| O88112 | Amniotic fluid embolism in pregnancy, second trimester |
| O88113 | Amniotic fluid embolism in pregnancy, third trimester |
| O88119 | Amniotic fluid embolism in pregnancy, unspecified trimester |
| O8812 | Amniotic fluid embolism in childbirth |
| O8813 | Amniotic fluid embolism in the puerperium |
| O88211 | Thromboembolism in pregnancy, first trimester |
| O88212 | Thromboembolism in pregnancy, second trimester |
| O88213 | Thromboembolism in pregnancy, third trimester |
| O88219 | Thromboembolism in pregnancy, unspecified trimester |
| O8822 | Thromboembolism in childbirth |
| O8823 | Thromboembolism in the puerperium |
| O88311 | Pyemic and septic embolism in pregnancy, first trimester |
| O88312 | Pyemic and septic embolism in pregnancy, second trimester |
| O88313 | Pyemic and septic embolism in pregnancy, third trimester |
| O88319 | Pyemic and septic embolism in pregnancy, unsp trimester |
| O8832 | Pyemic and septic embolism in childbirth |

| | |
|--------|--|
| O8833 | Pyemic and septic embolism in the puerperium |
| O88811 | Other embolism in pregnancy, first trimester |
| O88812 | Other embolism in pregnancy, second trimester |
| O88813 | Other embolism in pregnancy, third trimester |
| O88819 | Other embolism in pregnancy, unspecified trimester |
| O8882 | Other embolism in childbirth |
| O8883 | Other embolism in the puerperium |
| O8901 | Aspiration pneumonitis due to anesth during the puerperium |
| O8909 | Oth pulmonary comp of anesthesia during the puerperium |
| O891 | Cardiac complications of anesthesia during the puerperium |
| O892 | Cnsl complications of anesthesia during the puerperium |
| O893 | Toxic reaction to local anesthesia during the puerperium |
| O894 | Spinal and epidur anesthesia-induced hdache during the puerp |
| O895 | Oth comp of spinal and epidural anesth during the puerperium |
| O896 | Failed or difficult intubation for anesth during the puerp |
| O898 | Other complications of anesthesia during the puerperium |
| O899 | Complication of anesthesia during the puerperium, unsp |
| O900 | Disruption of cesarean delivery wound |
| O901 | Disruption of perineal obstetric wound |
| O902 | Hematoma of obstetric wound |
| O903 | Peripartum cardiomyopathy |
| O904 | Postpartum acute kidney failure |
| O905 | Postpartum thyroiditis |
| O906 | Postpartum mood disturbance |
| O9081 | Anemia of the puerperium |
| O9089 | Oth complications of the puerperium, NEC |
| O909 | Complication of the puerperium, unspecified |
| O91011 | Infection of nipple associated w pregnancy, first trimester |
| O91012 | Infection of nipple associated w pregnancy, second trimester |
| O91013 | Infection of nipple associated w pregnancy, third trimester |
| O91019 | Infection of nipple associated w pregnancy, unsp trimester |
| O9102 | Infection of nipple associated with the puerperium |
| O9103 | Infection of nipple associated with lactation |
| O91111 | Abscess of breast associated with pregnancy, first trimester |
| O91112 | Abscess of breast associated w pregnancy, second trimester |
| O91113 | Abscess of breast associated with pregnancy, third trimester |
| O91119 | Abscess of breast associated with pregnancy, unsp trimester |
| O9112 | Abscess of breast associated with the puerperium |
| O9113 | Abscess of breast associated with lactation |
| O91211 | Nonpurulent mastitis associated w pregnancy, first trimester |
| O91212 | Nonpurulent mastitis assoc w pregnancy, second trimester |
| O91213 | Nonpurulent mastitis associated w pregnancy, third trimester |
| O91219 | Nonpurulent mastitis associated w pregnancy, unsp trimester |
| O9122 | Nonpurulent mastitis associated with the puerperium |
| O9123 | Nonpurulent mastitis associated with lactation |
| O92011 | Retracted nipple associated with pregnancy, first trimester |
| O92012 | Retracted nipple associated with pregnancy, second trimester |
| O92013 | Retracted nipple associated with pregnancy, third trimester |
| O92019 | Retracted nipple associated with pregnancy, unsp trimester |
| O9202 | Retracted nipple associated with the puerperium |
| O9203 | Retracted nipple associated with lactation |
| O92111 | Cracked nipple associated with pregnancy, first trimester |

| | |
|--------|--|
| 092112 | Cracked nipple associated with pregnancy, second trimester |
| 092113 | Cracked nipple associated with pregnancy, third trimester |
| 092119 | Cracked nipple associated with pregnancy, unsp trimester |
| 09212 | Cracked nipple associated with the puerperium |
| 09213 | Cracked nipple associated with lactation |
| 09220 | Unsp disorder of breast assoc w pregnancy and the puerperium |
| 09229 | Oth disorders of breast assoc w pregnancy and the puerperium |
| 0923 | Agalactia |
| 0924 | Hypogalactia |
| 0925 | Suppressed lactation |
| 0926 | Galactorrhea |
| 09270 | Unspecified disorders of lactation |
| 09279 | Other disorders of lactation |
| 094 | Sequelae of comp of pregnancy, chldbrth, and the puerperium |
| 098011 | Tuberculosis complicating pregnancy, first trimester |
| 098012 | Tuberculosis complicating pregnancy, second trimester |
| 098013 | Tuberculosis complicating pregnancy, third trimester |
| 098019 | Tuberculosis complicating pregnancy, unspecified trimester |
| 09802 | Tuberculosis complicating childbirth |
| 09803 | Tuberculosis complicating the puerperium |
| 098111 | Syphilis complicating pregnancy, first trimester |
| 098112 | Syphilis complicating pregnancy, second trimester |
| 098113 | Syphilis complicating pregnancy, third trimester |
| 098119 | Syphilis complicating pregnancy, unspecified trimester |
| 09812 | Syphilis complicating childbirth |
| 09813 | Syphilis complicating the puerperium |
| 098211 | Gonorrhea complicating pregnancy, first trimester |
| 098212 | Gonorrhea complicating pregnancy, second trimester |
| 098213 | Gonorrhea complicating pregnancy, third trimester |
| 098219 | Gonorrhea complicating pregnancy, unspecified trimester |
| 09822 | Gonorrhea complicating childbirth |
| 09823 | Gonorrhea complicating the puerperium |
| 098311 | Oth infect w sexl mode of transmiss comp preg, first tri |
| 098312 | Oth infect w sexl mode of transmiss comp preg, second tri |
| 098313 | Oth infect w sexl mode of transmiss comp preg, third tri |
| 098319 | Oth infect w sexl mode of transmiss comp preg, unsp tri |
| 09832 | Oth infections w sexl mode of transmiss comp childbirth |
| 09833 | Oth infections w sexl mode of transmiss comp the puerperium |
| 098411 | Viral hepatitis complicating pregnancy, first trimester |
| 098412 | Viral hepatitis complicating pregnancy, second trimester |
| 098413 | Viral hepatitis complicating pregnancy, third trimester |
| 098419 | Viral hepatitis complicating pregnancy, unsp trimester |
| 09842 | Viral hepatitis complicating childbirth |
| 09843 | Viral hepatitis complicating the puerperium |
| 098511 | Other viral diseases complicating pregnancy, first trimester |
| 098512 | Oth viral diseases complicating pregnancy, second trimester |
| 098513 | Other viral diseases complicating pregnancy, third trimester |
| 098519 | Other viral diseases complicating pregnancy, unsp trimester |
| 09852 | Other viral diseases complicating childbirth |
| 09853 | Other viral diseases complicating the puerperium |
| 098611 | Protozoal diseases complicating pregnancy, first trimester |
| 098612 | Protozoal diseases complicating pregnancy, second trimester |

| | |
|--------|---|
| O98613 | Protozoal diseases complicating pregnancy, third trimester |
| O98619 | Protozoal diseases complicating pregnancy, unsp trimester |
| O9862 | Protozoal diseases complicating childbirth |
| O9863 | Protozoal diseases complicating the puerperium |
| O98711 | Human immunodef virus disease comp preg, first trimester |
| O98712 | Human immunodef virus disease comp preg, second trimester |
| O98713 | Human immunodef virus disease comp preg, third trimester |
| O98719 | Human immunodef virus disease comp pregnancy, unsp trimester |
| O9872 | Human immunodeficiency virus disease complicating childbirth |
| O9873 | Human immunodef virus disease complicating the puerperium |
| O98811 | Oth maternal infec/parastc diseases comp preg, first tri |
| O98812 | Oth maternal infec/parastc diseases comp preg, second tri |
| O98813 | Oth maternal infec/parastc diseases comp preg, third tri |
| O98819 | Oth maternal infec/parastc diseases comp preg, unsp tri |
| O9882 | Oth maternal infec/parastc diseases complicating childbirth |
| O9883 | Oth maternal infec/parastc diseases comp the puerperium |
| O98911 | Unsp maternal infec/parastc disease comp preg, first tri |
| O98912 | Unsp maternal infec/parastc disease comp preg, second tri |
| O98913 | Unsp maternal infec/parastc disease comp preg, third tri |
| O98919 | Unsp maternal infec/parastc disease comp preg, unsp tri |
| O9892 | Unsp maternal infec/parastc disease complicating childbirth |
| O9893 | Unsp maternal infec/parastc disease comp the puerperium |
| O99011 | Anemia complicating pregnancy, first trimester |
| O99012 | Anemia complicating pregnancy, second trimester |
| O99013 | Anemia complicating pregnancy, third trimester |
| O99019 | Anemia complicating pregnancy, unspecified trimester |
| O9902 | Anemia complicating childbirth |
| O9903 | Anemia complicating the puerperium |
| O99111 | Oth dis of bld/bld-form org/immun mechnsm comp preg, 1st tri |
| O99112 | Oth dis of bld/bld-form org/immun mechnsm comp preg, 2nd tri |
| O99113 | Oth dis of bld/bld-form org/immun mechnsm comp preg, 3rd tri |
| O99119 | Oth dis of bld/bld-form org/immun mechnsm comp preg, unsp tri |
| O9912 | Oth dis of the bld/bld-form org/immun mechnsm comp chldbrth |
| O9913 | Oth dis of the bld/bld-form org/immun mechnsm comp the puerp |
| O99210 | Obesity complicating pregnancy, unspecified trimester |
| O99211 | Obesity complicating pregnancy, first trimester |
| O99212 | Obesity complicating pregnancy, second trimester |
| O99213 | Obesity complicating pregnancy, third trimester |
| O99214 | Obesity complicating childbirth |
| O99215 | Obesity complicating the puerperium |
| O99280 | Endo, nutritional and metab diseases comp preg, unsp tri |
| O99281 | Endo, nutritional and metab diseases comp preg, first tri |
| O99282 | Endo, nutritional and metab diseases comp preg, second tri |
| O99283 | Endo, nutritional and metab diseases comp preg, third tri |
| O99284 | Endocrine, nutritional and metabolic diseases comp chldbrth |
| O99285 | Endocrine, nutritional and metabolic diseases comp the puerp |
| O99310 | Alcohol use complicating pregnancy, unspecified trimester |
| O99311 | Alcohol use complicating pregnancy, first trimester |
| O99312 | Alcohol use complicating pregnancy, second trimester |
| O99313 | Alcohol use complicating pregnancy, third trimester |
| O99314 | Alcohol use complicating childbirth |
| O99315 | Alcohol use complicating the puerperium |

| | |
|--------|--|
| O99320 | Drug use complicating pregnancy, unspecified trimester |
| O99321 | Drug use complicating pregnancy, first trimester |
| O99322 | Drug use complicating pregnancy, second trimester |
| O99323 | Drug use complicating pregnancy, third trimester |
| O99324 | Drug use complicating childbirth |
| O99325 | Drug use complicating the puerperium |
| O99330 | Smoking (tobacco) complicating pregnancy, unsp trimester |
| O99331 | Smoking (tobacco) complicating pregnancy, first trimester |
| O99332 | Smoking (tobacco) complicating pregnancy, second trimester |
| O99333 | Smoking (tobacco) complicating pregnancy, third trimester |
| O99334 | Smoking (tobacco) complicating childbirth |
| O99335 | Smoking (tobacco) complicating the puerperium |
| O99340 | Oth mental disorders complicating pregnancy, unsp trimester |
| O99341 | Oth mental disorders complicating pregnancy, first trimester |
| O99342 | Oth mental disorders comp pregnancy, second trimester |
| O99343 | Oth mental disorders complicating pregnancy, third trimester |
| O99344 | Other mental disorders complicating childbirth |
| O99345 | Other mental disorders complicating the puerperium |
| O99350 | Diseases of the nervous sys comp pregnancy, unsp trimester |
| O99351 | Diseases of the nervous sys comp pregnancy, first trimester |
| O99352 | Diseases of the nervous sys comp pregnancy, second trimester |
| O99353 | Diseases of the nervous sys comp pregnancy, third trimester |
| O99354 | Diseases of the nervous system complicating childbirth |
| O99355 | Diseases of the nervous system complicating the puerperium |
| O99411 | Diseases of the circ sys comp pregnancy, first trimester |
| O99412 | Diseases of the circ sys comp pregnancy, second trimester |
| O99413 | Diseases of the circ sys comp pregnancy, third trimester |
| O99419 | Diseases of the circ sys comp pregnancy, unsp trimester |
| O9942 | Diseases of the circulatory system complicating childbirth |
| O9943 | Diseases of the circ sys complicating the puerperium |
| O99511 | Diseases of the resp sys comp pregnancy, first trimester |
| O99512 | Diseases of the resp sys comp pregnancy, second trimester |
| O99513 | Diseases of the resp sys comp pregnancy, third trimester |
| O99519 | Diseases of the resp sys comp pregnancy, unsp trimester |
| O9952 | Diseases of the respiratory system complicating childbirth |
| O9953 | Diseases of the resp sys complicating the puerperium |
| O99611 | Diseases of the dgstv sys comp pregnancy, first trimester |
| O99612 | Diseases of the dgstv sys comp pregnancy, second trimester |
| O99613 | Diseases of the dgstv sys comp pregnancy, third trimester |
| O99619 | Diseases of the dgstv sys comp pregnancy, unsp trimester |
| O9962 | Diseases of the digestive system complicating childbirth |
| O9963 | Diseases of the digestive system complicating the puerperium |
| O99711 | Diseases of the skin, subcu comp pregnancy, first trimester |
| O99712 | Diseases of the skin, subcu comp pregnancy, second trimester |
| O99713 | Diseases of the skin, subcu comp pregnancy, third trimester |
| O99719 | Diseases of the skin, subcu comp pregnancy, unsp trimester |
| O9972 | Diseases of the skin, subcu complicating childbirth |
| O9973 | Diseases of the skin, subcu complicating the puerperium |
| O99810 | Abnormal glucose complicating pregnancy |
| O99814 | Abnormal glucose complicating childbirth |
| O99815 | Abnormal glucose complicating the puerperium |
| O99820 | Streptococcus B carrier state complicating pregnancy |

| | |
|--------|---|
| O99824 | Streptococcus B carrier state complicating childbirth |
| O99825 | Streptococcus B carrier state complicating the puerperium |
| O99830 | Other infection carrier state complicating pregnancy |
| O99834 | Other infection carrier state complicating childbirth |
| O99835 | Other infection carrier state complicating the puerperium |
| O99840 | Bariatric surgery status comp pregnancy, unsp trimester |
| O99841 | Bariatric surgery status comp pregnancy, first trimester |
| O99842 | Bariatric surgery status comp pregnancy, second trimester |
| O99843 | Bariatric surgery status comp pregnancy, third trimester |
| O99844 | Bariatric surgery status complicating childbirth |
| O99845 | Bariatric surgery status complicating the puerperium |
| O9989 | Oth diseases and conditions compl preg/chldbrth |
| O9A111 | Malignant neoplasm complicating pregnancy, first trimester |
| O9A112 | Malignant neoplasm complicating pregnancy, second trimester |
| O9A113 | Malignant neoplasm complicating pregnancy, third trimester |
| O9A119 | Malignant neoplasm complicating pregnancy, unsp trimester |
| O9A12 | Malignant neoplasm complicating childbirth |
| O9A13 | Malignant neoplasm complicating the puerperium |
| O9A211 | Inj/poison/oth conseq of external causes comp preg, first tri |
| O9A212 | Inj/poison/oth conseq of extrn causes comp preg, second tri |
| O9A213 | Inj/poison/oth conseq of external causes comp preg, third tri |
| O9A219 | Inj/poison/oth conseq of external causes comp preg, unsp tri |
| O9A22 | Inj/poison/oth conseq of external causes comp childbirth |
| O9A23 | Inj/poison/oth conseq of external causes comp the puerperium |
| O9A311 | Physical abuse complicating pregnancy, first trimester |
| O9A312 | Physical abuse complicating pregnancy, second trimester |
| O9A313 | Physical abuse complicating pregnancy, third trimester |
| O9A319 | Physical abuse complicating pregnancy, unspecified trimester |
| O9A32 | Physical abuse complicating childbirth |
| O9A33 | Physical abuse complicating the puerperium |
| O9A411 | Sexual abuse complicating pregnancy, first trimester |
| O9A412 | Sexual abuse complicating pregnancy, second trimester |
| O9A413 | Sexual abuse complicating pregnancy, third trimester |
| O9A419 | Sexual abuse complicating pregnancy, unspecified trimester |
| O9A42 | Sexual abuse complicating childbirth |
| O9A43 | Sexual abuse complicating the puerperium |
| O9A511 | Psychological abuse complicating pregnancy, first trimester |
| O9A512 | Psychological abuse complicating pregnancy, second trimester |
| O9A513 | Psychological abuse complicating pregnancy, third trimester |
| O9A519 | Psychological abuse complicating pregnancy, unsp trimester |
| O9A52 | Psychological abuse complicating childbirth |
| O9A53 | Psychological abuse complicating the puerperium |
| Z0371 | Encntr for susp prob w amnio cavity and membrane ruled out |
| Z0372 | Encounter for suspected placental problem ruled out |
| Z0373 | Encounter for suspected fetal anomaly ruled out |
| Z0374 | Encounter for suspected problem with fetal growth ruled out |
| Z0375 | Encounter for suspected cervical shortening ruled out |
| Z0379 | Encntr for oth suspected maternal and fetal cond ruled out |
| Z3201 | Encounter for pregnancy test, result positive |
| Z331 | Pregnant state, incidental |
| Z332 | Encounter for elective termination of pregnancy |
| Z333 | Pregnant state, gestational carrier |

| | |
|-------|--|
| Z3400 | Encntr for suprvsn of normal first pregnancy, unsp trimester |
| Z3401 | Encntr for suprvsn of normal first preg, first trimester |
| Z3402 | Encntr for suprvsn of normal first preg, second trimester |
| Z3403 | Encntr for suprvsn of normal first preg, third trimester |
| Z3480 | Encounter for suprvsn of normal pregnancy, unsp trimester |
| Z3481 | Encounter for suprvsn of normal pregnancy, first trimester |
| Z3482 | Encounter for suprvsn of normal pregnancy, second trimester |
| Z3483 | Encounter for suprvsn of normal pregnancy, third trimester |
| Z3490 | Encntr for suprvsn of normal pregnancy, unsp, unsp trimester |
| Z3491 | Encntr for suprvsn of normal preg, unsp, first trimester |
| Z3492 | Encntr for suprvsn of normal preg, unsp, second trimester |
| Z3493 | Encntr for suprvsn of normal preg, unsp, third trimester |
| Z360 | Encounter for antenatal screening for chromosomal anomalies |
| Z361 | Encntr for antenat screen for raised alphafetoprotein level |
| Z362 | Encounter for other antenatal screening follow-up |
| Z363 | Encounter for antenatal screening for malformations |
| Z364 | Encntr for antenatal screening for fetal growth retardation |
| Z365 | Encounter for antenatal screening for isoimmunization |
| Z3681 | Encounter for antenatal screening for hydrops fetalis |
| Z3682 | Encounter for antenatal screening for nuchal translucency |
| Z3683 | Encounter for fetal screening for congenital cardiac abnl |
| Z3684 | Encounter for antenatal screening for fetal lung maturity |
| Z3685 | Encounter for antenatal screening for Streptococcus B |
| Z3686 | Encounter for antenatal screening for cervical length |
| Z3687 | Encounter for antenatal screening for uncertain dates |
| Z3688 | Encounter for antenatal screening for fetal macrosomia |
| Z3689 | Encounter for other specified antenatal screening |
| Z368A | Encounter for antenatal screening for other genetic defects |
| Z369 | Encounter for antenatal screening, unspecified |
| Z370 | Single live birth |
| Z371 | Single stillbirth |
| Z372 | Twins, both liveborn |
| Z373 | Twins, one liveborn and one stillborn |
| Z374 | Twins, both stillborn |
| Z3750 | Multiple births, unspecified, all liveborn |
| Z3751 | Triplets, all liveborn |
| Z3752 | Quadruplets, all liveborn |
| Z3753 | Quintuplets, all liveborn |
| Z3754 | Sextuplets, all liveborn |
| Z3759 | Other multiple births, all liveborn |
| Z3760 | Multiple births, unspecified, some liveborn |
| Z3761 | Triplets, some liveborn |
| Z3762 | Quadruplets, some liveborn |
| Z3763 | Quintuplets, some liveborn |
| Z3764 | Sextuplets, some liveborn |
| Z3769 | Other multiple births, some liveborn |
| Z377 | Other multiple births, all stillborn |
| Z379 | Outcome of delivery, unspecified |
| Z390 | Encntr for care and exam of mother immediately after del |
| Z391 | Encounter for care and examination of lactating mother |
| Z392 | Encounter for routine postpartum follow-up |
| Z3A00 | Weeks of gestation of pregnancy not specified |

| | |
|-------|--|
| Z3A01 | Less than 8 weeks gestation of pregnancy |
| Z3A08 | 8 weeks gestation of pregnancy |
| Z3A09 | 9 weeks gestation of pregnancy |
| Z3A10 | 10 weeks gestation of pregnancy |
| Z3A11 | 11 weeks gestation of pregnancy |
| Z3A12 | 12 weeks gestation of pregnancy |
| Z3A13 | 13 weeks gestation of pregnancy |
| Z3A14 | 14 weeks gestation of pregnancy |
| Z3A15 | 15 weeks gestation of pregnancy |
| Z3A16 | 16 weeks gestation of pregnancy |
| Z3A17 | 17 weeks gestation of pregnancy |
| Z3A18 | 18 weeks gestation of pregnancy |
| Z3A19 | 19 weeks gestation of pregnancy |
| Z3A20 | 20 weeks gestation of pregnancy |
| Z3A21 | 21 weeks gestation of pregnancy |
| Z3A22 | 22 weeks gestation of pregnancy |
| Z3A23 | 23 weeks gestation of pregnancy |
| Z3A24 | 24 weeks gestation of pregnancy |
| Z3A25 | 25 weeks gestation of pregnancy |
| Z3A26 | 26 weeks gestation of pregnancy |
| Z3A27 | 27 weeks gestation of pregnancy |
| Z3A28 | 28 weeks gestation of pregnancy |
| Z3A29 | 29 weeks gestation of pregnancy |
| Z3A30 | 30 weeks gestation of pregnancy |
| Z3A31 | 31 weeks gestation of pregnancy |
| Z3A32 | 32 weeks gestation of pregnancy |
| Z3A33 | 33 weeks gestation of pregnancy |
| Z3A34 | 34 weeks gestation of pregnancy |
| Z3A35 | 35 weeks gestation of pregnancy |
| Z3A36 | 36 weeks gestation of pregnancy |
| Z3A37 | 37 weeks gestation of pregnancy |
| Z3A38 | 38 weeks gestation of pregnancy |
| Z3A39 | 39 weeks gestation of pregnancy |
| Z3A40 | 40 weeks gestation of pregnancy |
| Z3A41 | 41 weeks gestation of pregnancy |
| Z3A42 | 42 weeks gestation of pregnancy |
| Z3A49 | Greater than 42 weeks gestation of pregnancy |

Diagnoses for females only (ICD-10 CM codes)

| | |
|--------|---|
| A1816 | Tuberculosis of cervix |
| A1817 | Tuberculous female pelvic inflammatory disease |
| A1818 | Tuberculosis of other female genital organs |
| A34 | Obstetrical tetanus |
| A5142 | Secondary syphilitic female pelvic disease |
| A5402 | Gonococcal vulvovaginitis, unspecified |
| A5403 | Gonococcal cervicitis, unspecified |
| A5424 | Gonococcal female pelvic inflammatory disease |
| A5602 | Chlamydial vulvovaginitis |
| A5611 | Chlamydial female pelvic inflammatory disease |
| A5901 | Trichomonal vulvovaginitis |
| A6003 | Herpesviral cervicitis |
| A6004 | Herpesviral vulvovaginitis |
| B373 | Candidiasis of vulva and vagina |
| C50011 | Malignant neoplasm of nipple and areola, right female breast |
| C50012 | Malignant neoplasm of nipple and areola, left female breast |
| C50019 | Malignant neoplasm of nipple and areola, unsp female breast |
| C50111 | Malignant neoplasm of central portion of right female breast |
| C50112 | Malignant neoplasm of central portion of left female breast |
| C50119 | Malignant neoplasm of central portion of unsp female breast |
| C50211 | Malig neoplasm of upper-inner quadrant of right female breast |
| C50212 | Malig neoplasm of upper-inner quadrant of left female breast |
| C50219 | Malig neoplasm of upper-inner quadrant of unsp female breast |
| C50311 | Malig neoplasm of lower-inner quadrant of right female breast |
| C50312 | Malig neoplasm of lower-inner quadrant of left female breast |
| C50319 | Malig neoplasm of lower-inner quadrant of unsp female breast |
| C50411 | Malig neoplasm of upper-outer quadrant of right female breast |
| C50412 | Malig neoplasm of upper-outer quadrant of left female breast |
| C50419 | Malig neoplasm of upper-outer quadrant of unsp female breast |
| C50511 | Malig neoplasm of lower-outer quadrant of right female breast |
| C50512 | Malig neoplasm of lower-outer quadrant of left female breast |
| C50519 | Malig neoplasm of lower-outer quadrant of unsp female breast |
| C50611 | Malignant neoplasm of axillary tail of right female breast |
| C50612 | Malignant neoplasm of axillary tail of left female breast |
| C50619 | Malignant neoplasm of axillary tail of unsp female breast |
| C50811 | Malignant neoplasm of ovrlp sites of right female breast |
| C50812 | Malignant neoplasm of ovrlp sites of left female breast |
| C50819 | Malignant neoplasm of ovrlp sites of unsp female breast |
| C50911 | Malignant neoplasm of unsp site of right female breast |
| C50912 | Malignant neoplasm of unspecified site of left female breast |
| C50919 | Malignant neoplasm of unsp site of unspecified female breast |
| C510 | Malignant neoplasm of labium majus |
| C511 | Malignant neoplasm of labium minus |
| C512 | Malignant neoplasm of clitoris |
| C518 | Malignant neoplasm of overlapping sites of vulva |
| C519 | Malignant neoplasm of vulva, unspecified |
| C52 | Malignant neoplasm of vagina |

| | |
|-------|---|
| C530 | Malignant neoplasm of endocervix |
| C531 | Malignant neoplasm of exocervix |
| C538 | Malignant neoplasm of overlapping sites of cervix uteri |
| C539 | Malignant neoplasm of cervix uteri, unspecified |
| C540 | Malignant neoplasm of isthmus uteri |
| C541 | Malignant neoplasm of endometrium |
| C542 | Malignant neoplasm of myometrium |
| C543 | Malignant neoplasm of fundus uteri |
| C548 | Malignant neoplasm of overlapping sites of corpus uteri |
| C549 | Malignant neoplasm of corpus uteri, unspecified |
| C55 | Malignant neoplasm of uterus, part unspecified |
| C561 | Malignant neoplasm of right ovary |
| C562 | Malignant neoplasm of left ovary |
| C569 | Malignant neoplasm of unspecified ovary |
| C5700 | Malignant neoplasm of unspecified fallopian tube |
| C5701 | Malignant neoplasm of right fallopian tube |
| C5702 | Malignant neoplasm of left fallopian tube |
| C5710 | Malignant neoplasm of unspecified broad ligament |
| C5711 | Malignant neoplasm of right broad ligament |
| C5712 | Malignant neoplasm of left broad ligament |
| C5720 | Malignant neoplasm of unspecified round ligament |
| C5721 | Malignant neoplasm of right round ligament |
| C5722 | Malignant neoplasm of left round ligament |
| C573 | Malignant neoplasm of parametrium |
| C574 | Malignant neoplasm of uterine adnexa, unspecified |
| C577 | Malignant neoplasm of other specified female genital organs |
| C578 | Malignant neoplasm of overl sites of female genital organs |
| C579 | Malignant neoplasm of female genital organ, unspecified |
| C58 | Malignant neoplasm of placenta |
| C7960 | Secondary malignant neoplasm of unspecified ovary |
| C7961 | Secondary malignant neoplasm of right ovary |
| C7962 | Secondary malignant neoplasm of left ovary |
| D060 | Carcinoma in situ of endocervix |
| D061 | Carcinoma in situ of exocervix |
| D067 | Carcinoma in situ of other parts of cervix |
| D069 | Carcinoma in situ of cervix, unspecified |
| D070 | Carcinoma in situ of endometrium |
| D071 | Carcinoma in situ of vulva |
| D072 | Carcinoma in situ of vagina |
| D0730 | Carcinoma in situ of unspecified female genital organs |
| D0739 | Carcinoma in situ of other female genital organs |
| D250 | Submucous leiomyoma of uterus |
| D251 | Intramural leiomyoma of uterus |
| D252 | Subserosal leiomyoma of uterus |
| D259 | Leiomyoma of uterus, unspecified |
| D260 | Other benign neoplasm of cervix uteri |
| D261 | Other benign neoplasm of corpus uteri |
| D267 | Other benign neoplasm of other parts of uterus |
| D269 | Other benign neoplasm of uterus, unspecified |
| D270 | Benign neoplasm of right ovary |
| D271 | Benign neoplasm of left ovary |
| D279 | Benign neoplasm of unspecified ovary |

| | |
|--------|--|
| D280 | Benign neoplasm of vulva |
| D281 | Benign neoplasm of vagina |
| D282 | Benign neoplasm of uterine tubes and ligaments |
| D287 | Benign neoplasm of other specified female genital organs |
| D289 | Benign neoplasm of female genital organ, unspecified |
| D390 | Neoplasm of uncertain behavior of uterus |
| D3910 | Neoplasm of uncertain behavior of unspecified ovary |
| D3911 | Neoplasm of uncertain behavior of right ovary |
| D3912 | Neoplasm of uncertain behavior of left ovary |
| D392 | Neoplasm of uncertain behavior of placenta |
| D398 | Neoplasm of uncertain behavior of oth female genital organs |
| D399 | Neoplasm of uncertain behavior of female genital organ, unsp |
| E280 | Estrogen excess |
| E281 | Androgen excess |
| E282 | Polycystic ovarian syndrome |
| E28310 | Symptomatic premature menopause |
| E28319 | Asymptomatic premature menopause |
| E2839 | Other primary ovarian failure |
| E288 | Other ovarian dysfunction |
| E289 | Ovarian dysfunction, unspecified |
| E8940 | Asymptomatic postprocedural ovarian failure |
| E8941 | Symptomatic postprocedural ovarian failure |
| F3281 | Premenstrual dysphoric disorder |
| F5222 | Female sexual arousal disorder |
| F5231 | Female orgasmic disorder |
| F525 | Vaginismus not due to a substance or known physiol condition |
| F530 | Postpartum depression |
| F531 | Puerperal psychosis |
| G43821 | Menstrual migraine, not intractable, with status migrainosus |
| G43829 | Menstrual migraine, not intractable, w/o status migrainosus |
| G43831 | Menstrual migraine, intractable, with status migrainosus |
| G43839 | Menstrual migraine, intractable, without status migrainosus |
| I863 | Vulval varices |
| L292 | Pruritus vulvae |
| M830 | Puerperal osteomalacia |
| N35021 | Urethral stricture due to childbirth |
| N35028 | Other post-traumatic urethral stricture, female |
| N3512 | Postinfective urethral stricture, NEC, female |
| N3582 | Other urethral stricture, female |
| N3592 | Unspecified urethral stricture, female |
| N7001 | Acute salpingitis |
| N7002 | Acute oophoritis |
| N7003 | Acute salpingitis and oophoritis |
| N7011 | Chronic salpingitis |
| N7012 | Chronic oophoritis |
| N7013 | Chronic salpingitis and oophoritis |
| N7091 | Salpingitis, unspecified |
| N7092 | Oophoritis, unspecified |
| N7093 | Salpingitis and oophoritis, unspecified |
| N710 | Acute inflammatory disease of uterus |
| N711 | Chronic inflammatory disease of uterus |
| N719 | Inflammatory disease of uterus, unspecified |

| | |
|-------|---|
| N72 | Inflammatory disease of cervix uteri |
| N730 | Acute parametritis and pelvic cellulitis |
| N731 | Chronic parametritis and pelvic cellulitis |
| N732 | Unspecified parametritis and pelvic cellulitis |
| N733 | Female acute pelvic peritonitis |
| N734 | Female chronic pelvic peritonitis |
| N735 | Female pelvic peritonitis, unspecified |
| N736 | Female pelvic peritoneal adhesions (postinfective) |
| N738 | Other specified female pelvic inflammatory diseases |
| N739 | Female pelvic inflammatory disease, unspecified |
| N74 | Female pelvic inflam disorders in diseases classd elswhr |
| N750 | Cyst of Bartholin's gland |
| N751 | Abscess of Bartholin's gland |
| N758 | Other diseases of Bartholin's gland |
| N759 | Disease of Bartholin's gland, unspecified |
| N760 | Acute vaginitis |
| N761 | Subacute and chronic vaginitis |
| N762 | Acute vulvitis |
| N763 | Subacute and chronic vulvitis |
| N764 | Abscess of vulva |
| N765 | Ulceration of vagina |
| N766 | Ulceration of vulva |
| N7681 | Mucositis (ulcerative) of vagina and vulva |
| N7689 | Other specified inflammation of vagina and vulva |
| N770 | Ulceration of vulva in diseases classified elsewhere |
| N771 | Vaginitis, vulvitis and vulvovaginitis in dis classd elswhr |
| N800 | Endometriosis of uterus |
| N801 | Endometriosis of ovary |
| N802 | Endometriosis of fallopian tube |
| N803 | Endometriosis of pelvic peritoneum |
| N804 | Endometriosis of rectovaginal septum and vagina |
| N805 | Endometriosis of intestine |
| N806 | Endometriosis in cutaneous scar |
| N808 | Other endometriosis |
| N809 | Endometriosis, unspecified |
| N810 | Urethrocele |
| N8110 | Cystocele, unspecified |
| N8111 | Cystocele, midline |
| N8112 | Cystocele, lateral |
| N812 | Incomplete uterovaginal prolapse |
| N813 | Complete uterovaginal prolapse |
| N814 | Uterovaginal prolapse, unspecified |
| N815 | Vaginal enterocele |
| N816 | Rectocele |
| N8181 | Perineocele |
| N8182 | Incompetence or weakening of pubocervical tissue |
| N8183 | Incompetence or weakening of rectovaginal tissue |
| N8184 | Pelvic muscle wasting |
| N8185 | Cervical stump prolapse |
| N8189 | Other female genital prolapse |
| N819 | Female genital prolapse, unspecified |
| N820 | Vesicovaginal fistula |

| | |
|--------|---|
| N821 | Other female urinary-genital tract fistulae |
| N822 | Fistula of vagina to small intestine |
| N823 | Fistula of vagina to large intestine |
| N824 | Other female intestinal-genital tract fistulae |
| N825 | Female genital tract-skin fistulae |
| N828 | Other female genital tract fistulae |
| N829 | Female genital tract fistula, unspecified |
| N8300 | Follicular cyst of ovary, unspecified side |
| N8301 | Follicular cyst of right ovary |
| N8302 | Follicular cyst of left ovary |
| N8310 | Corpus luteum cyst of ovary, unspecified side |
| N8311 | Corpus luteum cyst of right ovary |
| N8312 | Corpus luteum cyst of left ovary |
| N83201 | Unspecified ovarian cyst, right side |
| N83202 | Unspecified ovarian cyst, left side |
| N83209 | Unspecified ovarian cyst, unspecified side |
| N83291 | Other ovarian cyst, right side |
| N83292 | Other ovarian cyst, left side |
| N83299 | Other ovarian cyst, unspecified side |
| N83311 | Acquired atrophy of right ovary |
| N83312 | Acquired atrophy of left ovary |
| N83319 | Acquired atrophy of ovary, unspecified side |
| N83321 | Acquired atrophy of right fallopian tube |
| N83322 | Acquired atrophy of left fallopian tube |
| N83329 | Acquired atrophy of fallopian tube, unspecified side |
| N83331 | Acquired atrophy of right ovary and fallopian tube |
| N83332 | Acquired atrophy of left ovary and fallopian tube |
| N83339 | Acquired atrophy of ovary and fallop, unspecified side |
| N8340 | Prolapse and hernia of ovary and fallop, unspecified side |
| N8341 | Prolapse and hernia of right ovary and fallopian tube |
| N8342 | Prolapse and hernia of left ovary and fallopian tube |
| N83511 | Torsion of right ovary and ovarian pedicle |
| N83512 | Torsion of left ovary and ovarian pedicle |
| N83519 | Torsion of ovary and ovarian pedicle, unspecified side |
| N83521 | Torsion of right fallopian tube |
| N83522 | Torsion of left fallopian tube |
| N83529 | Torsion of fallopian tube, unspecified side |
| N8353 | Torsion of ovary, ovarian pedicle and fallopian tube |
| N836 | Hematosalpinx |
| N837 | Hematoma of broad ligament |
| N838 | Oth noninflammatory disord of ovary, fallop and broad ligmt |
| N839 | Noninflammatory disord of ovary, fallop & broad ligmt, unsp |
| N840 | Polyp of corpus uteri |
| N841 | Polyp of cervix uteri |
| N842 | Polyp of vagina |
| N843 | Polyp of vulva |
| N848 | Polyp of other parts of female genital tract |
| N849 | Polyp of female genital tract, unspecified |
| N8500 | Endometrial hyperplasia, unspecified |
| N8501 | Benign endometrial hyperplasia |
| N8502 | Endometrial intraepithelial neoplasia [EIN] |
| N852 | Hypertrophy of uterus |

| | |
|--------|---|
| N853 | Subinvolution of uterus |
| N854 | Malposition of uterus |
| N855 | Inversion of uterus |
| N856 | Intrauterine synechiae |
| N857 | Hematometra |
| N858 | Other specified noninflammatory disorders of uterus |
| N859 | Noninflammatory disorder of uterus, unspecified |
| N86 | Erosion and ectropion of cervix uteri |
| N870 | Mild cervical dysplasia |
| N871 | Moderate cervical dysplasia |
| N879 | Dysplasia of cervix uteri, unspecified |
| N880 | Leukoplakia of cervix uteri |
| N881 | Old laceration of cervix uteri |
| N882 | Stricture and stenosis of cervix uteri |
| N883 | Incompetence of cervix uteri |
| N884 | Hypertrophic elongation of cervix uteri |
| N888 | Other specified noninflammatory disorders of cervix uteri |
| N889 | Noninflammatory disorder of cervix uteri, unspecified |
| N890 | Mild vaginal dysplasia |
| N891 | Moderate vaginal dysplasia |
| N893 | Dysplasia of vagina, unspecified |
| N894 | Leukoplakia of vagina |
| N895 | Stricture and atresia of vagina |
| N896 | Tight hymenal ring |
| N897 | Hematocolpos |
| N898 | Other specified noninflammatory disorders of vagina |
| N899 | Noninflammatory disorder of vagina, unspecified |
| N900 | Mild vulvar dysplasia |
| N901 | Moderate vulvar dysplasia |
| N903 | Dysplasia of vulva, unspecified |
| N904 | Leukoplakia of vulva |
| N905 | Atrophy of vulva |
| N9060 | Unspecified hypertrophy of vulva |
| N9061 | Childhood asymmetric labium majus enlargement |
| N9069 | Other specified hypertrophy of vulva |
| N907 | Vulvar cyst |
| N90810 | Female genital mutilation status, unspecified |
| N90811 | Female genital mutilation Type I status |
| N90812 | Female genital mutilation Type II status |
| N90813 | Female genital mutilation Type III status |
| N90818 | Other female genital mutilation status |
| N9089 | Other noninflammatory disorders of vulva and perineum |
| N909 | Noninflammatory disorder of vulva and perineum, unspecified |
| N910 | Primary amenorrhea |
| N911 | Secondary amenorrhea |
| N912 | Amenorrhea, unspecified |
| N913 | Primary oligomenorrhea |
| N914 | Secondary oligomenorrhea |
| N915 | Oligomenorrhea, unspecified |
| N920 | Excessive and frequent menstruation with regular cycle |
| N921 | Excessive and frequent menstruation with irregular cycle |
| N922 | Excessive menstruation at puberty |

| | |
|--------|--|
| N923 | Ovulation bleeding |
| N924 | Excessive bleeding in the premenopausal period |
| N925 | Other specified irregular menstruation |
| N926 | Irregular menstruation, unspecified |
| N930 | Postcoital and contact bleeding |
| N931 | Pre-pubertal vaginal bleeding |
| N938 | Other specified abnormal uterine and vaginal bleeding |
| N939 | Abnormal uterine and vaginal bleeding, unspecified |
| N940 | Mittelschmerz |
| N9410 | Unspecified dyspareunia |
| N9411 | Superficial (introital) dyspareunia |
| N9412 | Deep dyspareunia |
| N9419 | Other specified dyspareunia |
| N942 | Vaginismus |
| N943 | Premenstrual tension syndrome |
| N944 | Primary dysmenorrhea |
| N945 | Secondary dysmenorrhea |
| N946 | Dysmenorrhea, unspecified |
| N94810 | Vulvar vestibulitis |
| N94818 | Other vulvodynia |
| N94819 | Vulvodynia, unspecified |
| N9489 | Oth cond assoc w female genital organs and menstrual cycle |
| N949 | Unsp cond assoc w female genital organs and menstrual cycle |
| N950 | Postmenopausal bleeding |
| N951 | Menopausal and female climacteric states |
| N952 | Postmenopausal atrophic vaginitis |
| N958 | Other specified menopausal and perimenopausal disorders |
| N959 | Unspecified menopausal and perimenopausal disorder |
| N96 | Recurrent pregnancy loss |
| N970 | Female infertility associated with anovulation |
| N971 | Female infertility of tubal origin |
| N972 | Female infertility of uterine origin |
| N978 | Female infertility of other origin |
| N979 | Female infertility, unspecified |
| N980 | Infection associated with artificial insemination |
| N981 | Hyperstimulation of ovaries |
| N982 | Comp of attempt introduce of fertilized ovum fol in vitro |
| N983 | Comp of attempted introduction of embryo in embryo transfer |
| N988 | Other complications associated with artificial fertilization |
| N989 | Complication associated with artificial fertilization, unsp |
| N9912 | Postprocedural urethral stricture, female |
| N992 | Postprocedural adhesions of vagina |
| N993 | Prolapse of vaginal vault after hysterectomy |
| N9983 | Residual ovary syndrome |
| N9985 | Post endometrial ablation syndrome |
| O0000 | Abdominal pregnancy without intrauterine pregnancy |
| O0001 | Abdominal pregnancy with intrauterine pregnancy |
| O00101 | Right tubal pregnancy without intrauterine pregnancy |
| O00102 | Left tubal pregnancy without intrauterine pregnancy |
| O00109 | Unspecified tubal pregnancy without intrauterine pregnancy |
| O00111 | Right tubal pregnancy with intrauterine pregnancy |
| O00112 | Left tubal pregnancy with intrauterine pregnancy |

| | |
|--------|--|
| O00119 | Unspecified tubal pregnancy with intrauterine pregnancy |
| O00201 | Right ovarian pregnancy without intrauterine pregnancy |
| O00202 | Left ovarian pregnancy without intrauterine pregnancy |
| O00209 | Unspecified ovarian pregnancy without intrauterine pregnancy |
| O00211 | Right ovarian pregnancy with intrauterine pregnancy |
| O00212 | Left ovarian pregnancy with intrauterine pregnancy |
| O00219 | Unspecified ovarian pregnancy with intrauterine pregnancy |
| O0080 | Other ectopic pregnancy without intrauterine pregnancy |
| O0081 | Other ectopic pregnancy with intrauterine pregnancy |
| O0090 | Unspecified ectopic pregnancy without intrauterine pregnancy |
| O0091 | Unspecified ectopic pregnancy with intrauterine pregnancy |
| O010 | Classical hydatidiform mole |
| O011 | Incomplete and partial hydatidiform mole |
| O019 | Hydatidiform mole, unspecified |
| O020 | Blighted ovum and nonhydatidiform mole |
| O021 | Missed abortion |
| O0281 | Inapprop chg quantitav hCG in early pregnancy |
| O0289 | Other abnormal products of conception |
| O029 | Abnormal product of conception, unspecified |
| O030 | Genitl trct and pelvic infection fol incmpl spon abortion |
| O031 | Delayed or excessive hemor following incmpl spon abortion |
| O032 | Embolism following incomplete spontaneous abortion |
| O0330 | Unsp complication following incomplete spontaneous abortion |
| O0331 | Shock following incomplete spontaneous abortion |
| O0332 | Renal failure following incomplete spontaneous abortion |
| O0333 | Metabolic disorder following incomplete spontaneous abortion |
| O0334 | Damage to pelvic organs following incomplete spon abortion |
| O0335 | Oth venous comp following incomplete spontaneous abortion |
| O0336 | Cardiac arrest following incomplete spontaneous abortion |
| O0337 | Sepsis following incomplete spontaneous abortion |
| O0338 | Urinary tract infection following incomplete spon abortion |
| O0339 | Incomplete spontaneous abortion with other complications |
| O034 | Incomplete spontaneous abortion without complication |
| O035 | Genitl trct and pelvic infct fol complete or unsp spon abort |
| O036 | Delayed or excess hemor fol complete or unsp spon abortion |
| O037 | Embolism following complete or unsp spontaneous abortion |
| O0380 | Unsp comp following complete or unsp spontaneous abortion |
| O0381 | Shock following complete or unspecified spontaneous abortion |
| O0382 | Renal failure following complete or unsp spon abortion |
| O0383 | Metabolic disorder following complete or unsp spon abortion |
| O0384 | Damage to pelvic organs fol complete or unsp spon abortion |
| O0385 | Oth venous comp following complete or unsp spon abortion |
| O0386 | Cardiac arrest following complete or unsp spon abortion |
| O0387 | Sepsis following complete or unsp spontaneous abortion |
| O0388 | Urinary tract infection fol complete or unsp spon abortion |
| O0389 | Complete or unsp spontaneous abortion with oth complications |
| O039 | Complete or unsp spontaneous abortion without complication |
| O045 | Genitl trct and pelvic infct fol (induced) term of pregnancy |
| O046 | Delayed or excess hemor fol (induced) term of pregnancy |
| O047 | Embolism following (induced) termination of pregnancy |
| O0480 | (Induced) termination of pregnancy with unsp complications |
| O0481 | Shock following (induced) termination of pregnancy |

| | |
|--------|--|
| O0482 | Renal failure following (induced) termination of pregnancy |
| O0483 | Metabolic disorder following (induced) term of pregnancy |
| O0484 | Damage to pelvic organs fol (induced) term of pregnancy |
| O0485 | Oth venous comp following (induced) termination of pregnancy |
| O0486 | Cardiac arrest following (induced) termination of pregnancy |
| O0487 | Sepsis following (induced) termination of pregnancy |
| O0488 | Urinary tract infection fol (induced) term of pregnancy |
| O0489 | (Induced) termination of pregnancy with other complications |
| O070 | Genitl trct and pelvic infct fol failed attempt term of preg |
| O071 | Delayed or excess hemor fol failed attempt term of pregnancy |
| O072 | Embolism following failed attempted termination of pregnancy |
| O0730 | Failed attempted termination of pregnancy w unsp comp |
| O0731 | Shock following failed attempted termination of pregnancy |
| O0732 | Renal failure following failed attempted term of pregnancy |
| O0733 | Metabolic disorder fol failed attempt term of pregnancy |
| O0734 | Damage to pelvic organs fol failed attempt term of pregnancy |
| O0735 | Oth venous comp following failed attempted term of pregnancy |
| O0736 | Cardiac arrest following failed attempted term of pregnancy |
| O0737 | Sepsis following failed attempted termination of pregnancy |
| O0738 | Urinary tract infection fol failed attempt term of pregnancy |
| O0739 | Failed attempted termination of pregnancy w oth comp |
| O074 | Failed attempted termination of pregnancy w/o complication |
| O080 | Genitl trct and pelvic infct fol ectopic and molar pregnancy |
| O081 | Delayed or excess hemor fol ectopic and molar pregnancy |
| O082 | Embolism following ectopic and molar pregnancy |
| O083 | Shock following ectopic and molar pregnancy |
| O084 | Renal failure following ectopic and molar pregnancy |
| O085 | Metabolic disorders following an ectopic and molar pregnancy |
| O086 | Damage to pelvic organs and tiss fol an ect and molar preg |
| O087 | Oth venous comp following an ectopic and molar pregnancy |
| O0881 | Cardiac arrest following an ectopic and molar pregnancy |
| O0882 | Sepsis following ectopic and molar pregnancy |
| O0883 | Urinary tract infection fol an ectopic and molar pregnancy |
| O0889 | Other complications following an ectopic and molar pregnancy |
| O089 | Unsp complication following an ectopic and molar pregnancy |
| O0900 | Suprvsn of preg w history of infertility, unsp trimester |
| O0901 | Suprvsn of preg w history of infertility, first trimester |
| O0902 | Suprvsn of preg w history of infertility, second trimester |
| O0903 | Suprvsn of preg w history of infertility, third trimester |
| O0910 | Suprvsn of preg with history of ectopic preg, unsp trimester |
| O0911 | Suprvsn of preg with history of ectopic preg, first tri |
| O0912 | Suprvsn of preg with history of ectopic preg, second tri |
| O0913 | Suprvsn of preg with history of ectopic preg, third tri |
| O09211 | Suprvsn of preg w history of pre-term labor, first trimester |
| O09212 | Suprvsn of preg w history of pre-term labor, second tri |
| O09213 | Suprvsn of preg w history of pre-term labor, third trimester |
| O09219 | Suprvsn of preg w history of pre-term labor, unsp trimester |
| O09291 | Suprvsn of preg w poor reprodctv or obstet hx, first tri |
| O09292 | Suprvsn of preg w poor reprodctv or obstet hx, second tri |
| O09293 | Suprvsn of preg w poor reprodctv or obstet hx, third tri |
| O09299 | Suprvsn of preg w poor reprodctv or obstet history, unsp tri |
| O0930 | Suprvsn of preg w insufficient antenat care, unsp trimester |

| | |
|--------|---|
| O0931 | Suprvsn of preg w insufficient antenat care, first trimester |
| O0932 | Suprvsn of preg w insufficient antenat care, second tri |
| O0933 | Suprvsn of preg w insufficient antenat care, third trimester |
| O0940 | Supervision of pregnancy w grand multiparity, unsp trimester |
| O0941 | Suprvsn of pregnancy w grand multiparity, first trimester |
| O0942 | Suprvsn of pregnancy w grand multiparity, second trimester |
| O0943 | Suprvsn of pregnancy w grand multiparity, third trimester |
| O09511 | Supervision of elderly primigravida, first trimester |
| O09512 | Supervision of elderly primigravida, second trimester |
| O09513 | Supervision of elderly primigravida, third trimester |
| O09519 | Supervision of elderly primigravida, unspecified trimester |
| O09521 | Supervision of elderly multigravida, first trimester |
| O09522 | Supervision of elderly multigravida, second trimester |
| O09523 | Supervision of elderly multigravida, third trimester |
| O09529 | Supervision of elderly multigravida, unspecified trimester |
| O09611 | Supervision of young primigravida, first trimester |
| O09612 | Supervision of young primigravida, second trimester |
| O09613 | Supervision of young primigravida, third trimester |
| O09619 | Supervision of young primigravida, unspecified trimester |
| O09621 | Supervision of young multigravida, first trimester |
| O09622 | Supervision of young multigravida, second trimester |
| O09623 | Supervision of young multigravida, third trimester |
| O09629 | Supervision of young multigravida, unspecified trimester |
| O0970 | Suprvsn of high risk preg due to social problems, unsp tri |
| O0971 | Suprvsn of high risk preg due to social problems, first tri |
| O0972 | Suprvsn of high risk preg due to social problems, second tri |
| O0973 | Suprvsn of high risk preg due to social problems, third tri |
| O09811 | Suprvsn of preg rslt from assisted reprodctv tech, first tri |
| O09812 | Suprvsn of preg rslt from assist reprodctv tech, second tri |
| O09813 | Suprvsn of preg rslt from assisted reprodctv tech, third tri |
| O09819 | Suprvsn of preg rslt from assisted reprodctv tech, unsp tri |
| O09821 | Suprvsn of preg w hx of in utero proc dur prev preg, 1st tri |
| O09822 | Suprvsn of preg w hx of in utero proc dur prev preg, 2nd tri |
| O09823 | Suprvsn of preg w hx of in utero proc dur prev preg, 3rd tri |
| O09829 | Suprvsn of preg w hx of in utero proc dur prev preg, unsp tri |
| O09891 | Supervision of other high risk pregnancies, first trimester |
| O09892 | Supervision of other high risk pregnancies, second trimester |
| O09893 | Supervision of other high risk pregnancies, third trimester |
| O09899 | Supervision of other high risk pregnancies, unsp trimester |
| O0990 | Supervision of high risk pregnancy, unsp, unsp trimester |
| O0991 | Supervision of high risk pregnancy, unsp, first trimester |
| O0992 | Supervision of high risk pregnancy, unsp, second trimester |
| O0993 | Supervision of high risk pregnancy, unsp, third trimester |
| O09A0 | Suprvsn of preg with history of molar preg, unsp trimester |
| O09A1 | Suprvsn of preg with history of molar preg, first trimester |
| O09A2 | Suprvsn of preg with history of molar preg, second trimester |
| O09A3 | Suprvsn of preg with history of molar preg, third trimester |
| O10011 | Pre-existing essential htn comp pregnancy, first trimester |
| O10012 | Pre-existing essential htn comp pregnancy, second trimester |
| O10013 | Pre-existing essential htn comp pregnancy, third trimester |
| O10019 | Pre-existing essential htn comp pregnancy, unsp trimester |
| O1002 | Pre-existing essential hypertension complicating childbirth |

| | |
|--------|--|
| O1003 | Pre-existing essential hypertension comp the puerperium |
| O10111 | Pre-exist hyp heart disease comp pregnancy, first trimester |
| O10112 | Pre-exist hyp heart disease comp pregnancy, second trimester |
| O10113 | Pre-exist hyp heart disease comp pregnancy, third trimester |
| O10119 | Pre-exist hyp heart disease comp pregnancy, unsp trimester |
| O1012 | Pre-existing hypertensive heart disease comp childbirth |
| O1013 | Pre-existing hypertensive heart disease comp the puerperium |
| O10211 | Pre-exist hyp chronic kidney disease comp preg, first tri |
| O10212 | Pre-exist hyp chronic kidney disease comp preg, second tri |
| O10213 | Pre-exist hyp chronic kidney disease comp preg, third tri |
| O10219 | Pre-exist hyp chronic kidney disease comp preg, unsp tri |
| O1022 | Pre-existing hyp chronic kidney disease comp childbirth |
| O1023 | Pre-existing hyp chronic kidney disease comp the puerperium |
| O10311 | Pre-exist hyp heart and chr kidney dis comp preg, first tri |
| O10312 | Pre-exist hyp heart and chr kidney dis comp preg, second tri |
| O10313 | Pre-exist hyp heart and chr kidney dis comp preg, third tri |
| O10319 | Pre-exist hyp heart and chr kidney dis comp preg, unsp tri |
| O1032 | Pre-exist hyp heart and chronic kidney disease comp chldbrth |
| O1033 | Pre-exist hyp heart and chr kidney disease comp the puerp |
| O10411 | Pre-existing secondary htn comp pregnancy, first trimester |
| O10412 | Pre-existing secondary htn comp pregnancy, second trimester |
| O10413 | Pre-existing secondary htn comp pregnancy, third trimester |
| O10419 | Pre-existing secondary htn comp pregnancy, unsp trimester |
| O1042 | Pre-existing secondary hypertension complicating childbirth |
| O1043 | Pre-existing secondary hypertension comp the puerperium |
| O10911 | Unsp pre-existing htn comp pregnancy, first trimester |
| O10912 | Unsp pre-existing htn comp pregnancy, second trimester |
| O10913 | Unsp pre-existing htn comp pregnancy, third trimester |
| O10919 | Unsp pre-existing htn comp pregnancy, unsp trimester |
| O1092 | Unsp pre-existing hypertension complicating childbirth |
| O1093 | Unsp pre-existing hypertension complicating the puerperium |
| O111 | Pre-existing hypertension w pre-eclampsia, first trimester |
| O112 | Pre-existing hypertension w pre-eclampsia, second trimester |
| O113 | Pre-existing hypertension w pre-eclampsia, third trimester |
| O114 | Pre-existing htn with pre-eclampsia, comp childbirth |
| O115 | Pre-existing htn with pre-eclampsia, comp the puerperium |
| O119 | Pre-existing hypertension with pre-eclampsia, unsp trimester |
| O1200 | Gestational edema, unspecified trimester |
| O1201 | Gestational edema, first trimester |
| O1202 | Gestational edema, second trimester |
| O1203 | Gestational edema, third trimester |
| O1204 | Gestational edema, complicating childbirth |
| O1205 | Gestational edema, complicating the puerperium |
| O1210 | Gestational proteinuria, unspecified trimester |
| O1211 | Gestational proteinuria, first trimester |
| O1212 | Gestational proteinuria, second trimester |
| O1213 | Gestational proteinuria, third trimester |
| O1214 | Gestational proteinuria, complicating childbirth |
| O1215 | Gestational proteinuria, complicating the puerperium |
| O1220 | Gestational edema with proteinuria, unspecified trimester |
| O1221 | Gestational edema with proteinuria, first trimester |
| O1222 | Gestational edema with proteinuria, second trimester |

| | |
|-------|--|
| O1223 | Gestational edema with proteinuria, third trimester |
| O1224 | Gestational edema with proteinuria, complicating childbirth |
| O1225 | Gestational edema with proteinuria, comp the puerperium |
| O131 | Gestational htn w/o significant proteinuria, first trimester |
| O132 | Gestatnl htn w/o significant proteinuria, second trimester |
| O133 | Gestational htn w/o significant proteinuria, third trimester |
| O134 | Gestatnl htn without significant protein, comp childbirth |
| O135 | Gestatnl htn without significant protein, comp the puerp |
| O139 | Gestational htn w/o significant proteinuria, unsp trimester |
| O1400 | Mild to moderate pre-eclampsia, unspecified trimester |
| O1402 | Mild to moderate pre-eclampsia, second trimester |
| O1403 | Mild to moderate pre-eclampsia, third trimester |
| O1404 | Mild to moderate pre-eclampsia, complicating childbirth |
| O1405 | Mild to moderate pre-eclampsia, complicating the puerperium |
| O1410 | Severe pre-eclampsia, unspecified trimester |
| O1412 | Severe pre-eclampsia, second trimester |
| O1413 | Severe pre-eclampsia, third trimester |
| O1414 | Severe pre-eclampsia complicating childbirth |
| O1415 | Severe pre-eclampsia, complicating the puerperium |
| O1420 | HELLP syndrome (HELLP), unspecified trimester |
| O1422 | HELLP syndrome (HELLP), second trimester |
| O1423 | HELLP syndrome (HELLP), third trimester |
| O1424 | HELLP syndrome, complicating childbirth |
| O1425 | HELLP syndrome, complicating the puerperium |
| O1490 | Unspecified pre-eclampsia, unspecified trimester |
| O1492 | Unspecified pre-eclampsia, second trimester |
| O1493 | Unspecified pre-eclampsia, third trimester |
| O1494 | Unspecified pre-eclampsia, complicating childbirth |
| O1495 | Unspecified pre-eclampsia, complicating the puerperium |
| O1500 | Eclampsia complicating pregnancy, unspecified trimester |
| O1502 | Eclampsia complicating pregnancy, second trimester |
| O1503 | Eclampsia complicating pregnancy, third trimester |
| O151 | Eclampsia complicating labor |
| O152 | Eclampsia complicating the puerperium |
| O159 | Eclampsia, unspecified as to time period |
| O161 | Unspecified maternal hypertension, first trimester |
| O162 | Unspecified maternal hypertension, second trimester |
| O163 | Unspecified maternal hypertension, third trimester |
| O164 | Unspecified maternal hypertension, complicating childbirth |
| O165 | Unspecified maternal hypertension, comp the puerperium |
| O169 | Unspecified maternal hypertension, unspecified trimester |
| O200 | Threatened abortion |
| O208 | Other hemorrhage in early pregnancy |
| O209 | Hemorrhage in early pregnancy, unspecified |
| O210 | Mild hyperemesis gravidarum |
| O211 | Hyperemesis gravidarum with metabolic disturbance |
| O212 | Late vomiting of pregnancy |
| O218 | Other vomiting complicating pregnancy |
| O219 | Vomiting of pregnancy, unspecified |
| O2200 | Varicose veins of low extrm in pregnancy, unsp trimester |
| O2201 | Varicose veins of low extrm in pregnancy, first trimester |
| O2202 | Varicose veins of low extrm in pregnancy, second trimester |

| | |
|--------|--|
| O2203 | Varicose veins of low extrm in pregnancy, third trimester |
| O2210 | Genital varices in pregnancy, unspecified trimester |
| O2211 | Genital varices in pregnancy, first trimester |
| O2212 | Genital varices in pregnancy, second trimester |
| O2213 | Genital varices in pregnancy, third trimester |
| O2220 | Superficial thrombophlebitis in pregnancy, unsp trimester |
| O2221 | Superficial thrombophlebitis in pregnancy, first trimester |
| O2222 | Superficial thrombophlebitis in pregnancy, second trimester |
| O2223 | Superficial thrombophlebitis in pregnancy, third trimester |
| O2230 | Deep phlebothrombosis in pregnancy, unspecified trimester |
| O2231 | Deep phlebothrombosis in pregnancy, first trimester |
| O2232 | Deep phlebothrombosis in pregnancy, second trimester |
| O2233 | Deep phlebothrombosis in pregnancy, third trimester |
| O2240 | Hemorrhoids in pregnancy, unspecified trimester |
| O2241 | Hemorrhoids in pregnancy, first trimester |
| O2242 | Hemorrhoids in pregnancy, second trimester |
| O2243 | Hemorrhoids in pregnancy, third trimester |
| O2250 | Cerebral venous thrombosis in pregnancy, unsp trimester |
| O2251 | Cerebral venous thrombosis in pregnancy, first trimester |
| O2252 | Cerebral venous thrombosis in pregnancy, second trimester |
| O2253 | Cerebral venous thrombosis in pregnancy, third trimester |
| O228X1 | Other venous complications in pregnancy, first trimester |
| O228X2 | Other venous complications in pregnancy, second trimester |
| O228X3 | Other venous complications in pregnancy, third trimester |
| O228X9 | Other venous complications in pregnancy, unsp trimester |
| O2290 | Venous complication in pregnancy, unsp, unsp trimester |
| O2291 | Venous complication in pregnancy, unsp, first trimester |
| O2292 | Venous complication in pregnancy, unsp, second trimester |
| O2293 | Venous complication in pregnancy, unsp, third trimester |
| O2300 | Infections of kidney in pregnancy, unspecified trimester |
| O2301 | Infections of kidney in pregnancy, first trimester |
| O2302 | Infections of kidney in pregnancy, second trimester |
| O2303 | Infections of kidney in pregnancy, third trimester |
| O2310 | Infections of bladder in pregnancy, unspecified trimester |
| O2311 | Infections of bladder in pregnancy, first trimester |
| O2312 | Infections of bladder in pregnancy, second trimester |
| O2313 | Infections of bladder in pregnancy, third trimester |
| O2320 | Infections of urethra in pregnancy, unspecified trimester |
| O2321 | Infections of urethra in pregnancy, first trimester |
| O2322 | Infections of urethra in pregnancy, second trimester |
| O2323 | Infections of urethra in pregnancy, third trimester |
| O2330 | Infections of prt urinary tract in pregnancy, unsp trimester |
| O2331 | Infect of prt urinary tract in pregnancy, first trimester |
| O2332 | Infect of prt urinary tract in pregnancy, second trimester |
| O2333 | Infect of prt urinary tract in pregnancy, third trimester |
| O2340 | Unsp infection of urinary tract in pregnancy, unsp trimester |
| O2341 | Unsp infct of urinary tract in pregnancy, first trimester |
| O2342 | Unsp infct of urinary tract in pregnancy, second trimester |
| O2343 | Unsp infct of urinary tract in pregnancy, third trimester |
| O23511 | Infections of cervix in pregnancy, first trimester |
| O23512 | Infections of cervix in pregnancy, second trimester |
| O23513 | Infections of cervix in pregnancy, third trimester |

| | |
|--------|--|
| O23519 | Infections of cervix in pregnancy, unspecified trimester |
| O23521 | Salpingo-oophoritis in pregnancy, first trimester |
| O23522 | Salpingo-oophoritis in pregnancy, second trimester |
| O23523 | Salpingo-oophoritis in pregnancy, third trimester |
| O23529 | Salpingo-oophoritis in pregnancy, unspecified trimester |
| O23591 | Infection oth prt genitl trct in pregnancy, first trimester |
| O23592 | Infection oth prt genitl trct in pregnancy, second trimester |
| O23593 | Infection oth prt genitl trct in pregnancy, third trimester |
| O23599 | Infection oth prt genital tract in pregnancy, unsp trimester |
| O2390 | Unsp GU tract infection in pregnancy, unsp trimester |
| O2391 | Unsp GU tract infection in pregnancy, first trimester |
| O2392 | Unsp GU tract infection in pregnancy, second trimester |
| O2393 | Unsp GU tract infection in pregnancy, third trimester |
| O24011 | Pre-existing type 1 diabetes, in pregnancy, first trimester |
| O24012 | Pre-existing type 1 diabetes, in pregnancy, second trimester |
| O24013 | Pre-existing type 1 diabetes, in pregnancy, third trimester |
| O24019 | Pre-exist type 1 diabetes, in pregnancy, unsp trimester |
| O2402 | Pre-existing type 1 diabetes mellitus, in childbirth |
| O2403 | Pre-existing type 1 diabetes mellitus, in the puerperium |
| O24111 | Pre-existing type 2 diabetes, in pregnancy, first trimester |
| O24112 | Pre-existing type 2 diabetes, in pregnancy, second trimester |
| O24113 | Pre-existing type 2 diabetes, in pregnancy, third trimester |
| O24119 | Pre-exist type 2 diabetes, in pregnancy, unsp trimester |
| O2412 | Pre-existing type 2 diabetes mellitus, in childbirth |
| O2413 | Pre-existing type 2 diabetes mellitus, in the puerperium |
| O24311 | Unsp pre-existing diabetes in pregnancy, first trimester |
| O24312 | Unsp pre-existing diabetes in pregnancy, second trimester |
| O24313 | Unsp pre-existing diabetes in pregnancy, third trimester |
| O24319 | Unsp pre-existing diabetes in pregnancy, unsp trimester |
| O2432 | Unspecified pre-existing diabetes mellitus in childbirth |
| O2433 | Unspecified pre-existing diabetes mellitus in the puerperium |
| O24410 | Gestational diabetes mellitus in pregnancy, diet controlled |
| O24414 | Gestational diabetes in pregnancy, insulin controlled |
| O24415 | Gestatnl diabetes in preg, ctrl by oral hypoglycemic drugs |
| O24419 | Gestational diabetes mellitus in pregnancy, unsp control |
| O24420 | Gestational diabetes mellitus in childbirth, diet controlled |
| O24424 | Gestational diabetes in childbirth, insulin controlled |
| O24425 | Gestatnl diab in chldbrth, ctrl by oral hypoglycemic drugs |
| O24429 | Gestational diabetes mellitus in childbirth, unsp control |
| O24430 | Gestational diabetes in the puerperium, diet controlled |
| O24434 | Gestational diabetes in the puerperium, insulin controlled |
| O24435 | Gestatnl diabetes in puerp, ctrl by oral hypoglycemic drugs |
| O24439 | Gestational diabetes in the puerperium, unsp control |
| O24811 | Oth pre-existing diabetes in pregnancy, first trimester |
| O24812 | Oth pre-existing diabetes in pregnancy, second trimester |
| O24813 | Oth pre-existing diabetes in pregnancy, third trimester |
| O24819 | Oth pre-existing diabetes in pregnancy, unsp trimester |
| O2482 | Other pre-existing diabetes mellitus in childbirth |
| O2483 | Other pre-existing diabetes mellitus in the puerperium |
| O24911 | Unspecified diabetes mellitus in pregnancy, first trimester |
| O24912 | Unspecified diabetes mellitus in pregnancy, second trimester |
| O24913 | Unspecified diabetes mellitus in pregnancy, third trimester |

| | |
|--------|--|
| O24919 | Unsp diabetes mellitus in pregnancy, unspecified trimester |
| O2492 | Unspecified diabetes mellitus in childbirth |
| O2493 | Unspecified diabetes mellitus in the puerperium |
| O2510 | Malnutrition in pregnancy, unspecified trimester |
| O2511 | Malnutrition in pregnancy, first trimester |
| O2512 | Malnutrition in pregnancy, second trimester |
| O2513 | Malnutrition in pregnancy, third trimester |
| O252 | Malnutrition in childbirth |
| O253 | Malnutrition in the puerperium |
| O2600 | Excessive weight gain in pregnancy, unspecified trimester |
| O2601 | Excessive weight gain in pregnancy, first trimester |
| O2602 | Excessive weight gain in pregnancy, second trimester |
| O2603 | Excessive weight gain in pregnancy, third trimester |
| O2610 | Low weight gain in pregnancy, unspecified trimester |
| O2611 | Low weight gain in pregnancy, first trimester |
| O2612 | Low weight gain in pregnancy, second trimester |
| O2613 | Low weight gain in pregnancy, third trimester |
| O2620 | Preg care for patient w recurrent preg loss, unsp trimester |
| O2621 | Preg care for patient w recurrent preg loss, first trimester |
| O2622 | Preg care for patient w recur preg loss, second trimester |
| O2623 | Preg care for patient w recurrent preg loss, third trimester |
| O2630 | Retained uterin contracep dev in pregnancy, unsp trimester |
| O2631 | Retained uterin contracep dev in pregnancy, first trimester |
| O2632 | Retained uterin contracep dev in pregnancy, second trimester |
| O2633 | Retained uterin contracep dev in pregnancy, third trimester |
| O2640 | Herpes gestationis, unspecified trimester |
| O2641 | Herpes gestationis, first trimester |
| O2642 | Herpes gestationis, second trimester |
| O2643 | Herpes gestationis, third trimester |
| O2650 | Maternal hypotension syndrome, unspecified trimester |
| O2651 | Maternal hypotension syndrome, first trimester |
| O2652 | Maternal hypotension syndrome, second trimester |
| O2653 | Maternal hypotension syndrome, third trimester |
| O26611 | Liver and biliary tract disord in pregnancy, first trimester |
| O26612 | Liver and biliary tract disord in preg, second trimester |
| O26613 | Liver and biliary tract disord in pregnancy, third trimester |
| O26619 | Liver and biliary tract disord in pregnancy, unsp trimester |
| O2662 | Liver and biliary tract disorders in childbirth |
| O2663 | Liver and biliary tract disorders in the puerperium |
| O26711 | Sublux of symphysis (pubis) in pregnancy, first trimester |
| O26712 | Sublux of symphysis (pubis) in pregnancy, second trimester |
| O26713 | Sublux of symphysis (pubis) in pregnancy, third trimester |
| O26719 | Sublux of symphysis (pubis) in pregnancy, unsp trimester |
| O2672 | Subluxation of symphysis (pubis) in childbirth |
| O2673 | Subluxation of symphysis (pubis) in the puerperium |
| O26811 | Pregnancy related exhaustion and fatigue, first trimester |
| O26812 | Pregnancy related exhaustion and fatigue, second trimester |
| O26813 | Pregnancy related exhaustion and fatigue, third trimester |
| O26819 | Pregnancy related exhaustion and fatigue, unsp trimester |
| O26821 | Pregnancy related peripheral neuritis, first trimester |
| O26822 | Pregnancy related peripheral neuritis, second trimester |
| O26823 | Pregnancy related peripheral neuritis, third trimester |

| | |
|--------|--|
| O26829 | Pregnancy related peripheral neuritis, unspecified trimester |
| O26831 | Pregnancy related renal disease, first trimester |
| O26832 | Pregnancy related renal disease, second trimester |
| O26833 | Pregnancy related renal disease, third trimester |
| O26839 | Pregnancy related renal disease, unspecified trimester |
| O26841 | Uterine size-date discrepancy, first trimester |
| O26842 | Uterine size-date discrepancy, second trimester |
| O26843 | Uterine size-date discrepancy, third trimester |
| O26849 | Uterine size-date discrepancy, unspecified trimester |
| O26851 | Spotting complicating pregnancy, first trimester |
| O26852 | Spotting complicating pregnancy, second trimester |
| O26853 | Spotting complicating pregnancy, third trimester |
| O26859 | Spotting complicating pregnancy, unspecified trimester |
| O2686 | Pruritic urticarial papules and plaques of pregnancy (PUPPP) |
| O26872 | Cervical shortening, second trimester |
| O26873 | Cervical shortening, third trimester |
| O26879 | Cervical shortening, unspecified trimester |
| O26891 | Oth pregnancy related conditions, first trimester |
| O26892 | Oth pregnancy related conditions, second trimester |
| O26893 | Oth pregnancy related conditions, third trimester |
| O26899 | Oth pregnancy related conditions, unspecified trimester |
| O2690 | Pregnancy related conditions, unsp, unspecified trimester |
| O2691 | Pregnancy related conditions, unspecified, first trimester |
| O2692 | Pregnancy related conditions, unspecified, second trimester |
| O2693 | Pregnancy related conditions, unspecified, third trimester |
| O280 | Abnormal hematolog finding on antenatal screening of mother |
| O281 | Abnormal biochemical finding on antenat screening of mother |
| O282 | Abnormal cytolog finding on antenatal screening of mother |
| O283 | Abnormal ultrasonic finding on antenatal screening of mother |
| O284 | Abnormal radiolog finding on antenatal screening of mother |
| O285 | Abn chromsoml and genetic find on antenat screen of mother |
| O288 | Other abnormal findings on antenatal screening of mother |
| O289 | Unsp abnormal findings on antenatal screening of mother |
| O29011 | Aspirat pneumonitis due to anesth during preg, first tri |
| O29012 | Aspirat pneumonitis due to anesth during preg, second tri |
| O29013 | Aspirat pneumonitis due to anesth during preg, third tri |
| O29019 | Aspirat pneumonitis due to anesth during preg, unsp tri |
| O29021 | Pressr collapse of lung due to anesth during preg, first tri |
| O29022 | Pressr collapse of lung d/t anesth during preg, second tri |
| O29023 | Pressr collapse of lung due to anesth during preg, third tri |
| O29029 | Pressr collapse of lung due to anesth during preg, unsp tri |
| O29091 | Oth pulmonary comp of anesth during preg, first trimester |
| O29092 | Oth pulmonary comp of anesth during preg, second trimester |
| O29093 | Oth pulmonary comp of anesth during preg, third trimester |
| O29099 | Oth pulmonary comp of anesth during preg, unsp trimester |
| O29111 | Cardiac arrest due to anesth during preg, first trimester |
| O29112 | Cardiac arrest due to anesth during preg, second trimester |
| O29113 | Cardiac arrest due to anesth during preg, third trimester |
| O29119 | Cardiac arrest due to anesth during preg, unsp trimester |
| O29121 | Cardiac failure due to anesth during preg, first trimester |
| O29122 | Cardiac failure due to anesth during preg, second trimester |
| O29123 | Cardiac failure due to anesth during preg, third trimester |

| | |
|--------|--|
| O29129 | Cardiac failure due to anesth during preg, unsp trimester |
| O29191 | Oth cardiac comp of anesth during pregnancy, first trimester |
| O29192 | Oth cardiac comp of anesth during preg, second trimester |
| O29193 | Oth cardiac comp of anesth during pregnancy, third trimester |
| O29199 | Oth cardiac comp of anesth during pregnancy, unsp trimester |
| O29211 | Cerebral anoxia due to anesth during preg, first trimester |
| O29212 | Cerebral anoxia due to anesth during preg, second trimester |
| O29213 | Cerebral anoxia due to anesth during preg, third trimester |
| O29219 | Cerebral anoxia due to anesth during preg, unsp trimester |
| O29291 | Oth cnsl comp of anesth during pregnancy, first trimester |
| O29292 | Oth cnsl comp of anesth during pregnancy, second trimester |
| O29293 | Oth cnsl comp of anesth during pregnancy, third trimester |
| O29299 | Oth cnsl comp of anesthesia during pregnancy, unsp trimester |
| O293X1 | Toxic reaction to local anesth during preg, first trimester |
| O293X2 | Toxic reaction to local anesth during preg, second trimester |
| O293X3 | Toxic reaction to local anesth during preg, third trimester |
| O293X9 | Toxic reaction to local anesth during preg, unsp trimester |
| O2940 | Spinal and epidur anesth induce hdache during preg, unsp tri |
| O2941 | Spinal and epidur anesth induce hdache dur preg, first tri |
| O2942 | Spinal and epidur anesth induce hdache dur preg, second tri |
| O2943 | Spinal and epidur anesth induce hdache dur preg, third tri |
| O295X1 | Oth comp of spinal and epidur anesth during preg, first tri |
| O295X2 | Oth comp of spinal and epidur anesth during preg, second tri |
| O295X3 | Oth comp of spinal and epidur anesth during preg, third tri |
| O295X9 | Oth comp of spinal and epidural anesth during preg, unsp tri |
| O2960 | Failed or difficult intubation for anesth dur preg, unsp tri |
| O2961 | Fail or difficult intubation for anesth dur preg, first tri |
| O2962 | Fail or difficult intubation for anesth dur preg, second tri |
| O2963 | Fail or difficult intubation for anesth dur preg, third tri |
| O298X1 | Oth comp of anesthesia during pregnancy, first trimester |
| O298X2 | Oth comp of anesthesia during pregnancy, second trimester |
| O298X3 | Oth comp of anesthesia during pregnancy, third trimester |
| O298X9 | Oth comp of anesthesia during pregnancy, unsp trimester |
| O2990 | Unsp comp of anesthesia during pregnancy, unsp trimester |
| O2991 | Unsp comp of anesthesia during pregnancy, first trimester |
| O2992 | Unsp comp of anesthesia during pregnancy, second trimester |
| O2993 | Unsp comp of anesthesia during pregnancy, third trimester |
| O30001 | Twin preg, unsp num plcnta & amnio sacs, first trimester |
| O30002 | Twin preg, unsp num plcnta & amnio sacs, second trimester |
| O30003 | Twin preg, unsp num plcnta & amnio sacs, third trimester |
| O30009 | Twin pregnancy, unsp num plcnta & amnio sacs, unsp trimester |
| O30011 | Twin pregnancy, monochorionic/monoamniotic, first trimester |
| O30012 | Twin pregnancy, monochorionic/monoamniotic, second trimester |
| O30013 | Twin pregnancy, monochorionic/monoamniotic, third trimester |
| O30019 | Twin pregnancy, monochorionic/monoamniotic, unsp trimester |
| O30021 | Conjoined twin pregnancy, first trimester |
| O30022 | Conjoined twin pregnancy, second trimester |
| O30023 | Conjoined twin pregnancy, third trimester |
| O30029 | Conjoined twin pregnancy, unspecified trimester |
| O30031 | Twin pregnancy, monochorionic/diamniotic, first trimester |
| O30032 | Twin pregnancy, monochorionic/diamniotic, second trimester |
| O30033 | Twin pregnancy, monochorionic/diamniotic, third trimester |

| | |
|--------|--|
| 030039 | Twin pregnancy, monochorionic/diamniotic, unsp trimester |
| 030041 | Twin pregnancy, dichorionic/diamniotic, first trimester |
| 030042 | Twin pregnancy, dichorionic/diamniotic, second trimester |
| 030043 | Twin pregnancy, dichorionic/diamniotic, third trimester |
| 030049 | Twin pregnancy, dichorionic/diamniotic, unsp trimester |
| 030091 | Twin preg, unable to dtrm num plcnta & amnio sacs, first tri |
| 030092 | Twin preg, unable to dtrm num plcnta & amnio sacs, 2nd tri |
| 030093 | Twin preg, unable to dtrm num plcnta & amnio sacs, third tri |
| 030099 | Twin preg, unable to dtrm num plcnta & amnio sacs, unsp tri |
| 030101 | Triplet preg, unsp num plcnta & amnio sacs, first trimester |
| 030102 | Triplet preg, unsp num plcnta & amnio sacs, second trimester |
| 030103 | Triplet preg, unsp num plcnta & amnio sacs, third trimester |
| 030109 | Triplet preg, unsp num plcnta & amnio sacs, unsp trimester |
| 030111 | Triplet preg w two or more monochorionic fetuses, first tri |
| 030112 | Triplet preg w two or more monochorionic fetuses, second tri |
| 030113 | Triplet preg w two or more monochorionic fetuses, third tri |
| 030119 | Triplet preg w two or more monochorionic fetuses, unsp tri |
| 030121 | Triplet preg w two or more monoamnio fetuses, first tri |
| 030122 | Triplet preg w two or more monoamnio fetuses, second tri |
| 030123 | Triplet preg w two or more monoamnio fetuses, third tri |
| 030129 | Triplet preg w two or more monoamnio fetuses, unsp trimester |
| 030131 | Triplet pregnancy, trichorionic/triamniotic, first trimester |
| 030132 | Triplet preg, trichorionic/triamniotic, second trimester |
| 030133 | Triplet pregnancy, trichorionic/triamniotic, third trimester |
| 030139 | Triplet pregnancy, trichorionic/triamniotic, unsp trimester |
| 030191 | Trp preg, unable to dtrm num plcnta & amnio sacs, first tri |
| 030192 | Trp preg, unable to dtrm num plcnta & amnio sacs, second tri |
| 030193 | Trp preg, unable to dtrm num plcnta & amnio sacs, third tri |
| 030199 | Trp preg, unable to dtrm num plcnta & amnio sacs, unsp tri |
| 030201 | Quad preg, unsp num plcnta & amnio sacs, first trimester |
| 030202 | Quad preg, unsp num plcnta & amnio sacs, second trimester |
| 030203 | Quad preg, unsp num plcnta & amnio sacs, third trimester |
| 030209 | Quad pregnancy, unsp num plcnta & amnio sacs, unsp trimester |
| 030211 | Quad preg w two or more monochorionic fetuses, first tri |
| 030212 | Quad preg w two or more monochorionic fetuses, second tri |
| 030213 | Quad preg w two or more monochorionic fetuses, third tri |
| 030219 | Quad preg w two or more monochorionic fetuses, unsp tri |
| 030221 | Quad preg w two or more monoamnio fetuses, first trimester |
| 030222 | Quad preg w two or more monoamnio fetuses, second trimester |
| 030223 | Quad preg w two or more monoamnio fetuses, third trimester |
| 030229 | Quad preg w two or more monoamnio fetuses, unsp trimester |
| 030231 | Quad preg, quadrachorionic/quadra-amniotic, first trimester |
| 030232 | Quad preg, quadrachorionic/quadra-amniotic, second trimester |
| 030233 | Quad preg, quadrachorionic/quadra-amniotic, third trimester |
| 030239 | Quad preg, quadrachorionic/quadra-amniotic, unsp trimester |
| 030291 | Quad preg, unable to dtrm num plcnta & amnio sacs, first tri |
| 030292 | Quad preg, unable to dtrm num plcnta & amnio sacs, 2nd tri |
| 030293 | Quad preg, unable to dtrm num plcnta & amnio sacs, third tri |
| 030299 | Quad preg, unable to dtrm num plcnta & amnio sacs, unsp tri |
| 030801 | Oth multiple gest, unsp num plcnta & amnio sacs, first tri |
| 030802 | Oth multiple gest, unsp num plcnta & amnio sacs, second tri |
| 030803 | Oth multiple gest, unsp num plcnta & amnio sacs, third tri |

| | |
|---------|---|
| O30809 | Oth multiple gest, unsp num plcnta & amnio sacs, unsp tri |
| O30811 | Oth mult gest w two or more monochorionic fetuses, first tri |
| O30812 | Oth mult gest w two or more monochorionic fetuses, 2nd tri |
| O30813 | Oth mult gest w two or more monochorionic fetuses, third tri |
| O30819 | Oth mult gest w two or more monochorionic fetuses, unsp tri |
| O30821 | Oth multiple gest w two or more monoamnio fetuses, first tri |
| O30822 | Oth mult gest w two or more monoamnio fetuses, second tri |
| O30823 | Oth multiple gest w two or more monoamnio fetuses, third tri |
| O30829 | Oth multiple gest w two or more monoamnio fetuses, unsp tri |
| O30831 | Oth mult gest, num chorions & amnions = num ftses, 1st tri |
| O30832 | Oth mult gest, num chorions & amnions = num ftses, 2nd tri |
| O30833 | Oth mult gest, num chorions & amnions = num ftses, 3rd tri |
| O30839 | Oth mult gest, num chorions & amnions = num ftses, unsp tri |
| O30891 | Oth mult gest, unab to dtrm num plcnta & amnio sacs, 1st tri |
| O30892 | Oth mult gest, unab to dtrm num plcnta & amnio sacs, 2nd tri |
| O30893 | Oth mult gest, unab to dtrm num plcnta & amnio sacs, 3rd tri |
| O30899 | Oth mult gest, unab to dtrm num plcnta & amnio sacs, unsp tri |
| O3090 | Multiple gestation, unspecified, unspecified trimester |
| O3091 | Multiple gestation, unspecified, first trimester |
| O3092 | Multiple gestation, unspecified, second trimester |
| O3093 | Multiple gestation, unspecified, third trimester |
| O3100X0 | Papyraceous fetus, unsp trimester, not applicable or unsp |
| O3100X1 | Papyraceous fetus, unspecified trimester, fetus 1 |
| O3100X2 | Papyraceous fetus, unspecified trimester, fetus 2 |
| O3100X3 | Papyraceous fetus, unspecified trimester, fetus 3 |
| O3100X4 | Papyraceous fetus, unspecified trimester, fetus 4 |
| O3100X5 | Papyraceous fetus, unspecified trimester, fetus 5 |
| O3100X9 | Papyraceous fetus, unspecified trimester, other fetus |
| O3101X0 | Papyraceous fetus, first trimester, not applicable or unsp |
| O3101X1 | Papyraceous fetus, first trimester, fetus 1 |
| O3101X2 | Papyraceous fetus, first trimester, fetus 2 |
| O3101X3 | Papyraceous fetus, first trimester, fetus 3 |
| O3101X4 | Papyraceous fetus, first trimester, fetus 4 |
| O3101X5 | Papyraceous fetus, first trimester, fetus 5 |
| O3101X9 | Papyraceous fetus, first trimester, other fetus |
| O3102X0 | Papyraceous fetus, second trimester, not applicable or unsp |
| O3102X1 | Papyraceous fetus, second trimester, fetus 1 |
| O3102X2 | Papyraceous fetus, second trimester, fetus 2 |
| O3102X3 | Papyraceous fetus, second trimester, fetus 3 |
| O3102X4 | Papyraceous fetus, second trimester, fetus 4 |
| O3102X5 | Papyraceous fetus, second trimester, fetus 5 |
| O3102X9 | Papyraceous fetus, second trimester, other fetus |
| O3103X0 | Papyraceous fetus, third trimester, not applicable or unsp |
| O3103X1 | Papyraceous fetus, third trimester, fetus 1 |
| O3103X2 | Papyraceous fetus, third trimester, fetus 2 |
| O3103X3 | Papyraceous fetus, third trimester, fetus 3 |
| O3103X4 | Papyraceous fetus, third trimester, fetus 4 |
| O3103X5 | Papyraceous fetus, third trimester, fetus 5 |
| O3103X9 | Papyraceous fetus, third trimester, other fetus |
| O3110X0 | Cont preg aft spon abort of one fts or more, unsp tri, unsp |
| O3110X1 | Cont preg aft spon abort of one fts or more, unsp tri, fts1 |
| O3110X2 | Cont preg aft spon abort of one fts or more, unsp tri, fts2 |

| | |
|---------|--|
| 03110X3 | Cont preg aft spon abort of one fts or more, unsp tri, fts3 |
| 03110X4 | Cont preg aft spon abort of one fts or more, unsp tri, fts4 |
| 03110X5 | Cont preg aft spon abort of one fts or more, unsp tri, fts5 |
| 03110X9 | Cont preg aft spon abort of one fetus or more, unsp tri, oth |
| 03111X0 | Cont preg aft spon abort of one fts or more, first tri, unsp |
| 03111X1 | Cont preg aft spon abort of one fts or more, first tri, fts1 |
| 03111X2 | Cont preg aft spon abort of one fts or more, first tri, fts2 |
| 03111X3 | Cont preg aft spon abort of one fts or more, first tri, fts3 |
| 03111X4 | Cont preg aft spon abort of one fts or more, first tri, fts4 |
| 03111X5 | Cont preg aft spon abort of one fts or more, first tri, fts5 |
| 03111X9 | Cont preg aft spon abort of one fts or more, first tri, oth |
| 03112X0 | Cont preg aft spon abort of one fetus or more, 2nd tri, unsp |
| 03112X1 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts1 |
| 03112X2 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts2 |
| 03112X3 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts3 |
| 03112X4 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts4 |
| 03112X5 | Cont preg aft spon abort of one fetus or more, 2nd tri, fts5 |
| 03112X9 | Cont preg aft spon abort of one fetus or more, 2nd tri, oth |
| 03113X0 | Cont preg aft spon abort of one fts or more, third tri, unsp |
| 03113X1 | Cont preg aft spon abort of one fts or more, third tri, fts1 |
| 03113X2 | Cont preg aft spon abort of one fts or more, third tri, fts2 |
| 03113X3 | Cont preg aft spon abort of one fts or more, third tri, fts3 |
| 03113X4 | Cont preg aft spon abort of one fts or more, third tri, fts4 |
| 03113X5 | Cont preg aft spon abort of one fts or more, third tri, fts5 |
| 03113X9 | Cont preg aft spon abort of one fts or more, third tri, oth |
| 03120X0 | Cont preg aft uterin dth of one fts or more, unsp tri, unsp |
| 03120X1 | Cont preg aft uterin dth of one fts or more, unsp tri, fts1 |
| 03120X2 | Cont preg aft uterin dth of one fts or more, unsp tri, fts2 |
| 03120X3 | Cont preg aft uterin dth of one fts or more, unsp tri, fts3 |
| 03120X4 | Cont preg aft uterin dth of one fts or more, unsp tri, fts4 |
| 03120X5 | Cont preg aft uterin dth of one fts or more, unsp tri, fts5 |
| 03120X9 | Cont preg aft uterin dth of one fetus or more, unsp tri, oth |
| 03121X0 | Cont preg aft uterin dth of one fts or more, first tri, unsp |
| 03121X1 | Cont preg aft uterin dth of one fts or more, first tri, fts1 |
| 03121X2 | Cont preg aft uterin dth of one fts or more, first tri, fts2 |
| 03121X3 | Cont preg aft uterin dth of one fts or more, first tri, fts3 |
| 03121X4 | Cont preg aft uterin dth of one fts or more, first tri, fts4 |
| 03121X5 | Cont preg aft uterin dth of one fts or more, first tri, fts5 |
| 03121X9 | Cont preg aft uterin dth of one fts or more, first tri, oth |
| 03122X0 | Cont preg aft uterin dth of one fetus or more, 2nd tri, unsp |
| 03122X1 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts1 |
| 03122X2 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts2 |
| 03122X3 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts3 |
| 03122X4 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts4 |
| 03122X5 | Cont preg aft uterin dth of one fetus or more, 2nd tri, fts5 |
| 03122X9 | Cont preg aft uterin dth of one fetus or more, 2nd tri, oth |
| 03123X0 | Cont preg aft uterin dth of one fts or more, third tri, unsp |
| 03123X1 | Cont preg aft uterin dth of one fts or more, third tri, fts1 |
| 03123X2 | Cont preg aft uterin dth of one fts or more, third tri, fts2 |
| 03123X3 | Cont preg aft uterin dth of one fts or more, third tri, fts3 |
| 03123X4 | Cont preg aft uterin dth of one fts or more, third tri, fts4 |
| 03123X5 | Cont preg aft uterin dth of one fts or more, third tri, fts5 |

| | |
|---------|--|
| 03123X9 | Cont preg aft uterin dth of one fts or more, third tri, oth |
| 03130X0 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,unsp |
| 03130X1 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts1 |
| 03130X2 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts2 |
| 03130X3 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts3 |
| 03130X4 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts4 |
| 03130X5 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri,fts5 |
| 03130X9 | Cont preg aft elctv fetl rdct of 1 fts or more,unsp tri, oth |
| 03131X0 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, unsp |
| 03131X1 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts1 |
| 03131X2 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts2 |
| 03131X3 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts3 |
| 03131X4 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts4 |
| 03131X5 | Cont preg aft elctv fetl rdct of 1 fts or more,1st tri, fts5 |
| 03131X9 | Cont preg aft elctv fetl rdct of 1 fts or more, 1st tri, oth |
| 03132X0 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, unsp |
| 03132X1 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts1 |
| 03132X2 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts2 |
| 03132X3 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts3 |
| 03132X4 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts4 |
| 03132X5 | Cont preg aft elctv fetl rdct of 1 fts or more,2nd tri, fts5 |
| 03132X9 | Cont preg aft elctv fetl rdct of 1 fts or more, 2nd tri, oth |
| 03133X0 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, unsp |
| 03133X1 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts1 |
| 03133X2 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts2 |
| 03133X3 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts3 |
| 03133X4 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts4 |
| 03133X5 | Cont preg aft elctv fetl rdct of 1 fts or more,3rd tri, fts5 |
| 03133X9 | Cont preg aft elctv fetl rdct of 1 fts or more, 3rd tri, oth |
| 0318X10 | Oth comp specific to multiple gest, first trimester, unsp |
| 0318X11 | Oth comp specific to multiple gest, first trimester, fetus 1 |
| 0318X12 | Oth comp specific to multiple gest, first trimester, fetus 2 |
| 0318X13 | Oth comp specific to multiple gest, first trimester, fetus 3 |
| 0318X14 | Oth comp specific to multiple gest, first trimester, fetus 4 |
| 0318X15 | Oth comp specific to multiple gest, first trimester, fetus 5 |
| 0318X19 | Oth comp specific to multiple gest, first trimester, oth |
| 0318X20 | Oth comp specific to multiple gest, second trimester, unsp |
| 0318X21 | Oth comp specific to multiple gest, second tri, fetus 1 |
| 0318X22 | Oth comp specific to multiple gest, second tri, fetus 2 |
| 0318X23 | Oth comp specific to multiple gest, second tri, fetus 3 |
| 0318X24 | Oth comp specific to multiple gest, second tri, fetus 4 |
| 0318X25 | Oth comp specific to multiple gest, second tri, fetus 5 |
| 0318X29 | Oth comp specific to multiple gest, second trimester, oth |
| 0318X30 | Oth comp specific to multiple gest, third trimester, unsp |
| 0318X31 | Oth comp specific to multiple gest, third trimester, fetus 1 |
| 0318X32 | Oth comp specific to multiple gest, third trimester, fetus 2 |
| 0318X33 | Oth comp specific to multiple gest, third trimester, fetus 3 |
| 0318X34 | Oth comp specific to multiple gest, third trimester, fetus 4 |
| 0318X35 | Oth comp specific to multiple gest, third trimester, fetus 5 |
| 0318X39 | Oth comp specific to multiple gest, third trimester, oth |
| 0318X90 | Oth comp specific to multiple gest, unsp trimester, unsp |
| 0318X91 | Oth comp specific to multiple gest, unsp trimester, fetus 1 |

| | |
|---------|--|
| 0318X92 | Oth comp specific to multiple gest, unsp trimester, fetus 2 |
| 0318X93 | Oth comp specific to multiple gest, unsp trimester, fetus 3 |
| 0318X94 | Oth comp specific to multiple gest, unsp trimester, fetus 4 |
| 0318X95 | Oth comp specific to multiple gest, unsp trimester, fetus 5 |
| 0318X99 | Oth comp specific to multiple gestation, unsp trimester, oth |
| 0320XX0 | Maternal care for unstable lie, not applicable or unsp |
| 0320XX1 | Maternal care for unstable lie, fetus 1 |
| 0320XX2 | Maternal care for unstable lie, fetus 2 |
| 0320XX3 | Maternal care for unstable lie, fetus 3 |
| 0320XX4 | Maternal care for unstable lie, fetus 4 |
| 0320XX5 | Maternal care for unstable lie, fetus 5 |
| 0320XX9 | Maternal care for unstable lie, other fetus |
| 0321XX0 | Maternal care for breech presentation, unsp |
| 0321XX1 | Maternal care for breech presentation, fetus 1 |
| 0321XX2 | Maternal care for breech presentation, fetus 2 |
| 0321XX3 | Maternal care for breech presentation, fetus 3 |
| 0321XX4 | Maternal care for breech presentation, fetus 4 |
| 0321XX5 | Maternal care for breech presentation, fetus 5 |
| 0321XX9 | Maternal care for breech presentation, other fetus |
| 0322XX0 | Maternal care for transverse and oblique lie, unsp |
| 0322XX1 | Maternal care for transverse and oblique lie, fetus 1 |
| 0322XX2 | Maternal care for transverse and oblique lie, fetus 2 |
| 0322XX3 | Maternal care for transverse and oblique lie, fetus 3 |
| 0322XX4 | Maternal care for transverse and oblique lie, fetus 4 |
| 0322XX5 | Maternal care for transverse and oblique lie, fetus 5 |
| 0322XX9 | Maternal care for transverse and oblique lie, other fetus |
| 0323XX0 | Maternal care for face, brow and chin presentation, unsp |
| 0323XX1 | Maternal care for face, brow and chin presentation, fetus 1 |
| 0323XX2 | Maternal care for face, brow and chin presentation, fetus 2 |
| 0323XX3 | Maternal care for face, brow and chin presentation, fetus 3 |
| 0323XX4 | Maternal care for face, brow and chin presentation, fetus 4 |
| 0323XX5 | Maternal care for face, brow and chin presentation, fetus 5 |
| 0323XX9 | Maternal care for face, brow and chin presentation, oth |
| 0324XX0 | Maternal care for high head at term, not applicable or unsp |
| 0324XX1 | Maternal care for high head at term, fetus 1 |
| 0324XX2 | Maternal care for high head at term, fetus 2 |
| 0324XX3 | Maternal care for high head at term, fetus 3 |
| 0324XX4 | Maternal care for high head at term, fetus 4 |
| 0324XX5 | Maternal care for high head at term, fetus 5 |
| 0324XX9 | Maternal care for high head at term, other fetus |
| 0326XX0 | Maternal care for compound presentation, unsp |
| 0326XX1 | Maternal care for compound presentation, fetus 1 |
| 0326XX2 | Maternal care for compound presentation, fetus 2 |
| 0326XX3 | Maternal care for compound presentation, fetus 3 |
| 0326XX4 | Maternal care for compound presentation, fetus 4 |
| 0326XX5 | Maternal care for compound presentation, fetus 5 |
| 0326XX9 | Maternal care for compound presentation, other fetus |
| 0328XX0 | Maternal care for oth malpresentation of fetus, unsp |
| 0328XX1 | Maternal care for other malpresentation of fetus, fetus 1 |
| 0328XX2 | Maternal care for other malpresentation of fetus, fetus 2 |
| 0328XX3 | Maternal care for other malpresentation of fetus, fetus 3 |
| 0328XX4 | Maternal care for other malpresentation of fetus, fetus 4 |

| | |
|---------|--|
| 0328XX5 | Maternal care for other malpresentation of fetus, fetus 5 |
| 0328XX9 | Maternal care for oth malpresentation of fetus, other fetus |
| 0329XX0 | Maternal care for malpresentation of fetus, unsp, unsp |
| 0329XX1 | Maternal care for malpresentation of fetus, unsp, fetus 1 |
| 0329XX2 | Maternal care for malpresentation of fetus, unsp, fetus 2 |
| 0329XX3 | Maternal care for malpresentation of fetus, unsp, fetus 3 |
| 0329XX4 | Maternal care for malpresentation of fetus, unsp, fetus 4 |
| 0329XX5 | Maternal care for malpresentation of fetus, unsp, fetus 5 |
| 0329XX9 | Maternal care for malpresentation of fetus, unsp, oth fetus |
| 0330 | Matern care for disproprtn d/t deformity of matern pelv bone |
| 0331 | Matern care for disproprtn d/t generally contracted pelvis |
| 0332 | Maternal care for disproprtn due to inlet contrctn of pelvis |
| 0333XX0 | Matern care for disproprtn d/t outlet contrctn of pelv, unsp |
| 0333XX1 | Matern care for disproprtn d/t outlet contrctn of pelv, fts1 |
| 0333XX2 | Matern care for disproprtn d/t outlet contrctn of pelv, fts2 |
| 0333XX3 | Matern care for disproprtn d/t outlet contrctn of pelv, fts3 |
| 0333XX4 | Matern care for disproprtn d/t outlet contrctn of pelv, fts4 |
| 0333XX5 | Matern care for disproprtn d/t outlet contrctn of pelv, fts5 |
| 0333XX9 | Matern care for disproprtn d/t outlet contrctn of pelv, oth |
| 0334XX0 | Matern care for disproprtn of mix matern & fetl origin, unsp |
| 0334XX1 | Matern care for disproprtn of mix matern & fetl origin, fts1 |
| 0334XX2 | Matern care for disproprtn of mix matern & fetl origin, fts2 |
| 0334XX3 | Matern care for disproprtn of mix matern & fetl origin, fts3 |
| 0334XX4 | Matern care for disproprtn of mix matern & fetl origin, fts4 |
| 0334XX5 | Matern care for disproprtn of mix matern & fetl origin, fts5 |
| 0334XX9 | Matern care for disproprtn of mix matern & fetl origin, oth |
| 0335XX0 | Matern care for disproprtn d/t unusually large fetus, unsp |
| 0335XX1 | Matern care for disproprtn d/t unusually large fetus, fts1 |
| 0335XX2 | Matern care for disproprtn d/t unusually large fetus, fts2 |
| 0335XX3 | Matern care for disproprtn d/t unusually large fetus, fts3 |
| 0335XX4 | Matern care for disproprtn d/t unusually large fetus, fts4 |
| 0335XX5 | Matern care for disproprtn d/t unusually large fetus, fts5 |
| 0335XX9 | Matern care for disproprtn due to unusually large fetus, oth |
| 0336XX0 | Matern care for disproprtn due to hydrocephalic fetus, unsp |
| 0336XX1 | Matern care for disproprtn due to hydrocephalic fetus, fts1 |
| 0336XX2 | Matern care for disproprtn due to hydrocephalic fetus, fts2 |
| 0336XX3 | Matern care for disproprtn due to hydrocephalic fetus, fts3 |
| 0336XX4 | Matern care for disproprtn due to hydrocephalic fetus, fts4 |
| 0336XX5 | Matern care for disproprtn due to hydrocephalic fetus, fts5 |
| 0336XX9 | Maternal care for disproprtn due to hydrocephalic fetus, oth |
| 0337XX0 | Maternal care for disproprtn due to other fetal deform, unsp |
| 0337XX1 | Matern care for disproprtn due to other fetal deform, fts1 |
| 0337XX2 | Matern care for disproprtn due to other fetal deform, fts2 |
| 0337XX3 | Matern care for disproprtn due to other fetal deform, fts3 |
| 0337XX4 | Matern care for disproprtn due to other fetal deform, fts4 |
| 0337XX5 | Matern care for disproprtn due to other fetal deform, fts5 |
| 0337XX9 | Maternal care for disproprtn due to other fetal deform, oth |
| 0338 | Maternal care for disproportion of other origin |
| 0339 | Maternal care for disproportion, unspecified |
| 03400 | Maternal care for unsp congen malform of uterus, unsp tri |
| 03401 | Maternal care for unsp congen malform of uterus, first tri |
| 03402 | Maternal care for unsp congen malform of uterus, second tri |

| | |
|---------|--|
| 03403 | Maternal care for unsp congen malform of uterus, third tri |
| 03410 | Maternal care for benign tumor of corpus uteri, unsp tri |
| 03411 | Maternal care for benign tumor of corpus uteri, first tri |
| 03412 | Maternal care for benign tumor of corpus uteri, second tri |
| 03413 | Maternal care for benign tumor of corpus uteri, third tri |
| 034211 | Matern care for low transverse scar from prev cesarean del |
| 034212 | Maternal care for vertical scar from previous cesarean del |
| 034219 | Maternal care for unsp type scar from previous cesarean del |
| 03429 | Maternal care due to uterine scar from oth previous surgery |
| 03430 | Maternal care for cervical incompetence, unsp trimester |
| 03431 | Maternal care for cervical incompetence, first trimester |
| 03432 | Maternal care for cervical incompetence, second trimester |
| 03433 | Maternal care for cervical incompetence, third trimester |
| 03440 | Maternal care for oth abnlt of cervix, unsp trimester |
| 03441 | Maternal care for oth abnlt of cervix, first trimester |
| 03442 | Maternal care for oth abnlt of cervix, second trimester |
| 03443 | Maternal care for oth abnlt of cervix, third trimester |
| 034511 | Maternal care for incarceration of gravid uterus, first tri |
| 034512 | Maternal care for incarceration of gravid uterus, second tri |
| 034513 | Maternal care for incarceration of gravid uterus, third tri |
| 034519 | Maternal care for incarceration of gravid uterus, unsp tri |
| 034521 | Maternal care for prolapse of gravid uterus, first trimester |
| 034522 | Maternal care for prolapse of gravid uterus, second tri |
| 034523 | Maternal care for prolapse of gravid uterus, third trimester |
| 034529 | Maternal care for prolapse of gravid uterus, unsp trimester |
| 034531 | Maternal care for retroversion of gravid uterus, first tri |
| 034532 | Maternal care for retroversion of gravid uterus, second tri |
| 034533 | Maternal care for retroversion of gravid uterus, third tri |
| 034539 | Maternal care for retroversion of gravid uterus, unsp tri |
| 034591 | Maternal care for oth abnlt of gravid uterus, first tri |
| 034592 | Maternal care for oth abnlt of gravid uterus, second tri |
| 034593 | Maternal care for oth abnlt of gravid uterus, third tri |
| 034599 | Maternal care for oth abnlt of gravid uterus, unsp trimester |
| 03460 | Maternal care for abnormality of vagina, unsp trimester |
| 03461 | Maternal care for abnormality of vagina, first trimester |
| 03462 | Maternal care for abnormality of vagina, second trimester |
| 03463 | Maternal care for abnormality of vagina, third trimester |
| 03470 | Maternal care for abnlt of vulva and perineum, unsp tri |
| 03471 | Maternal care for abnlt of vulva and perineum, first tri |
| 03472 | Maternal care for abnlt of vulva and perineum, second tri |
| 03473 | Maternal care for abnlt of vulva and perineum, third tri |
| 03480 | Maternal care for oth abnlt of pelvic organs, unsp trimester |
| 03481 | Maternal care for oth abnlt of pelvic organs, first tri |
| 03482 | Maternal care for oth abnlt of pelvic organs, second tri |
| 03483 | Maternal care for oth abnlt of pelvic organs, third tri |
| 03490 | Maternal care for abnlt of pelvic organ, unsp, unsp tri |
| 03491 | Maternal care for abnlt of pelvic organ, unsp, first tri |
| 03492 | Maternal care for abnlt of pelvic organ, unsp, second tri |
| 03493 | Maternal care for abnlt of pelvic organ, unsp, third tri |
| 0350XX0 | Maternal care for (suspected) cnsl malform in fetus, unsp |
| 0350XX1 | Maternal care for (suspected) cnsl malform in fetus, fetus 1 |
| 0350XX2 | Maternal care for (suspected) cnsl malform in fetus, fetus 2 |

| | |
|---------|--|
| 0350XX3 | Maternal care for (suspected) cnsl malform in fetus, fetus 3 |
| 0350XX4 | Maternal care for (suspected) cnsl malform in fetus, fetus 4 |
| 0350XX5 | Maternal care for (suspected) cnsl malform in fetus, fetus 5 |
| 0350XX9 | Maternal care for (suspected) cnsl malform in fetus, oth |
| 0351XX0 | Maternal care for chromosomal abnormality in fetus, unsp |
| 0351XX1 | Maternal care for chromosomal abnormality in fetus, fetus 1 |
| 0351XX2 | Maternal care for chromosomal abnormality in fetus, fetus 2 |
| 0351XX3 | Maternal care for chromosomal abnormality in fetus, fetus 3 |
| 0351XX4 | Maternal care for chromosomal abnormality in fetus, fetus 4 |
| 0351XX5 | Maternal care for chromosomal abnormality in fetus, fetus 5 |
| 0351XX9 | Maternal care for chromosomal abnormality in fetus, oth |
| 0352XX0 | Maternal care for hereditary disease in fetus, unsp |
| 0352XX1 | Maternal care for hereditary disease in fetus, fetus 1 |
| 0352XX2 | Maternal care for hereditary disease in fetus, fetus 2 |
| 0352XX3 | Maternal care for hereditary disease in fetus, fetus 3 |
| 0352XX4 | Maternal care for hereditary disease in fetus, fetus 4 |
| 0352XX5 | Maternal care for hereditary disease in fetus, fetus 5 |
| 0352XX9 | Maternal care for hereditary disease in fetus, oth |
| 0353XX0 | Matern care for damag to fts from viral dis in mother, unsp |
| 0353XX1 | Matern care for damag to fts from viral dis in mother, fts1 |
| 0353XX2 | Matern care for damag to fts from viral dis in mother, fts2 |
| 0353XX3 | Matern care for damag to fts from viral dis in mother, fts3 |
| 0353XX4 | Matern care for damag to fts from viral dis in mother, fts4 |
| 0353XX5 | Matern care for damag to fts from viral dis in mother, fts5 |
| 0353XX9 | Matern care for damag to fetus from viral dis in mother, oth |
| 0354XX0 | Maternal care for damage to fetus from alcohol, unsp |
| 0354XX1 | Maternal care for damage to fetus from alcohol, fetus 1 |
| 0354XX2 | Maternal care for damage to fetus from alcohol, fetus 2 |
| 0354XX3 | Maternal care for damage to fetus from alcohol, fetus 3 |
| 0354XX4 | Maternal care for damage to fetus from alcohol, fetus 4 |
| 0354XX5 | Maternal care for damage to fetus from alcohol, fetus 5 |
| 0354XX9 | Maternal care for damage to fetus from alcohol, oth |
| 0355XX0 | Maternal care for (suspected) damage to fetus by drugs, unsp |
| 0355XX1 | Maternal care for damage to fetus by drugs, fetus 1 |
| 0355XX2 | Maternal care for damage to fetus by drugs, fetus 2 |
| 0355XX3 | Maternal care for damage to fetus by drugs, fetus 3 |
| 0355XX4 | Maternal care for damage to fetus by drugs, fetus 4 |
| 0355XX5 | Maternal care for damage to fetus by drugs, fetus 5 |
| 0355XX9 | Maternal care for (suspected) damage to fetus by drugs, oth |
| 0356XX0 | Maternal care for damage to fetus by radiation, unsp |
| 0356XX1 | Maternal care for damage to fetus by radiation, fetus 1 |
| 0356XX2 | Maternal care for damage to fetus by radiation, fetus 2 |
| 0356XX3 | Maternal care for damage to fetus by radiation, fetus 3 |
| 0356XX4 | Maternal care for damage to fetus by radiation, fetus 4 |
| 0356XX5 | Maternal care for damage to fetus by radiation, fetus 5 |
| 0356XX9 | Maternal care for damage to fetus by radiation, oth |
| 0357XX0 | Maternal care for damage to fetus by oth medical proc, unsp |
| 0357XX1 | Matern care for damage to fetus by oth medical proc, fetus 1 |
| 0357XX2 | Matern care for damage to fetus by oth medical proc, fetus 2 |
| 0357XX3 | Matern care for damage to fetus by oth medical proc, fetus 3 |
| 0357XX4 | Matern care for damage to fetus by oth medical proc, fetus 4 |
| 0357XX5 | Matern care for damage to fetus by oth medical proc, fetus 5 |

| | |
|---------|--|
| O357XX9 | Maternal care for damage to fetus by oth medical proc, oth |
| O358XX0 | Maternal care for oth fetal abnormality and damage, unsp |
| O358XX1 | Maternal care for oth fetal abnormality and damage, fetus 1 |
| O358XX2 | Maternal care for oth fetal abnormality and damage, fetus 2 |
| O358XX3 | Maternal care for oth fetal abnormality and damage, fetus 3 |
| O358XX4 | Maternal care for oth fetal abnormality and damage, fetus 4 |
| O358XX5 | Maternal care for oth fetal abnormality and damage, fetus 5 |
| O358XX9 | Maternal care for oth fetal abnormality and damage, oth |
| O359XX0 | Maternal care for fetal abnormality and damage, unsp, unsp |
| O359XX1 | Maternal care for fetal abnlt and damage, unsp, fetus 1 |
| O359XX2 | Maternal care for fetal abnlt and damage, unsp, fetus 2 |
| O359XX3 | Maternal care for fetal abnlt and damage, unsp, fetus 3 |
| O359XX4 | Maternal care for fetal abnlt and damage, unsp, fetus 4 |
| O359XX5 | Maternal care for fetal abnlt and damage, unsp, fetus 5 |
| O359XX9 | Maternal care for fetal abnormality and damage, unsp, oth |
| O360110 | Maternal care for anti-D antibodies, first trimester, unsp |
| O360111 | Maternal care for anti-D antibodies, first tri, fetus 1 |
| O360112 | Maternal care for anti-D antibodies, first tri, fetus 2 |
| O360113 | Maternal care for anti-D antibodies, first tri, fetus 3 |
| O360114 | Maternal care for anti-D antibodies, first tri, fetus 4 |
| O360115 | Maternal care for anti-D antibodies, first tri, fetus 5 |
| O360119 | Maternal care for anti-D antibodies, first trimester, oth |
| O360120 | Maternal care for anti-D antibodies, second trimester, unsp |
| O360121 | Maternal care for anti-D antibodies, second tri, fetus 1 |
| O360122 | Maternal care for anti-D antibodies, second tri, fetus 2 |
| O360123 | Maternal care for anti-D antibodies, second tri, fetus 3 |
| O360124 | Maternal care for anti-D antibodies, second tri, fetus 4 |
| O360125 | Maternal care for anti-D antibodies, second tri, fetus 5 |
| O360129 | Maternal care for anti-D antibodies, second trimester, oth |
| O360130 | Maternal care for anti-D antibodies, third trimester, unsp |
| O360131 | Maternal care for anti-D antibodies, third tri, fetus 1 |
| O360132 | Maternal care for anti-D antibodies, third tri, fetus 2 |
| O360133 | Maternal care for anti-D antibodies, third tri, fetus 3 |
| O360134 | Maternal care for anti-D antibodies, third tri, fetus 4 |
| O360135 | Maternal care for anti-D antibodies, third tri, fetus 5 |
| O360139 | Maternal care for anti-D antibodies, third trimester, oth |
| O360190 | Maternal care for anti-D antibodies, unsp trimester, unsp |
| O360191 | Maternal care for anti-D antibodies, unsp trimester, fetus 1 |
| O360192 | Maternal care for anti-D antibodies, unsp trimester, fetus 2 |
| O360193 | Maternal care for anti-D antibodies, unsp trimester, fetus 3 |
| O360194 | Maternal care for anti-D antibodies, unsp trimester, fetus 4 |
| O360195 | Maternal care for anti-D antibodies, unsp trimester, fetus 5 |
| O360199 | Maternal care for anti-D antibodies, unsp trimester, oth |
| O360910 | Maternal care for oth rhesus isoimmun, first trimester, unsp |
| O360911 | Maternal care for oth rhesus isoimmun, first tri, fetus 1 |
| O360912 | Maternal care for oth rhesus isoimmun, first tri, fetus 2 |
| O360913 | Maternal care for oth rhesus isoimmun, first tri, fetus 3 |
| O360914 | Maternal care for oth rhesus isoimmun, first tri, fetus 4 |
| O360915 | Maternal care for oth rhesus isoimmun, first tri, fetus 5 |
| O360919 | Maternal care for oth rhesus isoimmun, first trimester, oth |
| O360920 | Maternal care for oth rhesus isoimmun, second tri, unsp |
| O360921 | Maternal care for oth rhesus isoimmun, second tri, fetus 1 |

| | |
|---------|--|
| 0360922 | Maternal care for oth rhesus isoimmun, second tri, fetus 2 |
| 0360923 | Maternal care for oth rhesus isoimmun, second tri, fetus 3 |
| 0360924 | Maternal care for oth rhesus isoimmun, second tri, fetus 4 |
| 0360925 | Maternal care for oth rhesus isoimmun, second tri, fetus 5 |
| 0360929 | Maternal care for oth rhesus isoimmun, second trimester, oth |
| 0360930 | Maternal care for oth rhesus isoimmun, third trimester, unsp |
| 0360931 | Maternal care for oth rhesus isoimmun, third tri, fetus 1 |
| 0360932 | Maternal care for oth rhesus isoimmun, third tri, fetus 2 |
| 0360933 | Maternal care for oth rhesus isoimmun, third tri, fetus 3 |
| 0360934 | Maternal care for oth rhesus isoimmun, third tri, fetus 4 |
| 0360935 | Maternal care for oth rhesus isoimmun, third tri, fetus 5 |
| 0360939 | Maternal care for oth rhesus isoimmun, third trimester, oth |
| 0360990 | Maternal care for oth rhesus isoimmun, unsp trimester, unsp |
| 0360991 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 1 |
| 0360992 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 2 |
| 0360993 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 3 |
| 0360994 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 4 |
| 0360995 | Maternal care for oth rhesus isoimmun, unsp tri, fetus 5 |
| 0360999 | Maternal care for oth rhesus isoimmun, unsp trimester, oth |
| 0361110 | Maternal care for Anti-A sensitization, first tri, unsp |
| 0361111 | Maternal care for Anti-A sensitization, first tri, fetus 1 |
| 0361112 | Maternal care for Anti-A sensitization, first tri, fetus 2 |
| 0361113 | Maternal care for Anti-A sensitization, first tri, fetus 3 |
| 0361114 | Maternal care for Anti-A sensitization, first tri, fetus 4 |
| 0361115 | Maternal care for Anti-A sensitization, first tri, fetus 5 |
| 0361119 | Maternal care for Anti-A sensitization, first trimester, oth |
| 0361120 | Maternal care for Anti-A sensitization, second tri, unsp |
| 0361121 | Maternal care for Anti-A sensitization, second tri, fetus 1 |
| 0361122 | Maternal care for Anti-A sensitization, second tri, fetus 2 |
| 0361123 | Maternal care for Anti-A sensitization, second tri, fetus 3 |
| 0361124 | Maternal care for Anti-A sensitization, second tri, fetus 4 |
| 0361125 | Maternal care for Anti-A sensitization, second tri, fetus 5 |
| 0361129 | Maternal care for Anti-A sensitization, second tri, oth |
| 0361130 | Maternal care for Anti-A sensitization, third tri, unsp |
| 0361131 | Maternal care for Anti-A sensitization, third tri, fetus 1 |
| 0361132 | Maternal care for Anti-A sensitization, third tri, fetus 2 |
| 0361133 | Maternal care for Anti-A sensitization, third tri, fetus 3 |
| 0361134 | Maternal care for Anti-A sensitization, third tri, fetus 4 |
| 0361135 | Maternal care for Anti-A sensitization, third tri, fetus 5 |
| 0361139 | Maternal care for Anti-A sensitization, third trimester, oth |
| 0361190 | Maternal care for Anti-A sensitization, unsp trimester, unsp |
| 0361191 | Maternal care for Anti-A sensitization, unsp tri, fetus 1 |
| 0361192 | Maternal care for Anti-A sensitization, unsp tri, fetus 2 |
| 0361193 | Maternal care for Anti-A sensitization, unsp tri, fetus 3 |
| 0361194 | Maternal care for Anti-A sensitization, unsp tri, fetus 4 |
| 0361195 | Maternal care for Anti-A sensitization, unsp tri, fetus 5 |
| 0361199 | Maternal care for Anti-A sensitization, unsp trimester, oth |
| 0361910 | Maternal care for oth isoimmunization, first trimester, unsp |
| 0361911 | Maternal care for oth isoimmun, first trimester, fetus 1 |
| 0361912 | Maternal care for oth isoimmun, first trimester, fetus 2 |
| 0361913 | Maternal care for oth isoimmun, first trimester, fetus 3 |
| 0361914 | Maternal care for oth isoimmun, first trimester, fetus 4 |

| | |
|---------|--|
| 0361915 | Maternal care for oth isoimmun, first trimester, fetus 5 |
| 0361919 | Maternal care for oth isoimmunization, first trimester, oth |
| 0361920 | Maternal care for oth isoimmun, second trimester, unsp |
| 0361921 | Maternal care for oth isoimmun, second trimester, fetus 1 |
| 0361922 | Maternal care for oth isoimmun, second trimester, fetus 2 |
| 0361923 | Maternal care for oth isoimmun, second trimester, fetus 3 |
| 0361924 | Maternal care for oth isoimmun, second trimester, fetus 4 |
| 0361925 | Maternal care for oth isoimmun, second trimester, fetus 5 |
| 0361929 | Maternal care for oth isoimmunization, second trimester, oth |
| 0361930 | Maternal care for oth isoimmunization, third trimester, unsp |
| 0361931 | Maternal care for oth isoimmun, third trimester, fetus 1 |
| 0361932 | Maternal care for oth isoimmun, third trimester, fetus 2 |
| 0361933 | Maternal care for oth isoimmun, third trimester, fetus 3 |
| 0361934 | Maternal care for oth isoimmun, third trimester, fetus 4 |
| 0361935 | Maternal care for oth isoimmun, third trimester, fetus 5 |
| 0361939 | Maternal care for oth isoimmunization, third trimester, oth |
| 0361990 | Maternal care for oth isoimmunization, unsp trimester, unsp |
| 0361991 | Maternal care for oth isoimmun, unsp trimester, fetus 1 |
| 0361992 | Maternal care for oth isoimmun, unsp trimester, fetus 2 |
| 0361993 | Maternal care for oth isoimmun, unsp trimester, fetus 3 |
| 0361994 | Maternal care for oth isoimmun, unsp trimester, fetus 4 |
| 0361995 | Maternal care for oth isoimmun, unsp trimester, fetus 5 |
| 0361999 | Maternal care for oth isoimmunization, unsp trimester, oth |
| 03620X0 | Maternal care for hydrops fetalis, unsp trimester, unsp |
| 03620X1 | Maternal care for hydrops fetalis, unsp trimester, fetus 1 |
| 03620X2 | Maternal care for hydrops fetalis, unsp trimester, fetus 2 |
| 03620X3 | Maternal care for hydrops fetalis, unsp trimester, fetus 3 |
| 03620X4 | Maternal care for hydrops fetalis, unsp trimester, fetus 4 |
| 03620X5 | Maternal care for hydrops fetalis, unsp trimester, fetus 5 |
| 03620X9 | Maternal care for hydrops fetalis, unsp trimester, oth fetus |
| 03621X0 | Maternal care for hydrops fetalis, first trimester, unsp |
| 03621X1 | Maternal care for hydrops fetalis, first trimester, fetus 1 |
| 03621X2 | Maternal care for hydrops fetalis, first trimester, fetus 2 |
| 03621X3 | Maternal care for hydrops fetalis, first trimester, fetus 3 |
| 03621X4 | Maternal care for hydrops fetalis, first trimester, fetus 4 |
| 03621X5 | Maternal care for hydrops fetalis, first trimester, fetus 5 |
| 03621X9 | Maternal care for hydrops fetalis, first trimester, oth |
| 03622X0 | Maternal care for hydrops fetalis, second trimester, unsp |
| 03622X1 | Maternal care for hydrops fetalis, second trimester, fetus 1 |
| 03622X2 | Maternal care for hydrops fetalis, second trimester, fetus 2 |
| 03622X3 | Maternal care for hydrops fetalis, second trimester, fetus 3 |
| 03622X4 | Maternal care for hydrops fetalis, second trimester, fetus 4 |
| 03622X5 | Maternal care for hydrops fetalis, second trimester, fetus 5 |
| 03622X9 | Maternal care for hydrops fetalis, second trimester, oth |
| 03623X0 | Maternal care for hydrops fetalis, third trimester, unsp |
| 03623X1 | Maternal care for hydrops fetalis, third trimester, fetus 1 |
| 03623X2 | Maternal care for hydrops fetalis, third trimester, fetus 2 |
| 03623X3 | Maternal care for hydrops fetalis, third trimester, fetus 3 |
| 03623X4 | Maternal care for hydrops fetalis, third trimester, fetus 4 |
| 03623X5 | Maternal care for hydrops fetalis, third trimester, fetus 5 |
| 03623X9 | Maternal care for hydrops fetalis, third trimester, oth |
| 0364XX0 | Maternal care for intrauterine death, not applicable or unsp |

| | |
|---------|--|
| O364XX1 | Maternal care for intrauterine death, fetus 1 |
| O364XX2 | Maternal care for intrauterine death, fetus 2 |
| O364XX3 | Maternal care for intrauterine death, fetus 3 |
| O364XX4 | Maternal care for intrauterine death, fetus 4 |
| O364XX5 | Maternal care for intrauterine death, fetus 5 |
| O364XX9 | Maternal care for intrauterine death, other fetus |
| O365110 | Matern care for known or susp placntl insuff, 1st tri, unsp |
| O365111 | Matern care for known or susp placntl insuff, 1st tri, fts1 |
| O365112 | Matern care for known or susp placntl insuff, 1st tri, fts2 |
| O365113 | Matern care for known or susp placntl insuff, 1st tri, fts3 |
| O365114 | Matern care for known or susp placntl insuff, 1st tri, fts4 |
| O365115 | Matern care for known or susp placntl insuff, 1st tri, fts5 |
| O365119 | Matern care for known or susp placntl insuff, first tri, oth |
| O365120 | Matern care for known or susp placntl insuff, 2nd tri, unsp |
| O365121 | Matern care for known or susp placntl insuff, 2nd tri, fts1 |
| O365122 | Matern care for known or susp placntl insuff, 2nd tri, fts2 |
| O365123 | Matern care for known or susp placntl insuff, 2nd tri, fts3 |
| O365124 | Matern care for known or susp placntl insuff, 2nd tri, fts4 |
| O365125 | Matern care for known or susp placntl insuff, 2nd tri, fts5 |
| O365129 | Matern care for known or susp placntl insuff, 2nd tri, oth |
| O365130 | Matern care for or susp placntl insuff, third tri, unsp |
| O365131 | Matern care for or susp placntl insuff, third tri, fts1 |
| O365132 | Matern care for or susp placntl insuff, third tri, fts2 |
| O365133 | Matern care for or susp placntl insuff, third tri, fts3 |
| O365134 | Matern care for or susp placntl insuff, third tri, fts4 |
| O365135 | Matern care for or susp placntl insuff, third tri, fts5 |
| O365139 | Matern care for known or susp placntl insuff, third tri, oth |
| O365190 | Matern care for known or susp placntl insuff, unsp tri, unsp |
| O365191 | Matern care for known or susp placntl insuff, unsp tri, fts1 |
| O365192 | Matern care for known or susp placntl insuff, unsp tri, fts2 |
| O365193 | Matern care for known or susp placntl insuff, unsp tri, fts3 |
| O365194 | Matern care for known or susp placntl insuff, unsp tri, fts4 |
| O365195 | Matern care for known or susp placntl insuff, unsp tri, fts5 |
| O365199 | Matern care for known or susp placntl insuff, unsp tri, oth |
| O365910 | Matern care for oth or susp poor fetl grth, 1st tri, unsp |
| O365911 | Matern care for oth or susp poor fetl grth, 1st tri, fts1 |
| O365912 | Matern care for oth or susp poor fetl grth, 1st tri, fts2 |
| O365913 | Matern care for oth or susp poor fetl grth, 1st tri, fts3 |
| O365914 | Matern care for oth or susp poor fetl grth, 1st tri, fts4 |
| O365915 | Matern care for oth or susp poor fetl grth, 1st tri, fts5 |
| O365919 | Matern care for oth or susp poor fetl grth, 1st tri, oth |
| O365920 | Matern care for oth or susp poor fetl grth, 2nd tri, unsp |
| O365921 | Matern care for oth or susp poor fetl grth, 2nd tri, fts1 |
| O365922 | Matern care for oth or susp poor fetl grth, 2nd tri, fts2 |
| O365923 | Matern care for oth or susp poor fetl grth, 2nd tri, fts3 |
| O365924 | Matern care for oth or susp poor fetl grth, 2nd tri, fts4 |
| O365925 | Matern care for oth or susp poor fetl grth, 2nd tri, fts5 |
| O365929 | Matern care for oth or susp poor fetl grth, 2nd tri, oth |
| O365930 | Matern care for oth or susp poor fetl grth, third tri, unsp |
| O365931 | Matern care for oth or susp poor fetl grth, third tri, fts1 |
| O365932 | Matern care for oth or susp poor fetl grth, third tri, fts2 |
| O365933 | Matern care for oth or susp poor fetl grth, third tri, fts3 |

| | |
|---------|--|
| 0365934 | Matern care for oth or susp poor fetl grth, third tri, fts4 |
| 0365935 | Matern care for oth or susp poor fetl grth, third tri, fts5 |
| 0365939 | Matern care for oth or susp poor fetl grth, third tri, oth |
| 0365990 | Matern care for oth or susp poor fetl grth, unsp tri, unsp |
| 0365991 | Matern care for oth or susp poor fetl grth, unsp tri, fts1 |
| 0365992 | Matern care for oth or susp poor fetl grth, unsp tri, fts2 |
| 0365993 | Matern care for oth or susp poor fetl grth, unsp tri, fts3 |
| 0365994 | Matern care for oth or susp poor fetl grth, unsp tri, fts4 |
| 0365995 | Matern care for oth or susp poor fetl grth, unsp tri, fts5 |
| 0365999 | Matern care for oth or susp poor fetl grth, unsp tri, oth |
| 03660X0 | Maternal care for excess fetal growth, unsp trimester, unsp |
| 03660X1 | Maternal care for excess fetal growth, unsp tri, fetus 1 |
| 03660X2 | Maternal care for excess fetal growth, unsp tri, fetus 2 |
| 03660X3 | Maternal care for excess fetal growth, unsp tri, fetus 3 |
| 03660X4 | Maternal care for excess fetal growth, unsp tri, fetus 4 |
| 03660X5 | Maternal care for excess fetal growth, unsp tri, fetus 5 |
| 03660X9 | Maternal care for excess fetal growth, unsp trimester, oth |
| 03661X0 | Maternal care for excess fetal growth, first trimester, unsp |
| 03661X1 | Maternal care for excess fetal growth, first tri, fetus 1 |
| 03661X2 | Maternal care for excess fetal growth, first tri, fetus 2 |
| 03661X3 | Maternal care for excess fetal growth, first tri, fetus 3 |
| 03661X4 | Maternal care for excess fetal growth, first tri, fetus 4 |
| 03661X5 | Maternal care for excess fetal growth, first tri, fetus 5 |
| 03661X9 | Maternal care for excess fetal growth, first trimester, oth |
| 03662X0 | Maternal care for excess fetal growth, second tri, unsp |
| 03662X1 | Maternal care for excess fetal growth, second tri, fetus 1 |
| 03662X2 | Maternal care for excess fetal growth, second tri, fetus 2 |
| 03662X3 | Maternal care for excess fetal growth, second tri, fetus 3 |
| 03662X4 | Maternal care for excess fetal growth, second tri, fetus 4 |
| 03662X5 | Maternal care for excess fetal growth, second tri, fetus 5 |
| 03662X9 | Maternal care for excess fetal growth, second trimester, oth |
| 03663X0 | Maternal care for excess fetal growth, third trimester, unsp |
| 03663X1 | Maternal care for excess fetal growth, third tri, fetus 1 |
| 03663X2 | Maternal care for excess fetal growth, third tri, fetus 2 |
| 03663X3 | Maternal care for excess fetal growth, third tri, fetus 3 |
| 03663X4 | Maternal care for excess fetal growth, third tri, fetus 4 |
| 03663X5 | Maternal care for excess fetal growth, third tri, fetus 5 |
| 03663X9 | Maternal care for excess fetal growth, third trimester, oth |
| 03670X0 | Maternal care for viable fetus in abd preg, unsp tri, unsp |
| 03670X1 | Matern care for viable fetus in abd preg, unsp tri, fetus 1 |
| 03670X2 | Matern care for viable fetus in abd preg, unsp tri, fetus 2 |
| 03670X3 | Matern care for viable fetus in abd preg, unsp tri, fetus 3 |
| 03670X4 | Matern care for viable fetus in abd preg, unsp tri, fetus 4 |
| 03670X5 | Matern care for viable fetus in abd preg, unsp tri, fetus 5 |
| 03670X9 | Maternal care for viable fetus in abd preg, unsp tri, oth |
| 03671X0 | Maternal care for viable fetus in abd preg, first tri, unsp |
| 03671X1 | Matern care for viable fetus in abd preg, first tri, fetus 1 |
| 03671X2 | Matern care for viable fetus in abd preg, first tri, fetus 2 |
| 03671X3 | Matern care for viable fetus in abd preg, first tri, fetus 3 |
| 03671X4 | Matern care for viable fetus in abd preg, first tri, fetus 4 |
| 03671X5 | Matern care for viable fetus in abd preg, first tri, fetus 5 |
| 03671X9 | Maternal care for viable fetus in abd preg, first tri, oth |

| | |
|---------|--|
| O3672X0 | Maternal care for viable fetus in abd preg, second tri, unsp |
| O3672X1 | Matern care for viable fetus in abd preg, second tri, fts1 |
| O3672X2 | Matern care for viable fetus in abd preg, second tri, fts2 |
| O3672X3 | Matern care for viable fetus in abd preg, second tri, fts3 |
| O3672X4 | Matern care for viable fetus in abd preg, second tri, fts4 |
| O3672X5 | Matern care for viable fetus in abd preg, second tri, fts5 |
| O3672X9 | Maternal care for viable fetus in abd preg, second tri, oth |
| O3673X0 | Maternal care for viable fetus in abd preg, third tri, unsp |
| O3673X1 | Matern care for viable fetus in abd preg, third tri, fetus 1 |
| O3673X2 | Matern care for viable fetus in abd preg, third tri, fetus 2 |
| O3673X3 | Matern care for viable fetus in abd preg, third tri, fetus 3 |
| O3673X4 | Matern care for viable fetus in abd preg, third tri, fetus 4 |
| O3673X5 | Matern care for viable fetus in abd preg, third tri, fetus 5 |
| O3673X9 | Maternal care for viable fetus in abd preg, third tri, oth |
| O3680X0 | Pregnancy w inconclusive fetal viability, unsp |
| O3680X1 | Pregnancy with inconclusive fetal viability, fetus 1 |
| O3680X2 | Pregnancy with inconclusive fetal viability, fetus 2 |
| O3680X3 | Pregnancy with inconclusive fetal viability, fetus 3 |
| O3680X4 | Pregnancy with inconclusive fetal viability, fetus 4 |
| O3680X5 | Pregnancy with inconclusive fetal viability, fetus 5 |
| O3680X9 | Pregnancy with inconclusive fetal viability, other fetus |
| O368120 | Decreased fetal movements, second trimester, unsp |
| O368121 | Decreased fetal movements, second trimester, fetus 1 |
| O368122 | Decreased fetal movements, second trimester, fetus 2 |
| O368123 | Decreased fetal movements, second trimester, fetus 3 |
| O368124 | Decreased fetal movements, second trimester, fetus 4 |
| O368125 | Decreased fetal movements, second trimester, fetus 5 |
| O368129 | Decreased fetal movements, second trimester, other fetus |
| O368130 | Decreased fetal movements, third trimester, unsp |
| O368131 | Decreased fetal movements, third trimester, fetus 1 |
| O368132 | Decreased fetal movements, third trimester, fetus 2 |
| O368133 | Decreased fetal movements, third trimester, fetus 3 |
| O368134 | Decreased fetal movements, third trimester, fetus 4 |
| O368135 | Decreased fetal movements, third trimester, fetus 5 |
| O368139 | Decreased fetal movements, third trimester, other fetus |
| O368190 | Decreased fetal movements, unsp trimester, unsp |
| O368191 | Decreased fetal movements, unspecified trimester, fetus 1 |
| O368192 | Decreased fetal movements, unspecified trimester, fetus 2 |
| O368193 | Decreased fetal movements, unspecified trimester, fetus 3 |
| O368194 | Decreased fetal movements, unspecified trimester, fetus 4 |
| O368195 | Decreased fetal movements, unspecified trimester, fetus 5 |
| O368199 | Decreased fetal movements, unsp trimester, other fetus |
| O368210 | Fetal anemia and thrombocytopenia, first trimester, unsp |
| O368211 | Fetal anemia and thrombocytopenia, first trimester, fetus 1 |
| O368212 | Fetal anemia and thrombocytopenia, first trimester, fetus 2 |
| O368213 | Fetal anemia and thrombocytopenia, first trimester, fetus 3 |
| O368214 | Fetal anemia and thrombocytopenia, first trimester, fetus 4 |
| O368215 | Fetal anemia and thrombocytopenia, first trimester, fetus 5 |
| O368219 | Fetal anemia and thrombocytopenia, first trimester, oth |
| O368220 | Fetal anemia and thrombocytopenia, second trimester, unsp |
| O368221 | Fetal anemia and thrombocytopenia, second trimester, fetus 1 |
| O368222 | Fetal anemia and thrombocytopenia, second trimester, fetus 2 |

| | |
|---------|--|
| 0368223 | Fetal anemia and thrombocytopenia, second trimester, fetus 3 |
| 0368224 | Fetal anemia and thrombocytopenia, second trimester, fetus 4 |
| 0368225 | Fetal anemia and thrombocytopenia, second trimester, fetus 5 |
| 0368229 | Fetal anemia and thrombocytopenia, second trimester, oth |
| 0368230 | Fetal anemia and thrombocytopenia, third trimester, unsp |
| 0368231 | Fetal anemia and thrombocytopenia, third trimester, fetus 1 |
| 0368232 | Fetal anemia and thrombocytopenia, third trimester, fetus 2 |
| 0368233 | Fetal anemia and thrombocytopenia, third trimester, fetus 3 |
| 0368234 | Fetal anemia and thrombocytopenia, third trimester, fetus 4 |
| 0368235 | Fetal anemia and thrombocytopenia, third trimester, fetus 5 |
| 0368239 | Fetal anemia and thrombocytopenia, third trimester, oth |
| 0368290 | Fetal anemia and thrombocytopenia, unsp trimester, unsp |
| 0368291 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 1 |
| 0368292 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 2 |
| 0368293 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 3 |
| 0368294 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 4 |
| 0368295 | Fetal anemia and thrombocytopenia, unsp trimester, fetus 5 |
| 0368299 | Fetal anemia and thrombocytopenia, unsp trimester, oth fetus |
| 0368310 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, unsp |
| 0368311 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts1 |
| 0368312 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts2 |
| 0368313 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts3 |
| 0368314 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts4 |
| 0368315 | Matern care for abnlt fetl hrt rate or rhym, 1st tri, fts5 |
| 0368319 | Matern care for abnlt of fetl hrt rate or rhym, 1st tri, oth |
| 0368320 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, unsp |
| 0368321 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts1 |
| 0368322 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts2 |
| 0368323 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts3 |
| 0368324 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts4 |
| 0368325 | Matern care for abnlt fetl hrt rate or rhym, 2nd tri, fts5 |
| 0368329 | Matern care for abnlt of fetl hrt rate or rhym, 2nd tri, oth |
| 0368330 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, unsp |
| 0368331 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts1 |
| 0368332 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts2 |
| 0368333 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts3 |
| 0368334 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts4 |
| 0368335 | Matern care for abnlt fetl hrt rate or rhym, 3rd tri, fts5 |
| 0368339 | Matern care for abnlt of fetl hrt rate or rhym, 3rd tri, oth |
| 0368390 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, unsp |
| 0368391 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts1 |
| 0368392 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts2 |
| 0368393 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts3 |
| 0368394 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts4 |
| 0368395 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, fts5 |
| 0368399 | Matern care for abnlt fetl hrt rate or rhym, unsp tri, oth |
| 0368910 | Maternal care for oth fetal problems, first trimester, unsp |
| 0368911 | Maternal care for oth fetal problems, first tri, fetus 1 |
| 0368912 | Maternal care for oth fetal problems, first tri, fetus 2 |
| 0368913 | Maternal care for oth fetal problems, first tri, fetus 3 |
| 0368914 | Maternal care for oth fetal problems, first tri, fetus 4 |
| 0368915 | Maternal care for oth fetal problems, first tri, fetus 5 |

| | |
|---------|--|
| 0368919 | Maternal care for oth fetal problems, first trimester, oth |
| 0368920 | Maternal care for oth fetal problems, second trimester, unsp |
| 0368921 | Maternal care for oth fetal problems, second tri, fetus 1 |
| 0368922 | Maternal care for oth fetal problems, second tri, fetus 2 |
| 0368923 | Maternal care for oth fetal problems, second tri, fetus 3 |
| 0368924 | Maternal care for oth fetal problems, second tri, fetus 4 |
| 0368925 | Maternal care for oth fetal problems, second tri, fetus 5 |
| 0368929 | Maternal care for oth fetal problems, second trimester, oth |
| 0368930 | Maternal care for oth fetal problems, third trimester, unsp |
| 0368931 | Maternal care for oth fetal problems, third tri, fetus 1 |
| 0368932 | Maternal care for oth fetal problems, third tri, fetus 2 |
| 0368933 | Maternal care for oth fetal problems, third tri, fetus 3 |
| 0368934 | Maternal care for oth fetal problems, third tri, fetus 4 |
| 0368935 | Maternal care for oth fetal problems, third tri, fetus 5 |
| 0368939 | Maternal care for oth fetal problems, third trimester, oth |
| 0368990 | Maternal care for oth fetal problems, unsp trimester, unsp |
| 0368991 | Maternal care for oth fetal problems, unsp tri, fetus 1 |
| 0368992 | Maternal care for oth fetal problems, unsp tri, fetus 2 |
| 0368993 | Maternal care for oth fetal problems, unsp tri, fetus 3 |
| 0368994 | Maternal care for oth fetal problems, unsp tri, fetus 4 |
| 0368995 | Maternal care for oth fetal problems, unsp tri, fetus 5 |
| 0368999 | Maternal care for oth fetal problems, unsp trimester, oth |
| 03690X0 | Maternal care for fetal problem, unsp, unsp trimester, unsp |
| 03690X1 | Maternal care for fetal problem, unsp, unsp tri, fetus 1 |
| 03690X2 | Maternal care for fetal problem, unsp, unsp tri, fetus 2 |
| 03690X3 | Maternal care for fetal problem, unsp, unsp tri, fetus 3 |
| 03690X4 | Maternal care for fetal problem, unsp, unsp tri, fetus 4 |
| 03690X5 | Maternal care for fetal problem, unsp, unsp tri, fetus 5 |
| 03690X9 | Maternal care for fetal problem, unsp, unsp trimester, oth |
| 03691X0 | Maternal care for fetal problem, unsp, first trimester, unsp |
| 03691X1 | Maternal care for fetal problem, unsp, first tri, fetus 1 |
| 03691X2 | Maternal care for fetal problem, unsp, first tri, fetus 2 |
| 03691X3 | Maternal care for fetal problem, unsp, first tri, fetus 3 |
| 03691X4 | Maternal care for fetal problem, unsp, first tri, fetus 4 |
| 03691X5 | Maternal care for fetal problem, unsp, first tri, fetus 5 |
| 03691X9 | Maternal care for fetal problem, unsp, first trimester, oth |
| 03692X0 | Maternal care for fetal problem, unsp, second tri, unsp |
| 03692X1 | Maternal care for fetal problem, unsp, second tri, fetus 1 |
| 03692X2 | Maternal care for fetal problem, unsp, second tri, fetus 2 |
| 03692X3 | Maternal care for fetal problem, unsp, second tri, fetus 3 |
| 03692X4 | Maternal care for fetal problem, unsp, second tri, fetus 4 |
| 03692X5 | Maternal care for fetal problem, unsp, second tri, fetus 5 |
| 03692X9 | Maternal care for fetal problem, unsp, second trimester, oth |
| 03693X0 | Maternal care for fetal problem, unsp, third trimester, unsp |
| 03693X1 | Maternal care for fetal problem, unsp, third tri, fetus 1 |
| 03693X2 | Maternal care for fetal problem, unsp, third tri, fetus 2 |
| 03693X3 | Maternal care for fetal problem, unsp, third tri, fetus 3 |
| 03693X4 | Maternal care for fetal problem, unsp, third tri, fetus 4 |
| 03693X5 | Maternal care for fetal problem, unsp, third tri, fetus 5 |
| 03693X9 | Maternal care for fetal problem, unsp, third trimester, oth |
| O401XX0 | Polyhydramnios, first trimester, not applicable or unsp |
| O401XX1 | Polyhydramnios, first trimester, fetus 1 |

| | |
|---------|---|
| O401XX2 | Polyhydramnios, first trimester, fetus 2 |
| O401XX3 | Polyhydramnios, first trimester, fetus 3 |
| O401XX4 | Polyhydramnios, first trimester, fetus 4 |
| O401XX5 | Polyhydramnios, first trimester, fetus 5 |
| O401XX9 | Polyhydramnios, first trimester, other fetus |
| O402XX0 | Polyhydramnios, second trimester, not applicable or unsp |
| O402XX1 | Polyhydramnios, second trimester, fetus 1 |
| O402XX2 | Polyhydramnios, second trimester, fetus 2 |
| O402XX3 | Polyhydramnios, second trimester, fetus 3 |
| O402XX4 | Polyhydramnios, second trimester, fetus 4 |
| O402XX5 | Polyhydramnios, second trimester, fetus 5 |
| O402XX9 | Polyhydramnios, second trimester, other fetus |
| O403XX0 | Polyhydramnios, third trimester, not applicable or unsp |
| O403XX1 | Polyhydramnios, third trimester, fetus 1 |
| O403XX2 | Polyhydramnios, third trimester, fetus 2 |
| O403XX3 | Polyhydramnios, third trimester, fetus 3 |
| O403XX4 | Polyhydramnios, third trimester, fetus 4 |
| O403XX5 | Polyhydramnios, third trimester, fetus 5 |
| O403XX9 | Polyhydramnios, third trimester, other fetus |
| O409XX0 | Polyhydramnios, unsp trimester, not applicable or unsp |
| O409XX1 | Polyhydramnios, unspecified trimester, fetus 1 |
| O409XX2 | Polyhydramnios, unspecified trimester, fetus 2 |
| O409XX3 | Polyhydramnios, unspecified trimester, fetus 3 |
| O409XX4 | Polyhydramnios, unspecified trimester, fetus 4 |
| O409XX5 | Polyhydramnios, unspecified trimester, fetus 5 |
| O409XX9 | Polyhydramnios, unspecified trimester, other fetus |
| O4100X0 | Oligohydramnios, unsp trimester, not applicable or unsp |
| O4100X1 | Oligohydramnios, unspecified trimester, fetus 1 |
| O4100X2 | Oligohydramnios, unspecified trimester, fetus 2 |
| O4100X3 | Oligohydramnios, unspecified trimester, fetus 3 |
| O4100X4 | Oligohydramnios, unspecified trimester, fetus 4 |
| O4100X5 | Oligohydramnios, unspecified trimester, fetus 5 |
| O4100X9 | Oligohydramnios, unspecified trimester, other fetus |
| O4101X0 | Oligohydramnios, first trimester, not applicable or unsp |
| O4101X1 | Oligohydramnios, first trimester, fetus 1 |
| O4101X2 | Oligohydramnios, first trimester, fetus 2 |
| O4101X3 | Oligohydramnios, first trimester, fetus 3 |
| O4101X4 | Oligohydramnios, first trimester, fetus 4 |
| O4101X5 | Oligohydramnios, first trimester, fetus 5 |
| O4101X9 | Oligohydramnios, first trimester, other fetus |
| O4102X0 | Oligohydramnios, second trimester, not applicable or unsp |
| O4102X1 | Oligohydramnios, second trimester, fetus 1 |
| O4102X2 | Oligohydramnios, second trimester, fetus 2 |
| O4102X3 | Oligohydramnios, second trimester, fetus 3 |
| O4102X4 | Oligohydramnios, second trimester, fetus 4 |
| O4102X5 | Oligohydramnios, second trimester, fetus 5 |
| O4102X9 | Oligohydramnios, second trimester, other fetus |
| O4103X0 | Oligohydramnios, third trimester, not applicable or unsp |
| O4103X1 | Oligohydramnios, third trimester, fetus 1 |
| O4103X2 | Oligohydramnios, third trimester, fetus 2 |
| O4103X3 | Oligohydramnios, third trimester, fetus 3 |
| O4103X4 | Oligohydramnios, third trimester, fetus 4 |

| | |
|---------|--|
| O4103X5 | Oligohydramnios, third trimester, fetus 5 |
| O4103X9 | Oligohydramnios, third trimester, other fetus |
| O411010 | Infct of amniotic sac and membrns, unsp, first tri, unsp |
| O411011 | Infct of amniotic sac and membrns, unsp, first tri, fetus 1 |
| O411012 | Infct of amniotic sac and membrns, unsp, first tri, fetus 2 |
| O411013 | Infct of amniotic sac and membrns, unsp, first tri, fetus 3 |
| O411014 | Infct of amniotic sac and membrns, unsp, first tri, fetus 4 |
| O411015 | Infct of amniotic sac and membrns, unsp, first tri, fetus 5 |
| O411019 | Infct of amniotic sac and membrns, unsp, first tri, oth |
| O411020 | Infct of amniotic sac and membrns, unsp, second tri, unsp |
| O411021 | Infct of amniotic sac and membrns, unsp, second tri, fetus 1 |
| O411022 | Infct of amniotic sac and membrns, unsp, second tri, fetus 2 |
| O411023 | Infct of amniotic sac and membrns, unsp, second tri, fetus 3 |
| O411024 | Infct of amniotic sac and membrns, unsp, second tri, fetus 4 |
| O411025 | Infct of amniotic sac and membrns, unsp, second tri, fetus 5 |
| O411029 | Infct of amniotic sac and membrns, unsp, second tri, oth |
| O411030 | Infct of amniotic sac and membrns, unsp, third tri, unsp |
| O411031 | Infct of amniotic sac and membrns, unsp, third tri, fetus 1 |
| O411032 | Infct of amniotic sac and membrns, unsp, third tri, fetus 2 |
| O411033 | Infct of amniotic sac and membrns, unsp, third tri, fetus 3 |
| O411034 | Infct of amniotic sac and membrns, unsp, third tri, fetus 4 |
| O411035 | Infct of amniotic sac and membrns, unsp, third tri, fetus 5 |
| O411039 | Infct of amniotic sac and membrns, unsp, third tri, oth |
| O411090 | Infct of amniotic sac and membrns, unsp, unsp tri, unsp |
| O411091 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 1 |
| O411092 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 2 |
| O411093 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 3 |
| O411094 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 4 |
| O411095 | Infct of amniotic sac and membrns, unsp, unsp tri, fetus 5 |
| O411099 | Infct of amniotic sac and membrns, unsp, unsp trimester, oth |
| O411210 | Chorioamnionitis, first trimester, not applicable or unsp |
| O411211 | Chorioamnionitis, first trimester, fetus 1 |
| O411212 | Chorioamnionitis, first trimester, fetus 2 |
| O411213 | Chorioamnionitis, first trimester, fetus 3 |
| O411214 | Chorioamnionitis, first trimester, fetus 4 |
| O411215 | Chorioamnionitis, first trimester, fetus 5 |
| O411219 | Chorioamnionitis, first trimester, other fetus |
| O411220 | Chorioamnionitis, second trimester, not applicable or unsp |
| O411221 | Chorioamnionitis, second trimester, fetus 1 |
| O411222 | Chorioamnionitis, second trimester, fetus 2 |
| O411223 | Chorioamnionitis, second trimester, fetus 3 |
| O411224 | Chorioamnionitis, second trimester, fetus 4 |
| O411225 | Chorioamnionitis, second trimester, fetus 5 |
| O411229 | Chorioamnionitis, second trimester, other fetus |
| O411230 | Chorioamnionitis, third trimester, not applicable or unsp |
| O411231 | Chorioamnionitis, third trimester, fetus 1 |
| O411232 | Chorioamnionitis, third trimester, fetus 2 |
| O411233 | Chorioamnionitis, third trimester, fetus 3 |
| O411234 | Chorioamnionitis, third trimester, fetus 4 |
| O411235 | Chorioamnionitis, third trimester, fetus 5 |
| O411239 | Chorioamnionitis, third trimester, other fetus |
| O411290 | Chorioamnionitis, unsp trimester, not applicable or unsp |

| | |
|---------|--|
| O411291 | Chorioamnionitis, unspecified trimester, fetus 1 |
| O411292 | Chorioamnionitis, unspecified trimester, fetus 2 |
| O411293 | Chorioamnionitis, unspecified trimester, fetus 3 |
| O411294 | Chorioamnionitis, unspecified trimester, fetus 4 |
| O411295 | Chorioamnionitis, unspecified trimester, fetus 5 |
| O411299 | Chorioamnionitis, unspecified trimester, other fetus |
| O411410 | Placentitis, first trimester, not applicable or unspecified |
| O411411 | Placentitis, first trimester, fetus 1 |
| O411412 | Placentitis, first trimester, fetus 2 |
| O411413 | Placentitis, first trimester, fetus 3 |
| O411414 | Placentitis, first trimester, fetus 4 |
| O411415 | Placentitis, first trimester, fetus 5 |
| O411419 | Placentitis, first trimester, other fetus |
| O411420 | Placentitis, second trimester, not applicable or unspecified |
| O411421 | Placentitis, second trimester, fetus 1 |
| O411422 | Placentitis, second trimester, fetus 2 |
| O411423 | Placentitis, second trimester, fetus 3 |
| O411424 | Placentitis, second trimester, fetus 4 |
| O411425 | Placentitis, second trimester, fetus 5 |
| O411429 | Placentitis, second trimester, other fetus |
| O411430 | Placentitis, third trimester, not applicable or unspecified |
| O411431 | Placentitis, third trimester, fetus 1 |
| O411432 | Placentitis, third trimester, fetus 2 |
| O411433 | Placentitis, third trimester, fetus 3 |
| O411434 | Placentitis, third trimester, fetus 4 |
| O411435 | Placentitis, third trimester, fetus 5 |
| O411439 | Placentitis, third trimester, other fetus |
| O411490 | Placentitis, unsp trimester, not applicable or unspecified |
| O411491 | Placentitis, unspecified trimester, fetus 1 |
| O411492 | Placentitis, unspecified trimester, fetus 2 |
| O411493 | Placentitis, unspecified trimester, fetus 3 |
| O411494 | Placentitis, unspecified trimester, fetus 4 |
| O411495 | Placentitis, unspecified trimester, fetus 5 |
| O411499 | Placentitis, unspecified trimester, other fetus |
| O418X10 | Oth disrd of amniotic fluid and membrns, first tri, unsp |
| O418X11 | Oth disrd of amniotic fluid and membrns, first tri, fetus 1 |
| O418X12 | Oth disrd of amniotic fluid and membrns, first tri, fetus 2 |
| O418X13 | Oth disrd of amniotic fluid and membrns, first tri, fetus 3 |
| O418X14 | Oth disrd of amniotic fluid and membrns, first tri, fetus 4 |
| O418X15 | Oth disrd of amniotic fluid and membrns, first tri, fetus 5 |
| O418X19 | Oth disrd of amniotic fluid and membrns, first tri, oth |
| O418X20 | Oth disrd of amniotic fluid and membrns, second tri, unsp |
| O418X21 | Oth disrd of amniotic fluid and membrns, second tri, fetus 1 |
| O418X22 | Oth disrd of amniotic fluid and membrns, second tri, fetus 2 |
| O418X23 | Oth disrd of amniotic fluid and membrns, second tri, fetus 3 |
| O418X24 | Oth disrd of amniotic fluid and membrns, second tri, fetus 4 |
| O418X25 | Oth disrd of amniotic fluid and membrns, second tri, fetus 5 |
| O418X29 | Oth disrd of amniotic fluid and membrns, second tri, oth |
| O418X30 | Oth disrd of amniotic fluid and membrns, third tri, unsp |
| O418X31 | Oth disrd of amniotic fluid and membrns, third tri, fetus 1 |
| O418X32 | Oth disrd of amniotic fluid and membrns, third tri, fetus 2 |
| O418X33 | Oth disrd of amniotic fluid and membrns, third tri, fetus 3 |

| | |
|---------|---|
| O418X34 | Oth disrd of amniotic fluid and membrns, third tri, fetus 4 |
| O418X35 | Oth disrd of amniotic fluid and membrns, third tri, fetus 5 |
| O418X39 | Oth disrd of amniotic fluid and membrns, third tri, oth |
| O418X90 | Oth disrd of amniotic fluid and membrns, unsp tri, unsp |
| O418X91 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 1 |
| O418X92 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 2 |
| O418X93 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 3 |
| O418X94 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 4 |
| O418X95 | Oth disrd of amniotic fluid and membrns, unsp tri, fetus 5 |
| O418X99 | Oth disrd of amniotic fluid and membrns, unsp trimester, oth |
| O4190X0 | Disorder of amniotic fluid and membrns, unsp, unsp tri, unsp |
| O4190X1 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 1 |
| O4190X2 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 2 |
| O4190X3 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 3 |
| O4190X4 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 4 |
| O4190X5 | Disorder of amnio fluid and membrns, unsp, unsp tri, fetus 5 |
| O4190X9 | Disorder of amniotic fluid and membrns, unsp, unsp tri, oth |
| O4191X0 | Disorder of amnio fluid and membrns, unsp, first tri, unsp |
| O4191X1 | Disord of amnio fluid and membrns, unsp, first tri, fetus 1 |
| O4191X2 | Disord of amnio fluid and membrns, unsp, first tri, fetus 2 |
| O4191X3 | Disord of amnio fluid and membrns, unsp, first tri, fetus 3 |
| O4191X4 | Disord of amnio fluid and membrns, unsp, first tri, fetus 4 |
| O4191X5 | Disord of amnio fluid and membrns, unsp, first tri, fetus 5 |
| O4191X9 | Disorder of amniotic fluid and membrns, unsp, first tri, oth |
| O4192X0 | Disorder of amnio fluid and membrns, unsp, second tri, unsp |
| O4192X1 | Disord of amnio fluid and membrns, unsp, second tri, fetus 1 |
| O4192X2 | Disord of amnio fluid and membrns, unsp, second tri, fetus 2 |
| O4192X3 | Disord of amnio fluid and membrns, unsp, second tri, fetus 3 |
| O4192X4 | Disord of amnio fluid and membrns, unsp, second tri, fetus 4 |
| O4192X5 | Disord of amnio fluid and membrns, unsp, second tri, fetus 5 |
| O4192X9 | Disorder of amnio fluid and membrns, unsp, second tri, oth |
| O4193X0 | Disorder of amnio fluid and membrns, unsp, third tri, unsp |
| O4193X1 | Disord of amnio fluid and membrns, unsp, third tri, fetus 1 |
| O4193X2 | Disord of amnio fluid and membrns, unsp, third tri, fetus 2 |
| O4193X3 | Disord of amnio fluid and membrns, unsp, third tri, fetus 3 |
| O4193X4 | Disord of amnio fluid and membrns, unsp, third tri, fetus 4 |
| O4193X5 | Disord of amnio fluid and membrns, unsp, third tri, fetus 5 |
| O4193X9 | Disorder of amniotic fluid and membrns, unsp, third tri, oth |
| O4200 | Prem ROM, onset labor w/n 24 hr of rupt, unsp weeks of gest |
| O42011 | Preterm prem ROM, onset labor w/n 24 hours of rupt, first tri |
| O42012 | Preterm prem ROM, onset labor w/n 24 hours of rupt, 2nd tri |
| O42013 | Preterm prem ROM, onset labor w/n 24 hours of rupt, third tri |
| O42019 | Preterm prem ROM, onset labor w/n 24 hours of rupt, unsp tri |
| O4202 | Full-term prem ROM, onset labor within 24 hours of rupture |
| O4210 | Prem ROM, onset labor > 24 hr fol rupt, unsp weeks of gest |
| O42111 | Preterm prem ROM, onset labor > 24 hours fol rupt, first tri |
| O42112 | Preterm prem ROM, onset labor > 24 hours fol rupt, second tri |
| O42113 | Preterm prem ROM, onset labor > 24 hours fol rupt, third tri |
| O42119 | Preterm prem ROM, onset labor > 24 hours fol rupt, unsp tri |
| O4212 | Full-term premature ROM, onset labor > 24 hours fol rupture |
| O4290 | Prem ROM, 7th0 betw rupt & onst labr, unsp weeks of gest |
| O42911 | Preterm prem ROM, unsp time betw rupt and onset labr, 1st tri |

| | |
|--------|---|
| O42912 | Preterm prem ROM, unsp time betw rupt and onset labr, 2nd tri |
| O42913 | Preterm prem ROM, unsp time betw rupt and onst labr, 3rd tri |
| O42919 | Preterm prem ROM, unsp time betw rupt and onst labr, unsp tri |
| O4292 | Full-term prem ROM, unsp time betw rupture and onset labor |
| O43011 | Fetomaternal placental transfusion syndrome, first trimester |
| O43012 | Fetomaternal placental transfuse syndrome, second trimester |
| O43013 | Fetomaternal placental transfusion syndrome, third trimester |
| O43019 | Fetomaternal placental transfusion syndrome, unsp trimester |
| O43021 | Fetus-to-fetus placental transfuse syndrome, first trimester |
| O43022 | Fetus-to-fetus placntl transfuse syndrome, second trimester |
| O43023 | Fetus-to-fetus placental transfuse syndrome, third trimester |
| O43029 | Fetus-to-fetus placental transfuse syndrome, unsp trimester |
| O43101 | Malformation of placenta, unspecified, first trimester |
| O43102 | Malformation of placenta, unspecified, second trimester |
| O43103 | Malformation of placenta, unspecified, third trimester |
| O43109 | Malformation of placenta, unspecified, unspecified trimester |
| O43111 | Circumvallate placenta, first trimester |
| O43112 | Circumvallate placenta, second trimester |
| O43113 | Circumvallate placenta, third trimester |
| O43119 | Circumvallate placenta, unspecified trimester |
| O43121 | Velamentous insertion of umbilical cord, first trimester |
| O43122 | Velamentous insertion of umbilical cord, second trimester |
| O43123 | Velamentous insertion of umbilical cord, third trimester |
| O43129 | Velamentous insertion of umbilical cord, unsp trimester |
| O43191 | Other malformation of placenta, first trimester |
| O43192 | Other malformation of placenta, second trimester |
| O43193 | Other malformation of placenta, third trimester |
| O43199 | Other malformation of placenta, unspecified trimester |
| O43211 | Placenta accreta, first trimester |
| O43212 | Placenta accreta, second trimester |
| O43213 | Placenta accreta, third trimester |
| O43219 | Placenta accreta, unspecified trimester |
| O43221 | Placenta increta, first trimester |
| O43222 | Placenta increta, second trimester |
| O43223 | Placenta increta, third trimester |
| O43229 | Placenta increta, unspecified trimester |
| O43231 | Placenta percreta, first trimester |
| O43232 | Placenta percreta, second trimester |
| O43233 | Placenta percreta, third trimester |
| O43239 | Placenta percreta, unspecified trimester |
| O43811 | Placental infarction, first trimester |
| O43812 | Placental infarction, second trimester |
| O43813 | Placental infarction, third trimester |
| O43819 | Placental infarction, unspecified trimester |
| O43891 | Other placental disorders, first trimester |
| O43892 | Other placental disorders, second trimester |
| O43893 | Other placental disorders, third trimester |
| O43899 | Other placental disorders, unspecified trimester |
| O4390 | Unspecified placental disorder, unspecified trimester |
| O4391 | Unspecified placental disorder, first trimester |
| O4392 | Unspecified placental disorder, second trimester |
| O4393 | Unspecified placental disorder, third trimester |

| | |
|--------|--|
| O4400 | Complete placenta previa NOS or without hemor, unsp tri |
| O4401 | Complete placenta previa NOS or without hemor, first tri |
| O4402 | Complete placenta previa NOS or without hemor, second tri |
| O4403 | Complete placenta previa NOS or without hemor, third tri |
| O4410 | Complete placenta previa with hemorrhage, unsp trimester |
| O4411 | Complete placenta previa with hemorrhage, first trimester |
| O4412 | Complete placenta previa with hemorrhage, second trimester |
| O4413 | Complete placenta previa with hemorrhage, third trimester |
| O4420 | Partial placenta previa NOS or without hemor, unsp trimester |
| O4421 | Partial placenta previa NOS or without hemor, first tri |
| O4422 | Partial placenta previa NOS or without hemor, second tri |
| O4423 | Partial placenta previa NOS or without hemor, third tri |
| O4430 | Partial placenta previa with hemorrhage, unsp trimester |
| O4431 | Partial placenta previa with hemorrhage, first trimester |
| O4432 | Partial placenta previa with hemorrhage, second trimester |
| O4433 | Partial placenta previa with hemorrhage, third trimester |
| O4440 | Low lying placenta NOS or without hemorrhage, unsp trimester |
| O4441 | Low lying placenta NOS or without hemor, first trimester |
| O4442 | Low lying placenta NOS or without hemor, second trimester |
| O4443 | Low lying placenta NOS or without hemor, third trimester |
| O4450 | Low lying placenta with hemorrhage, unspecified trimester |
| O4451 | Low lying placenta with hemorrhage, first trimester |
| O4452 | Low lying placenta with hemorrhage, second trimester |
| O4453 | Low lying placenta with hemorrhage, third trimester |
| O45001 | Prem separtn of placenta w coag defect, unsp, first tri |
| O45002 | Prem separtn of placenta w coag defect, unsp, second tri |
| O45003 | Prem separtn of placenta w coag defect, unsp, third tri |
| O45009 | Prem separtn of placenta w coag defect, unsp, unsp trimester |
| O45011 | Prem separtn of placenta w afibrinogenemia, first trimester |
| O45012 | Prem separtn of placenta w afibrinogenemia, second trimester |
| O45013 | Prem separtn of placenta w afibrinogenemia, third trimester |
| O45019 | Prem separtn of placenta w afibrinogenemia, unsp trimester |
| O45021 | Prem separtn of placenta w dissem intravasc coag, first tri |
| O45022 | Prem separtn of placenta w dissem intravasc coag, second tri |
| O45023 | Prem separtn of placenta w dissem intravasc coag, third tri |
| O45029 | Prem separtn of placenta w dissem intravasc coag, unsp tri |
| O45091 | Prem separtn of placenta w oth coag defect, first trimester |
| O45092 | Prem separtn of placenta w oth coag defect, second trimester |
| O45093 | Prem separtn of placenta w oth coag defect, third trimester |
| O45099 | Prem separtn of placenta w oth coag defect, unsp trimester |
| O458X1 | Other premature separation of placenta, first trimester |
| O458X2 | Other premature separation of placenta, second trimester |
| O458X3 | Other premature separation of placenta, third trimester |
| O458X9 | Other premature separation of placenta, unsp trimester |
| O4590 | Premature separation of placenta, unsp, unsp trimester |
| O4591 | Premature separation of placenta, unsp, first trimester |
| O4592 | Premature separation of placenta, unsp, second trimester |
| O4593 | Premature separation of placenta, unsp, third trimester |
| O46001 | Antepartum hemorrhage w coag defect, unsp, first trimester |
| O46002 | Antepartum hemorrhage w coag defect, unsp, second trimester |
| O46003 | Antepartum hemorrhage w coag defect, unsp, third trimester |
| O46009 | Antepartum hemorrhage w coag defect, unsp, unsp trimester |

| | |
|---------|--|
| O46011 | Antepartum hemorrhage with afibrinogenemia, first trimester |
| O46012 | Antepartum hemorrhage with afibrinogenemia, second trimester |
| O46013 | Antepartum hemorrhage with afibrinogenemia, third trimester |
| O46019 | Antepartum hemorrhage with afibrinogenemia, unsp trimester |
| O46021 | Antepart hemorrhage w dissem intravasc coag, first trimester |
| O46022 | Antepart hemor w dissem intravasc coag, second trimester |
| O46023 | Antepart hemorrhage w dissem intravasc coag, third trimester |
| O46029 | Antepart hemorrhage w dissem intravasc coag, unsp trimester |
| O46091 | Antepartum hemorrhage w oth coag defect, first trimester |
| O46092 | Antepartum hemorrhage w oth coag defect, second trimester |
| O46093 | Antepartum hemorrhage w oth coag defect, third trimester |
| O46099 | Antepartum hemorrhage w oth coag defect, unsp trimester |
| O468X1 | Other antepartum hemorrhage, first trimester |
| O468X2 | Other antepartum hemorrhage, second trimester |
| O468X3 | Other antepartum hemorrhage, third trimester |
| O468X9 | Other antepartum hemorrhage, unspecified trimester |
| O4690 | Antepartum hemorrhage, unspecified, unspecified trimester |
| O4691 | Antepartum hemorrhage, unspecified, first trimester |
| O4692 | Antepartum hemorrhage, unspecified, second trimester |
| O4693 | Antepartum hemorrhage, unspecified, third trimester |
| O4700 | False labor before 37 completed weeks of gest, unsp tri |
| O4702 | False labor before 37 completed weeks of gest, second tri |
| O4703 | False labor before 37 completed weeks of gest, third tri |
| O471 | False labor at or after 37 completed weeks of gestation |
| O479 | False labor, unspecified |
| O480 | Post-term pregnancy |
| O481 | Prolonged pregnancy |
| O6000 | Preterm labor without delivery, unspecified trimester |
| O6002 | Preterm labor without delivery, second trimester |
| O6003 | Preterm labor without delivery, third trimester |
| O6010X0 | Preterm labor w preterm delivery, unsp trimester, unsp |
| O6010X1 | Preterm labor with preterm delivery, unsp trimester, fetus 1 |
| O6010X2 | Preterm labor with preterm delivery, unsp trimester, fetus 2 |
| O6010X3 | Preterm labor with preterm delivery, unsp trimester, fetus 3 |
| O6010X4 | Preterm labor with preterm delivery, unsp trimester, fetus 4 |
| O6010X5 | Preterm labor with preterm delivery, unsp trimester, fetus 5 |
| O6010X9 | Preterm labor w preterm delivery, unsp trimester, oth fetus |
| O6012X0 | Preterm labor second tri w preterm delivery second tri, unsp |
| O6012X1 | Preterm labor second tri w preterm del second tri, fetus 1 |
| O6012X2 | Preterm labor second tri w preterm del second tri, fetus 2 |
| O6012X3 | Preterm labor second tri w preterm del second tri, fetus 3 |
| O6012X4 | Preterm labor second tri w preterm del second tri, fetus 4 |
| O6012X5 | Preterm labor second tri w preterm del second tri, fetus 5 |
| O6012X9 | Preterm labor second tri w preterm delivery second tri, oth |
| O6013X0 | Preterm labor second tri w preterm delivery third tri, unsp |
| O6013X1 | Preterm labor second tri w preterm del third tri, fetus 1 |
| O6013X2 | Preterm labor second tri w preterm del third tri, fetus 2 |
| O6013X3 | Preterm labor second tri w preterm del third tri, fetus 3 |
| O6013X4 | Preterm labor second tri w preterm del third tri, fetus 4 |
| O6013X5 | Preterm labor second tri w preterm del third tri, fetus 5 |
| O6013X9 | Preterm labor second tri w preterm delivery third tri, oth |
| O6014X0 | Preterm labor third tri w preterm delivery third tri, unsp |

| | |
|---------|--|
| O6014X1 | Preterm labor third tri w preterm del third tri, fetus 1 |
| O6014X2 | Preterm labor third tri w preterm del third tri, fetus 2 |
| O6014X3 | Preterm labor third tri w preterm del third tri, fetus 3 |
| O6014X4 | Preterm labor third tri w preterm del third tri, fetus 4 |
| O6014X5 | Preterm labor third tri w preterm del third tri, fetus 5 |
| O6014X9 | Preterm labor third tri w preterm delivery third tri, oth |
| O6020X0 | Term delivery w preterm labor, unsp trimester, unsp |
| O6020X1 | Term delivery with preterm labor, unsp trimester, fetus 1 |
| O6020X2 | Term delivery with preterm labor, unsp trimester, fetus 2 |
| O6020X3 | Term delivery with preterm labor, unsp trimester, fetus 3 |
| O6020X4 | Term delivery with preterm labor, unsp trimester, fetus 4 |
| O6020X5 | Term delivery with preterm labor, unsp trimester, fetus 5 |
| O6020X9 | Term delivery with preterm labor, unsp trimester, oth fetus |
| O6022X0 | Term delivery w preterm labor, second trimester, unsp |
| O6022X1 | Term delivery with preterm labor, second trimester, fetus 1 |
| O6022X2 | Term delivery with preterm labor, second trimester, fetus 2 |
| O6022X3 | Term delivery with preterm labor, second trimester, fetus 3 |
| O6022X4 | Term delivery with preterm labor, second trimester, fetus 4 |
| O6022X5 | Term delivery with preterm labor, second trimester, fetus 5 |
| O6022X9 | Term delivery w preterm labor, second trimester, oth fetus |
| O6023X0 | Term delivery w preterm labor, third trimester, unsp |
| O6023X1 | Term delivery with preterm labor, third trimester, fetus 1 |
| O6023X2 | Term delivery with preterm labor, third trimester, fetus 2 |
| O6023X3 | Term delivery with preterm labor, third trimester, fetus 3 |
| O6023X4 | Term delivery with preterm labor, third trimester, fetus 4 |
| O6023X5 | Term delivery with preterm labor, third trimester, fetus 5 |
| O6023X9 | Term delivery with preterm labor, third trimester, oth fetus |
| O610 | Failed medical induction of labor |
| O611 | Failed instrumental induction of labor |
| O618 | Other failed induction of labor |
| O619 | Failed induction of labor, unspecified |
| O620 | Primary inadequate contractions |
| O621 | Secondary uterine inertia |
| O622 | Other uterine inertia |
| O623 | Precipitate labor |
| O624 | Hypertonic, incoordinate, and prolonged uterine contractions |
| O628 | Other abnormalities of forces of labor |
| O629 | Abnormality of forces of labor, unspecified |
| O630 | Prolonged first stage (of labor) |
| O631 | Prolonged second stage (of labor) |
| O632 | Delayed delivery of second twin, triplet, etc. |
| O639 | Long labor, unspecified |
| O640XX0 | Obstructed labor due to incmpl rotation of fetal head, unsp |
| O640XX1 | Obst labor due to incmpl rotation of fetal head, fetus 1 |
| O640XX2 | Obst labor due to incmpl rotation of fetal head, fetus 2 |
| O640XX3 | Obst labor due to incmpl rotation of fetal head, fetus 3 |
| O640XX4 | Obst labor due to incmpl rotation of fetal head, fetus 4 |
| O640XX5 | Obst labor due to incmpl rotation of fetal head, fetus 5 |
| O640XX9 | Obstructed labor due to incmpl rotation of fetal head, oth |
| O641XX0 | Obstructed labor due to breech presentation, unsp |
| O641XX1 | Obstructed labor due to breech presentation, fetus 1 |
| O641XX2 | Obstructed labor due to breech presentation, fetus 2 |

| | |
|---------|--|
| O641XX3 | Obstructed labor due to breech presentation, fetus 3 |
| O641XX4 | Obstructed labor due to breech presentation, fetus 4 |
| O641XX5 | Obstructed labor due to breech presentation, fetus 5 |
| O641XX9 | Obstructed labor due to breech presentation, other fetus |
| O642XX0 | Obstructed labor due to face presentation, unsp |
| O642XX1 | Obstructed labor due to face presentation, fetus 1 |
| O642XX2 | Obstructed labor due to face presentation, fetus 2 |
| O642XX3 | Obstructed labor due to face presentation, fetus 3 |
| O642XX4 | Obstructed labor due to face presentation, fetus 4 |
| O642XX5 | Obstructed labor due to face presentation, fetus 5 |
| O642XX9 | Obstructed labor due to face presentation, other fetus |
| O643XX0 | Obstructed labor due to brow presentation, unsp |
| O643XX1 | Obstructed labor due to brow presentation, fetus 1 |
| O643XX2 | Obstructed labor due to brow presentation, fetus 2 |
| O643XX3 | Obstructed labor due to brow presentation, fetus 3 |
| O643XX4 | Obstructed labor due to brow presentation, fetus 4 |
| O643XX5 | Obstructed labor due to brow presentation, fetus 5 |
| O643XX9 | Obstructed labor due to brow presentation, other fetus |
| O644XX0 | Obstructed labor due to shoulder presentation, unsp |
| O644XX1 | Obstructed labor due to shoulder presentation, fetus 1 |
| O644XX2 | Obstructed labor due to shoulder presentation, fetus 2 |
| O644XX3 | Obstructed labor due to shoulder presentation, fetus 3 |
| O644XX4 | Obstructed labor due to shoulder presentation, fetus 4 |
| O644XX5 | Obstructed labor due to shoulder presentation, fetus 5 |
| O644XX9 | Obstructed labor due to shoulder presentation, other fetus |
| O645XX0 | Obstructed labor due to compound presentation, unsp |
| O645XX1 | Obstructed labor due to compound presentation, fetus 1 |
| O645XX2 | Obstructed labor due to compound presentation, fetus 2 |
| O645XX3 | Obstructed labor due to compound presentation, fetus 3 |
| O645XX4 | Obstructed labor due to compound presentation, fetus 4 |
| O645XX5 | Obstructed labor due to compound presentation, fetus 5 |
| O645XX9 | Obstructed labor due to compound presentation, other fetus |
| O648XX0 | Obstructed labor due to oth malposition and malpresent, unsp |
| O648XX1 | Obstructed labor due to oth malpos and malpresent, fetus 1 |
| O648XX2 | Obstructed labor due to oth malpos and malpresent, fetus 2 |
| O648XX3 | Obstructed labor due to oth malpos and malpresent, fetus 3 |
| O648XX4 | Obstructed labor due to oth malpos and malpresent, fetus 4 |
| O648XX5 | Obstructed labor due to oth malpos and malpresent, fetus 5 |
| O648XX9 | Obstructed labor due to oth malposition and malpresent, oth |
| O649XX0 | Obstructed labor due to malpos and malpresent, unsp, unsp |
| O649XX1 | Obstructed labor due to malpos and malpresent, unsp, fetus 1 |
| O649XX2 | Obstructed labor due to malpos and malpresent, unsp, fetus 2 |
| O649XX3 | Obstructed labor due to malpos and malpresent, unsp, fetus 3 |
| O649XX4 | Obstructed labor due to malpos and malpresent, unsp, fetus 4 |
| O649XX5 | Obstructed labor due to malpos and malpresent, unsp, fetus 5 |
| O649XX9 | Obstructed labor due to malpos and malpresent, unsp, oth |
| O650 | Obstructed labor due to deformed pelvis |
| O651 | Obstructed labor due to generally contracted pelvis |
| O652 | Obstructed labor due to pelvic inlet contraction |
| O653 | Obst labor due to pelvic outlet and mid-cavity contrctn |
| O654 | Obstructed labor due to fetopelvic disproportion, unsp |
| O655 | Obstructed labor due to abnlt of maternal pelvic organs |

| | |
|---------|--|
| O658 | Obstructed labor due to other maternal pelvic abnormalities |
| O659 | Obstructed labor due to maternal pelvic abnormality, unsp |
| O660 | Obstructed labor due to shoulder dystocia |
| O661 | Obstructed labor due to locked twins |
| O662 | Obstructed labor due to unusually large fetus |
| O663 | Obstructed labor due to other abnormalities of fetus |
| O6640 | Failed trial of labor, unspecified |
| O6641 | Failed attempt vaginal birth after previous cesarean del |
| O665 | Attempted application of vacuum extractor and forceps |
| O666 | Obstructed labor due to other multiple fetuses |
| O668 | Other specified obstructed labor |
| O669 | Obstructed labor, unspecified |
| O670 | Intrapartum hemorrhage with coagulation defect |
| O678 | Other intrapartum hemorrhage |
| O679 | Intrapartum hemorrhage, unspecified |
| O68 | Labor and delivery comp by abnlt of fetal acid-base balance |
| O690XX0 | Labor and delivery complicated by prolapse of cord, unsp |
| O690XX1 | Labor and delivery complicated by prolapse of cord, fetus 1 |
| O690XX2 | Labor and delivery complicated by prolapse of cord, fetus 2 |
| O690XX3 | Labor and delivery complicated by prolapse of cord, fetus 3 |
| O690XX4 | Labor and delivery complicated by prolapse of cord, fetus 4 |
| O690XX5 | Labor and delivery complicated by prolapse of cord, fetus 5 |
| O690XX9 | Labor and delivery complicated by prolapse of cord, oth |
| O691XX0 | Labor and delivery comp by cord around neck, w comprsn, unsp |
| O691XX1 | Labor and del comp by cord around neck, w comprsn, fetus 1 |
| O691XX2 | Labor and del comp by cord around neck, w comprsn, fetus 2 |
| O691XX3 | Labor and del comp by cord around neck, w comprsn, fetus 3 |
| O691XX4 | Labor and del comp by cord around neck, w comprsn, fetus 4 |
| O691XX5 | Labor and del comp by cord around neck, w comprsn, fetus 5 |
| O691XX9 | Labor and delivery comp by cord around neck, w comprsn, oth |
| O692XX0 | Labor and del comp by oth cord entangle, w comprsn, unsp |
| O692XX1 | Labor and del comp by oth cord entangle, w comprsn, fetus 1 |
| O692XX2 | Labor and del comp by oth cord entangle, w comprsn, fetus 2 |
| O692XX3 | Labor and del comp by oth cord entangle, w comprsn, fetus 3 |
| O692XX4 | Labor and del comp by oth cord entangle, w comprsn, fetus 4 |
| O692XX5 | Labor and del comp by oth cord entangle, w comprsn, fetus 5 |
| O692XX9 | Labor and delivery comp by oth cord entangle, w comprsn, oth |
| O693XX0 | Labor and delivery complicated by short cord, unsp |
| O693XX1 | Labor and delivery complicated by short cord, fetus 1 |
| O693XX2 | Labor and delivery complicated by short cord, fetus 2 |
| O693XX3 | Labor and delivery complicated by short cord, fetus 3 |
| O693XX4 | Labor and delivery complicated by short cord, fetus 4 |
| O693XX5 | Labor and delivery complicated by short cord, fetus 5 |
| O693XX9 | Labor and delivery complicated by short cord, other fetus |
| O694XX0 | Labor and delivery complicated by vasa previa, unsp |
| O694XX1 | Labor and delivery complicated by vasa previa, fetus 1 |
| O694XX2 | Labor and delivery complicated by vasa previa, fetus 2 |
| O694XX3 | Labor and delivery complicated by vasa previa, fetus 3 |
| O694XX4 | Labor and delivery complicated by vasa previa, fetus 4 |
| O694XX5 | Labor and delivery complicated by vasa previa, fetus 5 |
| O694XX9 | Labor and delivery complicated by vasa previa, other fetus |
| O695XX0 | Labor and delivery comp by vascular lesion of cord, unsp |

| | |
|---------|--|
| O695XX1 | Labor and delivery comp by vascular lesion of cord, fetus 1 |
| O695XX2 | Labor and delivery comp by vascular lesion of cord, fetus 2 |
| O695XX3 | Labor and delivery comp by vascular lesion of cord, fetus 3 |
| O695XX4 | Labor and delivery comp by vascular lesion of cord, fetus 4 |
| O695XX5 | Labor and delivery comp by vascular lesion of cord, fetus 5 |
| O695XX9 | Labor and delivery comp by vascular lesion of cord, oth |
| O6981X0 | Labor and del comp by cord around neck, w/o comprsn, unsp |
| O6981X1 | Labor and del comp by cord around neck, w/o comprsn, fetus 1 |
| O6981X2 | Labor and del comp by cord around neck, w/o comprsn, fetus 2 |
| O6981X3 | Labor and del comp by cord around neck, w/o comprsn, fetus 3 |
| O6981X4 | Labor and del comp by cord around neck, w/o comprsn, fetus 4 |
| O6981X5 | Labor and del comp by cord around neck, w/o comprsn, fetus 5 |
| O6981X9 | Labor and del comp by cord around neck, w/o comprsn, oth |
| O6982X0 | Labor and del comp by oth cord entangle, w/o comprsn, unsp |
| O6982X1 | Labor and del comp by oth cord entangle, w/o comprsn, fts1 |
| O6982X2 | Labor and del comp by oth cord entangle, w/o comprsn, fts2 |
| O6982X3 | Labor and del comp by oth cord entangle, w/o comprsn, fts3 |
| O6982X4 | Labor and del comp by oth cord entangle, w/o comprsn, fts4 |
| O6982X5 | Labor and del comp by oth cord entangle, w/o comprsn, fts5 |
| O6982X9 | Labor and del comp by oth cord entangle, w/o comprsn, oth |
| O6989X0 | Labor and delivery complicated by oth cord comp, unsp |
| O6989X1 | Labor and delivery complicated by oth cord comp, fetus 1 |
| O6989X2 | Labor and delivery complicated by oth cord comp, fetus 2 |
| O6989X3 | Labor and delivery complicated by oth cord comp, fetus 3 |
| O6989X4 | Labor and delivery complicated by oth cord comp, fetus 4 |
| O6989X5 | Labor and delivery complicated by oth cord comp, fetus 5 |
| O6989X9 | Labor and delivery complicated by oth cord comp, oth |
| O699XX0 | Labor and delivery complicated by cord comp, unsp, unsp |
| O699XX1 | Labor and delivery complicated by cord comp, unsp, fetus 1 |
| O699XX2 | Labor and delivery complicated by cord comp, unsp, fetus 2 |
| O699XX3 | Labor and delivery complicated by cord comp, unsp, fetus 3 |
| O699XX4 | Labor and delivery complicated by cord comp, unsp, fetus 4 |
| O699XX5 | Labor and delivery complicated by cord comp, unsp, fetus 5 |
| O699XX9 | Labor and delivery complicated by cord comp, unsp, oth |
| O700 | First degree perineal laceration during delivery |
| O701 | Second degree perineal laceration during delivery |
| O7020 | Third degree perineal laceration during delivery, unsp |
| O7021 | Third degree perineal laceration during delivery, IIIa |
| O7022 | Third degree perineal laceration during delivery, IIIb |
| O7023 | Third degree perineal laceration during delivery, IIIc |
| O703 | Fourth degree perineal laceration during delivery |
| O704 | Anal sphincter tear comp del, not assoc w third degree lac |
| O709 | Perineal laceration during delivery, unspecified |
| O7100 | Rupture of uterus before onset of labor, unsp trimester |
| O7102 | Rupture of uterus before onset of labor, second trimester |
| O7103 | Rupture of uterus before onset of labor, third trimester |
| O711 | Rupture of uterus during labor |
| O712 | Postpartum inversion of uterus |
| O713 | Obstetric laceration of cervix |
| O714 | Obstetric high vaginal laceration alone |
| O715 | Other obstetric injury to pelvic organs |
| O716 | Obstetric damage to pelvic joints and ligaments |

| | |
|-------|--|
| 0717 | Obstetric hematoma of pelvis |
| 07181 | Laceration of uterus, not elsewhere classified |
| 07182 | Other specified trauma to perineum and vulva |
| 07189 | Other specified obstetric trauma |
| 0719 | Obstetric trauma, unspecified |
| 0720 | Third-stage hemorrhage |
| 0721 | Other immediate postpartum hemorrhage |
| 0722 | Delayed and secondary postpartum hemorrhage |
| 0723 | Postpartum coagulation defects |
| 0730 | Retained placenta without hemorrhage |
| 0731 | Retained portions of placenta and membranes, w/o hemorrhage |
| 0740 | Aspirat pneumonitis due to anesth during labor and delivery |
| 0741 | Oth pulmonary comp of anesthesia during labor and delivery |
| 0742 | Cardiac comp of anesthesia during labor and delivery |
| 0743 | Cnsl complications of anesthesia during labor and delivery |
| 0744 | Toxic reaction to local anesthesia during labor and delivery |
| 0745 | Spinal and epidur anesthesia-induced hdache dur labr and del |
| 0746 | Oth comp of spinal and epidural anesth during labor and del |
| 0747 | Failed or difficult intubation for anesth dur labor and del |
| 0748 | Other complications of anesthesia during labor and delivery |
| 0749 | Complication of anesthesia during labor and delivery, unsp |
| 0750 | Maternal distress during labor and delivery |
| 0751 | Shock during or following labor and delivery |
| 0752 | Pyrexia during labor, not elsewhere classified |
| 0753 | Other infection during labor |
| 0754 | Other complications of obstetric surgery and procedures |
| 0755 | Delayed delivery after artificial rupture of membranes |
| 07581 | Maternal exhaustion complicating labor and delivery |
| 07582 | Onset labor 37-39 weeks, w del by (planned) cesarean section |
| 07589 | Other specified complications of labor and delivery |
| 0759 | Complication of labor and delivery, unspecified |
| 076 | Abnlt in fetal heart rate and rhythm comp labor and delivery |
| 0770 | Labor and delivery complicated by meconium in amniotic fluid |
| 0771 | Fetal stress in labor or delivery due to drug administration |
| 0778 | Labor and delivery comp by oth evidence of fetal stress |
| 0779 | Labor and delivery complicated by fetal stress, unspecified |
| 080 | Encounter for full-term uncomplicated delivery |
| 082 | Encounter for cesarean delivery without indication |
| 085 | Puerperal sepsis |
| 08600 | Infection of obstetric surgical wound, unspecified |
| 08601 | Infct of obstetric surgical wound, superfic incisional site |
| 08602 | Infection of obstetric surgical wound, deep incisional site |
| 08603 | Infection of obstetric surgical wound, organ and space site |
| 08604 | Sepsis following an obstetrical procedure |
| 08609 | Infection of obstetric surgical wound, other surgical site |
| 08611 | Cervicitis following delivery |
| 08612 | Endometritis following delivery |
| 08613 | Vaginitis following delivery |
| 08619 | Other infection of genital tract following delivery |
| 08620 | Urinary tract infection following delivery, unspecified |
| 08621 | Infection of kidney following delivery |
| 08622 | Infection of bladder following delivery |

| | |
|--------|--|
| 08629 | Other urinary tract infection following delivery |
| 0864 | Pyrexia of unknown origin following delivery |
| 08681 | Puerperal septic thrombophlebitis |
| 08689 | Other specified puerperal infections |
| 0870 | Superficial thrombophlebitis in the puerperium |
| 0871 | Deep phlebothrombosis in the puerperium |
| 0872 | Hemorrhoids in the puerperium |
| 0873 | Cerebral venous thrombosis in the puerperium |
| 0874 | Varicose veins of lower extremity in the puerperium |
| 0878 | Other venous complications in the puerperium |
| 0879 | Venous complication in the puerperium, unspecified |
| 088011 | Air embolism in pregnancy, first trimester |
| 088012 | Air embolism in pregnancy, second trimester |
| 088013 | Air embolism in pregnancy, third trimester |
| 088019 | Air embolism in pregnancy, unspecified trimester |
| 08802 | Air embolism in childbirth |
| 08803 | Air embolism in the puerperium |
| 088111 | Amniotic fluid embolism in pregnancy, first trimester |
| 088112 | Amniotic fluid embolism in pregnancy, second trimester |
| 088113 | Amniotic fluid embolism in pregnancy, third trimester |
| 088119 | Amniotic fluid embolism in pregnancy, unspecified trimester |
| 08812 | Amniotic fluid embolism in childbirth |
| 08813 | Amniotic fluid embolism in the puerperium |
| 088211 | Thromboembolism in pregnancy, first trimester |
| 088212 | Thromboembolism in pregnancy, second trimester |
| 088213 | Thromboembolism in pregnancy, third trimester |
| 088219 | Thromboembolism in pregnancy, unspecified trimester |
| 08822 | Thromboembolism in childbirth |
| 08823 | Thromboembolism in the puerperium |
| 088311 | Pyemic and septic embolism in pregnancy, first trimester |
| 088312 | Pyemic and septic embolism in pregnancy, second trimester |
| 088313 | Pyemic and septic embolism in pregnancy, third trimester |
| 088319 | Pyemic and septic embolism in pregnancy, unsp trimester |
| 08832 | Pyemic and septic embolism in childbirth |
| 08833 | Pyemic and septic embolism in the puerperium |
| 088811 | Other embolism in pregnancy, first trimester |
| 088812 | Other embolism in pregnancy, second trimester |
| 088813 | Other embolism in pregnancy, third trimester |
| 088819 | Other embolism in pregnancy, unspecified trimester |
| 08882 | Other embolism in childbirth |
| 08883 | Other embolism in the puerperium |
| 08901 | Aspiration pneumonitis due to anesth during the puerperium |
| 08909 | Oth pulmonary comp of anesthesia during the puerperium |
| 0891 | Cardiac complications of anesthesia during the puerperium |
| 0892 | Cnsl complications of anesthesia during the puerperium |
| 0893 | Toxic reaction to local anesthesia during the puerperium |
| 0894 | Spinal and epidur anesthesia-induced hdache during the puerp |
| 0895 | Oth comp of spinal and epidural anesth during the puerperium |
| 0896 | Failed or difficult intubation for anesth during the puerp |
| 0898 | Other complications of anesthesia during the puerperium |
| 0899 | Complication of anesthesia during the puerperium, unsp |
| 0900 | Disruption of cesarean delivery wound |

| | |
|--------|--|
| O901 | Disruption of perineal obstetric wound |
| O902 | Hematoma of obstetric wound |
| O903 | Peripartum cardiomyopathy |
| O904 | Postpartum acute kidney failure |
| O905 | Postpartum thyroiditis |
| O906 | Postpartum mood disturbance |
| O9081 | Anemia of the puerperium |
| O9089 | Oth complications of the puerperium, NEC |
| O909 | Complication of the puerperium, unspecified |
| O91011 | Infection of nipple associated w pregnancy, first trimester |
| O91012 | Infection of nipple associated w pregnancy, second trimester |
| O91013 | Infection of nipple associated w pregnancy, third trimester |
| O91019 | Infection of nipple associated w pregnancy, unsp trimester |
| O9102 | Infection of nipple associated with the puerperium |
| O9103 | Infection of nipple associated with lactation |
| O91111 | Abscess of breast associated with pregnancy, first trimester |
| O91112 | Abscess of breast associated w pregnancy, second trimester |
| O91113 | Abscess of breast associated with pregnancy, third trimester |
| O91119 | Abscess of breast associated with pregnancy, unsp trimester |
| O9112 | Abscess of breast associated with the puerperium |
| O9113 | Abscess of breast associated with lactation |
| O91211 | Nonpurulent mastitis associated w pregnancy, first trimester |
| O91212 | Nonpurulent mastitis assoc w pregnancy, second trimester |
| O91213 | Nonpurulent mastitis associated w pregnancy, third trimester |
| O91219 | Nonpurulent mastitis associated w pregnancy, unsp trimester |
| O9122 | Nonpurulent mastitis associated with the puerperium |
| O9123 | Nonpurulent mastitis associated with lactation |
| O92011 | Retracted nipple associated with pregnancy, first trimester |
| O92012 | Retracted nipple associated with pregnancy, second trimester |
| O92013 | Retracted nipple associated with pregnancy, third trimester |
| O92019 | Retracted nipple associated with pregnancy, unsp trimester |
| O9202 | Retracted nipple associated with the puerperium |
| O9203 | Retracted nipple associated with lactation |
| O92111 | Cracked nipple associated with pregnancy, first trimester |
| O92112 | Cracked nipple associated with pregnancy, second trimester |
| O92113 | Cracked nipple associated with pregnancy, third trimester |
| O92119 | Cracked nipple associated with pregnancy, unsp trimester |
| O9212 | Cracked nipple associated with the puerperium |
| O9213 | Cracked nipple associated with lactation |
| O9220 | Unsp disorder of breast assoc w pregnancy and the puerperium |
| O9229 | Oth disorders of breast assoc w pregnancy and the puerperium |
| O923 | Agalactia |
| O924 | Hypogalactia |
| O925 | Suppressed lactation |
| O926 | Galactorrhea |
| O9270 | Unspecified disorders of lactation |
| O9279 | Other disorders of lactation |
| O94 | Sequelae of comp of pregnancy, chldbrth, and the puerperium |
| O98011 | Tuberculosis complicating pregnancy, first trimester |
| O98012 | Tuberculosis complicating pregnancy, second trimester |
| O98013 | Tuberculosis complicating pregnancy, third trimester |
| O98019 | Tuberculosis complicating pregnancy, unspecified trimester |

| | |
|--------|--|
| 09802 | Tuberculosis complicating childbirth |
| 09803 | Tuberculosis complicating the puerperium |
| 098111 | Syphilis complicating pregnancy, first trimester |
| 098112 | Syphilis complicating pregnancy, second trimester |
| 098113 | Syphilis complicating pregnancy, third trimester |
| 098119 | Syphilis complicating pregnancy, unspecified trimester |
| 09812 | Syphilis complicating childbirth |
| 09813 | Syphilis complicating the puerperium |
| 098211 | Gonorrhea complicating pregnancy, first trimester |
| 098212 | Gonorrhea complicating pregnancy, second trimester |
| 098213 | Gonorrhea complicating pregnancy, third trimester |
| 098219 | Gonorrhea complicating pregnancy, unspecified trimester |
| 09822 | Gonorrhea complicating childbirth |
| 09823 | Gonorrhea complicating the puerperium |
| 098311 | Oth infect w sexl mode of transmiss comp preg, first tri |
| 098312 | Oth infect w sexl mode of transmiss comp preg, second tri |
| 098313 | Oth infect w sexl mode of transmiss comp preg, third tri |
| 098319 | Oth infect w sexl mode of transmiss comp preg, unsp tri |
| 09832 | Oth infections w sexl mode of transmiss comp childbirth |
| 09833 | Oth infections w sexl mode of transmiss comp the puerperium |
| 098411 | Viral hepatitis complicating pregnancy, first trimester |
| 098412 | Viral hepatitis complicating pregnancy, second trimester |
| 098413 | Viral hepatitis complicating pregnancy, third trimester |
| 098419 | Viral hepatitis complicating pregnancy, unsp trimester |
| 09842 | Viral hepatitis complicating childbirth |
| 09843 | Viral hepatitis complicating the puerperium |
| 098511 | Other viral diseases complicating pregnancy, first trimester |
| 098512 | Oth viral diseases complicating pregnancy, second trimester |
| 098513 | Other viral diseases complicating pregnancy, third trimester |
| 098519 | Other viral diseases complicating pregnancy, unsp trimester |
| 09852 | Other viral diseases complicating childbirth |
| 09853 | Other viral diseases complicating the puerperium |
| 098611 | Protozoal diseases complicating pregnancy, first trimester |
| 098612 | Protozoal diseases complicating pregnancy, second trimester |
| 098613 | Protozoal diseases complicating pregnancy, third trimester |
| 098619 | Protozoal diseases complicating pregnancy, unsp trimester |
| 09862 | Protozoal diseases complicating childbirth |
| 09863 | Protozoal diseases complicating the puerperium |
| 098711 | Human immunodef virus disease comp preg, first trimester |
| 098712 | Human immunodef virus disease comp preg, second trimester |
| 098713 | Human immunodef virus disease comp preg, third trimester |
| 098719 | Human immunodef virus disease comp pregnancy, unsp trimester |
| 09872 | Human immunodeficiency virus disease complicating childbirth |
| 09873 | Human immunodef virus disease complicating the puerperium |
| 098811 | Oth maternal infec/parasc diseases comp preg, first tri |
| 098812 | Oth maternal infec/parasc diseases comp preg, second tri |
| 098813 | Oth maternal infec/parasc diseases comp preg, third tri |
| 098819 | Oth maternal infec/parasc diseases comp preg, unsp tri |
| 09882 | Oth maternal infec/parasc diseases complicating childbirth |
| 09883 | Oth maternal infec/parasc diseases comp the puerperium |
| 098911 | Unsp maternal infec/parasc disease comp preg, first tri |
| 098912 | Unsp maternal infec/parasc disease comp preg, second tri |

| | |
|--------|---|
| O98913 | Unsp maternal infec/parastc disease comp preg, third tri |
| O98919 | Unsp maternal infec/parastc disease comp preg, unsp tri |
| O9892 | Unsp maternal infec/parastc disease complicating childbirth |
| O9893 | Unsp maternal infec/parastc disease comp the puerperium |
| O99011 | Anemia complicating pregnancy, first trimester |
| O99012 | Anemia complicating pregnancy, second trimester |
| O99013 | Anemia complicating pregnancy, third trimester |
| O99019 | Anemia complicating pregnancy, unspecified trimester |
| O9902 | Anemia complicating childbirth |
| O9903 | Anemia complicating the puerperium |
| O99111 | Oth dis of bld/bld-form org/immun mechnsm comp preg, 1st tri |
| O99112 | Oth dis of bld/bld-form org/immun mechnsm comp preg, 2nd tri |
| O99113 | Oth dis of bld/bld-form org/immun mechnsm comp preg, 3rd tri |
| O99119 | Oth dis of bld/bld-form org/immun mechnsm comp preg, unsp tri |
| O9912 | Oth dis of the bld/bld-form org/immun mechnsm comp chldbrth |
| O9913 | Oth dis of the bld/bld-form org/immun mechnsm comp the puerp |
| O99210 | Obesity complicating pregnancy, unspecified trimester |
| O99211 | Obesity complicating pregnancy, first trimester |
| O99212 | Obesity complicating pregnancy, second trimester |
| O99213 | Obesity complicating pregnancy, third trimester |
| O99214 | Obesity complicating childbirth |
| O99215 | Obesity complicating the puerperium |
| O99280 | Endo, nutritional and metab diseases comp preg, unsp tri |
| O99281 | Endo, nutritional and metab diseases comp preg, first tri |
| O99282 | Endo, nutritional and metab diseases comp preg, second tri |
| O99283 | Endo, nutritional and metab diseases comp preg, third tri |
| O99284 | Endocrine, nutritional and metabolic diseases comp chldbrth |
| O99285 | Endocrine, nutritional and metabolic diseases comp the puerp |
| O99310 | Alcohol use complicating pregnancy, unspecified trimester |
| O99311 | Alcohol use complicating pregnancy, first trimester |
| O99312 | Alcohol use complicating pregnancy, second trimester |
| O99313 | Alcohol use complicating pregnancy, third trimester |
| O99314 | Alcohol use complicating childbirth |
| O99315 | Alcohol use complicating the puerperium |
| O99320 | Drug use complicating pregnancy, unspecified trimester |
| O99321 | Drug use complicating pregnancy, first trimester |
| O99322 | Drug use complicating pregnancy, second trimester |
| O99323 | Drug use complicating pregnancy, third trimester |
| O99324 | Drug use complicating childbirth |
| O99325 | Drug use complicating the puerperium |
| O99330 | Smoking (tobacco) complicating pregnancy, unsp trimester |
| O99331 | Smoking (tobacco) complicating pregnancy, first trimester |
| O99332 | Smoking (tobacco) complicating pregnancy, second trimester |
| O99333 | Smoking (tobacco) complicating pregnancy, third trimester |
| O99334 | Smoking (tobacco) complicating childbirth |
| O99335 | Smoking (tobacco) complicating the puerperium |
| O99340 | Oth mental disorders complicating pregnancy, unsp trimester |
| O99341 | Oth mental disorders complicating pregnancy, first trimester |
| O99342 | Oth mental disorders comp pregnancy, second trimester |
| O99343 | Oth mental disorders complicating pregnancy, third trimester |
| O99344 | Other mental disorders complicating childbirth |
| O99345 | Other mental disorders complicating the puerperium |

| | |
|--------|--|
| O99350 | Diseases of the nervous sys comp pregnancy, unsp trimester |
| O99351 | Diseases of the nervous sys comp pregnancy, first trimester |
| O99352 | Diseases of the nervous sys comp pregnancy, second trimester |
| O99353 | Diseases of the nervous sys comp pregnancy, third trimester |
| O99354 | Diseases of the nervous system complicating childbirth |
| O99355 | Diseases of the nervous system complicating the puerperium |
| O99411 | Diseases of the circ sys comp pregnancy, first trimester |
| O99412 | Diseases of the circ sys comp pregnancy, second trimester |
| O99413 | Diseases of the circ sys comp pregnancy, third trimester |
| O99419 | Diseases of the circ sys comp pregnancy, unsp trimester |
| O9942 | Diseases of the circulatory system complicating childbirth |
| O9943 | Diseases of the circ sys complicating the puerperium |
| O99511 | Diseases of the resp sys comp pregnancy, first trimester |
| O99512 | Diseases of the resp sys comp pregnancy, second trimester |
| O99513 | Diseases of the resp sys comp pregnancy, third trimester |
| O99519 | Diseases of the resp sys comp pregnancy, unsp trimester |
| O9952 | Diseases of the respiratory system complicating childbirth |
| O9953 | Diseases of the resp sys complicating the puerperium |
| O99611 | Diseases of the dgstv sys comp pregnancy, first trimester |
| O99612 | Diseases of the dgstv sys comp pregnancy, second trimester |
| O99613 | Diseases of the dgstv sys comp pregnancy, third trimester |
| O99619 | Diseases of the dgstv sys comp pregnancy, unsp trimester |
| O9962 | Diseases of the digestive system complicating childbirth |
| O9963 | Diseases of the digestive system complicating the puerperium |
| O99711 | Diseases of the skin, subcu comp pregnancy, first trimester |
| O99712 | Diseases of the skin, subcu comp pregnancy, second trimester |
| O99713 | Diseases of the skin, subcu comp pregnancy, third trimester |
| O99719 | Diseases of the skin, subcu comp pregnancy, unsp trimester |
| O9972 | Diseases of the skin, subcu complicating childbirth |
| O9973 | Diseases of the skin, subcu complicating the puerperium |
| O99810 | Abnormal glucose complicating pregnancy |
| O99814 | Abnormal glucose complicating childbirth |
| O99815 | Abnormal glucose complicating the puerperium |
| O99820 | Streptococcus B carrier state complicating pregnancy |
| O99824 | Streptococcus B carrier state complicating childbirth |
| O99825 | Streptococcus B carrier state complicating the puerperium |
| O99830 | Other infection carrier state complicating pregnancy |
| O99834 | Other infection carrier state complicating childbirth |
| O99835 | Other infection carrier state complicating the puerperium |
| O99840 | Bariatric surgery status comp pregnancy, unsp trimester |
| O99841 | Bariatric surgery status comp pregnancy, first trimester |
| O99842 | Bariatric surgery status comp pregnancy, second trimester |
| O99843 | Bariatric surgery status comp pregnancy, third trimester |
| O99844 | Bariatric surgery status complicating childbirth |
| O99845 | Bariatric surgery status complicating the puerperium |
| O9989 | Oth diseases and conditions compl preg/chldbrth |
| O9A111 | Malignant neoplasm complicating pregnancy, first trimester |
| O9A112 | Malignant neoplasm complicating pregnancy, second trimester |
| O9A113 | Malignant neoplasm complicating pregnancy, third trimester |
| O9A119 | Malignant neoplasm complicating pregnancy, unsp trimester |
| O9A12 | Malignant neoplasm complicating childbirth |
| O9A13 | Malignant neoplasm complicating the puerperium |

| | |
|--------|---|
| O9A211 | Inj/poison/oth conseq of external causes comp preg, first tri |
| O9A212 | Inj/poison/oth conseq of extrn causes comp preg, second tri |
| O9A213 | Inj/poison/oth conseq of external causes comp preg, third tri |
| O9A219 | Inj/poison/oth conseq of external causes comp preg, unsp tri |
| O9A22 | Inj/poison/oth conseq of external causes comp childbirth |
| O9A23 | Inj/poison/oth conseq of external causes comp the puerperium |
| O9A311 | Physical abuse complicating pregnancy, first trimester |
| O9A312 | Physical abuse complicating pregnancy, second trimester |
| O9A313 | Physical abuse complicating pregnancy, third trimester |
| O9A319 | Physical abuse complicating pregnancy, unspecified trimester |
| O9A32 | Physical abuse complicating childbirth |
| O9A33 | Physical abuse complicating the puerperium |
| O9A411 | Sexual abuse complicating pregnancy, first trimester |
| O9A412 | Sexual abuse complicating pregnancy, second trimester |
| O9A413 | Sexual abuse complicating pregnancy, third trimester |
| O9A419 | Sexual abuse complicating pregnancy, unspecified trimester |
| O9A42 | Sexual abuse complicating childbirth |
| O9A43 | Sexual abuse complicating the puerperium |
| O9A511 | Psychological abuse complicating pregnancy, first trimester |
| O9A512 | Psychological abuse complicating pregnancy, second trimester |
| O9A513 | Psychological abuse complicating pregnancy, third trimester |
| O9A519 | Psychological abuse complicating pregnancy, unsp trimester |
| O9A52 | Psychological abuse complicating childbirth |
| O9A53 | Psychological abuse complicating the puerperium |
| P546 | Neonatal vaginal hemorrhage |
| Q5001 | Congenital absence of ovary, unilateral |
| Q5002 | Congenital absence of ovary, bilateral |
| Q501 | Developmental ovarian cyst |
| Q502 | Congenital torsion of ovary |
| Q5031 | Accessory ovary |
| Q5032 | Ovarian streak |
| Q5039 | Other congenital malformation of ovary |
| Q504 | Embryonic cyst of fallopian tube |
| Q505 | Embryonic cyst of broad ligament |
| Q506 | Oth congenital malformations of fallop and broad ligament |
| Q510 | Agenesis and aplasia of uterus |
| Q5110 | Doubling of uterus w doubling of cervix and vagina w/o obst |
| Q5111 | Doubling of uterus w doubling of cervix and vagina w obst |
| Q5120 | Other doubling of uterus, unspecified |
| Q5121 | Other complete doubling of uterus |
| Q5122 | Other partial doubling of uterus |
| Q5128 | Other doubling of uterus, other specified |
| Q513 | Bicornate uterus |
| Q514 | Unicornate uterus |
| Q515 | Agenesis and aplasia of cervix |
| Q516 | Embryonic cyst of cervix |
| Q517 | Congen fistulae betw uterus and digestive and urinary tracts |
| Q51810 | Arcuate uterus |
| Q51811 | Hypoplasia of uterus |
| Q51818 | Other congenital malformations of uterus |
| Q51820 | Cervical duplication |
| Q51821 | Hypoplasia of cervix |

| | |
|--------|--|
| Q51828 | Other congenital malformations of cervix |
| Q519 | Congenital malformation of uterus and cervix, unspecified |
| Q520 | Congenital absence of vagina |
| Q5210 | Doubling of vagina, unspecified |
| Q5211 | Transverse vaginal septum |
| Q52120 | Longitudinal vaginal septum, nonobstructing |
| Q52121 | Longitudinal vaginal septum, obstructing, right side |
| Q52122 | Longitudinal vaginal septum, obstructing, left side |
| Q52123 | Longitudinal vaginal septum, microperforate, right side |
| Q52124 | Longitudinal vaginal septum, microperforate, left side |
| Q52129 | Other and unspecified longitudinal vaginal septum |
| Q522 | Congenital rectovaginal fistula |
| Q523 | Imperforate hymen |
| Q524 | Other congenital malformations of vagina |
| Q525 | Fusion of labia |
| Q526 | Congenital malformation of clitoris |
| Q5270 | Unspecified congenital malformations of vulva |
| Q5271 | Congenital absence of vulva |
| Q5279 | Other congenital malformations of vulva |
| Q528 | Other specified congenital malformations of female genitalia |
| Q529 | Congenital malformation of female genitalia, unspecified |
| Q562 | Female pseudohermaphroditism, not elsewhere classified |
| Q960 | Karyotype 45, X |
| Q961 | Karyotype 46, X iso (Xq) |
| Q962 | Karyotype 46, X w abnormal sex chromosome, except iso (Xq) |
| Q963 | Mosaicism, 45, X/46, XX or XY |
| Q964 | Mosaic, 45, X/other cell line(s) w abnormal sex chromosome |
| Q968 | Other variants of Turner's syndrome |
| Q969 | Turner's syndrome, unspecified |
| Q970 | Karyotype 47, XXX |
| Q971 | Female with more than three X chromosomes |
| Q972 | Mosaicism, lines with various numbers of X chromosomes |
| Q973 | Female with 46, XY karyotype |
| Q978 | Oth sex chromosome abnormalities, female phenotype |
| Q979 | Sex chromosome abnormality, female phenotype, unspecified |
| R870 | Abn lev enzymes in specimens from female genital organs |
| R871 | Abn lev hormones in specimens from female genital organs |
| R872 | Abn lev drug/meds/biol subst in specmn from fem gntl organs |
| R873 | Abn lev substnc nonmed source in specmn from fem gntl organs |
| R874 | Abn immunolog findings in specmn from female genital organs |
| R875 | Abn microbiolog find in specmn from female genital organs |
| R87610 | Atyp squam cell of undet signfc cyto smr crvx (ASC-US) |
| R87611 | Atyp squam cell not excl hi grd intrepith lesn cyto smr crvx |
| R87612 | Low grade intrepith lesion cyto smr crvx (LGSIL) |
| R87613 | High grade intrepith lesion cyto smr crvx (HGSIL) |
| R87614 | Cytologic evidence of malignancy on smear of cervix |
| R87615 | Unsatisfactory cytologic smear of cervix |
| R87616 | Satisfactory cervical smear but lacking transformation zone |
| R87618 | Oth abnormal cytolog findings on specimens from cervix uteri |
| R87619 | Unsp abnormal cytolog findings in specmn from cervix uteri |
| R87620 | Atyp squam cell of undet signfc cyto smr vagn (ASC-US) |
| R87621 | Atyp squam cell not excl hi grd intrepith lesn cyto smr vagn |

| | |
|---------|--|
| R87622 | Low grade intrepith lesion cyto smr vagn (LGSIL) |
| R87623 | High grade intrepith lesion cyto smr vagn (HGSIL) |
| R87624 | Cytologic evidence of malignancy on smear of vagina |
| R87625 | Unsatisfactory cytologic smear of vagina |
| R87628 | Other abnormal cytological findings on specimens from vagina |
| R87629 | Unsp abnormal cytological findings in specimens from vagina |
| R8769 | Abn cytolog find in specmn from oth female genital organs |
| R877 | Abn histolog findings in specmn from female genital organs |
| R87810 | Cervical high risk HPV DNA test positive |
| R87811 | Vaginal high risk HPV DNA test positive |
| R87820 | Cervical low risk HPV DNA test positive |
| R87821 | Vaginal low risk HPV DNA test positive |
| R8789 | Oth abnormal findings in specmn from female genital organs |
| R879 | Unsp abnormal finding in specmn from female genital organs |
| S30202A | Contusion of unsp external genital organ, female, init |
| S30202D | Contusion of unsp external genital organ, female, subs |
| S30202S | Contusion of unsp external genital organ, female, sequela |
| S3023XA | Contusion of vagina and vulva, initial encounter |
| S3023XD | Contusion of vagina and vulva, subsequent encounter |
| S3023XS | Contusion of vagina and vulva, sequela |
| S30814A | Abrasion of vagina and vulva, initial encounter |
| S30814D | Abrasion of vagina and vulva, subsequent encounter |
| S30814S | Abrasion of vagina and vulva, sequela |
| S30816A | Abrasion of unsp external genital organs, female, init |
| S30816D | Abrasion of unsp external genital organs, female, subs |
| S30816S | Abrasion of unsp external genital organs, female, sequela |
| S30824A | Blister (nonthermal) of vagina and vulva, initial encounter |
| S30824D | Blister (nonthermal) of vagina and vulva, subs encntr |
| S30824S | Blister (nonthermal) of vagina and vulva, sequela |
| S30826A | Blister of unsp external genital organs, female, init |
| S30826D | Blister of unsp external genital organs, female, subs |
| S30826S | Blister of unsp external genital organs, female, sequela |
| S30844A | External constriction of vagina and vulva, initial encounter |
| S30844D | External constriction of vagina and vulva, subs encntr |
| S30844S | External constriction of vagina and vulva, sequela |
| S30846A | Extrn constrict of unsp extrn genital organs, female, init |
| S30846D | Extrn constrict of unsp extrn genital organs, female, subs |
| S30846S | Extrn constrict of unsp extrn gntl organs, female, sequela |
| S30854A | Superficial foreign body of vagina and vulva, init encntr |
| S30854D | Superficial foreign body of vagina and vulva, subs encntr |
| S30854S | Superficial foreign body of vagina and vulva, sequela |
| S30856A | Superficial fb of unsp external genital organs, female, init |
| S30856D | Superficial fb of unsp external genital organs, female, subs |
| S30856S | Superfic fb of unsp external genital organs, female, sequela |
| S30864A | Insect bite (nonvenomous) of vagina and vulva, init encntr |
| S30864D | Insect bite (nonvenomous) of vagina and vulva, subs encntr |
| S30864S | Insect bite (nonvenomous) of vagina and vulva, sequela |
| S30866A | Insect bite of unsp external genital organs, female, init |
| S30866D | Insect bite of unsp external genital organs, female, subs |
| S30866S | Insect bite of unsp external genital organs, female, sequela |
| S30874A | Other superficial bite of vagina and vulva, init encntr |
| S30874D | Other superficial bite of vagina and vulva, subs encntr |

| | |
|---------|--|
| S30874S | Other superficial bite of vagina and vulva, sequela |
| S30876A | Oth superfic bite of unsp extrn genital organs, female, init |
| S30876D | Oth superfic bite of unsp extrn genital organs, female, subs |
| S30876S | Oth superfic bite of unsp extrn gntl organs, female, sequela |
| S3095XA | Unsp superficial injury of vagina and vulva, init encntr |
| S3095XD | Unsp superficial injury of vagina and vulva, subs encntr |
| S3095XS | Unspecified superficial injury of vagina and vulva, sequela |
| S3097XA | Unsp superfic inj unsp external genital organs, female, init |
| S3097XD | Unsp superfic inj unsp external genital organs, female, subs |
| S3097XS | Unsp superfic inj unsp extrn genital organs, female, sequela |
| S3140XA | Unspecified open wound of vagina and vulva, init encntr |
| S3140XD | Unspecified open wound of vagina and vulva, subs encntr |
| S3140XS | Unspecified open wound of vagina and vulva, sequela |
| S3141XA | Laceration w/o foreign body of vagina and vulva, init encntr |
| S3141XD | Laceration w/o foreign body of vagina and vulva, subs encntr |
| S3141XS | Laceration without foreign body of vagina and vulva, sequela |
| S3142XA | Laceration w foreign body of vagina and vulva, init encntr |
| S3142XD | Laceration w foreign body of vagina and vulva, subs encntr |
| S3142XS | Laceration with foreign body of vagina and vulva, sequela |
| S3143XA | Puncture wound w/o foreign body of vagina and vulva, init |
| S3143XD | Puncture wound w/o foreign body of vagina and vulva, subs |
| S3143XS | Puncture wound w/o foreign body of vagina and vulva, sequela |
| S3144XA | Puncture wound w foreign body of vagina and vulva, init |
| S3144XD | Puncture wound w foreign body of vagina and vulva, subs |
| S3144XS | Puncture wound w foreign body of vagina and vulva, sequela |
| S3145XA | Open bite of vagina and vulva, initial encounter |
| S3145XD | Open bite of vagina and vulva, subsequent encounter |
| S3145XS | Open bite of vagina and vulva, sequela |
| S31502A | Unsp opn wnd unsp external genital organs, female, init |
| S31502D | Unsp opn wnd unsp external genital organs, female, subs |
| S31502S | Unsp opn wnd unsp external genital organs, female, sequela |
| S31512A | Lac w/o fb of unsp external genital organs, female, init |
| S31512D | Lac w/o fb of unsp external genital organs, female, subs |
| S31512S | Lac w/o fb of unsp external genital organs, female, sequela |
| S31522A | Lac w fb of unsp external genital organs, female, init |
| S31522D | Lac w fb of unsp external genital organs, female, subs |
| S31522S | Lac w fb of unsp external genital organs, female, sequela |
| S31532A | Pnctr w/o fb of unsp external genital organs, female, init |
| S31532D | Pnctr w/o fb of unsp external genital organs, female, subs |
| S31532S | Pnctr w/o fb of unsp extrn genital organs, female, sequela |
| S31542A | Pnctr w fb of unsp external genital organs, female, init |
| S31542D | Pnctr w fb of unsp external genital organs, female, subs |
| S31542S | Pnctr w fb of unsp external genital organs, female, sequela |
| S31552A | Open bite of unsp external genital organs, female, init |
| S31552D | Open bite of unsp external genital organs, female, subs |
| S31552S | Open bite of unsp external genital organs, female, sequela |
| S35531A | Injury of right uterine artery, initial encounter |
| S35531D | Injury of right uterine artery, subsequent encounter |
| S35531S | Injury of right uterine artery, sequela |
| S35532A | Injury of left uterine artery, initial encounter |
| S35532D | Injury of left uterine artery, subsequent encounter |
| S35532S | Injury of left uterine artery, sequela |

| | |
|---------|--|
| S35533A | Injury of unspecified uterine artery, initial encounter |
| S35533D | Injury of unspecified uterine artery, subsequent encounter |
| S35533S | Injury of unspecified uterine artery, sequela |
| S35534A | Injury of right uterine vein, initial encounter |
| S35534D | Injury of right uterine vein, subsequent encounter |
| S35534S | Injury of right uterine vein, sequela |
| S35535A | Injury of left uterine vein, initial encounter |
| S35535D | Injury of left uterine vein, subsequent encounter |
| S35535S | Injury of left uterine vein, sequela |
| S35536A | Injury of unspecified uterine vein, initial encounter |
| S35536D | Injury of unspecified uterine vein, subsequent encounter |
| S35536S | Injury of unspecified uterine vein, sequela |
| S37401A | Unspecified injury of ovary, unilateral, initial encounter |
| S37401D | Unspecified injury of ovary, unilateral, subs encntr |
| S37401S | Unspecified injury of ovary, unilateral, sequela |
| S37402A | Unspecified injury of ovary, bilateral, initial encounter |
| S37402D | Unspecified injury of ovary, bilateral, subsequent encounter |
| S37402S | Unspecified injury of ovary, bilateral, sequela |
| S37409A | Unspecified injury of ovary, unspecified, initial encounter |
| S37409D | Unspecified injury of ovary, unspecified, subs encntr |
| S37409S | Unspecified injury of ovary, unspecified, sequela |
| S37421A | Contusion of ovary, unilateral, initial encounter |
| S37421D | Contusion of ovary, unilateral, subsequent encounter |
| S37421S | Contusion of ovary, unilateral, sequela |
| S37422A | Contusion of ovary, bilateral, initial encounter |
| S37422D | Contusion of ovary, bilateral, subsequent encounter |
| S37422S | Contusion of ovary, bilateral, sequela |
| S37429A | Contusion of ovary, unspecified, initial encounter |
| S37429D | Contusion of ovary, unspecified, subsequent encounter |
| S37429S | Contusion of ovary, unspecified, sequela |
| S37431A | Laceration of ovary, unilateral, initial encounter |
| S37431D | Laceration of ovary, unilateral, subsequent encounter |
| S37431S | Laceration of ovary, unilateral, sequela |
| S37432A | Laceration of ovary, bilateral, initial encounter |
| S37432D | Laceration of ovary, bilateral, subsequent encounter |
| S37432S | Laceration of ovary, bilateral, sequela |
| S37439A | Laceration of ovary, unspecified, initial encounter |
| S37439D | Laceration of ovary, unspecified, subsequent encounter |
| S37439S | Laceration of ovary, unspecified, sequela |
| S37491A | Other injury of ovary, unilateral, initial encounter |
| S37491D | Other injury of ovary, unilateral, subsequent encounter |
| S37491S | Other injury of ovary, unilateral, sequela |
| S37492A | Other injury of ovary, bilateral, initial encounter |
| S37492D | Other injury of ovary, bilateral, subsequent encounter |
| S37492S | Other injury of ovary, bilateral, sequela |
| S37499A | Other injury of ovary, unspecified, initial encounter |
| S37499D | Other injury of ovary, unspecified, subsequent encounter |
| S37499S | Other injury of ovary, unspecified, sequela |
| S37501A | Unsp injury of fallopian tube, unilateral, init encntr |
| S37501D | Unsp injury of fallopian tube, unilateral, subs encntr |
| S37501S | Unspecified injury of fallopian tube, unilateral, sequela |
| S37502A | Unspecified injury of fallopian tube, bilateral, init encntr |

| | |
|---------|--|
| S37502D | Unspecified injury of fallopian tube, bilateral, subs encntr |
| S37502S | Unspecified injury of fallopian tube, bilateral, sequela |
| S37509A | Unsp injury of fallopian tube, unspecified, init encntr |
| S37509D | Unsp injury of fallopian tube, unspecified, subs encntr |
| S37509S | Unspecified injury of fallopian tube, unspecified, sequela |
| S37511A | Primary blast injury of fallopian tube, unilateral, init |
| S37511D | Primary blast injury of fallopian tube, unilateral, subs |
| S37511S | Primary blast injury of fallopian tube, unilateral, sequela |
| S37512A | Primary blast injury of fallopian tube, bilateral, init |
| S37512D | Primary blast injury of fallopian tube, bilateral, subs |
| S37512S | Primary blast injury of fallopian tube, bilateral, sequela |
| S37519A | Primary blast injury of fallopian tube, unsp, init encntr |
| S37519D | Primary blast injury of fallopian tube, unsp, subs encntr |
| S37519S | Primary blast injury of fallopian tube, unspecified, sequela |
| S37521A | Contusion of fallopian tube, unilateral, initial encounter |
| S37521D | Contusion of fallopian tube, unilateral, subs encntr |
| S37521S | Contusion of fallopian tube, unilateral, sequela |
| S37522A | Contusion of fallopian tube, bilateral, initial encounter |
| S37522D | Contusion of fallopian tube, bilateral, subsequent encounter |
| S37522S | Contusion of fallopian tube, bilateral, sequela |
| S37529A | Contusion of fallopian tube, unspecified, initial encounter |
| S37529D | Contusion of fallopian tube, unspecified, subs encntr |
| S37529S | Contusion of fallopian tube, unspecified, sequela |
| S37531A | Laceration of fallopian tube, unilateral, initial encounter |
| S37531D | Laceration of fallopian tube, unilateral, subs encntr |
| S37531S | Laceration of fallopian tube, unilateral, sequela |
| S37532A | Laceration of fallopian tube, bilateral, initial encounter |
| S37532D | Laceration of fallopian tube, bilateral, subs encntr |
| S37532S | Laceration of fallopian tube, bilateral, sequela |
| S37539A | Laceration of fallopian tube, unspecified, initial encounter |
| S37539D | Laceration of fallopian tube, unspecified, subs encntr |
| S37539S | Laceration of fallopian tube, unspecified, sequela |
| S37591A | Other injury of fallopian tube, unilateral, init encntr |
| S37591D | Other injury of fallopian tube, unilateral, subs encntr |
| S37591S | Other injury of fallopian tube, unilateral, sequela |
| S37592A | Other injury of fallopian tube, bilateral, initial encounter |
| S37592D | Other injury of fallopian tube, bilateral, subs encntr |
| S37592S | Other injury of fallopian tube, bilateral, sequela |
| S37599A | Other injury of fallopian tube, unspecified, init encntr |
| S37599D | Other injury of fallopian tube, unspecified, subs encntr |
| S37599S | Other injury of fallopian tube, unspecified, sequela |
| S3760XA | Unspecified injury of uterus, initial encounter |
| S3760XD | Unspecified injury of uterus, subsequent encounter |
| S3760XS | Unspecified injury of uterus, sequela |
| S3762XA | Contusion of uterus, initial encounter |
| S3762XD | Contusion of uterus, subsequent encounter |
| S3762XS | Contusion of uterus, sequela |
| S3763XA | Laceration of uterus, initial encounter |
| S3763XD | Laceration of uterus, subsequent encounter |
| S3763XS | Laceration of uterus, sequela |
| S3769XA | Other injury of uterus, initial encounter |
| S3769XD | Other injury of uterus, subsequent encounter |

| | |
|---------|--|
| S3769XS | Other injury of uterus, sequela |
| S38002A | Crushing inj unsp external genital organs, female, init |
| S38002D | Crushing inj unsp external genital organs, female, subs |
| S38002S | Crushing inj unsp external genital organs, female, sequela |
| S3803XA | Crushing injury of vulva, initial encounter |
| S3803XD | Crushing injury of vulva, subsequent encounter |
| S3803XS | Crushing injury of vulva, sequela |
| S38211A | Complete traum amp of female external genital organs, init |
| S38211D | Complete traum amp of female external genital organs, subs |
| S38211S | Complete traum amp of female extrn genital organs, sequela |
| S38212A | Partial traum amp of female external genital organs, init |
| S38212D | Partial traum amp of female external genital organs, subs |
| S38212S | Partial traum amp of female external genital organs, sequela |
| T192XXA | Foreign body in vulva and vagina, initial encounter |
| T192XXD | Foreign body in vulva and vagina, subsequent encounter |
| T192XXS | Foreign body in vulva and vagina, sequela |
| T193XXA | Foreign body in uterus, initial encounter |
| T193XXD | Foreign body in uterus, subsequent encounter |
| T193XXS | Foreign body in uterus, sequela |
| T2107XA | Burn of unsp degree of female genital region, init encntr |
| T2107XD | Burn of unsp degree of female genital region, subs encntr |
| T2107XS | Burn of unspecified degree of female genital region, sequela |
| T2117XA | Burn of first degree of female genital region, init encntr |
| T2117XD | Burn of first degree of female genital region, subs encntr |
| T2117XS | Burn of first degree of female genital region, sequela |
| T2127XA | Burn of second degree of female genital region, init encntr |
| T2127XD | Burn of second degree of female genital region, subs encntr |
| T2127XS | Burn of second degree of female genital region, sequela |
| T2137XA | Burn of third degree of female genital region, init encntr |
| T2137XD | Burn of third degree of female genital region, subs encntr |
| T2137XS | Burn of third degree of female genital region, sequela |
| T2147XA | Corrosion of unsp degree of female genital region, init |
| T2147XD | Corrosion of unsp degree of female genital region, subs |
| T2147XS | Corrosion of unsp degree of female genital region, sequela |
| T2157XA | Corrosion of first degree of female genital region, init |
| T2157XD | Corrosion of first degree of female genital region, subs |
| T2157XS | Corrosion of first degree of female genital region, sequela |
| T2167XA | Corrosion of second degree of female genital region, init |
| T2167XD | Corrosion of second degree of female genital region, subs |
| T2167XS | Corrosion of second degree of female genital region, sequela |
| T2177XA | Corrosion of third degree of female genital region, init |
| T2177XD | Corrosion of third degree of female genital region, subs |
| T2177XS | Corrosion of third degree of female genital region, sequela |
| T8331XA | Breakdown (mechanical) of intrauterine contracep dev, init |
| T8331XD | Breakdown (mechanical) of intrauterine contracep dev, subs |
| T8331XS | Breakdown of intrauterine contracep dev, sequela |
| T8332XA | Displacement of intrauterine contraceptive device, init |
| T8332XD | Displacement of intrauterine contraceptive device, subs |
| T8332XS | Displacement of intrauterine contraceptive device, sequela |
| T8339XA | Mech compl of intrauterine contraceptive device, init encntr |
| T8339XD | Mech compl of intrauterine contraceptive device, subs encntr |
| T8339XS | Mech compl of intrauterine contraceptive device, sequela |

| | |
|---------|--|
| T83711A | Erosn implnt vaginal mesh to surrnd org/tiss, init |
| T83711D | Erosn implnt vaginal mesh to surrnd org/tiss, subs |
| T83711S | Erosn implnt vaginal mesh to surrnd org/tiss, sequela |
| T83721A | Exposure of implanted vaginal mesh into vagina, init |
| T83721D | Exposure of implanted vaginal mesh into vagina, subs |
| T83721S | Exposure of implanted vaginal mesh into vagina, sequela |
| Y760 | Diagnostic and monitoring ob/gyn devices assoc w incdt |
| Y761 | Therapeutic and rehab ob/gyn devices assoc w incdt |
| Y762 | Prosth/oth implnt/mtrls ob/gyn devices assoc w incdt |
| Y763 | Surgical instrumnt, matrl and ob/gyn devices assoc w incdt |
| Y768 | Miscellaneous ob/gyn devices assoc w incdt, NEC |
| Z01411 | Encntr for gyn exam (general) (routine) w abnormal findings |
| Z01419 | Encntr for gyn exam (general) (routine) w/o abn findings |
| Z0142 | Encntr for cerv smear to cnfrm norm smr fol init abn smear |
| Z0371 | Encntr for susp prob w amnio cavity and membrane ruled out |
| Z0372 | Encounter for suspected placental problem ruled out |
| Z0373 | Encounter for suspected fetal anomaly ruled out |
| Z0374 | Encounter for suspected problem with fetal growth ruled out |
| Z0375 | Encounter for suspected cervical shortening ruled out |
| Z0379 | Encntr for oth suspected maternal and fetal cond ruled out |
| Z124 | Encounter for screening for malignant neoplasm of cervix |
| Z1272 | Encounter for screening for malignant neoplasm of vagina |
| Z1273 | Encounter for screening for malignant neoplasm of ovary |
| Z1332 | Encounter for screening for maternal depression |
| Z1502 | Genetic susceptibility to malignant neoplasm of ovary |
| Z1504 | Genetic susceptibility to malignant neoplasm of endometrium |
| Z30011 | Encounter for initial prescription of contraceptive pills |
| Z30012 | Encounter for prescription of emergency contraception |
| Z30013 | Encounter for initial prescription of injectable contracep |
| Z30014 | Encounter for initial prescription of uterin contracep dev |
| Z30015 | Encounter for initial prescription of vagnl ring |
| Z30018 | Encounter for initial prescription of other contraceptives |
| Z30019 | Encounter for initial prescription of contraceptives, unsp |
| Z3041 | Encounter for surveillance of contraceptive pills |
| Z3042 | Encounter for surveillance of injectable contraceptive |
| Z30430 | Encounter for insertion of intrauterine contraceptive device |
| Z30431 | Encounter for routine checking of intrauterine contracep dev |
| Z30432 | Encounter for removal of intrauterine contraceptive device |
| Z30433 | Encntr for removal and reinsertion of uterin contracep dev |
| Z3044 | Encounter for surveillance of vagnl ring |
| Z3045 | Enctr srvlnc transdermal patch hormonal contraceptive device |
| Z3046 | Enctr srvlnc implantable subdermal contraceptive |
| Z3049 | Encounter for surveillance of other contraceptives |
| Z31430 | Encntr fem for test for genetc dis carrier stat for pro mgmt |
| Z31438 | Encounter for oth genetic testing of female for pro mgmt |
| Z317 | Enctr for pro mgmt and counseling for gestational carrier |
| Z3181 | Encounter for male factor infertility in female patient |
| Z3182 | Encounter for Rh incompatibility status |
| Z3183 | Encounter for assisted reproductv fertility procedure cycle |
| Z3200 | Encounter for pregnancy test, result unknown |
| Z3201 | Encounter for pregnancy test, result positive |
| Z3202 | Encounter for pregnancy test, result negative |

| | |
|-------|--|
| Z331 | Pregnant state, incidental |
| Z332 | Encounter for elective termination of pregnancy |
| Z333 | Pregnant state, gestational carrier |
| Z3400 | Encntr for suprvsn of normal first pregnancy, unsp trimester |
| Z3401 | Encntr for suprvsn of normal first preg, first trimester |
| Z3402 | Encntr for suprvsn of normal first preg, second trimester |
| Z3403 | Encntr for suprvsn of normal first preg, third trimester |
| Z3480 | Encounter for suprvsn of normal pregnancy, unsp trimester |
| Z3481 | Encounter for suprvsn of normal pregnancy, first trimester |
| Z3482 | Encounter for suprvsn of normal pregnancy, second trimester |
| Z3483 | Encounter for suprvsn of normal pregnancy, third trimester |
| Z3490 | Encntr for suprvsn of normal pregnancy, unsp, unsp trimester |
| Z3491 | Encntr for suprvsn of normal preg, unsp, first trimester |
| Z3492 | Encntr for suprvsn of normal preg, unsp, second trimester |
| Z3493 | Encntr for suprvsn of normal preg, unsp, third trimester |
| Z360 | Encounter for antenatal screening for chromosomal anomalies |
| Z361 | Encntr for antenat screen for raised alphafetoprotein level |
| Z362 | Encounter for other antenatal screening follow-up |
| Z363 | Encounter for antenatal screening for malformations |
| Z364 | Encntr for antenatal screening for fetal growth retardation |
| Z365 | Encounter for antenatal screening for isoimmunization |
| Z3681 | Encounter for antenatal screening for hydrops fetalis |
| Z3682 | Encounter for antenatal screening for nuchal translucency |
| Z3683 | Encounter for fetal screening for congenital cardiac abnl |
| Z3684 | Encounter for antenatal screening for fetal lung maturity |
| Z3685 | Encounter for antenatal screening for Streptococcus B |
| Z3686 | Encounter for antenatal screening for cervical length |
| Z3687 | Encounter for antenatal screening for uncertain dates |
| Z3688 | Encounter for antenatal screening for fetal macrosomia |
| Z3689 | Encounter for other specified antenatal screening |
| Z368A | Encounter for antenatal screening for other genetic defects |
| Z369 | Encounter for antenatal screening, unspecified |
| Z370 | Single live birth |
| Z371 | Single stillbirth |
| Z372 | Twins, both liveborn |
| Z373 | Twins, one liveborn and one stillborn |
| Z374 | Twins, both stillborn |
| Z3750 | Multiple births, unspecified, all liveborn |
| Z3751 | Triplets, all liveborn |
| Z3752 | Quadruplets, all liveborn |
| Z3753 | Quintuplets, all liveborn |
| Z3754 | Sextuplets, all liveborn |
| Z3759 | Other multiple births, all liveborn |
| Z3760 | Multiple births, unspecified, some liveborn |
| Z3761 | Triplets, some liveborn |
| Z3762 | Quadruplets, some liveborn |
| Z3763 | Quintuplets, some liveborn |
| Z3764 | Sextuplets, some liveborn |
| Z3769 | Other multiple births, some liveborn |
| Z377 | Other multiple births, all stillborn |
| Z379 | Outcome of delivery, unspecified |
| Z390 | Encntr for care and exam of mother immediately after del |

| | |
|--------|--|
| Z391 | Encounter for care and examination of lactating mother |
| Z392 | Encounter for routine postpartum follow-up |
| Z3A00 | Weeks of gestation of pregnancy not specified |
| Z3A01 | Less than 8 weeks gestation of pregnancy |
| Z3A08 | 8 weeks gestation of pregnancy |
| Z3A09 | 9 weeks gestation of pregnancy |
| Z3A10 | 10 weeks gestation of pregnancy |
| Z3A11 | 11 weeks gestation of pregnancy |
| Z3A12 | 12 weeks gestation of pregnancy |
| Z3A13 | 13 weeks gestation of pregnancy |
| Z3A14 | 14 weeks gestation of pregnancy |
| Z3A15 | 15 weeks gestation of pregnancy |
| Z3A16 | 16 weeks gestation of pregnancy |
| Z3A17 | 17 weeks gestation of pregnancy |
| Z3A18 | 18 weeks gestation of pregnancy |
| Z3A19 | 19 weeks gestation of pregnancy |
| Z3A20 | 20 weeks gestation of pregnancy |
| Z3A21 | 21 weeks gestation of pregnancy |
| Z3A22 | 22 weeks gestation of pregnancy |
| Z3A23 | 23 weeks gestation of pregnancy |
| Z3A24 | 24 weeks gestation of pregnancy |
| Z3A25 | 25 weeks gestation of pregnancy |
| Z3A26 | 26 weeks gestation of pregnancy |
| Z3A27 | 27 weeks gestation of pregnancy |
| Z3A28 | 28 weeks gestation of pregnancy |
| Z3A29 | 29 weeks gestation of pregnancy |
| Z3A30 | 30 weeks gestation of pregnancy |
| Z3A31 | 31 weeks gestation of pregnancy |
| Z3A32 | 32 weeks gestation of pregnancy |
| Z3A33 | 33 weeks gestation of pregnancy |
| Z3A34 | 34 weeks gestation of pregnancy |
| Z3A35 | 35 weeks gestation of pregnancy |
| Z3A36 | 36 weeks gestation of pregnancy |
| Z3A37 | 37 weeks gestation of pregnancy |
| Z3A38 | 38 weeks gestation of pregnancy |
| Z3A39 | 39 weeks gestation of pregnancy |
| Z3A40 | 40 weeks gestation of pregnancy |
| Z3A41 | 41 weeks gestation of pregnancy |
| Z3A42 | 42 weeks gestation of pregnancy |
| Z3A49 | Greater than 42 weeks gestation of pregnancy |
| Z4002 | Encounter for prophylactic removal of ovary(s) |
| Z4003 | Encounter for prophylactic removal of fallopian tube(s) |
| Z52810 | Egg (Oocyte) donor under age 35, anonymous recipient |
| Z52811 | Egg (Oocyte) donor under age 35, designated recipient |
| Z52812 | Egg (Oocyte) donor age 35 and over, anonymous recipient |
| Z52813 | Egg (Oocyte) donor age 35 and over, designated recipient |
| Z52819 | Egg (Oocyte) donor, unspecified |
| Z640 | Problems related to unwanted pregnancy |
| Z641 | Problems related to multiparity |
| Z780 | Asymptomatic menopausal state |
| Z8540 | Prsnl history of malig neoplasm of unsp female genital organ |
| Z8541 | Personal history of malignant neoplasm of cervix uteri |

| | |
|--------|--|
| Z8542 | Personal history of malignant neoplasm of oth prt uterus |
| Z8543 | Personal history of malignant neoplasm of ovary |
| Z8544 | Personal history of malig neoplasm of female genital organs |
| Z86001 | Personal history of in-situ neoplasm of cervix uteri |
| Z8632 | Personal history of gestational diabetes |
| Z87410 | Personal history of cervical dysplasia |
| Z87411 | Personal history of vaginal dysplasia |
| Z87412 | Personal history of vulvar dysplasia |
| Z8742 | Personal history of oth diseases of the female genital tract |
| Z8751 | Personal history of pre-term labor |
| Z8759 | Personal history of comp of preg, chldbrth and the puerp |
| Z90710 | Acquired absence of both cervix and uterus |
| Z90711 | Acquired absence of uterus with remaining cervical stump |
| Z90712 | Acquired absence of cervix with remaining uterus |
| Z90721 | Acquired absence of ovaries, unilateral |
| Z90722 | Acquired absence of ovaries, bilateral |
| Z975 | Presence of (intrauterine) contraceptive device |
| Z9851 | Tubal ligation status |
| Z98870 | Personal history of in utero procedure during pregnancy |
| Z98891 | History of uterine scar from previous surgery |

Diagnoses for males only (ICD-10 CM codes)

| | |
|--------|--|
| A1814 | Tuberculosis of prostate |
| A1815 | Tuberculosis of other male genital organs |
| A5422 | Gonococcal prostatitis |
| A5423 | Gonococcal infection of other male genital organs |
| A5902 | Trichomonal prostatitis |
| A6001 | Herpesviral infection of penis |
| A6002 | Herpesviral infection of other male genital organs |
| B260 | Mumps orchitis |
| B3742 | Candidal balanitis |
| B3881 | Prostatic coccidioidomycosis |
| C50021 | Malignant neoplasm of nipple and areola, right male breast |
| C50022 | Malignant neoplasm of nipple and areola, left male breast |
| C50029 | Malignant neoplasm of nipple and areola, unsp male breast |
| C50121 | Malignant neoplasm of central portion of right male breast |
| C50122 | Malignant neoplasm of central portion of left male breast |
| C50129 | Malignant neoplasm of central portion of unsp male breast |
| C50221 | Malig neoplasm of upper-inner quadrant of right male breast |
| C50222 | Malig neoplasm of upper-inner quadrant of left male breast |
| C50229 | Malig neoplasm of upper-inner quadrant of unsp male breast |
| C50321 | Malig neoplasm of lower-inner quadrant of right male breast |
| C50322 | Malig neoplasm of lower-inner quadrant of left male breast |
| C50329 | Malig neoplasm of lower-inner quadrant of unsp male breast |
| C50421 | Malig neoplasm of upper-outer quadrant of right male breast |
| C50422 | Malig neoplasm of upper-outer quadrant of left male breast |
| C50429 | Malig neoplasm of upper-outer quadrant of unsp male breast |
| C50521 | Malig neoplasm of lower-outer quadrant of right male breast |
| C50522 | Malig neoplasm of lower-outer quadrant of left male breast |
| C50529 | Malig neoplasm of lower-outer quadrant of unsp male breast |
| C50621 | Malignant neoplasm of axillary tail of right male breast |
| C50622 | Malignant neoplasm of axillary tail of left male breast |
| C50629 | Malignant neoplasm of axillary tail of unsp male breast |
| C50821 | Malignant neoplasm of overlapping sites of right male breast |
| C50822 | Malignant neoplasm of overlapping sites of left male breast |
| C50829 | Malignant neoplasm of overlapping sites of unsp male breast |
| C50921 | Malignant neoplasm of unspecified site of right male breast |
| C50922 | Malignant neoplasm of unspecified site of left male breast |
| C50929 | Malignant neoplasm of unsp site of unspecified male breast |
| C600 | Malignant neoplasm of prepuce |
| C601 | Malignant neoplasm of glans penis |
| C602 | Malignant neoplasm of body of penis |
| C608 | Malignant neoplasm of overlapping sites of penis |
| C609 | Malignant neoplasm of penis, unspecified |
| C61 | Malignant neoplasm of prostate |
| C6200 | Malignant neoplasm of unspecified undescended testis |
| C6201 | Malignant neoplasm of undescended right testis |
| C6202 | Malignant neoplasm of undescended left testis |
| C6210 | Malignant neoplasm of unspecified descended testis |

| | |
|--------|---|
| C6211 | Malignant neoplasm of descended right testis |
| C6212 | Malignant neoplasm of descended left testis |
| C6290 | Malig neoplasm of unsp testis, unsp descended or undescended |
| C6291 | Malig neoplasm of right testis, unsp descended or undescended |
| C6292 | Malig neoplasm of left testis, unsp descended or undescended |
| C6300 | Malignant neoplasm of unspecified epididymis |
| C6301 | Malignant neoplasm of right epididymis |
| C6302 | Malignant neoplasm of left epididymis |
| C6310 | Malignant neoplasm of unspecified spermatic cord |
| C6311 | Malignant neoplasm of right spermatic cord |
| C6312 | Malignant neoplasm of left spermatic cord |
| C632 | Malignant neoplasm of scrotum |
| C637 | Malignant neoplasm of other specified male genital organs |
| C638 | Malignant neoplasm of overl sites of male genital organs |
| C639 | Malignant neoplasm of male genital organ, unspecified |
| D074 | Carcinoma in situ of penis |
| D075 | Carcinoma in situ of prostate |
| D0760 | Carcinoma in situ of unspecified male genital organs |
| D0761 | Carcinoma in situ of scrotum |
| D0769 | Carcinoma in situ of other male genital organs |
| D176 | Benign lipomatous neoplasm of spermatic cord |
| D290 | Benign neoplasm of penis |
| D291 | Benign neoplasm of prostate |
| D2920 | Benign neoplasm of unspecified testis |
| D2921 | Benign neoplasm of right testis |
| D2922 | Benign neoplasm of left testis |
| D2930 | Benign neoplasm of unspecified epididymis |
| D2931 | Benign neoplasm of right epididymis |
| D2932 | Benign neoplasm of left epididymis |
| D294 | Benign neoplasm of scrotum |
| D298 | Benign neoplasm of other specified male genital organs |
| D299 | Benign neoplasm of male genital organ, unspecified |
| D400 | Neoplasm of uncertain behavior of prostate |
| D4010 | Neoplasm of uncertain behavior of unspecified testis |
| D4011 | Neoplasm of uncertain behavior of right testis |
| D4012 | Neoplasm of uncertain behavior of left testis |
| D408 | Neoplasm of uncertain behavior of oth male genital organs |
| D409 | Neoplasm of uncertain behavior of male genital organ, unsp |
| E290 | Testicular hyperfunction |
| E291 | Testicular hypofunction |
| E298 | Other testicular dysfunction |
| E299 | Testicular dysfunction, unspecified |
| E895 | Postprocedural testicular hypofunction |
| F5221 | Male erectile disorder |
| F5232 | Male orgasmic disorder |
| F524 | Premature ejaculation |
| I861 | Scrotal varices |
| L291 | Pruritus scroti |
| N35010 | Post-traumatic urethral stricture, male, meatal |
| N35011 | Post-traumatic bulbous urethral stricture |
| N35012 | Post-traumatic membranous urethral stricture |
| N35013 | Post-traumatic anterior urethral stricture |

| | |
|--------|--|
| N35014 | Post-traumatic urethral stricture, male, unspecified |
| N35016 | Post-traumatic urethral stricture, male, overlapping sites |
| N35111 | Postinfective urethral stricture, NEC, male, meatal |
| N35112 | Postinfective bulbous urethral stricture, NEC, male |
| N35113 | Postinfective membranous urethral stricture, NEC, male |
| N35114 | Postinfective anterior urethral stricture, NEC, male |
| N35116 | Postinfective urethral stricture, NEC, male, ovrlp sites |
| N35119 | Postinfective urethral stricture, NEC, male, unsp |
| N35811 | Other urethral stricture, male, meatal |
| N35812 | Other urethral bulbous stricture, male |
| N35813 | Other membranous urethral stricture, male |
| N35814 | Other anterior urethral stricture, male |
| N35816 | Other urethral stricture, male, overlapping sites |
| N35819 | Other urethral stricture, male, unspecified site |
| N35911 | Unspecified urethral stricture, male, meatal |
| N35912 | Unspecified bulbous urethral stricture, male |
| N35913 | Unspecified membranous urethral stricture, male |
| N35914 | Unspecified anterior urethral stricture, male |
| N35916 | Unspecified urethral stricture, male, overlapping sites |
| N35919 | Unspecified urethral stricture, male, unspecified site |
| N400 | Benign prostatic hyperplasia without lower urinry tract symp |
| N401 | Benign prostatic hyperplasia with lower urinary tract symp |
| N402 | Nodular prostate without lower urinary tract symptoms |
| N403 | Nodular prostate with lower urinary tract symptoms |
| N410 | Acute prostatitis |
| N411 | Chronic prostatitis |
| N412 | Abscess of prostate |
| N413 | Prostatocystitis |
| N414 | Granulomatous prostatitis |
| N418 | Other inflammatory diseases of prostate |
| N419 | Inflammatory disease of prostate, unspecified |
| N420 | Calculus of prostate |
| N421 | Congestion and hemorrhage of prostate |
| N4230 | Unspecified dysplasia of prostate |
| N4231 | Prostatic intraepithelial neoplasia |
| N4232 | Atypical small acinar proliferation of prostate |
| N4239 | Other dysplasia of prostate |
| N4281 | Prostatodynia syndrome |
| N4282 | Prostatosis syndrome |
| N4283 | Cyst of prostate |
| N4289 | Other specified disorders of prostate |
| N429 | Disorder of prostate, unspecified |
| N430 | Encysted hydrocele |
| N431 | Infected hydrocele |
| N432 | Other hydrocele |
| N433 | Hydrocele, unspecified |
| N4340 | Spermatocele of epididymis, unspecified |
| N4341 | Spermatocele of epididymis, single |
| N4342 | Spermatocele of epididymis, multiple |
| N4400 | Torsion of testis, unspecified |
| N4401 | Extravaginal torsion of spermatic cord |
| N4402 | Intravaginal torsion of spermatic cord |

| | |
|--------|---|
| N4403 | Torsion of appendix testis |
| N4404 | Torsion of appendix epididymis |
| N441 | Cyst of tunica albuginea testis |
| N442 | Benign cyst of testis |
| N448 | Other noninflammatory disorders of the testis |
| N451 | Epididymitis |
| N452 | Orchitis |
| N453 | Epididymo-orchitis |
| N454 | Abscess of epididymis or testis |
| N4601 | Organic azoospermia |
| N46021 | Azoospermia due to drug therapy |
| N46022 | Azoospermia due to infection |
| N46023 | Azoospermia due to obstruction of efferent ducts |
| N46024 | Azoospermia due to radiation |
| N46025 | Azoospermia due to systemic disease |
| N46029 | Azoospermia due to other extratesticular causes |
| N4611 | Organic oligospermia |
| N46121 | Oligospermia due to drug therapy |
| N46122 | Oligospermia due to infection |
| N46123 | Oligospermia due to obstruction of efferent ducts |
| N46124 | Oligospermia due to radiation |
| N46125 | Oligospermia due to systemic disease |
| N46129 | Oligospermia due to other extratesticular causes |
| N468 | Other male infertility |
| N469 | Male infertility, unspecified |
| N470 | Adherent prepuce, newborn |
| N471 | Phimosis |
| N472 | Paraphimosis |
| N473 | Deficient foreskin |
| N474 | Benign cyst of prepuce |
| N475 | Adhesions of prepuce and glans penis |
| N476 | Balanoposthitis |
| N477 | Other inflammatory diseases of prepuce |
| N478 | Other disorders of prepuce |
| N480 | Leukoplakia of penis |
| N481 | Balanitis |
| N4821 | Abscess of corpus cavernosum and penis |
| N4822 | Cellulitis of corpus cavernosum and penis |
| N4829 | Other inflammatory disorders of penis |
| N4830 | Priapism, unspecified |
| N4831 | Priapism due to trauma |
| N4832 | Priapism due to disease classified elsewhere |
| N4833 | Priapism, drug-induced |
| N4839 | Other priapism |
| N485 | Ulcer of penis |
| N486 | Induration penis plastica |
| N4881 | Thrombosis of superficial vein of penis |
| N4882 | Acquired torsion of penis |
| N4883 | Acquired buried penis |
| N4889 | Other specified disorders of penis |
| N489 | Disorder of penis, unspecified |
| N490 | Inflammatory disorders of seminal vesicle |

| | |
|--------|--|
| N491 | Inflam disorders of sperm cord, tunica vaginalis and vas def |
| N492 | Inflammatory disorders of scrotum |
| N493 | Fournier gangrene |
| N498 | Inflammatory disorders of oth male genital organs |
| N499 | Inflammatory disorder of unspecified male genital organ |
| N500 | Atrophy of testis |
| N501 | Vascular disorders of male genital organs |
| N503 | Cyst of epididymis |
| N50811 | Right testicular pain |
| N50812 | Left testicular pain |
| N50819 | Testicular pain, unspecified |
| N5082 | Scrotal pain |
| N5089 | Other specified disorders of the male genital organs |
| N509 | Disorder of male genital organs, unspecified |
| N51 | Disorders of male genital organs in diseases classd elswhr |
| N5201 | Erectile dysfunction due to arterial insufficiency |
| N5202 | Corporo-venous occlusive erectile dysfunction |
| N5203 | Comb artrl insuff & corporo-venous occlusv erectile dysfnct |
| N521 | Erectile dysfunction due to diseases classified elsewhere |
| N522 | Drug-induced erectile dysfunction |
| N5231 | Erectile dysfunction following radical prostatectomy |
| N5232 | Erectile dysfunction following radical cystectomy |
| N5233 | Erectile dysfunction following urethral surgery |
| N5234 | Erectile dysfunction following simple prostatectomy |
| N5235 | Erectile dysfunction following radiation therapy |
| N5236 | Erectile dysfunction following interstitial seed therapy |
| N5237 | Erectile dysfunction following prostate ablative therapy |
| N5239 | Other and unspecified postprocedural erectile dysfunction |
| N528 | Other male erectile dysfunction |
| N529 | Male erectile dysfunction, unspecified |
| N5311 | Retarded ejaculation |
| N5312 | Painful ejaculation |
| N5313 | Anejaculatory orgasm |
| N5314 | Retrograde ejaculation |
| N5319 | Other ejaculatory dysfunction |
| N538 | Other male sexual dysfunction |
| N539 | Unspecified male sexual dysfunction |
| N99110 | Postprocedural urethral stricture, male, meatal |
| N99111 | Postprocedural bulbous urethral stricture, male |
| N99112 | Postprocedural membranous urethral stricture, male |
| N99113 | Postprocedural anterior bulbous urethral stricture, male |
| N99114 | Postprocedural urethral stricture, male, unspecified |
| N99115 | Postprocedural fossa navicularis urethral stricture |
| N99116 | Postprocedural urethral stricture, male, overlapping sites |
| P835 | Congenital hydrocele |
| Q5300 | Ectopic testis, unspecified |
| Q5301 | Ectopic testis, unilateral |
| Q5302 | Ectopic testes, bilateral |
| Q5310 | Unspecified undescended testicle, unilateral |
| Q53111 | Unilateral intraabdominal testis |
| Q53112 | Unilateral inguinal testis |
| Q5312 | Ectopic perineal testis, unilateral |

| | |
|--------|--|
| Q5313 | Unilateral high scrotal testis |
| Q5320 | Undescended testicle, unspecified, bilateral |
| Q53211 | Bilateral intraabdominal testes |
| Q53212 | Bilateral inguinal testes |
| Q5322 | Ectopic perineal testis, bilateral |
| Q5323 | Bilateral high scrotal testes |
| Q539 | Undescended testicle, unspecified |
| Q540 | Hypospadias, balanic |
| Q541 | Hypospadias, penile |
| Q542 | Hypospadias, penoscrotal |
| Q543 | Hypospadias, perineal |
| Q544 | Congenital chordee |
| Q548 | Other hypospadias |
| Q549 | Hypospadias, unspecified |
| Q550 | Absence and aplasia of testis |
| Q551 | Hypoplasia of testis and scrotum |
| Q5520 | Unspecified congenital malformations of testis and scrotum |
| Q5521 | Polyorchism |
| Q5522 | Retractile testis |
| Q5523 | Scrotal transposition |
| Q5529 | Other congenital malformations of testis and scrotum |
| Q553 | Atresia of vas deferens |
| Q554 | Oth congen malform of vas def,epidid, semnl vescl & prostate |
| Q555 | Congenital absence and aplasia of penis |
| Q5561 | Curvature of penis (lateral) |
| Q5562 | Hypoplasia of penis |
| Q5563 | Congenital torsion of penis |
| Q5564 | Hidden penis |
| Q5569 | Other congenital malformation of penis |
| Q557 | Congenital vasocutaneous fistula |
| Q558 | Oth congenital malformations of male genital organs |
| Q559 | Congenital malformation of male genital organ, unspecified |
| Q561 | Male pseudohermaphroditism, not elsewhere classified |
| Q980 | Klinefelter syndrome karyotype 47, XXY |
| Q981 | Klinefelter syndrome, male with more than two X chromosomes |
| Q983 | Other male with 46, XX karyotype |
| Q984 | Klinefelter syndrome, unspecified |
| Q986 | Male with structurally abnormal sex chromosome |
| Q987 | Male with sex chromosome mosaicism |
| Q988 | Other specified sex chromosome abnormalities, male phenotype |
| Q989 | Sex chromosome abnormality, male phenotype, unspecified |
| R361 | Hematospermia |
| R3983 | Unilateral non-palpable testicle |
| R3984 | Bilateral non-palpable testicles |
| R860 | Abn lev enzymes in specimens from male genital organs |
| R861 | Abn lev hormones in specimens from male genital organs |
| R862 | Abn lev drug/meds/biol subst in specmn from male gntl organs |
| R863 | Abn lev substnc nonmed source in specmn from male gntl org |
| R864 | Abn immunolog findings in specmn from male genital organs |
| R865 | Abn microbiolog findings in specmn from male genital organs |
| R866 | Abnormal cytolog findings in specmn from male genital organs |
| R867 | Abn histolog findings in specmn from male genital organs |

| | |
|---------|--|
| R868 | Oth abnormal findings in specimens from male genital organs |
| R869 | Unsp abnormal finding in specimens from male genital organs |
| R93811 | Abnormal radiologic findings on dx imaging of right testicle |
| R93812 | Abnormal radiologic findings on dx imaging of left testicle |
| R93813 | Abnormal radlgc findings on dx imaging of testicles, bi |
| R93819 | Abnormal radiologic findings on dx imaging of unsp testicle |
| R9720 | Elevated prostate specific antigen [PSA] |
| R9721 | Rising PSA fol treatment for malignant neoplasm of prostate |
| S30201A | Contusion of unsp external genital organ, male, init encntr |
| S30201D | Contusion of unsp external genital organ, male, subs encntr |
| S30201S | Contusion of unsp external genital organ, male, sequela |
| S3021XA | Contusion of penis, initial encounter |
| S3021XD | Contusion of penis, subsequent encounter |
| S3021XS | Contusion of penis, sequela |
| S3022XA | Contusion of scrotum and testes, initial encounter |
| S3022XD | Contusion of scrotum and testes, subsequent encounter |
| S3022XS | Contusion of scrotum and testes, sequela |
| S30812A | Abrasion of penis, initial encounter |
| S30812D | Abrasion of penis, subsequent encounter |
| S30812S | Abrasion of penis, sequela |
| S30813A | Abrasion of scrotum and testes, initial encounter |
| S30813D | Abrasion of scrotum and testes, subsequent encounter |
| S30813S | Abrasion of scrotum and testes, sequela |
| S30815A | Abrasion of unsp external genital organs, male, init encntr |
| S30815D | Abrasion of unsp external genital organs, male, subs encntr |
| S30815S | Abrasion of unsp external genital organs, male, sequela |
| S30822A | Blister (nonthermal) of penis, initial encounter |
| S30822D | Blister (nonthermal) of penis, subsequent encounter |
| S30822S | Blister (nonthermal) of penis, sequela |
| S30823A | Blister (nonthermal) of scrotum and testes, init encntr |
| S30823D | Blister (nonthermal) of scrotum and testes, subs encntr |
| S30823S | Blister (nonthermal) of scrotum and testes, sequela |
| S30825A | Blister of unsp external genital organs, male, init |
| S30825D | Blister of unsp external genital organs, male, subs |
| S30825S | Blister of unsp external genital organs, male, sequela |
| S30842A | External constriction of penis, initial encounter |
| S30842D | External constriction of penis, subsequent encounter |
| S30842S | External constriction of penis, sequela |
| S30843A | External constriction of scrotum and testes, init encntr |
| S30843D | External constriction of scrotum and testes, subs encntr |
| S30843S | External constriction of scrotum and testes, sequela |
| S30845A | Extrn constrict of unsp external genital organs, male, init |
| S30845D | Extrn constrict of unsp external genital organs, male, subs |
| S30845S | Extrn constrict of unsp extrn genital organs, male, sequela |
| S30852A | Superficial foreign body of penis, initial encounter |
| S30852D | Superficial foreign body of penis, subsequent encounter |
| S30852S | Superficial foreign body of penis, sequela |
| S30853A | Superficial foreign body of scrotum and testes, init encntr |
| S30853D | Superficial foreign body of scrotum and testes, subs encntr |
| S30853S | Superficial foreign body of scrotum and testes, sequela |
| S30855A | Superficial fb of unsp external genital organs, male, init |
| S30855D | Superficial fb of unsp external genital organs, male, subs |

| | |
|---------|--|
| S30855S | Superfic fb of unsp external genital organs, male, sequela |
| S30862A | Insect bite (nonvenomous) of penis, initial encounter |
| S30862D | Insect bite (nonvenomous) of penis, subsequent encounter |
| S30862S | Insect bite (nonvenomous) of penis, sequela |
| S30863A | Insect bite (nonvenomous) of scrotum and testes, init encntr |
| S30863D | Insect bite (nonvenomous) of scrotum and testes, subs encntr |
| S30863S | Insect bite (nonvenomous) of scrotum and testes, sequela |
| S30865A | Insect bite of unsp external genital organs, male, init |
| S30865D | Insect bite of unsp external genital organs, male, subs |
| S30865S | Insect bite of unsp external genital organs, male, sequela |
| S30872A | Other superficial bite of penis, initial encounter |
| S30872D | Other superficial bite of penis, subsequent encounter |
| S30872S | Other superficial bite of penis, sequela |
| S30873A | Other superficial bite of scrotum and testes, init encntr |
| S30873D | Other superficial bite of scrotum and testes, subs encntr |
| S30873S | Other superficial bite of scrotum and testes, sequela |
| S30875A | Oth superfic bite of unsp extrn genital organs, male, init |
| S30875D | Oth superfic bite of unsp extrn genital organs, male, subs |
| S30875S | Oth superfic bite of unsp extrn gntl organs, male, sequela |
| S3093XA | Unspecified superficial injury of penis, initial encounter |
| S3093XD | Unspecified superficial injury of penis, subs encntr |
| S3093XS | Unspecified superficial injury of penis, sequela |
| S3094XA | Unsp superficial injury of scrotum and testes, init encntr |
| S3094XD | Unsp superficial injury of scrotum and testes, subs encntr |
| S3094XS | Unsp superficial injury of scrotum and testes, sequela |
| S3096XA | Unsp superfic inj unsp external genital organs, male, init |
| S3096XD | Unsp superfic inj unsp external genital organs, male, subs |
| S3096XS | Unsp superfic inj unsp extrn genital organs, male, sequela |
| S3120XA | Unspecified open wound of penis, initial encounter |
| S3120XD | Unspecified open wound of penis, subsequent encounter |
| S3120XS | Unspecified open wound of penis, sequela |
| S3121XA | Laceration without foreign body of penis, initial encounter |
| S3121XD | Laceration without foreign body of penis, subs encntr |
| S3121XS | Laceration without foreign body of penis, sequela |
| S3122XA | Laceration with foreign body of penis, initial encounter |
| S3122XD | Laceration with foreign body of penis, subsequent encounter |
| S3122XS | Laceration with foreign body of penis, sequela |
| S3123XA | Puncture wound without foreign body of penis, init encntr |
| S3123XD | Puncture wound without foreign body of penis, subs encntr |
| S3123XS | Puncture wound without foreign body of penis, sequela |
| S3124XA | Puncture wound with foreign body of penis, initial encounter |
| S3124XD | Puncture wound with foreign body of penis, subs encntr |
| S3124XS | Puncture wound with foreign body of penis, sequela |
| S3125XA | Open bite of penis, initial encounter |
| S3125XD | Open bite of penis, subsequent encounter |
| S3125XS | Open bite of penis, sequela |
| S3130XA | Unspecified open wound of scrotum and testes, init encntr |
| S3130XD | Unspecified open wound of scrotum and testes, subs encntr |
| S3130XS | Unspecified open wound of scrotum and testes, sequela |
| S3131XA | Laceration w/o foreign body of scrotum and testes, init |
| S3131XD | Laceration w/o foreign body of scrotum and testes, subs |
| S3131XS | Laceration w/o foreign body of scrotum and testes, sequela |

| | |
|---------|--|
| S3132XA | Laceration w foreign body of scrotum and testes, init encntr |
| S3132XD | Laceration w foreign body of scrotum and testes, subs encntr |
| S3132XS | Laceration with foreign body of scrotum and testes, sequela |
| S3133XA | Puncture wound w/o foreign body of scrotum and testes, init |
| S3133XD | Puncture wound w/o foreign body of scrotum and testes, subs |
| S3133XS | Pnctr w/o foreign body of scrotum and testes, sequela |
| S3134XA | Puncture wound w foreign body of scrotum and testes, init |
| S3134XD | Puncture wound w foreign body of scrotum and testes, subs |
| S3134XS | Puncture wound w foreign body of scrotum and testes, sequela |
| S3135XA | Open bite of scrotum and testes, initial encounter |
| S3135XD | Open bite of scrotum and testes, subsequent encounter |
| S3135XS | Open bite of scrotum and testes, sequela |
| S31501A | Unsp open wound of unsp external genital organs, male, init |
| S31501D | Unsp open wound of unsp external genital organs, male, subs |
| S31501S | Unsp opn wnd unsp external genital organs, male, sequela |
| S31511A | Lac w/o fb of unsp external genital organs, male, init |
| S31511D | Lac w/o fb of unsp external genital organs, male, subs |
| S31511S | Lac w/o fb of unsp external genital organs, male, sequela |
| S31521A | Laceration w fb of unsp external genital organs, male, init |
| S31521D | Laceration w fb of unsp external genital organs, male, subs |
| S31521S | Lac w fb of unsp external genital organs, male, sequela |
| S31531A | Pnctr w/o fb of unsp external genital organs, male, init |
| S31531D | Pnctr w/o fb of unsp external genital organs, male, subs |
| S31531S | Pnctr w/o fb of unsp external genital organs, male, sequela |
| S31541A | Pnctr w fb of unsp external genital organs, male, init |
| S31541D | Pnctr w fb of unsp external genital organs, male, subs |
| S31541S | Pnctr w fb of unsp external genital organs, male, sequela |
| S31551A | Open bite of unsp external genital organs, male, init encntr |
| S31551D | Open bite of unsp external genital organs, male, subs encntr |
| S31551S | Open bite of unsp external genital organs, male, sequela |
| S37822A | Contusion of prostate, initial encounter |
| S37822D | Contusion of prostate, subsequent encounter |
| S37822S | Contusion of prostate, sequela |
| S37823A | Laceration of prostate, initial encounter |
| S37823D | Laceration of prostate, subsequent encounter |
| S37823S | Laceration of prostate, sequela |
| S37828A | Other injury of prostate, initial encounter |
| S37828D | Other injury of prostate, subsequent encounter |
| S37828S | Other injury of prostate, sequela |
| S37829A | Unspecified injury of prostate, initial encounter |
| S37829D | Unspecified injury of prostate, subsequent encounter |
| S37829S | Unspecified injury of prostate, sequela |
| S38001A | Crushing injury of unsp external genital organs, male, init |
| S38001D | Crushing injury of unsp external genital organs, male, subs |
| S38001S | Crushing inj unsp external genital organs, male, sequela |
| S3801XA | Crushing injury of penis, initial encounter |
| S3801XD | Crushing injury of penis, subsequent encounter |
| S3801XS | Crushing injury of penis, sequela |
| S3802XA | Crushing injury of scrotum and testis, initial encounter |
| S3802XD | Crushing injury of scrotum and testis, subsequent encounter |
| S3802XS | Crushing injury of scrotum and testis, sequela |
| S38221A | Complete traumatic amputation of penis, initial encounter |

| | |
|---------|--|
| S38221D | Complete traumatic amputation of penis, subsequent encounter |
| S38221S | Complete traumatic amputation of penis, sequela |
| S38222A | Partial traumatic amputation of penis, initial encounter |
| S38222D | Partial traumatic amputation of penis, subsequent encounter |
| S38222S | Partial traumatic amputation of penis, sequela |
| S38231A | Complete traumatic amputation of scrotum and testis, init |
| S38231D | Complete traumatic amputation of scrotum and testis, subs |
| S38231S | Complete traumatic amputation of scrotum and testis, sequela |
| S38232A | Partial traumatic amputation of scrotum and testis, init |
| S38232D | Partial traumatic amputation of scrotum and testis, subs |
| S38232S | Partial traumatic amputation of scrotum and testis, sequela |
| S39840A | Fracture of corpus cavernosum penis, initial encounter |
| S39840D | Fracture of corpus cavernosum penis, subsequent encounter |
| S39840S | Fracture of corpus cavernosum penis, sequela |
| T194XXA | Foreign body in penis, initial encounter |
| T194XXD | Foreign body in penis, subsequent encounter |
| T194XXS | Foreign body in penis, sequela |
| T2106XA | Burn of unsp degree of male genital region, init encntr |
| T2106XD | Burn of unsp degree of male genital region, subs encntr |
| T2106XS | Burn of unspecified degree of male genital region, sequela |
| T2116XA | Burn of first degree of male genital region, init encntr |
| T2116XD | Burn of first degree of male genital region, subs encntr |
| T2116XS | Burn of first degree of male genital region, sequela |
| T2126XA | Burn of second degree of male genital region, init encntr |
| T2126XD | Burn of second degree of male genital region, subs encntr |
| T2126XS | Burn of second degree of male genital region, sequela |
| T2136XA | Burn of third degree of male genital region, init encntr |
| T2136XD | Burn of third degree of male genital region, subs encntr |
| T2136XS | Burn of third degree of male genital region, sequela |
| T2146XA | Corrosion of unsp degree of male genital region, init encntr |
| T2146XD | Corrosion of unsp degree of male genital region, subs encntr |
| T2146XS | Corrosion of unsp degree of male genital region, sequela |
| T2156XA | Corrosion of first degree of male genital region, init |
| T2156XD | Corrosion of first degree of male genital region, subs |
| T2156XS | Corrosion of first degree of male genital region, sequela |
| T2166XA | Corrosion of second degree of male genital region, init |
| T2166XD | Corrosion of second degree of male genital region, subs |
| T2166XS | Corrosion of second degree of male genital region, sequela |
| T2176XA | Corrosion of third degree of male genital region, init |
| T2176XD | Corrosion of third degree of male genital region, subs |
| T2176XS | Corrosion of third degree of male genital region, sequela |
| T83410A | Breakdown (mechanical) of implanted penile prosthesis, init |
| T83410D | Breakdown (mechanical) of implanted penile prosthesis, subs |
| T83410S | Breakdown of implanted penile prosthesis, sequela |
| T83420A | Displacement of implanted penile prosthesis, init |
| T83420D | Displacement of implanted penile prosthesis, subs |
| T83420S | Displacement of implanted penile prosthesis, sequela |
| T83490A | Mech compl of implanted penile prosthesis, initial encounter |
| T83490D | Mech compl of implanted penile prosthesis, subs |
| T83490S | Mech compl of implanted penile prosthesis, sequela |
| Z125 | Encounter for screening for malignant neoplasm of prostate |
| Z1271 | Encounter for screening for malignant neoplasm of testis |

| | |
|--------|---|
| Z1503 | Genetic susceptibility to malignant neoplasm of prostate |
| Z31440 | Encntr male test for genetic dis carrier status for pro mgmt |
| Z31441 | Encntr for testing of male prtnr of pt w recur preg loss |
| Z31448 | Encounter for oth genetic testing of male for pro mgmt |
| Z412 | Encounter for routine and ritual male circumcision |
| Z8545 | Personal history of malig neoplasm of unsp male genital organ |
| Z8546 | Personal history of malignant neoplasm of prostate |
| Z8547 | Personal history of malignant neoplasm of testis |
| Z8548 | Personal history of malignant neoplasm of epididymis |
| Z8549 | Personal history of malig neoplasm of male genital organs |
| Z87430 | Personal history of prostatic dysplasia |
| Z87438 | Personal history of other diseases of male genital organs |
| Z87710 | Personal history of (corrected) hypospadias |
| Z9852 | Vasectomy status |

Manifestation diagnoses (ICD-10 CM codes)

| | |
|---------|--|
| D630 | Anemia in neoplastic disease |
| D631 | Anemia in chronic kidney disease |
| D638 | Anemia in other chronic diseases classified elsewhere |
| D641 | Secondary sideroblastic anemia due to disease |
| D7581 | Myelofibrosis |
| D77 | Oth disord of bld/bld-frn organs in diseases clasd elswhr |
| E0800 | Diab d/t undrl cond w hyprosm w/o nonket hyprgly-hypros coma |
| E0801 | Diabetes due to underlying condition w hyprosm w coma |
| E0810 | Diabetes due to underlying condition w ketoacidosis w/o coma |
| E0811 | Diabetes due to underlying condition w ketoacidosis w coma |
| E0821 | Diabetes due to underlying condition w diabetic nephropathy |
| E0822 | Diabetes due to undrl cond w diabetic chronic kidney disease |
| E0829 | Diabetes due to undrl condition w oth diabetic kidney comp |
| E08311 | Diab due to undrl cond w unsp diabetic rtnop w macular edema |
| E08319 | Diab due to undrl cond w unsp diab rtnop w/o macular edema |
| E083211 | Diabetes with mild nonp rtnop with macular edema, right eye |
| E083212 | Diabetes with mild nonp rtnop with macular edema, left eye |
| E083213 | Diabetes with mild nonp rtnop with macular edema, bilateral |
| E083219 | Diabetes with mild nonp rtnop with macular edema, unsp |
| E083291 | Diabetes with mild nonp rtnop without macular edema, r eye |
| E083292 | Diab with mild nonp rtnop without macular edema, left eye |
| E083293 | Diabetes with mild nonp rtnop without macular edema, bi |
| E083299 | Diabetes with mild nonp rtnop without macular edema, unsp |
| E083311 | Diabetes with moderate nonp rtnop with macular edema, r eye |
| E083312 | Diab with moderate nonp rtnop with macular edema, left eye |
| E083313 | Diabetes with moderate nonp rtnop with macular edema, bi |
| E083319 | Diabetes with moderate nonp rtnop with macular edema, unsp |
| E083391 | Diab with moderate nonp rtnop without macular edema, r eye |
| E083392 | Diab with moderate nonp rtnop without macular edema, l eye |
| E083393 | Diabetes with moderate nonp rtnop without macular edema, bi |
| E083399 | Diab with moderate nonp rtnop without macular edema, unsp |
| E083411 | Diabetes with severe nonp rtnop with macular edema, r eye |
| E083412 | Diabetes with severe nonp rtnop with macular edema, left eye |
| E083413 | Diabetes with severe nonp rtnop with macular edema, bi |
| E083419 | Diabetes with severe nonp rtnop with macular edema, unsp |
| E083491 | Diabetes with severe nonp rtnop without macular edema, r eye |
| E083492 | Diab with severe nonp rtnop without macular edema, left eye |
| E083493 | Diabetes with severe nonp rtnop without macular edema, bi |
| E083499 | Diabetes with severe nonp rtnop without macular edema, unsp |
| E083511 | Diab with prolif diabetic rtnop with macular edema, r eye |
| E083512 | Diab with prolif diabetic rtnop with macular edema, left eye |
| E083513 | Diabetes with prolif diabetic rtnop with macular edema, bi |
| E083519 | Diabetes with prolif diabetic rtnop with macular edema, unsp |
| E083521 | Diab with prolif diab rtnop with trctn dtch macula, r eye |
| E083522 | Diab with prolif diab rtnop with trctn dtch macula, left eye |
| E083523 | Diab with prolif diabetic rtnop with trctn dtch macula, bi |
| E083529 | Diab with prolif diabetic rtnop with trctn dtch macula, unsp |

| | |
|---------|--|
| E083531 | Diab with prolif diab rtnop with trctn dtch n-mcla, r eye |
| E083532 | Diab with prolif diab rtnop with trctn dtch n-mcla, left eye |
| E083533 | Diab with prolif diabetic rtnop with trctn dtch n-mcla, bi |
| E083539 | Diab with prolif diabetic rtnop with trctn dtch n-mcla, unsp |
| E083541 | Diabetes with prolif diabetic rtnop with comb detach, r eye |
| E083542 | Diab with prolif diabetic rtnop with comb detach, left eye |
| E083543 | Diabetes with prolif diabetic rtnop with combined detach, bi |
| E083549 | Diabetes with prolif diabetic rtnop with comb detach, unsp |
| E083551 | Diabetes with stable prolif diabetic retinopathy, right eye |
| E083552 | Diabetes with stable prolif diabetic retinopathy, left eye |
| E083553 | Diabetes with stable prolif diabetic retinopathy, bilateral |
| E083559 | Diabetes with stable prolif diabetic retinopathy, unsp |
| E083591 | Diab with prolif diabetic rtnop without macular edema, r eye |
| E083592 | Diab with prolif diab rtnop without macular edema, left eye |
| E083593 | Diab with prolif diabetic rtnop without macular edema, bi |
| E083599 | Diab with prolif diabetic rtnop without macular edema, unsp |
| E0836 | Diabetes due to underlying condition w diabetic cataract |
| E0837X1 | Diab with diabetic macular edema, resolved fol trtmt, r eye |
| E0837X2 | Diab with diab macular edema, resolved fol trtmt, left eye |
| E0837X3 | Diabetes with diabetic macular edema, resolved fol trtmt, bi |
| E0837X9 | Diab with diabetic macular edema, resolved fol trtmt, unsp |
| E0839 | Diabetes due to undrl condition w oth diabetic opth comp |
| E0840 | Diabetes due to underlying condition w diabetic neurop, unsp |
| E0841 | Diabetes due to undrl condition w diabetic mononeuropathy |
| E0842 | Diabetes due to underlying condition w diabetic polyneurop |
| E0843 | Diab due to undrl cond w diabetic autonm (poly)neuropathy |
| E0844 | Diabetes due to underlying condition w diabetic amyotrophy |
| E0849 | Diabetes due to undrl condition w oth diabetic neuro comp |
| E0851 | Diab due to undrl cond w diab prph angiopath w/o gangrene |
| E0852 | Diab due to undrl cond w diabetic prph angiopath w gangrene |
| E0859 | Diabetes due to underlying condition w oth circulatory comp |
| E08610 | Diabetes due to undrl cond w diabetic neuropathic arthrop |
| E08618 | Diabetes due to underlying condition w oth diabetic arthrop |
| E08620 | Diabetes due to underlying condition w diabetic dermatitis |
| E08621 | Diabetes mellitus due to underlying condition w foot ulcer |
| E08622 | Diabetes due to underlying condition w oth skin ulcer |
| E08628 | Diabetes due to underlying condition w oth skin comp |
| E08630 | Diabetes due to underlying condition w periodontal disease |
| E08638 | Diabetes due to underlying condition w oth oral comp |
| E08641 | Diabetes due to underlying condition w hypoglycemia w coma |
| E08649 | Diabetes due to underlying condition w hypoglycemia w/o coma |
| E0865 | Diabetes due to underlying condition w hyperglycemia |
| E0869 | Diabetes due to underlying condition w oth complication |
| E088 | Diabetes due to underlying condition w unsp complications |
| E089 | Diabetes due to underlying condition w/o complications |
| E35 | Disorders of endocrine glands in diseases classd elswhr |
| F0280 | Dementia in oth diseases classd elswhr w/o behavrl disturb |
| F0281 | Dementia in oth diseases classd elswhr w behavioral disturb |
| F54 | Psych & behavrl factors assoc w disord or dis classd elswhr |
| G01 | Meningitis in bacterial diseases classified elsewhere |
| G02 | Meningitis in oth infec/parastc diseases classd elswhr |
| G053 | Encephalitis and encephalomyelitis in diseases classd elswhr |

| | |
|--------|--|
| G054 | Myelitis in diseases classified elsewhere |
| G07 | Intracranial & intraspinal abscesses & granuloma in diseases classified elsewhere |
| G130 | Paraneoplastic neuromyopathy and neuropathy |
| G131 | Other systemic atrophy affecting the central nervous system in neoplastic disease |
| G132 | Systemic atrophy primarily affecting the central nervous system in myxedema |
| G138 | Systemic atrophy affecting the central nervous system in other diseases classified elsewhere |
| G26 | Extrapyramidal and movement disorders in diseases classified elsewhere |
| G320 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G3281 | Cerebellar ataxia in diseases classified elsewhere |
| G3289 | Other degenerative disorders of nervous system in diseases classified elsewhere |
| G4727 | Circadian rhythm sleep disorder in conditions classified elsewhere |
| G4736 | Sleep related hypoventilation in conditions classified elsewhere |
| G4737 | Central sleep apnea in conditions classified elsewhere |
| G47421 | Narcolepsy in conditions classified elsewhere with cataplexy |
| G47429 | Narcolepsy in conditions classified elsewhere without cataplexy |
| G4754 | Parasomnia in conditions classified elsewhere |
| G53 | Cranial nerve disorders in diseases classified elsewhere |
| G55 | Nerve root and plexus compressions in diseases classified elsewhere |
| G59 | Mononeuropathy in diseases classified elsewhere |
| G63 | Polyneuropathy in diseases classified elsewhere |
| G7081 | Lambert-Eaton syndrome in disease classified elsewhere |
| G731 | Lambert-Eaton syndrome in neoplastic disease |
| G733 | Myasthenic syndromes in other diseases classified elsewhere |
| G737 | Myopathy in diseases classified elsewhere |
| G914 | Hydrocephalus in diseases classified elsewhere |
| G94 | Other disorders of brain in diseases classified elsewhere |
| G990 | Autonomic neuropathy in diseases classified elsewhere |
| G992 | Myelopathy in diseases classified elsewhere |
| G998 | Other disorders of nervous system in diseases classified elsewhere |
| H22 | Disorders of iris and ciliary body in diseases classified elsewhere |
| H28 | Cataract in diseases classified elsewhere |
| H32 | Chorioretinal disorders in diseases classified elsewhere |
| H36 | Retinal disorders in diseases classified elsewhere |
| H42 | Glaucoma in diseases classified elsewhere |
| H6240 | Otitis externa in other diseases classified elsewhere, unspecified ear |
| H6241 | Otitis externa in other diseases classified elsewhere, right ear |
| H6242 | Otitis externa in other diseases classified elsewhere, left ear |
| H6243 | Otitis externa in other diseases classified elsewhere, bilateral |
| H628X1 | Other disorders of right external ear in diseases classified elsewhere |
| H628X2 | Other disorders of left external ear in diseases classified elsewhere |
| H628X3 | Other disorders of external ear in diseases classified elsewhere, bilateral |
| H628X9 | Other disorders of external ear in diseases classified elsewhere, unspecified ear |
| H671 | Otitis media in diseases classified elsewhere, right ear |
| H672 | Otitis media in diseases classified elsewhere, left ear |
| H673 | Otitis media in diseases classified elsewhere, bilateral |
| H679 | Otitis media in diseases classified elsewhere, unspecified ear |
| H7500 | Mastoiditis in infectious/parasitic diseases classified elsewhere, unspecified ear |
| H7501 | Mastoiditis in infectious/parasitic diseases classified elsewhere, right ear |
| H7502 | Mastoiditis in infectious/parasitic diseases classified elsewhere, left ear |
| H7503 | Mastoiditis in infectious/parasitic diseases classified elsewhere, bilateral |
| H7580 | Other disorders of middle ear and mastoid in diseases classified elsewhere, unspecified ear |
| H7581 | Other disorders of right middle ear and mastoid in diseases classified elsewhere |

| | |
|--------|--|
| H7582 | Oth disrd of l mid ear and mastoid in diseases classd elswhr |
| H7583 | Oth disrd of mid ear and mastoid in dis classd elswhr, bi |
| H821 | Vertiginous syndromes in diseases classd elswhr, right ear |
| H822 | Vertiginous syndromes in diseases classd elswhr, left ear |
| H823 | Vertiginous syndromes in diseases classd elswhr, bilateral |
| H829 | Vertiginous syndromes in diseases classd elswhr, unsp ear |
| H9400 | Acustc neuritis in infec/parastc dis classd elswhr, unsp ear |
| H9401 | Acustc neuritis in infec/parastc dis classd elswhr, r ear |
| H9402 | Acustc neuritis in infec/parastc dis classd elswhr, left ear |
| H9403 | Acustc neuritis in infec/parastc diseases classd elswhr, bi |
| H9480 | Oth disrd of ear in diseases classified elsewhere, unsp ear |
| H9481 | Oth disrd of right ear in diseases classified elsewhere |
| H9482 | Oth disrd of left ear in diseases classified elsewhere |
| H9483 | Oth disrd of ear in diseases classified elsewhere, bilateral |
| I32 | Pericarditis in diseases classified elsewhere |
| I39 | Endocarditis and heart valve disord in dis classd elswhr |
| I41 | Myocarditis in diseases classified elsewhere |
| I43 | Cardiomyopathy in diseases classified elsewhere |
| I52 | Other heart disorders in diseases classified elsewhere |
| I680 | Cerebral amyloid angiopathy |
| I682 | Cerebral arteritis in other diseases classified elsewhere |
| I688 | Oth cerebrovascular disorders in diseases classd elswhr |
| I790 | Aneurysm of aorta in diseases classified elsewhere |
| I791 | Aortitis in diseases classified elsewhere |
| I798 | Oth disord of art,arterioles & capilare in dis classd elswhr |
| J17 | Pneumonia in diseases classified elsewhere |
| J8403 | Idiopathic pulmonary hemosiderosis |
| J8417 | Oth interstit pulmon dis w fibrosis in dis classd elswhr |
| J910 | Malignant pleural effusion |
| J918 | Pleural effusion in other conditions classified elsewhere |
| J99 | Respiratory disorders in diseases classified elsewhere |
| K23 | Disorders of esophagus in diseases classified elsewhere |
| K67 | Disorders of peritoneum in infectious diseases classd elswhr |
| K77 | Liver disorders in diseases classified elsewhere |
| K82A1 | Gangrene of gallbladder in cholecystitis |
| K82A2 | Perforation of gallbladder in cholecystitis |
| K87 | Disord of GB, biliary trac and pancreas in dis classd elswhr |
| L14 | Bullous disorders in diseases classified elsewhere |
| L45 | Papulosquamous disorders in diseases classified elsewhere |
| L54 | Erythema in diseases classified elsewhere |
| L62 | Nail disorders in diseases classified elsewhere |
| L86 | Keratoderma in diseases classified elsewhere |
| L99 | Oth disorders of skin, subcu in diseases classd elswhr |
| M01X0 | Dir infct of unsp joint in infec/parastc dis classd elswhr |
| M01X11 | Direct infct of r shldr in infec/parastc dis classd elswhr |
| M01X12 | Direct infct of l shldr in infec/parastc dis classd elswhr |
| M01X19 | Dir infct of unsp shldr in infec/parastc dis classd elswhr |
| M01X21 | Direct infct of r elbow in infec/parastc dis classd elswhr |
| M01X22 | Direct infct of l elbow in infec/parastc dis classd elswhr |
| M01X29 | Dir infct of unsp elbow in infec/parastc dis classd elswhr |
| M01X31 | Direct infct of r wrist in infec/parastc dis classd elswhr |
| M01X32 | Direct infct of l wrist in infec/parastc dis classd elswhr |

| | |
|--------|--|
| M01X39 | Dir infct of unsp wrist in infec/parastc dis classd elswhr |
| M01X41 | Direct infct of r hand in infec/parastc dis classd elswhr |
| M01X42 | Direct infct of l hand in infec/parastc dis classd elswhr |
| M01X49 | Direct infct of unsp hand in infec/parastc dis classd elswhr |
| M01X51 | Direct infct of r hip in infec/parastc dis classd elswhr |
| M01X52 | Direct infct of left hip in infec/parastc dis classd elswhr |
| M01X59 | Direct infct of unsp hip in infec/parastc dis classd elswhr |
| M01X61 | Direct infct of r knee in infec/parastc dis classd elswhr |
| M01X62 | Direct infct of l knee in infec/parastc dis classd elswhr |
| M01X69 | Direct infct of unsp knee in infec/parastc dis classd elswhr |
| M01X71 | Dir infct of right ank/ft in infec/parastc dis classd elswhr |
| M01X72 | Dir infct of left ank/ft in infec/parastc dis classd elswhr |
| M01X79 | Dir infct of unsp ank/ft in infec/parastc dis classd elswhr |
| M01X8 | Direct infct of verteb in infec/parastc dis classd elswhr |
| M01X9 | Dir infct of mult joints in infec/parastc dis classd elswhr |
| M0280 | Other reactive arthropathies, unspecified site |
| M02811 | Other reactive arthropathies, right shoulder |
| M02812 | Other reactive arthropathies, left shoulder |
| M02819 | Other reactive arthropathies, unspecified shoulder |
| M02821 | Other reactive arthropathies, right elbow |
| M02822 | Other reactive arthropathies, left elbow |
| M02829 | Other reactive arthropathies, unspecified elbow |
| M02831 | Other reactive arthropathies, right wrist |
| M02832 | Other reactive arthropathies, left wrist |
| M02839 | Other reactive arthropathies, unspecified wrist |
| M02841 | Other reactive arthropathies, right hand |
| M02842 | Other reactive arthropathies, left hand |
| M02849 | Other reactive arthropathies, unspecified hand |
| M02851 | Other reactive arthropathies, right hip |
| M02852 | Other reactive arthropathies, left hip |
| M02859 | Other reactive arthropathies, unspecified hip |
| M02861 | Other reactive arthropathies, right knee |
| M02862 | Other reactive arthropathies, left knee |
| M02869 | Other reactive arthropathies, unspecified knee |
| M02871 | Other reactive arthropathies, right ankle and foot |
| M02872 | Other reactive arthropathies, left ankle and foot |
| M02879 | Other reactive arthropathies, unspecified ankle and foot |
| M0288 | Other reactive arthropathies, vertebrae |
| M0289 | Other reactive arthropathies, multiple sites |
| M029 | Reactive arthropathy, unspecified |
| M1480 | Arthropathies in oth diseases classd elswhr, unsp site |
| M14811 | Arthropathies in oth diseases classd elswhr, right shoulder |
| M14812 | Arthropathies in oth diseases classd elswhr, left shoulder |
| M14819 | Arthropathies in oth diseases classd elswhr, unsp shoulder |
| M14821 | Arthropathies in oth diseases classd elswhr, right elbow |
| M14822 | Arthropathies in oth diseases classd elswhr, left elbow |
| M14829 | Arthropathies in oth diseases classd elswhr, unsp elbow |
| M14831 | Arthropathies in oth diseases classd elswhr, right wrist |
| M14832 | Arthropathies in oth diseases classd elswhr, left wrist |
| M14839 | Arthropathies in oth diseases classd elswhr, unsp wrist |
| M14841 | Arthropathies in oth diseases classd elswhr, right hand |
| M14842 | Arthropathies in oth diseases classd elswhr, left hand |

| | |
|--------|--|
| M14849 | Arthropathies in oth diseases classd elswhr, unsp hand |
| M14851 | Arthropathies in oth diseases classd elswhr, right hip |
| M14852 | Arthropathies in oth diseases classified elsewhere, left hip |
| M14859 | Arthropathies in oth diseases classified elsewhere, unsp hip |
| M14861 | Arthropathies in oth diseases classd elswhr, right knee |
| M14862 | Arthropathies in oth diseases classd elswhr, left knee |
| M14869 | Arthropathies in oth diseases classd elswhr, unsp knee |
| M14871 | Arthropathies in oth diseases classd elswhr, right ank/ft |
| M14872 | Arthropathies in oth diseases classd elswhr, left ank/ft |
| M14879 | Arthropathies in oth diseases classd elswhr, unsp ank/ft |
| M1488 | Arthropathies in oth diseases classd elswhr, vertebrae |
| M1489 | Arthropathies in oth diseases classd elswhr, multiple sites |
| M360 | Dermato(poly)myositis in neoplastic disease |
| M361 | Arthropathy in neoplastic disease |
| M362 | Hemophilic arthropathy |
| M363 | Arthropathy in other blood disorders |
| M364 | Arthropathy in hypersensitivity reactions classd elswhr |
| M368 | Systemic disord of conn tiss in oth diseases classd elswhr |
| M4980 | Spondylopathy in diseases classified elsewhere, site unsp |
| M4981 | Spond in diseases classd elswhr, occipt-atlan-ax region |
| M4982 | Spondylopathy in diseases classd elswhr, cervical region |
| M4983 | Spondylopathy in diseases classd elswhr, cervicothor region |
| M4984 | Spondylopathy in diseases classd elswhr, thoracic region |
| M4985 | Spond in diseases classd elswhr, thoracolumbar region |
| M4986 | Spondylopathy in diseases classd elswhr, lumbar region |
| M4987 | Spondylopathy in diseases classd elswhr, lumbosacral region |
| M4988 | Spond in diseases classd elswhr, sac/sacrocygl region |
| M4989 | Spond in diseases classd elswhr, multiple sites in spine |
| M6380 | Disorders of muscle in diseases classd elswhr, unsp site |
| M63811 | Disorders of muscle in diseases classd elswhr, r shoulder |
| M63812 | Disorders of muscle in diseases classd elswhr, left shoulder |
| M63819 | Disorders of muscle in diseases classd elswhr, unsp shoulder |
| M63821 | Disorders of muscle in diseases classd elswhr, r up arm |
| M63822 | Disorders of muscle in diseases classd elswhr, l up arm |
| M63829 | Disord of muscle in diseases classd elswhr, unsp upper arm |
| M63831 | Disorders of muscle in diseases classd elswhr, right forearm |
| M63832 | Disorders of muscle in diseases classd elswhr, left forearm |
| M63839 | Disorders of muscle in diseases classd elswhr, unsp forearm |
| M63841 | Disorders of muscle in diseases classd elswhr, right hand |
| M63842 | Disorders of muscle in diseases classd elswhr, left hand |
| M63849 | Disorders of muscle in diseases classd elswhr, unsp hand |
| M63851 | Disorders of muscle in diseases classd elswhr, right thigh |
| M63852 | Disorders of muscle in diseases classd elswhr, left thigh |
| M63859 | Disorders of muscle in diseases classd elswhr, unsp thigh |
| M63861 | Disorders of muscle in diseases classd elswhr, r low leg |
| M63862 | Disorders of muscle in diseases classd elswhr, l low leg |
| M63869 | Disord of muscle in diseases classd elswhr, unsp lower leg |
| M63871 | Disorders of muscle in diseases classd elswhr, right ank/ft |
| M63872 | Disorders of muscle in diseases classd elswhr, left ank/ft |
| M63879 | Disorders of muscle in diseases classd elswhr, unsp ank/ft |
| M6388 | Disorders of muscle in diseases classd elswhr, oth site |
| M6389 | Disord of muscle in diseases classd elswhr, multiple sites |

| | |
|--------|--|
| M9050 | Osteonecrosis in diseases classified elsewhere, unsp site |
| M90511 | Osteonecrosis in diseases classd elswhr, right shoulder |
| M90512 | Osteonecrosis in diseases classd elswhr, left shoulder |
| M90519 | Osteonecrosis in diseases classd elswhr, unsp shoulder |
| M90521 | Osteonecrosis in diseases classd elswhr, right upper arm |
| M90522 | Osteonecrosis in diseases classd elswhr, left upper arm |
| M90529 | Osteonecrosis in diseases classd elswhr, unsp upper arm |
| M90531 | Osteonecrosis in diseases classd elswhr, right forearm |
| M90532 | Osteonecrosis in diseases classified elsewhere, left forearm |
| M90539 | Osteonecrosis in diseases classified elsewhere, unsp forearm |
| M90541 | Osteonecrosis in diseases classified elsewhere, right hand |
| M90542 | Osteonecrosis in diseases classified elsewhere, left hand |
| M90549 | Osteonecrosis in diseases classified elsewhere, unsp hand |
| M90551 | Osteonecrosis in diseases classified elsewhere, right thigh |
| M90552 | Osteonecrosis in diseases classified elsewhere, left thigh |
| M90559 | Osteonecrosis in diseases classified elsewhere, unsp thigh |
| M90561 | Osteonecrosis in diseases classd elswhr, right lower leg |
| M90562 | Osteonecrosis in diseases classd elswhr, left lower leg |
| M90569 | Osteonecrosis in diseases classd elswhr, unsp lower leg |
| M90571 | Osteonecrosis in diseases classd elswhr, right ank/ft |
| M90572 | Osteonecrosis in diseases classd elswhr, left ankle and foot |
| M90579 | Osteonecrosis in diseases classd elswhr, unsp ankle and foot |
| M9058 | Osteonecrosis in diseases classified elsewhere, other site |
| M9059 | Osteonecrosis in diseases classd elswhr, multiple sites |
| M9060 | Osteitis deformans in neoplastic diseases, unspecified site |
| M90611 | Osteitis deformans in neoplastic diseases, right shoulder |
| M90612 | Osteitis deformans in neoplastic diseases, left shoulder |
| M90619 | Osteitis deformans in neoplastic diseases, unsp shoulder |
| M90621 | Osteitis deformans in neoplastic diseases, right upper arm |
| M90622 | Osteitis deformans in neoplastic diseases, left upper arm |
| M90629 | Osteitis deformans in neoplastic diseases, unsp upper arm |
| M90631 | Osteitis deformans in neoplastic diseases, right forearm |
| M90632 | Osteitis deformans in neoplastic diseases, left forearm |
| M90639 | Osteitis deformans in neoplastic diseases, unsp forearm |
| M90641 | Osteitis deformans in neoplastic diseases, right hand |
| M90642 | Osteitis deformans in neoplastic diseases, left hand |
| M90649 | Osteitis deformans in neoplastic diseases, unspecified hand |
| M90651 | Osteitis deformans in neoplastic diseases, right thigh |
| M90652 | Osteitis deformans in neoplastic diseases, left thigh |
| M90659 | Osteitis deformans in neoplastic diseases, unspecified thigh |
| M90661 | Osteitis deformans in neoplastic diseases, right lower leg |
| M90662 | Osteitis deformans in neoplastic diseases, left lower leg |
| M90669 | Osteitis deformans in neoplastic diseases, unsp lower leg |
| M90671 | Osteitis deformans in neoplastic diseases, right ank/ft |
| M90672 | Osteitis deformans in neoplastic diseases, left ank/ft |
| M90679 | Osteitis deformans in neoplastic diseases, unsp ank/ft |
| M9068 | Osteitis deformans in neoplastic diseases, other site |
| M9069 | Osteitis deformans in neoplastic diseases, multiple sites |
| M9080 | Osteopathy in diseases classified elsewhere, unsp site |
| M90811 | Osteopathy in diseases classified elsewhere, right shoulder |
| M90812 | Osteopathy in diseases classified elsewhere, left shoulder |
| M90819 | Osteopathy in diseases classified elsewhere, unsp shoulder |

| | |
|--------|--|
| M90821 | Osteopathy in diseases classified elsewhere, right upper arm |
| M90822 | Osteopathy in diseases classified elsewhere, left upper arm |
| M90829 | Osteopathy in diseases classified elsewhere, unsp upper arm |
| M90831 | Osteopathy in diseases classified elsewhere, right forearm |
| M90832 | Osteopathy in diseases classified elsewhere, left forearm |
| M90839 | Osteopathy in diseases classified elsewhere, unsp forearm |
| M90841 | Osteopathy in diseases classified elsewhere, right hand |
| M90842 | Osteopathy in diseases classified elsewhere, left hand |
| M90849 | Osteopathy in diseases classified elsewhere, unsp hand |
| M90851 | Osteopathy in diseases classified elsewhere, right thigh |
| M90852 | Osteopathy in diseases classified elsewhere, left thigh |
| M90859 | Osteopathy in diseases classified elsewhere, unsp thigh |
| M90861 | Osteopathy in diseases classified elsewhere, right lower leg |
| M90862 | Osteopathy in diseases classified elsewhere, left lower leg |
| M90869 | Osteopathy in diseases classified elsewhere, unsp lower leg |
| M90871 | Osteopathy in diseases classd elswhr, right ankle and foot |
| M90872 | Osteopathy in diseases classd elswhr, left ankle and foot |
| M90879 | Osteopathy in diseases classd elswhr, unsp ankle and foot |
| M9088 | Osteopathy in diseases classified elsewhere, other site |
| M9089 | Osteopathy in diseases classified elsewhere, multiple sites |
| N08 | Glomerular disorders in diseases classified elsewhere |
| N16 | Renal tubulo-interstitial disord in diseases classd elswhr |
| N22 | Calculus of urinary tract in diseases classified elsewhere |
| N29 | Oth disorders of kidney and ureter in diseases classd elswhr |
| N33 | Bladder disorders in diseases classified elsewhere |
| N37 | Urethral disorders in diseases classified elsewhere |
| N4832 | Priapism due to disease classified elsewhere |
| N51 | Disorders of male genital organs in diseases classd elswhr |
| N521 | Erectile dysfunction due to diseases classified elsewhere |
| N74 | Female pelvic inflam disorders in diseases classd elswhr |
| N770 | Ulceration of vulva in diseases classified elsewhere |
| N771 | Vaginitis, vulvitis and vulvovaginitis in dis classd elswhr |
| P91811 | Neonatal encephalopathy in diseases classified elsewhere |
| R4782 | Fluency disorder in conditions classified elsewhere |
| R5081 | Fever presenting with conditions classified elsewhere |
| Z9183 | Wandering in diseases classified elsewhere |

Mental health diagnoses (ICD-10 CM codes)

| | |
|--------|--|
| F0150 | Vascular dementia without behavioral disturbance |
| F0151 | Vascular dementia with behavioral disturbance |
| F0280 | Dementia in oth diseases classd elswhr w/o behavrl disturb |
| F0281 | Dementia in oth diseases classd elswhr w behavioral disturb |
| F0390 | Unspecified dementia without behavioral disturbance |
| F0391 | Unspecified dementia with behavioral disturbance |
| F04 | Amnesic disorder due to known physiological condition |
| F060 | Psychotic disorder w hallucin due to known physiol condition |
| F061 | Catatonic disorder due to known physiological condition |
| F062 | Psychotic disorder w delusions due to known physiol cond |
| F0630 | Mood disorder due to known physiological condition, unsp |
| F0631 | Mood disorder due to known physiol cond w depressv features |
| F0632 | Mood disord d/t physiol cond w major depressive-like epsd |
| F0633 | Mood disorder due to known physiol cond w manic features |
| F0634 | Mood disorder due to known physiol cond w mixed features |
| F064 | Anxiety disorder due to known physiological condition |
| F068 | Oth mental disorders due to known physiological condition |
| F070 | Personality change due to known physiological condition |
| F0781 | Postconcussional syndrome |
| F0789 | Oth personality & behavrl disord due to known physiol cond |
| F079 | Unsp personality & behavrl disord due to known physiol cond |
| F09 | Unsp mental disorder due to known physiological condition |
| F1010 | Alcohol abuse, uncomplicated |
| F1011 | Alcohol abuse, in remission |
| F10120 | Alcohol abuse with intoxication, uncomplicated |
| F10121 | Alcohol abuse with intoxication delirium |
| F10129 | Alcohol abuse with intoxication, unspecified |
| F1014 | Alcohol abuse with alcohol-induced mood disorder |
| F10150 | Alcohol abuse w alcoh-induce psychotic disorder w delusions |
| F10151 | Alcohol abuse w alcoh-induce psychotic disorder w hallucin |
| F10159 | Alcohol abuse with alcohol-induced psychotic disorder, unsp |
| F10180 | Alcohol abuse with alcohol-induced anxiety disorder |
| F10181 | Alcohol abuse with alcohol-induced sexual dysfunction |
| F10182 | Alcohol abuse with alcohol-induced sleep disorder |
| F10188 | Alcohol abuse with other alcohol-induced disorder |
| F1019 | Alcohol abuse with unspecified alcohol-induced disorder |
| F1020 | Alcohol dependence, uncomplicated |
| F1021 | Alcohol dependence, in remission |
| F10220 | Alcohol dependence with intoxication, uncomplicated |
| F10221 | Alcohol dependence with intoxication delirium |
| F10229 | Alcohol dependence with intoxication, unspecified |
| F10230 | Alcohol dependence with withdrawal, uncomplicated |
| F10231 | Alcohol dependence with withdrawal delirium |
| F10232 | Alcohol dependence w withdrawal with perceptual disturbance |
| F10239 | Alcohol dependence with withdrawal, unspecified |
| F1024 | Alcohol dependence with alcohol-induced mood disorder |
| F10250 | Alcohol depend w alcoh-induce psychotic disorder w delusions |

| | |
|--------|--|
| F10251 | Alcohol depend w alcoh-induce psychotic disorder w hallucin |
| F10259 | Alcohol dependence w alcoh-induce psychotic disorder, unsp |
| F1026 | Alcohol depend w alcoh-induce persisting amnestic disorder |
| F1027 | Alcohol dependence with alcohol-induced persisting dementia |
| F10280 | Alcohol dependence with alcohol-induced anxiety disorder |
| F10281 | Alcohol dependence with alcohol-induced sexual dysfunction |
| F10282 | Alcohol dependence with alcohol-induced sleep disorder |
| F10288 | Alcohol dependence with other alcohol-induced disorder |
| F1029 | Alcohol dependence with unspecified alcohol-induced disorder |
| F10920 | Alcohol use, unspecified with intoxication, uncomplicated |
| F10921 | Alcohol use, unspecified with intoxication delirium |
| F10929 | Alcohol use, unspecified with intoxication, unspecified |
| F1094 | Alcohol use, unspecified with alcohol-induced mood disorder |
| F10950 | Alcohol use, unsp w alcoh-induce psych disorder w delusions |
| F10951 | Alcohol use, unsp w alcoh-induce psych disorder w hallucin |
| F10959 | Alcohol use, unsp w alcohol-induced psychotic disorder, unsp |
| F1096 | Alcohol use, unsp w alcoh-induce persist amnestic disorder |
| F1097 | Alcohol use, unsp with alcohol-induced persisting dementia |
| F10980 | Alcohol use, unsp with alcohol-induced anxiety disorder |
| F10981 | Alcohol use, unsp with alcohol-induced sexual dysfunction |
| F10982 | Alcohol use, unspecified with alcohol-induced sleep disorder |
| F10988 | Alcohol use, unspecified with other alcohol-induced disorder |
| F1099 | Alcohol use, unsp with unspecified alcohol-induced disorder |
| F1110 | Opioid abuse, uncomplicated |
| F1111 | Opioid abuse, in remission |
| F11120 | Opioid abuse with intoxication, uncomplicated |
| F11121 | Opioid abuse with intoxication delirium |
| F11122 | Opioid abuse with intoxication with perceptual disturbance |
| F11129 | Opioid abuse with intoxication, unspecified |
| F1114 | Opioid abuse with opioid-induced mood disorder |
| F11150 | Opioid abuse w opioid-induced psychotic disorder w delusions |
| F11151 | Opioid abuse w opioid-induced psychotic disorder w hallucin |
| F11159 | Opioid abuse with opioid-induced psychotic disorder, unsp |
| F11181 | Opioid abuse with opioid-induced sexual dysfunction |
| F11182 | Opioid abuse with opioid-induced sleep disorder |
| F11188 | Opioid abuse with other opioid-induced disorder |
| F1119 | Opioid abuse with unspecified opioid-induced disorder |
| F1120 | Opioid dependence, uncomplicated |
| F1121 | Opioid dependence, in remission |
| F11220 | Opioid dependence with intoxication, uncomplicated |
| F11221 | Opioid dependence with intoxication delirium |
| F11222 | Opioid dependence w intoxication with perceptual disturbance |
| F11229 | Opioid dependence with intoxication, unspecified |
| F1123 | Opioid dependence with withdrawal |
| F1124 | Opioid dependence with opioid-induced mood disorder |
| F11250 | Opioid depend w opioid-induc psychotic disorder w delusions |
| F11251 | Opioid depend w opioid-induc psychotic disorder w hallucin |
| F11259 | Opioid dependence w opioid-induced psychotic disorder, unsp |
| F11281 | Opioid dependence with opioid-induced sexual dysfunction |
| F11282 | Opioid dependence with opioid-induced sleep disorder |
| F11288 | Opioid dependence with other opioid-induced disorder |
| F1129 | Opioid dependence with unspecified opioid-induced disorder |

| | |
|--------|--|
| F1190 | Opioid use, unspecified, uncomplicated |
| F11920 | Opioid use, unspecified with intoxication, uncomplicated |
| F11921 | Opioid use, unspecified with intoxication delirium |
| F11922 | Opioid use, unsp w intoxication with perceptual disturbance |
| F11929 | Opioid use, unspecified with intoxication, unspecified |
| F1193 | Opioid use, unspecified with withdrawal |
| F1194 | Opioid use, unspecified with opioid-induced mood disorder |
| F11950 | Opioid use, unsp w opioid-induc psych disorder w delusions |
| F11951 | Opioid use, unsp w opioid-induc psych disorder w hallucin |
| F11959 | Opioid use, unsp w opioid-induced psychotic disorder, unsp |
| F11981 | Opioid use, unsp with opioid-induced sexual dysfunction |
| F11982 | Opioid use, unspecified with opioid-induced sleep disorder |
| F11988 | Opioid use, unspecified with other opioid-induced disorder |
| F1199 | Opioid use, unsp with unspecified opioid-induced disorder |
| F1210 | Cannabis abuse, uncomplicated |
| F1211 | Cannabis abuse, in remission |
| F12120 | Cannabis abuse with intoxication, uncomplicated |
| F12121 | Cannabis abuse with intoxication delirium |
| F12122 | Cannabis abuse with intoxication with perceptual disturbance |
| F12129 | Cannabis abuse with intoxication, unspecified |
| F12150 | Cannabis abuse with psychotic disorder with delusions |
| F12151 | Cannabis abuse with psychotic disorder with hallucinations |
| F12159 | Cannabis abuse with psychotic disorder, unspecified |
| F12180 | Cannabis abuse with cannabis-induced anxiety disorder |
| F12188 | Cannabis abuse with other cannabis-induced disorder |
| F1219 | Cannabis abuse with unspecified cannabis-induced disorder |
| F1220 | Cannabis dependence, uncomplicated |
| F1221 | Cannabis dependence, in remission |
| F12220 | Cannabis dependence with intoxication, uncomplicated |
| F12221 | Cannabis dependence with intoxication delirium |
| F12222 | Cannabis dependence w intoxication w perceptual disturbance |
| F12229 | Cannabis dependence with intoxication, unspecified |
| F1223 | Cannabis dependence with withdrawal |
| F12250 | Cannabis dependence with psychotic disorder with delusions |
| F12251 | Cannabis dependence w psychotic disorder with hallucinations |
| F12259 | Cannabis dependence with psychotic disorder, unspecified |
| F12280 | Cannabis dependence with cannabis-induced anxiety disorder |
| F12288 | Cannabis dependence with other cannabis-induced disorder |
| F1229 | Cannabis dependence with unsp cannabis-induced disorder |
| F1290 | Cannabis use, unspecified, uncomplicated |
| F12920 | Cannabis use, unspecified with intoxication, uncomplicated |
| F12921 | Cannabis use, unspecified with intoxication delirium |
| F12922 | Cannabis use, unsp w intoxication w perceptual disturbance |
| F12929 | Cannabis use, unspecified with intoxication, unspecified |
| F1293 | Cannabis use, unspecified with withdrawal |
| F12950 | Cannabis use, unsp with psychotic disorder with delusions |
| F12951 | Cannabis use, unsp w psychotic disorder with hallucinations |
| F12959 | Cannabis use, unsp with psychotic disorder, unspecified |
| F12980 | Cannabis use, unspecified with anxiety disorder |
| F12988 | Cannabis use, unsp with other cannabis-induced disorder |
| F1299 | Cannabis use, unsp with unsp cannabis-induced disorder |
| F1310 | Sedative, hypnotic or anxiolytic abuse, uncomplicated |

| | |
|--------|--|
| F1311 | Sedative, hypnotic or anxiolytic abuse, in remission |
| F13120 | Sedatv/hyp/anxiolytc abuse w intoxication, uncomplicated |
| F13121 | Sedatv/hyp/anxiolytc abuse w intoxication delirium |
| F13129 | Sedative, hypnotic or anxiolytic abuse w intoxication, unsp |
| F1314 | Sedative, hypnotic or anxiolytic abuse w mood disorder |
| F13150 | Sedatv/hyp/anxiolytc abuse w psychotic disorder w delusions |
| F13151 | Sedatv/hyp/anxiolytc abuse w psychotic disorder w hallucin |
| F13159 | Sedatv/hyp/anxiolytc abuse w psychotic disorder, unsp |
| F13180 | Sedative, hypnotic or anxiolytic abuse w anxiety disorder |
| F13181 | Sedative, hypnotic or anxiolytic abuse w sexual dysfunction |
| F13182 | Sedative, hypnotic or anxiolytic abuse w sleep disorder |
| F13188 | Sedative, hypnotic or anxiolytic abuse w oth disorder |
| F1319 | Sedative, hypnotic or anxiolytic abuse w unsp disorder |
| F1320 | Sedative, hypnotic or anxiolytic dependence, uncomplicated |
| F1321 | Sedative, hypnotic or anxiolytic dependence, in remission |
| F13220 | Sedatv/hyp/anxiolytc dependence w intoxication, uncomp |
| F13221 | Sedatv/hyp/anxiolytc dependence w intoxication delirium |
| F13229 | Sedatv/hyp/anxiolytc dependence w intoxication, unsp |
| F13230 | Sedatv/hyp/anxiolytc dependence w withdrawal, uncomplicated |
| F13231 | Sedatv/hyp/anxiolytc dependence w withdrawal delirium |
| F13232 | Sedatv/hyp/anxiolytc depend w w/drawal w perceptual disturb |
| F13239 | Sedatv/hyp/anxiolytc dependence w withdrawal, unsp |
| F1324 | Sedative, hypnotic or anxiolytic dependence w mood disorder |
| F13250 | Sedatv/hyp/anxiolytc depend w psychotic disorder w delusions |
| F13251 | Sedatv/hyp/anxiolytc depend w psychotic disorder w hallucin |
| F13259 | Sedatv/hyp/anxiolytc dependence w psychotic disorder, unsp |
| F1326 | Sedatv/hyp/anxiolytc depend w persisting amnestic disorder |
| F1327 | Sedatv/hyp/anxiolytc dependence w persisting dementia |
| F13280 | Sedatv/hyp/anxiolytc dependence w anxiety disorder |
| F13281 | Sedatv/hyp/anxiolytc dependence w sexual dysfunction |
| F13282 | Sedative, hypnotic or anxiolytic dependence w sleep disorder |
| F13288 | Sedative, hypnotic or anxiolytic dependence w oth disorder |
| F1329 | Sedative, hypnotic or anxiolytic dependence w unsp disorder |
| F1390 | Sedative, hypnotic, or anxiolytic use, unsp, uncomplicated |
| F13920 | Sedatv/hyp/anxiolytc use, unsp w intoxication, uncomplicated |
| F13921 | Sedatv/hyp/anxiolytc use, unsp w intoxication delirium |
| F13929 | Sedatv/hyp/anxiolytc use, unsp w intoxication, unsp |
| F13930 | Sedatv/hyp/anxiolytc use, unsp w withdrawal, uncomplicated |
| F13931 | Sedatv/hyp/anxiolytc use, unsp w withdrawal delirium |
| F13932 | Sedatv/hyp/anxiolytc use, unsp w w/drawal w perceptl disturb |
| F13939 | Sedatv/hyp/anxiolytc use, unsp w withdrawal, unsp |
| F1394 | Sedative, hypnotic or anxiolytic use, unsp w mood disorder |
| F13950 | Sedatv/hyp/anxiolytc use, unsp w psych disorder w delusions |
| F13951 | Sedatv/hyp/anxiolytc use, unsp w psych disorder w hallucin |
| F13959 | Sedatv/hyp/anxiolytc use, unsp w psychotic disorder, unsp |
| F1396 | Sedatv/hyp/anxiolytc use, unsp w persist amnestic disorder |
| F1397 | Sedatv/hyp/anxiolytc use, unsp w persisting dementia |
| F13980 | Sedatv/hyp/anxiolytc use, unsp w anxiety disorder |
| F13981 | Sedatv/hyp/anxiolytc use, unsp w sexual dysfunction |
| F13982 | Sedative, hypnotic or anxiolytic use, unsp w sleep disorder |
| F13988 | Sedative, hypnotic or anxiolytic use, unsp w oth disorder |
| F1399 | Sedative, hypnotic or anxiolytic use, unsp w unsp disorder |

| | |
|--------|--|
| F1410 | Cocaine abuse, uncomplicated |
| F1411 | Cocaine abuse, in remission |
| F14120 | Cocaine abuse with intoxication, uncomplicated |
| F14121 | Cocaine abuse with intoxication with delirium |
| F14122 | Cocaine abuse with intoxication with perceptual disturbance |
| F14129 | Cocaine abuse with intoxication, unspecified |
| F1414 | Cocaine abuse with cocaine-induced mood disorder |
| F14150 | Cocaine abuse w cocaine-induc psychotic disorder w delusions |
| F14151 | Cocaine abuse w cocaine-induc psychotic disorder w hallucin |
| F14159 | Cocaine abuse with cocaine-induced psychotic disorder, unsp |
| F14180 | Cocaine abuse with cocaine-induced anxiety disorder |
| F14181 | Cocaine abuse with cocaine-induced sexual dysfunction |
| F14182 | Cocaine abuse with cocaine-induced sleep disorder |
| F14188 | Cocaine abuse with other cocaine-induced disorder |
| F1419 | Cocaine abuse with unspecified cocaine-induced disorder |
| F1420 | Cocaine dependence, uncomplicated |
| F1421 | Cocaine dependence, in remission |
| F14220 | Cocaine dependence with intoxication, uncomplicated |
| F14221 | Cocaine dependence with intoxication delirium |
| F14222 | Cocaine dependence w intoxication w perceptual disturbance |
| F14229 | Cocaine dependence with intoxication, unspecified |
| F1423 | Cocaine dependence with withdrawal |
| F1424 | Cocaine dependence with cocaine-induced mood disorder |
| F14250 | Cocaine depend w cocaine-induc psych disorder w delusions |
| F14251 | Cocaine depend w cocaine-induc psychotic disorder w hallucin |
| F14259 | Cocaine dependence w cocaine-induc psychotic disorder, unsp |
| F14280 | Cocaine dependence with cocaine-induced anxiety disorder |
| F14281 | Cocaine dependence with cocaine-induced sexual dysfunction |
| F14282 | Cocaine dependence with cocaine-induced sleep disorder |
| F14288 | Cocaine dependence with other cocaine-induced disorder |
| F1429 | Cocaine dependence with unspecified cocaine-induced disorder |
| F1490 | Cocaine use, unspecified, uncomplicated |
| F14920 | Cocaine use, unspecified with intoxication, uncomplicated |
| F14921 | Cocaine use, unspecified with intoxication delirium |
| F14922 | Cocaine use, unsp w intoxication with perceptual disturbance |
| F14929 | Cocaine use, unspecified with intoxication, unspecified |
| F1494 | Cocaine use, unspecified with cocaine-induced mood disorder |
| F14950 | Cocaine use, unsp w cocaine-induc psych disorder w delusions |
| F14951 | Cocaine use, unsp w cocaine-induc psych disorder w hallucin |
| F14959 | Cocaine use, unsp w cocaine-induced psychotic disorder, unsp |
| F14980 | Cocaine use, unsp with cocaine-induced anxiety disorder |
| F14981 | Cocaine use, unsp with cocaine-induced sexual dysfunction |
| F14982 | Cocaine use, unspecified with cocaine-induced sleep disorder |
| F14988 | Cocaine use, unspecified with other cocaine-induced disorder |
| F1499 | Cocaine use, unsp with unspecified cocaine-induced disorder |
| F1510 | Other stimulant abuse, uncomplicated |
| F1511 | Other stimulant abuse, in remission |
| F15120 | Other stimulant abuse with intoxication, uncomplicated |
| F15121 | Other stimulant abuse with intoxication delirium |
| F15122 | Oth stimulant abuse w intoxication w perceptual disturbance |
| F15129 | Other stimulant abuse with intoxication, unspecified |
| F1514 | Other stimulant abuse with stimulant-induced mood disorder |

| | |
|--------|--|
| F15150 | Oth stimulant abuse w stim-induce psych disorder w delusions |
| F15151 | Oth stimulant abuse w stim-induce psych disorder w hallucin |
| F15159 | Oth stimulant abuse w stim-induce psychotic disorder, unsp |
| F15180 | Oth stimulant abuse with stimulant-induced anxiety disorder |
| F15181 | Oth stimulant abuse w stimulant-induced sexual dysfunction |
| F15182 | Other stimulant abuse with stimulant-induced sleep disorder |
| F15188 | Other stimulant abuse with other stimulant-induced disorder |
| F1519 | Other stimulant abuse with unsp stimulant-induced disorder |
| F1520 | Other stimulant dependence, uncomplicated |
| F1521 | Other stimulant dependence, in remission |
| F15220 | Other stimulant dependence with intoxication, uncomplicated |
| F15221 | Other stimulant dependence with intoxication delirium |
| F15222 | Oth stimulant dependence w intox w perceptual disturbance |
| F15229 | Other stimulant dependence with intoxication, unspecified |
| F1523 | Other stimulant dependence with withdrawal |
| F1524 | Oth stimulant dependence w stimulant-induced mood disorder |
| F15250 | Oth stim depend w stim-induce psych disorder w delusions |
| F15251 | Oth stimulant depend w stim-induce psych disorder w hallucin |
| F15259 | Oth stimulant depend w stim-induce psychotic disorder, unsp |
| F15280 | Oth stimulant dependence w stim-induce anxiety disorder |
| F15281 | Oth stimulant dependence w stim-induce sexual dysfunction |
| F15282 | Oth stimulant dependence w stimulant-induced sleep disorder |
| F15288 | Oth stimulant dependence with oth stimulant-induced disorder |
| F1529 | Oth stimulant dependence w unsp stimulant-induced disorder |
| F1590 | Other stimulant use, unspecified, uncomplicated |
| F15920 | Other stimulant use, unsp with intoxication, uncomplicated |
| F15921 | Other stimulant use, unspecified with intoxication delirium |
| F15922 | Oth stimulant use, unsp w intox w perceptual disturbance |
| F15929 | Other stimulant use, unsp with intoxication, unspecified |
| F1593 | Other stimulant use, unspecified with withdrawal |
| F1594 | Oth stimulant use, unsp with stimulant-induced mood disorder |
| F15950 | Oth stim use, unsp w stim-induce psych disorder w delusions |
| F15951 | Oth stim use, unsp w stim-induce psych disorder w hallucin |
| F15959 | Oth stimulant use, unsp w stim-induce psych disorder, unsp |
| F15980 | Oth stimulant use, unsp w stimulant-induced anxiety disorder |
| F15981 | Oth stimulant use, unsp w stim-induce sexual dysfunction |
| F15982 | Oth stimulant use, unsp w stimulant-induced sleep disorder |
| F15988 | Oth stimulant use, unsp with oth stimulant-induced disorder |
| F1599 | Oth stimulant use, unsp with unsp stimulant-induced disorder |
| F1610 | Hallucinogen abuse, uncomplicated |
| F1611 | Hallucinogen abuse, in remission |
| F16120 | Hallucinogen abuse with intoxication, uncomplicated |
| F16121 | Hallucinogen abuse with intoxication with delirium |
| F16122 | Hallucinogen abuse w intoxication w perceptual disturbance |
| F16129 | Hallucinogen abuse with intoxication, unspecified |
| F1614 | Hallucinogen abuse with hallucinogen-induced mood disorder |
| F16150 | Hallucinogen abuse w psychotic disorder w delusions |
| F16151 | Hallucinogen abuse w psychotic disorder w hallucinations |
| F16159 | Hallucinogen abuse w psychotic disorder, unsp |
| F16180 | Hallucinogen abuse w hallucinogen-induced anxiety disorder |
| F16183 | Hallucign abuse w hallucign persisting perception disorder |
| F16188 | Hallucinogen abuse with other hallucinogen-induced disorder |

| | |
|--------|--|
| F1619 | Hallucinogen abuse with unsp hallucinogen-induced disorder |
| F1620 | Hallucinogen dependence, uncomplicated |
| F1621 | Hallucinogen dependence, in remission |
| F16220 | Hallucinogen dependence with intoxication, uncomplicated |
| F16221 | Hallucinogen dependence with intoxication with delirium |
| F16229 | Hallucinogen dependence with intoxication, unspecified |
| F1624 | Hallucinogen dependence w hallucinogen-induced mood disorder |
| F16250 | Hallucinogen dependence w psychotic disorder w delusions |
| F16251 | Hallucinogen dependence w psychotic disorder w hallucin |
| F16259 | Hallucinogen dependence w psychotic disorder, unsp |
| F16280 | Hallucinogen dependence w anxiety disorder |
| F16283 | Hallucign depend w hallucign persisting perception disorder |
| F16288 | Hallucinogen dependence w oth hallucinogen-induced disorder |
| F1629 | Hallucinogen dependence w unsp hallucinogen-induced disorder |
| F1690 | Hallucinogen use, unspecified, uncomplicated |
| F16920 | Hallucinogen use, unsp with intoxication, uncomplicated |
| F16921 | Hallucinogen use, unsp with intoxication with delirium |
| F16929 | Hallucinogen use, unspecified with intoxication, unspecified |
| F1694 | Hallucinogen use, unsp w hallucinogen-induced mood disorder |
| F16950 | Hallucinogen use, unsp w psychotic disorder w delusions |
| F16951 | Hallucinogen use, unsp w psychotic disorder w hallucinations |
| F16959 | Hallucinogen use, unsp w psychotic disorder, unsp |
| F16980 | Hallucinogen use, unsp w anxiety disorder |
| F16983 | Hallucign use, unsp w hallucign persist perception disorder |
| F16988 | Hallucinogen use, unsp w oth hallucinogen-induced disorder |
| F1699 | Hallucinogen use, unsp w unsp hallucinogen-induced disorder |
| F17200 | Nicotine dependence, unspecified, uncomplicated |
| F17201 | Nicotine dependence, unspecified, in remission |
| F17203 | Nicotine dependence unspecified, with withdrawal |
| F17208 | Nicotine dependence, unsp, w oth nicotine-induced disorders |
| F17209 | Nicotine dependence, unsp, w unsp nicotine-induced disorders |
| F17210 | Nicotine dependence, cigarettes, uncomplicated |
| F17211 | Nicotine dependence, cigarettes, in remission |
| F17213 | Nicotine dependence, cigarettes, with withdrawal |
| F17218 | Nicotine dependence, cigarettes, w oth disorders |
| F17219 | Nicotine dependence, cigarettes, w unsp disorders |
| F17220 | Nicotine dependence, chewing tobacco, uncomplicated |
| F17221 | Nicotine dependence, chewing tobacco, in remission |
| F17223 | Nicotine dependence, chewing tobacco, with withdrawal |
| F17228 | Nicotine dependence, chewing tobacco, w oth disorders |
| F17229 | Nicotine dependence, chewing tobacco, w unsp disorders |
| F17293 | Nicotine dependence, other tobacco product, with withdrawal |
| F17298 | Nicotine dependence, oth tobacco product, w oth disorders |
| F17299 | Nicotine dependence, oth tobacco product, w unsp disorders |
| F1810 | Inhalant abuse, uncomplicated |
| F1811 | Inhalant abuse, in remission |
| F18120 | Inhalant abuse with intoxication, uncomplicated |
| F18121 | Inhalant abuse with intoxication delirium |
| F18129 | Inhalant abuse with intoxication, unspecified |
| F1814 | Inhalant abuse with inhalant-induced mood disorder |
| F18150 | Inhalant abuse w inhalnt-induce psych disorder w delusions |
| F18151 | Inhalant abuse w inhalnt-induce psych disorder w hallucin |

| | |
|--------|--|
| F18159 | Inhalant abuse w inhalant-induced psychotic disorder, unsp |
| F1817 | Inhalant abuse with inhalant-induced dementia |
| F18180 | Inhalant abuse with inhalant-induced anxiety disorder |
| F18188 | Inhalant abuse with other inhalant-induced disorder |
| F1819 | Inhalant abuse with unspecified inhalant-induced disorder |
| F1820 | Inhalant dependence, uncomplicated |
| F1821 | Inhalant dependence, in remission |
| F18220 | Inhalant dependence with intoxication, uncomplicated |
| F18221 | Inhalant dependence with intoxication delirium |
| F18229 | Inhalant dependence with intoxication, unspecified |
| F1824 | Inhalant dependence with inhalant-induced mood disorder |
| F18250 | Inhalant depend w inhalnt-induce psych disorder w delusions |
| F18251 | Inhalant depend w inhalnt-induce psych disorder w hallucin |
| F18259 | Inhalant depend w inhalnt-induce psychotic disorder, unsp |
| F1827 | Inhalant dependence with inhalant-induced dementia |
| F18280 | Inhalant dependence with inhalant-induced anxiety disorder |
| F18288 | Inhalant dependence with other inhalant-induced disorder |
| F1829 | Inhalant dependence with unsp inhalant-induced disorder |
| F1890 | Inhalant use, unspecified, uncomplicated |
| F18920 | Inhalant use, unspecified with intoxication, uncomplicated |
| F18921 | Inhalant use, unspecified with intoxication with delirium |
| F18929 | Inhalant use, unspecified with intoxication, unspecified |
| F1894 | Inhalant use, unsp with inhalant-induced mood disorder |
| F18950 | Inhalant use, unsp w inhalnt-induce psych disord w delusions |
| F18951 | Inhalant use, unsp w inhalnt-induce psych disord w hallucin |
| F18959 | Inhalant use, unsp w inhalnt-induce psychotic disorder, unsp |
| F1897 | Inhalant use, unsp with inhalant-induced persisting dementia |
| F18980 | Inhalant use, unsp with inhalant-induced anxiety disorder |
| F18988 | Inhalant use, unsp with other inhalant-induced disorder |
| F1899 | Inhalant use, unsp with unsp inhalant-induced disorder |
| F1910 | Other psychoactive substance abuse, uncomplicated |
| F1911 | Other psychoactive substance abuse, in remission |
| F19120 | Oth psychoactive substance abuse w intoxication, uncomp |
| F19121 | Oth psychoactive substance abuse with intoxication delirium |
| F19122 | Oth psychoactv substance abuse w intox w perceptual disturb |
| F19129 | Other psychoactive substance abuse with intoxication, unsp |
| F1914 | Oth psychoactive substance abuse w mood disorder |
| F19150 | Oth psychoactv substance abuse w psych disorder w delusions |
| F19151 | Oth psychoactv substance abuse w psych disorder w hallucin |
| F19159 | Oth psychoactive substance abuse w psychotic disorder, unsp |
| F1916 | Oth psychoactv substance abuse w persist amnestic disorder |
| F1917 | Oth psychoactive substance abuse w persisting dementia |
| F19180 | Oth psychoactive substance abuse w anxiety disorder |
| F19181 | Oth psychoactive substance abuse w sexual dysfunction |
| F19182 | Oth psychoactive substance abuse w sleep disorder |
| F19188 | Oth psychoactive substance abuse w oth disorder |
| F1919 | Oth psychoactive substance abuse w unsp disorder |
| F1920 | Other psychoactive substance dependence, uncomplicated |
| F1921 | Other psychoactive substance dependence, in remission |
| F19220 | Oth psychoactive substance dependence w intoxication, uncomp |
| F19221 | Oth psychoactive substance dependence w intox delirium |
| F19222 | Oth psychoactv substance depend w intox w perceptual disturb |

| | |
|--------|--|
| F19229 | Oth psychoactive substance dependence w intoxication, unsp |
| F19230 | Oth psychoactive substance dependence w withdrawal, uncomp |
| F19231 | Oth psychoactive substance dependence w withdrawal delirium |
| F19232 | Oth psychoactv sub depend w w/drawal w perceptl disturb |
| F19239 | Oth psychoactive substance dependence with withdrawal, unsp |
| F1924 | Oth psychoactive substance dependence w mood disorder |
| F19250 | Oth psychoactv substance depend w psych disorder w delusions |
| F19251 | Oth psychoactv substance depend w psych disorder w hallucin |
| F19259 | Oth psychoactv substance depend w psychotic disorder, unsp |
| F1926 | Oth psychoactv substance depend w persist amnestic disorder |
| F1927 | Oth psychoactive substance dependence w persisting dementia |
| F19280 | Oth psychoactive substance dependence w anxiety disorder |
| F19281 | Oth psychoactive substance dependence w sexual dysfunction |
| F19282 | Oth psychoactive substance dependence w sleep disorder |
| F19288 | Oth psychoactive substance dependence w oth disorder |
| F1929 | Oth psychoactive substance dependence w unsp disorder |
| F1990 | Other psychoactive substance use, unspecified, uncomplicated |
| F19920 | Oth psychoactive substance use, unsp w intoxication, uncomp |
| F19921 | Oth psychoactive substance use, unsp w intox w delirium |
| F19922 | Oth psychoactv sub use, unsp w intox w perceptl disturb |
| F19929 | Oth psychoactive substance use, unsp with intoxication, unsp |
| F19930 | Oth psychoactive substance use, unsp w withdrawal, uncomp |
| F19931 | Oth psychoactive substance use, unsp w withdrawal delirium |
| F19932 | Oth psychoactv sub use, unsp w w/drawal w perceptl disturb |
| F19939 | Other psychoactive substance use, unsp with withdrawal, unsp |
| F1994 | Oth psychoactive substance use, unsp w mood disorder |
| F19950 | Oth psychoactv sub use, unsp w psych disorder w delusions |
| F19951 | Oth psychoactv sub use, unsp w psych disorder w hallucin |
| F19959 | Oth psychoactv substance use, unsp w psych disorder, unsp |
| F1996 | Oth psychoactv sub use, unsp w persist amnestic disorder |
| F1997 | Oth psychoactive substance use, unsp w persisting dementia |
| F19980 | Oth psychoactive substance use, unsp w anxiety disorder |
| F19981 | Oth psychoactive substance use, unsp w sexual dysfunction |
| F19982 | Oth psychoactive substance use, unsp w sleep disorder |
| F19988 | Oth psychoactive substance use, unsp w oth disorder |
| F1999 | Oth psychoactive substance use, unsp w unsp disorder |
| F200 | Paranoid schizophrenia |
| F201 | Disorganized schizophrenia |
| F202 | Catatonic schizophrenia |
| F203 | Undifferentiated schizophrenia |
| F205 | Residual schizophrenia |
| F2081 | Schizophreniform disorder |
| F2089 | Other schizophrenia |
| F209 | Schizophrenia, unspecified |
| F21 | Schizotypal disorder |
| F22 | Delusional disorders |
| F23 | Brief psychotic disorder |
| F24 | Shared psychotic disorder |
| F250 | Schizoaffective disorder, bipolar type |
| F251 | Schizoaffective disorder, depressive type |
| F258 | Other schizoaffective disorders |
| F259 | Schizoaffective disorder, unspecified |

| | |
|-------|--|
| F28 | Oth psych disorder not due to a sub or known physiol cond |
| F29 | Unsp psychosis not due to a substance or known physiol cond |
| F3010 | Manic episode without psychotic symptoms, unspecified |
| F3011 | Manic episode without psychotic symptoms, mild |
| F3012 | Manic episode without psychotic symptoms, moderate |
| F3013 | Manic episode, severe, without psychotic symptoms |
| F302 | Manic episode, severe with psychotic symptoms |
| F303 | Manic episode in partial remission |
| F304 | Manic episode in full remission |
| F308 | Other manic episodes |
| F309 | Manic episode, unspecified |
| F310 | Bipolar disorder, current episode hypomanic |
| F3110 | Bipolar disord, crnt episode manic w/o psych features, unsp |
| F3111 | Bipolar disord, crnt episode manic w/o psych features, mild |
| F3112 | Bipolar disord, crnt episode manic w/o psych features, mod |
| F3113 | Bipolar disord, crnt epsd manic w/o psych features, severe |
| F312 | Bipolar disord, crnt episode manic severe w psych features |
| F3130 | Bipolar disord, crnt epsd depress, mild or mod severt, unsp |
| F3131 | Bipolar disorder, current episode depressed, mild |
| F3132 | Bipolar disorder, current episode depressed, moderate |
| F314 | Bipolar disord, crnt epsd depress, sev, w/o psych features |
| F315 | Bipolar disord, crnt epsd depress, severe, w psych features |
| F3160 | Bipolar disorder, current episode mixed, unspecified |
| F3161 | Bipolar disorder, current episode mixed, mild |
| F3162 | Bipolar disorder, current episode mixed, moderate |
| F3163 | Bipolar disord, crnt epsd mixed, severe, w/o psych features |
| F3164 | Bipolar disord, crnt episode mixed, severe, w psych features |
| F3170 | Bipolar disorder, currently in remis, most recent episode unsp |
| F3171 | Bipolar disorder, in partial remis, most recent epsd hypomanic |
| F3172 | Bipolar disorder, in full remis, most recent episode hypomanic |
| F3173 | Bipolar disorder, in partial remis, most recent episode manic |
| F3174 | Bipolar disorder, in full remis, most recent episode manic |
| F3175 | Bipolar disorder, in partial remis, most recent epsd depress |
| F3176 | Bipolar disorder, in full remis, most recent episode depress |
| F3177 | Bipolar disorder, in partial remis, most recent episode mixed |
| F3178 | Bipolar disorder, in full remis, most recent episode mixed |
| F3181 | Bipolar II disorder |
| F3189 | Other bipolar disorder |
| F319 | Bipolar disorder, unspecified |
| F320 | Major depressive disorder, single episode, mild |
| F321 | Major depressive disorder, single episode, moderate |
| F322 | Major depressv disord, single epsd, sev w/o psych features |
| F323 | Major depressv disord, single epsd, severe w psych features |
| F324 | Major depressv disorder, single episode, in partial remis |
| F325 | Major depressive disorder, single episode, in full remission |
| F3281 | Premenstrual dysphoric disorder |
| F3289 | Other specified depressive episodes |
| F329 | Major depressive disorder, single episode, unspecified |
| F330 | Major depressive disorder, recurrent, mild |
| F331 | Major depressive disorder, recurrent, moderate |
| F332 | Major depressv disorder, recurrent severe w/o psych features |
| F333 | Major depressv disorder, recurrent, severe w psych symptoms |

| | |
|--------|--|
| F3340 | Major depressive disorder, recurrent, in remission, unsp |
| F3341 | Major depressive disorder, recurrent, in partial remission |
| F3342 | Major depressive disorder, recurrent, in full remission |
| F338 | Other recurrent depressive disorders |
| F339 | Major depressive disorder, recurrent, unspecified |
| F340 | Cyclothymic disorder |
| F341 | Dysthymic disorder |
| F3481 | Disruptive mood dysregulation disorder |
| F3489 | Other specified persistent mood disorders |
| F349 | Persistent mood [affective] disorder, unspecified |
| F39 | Unspecified mood [affective] disorder |
| F4000 | Agoraphobia, unspecified |
| F4001 | Agoraphobia with panic disorder |
| F4002 | Agoraphobia without panic disorder |
| F4010 | Social phobia, unspecified |
| F4011 | Social phobia, generalized |
| F40210 | Arachnophobia |
| F40218 | Other animal type phobia |
| F40220 | Fear of thunderstorms |
| F40228 | Other natural environment type phobia |
| F40230 | Fear of blood |
| F40231 | Fear of injections and transfusions |
| F40232 | Fear of other medical care |
| F40233 | Fear of injury |
| F40240 | Claustrophobia |
| F40241 | Acrophobia |
| F40242 | Fear of bridges |
| F40243 | Fear of flying |
| F40248 | Other situational type phobia |
| F40290 | Androphobia |
| F40291 | Gynephobia |
| F40298 | Other specified phobia |
| F408 | Other phobic anxiety disorders |
| F409 | Phobic anxiety disorder, unspecified |
| F410 | Panic disorder [episodic paroxysmal anxiety] |
| F411 | Generalized anxiety disorder |
| F413 | Other mixed anxiety disorders |
| F418 | Other specified anxiety disorders |
| F419 | Anxiety disorder, unspecified |
| F422 | Mixed obsessional thoughts and acts |
| F423 | Hoarding disorder |
| F424 | Excoriation (skin-picking) disorder |
| F428 | Other obsessive-compulsive disorder |
| F429 | Obsessive-compulsive disorder, unspecified |
| F430 | Acute stress reaction |
| F4310 | Post-traumatic stress disorder, unspecified |
| F4311 | Post-traumatic stress disorder, acute |
| F4312 | Post-traumatic stress disorder, chronic |
| F4320 | Adjustment disorder, unspecified |
| F4321 | Adjustment disorder with depressed mood |
| F4322 | Adjustment disorder with anxiety |
| F4323 | Adjustment disorder with mixed anxiety and depressed mood |

| | |
|-------|--|
| F4324 | Adjustment disorder with disturbance of conduct |
| F4325 | Adjustment disorder w mixed disturb of emotions and conduct |
| F4329 | Adjustment disorder with other symptoms |
| F438 | Other reactions to severe stress |
| F439 | Reaction to severe stress, unspecified |
| F440 | Dissociative amnesia |
| F441 | Dissociative fugue |
| F442 | Dissociative stupor |
| F444 | Conversion disorder with motor symptom or deficit |
| F445 | Conversion disorder with seizures or convulsions |
| F446 | Conversion disorder with sensory symptom or deficit |
| F447 | Conversion disorder with mixed symptom presentation |
| F4481 | Dissociative identity disorder |
| F4489 | Other dissociative and conversion disorders |
| F449 | Dissociative and conversion disorder, unspecified |
| F450 | Somatization disorder |
| F451 | Undifferentiated somatoform disorder |
| F4520 | Hypochondriacal disorder, unspecified |
| F4521 | Hypochondriasis |
| F4522 | Body dysmorphic disorder |
| F4529 | Other hypochondriacal disorders |
| F4541 | Pain disorder exclusively related to psychological factors |
| F4542 | Pain disorder with related psychological factors |
| F458 | Other somatoform disorders |
| F459 | Somatoform disorder, unspecified |
| F481 | Depersonalization-derealization syndrome |
| F482 | Pseudobulbar affect |
| F488 | Other specified nonpsychotic mental disorders |
| F489 | Nonpsychotic mental disorder, unspecified |
| F5000 | Anorexia nervosa, unspecified |
| F5001 | Anorexia nervosa, restricting type |
| F5002 | Anorexia nervosa, binge eating/purging type |
| F502 | Bulimia nervosa |
| F5081 | Binge eating disorder |
| F5082 | Avoidant/restrictive food intake disorder |
| F5089 | Other specified eating disorder |
| F509 | Eating disorder, unspecified |
| F5101 | Primary insomnia |
| F5102 | Adjustment insomnia |
| F5103 | Paradoxical insomnia |
| F5104 | Psychophysiologic insomnia |
| F5105 | Insomnia due to other mental disorder |
| F5109 | Oth insomnia not due to a substance or known physiol cond |
| F5111 | Primary hypersomnia |
| F5112 | Insufficient sleep syndrome |
| F5113 | Hypersomnia due to other mental disorder |
| F5119 | Oth hypersomnia not due to a substance or known physiol cond |
| F513 | Sleepwalking [somnambulism] |
| F514 | Sleep terrors [night terrors] |
| F515 | Nightmare disorder |
| F518 | Oth sleep disord not due to a sub or known physiol cond |
| F519 | Sleep disorder not due to a sub or known physiol cond, unsp |

| | |
|-------|---|
| F520 | Hypoactive sexual desire disorder |
| F521 | Sexual aversion disorder |
| F5221 | Male erectile disorder |
| F5222 | Female sexual arousal disorder |
| F5231 | Female orgasmic disorder |
| F5232 | Male orgasmic disorder |
| F524 | Premature ejaculation |
| F525 | Vaginismus not due to a substance or known physiol condition |
| F526 | Dyspareunia not due to a substance or known physiol condition |
| F528 | Other sexual dysfunction not due to a substance or known physiol condition |
| F529 | Unspecified sexual dysfunction not due to a substance or known physiol condition |
| F530 | Postpartum depression |
| F531 | Puerperal psychosis |
| F54 | Psychological & behavioral factors associated with disorder or disorder classified elsewhere |
| F550 | Abuse of antacids |
| F551 | Abuse of herbal or folk remedies |
| F552 | Abuse of laxatives |
| F553 | Abuse of steroids or hormones |
| F554 | Abuse of vitamins |
| F558 | Abuse of other non-psychoactive substances |
| F59 | Unspecified behavioral syndrome associated with physiological disturbance and physiological factors |
| F600 | Paranoid personality disorder |
| F601 | Schizoid personality disorder |
| F602 | Antisocial personality disorder |
| F603 | Borderline personality disorder |
| F604 | Histrionic personality disorder |
| F605 | Obsessive-compulsive personality disorder |
| F606 | Avoidant personality disorder |
| F607 | Dependent personality disorder |
| F6081 | Narcissistic personality disorder |
| F6089 | Other specific personality disorders |
| F609 | Personality disorder, unspecified |
| F630 | Pathological gambling |
| F631 | Pyromania |
| F632 | Kleptomania |
| F633 | Trichotillomania |
| F6381 | Intermittent explosive disorder |
| F6389 | Other impulse disorders |
| F639 | Impulse disorder, unspecified |
| F640 | Transsexualism |
| F641 | Dual role transvestism |
| F642 | Gender identity disorder of childhood |
| F648 | Other gender identity disorders |
| F649 | Gender identity disorder, unspecified |
| F650 | Fetishism |
| F651 | Transvestic fetishism |
| F652 | Exhibitionism |
| F653 | Voyeurism |
| F654 | Pedophilia |
| F6550 | Sadomasochism, unspecified |
| F6551 | Sexual masochism |
| F6552 | Sexual sadism |

| | |
|-------|--|
| F6581 | Frotteurism |
| F6589 | Other paraphilias |
| F659 | Paraphilia, unspecified |
| F66 | Other sexual disorders |
| F6810 | Factitious disorder imposed on self, unspecified |
| F6811 | Factit disord imposed on self, with predom psych signs/symp |
| F6812 | Factit disord impsd on self, with predom physcl signs/symp |
| F6813 | Factit disord impsd on self,w comb psych & physcl signs/symp |
| F688 | Other specified disorders of adult personality and behavior |
| F68A | Factitious disorder imposed on another |
| F69 | Unspecified disorder of adult personality and behavior |
| F70 | Mild intellectual disabilities |
| F71 | Moderate intellectual disabilities |
| F72 | Severe intellectual disabilities |
| F73 | Profound intellectual disabilities |
| F78 | Other intellectual disabilities |
| F79 | Unspecified intellectual disabilities |
| F800 | Phonological disorder |
| F801 | Expressive language disorder |
| F802 | Mixed receptive-expressive language disorder |
| F804 | Speech and language development delay due to hearing loss |
| F8081 | Childhood onset fluency disorder |
| F8082 | Social pragmatic communication disorder |
| F8089 | Other developmental disorders of speech and language |
| F809 | Developmental disorder of speech and language, unspecified |
| F810 | Specific reading disorder |
| F812 | Mathematics disorder |
| F8181 | Disorder of written expression |
| F8189 | Other developmental disorders of scholastic skills |
| F819 | Developmental disorder of scholastic skills, unspecified |
| F82 | Specific developmental disorder of motor function |
| F840 | Autistic disorder |
| F842 | Rett's syndrome |
| F843 | Other childhood disintegrative disorder |
| F845 | Asperger's syndrome |
| F848 | Other pervasive developmental disorders |
| F849 | Pervasive developmental disorder, unspecified |
| F88 | Other disorders of psychological development |
| F89 | Unspecified disorder of psychological development |
| F900 | Attn-defct hyperactivity disorder, predom inattentive type |
| F901 | Attn-defct hyperactivity disorder, predom hyperactive type |
| F902 | Attention-deficit hyperactivity disorder, combined type |
| F908 | Attention-deficit hyperactivity disorder, other type |
| F909 | Attention-deficit hyperactivity disorder, unspecified type |
| F910 | Conduct disorder confined to family context |
| F911 | Conduct disorder, childhood-onset type |
| F912 | Conduct disorder, adolescent-onset type |
| F913 | Oppositional defiant disorder |
| F918 | Other conduct disorders |
| F919 | Conduct disorder, unspecified |
| F930 | Separation anxiety disorder of childhood |
| F938 | Other childhood emotional disorders |

| | |
|--------|--|
| F939 | Childhood emotional disorder, unspecified |
| F940 | Selective mutism |
| F941 | Reactive attachment disorder of childhood |
| F942 | Disinhibited attachment disorder of childhood |
| F948 | Other childhood disorders of social functioning |
| F949 | Childhood disorder of social functioning, unspecified |
| F950 | Transient tic disorder |
| F951 | Chronic motor or vocal tic disorder |
| F952 | Tourette's disorder |
| F958 | Other tic disorders |
| F959 | Tic disorder, unspecified |
| F980 | Enuresis not due to a substance or known physiol condition |
| F981 | Encopresis not due to a substance or known physiol condition |
| F983 | Pica of infancy and childhood |
| F984 | Stereotyped movement disorders |
| F985 | Adult onset fluency disorder |
| F988 | Oth behav/emotn disord w onset usly occur in chldhd and adol |
| F989 | Unsp behav/emotn disord w onst usly occur in chldhd and adol |
| F99 | Mental disorder, not otherwise specified |
| G300 | Alzheimer's disease with early onset |
| G301 | Alzheimer's disease with late onset |
| G308 | Other Alzheimer's disease |
| G309 | Alzheimer's disease, unspecified |
| G3109 | Other frontotemporal dementia |
| G311 | Senile degeneration of brain, not elsewhere classified |
| G3183 | Dementia with Lewy bodies |
| G4752 | REM sleep behavior disorder |
| G4753 | Recurrent isolated sleep paralysis |
| O9A511 | Psychological abuse complicating pregnancy, first trimester |
| O9A512 | Psychological abuse complicating pregnancy, second trimester |
| O9A513 | Psychological abuse complicating pregnancy, third trimester |
| O9A519 | Psychological abuse complicating pregnancy, unsp trimester |
| O9A52 | Psychological abuse complicating childbirth |
| O9A53 | Psychological abuse complicating the puerperium |
| R37 | Sexual dysfunction, unspecified |
| R410 | Disorientation, unspecified |
| R411 | Anterograde amnesia |
| R412 | Retrograde amnesia |
| R413 | Other amnesia |
| R414 | Neurologic neglect syndrome |
| R4181 | Age-related cognitive decline |
| R4182 | Altered mental status, unspecified |
| R4183 | Borderline intellectual functioning |
| R4189 | Oth symptoms and signs w cognitive functions and awareness |
| R419 | Unsp symptoms and signs w cognitive functions and awareness |
| R450 | Nervousness |
| R451 | Restlessness and agitation |
| R452 | Unhappiness |
| R453 | Demoralization and apathy |
| R454 | Irritability and anger |
| R455 | Hostility |
| R456 | Violent behavior |

| | |
|--------|---|
| R457 | State of emotional shock and stress, unspecified |
| R4581 | Low self-esteem |
| R4582 | Worries |
| R4583 | Excessive crying of child, adolescent or adult |
| R45850 | Homicidal ideations |
| R45851 | Suicidal ideations |
| R480 | Dyslexia and alexia |
| R69 | Illness, unspecified |
| Z0271 | Encounter for disability determination |
| Z0441 | Encounter for exam and obs following alleged adult rape |
| Z0442 | Encounter for exam and obs following alleged child rape |
| Z046 | Encntr for general psychiatric exam, requested by authority |
| Z0471 | Encntr for exam and obs fol alleged adult physical abuse |
| Z0472 | Encntr for exam and obs fol alleged child physical abuse |
| Z531 | Proc/trtmt not crd out bec pt belief and group pressure |
| Z550 | Illiteracy and low-level literacy |
| Z551 | Schooling unavailable and unattainable |
| Z552 | Failed school examinations |
| Z553 | Underachievement in school |
| Z554 | Educational maladjustment & discord w teachers & classmates |
| Z558 | Other problems related to education and literacy |
| Z559 | Problems related to education and literacy, unspecified |
| Z560 | Unemployment, unspecified |
| Z561 | Change of job |
| Z562 | Threat of job loss |
| Z563 | Stressful work schedule |
| Z564 | Discord with boss and workmates |
| Z565 | Uncongenial work environment |
| Z566 | Other physical and mental strain related to work |
| Z5681 | Sexual harassment on the job |
| Z5682 | Military deployment status |
| Z5689 | Other problems related to employment |
| Z569 | Unspecified problems related to employment |
| Z570 | Occupational exposure to noise |
| Z571 | Occupational exposure to radiation |
| Z572 | Occupational exposure to dust |
| Z5731 | Occupational exposure to environmental tobacco smoke |
| Z5739 | Occupational exposure to other air contaminants |
| Z574 | Occupational exposure to toxic agents in agriculture |
| Z575 | Occupational exposure to toxic agents in other industries |
| Z576 | Occupational exposure to extreme temperature |
| Z577 | Occupational exposure to vibration |
| Z578 | Occupational exposure to other risk factors |
| Z579 | Occupational exposure to unspecified risk factor |
| Z590 | Homelessness |
| Z591 | Inadequate housing |
| Z592 | Discord with neighbors, lodgers and landlord |
| Z593 | Problems related to living in residential institution |
| Z594 | Lack of adequate food and safe drinking water |
| Z595 | Extreme poverty |
| Z596 | Low income |
| Z597 | Insufficient social insurance and welfare support |

| | |
|--------|--|
| Z598 | Other problems related to housing and economic circumstances |
| Z599 | Problem related to housing and economic circumstances, unsp |
| Z600 | Problems of adjustment to life-cycle transitions |
| Z602 | Problems related to living alone |
| Z603 | Acculturation difficulty |
| Z604 | Social exclusion and rejection |
| Z605 | Target of (perceived) adverse discrimination and persecution |
| Z608 | Other problems related to social environment |
| Z609 | Problem related to social environment, unspecified |
| Z620 | Inadequate parental supervision and control |
| Z621 | Parental overprotection |
| Z6221 | Child in welfare custody |
| Z6222 | Institutional upbringing |
| Z6229 | Other upbringing away from parents |
| Z623 | Hostility towards and scapegoating of child |
| Z626 | Inappropriate (excessive) parental pressure |
| Z62810 | Personal history of physical and sexual abuse in childhood |
| Z62811 | Personal history of psychological abuse in childhood |
| Z62812 | Personal history of neglect in childhood |
| Z62819 | Personal history of unspecified abuse in childhood |
| Z62820 | Parent-biological child conflict |
| Z62821 | Parent-adopted child conflict |
| Z62822 | Parent-foster child conflict |
| Z62890 | Parent-child estrangement NEC |
| Z62891 | Sibling rivalry |
| Z62898 | Other specified problems related to upbringing |
| Z629 | Problem related to upbringing, unspecified |
| Z630 | Problems in relationship with spouse or partner |
| Z631 | Problems in relationship with in-laws |
| Z6331 | Absence of family member due to military deployment |
| Z6332 | Other absence of family member |
| Z634 | Disappearance and death of family member |
| Z635 | Disruption of family by separation and divorce |
| Z636 | Dependent relative needing care at home |
| Z6371 | Stress on fam d/t return of family member from miltry deploy |
| Z6372 | Alcoholism and drug addiction in family |
| Z6379 | Other stressful life events affecting family and household |
| Z638 | Other specified problems related to primary support group |
| Z639 | Problem related to primary support group, unspecified |
| Z640 | Problems related to unwanted pregnancy |
| Z641 | Problems related to multiparity |
| Z644 | Discord with counselors |
| Z650 | Conviction in civil & criminal proceedings w/o imprisonment |
| Z651 | Imprisonment and other incarceration |
| Z652 | Problems related to release from prison |
| Z653 | Problems related to other legal circumstances |
| Z654 | Victim of crime and terrorism |
| Z655 | Exposure to disaster, war and other hostilities |
| Z658 | Oth problems related to psychosocial circumstances |
| Z659 | Problem related to unspecified psychosocial circumstances |
| Z69010 | Encntr for mental hlth serv for victim of prntl child abuse |
| Z69011 | Encntr for mental health serv for perp of prntl child abuse |

| | |
|--------|---|
| Z69020 | Encntr for mntl hlth serv for vctm of non-prntl child abuse |
| Z69021 | Encntr for mntl hlth serv for perp of non-prntl child abuse |
| Z6911 | Encntr for mntl hlth serv for victim of spous or prtnr abuse |
| Z6912 | Encntr for mental hlth serv for perp of spous or prtnr abuse |
| Z6981 | Encounter for mental health services for victim of oth abuse |
| Z6982 | Encounter for mental health services for perp of abuse |
| Z700 | Counseling related to sexual attitude |
| Z701 | Counseling related to patient's sexual behavior and orientn |
| Z702 | Cnsl related to sexual behavior and orientn of third party |
| Z703 | Cnsl rel to comb concern rgrd sex attitude, behav and orientn |
| Z708 | Other sex counseling |
| Z709 | Sex counseling, unspecified |
| Z711 | Person w feared hlth complaint in whom no diagnosis is made |
| Z712 | Person consulting for explanation of exam or test findings |
| Z7141 | Alcohol abuse counseling and surveillance of alcoholic |
| Z7142 | Counseling for family member of alcoholic |
| Z7151 | Drug abuse counseling and surveillance of drug abuser |
| Z7152 | Counseling for family member of drug abuser |
| Z716 | Tobacco abuse counseling |
| Z717 | Human immunodeficiency virus [HIV] counseling |
| Z7189 | Other specified counseling |
| Z719 | Counseling, unspecified |
| Z720 | Tobacco use |
| Z724 | Inappropriate diet and eating habits |
| Z7251 | High risk heterosexual behavior |
| Z7252 | High risk homosexual behavior |
| Z7253 | High risk bisexual behavior |
| Z726 | Gambling and betting |
| Z72810 | Child and adolescent antisocial behavior |
| Z72811 | Adult antisocial behavior |
| Z72820 | Sleep deprivation |
| Z72821 | Inadequate sleep hygiene |
| Z7289 | Other problems related to lifestyle |
| Z729 | Problem related to lifestyle, unspecified |
| Z730 | Burn-out |
| Z731 | Type A behavior pattern |
| Z732 | Lack of relaxation and leisure |
| Z733 | Stress, not elsewhere classified |
| Z734 | Inadequate social skills, not elsewhere classified |
| Z735 | Social role conflict, not elsewhere classified |
| Z736 | Limitation of activities due to disability |
| Z73810 | Behavioral insomnia of childhood, sleep-onset assoc type |
| Z73811 | Behavioral insomnia of childhood, limit setting type |
| Z73812 | Behavioral insomnia of childhood, combined type |
| Z73819 | Behavioral insomnia of childhood, unspecified type |
| Z7382 | Dual sensory impairment |
| Z7389 | Other problems related to life management difficulty |
| Z739 | Problem related to life management difficulty, unspecified |
| Z741 | Need for assistance with personal care |
| Z742 | Need for assist at home & no house memb able to render care |
| Z743 | Need for continuous supervision |
| Z748 | Other problems related to care provider dependency |

| | |
|--------|--|
| Z749 | Problem related to care provider dependency, unspecified |
| Z750 | Medical services not available in home |
| Z751 | Person awaiting admission to adequate facility elsewhere |
| Z752 | Other waiting period for investigation and treatment |
| Z753 | Unavailability and inaccessibility of health-care facilities |
| Z754 | Unavailability and inaccessibility of other helping agencies |
| Z755 | Holiday relief care |
| Z758 | Oth prob related to medical facilities and oth health care |
| Z759 | Unsp problem related to med facilities and oth health care |
| Z765 | Malingerer [conscious simulation] |
| Z7689 | Persons encountering health services in oth circumstances |
| Z810 | Family history of intellectual disabilities |
| Z811 | Family history of alcohol abuse and dependence |
| Z812 | Family history of tobacco abuse and dependence |
| Z813 | Family history of psychoactv substance abuse and dependence |
| Z814 | Family history of other substance abuse and dependence |
| Z818 | Family history of other mental and behavioral disorders |
| Z87891 | Personal history of nicotine dependence |
| Z91410 | Personal history of adult physical and sexual abuse |
| Z91411 | Personal history of adult psychological abuse |
| Z91412 | Personal history of adult neglect |
| Z91419 | Personal history of unspecified adult abuse |
| Z9149 | Oth personal history of psychological trauma, NEC |
| Z915 | Personal history of self-harm |

Adult diagnoses (ICD-9 CM codes)

| | |
|-------|--------------------------|
| 25631 | Premature menopause |
| 2900 | Senile dementia uncomp |
| 29010 | Presenile dementia |
| 29011 | Presenile delirium |
| 29012 | Presenile delusion |
| 29013 | Presenile depression |
| 29020 | Senile delusion |
| 29021 | Senile depressive |
| 2903 | Senile delirium |
| 29040 | Vascular dementia,uncomp |
| 29041 | Vasc dementia w delirium |
| 29042 | Vasc dementia w delusion |
| 29043 | Vasc dementia w depressn |
| 2909 | Senile psychot cond NOS |
| 33520 | Amyotrophic sclerosis |
| 36610 | Senile cataract NOS |
| 36611 | Pseudoexfol lens capsule |
| 36612 | Incipient cataract |
| 36613 | Ant subcaps senile catar |
| 36614 | Post subcap senile catar |
| 36615 | Cortical senile cataract |
| 36616 | Senile nuclear cataract |
| 36617 | Mature cataract |
| 36618 | Hyper mature cataract |
| 36619 | Senile cataract NEC |
| 37401 | Senile entropion |
| 37411 | Senile ectropion |
| 37927 | Vitreomacular adhesion |
| 41400 | Cor ath unsp vsl ntv/gft |
| 41401 | Crnry athrscl natve vssl |
| 41402 | Crn ath atlg vn bps grft |
| 41403 | Crn ath nonatlg blg grft |
| 41404 | Cor ath artry bypas grft |
| 41405 | Cor ath bypass graft NOS |
| 41407 | Cor ath bps graft tp hrt |
| 4143 | Cor ath d/t lpd rch plaq |
| 42971 | Acq cardiac septl defect |
| 42979 | Other sequelae of MI NEC |
| 4370 | Cerebral atherosclerosis |
| 4400 | Aortic atherosclerosis |
| 4401 | Renal artery atheroscler |
| 44020 | Athscl extrm ntv art NOS |
| 44021 | Ath ext ntv at w claudct |
| 44022 | Ath ext ntv at w rst pn |
| 44023 | Ath ext ntv art ulcrcton |
| 44029 | Athrsc extrm ntv art oth |
| 44030 | Athscl extrm bps gft NOS |

| | |
|-------|---------------------------|
| 44031 | Ath ext autologs bps gft |
| 44032 | Ath ext nonautlg bps gft |
| 4408 | Atherosclerosis NEC |
| 4409 | Atherosclerosis NOS |
| 4540 | Leg varicosity w ulcer |
| 4541 | Leg varicosity w inflam |
| 4542 | Varicos leg ulcer/inflam |
| 4549 | Asympt varicose veins |
| 4570 | Postmastect lymphedema |
| 500 | Coal workers' pneumocon |
| 501 | Asbestosis |
| 5165 | Adlt pul Langs cell hist |
| 5710 | Alcoholic fatty liver |
| 5711 | Ac alcoholic hepatitis |
| 5712 | Alcohol cirrhosis liver |
| 5713 | Alcohol liver damage NOS |
| 60000 | BPH w/o urinary obs/LUTS |
| 60001 | BPH w urinary obs/LUTS |
| 60010 | Nod prostate w/o ur obst |
| 60011 | Nod prostate w ur obst |
| 60020 | BPH loc w/o ur obs/LUTS |
| 60021 | BPH loc w urin obs/LUTS |
| 6003 | Cyst of prostate |
| 60090 | BPH NOS w/o ur obs/LUTS |
| 60091 | BPH NOS w ur obs/LUTS |
| 6010 | Acute prostatitis |
| 6011 | Chronic prostatitis |
| 6012 | Abscess of prostate |
| 6013 | Prostatocystitis |
| 6014 | Prostatitis in oth dis |
| 6018 | Prostatic inflam dis NEC |
| 6019 | Prostatitis NOS |
| 6020 | Calculus of prostate |
| 6021 | Prostatic congest/hemorr |
| 6022 | Atrophy of prostate |
| 6028 | Prostatic disorders NEC |
| 6029 | Prostatic disorder NOS |
| 6060 | Azoospermia |
| 6061 | Oligospermia |
| 6068 | Male infertility NEC |
| 6069 | Male infertility NOS |
| 60784 | Impotence, organic origin |
| 6101 | Diffus cystic mastopathy |
| 61181 | Ptosis of breast |
| 61182 | Hypoplasia of breast |
| 61183 | Capslr contrctr brst imp |
| 6120 | Deformity reconst breast |
| 6121 | Disproportn reconst brst |
| 7286 | Contracted palmar fascia |
| 7837 | Failure to thrive-adult |
| 79093 | Elvtd prstate spcf antgn |
| 79981 | Decreased libido |

| | |
|-------|--------------------------|
| 99580 | Adult maltreatment NOS |
| 99581 | Adult physical abuse |
| 99582 | Adult emotnl/psych abuse |
| 99583 | Adult sexual abuse |
| 99584 | Adult neglect-nutrition |
| 99585 | Oth adult abuse/neglect |
| V114 | Hx combat/stress reactn |
| V2385 | Pregnt-assist repro tech |
| V4981 | Asympt postmeno status |
| V510 | Brst reconst fol mastect |
| V6221 | Hx military deployment |
| V6222 | Hx retrn military deploy |
| V6229 | Occupationl circumst NEC |
| V7101 | Obsv-adult antisoc behav |
| V850 | BMI less than 19,adult |
| V851 | BMI between 19-24,adult |
| V8521 | BMI 25.0-25.9,adult |
| V8522 | BMI 26.0-26.9,adult |
| V8523 | BMI 27.0-27.9,adult |
| V8524 | BMI 28.0-28.9,adult |
| V8525 | BMI 29.0-29.9,adult |
| V8530 | BMI 30.0-30.9,adult |
| V8531 | BMI 31.0-31.9,adult |
| V8532 | BMI 32.0-32.9,adult |
| V8533 | BMI 33.0-33.9,adult |
| V8534 | BMI 34.0-34.9,adult |
| V8535 | BMI 35.0-35.9,adult |
| V8536 | BMI 36.0-36.9,adult |
| V8537 | BMI 37.0-37.9,adult |
| V8538 | BMI 38.0-38.9,adult |
| V8539 | BMI 39.0-39.9,adult |
| V8541 | BMI 40.0-44.9, adult |
| V8542 | BMI 45.0-49.9, adult |
| V8543 | BMI 50.0-59.9, adult |
| V8544 | BMI 60.0-69.9, adult |
| V8545 | BMI 70 and over, adult |

Newborn diagnoses (ICD-9 CM codes)

| | | | |
|-------|--------------------------|-------|--------------------------|
| 27701 | Cystic fibrosis w ileus | 76418 | Lt-date w/mal 2000-2499g |
| 74783 | Persistent fetal circ | 76419 | Lt-for-date w/mal 2500+g |
| 76077 | Mat anticonv aff NB/fet | 76420 | Fetal malnutrition wtNOS |
| 76078 | Mat antimetabol aff NB | 76421 | Fetal malnutrition <500g |
| 7620 | Placenta previa aff NB | 76422 | Fetal malnutr 500-749g |
| 7621 | Placenta hem NEC aff NB | 76423 | Fetal mal 750-999g |
| 7622 | Abn plac NEC/NOS aff NB | 76424 | Fetal mal 1000-1249g |
| 7623 | Placent transfusion syn | 76425 | Fetal mal 1250-1499g |
| 7624 | Prolapsed cord aff NB | 76426 | Fetal mal 1500-1749g |
| 7625 | Oth umbil cord compress | 76427 | Fetal malnutr 1750-1999g |
| 7626 | Umbil cond NEC aff NB | 76428 | Fetal malnutr 2000-2499g |
| 7627 | Chorioamnionitis aff NB | 76429 | Fetal malnutr 2500+g |
| 7628 | Abn amnion NEC aff NB | 76490 | Fet growth retard wtNOS |
| 7629 | Abn amnion NOS aff NB | 76491 | Fet growth retard <500g |
| 7630 | Breech del/extrac aff NB | 76492 | Fet growth ret 500-749g |
| 7631 | Malpos/dispro NEC aff NB | 76493 | Fet growth ret 750-999g |
| 7632 | Forceps delivery aff NB | 76494 | Fet grwth ret 1000-1249g |
| 7633 | Vacuum extrac del aff NB | 76495 | Fet grwth ret 1250-1499g |
| 7634 | Cesarean delivery aff NB | 76496 | Fet grwth ret 1500-1749g |
| 7635 | Mat anesth/analg aff NB | 76497 | Fet grwth ret 1750-1999g |
| 7636 | Precipitate del aff NB | 76498 | Fet grwth ret 2000-2499g |
| 7637 | Abn uterine contr aff NB | 76499 | Fet growth ret 2500+g |
| 76381 | Ab ftl hrt rt/rh b/f lab | 76500 | Extreme immatur wtNOS |
| 76382 | Ab ftl hrt rt/rh dur lab | 76501 | Extreme immatur <500g |
| 76383 | Ab ftl hrt rt/rhy NOS | 76502 | Extreme immatur 500-749g |
| 76384 | Meconium dur del aff NB | 76503 | Extreme immatur 750-999g |
| 76389 | Compl del NEC aff NB | 76504 | Extreme immat 1000-1249g |
| 7639 | Compl deliv NOS aff NB | 76505 | Extreme immat 1250-1499g |
| 76400 | Light-for-dates wtNOS | 76506 | Extreme immat 1500-1749g |
| 76401 | Light-for-dates <500g | 76507 | Extreme immat 1750-1999g |
| 76402 | Lt-for-dates 500-749g | 76508 | Extreme immat 2000-2499g |
| 76403 | Lt-for-dates 750-999g | 76509 | Extreme immat 2500+g |
| 76404 | Lt-for-dates 1000-1249g | 76510 | Preterm infant NEC wtNOS |
| 76405 | Lt-for-dates 1250-1499g | 76511 | Preterm NEC <500g |
| 76406 | Lt-for-dates 1500-1749g | 76512 | Preterm NEC 500-749g |
| 76407 | Lt-for-dates 1750-1999g | 76513 | Preterm NEC 750-999g |
| 76408 | Lt-for-dates 2000-2499g | 76514 | Preterm NEC 1000-1249g |
| 76409 | Lt-for-dates 2500+g | 76515 | Preterm NEC 1250-1499g |
| 76410 | Lt-for-date w/mal wtNOS | 76516 | Preterm NEC 1500-1749g |
| 76411 | Lt-for-date w/mal <500g | 76517 | Preterm NEC 1750-1999g |
| 76412 | Lt-date w/mal 500-749g | 76518 | Preterm NEC 2000-2499g |
| 76413 | Lt-date w/mal 750-999g | 76519 | Preterm NEC 2500+g |
| 76414 | Lt-date w/mal 1000-1249g | 76520 | Weeks of gestation NOS |
| 76415 | Lt-date w/mal 1250-1499g | 76521 | <24 comp wks gestation |
| 76416 | Lt-date w/mal 1500-1749g | 76522 | 24 comp weeks gestation |
| 76417 | Lt-date w/mal 1750-1999g | 76523 | 25-26 comp wks gestation |

| | | | |
|-------|--------------------------|-------|--------------------------|
| 76524 | 27-28 comp wks gestation | 77084 | Resp failure of newborn |
| 76525 | 29-30 comp wks gestation | 77085 | Stomch cont asp w/o resp |
| 76526 | 31-32 comp wks gestation | 77086 | Stomach cont asp w resp |
| 76527 | 33-34 comp wks gestation | 77087 | NB respiratory arrest |
| 76528 | 35-36 comp wks gestation | 77088 | NB hypoxia |
| 76529 | 37+ comp wks gestation | 77089 | Resp prob after brth NEC |
| 7660 | Exceptionally large baby | 7709 | NB respiratory cond NOS |
| 7661 | Heavy-for-date infan NEC | 7710 | Congenital rubella |
| 76621 | Post-term infant | 7711 | Cong cytomegalovirus inf |
| 76622 | Prolong gestation-infant | 7712 | Congenital infec NEC |
| 7670 | Cerebral hem at birth | 7713 | Tetanus neonatorum |
| 76711 | Epicranial subapo hemorr | 7714 | Omphalitis of newborn |
| 76719 | Injuries to scalp NEC | 7715 | Neonatal infec mastitis |
| 7672 | Clavicle fx at birth | 7716 | Neonatal conjunctivitis |
| 7673 | Bone injury NEC at birth | 7717 | Neonatal candida infect |
| 7674 | Spinal cord inj at birth | 77181 | NB septicemia [sepsis] |
| 7675 | Facial nerve inj-birth | 77182 | NB urinary tract infectn |
| 7676 | Brach plexus inj-birth | 77183 | Bacteremia of newborn |
| 7677 | Nerve inj NEC at birth | 77189 | Perinatal infection NEC |
| 7678 | Birth trauma NEC | 7720 | NB fetal blood loss NEC |
| 7679 | Birth trauma NOS | 77210 | NB intraven hem NOS |
| 7680 | Fetal death-anoxia NOS | 77211 | NB intraven hem,grade i |
| 7681 | Fet death-anoxia dur lab | 77212 | NB intraven hem,grade ii |
| 7682 | Fet distress befor labor | 77213 | NB intravn hem,grade iii |
| 7683 | Fetal distrs dur lab/del | 77214 | NB intraven hem,grade iv |
| 7684 | Fetal distress NOS | 7722 | NB subarachnoid hemorr |
| 7685 | Severe birth asphyxia | 7723 | Post-birth umbil hemorr |
| 7686 | Mild/mod birth asphyxia | 7724 | NB GI hemorrhage |
| 76870 | Hypoxc-ischem enceph NOS | 7725 | NB adrenal hemorrhage |
| 76871 | Mild hypox-ischem enceph | 7726 | NB cutaneous hemorrhage |
| 76872 | Mod hypox-ischem enceph | 7728 | Neonatal hemorrhage NEC |
| 76873 | Sev hypox-ischem enceph | 7729 | Neonatal hemorrhage NOS |
| 7689 | Birth asphyxia NOS | 7730 | NB hemolyt dis:rh isoimm |
| 769 | Respiratory distress syn | 7731 | NB hemolyt dis-abo isoim |
| 7700 | Congenital pneumonia | 7732 | NB hemolyt dis-isoim NEC |
| 77010 | Fetal & newborn asp NOS | 7733 | Hydrops fetalis:isoimm |
| 77011 | Meconium asp wo resp sym | 7734 | NB kernicterus:isoimmun |
| 77012 | Meconium asp w resp symp | 7735 | NB late anemia:isoimmun |
| 77013 | Amniotc asp w/o resp sym | 7740 | Perinat jaund-hered anem |
| 77014 | Amniotic asp w resp sym | 7741 | Perinat jaund:hemoysis |
| 77015 | Blood asp w/o resp sympt | 7742 | Neonat jaund preterm del |
| 77016 | Blood asp w resp sympt | 77430 | Delay conjugat jaund NOS |
| 77017 | NB asp w/o resp symp NEC | 77431 | Neonat jaund in oth dis |
| 77018 | NB asp w resp symp NEC | 77439 | Delay conjugat jaund NEC |
| 7702 | NB interstit emphysema | 7744 | Fetal/neonatal hepatitis |
| 7703 | NB pulmonary hemorrhage | 7745 | Perinatal jaundice NEC |
| 7704 | Primary atelectasis | 7746 | Fetal/neonatal jaund NOS |
| 7705 | NB atelectasis NEC/NOS | 7747 | NB kernicterus |
| 7706 | NB transitory tachypnea | 7750 | Infant diabet mother syn |
| 77081 | Primary apnea of newborn | 7751 | Neonat diabetes mellitus |
| 77082 | Other apnea of newborn | 7752 | Neonat myasthenia gravis |
| 77083 | Cyanotic attack, newborn | 7753 | Neonatal thyrotoxicosis |

| | | | |
|-------|--------------------------|-------|---------------------------|
| 7754 | Hypocalcem/hypomagnes NB | 77989 | Perinatal condition NEC |
| 7755 | Neonatal dehydration | 7799 | Perinatal condition NOS |
| 7756 | Neonatal hypoglycemia | 78092 | Excess cry infant/baby |
| 7757 | Late metab acidosis NB | 7966 | Abnorm neonate screening |
| 77581 | NB acidosis NEC | V2031 | Health supvsn nb <8 days |
| 77589 | Neonat endo/met dis NEC | V2032 | Health supv nb 8-28 days |
| 7759 | Transient met dis NB NOS | V290 | NB obsrv suspct infect |
| 7760 | NB hemorrhagic disease | V291 | NB obsrv suspct neurlgcl |
| 7761 | Neonatal thrombocytopen | V292 | Obsrv NB suspct resp cond |
| 7762 | Dissem intravasc coag NB | V293 | NB obs genetc/metabl cnd |
| 7763 | Oth neonatal coag dis | V298 | NB obsrv oth suspct cond |
| 7764 | Polycythemia neonatorum | V299 | NB obsrv unsp suspct cnd |
| 7765 | Congenital anemia | V3000 | Single lb in-hosp w/o cs |
| 7766 | Anemia of prematurity | V3001 | Single lb in-hosp w cs |
| 7767 | Neonatal neutropenia | V301 | Singl livebrn-before adm |
| 7768 | Transient hemat dis NEC | V3100 | Twin-mate lb-hosp w/o cs |
| 7769 | NB hematological dis NOS | V3101 | Twin-mate lb-in hos w cs |
| 7771 | Meconium obstruction | V311 | Twin, mate lb-before adm |
| 7772 | Intest obst-inspiss milk | V3200 | Twin-mate sb-hosp w/o cs |
| 7773 | Swallowed blood syndrome | V3201 | Twin-mate sb-hosp w cs |
| 7774 | Transitory ileus of NB | V321 | Twin, mate sb-before adm |
| 77750 | Nec enterocolitis NB NOS | V3300 | Twin-NOS-in hosp w/o cs |
| 77751 | Stg I nec enterocol NB | V3301 | Twin-NOS-in hosp w cs |
| 77752 | Stg II nec enterocol NB | V331 | Twin NOS-before admissn |
| 77753 | Stg III nec enterocol NB | V3400 | Oth mult lb-hosp w/o cs |
| 7776 | Perinatal intest perfor | V3401 | Oth mult lb-in hosp w cs |
| 7778 | Perinat GI sys dis NEC | V341 | Oth mult nb-before adm |
| 7779 | Perinat GI sys dis NOS | V3500 | Oth mult sb-hosp w/o cs |
| 7780 | Hydrops fetalis no isoim | V3501 | Oth mult sb-in hosp w cs |
| 7781 | Sclerema neonatorum | V351 | Oth mult sb-before adm |
| 7782 | NB cold injury syndrome | V3600 | Mult lb/sb-in hos w/o cs |
| 7783 | NB hypothermia NEC | V3601 | Mult lb/sb-in hosp w cs |
| 7784 | NB temp regulat dis NEC | V361 | Mult nb/sb-before adm |
| 7785 | Edema of newborn NEC/NOS | V3700 | Mult brth NOS-hos w/o cs |
| 7787 | NB breast engorgement | V3701 | Mult birth NOS-hosp w cs |
| 7788 | NB integument cond NEC | V371 | Mult brth NOS-before adm |
| 7789 | NB integument cond NOS | V3900 | Liveborn NOS-hosp w/o cs |
| 7790 | Convulsions in newborn | V3901 | Liveborn NOS-hosp w cs |
| 7791 | NB cereb irrit NEC/NOS | V391 | Liveborn NOS-before adm |
| 7792 | Cns dysfunction syn NB | | |
| 77931 | NB feeding problems | | |
| 77932 | NB bilious vomiting | | |
| 77933 | NB other vomiting | | |
| 77934 | NB failure to thrive | | |
| 7794 | NB drug reaction/intoxic | | |
| 7795 | NB drug withdrawal syndr | | |
| 7796 | Termination of pregnancy | | |
| 77981 | Neonatal bradycardia | | |
| 77982 | Neonatal tachycardia | | |
| 77983 | Delay separate umbl cord | | |
| 77984 | Meconium staining | | |
| 77985 | NB cardiac arrest | | |

Pediatric diagnoses (ICD-9 CM codes)

| | |
|-------|----------------------------------|
| 04041 | Infant botulism |
| 05810 | Roseola infantum NOS |
| 05811 | Roseola infant d/t HHV-6 |
| 05812 | Roseola infant d/t HHV-7 |
| 2591 | Sexual precocity NEC |
| 31389 | Emotional dis child NEC |
| 3139 | Emotional dis child NOS |
| 33181 | Reye's syndrome |
| 69011 | Seborrhea capitis |
| 69012 | Seborrheic infantile dermatitis |
| 78091 | Fussy infant/baby |
| 78341 | Failure to thrive-child |
| 78342 | Delayed milestones |
| 78631 | Acid indigestion infant |
| 7897 | Colic |
| 7980 | Sudden infant death syndrome |
| 79982 | Apparent life-threatening infant |
| 99550 | Child abuse NOS |
| 99551 | Child emotional/psych abuse |
| 99552 | Child neglect-nutrition |
| 99553 | Child sexual abuse |
| 99554 | Child physical abuse |
| 99555 | Shaken infant syndrome |
| 99559 | Child abuse/neglect NEC |
| V200 | Foundling health care |
| V201 | Care of healthy child NEC |
| V202 | Routine child health exam |
| V695 | Behavioral insomnia-childhood |
| V8551 | BMI, pediatric <5% |
| V8552 | BMI, pediatric 5% - <85% |
| V8553 | BMI, pediatric 85% - <95% |
| V8554 | BMI, pediatric ≥ 95% |

Maternity diagnoses (ICD-9 CM codes)

| | | | |
|-------|---------------------------|-------|---------------------------|
| 630 | Hydatidiform mole | 63502 | Leg abor w pelv inf-comp |
| 6310 | Inapp chg hCG early preg | 63510 | Legal abor w hemorr-unsp |
| 6318 | Oth abn prod conception | 63511 | Legal abort w hemorr-inc |
| 632 | Missed abortion | 63512 | Legal abor w hemorr-comp |
| 63300 | Abd preg w/o intrau preg | 63520 | Leg ab w pelv damag-unsp |
| 63301 | Abd preg w intraut preg | 63521 | Leg ab w pelv damag-inc |
| 63310 | Tubal preg w/o intra prg | 63522 | Leg ab w pelv damag-comp |
| 63311 | Tubal preg w intra preg | 63530 | Leg abor w ren fail-unsp |
| 63320 | Ovarn preg w/o intra prg | 63531 | Leg abor w ren fail-inc |
| 63321 | Ovarian preg w intra prg | 63532 | Leg abor w ren fail-comp |
| 63380 | Ect preg NEC w/o int prg | 63540 | Leg ab w metab dis-unsp |
| 63381 | Ectpc prg NEC w int preg | 63541 | Leg ab w metab dis-inc |
| 63390 | Ect preg NOS w/o int prg | 63542 | Leg ab w metab dis-comp |
| 63391 | Ectp preg NOS w int preg | 63550 | Legal abort w shock-unsp |
| 63400 | Spon abor w pel inf-unsp | 63551 | Legal abort w shock-inc |
| 63401 | Spon abor w pelv inf-inc | 63552 | Legal abort w shock-comp |
| 63402 | Spon abor w pel inf-comp | 63560 | Legal abort w embol-unsp |
| 63410 | Spon abort w hemorr-unsp | 63561 | Legal abort w embol-inc |
| 63411 | Spon abort w hemorr-inc | 63562 | Legal abort w embol-comp |
| 63412 | Spon abort w hemorr-comp | 63570 | Leg ab w compl NEC-unsp |
| 63420 | Spon ab w pel damag-unsp | 63571 | Leg ab w compl NEC-inc |
| 63421 | Spon ab w pelv damag-inc | 63572 | Leg ab w compl NEC-comp |
| 63422 | Spon ab w pelv damag-comp | 63580 | Leg ab w compl NOS-unsp |
| 63430 | Spon ab w ren fail-unsp | 63581 | Leg ab w compl NOS-inc |
| 63431 | Spon ab w ren fail-inc | 63582 | Leg ab w compl NOS-comp |
| 63432 | Spon ab w ren fail-comp | 63590 | Legal abort uncompl-unsp |
| 63440 | Spon ab w metab dis-unsp | 63591 | Legal abort uncompl-inc |
| 63441 | Spon ab w metab dis-inc | 63592 | Legal abort uncompl-comp |
| 63442 | Spon ab w metab dis-comp | 63600 | Illeg ab w pelv inf-unsp |
| 63450 | Spon abort w shock-unsp | 63601 | Illeg ab w pelv inf-inc |
| 63451 | Spon abort w shock-inc | 63602 | Illeg ab w pelv inf-comp |
| 63452 | Spon abort w shock-comp | 63610 | Illeg ab w hemorr-unspec |
| 63460 | Spon abort w embol-unsp | 63611 | Illeg ab w hemorr-inc |
| 63461 | Spon abort w embol-inc | 63612 | Illeg ab w hemorr-comp |
| 63462 | Spon abort w embol-comp | 63620 | Illeg ab w pelv damg-unsp |
| 63470 | Spon ab w compl NEC-unsp | 63621 | Illeg ab w pelv damag-inc |
| 63471 | Spon ab w compl NEC-inc | 63622 | Illeg ab w pelv damg-comp |
| 63472 | Spon ab w compl NEC-comp | 63630 | Illeg ab w ren fail-unsp |
| 63480 | Spon ab w compl NOS-unsp | 63631 | Illeg ab w ren fail-inc |
| 63481 | Spon ab w compl NOS-inc | 63632 | Illeg ab w ren fail-comp |
| 63482 | Spon ab w compl NOS-comp | 63640 | Illeg ab w met dis-unsp |
| 63490 | Spon abort uncompl-unsp | 63641 | Illeg ab w metab dis-inc |
| 63491 | Spon abort uncompl-inc | 63642 | Illeg ab w met dis-comp |
| 63492 | Spon abort uncompl-comp | 63650 | Illeg abort w shock-unsp |
| 63500 | Leg abor w pelv inf-unsp | 63651 | Illeg abort w shock-inc |
| 63501 | Leg abor w pelv inf-inc | 63652 | Illeg abort w shock-comp |

| | | | |
|-------|---------------------------|-------|--------------------------|
| 63660 | Illeg ab w embolism-unsp | 6390 | Postabortion gu infect |
| 63661 | Illeg ab w embolism-inc | 6391 | Postabortion hemorrhage |
| 63662 | Illeg ab w embolism-comp | 6392 | Postabort pelvic damage |
| 63670 | Illeg ab w compl NEC-unsp | 6393 | Postabort kidney failure |
| 63671 | Illeg ab w compl NEC-inc | 6394 | Postabort metabolic dis |
| 63672 | Illeg ab w compl NEC-comp | 6395 | Postabortion shock |
| 63680 | Illeg ab w compl NOS-unsp | 6396 | Postabortion embolism |
| 63681 | Illeg ab w compl NOS-inc | 6398 | Postabortion compl NEC |
| 63682 | Illeg ab w compl NOS-comp | 6399 | Postabortion compl NOS |
| 63690 | Illeg abort uncompl-unsp | 64000 | Threatened abort-unspec |
| 63691 | Illeg abort uncompl-inc | 64001 | Threatened abort-deliver |
| 63692 | Illeg abort uncompl-comp | 64003 | Threaten abort-antepart |
| 63700 | Abort NOS w pel inf-unsp | 64080 | Hem early preg NEC-unsp |
| 63701 | Abort NOS w pel inf-inc | 64081 | Hem early preg NEC-deliv |
| 63702 | Abort NOS w pel inf-comp | 64083 | Hem early pg NEC-antepar |
| 63710 | Abort NOS w hemorr-unsp | 64090 | Hemorr early preg-unspec |
| 63711 | Abort NOS w hemorr-inc | 64091 | Hem early preg-delivered |
| 63712 | Abort NOS w hemorr-comp | 64093 | Hem early preg-antepart |
| 63720 | Ab NOS w pelv damag-unsp | 64100 | Placenta previa-unspec |
| 63721 | Ab NOS w pelv damag-inc | 64101 | Placenta previa-deliver |
| 63722 | Ab NOS w pelv damag-comp | 64103 | Placenta previa-antepart |
| 63730 | Ab NOS w renal fail-unsp | 64110 | Placenta prev hem-unspec |
| 63731 | Ab NOS w renal fail-inc | 64111 | Placenta prev hem-deliv |
| 63732 | Ab NOS w renal fail-comp | 64113 | Placen prev hem-antepart |
| 63740 | Ab NOS w metab dis-unsp | 64120 | Prem separ placen-unspec |
| 63741 | Ab NOS w metab dis-inc | 64121 | Prem separ placen-deliv |
| 63742 | Ab NOS w metab dis-comp | 64123 | Prem separ plac-antepart |
| 63750 | Abort NOS w shock-unsp | 64130 | Coag def hemorr-unspec |
| 63751 | Abort NOS w shock-inc | 64131 | Coag def hemorr-deliver |
| 63752 | Abort NOS w shock-comp | 64133 | Coag def hemorr-antepart |
| 63760 | Ab NOS w embolism-unsp | 64180 | Antepart hem NEC-unspec |
| 63761 | Ab NOS w embolism-inc | 64181 | Antepartum hem NEC-deliv |
| 63762 | Ab NOS w embolism-comp | 64183 | Antepart hem NEC-antepar |
| 63770 | Ab NOS w compl NEC-unsp | 64190 | Antepart hem NOS-unspec |
| 63771 | Ab NOS w compl NEC-inc | 64191 | Antepartum hem NOS-deliv |
| 63772 | Ab NOS w compl NEC-comp | 64193 | Antepart hem NOS-antepar |
| 63780 | Ab NOS w compl NOS-unsp | 64200 | Essen hyperten preg-unsp |
| 63781 | Ab NOS w compl NOS-inc | 64201 | Essen hyperten-delivered |
| 63782 | Ab NOS w compl NOS-comp | 64202 | Essen hyperten-del w p/p |
| 63790 | Ab NOS uncomplicat-unsp | 64203 | Essen hyperten-antepart |
| 63791 | Ab NOS uncomplicat-inc | 64204 | Essen hyperten-postpart |
| 63792 | Ab NOS uncomplicat-comp | 64210 | Renal hyperten preg-unsp |
| 6380 | Attem abort w pelvic inf | 64211 | Renal hyperten pg-deliv |
| 6381 | Attem abort w hemorrhage | 64212 | Renal hyperten-del p/p |
| 6382 | Attem abort w pelv damag | 64213 | Renal hyperten-antepart |
| 6383 | Attem abort w renal fail | 64214 | Renal hyperten-postpart |
| 6384 | Attem abor w metabol dis | 64220 | Old hyperten preg-unspec |
| 6385 | Attem abortion w shock | 64221 | Old hyperten NEC-deliver |
| 6386 | Attemp abort w embolism | 64222 | Old hyperten-deliv w p/p |
| 6387 | Attemp abort w compl NEC | 64223 | Old hyperten NEC-antepar |
| 6388 | Attemp abort w compl NOS | 64224 | Old hyperten NEC-postpar |
| 6389 | Attempted abort uncompl | 64230 | Trans hyperten preg-unsp |

| | | | |
|-------|--------------------------|-------|---------------------------|
| 64231 | Trans hyperten-delivered | 64513 | Post term preg-antepar |
| 64232 | Trans hyperten-del w p/p | 64520 | Prolonged preg-unsp |
| 64233 | Trans hyperten-antepar | 64521 | Prolonged preg-del |
| 64234 | Trans hyperten-postpart | 64523 | Prolonged preg-antepar |
| 64240 | Mild/NOS preeclamp-unsp | 64600 | Papyraceous fetus-unspec |
| 64241 | Mild/NOS preeclamp-deliv | 64601 | Papyraceous fetus-deliv |
| 64242 | Mild preeclamp-del w p/p | 64603 | Papyraceous fet-antepar |
| 64243 | Mild/NOS preeclamp-antep | 64610 | Edema in preg-unspec |
| 64244 | Mild/NOS preeclamp-p/p | 64611 | Edema in preg-delivered |
| 64250 | Severe preeclamp-unspec | 64612 | Edema in preg-del w p/p |
| 64251 | Severe preeclamp-deliver | 64613 | Edema in preg-antepartum |
| 64252 | Sev preeclamp-del w p/p | 64614 | Edema in preg-postpartum |
| 64253 | Sev preeclamp-antepartum | 64620 | Renal dis preg NOS-unsp |
| 64254 | Sev preeclamp-postpartum | 64621 | Renal dis NOS-delivered |
| 64260 | Eclampsia-unspecified | 64622 | Renal dis NOS-del w p/p |
| 64261 | Eclampsia-delivered | 64623 | Renal dis NOS-antepartum |
| 64262 | Eclampsia-deliv w p/p | 64624 | Renal dis NOS-postpartum |
| 64263 | Eclampsia-antepartum | 64630 | Recur preg loss-unspec |
| 64264 | Eclampsia-postpartum | 64631 | Recurnt preg loss-deliv |
| 64270 | Tox w old hyperten-unsp | 64633 | Recurnt preg loss-antep |
| 64271 | Tox w old hyperten-deliv | 64640 | Neuritis of preg-unspec |
| 64272 | Tox w old hyp-del w p/p | 64641 | Neuritis-delivered |
| 64273 | Tox w old hyper-antepar | 64642 | Neuritis-delivered w p/p |
| 64274 | Tox w old hyper-postpart | 64643 | Neuritis of preg-antepar |
| 64290 | Hyperten preg NOS-unspec | 64644 | Neuritis of preg-postpar |
| 64291 | Hypertens NOS-delivered | 64650 | Bacteriuria preg-unspec |
| 64292 | Hypertens NOS-del w p/p | 64651 | Asym bacteriuria-deliver |
| 64293 | Hypertens NOS-antepartum | 64652 | Asy bacteriuria-del w p/p |
| 64294 | Hypertens NOS-postpartum | 64653 | Asy bacteriuria-antepar |
| 64300 | Mild hyperem grav-unspec | 64654 | Asy bacteriuria-postpart |
| 64301 | Mild hyperem grav-deliv | 64660 | Gu infect in preg-unspec |
| 64303 | Mild hyperemesis-antepar | 64661 | Gu infection-delivered |
| 64310 | Hyperem w metab dis-unsp | 64662 | Gu infection-deliv w p/p |
| 64311 | Hyperem w metab dis-del | 64663 | Gu infection-antepartum |
| 64313 | Hyperem w metab-antepar | 64664 | Gu infection-postpartum |
| 64320 | Late vomit of preg-unsp | 64670 | Liver/bil trct disr-unsp |
| 64321 | Late vomit of preg-deliv | 64671 | Liver/bil trct disr-del |
| 64323 | Late vomit preg-antepar | 64673 | Liver/bil trct disr-ante |
| 64380 | Vomit compl preg-unspec | 64680 | Preg compl NEC-unspec |
| 64381 | Vomit compl preg-deliver | 64681 | Preg compl NEC-delivered |
| 64383 | Vomit compl preg-antepar | 64682 | Preg compl NEC-del w p/p |
| 64390 | Vomit of preg NOS-unspec | 64683 | Preg compl NEC-antepar |
| 64391 | Vomit of preg NOS-deliv | 64684 | Preg compl NEC-postpart |
| 64393 | Vomit of pg NOS-antepar | 64690 | Preg compl NOS-unspec |
| 64400 | Threat prem labor-unspec | 64691 | Preg compl NOS-delivered |
| 64403 | Thrt prem labor-antepar | 64693 | Preg compl NOS-antepar |
| 64410 | Threat labor NEC-unspec | 64700 | Syphilis in preg-unspec |
| 64413 | Threat labor NEC-antepar | 64701 | Syphilis-delivered |
| 64420 | Early onset deliv-unspec | 64702 | Syphilis-delivered w p/p |
| 64421 | Early onset delivery-del | 64703 | Syphilis-antepartum |
| 64510 | Post term preg-unsp | 64704 | Syphilis-postpartum |
| 64511 | Post term preg-del | 64710 | Gonorrhea in preg-unspec |

| | | | |
|-------|---------------------------|-------|---------------------------|
| 64711 | Gonorrhea-delivered | 64823 | Anemia-anteipartum |
| 64712 | Gonorrhea-deliver w p/p | 64824 | Anemia-postpartum |
| 64713 | Gonorrhea-anteipartum | 64830 | Drug depend preg-unspec |
| 64714 | Gonorrhea-postpartum | 64831 | Drug dependence-deliver |
| 64720 | Other VD in preg-unspec | 64832 | Drug dependen-del w p/p |
| 64721 | Other vd-delivered | 64833 | Drug dependence-anteipart |
| 64722 | Other vd-delivered w p/p | 64834 | Drug dependence-postpart |
| 64723 | Other vd-anteipartum | 64840 | Mental dis preg-unspec |
| 64724 | Other vd-postpartum | 64841 | Mental disorder-deliver |
| 64730 | TB in preg-unspecified | 64842 | Mental dis-deliv w p/p |
| 64731 | Tuberculosis-delivered | 64843 | Mental disorder-anteipart |
| 64732 | Tuberculosis-deliv w p/p | 64844 | Mental disorder-postpart |
| 64733 | Tuberculosis-anteipartum | 64850 | Congen CV dis preg-unsp |
| 64734 | Tuberculosis-postpartum | 64851 | Congen CV dis-delivered |
| 64740 | Malaria in preg-unspec | 64852 | Congen CV dis-del w p/p |
| 64741 | Malaria-delivered | 64853 | Congen CV dis-anteipartum |
| 64742 | Malaria-delivered w p/p | 64854 | Congen CV dis-postpartum |
| 64743 | Malaria-anteipartum | 64860 | CV dis NEC preg-unspec |
| 64744 | Malaria-postpartum | 64861 | CV dis NEC preg-deliver |
| 64750 | Rubella in preg-unspec | 64862 | CV dis NEC-deliver w p/p |
| 64751 | Rubella-delivered | 64863 | CV dis NEC-anteipartum |
| 64752 | Rubella-delivered w p/p | 64864 | CV dis NEC-postpartum |
| 64753 | Rubella-anteipartum | 64870 | Bone disord in preg-unsp |
| 64754 | Rubella-postpartum | 64871 | Bone disorder-delivered |
| 64760 | Oth virus in preg-unspec | 64872 | Bone disorder-del w p/p |
| 64761 | Oth viral dis-delivered | 64873 | Bone disorder-anteipartum |
| 64762 | Oth viral dis-del w p/p | 64874 | Bone disorder-postpartum |
| 64763 | Oth viral dis-anteipartum | 64880 | Abn glucose in preg-unsp |
| 64764 | Oth viral dis-postpartum | 64881 | Abn glucose toler-deliv |
| 64780 | Inf dis in preg NEC-unsp | 64882 | Abn glucose-deliv w p/p |
| 64781 | Infect dis NEC-delivered | 64883 | Abn glucose-anteipartum |
| 64782 | Infect dis NEC-del w p/p | 64884 | Abn glucose-postpartum |
| 64783 | Infect dis NEC-anteipart | 64890 | Oth curr cond preg-unsp |
| 64784 | Infect dis NEC-postpart | 64891 | Oth curr cond-delivered |
| 64790 | Infect in preg NOS-unsp | 64892 | Oth curr cond-del w p/p |
| 64791 | Infect NOS-delivered | 64893 | Oth curr cond-anteipartum |
| 64792 | Infect NOS-deliver w p/p | 64894 | Oth curr cond-postpartum |
| 64793 | Infect NOS-anteipartum | 64900 | Tobacco use disord-unsp |
| 64794 | Infect NOS-postpartum | 64901 | Tobacco use disor-delliv |
| 64800 | Diabetes in preg-unspec | 64902 | Tobacco use dis-del-p/p |
| 64801 | Diabetes-delivered | 64903 | Tobacco use dis-anteipart |
| 64802 | Diabetes-delivered w p/p | 64904 | Tobacco use dis-postpart |
| 64803 | Diabetes-anteipartum | 64910 | Obesity-unspecified |
| 64804 | Diabetes-postpartum | 64911 | Obesity-delivered |
| 64810 | Thyroid dysfun preg-unsp | 64912 | Obesity-delivered w p/p |
| 64811 | Thyroid dysfunc-deliver | 64913 | Obesity-anteipartum |
| 64812 | Thyroid dysfun-del w p/p | 64914 | Obesity-postpartum |
| 64813 | Thyroid dysfunc-anteipart | 64920 | Bariatric surg stat-unsp |
| 64814 | Thyroid dysfunc-postpart | 64921 | Bariatric surg stat-del |
| 64820 | Anemia in preg-unspec | 64922 | Bariatric surg-del w p/p |
| 64821 | Anemia-delivered | 64923 | Bariatrc surg stat-anteip |
| 64822 | Anemia-delivered w p/p | 64924 | Bariatrc surg stat w p/p |

| | | | |
|-------|---------------------------|-------|--------------------------|
| 64930 | Coagulation def-unspec | 65191 | Mult gestation NOS-deliv |
| 64931 | Coagulation def-deliv | 65193 | Multi gest NOS-antepart |
| 64932 | Coagulatn def-del w p/p | 65200 | Unstable lie-unspecified |
| 64933 | Coagulation def-antepart | 65201 | Unstable lie-delivered |
| 64934 | Coagulation def-postpart | 65203 | Unstable lie-antepartum |
| 64940 | Epilepsy-unspecified | 65210 | Cephalic vers NOS-unspec |
| 64941 | Epilepsy-delivered | 65211 | Cephalic vers NOS-deliv |
| 64942 | Epilepsy-delivered w p/p | 65213 | Cephal vers NOS-antepart |
| 64943 | Epilepsy-antepartum | 65220 | Breech presentat-unspec |
| 64944 | Epilepsy-postpartum | 65221 | Breech presentat-deliver |
| 64950 | Spotting-unspecified | 65223 | Breech present-antepart |
| 64951 | Spotting-delivered | 65230 | Transv/obliq lie-unspec |
| 64953 | Spotting-antepartum | 65231 | Transver/obliq lie-deliv |
| 64960 | Uterine size descrep-unsp | 65233 | Transv/obliq lie-antepar |
| 64961 | Uterine size descrep-del | 65240 | Face/brow present-unspec |
| 64962 | Uterine size-del w p/p | 65241 | Face/brow present-deliv |
| 64963 | Uterine size des-antepar | 65243 | Face/brow pres-antepart |
| 64964 | Uterine size descrep-p/p | 65250 | High head at term-unspec |
| 64970 | Cervical shortening-unsp | 65251 | High head at term-deliv |
| 64971 | Cervical shortening-del | 65253 | High head term-antepart |
| 64973 | Cervical shortening-ante | 65260 | Mult gest malpresen-unsp |
| 64981 | Spon labr w plan C/S-del | 65261 | Mult gest malpres-deliv |
| 64982 | Lbr w plan C/S-del w p/p | 65263 | Mult ges malpres-antepar |
| 650 | Normal delivery | 65270 | Prolapsed arm-unspec |
| 65100 | Twin pregnancy-unspec | 65271 | Prolapsed arm-delivered |
| 65101 | Twin pregnancy-delivered | 65273 | Prolapsed arm-antepart |
| 65103 | Twin pregnancy-antepart | 65280 | Malposition NEC-unspec |
| 65110 | Triplet pregnancy-unspec | 65281 | Malposition NEC-deliver |
| 65111 | Triplet pregnancy-deliv | 65283 | Malposition NEC-antepart |
| 65113 | Triplet preg-antepartum | 65290 | Malposition NOS-unspec |
| 65120 | Quadruplet preg-unspec | 65291 | Malposition NOS-deliver |
| 65121 | Quadruplet preg-deliver | 65293 | Malposition NOS-antepart |
| 65123 | Quadruplet preg-antepart | 65300 | Pelvic deform NOS-unspec |
| 65130 | Twins w fetal loss-unsp | 65301 | Pelvic deform NOS-deliv |
| 65131 | Twins w fetal loss-del | 65303 | Pelv deform NOS-antepart |
| 65133 | Twins w fetal loss-ante | 65310 | Contract pelv NOS-unspec |
| 65140 | Triplets w fet loss-unsp | 65311 | Contract pelv NOS-deliv |
| 65141 | Triplets w fet loss-del | 65313 | Contrac pelv NOS-antepar |
| 65143 | Triplets w fet loss-ante | 65320 | Inlet contraction-unspec |
| 65150 | Quads w fetal loss-unsp | 65321 | Inlet contraction-deliv |
| 65151 | Quads w fetal loss-del | 65323 | Inlet contract-antepart |
| 65153 | Quads w fetal loss-ante | 65330 | Outlet contraction-unsp |
| 65160 | Mult ges w fet loss-unsp | 65331 | Outlet contraction-deliv |
| 65161 | Mult ges w fet loss-del | 65333 | Outlet contract-antepart |
| 65163 | Mult ges w fet loss-ante | 65340 | Fetopelv disprop-unspec |
| 65170 | Mul gest-fet reduct unsp | 65341 | Fetopelv dispropor-deliv |
| 65171 | Mult gest-fet reduct del | 65343 | Fetopel disprop-antepart |
| 65173 | Mul gest-fet reduct ante | 65350 | Fetal disprop NOS-unspec |
| 65180 | Multi gestat NEC-unspec | 65351 | Fetal disprop NOS-deliv |
| 65181 | Multi gestat NEC-deliver | 65353 | Fetal dispro NOS-antepar |
| 65183 | Multi gest NEC-antepart | 65360 | Hydrocephal fetus-unspec |
| 65190 | Multi gestat NOS-unspec | 65361 | Hydroceph fetus-deliver |

| | | | |
|-------|----------------------------|-------|---------------------------|
| 65363 | Hydroceph fetus-ante part | 65484 | Abnormal vulva-postpart |
| 65370 | Oth abn fet disprop-unsp | 65490 | Abn pel NEC in preg-unsp |
| 65371 | Oth abn fet disprop-deliv | 65491 | Abn pelv org NEC-deliver |
| 65373 | Oth abn fet disprop-ante p | 65492 | Abn pelv NEC-deliv w p/p |
| 65380 | Disproportion NEC-unspec | 65493 | Abn pelv org NEC-ante par |
| 65381 | Disproportion NEC-deliv | 65494 | Abn pelv org NEC-postpar |
| 65383 | Dispropor NEC-ante partum | 65500 | Fetal cns malform-unspec |
| 65390 | Disproportion NOS-unspec | 65501 | Fetal cns malform-deliv |
| 65391 | Disproportion NOS-deliv | 65503 | Fetal cns malfor-ante par |
| 65393 | Dispropor NOS-ante partum | 65510 | Fetal chromos abn-unspec |
| 65400 | Cong abn uter preg-unsp | 65511 | Fetal chromoso abn-deliv |
| 65401 | Congen abn uterus-deliv | 65513 | Fet chromo abn-ante part |
| 65402 | Cong abn uter-del w p/p | 65520 | Famil heredit dis-unspec |
| 65403 | Congen abn uter-ante part | 65521 | Famil heredit dis-deliv |
| 65404 | Congen abn uter-postpart | 65523 | Famil hered dis-ante part |
| 65410 | Uter tumor in preg-unsp | 65530 | Fet damg d/t virus-unsp |
| 65411 | Uterine tumor-delivered | 65531 | Fet damg d/t virus-deliv |
| 65412 | Uterine tumor-del w p/p | 65533 | Fet damg d/t virus-ante p |
| 65413 | Uterine tumor-ante partum | 65540 | Fet damg d/t dis-unspec |
| 65414 | Uterine tumor-postpartum | 65541 | Fet damg d/t dis-deliver |
| 65420 | Prev c-delivery unspec | 65543 | Fet damg d/t dis-ante par |
| 65421 | Prev c-delivery-delivrd | 65550 | Fetal damg d/t drug-unsp |
| 65423 | Prev c-delivery-ante part | 65551 | Fet damag d/t drug-deliv |
| 65430 | Retrovert uterus-unspec | 65553 | Fet damg d/t drug-ante pa |
| 65431 | Retrovert uterus-deliver | 65560 | Radiat fetal damag-unsp |
| 65432 | Retrovert uter-del w p/p | 65561 | Radiat fetal damag-deliv |
| 65433 | Retrovert uter-ante part | 65563 | Radiat fet damag-ante par |
| 65434 | Retrovert uter-postpart | 65570 | Decrease fetl movmt unsp |
| 65440 | Abn grav uterus NEC-unsp | 65571 | Decrease fetal movmt del |
| 65441 | Abn uterus NEC-delivered | 65573 | Dec fetal movmt ante part |
| 65442 | Abn uterus NEC-del w p/p | 65580 | Fetal abnorm NEC-unspec |
| 65443 | Abn uterus NEC-ante part | 65581 | Fetal abnorm NEC-deliver |
| 65444 | Abn uterus NEC-postpart | 65583 | Fetal abnorm NEC-ante par |
| 65450 | Cerv incompet preg-unsp | 65590 | Fetal abnorm NOS-unspec |
| 65451 | Cervical incompet-deliv | 65591 | Fetal abnorm NOS-deliver |
| 65452 | Cerv incompet-del w p/p | 65593 | Fetal abnorm NOS-ante par |
| 65453 | Cerv incompet-ante partum | 65600 | Fetal-maternal hem-unsp |
| 65454 | Cerv incompet-postpartum | 65601 | Fetal-maternal hem-deliv |
| 65460 | Abn cervix NEC preg-unsp | 65603 | Fetal-matern hem-ante par |
| 65461 | Abn cervix NEC-delivered | 65610 | Rh isoimmunization-unsp |
| 65462 | Abn cervix NEC-del w p/p | 65611 | Rh isoimmunizat-deliver |
| 65463 | Abn cervix NEC-ante part | 65613 | Rh isoimmunizat-ante part |
| 65464 | Abn cervix NEC-postpart | 65620 | Abo isoimmunization-unsp |
| 65470 | Abn vagina in preg-unsp | 65621 | Abo isoimmunizat-deliver |
| 65471 | Abnorm vagina-delivered | 65623 | Abo isoimmunizat-ante par |
| 65472 | Abnorm vagina-del w p/p | 65630 | Fetal distress-unspec |
| 65473 | Abnorm vagina-ante partum | 65631 | Fetal distress-delivered |
| 65474 | Abnorm vagina-postpartum | 65633 | Fetal distress-ante part |
| 65480 | Abn vulva in preg-unspec | 65640 | Intrauterine death-unsp |
| 65481 | Abnormal vulva-delivered | 65641 | Intrauter death-deliver |
| 65482 | Abnormal vulva-del w p/p | 65643 | Intrauter death-ante part |
| 65483 | Abnormal vulva-ante part | 65650 | Poor fetal growth-unspec |

| | | | |
|-------|--------------------------|-------|---------------------------|
| 65651 | Poor fetal growth-deliv | 65943 | Grand multiparity-antepa |
| 65653 | Poor fetal grth-antepart | 65950 | Elderly primigravid-unsp |
| 65660 | Excess fetal grth-unspec | 65951 | Elderly primigravida-del |
| 65661 | Excess fetal grth-deliv | 65953 | Elder primigravid-antepa |
| 65663 | Excess fet grth-antepart | 65960 | Elderly multigravida-uns |
| 65670 | Oth placent cond-unspec | 65961 | Elderly multigravida-del |
| 65671 | Oth placent cond-deliver | 65963 | Elderly multigravd-antep |
| 65673 | Oth placent cond-antepar | 65970 | Abn ftl hrt rate/rhy-uns |
| 65680 | Fet/plac prob NEC-unspec | 65971 | Abn ftl hrt rate/rhy-del |
| 65681 | Fet/plac prob NEC-deliv | 65973 | Abn ftl hrt rate/rhy-ant |
| 65683 | Fet/plac prob NEC-antepa | 65980 | Complic labor NEC-unsp |
| 65690 | Fet/plac prob NOS-unspec | 65981 | Complic labor NEC-deliv |
| 65691 | Fet/plac prob NOS-deliv | 65983 | Compl labor NEC-antepart |
| 65693 | Fet/plac prob NOS-antepa | 65990 | Complic labor NOS-unsp |
| 65700 | Polyhydramnios-unspec | 65991 | Complic labor NOS-deliv |
| 65701 | Polyhydramnios-delivered | 65993 | Compl labor NOS-antepart |
| 65703 | Polyhydramnios-antepart | 66000 | Obstruct/fet malpos-unsp |
| 65800 | Oligohydramnios-unspec | 66001 | Obstruc/fet malpos-deliv |
| 65801 | Oligohydramnios-deliver | 66003 | Obstruc/fet malpos-antep |
| 65803 | Oligohydramnios-antepar | 66010 | Bony pelv obstruc-unspec |
| 65810 | Prem rupt membran-unspec | 66011 | Bony pelv obstruct-deliv |
| 65811 | Prem rupt membran-deliv | 66013 | Bony pelv obstruc-antepa |
| 65813 | Prem rupt memb-antepart | 66020 | Abn pelv tiss obstr-unsp |
| 65820 | Prolong rupt memb-unspec | 66021 | Abn pelv tis obstr-deliv |
| 65821 | Prolong rupt memb-deliv | 66023 | Abn pelv tis obstr-antep |
| 65823 | Prolong rup memb-antepar | 66030 | Persist occipitpost-unsp |
| 65830 | Artific rupt membr-unsp | 66031 | Persist occipitpost-deliv |
| 65831 | Artific rupt membr-deliv | 66033 | Persist occipitpost-antep |
| 65833 | Artif rupt memb-antepart | 66040 | Shoulder dystocia-unspec |
| 65840 | Amniotic infection-unsp | 66041 | Shoulder dystocia-deliv |
| 65841 | Amniotic infection-deliv | 66043 | Shoulder dystocia-antepa |
| 65843 | Amniotic infect-antepart | 66050 | Locked twins-unspecified |
| 65880 | Amniotic prob NEC-unspec | 66051 | Locked twins-delivered |
| 65881 | Amniotic prob NEC-deliv | 66053 | Locked twins-antepartum |
| 65883 | Amnion prob NEC-antepart | 66060 | Fail trial lab NOS-unsp |
| 65890 | Amniotic prob NOS-unspec | 66061 | Fail trial lab NOS-deliv |
| 65891 | Amniotic prob NOS-deliv | 66063 | Fail trial lab NOS-antep |
| 65893 | Amnion prob NOS-antepart | 66070 | Failed forcep NOS-unspec |
| 65900 | Fail mechan induct-unsp | 66071 | Failed forceps NOS-deliv |
| 65901 | Fail mech induct-deliver | 66073 | Fail forceps NOS-antepar |
| 65903 | Fail mech induct-antepar | 66080 | Obstruc labor NEC-unspec |
| 65910 | Fail induction NOS-unsp | 66081 | Obstruct labor NEC-deliv |
| 65911 | Fail induction NOS-deliv | 66083 | Obstruc labor NEC-antepa |
| 65913 | Fail induct NOS-antepart | 66090 | Obstruc labor NOS-unspec |
| 65920 | Pyrexia in labor-unspec | 66091 | Obstruct labor NOS-deliv |
| 65921 | Pyrexia in labor-deliver | 66093 | Obstruc labor NOS-antepa |
| 65923 | Pyrexia in labor-antepar | 66100 | Prim uterine inert-unsp |
| 65930 | Septicemia in labor-unsp | 66101 | Prim uterine inert-deliv |
| 65931 | Septicem in labor-deliv | 66103 | Prim uter inert-antepart |
| 65933 | Septicem in labor-antepa | 66110 | Sec uterine inert-unspec |
| 65940 | Grand multiparity-unspec | 66111 | Sec uterine inert-deliv |
| 65941 | Grand multiparity-deliv | 66113 | Sec uterine inert-antepa |

| | | | |
|-------|---------------------------|-------|---------------------------|
| 66120 | Uterine inertia NEC-unsp | 66401 | Del w 1 deg lacerat-del |
| 66121 | Uterine inert NEC-deliv | 66404 | Del w 1 deg lac-postpart |
| 66123 | Uterine inert NEC-antepla | 66410 | Del w 2 deg lacerat-unsp |
| 66130 | Precipitate labor-unspec | 66411 | Del w 2 deg lacerat-del |
| 66131 | Precipitate labor-deliv | 66414 | Del w 2 deg lac-postpart |
| 66133 | Precipitate labor-antepla | 66420 | Del w 3 deg lacerat-unsp |
| 66140 | Uter dystocia NOS-unspec | 66421 | Del w 3 deg lacerat-del |
| 66141 | Uter dystocia NOS-deliv | 66424 | Del w 3 deg lac-postpart |
| 66143 | Uter dystocia NOS-antepla | 66430 | Del w 4 deg lacerat-unsp |
| 66190 | Abnormal labor NOS-unsp | 66431 | Del w 4 deg lacerat-del |
| 66191 | Abnormal labor NOS-deliv | 66434 | Del w 4 deg lac-postpart |
| 66193 | Abnorm labor NOS-antepla | 66440 | Ob perineal lac NOS-unsp |
| 66200 | Prolonged 1st stage-unsp | 66441 | Ob perineal lac NOS-del |
| 66201 | Prolong 1st stage-deliv | 66444 | Perineal lac NOS-postpar |
| 66203 | Prolong 1st stage-antepla | 66450 | Ob perineal hematoma-unsp |
| 66210 | Prolonged labor NOS-unsp | 66451 | Ob perineal hematoma-del |
| 66211 | Prolong labor NOS-deliv | 66454 | Perin hematoma-postpart |
| 66213 | Prolong labor NOS-antepla | 66460 | Anal sphincter tear NOS |
| 66220 | Prolonged 2nd stage-unsp | 66461 | Anal sphincter tear-del |
| 66221 | Prolong 2nd stage-deliv | 66464 | Anal sphincter tear w p/p |
| 66223 | Prolong 2nd stage-antepla | 66480 | Ob perin traum NEC-unsp |
| 66230 | Delay del 2nd twin-unsp | 66481 | Ob perineal trau NEC-del |
| 66231 | Delay del 2nd twin-deliv | 66484 | Perin traum NEC-postpart |
| 66233 | Delay del 2 twin-antepla | 66490 | Ob perin traum NOS-unsp |
| 66300 | Cord prolapse-unspec | 66491 | Ob perineal trau NOS-del |
| 66301 | Cord prolapse-delivered | 66494 | Perin traum NOS-postpart |
| 66303 | Cord prolapse-anteplartum | 66500 | Prelabor rupt uter-unsp |
| 66310 | Cord around neck-unspec | 66501 | Prelabor rupt uterus-del |
| 66311 | Cord around neck-deliver | 66503 | Prelab rupt uter-antepla |
| 66313 | Cord around neck-antepla | 66510 | Rupture uterus NOS-unsp |
| 66320 | Cord compress NEC-unspec | 66511 | Rupture uterus NOS-deliv |
| 66321 | Cord compress NEC-deliv | 66520 | Inversion of uterus-unsp |
| 66323 | Cord compress NEC-antepla | 66522 | Invers uterus-del w p/p |
| 66330 | Cord entangle NEC-unspec | 66524 | Invers uterus-postpart |
| 66331 | Cord entangle NEC-deliv | 66530 | Lacerat of cervix-unspec |
| 66333 | Cord entangle NEC-antepla | 66531 | Lacerat of cervix-deliv |
| 66340 | Short cord-unspecified | 66534 | Lacer of cervix-postpart |
| 66341 | Short cord-delivered | 66540 | High vaginal lacer-unsp |
| 66343 | Short cord-anteplartum | 66541 | High vaginal lacer-deliv |
| 66350 | Vasa previa-unspecified | 66544 | High vaginal lac-postpart |
| 66351 | Vasa previa-delivered | 66550 | Ob inj pelv org NEC-unsp |
| 66353 | Vasa previa-anteplartum | 66551 | Ob inj pelv org NEC-del |
| 66360 | Vasc lesion cord-unspec | 66554 | Inj pelv org NEC-postpar |
| 66361 | Vasc lesion cord-deliver | 66560 | Damage to pelvic jt-unsp |
| 66363 | Vasc lesion cord-antepla | 66561 | Damage to pelvic jt-del |
| 66380 | Cord complicat NEC-unsp | 66564 | Damage pelvic jt-postpar |
| 66381 | Cord complicat NEC-deliv | 66570 | Ob pelvic hematoma-unsp |
| 66383 | Cord compl NEC-anteplart | 66571 | Ob pelvic hematoma-deliv |
| 66390 | Cord complicat NOS-unsp | 66572 | Pelvic hematoma-del w pp |
| 66391 | Cord complicat NOS-deliv | 66574 | Pelvic hematoma-postpart |
| 66393 | Cord compl NOS-anteplart | 66580 | Ob trauma NEC-unspec |
| 66400 | Del w 1 deg lacerat-unsp | 66581 | Ob trauma NEC-delivered |

| | | | |
|-------|---------------------------|-------|----------------------------|
| 66582 | Ob trauma NEC-del w p/p | 66901 | Maternal distress-deliv |
| 66583 | Ob trauma NEC-anteptum | 66902 | Matern distress-del w p/p |
| 66584 | Ob trauma NEC-postpartum | 66903 | Matern distress-anteptar |
| 66590 | Ob trauma NOS-unspec | 66904 | Matern distress-postpart |
| 66591 | Ob trauma NOS-delivered | 66910 | Obstetric shock-unspec |
| 66592 | Ob trauma NOS-del w p/p | 66911 | Obstetric shock-deliver |
| 66593 | Ob trauma NOS-anteptum | 66912 | Obstet shock-deliv w p/p |
| 66594 | Ob trauma NOS-postpartum | 66913 | Obstetric shock-anteptar |
| 66600 | Third-stage hem-unspec | 66914 | Obstetric shock-postpart |
| 66602 | Thrd-stage hem-del w p/p | 66920 | Matern hypotens syn-unsp |
| 66604 | Third-stage hem-postpart | 66921 | Matern hypoten syn-deliv |
| 66610 | Postpartum hem NEC-unsp | 66922 | Matern hypoten-del w p/p |
| 66612 | Postpa hem NEC-del w p/p | 66923 | Matern hypotens-anteptar |
| 66614 | Postpart hem NEC-postpar | 66924 | Matern hypotens-postpart |
| 66620 | Delay p/part hem-unspec | 66930 | Ac kidney fail w del-unsp |
| 66622 | Delay p/p hem-del w p/p | 66932 | Ac kidney fail-del w p/p |
| 66624 | Delay p/part hem-postpar | 66934 | Ac kidney fail-postpart |
| 66630 | Postpart coagul def-unsp | 66940 | Oth ob surg compl-unspec |
| 66632 | P/p coag def-del w p/p | 66941 | Oth ob compl-delivered |
| 66634 | Postpart coag def-postpa | 66942 | Oth ob compl-deliv w p/p |
| 66700 | Retain placenta NOS-unsp | 66943 | Complc ob surg anteptm |
| 66702 | Retnd plac NOS-del w p/p | 66944 | Oth ob surg compl-postpa |
| 66704 | Retain plac NOS-postpart | 66950 | Forcep deliv NOS-unspec |
| 66710 | Retain prod concept-unsp | 66951 | Forcep deliv NOS-deliver |
| 66712 | Ret prod conc-del w p/p | 66960 | Breech extr NOS-unspec |
| 66714 | Ret prod concept-postpar | 66961 | Breech extr NOS-deliver |
| 66800 | Pulm compl in del-unspec | 66970 | Cesarean deliv NOS-unsp |
| 66801 | Pulm compl in del-deliv | 66971 | Cesarean delivery NOS |
| 66802 | Pulm complic-del w p/p | 66980 | Compl lab/deliv NEC-unsp |
| 66803 | Pulm complicat-anteptar | 66981 | Comp lab/deliv NEC-deliv |
| 66804 | Pulm complicat-postpart | 66982 | Compl del NEC-del w p/p |
| 66810 | Heart compl in del-unsp | 66983 | Compl deliv NEC-anteptar |
| 66811 | Heart compl in del-deliv | 66984 | Compl deliv NEC-postpart |
| 66812 | Heart compl-del w p/p | 66990 | Compl lab/deliv NOS-unsp |
| 66813 | Heart complic-anteptar | 66991 | Comp lab/deliv NOS-deliv |
| 66814 | Heart complic-postpart | 66992 | Compl del NOS-del w p/p |
| 66820 | Cns compl labor/del-unsp | 66993 | Compl deliv NOS-anteptar |
| 66821 | Cns compl lab/del-deliv | 66994 | Compl deliv NOS-postpart |
| 66822 | Cns complic-del w p/p | 67000 | Maj puerp inf NOS-unsp |
| 66823 | Cns compl in del-anteptar | 67002 | Maj puer inf NOS-del p/p |
| 66824 | Cns compl in del-postpar | 67004 | Major puerp inf NOS-p/p |
| 66880 | Anesth comp del NEC-unsp | 67010 | Puerp endometritis-unsp |
| 66881 | Anesth compl NEC-deliver | 67012 | Puerp endomet del w p/p |
| 66882 | Anesth compl NEC-del p/p | 67014 | Puerp endomet-postpart |
| 66883 | Anesth compl anteptum | 67020 | Puerperal sepsis-unsp |
| 66884 | Anesth compl-postpartum | 67022 | Puerprl sepsis-del w p/p |
| 66890 | Anesth comp del NOS-unsp | 67024 | Puerperl sepsis-postpart |
| 66891 | Anesth compl NOS-deliver | 67030 | Puerp septc thromb-unsp |
| 66892 | Anesth compl NOS-del p/p | 67032 | Prp septc thrm-b-del w p/p |
| 66893 | Anesth compl-anteptum | 67034 | Prp septc thrm-b-postpart |
| 66894 | Anesth compl-postpartum | 67080 | Maj prp infec NEC-unspec |
| 66900 | Maternal distress-unspec | 67082 | Maj prp inf NEC-dl w p/p |

| | | | |
|-------|--------------------------|-------|---------------------------|
| 67084 | Maj puerp infec NEC-p/p | 67322 | Pulm embol NOS-del w p/p |
| 67100 | Varic vein leg preg-unsp | 67323 | Pulm embol NOS-antepart |
| 67101 | Varicose vein leg-deliv | 67324 | Pulm embol NOS-postpart |
| 67102 | Varic vein leg-del w p/p | 67330 | Ob pyemic embol-unspec |
| 67103 | Varic vein leg-antepart | 67331 | Ob pyemic embol-deliver |
| 67104 | Varic vein leg-postpart | 67332 | Ob pyem embol-del w p/p |
| 67110 | Varic vulva preg-unspec | 67333 | Ob pyemic embol-antepart |
| 67111 | Varicose vulva-delivered | 67334 | Ob pyemic embol-postpart |
| 67112 | Varicose vulva-del w p/p | 67380 | Ob pulmon embol NEC-unsp |
| 67113 | Varicose vulva-antepart | 67381 | Pulmon embol NEC-deliver |
| 67114 | Varicose vulva-postpart | 67382 | Pulm embol NEC-del w p/p |
| 67120 | Thrombophleb preg-unspec | 67383 | Pulmon embol NEC-antepar |
| 67121 | Thrombophlebitis-deliver | 67384 | Pulmon embol NEC-postpar |
| 67122 | Thrombophleb-deliv w p/p | 67400 | Puerp cerebvasc dis-unsp |
| 67123 | Thrombophlebit-antepart | 67401 | Puerp cerebvasc dis-deliv |
| 67124 | Thrombophlebit-postpart | 67402 | Cerebvasc dis-deliv w p/p |
| 67130 | Deep thromb antepar-unsp | 67403 | Cerebrovasc dis-antepart |
| 67131 | Deep throm antepar-deliv | 67404 | Cerebrovasc dis-postpart |
| 67133 | Deep vein thromb-antepar | 67410 | Disrupt c-sect wnd-unsp |
| 67140 | Deep thromb postpar-unsp | 67412 | Disrupt c-sect-del w p/p |
| 67142 | Thromb postpar-del w p/p | 67414 | Disrupt c-sect-postpart |
| 67144 | Deep vein thromb-postpar | 67420 | Disrupt perineum-unspec |
| 67150 | Thrombosis NEC preg-unsp | 67422 | Disrupt perin-del w p/p |
| 67151 | Thrombosis NEC-delivered | 67424 | Disrupt perineum-postpar |
| 67152 | Thromb NEC-deliv w p/p | 67430 | Ob surg compl NEC-unspec |
| 67153 | Thrombosis NEC-antepart | 67432 | Ob surg compl-del w p/p |
| 67154 | Thrombosis NEC-postpart | 67434 | Ob surg comp NEC-postpar |
| 67180 | Ven compl preg NEC-unsp | 67440 | Placental polyp-unspec |
| 67181 | Venous compl NEC-deliver | 67442 | Placent polyp-del w p/p |
| 67182 | Ven comp NEC-deliv w p/p | 67444 | Placental polyp-postpart |
| 67183 | Venous compl NEC-antepar | 67450 | Peripart cardiomy-unspec |
| 67184 | Venous compl NEC-postpar | 67451 | Peripartum cardiomy-del |
| 67190 | Ven compl preg NOS-unsp | 67452 | Peripart card del w p/p |
| 67191 | Venous compl NOS-deliver | 67453 | Peripartum card-antepart |
| 67192 | Ven comp NOS-deliv w p/p | 67454 | Peripartum card-postpart |
| 67193 | Venous compl NOS-antepar | 67480 | Puerp compl NEC-unspec |
| 67194 | Venous compl NOS-postpar | 67482 | Puerp comp NEC-del w p/p |
| 67200 | Puerperal pyrexia-unspec | 67484 | Puerp compl NEC-postpart |
| 67202 | Puerp pyrexia-del w p/p | 67490 | Puerp compl NOS-unspec |
| 67204 | Puerp pyrexia-postpartum | 67492 | Puerp comp NOS-del w p/p |
| 67300 | Ob air embolism-unspec | 67494 | Puerp compl NOS-postpart |
| 67301 | Ob air embolism-deliver | 67500 | Infect nipple preg-unsp |
| 67302 | Ob air embol-deliv w p/p | 67501 | Infect nipple-delivered |
| 67303 | Ob air embolism-antepart | 67502 | Infect nipple-del w p/p |
| 67304 | Ob air embolism-postpart | 67503 | Infect nipple-antepartum |
| 67310 | Amniotic embolism-unspec | 67504 | Infect nipple-postpartum |
| 67311 | Amniotic embolism-deliv | 67510 | Breast abscess preg-unsp |
| 67312 | Amniot embol-deliv w p/p | 67511 | Breast abscess-delivered |
| 67313 | Amniotic embol-antepart | 67512 | Breast abscess-del w p/p |
| 67314 | Amniotic embol-postpart | 67513 | Breast abscess-antepart |
| 67320 | Ob pulm embol NOS-unspec | 67514 | Breast abscess-postpart |
| 67321 | Pulm embol NOS-delivered | 67520 | Mastitis in preg-unspec |

| | | | |
|-------|--------------------------|-------|--------------------------|
| 67521 | Mastitis-delivered | 67683 | Lactat dis NEC-ante part |
| 67522 | Mastitis-deliv w p/p | 67684 | Lactat dis NEC-postpart |
| 67523 | Mastitis-ante partum | 67690 | Lactation dis NOS-unspec |
| 67524 | Mastitis-postpartum | 67691 | Lactation dis NOS-deliv |
| 67580 | Breast inf preg NEC-unsp | 67692 | Lactat dis NOS-del w p/p |
| 67581 | Breast infect NEC-deliv | 67693 | Lactat dis NOS-ante part |
| 67582 | Breast inf NEC-del w p/p | 67694 | Lactat dis NOS-postpart |
| 67583 | Breast inf NEC-ante part | 67800 | Fetal hematologic-unspec |
| 67584 | Breast inf NEC-postpart | 67801 | Fetal hematologic-deliv |
| 67590 | Breast inf preg NOS-unsp | 67803 | Fetal hematologic-ante |
| 67591 | Breast infect NOS-deliv | 67810 | Fetal conjoin twins-unsp |
| 67592 | Breast inf NOS-del w p/p | 67811 | Fetal conjoin twins-del |
| 67593 | Breast inf NOS-ante part | 67813 | Fetal conjoin twins-ante |
| 67594 | Breast inf NOS-postpart | 67900 | Mat comp in utero-unsp |
| 67600 | Retract nipple preg-unsp | 67901 | Mat comp in utero-del |
| 67601 | Retracted nipple-deliver | 67902 | Mat comp in utro-del-p/p |
| 67602 | Retract nipple-del w p/p | 67903 | Mat comp in utero-ante |
| 67603 | Retract nipple-ante part | 67904 | Mat comp in utero-p/p |
| 67604 | Retract nipple-postpart | 67910 | Fetal comp in utero-unsp |
| 67610 | Cracked nipple preg-unsp | 67911 | Fetal comp in utero-del |
| 67611 | Cracked nipple-delivered | 67912 | Ftl cmp in utro-del-p/p |
| 67612 | Cracked nipple-del w p/p | 67913 | Fetal comp in utero-ante |
| 67613 | Cracked nipple-ante part | 67914 | Fetal comp in utero-p/p |
| 67614 | Cracked nipple-postpart | 7923 | Abn find-amniotic fluid |
| 67620 | Breast engorge-unspec | 7965 | Abn find antenatl screen |
| 67621 | Breast engorge-delivered | V230 | Preg w hx of infertility |
| 67622 | Breast engorge-del w p/p | V231 | Preg w hx-trophoblas dis |
| 67623 | Breast engorge-ante part | V232 | Preg w hx of abortion |
| 67624 | Breast engorge-postpart | V233 | Grand multiparity |
| 67630 | Breast dis preg NEC-unsp | V2341 | Preg w hx pre-term labor |
| 67631 | Breast dis NEC-delivered | V2342 | Preg w hx ectopic preg |
| 67632 | Breast dis NEC-del w p/p | V2349 | Preg w poor obs hx NEC |
| 67633 | Breast dis NEC-ante part | V235 | Preg w poor reproduct hx |
| 67634 | Breast dis NEC-postpart | V237 | Insufficnt prenatal care |
| 67640 | Lactation fail-unspec | V2381 | Suprv elderly primigrav |
| 67641 | Lactation fail-delivered | V2382 | Suprv elderly multigrav |
| 67642 | Lactation fail-del w p/p | V2383 | Suprv young primigravida |
| 67643 | Lactation fail-ante part | V2384 | Suprv young multigravida |
| 67644 | Lactation fail-postpart | V2386 | Preg-hx in utro prev prg |
| 67650 | Suppr lactation-unspec | V2387 | Preg w incon fetl viabil |
| 67651 | Suppr lactation-deliver | V2389 | Suprv high-risk preg NEC |
| 67652 | Suppr lactat-del w p/p | V239 | Suprv high-risk preg NOS |
| 67653 | Suppr lactation-ante par | V240 | Postpart care after del |
| 67654 | Suppr lactation-postpart | V270 | Deliver-single liveborn |
| 67660 | Galactorrhea preg-unspec | V271 | Deliver-single stillborn |
| 67661 | Galactorrhea-delivered | V272 | Deliver-twins, both live |
| 67662 | Galactorrhea-del w p/p | V273 | Del-twins, 1 nb, 1 sb |
| 67663 | Galactorrhea-ante partum | V274 | Deliver-twins, both sb |
| 67664 | Galactorrhea-postpartum | V275 | Del-mult birth, all live |
| 67680 | Lactation dis NEC-unspec | V276 | Del-mult brth, some live |
| 67681 | Lactation dis NEC-deliv | V277 | Del-mult birth, all sb |
| 67682 | Lactat dis NEC-del w p/p | V279 | Outcome of delivery NOS |

| | |
|-------|--------------------------|
| V280 | Screening-chromosom anom |
| V281 | Screen-alphafetoprotein |
| V282 | Screen by amniocent NEC |
| V286 | Antenatal screen strep b |
| V2881 | Scrn fetal anatmc survey |
| V2882 | Scrn risk preterm labor |
| V2889 | Antenatal screening NEC |
| V616 | Illegitimate pregnancy |
| V617 | Unwanted pregnancy NEC |
| V7242 | Pregnancy test-positive |
| V8901 | Sus amntc cav/mem nt fnd |
| V8902 | Sus placenl prob nt fnd |
| V8903 | Sus fetal anomaly nt fnd |
| V8904 | Sus fetal growth not fnd |
| V8905 | Sus cervcl shortn nt fnd |
| V8909 | Oth sus mat/ftl nt fnd |
| V9100 | Twin gest-plac/sac NOS |
| V9101 | Twin gest-monochr/monoam |
| V9102 | Twin gest-monochr/diamni |
| V9103 | Twin gest-dich/diamniotc |
| V9109 | Twin gest-plac/sac undet |
| V9110 | Tripl gest-plac/sac NOS |
| V9111 | Triplet gest 2+ monochor |
| V9112 | Triplet gest 2+ monoamn |
| V9119 | Tripl gest-plac/sac und |
| V9120 | Quad gest-plac/sac NOS |
| V9121 | Quad gest 2+ monochorion |
| V9122 | Quad gest 2+ monoamniotc |
| V9129 | Quad gest-plac/sac undet |
| V9190 | Mult gest-plac/sac NOS |
| V9191 | Mult gest 2+ monochr NEC |
| V9192 | Mult gest 2+ monoamn NEC |
| V9199 | Mult gest-plac/sac undet |

Diagnoses for females only (ICD-9 CM codes)

| | |
|-------|--------------------------|
| 01660 | TB ovary & tube-unspec |
| 01661 | TB ovary & tube-no exam |
| 01662 | TB ovary/tube-exam unkn |
| 01663 | TB ovary & tube-micro dx |
| 01664 | TB ovary & tube-cult dx |
| 01665 | TB ovary & tube-histo dx |
| 01666 | TB ovary & tube-oth test |
| 01670 | TB female gen NEC-unspec |
| 01671 | TB fem gen NEC-no exam |
| 01672 | TB fem gen NEC-exam unkn |
| 01673 | TB fem gen NEC-micro dx |
| 01674 | TB fem gen NEC-cult dx |
| 01675 | TB fem gen NEC-histo dx |
| 01676 | TB fem gen NEC-oth test |
| 05411 | Herpetic vulvovaginitis |
| 05412 | Herpetic ulcer of vulva |
| 09815 | Gc cervicitis (acute) |
| 09816 | Gc endometritis (acute) |
| 09817 | Acute gc salpingitis |
| 09835 | Gc cervicitis, chronic |
| 09836 | Gc endometritis, chronic |
| 09837 | Gc salpingitis (chronic) |
| 1121 | Candidal vulvovaginitis |
| 13101 | Trichomonal vaginitis |
| 1740 | Malig neo nipple |
| 1741 | Mal neo breast-central |
| 1742 | Mal neo breast up-inner |
| 1743 | Mal neo breast low-inner |
| 1744 | Mal neo breast up-outer |
| 1745 | Mal neo breast low-outer |
| 1746 | Mal neo breast-axillary |
| 1748 | Malign neopl breast NEC |
| 1749 | Malign neopl breast NOS |
| 179 | Malig neopl uterus NOS |
| 1800 | Malig neo endocervix |
| 1801 | Malig neo exocervix |
| 1808 | Malig neo cervix NEC |
| 1809 | Mal neo cervix uteri NOS |
| 181 | Malignant neopl placenta |
| 1820 | Malig neo corpus uteri |
| 1821 | Mal neo uterine isthmus |
| 1828 | Mal neo body uterus NEC |
| 1830 | Malign neopl ovary |
| 1832 | Mal neo fallopian tube |
| 1833 | Mal neo broad ligament |
| 1834 | Malig neo parametrium |

| | |
|-------|--------------------------|
| 1835 | Mal neo round ligament |
| 1838 | Mal neo adnexa NEC |
| 1839 | Mal neo adnexa NOS |
| 1840 | Malign neopl vagina |
| 1841 | Mal neo labia majora |
| 1842 | Mal neo labia minora |
| 1843 | Malign neopl clitoris |
| 1844 | Malign neopl vulva NOS |
| 1848 | Mal neo female genit NEC |
| 1849 | Mal neo female genit NOS |
| 1986 | Second malig neo ovary |
| 2180 | Submucous leiomyoma |
| 2181 | Intramural leiomyoma |
| 2182 | Subserous leiomyoma |
| 2189 | Uterine leiomyoma NOS |
| 2190 | Benign neo cervix uteri |
| 2191 | Benign neo corpus uteri |
| 2198 | Benign neo uterus NEC |
| 2199 | Benign neo uterus NOS |
| 220 | Benign neoplasm ovary |
| 2210 | Ben neo fallopian tube |
| 2211 | Benign neoplasm vagina |
| 2212 | Benign neoplasm vulva |
| 2218 | Ben neo fem genital NEC |
| 2219 | Ben neo fem genital NOS |
| 2331 | Ca in situ cervix uteri |
| 2332 | Ca in situ uterus NEC |
| 23330 | Ca in situ fem gen NOS |
| 23331 | Carcinoma in situ vagina |
| 23332 | Carcinoma in situ vulva |
| 23339 | Ca in situ fem gen NEC |
| 2360 | Uncert behav neo uterus |
| 2361 | Unc behav neo placenta |
| 2362 | Unc behav neo ovary |
| 2363 | Unc behav neo female NEC |
| 2560 | Hyperestrogenism |
| 2561 | Ovarian hyperfunc NEC |
| 2562 | Postablativ ovarian fail |
| 25631 | Premature menopause |
| 25639 | Ovarian failure NEC |
| 2564 | Polycystic ovaries |
| 2568 | Ovarian dysfunction NEC |
| 2569 | Ovarian dysfunction NOS |
| 30273 | Female orgasmic disorder |
| 30276 | Dyspareunia,psychogenic |
| 30651 | Psychogenic vaginismus |
| 30652 | Psychogenic dysmenorrhea |
| 34640 | Menst mgr wo ntrc wo st |
| 34641 | Menstl mgrn w ntrc wo st |
| 34642 | Menstl mgr wo ntrc w st |
| 34643 | Menstl mgrn w ntrc w st |
| 4566 | Vulval varices |

| | |
|-------|---------------------------|
| 5164 | Lymphangi leiomyomatosis |
| 6140 | Ac salpingo-oophoritis |
| 6141 | Chr salpingo-oophoritis |
| 6142 | Salpingo-oophoritis NOS |
| 6143 | Acute parametritis |
| 6144 | Chronic parametritis |
| 6145 | Ac pelv peritonitis-fem |
| 6146 | Fem pelvic periton adhes |
| 6147 | Chr pelv periton NEC-fem |
| 6148 | Fem pelv inflam dis NEC |
| 6149 | Fem pelv inflam dis NOS |
| 6150 | Ac uterine inflammation |
| 6151 | Chr uterine inflammation |
| 6159 | Uterine inflam dis NOS |
| 6160 | Cervicitis |
| 61610 | Vaginitis NOS |
| 61611 | Vaginitis in oth disease |
| 6162 | Bartholin's gland cyst |
| 6163 | Bartholin's gland abscess |
| 6164 | Abscess of vulva NEC |
| 61650 | Ulceration of vulva NOS |
| 61651 | Vulvar ulcer in oth dis |
| 61681 | Mucositis cerv,vag,vulva |
| 61689 | Inflm cerv,vag,vulva NEC |
| 6169 | Female gen inflam NOS |
| 6170 | Uterine endometriosis |
| 6171 | Ovarian endometriosis |
| 6172 | Tubal endometriosis |
| 6173 | Pelv perit endometriosis |
| 6174 | Vaginal endometriosis |
| 6175 | Intestinal endometriosis |
| 6176 | Endometriosis in scar |
| 6178 | Endometriosis NEC |
| 6179 | Endometriosis NOS |
| 61800 | Vaginal wall prolapse NOS |
| 61801 | Cystocele, midline |
| 61802 | Cystocele, lateral |
| 61803 | Urethrocele |
| 61804 | Rectocele |
| 61805 | Perineocele |
| 61809 | Cystourethrocele |
| 6181 | Uterine prolapse |
| 6182 | Uterovag prolaps-incompl |
| 6183 | Uterovag prolaps-complet |
| 6184 | Uterovaginal prolapse NOS |
| 6185 | Postop vaginal prolapse |
| 6186 | Vaginal enterocele |
| 6187 | Old lacer pelvic muscle |
| 61881 | Incomptnce pubocerv tiss |
| 61882 | Incomptnce rectovag tiss |
| 61883 | Pelvic muscle wasting |
| 61884 | Cervical stump prolapse |

| | |
|-------|--------------------------|
| 61889 | Genital prolapse NEC |
| 6189 | Genital prolapse NOS |
| 6190 | Urin-genital fistul, fem |
| 6191 | Digest-genit fistul, fem |
| 6192 | Genital-skin fistul, fem |
| 6198 | Fem genital fistula NEC |
| 6199 | Fem genital fistula NOS |
| 6200 | Follicular cyst of ovary |
| 6201 | Corpus luteum cyst |
| 6202 | Ovarian cyst NEC/NOS |
| 6203 | Acq atrophy ovary & tube |
| 6204 | Prolapse of ovary & tube |
| 6205 | Torsion of ovary or tube |
| 6206 | Broad ligament lacer syn |
| 6207 | Broad ligament hematoma |
| 6208 | Noninfl dis ova/adnx NEC |
| 6209 | Noninfl dis ova/adnx NOS |
| 6210 | Polyp of corpus uteri |
| 6211 | Chr uterine subinvolutn |
| 6212 | Hypertrophy of uterus |
| 62130 | Endometrial hyperpla NOS |
| 62131 | Simp endo hyper w/o atyp |
| 62132 | Comp endo hyper w/o atyp |
| 62133 | Endomet hyperpla w atyp |
| 62134 | Ben endomet hyperplasia |
| 62135 | Endomet intraepithl neop |
| 6214 | Hematometra |
| 6215 | Intrauterine synechiae |
| 6216 | Malposition of uterus |
| 6217 | Chr inversion of uterus |
| 6218 | Disorders of uterus NEC |
| 6219 | Disorder of uterus NOS |
| 6220 | Erosion/ectropion cervix |
| 62210 | Dysplasia of cervix NOS |
| 62211 | Mild dysplasia of cervix |
| 62212 | Mod dysplasia of cervix |
| 6222 | Leukoplakia of cervix |
| 6223 | Old laceration of cervix |
| 6224 | Stricture of cervix |
| 6225 | Incompetence of cervix |
| 6226 | Hypertrophic elong cervx |
| 6227 | Mucous polyp of cervix |
| 6228 | Noninflam dis cervix NEC |
| 6229 | Noninflam dis cervix NOS |
| 6230 | Dysplasia of vagina |
| 6231 | Leukoplakia of vagina |
| 6232 | Stricture of vagina |
| 6233 | Tight hymenal ring |
| 6234 | Old vaginal laceration |
| 6235 | Noninfect vag leukorrhea |
| 6236 | Vaginal hematoma |
| 6237 | Polyp of vagina |

| | |
|-------|--------------------------|
| 6238 | Noninflam dis vagina NEC |
| 6239 | Noninflam dis vagina NOS |
| 62401 | Vulvar intraepth neopl I |
| 62402 | Vulvr intraepth neopl II |
| 62409 | Dystrophy of vulva NEC |
| 6241 | Atrophy of vulva |
| 6242 | Hypertrophy of clitoris |
| 6243 | Hypertrophy of labia |
| 6244 | Old laceration of vulva |
| 6245 | Hematoma of vulva |
| 6246 | Polyp of labia and vulva |
| 6248 | Noninflam dis vulva NEC |
| 6249 | Noninflam dis vulva NOS |
| 6250 | Dyspareunia |
| 6251 | Vaginismus |
| 6252 | Mittelschmerz |
| 6253 | Dysmenorrhea |
| 6254 | Premenstrual tension |
| 6255 | Pelvic congestion synd |
| 6256 | Fem stress incontinence |
| 62570 | Vulvodynia NOS |
| 62571 | Vulvar vestibulitis |
| 62579 | Other vulvodynia |
| 6258 | Fem genital symptoms NEC |
| 6259 | Fem genital symptoms NOS |
| 6260 | Absence of menstruation |
| 6261 | Scanty menstruation |
| 6262 | Excessive menstruation |
| 6263 | Pubertal menorrhagia |
| 6264 | Irregular menstruation |
| 6265 | Ovulation bleeding |
| 6266 | Metrorrhagia |
| 6267 | Postcoital bleeding |
| 6268 | Menstrual disorder NEC |
| 6269 | Menstrual disorder NOS |
| 6270 | Premenopause menorrhagia |
| 6271 | Postmenopausal bleeding |
| 6272 | Sympt fem climact state |
| 6273 | Atrophic vaginitis |
| 6274 | Sympt state w artif meno |
| 6278 | Menopausal disorder NEC |
| 6279 | Menopausal disorder NOS |
| 6280 | Infertility-anovulation |
| 6281 | Infertil-pituitary orig |
| 6282 | Infertility-tubal origin |
| 6283 | Infertility-uterine orig |
| 6284 | Infertil-cervical orig |
| 6288 | Female infertility NEC |
| 6289 | Female infertility NOS |
| 6290 | Hematocele, female NEC |
| 6291 | Hydrocele canal nuck-fem |
| 62920 | Genital mutilation NOS |

| | |
|-------|---------------------------|
| 62921 | Genital mutilatn type I |
| 62922 | Genital mutilatn type II |
| 62923 | Genital mutilatn type III |
| 62929 | Fem genital mutilate NEC |
| 62931 | Eros imp vag mesh in tis |
| 62932 | Exp imp vag mesh-vagina |
| 62981 | Rec preg loss wo cur prg |
| 62989 | Female genital disor NEC |
| 6299 | Female genital dis NOS |
| 630 | Hydatidiform mole |
| 6310 | Inapp chg hCG early preg |
| 6318 | Oth abn prod conception |
| 632 | Missed abortion |
| 63300 | Abd preg w/o intrau preg |
| 63301 | Abd preg w intraut preg |
| 63310 | Tubal preg w/o intra prg |
| 63311 | Tubal preg w intra preg |
| 63320 | Ovarn preg w/o intra prg |
| 63321 | Ovarian preg w intra prg |
| 63380 | Ect preg NEC w/o int prg |
| 63381 | Ectpc prg NEC w int preg |
| 63390 | Ect preg NOS w/o int prg |
| 63391 | Ectpc preg NOS w int preg |
| 63400 | Spon abor w pel inf-unsp |
| 63401 | Spon abor w pelv inf-inc |
| 63402 | Spon abor w pel inf-comp |
| 63410 | Spon abort w hemorr-unsp |
| 63411 | Spon abort w hemorr-inc |
| 63412 | Spon abort w hemorr-comp |
| 63420 | Spon ab w pel damag-unsp |
| 63421 | Spon ab w pelv damag-inc |
| 63422 | Spon ab w pel damag-comp |
| 63430 | Spon ab w ren fail-unsp |
| 63431 | Spon ab w ren fail-inc |
| 63432 | Spon ab w ren fail-comp |
| 63440 | Spon ab w metab dis-unsp |
| 63441 | Spon ab w metab dis-inc |
| 63442 | Spon ab w metab dis-comp |
| 63450 | Spon abort w shock-unsp |
| 63451 | Spon abort w shock-inc |
| 63452 | Spon abort w shock-comp |
| 63460 | Spon abort w embol-unsp |
| 63461 | Spon abort w embol-inc |
| 63462 | Spon abort w embol-comp |
| 63470 | Spon ab w compl NEC-unsp |
| 63471 | Spon ab w compl NEC-inc |
| 63472 | Spon ab w compl NEC-comp |
| 63480 | Spon ab w compl NOS-unsp |
| 63481 | Spon ab w compl NOS-inc |
| 63482 | Spon ab w compl NOS-comp |
| 63490 | Spon abort uncompl-unsp |
| 63491 | Spon abort uncompl-inc |

| | |
|-------|--------------------------|
| 63492 | Spon abort uncompl-comp |
| 63500 | Leg abor w pelv inf-unsp |
| 63501 | Leg abor w pelv inf-inc |
| 63502 | Leg abor w pelv inf-comp |
| 63510 | Legal abor w hemorr-unsp |
| 63511 | Legal abort w hemorr-inc |
| 63512 | Legal abor w hemorr-comp |
| 63520 | Leg ab w pelv damag-unsp |
| 63521 | Leg ab w pelv damag-inc |
| 63522 | Leg ab w pelv damag-comp |
| 63530 | Leg abor w ren fail-unsp |
| 63531 | Leg abor w ren fail-inc |
| 63532 | Leg abor w ren fail-comp |
| 63540 | Leg ab w metab dis-unsp |
| 63541 | Leg ab w metab dis-inc |
| 63542 | Leg ab w metab dis-comp |
| 63550 | Legal abort w shock-unsp |
| 63551 | Legal abort w shock-inc |
| 63552 | Legal abort w shock-comp |
| 63560 | Legal abort w embol-unsp |
| 63561 | Legal abort w embol-inc |
| 63562 | Legal abort w embol-comp |
| 63570 | Leg ab w compl NEC-unsp |
| 63571 | Leg ab w compl NEC-inc |
| 63572 | Leg ab w compl NEC-comp |
| 63580 | Leg ab w compl NOS-unsp |
| 63581 | Leg ab w compl NOS-inc |
| 63582 | Leg ab w compl NOS-comp |
| 63590 | Legal abort uncompl-unsp |
| 63591 | Legal abort uncompl-inc |
| 63592 | Legal abort uncompl-comp |
| 63600 | Illeg ab w pelv inf-unsp |
| 63601 | Illeg ab w pelv inf-inc |
| 63602 | Illeg ab w pelv inf-comp |
| 63610 | Illeg ab w hemorr-unspec |
| 63611 | Illeg ab w hemorr-inc |
| 63612 | Illeg ab w hemorr-comp |
| 63620 | Illeg ab w pel damg-unsp |
| 63621 | Illeg ab w pel damag-inc |
| 63622 | Illeg ab w pel damg-comp |
| 63630 | Illeg ab w ren fail-unsp |
| 63631 | Illeg ab w ren fail-inc |
| 63632 | Illeg ab w ren fail-comp |
| 63640 | Illeg ab w met dis-unsp |
| 63641 | Illeg ab w metab dis-inc |
| 63642 | Illeg ab w met dis-comp |
| 63650 | Illeg abort w shock-unsp |
| 63651 | Illeg abort w shock-inc |
| 63652 | Illeg abort w shock-comp |
| 63660 | Illeg ab w embolism-unsp |
| 63661 | Illeg ab w embolism-inc |
| 63662 | Illeg ab w embolism-comp |

| | |
|-------|---------------------------|
| 63670 | Illeg ab w compl NEC-unsp |
| 63671 | Illeg ab w compl NEC-inc |
| 63672 | Illeg ab w compl NEC-comp |
| 63680 | Illeg ab w compl NOS-unsp |
| 63681 | Illeg ab w compl NOS-inc |
| 63682 | Illeg ab w compl NOS-comp |
| 63690 | Illeg abort uncompl-unsp |
| 63691 | Illeg abort uncompl-inc |
| 63692 | Illeg abort uncompl-comp |
| 63700 | Abort NOS w pel inf-unsp |
| 63701 | Abort NOS w pel inf-inc |
| 63702 | Abort NOS w pel inf-comp |
| 63710 | Abort NOS w hemorr-unsp |
| 63711 | Abort NOS w hemorr-inc |
| 63712 | Abort NOS w hemorr-comp |
| 63720 | Ab NOS w pelv damag-unsp |
| 63721 | Ab NOS w pelv damag-inc |
| 63722 | Ab NOS w pelv damag-comp |
| 63730 | Ab NOS w renal fail-unsp |
| 63731 | Ab NOS w renal fail-inc |
| 63732 | Ab NOS w renal fail-comp |
| 63740 | Ab NOS w metab dis-unsp |
| 63741 | Ab NOS w metab dis-inc |
| 63742 | Ab NOS w metab dis-comp |
| 63750 | Abort NOS w shock-unsp |
| 63751 | Abort NOS w shock-inc |
| 63752 | Abort NOS w shock-comp |
| 63760 | Ab NOS w embolism-unsp |
| 63761 | Ab NOS w embolism-inc |
| 63762 | Ab NOS w embolism-comp |
| 63770 | Ab NOS w compl NEC-unsp |
| 63771 | Ab NOS w compl NEC-inc |
| 63772 | Ab NOS w compl NEC-comp |
| 63780 | Ab NOS w compl NOS-unsp |
| 63781 | Ab NOS w compl NOS-inc |
| 63782 | Ab NOS w compl NOS-comp |
| 63790 | Ab NOS uncomplicat-unsp |
| 63791 | Ab NOS uncomplicat-inc |
| 63792 | Ab NOS uncomplicat-comp |
| 6380 | Attem abort w pelvic inf |
| 6381 | Attem abort w hemorrhage |
| 6382 | Attem abort w pelv damag |
| 6383 | Attem abort w renal fail |
| 6384 | Attem abor w metabol dis |
| 6385 | Attem abortion w shock |
| 6386 | Attemp abort w embolism |
| 6387 | Attemp abort w compl NEC |
| 6388 | Attemp abort w compl NOS |
| 6389 | Attempted abort uncompl |
| 6390 | Postabortion gu infect |
| 6391 | Postabortion hemorrhage |
| 6392 | Postabort pelvic damage |

| | |
|-------|--------------------------|
| 6393 | Postabort kidney failure |
| 6394 | Postabort metabolic dis |
| 6395 | Postabortion shock |
| 6396 | Postabortion embolism |
| 6398 | Postabortion compl NEC |
| 6399 | Postabortion compl NOS |
| 64000 | Threatened abort-unspec |
| 64001 | Threatened abort-deliver |
| 64003 | Threaten abort-antepart |
| 64080 | Hem early preg NEC-unsp |
| 64081 | Hem early preg NEC-deliv |
| 64083 | Hem early pg NEC-antepar |
| 64090 | Hemorr early preg-unspec |
| 64091 | Hem early preg-delivered |
| 64093 | Hem early preg-antepart |
| 64100 | Placenta previa-unspec |
| 64101 | Placenta previa-deliver |
| 64103 | Placenta previa-antepart |
| 64110 | Placenta prev hem-unspec |
| 64111 | Placenta prev hem-deliv |
| 64113 | Placen prev hem-antepart |
| 64120 | Prem separ placen-unspec |
| 64121 | Prem separ placen-deliv |
| 64123 | Prem separ plac-antepart |
| 64130 | Coag def hemorr-unspec |
| 64131 | Coag def hemorr-deliver |
| 64133 | Coag def hemorr-antepart |
| 64180 | Antepart hem NEC-unspec |
| 64181 | Antepartum hem NEC-deliv |
| 64183 | Antepart hem NEC-antepar |
| 64190 | Antepart hem NOS-unspec |
| 64191 | Antepartum hem NOS-deliv |
| 64193 | Antepart hem NOS-antepar |
| 64200 | Essen hyperten preg-unsp |
| 64201 | Essen hyperten-delivered |
| 64202 | Essen hyperten-del w p/p |
| 64203 | Essen hyperten-antepart |
| 64204 | Essen hyperten-postpart |
| 64210 | Renal hyperten preg-unsp |
| 64211 | Renal hyperten pg-deliv |
| 64212 | Renal hyperten-del p/p |
| 64213 | Renal hyperten-antepart |
| 64214 | Renal hyperten-postpart |
| 64220 | Old hyperten preg-unspec |
| 64221 | Old hyperten NEC-deliver |
| 64222 | Old hyperten-deliv w p/p |
| 64223 | Old hyperten NEC-antepar |
| 64224 | Old hyperten NEC-postpar |
| 64230 | Trans hyperten preg-unsp |
| 64231 | Trans hyperten-delivered |
| 64232 | Trans hyperten-del w p/p |
| 64233 | Trans hyperten-antepart |

| | |
|-------|--------------------------|
| 64234 | Trans hyperten-postpart |
| 64240 | Mild/NOS preeclamp-unsp |
| 64241 | Mild/NOS preeclamp-deliv |
| 64242 | Mild preeclamp-del w p/p |
| 64243 | Mild/NOS preeclamp-antep |
| 64244 | Mild/NOS preeclamp-p/p |
| 64250 | Severe preeclamp-unspec |
| 64251 | Severe preeclamp-deliver |
| 64252 | Sev preeclamp-del w p/p |
| 64253 | Sev preeclamp-antepartum |
| 64254 | Sev preeclamp-postpartum |
| 64260 | Eclampsia-unspecified |
| 64261 | Eclampsia-delivered |
| 64262 | Eclampsia-deliv w p/p |
| 64263 | Eclampsia-antepartum |
| 64264 | Eclampsia-postpartum |
| 64270 | Tox w old hyperten-unsp |
| 64271 | Tox w old hyperten-deliv |
| 64272 | Tox w old hyp-del w p/p |
| 64273 | Tox w old hyper-antepart |
| 64274 | Tox w old hyper-postpart |
| 64290 | Hyperten preg NOS-unspec |
| 64291 | Hypertens NOS-delivered |
| 64292 | Hypertens NOS-del w p/p |
| 64293 | Hypertens NOS-antepartum |
| 64294 | Hypertens NOS-postpartum |
| 64300 | Mild hyperem grav-unspec |
| 64301 | Mild hyperem grav-deliv |
| 64303 | Mild hyperemesis-antepar |
| 64310 | Hyperem w metab dis-unsp |
| 64311 | Hyperem w metab dis-del |
| 64313 | Hyperem w metab-antepart |
| 64320 | Late vomit of preg-unsp |
| 64321 | Late vomit of preg-deliv |
| 64323 | Late vomit preg-antepart |
| 64380 | Vomit compl preg-unspec |
| 64381 | Vomit compl preg-deliver |
| 64383 | Vomit compl preg-antepar |
| 64390 | Vomit of preg NOS-unspec |
| 64391 | Vomit of preg NOS-deliv |
| 64393 | Vomit of pg NOS-antepart |
| 64400 | Threat prem labor-unspec |
| 64403 | Thrt prem labor-antepart |
| 64410 | Threat labor NEC-unspec |
| 64413 | Threat labor NEC-antepar |
| 64420 | Early onset deliv-unspec |
| 64421 | Early onset delivery-del |
| 64510 | Post term preg-unsp |
| 64511 | Post term preg-del |
| 64513 | Post term preg-antepar |
| 64520 | Prolonged preg-unsp |
| 64521 | Prolonged preg-del |

| | |
|-------|---------------------------|
| 64523 | Prolonged preg-antepar |
| 64600 | Papyraceous fetus-unspec |
| 64601 | Papyraceous fetus-deliv |
| 64603 | Papyraceous fet-antepar |
| 64610 | Edema in preg-unspec |
| 64611 | Edema in preg-delivered |
| 64612 | Edema in preg-del w p/p |
| 64613 | Edema in preg-antepartum |
| 64614 | Edema in preg-postpartum |
| 64620 | Renal dis preg NOS-unsp |
| 64621 | Renal dis NOS-delivered |
| 64622 | Renal dis NOS-del w p/p |
| 64623 | Renal dis NOS-antepartum |
| 64624 | Renal dis NOS-postpartum |
| 64630 | Recur preg loss-unspec |
| 64631 | Recurnt preg loss-deliv |
| 64633 | Recurnt preg loss-antep |
| 64640 | Neuritis of preg-unspec |
| 64641 | Neuritis-delivered |
| 64642 | Neuritis-delivered w p/p |
| 64643 | Neuritis of preg-antepar |
| 64644 | Neuritis of preg-postpar |
| 64650 | Bacteriuria preg-unspec |
| 64651 | Asym bacteriuria-deliver |
| 64652 | Asy bacteruria-del w p/p |
| 64653 | Asy bacteriuria-antepart |
| 64654 | Asy bacteriuria-postpart |
| 64660 | Gu infect in preg-unspec |
| 64661 | Gu infection-delivered |
| 64662 | Gu infection-deliv w p/p |
| 64663 | Gu infection-antepartum |
| 64664 | Gu infection-postpartum |
| 64670 | Liver/bil trct discr-unsp |
| 64671 | Liver/bil trct discr-del |
| 64673 | Liver/bil trct discr-ante |
| 64680 | Preg compl NEC-unspec |
| 64681 | Preg compl NEC-delivered |
| 64682 | Preg compl NEC-del w p/p |
| 64683 | Preg compl NEC-antepart |
| 64684 | Preg compl NEC-postpart |
| 64690 | Preg compl NOS-unspec |
| 64691 | Preg compl NOS-delivered |
| 64693 | Preg compl NOS-antepart |
| 64700 | Syphilis in preg-unspec |
| 64701 | Syphilis-delivered |
| 64702 | Syphilis-delivered w p/p |
| 64703 | Syphilis-antepartum |
| 64704 | Syphilis-postpartum |
| 64710 | Gonorrhea in preg-unspec |
| 64711 | Gonorrhea-delivered |
| 64712 | Gonorrhea-deliver w p/p |
| 64713 | Gonorrhea-antepartum |

| | |
|-------|--------------------------|
| 64714 | Gonorrhea-postpartum |
| 64720 | Other VD in preg-unspec |
| 64721 | Other vd-delivered |
| 64722 | Other vd-delivered w p/p |
| 64723 | Other vd-antepartum |
| 64724 | Other vd-postpartum |
| 64730 | TB in preg-unspecified |
| 64731 | Tuberculosis-delivered |
| 64732 | Tuberculosis-deliv w p/p |
| 64733 | Tuberculosis-antepartum |
| 64734 | Tuberculosis-postpartum |
| 64740 | Malaria in preg-unspec |
| 64741 | Malaria-delivered |
| 64742 | Malaria-delivered w p/p |
| 64743 | Malaria-antepartum |
| 64744 | Malaria-postpartum |
| 64750 | Rubella in preg-unspec |
| 64751 | Rubella-delivered |
| 64752 | Rubella-delivered w p/p |
| 64753 | Rubella-antepartum |
| 64754 | Rubella-postpartum |
| 64760 | Oth virus in preg-unspec |
| 64761 | Oth viral dis-delivered |
| 64762 | Oth viral dis-del w p/p |
| 64763 | Oth viral dis-antepartum |
| 64764 | Oth viral dis-postpartum |
| 64780 | Inf dis in preg NEC-unsp |
| 64781 | Infect dis NEC-delivered |
| 64782 | Infect dis NEC-del w p/p |
| 64783 | Infect dis NEC-antepart |
| 64784 | Infect dis NEC-postpart |
| 64790 | Infect in preg NOS-unsp |
| 64791 | Infect NOS-delivered |
| 64792 | Infect NOS-deliver w p/p |
| 64793 | Infect NOS-antepartum |
| 64794 | Infect NOS-postpartum |
| 64800 | Diabetes in preg-unspec |
| 64801 | Diabetes-delivered |
| 64802 | Diabetes-delivered w p/p |
| 64803 | Diabetes-antepartum |
| 64804 | Diabetes-postpartum |
| 64810 | Thyroid dysfun preg-unsp |
| 64811 | Thyroid dysfunc-deliver |
| 64812 | Thyroid dysfun-del w p/p |
| 64813 | Thyroid dysfunc-antepart |
| 64814 | Thyroid dysfunc-postpart |
| 64820 | Anemia in preg-unspec |
| 64821 | Anemia-delivered |
| 64822 | Anemia-delivered w p/p |
| 64823 | Anemia-antepartum |
| 64824 | Anemia-postpartum |
| 64830 | Drug depend preg-unspec |

| | |
|-------|--------------------------|
| 64831 | Drug dependence-deliver |
| 64832 | Drug dependen-del w p/p |
| 64833 | Drug dependence-antepart |
| 64834 | Drug dependence-postpart |
| 64840 | Mental dis preg-unspec |
| 64841 | Mental disorder-deliver |
| 64842 | Mental dis-deliv w p/p |
| 64843 | Mental disorder-antepart |
| 64844 | Mental disorder-postpart |
| 64850 | Congen CV dis preg-unsp |
| 64851 | Congen CV dis-delivered |
| 64852 | Congen CV dis-del w p/p |
| 64853 | Congen CV dis-antepartum |
| 64854 | Congen CV dis-postpartum |
| 64860 | CV dis NEC preg-unspec |
| 64861 | CV dis NEC preg-deliver |
| 64862 | CV dis NEC-deliver w p/p |
| 64863 | CV dis NEC-antepartum |
| 64864 | CV dis NEC-postpartum |
| 64870 | Bone disord in preg-unsp |
| 64871 | Bone disorder-delivered |
| 64872 | Bone disorder-del w p/p |
| 64873 | Bone disorder-antepartum |
| 64874 | Bone disorder-postpartum |
| 64880 | Abn glucose in preg-unsp |
| 64881 | Abn glucose toler-deliv |
| 64882 | Abn glucose-deliv w p/p |
| 64883 | Abn glucose-antepartum |
| 64884 | Abn glucose-postpartum |
| 64890 | Oth curr cond preg-unsp |
| 64891 | Oth curr cond-delivered |
| 64892 | Oth curr cond-del w p/p |
| 64893 | Oth curr cond-antepartum |
| 64894 | Oth curr cond-postpartum |
| 64900 | Tobacco use disord-unsp |
| 64901 | Tobacco use disor-delliv |
| 64902 | Tobacco use dis-del-p/p |
| 64903 | Tobacco use dis-antepart |
| 64904 | Tobacco use dis-postpart |
| 64910 | Obesity-unspecified |
| 64911 | Obesity-delivered |
| 64912 | Obesity-delivered w p/p |
| 64913 | Obesity-antepartum |
| 64914 | Obesity-postpartum |
| 64920 | Bariatric surg stat-unsp |
| 64921 | Bariatric surg stat-del |
| 64922 | Bariatric surg-del w p/p |
| 64923 | Bariatrc surg stat-antep |
| 64924 | Bariatrc surg stat w p/p |
| 64930 | Coagulation def-unspec |
| 64931 | Coagulation def-deliv |
| 64932 | Coagulatn def-del w p/p |

| | |
|-------|---------------------------|
| 64933 | Coagulation def-antepart |
| 64934 | Coagulation def-postpart |
| 64940 | Epilepsy-unspecified |
| 64941 | Epilepsy-delivered |
| 64942 | Epilepsy-delivered w p/p |
| 64943 | Epilepsy-antepartum |
| 64944 | Epilepsy-postpartum |
| 64950 | Spotting-unspecified |
| 64951 | Spotting-delivered |
| 64953 | Spotting-antepartum |
| 64960 | Uterine size descrp-unsp |
| 64961 | Uterine size descresp-del |
| 64962 | Uterine size-del w p/p |
| 64963 | Uterine size des-antepar |
| 64964 | Uterine size descresp-p/p |
| 64970 | Cervical shortening-unsp |
| 64971 | Cervical shortening-del |
| 64973 | Cervical shortening-ante |
| 64981 | Spon labr w plan C/S-del |
| 64982 | Lbr w plan C/S-del w p/p |
| 650 | Normal delivery |
| 65100 | Twin pregnancy-unspec |
| 65101 | Twin pregnancy-delivered |
| 65103 | Twin pregnancy-antepart |
| 65110 | Triplet pregnancy-unspec |
| 65111 | Triplet pregnancy-deliv |
| 65113 | Triplet preg-antepartum |
| 65120 | Quadruplet preg-unspec |
| 65121 | Quadruplet preg-deliver |
| 65123 | Quadruplet preg-antepart |
| 65130 | Twins w fetal loss-unsp |
| 65131 | Twins w fetal loss-del |
| 65133 | Twins w fetal loss-ante |
| 65140 | Triplets w fet loss-unsp |
| 65141 | Triplets w fet loss-del |
| 65143 | Triplets w fet loss-ante |
| 65150 | Quads w fetal loss-unsp |
| 65151 | Quads w fetal loss-del |
| 65153 | Quads w fetal loss-ante |
| 65160 | Mult ges w fet loss-unsp |
| 65161 | Mult ges w fet loss-del |
| 65163 | Mult ges w fet loss-ante |
| 65170 | Mul gest-fet reduct unsp |
| 65171 | Mult gest-fet reduct del |
| 65173 | Mul gest-fet reduct ante |
| 65180 | Multi gestat NEC-unspec |
| 65181 | Multi gestat NEC-deliver |
| 65183 | Multi gest NEC-antepart |
| 65190 | Multi gestat NOS-unspec |
| 65191 | Mult gestation NOS-deliv |
| 65193 | Multi gest NOS-antepart |
| 65200 | Unstable lie-unspecified |

| | |
|-------|--------------------------|
| 65201 | Unstable lie-delivered |
| 65203 | Unstable lie-antepartum |
| 65210 | Cephalic vers NOS-unspec |
| 65211 | Cephalic vers NOS-deliv |
| 65213 | Cephal vers NOS-antepart |
| 65220 | Breech presentat-unspec |
| 65221 | Breech presentat-deliver |
| 65223 | Breech present-antepart |
| 65230 | Transv/obliq lie-unspec |
| 65231 | Transver/obliq lie-deliv |
| 65233 | Transv/obliq lie-antepar |
| 65240 | Face/brow present-unspec |
| 65241 | Face/brow present-deliv |
| 65243 | Face/brow pres-antepart |
| 65250 | High head at term-unspec |
| 65251 | High head at term-deliv |
| 65253 | High head term-antepart |
| 65260 | Mult gest malpresen-unsp |
| 65261 | Mult gest malpres-deliv |
| 65263 | Mult ges malpres-antepar |
| 65270 | Prolapsed arm-unspec |
| 65271 | Prolapsed arm-delivered |
| 65273 | Prolapsed arm-antepart |
| 65280 | Malposition NEC-unspec |
| 65281 | Malposition NEC-deliver |
| 65283 | Malposition NEC-antepart |
| 65290 | Malposition NOS-unspec |
| 65291 | Malposition NOS-deliver |
| 65293 | Malposition NOS-antepart |
| 65300 | Pelvic deform NOS-unspec |
| 65301 | Pelvic deform NOS-deliv |
| 65303 | Pelv deform NOS-antepart |
| 65310 | Contract pelv NOS-unspec |
| 65311 | Contract pelv NOS-deliv |
| 65313 | Contrac pelv NOS-antepar |
| 65320 | Inlet contraction-unspec |
| 65321 | Inlet contraction-deliv |
| 65323 | Inlet contract-antepart |
| 65330 | Outlet contraction-unsp |
| 65331 | Outlet contraction-deliv |
| 65333 | Outlet contract-antepart |
| 65340 | Fetopelv disprop-unspec |
| 65341 | Fetopelv dispropor-deliv |
| 65343 | Fetopel disprop-antepart |
| 65350 | Fetal disprop NOS-unspec |
| 65351 | Fetal disprop NOS-deliv |
| 65353 | Fetal dispro NOS-antepar |
| 65360 | Hydrocephal fetus-unspec |
| 65361 | Hydroceph fetus-deliver |
| 65363 | Hydroceph fetus-antepart |
| 65370 | Oth abn fet disprop-unsp |
| 65371 | Oth abn fet dispro-deliv |

| | |
|-------|---------------------------|
| 65373 | Oth abn fet dispro-anteop |
| 65380 | Disproportion NEC-unspec |
| 65381 | Disproportion NEC-deliv |
| 65383 | Dispropor NEC-anteopartum |
| 65390 | Disproportion NOS-unspec |
| 65391 | Disproportion NOS-deliv |
| 65393 | Dispropor NOS-anteopartum |
| 65400 | Cong abn uter preg-unsp |
| 65401 | Congen abn uterus-deliv |
| 65402 | Cong abn uter-del w p/p |
| 65403 | Congen abn uter-anteopart |
| 65404 | Congen abn uter-postpart |
| 65410 | Uter tumor in preg-unsp |
| 65411 | Uterine tumor-delivered |
| 65412 | Uterine tumor-del w p/p |
| 65413 | Uterine tumor-anteopartum |
| 65414 | Uterine tumor-postpartum |
| 65420 | Prev c-delivery unspec |
| 65421 | Prev c-delivery-delivrd |
| 65423 | Prev c-delivery-anteopart |
| 65430 | Retrovert uterus-unspec |
| 65431 | Retrovert uterus-deliver |
| 65432 | Retrovert uter-del w p/p |
| 65433 | Retrovert uter-anteopart |
| 65434 | Retrovert uter-postpart |
| 65440 | Abn grav uterus NEC-unsp |
| 65441 | Abn uterus NEC-delivered |
| 65442 | Abn uterus NEC-del w p/p |
| 65443 | Abn uterus NEC-anteopart |
| 65444 | Abn uterus NEC-postpart |
| 65450 | Cerv incompet preg-unsp |
| 65451 | Cervical incompet-deliv |
| 65452 | Cerv incompet-del w p/p |
| 65453 | Cerv incompet-anteopartum |
| 65454 | Cerv incompet-postpartum |
| 65460 | Abn cervix NEC preg-unsp |
| 65461 | Abn cervix NEC-delivered |
| 65462 | Abn cervix NEC-del w p/p |
| 65463 | Abn cervix NEC-anteopart |
| 65464 | Abn cervix NEC-postpart |
| 65470 | Abn vagina in preg-unsp |
| 65471 | Abnorm vagina-delivered |
| 65472 | Abnorm vagina-del w p/p |
| 65473 | Abnorm vagina-anteopartum |
| 65474 | Abnorm vagina-postpartum |
| 65480 | Abn vulva in preg-unspec |
| 65481 | Abnormal vulva-delivered |
| 65482 | Abnormal vulva-del w p/p |
| 65483 | Abnormal vulva-anteopart |
| 65484 | Abnormal vulva-postpart |
| 65490 | Abn pel NEC in preg-unsp |
| 65491 | Abn pelv org NEC-deliver |

| | |
|-------|--------------------------|
| 65492 | Abn pelv NEC-deliv w p/p |
| 65493 | Abn pelv org NEC-antepar |
| 65494 | Abn pelv org NEC-postpar |
| 65500 | Fetal cns malform-unspec |
| 65501 | Fetal cns malform-deliv |
| 65503 | Fetal cns malfor-antepar |
| 65510 | Fetal chromos abn-unspec |
| 65511 | Fetal chromoso abn-deliv |
| 65513 | Fet chromo abn-antepart |
| 65520 | Famil heredit dis-unspec |
| 65521 | Famil heredit dis-deliv |
| 65523 | Famil hered dis-antepart |
| 65530 | Fet damg d/t virus-unsp |
| 65531 | Fet damg d/t virus-deliv |
| 65533 | Fet damg d/t virus-antep |
| 65540 | Fet damg d/t dis-unspec |
| 65541 | Fet damg d/t dis-deliver |
| 65543 | Fet damg d/t dis-antepar |
| 65550 | Fetal damg d/t drug-unsp |
| 65551 | Fet damag d/t drug-deliv |
| 65553 | Fet damg d/t drug-antepa |
| 65560 | Radiat fetal damag-unsp |
| 65561 | Radiat fetal damag-deliv |
| 65563 | Radiat fet damag-antepar |
| 65570 | Decrease fetl movmt unsp |
| 65571 | Decrease fetal movmt del |
| 65573 | Dec fetal movmt antepart |
| 65580 | Fetal abnorm NEC-unspec |
| 65581 | Fetal abnorm NEC-deliver |
| 65583 | Fetal abnorm NEC-antepar |
| 65590 | Fetal abnorm NOS-unspec |
| 65591 | Fetal abnorm NOS-deliver |
| 65593 | Fetal abnorm NOS-antepar |
| 65600 | Fetal-maternal hem-unsp |
| 65601 | Fetal-maternal hem-deliv |
| 65603 | Fetal-matern hem-antepar |
| 65610 | Rh isoimmunization-unsp |
| 65611 | Rh isoimmunizat-deliver |
| 65613 | Rh isoimmunizat-antepart |
| 65620 | Abo isoimmunization-unsp |
| 65621 | Abo isoimmunizat-deliver |
| 65623 | Abo isoimmunizat-antepar |
| 65630 | Fetal distress-unspec |
| 65631 | Fetal distress-delivered |
| 65633 | Fetal distress-antepart |
| 65640 | Intrauterine death-unsp |
| 65641 | Intrauter death-deliver |
| 65643 | Intrauter death-antepart |
| 65650 | Poor fetal growth-unspec |
| 65651 | Poor fetal growth-deliv |
| 65653 | Poor fetal grth-antepart |
| 65660 | Excess fetal grth-unspec |

| | |
|-------|--------------------------|
| 65661 | Excess fetal grth-deliv |
| 65663 | Excess fet grth-antepart |
| 65670 | Oth placent cond-unspec |
| 65671 | Oth placent cond-deliver |
| 65673 | Oth placent cond-antepar |
| 65680 | Fet/plac prob NEC-unspec |
| 65681 | Fet/plac prob NEC-deliv |
| 65683 | Fet/plac prob NEC-antepa |
| 65690 | Fet/plac prob NOS-unspec |
| 65691 | Fet/plac prob NOS-deliv |
| 65693 | Fet/plac prob NOS-antepa |
| 65700 | Polyhydramnios-unspec |
| 65701 | Polyhydramnios-delivered |
| 65703 | Polyhydramnios-antepart |
| 65800 | Oligohydramnios-unspec |
| 65801 | Oligohydramnios-deliver |
| 65803 | Oligohydramnios-antepar |
| 65810 | Prem rupt membran-unspec |
| 65811 | Prem rupt membran-deliv |
| 65813 | Prem rupt memb-antepart |
| 65820 | Prolong rupt memb-unspec |
| 65821 | Prolong rupt memb-deliv |
| 65823 | Prolong rup memb-antepar |
| 65830 | Artific rupt membr-unsp |
| 65831 | Artific rupt membr-deliv |
| 65833 | Artif rupt memb-antepart |
| 65840 | Amniotic infection-unsp |
| 65841 | Amniotic infection-deliv |
| 65843 | Amniotic infect-antepart |
| 65880 | Amniotic prob NEC-unspec |
| 65881 | Amniotic prob NEC-deliv |
| 65883 | Amnion prob NEC-antepart |
| 65890 | Amniotic prob NOS-unspec |
| 65891 | Amniotic prob NOS-deliv |
| 65893 | Amnion prob NOS-antepart |
| 65900 | Fail mechan induct-unsp |
| 65901 | Fail mech induct-deliver |
| 65903 | Fail mech induct-antepar |
| 65910 | Fail induction NOS-unsp |
| 65911 | Fail induction NOS-deliv |
| 65913 | Fail induct NOS-antepart |
| 65920 | Pyrexia in labor-unspec |
| 65921 | Pyrexia in labor-deliver |
| 65923 | Pyrexia in labor-antepar |
| 65930 | Septicemia in labor-unsp |
| 65931 | Septicem in labor-deliv |
| 65933 | Septicem in labor-antepa |
| 65940 | Grand multiparity-unspec |
| 65941 | Grand multiparity-deliv |
| 65943 | Grand multiparity-antepa |
| 65950 | Elderly primigravid-unsp |
| 65951 | Elderly primigravida-del |

| | |
|-------|--------------------------|
| 65953 | Elder primigravid-antepa |
| 65960 | Elderly multigravida-uns |
| 65961 | Elderly multigravida-del |
| 65963 | Elderly multigravd-antep |
| 65970 | Abn ftl hrt rate/rhy-uns |
| 65971 | Abn ftl hrt rate/rhy-del |
| 65973 | Abn ftl hrt rate/rhy-ant |
| 65980 | Complic labor NEC-unsp |
| 65981 | Complic labor NEC-deliv |
| 65983 | Compl labor NEC-antepart |
| 65990 | Complic labor NOS-unsp |
| 65991 | Complic labor NOS-deliv |
| 65993 | Compl labor NOS-antepart |
| 66000 | Obstruct/fet malpos-unsp |
| 66001 | Obstruc/fet malpos-deliv |
| 66003 | Obstruc/fet malpos-antep |
| 66010 | Bony pelv obstruc-unspec |
| 66011 | Bony pelv obstruct-deliv |
| 66013 | Bony pelv obstruc-antepa |
| 66020 | Abn pelv tiss obstr-unsp |
| 66021 | Abn pelv tis obstr-deliv |
| 66023 | Abn pelv tis obstr-antep |
| 66030 | Persist occipitpost-unsp |
| 66031 | Persist occiptpost-deliv |
| 66033 | Persist occiptpost-antep |
| 66040 | Shoulder dystocia-unspec |
| 66041 | Shoulder dystocia-deliv |
| 66043 | Shoulder dystocia-antepa |
| 66050 | Locked twins-unspecified |
| 66051 | Locked twins-delivered |
| 66053 | Locked twins-antepartum |
| 66060 | Fail trial lab NOS-unsp |
| 66061 | Fail trial lab NOS-deliv |
| 66063 | Fail trial lab NOS-antep |
| 66070 | Failed forcep NOS-unspec |
| 66071 | Failed forceps NOS-deliv |
| 66073 | Fail forceps NOS-antepar |
| 66080 | Obstruc labor NEC-unspec |
| 66081 | Obstruct labor NEC-deliv |
| 66083 | Obstruc labor NEC-antepa |
| 66090 | Obstruc labor NOS-unspec |
| 66091 | Obstruct labor NOS-deliv |
| 66093 | Obstruc labor NOS-antepa |
| 66100 | Prim uterine inert-unsp |
| 66101 | Prim uterine inert-deliv |
| 66103 | Prim uter inert-antepart |
| 66110 | Sec uterine inert-unspec |
| 66111 | Sec uterine inert-deliv |
| 66113 | Sec uterine inert-antepa |
| 66120 | Uterine inertia NEC-unsp |
| 66121 | Uterine inert NEC-deliv |
| 66123 | Uterine inert NEC-antepa |

| | |
|-------|--------------------------|
| 66130 | Precipitate labor-unspec |
| 66131 | Precipitate labor-deliv |
| 66133 | Precipitate labor-anteпа |
| 66140 | Uter dystocia NOS-unspec |
| 66141 | Uter dystocia NOS-deliv |
| 66143 | Uter dystocia NOS-anteпа |
| 66190 | Abnormal labor NOS-unsp |
| 66191 | Abnormal labor NOS-deliv |
| 66193 | Abnorm labor NOS-anteпа |
| 66200 | Prolonged 1st stage-unsp |
| 66201 | Prolong 1st stage-deliv |
| 66203 | Prolong 1st stage-anteпа |
| 66210 | Prolonged labor NOS-unsp |
| 66211 | Prolong labor NOS-deliv |
| 66213 | Prolong labor NOS-anteпа |
| 66220 | Prolonged 2nd stage-unsp |
| 66221 | Prolong 2nd stage-deliv |
| 66223 | Prolong 2nd stage-anteпа |
| 66230 | Delay del 2nd twin-unsp |
| 66231 | Delay del 2nd twin-deliv |
| 66233 | Delay del 2 twin-anteпа |
| 66300 | Cord prolapse-unspec |
| 66301 | Cord prolapse-delivered |
| 66303 | Cord prolapse-antepartum |
| 66310 | Cord around neck-unspec |
| 66311 | Cord around neck-deliver |
| 66313 | Cord around neck-anteпа |
| 66320 | Cord compress NEC-unspec |
| 66321 | Cord compress NEC-deliv |
| 66323 | Cord compres NEC-anteпа |
| 66330 | Cord entangle NEC-unspec |
| 66331 | Cord entangle NEC-deliv |
| 66333 | Cord entangl NEC-anteпа |
| 66340 | Short cord-unspecified |
| 66341 | Short cord-delivered |
| 66343 | Short cord-antepartum |
| 66350 | Vasa previa-unspecified |
| 66351 | Vasa previa-delivered |
| 66353 | Vasa previa-antepartum |
| 66360 | Vasc lesion cord-unspec |
| 66361 | Vasc lesion cord-deliver |
| 66363 | Vasc lesion cord-anteпа |
| 66380 | Cord complicat NEC-unsp |
| 66381 | Cord complicat NEC-deliv |
| 66383 | Cord compl NEC-antepart |
| 66390 | Cord complicat NOS-unsp |
| 66391 | Cord complicat NOS-deliv |
| 66393 | Cord compl NOS-antepart |
| 66400 | Del w 1 deg lacerat-unsp |
| 66401 | Del w 1 deg lacerat-del |
| 66404 | Del w 1 deg lac-postpart |
| 66410 | Del w 2 deg lacerat-unsp |

| | |
|-------|---------------------------|
| 66411 | Del w 2 deg lacerat-del |
| 66414 | Del w 2 deg lac-postpart |
| 66420 | Del w 3 deg lacerat-unsp |
| 66421 | Del w 3 deg lacerat-del |
| 66424 | Del w 3 deg lac-postpart |
| 66430 | Del w 4 deg lacerat-unsp |
| 66431 | Del w 4 deg lacerat-del |
| 66434 | Del w 4 deg lac-postpart |
| 66440 | Ob perineal lac NOS-unsp |
| 66441 | Ob perineal lac NOS-del |
| 66444 | Perineal lac NOS-postpar |
| 66450 | Ob perineal hematoma-unsp |
| 66451 | Ob perineal hematoma-del |
| 66454 | Perin hematoma-postpart |
| 66460 | Anal sphincter tear NOS |
| 66461 | Anal sphincter tear-del |
| 66464 | Anal sphinctr tear w p/p |
| 66480 | Ob perin traum NEC-unsp |
| 66481 | Ob perineal trau NEC-del |
| 66484 | Perin traum NEC-postpart |
| 66490 | Ob perin traum NOS-unsp |
| 66491 | Ob perineal trau NOS-del |
| 66494 | Perin traum NOS-postpart |
| 66500 | Prelabor rupt uter-unsp |
| 66501 | Prelabor rupt uterus-del |
| 66503 | Prelab rupt uter-antepar |
| 66510 | Rupture uterus NOS-unsp |
| 66511 | Rupture uterus NOS-deliv |
| 66520 | Inversion of uterus-unsp |
| 66522 | Invers uterus-del w p/p |
| 66524 | Invers uterus-postpart |
| 66530 | Lacerat of cervix-unspec |
| 66531 | Lacerat of cervix-deliv |
| 66534 | Lacer of cervix-postpart |
| 66540 | High vaginal lacer-unsp |
| 66541 | High vaginal lacer-deliv |
| 66544 | High vaginal lac-postpar |
| 66550 | Ob inj pelv org NEC-unsp |
| 66551 | Ob inj pelv org NEC-del |
| 66554 | Inj pelv org NEC-postpar |
| 66560 | Damage to pelvic jt-unsp |
| 66561 | Damage to pelvic jt-del |
| 66564 | Damage pelvic jt-postpar |
| 66570 | Ob pelvic hematoma-unsp |
| 66571 | Ob pelvic hematoma-deliv |
| 66572 | Pelvic hematoma-del w pp |
| 66574 | Pelvic hematoma-postpart |
| 66580 | Ob trauma NEC-unspec |
| 66581 | Ob trauma NEC-delivered |
| 66582 | Ob trauma NEC-del w p/p |
| 66583 | Ob trauma NEC-antepartum |
| 66584 | Ob trauma NEC-postpartum |

| | |
|-------|--------------------------|
| 66590 | Ob trauma NOS-unspec |
| 66591 | Ob trauma NOS-delivered |
| 66592 | Ob trauma NOS-del w p/p |
| 66593 | Ob trauma NOS-antepartum |
| 66594 | Ob trauma NOS-postpartum |
| 66600 | Third-stage hem-unspec |
| 66602 | Thrd-stage hem-del w p/p |
| 66604 | Third-stage hem-postpart |
| 66610 | Postpartum hem NEC-unsp |
| 66612 | Postpa hem NEC-del w p/p |
| 66614 | Postpart hem NEC-postpar |
| 66620 | Delay p/part hem-unspec |
| 66622 | Delay p/p hem-del w p/p |
| 66624 | Delay p/part hem-postpar |
| 66630 | Postpart coagul def-unsp |
| 66632 | P/p coag def-del w p/p |
| 66634 | Postpart coag def-postpa |
| 66700 | Retain placenta NOS-unsp |
| 66702 | Retnd plac NOS-del w p/p |
| 66704 | Retain plac NOS-postpart |
| 66710 | Retain prod concept-unsp |
| 66712 | Ret prod conc-del w p/p |
| 66714 | Ret prod concept-postpar |
| 66800 | Pulm compl in del-unspec |
| 66801 | Pulm compl in del-deliv |
| 66802 | Pulm complic-del w p/p |
| 66803 | Pulm complicat-antepart |
| 66804 | Pulm complicat-postpart |
| 66810 | Heart compl in del-unsp |
| 66811 | Heart compl in del-deliv |
| 66812 | Heart compl-del w p/p |
| 66813 | Heart complic-antepart |
| 66814 | Heart complic-postpart |
| 66820 | Cns compl labor/del-unsp |
| 66821 | Cns compl lab/del-deliv |
| 66822 | Cns complic-del w p/p |
| 66823 | Cns compl in del-antepar |
| 66824 | Cns compl in del-postpar |
| 66880 | Anesth comp del NEC-unsp |
| 66881 | Anesth compl NEC-deliver |
| 66882 | Anesth compl NEC-del p/p |
| 66883 | Anesth compl antepartum |
| 66884 | Anesth compl-postpartum |
| 66890 | Anesth comp del NOS-unsp |
| 66891 | Anesth compl NOS-deliver |
| 66892 | Anesth compl NOS-del p/p |
| 66893 | Anesth compl-antepartum |
| 66894 | Anesth compl-postpartum |
| 66900 | Maternal distress-unspec |
| 66901 | Maternal distress-deliv |
| 66902 | Matern distres-del w p/p |
| 66903 | Matern distress-antepar |

| | |
|-------|-----------------------------|
| 66904 | Matern distress-postpart |
| 66910 | Obstetric shock-unspec |
| 66911 | Obstetric shock-deliver |
| 66912 | Obstet shock-deliv w p/p |
| 66913 | Obstetric shock-antepar |
| 66914 | Obstetric shock-postpart |
| 66920 | Matern hypotens syn-unsp |
| 66921 | Matern hypoten syn-deliv |
| 66922 | Matern hypoten-del w p/p |
| 66923 | Matern hypotens-antepar |
| 66924 | Matern hypotens-postpart |
| 66930 | Ac kidney fail w del-unsp |
| 66932 | Ac kidney fail-del w p/p |
| 66934 | Ac kidney fail-postpart |
| 66940 | Oth ob surg compl-unspec |
| 66941 | Oth ob compl-delivered |
| 66942 | Oth ob compl-deliv w p/p |
| 66943 | Complc ob surg anteptrtm |
| 66944 | Oth ob surg compl-postpa |
| 66950 | Forcep deliv NOS-unspec |
| 66951 | Forcep deliv NOS-deliver |
| 66960 | Breech extr NOS-unspec |
| 66961 | Breech extr NOS-deliver |
| 66970 | Cesarean deliv NOS-unsp |
| 66971 | Cesarean delivery NOS |
| 66980 | Compl lab/deliv NEC-unsp |
| 66981 | Comp lab/deliv NEC-deliv |
| 66982 | Compl del NEC-del w p/p |
| 66983 | Compl deliv NEC-antepar |
| 66984 | Compl deliv NEC-postpart |
| 66990 | Compl lab/deliv NOS-unsp |
| 66991 | Comp lab/deliv NOS-deliv |
| 66992 | Compl del NOS-del w p/p |
| 66993 | Compl deliv NOS-antepar |
| 66994 | Compl deliv NOS-postpart |
| 67000 | Maj puerp inf NOS-unsp |
| 67002 | Maj puer inf NOS-del p/p |
| 67004 | Major puerp inf NOS-p/p |
| 67010 | Puerp endometritis-unsp |
| 67012 | Puerp endomet del w p/p |
| 67014 | Puerp endomet-postpart |
| 67020 | Puerperal sepsis-unsp |
| 67022 | Puerprl sepsis-del w p/p |
| 67024 | Puerperl sepsis-postpart |
| 67030 | Puerp septic thromb-unsp |
| 67032 | Prp septic thromb-del w p/p |
| 67034 | Prp septic thromb-postpart |
| 67080 | Maj prp infec NEC-unspec |
| 67082 | Maj prp inf NEC-dl w p/p |
| 67084 | Maj puerp infec NEC-p/p |
| 67100 | Varic vein leg preg-unsp |
| 67101 | Varicose vein leg-deliv |

| | |
|-------|--------------------------|
| 67102 | Varic vein leg-del w p/p |
| 67103 | Varic vein leg-antepart |
| 67104 | Varic vein leg-postpart |
| 67110 | Varic vulva preg-unspec |
| 67111 | Varicose vulva-delivered |
| 67112 | Varicose vulva-del w p/p |
| 67113 | Varicose vulva-antepart |
| 67114 | Varicose vulva-postpart |
| 67120 | Thrombophleb preg-unspec |
| 67121 | Thrombophlebitis-deliver |
| 67122 | Thrombophleb-deliv w p/p |
| 67123 | Thrombophlebit-antepart |
| 67124 | Thrombophlebit-postpart |
| 67130 | Deep thromb antepar-unsp |
| 67131 | Deep throm antepar-deliv |
| 67133 | Deep vein thromb-antepar |
| 67140 | Deep thromb postpar-unsp |
| 67142 | Thromb postpar-del w p/p |
| 67144 | Deep vein thromb-postpar |
| 67150 | Thrombosis NEC preg-unsp |
| 67151 | Thrombosis NEC-delivered |
| 67152 | Thromb NEC-deliv w p/p |
| 67153 | Thrombosis NEC-antepart |
| 67154 | Thrombosis NEC-postpart |
| 67180 | Ven compl preg NEC-unsp |
| 67181 | Venous compl NEC-deliver |
| 67182 | Ven comp NEC-deliv w p/p |
| 67183 | Venous compl NEC-antepar |
| 67184 | Venous compl NEC-postpar |
| 67190 | Ven compl preg NOS-unsp |
| 67191 | Venous compl NOS-deliver |
| 67192 | Ven comp NOS-deliv w p/p |
| 67193 | Venous compl NOS-antepar |
| 67194 | Venous compl NOS-postpar |
| 67200 | Puerperal pyrexia-unspec |
| 67202 | Puerp pyrexia-del w p/p |
| 67204 | Puerp pyrexia-postpartum |
| 67300 | Ob air embolism-unspec |
| 67301 | Ob air embolism-deliver |
| 67302 | Ob air embol-deliv w p/p |
| 67303 | Ob air embolism-antepart |
| 67304 | Ob air embolism-postpart |
| 67310 | Amniotic embolism-unspec |
| 67311 | Amniotic embolism-deliv |
| 67312 | Amniot embol-deliv w p/p |
| 67313 | Amniotic embol-antepart |
| 67314 | Amniotic embol-postpart |
| 67320 | Ob pulm embol NOS-unspec |
| 67321 | Pulm embol NOS-delivered |
| 67322 | Pulm embol NOS-del w p/p |
| 67323 | Pulm embol NOS-antepart |
| 67324 | Pulm embol NOS-postpart |

| | |
|-------|--------------------------|
| 67330 | Ob pyemic embol-unspec |
| 67331 | Ob pyemic embol-deliver |
| 67332 | Ob pyem embol-del w p/p |
| 67333 | Ob pyemic embol-antepart |
| 67334 | Ob pyemic embol-postpart |
| 67380 | Ob pulmon embol NEC-unsp |
| 67381 | Pulmon embol NEC-deliver |
| 67382 | Pulm embol NEC-del w p/p |
| 67383 | Pulmon embol NEC-antepar |
| 67384 | Pulmon embol NEC-postpar |
| 67400 | Puerp cerebvasc dis-unsp |
| 67401 | Puerp cerebvas dis-deliv |
| 67402 | Cerebvas dis-deliv w p/p |
| 67403 | Cerebrovasc dis-antepart |
| 67404 | Cerebrovasc dis-postpart |
| 67410 | Disrupt c-sect wnd-unsp |
| 67412 | Disrupt c-sect-del w p/p |
| 67414 | Disrupt c-sect-postpart |
| 67420 | Disrupt perineum-unspec |
| 67422 | Disrupt perin-del w p/p |
| 67424 | Disrupt perineum-postpar |
| 67430 | Ob surg compl NEC-unspec |
| 67432 | Ob surg compl-del w p/p |
| 67434 | Ob surg comp NEC-postpar |
| 67440 | Placental polyp-unspec |
| 67442 | Placent polyp-del w p/p |
| 67444 | Placental polyp-postpart |
| 67450 | Peripart cardiomy-unspec |
| 67451 | Peripartum cardiomy-del |
| 67452 | Peripart card del w p/p |
| 67453 | Peripartum card-antepart |
| 67454 | Peripartum card-postpart |
| 67480 | Puerp compl NEC-unspec |
| 67482 | Puerp comp NEC-del w p/p |
| 67484 | Puerp compl NEC-postpart |
| 67490 | Puerp compl NOS-unspec |
| 67492 | Puerp comp NOS-del w p/p |
| 67494 | Puerp compl NOS-postpart |
| 67500 | Infect nipple preg-unsp |
| 67501 | Infect nipple-delivered |
| 67502 | Infect nipple-del w p/p |
| 67503 | Infect nipple-antepartum |
| 67504 | Infect nipple-postpartum |
| 67510 | Breast abscess preg-unsp |
| 67511 | Breast abscess-delivered |
| 67512 | Breast abscess-del w p/p |
| 67513 | Breast abscess-antepart |
| 67514 | Breast abscess-postpart |
| 67520 | Mastitis in preg-unspec |
| 67521 | Mastitis-delivered |
| 67522 | Mastitis-deliv w p/p |
| 67523 | Mastitis-antepartum |

| | |
|-------|--------------------------|
| 67524 | Mastitis-postpartum |
| 67580 | Breast inf preg NEC-unsp |
| 67581 | Breast infect NEC-deliv |
| 67582 | Breast inf NEC-del w p/p |
| 67583 | Breast inf NEC-antepart |
| 67584 | Breast inf NEC-postpart |
| 67590 | Breast inf preg NOS-unsp |
| 67591 | Breast infect NOS-deliv |
| 67592 | Breast inf NOS-del w p/p |
| 67593 | Breast inf NOS-antepart |
| 67594 | Breast inf NOS-postpart |
| 67600 | Retract nipple preg-unsp |
| 67601 | Retracted nipple-deliver |
| 67602 | Retract nipple-del w p/p |
| 67603 | Retract nipple-antepart |
| 67604 | Retract nipple-postpart |
| 67610 | Cracked nipple preg-unsp |
| 67611 | Cracked nipple-delivered |
| 67612 | Cracked nipple-del w p/p |
| 67613 | Cracked nipple-antepart |
| 67614 | Cracked nipple-postpart |
| 67620 | Breast engorge-unspec |
| 67621 | Breast engorge-delivered |
| 67622 | Breast engorge-del w p/p |
| 67623 | Breast engorge-antepart |
| 67624 | Breast engorge-postpart |
| 67630 | Breast dis preg NEC-unsp |
| 67631 | Breast dis NEC-delivered |
| 67632 | Breast dis NEC-del w p/p |
| 67633 | Breast dis NEC-antepart |
| 67634 | Breast dis NEC-postpart |
| 67640 | Lactation fail-unspec |
| 67641 | Lactation fail-delivered |
| 67642 | Lactation fail-del w p/p |
| 67643 | Lactation fail-antepart |
| 67644 | Lactation fail-postpart |
| 67650 | Suppr lactation-unspec |
| 67651 | Suppr lactation-deliver |
| 67652 | Suppr lactat-del w p/p |
| 67653 | Suppr lactation-antepar |
| 67654 | Suppr lactation-postpart |
| 67660 | Galactorrhea preg-unspec |
| 67661 | Galactorrhea-delivered |
| 67662 | Galactorrhea-del w p/p |
| 67663 | Galactorrhea-antepartum |
| 67664 | Galactorrhea-postpartum |
| 67680 | Lactation dis NEC-unspec |
| 67681 | Lactation dis NEC-deliv |
| 67682 | Lactat dis NEC-del w p/p |
| 67683 | Lactat dis NEC-antepart |
| 67684 | Lactat dis NEC-postpart |
| 67690 | Lactation dis NOS-unspec |

| | |
|-------|--------------------------|
| 67691 | Lactation dis NOS-deliv |
| 67692 | Lactat dis NOS-del w p/p |
| 67693 | Lactat dis NOS-antepart |
| 67694 | Lactat dis NOS-postpart |
| 677 | Late effct cmplcatn preg |
| 67800 | Fetal hematologic-unspec |
| 67801 | Fetal hematologic-deliv |
| 67803 | Fetal hematologic-ante |
| 67810 | Fetal conjoin twins-unsp |
| 67811 | Fetal conjoin twins-del |
| 67813 | Fetal conjoin twins-ante |
| 67900 | Mat comp in utero-unsp |
| 67901 | Mat comp in utero-del |
| 67902 | Mat comp in utro-del-p/p |
| 67903 | Mat comp in utero-ante |
| 67904 | Mat comp in utero-p/p |
| 67910 | Fetal comp in utero-unsp |
| 67911 | Fetal comp in utero-del |
| 67912 | Ftl cmp in utro-del-p/p |
| 67913 | Fetal comp in utero-ante |
| 67914 | Fetal comp in utero-p/p |
| 71630 | Climact arthritis-unspec |
| 71631 | Climact arthritis-shlder |
| 71632 | Climact arthritis-up/arm |
| 71633 | Climact arthrit-forearm |
| 71634 | Climact arthritis-hand |
| 71635 | Climact arthritis-pelvis |
| 71636 | Climact arthritis-l/leg |
| 71637 | Climact arthritis-ankle |
| 71638 | Climact arthritis NEC |
| 71639 | Climact arthritis-mult |
| 7520 | Anomalies of ovaries |
| 75210 | Tubal/broad lig anom NOS |
| 75211 | Embryonic cyst of adnexa |
| 75219 | Tubal/broad lig anom NEC |
| 7522 | Doubling of uterus |
| 75231 | Agenesis of uterus |
| 75232 | Hypoplasia of uterus |
| 75233 | Unicornuate uterus |
| 75234 | Bicornuate uterus |
| 75235 | Septate uterus |
| 75236 | Arcuate uterus |
| 75239 | Anomalies of uterus NEC |
| 75240 | Cervix/fem gen anom NOS |
| 75241 | Embryon cyst fem gen NEC |
| 75242 | Imperforate hymen |
| 75243 | Cervical agenesis |
| 75244 | Cervical duplication |
| 75245 | Vaginal agenesis |
| 75246 | Transv vaginal septum |
| 75247 | Longitud vaginal septum |
| 75249 | Cervix/fem gen anom NEC |

| | |
|-------|---------------------------|
| 7923 | Abn find-amniotic fluid |
| 79500 | Abn glandular pap smear |
| 79501 | Pap smear (ASC-US) |
| 79502 | Pap smear (ASC-H) |
| 79503 | Pap smear cervix w LGSIL |
| 79504 | Pap smear cervix w HGSIL |
| 79505 | Cervical (HPV) DNA pos |
| 79506 | Pap smr cytol evid malig |
| 79507 | Sat cerv smr-no trnsfrm |
| 79508 | Unsat cerv cytology smear |
| 79509 | Abn pap cervix HPV NEC |
| 79510 | Abn gland pap smr vagina |
| 79511 | Pap smear vag w ASC-US |
| 79512 | Pap smear vagina w ASC-H |
| 79513 | Pap smear vagina w LGSIL |
| 79514 | Pap smear vagina w HGSIL |
| 79515 | Vag hi risk HPV-DNA pos |
| 79516 | Pap smr vag-cytol malig |
| 79518 | Vaginl cytol smr unsatis |
| 79519 | Oth abn Pap smr vag/HPV |
| 79582 | Elev ca antigen 125 |
| 7965 | Abn find antenatl screen |
| 8674 | Uterus injury-closed |
| 8675 | Uterus injury-open |
| 8784 | Open wound of vulva |
| 8785 | Open wound vulva-compl |
| 8786 | Open wound of vagina |
| 8787 | Open wound vagina-compl |
| 90255 | Injury uterine artery |
| 90256 | Injury uterine vein |
| 90281 | Injury ovarian artery |
| 90282 | Injury ovarian vein |
| 9391 | Foreign body uterus |
| 9392 | Foreign bdy vulva/vagina |
| 9474 | Burn of vagina & uterus |
| 99632 | Malfunction iud |
| V074 | Hormone replace postmeno |
| V1040 | Hx-female genit malg NOS |
| V1041 | Hx-cervical malignancy |
| V1042 | Hx-uterus malignancy NEC |
| V1043 | Hx of ovarian malignancy |
| V1044 | Hx-female genit malg NEC |
| V1221 | Hx gestational diabetes |
| V131 | Hx-trophoblastic disease |
| V1321 | History-pre-term labor |
| V1322 | Hx of cervical dysplasia |
| V1323 | Hx vaginal dysplasia |
| V1324 | Hx vulvar dysplasia |
| V1329 | Hx-genital/obs dis NEC |
| V1521 | Hx in utero proc in preg |
| V220 | Supervis normal 1st preg |
| V221 | Supervis oth normal preg |

| | |
|-------|--------------------------|
| V222 | Preg state, incidental |
| V230 | Preg w hx of infertility |
| V231 | Preg w hx-trophoblas dis |
| V232 | Preg w hx of abortion |
| V233 | Grand multiparity |
| V2341 | Preg w hx pre-term labor |
| V2342 | Preg w hx ectopic preg |
| V2349 | Preg w poor obs hx NEC |
| V235 | Preg w poor reproduct hx |
| V237 | Insufficnt prenatal care |
| V2381 | Suprv elderly primigrav |
| V2382 | Suprv elderly multigrav |
| V2383 | Suprv young primigravida |
| V2384 | Suprv young multigravida |
| V2385 | Pregnt-assist repro tech |
| V2386 | Preg-hx in utro prev prg |
| V2387 | Preg w incon fetl viabil |
| V2389 | Suprv high-risk preg NEC |
| V239 | Suprv high-risk preg NOS |
| V240 | Postpart care after del |
| V241 | Postpart care-lactation |
| V242 | Rout postpart follow-up |
| V2501 | Prescrip-oral contracept |
| V2511 | Insertion of iud |
| V2512 | Removal of iud |
| V2513 | Remove/insert iud |
| V253 | Menstrual extraction |
| V2541 | Contracept pill surveill |
| V2542 | Iud surveillance |
| V2543 | Srvl mplnt sbdrm cntrcep |
| V255 | Nsrt mplnt sbdrm cntrcep |
| V261 | Artificial insemination |
| V2631 | Fem genetic test dis car |
| V2632 | Female genetic test NEC |
| V2651 | Tubal ligation status |
| V2681 | Assist repro fertility |
| V270 | Deliver-single liveborn |
| V271 | Deliver-single stillborn |
| V272 | Deliver-twins, both live |
| V273 | Del-twins, 1 nb, 1 sb |
| V274 | Deliver-twins, both sb |
| V275 | Del-mult birth, all live |
| V276 | Del-mult brth, some live |
| V277 | Del-mult birth, all sb |
| V279 | Outcome of delivery NOS |
| V280 | Screening-chromosom anom |
| V281 | Screen-alphafetoprotein |
| V282 | Screen by amniocent NEC |
| V283 | Scr fetl malfrm-ultrasnd |
| V284 | Screen-fetal retardation |
| V285 | Screen-isoimmunization |
| V286 | Antenatal screen strep b |

| | |
|-------|--------------------------|
| V2881 | Scrn fetal anatmc survey |
| V2882 | Scrn risk preterm labor |
| V2889 | Antenatal screening NEC |
| V289 | Antenatal screening NOS |
| V4551 | Prsc ntrutr cntrcptv dvc |
| V4981 | Asympt postmeno status |
| V5042 | Prphylct orgn rmvl ovary |
| V524 | Fit/adj breast pros/impl |
| V5970 | Egg donor NEC |
| V5971 | Egg donor age <35 anon |
| V5972 | Egg donor age <35 desig |
| V5973 | Egg donor age 35+ anon |
| V5974 | Egg donor age 35+ desig |
| V616 | Illegitimate pregnancy |
| V617 | Unwanted pregnancy NEC |
| V6701 | Follow-up vag pap smear |
| V7231 | Routine gyn examination |
| V7232 | Pap smear confirmation |
| V7240 | Pregnancy test unconfirm |
| V7241 | Pregnancy test negative |
| V7242 | Pregnancy test-positive |
| V7611 | Screen mammogram hi risk |
| V762 | Screen mal neop-cervix |
| V7646 | Screen malig neop-ovary |
| V7647 | Screen malig neop-vagina |
| V824 | Mat pstntl scr-chrm anom |
| V8402 | Genetc sus mal neo ovary |
| V8404 | Genetc susc mal neo endo |
| V8801 | Acq absnce cervix/uterus |
| V8802 | Acq ab ut remn cerv stmp |
| V8803 | Acq absnc cerv/remain ut |
| V8901 | Sus amntc cav/mem nt fnd |
| V8902 | Sus placentl prob nt fnd |
| V8903 | Sus fetal anomaly nt fnd |
| V8904 | Sus fetal growth not fnd |
| V8905 | Sus cervcl shortn nt fnd |
| V8909 | Oth sus mat/ftl nt fnd |
| V9100 | Twin gest-plac/sac NOS |
| V9101 | Twin gest-monochr/monoam |
| V9102 | Twin gest-monochr/diamni |
| V9103 | Twin gest-dich/diamniotc |
| V9109 | Twin gest-plac/sac undet |
| V9110 | Tripl gest-plac/sac NOS |
| V9111 | Triplet gest 2+ monochor |
| V9112 | Triplet gest 2+ monoamn |
| V9119 | Tripl gest-plac/sac und |
| V9120 | Quad gest-plac/sac NOS |
| V9121 | Quad gest 2+ monochorion |
| V9122 | Quad gest 2+ monoamniotc |
| V9129 | Quad gest-plac/sac undet |
| V9190 | Mult gest-plac/sac NOS |
| V9191 | Mult gest 2+ monochr NEC |

| | |
|-------|--------------------------|
| V9192 | Mult gest 2+ monoamn NEC |
| V9199 | Mult gest-plac/sac undet |

Diagnoses for males only (ICD-9 CM codes)

| | |
|-------|--------------------------|
| 01640 | TB epididymis-unspec |
| 01641 | TB epididymis-no exam |
| 01642 | TB epididymis-exam unkn |
| 01643 | TB epididymis-micro dx |
| 01644 | TB epididymis-cult dx |
| 01645 | TB epididymis-histo dx |
| 01646 | TB epididymis-oth test |
| 01650 | TB male genit NEC-unspec |
| 01651 | TB male gen NEC-no exam |
| 01652 | TB male gen NEC-ex unkn |
| 01653 | TB male gen NEC-micro dx |
| 01654 | TB male gen NEC-cult dx |
| 01655 | TB male gen NEC-histo dx |
| 01656 | TB male gen NEC-oth test |
| 05413 | Herpetic infect of penis |
| 0720 | Mumps orchitis |
| 09812 | Gc prostatitis (acute) |
| 09813 | Gc orchitis (acute) |
| 09814 | Gc sem vesiculit (acute) |
| 09832 | Gc prostatitis, chronic |
| 09833 | Gc orchitis, chronic |
| 09834 | Gc sem vesiculitis, chr |
| 13103 | Trichomonal prostatitis |
| 1750 | Mal neo male nipple |
| 1759 | Mal neo male breast NEC |
| 185 | Malign neopl prostate |
| 1860 | Mal neo undescend testis |
| 1869 | Malig neo testis NEC |
| 1871 | Malign neopl prepuce |
| 1872 | Malig neo glans penis |
| 1873 | Malig neo penis body |
| 1874 | Malig neo penis NOS |
| 1875 | Malig neo epididymis |
| 1876 | Mal neo spermatic cord |
| 1877 | Malign neopl scrotum |
| 1878 | Mal neo male genital NEC |
| 1879 | Mal neo male genital NOS |
| 2144 | Lipoma spermatic cord |
| 2220 | Benign neoplasm testis |
| 2221 | Benign neoplasm penis |
| 2222 | Benign neoplasm prostate |
| 2223 | Benign neo epididymis |
| 2224 | Benign neoplasm scrotum |
| 2228 | Ben neo male genital NEC |

| | |
|-------|--------------------------|
| 2229 | Ben neo male genital NOS |
| 2334 | Ca in situ prostate |
| 2335 | Ca in situ penis |
| 2336 | Ca in situ male gen NEC |
| 2364 | Unc behav neo testis |
| 2365 | Unc behav neo prostate |
| 2366 | Unc behav neo male NEC |
| 2570 | Testicular hyperfunction |
| 2571 | Postablat testic hypofun |
| 2579 | Testicular dysfunct NOS |
| 30274 | Male orgasmic disorder |
| 30275 | Premature ejaculation |
| 4564 | Scrotal varices |
| 60000 | BPH w/o urinary obs/LUTS |
| 60001 | BPH w urinary obs/LUTS |
| 60010 | Nod prostate w/o ur obst |
| 60011 | Nod prostate w ur obst |
| 60020 | BPH loc w/o ur obs/LUTS |
| 60021 | BPH loc w urin obs/LUTS |
| 6003 | Cyst of prostate |
| 60090 | BPH NOS w/o ur obs/LUTS |
| 60091 | BPH NOS w ur obs/LUTS |
| 6010 | Acute prostatitis |
| 6011 | Chronic prostatitis |
| 6012 | Abscess of prostate |
| 6013 | Prostatocystitis |
| 6014 | Prostatitis in oth dis |
| 6018 | Prostatic inflam dis NEC |
| 6019 | Prostatitis NOS |
| 6020 | Calculus of prostate |
| 6021 | Prostatic congest/hemorr |
| 6022 | Atrophy of prostate |
| 6023 | Dysplasia of prostate |
| 6028 | Prostatic disorders NEC |
| 6029 | Prostatic disorder NOS |
| 6030 | Encysted hydrocele |
| 6031 | Infected hydrocele |
| 6038 | Hydrocele NEC |
| 6039 | Hydrocele NOS |
| 6040 | Orchitis with abscess |
| 60490 | Orchitis/epididymit NOS |
| 60491 | Orchitis in oth disease |
| 60499 | Orchitis/epididymit NEC |
| 605 | Redun prepuce & phimosis |
| 6060 | Azoospermia |
| 6061 | Oligospermia |
| 6068 | Male infertility NEC |
| 6069 | Male infertility NOS |
| 6070 | Leukoplakia of penis |
| 6071 | Balanoposthitis |
| 6072 | Inflam dis, penis NEC |
| 6073 | Priapism |

| | |
|-------|---------------------------|
| 60781 | Balanitis xerotica oblit |
| 60782 | Vascular disorder, penis |
| 60783 | Edema of penis |
| 60784 | Impotence, organic origin |
| 60785 | Peyronie's disease |
| 60789 | Disorder of penis NEC |
| 6079 | Disorder of penis NOS |
| 6080 | Seminal vesiculitis |
| 6081 | Spermatocele |
| 60820 | Torsion of testis NOS |
| 60821 | Extravag tors sperm cord |
| 60822 | Intravag tors sperm cord |
| 60823 | Torsion appendix testis |
| 60824 | Torsion appy epididymis |
| 6083 | Atrophy of testis |
| 6084 | Male gen inflam dis NEC |
| 60881 | Male gen dis in oth dis |
| 60882 | Hematospermia |
| 60883 | Male gen vascul dis NEC |
| 60884 | Chylocele, tunic vaginal |
| 60885 | Stricture, male gen orgn |
| 60886 | Edema, male genital orgn |
| 60887 | Retrograde ejaculation |
| 60889 | Male genital dis NEC |
| 6089 | Male genital dis NOS |
| 75251 | Undescended testis |
| 75252 | Retractile testis |
| 75261 | Hypospadias |
| 75262 | Epispadias |
| 75263 | Congenital chordee |
| 75264 | Micropenis |
| 75265 | Hidden penis |
| 75269 | Penile anomalies NEC |
| 75281 | Scrotal transposition |
| 7587 | Klinefelter's syndrome |
| 78832 | Stress incontinence male |
| 79093 | Elvtd prstate spcf antgn |
| 7922 | Abn findings-semen |
| 8780 | Open wound of penis |
| 8781 | Open wound penis-compl |
| 8782 | Opn wound scrotum/testes |
| 8783 | Opn wnd scrot/test-compl |
| 9393 | Foreign body penis |
| 95913 | Fx corpus cavnosm penis |
| V1045 | Hx-male genit malig NOS |
| V1046 | Hx-prostatic malignancy |
| V1047 | Hx-testicular malignancy |
| V1048 | Hx-epididymis malignancy |
| V1049 | Hx-male genit malig NEC |
| V1361 | Hx-hypospadias |
| V2634 | Male genetc test dis car |
| V2635 | Test male/fem preg loss |

| | |
|-------|--------------------------|
| V2639 | Male genetic test NEC |
| V2652 | Vasectomy status |
| V502 | Routine circumcision |
| V7644 | Scrn malig neop-prostate |
| V7645 | Screen malig neop-testis |
| V8403 | Genetc sus mal neo prost |

Manifestation diagnoses (ICD-9 CM codes)

| | | | |
|-------|--------------------------|-------|---------------------------|
| 2842 | Myelophthisis | 3574 | Neuropathy in other dis |
| 28952 | Splenic sequestration | 3581 | Myasthenia in oth dis |
| 28983 | Myelofibrosis | 35839 | Lambert-Eaton syn ot dis |
| 29410 | Dementia w/o behav dist | 3595 | Myopathy in endocrin dis |
| 29411 | Dementia w behavior dist | 3596 | Infl myopathy in oth dis |
| 3207 | Mening in oth bact dis | 36201 | Diabetic retinopathy NOS |
| 3210 | Cryptococcal meningitis | 36202 | Prolif diab retinopathy |
| 3211 | Mening in oth fungal dis | 36203 | Nonprolf db retnoph NOS |
| 3212 | Mening in oth viral dis | 36204 | Mild nonprolf db retnoph |
| 3213 | Trypanosomiasis meningit | 36205 | Mod nonprolf db retnoph |
| 3214 | Meningit d/t sarcoidosis | 36206 | Sev nonprolf db retnoph |
| 3218 | Mening in oth nonbac dis | 36207 | Diabetic macular edema |
| 32301 | Enceph/encephmye oth dis | 36271 | Ret dystroph in lipidoses |
| 32302 | Myelitis-oth viral dis | 36272 | Ret dystroph in syst dis |
| 3231 | Rickettsial encephalitis | 36411 | Chr iridocycl in oth dis |
| 3232 | Protozoal encephalitis | 36544 | Glaucoma w systemic synd |
| 32341 | Ot encph/mye ot inf else | 36641 | Diabetic cataract |
| 32342 | Oth myelitis ot inf else | 36642 | Tetanic cataract |
| 32361 | Inf ac dis encephalomyel | 36643 | Myotonic cataract |
| 32362 | Postinf encephalitis NEC | 36644 | Cataract w syndrome NEC |
| 32363 | Postinfectious myelitis | 37044 | Keratitis in exanthema |
| 32371 | Toxic encph & encephlomy | 37105 | Phthisical cornea |
| 32372 | Toxic myelitis | 37215 | Parasitic conjunctivitis |
| 32701 | Insomnia in other dis | 37231 | Rosacea conjunctivitis |
| 32702 | Insomnia dt mental disor | 37233 | Mucocutan dis conjunctiv |
| 32714 | Hypersomnia in other dis | 3734 | Infect derm lid w deform |
| 32715 | Hypersom dt mental disor | 3735 | Infec dermatitis lid NEC |
| 32726 | Sleep hypovent oth dis | 3736 | Parasitic infest eyelid |
| 32727 | Cntrl sleep apnea ot dis | 37451 | Xanthelasma |
| 32737 | Circadian rhym oth dis | 37613 | Parasite infest, orbit |
| 32744 | Parasomnia oth diseases | 37621 | Thyrotoxic exophthalmos |
| 3302 | Cereb degen in lipidosis | 37622 | Exophthalm ophthalmopleg |
| 3303 | Cerb deg chld in oth dis | 38013 | Ac infect extern ear NEC |
| 3317 | Cereb degen in oth dis | 38015 | Chr mycot otitis externa |
| 3344 | Cerebel atax in oth dis | 38202 | Ac supp OM in oth dis |
| 3362 | Comb deg cord in oth dis | 4200 | Ac pericardit in oth dis |
| 3363 | Myelopathy in oth dis | 4211 | Ac endocardit in oth dis |
| 3371 | Aut neuropthy in oth dis | 4220 | Ac myocardit in oth dis |
| 34121 | Acute myelitis oth cond | 42491 | Endocarditis in oth dis |
| 34710 | Narclpsy w/o cat oth dis | 4257 | Metabolic cardiomyopathy |
| 34711 | Narcolepsy w cat oth dis | 4258 | Cardiomyopath in oth dis |
| 3571 | Neurpthy in col vasc dis | 44381 | Angiopathy in other dis |
| 3572 | Neuropathy in diabetes | 45620 | Bleed esoph var oth dis |
| 3573 | Neuropathy in malig dis | 45621 | Esoph varice oth dis NOS |

| | | | |
|-------|--------------------------|-------|--------------------------|
| 4841 | Pneum w cytomeg incl dis | 71130 | Dysenter arthrit-unspec |
| 4843 | Pneumonia in whoop cough | 71131 | Dysenter arthrit-shlder |
| 4845 | Pneumonia in anthrax | 71132 | Dysenter arthrit-up/arm |
| 4846 | Pneum in aspergillosis | 71133 | Dysenter arthrit-forearm |
| 4847 | Pneum in oth sys mycoses | 71134 | Dysenter arthrit-hand |
| 4848 | Pneum in infect dis NEC | 71135 | Dysenter arthrit-pelvis |
| 5161 | Idio pulm hemosiderosis | 71136 | Dysenter arthrit-l/leg |
| 5171 | Rheumatic pneumonia | 71137 | Dysenter arthrit-ankle |
| 5172 | Syst sclerosis lung dis | 71138 | Dysenter arthrit NEC |
| 5173 | Acute chest syndrome | 71139 | Dysenter arthrit-mult |
| 5178 | Lung involv in oth dis | 71140 | Bact arthritis-unspec |
| 52510 | Acq absence of teeth NOS | 71141 | Bact arthritis-shlder |
| 52511 | Loss of teeth d/t trauma | 71142 | Bact arthritis-up/arm |
| 52512 | Loss teeth d/t peri dis | 71143 | Bact arthritis-forearm |
| 52513 | Loss of teeth d/t caries | 71144 | Bact arthritis-hand |
| 52519 | Loss of teeth NEC | 71145 | Bact arthritis-pelvis |
| 5670 | Peritonitis in infec dis | 71146 | Bact arthritis-l/leg |
| 5731 | Hepatitis in viral dis | 71147 | Bact arthritis-ankle |
| 5732 | Hepatitis in oth inf dis | 71148 | Bact arthritis NEC |
| 58081 | Ac nephritis in oth dis | 71149 | Bact arthritis-mult |
| 58181 | Nephrotic syn in oth dis | 71150 | Viral arthritis-unspec |
| 58281 | Chr nephritis in oth dis | 71151 | Viral arthritis-shlder |
| 58381 | Nephritis NOS in oth dis | 71152 | Viral arthritis-up/arm |
| 59081 | Pyelonephrit in oth dis | 71153 | Viral arthritis-forearm |
| 5954 | Cystitis in oth dis | 71154 | Viral arthritis-hand |
| 59801 | Ureth strict:oth infect | 71155 | Viral arthritis-pelvis |
| 6014 | Prostatitis in oth dis | 71156 | Viral arthritis-l/leg |
| 60491 | Orchitis in oth disease | 71157 | Viral arthritis-ankle |
| 60881 | Male gen dis in oth dis | 71158 | Viral arthritis NEC |
| 61611 | Vaginitis in oth disease | 71159 | Viral arthritis-mult |
| 61651 | Vulvar ulcer in oth dis | 71160 | Mycotic arthritis-unspec |
| 6281 | Infertil-pituitary orig | 71161 | Mycotic arthritis-shlder |
| 71110 | Reiter arthritis-unspec | 71162 | Mycotic arthritis-up/arm |
| 71111 | Reiter arthritis-shlder | 71163 | Mycotic arthrit-forearm |
| 71112 | Reiter arthritis-up/arm | 71164 | Mycotic arthritis-hand |
| 71113 | Reiter arthritis-forearm | 71165 | Mycotic arthritis-pelvis |
| 71114 | Reiter arthritis-hand | 71166 | Mycotic arthritis-l/leg |
| 71115 | Reiter arthritis-pelvis | 71167 | Mycotic arthritis-ankle |
| 71116 | Reiter arthritis-l/leg | 71168 | Mycotic arthritis NEC |
| 71117 | Reiter arthritis-ankle | 71169 | Mycotic arthritis-mult |
| 71118 | Reiter arthritis NEC | 71170 | Helminth arthrit-unspec |
| 71119 | Reiter arthritis-mult | 71171 | Helminth arthrit-shlder |
| 71120 | Behcet arthritis-unspec | 71172 | Helminth arthrit-up/arm |
| 71121 | Behcet arthritis-shlder | 71173 | Helminth arthrit-forearm |
| 71122 | Behcet arthritis-up/arm | 71174 | Helminth arthrit-hand |
| 71123 | Behcet arthritis-forearm | 71175 | Helminth arthrit-pelvis |
| 71124 | Behcet arthritis-hand | 71176 | Helminth arthrit-l/leg |
| 71125 | Behcet arthritis-pelvis | 71177 | Helminth arthrit-ankle |
| 71126 | Behcet arthritis-l/leg | 71178 | Helminth arthrit NEC |
| 71127 | Behcet arthritis-ankle | 71179 | Helminth arthrit-mult |
| 71128 | Behcet arthritis NEC | 71180 | Inf arthritis NEC-unspec |
| 71129 | Behcet arthritis-mult | 71181 | Inf arthritis NEC-shlder |

| | | | |
|-------|--------------------------|-------|--------------------------|
| 71182 | Inf arthritis NEC-up/arm | 73073 | Polio osteopathy-forearm |
| 71183 | Inf arthrit NEC-forearm | 73074 | Polio osteopathy-hand |
| 71184 | Inf arthritis NEC-hand | 73075 | Polio osteopathy-pelvis |
| 71185 | Inf arthritis NEC-pelvis | 73076 | Polio osteopathy-l/leg |
| 71186 | Inf arthritis NEC-l/leg | 73077 | Polio osteopathy-ankle |
| 71187 | Inf arthritis NEC-ankle | 73078 | Polio osteopathy NEC |
| 71188 | Inf arthrit NEC-oth site | 73079 | Polio osteopathy-mult |
| 71189 | Inf arthritis NEC-mult | 73080 | Bone infect NEC-unspec |
| 71210 | Dicalc phos cryst-unspec | 73081 | Bone infect NEC-shlder |
| 71211 | Dicalc phos cryst-shlder | 73082 | Bone infect NEC-up/arm |
| 71212 | Dicalc phos cryst-up/arm | 73083 | Bone infect NEC-forearm |
| 71213 | Dicalc phos crys-forearm | 73084 | Bone infect NEC-hand |
| 71214 | Dicalc phos cryst-hand | 73085 | Bone infect NEC-pelvis |
| 71215 | Dicalc phos cryst-pelvis | 73086 | Bone infect NEC-l/leg |
| 71216 | Dicalc phos cryst-l/leg | 73087 | Bone infect NEC-ankle |
| 71217 | Dicalc phos cryst-ankle | 73088 | Bone infect NEC-oth site |
| 71218 | Dicalc phos cry-site NEC | 73089 | Bone infect NEC-mult |
| 71219 | Dicalc phos cryst-mult | 7311 | Osteitis def in oth dis |
| 71220 | Pyrophosph cryst-unspec | 7318 | Bone involv in oth dis |
| 71221 | Pyrophosph cryst-shlder | 73740 | Spin curv NOS in oth dis |
| 71222 | Pyrophosph cryst-up/arm | 73741 | Kyphosis in oth dis |
| 71223 | Pyrophosph cryst-forearm | 73742 | Lordosis in oth dis |
| 71224 | Pyrophosph cryst-hand | 73743 | Scoliosis in oth dis |
| 71225 | Pyrophosph cryst-pelvis | 7740 | Perinat jaund-hered anem |
| 71226 | Pyrophosph cryst-l/leg | 77431 | Neonat jaund in oth dis |
| 71227 | Pyrophosph cryst-ankle | 7745 | Perinatal jaundice NEC |
| 71228 | Pyrophos cryst-site NEC | 78061 | Fever in other diseases |
| 71229 | Pyrophos cryst-mult | 78452 | Flncy dsord cond elsewhr |
| 71230 | Chondrocalcin NOS-unspec | 78552 | Septic shock |
| 71231 | Chondrocalcin NOS-shlder | V4031 | Wandering-dis elsewhere |
| 71232 | Chondrocalcin NOS-up/arm | | |
| 71233 | Chondrocalc NOS-forearm | | |
| 71234 | Chondrocalcin NOS-hand | | |
| 71235 | Chondrocalcin NOS-pelvis | | |
| 71236 | Chondrocalcin NOS-l/leg | | |
| 71237 | Chondrocalcin NOS-ankle | | |
| 71238 | Chondrocalc NOS-oth site | | |
| 71239 | Chondrocalcin NOS-mult | | |
| 7130 | Arthrop w endocr/met dis | | |
| 7131 | Arthrop w noninf GI dis | | |
| 7132 | Arthropath w hematol dis | | |
| 7133 | Arthropathy w skin dis | | |
| 7134 | Arthropathy w resp dis | | |
| 7135 | Arthropathy w nerve dis | | |
| 7136 | Arthrop w hypersen react | | |
| 7137 | Arthrop w system dis NEC | | |
| 7138 | Arthrop w oth dis NEC | | |
| 72081 | Spondylopathy in oth dis | | |
| 72701 | Synovitis in oth dis | | |
| 73070 | Polio osteopathy-unspec | | |
| 73071 | Polio osteopathy-shlder | | |
| 73072 | Polio osteopathy-up/arm | | |

Mental health diagnoses (ICD-9 CM codes)

| | | | |
|-------|---------------------------|-------|---------------------------|
| 29010 | Presenile dementia | 2948 | Mental disor NEC oth dis |
| 29011 | Presenile delirium | 2949 | Mental disor NOS oth dis |
| 29012 | Presenile delusion | 29500 | Simpl schizophren-unspec |
| 29013 | Presenile depression | 29501 | Simpl schizophren-subchr |
| 29020 | Senile delusion | 29502 | Simple schizophren-chr |
| 29021 | Senile depressive | 29503 | Simp schiz-subchr/exacer |
| 2903 | Senile delirium | 29504 | Simpl schizo-chr/exacerb |
| 29040 | Vascular dementia,uncomp | 29505 | Simpl schizophren-remiss |
| 29041 | Vasc dementia w delirium | 29510 | Hebephrenia-unspec |
| 29042 | Vasc dementia w delusion | 29511 | Hebephrenia-subchronic |
| 29043 | Vasc dementia w depressn | 29512 | Hebephrenia-chronic |
| 2908 | Senile psychosis NEC | 29513 | Hebephren-subchr/exacerb |
| 2909 | Senile psychot cond NOS | 29514 | Hebephrenia-chr/exacerb |
| 2910 | Delirium tremens | 29515 | Hebephrenia-remission |
| 2911 | Alcohol amnestic disordr | 29520 | Catatonia-unspec |
| 2912 | Alcohol persist dementia | 29521 | Catatonia-subchronic |
| 2913 | Alcoh psy dis w hallucin | 29522 | Catatonia-chronic |
| 2914 | Pathologic alcohol intox | 29523 | Catatonia-subchr/exacerb |
| 2915 | Alcoh psych dis w delus | 29524 | Catatonia-chr/exacerb |
| 29182 | Alcoh induce sleep disor | 29525 | Catatonia-remission |
| 29189 | Alcohol mental disor NEC | 29530 | Paranoid schizo-unspec |
| 2919 | Alcohol mental disor NOS | 29531 | Paranoid schizo-subchr |
| 2920 | Drug withdrawal | 29532 | Paranoid schizo-chronic |
| 29211 | Drug psych disor w delus | 29533 | Paran schizo-subchr/exac |
| 29212 | Drug psy dis w hallucin | 29534 | Paran schizo-chr/exacerb |
| 2922 | Pathologic drug intox | 29535 | Paranoid schizo-remiss |
| 29281 | Drug-induced delirium | 29540 | Schizophreniform dis NOS |
| 29282 | Drug persisting dementia | 29541 | Schizophrenic dis-subchr |
| 29283 | Drug persist amnestic dis | 29542 | Schizophren dis-chronic |
| 29284 | Drug-induced mood disord | 29543 | Schizo dis-subchr/exacer |
| 29285 | Drug induced sleep disor | 29544 | Schizophr dis-chr/exacer |
| 29289 | Drug mental disorder NEC | 29545 | Schizophrenic dis-remiss |
| 2929 | Drug mental disorder NOS | 29550 | Latent schizophren-unsp |
| 2930 | Delirium d/t other cond | 29551 | Lat schizophren-subchr |
| 2931 | Subacute delirium | 29552 | Latent schizophren-chr |
| 29381 | Psy dis w delus oth dis | 29553 | Lat schizo-subchr/exacer |
| 29382 | Psy dis w halluc oth dis | 29554 | Latent schizo-chr/exacer |
| 29383 | Mood disorder other dis | 29555 | Lat schizophren-remiss |
| 29384 | Anxiety disorder oth dis | 29560 | Schizophr dis resid NOS |
| 29389 | Transient mental dis NEC | 29561 | Schizophr dis resid-subch |
| 2939 | Transient mental dis NOS | 29562 | Schizophr dis resid-chr |
| 2940 | Amnestic disord oth dis | 29563 | Schizo resid subchr/exac |
| 29410 | Dementia w/o behav dist | 29564 | Schizophr resid-chro/exac |
| 29411 | Dementia w behavior dist | 29565 | Schizophr dis resid-remis |
| 29420 | Demen NOS w/o behv dstrb | 29570 | Schizoaffective dis NOS |
| 29421 | Demen NOS w behav distrb | 29571 | Schizoaffectv dis-subchr |

| | | | |
|-------|---------------------------|-------|---------------------------|
| 29572 | Schizoaffective dis-chr | 29651 | Bipol I cur depress-mild |
| 29573 | Schizoaff dis-subch/exac | 29652 | Bipol I cur depress-mod |
| 29574 | Schizoafftv dis-chr/exac | 29653 | Bipol I curr dep w/o psy |
| 29575 | Schizoaffective dis-remis | 29654 | Bipol I currnt dep w psy |
| 29580 | Schizophrenia NEC-unspec | 29655 | Bipol I cur dep rem NOS |
| 29581 | Schizophrenia NEC-subchr | 29656 | Bipol I currnt dep remis |
| 29582 | Schizophrenia NEC-chr | 29660 | Bipol I currnt mixed NOS |
| 29583 | Schizo NEC-subchr/exacer | 29661 | Bipol I currnt mix-mild |
| 29584 | Schizo NEC-chr/exacerb | 29662 | Bipol I currnt mixed-mod |
| 29585 | Schizophrenia NEC-remiss | 29663 | Bipol I cur mix w/o psy |
| 29590 | Schizophrenia NOS-unspec | 29664 | Bipol I cur mixed w psy |
| 29591 | Schizophrenia NOS-subchr | 29665 | Bipol I cur mix-part rem |
| 29592 | Schizophrenia NOS-chr | 29666 | Bipol I cur mixed remiss |
| 29593 | Schizo NOS-subchr/exacer | 2967 | Bipolor I current NOS |
| 29594 | Schizo NOS-chr/exacerb | 29680 | Bipolar disorder NOS |
| 29595 | Schizophrenia NOS-remiss | 29681 | Atypical manic disorder |
| 29600 | Bipol I single manic NOS | 29682 | Atypical depressive dis |
| 29601 | Bipol I single manic-mild | 29689 | Bipolar disorder NEC |
| 29602 | Bipol I single manic-mod | 29690 | Episodic mood disord NOS |
| 29603 | Bipol I sing-sev w/o psy | 29699 | Episodic mood disord NEC |
| 29604 | Bipo I sin man-sev w psy | 2970 | Paranoid state, simple |
| 29605 | Bipol I sing man rem NOS | 2971 | Delusional disorder |
| 29606 | Bipol I single manic rem | 2972 | Paraphrenia |
| 29610 | Recur manic dis-unspec | 2973 | Shared psychotic disord |
| 29611 | Recur manic dis-mild | 2978 | Paranoid states NEC |
| 29612 | Recur manic dis-mod | 2979 | Paranoid state NOS |
| 29613 | Recur manic dis-severe | 2980 | React depress psychosis |
| 29614 | Recur manic-sev w psycho | 2981 | Excitativ type psychosis |
| 29615 | Recur manic-part remiss | 2982 | Reactive confusion |
| 29616 | Recur manic-full remiss | 2983 | Acute paranoid reaction |
| 29620 | Depress psychosis-unspec | 2984 | Psychogen paranoid psych |
| 29621 | Depress psychosis-mild | 2988 | React psychosis NEC/NOS |
| 29622 | Depressive psychosis-mod | 2989 | Psychosis NOS |
| 29623 | Depress psychosis-severe | 29900 | Autistic disord-current |
| 29624 | Depr psychos-sev w psych | 29901 | Autistic disord-residual |
| 29625 | Depr psychos-part remiss | 29910 | Childhd disintegr-active |
| 29626 | Depr psychos-full remiss | 29911 | Childhd disintegr-resid |
| 29630 | Recurr depr psychos-unsp | 29980 | Pervasv dev dis-cur NEC |
| 29631 | Recurr depr psychos-mild | 29981 | Pervasv dev dis-res NEC |
| 29632 | Recurr depr psychos-mod | 29990 | Pervasv dev dis-cur NOS |
| 29633 | Recur depr psych-severe | 29991 | Pervasv dev dis-res NOS |
| 29634 | Rec depr psych-psychotic | 30000 | Anxiety state NOS |
| 29635 | Recur depr psyc-part rem | 30001 | Panic dis w/o agorophobia |
| 29636 | Recur depr psyc-full rem | 30002 | Generalized anxiety dis |
| 29640 | Bipol I currnt manic NOS | 30009 | Anxiety state NEC |
| 29641 | Bipol I curnt manic-mild | 30010 | Hysteria NOS |
| 29642 | Bipol I currnt manic-mod | 30011 | Conversion disorder |
| 29643 | Bipol I manic-sev w/o psy | 30012 | Dissociative amnesia |
| 29644 | Bipol I manic-sev w psy | 30013 | Dissociative fugue |
| 29645 | Bipol I cur man part rem | 30014 | Dissociative identity dis |
| 29646 | Bipol I cur man full rem | 30015 | Dissociative react NOS |
| 29650 | Bipol I cur depres NOS | 30016 | Factitious dis w symptom |

| | | | |
|-------|--------------------------|-------|--------------------------|
| 30019 | Factitious ill NEC/NOS | 30276 | Dyspareunia,psychogenic |
| 30020 | Phobia NOS | 30279 | Psychosexual dysfunc NEC |
| 30021 | Agoraphobia w panic dis | 30281 | Fetishism |
| 30022 | Agoraphobia w/o panic | 30282 | Voyeurism |
| 30023 | Social phobia | 30283 | Sexual masochism |
| 30029 | Isolated/spec phobia NEC | 30284 | Sexual sadism |
| 3003 | Obsessive-compulsive dis | 30285 | Gend iden dis,adol/adult |
| 3004 | Dysthymic disorder | 30289 | Psychosexual dis NEC |
| 3005 | Neurasthenia | 3029 | Psychosexual dis NOS |
| 3006 | Depersonalization disord | 30300 | Ac alcohol intox-unspec |
| 3007 | Hypochondriasis | 30301 | Ac alcohol intox-contin |
| 30081 | Somatization disorder | 30302 | Ac alcohol intox-episod |
| 30082 | Undiff somatoform disrdr | 30303 | Ac alcohol intox-remiss |
| 30089 | Somatoform disorders NEC | 30390 | Alcoh dep NEC/NOS-unspec |
| 3009 | Nonpsychotic disord NOS | 30391 | Alcoh dep NEC/NOS-contin |
| 3010 | Paranoid personality | 30392 | Alcoh dep NEC/NOS-episod |
| 30110 | Affectiv personality NOS | 30393 | Alcoh dep NEC/NOS-remiss |
| 30111 | Chronic hypomanic person | 30400 | Opioid dependence-unspec |
| 30112 | Chr depressive person | 30401 | Opioid dependence-contin |
| 30113 | Cyclothymic disorder | 30402 | Opioid dependence-episod |
| 30120 | Schizoid personality NOS | 30403 | Opioid dependence-remiss |
| 30121 | Introverted personality | 30410 | Sed,hyp,anxiolyt dep-NOS |
| 30122 | Schizotypal person dis | 30411 | Sed,hyp,anxiolyt dep-con |
| 3013 | Explosive personality | 30412 | Sed,hyp,anxiolyt dep-epi |
| 3014 | Obsessive-compulsive dis | 30413 | Sed,hyp,anxiolyt dep-rem |
| 30150 | Histrionic person NOS | 30420 | Cocaine depend-unspec |
| 30151 | Chr factitious illness | 30421 | Cocaine depend-contin |
| 30159 | Histrionic person NEC | 30422 | Cocaine depend-episodic |
| 3016 | Dependent personality | 30423 | Cocaine depend-remiss |
| 3017 | Antisocial personality | 30430 | Cannabis depend-unspec |
| 30181 | Narcissistic personality | 30431 | Cannabis depend-contin |
| 30182 | Avoidant personality dis | 30432 | Cannabis depend-episodic |
| 30183 | Borderline personality | 30433 | Cannabis depend-remiss |
| 30184 | Passive-aggressiv person | 30440 | Amphetamin depend-unspec |
| 30189 | Personality disorder NEC | 30441 | Amphetamin depend-contin |
| 3019 | Personality disorder NOS | 30442 | Amphetamin depend-episod |
| 3020 | Ego-dystonic sex orient | 30443 | Amphetamin depend-remiss |
| 3021 | Zoophilia | 30450 | Hallucinogen dep-unspec |
| 3022 | Pedophilia | 30451 | Hallucinogen dep-contin |
| 3023 | Transvestic fetishism | 30452 | Hallucinogen dep-episod |
| 3024 | Exhibitionism | 30453 | Hallucinogen dep-remiss |
| 30250 | Trans-sexualism NOS | 30460 | Drug depend NEC-unspec |
| 30251 | Trans-sexualism, asexual | 30461 | Drug depend NEC-contin |
| 30252 | Trans-sexual, homosexual | 30462 | Drug depend NEC-episodic |
| 30253 | Trans-sex, heterosexual | 30463 | Drug depend NEC-in rem |
| 3026 | Gendr identity dis-child | 30470 | Opioid/other dep-unspec |
| 30270 | Psychosexual dysfunc NOS | 30471 | Opioid/other dep-contin |
| 30271 | Hypoactive sex desire | 30472 | Opioid/other dep-episod |
| 30272 | Inhibited sex excitement | 30473 | Opioid/other dep-remiss |
| 30273 | Female orgasmic disorder | 30480 | Comb drug dep NEC-unspec |
| 30274 | Male orgasmic disorder | 30481 | Comb drug dep NEC-contin |
| 30275 | Premature ejaculation | 30482 | Comb drug dep NEC-episod |

| | | | |
|-------|--------------------------|-------|--------------------------|
| 30483 | Comb drug dep NEC-remiss | 30745 | Nonorganic circadian rhy |
| 30490 | Drug depend NOS-unspec | 30746 | Sleep arousal disorder |
| 30491 | Drug depend NOS-contin | 30747 | Sleep stage dysfunc NEC |
| 30492 | Drug depend NOS-episodic | 30748 | Repetit sleep intrusion |
| 30493 | Drug depend NOS-remiss | 30749 | Nonorganic sleep dis NEC |
| 30500 | Alcohol abuse-unspec | 30750 | Eating disorder NOS |
| 30501 | Alcohol abuse-continuous | 30751 | Bulimia nervosa |
| 30502 | Alcohol abuse-episodic | 30752 | Pica |
| 30503 | Alcohol abuse-in remiss | 30753 | Rumination disorder |
| 30520 | Cannabis abuse-unspec | 30754 | Psychogenic vomiting |
| 30521 | Cannabis abuse-contin | 30759 | Eating disorder NEC |
| 30522 | Cannabis abuse-episodic | 3076 | Enuresis |
| 30523 | Cannabis abuse-in remiss | 3077 | Encopresis |
| 30530 | Hallucinog abuse-unspec | 30780 | Psychogenic pain NOS |
| 30531 | Hallucinog abuse-contin | 30789 | Psychogenic pain NEC |
| 30532 | Hallucinog abuse-episod | 3079 | Special symptom NEC/NOS |
| 30533 | Hallucinog abuse-remiss | 3080 | Stress react, emotional |
| 30540 | Sed,hyp,anxiolytc ab-NOS | 3081 | Stress reaction, fugue |
| 30541 | Sed,hyp,anxiolytc ab-con | 3082 | Stress react, psychomot |
| 30542 | Sed,hyp,anxiolytc ab-epi | 3083 | Acute stress react NEC |
| 30543 | Sed,hyp,anxiolytc ab-rem | 3084 | Stress react, mixed dis |
| 30550 | Opioid abuse-unspec | 3089 | Acute stress react NOS |
| 30551 | Opioid abuse-continuous | 3090 | Adjustmnt dis w depressn |
| 30552 | Opioid abuse-episodic | 3091 | Prolong depressive react |
| 30553 | Opioid abuse-in remiss | 30921 | Separation anxiety |
| 30560 | Cocaine abuse-unspec | 30922 | Emancipation disorder |
| 30561 | Cocaine abuse-continuous | 30923 | Academic/work inhibition |
| 30562 | Cocaine abuse-episodic | 30924 | Adjustment dis w anxiety |
| 30563 | Cocaine abuse-in remiss | 30928 | Adjust dis w anxiety/dep |
| 30570 | Amphetamine abuse-unspec | 30929 | Adj react-emotion NEC |
| 30571 | Amphetamine abuse-contin | 3093 | Adjust disor/dis conduct |
| 30572 | Amphetamine abuse-episod | 3094 | Adj dis-emotion/conduct |
| 30573 | Amphetamine abuse-remiss | 30981 | Posttraumatic stress dis |
| 30580 | Antidepress abuse-unspec | 30982 | Adjust react-phys sympt |
| 30581 | Antidepress abuse-contin | 30983 | Adjust react-withdrawal |
| 30582 | Antidepress abuse-episod | 30989 | Adjustment reaction NEC |
| 30583 | Antidepress abuse-remiss | 3099 | Adjustment reaction NOS |
| 30590 | Drug abuse NEC-unspec | 3100 | Frontal lobe syndrome |
| 30591 | Drug abuse NEC-contin | 3101 | Personality chg oth dis |
| 30592 | Drug abuse NEC-episodic | 31081 | Pseudobulbar affect |
| 30593 | Drug abuse NEC-in remiss | 31089 | Nonpsych mntl disord NEC |
| 3067 | Psychogenic sensory dis | 3109 | Nonpsychot brain syn NOS |
| 3068 | Psychogenic disorder NEC | 311 | Depressive disorder NEC |
| 3069 | Psychogenic disorder NOS | 31200 | Unsocial aggress-unspec |
| 3070 | Adult onset flncy disord | 31201 | Unsocial aggression-mild |
| 3071 | Anorexia nervosa | 31202 | Unsocial aggression-mod |
| 3073 | Stereotypic movement dis | 31203 | Unsocial aggress-severe |
| 30740 | Nonorganic sleep dis NOS | 31210 | Unsocial unaggress-unsp |
| 30741 | Transient insomnia | 31211 | Unsocial unaggress-mild |
| 30742 | Persistent insomnia | 31212 | Unsocial unaggress-mod |
| 30743 | Transient hypersomnia | 31213 | Unsocial unaggr-severe |
| 30744 | Persistent hypersomnia | 31220 | Social conduct dis-unsp |

| | | | |
|-------|----------------------------|-------|---------------------------|
| 31221 | Social conduct dis-mild | 3310 | Alzheimer's disease |
| 31222 | Social conduct dis-mod | 3312 | Senile degenerat brain |
| 31223 | Social conduct dis-sev | V400 | Problems with learning |
| 31230 | Impulse control dis NOS | V401 | Prob with communication |
| 31231 | Pathological gambling | V402 | Mental problems NEC |
| 31232 | Kleptomania | V409 | Mental/behavior prob NOS |
| 31233 | Pyromania | V417 | Sexual function problem |
| 31234 | Intermitt explosive dis | V418 | Probl w special func NEC |
| 31235 | Isolated explosive dis | V419 | Probl w special func NOS |
| 31239 | Impulse control dis NEC | V600 | Lack of housing |
| 3124 | Mix dis conduct/emotion | V601 | Inadequate housing |
| 3129 | Conduct disturbance NOS | V602 | Economic problem |
| 3130 | Overanxious disorder | V603 | Person living alone |
| 3131 | Misery & unhappiness dis | V604 | No family able to care |
| 31321 | Shyness disorder-child | V605 | Holiday relief care |
| 31322 | Introverted dis-child | V606 | Person in resident inst |
| 31323 | Selective mutism | V609 | Housing/econo circum NOS |
| 3133 | Relationship problems | V6120 | Cnsl prnt-chld prob NOS |
| 31381 | Opposition defiant disor | V6121 | Cnsl victim child abuse |
| 31382 | Identity disorder | V6129 | Oth parent-child problem |
| 31383 | Academic underachievment | V613 | Problem w aged parent |
| 31389 | Emotional dis child NEC | V6141 | Alcoholism in family |
| 3139 | Emotional dis child NOS | V6149 | Family health probl NEC |
| 31400 | Attn defic nonhyperact | V616 | Illegitimate pregnancy |
| 31401 | Attn deficit w hyperact | V617 | Unwanted pregnancy NEC |
| 3141 | Hyperkinet w devel delay | V618 | Family circumstances NEC |
| 3142 | Hyperkinetic conduct dis | V619 | Family circumstance NOS |
| 3148 | Other hyperkinetic synd | V620 | Unemployment |
| 3149 | Hyperkinetic synd NOS | V621 | Adverse eff-work environ |
| 31500 | Reading disorder NOS | V623 | Educational circumstance |
| 31501 | Alexia | V624 | Social maladjustment |
| 31502 | Developmental dyslexia | V625 | Legal circumstances |
| 31509 | Reading disorder NEC | V626 | Refusal of treatment |
| 3151 | Mathematics disorder | V6281 | Interpersonal probl NEC |
| 3152 | Oth learning difficulty | V6282 | Bereavement, uncomplcat |
| 31531 | Expressive language dis | V6289 | Psychological stress NEC |
| 31535 | Chldhd onset flncy disor | V629 | Psychosocial circum NOS |
| 31539 | Speech/language dis NEC | V630 | Home remote from hospitl |
| 3154 | Devel coordination dis | V631 | No medical serv in home |
| 3155 | Mixed development dis | V632 | Wait adm to oth facility |
| 3158 | Development delays NEC | V638 | No med facilities NEC |
| 3159 | Development delay NOS | V639 | No med facilities NOS |
| 316 | Psychic factor w oth dis | V652 | Person feigning illness |
| 317 | Mild intellect disability | V6540 | Counseling NOS |
| 3180 | Mod intellect disability | V6542 | Counsling sbstn use abuse |
| 3181 | Sev intellect disability | V655 | Persn w feared complaint |
| 3182 | Profnd intellct disability | V658 | Reason for consult NEC |
| 319 | Intellect disability NOS | V659 | Reason for consult NOS |
| 32702 | Insomnia dt mental disor | V693 | Gambling and betting |
| 32715 | Hypersom dt mental disor | V698 | Oth prblms rltd lfstyle |
| 32742 | REM sleep behavior dis | V699 | Prblm rltd lfstyle NOS |
| 32743 | Recurrnt sleep paralysis | V701 | Psych exam-authority req |

| | |
|-------|--------------------------|
| V702 | Gen psychiatric exam NEC |
| V7101 | Obsv-adult antisoc behav |
| V7102 | Obsv-adolesc antisoc beh |
| V7109 | Observ-mental cond NEC |
| V715 | Observ following rape |

Appendix B: Procedure edit code lists

This appendix lists the procedure codes for the following categories associated with edits in the program.

Procedure code categories

- Procedure age restrictions
- Procedures for females only
- Procedures for males only
- Non-covered service
- Questionable covered service
- Inpatient procedures
- Inpatient separate procedure
- Code not recognized by TRICARE
- Code not recognized by OPPOS
- TRICARE reimbursement not allowed
- Mental Health services not approved for Partial Hospitalization Program
- Mental Health services not payable outside Partial Hospitalization Program
- Skin substitute procedures and products - low cost
- Skin substitute procedures and products - high cost
- Device procedures
- Devices

Procedures for females only

| | | | |
|-------|-------------------------------|-------|------------------------------|
| 0071T | Us leiomyomata ablate <200 | 53661 | Dilation of urethra |
| 0072T | Us leiomyomata ablate >200 | 53665 | Dilation of urethra |
| 00842 | Anesth amniocentesis | 53860 | Transurethral rf treatment |
| 00846 | Anesth hysterectomy | 55980 | Sex transformation f to m |
| 00851 | Anesth tubal ligation | 56405 | I & d of vulva/perineum |
| 00906 | Anesth removal of vulva | 56420 | Drainage of gland abscess |
| 00940 | Anesth vaginal procedures | 56440 | Surgery for vulva lesion |
| 00942 | Anesth surg on vag/urethral | 56441 | Lysis of labial lesion(s) |
| 00944 | Anesth vaginal hysterectomy | 56442 | Hymenotomy |
| 00948 | Anesth repair of cervix | 56501 | Destroy vulva lesions sim |
| 00950 | Anesth vaginal endoscopy | 56515 | Destroy vulva lesion/s compl |
| 00952 | Anesth hysteroscope/graph | 56605 | Biopsy of vulva/perineum |
| 01960 | Anesth vaginal delivery | 56606 | Biopsy of vulva/perineum |
| 01961 | Anesth cs delivery | 56620 | Partial removal of vulva |
| 01962 | Anesth emer hysterectomy | 56625 | Complete removal of vulva |
| 01963 | Anesth cs hysterectomy | 56630 | Extensive vulva surgery |
| 01965 | Anesth inc/missed ab proc | 56631 | Extensive vulva surgery |
| 01966 | Anesth induced ab procedure | 56632 | Extensive vulva surgery |
| 01967 | Anesth/analg vag delivery | 56633 | Extensive vulva surgery |
| 01968 | Anes/analg cs deliver add-on | 56634 | Extensive vulva surgery |
| 01969 | Anesth/analg cs hyst add-on | 56637 | Extensive vulva surgery |
| 0357T | Cryopreservation oocyte(s) | 56640 | Extensive vulva surgery |
| 0404T | Trnscrvt uterin fibroid abltj | 56700 | Partial removal of hymen |
| 0500F | Initial prenatal care visit | 56740 | Remove vagina gland lesion |
| 0501F | Prenatal flow sheet | 56800 | Repair of vagina |
| 0502F | Subsequent prenatal care | 56805 | Repair clitoris |
| 0503F | Postpartum care visit | 56810 | Repair of perineum |
| 11976 | Remove contraceptive capsule | 56820 | Exam of vulva w/scope |
| 3015F | Cerv cancer screen docd | 56821 | Exam/biopsy of vulva w/scope |
| 36460 | Transfusion service fetal | 57000 | Exploration of vagina |
| 46744 | Repair of cloacal anomaly | 57010 | Drainage of pelvic abscess |
| 46746 | Repair of cloacal anomaly | 57020 | Drainage of pelvic fluid |
| 46748 | Repair of cloacal anomaly | 57022 | I & d vaginal hematoma pp |
| 50722 | Release of ureter | 57023 | I & d vag hematoma non-ob |
| 51845 | Repair bladder neck | 57061 | Destroy vag lesions simple |
| 51900 | Repair bladder/vagina lesion | 57065 | Destroy vag lesions complex |
| 51920 | Close bladder-uterus fistula | 57100 | Biopsy of vagina |
| 51925 | Hysterectomy/bladder repair | 57105 | Biopsy of vagina |
| 52270 | Cystoscopy & revise urethra | 57106 | Remove vagina wall partial |
| 52285 | Cystoscopy and treatment | 57107 | Remove vagina tissue part |
| 53210 | Removal of urethra | 57109 | Vaginectomy partial w/nodes |
| 53230 | Removal of urethra lesion | 57110 | Remove vagina wall complete |
| 53430 | Reconstruction of urethra | 57111 | Remove vagina tissue compl |
| 53502 | Repair of urethra injury | 57112 | Vaginectomy w/nodes compl |
| 53660 | Dilation of urethra | 57120 | Closure of vagina |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 57130 | Remove vagina lesion | 57505 | Endocervical curettage |
| 57135 | Remove vagina lesion | 57510 | Cauterization of cervix |
| 57150 | Treat vagina infection | 57511 | Cryocautery of cervix |
| 57155 | Insert uteri tandem/ovoids | 57513 | Laser surgery of cervix |
| 57156 | Ins vag brachytx device | 57520 | Conization of cervix |
| 57160 | Insert pessary/other device | 57522 | Conization of cervix |
| 57170 | Fitting of diaphragm/cap | 57530 | Removal of cervix |
| 57180 | Treat vaginal bleeding | 57531 | Removal of cervix radical |
| 57200 | Repair of vagina | 57540 | Removal of residual cervix |
| 57210 | Repair vagina/perineum | 57545 | Remove cervix/repair pelvis |
| 57220 | Revision of urethra | 57550 | Removal of residual cervix |
| 57230 | Repair of urethral lesion | 57555 | Remove cervix/repair vagina |
| 57240 | Anterior colporrhaphy | 57556 | Remove cervix repair bowel |
| 57250 | Repair rectum & vagina | 57558 | D&c of cervical stump |
| 57260 | Cmbn ant pst colprhy | 57700 | Revision of cervix |
| 57265 | Cmbn ap colprhy w/ntrcl rpr | 57720 | Revision of cervix |
| 57267 | Insert mesh/pelvic flr addon | 57800 | Dilation of cervical canal |
| 57268 | Repair of bowel bulge | 58100 | Biopsy of uterus lining |
| 57270 | Repair of bowel pouch | 58110 | Bx done w/colposcopy add-on |
| 57280 | Suspension of vagina | 58120 | Dilation and curettage |
| 57282 | Colpopexy extraperitoneal | 58140 | Myomectomy abdom method |
| 57283 | Colpopexy intraperitoneal | 58145 | Myomectomy vag method |
| 57284 | Repair paravag defect open | 58146 | Myomectomy abdom complex |
| 57285 | Repair paravag defect vag | 58150 | Total hysterectomy |
| 57287 | Revise/remove sling repair | 58152 | Total hysterectomy |
| 57288 | Repair bladder defect | 58180 | Partial hysterectomy |
| 57289 | Repair bladder & vagina | 58200 | Extensive hysterectomy |
| 57291 | Construction of vagina | 58210 | Extensive hysterectomy |
| 57292 | Construct vagina with graft | 58240 | Removal of pelvis contents |
| 57295 | Revise vag graft via vagina | 58260 | Vaginal hysterectomy |
| 57296 | Revise vag graft open abd | 58262 | Vag hyst including t/o |
| 57300 | Repair rectum-vagina fistula | 58263 | Vag hyst w/t/o & vag repair |
| 57305 | Repair rectum-vagina fistula | 58267 | Vag hyst w/urinary repair |
| 57307 | Fistula repair & colostomy | 58270 | Vag hyst w/enterocele repair |
| 57308 | Fistula repair transperine | 58275 | Hysterectomy/revise vagina |
| 57310 | Repair urethrovaginal lesion | 58280 | Hysterectomy/revise vagina |
| 57311 | Repair urethrovaginal lesion | 58285 | Extensive hysterectomy |
| 57320 | Repair bladder-vagina lesion | 58290 | Vag hyst complex |
| 57330 | Repair bladder-vagina lesion | 58291 | Vag hyst incl t/o complex |
| 57335 | Repair vagina | 58292 | Vag hyst t/o & repair compl |
| 57400 | Dilation of vagina | 58293 | Vag hyst w/uro repair compl |
| 57410 | Pelvic examination | 58294 | Vag hyst w/enterocele compl |
| 57415 | Remove vaginal foreign body | 58300 | Insert intrauterine device |
| 57420 | Exam of vagina w/scope | 58301 | Remove intrauterine device |
| 57421 | Exam/biopsy of vag w/scope | 58321 | Artificial insemination |
| 57423 | Repair paravag defect lap | 58322 | Artificial insemination |
| 57425 | Laparoscopy surg colpopexy | 58323 | Sperm washing |
| 57426 | Revise prosth vag graft lap | 58340 | Catheter for hysteroGRAPHY |
| 57452 | Exam of cervix w/scope | 58345 | Reopen fallopian tube |
| 57454 | Bx/curett of cervix w/scope | 58346 | Insert heyman uteri capsule |
| 57455 | Biopsy of cervix w/scope | 58350 | Reopen fallopian tube |
| 57456 | Endocerv curettage w/scope | 58353 | Endometr ablate thermal |
| 57460 | Bx of cervix w/scope leep | 58356 | Endometrial cryoablation |
| 57461 | Conz of cervix w/scope leep | 58400 | Suspension of uterus |
| 57500 | Biopsy of cervix | 58410 | Suspension of uterus |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 58520 | Repair of ruptured uterus | 58822 | Drain ovary abscess percut |
| 58540 | Revision of uterus | 58825 | Transposition ovary(s) |
| 58541 | Lsh uterus 250 g or less | 58900 | Biopsy of ovary(s) |
| 58542 | Lsh w/t/o ut 250 g or less | 58920 | Partial removal of ovary(s) |
| 58543 | Lsh uterus above 250 g | 58925 | Removal of ovarian cyst(s) |
| 58544 | Lsh w/t/o uterus above 250 g | 58940 | Removal of ovary(s) |
| 58545 | Laparoscopic myomectomy | 58943 | Removal of ovary(s) |
| 58546 | Laparo-myomectomy complex | 58950 | Resect ovarian malignancy |
| 58548 | Lap radical hyst | 58951 | Resect ovarian malignancy |
| 58550 | Laparo-asst vag hysterectomy | 58952 | Resect ovarian malignancy |
| 58552 | Laparo-vag hyst incl t/o | 58953 | Tah rad dissect for debulk |
| 58553 | Laparo-vag hyst complex | 58954 | Tah rad debulk/lymph remove |
| 58554 | Laparo-vag hyst w/t/o compl | 58956 | Bso omentectomy w/tah |
| 58555 | Hysteroscopy dx sep proc | 58957 | Resect recurrent gyn mal |
| 58558 | Hysteroscopy biopsy | 58958 | Resect recur gyn mal w/lym |
| 58559 | Hysteroscopy lysis | 58960 | Exploration of abdomen |
| 58560 | Hysteroscopy resect septum | 58970 | Retrieval of oocyte |
| 58561 | Hysteroscopy remove myoma | 58974 | Transfer of embryo |
| 58562 | Hysteroscopy remove fb | 58976 | Transfer of embryo |
| 58563 | Hysteroscopy ablation | 58999 | Genital surgery procedure |
| 58565 | Hysteroscopy sterilization | 59000 | Amniocentesis diagnostic |
| 58570 | Tlh uterus 250 g or less | 59001 | Amniocentesis therapeutic |
| 58571 | Tlh w/t/o 250 g or less | 59012 | Fetal cord puncture prenatal |
| 58572 | Tlh uterus over 250 g | 59015 | Chorion biopsy |
| 58573 | Tlh w/t/o uterus over 250 g | 59020 | Fetal contract stress test |
| 58575 | Laps tot hyst resj mal | 59025 | Fetal non-stress test |
| 58578 | Laparo proc uterus | 59030 | Fetal scalp blood sample |
| 58579 | Hysteroscope procedure | 59050 | Fetal monitor w/report |
| 58600 | Division of fallopian tube | 59051 | Fetal monitor/interpret only |
| 58605 | Division of fallopian tube | 59070 | Transabdom amniotom w/us |
| 58611 | Ligate oviduct(s) add-on | 59072 | Umbilical cord occlud w/us |
| 58615 | Occlude fallopian tube(s) | 59074 | Fetal fluid drainage w/us |
| 58660 | Laparoscopy lysis | 59076 | Fetal shunt placement w/us |
| 58661 | Laparoscopy remove adnexa | 59100 | Remove uterus lesion |
| 58662 | Laparoscopy excise lesions | 59120 | Treat ectopic pregnancy |
| 58670 | Laparoscopy tubal cautery | 59121 | Treat ectopic pregnancy |
| 58671 | Laparoscopy tubal block | 59130 | Treat ectopic pregnancy |
| 58672 | Laparoscopy fimbrioplasty | 59135 | Treat ectopic pregnancy |
| 58673 | Laparoscopy salpingostomy | 59136 | Treat ectopic pregnancy |
| 58674 | Laps abltj uterine fibroids | 59140 | Treat ectopic pregnancy |
| 58679 | Laparo proc oviduct-ovary | 59150 | Treat ectopic pregnancy |
| 58700 | Removal of fallopian tube | 59151 | Treat ectopic pregnancy |
| 58720 | Removal of ovary/tube(s) | 59160 | D & c after delivery |
| 58740 | Adhesiolysis tube ovary | 59200 | Insert cervical dilator |
| 58750 | Repair oviduct | 59300 | Episiotomy or vaginal repair |
| 58752 | Revise ovarian tube(s) | 59320 | Revision of cervix |
| 58760 | Fimbrioplasty | 59325 | Revision of cervix |
| 58770 | Create new tubal opening | 59350 | Repair of uterus |
| 58800 | Drainage of ovarian cyst(s) | 59400 | Obstetrical care |
| 58805 | Drainage of ovarian cyst(s) | 59409 | Obstetrical care |
| 58820 | Drain ovary abscess open | 59410 | Obstetrical care |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 59412 | Antepartum manipulation | 76827 | Echo exam of fetal heart |
| 59414 | Deliver placenta | 76828 | Echo exam of fetal heart |
| 59425 | Antepartum care only | 76830 | Transvaginal us non-ob |
| 59426 | Antepartum care only | 76831 | Echo exam uterus |
| 59430 | Care after delivery | 76941 | Echo guide for transfusion |
| 59510 | Cesarean delivery | 76945 | Echo guide villus sampling |
| 59514 | Cesarean delivery only | 76946 | Echo guide for amniocentesis |
| 59515 | Cesarean delivery | 76948 | Echo guide ova aspiration |
| 59525 | Remove uterus after cesarean | 80055 | Obstetric panel |
| 59610 | Vbac delivery | 80081 | Obstetric panel |
| 59612 | Vbac delivery only | 81025 | Urine pregnancy test |
| 59614 | Vbac care after delivery | 81500 | Onco (ovar) two proteins |
| 59618 | Attempted vbac delivery | 81503 | Onco (ovar) five proteins |
| 59620 | Attempted vbac delivery only | 81507 | Fetal aneuploidy trisom risk |
| 59622 | Attempted vbac after care | 81508 | Ftl cgen abnor two proteins |
| 59812 | Treatment of miscarriage | 81509 | Ftl cgen abnor 3 proteins |
| 59820 | Care of miscarriage | 81510 | Ftl cgen abnor three anal |
| 59821 | Treatment of miscarriage | 81511 | Ftl cgen abnor four anal |
| 59830 | Treat uterus infection | 81512 | Ftl cgen abnor five anal |
| 59840 | Abortion | 82120 | Amines vaginal fluid qual |
| 59841 | Abortion | 82143 | Amniotic fluid scan |
| 59850 | Abortion | 82731 | Assay of fetal fibronectin |
| 59851 | Abortion | 84112 | Eval amniotic fluid protein |
| 59852 | Abortion | 84135 | Assay of pregnanediol |
| 59855 | Abortion | 84138 | Assay of pregnanetriol |
| 59856 | Abortion | 84163 | Pappa serum |
| 59857 | Abortion | 84830 | Ovulation tests |
| 59866 | Abortion (mpr) | 85460 | Hemoglobin fetal |
| 59870 | Evacuate mole of uterus | 85461 | Hemoglobin fetal |
| 59871 | Remove cerclage suture | 88141 | Cytopath c/v interpret |
| 59897 | Fetal invas px w/us | 88142 | Cytopath c/v thin layer |
| 59898 | Laparo proc ob care/deliver | 88143 | Cytopath c/v thin layer redo |
| 59899 | Maternity care procedure | 88147 | Cytopath c/v automated |
| 64435 | N block inj paracervical | 88148 | Cytopath c/v auto rescreen |
| 74710 | X-ray measurement of pelvis | 88150 | Cytopath c/v manual |
| 74712 | Mri fetal sngl/1st gestation | 88153 | Cytopath c/v redo |
| 74713 | Mri fetal ea addl gestation | 88155 | Cytopath c/v index add-on |
| 74740 | X-ray female genital tract | 88164 | Cytopath tbs c/v manual |
| 74742 | X-ray fallopian tube | 88165 | Cytopath tbs c/v redo |
| 74775 | X-ray exam of perineum | 88166 | Cytopath tbs c/v auto redo |
| 76801 | Ob us < 14 wks single fetus | 88167 | Cytopath tbs c/v select |
| 76802 | Ob us < 14 wks addl fetus | 88174 | Cytopath c/v auto in fluid |
| 76805 | Ob us >= 14 wks sngl fetus | 88175 | Cytopath c/v auto fluid redo |
| 76810 | Ob us >= 14 wks addl fetus | 88267 | Chromosome analys placenta |
| 76811 | Ob us detailed sngl fetus | 88269 | Chromosome analys amniotic |
| 76812 | Ob us detailed addl fetus | 89300 | Semen analysis w/huhner |
| 76813 | Ob us nuchal meas 1 gest | 89337 | Cryopreservation oocyte(s) |
| 76814 | Ob us nuchal meas add-on | 99500 | Home visit prenatal |
| 76815 | Ob us limited fetus(s) | 99501 | Home visit postnatal |
| 76816 | Ob us follow-up per fetus | A4261 | Cervical cap contraceptive |
| 76817 | Transvaginal us obstetric | A4264 | Intratubal occlusion device |
| 76818 | Fetal biophys profile w/nst | A4266 | Diaphragm |
| 76819 | Fetal biophys profil w/o nst | A4268 | Female condom |
| 76825 | Echo exam of fetal heart | A4269 | Spermicide |
| 76826 | Echo exam of fetal heart | A4281 | Replacement breastpump tube |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| A4282 | Replacement breastpump adpt | S4037 | Cryo embryo transf case rate |
| A4283 | Replacement breastpump cap | S4040 | Monit store cryo embryo 30 d |
| A4284 | Replcmnt breast pump shield | S4989 | Contracept iud |
| A4285 | Replcmnt breast pump bottle | S4993 | Contraceptive pills for bc |
| A4286 | Replcmnt breastpump lok ring | S9001 | Home uterine monitor with or |
| A4327 | Fem urinary collect dev cup | S9436 | Lamaze class |
| A4328 | Fem urinary collect pouch | S9437 | Childbirth refresher class |
| E0326 | Urinal female jug-type | S9438 | Cesarean birth class |
| E0602 | Manual breast pump | S9439 | Vbac class |
| E0603 | Electric breast pump | | |
| E0604 | Hosp grade elec breast pump | | |
| G0101 | Ca screen;pelvic/breast exam | | |
| G0123 | Screen cerv/vag thin layer | | |
| G0124 | Screen c/v thin layer by md | | |
| G0141 | Scr c/v cyto,autosys and md | | |
| G0143 | Scr c/v cyto,thinlayer,rescr | | |
| G0144 | Scr c/v cyto,thinlayer,rescr | | |
| G0145 | Scr c/v cyto,thinlayer,rescr | | |
| G0147 | Scr c/v cyto, automated sys | | |
| G0148 | Scr c/v cyto, autosys, rescr | | |
| G0476 | Hpv combo assay ca screen | | |
| G8806 | Perf ultrasnd to lct preg doc | | |
| G8807 | No ta tv ultrasnd | | |
| G8808 | Ultrasound not perf, rng | | |
| G8809 | Rh-immunoglobulin order | | |
| G8810 | Doc reas no rh-immuno | | |
| G8811 | No rh-immunoglobulin order | | |
| J7296 | Kyleena, 19.5 mg | | |
| J7297 | Liletta, 52 mg | | |
| J7298 | Mirena, 52 mg | | |
| J7301 | Skyla, 13.5 mg | | |
| P3000 | Screen pap by tech w md supv | | |
| P3001 | Screening pap smear by phys | | |
| Q0091 | Obtaining screen pap smear | | |
| S0610 | Annual gynecological examina | | |
| S0612 | Annual gynecological examina | | |
| S4005 | Interim labor facility globa | | |
| S4011 | Ivf package | | |
| S4013 | Compl gift case rate | | |
| S4014 | Compl zift case rate | | |
| S4015 | Complete ivf nos case rate | | |
| S4016 | Frozen ivf case rate | | |
| S4017 | Ivf canc a stim case rate | | |
| S4018 | F emb trns canc case rate | | |
| S4020 | Ivf canc a aspir case rate | | |
| S4021 | Ivf canc p aspir case rate | | |
| S4022 | Asst oocyte fert case rate | | |
| S4023 | Incompl donor egg case rate | | |
| S4025 | Donor serv ivf case rate | | |
| S4027 | Store prev froz embryos | | |
| S4035 | Stimulated iui case rate | | |

Procedures for males only

| | | | |
|-------|-------------------------------|-------|------------------------------|
| 00865 | Anesth removal of prostate | 53850 | Prostatic microwave thermotx |
| 00908 | Anesth removal of prostate | 53852 | Prostatic rf thermotx |
| 00914 | Anesth removal of prostate | 53854 | Trurl dstrj prst8 tiss rf wv |
| 00920 | Anesth genitalia surgery | 53855 | Insert prost urethral stent |
| 00921 | Anesth vasectomy | 54000 | Slitting of prepuce |
| 00922 | Anesth sperm duct surgery | 54001 | Slitting of prepuce |
| 00924 | Anesth testis exploration | 54015 | Drain penis lesion |
| 00926 | Anesth removal of testis | 54050 | Destruction penis lesion(s) |
| 00928 | Anesth removal of testis | 54055 | Destruction penis lesion(s) |
| 00930 | Anesth testis suspension | 54056 | Cryosurgery penis lesion(s) |
| 00932 | Anesth amputation of penis | 54057 | Laser surg penis lesion(s) |
| 00934 | Anesth penis nodes removal | 54060 | Excision of penis lesion(s) |
| 00936 | Anesth penis nodes removal | 54065 | Destruction penis lesion(s) |
| 00938 | Anesth insert penis device | 54100 | Biopsy of penis |
| 0421T | Waterjet prostate abltj compl | 54105 | Biopsy of penis |
| 0443T | R-t spctrl alys prst8 tiss | 54110 | Treatment of penis lesion |
| 19300 | Removal of breast tissue | 54111 | Treat penis lesion graft |
| 37788 | Revascularization penis | 54112 | Treat penis lesion graft |
| 52010 | Cystoscopy & duct catheter | 54115 | Treatment of penis lesion |
| 52275 | Cystoscopy & revise urethra | 54120 | Partial removal of penis |
| 52402 | Cystourethro cut ejacul duct | 54125 | Removal of penis |
| 52450 | Incision of prostate | 54130 | Remove penis & nodes |
| 52601 | Prostatectomy (turp) | 54135 | Remove penis & nodes |
| 52630 | Remove prostate regrowth | 54150 | Circumcision w/regionl block |
| 52647 | Laser surgery of prostate | 54160 | Circumcision neonate |
| 52648 | Laser surgery of prostate | 54161 | Circum 28 days or older |
| 52649 | Prostate laser enucleation | 54162 | Lysis penil circumic lesion |
| 52700 | Drainage of prostate abscess | 54163 | Repair of circumcision |
| 53215 | Removal of urethra | 54164 | Frenulotomy of penis |
| 53235 | Removal of urethra lesion | 54200 | Treatment of penis lesion |
| 53410 | Reconstruction of urethra | 54205 | Treatment of penis lesion |
| 53415 | Reconstruction of urethra | 54220 | Treatment of penis lesion |
| 53420 | Reconstruct urethra stage 1 | 54230 | Prepare penis study |
| 53425 | Reconstruct urethra stage 2 | 54231 | Dynamic cavernosometry |
| 53440 | Male sling procedure | 54235 | Penile injection |
| 53442 | Remove/revise male sling | 54240 | Penis study |
| 53505 | Repair of urethra injury | 54250 | Penis study |
| 53510 | Repair of urethra injury | 54300 | Revision of penis |
| 53515 | Repair of urethra injury | 54304 | Revision of penis |
| 53520 | Repair of urethra defect | 54308 | Reconstruction of urethra |
| 53600 | Dilate urethra stricture | 54312 | Reconstruction of urethra |
| 53601 | Dilate urethra stricture | 54316 | Reconstruction of urethra |
| 53605 | Dilate urethra stricture | 54318 | Reconstruction of urethra |
| 53620 | Dilate urethra stricture | 54322 | Reconstruction of urethra |
| 53621 | Dilate urethra stricture | 54324 | Reconstruction of urethra |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 54326 | Reconstruction of urethra | 54840 | Remove epididymis lesion |
| 54328 | Revise penis/urethra | 54860 | Removal of epididymis |
| 54332 | Revise penis/urethra | 54861 | Removal of epididymis |
| 54336 | Revise penis/urethra | 54865 | Explore epididymis |
| 54340 | Secondary urethral surgery | 54900 | Fusion of spermatic ducts |
| 54344 | Secondary urethral surgery | 54901 | Fusion of spermatic ducts |
| 54348 | Secondary urethral surgery | 55000 | Drainage of hydrocele |
| 54352 | Reconstruct urethra/penis | 55040 | Removal of hydrocele |
| 54360 | Penis plastic surgery | 55041 | Removal of hydroceles |
| 54380 | Repair penis | 55060 | Repair of hydrocele |
| 54385 | Repair penis | 55100 | Drainage of scrotum abscess |
| 54390 | Repair penis and bladder | 55110 | Explore scrotum |
| 54400 | Insert semi-rigid prosthesis | 55120 | Removal of scrotum lesion |
| 54401 | Insert self-contd prosthesis | 55150 | Removal of scrotum |
| 54405 | Insert multi-comp penis pros | 55175 | Revision of scrotum |
| 54406 | Remove muti-comp penis pros | 55180 | Revision of scrotum |
| 54408 | Repair multi-comp penis pros | 55200 | Incision of sperm duct |
| 54410 | Remove/replace penis prosth | 55250 | Removal of sperm duct(s) |
| 54411 | Remov/replc penis pros comp | 55300 | Prepare sperm duct x-ray |
| 54415 | Remove self-contd penis pros | 55400 | Repair of sperm duct |
| 54416 | Remv/repl penis contain pros | 55500 | Removal of hydrocele |
| 54417 | Remv/replc penis pros compl | 55520 | Removal of sperm cord lesion |
| 54420 | Revision of penis | 55530 | Revise spermatic cord veins |
| 54430 | Revision of penis | 55535 | Revise spermatic cord veins |
| 54435 | Revision of penis | 55540 | Revise hernia & sperm veins |
| 54437 | Repair corporeal tear | 55550 | Laparo ligate spermatic vein |
| 54438 | Replantation of penis | 55559 | Laparo proc spermatic cord |
| 54440 | Repair of penis | 55600 | Incise sperm duct pouch |
| 54450 | Preputial stretching | 55605 | Incise sperm duct pouch |
| 54500 | Biopsy of testis | 55650 | Remove sperm duct pouch |
| 54505 | Biopsy of testis | 55680 | Remove sperm pouch lesion |
| 54512 | Excise lesion testis | 55700 | Biopsy of prostate |
| 54520 | Removal of testis | 55705 | Biopsy of prostate |
| 54522 | Orchiectomy partial | 55706 | Prostate saturation sampling |
| 54530 | Removal of testis | 55720 | Drainage of prostate abscess |
| 54535 | Extensive testis surgery | 55725 | Drainage of prostate abscess |
| 54550 | Exploration for testis | 55801 | Removal of prostate |
| 54560 | Exploration for testis | 55810 | Extensive prostate surgery |
| 54600 | Reduce testis torsion | 55812 | Extensive prostate surgery |
| 54620 | Suspension of testis | 55815 | Extensive prostate surgery |
| 54640 | Suspension of testis | 55821 | Removal of prostate |
| 54650 | Orchiopexy (fowler-stephens) | 55831 | Removal of prostate |
| 54660 | Revision of testis | 55840 | Extensive prostate surgery |
| 54670 | Repair testis injury | 55842 | Extensive prostate surgery |
| 54680 | Relocation of testis(es) | 55845 | Extensive prostate surgery |
| 54690 | Laparoscopy orchiectomy | 55860 | Surgical exposure prostate |
| 54692 | Laparoscopy orchiopexy | 55862 | Extensive prostate surgery |
| 54699 | Laparoscope proc testis | 55865 | Extensive prostate surgery |
| 54700 | Drainage of scrotum | 55866 | Laparo radical prostatectomy |
| 54800 | Biopsy of epididymis | 55870 | Electroejaculation |
| 54830 | Remove epididymis lesion | 55873 | Cryoablate prostate |

| | |
|-------|------------------------------|
| 55874 | Tprnl plmt biodegrdabl matr |
| 55875 | Transperi needle place pros |
| 55876 | Place rt device/marker pros |
| 55899 | Genital surgery procedure |
| 55970 | Sex transformation m to f |
| 74440 | X-ray male genital tract |
| 74445 | X-ray exam of penis |
| 76870 | Us exam scrotum |
| 76873 | Echograp trans r pros study |
| 78761 | Testicular imaging w/flow |
| 81539 | Oncology prostate prob score |
| 84152 | Assay of psa complexed |
| 84153 | Assay of psa total |
| 84154 | Assay of psa free |
| 89264 | Identify sperm tissue |
| 89310 | Semen analysis w/count |
| 89320 | Semen anal vol/count/mot |
| 89321 | Semen anal sperm detection |
| 89322 | Semen anal strict criteria |
| 89325 | Sperm antibody test |
| 89329 | Sperm evaluation test |
| 89330 | Evaluation cervical mucus |
| 89331 | Retrograde ejaculation anal |
| A4267 | Male condom |
| A4326 | Male external catheter |
| C9739 | Cystoscopy prostatic imp 1-3 |
| C9740 | Cysto impl 4 or more |
| C9747 | Ablation, hifu, prostate |
| E0325 | Urinal male jug-type |
| G0027 | Semen analysis |
| G0102 | Prostate ca screening; dre |
| G0103 | Psa screening |
| G0416 | Prostate biopsy, any mthd |
| G0458 | Ldr prostate brachy comp rat |
| J3315 | Triptorelin pamoate |
| S4026 | Procure donor sperm |
| S4028 | Microsurg epi sperm asp |
| S4030 | Sperm procure init visit |
| S4031 | Sperm procure subs visit |

Non-covered under any Medicare outpatient benefit (based on statute)

| | | | |
|-------|------------------------------|-------|-------------------------------|
| 92015 | Determine refractive state | D2393 | Post 3 srfc resinbased cmpst |
| 96155 | Interv hlth/behav fam no pt | D2394 | Post >=4srfc resinbase cmpst |
| 98960 | Self-mgmt educ & train 1 pt | D2712 | Crown 3/4 resin-based compos |
| 98961 | Self-mgmt educ/train 2-4 pt | D2794 | Crown-titanium |
| 98962 | Self-mgmt educ/train 5-8 pt | D2915 | Recement cast or prefab post |
| 98966 | Hc pro phone call 5-10 min | D2934 | Prefab steel crown primary |
| 98967 | Hc pro phone call 11-20 min | D2971 | Add proc construct new crown |
| 98968 | Hc pro phone call 21-30 min | D2975 | Coping |
| 98969 | Online service by hc pro | D3222 | Part pulp for apexogenesis |
| 99174 | Ocular instrumnt screen bil | D4230 | Ana crown exp 4 or> per quad |
| 99408 | Audit/dast 15-30 min | D4231 | Ana crown exp 1-3 per quad |
| 99409 | Audit/dast over 30 min | D4241 | Gngvl flap w rootplan 1-3 th |
| 99605 | Mtms by pharm np 15 min | D4261 | Osseous surg 1 to 3 teeth |
| 99606 | Mtms by pharm est 15 min | D4265 | Bio mtrls to aid soft/os reg |
| 99607 | Mtms by pharm addl 15 min | D4275 | Non-auto graft 1st tooth |
| A4252 | Blood ketone test or strip | D4276 | Con tissue w dble ped graft |
| A6413 | Adhesive bandage, first-aid | D4285 | Non-auto graft addl tooth |
| A9276 | Disposable sensor, cgm sys | D4342 | Periodontal scaling 1-3teeth |
| A9277 | External transmitter, cgm | D4346 | Scaling gingiv inflammation |
| A9278 | External receiver, cgm sys | D5221 | Immed max part denture resin |
| A9280 | Alert device, noc | D5222 | Immed man part denture resin |
| A9281 | Reaching/grabbing device | D5223 | Immed max part dent metal |
| A9282 | Wig any type | D5224 | Immed mand part dent metal |
| A9283 | Foot press off load supp dev | D5225 | Maxillary part denture flex |
| A9286 | Any hygienic item, device | D5226 | Mandibular part denture flex |
| D0145 | Oral evaluation, pt < 3yrs | D5282 | Remove unil part denture,max |
| D0171 | Re-eval post-op visit | D5283 | Remove unil part denture,man |
| D0180 | Comp periodontal evaluation | D5511 | Rep broke comp dent base man |
| D0273 | Bitewings - three images | D5512 | Rep broke comp dent base max |
| D0411 | Hba1c in office testing | D5611 | Rep resin part dent base man |
| D0412 | Blood glucose level test | D5612 | Rep resin part dent base max |
| D0414 | Lab process microbial spec | D5621 | Rep cast part frame man |
| D0422 | Collect & prep genetic samp | D5622 | Rep cast part frame max |
| D0423 | Genetic test spec analysis | D5670 | Replc tth&acrlic on mtl frmwk |
| D0486 | Access of transep cytol samp | D5671 | Replc tth&acrlic mandibular |
| D1206 | Topical fluoride varnish | D5876 | Add metal sub to acrylc dent |
| D1353 | Sealant repair per tooth | D5991 | Vesiculobullous disease carr |
| D1354 | Int caries med app per tooth | D6012 | Endosteal implant |
| D1555 | Remove fix space maintainer | D6091 | Repl semi/precision attach |
| D2390 | Ant resin-based cmpst crown | D6092 | Recement supp crown |
| D2391 | Post 1 srfc resinbased cmpst | D6093 | Recement supp part denture |
| D2392 | Post 2 srfc resinbased cmpst | D6094 | Abut support crown titanium |

| | | | |
|-------|------------------------------|-------|------------------------------|
| D6096 | Remove broken imp ret screw | L3219 | Orthopedic mens shoes oxford |
| D6190 | Radio/surgical implant index | L3221 | Orthopedic mens shoes dpth i |
| D6194 | Abut support retainer titani | L3222 | Mens shoes hightop depth inl |
| D6205 | Pontic-indirect resin based | L7600 | Prosthetic donning sleeve |
| D6214 | Pontic titanium | L7900 | Male vacuum erection system |
| D6253 | Provisional pontic | L7902 | Tension ring, vac erect dev |
| D6549 | Resin retainer | L8692 | Non-osseointegrated snd proc |
| D6624 | Inlay titanium | V2787 | Astigmatism-correct function |
| D6634 | Onlay titanium | V2788 | Presbyopia-correct function |
| D6710 | Crown-indirect resin based | V5095 | Implant mid ear hearing pros |
| D6793 | Provisional retainer crown | V5171 | Hearing aid monaural ite |
| D6794 | Crown titanium | V5172 | Hearing aid monaural itc |
| D6985 | Pediatric partial denture fx | V5181 | Hearing aid monaural bte |
| D7282 | Mobilize erupted/malpos toot | V5211 | Hearing aid binaural ite/ite |
| D7292 | Screw retained plate | V5212 | Hearing aid binaural ite/itc |
| D7293 | Temp anchorage dev w flap | V5213 | Hearing aid binaural ite/bte |
| D7294 | Temp anchorage dev w/o flap | V5214 | Hearing aid binaural itc/itc |
| D7296 | Corticotomy, 1-3 teeth | V5215 | Hearing aid binaural itc/bte |
| D7297 | Corticotomy, 4 or more teeth | V5221 | Hearing aid binaural bte/bte |
| D7311 | Alveoloplasty w/extract 1-3 | V5241 | Dispensing fee, monaural |
| D7951 | Sinus aug w bone or bone sub | V5242 | Hearing aid, monaural, cic |
| D7953 | Bone replacement graft | V5243 | Hearing aid, monaural, itc |
| D7963 | Frenuloplasty | V5244 | Hearing aid, prog, mon, cic |
| D7998 | Intraoral place of fix dev | V5245 | Hearing aid, prog, mon, itc |
| D8681 | Removable retainer adjust | V5246 | Hearing aid, prog, mon, ite |
| D8693 | Rebond/recement retainers | V5247 | Hearing aid, prog, mon, bte |
| D8695 | Remove fixed ortho appliance | V5248 | Hearing aid, binaural, cic |
| D9120 | Fix partial denture section | V5249 | Hearing aid, binaural, itc |
| D9130 | Temporomandibular joint dysf | V5250 | Hearing aid, prog, bin, cic |
| D9612 | Thera par drugs 2 or > admin | V5251 | Hearing aid, prog, bin, itc |
| D9613 | Infiltration thera drug | V5252 | Hearing aid, prog, bin, ite |
| D9932 | Clean & inspect rem dent max | V5253 | Hearing aid, prog, bin, bte |
| D9933 | Clean & inspect rem dent man | V5254 | Hearing id, digit, mon, cic |
| D9934 | Clean rem part denture max | V5255 | Hearing aid, digit, mon, itc |
| D9935 | Clean rem part denture mand | V5256 | Hearing aid, digit, mon, ite |
| D9942 | Repair/reline occlusal guard | V5257 | Hearing aid, digit, mon, bte |
| E0172 | Seat lift mechanism toilet | V5258 | Hearing aid, digit, bin, cic |
| E0425 | Gas system stationary compre | V5259 | Hearing aid, digit, bin, itc |
| E0430 | Oxygen system gas portable | V5260 | Hearing aid, digit, bin, ite |
| E0435 | Oxygen system liquid portabl | V5261 | Hearing aid, digit, bin, bte |
| E0440 | Oxygen system liquid station | V5262 | Hearing aid, disp, monaural |
| J7296 | Kyleena, 19.5 mg | V5263 | Hearing aid, disp, binaural |
| J7297 | Liletta, 52 mg | V5264 | Ear mold/insert |
| J7298 | Mirena, 52 mg | V5265 | Ear mold/insert, disp |
| J7300 | Intraut copper contraceptive | V5266 | Battery for hearing device |
| J7301 | Skylla, 13.5 mg | V5267 | Hearing aid sup/access/dev |
| J7303 | Contraceptive vaginal ring | V5268 | Ald telephone amplifier |
| J7304 | Contraceptive hormone patch | V5269 | Alerting device, any type |
| L3215 | Orthopedic ftwear ladies oxf | V5270 | Ald, tv amplifier, any type |
| L3216 | Orthoped ladies shoes dpth i | V5271 | Ald, tv caption decoder |
| L3217 | Ladies shoes hightop depth i | V5272 | Tdd |

| | |
|-------|------------------------------|
| V5273 | Ald for cochlear implant |
| V5274 | Ald unspecified |
| V5275 | Ear impression |
| V5281 | Ald fm/dm system, monaural |
| V5282 | Ald fm/dm system binaural |
| V5283 | Ald neck, loop ind receiver |
| V5284 | Ald fm/dm ear level receiver |
| V5285 | Ald fm/dm aud input receiver |
| V5286 | Ald blu tooth fm/dm receiver |
| V5287 | Ald fm/dm receiver, nos |
| V5288 | Ald fm/dm transmitter ald |
| V5289 | Ald fm/dm adapt/boot couplin |
| V5290 | Ald transmitter microphone |
| V5298 | Hearing aid noc |
| V5362 | Speech screening |
| V5363 | Language screening |
| V5364 | Dysphagia screening |

Non-covered under any Medicare outpatient benefit (based on other than statute)

| | | | |
|-------|------------------------------|-------|------------------------------|
| 0002M | Liver dis 10 assays w/ash | 1490F | Dem severity classified mild |
| 0003M | Liver dis 10 assays w/nash | 1491F | Dem severity classified mod |
| 0079U | Cmprtv dna alys mlt snps | 1493F | Dem severity class severe |
| 0085T | Breath test heart reject | 1494F | Cognit assessed and reviewed |
| 0091U | Onc clrcr scr whl bld alg | 2010F | Vital signs recorded |
| 0124U | Ftl cgen abnor 3 analtyes | 2015F | Asthma impairment assessed |
| 0329T | Mntr io press 24hrs/> uni/bi | 2016F | Asthma risk assessed |
| 0333T | Visual ep scr acuity auto | 2019F | Dilated macul exam done |
| 0403T | Diabetes prev standard curr | 2021F | Dilat macular exam done |
| 0469T | Rta polarize scan oc scr bi | 2028F | Foot exam performed |
| 0474T | Insj aqueous drg dev io rsvr | 2040F | Bk pn xm on init visit date |
| 0488T | Diabetes prev online/elec | 3014F | Screen mammo doc rev |
| 0489T | Regn cell tx scldr hands | 3016F | Pt scrnd unhlthy oh use |
| 0490T | Regn cell tx scldr h mlt inj | 3020F | Lvf assess |
| 0505F | Hemodialysis plan docd | 3038F | Pulm fx w/in 12 mon b/4 surg |
| 0507F | Periton dialysis plan docd | 3048F | Ldl-c <100 mg/dl |
| 0514F | Care plan hgb docd esa pt | 3049F | Ldl-c 100-129 mg/dl |
| 0521F | Plan of care 4 pain docd | 3050F | Ldl-c >= 130 mg/dl |
| 0547T | B1 matrl qual tst mcrind tib | 3082F | Kt/v <1.2 |
| 0553T | Perq tcac iliac anast implt | 3083F | Kt/v >= 1.2 & <1.7 |
| 0556F | Plan care lipid control docd | 3084F | Kt/v >= 1.7 |
| 0557F | Plan caremng angnl symptdocd | 3092F | Mdd in remission |
| 0575F | Hiv rna plan care docd | 3096F | Central dexta ordered |
| 1002F | Assess anginal symptom/level | 3120F | 12-lead ecg performed |
| 1005F | Asthma symptoms evaluate | 3215F | Pt immunity to hep a docd |
| 1007F | Anti-inflm/anglsc otc assess | 3216F | Pt immunity to hep b docd |
| 1010F | Severity angina by actvty | 3218F | Rna tstng hep c docd done |
| 1011F | Angina present | 3220F | Hep c quant rna tstng docd |
| 1012F | Angina absent | 3265F | Rna tstng hepc vir ord/docd |
| 1031F | Smoking & 2nd hand assessed | 3266F | Hepc gn tstng docd b/4txmnt |
| 1032F | Smoker/exposed 2nd hnd smoke | 3271F | Low risk prostate cancer |
| 1033F | Tobacco nonsmoker nor 2ndhnd | 3272F | Med risk prostate cancer |
| 1040F | Dsm-5 info mdd docd | 3273F | High risk prostate cancer |
| 1091F | Urine incon characterized | 3274F | Prost cnrc rsk not lw/md/hgh |
| 1119F | Init eval for condition | 3278F | Serum lvls ca/iph/lpd ord |
| 1130F | Bk pain & fxn assessed | 3279F | Hgb lvl >= 13 g/dl |
| 1175F | Function stat assessed rwd | 3280F | Hgb lvl 11-12.9 g/dl |
| 1181F | Neuropsychia sympts assessed | 3281F | Hgb lvl <11 g/dl |
| 1200F | Seizure type& frequ docd | 3315F | Er+ or pr+ breast cancer |
| 1205F | Epi etiol synd rwd and docd | 3316F | Er- or pr- breast cancer |
| 1220F | Pt screened for depression | 3323F | Clin node stng docdb/4 surg |
| 1400F | Prkns diag rviewed | 3328F | Prfrmnc docd 2 wks b/4 surg |

| | | | |
|-------|------------------------------|-------|-------------------------------|
| 3351F | Neg scrn dep symp by deptool | 4046F | Doc antibio given b/4 surg |
| 3352F | No sig dep symp by dep tool | 4047F | Doc antibio given b/4 surg |
| 3353F | Mild-mod dep symp by deptool | 4048F | Doc antibio given b/4 surg |
| 3354F | Clin sig dep sym by dep tool | 4049F | Doc order given stop antibio |
| 3370F | Ajcc brst cncr stage 0 docd | 4051F | Referred for an av fistula |
| 3372F | Ajcc brst cncr stage 1 docd | 4070F | Dvt prophylx recvd day 2 |
| 3374F | Ajcc brst cncr stage 1 docd | 4073F | Oral antiplat thx rx dischrg |
| 3376F | Ajcc brstcncr stage 2 docd | 4075F | Anticoag thx rx at dischrg |
| 3378F | Ajcc brstcncr stage 3 docd | 4079F | Doc rehab svcs considered |
| 3380F | Ajcc brstcncr stage 4 docd | 4084F | Aspirin recvd w/in 24 hrs |
| 3382F | Ajcc cln cncr stage 0 docd | 4095F | Pt not rcvng epo thxpy |
| 3384F | Ajcc cln cncr stage 1 docd | 4140F | Inhaled corticosteroids rxd |
| 3386F | Ajcc cln cncr stage 2 docd | 4142F | Corticoster sparing thxpy rxd |
| 3388F | Ajcc cln cncr stage 3 docd | 4144F | Alt long-term cntrl med rxd |
| 3390F | Ajcc cln cncr stage 4 docd | 4145F | 2+ anti-hyprtnsv agents tkn |
| 3455F | Tb scrng done-interpd 6mon | 4148F | Hep a vac injxn admin/recvd |
| 3470F | Ra disease activity low | 4149F | Hep b vac injxn admin/recvd |
| 3471F | Ra disease activity mod | 4150F | Pt rcvng antivir txmnt hepc |
| 3472F | Ra disease activity high | 4151F | Pt not rcvng antiv hep c |
| 3490F | History aids-defining cond | 4153F | Combo pegintf/rib rx |
| 3492F | History cd4+ cell count <350 | 4158F | Pt edu re alcoh drnkng done |
| 3493F | No hist cd4+ cell count <350 | 4159F | Contrcp talk b/4 antiv txmnt |
| 3494F | Cd4+cell count <200cells/mm3 | 4164F | Adjv hrnml thxpy rxd |
| 3495F | Cd4+cell cnt 200-499 cells | 4171F | Pt rcvng esa thxpy |
| 3496F | Cd4+ cell count >= 500 cells | 4172F | Pt not rcvng esa thxpy |
| 3500F | Cd4+cell cnt/% docd as done | 4179F | Tamoxifen/ai prescribed |
| 3502F | Hiv rna vrl ld <Imts quantif | 4187F | Anti rheum drugthxpyrxd/gvn |
| 3503F | Hiv rna vrl ldnot<Imts quntf | 4245F | Pt instr nrml lifest |
| 3510F | Doc tb scrng-rslts interpd | 4248F | Pt instr no bd rest 4 days/> |
| 3511F | Chlmyd/gonrh tssts docd done | 4250F | Wrmng 4 surg normothermia |
| 3512F | Syph scrng docd as done | 4256F | Anesthe <60 min as docd |
| 3517F | Hbv assess&results intrp 1yr | 4260F | Wound srfc culturetech used |
| 3700F | Psych disorders assessed | 4261F | Tech other than surfc cultr |
| 37216 | Transcath stent cca w/o eps | 4265F | Wet-dry dressings rx recmd |
| 3750F | Ptnotrcvngsteroid>/=10mg/day | 4266F | No wet-dry drssings rx recmd |
| 3775F | Adenoma detected screening | 4270F | Pt rcvng anti r-viral thxpy |
| 3776F | Adenoma not detect screening | 4271F | Pt rcvng anti r-viral thxpy |
| 4000F | Tobacco use txmnt counseling | 4274F | Flu immuno admind rcvd |
| 4001F | Tobacco use txmnt pharmacol | 4276F | Potent antivir thxpy rxd |
| 4003F | Pt ed write/oral pts w/ hf | 4279F | Pcp prophylaxis rxd |
| 4005F | Pharm thx for op rxd | 4280F | Pcp prophylax rxd 3mon low % |
| 4011F | Oral antiplatelet therapy rx | 4320F | Pt talk psychsoc&rx oh dpnd |
| 4013F | Statin therapy/currently tkn | 4328F | Pt asked re sleep disturb |
| 4015F | Persist asthma medicine ctrl | 43842 | V-band gastroplasty |
| 4025F | Inhaled bronchodilator rx | 4525F | Neuropsychia interven order |
| 4035F | Influenza imm rec | 4526F | Neuropsychia interven rcvd |
| 4037F | Influenza imm order/admin | 4558F | Pt recvd 2 rx anti-emet agt |
| 4041F | Doc order cefazolin/cefurox | 4559F | 1 bodytemp >=35.5cw/in 30min |
| 4042F | Doc antibio not given | 48160 | Pancreas removal/transplant |
| 4043F | Doc order given stop antibio | 48550 | Donor pancreatectomy |
| 4045F | Empiric antibiotic rx | 58300 | Insert intrauterine device |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 6010F | Dysphag test done b/4 eating | 90875 | Psychophysiological therapy |
| 6015F | Dysphag test done b/4 eating | 90876 | Psychophysiological therapy |
| 6020F | Npo (nothing-mouth) ordered | 90882 | Environmental manipulation |
| 6045F | Radxps in end rpt4fluro pxd | 92310 | Contact lens fitting |
| 6101F | Safety counseling dementia | 92314 | Prescription of contact lens |
| 6102F | Safety counseling dem order | 92340 | Fit spectacles monofocal |
| 6110F | Counsel prov driving risks | 92341 | Fit spectacles bifocal |
| 6150F | Pt notrcvng1st antitnf txmnt | 92342 | Fit spectacles multifocal |
| 65760 | Revision of cornea | 92370 | Repair & adjust spectacles |
| 65765 | Revision of cornea | 92551 | Pure tone hearing test air |
| 65767 | Corneal tissue transplant | 92558 | Evoked auditory test qual |
| 65771 | Radial keratotomy | 92559 | Group audiometric testing |
| 69090 | Pierce earlobes | 92560 | Bekesy audiometry screen |
| 69710 | Implant/replace hearing aid | 92590 | Hearing aid exam one ear |
| 74263 | Ct colonography screening | 92591 | Hearing aid exam both ears |
| 76390 | Mr spectroscopy | 92592 | Hearing aid check one ear |
| 77061 | Breast tomosynthesis uni | 92593 | Hearing aid check both ears |
| 77062 | Breast tomosynthesis bi | 92594 | Electro hearing aid test one |
| 78350 | Bone mineral single photon | 92595 | Electro hearing aid tst both |
| 78351 | Bone mineral dual photon | 93895 | Carotid intima atheroma eval |
| 78609 | Brain imaging (pet) | 96110 | Developmental screen w/score |
| 80050 | General health panel | 97014 | Electric stimulation therapy |
| 81500 | Onco (ovar) two proteins | 97169 | Athletic trn eval low cmplx |
| 81506 | Endo assay seven anal | 97170 | Athletic trn eval mod cmplx |
| 81508 | Ftl cgen abnor two proteins | 97171 | Athletic trn eval high cmplx |
| 81509 | Ftl cgen abnor 3 proteins | 97172 | Athletic trn re-eval plan cr |
| 81510 | Ftl cgen abnor three anal | 97810 | Acupunct w/o stimul 15 min |
| 81511 | Ftl cgen abnor four anal | 97811 | Acupunct w/o stimul addl 15m |
| 81512 | Ftl cgen abnor five anal | 97813 | Acupunct w/stimul 15 min |
| 86910 | Blood typing paternity test | 97814 | Acupunct w/stimul addl 15m |
| 86911 | Blood typing antigen system | 98943 | Chiropract manj xtrspnl 1/> |
| 88000 | Autopsy (necropsy) gross | 99075 | Medical testimony |
| 88005 | Autopsy (necropsy) gross | 99172 | Ocular function screen |
| 88007 | Autopsy (necropsy) gross | 99173 | Visual acuity screen |
| 88012 | Autopsy (necropsy) gross | 99177 | Ocular instrumnt screen bil |
| 88014 | Autopsy (necropsy) gross | 99188 | App topical fluoride varnish |
| 88016 | Autopsy (necropsy) gross | 99381 | Init pm e/m new pat infant |
| 88020 | Autopsy (necropsy) complete | 99382 | Init pm e/m new pat 1-4 yrs |
| 88025 | Autopsy (necropsy) complete | 99383 | Prev visit new age 5-11 |
| 88027 | Autopsy (necropsy) complete | 99384 | Prev visit new age 12-17 |
| 88028 | Autopsy (necropsy) complete | 99385 | Prev visit new age 18-39 |
| 88029 | Autopsy (necropsy) complete | 99386 | Prev visit new age 40-64 |
| 88036 | Limited autopsy | 99387 | Init pm e/m new pat 65+ yrs |
| 88037 | Limited autopsy | 99391 | Per pm reeval est pat infant |
| 88040 | Forensic autopsy (necropsy) | 99392 | Prev visit est age 1-4 |
| 88045 | Coroners autopsy (necropsy) | 99393 | Prev visit est age 5-11 |
| 88099 | Necropsy (autopsy) procedure | 99394 | Prev visit est age 12-17 |
| 90284 | Human ig sc | 99395 | Prev visit est age 18-39 |
| 90587 | Dengue vacc quad 3 dose subq | 99396 | Prev visit est age 40-64 |
| 90619 | Menacwy-tt vaccine im | 99397 | Per pm reeval est pat 65+ yr |
| 90625 | Cholera vaccine live oral | 99401 | Preventive counseling indiv |

| | | | |
|-------|-------------------------------|-------|--------------------------------|
| 99402 | Preventive counseling indiv | A4639 | Infrared ht sys replcmnt pad |
| 99403 | Preventive counseling indiv | A4640 | Alternating pressure pad |
| 99404 | Preventive counseling indiv | A4670 | Automatic bp monitor, dial |
| 99411 | Preventive counseling group | A5113 | Latex leg strap |
| 99412 | Preventive counseling group | A5114 | Foam/fabric leg strap |
| 99429 | Unlisted preventive service | A6000 | Wound warming wound cover |
| 99441 | Phone e/m phys/qhp 5-10 min | A6530 | Compression stocking bk18-30 |
| 99442 | Phone e/m phys/qhp 11-20 min | A6533 | Gc stocking thighlngh 18-30 |
| 99443 | Phone e/m phys/qhp 21-30 min | A6534 | Gc stocking thighlngh 30-40 |
| 99444 | Online e/m by phys/qhp | A6535 | Gc stocking thighlngh 40-50 |
| 99450 | Basic life disability exam | A6536 | Gc stocking full lngth 18-30 |
| A0382 | Basic support routine suppl | A6537 | Gc stocking full lngth 30-40 |
| A0384 | Bls defibrillation supplies | A6538 | Gc stocking full lngth 40-50 |
| A0392 | Als defibrillation supplies | A6539 | Gc stocking waistlngth 18-30 |
| A0394 | Als iv drug therapy supplies | A6540 | Gc stocking waistlngth 30-40 |
| A0396 | Als esophageal intub suppl | A6541 | Gc stocking waistlngth 40-50 |
| A0398 | Als routine disposble suppl | A6544 | Gc stocking garter belt |
| A0420 | Ambulance waiting 1/2 hr | A6549 | G compression stocking |
| A0422 | Ambulance 02 life sustaining | A9270 | Non-covered item or service |
| A0424 | Extra ambulance attendant | A9273 | Hot/cold bottle/cap/col/wrap |
| A0888 | Noncovered ambulance mileage | A9275 | Disp home glucose monitor |
| A4210 | Nonneedle injection device | A9300 | Exercise equipment |
| A4233 | Alkaline batt for glucose mon | A9564 | P32 chromic phosphate |
| A4234 | J-cell batt for glucose mon | C1842 | Retinal prosth, add-on |
| A4235 | Lithium batt for glucose mon | C1890 | No device w/dev-intensive px |
| A4236 | Silvr oxide batt glucose mon | D0120 | Periodic oral evaluation |
| A4250 | Urine reagent strips/tablets | D0140 | Limit oral eval problm focus |
| A4257 | Replace lensshield cartridge | D0160 | Extensv oral eval prob focus |
| A4261 | Cervical cap contraceptive | D0170 | Re-eval, est pt, problem focus |
| A4363 | Ostomy clamp, replacement | D0393 | Trtmnt simulation 3d image |
| A4467 | Belt strap sleev grmnt cover | D0394 | Digital sub 2 or more images |
| A4490 | Above knee surgical stocking | D0395 | Fusion 2 or more 3d images |
| A4495 | Thigh length surg stocking | D0415 | Collection of microorganisms |
| A4500 | Below knee surgical stocking | D0425 | Caries susceptibility test |
| A4510 | Full length surg stocking | D0470 | Diagnostic casts |
| A4520 | Incontinence garment anytype | D0601 | Caries risk assess low risk |
| A4553 | Nondisp underpads, all sizes | D0602 | Caries risk assess mod risk |
| A4554 | Disposable underpads | D0603 | Caries risk assess high risk |
| A4555 | Ca tx e-stim electr/transduc | D1110 | Dental prophylaxis adult |
| A4600 | Sleeve, inter limb comp dev | D1120 | Dental prophylaxis child |
| A4601 | Lith ion non prosth recharge | D1310 | Nutri counsel-control caries |
| A4611 | Heavy duty battery | D1320 | Tobacco counseling |
| A4612 | Battery cables | D1330 | Oral hygiene instruction |
| A4613 | Battery charger | D1351 | Dental sealant per tooth |
| A4627 | Spacer bag/reservoir | D1999 | Unspecified preventive proc |
| A4630 | Repl bat t.e.n.s. own by pt | D2140 | Amalgam one surface permanen |
| A4633 | Uvl replacement bulb | D2150 | Amalgam two surfaces permane |
| A4635 | Underarm crutch pad | D2160 | Amalgam three surfaces perma |
| A4636 | Handgrip for cane etc | D2161 | Amalgam 4 or > surfaces perm |
| A4637 | Repl tip cane/crutch/walker | D2330 | Resin one surface-anterior |
| A4638 | Repl batt pulse gen sys | D2331 | Resin two surfaces-anterior |

| | | | |
|-------|------------------------------|-------|------------------------------|
| D2332 | Resin three surfaces-anterio | D2952 | Post and core cast + crown |
| D2335 | Resin 4/> surf or w incis an | D2953 | Each addtnl cast post |
| D2410 | Dental gold foil one surface | D2954 | Prefab post/core + crown |
| D2420 | Dental gold foil two surface | D2955 | Post removal |
| D2430 | Dental gold foil three surfa | D2957 | Each addtnl prefab post |
| D2510 | Dental inlay metallic 1 surf | D2960 | Laminate labial veneer |
| D2520 | Dental inlay metallic 2 surf | D2961 | Lab labial veneer resin |
| D2530 | Dental inlay metl 3/more sur | D2962 | Lab labial veneer porcelain |
| D2542 | Dental onlay metallic 2 surf | D2980 | Crown repair |
| D2543 | Dental onlay metallic 3 surf | D3110 | Pulp cap direct |
| D2544 | Dental onlay metl 4/more sur | D3120 | Pulp cap indirect |
| D2610 | Inlay porcelain/ceramic 1 su | D3220 | Therapeutic pulpotomy |
| D2620 | Inlay porcelain/ceramic 2 su | D3221 | Gross pulpal debridement |
| D2630 | Dental onlay porc 3/more sur | D3230 | Pulpal therapy anterior prim |
| D2642 | Dental onlay porcelin 2 surf | D3240 | Pulpal therapy posterior pri |
| D2643 | Dental onlay porcelin 3 surf | D3310 | End thxpy, anterior tooth |
| D2644 | Dental onlay porc 4/more sur | D3320 | End thxpy, premolar tooth |
| D2650 | Inlay composite/resin one su | D3330 | End thxpy, molar tooth |
| D2651 | Inlay composite/resin two su | D3331 | Non-surg tx root canal obs |
| D2652 | Dental inlay resin 3/mre sur | D3332 | Incomplete endodontic tx |
| D2662 | Dental onlay resin 2 surface | D3333 | Internal root repair |
| D2663 | Dental onlay resin 3 surface | D3346 | Retreat root canal anterior |
| D2664 | Dental onlay resin 4/mre sur | D3347 | Retreat root canal premolar |
| D2710 | Crown resin-based indirect | D3348 | Retreat root canal molar |
| D2720 | Crown resin w/ high noble me | D3351 | Apexification/recalc initial |
| D2721 | Crown resin w/ base metal | D3352 | Apexification/recalc interim |
| D2722 | Crown resin w/ noble metal | D3353 | Apexification/recalc final |
| D2740 | Crown porcelain/ceramic | D3355 | Pulpal regeneration initial |
| D2750 | Crown porcelain w/ h noble m | D3356 | Pulpal regeneration interim |
| D2751 | Crown porcelain fused base m | D3357 | Pulpal regeneration complete |
| D2752 | Crown porcelain w/ noble met | D3410 | Apicoectomy - anterior |
| D2780 | Crown 3/4 cast hi noble met | D3421 | Root surgery premolar |
| D2781 | Crown 3/4 cast base metal | D3425 | Root surgery molar |
| D2782 | Crown 3/4 cast noble metal | D3426 | Root surgery ea add root |
| D2783 | Crown 3/4 porcelain/ceramic | D3427 | Periradicular surgery |
| D2790 | Crown full cast high noble m | D3428 | Bone graft peri per tooth |
| D2791 | Crown full cast base metal | D3429 | Bone graft peri each addl |
| D2792 | Crown full cast noble metal | D3430 | Retrograde filling |
| D2799 | Provisional crown | D3431 | Biological materials |
| D2910 | Recement inlay onlay or part | D3432 | Guided tissue regeneration |
| D2920 | Re-cement or re-bond crown | D3450 | Root amputation |
| D2921 | Reattach tooth fragment | D3470 | Intentional replantation |
| D2930 | Prefab stnlss steel crwn pri | D3910 | Isolation- tooth w rubb dam |
| D2931 | Prefab stnlss steel crown pe | D3920 | Tooth splitting |
| D2932 | Prefabricated resin crown | D3950 | Canal prep/fitting of dowel |
| D2933 | Prefab stainless steel crown | D4240 | Gingival flap proc w/ planin |
| D2940 | Protective restoration | D4245 | Apically positioned flap |
| D2941 | Int therapeutic restoration | D4249 | Crown lengthen hard tissue |
| D2949 | Restorative foundation | D4266 | Guided tiss regen resorb |
| D2950 | Core build-up incl any pins | D4267 | Guided tiss regen nonresorb |
| D2951 | Tooth pin retention | D4274 | Mesial/distal wedge proc |

| | | | |
|-------|------------------------------|-------|------------------------------|
| D4283 | Auto tissue graft addl tooth | D5986 | Fluoride applicator |
| D4320 | Provision splnt intracoronal | D5994 | Peridontal medicament |
| D4321 | Provisional splint extracoro | D6011 | Second stage implant surgery |
| D4341 | Periodontal scaling & root | D6013 | Surgical place mini implant |
| D4910 | Periodontal maint procedures | D6052 | Semi precision attach abut |
| D4920 | Unscheduled dressing change | D6057 | Custom abutment |
| D4921 | Gingival irrigation per quad | D6058 | Abutment supported crown |
| D4999 | Unspecified periodontal proc | D6059 | Abutment supported mtl crown |
| D5110 | Dentures complete maxillary | D6060 | Abutment supported mtl crown |
| D5120 | Dentures complete mandible | D6061 | Abutment supported mtl crown |
| D5130 | Dentures immediat maxillary | D6062 | Abutment supported mtl crown |
| D5140 | Dentures immediat mandible | D6063 | Abutment supported mtl crown |
| D5211 | Dentures maxill part resin | D6064 | Abutment supported mtl crown |
| D5212 | Dentures mand part resin | D6065 | Implant supported crown |
| D5213 | Dentures maxill part metal | D6066 | Implant supported mtl crown |
| D5214 | Dentures mandibl part metal | D6067 | Implant supported mtl crown |
| D5410 | Dentures adjust cmplt maxil | D6068 | Abutment supported retainer |
| D5411 | Dentures adjust cmplt mand | D6069 | Abutment supported retainer |
| D5421 | Dentures adjust part maxill | D6070 | Abutment supported retainer |
| D5422 | Dentures adjust part mandbl | D6071 | Abutment supported retainer |
| D5520 | Replace denture teeth complt | D6072 | Abutment supported retainer |
| D5630 | Rep partial denture clasp | D6073 | Abutment supported retainer |
| D5640 | Replace part denture teeth | D6074 | Abutment supported retainer |
| D5650 | Add tooth to partial denture | D6075 | Implant supported retainer |
| D5660 | Add clasp to partial denture | D6076 | Implant supported retainer |
| D5710 | Dentures rebase cmplt maxil | D6077 | Implant supported retainer |
| D5711 | Dentures rebase cmplt mand | D6110 | Implnt/abut remov dent max |
| D5720 | Dentures rebase part maxill | D6111 | Implnt/abut remov dent mand |
| D5721 | Dentures rebase part mandbl | D6112 | Imp/abut rem dent part max |
| D5730 | Denture reln cmplt maxil ch | D6113 | Imp/abut rem dent part mand |
| D5731 | Denture reln cmplt mand chr | D6114 | Implnt/abut fixed dent max |
| D5740 | Denture reln part maxil chr | D6115 | Implnt/abut fixed dent mand |
| D5741 | Denture reln part mand chr | D6116 | Imp/abut fixed dent part max |
| D5750 | Denture reln cmplt max lab | D6117 | Imp/abut fixed dent part man |
| D5751 | Denture reln cmplt mand lab | D6118 | Imp/abut int fixed dent man |
| D5760 | Denture reln part maxil lab | D6119 | Int/abut int fixed dent max |
| D5761 | Denture reln part mand lab | D6210 | Prosthodont high noble metal |
| D5810 | Denture interm cmplt maxill | D6211 | Bridge base metal cast |
| D5811 | Denture interm cmplt mandbl | D6212 | Bridge noble metal cast |
| D5820 | Denture interm part maxill | D6240 | Bridge porcelain high noble |
| D5821 | Denture interm part mandbl | D6241 | Bridge porcelain base metal |
| D5850 | Denture tiss conditn maxill | D6242 | Bridge porcelain nobel metal |
| D5851 | Denture tiss conditin mandbl | D6245 | Bridge porcelain/ceramic |
| D5862 | Precision attachment | D6250 | Bridge resin w/high noble |
| D5863 | Overdenture complete max | D6251 | Bridge resin base metal |
| D5864 | Overdenture partial max | D6252 | Bridge resin w/noble metal |
| D5865 | Overdenture complete mandib | D6545 | Dental retainr cast metl |
| D5866 | Overdenture partial mandib | D6548 | Porcelain/ceramic retainer |
| D5867 | Replacement of precision att | D6600 | Porcelain/ceramic inlay 2srf |
| D5875 | Prosthesis modification | D6601 | Porc/ceram inlay >= 3 surfac |
| D5899 | Removable prosthodontic proc | D6602 | Cst hgh nble mtl inlay 2 srf |

| | | | |
|-------|------------------------------|-------|------------------------------|
| D6603 | Cst hgh nble mtl inlay >=3sr | D8680 | Orthodontic retention |
| D6604 | Cst bse mtl inlay 2 surfaces | D8690 | Orthodontic treatment |
| D6605 | Cst bse mtl inlay >= 3 surfa | D8691 | Repair ortho appliance |
| D6606 | Cast noble metal inlay 2 sur | D8692 | Replacement retainer |
| D6607 | Cst noble mtl inlay >=3 surf | D8694 | Repair fixed retainers |
| D6608 | Onlay porc/crmc 2 surfaces | D8999 | Orthodontic procedure |
| D6609 | Onlay porc/crmc >=3 surfaces | D9223 | General anesth ea addl 15 mi |
| D6610 | Onlay cst hgh nbl mtl 2 srfc | D9243 | Iv sedation ea addl 15m |
| D6611 | Onlay cst hgh nbl mtl >=3srf | D9910 | Dent appl desensitizing med |
| D6612 | Onlay cst base mtl 2 surface | D9911 | Appl desensitizing resin |
| D6613 | Onlay cst base mtl >=3 surfa | D9920 | Behavior management |
| D6614 | Onlay cst nbl mtl 2 surfaces | D9941 | Fabrication athletic guard |
| D6615 | Onlay cst nbl mtl >=3 surfac | D9943 | Occlusal guard adjustment |
| D6720 | Retain crown resin w hi nble | D9970 | Enamel microabrasion |
| D6721 | Crown resin w/base metal | D9971 | Odontoplasty 1-2 teeth |
| D6722 | Crown resin w/noble metal | D9972 | Extrnl bleaching per arch |
| D6740 | Crown porcelain/ceramic | D9973 | Extrnl bleaching per tooth |
| D6750 | Crown porcelain high noble | D9974 | Intrnl bleaching per tooth |
| D6751 | Crown porcelain base metal | D9985 | Sales tax |
| D6752 | Crown porcelain noble metal | E0231 | Wound warming device |
| D6780 | Crown 3/4 high noble metal | E0232 | Warming card for nwt |
| D6781 | Crown 3/4 cast based metal | E0241 | Bath tub wall rail |
| D6782 | Crown 3/4 cast noble metal | E0242 | Bath tub rail floor |
| D6783 | Crown 3/4 porcelain/ceramic | E0243 | Toilet rail |
| D6790 | Crown full high noble metal | E0244 | Toilet seat raised |
| D6791 | Crown full base metal cast | E0245 | Tub stool or bench |
| D6792 | Crown full noble metal cast | E0270 | Hospital bed institutional t |
| D6930 | Recement/bond part denture | E0273 | Bed board |
| D6940 | Stress breaker | E0274 | Over-bed table |
| D6950 | Precision attachment | E0315 | Bed accessory brd/tbl/supprt |
| D6980 | Fixed partial repair | E0457 | Chest shell |
| D6999 | Fixed prosthodontic proc | E0459 | Chest wrap |
| D7270 | Tooth reimplantation | E0481 | Intrpulmny percuss vent sys |
| D7272 | Tooth transplantation | E0625 | Patient lift bathroom or toi |
| D7280 | Exposure of unerupted tooth | E0637 | Combination sit to stand sys |
| D7290 | Repositioning of teeth | E0638 | Standing frame sys |
| D7881 | Occ orthotic device adjust | E0641 | Multi-position stnd fram sys |
| D7997 | Appliance removal | E0642 | Dynamic standing frame |
| D8010 | Limited dental tx primary | E0936 | Cpm device, other than knee |
| D8020 | Limited dental tx transition | E1300 | Whirlpool portable |
| D8030 | Limited dental tx adolescent | G0122 | Colon ca scrn; barium enema |
| D8040 | Limited dental tx adult | G0219 | Pet img wholbod melano nonco |
| D8050 | Intercep dental tx primary | G0235 | Pet not otherwise specified |
| D8060 | Intercep dental tx transitn | G0252 | Pet imaging initial dx |
| D8070 | Compre dental tx transition | G0282 | Elect stim wound care not pd |
| D8080 | Compre dental tx adolescent | G0295 | Electromagnetic therapy onc |
| D8090 | Compre dental tx adult | G9013 | Esrd demo bundle level i |
| D8210 | Orthodontic rem appliance tx | G9014 | Esrd demo bundle-level ii |
| D8220 | Fixed appliance therapy habt | G9016 | Demo-smoking cessation coun |
| D8660 | Preorthodontic tx visit | G9147 | Outpt iv insulin tx any mea |
| D8670 | Periodic orthodontc tx visit | G9187 | Bpci home visit |

| | | | |
|-------|--------------------------------|-------|------------------------------|
| J0571 | Buprenorphine oral 1mg | V5040 | Body-worn hearing aid bone |
| J0572 | Bupren/nal up to 3mg bupreno | V5050 | Hearing aid monaural in ear |
| J0573 | Bupren/nal 3.1 to 6mg bupren | V5060 | Behind ear hearing aid |
| J0574 | Bupren/nal 6.1 to 10mg bupre | V5070 | Glasses air conduction |
| J0575 | Bupren/nal over 10mg bupreno | V5080 | Glasses bone conduction |
| J0890 | Peginesatide injection | V5090 | Hearing aid dispensing fee |
| J1436 | Etidronate disodium inj | V5100 | Body-worn bilat hearing aid |
| J3520 | Edetate disodium per 150 mg | V5110 | Hearing aid dispensing fee |
| J3535 | Metered dose inhaler drug | V5120 | Body-worn binaur hearing aid |
| J3570 | Laetrile amygdalin vit b17 | V5130 | In ear binaural hearing aid |
| J7307 | Etonogestrel implant system | V5140 | Behind ear binaur hearing ai |
| J8499 | Oral prescrip drug non chemo | V5150 | Glasses binaural hearing aid |
| J8515 | Cabergoline, oral 0.25mg | V5160 | Dispensing fee binaural |
| K0740 | Repair/svc oxygen equipment | V5190 | Hearing aid monaural glasses |
| L8680 | Implt neurostim elctr each | V5200 | Disp fee contralateral monau |
| L8685 | Implt nrostm pls gen sng rec | V5230 | Hearing aid binaural glasses |
| L8686 | Implt nrostm pls gen sng non | V5240 | Disp fee contralateral binau |
| L8687 | Implt nrostm pls gen dua rec | V5336 | Repair communication device |
| L8688 | Implt nrostm pls gen dua non | | |
| M0075 | Cellular therapy | | |
| M0076 | Prolotherapy | | |
| M0100 | Intragastric hypothermia | | |
| M0300 | Iv chelationtherapy | | |
| M0301 | Fabric wrapping of aneurysm | | |
| P2031 | Hair analysis | | |
| Q1004 | Ntiol category 4 | | |
| Q1005 | Ntiol category 5 | | |
| Q2052 | Ivig demo, services/supplies | | |
| Q3028 | Inj beta interferon sq 1 mcg | | |
| S0285 | Cnslt before screen colonoscop | | |
| S0311 | Comp mgmt care coord adv ill | | |
| S1034 | Art pancreas system | | |
| S1035 | Art pancreas inv disp sensor | | |
| S1036 | Art pancreas ext transmitter | | |
| S1037 | Art pancreas ext receiver | | |
| S9901 | Christian sci nurse visit | | |
| T1040 | Comm bh clinic svc per diem | | |
| T1041 | Comm bh clinic svc per month | | |
| T4545 | Incon disposable penile wrap | | |
| V2025 | Eyeglasses delux frames | | |
| V2702 | Deluxe lens feature | | |
| V2760 | Scratch resistant coating | | |
| V2762 | Polarization, any lens | | |
| V2786 | Occupational multifocal lens | | |
| V2797 | Vis item/svc in other code | | |
| V5008 | Hearing screening | | |
| V5010 | Assessment for hearing aid | | |
| V5011 | Hearing aid fitting/checking | | |
| V5014 | Hearing aid repair/modifying | | |
| V5020 | Conformity evaluation | | |
| V5030 | Body-worn hearing aid air | | |

Questionable covered service

| | | | |
|-------|-------------------------------|-------|------------------------------|
| 11920 | Correct skin color 6.0 cm/< | 19364 | Breast reconstruction |
| 11921 | Correct skin color 6.1-20.0cm | 19366 | Breast reconstruction |
| 11922 | Correct skin color ea 20.0cm | 19370 | Surgery of breast capsule |
| 11950 | Tx contour defects 1 cc/< | 19371 | Removal of breast capsule |
| 11951 | Tx contour defects 1.1-5.0cc | 19380 | Revise breast reconstruction |
| 11952 | Tx contour defects 5.1-10cc | 21462 | Treat lower jaw fracture |
| 11954 | Tx contour defects >10.0 cc | 21470 | Treat lower jaw fracture |
| 15775 | Hair trnspl 1-15 punch grfts | 30400 | Reconstruction of nose |
| 15776 | Hair trnspl >15 punch grafts | 30410 | Reconstruction of nose |
| 15780 | Dermabrasion total face | 30420 | Reconstruction of nose |
| 15781 | Dermabrasion segmental face | 30430 | Revision of nose |
| 15782 | Dermabrasion other than face | 30435 | Revision of nose |
| 15786 | Abrasion lesion single | 30450 | Revision of nose |
| 15787 | Abrasion lesions add-on | 33945 | Transplantation of heart |
| 15819 | Plastic surgery neck | 36468 | Njx sclrsnt spider veins |
| 15820 | Revision of lower eyelid | 41820 | Excision gum each quadrant |
| 15821 | Revision of lower eyelid | 41821 | Excision of gum flap |
| 15822 | Revision of upper eyelid | 41822 | Excision of gum lesion |
| 15823 | Revision of upper eyelid | 41823 | Excision of gum lesion |
| 15824 | Removal of forehead wrinkles | 41825 | Excision of gum lesion |
| 15825 | Removal of neck wrinkles | 41826 | Excision of gum lesion |
| 15826 | Removal of brow wrinkles | 41827 | Excision of gum lesion |
| 15828 | Removal of face wrinkles | 41828 | Excision of gum lesion |
| 15829 | Removal of skin wrinkles | 41830 | Removal of gum tissue |
| 15832 | Excise excessive skin thigh | 41850 | Treatment of gum lesion |
| 15833 | Excise excessive skin leg | 41874 | Repair tooth socket |
| 15834 | Excise excessive skin hip | 43846 | Gastric bypass for obesity |
| 15835 | Excise excessive skin buttck | 47135 | Transplantation of liver |
| 15836 | Excise excessive skin arm | 48554 | Transpl allograft pancreas |
| 15837 | Excise excess skin arm/hand | 54660 | Revision of testis |
| 15838 | Excise excess skin fat pad | 55250 | Removal of sperm duct(s) |
| 15839 | Excise excess skin & tissue | 57170 | Fitting of diaphragm/cap |
| 15876 | Suction lipectomy head&neck | 58301 | Remove intrauterine device |
| 15877 | Suction lipectomy trunk | 58600 | Division of fallopian tube |
| 15878 | Suction lipectomy upr extrem | 58605 | Division of fallopian tube |
| 15879 | Suction lipectomy lwr extrem | 58611 | Ligate oviduct(s) add-on |
| 17380 | Hair removal by electrolysis | 58615 | Occlude fallopian tube(s) |
| 19316 | Suspension of breast | 58700 | Removal of fallopian tube |
| 19318 | Reduction of large breast | 58720 | Removal of ovary/tube(s) |
| 19324 | Enlarge breast | 59200 | Insert cervical dilator |
| 19325 | Enlarge breast with implant | 59840 | Abortion |
| 19328 | Removal of breast implant | 59841 | Abortion |
| 19330 | Removal of implant material | 59850 | Abortion |
| 19342 | Delayed breast prosthesis | 59851 | Abortion |
| 19350 | Breast reconstruction | 59852 | Abortion |

| | |
|-------|------------------------------|
| 59855 | Abortion |
| 59856 | Abortion |
| 59857 | Abortion |
| 59866 | Abortion (mpr) |
| 67901 | Repair eyelid defect |
| 67902 | Repair eyelid defect |
| 67903 | Repair eyelid defect |
| 67904 | Repair eyelid defect |
| 67906 | Repair eyelid defect |
| 67908 | Repair eyelid defect |
| 67909 | Revise eyelid defect |
| 67911 | Revise eyelid defect |
| 69300 | Revise external ear |
| 70320 | Full mouth x-ray of teeth |
| D0150 | Comprehensve oral evaluation |
| D4355 | Full mouth debridement |
| D7140 | Extraction erupted tooth/exr |
| D7210 | Rem imp tooth w mucoper flap |
| D7250 | Tooth root removal |

Inpatient procedures

| | | | |
|-------|------------------------------|-------|------------------------------|
| 00176 | Anesth pharyngeal surgery | 01272 | Anesth femoral artery surg |
| 00192 | Anesth facial bone surgery | 01274 | Anesth femoral embolectomy |
| 00211 | Anesth cran surg hemotoma | 01404 | Anesth amputation at knee |
| 00214 | Anesth skull drainage | 01442 | Anesth knee artery surg |
| 00215 | Anesth skull repair/fract | 01444 | Anesth knee artery repair |
| 00474 | Anesth surgery of rib | 01486 | Anesth ankle replacement |
| 00524 | Anesth chest drainage | 01502 | Anesth lwr leg embolectomy |
| 00540 | Anesth chest surgery | 01634 | Anesth shoulder joint amput |
| 00542 | Anesthesia removal pleura | 01636 | Anesth forequarter amput |
| 00546 | Anesth lung chest wall surg | 01638 | Anesth shoulder replacement |
| 00560 | Anesth heart surg w/o pump | 0163T | Lumb artif disectomy addl |
| 00561 | Anesth heart surg <1 yr | 0164T | Remove lumb artif disc addl |
| 00562 | Anesth hrt surg w/pmp age 1+ | 01652 | Anesth shoulder vessel surg |
| 00567 | Anesth cabg w/pump | 01654 | Anesth shoulder vessel surg |
| 00580 | Anesth heart/lung transplnt | 01656 | Anesth arm-leg vessel surg |
| 00604 | Anesth sitting procedure | 0165T | Revise lumb artif disc addl |
| 00632 | Anesth removal of nerves | 01756 | Anesth radical humerus surg |
| 0075T | Perq stent/chest vert art | 01990 | Support for organ donor |
| 0076T | S&i stent/chest vert art | 0202T | Post vert arthrplst 1 lumbar |
| 00792 | Anesth hemorr/excise liver | 0219T | Plmt post facet implt cerv |
| 00794 | Anesth pancreas removal | 0220T | Plmt post facet implt thor |
| 00796 | Anesth for liver transplant | 0235T | Trluml perip athrc visceral |
| 00802 | Anesth fat layer removal | 0254T | Evasc rpr iliac art bifur |
| 00844 | Anesth pelvis surgery | 0345T | Transcath mtral vlve repair |
| 00846 | Anesth hysterectomy | 0375T | Total disc arthrp ant appr |
| 00848 | Anesth pelvic organ surg | 0451T | Insj/rplcmt aortic ventr sys |
| 00864 | Anesth removal of bladder | 0452T | Insj/rplcmt dev vasc seal |
| 00865 | Anesth removal of prostate | 0455T | Remvl aortic ventr cmpl sys |
| 00866 | Anesth removal of adrenal | 0456T | Remvl aortic dev vasc seal |
| 00868 | Anesth kidney transplant | 0459T | Relocaj rplcmt aortic ventr |
| 00882 | Anesth major vein ligation | 0461T | Repos aortic contrpulsj dev |
| 00904 | Anesth perineal surgery | 0483T | Tmvi percutaneous approach |
| 00908 | Anesth removal of prostate | 0484T | Tmvi transthoracic exposure |
| 00932 | Anesth amputation of penis | 0494T | Prep & cannulj cdvr don lung |
| 00934 | Anesth penis nodes removal | 0495T | Mntr cdvr don lng 1st 2 hrs |
| 00936 | Anesth penis nodes removal | 0496T | Mntr cdvr don lng ea addl hr |
| 00944 | Anesth vaginal hysterectomy | 0543T | Ta mv rpr w/artif chord tend |
| 0095T | Rmvl artific disc addl crvcl | 0544T | Tcat mv annulus rcnstj |
| 0098T | Rev artific disc addl | 0545T | Tcat tv annulus rcnstj |
| 01140 | Anesth amputation at pelvis | 11004 | Debride genitalia & perineum |
| 01150 | Anesth pelvic tumor surgery | 11005 | Debride abdom wall |
| 01212 | Anesth hip disarticulation | 11006 | Debride genit/per/abdom wall |
| 01214 | Anesth hip arthroplasty | 11008 | Remove mesh from abd wall |
| 01232 | Anesth amputation of femur | 15756 | Free myo/skin flap microvasc |
| 01234 | Anesth radical femur surg | 15757 | Free skin flap microvasc |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 15758 | Free fascial flap microvasc | 21347 | Opn tx nasomax fx multiple |
| 16036 | Escharotomy addl incision | 21348 | Opn tx nasomax fx w/graft |
| 19271 | Revision of chest wall | 21366 | Opn tx complx malar w/grft |
| 19272 | Extensive chest wall surgery | 21422 | Treat mouth roof fracture |
| 19305 | Mast radical | 21423 | Treat mouth roof fracture |
| 19306 | Mast rad urban type | 21431 | Treat craniofacial fracture |
| 19361 | Breast reconstr w/lat flap | 21432 | Treat craniofacial fracture |
| 19364 | Breast reconstruction | 21433 | Treat craniofacial fracture |
| 19367 | Breast reconstruction | 21435 | Treat craniofacial fracture |
| 19368 | Breast reconstruction | 21436 | Treat craniofacial fracture |
| 19369 | Breast reconstruction | 21510 | Drainage of bone lesion |
| 20661 | Application of head brace | 21615 | Removal of rib |
| 20664 | Application of halo | 21616 | Removal of rib and nerves |
| 20802 | Replantation arm complete | 21620 | Partial removal of sternum |
| 20805 | Replant forearm complete | 21627 | Sternal debridement |
| 20808 | Replantation hand complete | 21630 | Extensive sternum surgery |
| 20816 | Replantation digit complete | 21632 | Extensive sternum surgery |
| 20824 | Replantation thumb complete | 21705 | Revision of neck muscle/rib |
| 20827 | Replantation thumb complete | 21740 | Reconstruction of sternum |
| 20838 | Replantation foot complete | 21750 | Repair of sternum separation |
| 20955 | Fibula bone graft microvasc | 21825 | Treat sternum fracture |
| 20956 | Iliac bone graft microvasc | 22010 | I&d p-spine c/t/cerv-thor |
| 20957 | Mt bone graft microvasc | 22015 | I&d abscess p-spine l/s/l |
| 20962 | Other bone graft microvasc | 22110 | Remove part of neck vertebra |
| 20969 | Bone/skin graft microvasc | 22112 | Remove part thorax vertebra |
| 20970 | Bone/skin graft iliac crest | 22114 | Remove part lumbar vertebra |
| 21045 | Extensive jaw surgery | 22116 | Remove extra spine segment |
| 21141 | Lefort i-1 piece w/o graft | 22206 | Incis spine 3 column thorac |
| 21142 | Lefort i-2 piece w/o graft | 22207 | Incis spine 3 column lumbar |
| 21143 | Lefort i-3/> piece w/o graft | 22208 | Incis spine 3 column adl seg |
| 21145 | Lefort i-1 piece w/ graft | 22210 | Incis 1 vertebral seg cerv |
| 21146 | Lefort i-2 piece w/ graft | 22212 | Incis 1 vertebral seg thorac |
| 21147 | Lefort i-3/> piece w/ graft | 22214 | Incis 1 vertebral seg lumbar |
| 21151 | Lefort ii w/bone grafts | 22216 | Incis addl spine segment |
| 21154 | Lefort iii w/o lefort i | 22220 | Incis w/discectomy cervical |
| 21155 | Lefort iii w/ lefort i | 22222 | Incis w/discectomy thoracic |
| 21159 | Lefort iii w/fhdw/o lefort i | 22224 | Incis w/discectomy lumbar |
| 21160 | Lefort iii w/fhd w/ lefort i | 22226 | Revise extra spine segment |
| 21179 | Reconstruct entire forehead | 22318 | Treat odontoid fx w/o graft |
| 21180 | Reconstruct entire forehead | 22319 | Treat odontoid fx w/graft |
| 21182 | Reconstruct cranial bone | 22325 | Treat spine fracture |
| 21183 | Reconstruct cranial bone | 22326 | Treat neck spine fracture |
| 21184 | Reconstruct cranial bone | 22327 | Treat thorax spine fracture |
| 21188 | Reconstruction of midface | 22328 | Treat each add spine fx |
| 21194 | Reconst lwr jaw w/graft | 22532 | Lat thorax spine fusion |
| 21196 | Reconst lwr jaw w/fixation | 22533 | Lat lumbar spine fusion |
| 21247 | Reconstruct lower jaw bone | 22534 | Lat thor/lumb addl seg |
| 21255 | Reconstruct lower jaw bone | 22548 | Neck spine fusion |
| 21268 | Revise eye sockets | 22556 | Thorax spine fusion |
| 21343 | Open tx dprsd front sinus fx | 22558 | Lumbar spine fusion |
| 21344 | Open tx compl front sinus fx | 22586 | Prescri fuse w/ instr l5-s1 |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 22590 | Spine & skull spinal fusion | 26551 | Great toe-hand transfer |
| 22595 | Neck spinal fusion | 26553 | Single transfer toe-hand |
| 22600 | Neck spine fusion | 26554 | Double transfer toe-hand |
| 22610 | Thorax spine fusion | 26556 | Toe joint transfer |
| 22630 | Lumbar spine fusion | 26992 | Drainage of bone lesion |
| 22632 | Spine fusion extra segment | 27005 | Incision of hip tendon |
| 22633 | Lumbar spine fusion combined | 27025 | Incision of hip/thigh fascia |
| 22634 | Spine fusion extra segment | 27030 | Drainage of hip joint |
| 22800 | Post fusion </6 vert seg | 27036 | Excision of hip joint/muscle |
| 22802 | Post fusion 7-12 vert seg | 27054 | Removal of hip joint lining |
| 22804 | Post fusion 13/> vert seg | 27070 | Part remove hip bone super |
| 22808 | Ant fusion 2-3 vert seg | 27071 | Part removal hip bone deep |
| 22810 | Ant fusion 4-7 vert seg | 27075 | Resect hip tumor |
| 22812 | Ant fusion 8/> vert seg | 27076 | Resect hip tum incl acetabul |
| 22818 | Kyphectomy 1-2 segments | 27077 | Resect hip tum w/innom bone |
| 22819 | Kyphectomy 3 or more | 27078 | Rsect hip tum incl femur |
| 22830 | Exploration of spinal fusion | 27090 | Removal of hip prosthesis |
| 22841 | Insert spine fixation device | 27091 | Removal of hip prosthesis |
| 22843 | Insert spine fixation device | 27120 | Reconstruction of hip socket |
| 22844 | Insert spine fixation device | 27122 | Reconstruction of hip socket |
| 22846 | Insert spine fixation device | 27125 | Partial hip replacement |
| 22847 | Insert spine fixation device | 27130 | Total hip arthroplasty |
| 22848 | Insert pelv fixation device | 27132 | Total hip arthroplasty |
| 22849 | Reinsert spinal fixation | 27134 | Revise hip joint replacement |
| 22850 | Remove spine fixation device | 27137 | Revise hip joint replacement |
| 22852 | Remove spine fixation device | 27138 | Revise hip joint replacement |
| 22855 | Remove spine fixation device | 27140 | Transplant femur ridge |
| 22857 | Lumbar artif disectomy | 27146 | Incision of hip bone |
| 22861 | Revise cerv artific disc | 27147 | Revision of hip bone |
| 22862 | Revise lumbar artif disc | 27151 | Incision of hip bones |
| 22864 | Remove cerv artif disc | 27156 | Revision of hip bones |
| 22865 | Remove lumb artif disc | 27158 | Revision of pelvis |
| 23200 | Resect clavicle tumor | 27161 | Incision of neck of femur |
| 23210 | Resect scapula tumor | 27165 | Incision/fixation of femur |
| 23220 | Resect prox humerus tumor | 27170 | Repair/graft femur head/neck |
| 23335 | Shoulder prosthesis removal | 27175 | Treat slipped epiphysis |
| 23472 | Reconstruct shoulder joint | 27176 | Treat slipped epiphysis |
| 23474 | Revis reconst shoulder joint | 27177 | Treat slipped epiphysis |
| 23900 | Amputation of arm & girdle | 27178 | Treat slipped epiphysis |
| 23920 | Amputation at shoulder joint | 27181 | Treat slipped epiphysis |
| 24900 | Amputation of upper arm | 27185 | Revision of femur epiphysis |
| 24920 | Amputation of upper arm | 27187 | Reinforce hip bones |
| 24930 | Amputation follow-up surgery | 27222 | Treat hip socket fracture |
| 24931 | Amputate upper arm & implant | 27226 | Treat hip wall fracture |
| 24940 | Revision of upper arm | 27227 | Treat hip fracture(s) |
| 25900 | Amputation of forearm | 27228 | Treat hip fracture(s) |
| 25905 | Amputation of forearm | 27232 | Treat thigh fracture |
| 25915 | Amputation of forearm | 27236 | Treat thigh fracture |
| 25920 | Amputate hand at wrist | 27240 | Treat thigh fracture |
| 25924 | Amputation follow-up surgery | 27244 | Treat thigh fracture |
| 25927 | Amputation of hand | 27245 | Treat thigh fracture |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 27248 | Treat thigh fracture | 27703 | Reconstruction ankle joint |
| 27253 | Treat hip dislocation | 27712 | Realignment of lower leg |
| 27254 | Treat hip dislocation | 27715 | Revision of lower leg |
| 27258 | Treat hip dislocation | 27724 | Repair/graft of tibia |
| 27259 | Treat hip dislocation | 27725 | Repair of lower leg |
| 27268 | Cltx thigh fx w/mnpj | 27727 | Repair of lower leg |
| 27269 | Optx thigh fx | 27880 | Amputation of lower leg |
| 27280 | Fusion of sacroiliac joint | 27881 | Amputation of lower leg |
| 27282 | Fusion of pubic bones | 27882 | Amputation of lower leg |
| 27284 | Fusion of hip joint | 27886 | Amputation follow-up surgery |
| 27286 | Fusion of hip joint | 27888 | Amputation of foot at ankle |
| 27290 | Amputation of leg at hip | 28800 | Amputation of midfoot |
| 27295 | Amputation of leg at hip | 31225 | Removal of upper jaw |
| 27303 | Drainage of bone lesion | 31230 | Removal of upper jaw |
| 27365 | Resect femur/knee tumor | 31290 | Nasal/sinus endoscopy surg |
| 27445 | Revision of knee joint | 31291 | Nasal/sinus endoscopy surg |
| 27448 | Incision of thigh | 31360 | Removal of larynx |
| 27450 | Incision of thigh | 31365 | Removal of larynx |
| 27454 | Realignment of thigh bone | 31367 | Partial removal of larynx |
| 27455 | Realignment of knee | 31368 | Partial removal of larynx |
| 27457 | Realignment of knee | 31370 | Partial removal of larynx |
| 27465 | Shortening of thigh bone | 31375 | Partial removal of larynx |
| 27466 | Lengthening of thigh bone | 31380 | Partial removal of larynx |
| 27468 | Shorten/lengthen thighs | 31382 | Partial removal of larynx |
| 27470 | Repair of thigh | 31390 | Removal of larynx & pharynx |
| 27472 | Repair/graft of thigh | 31395 | Reconstruct larynx & pharynx |
| 27486 | Revise/replace knee joint | 31725 | Clearance of airways |
| 27487 | Revise/replace knee joint | 31760 | Repair of windpipe |
| 27488 | Removal of knee prosthesis | 31766 | Reconstruction of windpipe |
| 27495 | Reinforce thigh | 31770 | Repair/graft of bronchus |
| 27506 | Treatment of thigh fracture | 31775 | Reconstruct bronchus |
| 27507 | Treatment of thigh fracture | 31780 | Reconstruct windpipe |
| 27511 | Treatment of thigh fracture | 31781 | Reconstruct windpipe |
| 27513 | Treatment of thigh fracture | 31786 | Remove windpipe lesion |
| 27514 | Treatment of thigh fracture | 31800 | Repair of windpipe injury |
| 27519 | Treat thigh fx growth plate | 31805 | Repair of windpipe injury |
| 27535 | Treat knee fracture | 32035 | Thoracostomy w/rib resection |
| 27536 | Treat knee fracture | 32036 | Thoracostomy w/flap drainage |
| 27540 | Treat knee fracture | 32096 | Open wedge/bx lung infiltr |
| 27556 | Treat knee dislocation | 32097 | Open wedge/bx lung nodule |
| 27557 | Treat knee dislocation | 32098 | Open biopsy of lung pleura |
| 27558 | Treat knee dislocation | 32100 | Exploration of chest |
| 27580 | Fusion of knee | 32110 | Explore/repair chest |
| 27590 | Amputate leg at thigh | 32120 | Re-exploration of chest |
| 27591 | Amputate leg at thigh | 32124 | Explore chest free adhesions |
| 27592 | Amputate leg at thigh | 32140 | Removal of lung lesion(s) |
| 27596 | Amputation follow-up surgery | 32141 | Remove/treat lung lesions |
| 27598 | Amputate lower leg at knee | 32150 | Removal of lung lesion(s) |
| 27645 | Resect tibia tumor | 32151 | Remove lung foreign body |
| 27646 | Resect fibula tumor | 32160 | Open chest heart massage |
| 27702 | Reconstruct ankle joint | 32200 | Drain open lung lesion |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| 32215 | Treat chest lining | 32853 | Lung transplant double |
| 32220 | Release of lung | 32854 | Lung transplant with bypass |
| 32225 | Partial release of lung | 32855 | Prepare donor lung single |
| 32310 | Removal of chest lining | 32856 | Prepare donor lung double |
| 32320 | Free/remove chest lining | 32900 | Removal of rib(s) |
| 32440 | Remove lung pneumonectomy | 32905 | Revise & repair chest wall |
| 32442 | Sleeve pneumonectomy | 32906 | Revise & repair chest wall |
| 32445 | Removal of lung extrapleural | 32940 | Revision of lung |
| 32480 | Partial removal of lung | 32997 | Total lung lavage |
| 32482 | Bilobectomy | 33015 | Incision of heart sac |
| 32484 | Segmentectomy | 33020 | Incision of heart sac |
| 32486 | Sleeve lobectomy | 33025 | Incision of heart sac |
| 32488 | Completion pneumonectomy | 33030 | Partial removal of heart sac |
| 32491 | Lung volume reduction | 33031 | Partial removal of heart sac |
| 32501 | Repair bronchus add-on | 33050 | Resect heart sac lesion |
| 32503 | Resect apical lung tumor | 33120 | Removal of heart lesion |
| 32504 | Resect apical lung tum/chest | 33130 | Removal of heart lesion |
| 32505 | Wedge resect of lung initial | 33140 | Heart revascularize (tmr) |
| 32506 | Wedge resect of lung add-on | 33141 | Heart tmr w/other procedure |
| 32507 | Wedge resect of lung diag | 33202 | Insert epicard eltrd open |
| 32540 | Removal of lung lesion | 33203 | Insert epicard eltrd endo |
| 32650 | Thoracoscopy w/pleurodesis | 33236 | Remove electrode/thoracotomy |
| 32651 | Thoracoscopy remove cortex | 33237 | Remove electrode/thoracotomy |
| 32652 | Thoracoscopy rem totl cortex | 33238 | Remove electrode/thoracotomy |
| 32653 | Thoracoscopy remov fb/fibrin | 33243 | Remove eltrd/thoracotomy |
| 32654 | Thoracoscopy contrl bleeding | 33250 | Ablate heart dysrhythm focus |
| 32655 | Thoracoscopy resect bullae | 33251 | Ablate heart dysrhythm focus |
| 32656 | Thoracoscopy w/pleurectomy | 33254 | Ablate atria lmttd |
| 32658 | Thoracoscopy w/sac fb remove | 33255 | Ablate atria w/o bypass ext |
| 32659 | Thoracoscopy w/sac drainage | 33256 | Ablate atria w/bypass exten |
| 32661 | Thoracoscopy w/pericard exc | 33257 | Ablate atria lmttd add-on |
| 32662 | Thoracoscopy w/mediast exc | 33258 | Ablate atria x10sv add-on |
| 32663 | Thoracoscopy w/lobectomy | 33259 | Ablate atria w/bypass add-on |
| 32664 | Thoracoscopy w/ th nrv exc | 33261 | Ablate heart dysrhythm focus |
| 32665 | Thoracoscopy w/esoph musc exc | 33265 | Ablate atria lmttd endo |
| 32666 | Thoracoscopy w/wedge resect | 33266 | Ablate atria x10sv endo |
| 32667 | Thoracoscopy w/w resect addl | 33300 | Repair of heart wound |
| 32668 | Thoracoscopy w/w resect diag | 33305 | Repair of heart wound |
| 32669 | Thoracoscopy remove segment | 33310 | Exploratory heart surgery |
| 32670 | Thoracoscopy bilobectomy | 33315 | Exploratory heart surgery |
| 32671 | Thoracoscopy pneumonectomy | 33320 | Repair major blood vessel(s) |
| 32672 | Thoracoscopy for lvrs | 33321 | Repair major vessel |
| 32673 | Thoracoscopy w/thymus resect | 33322 | Repair major blood vessel(s) |
| 32674 | Thoracoscopy lymph node exc | 33330 | Insert major vessel graft |
| 32800 | Repair lung hernia | 33335 | Insert major vessel graft |
| 32810 | Close chest after drainage | 33340 | Perq clsr tcct I atr apndge |
| 32815 | Close bronchial fistula | 33361 | Replace aortic valve perq |
| 32820 | Reconstruct injured chest | 33362 | Replace aortic valve open |
| 32850 | Donor pneumonectomy | 33363 | Replace aortic valve open |
| 32851 | Lung transplant single | 33364 | Replace aortic valve open |
| 32852 | Lung transplant with bypass | 33365 | Replace aortic valve open |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 33366 | Trcath replace aortic valve | 33516 | Cabg vein six or more |
| 33367 | Replace aortic valve w/byp | 33517 | Cabg artery-vein single |
| 33368 | Replace aortic valve w/byp | 33518 | Cabg artery-vein two |
| 33369 | Replace aortic valve w/byp | 33519 | Cabg artery-vein three |
| 33390 | Valvuloplasty aortic valve | 33521 | Cabg artery-vein four |
| 33391 | Valvuloplasty aortic valve | 33522 | Cabg artery-vein five |
| 33404 | Prepare heart-aorta conduit | 33523 | Cabg art-vein six or more |
| 33405 | Replacement aortic valve opn | 33530 | Coronary artery bypass/reop |
| 33406 | Replacement aortic valve opn | 33533 | Cabg arterial single |
| 33410 | Replacement aortic valve opn | 33534 | Cabg arterial two |
| 33411 | Replacement of aortic valve | 33535 | Cabg arterial three |
| 33412 | Replacement of aortic valve | 33536 | Cabg arterial four or more |
| 33413 | Replacement of aortic valve | 33542 | Removal of heart lesion |
| 33414 | Repair of aortic valve | 33545 | Repair of heart damage |
| 33415 | Revision subvalvular tissue | 33548 | Restore/remodel ventricle |
| 33416 | Revise ventricle muscle | 33572 | Open coronary endarterectomy |
| 33417 | Repair of aortic valve | 33600 | Closure of valve |
| 33418 | Repair tcath mitral valve | 33602 | Closure of valve |
| 33420 | Revision of mitral valve | 33606 | Anastomosis/artery-aorta |
| 33422 | Revision of mitral valve | 33608 | Repair anomaly w/conduit |
| 33425 | Repair of mitral valve | 33610 | Repair by enlargement |
| 33426 | Repair of mitral valve | 33611 | Repair double ventricle |
| 33427 | Repair of mitral valve | 33612 | Repair double ventricle |
| 33430 | Replacement of mitral valve | 33615 | Repair modified fontan |
| 33440 | Rplcmt a-valve tlcj autol pv | 33617 | Repair single ventricle |
| 33460 | Revision of tricuspid valve | 33619 | Repair single ventricle |
| 33463 | Valvuloplasty tricuspid | 33620 | Apply r&l pulm art bands |
| 33464 | Valvuloplasty tricuspid | 33621 | Transthor cath for stent |
| 33465 | Replace tricuspid valve | 33622 | Redo compl cardiac anomaly |
| 33468 | Revision of tricuspid valve | 33641 | Repair heart septum defect |
| 33470 | Revision of pulmonary valve | 33645 | Revision of heart veins |
| 33471 | Valvotomy pulmonary valve | 33647 | Repair heart septum defects |
| 33474 | Revision of pulmonary valve | 33660 | Repair of heart defects |
| 33475 | Replacement pulmonary valve | 33665 | Repair of heart defects |
| 33476 | Revision of heart chamber | 33670 | Repair of heart chambers |
| 33477 | Implant tcath pulm vlv perq | 33675 | Close mult vsd |
| 33478 | Revision of heart chamber | 33676 | Close mult vsd w/resection |
| 33496 | Repair prosth valve clot | 33677 | Cl mult vsd w/rem pul band |
| 33500 | Repair heart vessel fistula | 33681 | Repair heart septum defect |
| 33501 | Repair heart vessel fistula | 33684 | Repair heart septum defect |
| 33502 | Coronary artery correction | 33688 | Repair heart septum defect |
| 33503 | Coronary artery graft | 33690 | Reinforce pulmonary artery |
| 33504 | Coronary artery graft | 33692 | Repair of heart defects |
| 33505 | Repair artery w/tunnel | 33694 | Repair of heart defects |
| 33506 | Repair artery translocation | 33697 | Repair of heart defects |
| 33507 | Repair art intramural | 33702 | Repair of heart defects |
| 33510 | Cabg vein single | 33710 | Repair of heart defects |
| 33511 | Cabg vein two | 33720 | Repair of heart defect |
| 33512 | Cabg vein three | 33722 | Repair of heart defect |
| 33513 | Cabg vein four | 33724 | Repair venous anomaly |
| 33514 | Cabg vein five | 33726 | Repair pul venous stenosis |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 33730 | Repair heart-vein defect(s) | 33891 | Car-car bp grft/endovas taa |
| 33732 | Repair heart-vein defect | 33910 | Remove lung artery emboli |
| 33735 | Revision of heart chamber | 33915 | Remove lung artery emboli |
| 33736 | Revision of heart chamber | 33916 | Surgery of great vessel |
| 33737 | Revision of heart chamber | 33917 | Repair pulmonary artery |
| 33750 | Major vessel shunt | 33920 | Repair pulmonary atresia |
| 33755 | Major vessel shunt | 33922 | Transect pulmonary artery |
| 33762 | Major vessel shunt | 33924 | Remove pulmonary shunt |
| 33764 | Major vessel shunt & graft | 33925 | Rpr pul art unifocal w/o cpb |
| 33766 | Major vessel shunt | 33926 | Repr pul art unifocal w/cpb |
| 33767 | Major vessel shunt | 33927 | Impltj tot rplcmt hrt sys |
| 33768 | Cavopulmonary shunting | 33928 | Rmvl & rplcmt tot hrt sys |
| 33770 | Repair great vessels defect | 33929 | Rmvl rplcmt hrt sys f/trnspl |
| 33771 | Repair great vessels defect | 33930 | Removal of donor heart/lung |
| 33774 | Repair great vessels defect | 33933 | Prepare donor heart/lung |
| 33775 | Repair great vessels defect | 33935 | Transplantation heart/lung |
| 33776 | Repair great vessels defect | 33940 | Removal of donor heart |
| 33777 | Repair great vessels defect | 33944 | Prepare donor heart |
| 33778 | Repair great vessels defect | 33945 | Transplantation of heart |
| 33779 | Repair great vessels defect | 33946 | Ecmo/ecls initiation venous |
| 33780 | Repair great vessels defect | 33947 | Ecmo/ecls initiation artery |
| 33781 | Repair great vessels defect | 33948 | Ecmo/ecls daily mgmt-venous |
| 33782 | Nikaidoh proc | 33949 | Ecmo/ecls daily mgmt artery |
| 33783 | Nikaidoh proc w/ostia implt | 33951 | Ecmo/ecls insj prph cannula |
| 33786 | Repair arterial trunk | 33952 | Ecmo/ecls insj prph cannula |
| 33788 | Revision of pulmonary artery | 33953 | Ecmo/ecls insj prph cannula |
| 33800 | Aortic suspension | 33954 | Ecmo/ecls insj prph cannula |
| 33802 | Repair vessel defect | 33955 | Ecmo/ecls insj ctr cannula |
| 33803 | Repair vessel defect | 33956 | Ecmo/ecls insj ctr cannula |
| 33813 | Repair septal defect | 33957 | Ecmo/ecls repos perph cnula |
| 33814 | Repair septal defect | 33958 | Ecmo/ecls repos perph cnula |
| 33820 | Revise major vessel | 33959 | Ecmo/ecls repos perph cnula |
| 33822 | Revise major vessel | 33962 | Ecmo/ecls repos perph cnula |
| 33824 | Revise major vessel | 33963 | Ecmo/ecls repos perph cnula |
| 33840 | Remove aorta constriction | 33964 | Ecmo/ecls repos perph cnula |
| 33845 | Remove aorta constriction | 33965 | Ecmo/ecls rmvl prph cannula |
| 33851 | Remove aorta constriction | 33966 | Ecmo/ecls rmvl prph cannula |
| 33852 | Repair septal defect | 33967 | Insert i-aort percut device |
| 33853 | Repair septal defect | 33968 | Remove aortic assist device |
| 33860 | Ascending aortic graft | 33969 | Ecmo/ecls rmvl perph cannula |
| 33863 | Ascending aortic graft | 33970 | Aortic circulation assist |
| 33864 | Ascending aortic graft | 33971 | Aortic circulation assist |
| 33870 | Transverse aortic arch graft | 33973 | Insert balloon device |
| 33875 | Thoracic aortic graft | 33974 | Remove intra-aortic balloon |
| 33877 | Thoracoabdominal graft | 33975 | Implant ventricular device |
| 33880 | Endovasc taa repr incl subcl | 33976 | Implant ventricular device |
| 33881 | Endovasc taa repr w/o subcl | 33977 | Remove ventricular device |
| 33883 | Insert endovasc prosth taa | 33978 | Remove ventricular device |
| 33884 | Endovasc prosth taa add-on | 33979 | Insert intracorporeal device |
| 33886 | Endovasc prosth delayed | 33980 | Remove intracorporeal device |
| 33889 | Artery transpose/endovas taa | 33981 | Replace vad pump ext |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 33982 | Replace vad intra w/o bp | 35021 | Repair defect of artery |
| 33983 | Replace vad intra w/bp | 35022 | Repair artery rupture chest |
| 33984 | Ecmo/ecls rmvl prph cannula | 35081 | Repair defect of artery |
| 33985 | Ecmo/ecls rmvl ctr cannula | 35082 | Repair artery rupture aorta |
| 33986 | Ecmo/ecls rmvl ctr cannula | 35091 | Repair defect of artery |
| 33987 | Artery expos/graft artery | 35092 | Repair artery rupture aorta |
| 33988 | Insertion of left heart vent | 35102 | Repair defect of artery |
| 33989 | Removal of left heart vent | 35103 | Repair artery rupture aorta |
| 33990 | Insert vad artery access | 35111 | Repair defect of artery |
| 33991 | Insert vad art&vein access | 35112 | Repair artery rupture spleen |
| 33992 | Remove vad different session | 35121 | Repair defect of artery |
| 33993 | Reposition vad diff session | 35122 | Repair artery rupture belly |
| 34001 | Removal of artery clot | 35131 | Repair defect of artery |
| 34051 | Removal of artery clot | 35132 | Repair artery rupture groin |
| 34151 | Removal of artery clot | 35141 | Repair defect of artery |
| 34401 | Removal of vein clot | 35142 | Repair artery rupture thigh |
| 34451 | Removal of vein clot | 35151 | Repair defect of artery |
| 34502 | Reconstruct vena cava | 35152 | Repair ruptd popliteal art |
| 34701 | Evasc rpr a-ao ndgft | 35182 | Repair blood vessel lesion |
| 34702 | Evasc rpr a-ao ndgft rpt | 35189 | Repair blood vessel lesion |
| 34703 | Evasc rpr a-unilac ndgft | 35211 | Repair blood vessel lesion |
| 34704 | Evasc rpr a-unilac ndgft rpt | 35216 | Repair blood vessel lesion |
| 34705 | Evac rpr a-biiliac ndgft | 35221 | Repair blood vessel lesion |
| 34706 | Evasc rpr a-biiliac rpt | 35241 | Repair blood vessel lesion |
| 34707 | Evasc rpr ilio-iliac ndgft | 35246 | Repair blood vessel lesion |
| 34708 | Evasc rpr ilio-iliac rpt | 35251 | Repair blood vessel lesion |
| 34709 | Plmt xtn prosth evasc rpr | 35271 | Repair blood vessel lesion |
| 34710 | Dlyd plmt xtn prosth 1st vsl | 35276 | Repair blood vessel lesion |
| 34711 | Dlyd plmt xtn prosth ea addl | 35281 | Repair blood vessel lesion |
| 34712 | Tcat dlvr enhncd fixj dev | 35301 | Rechanneling of artery |
| 34808 | Endovas iliac a device addon | 35302 | Rechanneling of artery |
| 34812 | Opn fem art expos | 35303 | Rechanneling of artery |
| 34813 | Femoral endovas graft add-on | 35304 | Rechanneling of artery |
| 34820 | Opn iliac art expos | 35305 | Rechanneling of artery |
| 34830 | Open aortic tube prosth repr | 35306 | Rechanneling of artery |
| 34831 | Open aortoiliac prosth repr | 35311 | Rechanneling of artery |
| 34832 | Open aortofemor prosth repr | 35331 | Rechanneling of artery |
| 34833 | Opn ilac art expos cndt crtj | 35341 | Rechanneling of artery |
| 34834 | Opn brach art expos | 35351 | Rechanneling of artery |
| 34841 | Endovasc visc aorta 1 graft | 35355 | Rechanneling of artery |
| 34842 | Endovasc visc aorta 2 graft | 35361 | Rechanneling of artery |
| 34843 | Endovasc visc aorta 3 graft | 35363 | Rechanneling of artery |
| 34844 | Endovasc visc aorta 4 graft | 35371 | Rechanneling of artery |
| 34845 | Visc & infraren abd 1 prosth | 35372 | Rechanneling of artery |
| 34846 | Visc & infraren abd 2 prosth | 35390 | Reoperation carotid add-on |
| 34847 | Visc & infraren abd 3 prosth | 35400 | Angioscopy |
| 34848 | Visc & infraren abd 4+ prost | 35501 | Art byp grft ipsilat carotid |
| 35001 | Repair defect of artery | 35506 | Art byp grft subclav-carotid |
| 35002 | Repair artery rupture neck | 35508 | Art byp grft carotid-vertbrl |
| 35005 | Repair defect of artery | 35509 | Art byp grft contral carotid |
| 35013 | Repair artery rupture arm | 35510 | Art byp grft carotid-brchial |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| 35511 | Art byp grft subclav-subclav | 35661 | Art byp femoral-femoral |
| 35512 | Art byp grft subclav-brchial | 35663 | Art byp ilioiliac |
| 35515 | Art byp grft subclav-vertbrl | 35665 | Art byp iliofemoral |
| 35516 | Art byp grft subclav-axillary | 35666 | Art byp fem-ant-post tib/prl |
| 35518 | Art byp grft axillary-axilry | 35671 | Art byp pop-tibl-prl-other |
| 35521 | Art byp grft axill-femoral | 35681 | Composite byp grft pros&vein |
| 35522 | Art byp grft axill-brachial | 35682 | Composite byp grft 2 veins |
| 35523 | Art byp grft brchl-ulnr-rdl | 35683 | Composite byp grft 3/> segmt |
| 35525 | Art byp grft brachial-brchl | 35691 | Art trnsposj vertbrl carotid |
| 35526 | Art byp grft aor/carot/innom | 35693 | Art trnsposj subclavian |
| 35531 | Art byp grft aorcel/aormesen | 35694 | Art trnsposj subclav carotid |
| 35533 | Art byp grft axill/fem/fem | 35695 | Art trnsposj carotid subclav |
| 35535 | Art byp grft hepatorenal | 35697 | Reimplant artery each |
| 35536 | Art byp grft splenorenal | 35700 | Reoperation bypass graft |
| 35537 | Art byp grft aortoiliac | 35701 | Exploration carotid artery |
| 35538 | Art byp grft aortobi-iliac | 35721 | Exploration femoral artery |
| 35539 | Art byp grft aortofemoral | 35741 | Exploration popliteal artery |
| 35540 | Art byp grft aortbifemoral | 35800 | Explore neck vessels |
| 35556 | Art byp grft fem-popliteal | 35820 | Explore chest vessels |
| 35558 | Art byp grft fem-femoral | 35840 | Explore abdominal vessels |
| 35560 | Art byp grft aortorenal | 35870 | Repair vessel graft defect |
| 35563 | Art byp grft ilioiliac | 35901 | Excision graft neck |
| 35565 | Art byp grft iliofemoral | 35905 | Excision graft thorax |
| 35566 | Art byp fem-ant-post tib/prl | 35907 | Excision graft abdomen |
| 35570 | Art byp tibial-tib/peroneal | 36660 | Insertion catheter artery |
| 35571 | Art byp pop-tibl-prl-other | 36823 | Insertion of cannula(s) |
| 35583 | Vein byp grft fem-popliteal | 37140 | Revision of circulation |
| 35585 | Vein byp fem-tibial peroneal | 37145 | Revision of circulation |
| 35587 | Vein byp pop-tibl peroneal | 37160 | Revision of circulation |
| 35600 | Harvest art for cabg add-on | 37180 | Revision of circulation |
| 35601 | Art byp common ipsi carotid | 37181 | Splice spleen/kidney veins |
| 35606 | Art byp carotid-subclavian | 37182 | Insert hepatic shunt (tips) |
| 35612 | Art byp subclav-subclavian | 37215 | Transcath stent cca w/eps |
| 35616 | Art byp subclav-axillary | 37217 | Stent placemt retro carotid |
| 35621 | Art byp axillary-femoral | 37218 | Stent placemt ante carotid |
| 35623 | Art byp axillary-pop-tibial | 37616 | Ligation of chest artery |
| 35626 | Art byp aorsubcl/carot/innom | 37617 | Ligation of abdomen artery |
| 35631 | Art byp aor-celiac-msn-renal | 37618 | Ligation of extremity artery |
| 35632 | Art byp ilio-celiac | 37660 | Revision of major vein |
| 35633 | Art byp ilio-mesenteric | 37788 | Revascularization penis |
| 35634 | Art byp iliorenal | 38100 | Removal of spleen total |
| 35636 | Art byp spenorenal | 38101 | Removal of spleen partial |
| 35637 | Art byp aortoiliac | 38102 | Removal of spleen total |
| 35638 | Art byp aortobi-iliac | 38115 | Repair of ruptured spleen |
| 35642 | Art byp carotid-vertebral | 38380 | Thoracic duct procedure |
| 35645 | Art byp subclav-vertebrl | 38381 | Thoracic duct procedure |
| 35646 | Art byp aortobifemoral | 38382 | Thoracic duct procedure |
| 35647 | Art byp aortofemoral | 38562 | Removal pelvic lymph nodes |
| 35650 | Art byp axillary-axillary | 38564 | Removal abdomen lymph nodes |
| 35654 | Art byp axill-fem-femoral | 38724 | Removal of lymph nodes neck |
| 35656 | Art byp femoral-popliteal | 38746 | Remove thoracic lymph nodes |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 38747 | Remove abdominal lymph nodes | 43305 | Repair esophagus and fistula |
| 38765 | Remove groin lymph nodes | 43310 | Repair of esophagus |
| 38770 | Remove pelvis lymph nodes | 43312 | Repair esophagus and fistula |
| 38780 | Remove abdomen lymph nodes | 43313 | Esophagoplasty congenital |
| 39000 | Exploration of chest | 43314 | Tracheo-esophagoplasty cong |
| 39010 | Exploration of chest | 43320 | Fuse esophagus & stomach |
| 39200 | Resect mediastinal cyst | 43325 | Revise esophagus & stomach |
| 39220 | Resect mediastinal tumor | 43327 | Esoph fundoplasty lap |
| 39499 | Chest procedure | 43328 | Esoph fundoplasty thor |
| 39501 | Repair diaphragm laceration | 43330 | Esophagomyotomy abdominal |
| 39503 | Repair of diaphragm hernia | 43331 | Esophagomyotomy thoracic |
| 39540 | Repair of diaphragm hernia | 43332 | Transab esoph hiat hern rpr |
| 39541 | Repair of diaphragm hernia | 43333 | Transab esoph hiat hern rpr |
| 39545 | Revision of diaphragm | 43334 | Transthor diaphrag hern rpr |
| 39560 | Resect diaphragm simple | 43335 | Transthor diaphrag hern rpr |
| 39561 | Resect diaphragm complex | 43336 | Thorabd diaphr hern repair |
| 39599 | Diaphragm surgery procedure | 43337 | Thorabd diaphr hern repair |
| 41130 | Partial removal of tongue | 43338 | Esoph lengthening |
| 41135 | Tongue and neck surgery | 43340 | Fuse esophagus & intestine |
| 41140 | Removal of tongue | 43341 | Fuse esophagus & intestine |
| 41145 | Tongue removal neck surgery | 43351 | Surgical opening esophagus |
| 41150 | Tongue mouth jaw surgery | 43352 | Surgical opening esophagus |
| 41153 | Tongue mouth neck surgery | 43360 | Gastrointestinal repair |
| 41155 | Tongue jaw & neck surgery | 43361 | Gastrointestinal repair |
| 42426 | Excise parotid gland/lesion | 43400 | Ligate esophagus veins |
| 42845 | Extensive surgery of throat | 43401 | Esophagus surgery for veins |
| 42894 | Revision of pharyngeal walls | 43405 | Ligate/staple esophagus |
| 42953 | Repair throat esophagus | 43410 | Repair esophagus wound |
| 42961 | Control throat bleeding | 43415 | Repair esophagus wound |
| 42971 | Control nose/throat bleeding | 43425 | Repair esophagus opening |
| 43045 | Incision of esophagus | 43460 | Pressure treatment esophagus |
| 43100 | Excision of esophagus lesion | 43496 | Free jejunum flap microvasc |
| 43101 | Excision of esophagus lesion | 43500 | Surgical opening of stomach |
| 43107 | Removal of esophagus | 43501 | Surgical repair of stomach |
| 43108 | Removal of esophagus | 43502 | Surgical repair of stomach |
| 43112 | Esphg tot w/thrcm | 43520 | Incision of pyloric muscle |
| 43113 | Removal of esophagus | 43605 | Biopsy of stomach |
| 43116 | Partial removal of esophagus | 43610 | Excision of stomach lesion |
| 43117 | Partial removal of esophagus | 43611 | Excision of stomach lesion |
| 43118 | Partial removal of esophagus | 43620 | Removal of stomach |
| 43121 | Partial removal of esophagus | 43621 | Removal of stomach |
| 43122 | Partial removal of esophagus | 43622 | Removal of stomach |
| 43123 | Partial removal of esophagus | 43631 | Removal of stomach partial |
| 43124 | Removal of esophagus | 43632 | Removal of stomach partial |
| 43135 | Removal of esophagus pouch | 43633 | Removal of stomach partial |
| 43279 | Lap myotomy heller | 43634 | Removal of stomach partial |
| 43283 | Lap esoph lengthening | 43635 | Removal of stomach partial |
| 43286 | Esphg tot w/laps moblj | 43640 | Vagotomy & pylorus repair |
| 43287 | Esphg dstl 2/3 w/laps moblj | 43641 | Vagotomy & pylorus repair |
| 43288 | Esphg thrsc moblj | 43644 | Lap gastric bypass/roux-en-y |
| 43300 | Repair of esophagus | 43645 | Lap gastr bypass incl sml i |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 43771 | Lap revise gastr adj device | 44151 | Removal of colon/ileostomy |
| 43775 | Lap sleeve gastrectomy | 44155 | Removal of colon/ileostomy |
| 43800 | Reconstruction of pylorus | 44156 | Removal of colon/ileostomy |
| 43810 | Fusion of stomach and bowel | 44157 | Colectomy w/ileoanal anast |
| 43820 | Fusion of stomach and bowel | 44158 | Colectomy w/neo-rectum pouch |
| 43825 | Fusion of stomach and bowel | 44160 | Removal of colon |
| 43832 | Place gastrostomy tube | 44187 | Lap ileo/jejuno-stomy |
| 43840 | Repair of stomach lesion | 44188 | Lap colostomy |
| 43843 | Gastroplasty w/o v-band | 44202 | Lap enterectomy |
| 43845 | Gastroplasty duodenal switch | 44203 | Lap resect s/intestine addl |
| 43846 | Gastric bypass for obesity | 44204 | Laparo partial colectomy |
| 43847 | Gastric bypass incl small i | 44205 | Lap colectomy part w/ileum |
| 43848 | Revision gastroplasty | 44206 | Lap part colectomy w/stoma |
| 43850 | Revise stomach-bowel fusion | 44207 | L colectomy/coloproctostomy |
| 43855 | Revise stomach-bowel fusion | 44208 | L colectomy/coloproctostomy |
| 43860 | Revise stomach-bowel fusion | 44210 | Laparo total proctocolectomy |
| 43865 | Revise stomach-bowel fusion | 44211 | Lap colectomy w/proctectomy |
| 43880 | Repair stomach-bowel fistula | 44212 | Laparo total proctocolectomy |
| 43881 | Impl/redo electrd antrum | 44213 | Lap mobil splenic fl add-on |
| 43882 | Revise/remove electrd antrum | 44227 | Lap close enterostomy |
| 44005 | Freeing of bowel adhesion | 44300 | Open bowel to skin |
| 44010 | Incision of small bowel | 44310 | Ileostomy/jejunostomy |
| 44015 | Insert needle cath bowel | 44314 | Revision of ileostomy |
| 44020 | Explore small intestine | 44316 | Devise bowel pouch |
| 44021 | Decompress small bowel | 44320 | Colostomy |
| 44025 | Incision of large bowel | 44322 | Colostomy with biopsies |
| 44050 | Reduce bowel obstruction | 44345 | Revision of colostomy |
| 44055 | Correct malrotation of bowel | 44346 | Revision of colostomy |
| 44110 | Excise intestine lesion(s) | 44602 | Suture small intestine |
| 44111 | Excision of bowel lesion(s) | 44603 | Suture small intestine |
| 44120 | Removal of small intestine | 44604 | Suture large intestine |
| 44121 | Removal of small intestine | 44605 | Repair of bowel lesion |
| 44125 | Removal of small intestine | 44615 | Intestinal stricturoplasty |
| 44126 | Enterectomy w/o taper cong | 44620 | Repair bowel opening |
| 44127 | Enterectomy w/taper cong | 44625 | Repair bowel opening |
| 44128 | Enterectomy cong add-on | 44626 | Repair bowel opening |
| 44130 | Bowel to bowel fusion | 44640 | Repair bowel-skin fistula |
| 44132 | Enterectomy cadaver donor | 44650 | Repair bowel fistula |
| 44133 | Enterectomy live donor | 44660 | Repair bowel-bladder fistula |
| 44135 | Intestine transplnt cadaver | 44661 | Repair bowel-bladder fistula |
| 44136 | Intestine transplant live | 44680 | Surgical revision intestine |
| 44137 | Remove intestinal allograft | 44700 | Suspend bowel w/prosthesis |
| 44139 | Mobilization of colon | 44715 | Prepare donor intestine |
| 44140 | Partial removal of colon | 44720 | Prep donor intestine/venous |
| 44141 | Partial removal of colon | 44721 | Prep donor intestine/artery |
| 44143 | Partial removal of colon | 44800 | Excision of bowel pouch |
| 44144 | Partial removal of colon | 44820 | Excision of mesentery lesion |
| 44145 | Partial removal of colon | 44850 | Repair of mesentery |
| 44146 | Partial removal of colon | 44899 | Bowel surgery procedure |
| 44147 | Partial removal of colon | 44900 | Drain appendix abscess open |
| 44150 | Removal of colon | 44960 | Appendectomy |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 45110 | Removal of rectum | 47143 | Prep donor liver whole |
| 45111 | Partial removal of rectum | 47144 | Prep donor liver 3-segment |
| 45112 | Removal of rectum | 47145 | Prep donor liver lobe split |
| 45113 | Partial proctectomy | 47146 | Prep donor liver/venous |
| 45114 | Partial removal of rectum | 47147 | Prep donor liver/arterial |
| 45116 | Partial removal of rectum | 47300 | Surgery for liver lesion |
| 45119 | Remove rectum w/reservoir | 47350 | Repair liver wound |
| 45120 | Removal of rectum | 47360 | Repair liver wound |
| 45121 | Removal of rectum and colon | 47361 | Repair liver wound |
| 45123 | Partial proctectomy | 47362 | Repair liver wound |
| 45126 | Pelvic exenteration | 47380 | Open ablate liver tumor rf |
| 45130 | Excision of rectal prolapse | 47381 | Open ablate liver tumor cryo |
| 45135 | Excision of rectal prolapse | 47400 | Incision of liver duct |
| 45136 | Excise ileoanal reservoir | 47420 | Incision of bile duct |
| 45395 | Lap removal of rectum | 47425 | Incision of bile duct |
| 45397 | Lap remove rectum w/pouch | 47460 | Incise bile duct sphincter |
| 45400 | Laparoscopic proc | 47480 | Incision of gallbladder |
| 45402 | Lap proctopexy w/sig resect | 47550 | Bile duct endoscopy add-on |
| 45540 | Correct rectal prolapse | 47570 | Laparo cholecystoenterostomy |
| 45550 | Repair rectum/remove sigmoid | 47600 | Removal of gallbladder |
| 45562 | Exploration/repair of rectum | 47605 | Removal of gallbladder |
| 45563 | Exploration/repair of rectum | 47610 | Removal of gallbladder |
| 45800 | Repair rect/bladder fistula | 47612 | Removal of gallbladder |
| 45805 | Repair fistula w/colostomy | 47620 | Removal of gallbladder |
| 45820 | Repair rectourethral fistula | 47700 | Exploration of bile ducts |
| 45825 | Repair fistula w/colostomy | 47701 | Bile duct revision |
| 46705 | Repair of anal stricture | 47711 | Excision of bile duct tumor |
| 46710 | Repr per/vag pouch sngl proc | 47712 | Excision of bile duct tumor |
| 46712 | Repr per/vag pouch dbl proc | 47715 | Excision of bile duct cyst |
| 46715 | Rep perf anoper fistu | 47720 | Fuse gallbladder & bowel |
| 46716 | Rep perf anoper/vestib fistu | 47721 | Fuse upper gi structures |
| 46730 | Construction of absent anus | 47740 | Fuse gallbladder & bowel |
| 46735 | Construction of absent anus | 47741 | Fuse gallbladder & bowel |
| 46740 | Construction of absent anus | 47760 | Fuse bile ducts and bowel |
| 46742 | Repair of imperforated anus | 47765 | Fuse liver ducts & bowel |
| 46744 | Repair of cloacal anomaly | 47780 | Fuse bile ducts and bowel |
| 46746 | Repair of cloacal anomaly | 47785 | Fuse bile ducts and bowel |
| 46748 | Repair of cloacal anomaly | 47800 | Reconstruction of bile ducts |
| 46751 | Repair of anal sphincter | 47801 | Placement bile duct support |
| 47010 | Open drainage liver lesion | 47802 | Fuse liver duct & intestine |
| 47015 | Inject/aspirate liver cyst | 47900 | Suture bile duct injury |
| 47100 | Wedge biopsy of liver | 48000 | Drainage of abdomen |
| 47120 | Partial removal of liver | 48001 | Placement of drain pancreas |
| 47122 | Extensive removal of liver | 48020 | Removal of pancreatic stone |
| 47125 | Partial removal of liver | 48100 | Biopsy of pancreas open |
| 47130 | Partial removal of liver | 48105 | Resect/debride pancreas |
| 47133 | Removal of donor liver | 48120 | Removal of pancreas lesion |
| 47135 | Transplantation of liver | 48140 | Partial removal of pancreas |
| 47140 | Partial removal donor liver | 48145 | Partial removal of pancreas |
| 47141 | Partial removal donor liver | 48146 | Pancreatectomy |
| 47142 | Partial removal donor liver | 48148 | Removal of pancreatic duct |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 48150 | Partial removal of pancreas | 50130 | Removal of kidney stone |
| 48152 | Pancreatectomy | 50135 | Exploration of kidney |
| 48153 | Pancreatectomy | 50205 | Renal biopsy open |
| 48154 | Pancreatectomy | 50220 | Remove kidney open |
| 48155 | Removal of pancreas | 50225 | Removal kidney open complex |
| 48400 | Injection intraop add-on | 50230 | Removal kidney open radical |
| 48500 | Surgery of pancreatic cyst | 50234 | Removal of kidney & ureter |
| 48510 | Drain pancreatic pseudocyst | 50236 | Removal of kidney & ureter |
| 48520 | Fuse pancreas cyst and bowel | 50240 | Partial removal of kidney |
| 48540 | Fuse pancreas cyst and bowel | 50250 | Cryoablate renal mass open |
| 48545 | Pancreatorrhaphy | 50280 | Removal of kidney lesion |
| 48547 | Duodenal exclusion | 50290 | Removal of kidney lesion |
| 48548 | Fuse pancreas and bowel | 50300 | Remove cadaver donor kidney |
| 48551 | Prep donor pancreas | 50320 | Remove kidney living donor |
| 48552 | Prep donor pancreas/venous | 50323 | Prep cadaver renal allograft |
| 48554 | Transpl allograft pancreas | 50325 | Prep donor renal graft |
| 48556 | Removal allograft pancreas | 50327 | Prep renal graft/venous |
| 49000 | Exploration of abdomen | 50328 | Prep renal graft/arterial |
| 49002 | Reopening of abdomen | 50329 | Prep renal graft/ureteral |
| 49010 | Exploration behind abdomen | 50340 | Removal of kidney |
| 49020 | Drainage abdom abscess open | 50360 | Transplantation of kidney |
| 49040 | Drain open abdom abscess | 50365 | Transplantation of kidney |
| 49060 | Drain open retroperi abscess | 50370 | Remove transplanted kidney |
| 49062 | Drain to peritoneal cavity | 50380 | Reimplantation of kidney |
| 49203 | Exc abd tum 5 cm or less | 50400 | Revision of kidney/ureter |
| 49204 | Exc abd tum over 5 cm | 50405 | Revision of kidney/ureter |
| 49205 | Exc abd tum over 10 cm | 50500 | Repair of kidney wound |
| 49215 | Excise sacral spine tumor | 50520 | Close kidney-skin fistula |
| 49220 | Multiple surgery abdomen | 50525 | Close nephrovisceral fistula |
| 49255 | Removal of omentum | 50526 | Close nephrovisceral fistula |
| 49412 | Ins device for rt guide open | 50540 | Revision of horseshoe kidney |
| 49425 | Insert abdomen-venous drain | 50545 | Laparo radical nephrectomy |
| 49428 | Ligation of shunt | 50546 | Laparoscopic nephrectomy |
| 49605 | Repair umbilical lesion | 50547 | Laparo removal donor kidney |
| 49606 | Repair umbilical lesion | 50548 | Laparo remove w/ureter |
| 49610 | Repair umbilical lesion | 50600 | Exploration of ureter |
| 49611 | Repair umbilical lesion | 50605 | Insert ureteral support |
| 49900 | Repair of abdominal wall | 50610 | Removal of ureter stone |
| 49904 | Omental flap extra-abdom | 50620 | Removal of ureter stone |
| 49905 | Omental flap intra-abdom | 50630 | Removal of ureter stone |
| 49906 | Free omental flap microvasc | 50650 | Removal of ureter |
| 50010 | Exploration of kidney | 50660 | Removal of ureter |
| 50040 | Drainage of kidney | 50700 | Revision of ureter |
| 50045 | Exploration of kidney | 50715 | Release of ureter |
| 50060 | Removal of kidney stone | 50722 | Release of ureter |
| 50065 | Incision of kidney | 50725 | Release/revise ureter |
| 50070 | Incision of kidney | 50728 | Revise ureter |
| 50075 | Removal of kidney stone | 50740 | Fusion of ureter & kidney |
| 50100 | Revise kidney blood vessels | 50750 | Fusion of ureter & kidney |
| 50120 | Exploration of kidney | 50760 | Fusion of ureters |
| 50125 | Explore and drain kidney | 50770 | Splicing of ureters |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 50780 | Reimplant ureter in bladder | 55801 | Removal of prostate |
| 50782 | Reimplant ureter in bladder | 55810 | Extensive prostate surgery |
| 50783 | Reimplant ureter in bladder | 55812 | Extensive prostate surgery |
| 50785 | Reimplant ureter in bladder | 55815 | Extensive prostate surgery |
| 50800 | Implant ureter in bowel | 55821 | Removal of prostate |
| 50810 | Fusion of ureter & bowel | 55831 | Removal of prostate |
| 50815 | Urine shunt to intestine | 55840 | Extensive prostate surgery |
| 50820 | Construct bowel bladder | 55842 | Extensive prostate surgery |
| 50825 | Construct bowel bladder | 55845 | Extensive prostate surgery |
| 50830 | Revise urine flow | 55862 | Extensive prostate surgery |
| 50840 | Replace ureter by bowel | 55865 | Extensive prostate surgery |
| 50845 | Appendico-vesicostomy | 56630 | Extensive vulva surgery |
| 50860 | Transplant ureter to skin | 56631 | Extensive vulva surgery |
| 50900 | Repair of ureter | 56632 | Extensive vulva surgery |
| 50920 | Closure ureter/skin fistula | 56633 | Extensive vulva surgery |
| 50930 | Closure ureter/bowel fistula | 56634 | Extensive vulva surgery |
| 50940 | Release of ureter | 56637 | Extensive vulva surgery |
| 51525 | Removal of bladder lesion | 56640 | Extensive vulva surgery |
| 51530 | Removal of bladder lesion | 57110 | Remove vagina wall complete |
| 51550 | Partial removal of bladder | 57111 | Remove vagina tissue compl |
| 51555 | Partial removal of bladder | 57112 | Vaginectomy w/nodes compl |
| 51565 | Revise bladder & ureter(s) | 57270 | Repair of bowel pouch |
| 51570 | Removal of bladder | 57280 | Suspension of vagina |
| 51575 | Removal of bladder & nodes | 57296 | Revise vag graft open abd |
| 51580 | Remove bladder/revise tract | 57305 | Repair rectum-vagina fistula |
| 51585 | Removal of bladder & nodes | 57307 | Fistula repair & colostomy |
| 51590 | Remove bladder/revise tract | 57308 | Fistula repair transperine |
| 51595 | Remove bladder/revise tract | 57311 | Repair urethrovaginal lesion |
| 51596 | Remove bladder/create pouch | 57531 | Removal of cervix radical |
| 51597 | Removal of pelvic structures | 57540 | Removal of residual cervix |
| 51800 | Revision of bladder/urethra | 57545 | Remove cervix/repair pelvis |
| 51820 | Revision of urinary tract | 58140 | Myomectomy abdom method |
| 51840 | Attach bladder/urethra | 58146 | Myomectomy abdom complex |
| 51841 | Attach bladder/urethra | 58150 | Total hysterectomy |
| 51865 | Repair of bladder wound | 58152 | Total hysterectomy |
| 51900 | Repair bladder/vagina lesion | 58180 | Partial hysterectomy |
| 51920 | Close bladder-uterus fistula | 58200 | Extensive hysterectomy |
| 51925 | Hysterectomy/bladder repair | 58210 | Extensive hysterectomy |
| 51940 | Correction of bladder defect | 58240 | Removal of pelvis contents |
| 51960 | Revision of bladder & bowel | 58267 | Vag hyst w/urinary repair |
| 51980 | Construct bladder opening | 58275 | Hysterectomy/revise vagina |
| 53415 | Reconstruction of urethra | 58280 | Hysterectomy/revise vagina |
| 53448 | Remov/replc ur sphinctr comp | 58285 | Extensive hysterectomy |
| 54125 | Removal of penis | 58293 | Vag hyst w/uro repair compl |
| 54130 | Remove penis & nodes | 58400 | Suspension of uterus |
| 54135 | Remove penis & nodes | 58410 | Suspension of uterus |
| 54390 | Repair penis and bladder | 58520 | Repair of ruptured uterus |
| 54430 | Revision of penis | 58540 | Revision of uterus |
| 54438 | Replantation of penis | 58548 | Lap radical hyst |
| 55605 | Incise sperm duct pouch | 58575 | Laps tot hyst resj mal |
| 55650 | Remove sperm duct pouch | 58605 | Division of fallopian tube |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 58611 | Ligate oviduct(s) add-on | 61120 | Burr hole for puncture |
| 58700 | Removal of fallopian tube | 61140 | Pierce skull for biopsy |
| 58720 | Removal of ovary/tube(s) | 61150 | Pierce skull for drainage |
| 58740 | Adhesiolysis tube ovary | 61151 | Pierce skull for drainage |
| 58750 | Repair oviduct | 61154 | Pierce skull & remove clot |
| 58752 | Revise ovarian tube(s) | 61156 | Pierce skull for drainage |
| 58760 | Fimbrioplasty | 61210 | Pierce skull implant device |
| 58822 | Drain ovary abscess percut | 61250 | Pierce skull & explore |
| 58825 | Transposition ovary(s) | 61253 | Pierce skull & explore |
| 58940 | Removal of ovary(s) | 61304 | Open skull for exploration |
| 58943 | Removal of ovary(s) | 61305 | Open skull for exploration |
| 58950 | Resect ovarian malignancy | 61312 | Open skull for drainage |
| 58951 | Resect ovarian malignancy | 61313 | Open skull for drainage |
| 58952 | Resect ovarian malignancy | 61314 | Open skull for drainage |
| 58953 | Tah rad dissect for debulk | 61315 | Open skull for drainage |
| 58954 | Tah rad debulk/lymph remove | 61316 | Implt cran bone flap to abdo |
| 58956 | Bso omentectomy w/tah | 61320 | Open skull for drainage |
| 58957 | Resect recurrent gyn mal | 61321 | Open skull for drainage |
| 58958 | Resect recur gyn mal w/lym | 61322 | Decompressive craniotomy |
| 58960 | Exploration of abdomen | 61323 | Decompressive lobectomy |
| 59120 | Treat ectopic pregnancy | 61333 | Explore orbit/remove lesion |
| 59121 | Treat ectopic pregnancy | 61340 | Subtemporal decompression |
| 59130 | Treat ectopic pregnancy | 61343 | Incise skull (press relief) |
| 59135 | Treat ectopic pregnancy | 61345 | Relieve cranial pressure |
| 59136 | Treat ectopic pregnancy | 61450 | Incise skull for surgery |
| 59140 | Treat ectopic pregnancy | 61458 | Incise skull for brain wound |
| 59325 | Revision of cervix | 61460 | Incise skull for surgery |
| 59350 | Repair of uterus | 61500 | Removal of skull lesion |
| 59514 | Cesarean delivery only | 61501 | Remove infected skull bone |
| 59525 | Remove uterus after cesarean | 61510 | Removal of brain lesion |
| 59620 | Attempted vbac delivery only | 61512 | Remove brain lining lesion |
| 59830 | Treat uterus infection | 61514 | Removal of brain abscess |
| 59850 | Abortion | 61516 | Removal of brain lesion |
| 59851 | Abortion | 61517 | Implt brain chemotx add-on |
| 59852 | Abortion | 61518 | Removal of brain lesion |
| 59855 | Abortion | 61519 | Remove brain lining lesion |
| 59856 | Abortion | 61520 | Removal of brain lesion |
| 59857 | Abortion | 61521 | Removal of brain lesion |
| 60254 | Extensive thyroid surgery | 61522 | Removal of brain abscess |
| 60270 | Removal of thyroid | 61524 | Removal of brain lesion |
| 60505 | Explore parathyroid glands | 61526 | Removal of brain lesion |
| 60521 | Removal of thymus gland | 61530 | Removal of brain lesion |
| 60522 | Removal of thymus gland | 61531 | Implant brain electrodes |
| 60540 | Explore adrenal gland | 61533 | Implant brain electrodes |
| 60545 | Explore adrenal gland | 61534 | Removal of brain lesion |
| 60600 | Remove carotid body lesion | 61535 | Remove brain electrodes |
| 60605 | Remove carotid body lesion | 61536 | Removal of brain lesion |
| 60650 | Laparoscopy adrenalectomy | 61537 | Removal of brain tissue |
| 61105 | Twist drill hole | 61538 | Removal of brain tissue |
| 61107 | Drill skull for implantation | 61539 | Removal of brain tissue |
| 61108 | Drill skull for drainage | 61540 | Removal of brain tissue |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| 61541 | Incision of brain tissue | 61651 | Evasc prlng admn rx agnt add |
| 61543 | Removal of brain tissue | 61680 | Intracranial vessel surgery |
| 61544 | Remove & treat brain lesion | 61682 | Intracranial vessel surgery |
| 61545 | Excision of brain tumor | 61684 | Intracranial vessel surgery |
| 61546 | Removal of pituitary gland | 61686 | Intracranial vessel surgery |
| 61548 | Removal of pituitary gland | 61690 | Intracranial vessel surgery |
| 61550 | Release of skull seams | 61692 | Intracranial vessel surgery |
| 61552 | Release of skull seams | 61697 | Brain aneurysm repr complx |
| 61556 | Incise skull/sutures | 61698 | Brain aneurysm repr complx |
| 61557 | Incise skull/sutures | 61700 | Brain aneurysm repr simple |
| 61558 | Excision of skull/sutures | 61702 | Inner skull vessel surgery |
| 61559 | Excision of skull/sutures | 61703 | Clamp neck artery |
| 61563 | Excision of skull tumor | 61705 | Revise circulation to head |
| 61564 | Excision of skull tumor | 61708 | Revise circulation to head |
| 61566 | Removal of brain tissue | 61710 | Revise circulation to head |
| 61567 | Incision of brain tissue | 61711 | Fusion of skull arteries |
| 61570 | Remove foreign body brain | 61735 | Incise skull/brain surgery |
| 61571 | Incise skull for brain wound | 61750 | Incise skull/brain biopsy |
| 61575 | Skull base/brainstem surgery | 61751 | Brain biopsy w/ct/mr guide |
| 61576 | Skull base/brainstem surgery | 61760 | Implant brain electrodes |
| 61580 | Craniofacial approach skull | 61850 | Implant neuroelectrodes |
| 61581 | Craniofacial approach skull | 61860 | Implant neuroelectrodes |
| 61582 | Craniofacial approach skull | 61863 | Implant neuroelectrode |
| 61583 | Craniofacial approach skull | 61864 | Implant neuroelectrde addl |
| 61584 | Orbitocranial approach/skull | 61867 | Implant neuroelectrode |
| 61585 | Orbitocranial approach/skull | 61868 | Implant neuroelectrde addl |
| 61586 | Resect nasopharynx skull | 61870 | Implant neuroelectrodes |
| 61590 | Infratemporal approach/skull | 62005 | Treat skull fracture |
| 61591 | Infratemporal approach/skull | 62010 | Treatment of head injury |
| 61592 | Orbitocranial approach/skull | 62100 | Repair brain fluid leakage |
| 61595 | Transtemporal approach/skull | 62115 | Reduction of skull defect |
| 61596 | Transcochlear approach/skull | 62117 | Reduction of skull defect |
| 61597 | Transcondylar approach/skull | 62120 | Repair skull cavity lesion |
| 61598 | Transpetrosal approach/skull | 62121 | Incise skull repair |
| 61600 | Resect/excise cranial lesion | 62140 | Repair of skull defect |
| 61601 | Resect/excise cranial lesion | 62141 | Repair of skull defect |
| 61605 | Resect/excise cranial lesion | 62142 | Remove skull plate/flap |
| 61606 | Resect/excise cranial lesion | 62143 | Replace skull plate/flap |
| 61607 | Resect/excise cranial lesion | 62145 | Repair of skull & brain |
| 61608 | Resect/excise cranial lesion | 62146 | Repair of skull with graft |
| 61611 | Transect artery sinus | 62147 | Repair of skull with graft |
| 61613 | Remove aneurysm sinus | 62148 | Retr bone flap to fix skull |
| 61615 | Resect/excise lesion skull | 62161 | Dissect brain w/scope |
| 61616 | Resect/excise lesion skull | 62162 | Remove colloid cyst w/scope |
| 61618 | Repair dura | 62163 | Zneuroendoscopy w/fb removal |
| 61619 | Repair dura | 62164 | Remove brain tumor w/scope |
| 61624 | Transcath occlusion cns | 62165 | Remove pituit tumor w/scope |
| 61630 | Intracranial angioplasty | 62180 | Establish brain cavity shunt |
| 61635 | Intracran angioplasty w/stent | 62190 | Establish brain cavity shunt |
| 61645 | Perq art m-thrombect &/nfs | 62192 | Establish brain cavity shunt |
| 61650 | Evasc prlng admn rx agnt 1st | 62200 | Establish brain cavity shunt |

| | | | |
|-------|--------------------------------|-------|--------------------------------|
| 62201 | Brain cavity shunt w/scope | 63281 | Bx/exc idrl spine lesn thrc |
| 62220 | Establish brain cavity shunt | 63282 | Bx/exc idrl spine lesn lmb |
| 62223 | Establish brain cavity shunt | 63283 | Bx/exc idrl spine lesn scr |
| 62256 | Remove brain cavity shunt | 63285 | Bx/exc idrl imed lesn cerv |
| 62258 | Replace brain cavity shunt | 63286 | Bx/exc idrl imed lesn thrc |
| 63050 | Cervical laminoplasty 2/> seg | 63287 | Bx/exc idrl imed lesn thrlmb |
| 63051 | C-laminoplasty w/graft/plate | 63290 | Bx/exc xdr/ldrl lsn any lvl |
| 63077 | Spine disk surgery thorax | 63295 | Repair laminectomy defect |
| 63078 | Spine disk surgery thorax | 63300 | Remove vert xdr/ld body crvl |
| 63081 | Remove vert body dcmprn crvl | 63301 | Remove vert xdr/ld body thrc |
| 63082 | Remove vertebral body add-on | 63302 | Remove vert xdr/ld body thrlmb |
| 63085 | Remove vert body dcmprn thrc | 63303 | Remov vert xdr/ld bdy lmb/sac |
| 63086 | Remove vertebral body add-on | 63304 | Remove vert idrl body crvl |
| 63087 | Remov vertbr dcmprn thrlmb | 63305 | Remove vert idrl body thrc |
| 63088 | Remove vertebral body add-on | 63306 | Remov vert idrl bdy thrlmb |
| 63090 | Remove vert body dcmprn lmb | 63307 | Remov vert idrl bdy lmb/sac |
| 63091 | Remove vertebral body add-on | 63308 | Remove vertebral body add-on |
| 63101 | Remove vert body dcmprn thrc | 63700 | Repair of spinal herniation |
| 63102 | Remove vert body dcmprn lmb | 63702 | Repair of spinal herniation |
| 63103 | Remove vertebral body add-on | 63704 | Repair of spinal herniation |
| 63170 | Incise spinal cord tract(s) | 63706 | Repair of spinal herniation |
| 63172 | Drainage of spinal cyst | 63707 | Repair spinal fluid leakage |
| 63173 | Drainage of spinal cyst | 63709 | Repair spinal fluid leakage |
| 63180 | Revise spinal cord ligaments | 63710 | Graft repair of spine defect |
| 63182 | Revise spinal cord ligaments | 63740 | Install spinal shunt |
| 63185 | Incise spine nrv half segmnt | 64755 | Incision of stomach nerves |
| 63190 | Incise spine nrv >2 segmnts | 64760 | Incision of vagus nerve |
| 63191 | Incise spine accessory nerve | 64809 | Remove sympathetic nerves |
| 63194 | Incise spine & cord cervical | 64818 | Remove sympathetic nerves |
| 63195 | Incise spine & cord thoracic | 64866 | Fusion of facial/other nerve |
| 63196 | Incise spine&cord 2 trx crvl | 64868 | Fusion of facial/other nerve |
| 63197 | Incise spine&cord 2 trx thrc | 65273 | Repair of eye wound |
| 63198 | Incise spin&cord 2 stgs crvl | 69155 | Extensive ear/neck surgery |
| 63199 | Incise spin&cord 2 stgs thrc | 69535 | Remove part of temporal bone |
| 63200 | Release spinal cord lumbar | 69554 | Remove ear lesion |
| 63250 | Revise spinal cord vsls crvl | 69950 | Incise inner ear nerve |
| 63251 | Revise spinal cord vsls thrc | 75956 | Xray endovasc thor ao repr |
| 63252 | Revise spine cord vsl thrlmb | 75957 | Xray endovasc thor ao repr |
| 63265 | Excise intraspinal lesion crv | 75958 | Xray place prox ext thor ao |
| 63266 | Excise intraspinal lesion thrc | 75959 | Xray place dist ext thor ao |
| 63267 | Excise intraspinal lesion lmb | 92941 | Prq card revasc mi 1 vsl |
| 63268 | Excise intraspinal lesion scr | 92970 | Cardioassist internal |
| 63270 | Excise intraspinal lesion crvl | 92971 | Cardioassist external |
| 63271 | Excise intraspinal lesion thrc | 92975 | Dissolve clot heart vessel |
| 63272 | Excise intraspinal lesion lmb | 92992 | Revision of heart chamber |
| 63273 | Excise intraspinal lesion scr | 92993 | Revision of heart chamber |
| 63275 | Bx/exc xdr/ld spine lesn crvl | 93583 | Perq transcath septal redunx |
| 63276 | Bx/exc xdr/ld spine lesn thrc | 99184 | Hypothermia ill neonate |
| 63277 | Bx/exc xdr/ld spine lesn lmb | 99190 | Special pump services |
| 63278 | Bx/exc xdr/ld spine lesn scr | 99191 | Special pump services |
| 63280 | Bx/exc idrl spine lesn crvl | 99192 | Special pump services |

| | |
|-------|------------------------------|
| 99356 | Prolonged service inpatient |
| 99357 | Prolonged service inpatient |
| 99462 | Sbsq nb em per day hosp |
| 99468 | Neonate crit care initial |
| 99469 | Neonate crit care subsq |
| 99471 | Ped critical care initial |
| 99472 | Ped critical care subsq |
| 99475 | Ped crit care age 2-5 init |
| 99476 | Ped crit care age 2-5 subsq |
| 99477 | Init day hosp neonate care |
| 99478 | Ic lbw inf < 1500 gm subsq |
| 99479 | Ic lbw inf 1500-2500 g subsq |
| 99480 | Ic inf pbw 2501-5000 g subsq |
| C9606 | Perc d-e cor revasc w ami s |
| G0341 | Percutaneous islet celltrans |
| G0342 | Laparoscopy islet cell trans |
| G0343 | Laparotomy islet cell transp |
| G0412 | Open tx iliac spine uni/bil |
| G0414 | Pelvic ring fx treat int fix |
| G0415 | Open tx post pelvic fxcture |

Inpatient separate procedure

| | | | |
|-------|------------------------------|-------|-----------------------------|
| 21750 | Repair of sternum separation | 58400 | Suspension of uterus |
| 27005 | Incision of hip tendon | 58605 | Division of fallopian tube |
| 27090 | Removal of hip prosthesis | 58700 | Removal of fallopian tube |
| 27140 | Transplant femur ridge | 58720 | Removal of ovary/tube(s) |
| 27161 | Incision of neck of femur | 60521 | Removal of thymus gland |
| 31725 | Clearance of airways | 60522 | Removal of thymus gland |
| 32220 | Release of lung | 60540 | Explore adrenal gland |
| 32225 | Partial release of lung | 60545 | Explore adrenal gland |
| 32310 | Removal of chest lining | 61210 | Pierce skull implant device |
| 33140 | Heart revascularize (tmr) | 61535 | Remove brain electrodes |
| 33496 | Repair prosth valve clot | | |
| 33800 | Aortic suspension | | |
| 38100 | Removal of spleen total | | |
| 38101 | Removal of spleen partial | | |
| 38562 | Removal pelvic lymph nodes | | |
| 38564 | Removal abdomen lymph nodes | | |
| 38765 | Remove groin lymph nodes | | |
| 38770 | Remove pelvis lymph nodes | | |
| 38780 | Remove abdomen lymph nodes | | |
| 43848 | Revision gastropasty | | |
| 44005 | Freeing of bowel adhesion | | |
| 44130 | Bowel to bowel fusion | | |
| 44300 | Open bowel to skin | | |
| 44314 | Revision of ileostomy | | |
| 44316 | Devise bowel pouch | | |
| 44322 | Colostomy with biopsies | | |
| 44345 | Revision of colostomy | | |
| 44346 | Revision of colostomy | | |
| 44680 | Surgical revision intestine | | |
| 44820 | Excision of mesentery lesion | | |
| 44850 | Repair of mesentery | | |
| 47460 | Incise bile duct sphincter | | |
| 47480 | Incision of gallbladder | | |
| 47900 | Suture bile duct injury | | |
| 49000 | Exploration of abdomen | | |
| 49010 | Exploration behind abdomen | | |
| 49255 | Removal of omentum | | |
| 50100 | Revise kidney blood vessels | | |
| 50340 | Removal of kidney | | |
| 50600 | Exploration of ureter | | |
| 50650 | Removal of ureter | | |
| 50900 | Repair of ureter | | |
| 51525 | Removal of bladder lesion | | |
| 51570 | Removal of bladder | | |
| 57270 | Repair of bowel pouch | | |

Code not recognized by Medicare for outpatient claims

| | | | |
|-------|------------------------------|-------|------------------------------|
| 0001F | Heart failure composite | 1127F | New episode for condition |
| 0005F | Osteoarthritis composite | 1128F | Subs episode for condition |
| 0012F | Cap bacterial assess | 1134F | Epsd bk pain for 6 wks/< |
| 0014F | Comp preop assess cat surg | 1135F | Epsd bk pain for >6 wks |
| 0015F | Melan follow-up complete | 1136F | Epsd bk pain for 12 wks/< |
| 0500F | Initial prenatal care visit | 1137F | Epsd bk pain for >12 wks |
| 0501F | Prenatal flow sheet | 1150F | Doc pt rsk death w/in 1yr |
| 0502F | Subsequent prenatal care | 1151F | Doc no pt rsk death w/in 1yr |
| 0503F | Postpartum care visit | 1152F | Doc advncd dis comfort 1st |
| 0516F | Anemia plan of care docd | 1153F | Doc advncd dis cmfrt not 1st |
| 0519F | Pland chemo docd b/4 txmnt | 1157F | Advnc care plan in rcrd |
| 0525F | Initial visit for episode | 1159F | Med list docd in rcrd |
| 0535F | Dyspnea mgmnt plan docd | 1160F | Rvw meds by rx/dr in rcrd |
| 0545F | Follow up care plan mdd docd | 1180F | Thromboemb risk assessed |
| 0550F | Cytopath report nongyn spcmn | 1182F | Neuropsychi sympt 1+present |
| 0551F | Cytopath report non routine | 1183F | Neuropsychiatric symp absent |
| 0555F | Symptom mgmnt plan care docd | 1450F | Symptoms improved/consist |
| 0580F | Multidisciplinary care plan | 1451F | Sympt show clin import drop |
| 0582F | No trnsfr from anesth to cc | 1500F | Symptom+sign symm polyneuro |
| 0584F | No transfercare chklist used | 1501F | Not initial eval for cond |
| 1000F | Tobacco use assessed | 1502F | Pt queried pain fxn w/ instr |
| 1003F | Level of activity assess | 1503F | Pt queried symp resp insuff |
| 1004F | Clin symp vol ovrlld assess | 1504F | Pt has resp insufficiency |
| 1008F | Gi/renal risk assess | 1505F | Pt has no resp insufficiency |
| 1015F | Copd symptoms assess | 2001F | Weight record |
| 1018F | Assess dyspnea not present | 2002F | Clin sign vol ovrlld assess |
| 1019F | Assess dyspnea present | 2004F | Initial exam involved joints |
| 1022F | Pneumo imm status assess | 2014F | Mental status assess |
| 1026F | Co-morbid condition assess | 2018F | Hydration status assess |
| 1030F | Influenza imm status assess | 2020F | Dilated fundus eval done |
| 1034F | Current tobacco smoker | 2029F | Complete phys skin exam done |
| 1035F | Smokeless tobacco user | 2030F | H2o stat docd normal |
| 1050F | History of mole changes | 2031F | H2o stat docd dehydrated |
| 1052F | Type location activityassess | 2035F | Tymp memb motion examd |
| 1055F | Visual funct status assess | 2044F | Doc mntl tst b/4 bk trxmnt |
| 1060F | Doc perm/cont/parox atr fib | 2050F | Wound char size etc docd |
| 1061F | Doc lack perm+cont+parox fib | 2060F | Pt talk eval hlthwkr re mdd |
| 1065F | Ischm stroke symp lt3 hrsb/4 | 22526 | Idet single level |
| 1066F | Ischm stroke symp ge3 hrsb/4 | 22527 | Idet 1 or more levels |
| 1070F | Alarm symp assessed-absent | 27215 | Treat pelvic fracture(s) |
| 1071F | Alarm symp assessed-1+ prsnt | 27216 | Treat pelvic ring fracture |
| 1110F | Pt lft inpt fac w/in 60 days | 27217 | Treat pelvic ring fracture |
| 1116F | Auric/peri pain assessed | 27218 | Treat pelvic ring fracture |
| 1118F | Gerd symps assessed 12 month | 3006F | Cxr doc rev |
| 1121F | Subs eval for condition | 3008F | Body mass index docd |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 3011F | Lipid panel doc rev | 3330F | Imaging study ordered (bcp) |
| 3015F | Cerv cancer screen docd | 3331F | Bk imaging tst not ordered |
| 3018F | Pre-prxd rsk et al docd | 3450F | Dyspnea scrnd no-mild dysp |
| 3019F | Lvef assess planpost dschrge | 3451F | Dyspnea scrnd mod-high dysp |
| 3025F | Spirom fev/fvc <70% w/copd | 3452F | Dyspnea not screened |
| 3027F | Spirom fev/fvc>=70%/w/ocopd | 3491F | Hiv unsure baby of hiv+moms |
| 3028F | O2 saturation doc rev | 3497F | Cd4+ cell percentage <15% |
| 3035F | O2 saturation</=88%/pao</=55 | 3498F | Cd4+ cell =15% (hiv) |
| 3037F | O2 saturation >88%/pao>55 hg | 3513F | Hep b scrng docd as done |
| 3040F | Fev <40% predicted value | 3514F | Hep c scrng docd as done |
| 3042F | Fev >=40% predicted value | 3515F | Pt has docd immun to hep c |
| 3055F | Lvef less than/equal to 35% | 3520F | Cdifficile testing performed |
| 3056F | Lvef greater than 35% | 3550F | Low rsk thromboembolism |
| 3073F | Pre-surg eye measures docd | 3551F | Intrmed rsk thromboembolism |
| 3074F | Syst bp lt 130 mm hg | 3552F | Hgh risk for thromboembolism |
| 3075F | Syst bp ge 130 - 139mm hg | 3555F | Pt inr measurement performed |
| 3077F | Syst bp >= 140 mm hg | 3572F | Pt consid poss risk fx |
| 3078F | Diast bp <80 mm hg | 3573F | Pt not consid poss risk fx |
| 3079F | Diast bp 80-89 mm hg | 3650F | Eeg ordered rvwd reqstd |
| 3080F | Diast bp >= 90 mm hg | 3751F | Electrodiag polyneuro 6 mn |
| 3085F | Suicide risk assessed | 3752F | No electrodiag polyneuro 6mn |
| 3088F | Mdd mild | 3753F | Pt has symp&signs neuropathy |
| 3089F | Mdd moderate | 3754F | Screening tests dm done |
| 3090F | Mdd severe w/o psych | 3755F | Cog&behav imprmnt scrng done |
| 3091F | Mdd severe w/psych | 3756F | Pt w/pseudobulb affect/als |
| 3093F | Doc new diag 1st/addl mdd | 3757F | Pt w/o pseudobulb affect/als |
| 3110F | Pres/absn hmrhg/lesion docd | 3758F | Pt ref pulm fx test/peakflow |
| 3111F | Ct/mri brain done w/in 24hrs | 3759F | Pt scrn dysphag/wt loss/nutr |
| 3112F | Ct/mri brain done 24 hrs | 3760F | Pt w/ dysphag/wt loss/nutr |
| 3115F | Quant results activity &symp | 3761F | Pt w/o dysphag/wt loss/nutr |
| 3117F | Hf assessment tool completed | 3762F | Patient is dysarthric |
| 3118F | Ny heart assoc class docd | 3763F | Patient is not dysarthric |
| 3119F | No eval activity clin symp | 4012F | Warfarin therapy rx |
| 3130F | Upper gi endoscopy performed | 4014F | Written discharge instr prvd |
| 3132F | Doc ref upper gi endoscopy | 4016F | Anti-inflm/anlgsc agent rx |
| 3140F | Upper gi endo shows barrtts | 4017F | Gi prophylaxis for nsaid rx |
| 3141F | Upper gi endo not barrtts | 4018F | Therapy exercise joint rx |
| 3142F | Barium swallow test ordered | 4019F | Doc recpt counsl vit d/calc+ |
| 3150F | Forceps esoph biopsy done | 4030F | Oxygen therapy rx |
| 3200F | Barium swallow test not req | 4033F | Pulmonary rehab rec |
| 3230F | Note hring tst w/in 6 mon | 4050F | Ht care plan doc |
| 3268F | Psa/t/glsc docd b/4 txmnt | 4052F | Hemodialysis via av fistula |
| 3290F | Pt=d(rh)- and unsensitized | 4053F | Hemodialysis via av graft |
| 3291F | Pt=d(rh)+ or sensitized | 4054F | Hemodialysis via catheter |
| 3292F | Hiv tstng asked/docd/revwd | 4055F | Pt rcvng periton dialysis |
| 3293F | Abo rh blood typing docd | 4056F | Approp oral rehyd recommd |
| 3294F | Grp b strep screening docd | 4058F | Ped gastro ed given caregvr |
| 3317F | Path rpt malig cancer docd | 4060F | Psych svcs provided |
| 3318F | Path rpt malig cancer docd | 4062F | Pt referral psych docd |
| 3324F | Mri ct scan ord rvwd rqstd | 4063F | Antidepres rxthxpy not rxd |
| 3325F | Preop asses 4 cataract surg | 4064F | Antidepressant rx |

| | | | |
|-------|------------------------------|-------|-------------------------------|
| 4065F | Antipsychotic rx | 4480F | Pt rcvng ace/arb b-blockertx |
| 4066F | Ect provided | 4481F | Pt rcvng ace/arb blker >3mos |
| 4067F | Pt referral for ect docd | 4540F | Disease modif pharmacothxpy |
| 4069F | Vte prophylaxis rcvd | 4541F | Pt offered tx for pseudobulb |
| 4077F | Doc t-pa admin considered | 4550F | Noninvas resp support talk |
| 4133F | Antihist/decong rx/recom | 4551F | Nutritional support offered |
| 4134F | No antihist/decong rx/recom | 4552F | Pt ref for speech lang path |
| 4135F | Systemic corticosteroids rx | 4553F | Pt asst re end life issues |
| 4136F | Syst corticosteroids not rx | 4555F | Pt recvd no inhal anesthetic |
| 4155F | Hep a vac series prev recvd | 4557F | Pt w/o 3+ post-opnausea&vom |
| 4157F | Hep b vac series prev recvd | 4560F | Anesth w/o gen/neurax anesth |
| 4163F | Pt couns 4 txmnt opt prost | 4561F | Pt w/ coronary artery stent |
| 4165F | 3d-crt/imrt received | 4562F | Pt w/o coronary artery stent |
| 4167F | Hd bed tilted 1st day vent | 4563F | Pt recvd aspirin w/in 24 hrs |
| 4168F | Pt care icu&vent w/in 24hrs | 5005F | Pt counsld on exam for moles |
| 4169F | No pt care icu/vent in 24hrs | 5020F | Txmnts 2 phys/qhp by 1 mon |
| 4174F | Couns potent glauc impct | 5060F | Fndngs mammo 2pt w/in 3 days |
| 4176F | Talk re uv light pt/crgvr | 5062F | Mammo result com to pt 5 day |
| 4178F | Antid gbln rcvd w/in 26wks | 5100F | Rsk fx ref w/n 24 hrs xray |
| 4180F | Adjv thxpyrxd/rcvd colon ca | 5200F | Eval appros surg thxpy epi |
| 4181F | Conformal radn thxpy rcvd | 5250F | Asthma discharge plan presnt |
| 4182F | No conformal radn thxpy | 6005F | Care level rationale doc |
| 4185F | Continuous ppi or h2ra rcvd | 6040F | Appro rad ds dvcs techs docd |
| 4186F | No cont ppi or h2ra rcvd | 6070F | Pt asked/cnsld aed effects |
| 4188F | Approp ace/arb tstng done | 6080F | Pt/caregiver queried falls |
| 4189F | Approp digoxin tstng done | 6090F | Pt/caregiver counsel safety |
| 4190F | Approp diuretic tstng done | 6100F | Verify pt site pxd docd |
| 4191F | Approp anticonvuls tstng | 61640 | Dilate ic vasospasm init |
| 4200F | External beam to prost only | 61641 | Dilat ic vspasm ea vsl sm ter |
| 4201F | Extrnl beam other than prost | 61642 | Dilat ic vspasm ea diff ter |
| 4210F | Ace/arb thxpy for mos/> | 7020F | Mammo assess cat in dbase |
| 4220F | Digoxin thxpy for 6 mos/> | 76140 | X-ray consultation |
| 4221F | Diuretic thxpy for 6 mos/> | 83992 | Assay for phencyclidine |
| 4230F | Anticonv thxpy for 6 mos/> | 9001F | Aortic aneurysm<5cm diam ct |
| 4240F | Instr xrcz back pain 12 wks | 9002F | Aortic aneurysm 5-5.4cm diam |
| 4242F | Sprvsd xrcz back pn >12 wks | 9005F | Asympt carot/vrtbrbas sten |
| 4267F | Comprssion thxpy prescribed | 90281 | Human ig im |
| 4268F | Pt ed re comp thxpy rcvd | 90283 | Human ig iv |
| 4269F | Appropos mthd offloading rxd | 90287 | Botulinum antitoxin |
| 4290F | Pt scrned for inj drug use | 90288 | Botulism ig iv |
| 4293F | Pt scrnd hgh-risk sex behav | 90291 | Cmv ig iv |
| 4300F | Pt rcvng warf thxpy | 90384 | Rh ig full-dose im |
| 4301F | Pt not rcvng warf thxpy | 90386 | Rh ig iv |
| 4305F | Pt ed re ft care inspct rcvd | 90389 | Tetanus ig im |
| 4306F | Pt tlk psych & rx opd addic | 90399 | Immune globulin |
| 4324F | Pt queried prkns complic | 90658 | liv3 vaccine splt 0.5 ml im |
| 4326F | Pt asked re symp auto dysfxn | 90664 | Laiv vacc pandemic intranasl |
| 4330F | Cnslng epi spec sfty issues | 90666 | Flu vac pandem prsrv free im |
| 4350F | Cnslng provided symp mngmnt | 90667 | liv vacc pandemic adjvnt im |
| 4450F | Self-care ed provided to pt | 90668 | liv vaccine pandemic im |
| 4470F | Icd counseling provided | 90748 | Hib-hepb vaccine im |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 90863 | Pharmacologic mgmt w/psyt | A0140 | Nonemergency transport air |
| 92615 | Laryngoscopic sensory i&r | A0160 | Noner transport case worker |
| 92617 | Fees w/laryngeal sense i&r | A0170 | Transport parking fees/tolls |
| 92630 | Aud rehab pre-ling hear loss | A0180 | Noner transport lodgng recip |
| 92633 | Aud rehab postling hear loss | A0190 | Noner transport meals recip |
| 95120 | Immunotherapy one injection | A0200 | Noner transport lodgng escrt |
| 95125 | Immunotherapy 2/> injections | A0210 | Noner transport meals escort |
| 95130 | Immmtx 1 sting insect | A0225 | Neonatal emergency transport |
| 95131 | Immmtx 2 sting insects | A0380 | Basic life support mileage |
| 95132 | Immmtx 3 sting insects | A0390 | Advanced life support mileag |
| 95133 | Immmtx 4 sting insects | A0998 | Ambulance response/treatment |
| 95134 | Immmtx 5 sting insects | A4232 | Syringe w/needle insulin 3cc |
| 97127 | Ther ivntj w/focus cog funcj | A4264 | Intratubal occlusion device |
| 99000 | Specimen handling office-lab | A4266 | Diaphragm |
| 99001 | Specimen handling pt-lab | A4267 | Male condom |
| 99026 | In-hospital on call service | A4268 | Female condom |
| 99027 | Out-of-hosp on call service | A4269 | Spermicide |
| 99241 | Office consultation | A4281 | Replacement breastpump tube |
| 99242 | Office consultation | A4282 | Replacement breastpump adpt |
| 99243 | Office consultation | A4283 | Replacement breastpump cap |
| 99244 | Office consultation | A4284 | Replcmnt breast pump shield |
| 99245 | Office consultation | A4285 | Replcmnt breast pump bottle |
| 99251 | Inpatient consultation | A4286 | Replcmnt breastpump lok ring |
| 99252 | Inpatient consultation | A4566 | Should sling/vest/abrestrain |
| 99253 | Inpatient consultation | A4570 | Splint |
| 99254 | Inpatient consultation | A4580 | Cast supplies (plaster) |
| 99255 | Inpatient consultation | A4590 | Special casting material |
| 99375 | Home health care supervision | A9152 | Single vitamin nos |
| 99378 | Hospice care supervision | A9153 | Multi-vitamin nos |
| 99500 | Home visit prenatal | A9180 | Lice treatment, topical |
| 99501 | Home visit postnatal | A9272 | Disp wound suct, drsg/access |
| 99502 | Home visit nb care | A9274 | Ext amb insulin delivery sys |
| 99503 | Home visit resp therapy | A9279 | Monitoring feature/devicenoc |
| 99504 | Home visit mech ventilator | B4100 | Food thickener oral |
| 99505 | Home visit stoma care | B4104 | Additive for enteral formula |
| 99506 | Home visit im injection | D0190 | Screening of a patient |
| 99507 | Home visit cath maintain | D0191 | Assessment of a patient |
| 99509 | Home visit day life activity | D0210 | Intraor complete film series |
| 99510 | Home visit sing/m/fam couns | D0220 | Intraoral periapical first |
| 99511 | Home visit fecal/enema mgmt | D0230 | Intraoral periapical ea add |
| 99512 | Home visit for hemodialysis | D0310 | Dental saliography |
| 99600 | Home visit nos | D0320 | Dental tmj arthrogram incl i |
| 99601 | Home infusion/visit 2 hrs | D0321 | Other tmj images by report |
| 99602 | Home infusion each addtl hr | D0322 | Dental tomographic survey |
| A0021 | Outside state ambulance serv | D0330 | Panoramic image |
| A0080 | Noninterest escort in non er | D0340 | 2d cephalometric image |
| A0090 | Interest escort in non er | D0350 | Oral/facial photo images |
| A0100 | Nonemergency transport taxi | D0351 | 3d photographic image |
| A0110 | Nonemergency transport bus | D0364 | Cone beam ct capt & interp |
| A0120 | Noner transport mini-bus | D0365 | Cone beam ct interpret man |
| A0130 | Noner transport wheelch van | D0366 | Cone beam ct interpret max |

| | | | |
|-------|------------------------------|-------|------------------------------|
| D0367 | Cone beam ct interp both jaw | D5955 | Palatal lift prosthesis |
| D0368 | Cone beam ct interpret tmj | D5958 | Intraoral con def inter plt |
| D0369 | Max mri capture & interpret | D5959 | Intraoral con def mod palat |
| D0370 | Max ultrasound capt & interp | D5960 | Modify speech aid prosthesis |
| D0371 | Sialoendoscopy capt & interp | D5982 | Surgical stent |
| D0380 | Cone beam ct capture limited | D5988 | Surgical splint |
| D0381 | Cone beam ct capt mandible | D5992 | Adjust max prost appliance |
| D0382 | Cone beam ct capt maxilla | D5993 | Main/clean max prosthesis |
| D0383 | Cone beam ct both jaws | D5999 | Maxillofacial prosthesis |
| D0384 | Cone beam ct capture tmj | D6010 | Odontics endosteal implant |
| D0385 | Max mri image capture | D6040 | Odontics eposteal implant |
| D0386 | Max ultrasound image capture | D6050 | Odontics transosteal implnt |
| D0391 | Interpret diagnostic image | D6051 | Interim abutment |
| D0417 | Collect & prep saliva sample | D6055 | Implant connecting bar |
| D0418 | Analysis of saliva sample | D6056 | Prefabricated abutment |
| D1208 | Topical app fluorid ex vrnsh | D6080 | Implant maintenance |
| D1352 | Prev resin rest, perm tooth | D6081 | Scale & debride, single imp |
| D2929 | Prefab porc/ceram crown pri | D6085 | Provisional implant crown |
| D2981 | Inlay repair | D6090 | Repair implant |
| D2982 | Onlay repair | D6095 | Odontics repr abutment |
| D2983 | Veneer repair | D6100 | Removal of implant |
| D2990 | Resin infiltration of lesion | D6101 | Debridement of a periimplant |
| D4210 | Gingivectomy/plasty 4 or mor | D6102 | Debridement & contouring |
| D4211 | Gingivectomy/plasty 1 to 3 | D6103 | Bone graft repair perimplant |
| D4212 | Gingivectomy/plasty rest | D6104 | Bone graft time of implant |
| D4277 | Soft tissue graft firsttooth | D6199 | Implant procedure |
| D4278 | Soft tissue graft addl tooth | D7251 | Coronectomy |
| D5913 | Nasal prosthesis | D7285 | Biopsy of oral tissue hard |
| D5914 | Auricular prosthesis | D7286 | Biopsy of oral tissue soft |
| D5915 | Orbital prosthesis | D7287 | Exfoliative cytolog collect |
| D5916 | Ocular prosthesis | D7295 | Bone harvest,auto graft proc |
| D5919 | Facial prosthesis | D7310 | Alveoplasty w/ extraction |
| D5922 | Nasal septal prosthesis | D7320 | Alveoplasty w/o extraction |
| D5923 | Ocular prosthesis interim | D7340 | Vestibuloplasty ridge extens |
| D5924 | Cranial prosthesis | D7350 | Vestibuloplasty exten graft |
| D5925 | Facial augmentation implant | D7410 | Rad exc lesion up to 1.25 cm |
| D5926 | Replacement nasal prosthesis | D7411 | Excision benign lesion>1.25c |
| D5927 | Auricular replacement | D7412 | Excision benign lesion compl |
| D5928 | Orbital replacement | D7413 | Excision malig lesion<=1.25c |
| D5929 | Facial replacement | D7414 | Excision malig lesion>1.25cm |
| D5931 | Surgical obturator | D7415 | Excision malig les complicat |
| D5932 | Postsurgical obturator | D7440 | Malig tumor exc to 1.25 cm |
| D5933 | Refitting of obturator | D7441 | Malig tumor > 1.25 cm |
| D5934 | Mandibular flange prosthesis | D7450 | Rem odontogen cyst to 1.25cm |
| D5935 | Mandibular denture prosth | D7451 | Rem odontogen cyst > 1.25 cm |
| D5936 | Temp obturator prosthesis | D7460 | Rem nonodonto cyst to 1.25cm |
| D5937 | Trismus appliance | D7461 | Rem nonodonto cyst > 1.25 cm |
| D5951 | Feeding aid | D7465 | Lesion destruction |
| D5952 | Pediatric speech aid | D7471 | Rem exostosis any site |
| D5953 | Adult speech aid | D7472 | Removal of torus palatinus |
| D5954 | Superimposed prosthesis | D7473 | Remove torus mandibularis |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| D7485 | Surg reduct osseoustuberosit | D7921 | Collect & appl blood product |
| D7490 | Maxilla or mandible resectio | D7941 | Bone cutting ramus closed |
| D7510 | I&d absc intraoral soft tiss | D7943 | Cutting ramus open w/graft |
| D7520 | I&d abscess extraoral | D7944 | Bone cutting segmented |
| D7530 | Removal fb skin/areolar tiss | D7945 | Bone cutting body mandible |
| D7540 | Removal of fb reaction | D7946 | Reconstruction maxilla total |
| D7550 | Removal of sloughed off bone | D7947 | Reconstruct maxilla segment |
| D7560 | Maxillary sinusotomy | D7948 | Reconstruct midface no graft |
| D7610 | Maxilla open reduct simple | D7949 | Reconstruct midface w/graft |
| D7620 | Clsd reduct simpl maxilla fx | D7950 | Mandible graft |
| D7630 | Open red simpl mandible fx | D7952 | Sinus augmentation vertical |
| D7640 | Clsd red simpl mandible fx | D7955 | Repair maxillofacial defects |
| D7650 | Open red simp malar/zygom fx | D7960 | Frenulectomy/frenectomy |
| D7660 | Clsd red simp malar/zygom fx | D7970 | Excision hyperplastic tissue |
| D7670 | Closed rductn splint alveolus | D7971 | Excision pericoronal gingiva |
| D7671 | Alveolus open reduction | D7972 | Surg redct fibrous tuberosit |
| D7680 | Reduct simple facial bone fx | D7979 | Non-surgical sialolithotomy |
| D7710 | Maxilla open reduct compound | D7980 | Surgical sialolithotomy |
| D7720 | Clsd reduct compd maxilla fx | D7981 | Excision of salivary gland |
| D7730 | Open reduct compd mandble fx | D7982 | Sialodochoplasty |
| D7740 | Clsd reduct compd mandble fx | D7983 | Closure of salivary fistula |
| D7750 | Open red comp malar/zygma fx | D7990 | Emergency tracheotomy |
| D7760 | Clsd red comp malar/zygma fx | D7991 | Dental coronoidectomy |
| D7770 | Open reduc compd alveolus fx | D7995 | Synthetic graft facial bones |
| D7771 | Alveolus clsd reduc stblz te | D7996 | Implant mandible for augment |
| D7780 | Reduct compnd facial bone fx | D7999 | Oral surgery procedure |
| D7810 | Tmj open reduct-dislocation | D9210 | Dent anesthesia w/o surgery |
| D7820 | Closed tmp manipulation | D9211 | Regional block anesthesia |
| D7830 | Tmj manipulation under anest | D9212 | Trigeminal block anesthesia |
| D7840 | Removal of tmj condyle | D9215 | Local anesthesia |
| D7850 | Tmj meniscectomy | D9219 | Eval mod/deep sed/gen anest |
| D7852 | Tmj repair of joint disc | D9222 | Deep anest, 1st 15 min |
| D7854 | Tmj excisn of joint membrane | D9239 | Iv mod sedation, 1st 15 min |
| D7856 | Tmj cutting of a muscle | D9310 | Dental consultation |
| D7858 | Tmj reconstruction | D9311 | Consult w/med hlth care prof |
| D7860 | Tmj cutting into joint | D9410 | Dental house call |
| D7865 | Tmj reshaping components | D9420 | Hospital/asc call |
| D7870 | Tmj aspiration joint fluid | D9430 | Office visit during hours |
| D7871 | Lysis + lavage w catheters | D9440 | Office visit after hours |
| D7872 | Tmj diagnostic arthroscopy | D9450 | Case presentation tx plan |
| D7873 | Tmj arthroscopy lysis adhesn | D9610 | Dent therapeutic drug inject |
| D7874 | Tmj arthroscopy disc reposi | D9961 | Dup/copy patient's records |
| D7875 | Tmj arthroscopy synovectomy | D9975 | External bleaching home app |
| D7876 | Tmj arthroscopy disectomy | D9986 | Missed appointment |
| D7877 | Tmj arthroscopy debridement | D9987 | Cancelled appointment |
| D7880 | Occlusal orthotic appliance | D9990 | Trans or sign language svcs |
| D7899 | Tmj unspecified therapy | D9991 | Case mgmt, appt barriers |
| D7910 | Dent suture recent wnd to 5cm | D9992 | Case mgmt, care coordination |
| D7911 | Dental suture wound to 5 cm | D9993 | Case mgmt, interviewing |
| D7912 | Suture complicate wnd > 5 cm | D9994 | Case mgmt, pt education |
| D7920 | Dental skin graft | D9995 | Teledentistry real-time |

| | | | |
|-------|------------------------------|-------|------------------------------|
| D9996 | Teledentistry dent review | G8996 | Swallow current status |
| D9999 | Adjunctive procedure | G8997 | Swallow goal status |
| E0118 | Crutch substitute | G8998 | Swallow d/c status |
| E0190 | Positioning cushion | G8999 | Motor speech current status |
| E0203 | Therapeutic lightbox tabletp | G9050 | Oncology work-up evaluation |
| E0240 | Bath/shower chair | G9051 | Oncology tx decision-mgmt |
| E0246 | Transfer tub rail attachment | G9052 | Onc surveillance for disease |
| E0247 | Trans bench w/wo comm open | G9053 | Onc expectant management pt |
| E0248 | Hdtrans bench w/wo comm open | G9054 | Onc supervision palliative |
| E0350 | Control unit bowel system | G9055 | Onc visit unspecified nos |
| E0352 | Disposable pack w/bowel syst | G9056 | Onc prac mgmt adheres guide |
| E0370 | Air elevator for heel | G9057 | Onc pract mgmt differs trial |
| E0639 | Moveable patient lift system | G9058 | Onc prac mgmt disagree w/gui |
| E0640 | Fixed patient lift system | G9059 | Onc prac mgmt pt opt alterna |
| E0700 | Safety equipment | G9060 | Onc prac mgmt dif pt comorb |
| E0710 | Restraints any type | G9061 | Onc prac cond noadd by guide |
| E0755 | Electronic salivary reflex s | G9062 | Onc prac guide differs nos |
| E0761 | Nontherm electromgntc device | G9158 | Motor speech d/c status |
| E0970 | Wheelchair no. 2 footplates | G9159 | Lang comp current status |
| E1085 | Hemi-wheelchair fixed arms | G9160 | Lang comp goal status |
| E1086 | Hemi-wheelchair detachable a | G9161 | Lang comp d/c status |
| E1089 | Wheelchair lightwt fixed arm | G9162 | Lang express current status |
| E1090 | Wheelchair lightweight det a | G9163 | Lang express goal status |
| E1130 | Whlchr stand fxd arm ft rest | G9164 | Lang express d/c status |
| E1140 | Wheelchair standard detach a | G9165 | Atten current status |
| E1250 | Wheelchair lightwt fixed arm | G9166 | Atten goal status |
| E1260 | Wheelchair lightwt foot rest | G9167 | Atten d/c status |
| E1285 | Wheelchair heavy duty fixed | G9168 | Memory current status |
| E1290 | Wheelchair hvy duty detach a | G9169 | Memory goal status |
| E8000 | Posterior gait trainer | G9170 | Memory d/c status |
| E8001 | Upright gait trainer | G9171 | Voice current status |
| E8002 | Anterior gait trainer | G9172 | Voice goal status |
| G0255 | Current percep threshold tst | G9173 | Voice d/c status |
| G8978 | Mobility current status | G9174 | Speech lang current status |
| G8979 | Mobility goal status | G9175 | Speech lang goal status |
| G8980 | Mobility d/c status | G9176 | Speech lang d/c status |
| G8981 | Body pos current status | G9186 | Motor speech goal status |
| G8982 | Body pos goal status | H0001 | Alcohol and/or drug assess |
| G8983 | Body pos d/c status | H0002 | Alcohol and/or drug screenin |
| G8984 | Carry current status | H0003 | Alcohol and/or drug screenin |
| G8985 | Carry goal status | H0004 | Alcohol and/or drug services |
| G8986 | Carry d/c status | H0005 | Alcohol and/or drug services |
| G8987 | Self care current status | H0006 | Alcohol and/or drug services |
| G8988 | Self care goal status | H0007 | Alcohol and/or drug services |
| G8989 | Self care d/c status | H0008 | Alcohol and/or drug services |
| G8990 | Other pt/ot current status | H0009 | Alcohol and/or drug services |
| G8991 | Other pt/ot goal status | H0010 | Alcohol and/or drug services |
| G8992 | Other pt/ot d/c status | H0011 | Alcohol and/or drug services |
| G8993 | Sub pt/ot current status | H0012 | Alcohol and/or drug services |
| G8994 | Sub pt/ot goal status | H0013 | Alcohol and/or drug services |
| G8995 | Sub pt/ot d/c status | H0014 | Alcohol and/or drug services |

| | | | |
|-------|------------------------------|-------|------------------------------|
| H0015 | Alcohol and/or drug services | H2015 | Comp comm supp svc, 15 min |
| H0016 | Alcohol and/or drug services | H2016 | Comp comm supp svc, per diem |
| H0017 | Alcohol and/or drug services | H2017 | Psysoc rehab svc, per 15 min |
| H0018 | Alcohol and/or drug services | H2018 | Psysoc rehab svc, per diem |
| H0019 | Alcohol and/or drug services | H2019 | Ther behav svc, per 15 min |
| H0020 | Alcohol and/or drug services | H2020 | Ther behav svc, per diem |
| H0021 | Alcohol and/or drug training | H2021 | Com wrap-around sv, 15 min |
| H0022 | Alcohol and/or drug interven | H2022 | Com wrap-around sv, per diem |
| H0023 | Alcohol and/or drug outreach | H2023 | Supported employ, per 15 min |
| H0024 | Alcohol and/or drug preventi | H2024 | Supported employ, per diem |
| H0025 | Alcohol and/or drug preventi | H2025 | Supp maint employ, 15 min |
| H0026 | Alcohol and/or drug preventi | H2026 | Supp maint employ, per diem |
| H0027 | Alcohol and/or drug preventi | H2027 | Psychoed svc, per 15 min |
| H0028 | Alcohol and/or drug preventi | H2028 | Sex offend tx svc, 15 min |
| H0029 | Alcohol and/or drug preventi | H2029 | Sex offend tx svc, per diem |
| H0030 | Alcohol and/or drug hotline | H2030 | Mh clubhouse svc, per 15 min |
| H0031 | Mh health assess by non-md | H2031 | Mh clubhouse svc, per diem |
| H0032 | Mh svc plan dev by non-md | H2032 | Activity therapy, per 15 min |
| H0033 | Oral med adm direct observe | H2033 | Multisys ther/juvenile 15min |
| H0034 | Med trng & support per 15min | H2034 | A/d halfway house, per diem |
| H0035 | Mh partial hosp tx under 24h | H2035 | A/d tx program, per hour |
| H0036 | Comm psy face-face per 15min | H2036 | A/d tx program, per diem |
| H0037 | Comm psy sup tx pgm per diem | H2037 | Dev delay prev dp ch, 15 min |
| H0038 | Self-help/peer svc per 15min | J1810 | Droperidol/fentanyl inj |
| H0039 | Asser com tx face-face/15min | J7306 | Levonorgestrel implant sys |
| H0040 | Assert comm tx pgm per diem | J7640 | Formoterol comp unit |
| H0041 | Fos c chld non-ther per diem | L2861 | Torsion mechanism knee/ankle |
| H0042 | Fos c chld non-ther per mon | L3260 | Ambulatory surgical boot eac |
| H0043 | Supported housing, per diem | L3891 | Torsion mechanism wrist/elbo |
| H0044 | Supported housing, per month | P7001 | Culture bacterial urine |
| H0045 | Respite not-in-home per diem | Q0144 | Azithromycin dihydrate, oral |
| H0046 | Mental health service, nos | S0012 | Butorphanol tartrate, nasal |
| H0047 | Alcohol/drug abuse svc nos | S0014 | Tacrine hydrochloride, 10 mg |
| H0048 | Spec coll non-blood:a/d test | S0017 | Injection, aminocaproic acid |
| H0049 | Alcohol/drug screening | S0020 | Injection, bupivacaine hydro |
| H0050 | Alcohol/drug service 15 min | S0021 | Injection, cefoperazone sod |
| H1000 | Prenatal care atrisk assessm | S0023 | Injection, cimetidine hydroc |
| H1001 | Antepartum management | S0028 | Injection, famotidine, 20 mg |
| H1002 | Carecoordination prenatal | S0030 | Injection, metronidazole |
| H1003 | Prenatal at risk education | S0032 | Injection, nafcillin sodium |
| H1004 | Follow up home visit/prental | S0034 | Injection, ofloxacin, 400 mg |
| H1005 | Prenatalcare enhanced srv pk | S0039 | Injection, sulfamethoxazole |
| H1010 | Nonmed family planning ed | S0040 | Injection, ticarcillin disod |
| H1011 | Family assessment | S0073 | Injection, aztreonam, 500 mg |
| H2000 | Comp multidisipln evaluation | S0074 | Injection, cefotetan disodiu |
| H2001 | Rehabilitation program 1/2 d | S0077 | Injection, clindamycin phosp |
| H2010 | Comprehensive med svc 15 min | S0078 | Injection, fosphenytoin sodi |
| H2011 | Crisis interven svc, 15 min | S0080 | Injection, pentamidine iseth |
| H2012 | Behav hlth day treat, per hr | S0081 | Injection, piperacillin sodi |
| H2013 | Psych hlth fac svc, per diem | S0088 | Imatinib 100 mg |
| H2014 | Skills train and dev, 15 min | S0090 | Sildenafil citrate, 25 mg |

| | | | |
|-------|------------------------------|-------|------------------------------|
| S0091 | Granisetron 1mg | S0220 | Medical conference by physic |
| S0092 | Hydromorphone 250 mg | S0221 | Medical conference, 60 min |
| S0093 | Morphine 500 mg | S0250 | Comp geriatr asmt team |
| S0104 | Zidovudine, oral, 100 mg | S0255 | Hospice refer visit nonmd |
| S0106 | Bupropion hcl sr 60 tablets | S0257 | End of life counseling |
| S0108 | Mercaptopurine 50 mg | S0260 | H&p for surgery |
| S0109 | Methadone oral 5mg | S0265 | Genetic counsel 15 mins |
| S0117 | Tretinoin topical 5 g | S0270 | Home std case rate 30 days |
| S0119 | Ondansetron 4 mg | S0271 | Home hospice case 30 days |
| S0122 | Inj menotropins 75 iu | S0272 | Home episodic case 30 days |
| S0126 | Inj follitropin alfa 75 iu | S0273 | Md home visit outside cap |
| S0128 | Inj follitropin beta 75 iu | S0274 | Nurse practr visit outs cap |
| S0132 | Inj ganirelix acetat 250 mcg | S0280 | Medical home, initial plan |
| S0136 | Clozapine, 25 mg | S0281 | Medical home, maintenance |
| S0137 | Didanosine, 25 mg | S0302 | Completed epsdt |
| S0138 | Finasteride, 5 mg | S0310 | Hospitalist visit |
| S0139 | Minoxidil, 10 mg | S0315 | Disease management program |
| S0140 | Saquinavir, 200 mg | S0316 | Follow-up/reassessment |
| S0142 | Colistimethate inh sol mg | S0317 | Disease mgmt per diem |
| S0145 | Peg interferon alfa-2a/180 | S0320 | Rn telephone calls to dmp |
| S0148 | Peg interferon alfa-2b/10 | S0340 | Lifestyle mod 1st stage |
| S0155 | Epoprostenol dilutant | S0341 | Lifestyle mod 2 or 3 stage |
| S0156 | Exemestane, 25 mg | S0342 | Lifestyle mod 4th stage |
| S0157 | Becaplermin gel 1%, 0.5 gm | S0353 | Cancer treatmentplan initial |
| S0160 | Dextroamphetamine | S0354 | Cancer treatment plan change |
| S0164 | Injection pantoprazole | S0390 | Rout foot care per visit |
| S0166 | Inj olanzapine 2.5mg | S0395 | Impression casting ft |
| S0169 | Calcitrol | S0400 | Global eswl kidney |
| S0170 | Anastrozole 1 mg | S0500 | Dispos cont lens |
| S0171 | Bumetanide 0.5 mg | S0504 | Singl prscrp lens |
| S0172 | Chlorambucil 2 mg | S0506 | Bifoc prscrp lens |
| S0174 | Dolasetron 50 mg | S0508 | Trifoc prscrp lens |
| S0175 | Flutamide 125 mg | S0510 | Non-prscrp lens |
| S0176 | Hydroxyurea 500 mg | S0512 | Daily cont lens |
| S0177 | Levamisole 50 mg | S0514 | Color cont lens |
| S0178 | Lomustine 10 mg | S0515 | Scleral lens liquid bandage |
| S0179 | Megestrol 20 mg | S0516 | Safety frames |
| S0182 | Procabazine, oral | S0518 | Sunglass frames |
| S0183 | Prochlorperazine 5 mg | S0580 | Polycarb lens |
| S0187 | Tamoxifen 10 mg | S0581 | Nonstd lens |
| S0189 | Testosterone pellet 75 mg | S0590 | Misc integral lens serv |
| S0190 | Mifepristone, oral, 200 mg | S0592 | Comp cont lens eval |
| S0191 | Misoprostol, oral, 200 mcg | S0595 | New lenses in pts old frame |
| S0194 | Vitamin suppl 100 caps | S0596 | Phakic iol refractive error |
| S0197 | Prenatal vitamins 30 day | S0601 | Screening proctoscopy |
| S0199 | Med abortion inc all ex drug | S0610 | Annual gynecological examina |
| S0201 | Partial hospitalization serv | S0612 | Annual gynecological examina |
| S0207 | Paramedicintercep nonhospals | S0613 | Ann breast exam |
| S0208 | Paramed intrcept nonvol | S0618 | Audiometry for hearing aid |
| S0209 | Wc van mileage per mi | S0620 | Routine ophthalmological exa |
| S0215 | Nonemerg transp mileage | S0621 | Routine ophthalmological exa |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| S0622 | Phys exam for college | S2300 | Arthroscopy, shoulder, surgi |
| S0630 | Removal of sutures | S2325 | Hip core decompression |
| S0800 | Laser in situ keratomileusis | S2340 | Chemodenervation of abductor |
| S0810 | Photorefractive keratectomy | S2341 | Chemodenerv adduct vocal |
| S0812 | Phototherap keratect | S2342 | Nasal endoscop po debrid |
| S1001 | Deluxe item | S2348 | Decompress disc rf lumbar |
| S1002 | Custom item | S2350 | Diskectomy, anterior, with d |
| S1015 | Iv tubing extension set | S2351 | Diskectomy, anterior, with d |
| S1016 | Non-pvc intravenous administ | S2400 | Fetal surg congen hernia |
| S1030 | Gluc monitor purchase | S2401 | Fetal surg urin trac obstr |
| S1031 | Gluc monitor rental | S2402 | Fetal surg cong cyst malf |
| S1040 | Cranial remolding orthosis | S2403 | Fetal surg pulmon sequest |
| S2053 | Transplantation of small int | S2404 | Fetal surg myelomeningo |
| S2054 | Transplantation of multivisc | S2405 | Fetal surg sacrococ teratoma |
| S2055 | Harvesting of donor multivisc | S2409 | Fetal surg noc |
| S2060 | Lobar lung transplantation | S2411 | Fetoscop laser ther ttts |
| S2061 | Donor lobectomy (lung) | S2900 | Robotic surgical system |
| S2065 | Simult panc kidn trans | S3000 | Bilat dil retinal exam |
| S2066 | Breast gap flap reconst | S3005 | Eval self-assess depression |
| S2067 | Breast "stacked" diep/gap | S3600 | Stat lab |
| S2068 | Breast diep or siea flap | S3601 | Stat lab home/nf |
| S2070 | Cysto laser tx ureteral calc | S3620 | Newborn metabolic screening |
| S2079 | Lap esophagomyotomy | S3630 | Eosinophil blood count |
| S2080 | Laup | S3645 | Hiv-1 antibody testing of or |
| S2083 | Adjustment gastric band | S3650 | Saliva test, hormone level; |
| S2095 | Transcath emboliz microspher | S3652 | Saliva test, hormone level; |
| S2102 | Islet cell tissue transplant | S3655 | Antisperm antibodies test |
| S2103 | Adrenal tissue transplant | S3708 | Gastrointestinal fat absorpt |
| S2107 | Adoptive immunotherapy | S3722 | Dose optimization auc - 5fu |
| S2112 | Knee arthroscop harv | S3800 | Genetic testing als |
| S2115 | Periacetabular osteotomy | S3840 | Dna analysis ret-oncogene |
| S2117 | Arthroereisis, subtalar | S3841 | Gene test retinoblastoma |
| S2118 | Total hip resurfacing | S3842 | Gene test hippel-lindau |
| S2120 | Low density lipoprotein(ldl) | S3844 | Dna analysis deafness |
| S2140 | Cord blood harvesting | S3845 | Gene test alpha-thalassemia |
| S2142 | Cord blood-derived stem-cell | S3846 | Gene test beta-thalassemia |
| S2150 | Bmt harv/transpl 28d pkg | S3849 | Gene test niemann-pick |
| S2152 | Solid organ transpl pkg | S3850 | Gene test sickle cell |
| S2202 | Echosclerotherapy | S3852 | Dna analysis apoe alzheimer |
| S2205 | Minimally invasive direct co | S3853 | Gene test myo musclr dyst |
| S2206 | Minimally invasive direct co | S3854 | Gene profile panel breast |
| S2207 | Minimally invasive direct co | S3861 | Genetic test brugada |
| S2208 | Minimally invasive direct co | S3865 | Comp genet test hyp cardiomy |
| S2209 | Minimally invasive direct co | S3866 | Spec gene test hyp cardiomy |
| S2225 | Myringotomy laser-assist | S3870 | Cgh test developmental delay |
| S2230 | Implant semi-imp hear | S3900 | Surface emg |
| S2235 | Implant auditory brain imp | S3902 | Ballistocardiogram |
| S2260 | Induced abortion 17-24 weeks | S3904 | Masters two step |
| S2265 | Induced abortion 25-28 wks | S4005 | Interim labor facility globa |
| S2266 | Induced abortion 29-31 wks | S4011 | Ivf package |
| S2267 | Induced abortion 32 or more | S4013 | Compl gift case rate |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| S4014 | Compl zift case rate | S5140 | Adult foster care per diem |
| S4015 | Complete ivf nos case rate | S5141 | Adult foster care per month |
| S4016 | Frozen ivf case rate | S5145 | Child fostercare th per diem |
| S4017 | Ivf canc a stim case rate | S5146 | Ther fostercare child /month |
| S4018 | F emb trns canc case rate | S5150 | Unskilled respite care /15m |
| S4020 | Ivf canc a aspir case rate | S5151 | Unskilled respitecare /diem |
| S4021 | Ivf canc p aspir case rate | S5160 | Emer response sys instal&tst |
| S4022 | Asst oocyte fert case rate | S5161 | Emer rspns sys serv permonth |
| S4023 | Incompl donor egg case rate | S5162 | Emer rspns system purchase |
| S4025 | Donor serv ivf case rate | S5165 | Home modifications per serv |
| S4026 | Procure donor sperm | S5170 | Homedelivered prepared meal |
| S4027 | Store prev froz embryos | S5175 | Laundry serv,ext,prof,/order |
| S4028 | Microsurg epi sperm asp | S5180 | Hh respiratory thrpy in eval |
| S4030 | Sperm procure init visit | S5181 | Hh respiratory thrpy nos/day |
| S4031 | Sperm procure subs visit | S5185 | Med reminder serv per month |
| S4035 | Stimulated iui case rate | S5190 | Wellness assessment by nonph |
| S4037 | Cryo embryo transf case rate | S5199 | Personal care item nos each |
| S4040 | Monit store cryo embryo 30 d | S5497 | Hit cath care noc |
| S4042 | Ovulation mgmt per cycle | S5498 | Hit simple cath care |
| S4981 | Insert levonorgestrel ius | S5501 | Hit complex cath care |
| S4989 | Contracept iud | S5502 | Hit interim cath care |
| S4990 | Nicotine patch legend | S5517 | Hit declotting kit |
| S4991 | Nicotine patch nonlegend | S5518 | Hit cath repair kit |
| S4993 | Contraceptive pills for bc | S5520 | Hit picc insert kit |
| S4995 | Smoking cessation gum | S5521 | Hit midline cath insert kit |
| S5000 | Prescription drug, generic | S5522 | Hit picc insert no supp |
| S5001 | Prescription drug,brand name | S5523 | Hip midline cath insert kit |
| S5010 | 5% dextrose and 0.45% saline | S5550 | Insulin rapid 5 u |
| S5012 | 5% dextrose with potassium | S5551 | Insulin most rapid 5 u |
| S5013 | 5%dextrose/0.45%saline1000ml | S5552 | Insulin intermed 5 u |
| S5014 | D5w/0.45ns w kcl and mgs04 | S5553 | Insulin long acting 5 u |
| S5035 | Hit routine device maint | S5560 | Insulin reuse pen 1.5 ml |
| S5036 | Hit device repair | S5561 | Insulin reuse pen 3 ml |
| S5100 | Adult daycare services 15min | S5565 | Insulin cartridge 150 u |
| S5101 | Adult day care per half day | S5566 | Insulin cartridge 300 u |
| S5102 | Adult day care per diem | S5570 | Insulin dispos pen 1.5 ml |
| S5105 | Centerbased day care perdiem | S5571 | Insulin dispos pen 3 ml |
| S5108 | Homecare train pt 15 min | S8030 | Tantalum ring application |
| S5109 | Homecare train pt session | S8035 | Magnetic source imaging |
| S5110 | Family homecare training 15m | S8037 | Mrcp |
| S5111 | Family homecare train/session | S8040 | Topographic brain mapping |
| S5115 | Nonfamily homecare train/15m | S8042 | Mri low field |
| S5116 | Nonfamily hc train/session | S8055 | Us guidance fetal reduct |
| S5120 | Chore services per 15 min | S8080 | Scintimammography |
| S5121 | Chore services per diem | S8085 | Fluorine-18 fluorodeoxygluco |
| S5125 | Attendant care service /15m | S8092 | Electron beam computed tomog |
| S5126 | Attendant care service /diem | S8096 | Portable peak flow meter |
| S5130 | Homaker service nos per 15m | S8097 | Asthma kit |
| S5131 | Homemaker service nos /diem | S8100 | Spacer without mask |
| S5135 | Adult companioncare per 15m | S8101 | Spacer with mask |
| S5136 | Adult companioncare per diem | S8110 | Peak expiratory flow rate (p |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| S8120 | O2 contents gas cubic ft | S9123 | Nursing care in home rn |
| S8121 | O2 contents liquid lb | S9124 | Nursing care, in the home; b |
| S8130 | Interferential stim 2 chan | S9125 | Respite care, in the home, p |
| S8131 | Interferential stim 4 chan | S9126 | Hospice care, in the home, p |
| S8185 | Flutter device | S9127 | Social work visit, in the ho |
| S8186 | Swivel adaptor | S9128 | Speech therapy, in the home, |
| S8189 | Trach supply noc | S9129 | Occupational therapy, in the |
| S8210 | Mucus trap | S9131 | Pt in the home per diem |
| S8265 | Haberman feeder | S9140 | Diabetic management program, |
| S8270 | Enuresis alarm | S9141 | Diabetic management program, |
| S8301 | Infect control supplies nos | S9145 | Insulin pump initiation |
| S8415 | Supplies for home delivery | S9150 | Evaluation by ocularist |
| S8420 | Custom gradient sleev/glov | S9152 | Speech therapy, re-eval |
| S8421 | Ready gradient sleev/glov | S9208 | Home mgmt preterm labor |
| S8422 | Custom grad sleeve med | S9209 | Home mgmt pprom |
| S8423 | Custom grad sleeve heavy | S9211 | Home mgmt gest hypertension |
| S8424 | Ready gradient sleeve | S9212 | Hm postpar hyper per diem |
| S8425 | Custom grad glove med | S9213 | Hm preeclamp per diem |
| S8426 | Custom grad glove heavy | S9214 | Hm gest dm per diem |
| S8427 | Ready gradient glove | S9325 | Hit pain mgmt per diem |
| S8428 | Ready gradient gauntlet | S9326 | Hit cont pain per diem |
| S8429 | Gradient pressure wrap | S9327 | Hit int pain per diem |
| S8430 | Padding for comprssn bdg | S9328 | Hit pain imp pump diem |
| S8431 | Compression bandage | S9329 | Hit chemo per diem |
| S8450 | Splint digit | S9330 | Hit cont chem diem |
| S8451 | Splint wrist or ankle | S9331 | Hit intermit chemo diem |
| S8452 | Splint elbow | S9335 | Ht hemodialysis diem |
| S8460 | Camisole post-mast | S9336 | Hit cont anticoag diem |
| S8490 | 100 insulin syringes | S9338 | Hit immunotherapy diem |
| S8930 | Auricular electrostimulation | S9339 | Hit periton dialysis diem |
| S8940 | Hippotherapy per session | S9340 | Hit enteral per diem |
| S8948 | Low-level laser trmt 15 min | S9341 | Hit enteral grav diem |
| S8950 | Complex lymphedema therapy, | S9342 | Hit enteral pump diem |
| S8990 | Pt or manip for maint | S9343 | Hit enteral bolus nurs |
| S8999 | Resuscitation bag | S9345 | Hit anti-hemophil diem |
| S9001 | Home uterine monitor with or | S9346 | Hit alpha-1-proteinase diem |
| S9007 | Ultrafiltration monitor | S9347 | Hit longterm infusion diem |
| S9024 | Paranasal sinus ultrasound | S9348 | Hit sympathomim diem |
| S9025 | Omniscardiogram/cardiointegra | S9349 | Hit tocolysis diem |
| S9034 | Eswl for gallstones | S9351 | Hit cont antiemetic diem |
| S9055 | Procuren or other growth fac | S9353 | Hit cont insulin diem |
| S9056 | Coma stimulation per diem | S9355 | Hit chelation diem |
| S9061 | Medical supplies and equipme | S9357 | Hit enzyme replace diem |
| S9083 | Urgent care center global | S9359 | Hit anti-tnf per diem |
| S9088 | Services provided in urgent | S9361 | Hit diuretic infus diem |
| S9090 | Vertebral axial decompressio | S9363 | Hit anti-spasmodic diem |
| S9097 | Home visit wound care | S9364 | Hit tpn total diem |
| S9098 | Home phototherapy visit | S9365 | Hit tpn 1 liter diem |
| S9110 | Telemonitoring/home per mnth | S9366 | Hit tpn 2 liter diem |
| S9117 | Back school visit | S9367 | Hit tpn 3 liter diem |
| S9122 | Home health aide or certifie | S9368 | Hit tpn over 3l diem |

| | | | |
|-------|------------------------------|-------|------------------------------|
| S9370 | Ht inj antiemetic diem | S9529 | Venipuncture home/snf |
| S9372 | Ht inj anticoag diem | S9537 | Ht hem horm inj diem |
| S9373 | Hit hydra total diem | S9538 | Hit blood products diem |
| S9374 | Hit hydra 1 liter diem | S9542 | Ht inj noc per diem |
| S9375 | Hit hydra 2 liter diem | S9558 | Ht inj growth horm diem |
| S9376 | Hit hydra 3 liter diem | S9559 | Hit inj interferon diem |
| S9377 | Hit hydra over 3l diem | S9560 | Ht inj hormone diem |
| S9379 | Hit noc per diem | S9562 | Ht inj palivizumab diem |
| S9381 | Hit high risk/escort | S9590 | Ht irrigation diem |
| S9401 | Anticoag clinic per session | S9810 | Ht pharm per hour |
| S9430 | Pharmacy comp/disp serv | S9900 | Christian sci pract visit |
| S9433 | Medical food oral 100% nutr | S9960 | Air ambulanc nonemerg fixed |
| S9434 | Mod solid food suppl | S9961 | Air ambulan nonemerg rotary |
| S9435 | Medical foods for inborn err | S9970 | Health club membership yr |
| S9436 | Lamaze class | S9975 | Transplant related per diem |
| S9437 | Childbirth refresher class | S9976 | Lodging per diem |
| S9438 | Cesarean birth class | S9977 | Meals per diem |
| S9439 | Vbac class | S9981 | Med record copy admin |
| S9441 | Asthma education | S9982 | Med record copy per page |
| S9442 | Birthing class | S9986 | Not medically necessary svc |
| S9443 | Lactation class | S9988 | Serv part of phase i trial |
| S9444 | Parenting class | S9989 | Services outside us |
| S9445 | Pt education noc individ | S9990 | Services provided as part of |
| S9446 | Pt education noc group | S9991 | Services provided as part of |
| S9447 | Infant safety class | S9992 | Transportation costs to and |
| S9449 | Weight mgmt class | S9994 | Lodging costs (e.g. hotel ch |
| S9451 | Exercise class | S9996 | Meals for clinical trial par |
| S9452 | Nutrition class | S9999 | Sales tax |
| S9453 | Smoking cessation class | T1000 | Private duty/independent nsg |
| S9454 | Stress mgmt class | T1001 | Nursing assessment/evaluatn |
| S9455 | Diabetic management program, | T1002 | Rn services up to 15 minutes |
| S9460 | Diabetic management program, | T1003 | Lpn/lvn services up to 15min |
| S9465 | Diabetic management program, | T1004 | Nsg aide service up to 15min |
| S9470 | Nutritional counseling, diet | T1005 | Respite care service 15 min |
| S9472 | Cardiac rehabilitation progr | T1006 | Family/couple counseling |
| S9473 | Pulmonary rehabilitation pro | T1007 | Treatment plan development |
| S9474 | Enterostomal therapy by a re | T1009 | Child sitting services |
| S9475 | Ambulatory setting substance | T1010 | Meals when receive services |
| S9476 | Vestibular rehab per diem | T1012 | Alcohol/substance abuse skil |
| S9480 | Intensive outpatient psychia | T1013 | Sign lang/oral interpreter |
| S9482 | Family stabilization 15 min | T1014 | Telehealth transmit, per min |
| S9484 | Crisis intervention per hour | T1015 | Clinic service |
| S9485 | Crisis intervention mental h | T1016 | Case management |
| S9490 | Hit corticosteroid/diem | T1017 | Targeted case management |
| S9494 | Hit antibiotic total diem | T1018 | School-based iep ser bundled |
| S9497 | Hit antibiotic q3h diem | T1019 | Personal care ser per 15 min |
| S9500 | Hit antibiotic q24h diem | T1020 | Personal care ser per diem |
| S9501 | Hit antibiotic q12h diem | T1021 | Hh aide or cn aide per visit |
| S9502 | Hit antibiotic q8h diem | T1022 | Contracted services per day |
| S9503 | Hit antibiotic q6h diem | T1023 | Program intake assessment |
| S9504 | Hit antibiotic q4h diem | T1024 | Team evaluation & management |

| | | | |
|-------|------------------------------|-------|------------------------------|
| T1025 | Ped compr care pkg, per diem | T2044 | Hospice respite care |
| T1026 | Ped compr care pkg, per hour | T2045 | Hospice general care |
| T1027 | Family training & counseling | T2046 | Hospice long term care, r&b |
| T1028 | Home environment assessment | T2048 | Bh ltc res r&b, per diem |
| T1029 | Dwelling lead investigation | T2049 | N-et; stretcher van, mileage |
| T1030 | Rn home care per diem | T2101 | Breast milk proc/store/dist |
| T1031 | Lpn home care per diem | T4521 | Adult size brief/diaper sm |
| T1502 | Medication admin visit | T4522 | Adult size brief/diaper med |
| T1503 | Med admin, not oral/inject | T4523 | Adult size brief/diaper lg |
| T1505 | Elec med comp dev, noc | T4524 | Adult size brief/diaper xl |
| T1999 | Noc retail items andsupplies | T4525 | Adult size pull-on sm |
| T2001 | N-et; patient attend/escort | T4526 | Adult size pull-on med |
| T2002 | N-et; per diem | T4527 | Adult size pull-on lg |
| T2003 | N-et; encounter/trip | T4528 | Adult size pull-on xl |
| T2004 | N-et; commerc carrier pass | T4529 | Ped size brief/diaper sm/med |
| T2005 | N-et; stretcher van | T4530 | Ped size brief/diaper lg |
| T2007 | Non-emer transport wait time | T4531 | Ped size pull-on sm/med |
| T2010 | Pasrr level i | T4532 | Ped size pull-on lg |
| T2011 | Pasrr level ii | T4533 | Youth size brief/diaper |
| T2012 | Habil ed waiver, per diem | T4534 | Youth size pull-on |
| T2013 | Habil ed waiver per hour | T4535 | Disposable liner/shield/pad |
| T2014 | Habil prevoc waiver, per d | T4536 | Reusable pull-on any size |
| T2015 | Habil prevoc waiver per hr | T4537 | Reusable underpad bed size |
| T2016 | Habil res waiver per diem | T4538 | Diaper serv reusable diaper |
| T2017 | Habil res waiver 15 min | T4539 | Reuse diaper/brief any size |
| T2018 | Habil sup empl waiver/diem | T4540 | Reusable underpad chair size |
| T2019 | Habil sup empl waiver 15min | T4541 | Large disposable underpad |
| T2020 | Day habil waiver per diem | T4542 | Small disposable underpad |
| T2021 | Day habil waiver per 15 min | T4543 | Adult disp brief/diap abv xl |
| T2022 | Case management, per month | T4544 | Adlt disp und/pull on abv xl |
| T2023 | Targeted case mgmt per month | T5001 | Position seat spec orth need |
| T2024 | Serv asmnt/care plan waiver | T5999 | Supply, nos |
| T2025 | Waiver service, nos | V2756 | Eye glass case |
| T2026 | Special childcare waiver/d | | |
| T2027 | Spec childcare waiver 15 min | | |
| T2028 | Special supply, nos waiver | | |
| T2029 | Special med equip, noswaiver | | |
| T2030 | Assist living waiver/month | | |
| T2031 | Assist living waiver/diem | | |
| T2032 | Res care, nos waiver/month | | |
| T2033 | Res, nos waiver per diem | | |
| T2034 | Crisis interven waiver/diem | | |
| T2035 | Utility services waiver | | |
| T2036 | Camp overnite waiver/session | | |
| T2037 | Camp day waiver/session | | |
| T2038 | Comm trans waiver/service | | |
| T2039 | Vehicle mod waiver/service | | |
| T2040 | Financial mgt waiver/15min | | |
| T2041 | Support broker waiver/15 min | | |
| T2042 | Hospice routine home care | | |
| T2043 | Hospice continuous home care | | |

Non-implantable DME

| | | | |
|-------|------------------------------|-------|------------------------------|
| A5500 | Diab shoe for density insert | A7045 | Repl exhalation port for pap |
| A5501 | Diabetic custom molded shoe | A7046 | Repl water chamber, pap dev |
| A5503 | Diabetic shoe w/roller/rockr | A8000 | Soft protect helmet prefab |
| A5504 | Diabetic shoe with wedge | A8001 | Hard protect helmet prefab |
| A5505 | Diab shoe w/metatarsal bar | A8002 | Soft protect helmet custom |
| A5506 | Diabetic shoe w/off set heel | A8003 | Hard protect helmet custom |
| A5507 | Modification diabetic shoe | A8004 | Repl soft interface, helmet |
| A5508 | Diabetic deluxe shoe | A9900 | Supply/accessory/service |
| A5512 | Multi den insert direct form | A9999 | Dme supply or accessory, nos |
| A5513 | Multi den insert custom mold | B4034 | Enter feed supkit syr by day |
| A5514 | Mult den insert dir carv/cam | B4035 | Enteral feed supp pump per d |
| A7000 | Disposable canister for pump | B4036 | Enteral feed sup kit grav by |
| A7001 | Nondisposable pump canister | B4081 | Enteral ng tubing w/ stylet |
| A7002 | Tubing used w suction pump | B4082 | Enteral ng tubing w/o stylet |
| A7003 | Nebulizer administration set | B4083 | Enteral stomach tube levine |
| A7004 | Disposable nebulizer sml vol | B4087 | Gastro/jejuno tube, std |
| A7005 | Nondisposable nebulizer set | B4088 | Gastro/jejuno tube, low-pro |
| A7006 | Filtered nebulizer admin set | B4102 | Ef adult fluids and electro |
| A7007 | Lg vol nebulizer disposable | B4103 | Ef ped fluid and electrolyte |
| A7008 | Disposable nebulizer prefill | B4105 | Enzyme cartridge enteral nut |
| A7009 | Nebulizer reservoir bottle | B4149 | Ef blenderized foods |
| A7010 | Disposable corrugated tubing | B4150 | Ef complet w/intact nutrient |
| A7012 | Nebulizer water collec devic | B4152 | Ef calorie dense>=1.5kcal |
| A7013 | Disposable compressor filter | B4153 | Ef hydrolyzed/amino acids |
| A7014 | Compressor nondispos filter | B4154 | Ef spec metabolic noninherit |
| A7015 | Aerosol mask used w nebulize | B4155 | Ef incomplete/modular |
| A7016 | Nebulizer dome & mouthpiece | B4157 | Ef special metabolic inherit |
| A7017 | Nebulizer not used w oxygen | B4158 | Ef ped complete intact nut |
| A7018 | Water distilled w/nebulizer | B4159 | Ef ped complete soy based |
| A7020 | Interface, cough stim device | B4160 | Ef ped caloric dense>=0.7kc |
| A7026 | Replace chst cmprss sys hose | B4161 | Ef ped hydrolyzed/amino acid |
| A7027 | Combination oral/nasal mask | B4162 | Ef ped specmetabolic inherit |
| A7028 | Repl oral cushion combo mask | B4164 | Parenteral 50% dextrose solu |
| A7029 | Repl nasal pillow comb mask | B4168 | Parenteral sol amino acid 3. |
| A7030 | Cpap full face mask | B4172 | Parenteral sol amino acid 5. |
| A7031 | Replacement facemask interfa | B4176 | Parenteral sol amino acid 7- |
| A7032 | Replacement nasal cushion | B4178 | Parenteral sol amino acid > |
| A7033 | Replacement nasal pillows | B4180 | Parenteral sol carb > 50% |
| A7034 | Nasal application device | B4189 | Parenteral sol amino acid & |
| A7035 | Pos airway press headgear | B4193 | Parenteral sol 52-73 gm prot |
| A7036 | Pos airway press chinstrap | B4197 | Parenteral sol 74-100 gm pro |
| A7037 | Pos airway pressure tubing | B4199 | Parenteral sol > 100gm prote |
| A7038 | Pos airway pressure filter | B4216 | Parenteral nutrition additiv |
| A7039 | Filter, non disposable w pap | B4220 | Parenteral supply kit premix |
| A7044 | Pap oral interface | B4222 | Parenteral supply kit homemi |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| B4224 | Parenteral administration ki | E0189 | Lambswool sheepskin pad |
| B5000 | Parenteral sol renal-amirosoy | E0191 | Protector heel or elbow |
| B5100 | Parenteral solution hepatic | E0193 | Powered air flotation bed |
| B5200 | Parenteral sol hepatic fream | E0194 | Air fluidized bed |
| B9002 | Enter nutr inf pump any type | E0196 | Gel pressure mattress |
| B9004 | Parenteral infus pump portab | E0197 | Air pressure pad for mattres |
| B9006 | Parenteral infus pump statio | E0198 | Water pressure pad for mattr |
| B9998 | Enteral supp not otherwise c | E0199 | Dry pressure pad for mattres |
| B9999 | Parenteral supp not othrws c | E0200 | Heat lamp without stand |
| E0100 | Cane adjust/fixed with tip | E0202 | Phototherapy light w/ photom |
| E0105 | Cane adjust/fixed quad/3 pro | E0205 | Heat lamp with stand |
| E0110 | Crutch forearm pair | E0210 | Electric heat pad standard |
| E0111 | Crutch forearm each | E0215 | Electric heat pad moist |
| E0112 | Crutch underarm pair wood | E0217 | Water circ heat pad w pump |
| E0113 | Crutch underarm each wood | E0218 | Fluid circ cold pad w pump |
| E0114 | Crutch underarm pair no wood | E0221 | Infrared heating pad system |
| E0116 | Crutch underarm each no wood | E0225 | Hydrocollator unit |
| E0117 | Underarm springassist crutch | E0235 | Paraffin bath unit portable |
| E0130 | Walker rigid adjust/fixed ht | E0236 | Pump for water circulating p |
| E0135 | Walker folding adjust/fixed | E0239 | Hydrocollator unit portable |
| E0140 | Walker w trunk support | E0249 | Pad water circulating heat u |
| E0141 | Rigid wheeled walker adj/fix | E0250 | Hosp bed fixed ht w/ mattres |
| E0143 | Walker folding wheeled w/o s | E0251 | Hosp bed fixd ht w/o mattres |
| E0144 | Enclosed walker w rear seat | E0255 | Hospital bed var ht w/ mattr |
| E0147 | Walker variable wheel resist | E0256 | Hospital bed var ht w/o matt |
| E0148 | Heavyduty walker no wheels | E0260 | Hosp bed semi-electr w/ matt |
| E0149 | Heavy duty wheeled walker | E0261 | Hosp bed semi-electr w/o mat |
| E0153 | Forearm crutch platform atta | E0265 | Hosp bed total electr w/ mat |
| E0154 | Walker platform attachment | E0266 | Hosp bed total elec w/o matt |
| E0155 | Walker wheel attachment,pair | E0271 | Mattress innerspring |
| E0156 | Walker seat attachment | E0272 | Mattress foam rubber |
| E0157 | Walker crutch attachment | E0275 | Bed pan standard |
| E0158 | Walker leg extenders set of4 | E0276 | Bed pan fracture |
| E0159 | Brake for wheeled walker | E0277 | Powered pres-redu air mattr |
| E0160 | Sitz type bath or equipment | E0280 | Bed cradle |
| E0161 | Sitz bath/equipment w/faucet | E0290 | Hosp bed fx ht w/o rails w/m |
| E0162 | Sitz bath chair | E0291 | Hosp bed fx ht w/o rail w/o |
| E0163 | Commode chair with fixed arm | E0292 | Hosp bed var ht no sr w/matt |
| E0165 | Commode chair with detacharm | E0293 | Hosp bed var ht no sr no mat |
| E0167 | Commode chair pail or pan | E0294 | Hosp bed semi-elect w/ mattr |
| E0168 | Heavyduty/wide commode chair | E0295 | Hosp bed semi-elect w/o matt |
| E0170 | Commode chair electric | E0296 | Hosp bed total elect w/ matt |
| E0171 | Commode chair non-electric | E0297 | Hosp bed total elect w/o mat |
| E0175 | Commode chair foot rest | E0300 | Enclosed ped crib hosp grade |
| E0181 | Press pad alternating w/ pum | E0301 | Hd hosp bed, 350-600 lbs |
| E0182 | Replace pump, alt press pad | E0302 | Ex hd hosp bed > 600 lbs |
| E0184 | Dry pressure mattress | E0303 | Hosp bed hvy dty xtra wide |
| E0185 | Gel pressure mattress pad | E0304 | Hosp bed xtra hvy dty x wide |
| E0186 | Air pressure mattress | E0305 | Rails bed side half length |
| E0187 | Water pressure mattress | E0310 | Rails bed side full length |
| E0188 | Synthetic sheepskin pad | E0316 | Bed safety enclosure |

| | | | |
|-------|------------------------------|-------|------------------------------|
| E0325 | Urinal male jug-type | E0615 | Pacemaker monitr digital/vis |
| E0326 | Urinal female jug-type | E0617 | Automatic ext defibrillator |
| E0328 | Ped hospital bed, manual | E0618 | Apnea monitor |
| E0329 | Ped hospital bed semi/elect | E0619 | Apnea monitor w recorder |
| E0371 | Nonpower mattress overlay | E0620 | Cap bld skin piercing laser |
| E0372 | Powered air mattress overlay | E0621 | Patient lift sling or seat |
| E0373 | Nonpowered pressure mattress | E0627 | Seat lift mech, electric any |
| E0424 | Stationary compressed gas O2 | E0629 | Seat lift mech, non-electric |
| E0431 | Portable gaseous O2 | E0630 | Patient lift hydraulic |
| E0433 | Portable liquid oxygen sys | E0635 | Patient lift electric |
| E0434 | Portable liquid O2 | E0636 | Pt support & positioning sys |
| E0439 | Stationary liquid O2 | E0650 | Pneuma compresor non-segment |
| E0441 | Stationary o2 contents, gas | E0651 | Pneum compressor segmental |
| E0442 | Stationary o2 contents, liq | E0652 | Pneum compres w/cal pressure |
| E0443 | Portable O2 contents, gas | E0655 | Pneumatic appliance half arm |
| E0444 | Portable O2 contents, liquid | E0656 | Segmental pneumatic trunk |
| E0447 | Port o2 cont, liq over 4 lpm | E0657 | Segmental pneumatic chest |
| E0455 | Oxygen tent excl croup/ped t | E0660 | Pneumatic appliance full leg |
| E0462 | Rocking bed w/ or w/o side r | E0665 | Pneumatic appliance full arm |
| E0465 | Home vent invasive interface | E0666 | Pneumatic appliance half leg |
| E0466 | Home vent non-invasive inter | E0667 | Seg pneumatic appl full leg |
| E0467 | Home vent multi-function | E0668 | Seg pneumatic appl full arm |
| E0470 | Rad w/o backup non-inv intfc | E0669 | Seg pneumatic appli half leg |
| E0471 | Rad w/backup non inv intrfc | E0670 | Seg pneum int legs/trunk |
| E0472 | Rad w backup invasive intrfc | E0671 | Pressure pneum appl full leg |
| E0480 | Percussor elect/pneum home m | E0672 | Pressure pneum appl full arm |
| E0482 | Cough stimulating device | E0673 | Pressure pneum appl half leg |
| E0483 | Hi freq chest wall oscil sys | E0675 | Pneumatic compression device |
| E0484 | Non-elec oscillatory pep dvc | E0676 | Inter limb compress dev nos |
| E0485 | Oral device/appliance prefab | E0691 | Uvl pnl 2 sq ft or less |
| E0486 | Oral device/appliance cusfab | E0692 | Uvl sys panel 4 ft |
| E0500 | Ippb all types | E0693 | Uvl sys panel 6 ft |
| E0550 | Humidif extens supple w ippb | E0694 | Uvl md cabinet sys 6 ft |
| E0555 | Humidifier for use w/ regula | E0720 | Tens two lead |
| E0560 | Humidifier supplemental w/ i | E0730 | Tens four lead |
| E0561 | Humidifier nonheated w pap | E0731 | Conductive garment for tens/ |
| E0562 | Humidifier heated used w pap | E0740 | Non-implant pelv flr e-stim |
| E0565 | Compressor air power source | E0744 | Neuromuscular stim for scoli |
| E0570 | Nebulizer with compression | E0745 | Neuromuscular stim for shock |
| E0572 | Aerosol compressor adjust pr | E0747 | Elec osteogen stim not spine |
| E0574 | Ultrasonic generator w svneb | E0748 | Elec osteogen stim spinal |
| E0575 | Nebulizer ultrasonic | E0760 | Osteogen ultrasound stimltor |
| E0580 | Nebulizer for use w/ regulat | E0764 | Functional neuromuscularstim |
| E0585 | Nebulizer w/ compressor & he | E0765 | Nerve stimulator for tx n&v |
| E0600 | Suction pump portab hom modl | E0766 | Elec stim cancer treatment |
| E0601 | Cont airway pressure device | E0770 | Functional electric stim nos |
| E0602 | Manual breast pump | E0776 | Iv pole |
| E0605 | Vaporizer room type | E0779 | Amb infusion pump mechanical |
| E0606 | Drainage board postural | E0780 | Mech amb infusion pump <8hrs |
| E0607 | Blood glucose monitor home | E0781 | External ambulatory infus pu |
| E0610 | Pacemaker monitr audible/vis | E0784 | Ext amb infusn pump insulin |

| | | | |
|-------|------------------------------|-------|-------------------------------|
| E0791 | Parenteral infusion pump sta | E1006 | Pwr seat combo w/o shear |
| E0840 | Tract frame attach headboard | E1007 | Pwr seat combo w/shear |
| E0849 | Cervical pneum trac equip | E1008 | Pwr seat combo pwr shear |
| E0850 | Traction stand free standing | E1009 | Add mech leg elevation |
| E0855 | Cervical traction equipment | E1010 | Add pwr leg elevation |
| E0856 | Cervic collar w air bladders | E1011 | Ped wc modify width adjustm |
| E0860 | Tract equip cervical tract | E1012 | Ctr mount pwr elev leg rest |
| E0870 | Tract frame attach footboard | E1014 | Reclining back add ped w/c |
| E0880 | Trac stand free stand extrem | E1015 | Shock absorber for man w/c |
| E0890 | Traction frame attach pelvic | E1016 | Shock absorber for power w/c |
| E0900 | Trac stand free stand pelvic | E1017 | Hd shck absbr for hd man wc |
| E0910 | Trapeze bar attached to bed | E1018 | Hd shck absbr for hd powwc |
| E0911 | Hd trapeze bar attach to bed | E1020 | Residual limb support system |
| E0912 | Hd trapeze bar free standing | E1028 | W/c manual swingaway |
| E0920 | Fracture frame attached to b | E1029 | W/c vent tray fixed |
| E0930 | Fracture frame free standing | E1030 | W/c vent tray gimbaled |
| E0935 | Cont pas motion exercise dev | E1031 | Rollabout chair with casters |
| E0940 | Trapeze bar free standing | E1035 | Patient transfer system <300 |
| E0941 | Gravity assisted traction de | E1036 | Patient transfer system >300 |
| E0942 | Cervical head harness/halter | E1037 | Transport chair, ped size |
| E0944 | Pelvic belt/harness/boot | E1038 | Transport chair pt wt<=300lb |
| E0945 | Belt/harness extremity | E1039 | Transport chair pt wt >300lb |
| E0946 | Fracture frame dual w cross | E1050 | Wheelchr fxd full length arms |
| E0947 | Fracture frame attachmnts pe | E1060 | Wheelchair detachable arms |
| E0948 | Fracture frame attachmnts ce | E1070 | Wheelchair detachable foot r |
| E0950 | Tray | E1083 | Hemi-wheelchair fixed arms |
| E0951 | Loop heel | E1084 | Hemi-wheelchair detachable a |
| E0952 | Toe loop/holder, each | E1087 | Wheelchair lightwt fixed arm |
| E0953 | W/c lateral thigh/knee sup | E1088 | Wheelchair lightweight det a |
| E0954 | Foot box, any type each foot | E1092 | Wheelchair wide w/ leg rests |
| E0955 | Cushioned headrest | E1093 | Wheelchair wide w/ foot rest |
| E0956 | W/c lateral trunk/hip suppor | E1100 | Whchr s-recl fxd arm leg res |
| E0957 | W/c medial thigh support | E1110 | Wheelchair semi-recl detach |
| E0958 | Whlchr att- conv 1 arm drive | E1150 | Wheelchair standard w/ leg r |
| E0960 | W/c shoulder harness/straps | E1160 | Wheelchair fixed arms |
| E0967 | Man wc rim/projection rep ea | E1161 | Manual adult wc w tiltinspac |
| E0968 | Wheelchair commode seat | E1170 | Whlchr ampu fxd arm leg rest |
| E0969 | Wheelchair narrowing device | E1171 | Wheelchair amputee w/o leg r |
| E0980 | Wheelchair safety vest | E1172 | Wheelchair amputee detach ar |
| E0981 | Seat upholstery, replacement | E1180 | Wheelchair amputee w/ foot r |
| E0982 | Back upholstery, replacement | E1190 | Wheelchair amputee w/ leg re |
| E0983 | Add pwr joystick | E1195 | Wheelchair amputee heavy dut |
| E0984 | Add pwr tiller | E1200 | Wheelchair amputee fixed arm |
| E0985 | W/c seat lift mechanism | E1220 | Whlchr special size/constrc |
| E0986 | Man w/c push-rim powr system | E1221 | Wheelchair spec size w foot |
| E0988 | Lever-activated wheel drive | E1222 | Wheelchair spec size w/ leg |
| E0994 | Wheelchair arm rest | E1223 | Wheelchair spec size w foot |
| E1002 | Pwr seat tilt | E1224 | Wheelchair spec size w/ leg |
| E1003 | Pwr seat recline | E1225 | Manual semi-reclining back |
| E1004 | Pwr seat recline mech | E1227 | Wheelchair spec sz spec ht a |
| E1005 | Pwr seat recline pwr | E1228 | Wheelchair spec sz spec ht b |

| | | | |
|-------|------------------------------|-------|-------------------------------|
| E1229 | Pediatric wheelchair nos | E1831 | Static str toe dev ext/flex |
| E1230 | Power operated vehicle | E1840 | Adj shoulder ext/flex device |
| E1231 | Rigid ped w/c tilt-in-space | E1841 | Static str shldr dev rom adj |
| E1232 | Folding ped wc tilt-in-space | E1902 | Aac non-electronic board |
| E1233 | Rig ped wc tltnspc w/o seat | E2000 | Gastric suction pump hme mdl |
| E1234 | Fld ped wc tltnspc w/o seat | E2100 | Bld glucose monitor w voice |
| E1235 | Rigid ped wc adjustable | E2101 | Bld glucose monitor w lance |
| E1236 | Folding ped wc adjustable | E2120 | Pulse gen sys tx endolymph fl |
| E1237 | Rgd ped wc adjstabl w/o seat | E2201 | Man w/ch acc seat w>=20"<24 |
| E1238 | Fld ped wc adjstabl w/o seat | E2202 | Seat width 24-27 in |
| E1239 | Ped power wheelchair nos | E2203 | Frame depth less than 22 in |
| E1240 | Whchr litwt det arm leg rest | E2204 | Frame depth 22 to 25 in |
| E1270 | Wheelchair lightweight leg r | E2205 | Manual wc accessory, handrim |
| E1280 | Whchr h-duty det arm leg res | E2206 | Man wc whl lock comp repl ea |
| E1295 | Wheelchair heavy duty fixed | E2207 | Crutch and cane holder |
| E1296 | Wheelchair special seat heig | E2208 | Cylinder tank carrier |
| E1297 | Wheelchair special seat dept | E2209 | Arm trough each |
| E1298 | Wheelchair spec seat depth/w | E2210 | Wheelchair bearings |
| E1310 | Whirlpool non-portable | E2211 | Pneumatic propulsion tire |
| E1352 | O2 flow reg pos inspir press | E2212 | Pneumatic prop tire tube |
| E1353 | Oxygen supplies regulator | E2213 | Pneumatic prop tire insert |
| E1354 | Wheeled cart, port cyl/conc | E2214 | Pneumatic caster tire each |
| E1355 | Oxygen supplies stand/rack | E2215 | Pneumatic caster tire tube |
| E1356 | Batt pack/cart, port conc | E2216 | Foam filled propulsion tire |
| E1357 | Battery charger, port conc | E2217 | Foam filled caster tire each |
| E1358 | Dc power adapter, port conc | E2218 | Foam propulsion tire each |
| E1372 | Oxy suppl heater for nebuliz | E2219 | Foam caster tire any size ea |
| E1390 | Oxygen concentrator | E2220 | Solid propuls tire, repl, ea |
| E1391 | Oxygen concentrator, dual | E2221 | Solid caster tire repl, each |
| E1392 | Portable oxygen concentrator | E2222 | Solid caster integ whl, repl |
| E1399 | Durable medical equipment mi | E2224 | Propulsion whl excl tire rep |
| E1405 | O2/water vapor enrich w/heat | E2225 | Caster wheel excludes tire |
| E1406 | O2/water vapor enrich w/o he | E2226 | Caster fork replacement only |
| E1700 | Jaw motion rehab system | E2227 | Gear reduction drive wheel |
| E1701 | Repl cushions for jaw motion | E2228 | Mwc acc, wheelchair brake |
| E1702 | Repl measr scales jaw motion | E2230 | Manual standing system |
| E1800 | Adjust elbow ext/flex device | E2231 | Solid seat support base |
| E1801 | Sps elbow device | E2291 | Planar back for ped size wc |
| E1802 | Adjst forearm pro/sup device | E2292 | Planar seat for ped size wc |
| E1805 | Adjust wrist ext/flex device | E2293 | Contour back for ped size wc |
| E1806 | Sps wrist device | E2294 | Contour seat for ped size wc |
| E1810 | Adjust knee ext/flex device | E2295 | Ped dynamic seating frame |
| E1811 | Sps knee device | E2300 | Pwr seat elevation sys |
| E1812 | Knee ext/flex w act res ctrl | E2301 | Pwr standing |
| E1815 | Adjust ankle ext/flex device | E2310 | Electro connect btw control |
| E1816 | Sps ankle device | E2311 | Electro connect btw 2 sys |
| E1818 | Sps forearm device | E2312 | Mini-prop remote joystick |
| E1820 | Soft interface material | E2313 | Pwc harness, expand control |
| E1821 | Replacement interface spsd | E2321 | Hand interface joystick |
| E1825 | Adjust finger ext/flex devc | E2322 | Mult mech switches |
| E1830 | Adjust toe ext/flex device | E2323 | Special joystick handle |

| | | | |
|-------|------------------------------|-------|------------------------------|
| E2324 | Chin cup interface | E2500 | Sgd digitized pre-rec <=8min |
| E2325 | Sip and puff interface | E2502 | Sgd prerec msg >8min <=20min |
| E2326 | Breath tube kit | E2504 | Sgd prerec msg>20min <=40min |
| E2327 | Head control interface mech | E2506 | Sgd prerec msg > 40 min |
| E2328 | Head/extremity control inter | E2508 | Sgd spelling phys contact |
| E2329 | Head control nonproportional | E2510 | Sgd w multi methods msg/accs |
| E2330 | Head control proximity switc | E2511 | Sgd sftwre prgrm for pc/pda |
| E2331 | Attendant control | E2512 | Sgd accessory, mounting sys |
| E2340 | W/c wdth 20-23 in seat frame | E2599 | Sgd accessory noc |
| E2341 | W/c wdth 24-27 in seat frame | E2601 | Gen w/c cushion wdth < 22 in |
| E2342 | W/c dpth 20-21 in seat frame | E2602 | Gen w/c cushion wdth >=22 in |
| E2343 | W/c dpth 22-25 in seat frame | E2603 | Skin protect wc cus wd <22in |
| E2351 | Electronic sgd interface | E2604 | Skin protect wc cus wd>=22in |
| E2358 | Gr 34 nonsealed leadacid | E2605 | Position wc cush wdth <22 in |
| E2359 | Gr34 sealed leadacid battery | E2606 | Position wc cush wdth>=22 in |
| E2360 | 22nf nonsealed leadacid | E2607 | Skin pro/pos wc cus wd <22in |
| E2361 | 22nf sealed leadacid battery | E2608 | Skin pro/pos wc cus wd>=22in |
| E2362 | Gr24 nonsealed leadacid | E2609 | Custom fabricate w/c cushion |
| E2363 | Gr24 sealed leadacid battery | E2611 | Gen use back cush wdth <22in |
| E2364 | U1nonsealed leadacid battery | E2612 | Gen use back cush wdth>=22in |
| E2365 | U1 sealed leadacid battery | E2613 | Position back cush wd <22in |
| E2366 | Battery charger, single mode | E2614 | Position back cush wd>=22in |
| E2367 | Battery charger, dual mode | E2615 | Pos back post/lat wdth <22in |
| E2368 | Pwr wc drivewheel motor repl | E2616 | Pos back post/lat wdth>=22in |
| E2369 | Pwr wc drivewheel gear repl | E2617 | Custom fab w/c back cushion |
| E2370 | Pwr wc dr wh motor/gear comb | E2619 | Replace cover w/c seat cush |
| E2371 | Gr27 sealed leadacid battery | E2620 | Wc planar back cush wd <22in |
| E2372 | Gr27 non-sealed leadacid | E2621 | Wc planar back cush wd>=22in |
| E2373 | Hand/chin ctrl spec joystick | E2622 | Adj skin pro w/c cus wd<22in |
| E2374 | Hand/chin ctrl std joystick | E2623 | Adj skin pro wc cus wd>=22in |
| E2375 | Non-expandable controller | E2624 | Adj skin pro/pos cus<22in |
| E2376 | Expandable controller, repl | E2625 | Adj skin pro/pos wc cus>=22 |
| E2377 | Expandable controller, initl | E2626 | Seo mobile arm sup att to wc |
| E2378 | Pw actuator replacement | E2627 | Arm supp att to wc rancho ty |
| E2381 | Pneum drive wheel tire | E2628 | Mobile arm supports reclinin |
| E2382 | Tube, pneum wheel drive tire | E2629 | Friction dampening arm supp |
| E2383 | Insert, pneum wheel drive | E2630 | Monosuspension arm/hand supp |
| E2384 | Pneumatic caster tire | E2631 | Elevat proximal arm support |
| E2385 | Tube, pneumatic caster tire | E2632 | Offset/lat rocker arm w/ela |
| E2386 | Foam filled drive wheel tire | E2633 | Mobile arm support supinator |
| E2387 | Foam filled caster tire | K0001 | Standard wheelchair |
| E2388 | Foam drive wheel tire | K0002 | Stnd hemi (low seat) whlchr |
| E2389 | Foam caster tire | K0003 | Lightweight wheelchair |
| E2390 | Solid drive wheel tire | K0004 | High strength ltwt whlchr |
| E2391 | Solid caster tire | K0005 | Ultralightweight wheelchair |
| E2392 | Solid caster tire, integrate | K0006 | Heavy duty wheelchair |
| E2394 | Drive wheel excludes tire | K0007 | Extra heavy duty wheelchair |
| E2395 | Caster wheel excludes tire | K0008 | Cstm manual wheelchair/base |
| E2396 | Caster fork | K0009 | Other manual wheelchair/base |
| E2397 | Pwc acc, lith-based battery | K0010 | Stnd wt frame power whlchr |
| E2402 | Neg press wound therapy pump | K0011 | Stnd wt pwr whlchr w control |

| | | | |
|-------|------------------------------|-------|------------------------------|
| K0012 | Ltwt portbl power whlchr | K0733 | 12-24hr sealed lead acid |
| K0013 | Custom power whlchr base | K0738 | Portable gas oxygen system |
| K0014 | Other power whlchr base | K0739 | Repair/svc dme non-oxygen eq |
| K0015 | Detach non-adj ht armrst rep | K0743 | Portable home suction pump |
| K0017 | Detach adjust armrest base | K0800 | Pov group 1 std up to 300lbs |
| K0018 | Detach adjust armrst upper | K0801 | Pov group 1 hd 301-450 lbs |
| K0019 | Arm pad repl, each | K0802 | Pov group 1 vhd 451-600 lbs |
| K0020 | Fixed adjust armrest pair | K0806 | Pov group 2 std up to 300lbs |
| K0037 | Hi mount flip-up footrest ea | K0807 | Pov group 2 hd 301-450 lbs |
| K0038 | Leg strap each | K0808 | Pov group 2 vhd 451-600 lbs |
| K0039 | Leg strap h style each | K0812 | Power operated vehicle noc |
| K0040 | Adjustable angle footplate | K0813 | Pwc gp 1 std port seat/back |
| K0041 | Large size footplate each | K0814 | Pwc gp 1 std port cap chair |
| K0042 | Standard size ftplate rep ea | K0815 | Pwc gp 1 std seat/back |
| K0043 | Ftrst lowr exten tube rep ea | K0816 | Pwc gp 1 std cap chair |
| K0044 | Ftrst upr hanger brac rep ea | K0820 | Pwc gp 2 std port seat/back |
| K0045 | Ftrst compl assembly repl ea | K0821 | Pwc gp 2 std port cap chair |
| K0046 | Elev lgrst lwr exten repl ea | K0822 | Pwc gp 2 std seat/back |
| K0047 | Elev legrst upr hangr rep ea | K0823 | Pwc gp 2 std cap chair |
| K0050 | Ratchet assembly replacement | K0824 | Pwc gp 2 hd seat/back |
| K0051 | Cam rel asm ft/legrst rep ea | K0825 | Pwc gp 2 hd cap chair |
| K0052 | Swingaway detach ftrst repl | K0826 | Pwc gp 2 vhd seat/back |
| K0053 | Elevate footrest articulate | K0827 | Pwc gp vhd cap chair |
| K0056 | Seat ht <17 or >=21 ltwt wc | K0828 | Pwc gp 2 xtra hd seat/back |
| K0065 | Spoke protectors | K0829 | Pwc gp 2 xtra hd cap chair |
| K0069 | Rr whl compl sol tire rep ea | K0830 | Pwc gp2 std seat elevate s/b |
| K0070 | Rr whl compl pne tire rep ea | K0831 | Pwc gp2 std seat elevate cap |
| K0071 | Fr cstr comp pne tire rep ea | K0835 | Pwc gp2 std sing pow opt s/b |
| K0072 | Fr cstr semi-pne tire rep ea | K0836 | Pwc gp2 std sing pow opt cap |
| K0073 | Caster pin lock each | K0837 | Pwc gp 2 hd sing pow opt s/b |
| K0077 | Fr cstr asmb sol tire rep ea | K0838 | Pwc gp 2 hd sing pow opt cap |
| K0098 | Drive belt for pwc, repl | K0839 | Pwc gp2 vhd sing pow opt s/b |
| K0105 | Iv hanger | K0840 | Pwc gp2 xhd sing pow opt s/b |
| K0108 | W/c component-accessory nos | K0841 | Pwc gp2 std mult pow opt s/b |
| K0195 | Elevating whlchair leg rests | K0842 | Pwc gp2 std mult pow opt cap |
| K0455 | Pump uninterrupted infusion | K0843 | Pwc gp2 hd mult pow opt s/b |
| K0462 | Temporary replacement eqpmnt | K0848 | Pwc gp 3 std seat/back |
| K0552 | Sup/ext non-ins inf pump syr | K0849 | Pwc gp 3 std cap chair |
| K0553 | Ther cgm supply allowance | K0850 | Pwc gp 3 hd seat/back |
| K0554 | Ther cgm receiver/monitor | K0851 | Pwc gp 3 hd cap chair |
| K0601 | Repl batt silver oxide 1.5 v | K0852 | Pwc gp 3 vhd seat/back |
| K0602 | Repl batt silver oxide 3 v | K0853 | Pwc gp 3 vhd cap chair |
| K0603 | Repl batt alkaline 1.5 v | K0854 | Pwc gp 3 xhd seat/back |
| K0604 | Repl batt lithium 3.6 v | K0855 | Pwc gp 3 xhd cap chair |
| K0605 | Repl batt lithium 4.5 v | K0856 | Pwc gp3 std sing pow opt s/b |
| K0606 | Aed garment w elec analysis | K0857 | Pwc gp3 std sing pow opt cap |
| K0607 | Repl batt for aed | K0858 | Pwc gp3 hd sing pow opt s/b |
| K0608 | Repl garment for aed | K0859 | Pwc gp3 hd sing pow opt cap |
| K0609 | Repl electrode for aed | K0860 | Pwc gp3 vhd sing pow opt s/b |
| K0669 | Seat/back cus no dmepdac ver | K0861 | Pwc gp3 std mult pow opt s/b |
| K0730 | Ctrl dose inh drug deliv sys | K0862 | Pwc gp3 hd mult pow opt s/b |

| | |
|-------|------------------------------|
| K0863 | Pwc gp3 vhd mult pow opt s/b |
| K0864 | Pwc gp3 xhd mult pow opt s/b |
| K0868 | Pwc gp 4 std seat/back |
| K0869 | Pwc gp 4 std cap chair |
| K0870 | Pwc gp 4 hd seat/back |
| K0871 | Pwc gp 4 vhd seat/back |
| K0877 | Pwc gp4 std sing pow opt s/b |
| K0878 | Pwc gp4 std sing pow opt cap |
| K0879 | Pwc gp4 hd sing pow opt s/b |
| K0880 | Pwc gp4 vhd sing pow opt s/b |
| K0884 | Pwc gp4 std mult pow opt s/b |
| K0885 | Pwc gp4 std mult pow opt cap |
| K0886 | Pwc gp4 hd mult pow s/b |
| K0890 | Pwc gp5 ped sing pow opt s/b |
| K0891 | Pwc gp5 ped mult pow opt s/b |
| K0898 | Power wheelchair noc |
| K0899 | Pow mobil dev no dmepdac |
| K0900 | Cstm dme other than wheelchr |
| Q4074 | Iloprost non-comp unit dose |

Code not recognized by OPPS

| | | | |
|-------|------------------------------|-------|------------------------------|
| 0352T | Oct brst/node i&r per spec | 77431 | Radiation therapy management |
| 0354T | Oct breast surg cavity i&r | 77432 | Stereotactic radiation trmt |
| 0378T | Visual field assmnt rev/rprt | 77469 | lo radiation tx management |
| 0405T | Ovrsght xtrcorp liv asst pat | 77499 | Radiation therapy management |
| 0537T | Bld drv t lymphcyt car-t cll | 80320 | Drug screen quantalcohols |
| 0538T | Bld drv t lymphcyt prep trns | 80321 | Alcohols biomarkers 1or 2 |
| 0539T | Receipt&prep car-t cll admn | 80322 | Alcohols biomarkers 3/more |
| 27096 | Inject sacroiliac joint | 80323 | Alkaloids nos |
| 32701 | Thorax stereo rad targetw/tx | 80324 | Drug screen amphetamines 1/2 |
| 34839 | Plnning pt spec fenest graft | 80325 | Amphetamines 3or 4 |
| 38205 | Harvest allogeneic stem cell | 80326 | Amphetamines 5 or more |
| 44705 | Prepare fecal microbiota | 80327 | Anabolic steroid 1 or 2 |
| 52441 | Cystourethro w/implant | 80328 | Anabolic steroid 3 or more |
| 52442 | Cystourethro w/addl implant | 80329 | Analgesics non-opioid 1 or 2 |
| 59051 | Fetal monitor/interpret only | 80330 | Analgesics non-opioid 3-5 |
| 59400 | Obstetrical care | 80331 | Analgesics non-opioid 6/more |
| 59410 | Obstetrical care | 80332 | Antidepressants class 1 or 2 |
| 59425 | Antepartum care only | 80333 | Antidepressants class 3-5 |
| 59426 | Antepartum care only | 80334 | Antidepressants class 6/more |
| 59430 | Care after delivery | 80335 | Antidepressant tricyclic 1/2 |
| 59510 | Cesarean delivery | 80336 | Antidepressant tricyclic 3-5 |
| 59515 | Cesarean delivery | 80337 | Tricyclic & cyclicals 6/more |
| 59610 | Vbac delivery | 80338 | Antidepressant not specified |
| 59614 | Vbac care after delivery | 80339 | Antiepileptics nos 1-3 |
| 59618 | Attempted vbac delivery | 80340 | Antiepileptics nos 4-6 |
| 59622 | Attempted vbac after care | 80341 | Antiepileptics nos 7/more |
| 61796 | Srs cranial lesion simple | 80342 | Antipsychotics nos 1-3 |
| 61797 | Srs cran les simple addl | 80343 | Antipsychotics nos 4-6 |
| 61798 | Srs cranial lesion complex | 80344 | Antipsychotics nos 7/more |
| 61799 | Srs cran les complex addl | 80345 | Drug screening barbiturates |
| 61800 | Apply srs headframe add-on | 80346 | Benzodiazepines1-12 |
| 63620 | Srs spinal lesion | 80347 | Benzodiazepines 13 or more |
| 63621 | Srs spinal lesion addl | 80348 | Drug screening buprenorphine |
| 71555 | Mri angio chest w or w/o dye | 80349 | Cannabinoids natural |
| 72159 | Mr angio spine w/o&w/dye | 80350 | Cannabinoids synthetic 1-3 |
| 72198 | Mr angio pelvis w/o & w/dye | 80351 | Cannabinoids synthetic 4-6 |
| 73225 | Mr angio upr extr w/o&w/dye | 80352 | Cannabinoid synthetic 7/more |
| 73725 | Mr ang lwr ext w or w/o dye | 80353 | Drug screening cocaine |
| 74185 | Mri angio abdom w orw/o dye | 80354 | Drug screening fentanyl |
| 77048 | Mri breast c-+ w/cad uni | 80355 | Gabapentin non-blood |
| 77049 | Mri breast c-+ w/cad bi | 80356 | Heroin metabolite |
| 77261 | Radiation therapy planning | 80357 | Ketamine and norketamine |
| 77262 | Radiation therapy planning | 80358 | Drug screening methadone |
| 77263 | Radiation therapy planning | 80359 | Methylenedioxymphetamines |
| 77427 | Radiation tx management x5 | 80360 | Methylphenidate |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| 80361 | Opiates 1 or more | 99024 | Postop follow-up visit |
| 80362 | Opioids & opiate analogs 1/2 | 99050 | Medical services after hrs |
| 80363 | Opioids & opiate analogs 3/4 | 99051 | Med serv eve/wkend/holiday |
| 80364 | Opioid & opiate analog 5/more | 99053 | Med serv 10pm-8am 24 hr fac |
| 80365 | Drug screening oxycodone | 99056 | Med service out of office |
| 80366 | Drug screening pregabalin | 99058 | Office emergency care |
| 80367 | Drug screening propoxyphene | 99060 | Out of office emerg med serv |
| 80368 | Sedative hypnotics | 99070 | Special supplies phys/qhp |
| 80369 | Skeletal muscle relaxant 1/2 | 99071 | Patient education materials |
| 80370 | Skel musc relaxant 3 or more | 99080 | Special reports or forms |
| 80371 | Stimulants synthetic | 99082 | Unusual physician travel |
| 80372 | Drug screening tapentadol | 99100 | Special anesthesia service |
| 80373 | Drug screening tramadol | 99116 | Anesthesia with hypothermia |
| 80374 | Stereoisomer analysis | 99135 | Special anesthesia procedure |
| 80375 | Drug/substance nos 1-3 | 99140 | Emergency anesthesia |
| 80376 | Drug/substance nos 4-6 | 99183 | Hyperbaric oxygen therapy |
| 80377 | Drug/substance nos 7/more | 99199 | Special service/proc/report |
| 85060 | Blood smear interpretation | 99201 | Office/outpatient visit new |
| 86153 | Cell enumeration phys interp | 99202 | Office/outpatient visit new |
| 88187 | Flowcytometry/read 2-8 | 99203 | Office/outpatient visit new |
| 88188 | Flowcytometry/read 9-15 | 99204 | Office/outpatient visit new |
| 88189 | Flowcytometry/read 16 & > | 99205 | Office/outpatient visit new |
| 88375 | Optical endomicroscopy interp | 99211 | Office/outpatient visit est |
| 90460 | Im admin 1st/only component | 99212 | Office/outpatient visit est |
| 90461 | Im admin each addl component | 99213 | Office/outpatient visit est |
| 90586 | Bcg vaccine intravesical | 99214 | Office/outpatient visit est |
| 90937 | Hemodialysis repeated eval | 99215 | Office/outpatient visit est |
| 90947 | Dialysis repeated eval | 99217 | Observation care discharge |
| 90989 | Dialysis training complete | 99218 | Initial observation care |
| 90993 | Dialysis training incompl | 99219 | Initial observation care |
| 90997 | Hemoperfusion | 99220 | Initial observation care |
| 90999 | Dialysis procedure | 99221 | Initial hospital care |
| 92613 | Endoscopy swallow (fees) i&r | 99222 | Initial hospital care |
| 93010 | Electrocardiogram report | 99223 | Initial hospital care |
| 93015 | Cardiovascular stress test | 99224 | Subsequent observation care |
| 93016 | Cardiovascular stress test | 99225 | Subsequent observation care |
| 93018 | Cardiovascular stress test | 99226 | Subsequent observation care |
| 93040 | Rhythm ecg with report | 99231 | Subsequent hospital care |
| 93042 | Rhythm ecg report | 99232 | Subsequent hospital care |
| 93784 | Ambulatory bp monitoring | 99233 | Subsequent hospital care |
| 93792 | Pt/caregiver trainj home inr | 99234 | Observ/hosp same date |
| 93793 | Anticoag mgmt pt warfarin | 99235 | Observ/hosp same date |
| 94004 | Vent mgmt nf per day | 99236 | Observ/hosp same date |
| 94774 | Ped home apnea rec compl | 99238 | Hospital discharge day |
| 94777 | Ped home apnea rec report | 99239 | Hospital discharge day |
| 95251 | Cont gluc mntr analysis i&r | 99288 | Direct advanced life support |
| 95830 | Insert electrodes for eeg | 99304 | Nursing facility care init |
| 96004 | Phys review of motion tests | 99305 | Nursing facility care init |
| 96040 | Genetic counseling 30 min | 99306 | Nursing facility care init |
| 96933 | Rcm celulr subcelulr img skn | 99307 | Nursing fac care subseq |
| 99002 | Device handling phys/qhp | 99308 | Nursing fac care subseq |

| | | | |
|-------|------------------------------|-------|-------------------------------|
| 99309 | Nursing fac care subseq | D0475 | Decalcification procedure |
| 99310 | Nursing fac care subseq | D0476 | Spec stains for microorganis |
| 99315 | Nursing fac discharge day | D0477 | Spec stains not for microorg |
| 99316 | Nursing fac discharge day | D0478 | Immunohistochemical stains |
| 99318 | Annual nursing fac assessmnt | D0479 | Tissue in-situ hybridization |
| 99324 | Domicil/r-home visit new pat | D0480 | Cytopath smear prep & report |
| 99325 | Domicil/r-home visit new pat | D0481 | Electron microscopy |
| 99326 | Domicil/r-home visit new pat | D0482 | Direct immunofluorescence |
| 99327 | Domicil/r-home visit new pat | D0483 | Indirect immunofluorescence |
| 99328 | Domicil/r-home visit new pat | D0484 | Consult slides prep elsewhere |
| 99334 | Domicil/r-home visit est pat | D0485 | Consult inc prep of slides |
| 99335 | Domicil/r-home visit est pat | D0502 | Other oral pathology procedu |
| 99336 | Domicil/r-home visit est pat | D0999 | Unspecified diagnostic proce |
| 99337 | Domicil/r-home visit est pat | D7283 | Place device impacted tooth |
| 99339 | Domicil/r-home care supervis | D7288 | Brush biopsy |
| 99340 | Domicil/r-home care supervis | D7321 | Alveoloplasty not w/extracts |
| 99341 | Home visit new patient | D7511 | Incision/drain abscess intra |
| 99342 | Home visit new patient | D7521 | Incision/drain abscess extra |
| 99343 | Home visit new patient | D9630 | Drugs/meds disp for home use |
| 99344 | Home visit new patient | E0705 | Transfer device |
| 99345 | Home visit new patient | E0762 | Trans elec jt stim dev sys |
| 99347 | Home visit est patient | E0769 | Electric wound treatment dev |
| 99348 | Home visit est patient | E0959 | Amputee adapter |
| 99349 | Home visit est patient | E0961 | Wheelchair brake extension |
| 99350 | Home visit est patient | E0966 | Wheelchair head rest extensi |
| 99360 | Physician standby services | E0971 | Wheelchair anti-tipping devi |
| 99374 | Home health care supervision | E0973 | W/ch access det adj armrest |
| 99377 | Hospice care supervision | E0974 | W/ch access anti-rollback |
| 99379 | Nursing fac care supervision | E0978 | W/c acc,saf belt pelv strap |
| 99380 | Nursing fac care supervision | E0990 | Wheelchair elevating leg res |
| 99455 | Work related disability exam | E0992 | Wheelchair solid seat insert |
| 99456 | Disability examination | E0995 | Wc calf rest, pad replacemnt |
| 99485 | Suprv interfacilty transport | E1226 | Manual fully reclining back |
| 99486 | Suprv interfac trnsport addl | E1634 | Peritoneal dialysis clamp |
| 99499 | Unlisted e&m service | E2610 | Powered w/c cushion |
| A4550 | Surgical trays | G0076 | Care manag h vst new pt 20 m |
| A4671 | Disposable cycler set | G0077 | Care manag h vst new pt 30 m |
| A4672 | Drainage ext line, dialysis | G0078 | Care manag h vst new pt 45 m |
| A4673 | Ext line w easy lock connect | G0079 | Care manag h vst new pt 60 m |
| A4674 | Chem/antisept solution, 8oz | G0080 | Care manag h vst new pt 75 m |
| A4728 | Dialysate solution, non-dex | G0081 | Care man h v ext pt 20 mi |
| A6513 | Compress burn mask face/neck | G0082 | Care man h v ext pt 30 m |
| A9150 | Misc/exper non-prescript dru | G0083 | Care man h v ext pt 45 m |
| A9155 | Artificial saliva | G0084 | Care man h v ext pt 60 m |
| B4185 | Parenteral sol 10 gm lipids | G0085 | Care man h v ext pt 75 m |
| C2637 | Brachy,non-str,ytterbium-169 | G0086 | Care man home care plan 30 m |
| D0416 | Viral culture | G0087 | Care man home care plan 60 m |
| D0431 | Diag tst detect mucos abnorm | G0124 | Screen c/v thin layer by md |
| D0472 | Gross exam, prep & report | G0128 | Corf skilled nursing service |
| D0473 | Micro exam, prep & report | G0141 | Scr c/v cyto,autosys and md |
| D0474 | Micro w exam of surg margins | G0151 | Hhcp-serv of pt,ea 15 min |

| | | | |
|-------|------------------------------|-------|------------------------------|
| G0152 | Hhcx-serv of ot,ea 15 min | G6003 | Radiation treatment delivery |
| G0153 | Hhcx-svs of s/l path,ea 15mn | G6004 | Radiation treatment delivery |
| G0155 | Hhcx-svs of csw,ea 15 min | G6005 | Radiation treatment delivery |
| G0156 | Hhcx-svs of aide,ea 15 min | G6006 | Radiation treatment delivery |
| G0157 | Hhc pt assistant ea 15 | G6007 | Radiation treatment delivery |
| G0158 | Hhc ot assistant ea 15 | G6008 | Radiation treatment delivery |
| G0159 | Hhc pt maint ea 15 min | G6009 | Radiation treatment delivery |
| G0160 | Hhc occup therapy ea 15 | G6010 | Radiation treatment delivery |
| G0161 | Hhc slp ea 15 min | G6011 | Radiation treatment delivery |
| G0162 | Hhc rn e&m plan svs, 15 min | G6012 | Radiation treatment delivery |
| G0168 | Wound closure by adhesive | G6013 | Radiation treatment delivery |
| G0299 | Hhs/hospice of rn ea 15 min | G6014 | Radiation treatment delivery |
| G0300 | Hhs/hospice of lpn ea 15 min | G6015 | Radiation tx delivery imrt |
| G0337 | Hospice evaluation preelecti | G6016 | Delivery comp imrt |
| G0339 | Robot lin-radsurg com, first | G6017 | Intrafraction track motion |
| G0340 | Robt lin-radsurg fractx 2-5 | G9001 | Mccd, initial rate |
| G0405 | Ekg interpret & report preve | G9002 | Mccd,maintenance rate |
| G0406 | Inpt/tele follow up 15 | G9003 | Mccd, risk adj hi, initial |
| G0407 | Inpt/tele follow up 25 | G9004 | Mccd, risk adj lo, initial |
| G0408 | Inpt/tele follow up 35 | G9005 | Mccd, risk adj, maintenance |
| G0409 | Corf related serv 15 mins ea | G9006 | Mccd, home monitoring |
| G0425 | Inpt/ed teleconsult30 | G9007 | Mccd, sch team conf |
| G0426 | Inpt/ed teleconsult50 | G9008 | Mccd,phys coor-care ovrsght |
| G0427 | Inpt/ed teleconsult70 | G9009 | Mccd, risk adj, level 3 |
| G0448 | Place perm pacing cardiovert | G9010 | Mccd, risk adj, level 4 |
| G0452 | Molecular pathology interpr | G9011 | Mccd, risk adj, level 5 |
| G0454 | Md document visit by npp | G9012 | Other specified case mgmt |
| G0458 | Ldr prostate brachy comp rat | G9157 | Transesoph doppl cardiac mon |
| G0459 | Telehealth inpt pharm mgmt | G9473 | Chap services at hospice |
| G0491 | Dialysis acu kidney no esrd | G9474 | Diet counsel at hospice |
| G0492 | Md/oth eval acut kid no esrd | G9475 | Other counselor at hospice |
| G0493 | Rn care ea 15 min hh/hospice | G9476 | Volun service at hospice |
| G0494 | Lpn care ea 15min hh/hospice | G9477 | Care coord at hospice |
| G0495 | Rn care train/edu in hh | G9478 | Othe therapist at hospice |
| G0496 | Lpn care train/edu in hh | G9479 | Pharmacist at hospice |
| G0508 | Crit care telehea consult 60 | G9480 | Admission to mccm |
| G0509 | Crit care telehea consult 50 | G9481 | Remote e/m new pt 10mins |
| G2001 | Post d/c h vst new pt 20 m | G9482 | Remote e/m new pt 20mins |
| G2002 | Post-d/c h vst new pt 30 m | G9483 | Remote e/m new pt 30mins |
| G2003 | Post-d/c h vst new pt 45 m | G9484 | Remote e/m new pt 45mins |
| G2004 | Post-d/c h vst new pt 60 m | G9485 | Remote e/m new pt 60mins |
| G2005 | Post-d/c h vst new pt 75 m | G9486 | Remote e/m est. pt 10mins |
| G2006 | Post-d/c h vst ext pt 20 m | G9487 | Remote e/m est. pt 15mins |
| G2007 | Post-d/c h vst ext pt 30 m | G9488 | Remote e/m est. pt 25mins |
| G2008 | Post-d/c h vst ext pt 45 m | G9489 | Remote e/m est. pt 40mins |
| G2009 | Post-d/c h vst ext pt 60 m | G9490 | Cmmi mod home visit |
| G2013 | Post-d/c h vst ext pt 75 m | G9678 | Oncology care model service |
| G2014 | Post-d/c care plan overs 30m | G9679 | Acute care pneumonia |
| G2015 | Post-d/c care plan overs 60m | G9680 | Acute care congestive heart |
| G6001 | Echo guidance radiotherapy | G9681 | Acute care chronic obstruct |
| G6002 | Stereoscopic x-ray guidance | G9682 | Acute care skin infection |

| | | | |
|-------|-------------------------------|-------|-------------------------------|
| G9683 | Acute fluid/electro disorder | Q4014 | Cast sup gauntlet fiberglass |
| G9684 | Acute care urinary tract inf | Q4015 | Cast sup gauntlet ped plaster |
| G9868 | Next gen aco model <10min | Q4016 | Cast sup gauntlet ped fbrgls |
| G9869 | Next gen aco model 10-20min | Q4017 | Cast sup lng arm splint plst |
| G9870 | Next gen aco model >20min | Q4018 | Cast sup lng arm splint fbrg |
| G9978 | Remote e/m new pt 10mins | Q4019 | Cast sup lng arm splnt ped p |
| G9979 | Remote e/m new pt 20mins | Q4020 | Cast sup lng arm splnt ped f |
| G9980 | Remote e/m new pt 30 mins | Q4021 | Cast sup sht arm splint plst |
| G9981 | Remote e/m new pt 45mins | Q4022 | Cast sup sht arm splint fbrg |
| G9982 | Remote e/m new pt 60mins | Q4023 | Cast sup sht arm splnt ped p |
| G9983 | Remote e/m est. pt 10mins | Q4024 | Cast sup sht arm splnt ped f |
| G9984 | Remote e/m est. pt 15mins | Q4025 | Cast sup hip spica plaster |
| G9985 | Remote e/m est. pt 25mins | Q4026 | Cast sup hip spica fiberglass |
| G9986 | Remote e/m est. pt 40mins | Q4027 | Cast sup hip spica ped plstr |
| G9987 | Bpci advanced in home visit | Q4028 | Cast sup hip spica ped fbrgl |
| J0270 | Alprostadil for injection | Q4029 | Cast sup long leg plaster |
| J0275 | Alprostadil urethral suppos | Q4030 | Cast sup long leg fiberglass |
| J0604 | Cinacalcet, esrd on dialysis | Q4031 | Cast sup lng leg ped plaster |
| J1675 | Histrelin acetate | Q4032 | Cast sup lng leg ped fbrgls |
| J1955 | Inj levocarnitine per 1 gm | Q4033 | Cast sup lng leg cylinder pl |
| J2545 | Pentamidine non-comp unit | Q4034 | Cast sup lng leg cylinder fb |
| J3110 | Teriparatide injection | Q4035 | Cast sup lngleg cylndr ped p |
| J3591 | Esrd on dialysi drug/bio noc | Q4036 | Cast sup lngleg cylndr ped f |
| J7199 | Hemophilia clot factor noc | Q4037 | Cast sup shrt leg plaster |
| J7330 | Cultured chondrocytes implnt | Q4038 | Cast sup shrt leg fiberglass |
| J8498 | Antiemetic rectal/supp nos | Q4039 | Cast sup shrt leg ped plaster |
| J8999 | Oral prescription drug chemo | Q4040 | Cast sup shrt leg ped fbrgls |
| P3001 | Screening pap smear by phys | Q4041 | Cast sup lng leg splnt plstr |
| Q0081 | Infusion ther other than che | Q4042 | Cast sup lng leg splnt fbrgl |
| Q0083 | Chemo by other than infusion | Q4043 | Cast sup lng leg splnt ped p |
| Q0084 | Chemotherapy by infusion | Q4044 | Cast sup lng leg splnt ped f |
| Q0085 | Chemo by both infusion and o | Q4045 | Cast sup sht leg splnt plstr |
| Q0510 | Dispens fee immunosuppressive | Q4046 | Cast sup sht leg splnt fbrgl |
| Q0511 | Sup fee antiem,antica,immuno | Q4047 | Cast sup sht leg splnt ped p |
| Q0512 | Px sup fee anti-can sub pres | Q4048 | Cast sup sht leg splnt ped f |
| Q0513 | Disp fee inhal drugs/30 days | Q4049 | Finger splint, static |
| Q0514 | Disp fee inhal drugs/90 days | Q4050 | Cast supplies unlisted |
| Q3001 | Brachytherapy radioelements | Q4051 | Splint supplies misc |
| Q4001 | Cast sup body cast plaster | Q4082 | Drug/bio noc part b drug cap |
| Q4002 | Cast sup body cast fiberglass | Q5001 | Hospice or home hlth in home |
| Q4003 | Cast sup shoulder cast plstr | Q5002 | Hospice/home hlth in asst lv |
| Q4004 | Cast sup shoulder cast fbrgl | Q5003 | Hospice in lt/non-skilled nf |
| Q4005 | Cast sup long arm adult plst | Q5004 | Hospice in snf |
| Q4006 | Cast sup long arm adult fbrg | Q5005 | Hospice, inpatient hospital |
| Q4007 | Cast sup long arm ped plaster | Q5006 | Hospice in hospice facility |
| Q4008 | Cast sup long arm ped fbrgls | Q5007 | Hospice in ltch |
| Q4009 | Cast sup sht arm adult plstr | Q5008 | Hospice in inpatient psych |
| Q4010 | Cast sup sht arm adult fbrgl | Q5009 | Hospice/home hlth, place nos |
| Q4011 | Cast sup sht arm ped plaster | Q5010 | Hospice home care in hospice |
| Q4012 | Cast sup sht arm ped fbrglas | R0070 | Transport portable x-ray |
| Q4013 | Cast sup gauntlet plaster | R0075 | Transport port x-ray multipl |

| | |
|-------|---------------------------|
| R0076 | Transport portable ekg |
| V2761 | Mirror coating |
| V2781 | Progressive lens per lens |
| V5299 | Hearing service |

Service not billable to MAC

| | | | |
|-------|------------------------------|-------|--------------------------------|
| 0295T | Ext ecg complete | 1460F | Qual card diag prior 12 mons |
| 0298T | Ext ecg review and interp | 1461F | No qual card diag prior 12mons |
| 0381T | Ext h rate epi sz 14 days | 2000F | Blood pressure measure |
| 0382T | Ext h rate sz 14 day ri only | 2022F | Dil retina exam interp rev |
| 0383T | Ext h rate sz up to 30 days | 2023F | Dilat rta xm w/o rtnophy |
| 0384T | Ex h rate sz 30 day ri only | 2024F | 7 field photo interp doc rev |
| 0385T | Ex h rate for sz ovr 30 day | 2025F | 7 fld rta photo w/o rtnophy |
| 0386T | Ex h rate sz 30+ day ri only | 2026F | Eye img valid evc rtnophy |
| 0470T | Oct skn img acquisj i&r 1st | 2027F | Optic nerve head eval done |
| 0475T | Rec ftl car sgl 3 ch i&r | 2033F | Eye img valid w/o rtnophy |
| 0478T | Rec ftl car 3 ch rev i&r | 3017F | Colorectal ca screen doc rev |
| 0498T | Xtrnl pt act ecg r&i pr 30 d | 3021F | Lvef mod/sever deprs syst |
| 0501T | Cor ffr derived cor cta data | 3022F | Lvef >=40% systolic |
| 0504T | Cor ffr data review i&r | 3023F | Spirom doc rev |
| 0509F | Urine incon plan docd | 3044F | Hg a1c level lt 7.0% |
| 0513F | Elev bp plan of care docd | 3046F | Hemoglobin a1c level >9.0% |
| 0517F | Glaucoma plan of care docd | 3051F | Hg a1c>equal 7.0%<8.0% |
| 0518F | Fall plan of care docd | 3052F | Hg a1c>equal 8.0%<equal 9.0% |
| 0520F | Rad dos limts b/4 3d rad | 3060F | Pos microalbuminuria rev |
| 0526F | Subs visit for episode | 3061F | Neg microalbuminuria rev |
| 0528F | Rcmnd flw-up 10 yrs docd | 3062F | Pos macroalbuminuria rev |
| 0529F | Intrvl 3/>yr pts clnscp docd | 3066F | Nephropathy doc tx |
| 0533T | Cont rec mvmt do 6-10 days | 3072F | Low risk for retinopathy |
| 0536T | Cont rec mvmt do dl w/i&r | 3095F | Central dexta results docd |
| 0540F | Gluko mngmnt plan docd | 3100F | Image test ref carot diam |
| 0542T | Myocardial imaging mcg i&r | 3126F | Esoph bx rpt w/dyspl info |
| 0552T | Low-level laser therapy | 3155F | Cytogen test marrow b/4 tx |
| 0554T | B1 str & fx rsk analysis | 3160F | Doc fe+ stores b/4 epo thx |
| 0557T | B1 str & fx rsk i&r | 3170F | Flow cyto done b/4 tx |
| 0581F | Pt trnsfrd from anesth to cc | 3210F | Grp a strep test performed |
| 0583F | Transfer care checklist used | 3250F | Nonprim loc anat bx site tum |
| 1006F | Osteoarthritis assess | 3260F | Pt cat/pn cat/hist grd docd |
| 1036F | Tobacco non-user | 3267F | Path rpt w/ pt pn cat et al |
| 1038F | Persistent asthma | 3269F | Bone scn b/4 txmnt/aftr dx |
| 1039F | Intermittent asthma | 3270F | No bone scn b/4 txmnt/aftrdx |
| 1090F | Pres/absn urine incon assess | 3284F | lop down >15% of pre-svc lvl |
| 1100F | Ptfalls assess-docd ge2>/yr | 3285F | lop down <15% of pre-svc lvl |
| 1101F | Pt falls assess-docd le1/yr | 3288F | Fall risk assessment docd |
| 1111F | Dschrg med/current med merge | 3300F | Ajcc stage docd b/4 thxpy |
| 1123F | Acp discuss/dscn mkr docd | 3301F | Cancer stage docd metast |
| 1124F | Acp discuss-no dscnmkr docd | 3319F | X-ray/ct/ultrsnd et al ord |
| 1125F | Amnt pain noted pain prsnt | 3320F | No xray/ct/ et al ordd |
| 1126F | Amnt pain noted none prsnt | 3321F | Ajcc cnr 0/ia melan docd |
| 1158F | Advnc care plan tlk docd | 3322F | Melanomaajcc stage 0 or ia |
| 1170F | Fxn status assessed | 3340F | Mammo assess inc xray docd |

| | | | |
|-------|------------------------------|-------|------------------------------|
| 3341F | Mammo assess negative docd | 88291 | Cyto/molecular report |
| 3342F | Mammo assess bengn docd | 9003F | Aortic anrysm5.5-5.9cm diam |
| 3343F | Mammo probably bengn docd | 9004F | Aortic anrysm 6/> cm diam |
| 3344F | Mammo assess susp docd | 9006F | Sympt sten-tia/strk<120days |
| 3345F | Mammo assess hghlymalig doc | 9007F | Other carot sten 120 days/> |
| 3350F | Mammo bx proven malig docd | 90477 | Adenovirus vaccine type 7 |
| 3394F | Quant her2 ihc eval brst cx | 90585 | Bcg vaccine percut |
| 3395F | Quant nonher2 ihc brst cx | 90620 | Menb-4c vacc 2 dose im |
| 3475F | Disease progn ra poor docd | 90621 | Menb-fhbp vacc 2/3 dose im |
| 3476F | Disease progn ra good docd | 90644 | Hib-mency vacc 6wk-18m0 im |
| 3570F | Rprt bone scint xref w xray | 90649 | 4vhpv vaccine 3 dose im |
| 3720F | Cognit impairment assessed | 90650 | 2vhpv vaccine 3 dose im |
| 3725F | Screen depression performed | 90651 | 9vhpv vaccine 2/3 dose im |
| 4004F | Pt tobacco screen rcvd tlk | 90681 | Rv1 vacc 2 dose live oral |
| 4008F | Beta-blocker therapy rxd/tn | 90697 | Dtap-ipv-hib-hepb vaccine im |
| 4010F | Ace/arb therapy rxd/taken | 90716 | Var vaccine live subq |
| 4040F | Pneumoc vac/admin/rcvd | 90723 | Dtap-hep b-ipv vaccine im |
| 4044F | Doc order given vte prophylx | 90733 | Mpsv4 vaccine subq |
| 4086F | Aspirin/clopidogrel rxd | 90734 | Mcv4 menacwy vaccine im |
| 4090F | Pt rcvng epo thxpy | 90736 | Hzv vaccine live subq |
| 4100F | Biphos thxpy vein ord/recvd | 90738 | Inactivated je vacc im |
| 4110F | Int mam art used for cabg | 90750 | Hzv vacc recombinant im |
| 4115F | Beta blkcr admin w/in 24 hrs | 90951 | Esrd serv 4 visits p mo <2yr |
| 4120F | Antibiot rxd/given | 90952 | Esrd serv 2-3 vsts p mo <2yr |
| 4124F | Antibiot not rxd/given | 90953 | Esrd serv 1 visit p mo <2yrs |
| 4130F | Topical prep rx aoe | 90954 | Esrd serv 4 vsts p mo 2-11 |
| 4131F | Syst antimicrobial thx rx | 90955 | Esrd srv 2-3 vsts p mo 2-11 |
| 4132F | No syst antimicrobial thx rx | 90956 | Esrd srv 1 visit p mo 2-11 |
| 4175F | Vis 20/40/> w/in 90 days | 90957 | Esrd srv 4 vsts p mo 12-19 |
| 4177F | Talk pt/crgvr re areds prev | 90958 | Esrd srv 2-3 vsts p mo 12-19 |
| 4192F | Pt not rcvng glucoco thxpy | 90959 | Esrd serv 1 vst p mo 12-19 |
| 4193F | Pt rcvng<10mg daily predniso | 90960 | Esrd srv 4 visits p mo 20+ |
| 4194F | Pt rcvng10mg daily predniso | 90961 | Esrd srv 2-3 vsts p mo 20+ |
| 4195F | Pt rcvng anti-rheum thxpy ra | 90962 | Esrd serv 1 visit p mo 20+ |
| 4196F | Ptnot rcvng anti-rhm thxpyra | 90963 | Esrd home pt serv p mo <2yrs |
| 4255F | Anesth 60 min/> as docd | 90964 | Esrd home pt serv p mo 2-11 |
| 4322F | Crgvr prov w/ ed addl rsrct | 90965 | Esrd home pt serv p mo 12-19 |
| 4325F | Med txmnt options rvwd w/pt | 90966 | Esrd home pt serv p mo 20+ |
| 4340F | Cnslng chldbrng women epi | 90967 | Esrd svc pr day pt <2 |
| 4400F | Rehab thxpy options w/pt | 90968 | Esrd svc pr day pt 2-11 |
| 4500F | Ref to outpt card rehab prog | 90969 | Esrd svc pr day pt 12-19 |
| 4510F | Prev cardrehab qualcardevent | 90970 | Esrd svc pr day pt 20+ |
| 4554F | Pt recvd inhal anesthetic | 93000 | Electrocardiogram complete |
| 4556F | Pt w/3+ post-op nausea&vom | 93224 | Ecg monit/reprt up to 48 hrs |
| 5010F | Macul result phy/qhp mng dm | 93227 | Ecg monit/reprt up to 48 hrs |
| 5015F | Doc fx & test/txmnt for op | 93228 | Remote 30 day ecg rev/report |
| 5050F | Plan 2 main dr by 1 month | 93264 | Rem mntr wrls p-art prs snr |
| 59050 | Fetal monitor w/report | 93268 | Ecg record/review |
| 6030F | Max sterile barriers follwd | 93272 | Ecg/review interpret only |
| 7010F | Pt info into recall system | 93294 | Rem interrog evl pm/ldls pm |
| 7025F | Pt infosys alarm 4 nxt mammo | 93295 | Dev interrog remote 1/2/mlt |

| | | | |
|-------|-------------------------------|-------|------------------------------|
| 93297 | Rem interrog dev eval icpms | G8431 | Pos clin depres scrn f/u doc |
| 93298 | Rem interrog dev eval scrms | G8432 | Dep scr not doc, rng |
| 93352 | Admin ecg contrast agent | G8433 | Scr for dep not cpt doc rsn |
| 93790 | Review/report bp recording | G8442 | Doc pain as nt perf, not elg |
| 94005 | Home vent mgmt supervision | G8450 | Beta-bloc rx pt w/abn lvef |
| 96931 | Rcm celulr subcelulr img skn | G8451 | Pt w/abn lvef inelig b-bloc |
| 99446 | Ntrprof ph1/ntrnet/ehr 5-10 | G8452 | Pt w/abn lvef b-bloc no rx |
| 99447 | Ntrprof ph1/ntrnet/ehr 11-20 | G8465 | High risk recurrence pro ca |
| 99448 | Ntrprof ph1/ntrnet/ehr 21-30 | G8473 | Ace/arb thxpy rx'd |
| 99449 | Ntrprof ph1/ntrnet/ehr 31/> | G8474 | Ace/arb not rx'd; doc reas |
| 99451 | Ntrprof ph1/ntrnet/ehr 5/> | G8475 | Ace/arb thxpy not rx'd |
| 99452 | Ntrprof ph1/ntrnet/ehr rfri | G8476 | Bp sys <140 and dias <90 |
| 99457 | Rem physiol mntr 20 min mo | G8477 | Bp sys>=140 and/or dias >=90 |
| 99461 | Init nb em per day non-fac | G8478 | Bp not performed/doc |
| 99491 | Chrc care mgmt svc 30 min | G8482 | Flu immunize order/admin |
| G0179 | Md recertification hha pt | G8483 | Flu imm no admin doc rea |
| G0180 | Md certification hha patient | G8484 | Flu immunize no admin |
| G0181 | Home health care supervision | G8506 | Pt rec ace/arb |
| G0182 | Hospice care supervision | G8509 | Pos pain assess no f/u doc |
| G0250 | Md inr test revie inter mgmt | G8510 | Scr dep neg, no plan reqd |
| G0333 | Dispense fee initial 30 day | G8511 | Scr dep pos, no plan doc rng |
| G0372 | Md service required for pmd | G8535 | Eld maltreatment not doc |
| G0403 | Ekg for initial prevent exam | G8536 | No doc elder mal scrn |
| G0913 | Improve visual funct | G8539 | Doc funct and care plan |
| G0914 | Survey not complete | G8540 | Foa not doc as being perf |
| G0915 | No improve visual funct | G8541 | No doc cur funct assess |
| G0916 | Satisfy with care | G8542 | Doc funct no deficiencies |
| G0917 | Satisfy survey not complete | G8543 | Cur funct asses; no care pln |
| G0918 | No satisfy with care | G8559 | Pt ref doc oto eval |
| G2010 | Remot image submit by pt | G8560 | Pt hx act drain prev 90 days |
| G2012 | Brief check in by MD/QHP | G8561 | Pt inelig for ref oto eval |
| G8395 | Lvef>=40% doc normal or mild | G8562 | Pt no hx act drain 90 d |
| G8396 | Lvef not performed | G8563 | Pt no ref oto reas no spec |
| G8397 | Dil macula/fundus exam/w doc | G8564 | Pt ref oto eval |
| G8398 | Dil macular/fundus not perfo | G8565 | Ver doc hear loss |
| G8399 | Pt w/dxa results document | G8566 | Pt inelig ref oto eval |
| G8400 | Pt w/dxa no results doc | G8567 | Pt no doc hear loss |
| G8404 | Low extremity neur exam docum | G8568 | Pt no ref otolo no spec |
| G8405 | Low extremity neur not perfor | G8569 | Prol intubation req |
| G8410 | Eval on foot documented | G8570 | No prol intub req |
| G8415 | Eval on foot not performed | G8571 | Ster wd ifx 30 d postop |
| G8416 | Pt inelig footwear evaluatio | G8572 | No ster wd ifx |
| G8417 | Calc bmi abv up param f/u | G8573 | Stk cabg |
| G8418 | Calc bmi blw low param f/u | G8574 | No strk cabg |
| G8419 | Calc bmi out nrm param nof/u | G8575 | Postop ren fail |
| G8420 | Calc bmi norm parameters | G8576 | No postop ren fail |
| G8421 | Bmi not calculated | G8577 | Reop req bld grft oth |
| G8422 | Pt inelig bmi calculation | G8578 | No reop req bld grft oth |
| G8427 | Docrev cur meds by elig clin | G8598 | Asa/antiplat ther used |
| G8428 | Cur meds not document | G8599 | No asa/antiplat ther use rng |
| G8430 | Ec at doc medrec pt not elig | G8600 | Tpa initi w/in 3 hrs |

| | | | |
|-------|------------------------------|-------|-------------------------------|
| G8601 | No elig tpa init w/in 3 hrs | G8752 | Sys bp less 140 |
| G8602 | No tpa init w/in 3 hrs | G8753 | Sys bp > or = 140 |
| G8627 | Surg proc w/in 30 days | G8754 | Dias bp less 90 |
| G8628 | No surg proc w/in 30 days | G8755 | Dias bp > or = 90 |
| G8633 | Pharm ther osteo rx | G8756 | No bp measure doc |
| G8635 | No pharm ther osteo rx | G8783 | Bp scrn perf rec interval |
| G8647 | Rafscrs ki scor >= 0 | G8785 | Bp scrn no perf at interval |
| G8648 | Rafscrs ki scor < 0 | G8797 | Specimen site not esophagus |
| G8649 | Rafscrs ki no scor | G8798 | Specimen site not prostate |
| G8650 | Rafscrs ki no scor no surv | G8806 | Perf ultrasnd to lct preg doc |
| G8651 | Rafscrs hi scor >=0 | G8807 | No ta tv ultrasnd |
| G8652 | Rafscrs hi scor < 0 | G8808 | Ultrasound not perf, rng |
| G8653 | Rafscrs hi no scor | G8809 | Rh-immunoglobulin order |
| G8654 | Rafscrs hi no scor no surv | G8810 | Doc reas no rh-immuno |
| G8655 | Rafscrs llfai scor >= 0 | G8811 | No rh-immunoglobulin order |
| G8656 | Rafscrs llfai scor < 0 | G8815 | Doc reas no statin therapy |
| G8657 | Rafscrs llfai no scor | G8816 | Statin med pres at disch |
| G8658 | Rafscrs llfai no scor + surv | G8817 | Doc reas no statin med disch |
| G8659 | Rafscrs lbi scor >= 0 | G8818 | Pt disch to home by day#7 |
| G8660 | Rafscrs lbi scor < 0 | G8825 | Pt not disch to home day#7 |
| G8661 | Rafscrs lbi no scor | G8826 | Pt disch home day #2 evar |
| G8662 | Rafscrs lbi no scor no surv | G8833 | Pt not disch home day#2 evar |
| G8663 | Rafscrs si scor >= 0 | G8834 | Pt disch home day #2 cea |
| G8664 | Rafscrs si scor < 0 | G8838 | Not disch home by day #2 |
| G8665 | Rafscrs si no scor | G8839 | Sleep apnea assess |
| G8666 | Rafscrs si no scor no surv | G8840 | Doc reas no sleep apnea |
| G8667 | Rafscrs ewh scor >= 0 | G8841 | No sleep apnea assess |
| G8668 | Rafscrs ewh scor < 0 | G8842 | Ahi or rdi initial dx |
| G8669 | Rafscrs | G8843 | Doc reas no ahi or rdi |
| G8670 | Rafscrs ewh no scor no surv | G8844 | No ahi or rdi initial dx |
| G8671 | Rafscrs goi scor >= 0 | G8845 | Pos airway press prescribed |
| G8672 | Rafscrs goi scor < 0 | G8846 | Mod or severe osa |
| G8673 | Rafscrs goi no scor | G8849 | Doc reas no pos air press |
| G8674 | Rafscrs neck, no msr/no foto | G8850 | No pap prescribed |
| G8694 | Lvef <40% | G8851 | Adhere pos air press therapy |
| G8708 | Antibiotic not pres | G8852 | Pos air press prescribe |
| G8709 | Pt presc doc med rsn id uri | G8854 | Reas no adhere pos air pres |
| G8710 | Pt pres antibiotic | G8855 | Pos air press adhere no perf |
| G8711 | Pres antibiotic | G8856 | Ref for oto eval |
| G8712 | Not pres antibiotic | G8857 | No elig ref for oto eval |
| G8721 | Pt, pn, hist grade doc | G8858 | Not ref for oto eval |
| G8722 | Med reas pt, pn, not doc | G8861 | Dxa ordered for osteo |
| G8723 | Spec sit not prim tumor | G8863 | No assess bone loss |
| G8724 | Pt, pn, hist grade not doc | G8864 | Pneumococcal vaccine admin |
| G8730 | Pain doc pos and plan | G8865 | Doc med reas no pneumococcal |
| G8731 | Pain neg no plan | G8866 | Doc pt reas no pneumococcal |
| G8732 | No doc of pain | G8867 | No pneumococcal admin |
| G8733 | Doc pos elder mal scrn plan | G8869 | Doc immune hep b antitnf |
| G8734 | Doc neg elder mal no plan | G8872 | Intraop image confirm excise |
| G8735 | Eld mal scrn pos no plan | G8873 | Specimen not intraop image |
| G8749 | No signs melanoma | G8874 | Tissue not image intraop |

| | | | |
|-------|------------------------------|-------|-------------------------------|
| G8875 | Breast cancer dx min invsive | G8969 | Doc pt rs n no presc warf/fda |
| G8876 | Doc reas no min inv dx | G8970 | No rsk fac or 1 mod risk te |
| G8877 | No brst cncr dx min invasive | G8973 | Mst rcnt hbb < 10g/dl |
| G8878 | Sent lymph node biopsy | G8974 | Hgb not doc rns not gvn |
| G8880 | Sen lym p node biop not perf | G8975 | Hgb <10g/dl, med rs n |
| G8881 | Brst cncr stage > t1n0m0 | G8976 | Hgb >= 10 g/dl |
| G8882 | No sent lymph node biopsy | G9063 | Onc dx nsclc stgi no progres |
| G8883 | Rev, comm, track, doc biopsy | G9064 | Onc dx nsclc stg2 no progres |
| G8884 | Doc reas biopsy not review | G9065 | Onc dx nsclc stg3a no progre |
| G8885 | No rev, comm, track biopsy | G9066 | Onc dx nsclc stg3b-4 metasta |
| G8907 | Pt doc no events on discharg | G9067 | Onc dx nsclc dx unknown nos |
| G8908 | Pt doc w burn prior to d/c | G9068 | Onc dx sclc/nsclc limited |
| G8909 | Pt doc no burn prior to d/c | G9069 | Onc dx sclc/nsclc ext at dx |
| G8910 | Pt doc to have fall in asc | G9070 | Onc dx sclc/nsclc ext unknwn |
| G8911 | Pt doc no fall in asc | G9071 | Onc dx brst stg1-2b hr,nopro |
| G8912 | Pt doc with wrong event | G9072 | Onc dx brst stg1-2 noprogres |
| G8913 | Pt doc no wrong event | G9073 | Onc dx brst stg3-hr, no pro |
| G8914 | Pt trans to hosp post d/c | G9074 | Onc dx brst stg3-noprogress |
| G8915 | Pt not trans to hosp at d/c | G9075 | Onc dx brst metastatic/ recur |
| G8916 | Pt w iv ab given on time | G9077 | Onc dx prostate t1no progres |
| G8917 | Pt w iv ab not given on time | G9078 | Onc dx prostate t2no progres |
| G8918 | Pt w/o preop order iv ab pro | G9079 | Onc dx prostate t3b-t4nopro |
| G8923 | Lvef < 40% or lvsd | G9080 | Onc dx prostate w/rise psa |
| G8924 | Spir fev1/fvc<70%,fev<60% | G9083 | Onc dx prostate unknwn nos |
| G8925 | Spir fev1/fvc>=60% & no copd | G9084 | Onc dx colon t1-3,n1-2,no pr |
| G8926 | Spiro no perf or doc | G9085 | Onc dx colon t4, n0 w/o prog |
| G8934 | Lvef <40% or dep lv sys fcn | G9086 | Onc dx colon t1-4 no dx prog |
| G8935 | Rx ace or arb therapy | G9087 | Onc dx colon metas evid dx |
| G8936 | Pt not eligible ace/arb | G9088 | Onc dx colon metas noevid dx |
| G8937 | No rx ace/arb therapy | G9089 | Onc dx colon extent unknown |
| G8938 | Bmi doc onl fup nt doc | G9090 | Onc dx rectal t1-2 no progr |
| G8939 | Pain as doc positive, no f/u | G9091 | Onc dx rectal t3 n0 no prog |
| G8941 | Eld maltreatment doc as pos | G9092 | Onc dx rectal t1-3,n1-2nopro |
| G8942 | Doc fcn/care plan w/30 days | G9093 | Onc dx rectal t4,n,m0 no prg |
| G8944 | Ajcc mel cnr stg 0 - iic | G9094 | Onc dx rectal m1 w/mets prog |
| G8946 | Mibm but no dx of breast ca | G9095 | Onc dx rectal extent unknwn |
| G8950 | Pre-htn or htn doc, f/u indc | G9096 | Onc dx esophag t1-t3 noprog |
| G8952 | Pre-htn/htn, no f/u, not gvn | G9097 | Onc dx esophageal t4 no prog |
| G8955 | Most recent assess vol mgmt | G9098 | Onc dx esophageal mets recur |
| G8956 | Pt rcv hedia outpt dyls fac | G9099 | Onc dx esophageal unknown |
| G8958 | Assess vol mgmt not doc | G9100 | Onc dx gastric no recurrence |
| G8959 | Clin tx mdd comm to tx clin | G9101 | Onc dx gastric p r1-r2nopro |
| G8960 | Clin tx mdd not comm | G9102 | Onc dx gastric unresectable |
| G8961 | Csit lowrisk surg pts preop | G9103 | Onc dx gastric recurrent |
| G8962 | Csit on pt any reas 30 days | G9104 | Onc dx gastric unknown nos |
| G8963 | Csi per asx pt w/pci 2 yrs | G9105 | Onc dx pancreatc p r0 res no |
| G8964 | Csi any other than pci 2 yr | G9106 | Onc dx pancreatc p r1/r2 no |
| G8965 | Csit perf on low chd rsk | G9107 | Onc dx pancreatic unresectab |
| G8966 | Csit perf sx or high chd rsk | G9108 | Onc dx pancreatic unknwn nos |
| G8967 | Warf or other fda drug presc | G9109 | Onc dx head/neck t1-t2no prg |
| G8968 | Doc med not presb | G9110 | Onc dx head/neck t3-4 noprog |

| | | | |
|-------|------------------------------|-------|------------------------------|
| G9111 | Onc dx head/neck m1 mets rec | G9241 | Doc pt w out cath maint dia |
| G9112 | Onc dx head/neck ext unknown | G9242 | Doc viral load >=200 |
| G9113 | Onc dx ovarian stg1a-b no pr | G9243 | Doc viral load <200 |
| G9114 | Onc dx ovarian stg1a-b or 2 | G9246 | No med visit in 24mo |
| G9115 | Onc dx ovarian stg3/4 noprog | G9247 | 1 med visit in 24mo |
| G9116 | Onc dx ovarian recurrence | G9250 | Doc of pain comfort 48hr |
| G9117 | Onc dx ovarian unknown nos | G9251 | Doc no pain comfort 48hr |
| G9123 | Onc dx cml chronic phase | G9254 | Doc pt dischg >2d |
| G9124 | Onc dx cml acceler phase | G9255 | Doc pt dischg <=2d |
| G9125 | Onc dx cml blast phase | G9256 | Doc of pat death after cas |
| G9126 | Onc dx cml remission | G9257 | Doc of pat stroke after cas |
| G9128 | Onc dx multi myeloma stage i | G9258 | Doc of pat stroke after cea |
| G9129 | Onc dx mult myeloma stg2 hig | G9259 | Survive/no stroke post cas |
| G9130 | Onc dx multi myeloma unknown | G9260 | Doc of pat death after cea |
| G9131 | Onc dx brst unknown nos | G9261 | Survive/no stroke post cea |
| G9132 | Onc dx prostate mets no cast | G9262 | Doc of death post-aaa repair |
| G9133 | Onc dx prostate clinical met | G9263 | Doc of disch post-aaa repair |
| G9134 | Onc nhlstg 1-2 no relap no | G9264 | Doc rsn hemod w/cath >=90d |
| G9135 | Onc dx nhl stg 3-4 not relap | G9265 | Doc cath >90d for maint dia |
| G9136 | Onc dx nhl trans to lg bcell | G9266 | Norsn pt cath >=90d |
| G9137 | Onc dx nhl relapse/refractor | G9267 | Doc comp or mort w in 30d |
| G9138 | Onc dx nhl stg unknown | G9268 | Doc comp or mort w in 90d |
| G9139 | Onc dx cml dx status unknown | G9269 | Doc no comp or mort w in 30d |
| G9148 | Medical home level 1 | G9270 | Doc no comp or mort w in 90d |
| G9149 | Medical home level ii | G9273 | Sys<140 and dia<90 |
| G9150 | Medical home level iii | G9274 | Bp out of nrml limits |
| G9151 | Mapcp demo state | G9275 | Doc of non tobacco user |
| G9152 | Mapcp demo community | G9276 | Doc of tobacco user |
| G9153 | Mapcp demo physician | G9277 | Doc daily aspirin or contra |
| G9156 | Evaluation for wheelchair | G9278 | Doc no daily aspirin |
| G9188 | Beta not given no reason | G9279 | Pne scrn done doc vac done |
| G9189 | Beta pres or already taking | G9280 | Pne not given norsn |
| G9190 | Medical reason for no beta | G9281 | Pne scrn done doc not ind |
| G9191 | Pt reason for no beta | G9282 | Doc medrsn no histo type |
| G9192 | System reason for no beta | G9283 | Hist type doc on report |
| G9196 | Med reason for no ceph | G9284 | No hist type doc on report |
| G9197 | Order for ceph | G9285 | Site not small cell lung ca |
| G9198 | No order for ceph no reason | G9286 | Antibio rx w in 10d of sympt |
| G9212 | Doc of dsm-iv init eval | G9287 | No antibio w in 10d of sympt |
| G9213 | No doc of dsm-iv | G9288 | Doc medrsn no hist type rpt |
| G9223 | Pjp proph ordered cd4 low | G9289 | Doc type nsm lung ca |
| G9225 | Norsn no foot exam | G9290 | No doc type nsm lung ca |
| G9226 | 3 comp foot exam completed | G9291 | Not nsm lung ca |
| G9227 | Foa doc, care plan not doc | G9292 | Medrsn no pt category |
| G9228 | Gc chl syp documented | G9293 | No pt category on report |
| G9229 | Ptrsno no gc chl syp test | G9294 | Pt cat and thck on report |
| G9230 | Norsn for gc chl syp test | G9295 | Non cutaneous loc |
| G9231 | Doc esrd dia trans preg | G9296 | Doc share dec prior proc |
| G9232 | Ptrsno no comm comorbid | G9297 | No doc share dec prior proc |
| G9239 | Doc rsn hemod & cath acc | G9298 | Eval risk vte card 30d prior |
| G9240 | Doc pt w cath maint dia | G9299 | No eval riskk vte card prior |

| | | | |
|-------|------------------------------|-------|------------------------------|
| G9300 | Doc medrsn no compl antibio | G9382 | No off assis eol |
| G9301 | Doc compl inf antibio | G9383 | Recd scrn hcv infec |
| G9302 | Norsn incomp inf antibio | G9384 | Doc med rsn no hcv scrn |
| G9303 | Norsn no pros info op rpt | G9385 | Doc pt reas not rec hcv srn |
| G9304 | Pros info op rpt | G9386 | Scrn hcv infec not recd |
| G9305 | No interv req for leak | G9389 | Unpln rup post cap |
| G9306 | Interv req for leak | G9390 | No unpln rup post cap |
| G9307 | No ret for surg w in 30d | G9393 | Ini phq9 >9 remiss <5 |
| G9308 | Unpl ret or w/compl w/in 30d | G9394 | Dx bipol, death, nhres, hosp |
| G9309 | No unplnd hosp readm in 30d | G9395 | Ini phq9 >9 no remiss >=5 |
| G9310 | Unplnd hosp readm in 30d | G9396 | Ini phq9 >9 not assess |
| G9311 | No surg site infection | G9399 | Doc disc tx choices |
| G9312 | Surgical site infection | G9400 | Doc reas no disc tx opt |
| G9313 | Amoxic not presc as 1st line | G9401 | No disc tx choices |
| G9314 | Norsn not first line amox | G9402 | Recd f/u w/in 30d disch |
| G9315 | Doc first line amox | G9403 | Doc reas no 30 day f/u |
| G9316 | Doc comm risk calc | G9404 | No 30 day f/u |
| G9317 | No doc comm risk calc | G9405 | Recd f/u w/in 7d disch |
| G9318 | Image std nomenclature | G9406 | Doc reas no 7d f/u |
| G9319 | Image not std nomenclature | G9407 | No 7d f/u |
| G9321 | Doc count of ct in 12mo | G9408 | Card tamp w/in 30d |
| G9322 | No doc count of ct in 12mo | G9409 | No card tamp e/in 30d |
| G9326 | Ct done no rad ds index, nrg | G9410 | Admit w/in 180d req remov |
| G9327 | Ct done rad ds index | G9411 | No admit w/in 180d req remov |
| G9329 | Norsn no dicom format doc | G9412 | Admit w/in 180d req surg rev |
| G9340 | Dicom format doc on rpt | G9413 | No admit req surg rev |
| G9341 | Srch for ct w in 12 mos | G9414 | 1dose menig vac btwn 11 & 13 |
| G9342 | No srch for ct in 12mo norsn | G9415 | No 1dose meni vac btwn 11&13 |
| G9344 | Sysrsn no dicom srch | G9416 | Pt 1 tdap betw 10-13 yrs |
| G9345 | Follow up pulm nod | G9417 | Pt not 1 tdap betw 10-13 yrs |
| G9347 | No follow up pulm nod norsn | G9418 | Lungcx bx rpt docs class |
| G9348 | Doc rsn for ord ct scan | G9419 | Med reas not incl histo type |
| G9349 | Doc sinus ct 28d | G9420 | Spec site no lung |
| G9350 | No doc sinus ct 28d or dx | G9421 | Lung cx bx rpt no doc class |
| G9351 | Doc >1 sinus ct w 90d dx | G9422 | Rpt doc class histo type |
| G9352 | Not >1 sinus ct w 90d dx | G9423 | Med reas rpt no histo type |
| G9353 | Medrsn >1 sinus ct w 90d dx | G9424 | Site no lung or lung cx |
| G9354 | 1 or no ct sinus w/in 90d dx | G9425 | Spec rpt no doc class histo |
| G9355 | No early ind/delivery | G9426 | Impr med time edarr pain med |
| G9356 | Early ind/delivery | G9427 | No impro med time pain med |
| G9357 | Pp eval/edu perf | G9428 | Patho rpt incl pt ctg |
| G9358 | Pp eval/edu not perf | G9429 | Doc med rsn no pt cat |
| G9359 | Doc of neg or man pos tb scn | G9430 | Spec site no cutaneous |
| G9360 | No doc of neg or man pos tb | G9431 | Patho rpt no pt ctg |
| G9361 | Doc rsn elect c-sec/induct | G9432 | Asth controlled |
| G9364 | Sinus caus bac inx | G9434 | Asth not controlled |
| G9365 | 1high risk med ord | G9448 | Born 1945-1965 |
| G9366 | 1high risk no ord | G9449 | Hx bld transf b/f 1992 |
| G9367 | >= 2 same hi-rsk med ord | G9450 | Hx injec drug use |
| G9368 | >= 2 same hi-rsk med not ord | G9451 | 1x scrn hcv infect |
| G9380 | Off assis eol iss | G9452 | Doc med reas no scrn hcv |

| | | | |
|-------|------------------------------|-------|------------------------------|
| G9453 | Pt reas no hcv infect | G9542 | Doc reass appr remo filt 3ms |
| G9454 | No scr hcv inf 12 mth rp | G9543 | Doc 2x re-assess filt remov |
| G9455 | Abd imag w/us, ct or mri | G9544 | No filt remov w/in 3mos plcm |
| G9456 | Doc med pt reas no hcc scrn | G9547 | Incid finding liver/kid/adre |
| G9457 | Pt no abd img no doc rsn | G9548 | Abd imag and followup rec |
| G9458 | Tob user recd cess interv | G9549 | Doc med rsn for follow imag |
| G9459 | Tob non-user | G9550 | Abd imag and followup no rec |
| G9460 | No tob assess or cess inter | G9551 | Abd imag no les,kid/livr/adr |
| G9468 | No recd cortico>=10mg/d >60d | G9552 | Inc thyr node <1.0 in rpt |
| G9469 | Rec cortico>60d or 1rx 600mg | G9553 | Prior thyroid dise dx |
| G9470 | No rec cortico>60d 1rx 600mg | G9554 | Ct/cta/mri/a chst foll rec |
| G9471 | W/in 2yr dxa not order | G9555 | Doc med rsn for follup image |
| G9472 | No dxa no med hx no rv sx | G9556 | Ct/cta/mri/a no follup imag |
| G9497 | Rec inst no smoke day surg | G9557 | Ct/cta/mri/a no thyr <1.0cm |
| G9498 | Abx reg prescribed | G9558 | Tx beta-lactam abx therapy |
| G9500 | Rad expos ind/exp tm doc | G9559 | Doc med reas no abx therapy |
| G9501 | Rad expos ind/exp tm no doc | G9560 | No beta-lactam abx ther, rng |
| G9502 | Med reas no perf foot exam | G9561 | Presc opiates >6 wks |
| G9503 | Pt tk tams hcl | G9562 | Foll-up eval q3mo opiod tx |
| G9504 | Doc rsn hep b stat not asses | G9563 | No f/u eval q3mo opiod tx |
| G9505 | Abx pres w/in 10 dys of symp | G9573 | Adl pt md or dys rem 6 mon |
| G9506 | Bio imm resp mod presc | G9574 | Adl pt md dys no rem 6 mon |
| G9507 | Doc reas on statin or contra | G9577 | Presc opiates >6 wks |
| G9508 | Doc pt not on statin | G9578 | Doc opioid tx 1x during ther |
| G9509 | Adit mdd dys rem 12 mnths | G9579 | No doc opioid tx 1x at ther |
| G9510 | Remis 12m not phq-9 score <5 | G9580 | Door to punc time <2hrs |
| G9511 | Idx evt dte phq>9 doc 12 mo | G9582 | Door to punc time >2hr, nrg |
| G9512 | Indiv pdc > 0.8 | G9583 | Presc opiates >6 wks |
| G9513 | Indiv pdc not > 0.8 | G9584 | Eval opioid use instr/pt int |
| G9514 | Req ret or w/in 90d of surg | G9585 | No eval opi use instr/intv |
| G9515 | No reas, no ret or w/in 90d | G9593 | Low pecarn ped head trauma |
| G9516 | Impr vis acuit w/in 90d | G9594 | Pt mbht hd ct ord ec prov |
| G9517 | No impr vis acuit w/in 90d | G9595 | Doc shnt/tum/coag/thrombocyt |
| G9518 | Doc active inj drug use | G9596 | Ped pt hd ct ord |
| G9519 | Final ref +/- 0.5 w/in 90d | G9597 | No low pecarn ped head traum |
| G9520 | Refract not +/- 0.5 w/in 90d | G9598 | Aor ane 5.5-5.9 cm max diam |
| G9521 | Er and ip hosp <2 in 12 mos | G9599 | Aor ane >=6.0 cm max diam |
| G9522 | Er/ip hosp =/>2 in 12 mos | G9600 | Symp aaa urgent repair |
| G9523 | D/c hemo or perit dialysis | G9601 | Pt dchg home post op day 7 |
| G9524 | Refer to hospice | G9602 | Pt no dchg home postop day 7 |
| G9525 | Doc pt reas no hospice refer | G9603 | Pt surv improv bsline tx |
| G9526 | No reason, no refer hospice | G9604 | Pt surv results not avail |
| G9529 | Minor blunt trauma w/head ct | G9605 | Surv score no improv w/tx |
| G9530 | Pt mbht hd ct ord ec prov | G9606 | Intraop cyst eval trac inj |
| G9531 | Pt doc | G9607 | Doc med rsn not perf cystosc |
| G9532 | Pt hd ct ord | G9608 | Intraop cyst eval not done |
| G9533 | Indic for head ct not valid | G9609 | Doc order anti-plat |
| G9537 | Doc sysm rsn img hd | G9610 | Doc md rsn no antipla |
| G9539 | Intent pot remv time placemt | G9611 | No doc order anti-plat rng |
| G9540 | Pt alive 3 mos post proc | G9612 | Phodoc 2 mr cec lndmk |
| G9541 | Filter rem 3 mon plmt | G9613 | Doc post surg anatomy |

| | | | |
|-------|------------------------------|-------|-------------------------------|
| G9614 | Photodoc < 2 cec Indmk | G9685 | Acute nursing facility care |
| G9615 | Pre-op asst doc | G9687 | Hospice anytime msmt per |
| G9616 | Doc rsn no preop assmt | G9688 | Pt w/hosp anytime msmt per |
| G9617 | Pre-op asst not doc, rng | G9689 | Inpt elect carotid intervent |
| G9618 | Doc scr uter mal or us/samp | G9690 | Pt in hos |
| G9620 | No scr utr malig/us/samp rng | G9691 | Pt hosp dur msmt period |
| G9621 | Scr unheal etoh w/counsel | G9692 | Hosp recd by pt dur msmt per |
| G9622 | No unheal etoh user | G9693 | Pt use hosp during msmt per |
| G9623 | Doc med rsn no scr etoh use | G9694 | Hosp srv used pt in msmt per |
| G9624 | Pt not scrn or no counseling | G9695 | Long act inhal bronchdil pres |
| G9625 | Pt bl srg 30 day pst srg | G9696 | Med rsn no presc bronchdil |
| G9626 | Med rsn no rpt baldder inj | G9697 | Pt rsn no presc bronchdil |
| G9627 | Pt no bl srg 30 day pst srg | G9698 | Sys rsn no presc bronchdil |
| G9628 | Pt bwli srg 30 day pst srg | G9699 | Long inhal bronchdil no presc |
| G9629 | Med rsn no rpt bowel inj | G9700 | Pt is w/hosp during msmt per |
| G9630 | Pt no bwli srg 30 day srg | G9701 | Child anbx 30 prior dx estab |
| G9631 | Pt ui srg 30 day pst srg | G9702 | Pt use hosp during msmt per |
| G9632 | Med rsn for no rpt uret inj | G9703 | Child anbx 30 prior dx phary |
| G9633 | Pt no ui srg 30 day pst srg | G9704 | Ajcc br ca stg i: t1 mic/t1a |
| G9634 | Qual life tool 2x same/impr | G9705 | Ajcc br ca stg ib |
| G9635 | No doc rsn do qual life assm | G9706 | Low recur prost ca |
| G9636 | No life asst 2x same/decr | G9707 | Pt had hosp dur msmt per |
| G9637 | Doc >1 dose reduc tech | G9708 | Bilat mast/hx bi /unilat mas |
| G9638 | No doc >1 dose reduc tech | G9709 | Hosp srv used pt in msmt per |
| G9639 | Amp no reqd in48h ieler proc | G9710 | Pt prov hosp srv msmt per |
| G9640 | Doc plan hybrid/stage proc | G9711 | Pt hx tot col or colon ca |
| G9641 | Amp reqd w/in 48h ieler proc | G9712 | Doc med rsn presc anbx |
| G9642 | Current smoker | G9713 | Pt use hosp during msmt per |
| G9643 | Elective surgery | G9714 | Pt is w/hosp during msmt per |
| G9644 | No smok b/4 anes day of surg | G9715 | Pt w/hosp anytime msmt per |
| G9645 | Had smoke b/4 anes day surg | G9716 | Bmi doc onl fup not cmplt |
| G9646 | Pt w/90d mrs 0-2 | G9717 | Doc pt dx dep/bp f/u nt req |
| G9647 | No mrs score in 90d followup | G9718 | Hospice anytime msmt per |
| G9648 | Pt w/90d mrs >2 | G9719 | Pt not ambul/immob/wc |
| G9649 | Psor as doc spc bm | G9720 | Hospice anytime msmt per |
| G9651 | Psor as doc no spc bm | G9721 | Pt not ambul/immob/wc |
| G9654 | Mon anesth care | G9722 | Doc hx renal fail or cr+ >4 |
| G9655 | Toc tool incl key elem | G9723 | Hosp recd by pt dur msmt per |
| G9656 | Pt trans from anest to pacu | G9724 | Pt w/doc use anticoag mst yr |
| G9658 | Toc tool incl elem not used | G9725 | Pt w/hosp anytime msmt per |
| G9659 | >85y no hx colo ca/rsn scope | G9726 | Refused to participate |
| G9660 | Doc med rsn scope pt >85y | G9727 | Pt unable cmplt knee fs prom |
| G9661 | >85y scope othr rsn | G9728 | Refused to participate |
| G9662 | Prior dx/active clin ascvd | G9729 | Pt unbl cmplt hip fs prom |
| G9663 | Fast/dir ldl = 190 mg/dl | G9730 | Refused to participate |
| G9664 | Taking statin or rec'd order | G9731 | Pt unbl cmplt ft/ank fs prom |
| G9665 | No statin/no order statin | G9732 | Refused to participate |
| G9666 | Fas/dir ldl 70-189mg/dl mst | G9733 | Pt unbl cmplt lb fs prom |
| G9674 | Pt w/clin ascvd dx | G9734 | Refused to participate |
| G9675 | Pt w/fast/dir lab ldl-c >190 | G9735 | Pt unbl cmplt shld fs prom |
| G9676 | 40-75y w/type 1/2 w/ldl-c rs | G9736 | Refused to participate |

| | | | |
|-------|------------------------------|-------|------------------------------|
| G9737 | Pt unbl cmplt ewh fs prom | G9788 | Most rct bp <= 140/90 |
| G9738 | Refused to participate | G9789 | Record bp ip, er, urg/self |
| G9739 | Pt unbl cmplt go fs prom | G9790 | Most rct bp >= 140/90 |
| G9740 | Hosp srv to pt dur msmt per | G9791 | Most rct tob stat free |
| G9741 | Pt w/hosp anytime msmt per | G9792 | Most rct tob stat not free |
| G9742 | Psych sympt assessed | G9793 | Pt on daily asa/antiplat |
| G9743 | Psych symp not assessed, rns | G9794 | Doc med rs n daily aspirin |
| G9744 | Pt not eli d/t act dig htn | G9795 | Pt no daily asa/antiplat |
| G9745 | Doc rs n no hbp scrn or f/u | G9796 | Pt not currently on statin |
| G9746 | Mit sten, valve or trans af | G9797 | Pt currently on statin |
| G9747 | Pall dialysis with catheter | G9798 | D/c ami btw 7/1-6/30 mst per |
| G9748 | App transpl lvg kidney donor | G9799 | Med disp evt indic hx asth |
| G9749 | Pall dialysis with catheter | G9800 | Pt id intol/alleg beta-block |
| G9750 | App transpl lvg kidney donor | G9801 | Nonacut transf from inpt |
| G9751 | Pt died w/in 24 mos rpt time | G9802 | Pt w/hosp anytime msmt per |
| G9752 | Urgent surgery | G9803 | Pt presc 135 day trmt |
| G9753 | Doc no dicom, ct other fac | G9804 | Pt not presc 135 day trmt |
| G9754 | Incid pulm nodule | G9805 | Pt w/hosp anytime msmt per |
| G9755 | Doc med rs n no flw up | G9806 | Pt recd cerv cyto/hpv |
| G9756 | Surg proc w/silicone oil | G9807 | Pt no recd cerv cyto/hpv |
| G9757 | Surg proc w/silicone oil | G9808 | Pt no asthm cont med mst per |
| G9758 | Pt in hos | G9809 | Pt w/hosp anytime msmt per |
| G9759 | Hx preop post cap rup | G9810 | Pdc 75% w/asth cont med |
| G9760 | Pt w/hosp anytime msmt per | G9811 | No pdc 75% w/asth cont med |
| G9761 | Pt w/hosp anytime msmt per | G9812 | Pt died during inpt/30d aft |
| G9762 | Pt had >= 2-3 hpv vaccines | G9813 | Pt not died w/in 30d of proc |
| G9763 | Pt not have 2-3 hpv vaccines | G9814 | Death during index hosp |
| G9764 | Pt treatd w/oral syst or bio | G9815 | Death not during index hosp |
| G9765 | Doc pat declined therapy | G9816 | Death <30 day post discharge |
| G9766 | Cva stroke dx tx transf fac | G9817 | No death 30-days post-disch |
| G9767 | Hosp new dx cva consid evst | G9818 | Doc sex activity |
| G9768 | Pt w/hosp anytime msmt per | G9819 | Pt w/hosp anytime msmt per |
| G9769 | Bn den 2yr/got ost med/ther | G9820 | Doc chlam scr test w/follow |
| G9770 | Perip nerve block | G9821 | No doc chlam scr ts w/follow |
| G9771 | Anes end, 1 temp >35.5(95.9) | G9822 | Endo abl proc yr prev ind dt |
| G9772 | Doc med rs n no temp >= 35.5 | G9823 | Endo smpl/hyst bx res doc |
| G9773 | 1 bod temp >=35.5 | G9824 | Endo smpl/hyst bx res no doc |
| G9774 | Pt had hyst | G9825 | Her-2 neg,undoc/unkn |
| G9775 | Recd 2 anti-emet pre/intraop | G9826 | Transf pract aft init chemo |
| G9776 | Doc med rs n no proph antiem | G9827 | Her-2 targ ther no init tx |
| G9777 | Pt no antiemet pre/intraop | G9828 | Her-2 targ ther dur init tx |
| G9778 | Pts dx w/pregn | G9829 | Breast adj chemo admin |
| G9779 | Pts breastfeeding | G9830 | Her-2 pos |
| G9780 | Pts dx w/rhabdomyolysis | G9831 | Ajcc stg brt ca dx ii or iii |
| G9781 | Doc rs n no statin | G9832 | Brt ca dx i, no t1/t1a/t1b |
| G9782 | Hx dx fam/pure hypercholes | G9833 | Transf pract aft init chemo |
| G9783 | Doc dx dm, fast <70, no stat | G9834 | Pt met dis at dx |
| G9784 | Path/derm prov 2nd biop opin | G9835 | Trastuz given w/in 12 mos dx |
| G9785 | Pathology report sent | G9836 | Rsn no trast given doc |
| G9786 | Pathology report not sent | G9837 | Trastuz not in 12 mos dx |
| G9787 | Pt alive | G9838 | Pt met dis at dx |

| | | | |
|-------|------------------------------|-------|------------------------------|
| G9839 | Anti-egfr mon anti ther | G9904 | Doc med rsn no tbco scrn |
| G9840 | Gene testing performed | G9905 | No pt tbco scrn rng |
| G9841 | Gene testing not performed | G9906 | Pt recv tbco cess interv |
| G9842 | Pt met dis at dx | G9907 | Doc med rsn no tbco interv |
| G9843 | Kras or nras gene mutation | G9908 | No pt tbco cess interv rng |
| G9844 | Pt no recd anti-egfr ther | G9909 | Doc med rsn no tbco interv |
| G9845 | Pt recd anti-egfr ther | G9910 | Snplg trm cre pt w/pos cde |
| G9846 | Pt died from cancer | G9911 | Node neg pre/post syst ther |
| G9847 | Pt recd chemo last 14d life | G9912 | Hbv status assesed and int |
| G9848 | Pt no chemo last 14d life | G9913 | No hbv status assesd and int |
| G9849 | Pt died from cancer | G9914 | Pt receiving anti-tnf agent |
| G9850 | 1/more ed last 30d life | G9915 | No documntd hbv results rcd |
| G9851 | 1/no ed visit last 30d life | G9916 | Funct status past 12 months |
| G9852 | Pt died from cancer | G9917 | Doc med rsn no funct status |
| G9853 | Icu stay last 30d life | G9918 | No funct stat perf, rsn nos |
| G9854 | No icu stay last 30d life | G9919 | Scrn nd pos nd prov of rec |
| G9855 | Pt died from cancer | G9920 | Scrnng perf and negative |
| G9856 | Pt no hospice | G9921 | No or part scrn nd rng or os |
| G9857 | Pt admit hospice | G9922 | Sfty cncrns scrn nd mit recs |
| G9858 | Pt enroll hospice | G9923 | Safty cncrns scrn and neg |
| G9859 | Pt died from cancer | G9924 | Doc med rsn no scrn or recs |
| G9860 | Pt less 3d hospice | G9925 | No scrn prov rsn nos |
| G9861 | Pt more than 3d hospice | G9926 | Sfty cncrns scrn but no recs |
| G9862 | Doc rsn no 10 yr follow | G9927 | Doc no warf /fda pt trial |
| G9873 | 1 em core session | G9928 | No warf or fda drug presc |
| G9874 | 4 em core sessions | G9929 | Trs/rev af |
| G9875 | 9 em core sessions | G9930 | Com care |
| G9876 | 2 em core ms mo 7-9 no wl | G9931 | No chad or chad scr 0 or 1 |
| G9877 | 2 em core ms mo 10-12 no wl | G9932 | Doc pt rsn no tb scrn recrds |
| G9878 | 2 em core ms mo 7-9 wl | G9933 | Canc detectd during col scrn |
| G9879 | 2 em core ms mo 10-12 wl | G9934 | Doc rsn not detecting cancer |
| G9880 | Em 5 percent wl | G9935 | Canc not detectd during srcn |
| G9881 | Em 9 percent wl | G9936 | Pmh plyp/neo co/rect/jun/ans |
| G9882 | 2 em ongoing ms mo 13-15 wl | G9937 | Dig or surv colsco |
| G9883 | 2 em ongoing ms mo 16-18 wl | G9938 | Snplg trm cre pt w/pos cde |
| G9884 | 2 em ongoing ms mo 19-21 wl | G9939 | Same path/derm perf biopsy |
| G9885 | 2 em ongoing ms mo 22-24 wl | G9940 | Doc reas no statin therapy |
| G9890 | Em bridge payment | G9941 | Pre and post vas wthn 3 mos |
| G9891 | Em session reporting | G9942 | Adtl spine proc on same date |
| G9892 | Doc pt rsn no dil mac exam | G9943 | Bk pn nt msr vas scl pre/pst |
| G9893 | No mac exam | G9944 | Vas 3 mon pre and 1 yr post |
| G9894 | Adr dep thrpy prescribed | G9945 | Pt w/cancer scoliosis |
| G9895 | Doc med rsn no adr dep thrpy | G9946 | Bk pn nt msr vas pre-pst 1y |
| G9896 | Doc pt rsn no adr dep thrpy | G9947 | Pre and post vas wthn 3 mos |
| G9897 | Pt nt prsc adr dep thrpy rng | G9948 | Adtl spine proc on same date |
| G9898 | Snplg trm cre pt w/pos cde | G9949 | Lg pn nt msr vas scl pre/pst |
| G9899 | Scrn mam perf rslts doc | G9954 | Pt >2 rsk fac post-op vomit |
| G9900 | Scrn mam perf rslts not doc | G9955 | InhInt anesth only for induc |
| G9901 | Snplg trm cre pt w/pos cde | G9956 | Combo thrpy of >= 2 prophly |
| G9902 | Pt scrn tbco and id as user | G9957 | Doc med rsn no combo thrpy |
| G9903 | Pt scrn tbco id as non user | G9958 | No combo prophyl thrp for pt |

| | | | |
|-------|------------------------------|-------|------------------------------|
| G9959 | Systemic antimicro not presc | J7657 | Isoproterenol comp con |
| G9960 | Med rsn sys antimi nt rx | J7658 | Isoproterenol non-comp con |
| G9961 | Systemic antimicro presc | J7659 | Isoproterenol non-comp unit |
| G9962 | Embolization doc separatly | J7660 | Isoproterenol comp unit |
| G9963 | Embolization not doc separat | J7667 | Metaproterenol comp con |
| G9964 | Pt recv >=1 well-chld visit | J7668 | Metaproterenol non-comp con |
| G9965 | No well-chld vist recv by pt | J7669 | Metaproterenol non-comp unit |
| G9966 | Scrn, inter, report child | J7670 | Metaproterenol comp unit |
| G9967 | No scrn, inter, rept child | J7676 | Pentamidine comp unit dose |
| G9968 | Pt refrd 2 pvdr/spclst in pp | J7677 | Revefenacin inh non-com 1mcg |
| G9969 | Pvdr rfrd pt rpt rcvd | J7680 | Terbutaline sulf comp con |
| G9970 | Pvdr rfrd pt no rpt rcvd | J7681 | Terbutaline sulf comp unit |
| G9974 | Mac exam perf | J7682 | Tobramycin non-comp unit |
| G9975 | Doc med rsn no dil mac exam | J7683 | Triamcinolone comp con |
| J7604 | Acetylcysteine comp unit | J7684 | Triamcinolone comp unit |
| J7605 | Arformoterol non-comp unit | J7685 | Tobramycin comp unit |
| J7606 | Formoterol fumarate, inh | J7686 | Treprostinil, non-comp unit |
| J7607 | Levalbuterol comp con | J7699 | Inhalation solution for dme |
| J7608 | Acetylcysteine non-comp unit | M1000 | Pain scr as mod to sevr |
| J7609 | Albuterol comp unit | M1001 | Pln to adrs pain doc |
| J7610 | Albuterol comp con | M1002 | Pln to adrs pain not doc |
| J7611 | Albuterol non-comp con | M1003 | Tb scr 12 mo pri fst bio dz |
| J7612 | Levalbuterol non-comp con | M1004 | Doc med rsn no srn tb |
| J7613 | Albuterol non-comp unit | M1005 | Tb scr no perf |
| J7614 | Levalbuterol non-comp unit | M1006 | Dz not ases, no rsn |
| J7615 | Levalbuterol comp unit | M1007 | >=50% total pt outpt ra enct |
| J7620 | Albuterol ipratrop non-comp | M1008 | <50% total pt outpt ra encts |
| J7622 | Beclomethasone comp unit | M1009 | Pt tx and final eval comp |
| J7624 | Betamethasone comp unit | M1010 | Pt tx and final eval comp |
| J7626 | Budesonide non-comp unit | M1011 | Pt tx and final eval comp |
| J7627 | Budesonide comp unit | M1012 | Pt tx and final eval comp |
| J7628 | Bitolterol mesylate comp con | M1013 | Pt tx and final eval comp |
| J7629 | Bitolterol mesylate comp unt | M1014 | Pt tx and final eval comp |
| J7631 | Cromolyn sodium noncomp unit | M1015 | Pt tx and final eval comp |
| J7632 | Cromolyn sodium comp unit | M1016 | Pt dx meop or sur steri |
| J7633 | Budesonide non-comp con | M1017 | Pt admt to palitve serv |
| J7634 | Budesonide comp con | M1018 | Pt dx hst cr pt sk lg cr scr |
| J7635 | Atropine comp con | M1019 | Adl pt mj dep ds rs 12 phq<5 |
| J7636 | Atropine comp unit | M1020 | Adl pt mj dep ds no rs 12 mo |
| J7637 | Dexamethasone comp con | M1021 | Pt uc in pp |
| J7638 | Dexamethasone comp unit | M1022 | Pt hospice during perf pd |
| J7639 | Dornase alfa non-comp unit | M1023 | Adl pt mj dep ds rs 6 phq<5 |
| J7641 | Flunisolide comp unit | M1024 | Adl pt mj dep ds no rs 6 mo |
| J7642 | Glycopyrrolate comp con | M1025 | Pt hospice during perf pd |
| J7643 | Glycopyrrolate comp unit | M1026 | Pt hospice during perf pd |
| J7644 | Ipratropium bromide non-comp | M1027 | Img head (ct or mri) obtnd |
| J7645 | Ipratropium bromide comp | M1028 | Doc of pt prm hda dx and otr |
| J7647 | Isoetharine comp con | M1029 | Doc sysm rsn img hd |
| J7648 | Isoetharine non-comp con | M1030 | Pt clin ind img hd |
| J7649 | Isoetharine non-comp unit | M1031 | Pt clin ind img hd |
| J7650 | Isoetharine comp unit | M1032 | Adt tkng pharmthry for oud |

| | |
|-------|------------------------------|
| M1033 | Pharmthry for oud afr 6.30 |
| M1034 | Adt 180 dys pharmthry oud |
| M1035 | Adt pd out mat pr 180 dys tx |
| M1036 | Adt no 180 dys pharmthry oud |
| M1037 | Pt dx lum sp reg cacr |
| M1038 | Pt dx lum sp reg fract |
| M1039 | Pt dx lum sp reg inf |
| M1040 | Pt dx lum idi or cong scol |
| M1041 | Pt cr ft inf lm or pt id sl |
| M1042 | Ftl st mea sco ot odi 3 mo |
| M1043 | Ftl st mea sco no ot odi |
| M1044 | Ftl st mea odi 3 mo |
| M1045 | Fsm wth scr oks pre and post |
| M1046 | Fsm wth scr no oks pre and p |
| M1047 | Fs msrd oks pre and post |
| M1048 | Fsm wth scr odi pre and post |
| M1049 | Fsm wth scr no odi pre and p |
| M1050 | Fs msrd odi pre and post |
| M1051 | Pt w/cancer scoliosis |
| M1052 | Lg pn nt msr vas scl pre/pst |
| M1053 | Pre and post vas wthn 3 mos |
| M1054 | Pt uc in pp |
| M1055 | Aspirin used |
| M1056 | Presc antico med in pp |
| M1057 | Aspirin not used, no rsn |
| M1058 | Pt prm nurs hm res in pp |
| M1059 | Pt no prm nurs hm res in pp |
| M1060 | Pt died in pp |
| M1061 | Pt preg |
| M1062 | Pt imcomprmd |
| M1063 | Pt rec hg dos imsup thpy |
| M1064 | Shing vac doc adm or pv rec |
| M1065 | Shing vac no adm clinc rsn |
| M1066 | Shing vac no doc no rsn |
| M1067 | Hspc pt prv time meam per |
| M1068 | Pt not ambulatory |
| M1069 | Pt scr ft fall rsk |
| M1070 | Pt not scrn fut fall no rsn |
| M1071 | Pt had add'l sp pcr perf |

Mental Health services not approved for Partial Hospitalization Program

| | |
|-------|------------------------------|
| 0362T | Bhv id suprt assmt ea 15 min |
| 0373T | Adapt bhv tx ea 15 min |
| 90839 | Psytx crisis initial 60 min |
| 90849 | Multiple family group psytx |
| 90853 | Group psychotherapy |
| 90899 | Psychiatric service/therapy |
| 96112 | Devel tst phys/qhp 1st hr |
| 96150 | Assess hlth/behave init |
| 96151 | Assess hlth/behave subseq |
| 96152 | Intervene hlth/behave indiv |
| 96153 | Intervene hlth/behave group |
| 96154 | Interv hlth/behav fam w/pt |
| 97151 | Bhv id assmt by phys/qhp |
| 97152 | Bhv id suprt assmt by 1 tech |
| 97153 | Adaptive behavior tx by tech |
| 97154 | Grp adapt bhv tx by tech |
| 97155 | Adapt behavior tx phys/qhp |
| 97156 | Fam adapt bhv tx gdn phy/qhp |
| 97157 | Mult fam adapt bhv tx gdn |
| 97158 | Grp adapt bhv tx by phy/qhp |
| G0451 | Development test interpt&rep |

Mental Health services not payable outside Partial Hospitalization Program

| | |
|-------|------------------------------|
| G0129 | Partial hosp prog service |
| G0176 | Opps/php;activity therapy |
| G0410 | Grp psych partial hosp 45-50 |
| G0411 | Inter active grp psych parti |

Skin substitute procedures and products - low cost

| Skin substitute procedure code | Description |
|---------------------------------------|------------------------------|
| Q4100 | Skin substitute, nos |
| Q4102 | Oasis wound matrix |
| Q4111 | Gammagraft |
| Q4115 | Alloskin |
| Q4117 | Hyalomatrix |
| Q4124 | Oasis tri-layer wound matrix |
| Q4134 | Hmatrix |
| Q4135 | Mediskin |
| Q4136 | Ezderm |
| Q4165 | Keramatrix, kerasorb sq cm |
| Q4166 | Cytal, per square centimeter |
| Q4167 | Truskin, per sq centimeter |
| Q4168 | Amnioband, 1 mg |
| Q4170 | Cygnus, per sq cm |
| Q4179 | Flowerderm, per sq cm |
| Q4182 | Transcyte, per sq centimeter |
| Q4188 | Amnioarmor 1 sq cm |
| Q4190 | Artacent ac 1 sq cm |
| Q4191 | Restorigin 1 sq cm |
| Q4193 | Coll-e-derm 1 sq cm |
| Q4198 | Genesis amnio membrane 1sqcm |
| Q4200 | Skin te 1 sq cm |
| Q4201 | Matrion 1 sq cm |
| Q4204 | Xwrap 1 sq cm |
| Q4205 | Membrane graft or wrap sq cm |

| Skin substitute procedure code | Description |
|---|------------------------------|
| Q4206 | Fluid flow or fluid gf 1 cc |
| Q4208 | Novafix per sq cm |
| Q4209 | Surgraft per sq cm |
| Q4210 | Axotl graf dualgraf sq cm |
| Q4211 | Amnion bio or axobio sq cm |
| Q4212 | Allogen, per cc |
| Q4213 | Ascent, 0.5 mg |
| Q4214 | Cellesta cord per sq cm |
| Q4215 | Axotl ambient, cryo 0.1 mg |
| Q4216 | Artacent cord per sq cm |
| Q4217 | Woundfix biowound plus xplus |
| Q4218 | Surgicord per sq cm |
| Q4219 | Surgigraft dual per sq cm |
| Q4220 | Bellacell HD, Surederm sq cm |
| Q4221 | Amniowrap2 per sq cm |
| Q4222 | Progenamatrix, per sq cm |
| Q4226 | Myown harv prep proc sq cm |

| Skin substitute application code | Description |
|---|------------------------------|
| C5271 | Low cost skin substitute app |
| C5272 | Low cost skin substitute app |
| C5273 | Low cost skin substitute app |
| C5274 | Low cost skin substitute app |
| C5275 | Low cost skin substitute app |
| C5276 | Low cost skin substitute app |
| C5277 | Low cost skin substitute app |
| C5278 | Low cost skin substitute app |

Skin substitute procedures and products - high cost

| Skin substitute product code | Description |
|-------------------------------------|------------------------------|
| C9363 | Integra meshed bil wound mat |
| Q4101 | Apligraf |
| Q4103 | Oasis burn matrix |
| Q4104 | Integra bmwd |
| Q4105 | Integra drt or omnigraft |
| Q4106 | Dermagraft |
| Q4107 | Graftjacket |
| Q4108 | Integra matrix |
| Q4110 | Primatrix |
| Q4116 | Alloderm |
| Q4121 | Theraskin |
| Q4122 | Dermacell, awm, porous sq cm |
| Q4123 | Alloskin |
| Q4126 | Memoderm/derma/tranz/integup |
| Q4127 | Talymed |
| Q4128 | Flexhd/allopatchhd/matrixhd |
| Q4132 | Grafix core, grafixpl core |
| Q4133 | Grafix stravix prime pl sqcm |
| Q4137 | Amnioexcel biodexcel 1sq cm |
| Q4138 | Biodfence dryflex, 1cm |
| Q4140 | Biodfence 1cm |
| Q4141 | Alloskin ac, 1 cm |
| Q4143 | Repriza, 1cm |
| Q4146 | Tensix, 1cm |
| Q4147 | Architect ecm px fx 1 sq cm |

| Skin substitute product code | Description |
|-------------------------------------|-----------------------------|
| Q4148 | Neox neox rt or clarix cord |
| Q4150 | Allowrap ds or dry 1 sq cm |
| Q4151 | Amnioband, guardian 1 sq cm |
| Q4152 | Dermapure 1 square cm |
| Q4153 | Dermavest, plurivest sq cm |
| Q4154 | Biovance 1 square cm |
| Q4156 | Neox 100 or clarix 100 |
| Q4157 | Revitalon 1 square cm |
| Q4158 | Kerecis omega3, per sq cm |
| Q4159 | Affinity1 square cm |
| Q4160 | Nushield 1 square cm |
| Q4161 | Bio-connekt per square cm |
| Q4163 | Woundex, bioskin, per sq cm |
| Q4164 | Helicoll, per square cm |
| Q4169 | Artacent wound, per sq cm |
| Q4173 | Palingen or palingen xplus |
| Q4175 | Miroderm |
| Q4176 | Neopatch, per sq centimeter |
| Q4178 | Floweramniopatch, per sq cm |
| Q4180 | Revita, per sq cm |
| Q4181 | Amnio wound, per square cm |
| Q4183 | Surgigraft, 1 sq cm |
| Q4184 | Cellesta or duo per sq cm |
| Q4186 | Epifix 1 sq cm |
| Q4187 | Epicord 1 sq cm |
| Q4194 | Novachor 1 sq cm |
| Q4195 | Puraply 1 sq cm |
| Q4196 | Puraply am 1 sq cm |

| Skin substitute product code | Description |
|---|---------------------|
| Q4197 | Puraply xt 1 sq cm |
| Q4203 | Derma-gide, 1 sq cm |

| Skin substitute application code | Description |
|---|------------------------------|
| 15271 | Skin sub graft trnk/arm/leg |
| 15272 | Skin sub graft t/a/l add-on |
| 15273 | Skin sub grft t/arm/lg child |
| 15274 | Skn sub grft t/a/l child add |
| 15275 | Skin sub graft face/nk/hf/g |
| 15276 | Skin sub graft f/n/hf/g addl |
| 15277 | Skn sub grft f/n/hf/g child |
| 15278 | Skn sub grft f/n/hf/g ch add |

Device procedures

| | |
|-------|------------------------------|
| 0100T | Prosth retina receive&gen |
| 0191T | Insert ant segment drain int |
| 0221T | Plmt post facet implt lumb |
| 0234T | Trluml perip athrc renal art |
| 0236T | Trluml perip athrc abd aorta |
| 0237T | Trluml perip athrc brchiocph |
| 0238T | Trluml perip athrc iliac art |
| 0253T | Insert aqueous drain device |
| 0268T | Implt/rpl crtd sns dev gen |
| 0308T | Insj ocular telescope prosth |
| 0312T | Laps impltj nstim vagus |
| 0316T | Replc vagus nerve pls gen |
| 0335T | Insj sinus tarsi implant |
| 0408T | Insj/rplc cardiac modulj sys |
| 0409T | Insj/rplc car modulj pls gn |
| 0410T | Insj/rplc car modulj atr elt |
| 0411T | Insj/rplc car modulj vnt elt |
| 0414T | Rmvl & rpl car modulj pls gn |
| 0424T | Insj/rplc nstim apnea compl |
| 0449T | Insj aqueous drain dev 1st |
| 0467T | Revj/rplmnt ch respir eltrd |
| 0511T | Rmvl&rinsj sinus tarsi implt |
| 0515T | Insj wcs lv compl sys |
| 0516T | Insj wcs lv eltrd only |
| 0517T | Insj wcs lv pg compnt |
| 0519T | Rmvl & rplcmt pg compnt wcs |
| 0520T | Rmvl&rplcmt pg wcs new eltrd |
| 0525T | Insj/rplcmt compl iims |
| 0526T | Insj/rplcmt iims eltrd only |
| 0527T | Insj/rplcmt iims implt mntr |
| 0548T | Tprnl balo cntnc dev bi |
| 0549T | Tprnl balo cntnc dev uni |
| 11970 | Replace tissue expander |
| 19105 | Cryosurg ablate fa each |
| 19296 | Place po breast cath for rad |
| 19342 | Delayed breast prosthesis |
| 19357 | Breast reconstruction |
| 20690 | Apply bone fixation device |
| 20692 | Apply bone fixation device |
| 20696 | Comp multiplane ext fixation |
| 21125 | Augmentation lower jaw bone |
| 21243 | Reconstruction of jaw joint |
| 21244 | Reconstruction of lower jaw |
| 21338 | Open nasoethmoid fx w/o fixj |
| 21365 | Opn tx complx malar fx |
| 21454 | Treat lower jaw fracture |

| | |
|-------|------------------------------|
| 21461 | Treat lower jaw fracture |
| 21462 | Treat lower jaw fracture |
| 21470 | Treat lower jaw fracture |
| 21811 | Optx of rib fx w/fixj scope |
| 21813 | Treatment of rib fracture |
| 22551 | Neck spine fuse&remov bel c2 |
| 22554 | Neck spine fusion |
| 22856 | Cerv artific disectomy |
| 22867 | Insj stablj dev w/dcmpn |
| 22869 | Insj stablj dev w/o dcmpn |
| 23156 | Removal of humerus lesion |
| 23470 | Reconstruct shoulder joint |
| 23473 | Revis reconst shoulder joint |
| 23485 | Revision of collar bone |
| 23491 | Reinforce shoulder bones |
| 23515 | Treat clavicle fracture |
| 23532 | Treat clavicle dislocation |
| 23552 | Treat clavicle dislocation |
| 23615 | Treat humerus fracture |
| 23616 | Treat humerus fracture |
| 23680 | Treat dislocation/fracture |
| 24115 | Remove/graft bone lesion |
| 24126 | Remove/graft bone lesion |
| 24344 | Reconstruct elbow lat ligmnt |
| 24360 | Reconstruct elbow joint |
| 24361 | Reconstruct elbow joint |
| 24362 | Reconstruct elbow joint |
| 24363 | Replace elbow joint |
| 24366 | Reconstruct head of radius |
| 24370 | Revise reconst elbow joint |
| 24371 | Revise reconst elbow joint |
| 24430 | Repair of humerus |
| 24435 | Repair humerus with graft |
| 24498 | Reinforce humerus |
| 24515 | Treat humerus fracture |
| 24516 | Treat humerus fracture |
| 24545 | Treat humerus fracture |
| 24546 | Treat humerus fracture |
| 24579 | Treat humerus fracture |
| 24587 | Treat elbow fracture |
| 24635 | Treat elbow fracture |
| 24666 | Treat radius fracture |
| 24685 | Treat ulnar fracture |
| 25126 | Remove/graft forearm lesion |
| 25390 | Shorten radius or ulna |
| 25391 | Lengthen radius or ulna |
| 25400 | Repair radius or ulna |
| 25405 | Repair/graft radius or ulna |
| 25415 | Repair radius & ulna |
| 25420 | Repair/graft radius & ulna |
| 25425 | Repair/graft radius or ulna |

| | |
|-------|------------------------------|
| 25441 | Reconstruct wrist joint |
| 25442 | Reconstruct wrist joint |
| 25443 | Reconstruct wrist joint |
| 25444 | Reconstruct wrist joint |
| 25445 | Reconstruct wrist joint |
| 25446 | Wrist replacement |
| 25515 | Treat fracture of radius |
| 25525 | Treat fracture of radius |
| 25526 | Treat fracture of radius |
| 25574 | Treat fracture radius & ulna |
| 25575 | Treat fracture radius/ulna |
| 25607 | Treat fx rad extra-articul |
| 25608 | Treat fx rad intra-articul |
| 25609 | Treat fx radial 3+ frag |
| 25805 | Fusion/graft of wrist joint |
| 25810 | Fusion/graft of wrist joint |
| 25820 | Fusion of hand bones |
| 25825 | Fuse hand bones with graft |
| 25830 | Fusion radioulnar jnt/ulna |
| 26531 | Revise knuckle with implant |
| 26536 | Revise/implant finger joint |
| 26820 | Thumb fusion with graft |
| 26843 | Fusion of hand joint |
| 26844 | Fusion/graft of hand joint |
| 27279 | Arthrodesis sacroiliac joint |
| 27357 | Remove femur lesion/graft |
| 27396 | Transplant of thigh tendon |
| 27403 | Repair of knee cartilage |
| 27407 | Repair of knee ligament |
| 27415 | Osteochondral knee allograft |
| 27416 | Osteochondral knee autograft |
| 27427 | Reconstruction knee |
| 27428 | Reconstruction knee |
| 27429 | Reconstruction knee |
| 27438 | Revise kneecap with implant |
| 27440 | Revision of knee joint |
| 27442 | Revision of knee joint |
| 27443 | Revision of knee joint |
| 27446 | Revision of knee joint |
| 27447 | Total knee arthroplasty |
| 27485 | Surgery to stop leg growth |
| 27509 | Treatment of thigh fracture |
| 27652 | Repair/graft achilles tendon |
| 27696 | Repair of ankle ligaments |
| 27705 | Incision of tibia |
| 27709 | Incision of tibia & fibula |
| 27720 | Repair of tibia |
| 27722 | Repair/graft of tibia |
| 27726 | Repair fibula nonunion |
| 27745 | Reinforce tibia |
| 27756 | Treatment of tibia fracture |

| | |
|-------|-------------------------------|
| 27758 | Treatment of tibia fracture |
| 27759 | Treatment of tibia fracture |
| 27792 | Treatment of ankle fracture |
| 27814 | Treatment of ankle fracture |
| 27822 | Treatment of ankle fracture |
| 27823 | Treatment of ankle fracture |
| 27827 | Treat lower leg fracture |
| 27828 | Treat lower leg fracture |
| 27832 | Treat lower leg dislocation |
| 27848 | Treat ankle dislocation |
| 27870 | Fusion of ankle joint open |
| 27871 | Fusion of tibiofibular joint |
| 28102 | Remove/graft foot lesion |
| 28103 | Remove/graft foot lesion |
| 28262 | Revision of foot and ankle |
| 28291 | Corrj halux rigdus w/implt |
| 28297 | Correction hallux valgus |
| 28300 | Incision of heel bone |
| 28305 | Incise/graft midfoot bones |
| 28309 | Incision of metatarsals |
| 28320 | Repair of foot bones |
| 28322 | Repair of metatarsals |
| 28415 | Treat heel fracture |
| 28420 | Treat/graft heel fracture |
| 28445 | Treat ankle fracture |
| 28465 | Treat midfoot fracture each |
| 28485 | Treat metatarsal fracture |
| 28555 | Repair foot dislocation |
| 28585 | Repair foot dislocation |
| 28615 | Repair foot dislocation |
| 28705 | Fusion of foot bones |
| 28715 | Fusion of foot bones |
| 28725 | Fusion of foot bones |
| 28730 | Fusion of foot bones |
| 28735 | Fusion of foot bones |
| 28737 | Revision of foot bones |
| 28740 | Fusion of foot bones |
| 28750 | Fusion of big toe joint |
| 29855 | Tibial arthroscopy/surgery |
| 29856 | Tibial arthroscopy/surgery |
| 29867 | Allgrft implnt knee w/scope |
| 29888 | Knee arthroscopy/surgery |
| 29889 | Knee arthroscopy/surgery |
| 29899 | Ankle arthroscopy/surgery |
| 29905 | Subtalar arthro w/exc |
| 29907 | Subtalar arthro w/fusion |
| 31636 | Bronchoscopy bronch stents |
| 31660 | Bronch thermoplasty 1 lobe |
| 31661 | Bronch thermoplasty 2/> lobes |
| 33206 | Insert heart pm atrial |
| 33207 | Insert heart pm ventricular |

| | |
|-------|-------------------------------|
| 33208 | Insrt heart pm atrial & vent |
| 33211 | Insert card electrodes dual |
| 33212 | Insert pulse gen sngl lead |
| 33213 | Insert pulse gen dual leads |
| 33214 | Upgrade of pacemaker system |
| 33216 | Insert 1 electrode pm-defib |
| 33217 | Insert 2 electrode pm-defib |
| 33221 | Insert pulse gen mult leads |
| 33224 | Insert pacing lead & connect |
| 33227 | Remove&replace pm gen singl |
| 33228 | Remv&replc pm gen dual lead |
| 33229 | Remv&replc pm gen mult leads |
| 33230 | Insrt pulse gen w/dual leads |
| 33231 | Insrt pulse gen w/mult leads |
| 33240 | Insrt pulse gen w/sngl lead |
| 33249 | Insj/rplcmt defib w/lead(s) |
| 33262 | Rmvl & replc pulse gen 1 lead |
| 33263 | Rmvl & rplcmt dfb gen 2 lead |
| 33264 | Rmvl & rplcmt dfb gen mlt ld |
| 33270 | Ins/rep subq defibrillator |
| 33271 | Insj subq impltbl dfb elctrd |
| 33274 | Tcat insj/rpl perm ldls pm |
| 33285 | Insj subq car rhythm mntr |
| 33289 | Tcat impl wrls p-art prs snr |
| 36253 | Ins cath ren art 2nd+ unilat |
| 36260 | Insertion of infusion pump |
| 36261 | Revision of infusion pump |
| 36580 | Replace cvad cath |
| 36581 | Replace tunneled cv cath |
| 36595 | Mech remov tunneled cv cath |
| 36835 | Artery to vein shunt |
| 36903 | Intro cath dialysis circuit |
| 36906 | Thrmbs/nfs dialysis circuit |
| 37183 | Remove hepatic shunt (tips) |
| 37184 | Prim art m-thrmbs 1st vsl |
| 37187 | Venous mech thrombectomy |
| 37191 | Ins endovas vena cava filtr |
| 37192 | Redo endovas vena cava filtr |
| 37221 | Iliac revasc w/stent |
| 37224 | Fem/popl revas w/tla |
| 37225 | Fem/popl revas w/ather |
| 37226 | Fem/popl revasc w/stent |
| 37227 | Fem/popl revasc stnt & ather |
| 37228 | Tib/per revasc w/tla |
| 37229 | Tib/per revasc w/ather |
| 37230 | Tib/per revasc w/stent |
| 37231 | Tib/per revasc stent & ather |
| 37236 | Open/perq place stent 1st |
| 37238 | Open/perq place stent same |
| 37242 | Vasc embolize/occlude artery |
| 37606 | Ligation of neck artery |

| | |
|-------|--------------------------------|
| 43212 | Esophagoscop stent placement |
| 43240 | Egd w/transmural drain cyst |
| 43266 | Egd endoscopic stent place |
| 43284 | Laps esophgl sphnctr agmntj |
| 43647 | Lap impl electrode antrum |
| 43770 | Lap place gastr adj device |
| 44370 | Small bowel endoscopy/stent |
| 44402 | Colonoscopy w/stent plcmt |
| 45347 | Sigmoidoscopy w/plcmt stent |
| 45389 | Colonoscopy w/stent plcmt |
| 47383 | Perq abltj lvr cryoablation |
| 47538 | Perq plmt bile duct stent |
| 47539 | Perq plmt bile duct stent |
| 47540 | Perq plmt bile duct stent |
| 47556 | Biliary endoscopy thru skin |
| 50434 | Convert nephrostomy catheter |
| 50593 | Perc cryo ablate renal tum |
| 51715 | Endoscopic injection/implant |
| 51992 | Laparo sling operation |
| 52327 | Cystoscopy inject material |
| 53440 | Male sling procedure |
| 53444 | Insert tandem cuff |
| 53445 | Insert uro/ves nck sphincter |
| 53447 | Remove/replace ur sphincter |
| 54400 | Insert semi-rigid prosthesis |
| 54401 | Insert self-contd prosthesis |
| 54405 | Insert multi-comp penis pros |
| 54410 | Remove/replace penis prosth |
| 54411 | Remov/replc penis pros comp |
| 54416 | Remv/repl penis contain pros |
| 54417 | Remv/replc penis pros compl |
| 54660 | Revision of testis |
| 55873 | Cryoablate prostate |
| 57288 | Repair bladder defect |
| 58565 | Hysteroscopy sterilization |
| 61623 | Endovasc temporary vessel occl |
| 61626 | Transcath occlusion non-cns |
| 61885 | Insrt/redo neurostim 1 array |
| 61886 | Implant neurostim arrays |
| 61888 | Revise/remove neuroreceiver |
| 62350 | Implant spinal canal cath |
| 62360 | Insert spine infusion device |
| 62361 | Implant spine infusion pump |
| 62362 | Implant spine infusion pump |
| 63075 | Neck spine disk surgery |
| 63610 | Stimulation of spinal cord |
| 63650 | Implant neuroelectrodes |
| 63655 | Implant neuroelectrodes |
| 63663 | Revise spine eltrd perq aray |
| 63664 | Revise spine eltrd plate |
| 63685 | Insrt/redo spine n generator |

| | |
|-------|------------------------------|
| 63741 | Install spinal shunt |
| 63744 | Revision of spinal shunt |
| 64553 | Implant neuroelectrodes |
| 64555 | Implant neuroelectrodes |
| 64561 | Implant neuroelectrodes |
| 64568 | Inc for vagus n elect impl |
| 64569 | Revise/repl vagus n eltrd |
| 64575 | Implant neuroelectrodes |
| 64580 | Implant neuroelectrodes |
| 64581 | Implant neuroelectrodes |
| 64590 | Insrt/redo pn/gastr stimul |
| 64595 | Revise/rmv pn/gastr stimul |
| 64885 | Nerve graft head/neck </4 cm |
| 64886 | Nerve graft head/neck >4 cm |
| 64890 | Nerve graft hand/foot </4 cm |
| 64891 | Nerve graft hand/foot >4 cm |
| 64910 | Nerve repair w/allograft |
| 65770 | Revise cornea with implant |
| 66180 | Aqueous shunt eye w/graft |
| 66183 | Insert ant drainage device |
| 69714 | Implant temple bone w/stimul |
| 69715 | Temple bne implnt w/stimulat |
| 69717 | Temple bone implant revision |
| 69930 | Implant cochlear device |
| 75733 | Artery x-rays adrenals |
| 75746 | Artery x-rays lung |
| 75870 | Vein x-ray skull |
| 75898 | Follow-up angiography |
| 92928 | Prq card stent w/angio 1 vsl |
| 92933 | Prq card stent/ath/angio |
| 92937 | Prq revasc byp graft 1 vsl |
| 92943 | Prq card revasc chronic 1vsl |
| 92986 | Revision of aortic valve |
| 92987 | Revision of mitral valve |
| 93532 | R & I heart cath congenital |
| 93580 | Transcath closure of asd |
| 93581 | Transcath closure of vsd |
| 93582 | Perq transcath closure pda |
| 93590 | Perq transcath cls mitral |
| 93591 | Perq transcath cls aortic |
| 93600 | Bundle of his recording |
| 93602 | Intra-atrial recording |
| 93603 | Right ventricular recording |
| 93610 | Intra-atrial pacing |
| 93650 | Ablate heart dysrhythm focus |
| 93653 | Ep & ablate supravent arrhyt |
| 93654 | Ep & ablate ventric tachy |
| 93656 | Tx atrial fib pulm vein isol |
| C9600 | Perc drug-el cor stent sing |
| C9602 | Perc d-e cor stent ather s |
| C9604 | Perc d-e cor revasc t cabg s |

| | |
|-------|------------------------------|
| C9607 | Perc d-e cor revasc chro sin |
| C9728 | Place device/marker, non pro |
| C9739 | Cystoscopy prostatic imp 1-3 |
| C9740 | Cysto impl 4 or more |
| C9745 | Nasal endo eustachian tube |
| C9749 | Repair nasal stenosis w/imp |
| C9752 | Intraosseous des lumb/sacrum |
| C9754 | Perc av fistula, direct |
| C9755 | Rf magnetic-guide av fistula |

Devices

| | |
|-------|--------------------------------|
| A4648 | Implantable tissue marker |
| C1713 | Anchor/screw bn/bn,tis/bn |
| C1714 | Cath, trans atherectomy, dir |
| C1715 | Brachytherapy needle |
| C1721 | Aicd, dual chamber |
| C1722 | Aicd, single chamber |
| C1724 | Cath, trans atheroc, rotation |
| C1725 | Cath, translumin non-laser |
| C1726 | Cath, bal dil, non-vascular |
| C1727 | Cath, bal tis dis, non-vas |
| C1728 | Cath, brachytx seed adm |
| C1729 | Cath, drainage |
| C1730 | Cath, ep, 19 or few elect |
| C1731 | Cath, ep, 20 or more elec |
| C1732 | Cath, ep, diag/abl, 3d/vect |
| C1733 | Cath, ep, othr than cool-tip |
| C1749 | Endo, colon, retro imaging |
| C1750 | Cath, hemodialysis, long-term |
| C1751 | Cath, inf, per/cent/midline |
| C1752 | Cath, hemodialysis, short-term |
| C1753 | Cath, intravas ultrasound |
| C1754 | Catheter, intradiscal |
| C1755 | Catheter, intraspinal |
| C1756 | Cath, pacing, transesoph |
| C1757 | Cath, thrombectomy/embolect |
| C1758 | Catheter, ureteral |
| C1759 | Cath, intra echocardiography |
| C1760 | Closure dev, vasc |
| C1762 | Conn tiss, human (inc fascia) |
| C1763 | Conn tiss, non-human |
| C1764 | Event recorder, cardiac |
| C1765 | Adhesion barrier |
| C1766 | Intro/sheath, strble, non-peel |
| C1767 | Generator, neuro non-recharg |
| C1768 | Graft, vascular |
| C1769 | Guide wire |
| C1770 | Imaging coil, mr, insertable |
| C1771 | Rep dev, urinary, w/sling |
| C1772 | Infusion pump, programmable |
| C1773 | Ret dev, insertable |
| C1776 | Joint device (implantable) |
| C1777 | Lead, aicd, endo single coil |
| C1778 | Lead, neurostimulator |
| C1779 | Lead, pmkr, transvenous vdd |
| C1780 | Lens, intraocular (new tech) |
| C1781 | Mesh (implantable) |

| | |
|-------|--------------------------------|
| C1782 | Morcellator |
| C1783 | Ocular imp, aqueous drain de |
| C1784 | Ocular dev, intraop, det ret |
| C1785 | Pmkr, dual, rate-resp |
| C1786 | Pmkr, single, rate-resp |
| C1787 | Patient progr, neurostim |
| C1788 | Port, indwelling, imp |
| C1789 | Prosthesis, breast, imp |
| C1813 | Prosthesis, penile, inflatab |
| C1814 | Retinal tamp, silicone oil |
| C1815 | Pros, urinary sph, imp |
| C1816 | Receiver/transmitter, neuro |
| C1817 | Septal defect imp sys |
| C1818 | Integrated keratoprosthesis |
| C1819 | Tissue localization-excision |
| C1820 | Generator neuro rechg bat sy |
| C1821 | Interspinous implant |
| C1822 | Gen, neuro, hf, rechg bat |
| C1823 | Gen, neuro, trans sen/stim |
| C1830 | Power bone marrow bx needle |
| C1840 | Telescopic intraocular lens |
| C1841 | Retinal prosth int/ext comp |
| C1874 | Stent, coated/cov w/del sys |
| C1875 | Stent, coated/cov w/o del sy |
| C1876 | Stent, non-coa/non-cov w/del |
| C1877 | Stent, non-coat/cov w/o del |
| C1878 | Matrl for vocal cord |
| C1880 | Vena cava filter |
| C1881 | Dialysis access system |
| C1882 | Aicd, other than sing/dual |
| C1883 | Adapt/ext, pacing/neuro lead |
| C1884 | Embolization protect syst |
| C1885 | Cath, translumin angio laser |
| C1886 | Catheter, ablation |
| C1887 | Catheter, guiding |
| C1888 | Endovas non-cardiac abl cath |
| C1889 | Implant/insert device, noc |
| C1891 | Infusion pump,non-prog, perm |
| C1892 | Intro/sheath, fixed, peel-away |
| C1893 | Intro/sheath, fixed, non-peel |
| C1894 | Intro/sheath, non-laser |
| C1895 | Lead, aicd, endo dual coil |
| C1896 | Lead, aicd, non sing/dual |
| C1897 | Lead, neurostim test kit |
| C1898 | Lead, pmkr, other than trans |
| C1899 | Lead, pmkr/aicd combination |
| C1900 | Lead, coronary venous |
| C2613 | Lung bx plug w/del sys |
| C2614 | Probe, perc lumb disc |
| C2615 | Sealant, pulmonary, liquid |
| C2617 | Stent, non-cor, tem w/o del |

| | |
|-------|------------------------------|
| C2618 | Probe/needle, cryo |
| C2619 | Pmkr, dual, non rate-resp |
| C2620 | Pmkr, single, non rate-resp |
| C2621 | Pmkr, other than sing/dual |
| C2622 | Prosthesis, penile, non-inf |
| C2623 | Cath, translumin, drug-coat |
| C2624 | Wireless pressure sensor |
| C2625 | Stent, non-cor, tem w/del sy |
| C2626 | Infusion pump, non-prog,temp |
| C2627 | Cath, suprapubic/cystoscopic |
| C2628 | Catheter, occlusion |
| C2629 | Intro/sheath, laser |
| C2630 | Cath, ep, cool-tip |
| C2631 | Rep dev, urinary, w/o sling |
| L8600 | Implant breast silicone/eq |
| L8603 | Collagen imp urinary 2.5 ml |
| L8604 | Dextranomer/hyaluronic acid |
| L8605 | Inj bulking agent anal canal |
| L8606 | Synthetic implnt urinary 1ml |
| L8607 | Inj vocal cord bulking agent |
| L8609 | Artificial cornea |
| L8610 | Ocular implant |
| L8612 | Aqueous shunt prosthesis |
| L8613 | Ossicular implant |
| L8614 | Cochlear device |
| L8630 | Metacarpophalangeal implant |
| L8631 | Mcp joint repl 2 pc or more |
| L8641 | Metatarsal joint implant |
| L8642 | Hallux implant |
| L8658 | Interphalangeal joint spacer |
| L8659 | Interphalangeal joint repl |
| L8670 | Vascular graft, synthetic |
| L8679 | Imp neurosti pls gn any type |
| L8682 | Implt neurostim radiofq rec |
| L8690 | Aud osseo dev, int/ext comp |
| L8699 | Prosthetic implant nos |
| L9900 | O&p supply/accessory/service |

Appendix C: Other code lists

This appendix contains the following code lists for special logic.

- STV-packaged services
- T-packaged services
- Critical care-packaged
- Partial hospital program services list (A and B)
- Mental health services composite
- Comprehensive APC Complexity Adjusted Code pairs
- Pass-through device offset pairs
- Pass-through contrast
- Pass-through radiopharmaceutical
- Pass-through skin product

STV-packaged services codelist

The following list of codes shows the status indicator that would be assigned if the code(s) were paid separately.

| Code | Description | Status indicator |
|-------|------------------------------|------------------|
| 0058T | Cryopreservation ovary tiss | S |
| 0106T | Touch quant sensory test | S |
| 0107T | Vibrate quant sensory test | S |
| 0108T | Cool quant sensory test | S |
| 0109T | Heat quant sensory test | S |
| 0110T | Nos quant sensory test | S |
| 0126T | Chd risk imt study | S |
| 0198T | Ocular blood flow measure | S |
| 0206T | Cptr dbs alys car elec dta | S |
| 0207T | Clear eyelid gland w/heat | S |
| 0208T | Audiometry air only | S |
| 0209T | Audiometry air & bone | S |
| 0210T | Speech audiometry threshold | S |
| 0211T | Speech audiom thresh & recog | S |
| 0212T | Compre audiometry evaluation | S |
| 0232T | Njx platelet plasma | S |
| 0278T | Tempr | S |
| 0296T | Ext ecg recording | S |
| 0297T | Ext ecg scan w/report | S |
| 0317T | Elec alys vagus nrv pls gen | S |
| 0330T | Tear film img uni/bi w/i&r | S |
| 0347T | Ins bone device for rsa | S |
| 0348T | Rsa spine exam | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 0349T | Rsa upper extr exam | S |
| 0350T | Rsa lower extr exam | S |
| 0356T | Insrt drug device for iop | S |
| 0357T | Cryopreservation oocyte(s) | S |
| 0358T | Bia whole body | S |
| 0379T | Vis field assmnt tech suppt | S |
| 0380T | Comp animat ret imag series | S |
| 0417T | Prgrmg eval cardiac modulj | S |
| 0418T | Interro eval cardiac modulj | S |
| 0422T | Tactile breast img uni/bi | S |
| 0472T | Prgrmg io rta eltrd ra | S |
| 0473T | Reprgrmg io rta eltrd ra | S |
| 0476T | Rec ftl car sgl elec tr data | S |
| 0477T | Rec ftl car sgl xrtj alys | S |
| 0481T | Njx autol wbc concentrate | S |
| 0485T | Oct mid ear i&r unilateral | S |
| 0486T | Oct mid ear i&r bilateral | S |
| 0487T | Trvg biomchn mapg w/reprt | S |
| 0497T | Xtrnl pt act ecg in-off conn | S |
| 0506T | Mac pgmt opt dns meas hfp | S |
| 0507T | Near ifr 2img mibmn glnd i&r | S |
| 0521T | Interrog dev eval wcs ip | S |
| 0522T | Prgrmg dev eval wcs ip | S |
| 0528T | Prgrmg dev eval iims ip | S |
| 0529T | Interrog dev eval iims ip | S |
| 0534T | Cont rec mvmt do setup&train | S |
| 0535T | Cont rec mvmt do reprt cnfig | S |
| 0559T | Antmc mdl 3d print 1st cmpnt | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 0561T | Antmc guide 3d print 1st gd | S |
| 10040 | Acne surgery | T |
| 11055 | Trim skin lesion | T |
| 11056 | Trim skin lesions 2 to 4 | T |
| 11200 | Removal of skin tags <w/15 | T |
| 11300 | Shave skin lesion 0.5 cm/< | T |
| 11301 | Shave skin lesion 0.6-1.0 cm | T |
| 11302 | Shave skin lesion 1.1-2.0 cm | T |
| 11303 | Shave skin lesion >2.0 cm | T |
| 11305 | Shave skin lesion 0.5 cm/< | T |
| 11306 | Shave skin lesion 0.6-1.0 cm | T |
| 11308 | Shave skin lesion >2.0 cm | T |
| 11719 | Trim nail(s) any number | S |
| 11720 | Debride nail 1-5 | S |
| 11721 | Debride nail 6 or more | S |
| 11730 | Removal of nail plate | T |
| 11740 | Drain blood from under nail | S |
| 11765 | Excision of nail fold toe | T |
| 11900 | Inject skin lesions </w 7 | T |
| 11901 | Inject skin lesions >7 | T |
| 11980 | Implant hormone pellet(s) | S |
| 11981 | Insert drug implant device | S |
| 11982 | Remove drug implant device | S |
| 11983 | Remove/insert drug implant | S |
| 12001 | Rpr s/n/ax/gen/trnk 2.5cm/< | T |
| 12002 | Rpr s/n/ax/gen/trnk2.6-7.5cm | T |
| 12004 | Rpr s/n/ax/gen/trk7.6-12.5cm | T |
| 12005 | Rpr s/n/a/gen/trk12.6-20.0cm | T |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 12011 | Rpr f/e/e/n/l/m 2.5 cm/< | T |
| 12013 | Rpr f/e/e/n/l/m 2.6-5.0 cm | T |
| 12014 | Rpr f/e/e/n/l/m 5.1-7.5 cm | T |
| 12015 | Rpr f/e/e/n/l/m 7.6-12.5 cm | T |
| 12016 | Rpr fe/e/en/l/m 12.6-20.0 cm | T |
| 12017 | Rpr fe/e/en/l/m 20.1-30.0 cm | T |
| 12018 | Rpr f/e/e/n/l/m >30.0 cm | T |
| 15786 | Abrasion lesion single | T |
| 15788 | Chemical peel face epiderm | T |
| 15792 | Chemical peel nonfacial | T |
| 15793 | Chemical peel nonfacial | T |
| 15852 | Dressing change not for burn | T |
| 15860 | Test for blood flow in graft | S |
| 16000 | Initial treatment of burn(s) | T |
| 16020 | Dress/debrid p-thick burn s | T |
| 17000 | Destruct premalg lesion | T |
| 17110 | Destruct b9 lesion 1-14 | T |
| 17111 | Destruct lesion 15 or more | T |
| 17250 | Chem caut of granltj tissue | T |
| 17260 | Destruction of skin lesions | T |
| 17261 | Destruction of skin lesions | T |
| 17262 | Destruction of skin lesions | T |
| 17263 | Destruction of skin lesions | T |
| 17272 | Destruction of skin lesions | T |
| 17280 | Destruction of skin lesions | T |
| 17340 | Cryotherapy of skin | S |
| 17360 | Skin peel therapy | T |
| 17999 | Skin tissue procedure | T |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 19281 | Perq device breast 1st imag | T |
| 19283 | Perq dev breast 1st strtctc | T |
| 19285 | Perq dev breast 1st us imag | T |
| 19287 | Perq dev breast 1st mr guide | T |
| 20665 | Removal of fixation device | S |
| 20979 | Us bone stimulation | S |
| 29125 | Apply forearm splint | S |
| 29126 | Apply forearm splint | S |
| 29130 | Application of finger splint | S |
| 29131 | Application of finger splint | S |
| 29240 | Strapping of shoulder | S |
| 29260 | Strapping of elbow or wrist | S |
| 29280 | Strapping of hand or finger | S |
| 29520 | Strapping of hip | S |
| 29530 | Strapping of knee | S |
| 29550 | Strapping of toes | S |
| 30300 | Remove nasal foreign body | S |
| 30901 | Control of nosebleed | S |
| 31720 | Clearance of airways | S |
| 36420 | Vein access cutdown < 1 yr | S |
| 36425 | Vein access cutdown > 1 yr | S |
| 36468 | Njx sclrsnt spider veins | T |
| 36591 | Draw blood off venous device | S |
| 36592 | Collect blood from picc | S |
| 36600 | Withdrawal of arterial blood | S |
| 36680 | Insert needle bone cavity | S |
| 38792 | Ra tracer id of sentinl node | S |
| 40804 | Removal foreign body mouth | T |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 41250 | Repair tongue laceration | S |
| 41800 | Drainage of gum lesion | S |
| 42809 | Remove pharynx foreign body | S |
| 43752 | Nasal/orogastric w/tube plmt | S |
| 43753 | Tx gastro intub w/asp | S |
| 43754 | Dx gastr intub w/asp spec | S |
| 43756 | Dx duod intub w/asp spec | T |
| 45520 | Treatment of rectal prolapse | T |
| 46600 | Diagnostic anoscopy spx | S |
| 46601 | Diagnostic anoscopy | S |
| 49465 | Fluoro exam of g/colon tube | S |
| 51701 | Insert bladder catheter | S |
| 51702 | Insert temp bladder cath | S |
| 51736 | Urine flow measurement | S |
| 51741 | Electro-urowflowmetry first | S |
| 51792 | Urinary reflex study | S |
| 51798 | Us urine capacity measure | S |
| 53601 | Dilate urethra stricture | S |
| 53661 | Dilation of urethra | S |
| 54050 | Destruction penis lesion(s) | T |
| 54056 | Cryosurgery penis lesion(s) | T |
| 57150 | Treat vagina infection | S |
| 64402 | N block inj facial | S |
| 65205 | Remove foreign body from eye | S |
| 65210 | Remove foreign body from eye | S |
| 65220 | Remove foreign body from eye | S |
| 65222 | Remove foreign body from eye | S |
| 65430 | Corneal smear | S |

| Code | Description | Status indicator |
|-------------|-----------------------------|-------------------------|
| 67820 | Revise eyelashes | S |
| 68200 | Treat eyelid by injection | S |
| 68801 | Dilate tear duct opening | S |
| 69200 | Clear outer ear canal | S |
| 69209 | Remove impacted ear wax uni | S |
| 69210 | Remove impacted ear wax uni | S |
| 69220 | Clean out mastoid cavity | T |
| 70030 | X-ray eye for foreign body | S |
| 70100 | X-ray exam of jaw <4views | S |
| 70110 | X-ray exam of jaw 4/> views | S |
| 70120 | X-ray exam of mastoids | S |
| 70130 | X-ray exam of mastoids | S |
| 70134 | X-ray exam of middle ear | S |
| 70140 | X-ray exam of facial bones | S |
| 70150 | X-ray exam of facial bones | S |
| 70160 | X-ray exam of nasal bones | S |
| 70190 | X-ray exam of eye sockets | S |
| 70200 | X-ray exam of eye sockets | S |
| 70210 | X-ray exam of sinuses | S |
| 70220 | X-ray exam of sinuses | S |
| 70240 | X-ray exam pituitary saddle | S |
| 70250 | X-ray exam of skull | S |
| 70260 | X-ray exam of skull | S |
| 70300 | X-ray exam of teeth | S |
| 70310 | X-ray exam of teeth | S |
| 70320 | Full mouth x-ray of teeth | S |
| 70328 | X-ray exam of jaw joint | S |
| 70330 | X-ray exam of jaw joints | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 70350 | X-ray head for orthodontia | S |
| 70355 | Panoramic x-ray of jaws | S |
| 70360 | X-ray exam of neck | S |
| 70370 | Throat x-ray & fluoroscopy | S |
| 70371 | Speech evaluation complex | S |
| 70380 | X-ray exam of salivary gland | S |
| 71047 | X-ray exam chest 3 views | S |
| 71048 | X-ray exam chest 4+ views | S |
| 71100 | X-ray exam ribs uni 2 views | S |
| 71101 | X-ray exam unilat ribs/chest | S |
| 71110 | X-ray exam ribs bil 3 views | S |
| 71111 | X-ray exam ribs/chest4/> vws | S |
| 71120 | X-ray exam breastbone 2/>vws | S |
| 71130 | X-ray strenoclavic jt 3/>vws | S |
| 72020 | X-ray exam of spine 1 view | S |
| 72040 | X-ray exam neck spine 2-3 vw | S |
| 72050 | X-ray exam neck spine 4/5vws | S |
| 72052 | X-ray exam neck spine 6/>vws | S |
| 72070 | X-ray exam thorac spine 2vws | S |
| 72072 | X-ray exam thorac spine 3vws | S |
| 72074 | X-ray exam thorac spine4/>vw | S |
| 72080 | X-ray exam thoracolmb 2/> vw | S |
| 72081 | X-ray exam entire spi 1 vw | S |
| 72082 | X-ray exam entire spi 2/3 vw | S |
| 72100 | X-ray exam l-s spine 2/3 vws | S |
| 72110 | X-ray exam l-2 spine 4/>vws | S |
| 72114 | X-ray exam l-s spine bending | S |
| 72120 | X-ray bend only l-s spine | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 72170 | X-ray exam of pelvis | S |
| 72190 | X-ray exam of pelvis | S |
| 72200 | X-ray exam si joints | S |
| 72202 | X-ray exam si joints 3/> vws | S |
| 72220 | X-ray exam sacrum tailbone | S |
| 73000 | X-ray exam of collar bone | S |
| 73010 | X-ray exam of shoulder blade | S |
| 73020 | X-ray exam of shoulder | S |
| 73030 | X-ray exam of shoulder | S |
| 73050 | X-ray exam of shoulders | S |
| 73060 | X-ray exam of humerus | S |
| 73070 | X-ray exam of elbow | S |
| 73080 | X-ray exam of elbow | S |
| 73090 | X-ray exam of forearm | S |
| 73092 | X-ray exam of arm infant | S |
| 73100 | X-ray exam of wrist | S |
| 73110 | X-ray exam of wrist | S |
| 73120 | X-ray exam of hand | S |
| 73130 | X-ray exam of hand | S |
| 73140 | X-ray exam of finger(s) | S |
| 73501 | X-ray exam hip uni 1 view | S |
| 73502 | X-ray exam hip uni 2-3 views | S |
| 73503 | X-ray exam hip uni 4/> views | S |
| 73521 | X-ray exam hips bi 2 views | S |
| 73522 | X-ray exam hips bi 3-4 views | S |
| 73551 | X-ray exam of femur 1 | S |
| 73552 | X-ray exam of femur 2/> | S |
| 73560 | X-ray exam of knee 1 or 2 | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 73562 | X-ray exam of knee 3 | S |
| 73564 | X-ray exam knee 4 or more | S |
| 73565 | X-ray exam of knees | S |
| 73590 | X-ray exam of lower leg | S |
| 73592 | X-ray exam of leg infant | S |
| 73600 | X-ray exam of ankle | S |
| 73610 | X-ray exam of ankle | S |
| 73620 | X-ray exam of foot | S |
| 73630 | X-ray exam of foot | S |
| 73650 | X-ray exam of heel | S |
| 73660 | X-ray exam of toe(s) | S |
| 74018 | X-ray exam abdomen 1 view | S |
| 74019 | X-ray exam abdomen 2 views | S |
| 74021 | X-ray exam abdomen 3+ views | S |
| 74022 | X-ray exam series abdomen | S |
| 74210 | Contrst x-ray exam of throat | S |
| 74220 | Contrast x-ray esophagus | S |
| 74230 | Cine/vid x-ray throat/esoph | S |
| 74240 | X-ray upper gi delay w/o kub | S |
| 74241 | X-ray upper gi delay w/kub | S |
| 74246 | Contrst x-ray uppr gi tract | S |
| 74247 | Contrst x-ray uppr gi tract | S |
| 74250 | X-ray exam of small bowel | S |
| 74260 | X-ray exam of small bowel | S |
| 74270 | Contrast x-ray exam of colon | S |
| 74290 | Contrast x-ray gallbladder | S |
| 74710 | X-ray measurement of pelvis | S |
| 75571 | Ct hrt w/o dye w/ca test | S |

| Code | Description | Status indicator |
|-------------|-----------------------------|-------------------------|
| 76010 | X-ray nose to rectum | S |
| 76100 | X-ray exam of body section | S |
| 76101 | Complex body section x-ray | S |
| 76120 | Cine/video x-rays | S |
| 76380 | Cat scan follow-up study | S |
| 76496 | Fluoroscopic procedure | S |
| 76497 | Ct procedure | S |
| 76499 | Radiographic procedure | S |
| 76506 | Echo exam of head | S |
| 76510 | Ophth us b & quant a | S |
| 76511 | Ophth us quant a only | S |
| 76512 | Ophth us b w/non-quant a | S |
| 76513 | Echo exam of eye water bath | S |
| 76514 | Echo exam of eye thickness | S |
| 76516 | Echo exam of eye | S |
| 76519 | Echo exam of eye | S |
| 76529 | Echo exam of eye | S |
| 76536 | Us exam of head and neck | S |
| 76604 | Us exam chest | S |
| 76641 | Ultrasound breast complete | S |
| 76642 | Ultrasound breast limited | S |
| 76775 | Us exam abdo back wall lim | S |
| 76800 | Us exam spinal canal | S |
| 76813 | Ob us nuchal meas 1 gest | S |
| 76815 | Ob us limited fetus(s) | S |
| 76816 | Ob us follow-up per fetus | S |
| 76817 | Transvaginal us obstetric | S |
| 76820 | Umbilical artery echo | S |

| Code | Description | Status indicator |
|-------------|-------------------------------|-------------------------|
| 76821 | Middle cerebral artery echo | S |
| 76827 | Echo exam of fetal heart | S |
| 76828 | Echo exam of fetal heart | S |
| 76870 | Us exam scrotum | S |
| 76882 | Us lmted jt/nonvasc xtr strux | S |
| 76885 | Us exam infant hips dynamic | S |
| 76886 | Us exam infant hips static | S |
| 76970 | Ultrasound exam follow-up | S |
| 76999 | Echo examination procedure | S |
| 77071 | X-ray stress view | S |
| 77072 | X-rays for bone age | S |
| 77073 | X-rays bone length studies | S |
| 77074 | X-rays bone survey limited | S |
| 77075 | X-rays bone survey complete | S |
| 77076 | X-rays bone survey infant | S |
| 77077 | Joint survey single view | S |
| 77085 | Dxa bone density study | S |
| 77086 | Fracture assessment via dxa | S |
| 78808 | Iv inj ra drug dx study | S |
| 80500 | Lab pathology consultation | S |
| 80502 | Lab pathology consultation | S |
| 86077 | Phys blood bank serv xmatch | S |
| 86078 | Phys blood bank serv reactj | S |
| 86079 | Phys blood bank serv authrj | S |
| 86485 | Skin test candida | S |
| 86486 | Skin test nos antigen | S |
| 86490 | Coccidioidomycosis skin test | S |
| 86510 | Histoplasmosis skin test | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 86580 | Tb intradermal test | S |
| 86850 | Rbc antibody screen | S |
| 86860 | Rbc antibody elution | S |
| 86880 | Coombs test direct | S |
| 86885 | Coombs test indirect qual | S |
| 86886 | Coombs test indirect titer | S |
| 86890 | Autologous blood process | S |
| 86891 | Autologous blood op salvage | S |
| 86900 | Blood typing serologic abo | S |
| 86901 | Blood typing serologic rh(d) | S |
| 86902 | Blood type antigen donor ea | S |
| 86904 | Blood typing patient serum | S |
| 86905 | Blood typing rbc antigens | S |
| 86906 | Bld typing serologic rh phnt | S |
| 86920 | Compatibility test spin | S |
| 86921 | Compatibility test incubate | S |
| 86922 | Compatibility test antiglob | S |
| 86923 | Compatibility test electric | S |
| 86930 | Frozen blood prep | S |
| 86931 | Frozen blood thaw | S |
| 86932 | Frozen blood freeze/thaw | S |
| 86945 | Blood product/irradiation | S |
| 86950 | Leukocyte transfusion | S |
| 86960 | Vol reduction of blood/prod | S |
| 86965 | Pooling blood platelets | S |
| 86970 | Rbc pretx incubatj w/chemicl | S |
| 86971 | Rbc pretx incubatj w/enzymes | S |
| 86972 | Rbc pretx incubatj w/density | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 86975 | Rbc serum pretx incubj drugs | S |
| 86976 | Rbc serum pretx id dilution | S |
| 86977 | Rbc serum pretx incubj/inhib | S |
| 86978 | Rbc pretreatment serum | S |
| 86985 | Split blood or products | S |
| 86999 | Transfusion procedure | S |
| 88104 | Cytopath fl nongyn smears | S |
| 88106 | Cytopath fl nongyn filter | S |
| 88108 | Cytopath concentrate tech | S |
| 88112 | Cytopath cell enhance tech | S |
| 88121 | Cytp urine 3-5 probes cmptr | S |
| 88125 | Forensic cytopathology | S |
| 88160 | Cytopath smear other source | S |
| 88161 | Cytopath smear other source | S |
| 88162 | Cytopath smear other source | S |
| 88172 | Cytp dx eval fna 1st ea site | S |
| 88173 | Cytopath eval fna report | S |
| 88199 | Cytopathology procedure | S |
| 88299 | Cytogenetic study | S |
| 88300 | Surgical path gross | S |
| 88302 | Tissue exam by pathologist | S |
| 88304 | Tissue exam by pathologist | S |
| 88305 | Tissue exam by pathologist | S |
| 88312 | Special stains group 1 | S |
| 88313 | Special stains group 2 | S |
| 88321 | Microslide consultation | S |
| 88323 | Microslide consultation | S |
| 88325 | Comprehensive review of data | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 88329 | Path consult introp | S |
| 88331 | Path consult intraop 1 bloc | S |
| 88344 | Immunohisto antibody slide | S |
| 88355 | Analysis skeletal muscle | S |
| 88356 | Analysis nerve | S |
| 88363 | Xm archive tissue molec anal | S |
| 88365 | Insitu hybridization (fish) | S |
| 88366 | Insitu hybridization (fish) | S |
| 88374 | M/phmtrc alys ishquant/semiq | S |
| 88377 | M/phmtrc alys ishquant/semiq | S |
| 88399 | Surgical pathology procedure | S |
| 89049 | Chct for mal hyperthermia | S |
| 89220 | Sputum specimen collection | S |
| 89230 | Collect sweat for test | S |
| 89240 | Pathology lab procedure | S |
| 89250 | Cultr oocyte/embryo <4 days | S |
| 89253 | Embryo hatching | S |
| 89254 | Oocyte identification | S |
| 89255 | Prepare embryo for transfer | S |
| 89257 | Sperm identification | S |
| 89259 | Cryopreservation sperm | S |
| 89260 | Sperm isolation simple | S |
| 89261 | Sperm isolation complex | S |
| 89264 | Identify sperm tissue | S |
| 89268 | Insemination of oocytes | S |
| 89281 | Assist oocyte fertilization | S |
| 89290 | Biopsy oocyte polar body | S |
| 89291 | Biopsy oocyte polar body | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 89335 | Cryopreserve testicular tiss | S |
| 89337 | Cryopreservation oocyte(s) | S |
| 89342 | Storage/year embryo(s) | S |
| 89343 | Storage/year sperm/semn | S |
| 89344 | Storage/year reprod tissue | S |
| 89352 | Thawing cryopresrved embryo | S |
| 89353 | Thawing cryopresrved sperm | S |
| 89354 | Thaw cryoprsvrd reprod tiss | S |
| 89356 | Thawing cryopresrved oocyte | S |
| 89398 | Unlisted reprod med lab proc | S |
| 90471 | Immunization admin | S |
| 90473 | Immune admin oral/nasal | S |
| 91133 | Electrogastrography w/test | S |
| 91200 | Liver elastography | S |
| 92020 | Special eye evaluation | S |
| 92025 | Corneal topography | S |
| 92060 | Special eye evaluation | S |
| 92065 | Orthoptic/pleoptic training | S |
| 92081 | Visual field examination(s) | S |
| 92082 | Visual field examination(s) | S |
| 92083 | Visual field examination(s) | S |
| 92132 | Cmptr ophth dx img ant segmt | S |
| 92133 | Cmptr ophth img optic nerve | S |
| 92134 | Cptr ophth dx img post segmt | S |
| 92136 | Ophthalmic biometry | S |
| 92145 | Corneal hysteresis deter | S |
| 92225 | Special eye exam initial | S |
| 92226 | Special eye exam subsequent | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 92227 | Remote dx retinal imaging | S |
| 92228 | Remote retinal imaging mgmt | S |
| 92230 | Eye exam with photos | S |
| 92250 | Eye exam with photos | S |
| 92260 | Ophthalmoscopy/dynamometry | S |
| 92265 | Eye muscle evaluation | S |
| 92270 | Electro-oculography | S |
| 92283 | Color vision examination | S |
| 92284 | Dark adaptation eye exam | S |
| 92285 | Eye photography | S |
| 92286 | Internal eye photography | S |
| 92287 | Internal eye photography | S |
| 92311 | Contact lens fitting | S |
| 92312 | Contact lens fitting | S |
| 92313 | Contact lens fitting | S |
| 92315 | Rx cntact lens aphakia 1 eye | S |
| 92316 | Rx cntact lens aphakia 2 eye | S |
| 92317 | Rx corneoscleral cntact lens | S |
| 92325 | Modification of contact lens | S |
| 92326 | Replacement of contact lens | S |
| 92352 | Fit aphakia spectcl monofocl | S |
| 92353 | Fit aphakia spectcl multifoc | S |
| 92354 | Fit spectacles single system | S |
| 92355 | Fit spectacles compound lens | S |
| 92358 | Aphakia prosth service temp | S |
| 92371 | Repair & adjust spectacles | S |
| 92499 | Eye service or procedure | S |
| 92520 | Laryngeal function studies | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 92541 | Spontaneous nystagmus test | S |
| 92542 | Positional nystagmus test | S |
| 92548 | Posturography | S |
| 92550 | Tympanometry & reflex thresh | S |
| 92552 | Pure tone audiometry air | S |
| 92553 | Audiometry air & bone | S |
| 92555 | Speech threshold audiometry | S |
| 92556 | Speech audiometry complete | S |
| 92557 | Comprehensive hearing test | S |
| 92561 | Bekesy audiometry diagnosis | S |
| 92562 | Loudness balance test | S |
| 92563 | Tone decay hearing test | S |
| 92564 | Sisi hearing test | S |
| 92565 | Stenger test pure tone | S |
| 92567 | Tympanometry | S |
| 92568 | Acoustic refl threshold tst | S |
| 92570 | Acoustic immitance testing | S |
| 92571 | Filtered speech hearing test | S |
| 92572 | Staggered spondaic word test | S |
| 92575 | Sensorineural acuity test | S |
| 92576 | Synthetic sentence test | S |
| 92577 | Stenger test speech | S |
| 92579 | Visual audiometry (vra) | S |
| 92582 | Conditioning play audiometry | S |
| 92583 | Select picture audiometry | S |
| 92596 | Ear protector evaluation | S |
| 92620 | Auditory function 60 min | S |
| 92625 | Tinnitus assessment | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 92626 | Eval aud rehab status | S |
| 92700 | Ent procedure/service | S |
| 93005 | Electrocardiogram tracing | S |
| 93017 | Cardiovascular stress test | S |
| 93024 | Cardiac drug stress test | S |
| 93041 | Rhythm ecg tracing | S |
| 93050 | Art pressure waveform analys | S |
| 93225 | Ecg monit/reprt up to 48 hrs | S |
| 93226 | Ecg monit/reprt up to 48 hrs | S |
| 93260 | Prgrmg dev eval impltbl sys | S |
| 93261 | Interrogate subq defib | S |
| 93270 | Remote 30 day ecg rev/report | S |
| 93278 | Ecg/signal-averaged | S |
| 93279 | Prgrmg dev eval pm/ldls pm | S |
| 93280 | Pm device progr eval dual | S |
| 93281 | Pm device progr eval multi | S |
| 93282 | Prgrmg eval implantable dfb | S |
| 93283 | Prgrmg eval implantable dfb | S |
| 93284 | Prgrmg eval implantable dfb | S |
| 93285 | Prgrmg dev eval scrms ip | S |
| 93288 | Interrog evl pm/ldls pm ip | S |
| 93289 | Interrog device eval heart | S |
| 93290 | Interrog dev eval icpms ip | S |
| 93291 | Interrog dev eval scrms ip | S |
| 93292 | Wcd device interrogate | S |
| 93293 | Pm phone r-strip device eval | S |
| 93296 | Rem interrog evl pm/ids | S |
| 93299 | Interrog eval icpms/scrms | S |

| Code | Description | Status indicator |
|-------------|-------------------------------|-------------------------|
| 93701 | Bioimpedance cv analysis | S |
| 93740 | Temperature gradient studies | S |
| 93786 | Ambulatory bp recording | S |
| 93788 | Ambulatory bp analysis | S |
| 93890 | Tcd vasoreactivity study | S |
| 93892 | Tcd emboli detect w/o inj | S |
| 93893 | Tcd emboli detect w/inj | S |
| 93922 | Upr/l xtremity art 2 levels | S |
| 93979 | Vascular study | S |
| 93990 | Doppler flow testing | S |
| 93998 | Noninvas vasc dx study proc | S |
| 94010 | Breathing capacity test | S |
| 94011 | Spirometry up to 2 yrs old | S |
| 94012 | Spirimtry w/brnchdil inf-2 yr | S |
| 94014 | Patient recorded spirometry | S |
| 94015 | Patient recorded spirometry | S |
| 94150 | Vital capacity test | S |
| 94200 | Lung function test (mbc/mvv) | S |
| 94250 | Expired gas collection | S |
| 94375 | Respiratory flow volume loop | S |
| 94400 | Co2 breathing response curve | S |
| 94450 | Hypoxia response curve | S |
| 94452 | Hast w/report | S |
| 94453 | Hast w/oxygen titrate | S |
| 94610 | Surfactant admin thru tube | S |
| 94617 | Exercise tst brncpsm | S |
| 94618 | Pulmonary stress testing | S |
| 94640 | Airway inhalation treatment | S |

| Code | Description | Status indicator |
|-------------|-------------------------------|-------------------------|
| 94642 | Aerosol inhalation treatment | S |
| 94644 | Cbt 1st hour | S |
| 94660 | Pos airway pressure cpap | S |
| 94664 | Evaluate pt use of inhaler | S |
| 94667 | Chest wall manipulation | S |
| 94668 | Chest wall manipulation | S |
| 94669 | Mechanical chest wall oscill | S |
| 94680 | Exhaled air analysis o2 | S |
| 94681 | Exhaled air analysis o2/co2 | S |
| 94690 | Exhaled air analysis | S |
| 94726 | Pulm funct tst plethysmograph | S |
| 94727 | Pulm function test by gas | S |
| 94728 | Pulm funct test oscillometry | S |
| 94750 | Pulmonary compliance study | S |
| 94762 | Measure blood oxygen level | S |
| 94780 | Cars/bd tst inft-12mo 60 min | S |
| 94799 | Pulmonary service/procedure | S |
| 95004 | Percut allergy skin tests | S |
| 95012 | Exhaled nitric oxide meas | S |
| 95017 | Perq & icut allg test venoms | S |
| 95018 | Perq&ic allg test drugs/biol | S |
| 95024 | Icut allergy test drug/bug | S |
| 95027 | Icut allergy titrate-airborn | S |
| 95028 | Icut allergy test-delayed | S |
| 95044 | Allergy patch tests | S |
| 95052 | Photo patch test | S |
| 95056 | Photosensitivity tests | S |
| 95060 | Eye allergy tests | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 95065 | Nose allergy test | S |
| 95071 | Bronchial allergy tests | S |
| 95115 | Immunotherapy one injection | S |
| 95117 | Immunotherapy injections | S |
| 95144 | Antigen therapy services | S |
| 95145 | Antigen therapy services | S |
| 95146 | Antigen therapy services | S |
| 95147 | Antigen therapy services | S |
| 95148 | Antigen therapy services | S |
| 95149 | Antigen therapy services | S |
| 95165 | Antigen therapy services | S |
| 95170 | Antigen therapy services | S |
| 95180 | Rapid desensitization | S |
| 95199 | Allergy immunology services | S |
| 95801 | Slp stdy unatnd w/anal | S |
| 95803 | Actigraphy testing | S |
| 95836 | Ecog impltd brn npgt </30 d | S |
| 95860 | Muscle test one limb | S |
| 95861 | Muscle test 2 limbs | S |
| 95865 | Muscle test larynx | S |
| 95866 | Muscle test hemidiaphragm | S |
| 95869 | Muscle test thor paraspinal | S |
| 95870 | Muscle test nonparaspinal | S |
| 95905 | Motor &/ sens nrve cndj test | S |
| 95922 | Autonomic nrv adrenrg inervj | S |
| 95923 | Autonomic nrv syst funj test | S |
| 95933 | Blink reflex test | S |
| 95970 | Alys npgt w/o prgrmg | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 95981 | lo anal gast n-stim subsq | S |
| 95982 | lo ga n-stim subsq w/reprog | S |
| 95999 | Neurological procedure | S |
| 96003 | Dynamic fine wire emg | S |
| 96127 | Brief emotional/behav assmt | S |
| 96371 | Sc ther infusion reset pump | S |
| 96372 | Ther/proph/diag inj sc/im | S |
| 96377 | Applicaton on-body injector | S |
| 96379 | Ther/prop/diag inj/inf proc | S |
| 96401 | Chemo anti-neopl sq/im | S |
| 96402 | Chemo hormon antineopl sq/im | S |
| 96405 | Chemo intralesional up to 7 | S |
| 96523 | Irrig drug delivery device | S |
| 96549 | Chemotherapy unspecified | S |
| 96567 | Pdt dstr prmlg les skn | T |
| 96573 | Pdt dstr prmlg les phys/qhp | T |
| 96574 | Dbrdmt prmlg les w/pdt | T |
| 96900 | Ultraviolet light therapy | S |
| 96910 | Photochemotherapy with uv-b | S |
| 96912 | Photochemotherapy with uv-a | S |
| 96920 | Laser tx skin < 250 sq cm | T |
| 96921 | Laser tx skin 250-500 sq cm | T |
| 96922 | Laser tx skin >500 sq cm | T |
| 96932 | Rcm celulr subcelulr img skn | S |
| 96999 | Dermatological procedure | T |
| 97602 | Wound(s) care non-selective | T |
| 97605 | Neg press wound tx </=50 cm | T |
| 97606 | Neg press wound tx >50 cm | T |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 97610 | Low frequency non-thermal us | T |
| 98925 | Osteopath manj 1-2 regions | S |
| 98926 | Osteopath manj 3-4 regions | S |
| 98927 | Osteopath manj 5-6 regions | S |
| 98928 | Osteopath manj 7-8 regions | S |
| 98929 | Osteopath manj 9-10 regions | S |
| 98940 | Chiropract manj 1-2 regions | S |
| 98941 | Chiropract manj 3-4 regions | S |
| 98942 | Chiropractic manj 5 regions | S |
| 99195 | Phlebotomy | S |
| 99454 | Rem mntr physiol param dev | S |
| 99497 | Advncd care plan 30 min | S |
| D0251 | Extraoral posterior image | S |
| G0127 | Trim nail(s) | S |
| G0166 | Extrnl counterpulse, per tx | S |
| G0247 | Routine footcare pt w lops | T |
| G0293 | Non-cov surg proc,clin trial | S |
| G0294 | Non-cov proc, clinical trial | S |
| G0455 | Fecal microbiota prep instil | T |
| G0516 | Insert drug del implant, >=4 | S |
| G0517 | Remove drug implant | S |
| G0518 | Remove w insert drug implant | S |
| Q0035 | Cardiokymography | S |

T-packaged services

The following table shows the status indicator that would be assigned if the code(s) were paid separately.

| Code | Description | Status indicator |
|-------|------------------------------|------------------|
| 0269T | Rev/remvl crtd sns dev total | J1 |
| 0270T | Rev/remvl crtd sns dev lead | T |
| 0271T | Rev/remvl crtd sns dev gen | T |
| 0314T | Laps rmvl vgl arry&pls gen | T |
| 0315T | Rmvl vagus nerve pls gen | T |
| 0412T | Rmvl cardiac modulj pls gen | T |
| 0413T | Rmvl car modulj tranvns elt | T |
| 0428T | Rmvl nstim apnea pls gen | T |
| 0429T | Rmvl nstim apnea sen ld | T |
| 0430T | Rmvl nstim apnea stimj ld | T |
| 0447T | Rmvl impltbl glucose sensor | T |
| 0457T | Remvl mech-elec skin ntrfce | T |
| 0458T | Remvl subq electrode | T |
| 0467T | Revj/rplmnt ch respir eltrd | T |
| 0468T | Rmvl ch wal respir eltrd/ra | T |
| 0510T | Rmvl sinus tarsi implant | J1 |
| 0530T | Removal complete iims | T |
| 0531T | Removal iims electrode only | T |
| 0532T | Removal iims implt mntr only | T |
| 11971 | Remove tissue expander(s) | J1 |
| 11976 | Remove contraceptive capsule | T |
| 12006 | Rpr s/n/a/gen/trk20.1-30.0cm | T |
| 12041 | Intmd rpr n-hf/genit 2.5cm/< | T |
| 12054 | Intmd rpr face/mm 7.6-12.5cm | T |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 12056 | Intmd rpr face/mm 20.1-30.0 | T |
| 19328 | Removal of breast implant | J1 |
| 19330 | Removal of implant material | J1 |
| 20660 | Apply rem fixation device | J1 |
| 20670 | Removal of support implant | J1 |
| 20680 | Removal of support implant | J1 |
| 20694 | Remove bone fixation device | J1 |
| 21110 | Interdental fixation | J1 |
| 24160 | Remove elbow joint implant | J1 |
| 24164 | Remove radius head implant | J1 |
| 25250 | Removal of wrist prosthesis | J1 |
| 25251 | Removal of wrist prosthesis | J1 |
| 26320 | Removal of implant from hand | J1 |
| 27704 | Removal of ankle implant | J1 |
| 31649 | Bronchial valve remov addl | J1 |
| 32552 | Remove lung catheter | T |
| 33233 | Removal of pm generator | J1 |
| 33234 | Removal of pacemaker system | T |
| 33235 | Removal pacemaker electrode | T |
| 33241 | Remove pulse generator | T |
| 33244 | Remove elctrd transvenously | T |
| 33272 | Rmvl of subq defibrillator | T |
| 33286 | Rmvl subq car rhythm mntr | T |
| 36221 | Place cath thoracic aorta | J1 |
| 36222 | Place cath carotid/inom art | J1 |
| 36223 | Place cath carotid/inom art | J1 |
| 36224 | Place cath carotd art | J1 |
| 36225 | Place cath subclavian art | J1 |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 36226 | Place cath vertebral art | J1 |
| 36251 | Ins cath ren art 1st unilat | J1 |
| 36252 | Ins cath ren art 1st bilat | J1 |
| 36253 | Ins cath ren art 2nd+ unilat | J1 |
| 36254 | Ins cath ren art 2nd+ bilat | J1 |
| 36262 | Removal of infusion pump | T |
| 36589 | Removal tunneled cv cath | T |
| 36590 | Removal tunneled cv cath | T |
| 43285 | Rmvl esophgl sphnctr dev | J1 |
| 43887 | Remove gastric port open | T |
| 47531 | Injection for cholangiogram | J1 |
| 47532 | Injection for cholangiogram | J1 |
| 47537 | Removal biliary drg cath | T |
| 49422 | Remove tunneled ip cath | J1 |
| 49429 | Removal of shunt | J1 |
| 50384 | Remove ureter stent percut | J1 |
| 50386 | Remove stent via transureth | J1 |
| 50389 | Remove renal tube w/fluoro | T |
| 50430 | Njx px nfrosgm &/urtrgm | T |
| 50431 | Njx px nfrosgm &/urtrgm | T |
| 53446 | Remove uro sphincter | J1 |
| 54406 | Remove muti-comp penis pros | J1 |
| 54415 | Remove self-contd penis pros | J1 |
| 57287 | Revise/remove sling repair | J1 |
| 58301 | Remove intrauterine device | T |
| 59871 | Remove cerclage suture | J1 |
| 61880 | Revise/remove neuroelectrode | T |
| 62302 | Myelography lumbar injection | S |

| Code | Description | Status indicator |
|-------------|-------------------------------|-------------------------|
| 62303 | Myelography lumbar injection | S |
| 62304 | Myelography lumbar injection | S |
| 62305 | Myelography lumbar injection | S |
| 62355 | Remove spinal canal catheter | J1 |
| 62365 | Remove spine infusion device | J1 |
| 63661 | Remove spine eltrd perq aray | J1 |
| 63662 | Remove spine eltrd plate | T |
| 63688 | Revise/remove neuroreceiver | T |
| 63746 | Removal of spinal shunt | J1 |
| 64570 | Remove vagus n eltrd | J1 |
| 64585 | Revise/remove neuroelectrode | T |
| 64595 | Revise/rmv pn/gastr stimul | T |
| 65778 | Cover eye w/membrane | T |
| 65779 | Cover eye w/membrane suture | J1 |
| 69424 | Remove ventilating tube | J1 |
| 70010 | Contrast x-ray of brain | S |
| 70015 | Contrast x-ray of brain | S |
| 70170 | X-ray exam of tear duct | S |
| 70332 | X-ray exam of jaw joint | S |
| 70390 | X-ray exam of salivary duct | S |
| 72240 | Myelography neck spine | S |
| 72255 | Myelography thoracic spine | S |
| 72265 | Myelography l-s spine | S |
| 72270 | Myelography 2/> spine regions | S |
| 72285 | Discography cerv/thor spine | J1 |
| 72295 | X-ray of lower spine disk | J1 |
| 73040 | Contrast x-ray of shoulder | S |
| 73085 | Contrast x-ray of elbow | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 73115 | Contrast x-ray of wrist | S |
| 73525 | Contrast x-ray of hip | S |
| 73580 | Contrast x-ray of knee joint | S |
| 73615 | Contrast x-ray of ankle | S |
| 74190 | X-ray exam of peritoneum | S |
| 74425 | Contrst x-ray urinary tract | S |
| 74430 | Contrast x-ray bladder | S |
| 74440 | X-ray male genital tract | S |
| 74445 | X-ray exam of penis | S |
| 74450 | X-ray urethra/bladder | S |
| 74455 | X-ray urethra/bladder | S |
| 74470 | X-ray exam of kidney lesion | S |
| 74485 | Dilation urtr/urt rs&i | J1 |
| 74740 | X-ray female genital tract | S |
| 75600 | Contrast exam thoracic aorta | J1 |
| 75605 | Contrast exam thoracic aorta | J1 |
| 75625 | Contrast exam abdominl aorta | J1 |
| 75630 | X-ray aorta leg arteries | J1 |
| 75635 | Ct angio abdominal arteries | S |
| 75705 | Artery x-rays spine | J1 |
| 75710 | Artery x-rays arm/leg | J1 |
| 75716 | Artery x-rays arms/legs | J1 |
| 75726 | Artery x-rays abdomen | J1 |
| 75731 | Artery x-rays adrenal gland | T |
| 75733 | Artery x-rays adrenals | J1 |
| 75736 | Artery x-rays pelvis | J1 |
| 75741 | Artery x-rays lung | J1 |
| 75743 | Artery x-rays lungs | J1 |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 75746 | Artery x-rays lung | T |
| 75756 | Artery x-rays chest | J1 |
| 75801 | Lymph vessel x-ray arm/leg | T |
| 75803 | Lymph vessel x-ray arms/legs | T |
| 75805 | Lymph vessel x-ray trunk | T |
| 75807 | Lymph vessel x-ray trunk | J1 |
| 75809 | Nonvascular shunt x-ray | S |
| 75810 | Vein x-ray spleen/liver | T |
| 75820 | Vein x-ray arm/leg | T |
| 75822 | Vein x-ray arms/legs | T |
| 75825 | Vein x-ray trunk | J1 |
| 75827 | Vein x-ray chest | T |
| 75831 | Vein x-ray kidney | J1 |
| 75833 | Vein x-ray kidneys | J1 |
| 75840 | Vein x-ray adrenal gland | J1 |
| 75842 | Vein x-ray adrenal glands | J1 |
| 75860 | Vein x-ray neck | J1 |
| 75870 | Vein x-ray skull | T |
| 75872 | Vein x-ray skull epidural | T |
| 75880 | Vein x-ray eye socket | T |
| 75885 | Vein x-ray liver w/hemodynam | J1 |
| 75887 | Vein x-ray liver w/o hemodyn | T |
| 75889 | Vein x-ray liver w/hemodynam | J1 |
| 75891 | Vein x-ray liver | J1 |
| 75893 | Venous sampling by catheter | J1 |
| 75898 | Follow-up angiography | T |
| 76080 | X-ray exam of fistula | S |
| 76098 | X-ray exam surgical specimen | S |

| Code | Description | Status indicator |
|-------------|------------------------------|-------------------------|
| 76975 | Gi endoscopic ultrasound | S |
| 77053 | X-ray of mammary duct | S |
| 77054 | X-ray of mammary ducts | S |
| 85097 | Bone marrow interpretation | S |
| 86870 | Rbc antibody identification | S |
| 88120 | Cytp urne 3-5 probes ea spec | S |
| 88182 | Cell marker study | S |
| 88184 | Flowcytometry/ tc 1 marker | S |
| 88307 | Tissue exam by pathologist | S |
| 88309 | Tissue exam by pathologist | S |
| 88319 | Enzyme histochemistry | S |
| 88333 | Intraop cyto path consult 1 | S |
| 88342 | Immunohisto antb 1st stain | S |
| 88346 | Immunofluor antb 1st stain | S |
| 88348 | Electron microscopy | S |
| 88358 | Analysis tumor | S |
| 88360 | Tumor immunohistochem/manual | S |
| 88361 | Tumor immunohistochem/comput | S |
| 88362 | Nerve teasing preparations | S |
| 88367 | Insitu hybridization auto | S |
| 88368 | Insitu hybridization manual | S |
| 89251 | Cultr oocyte/embryo <4 days | S |
| 89258 | Cryopreservation embryo(s) | S |
| 89272 | Extended culture of oocytes | S |
| 89280 | Assist oocyte fertilization | S |
| 89346 | Storage/year oocyte(s) | S |
| C9733 | Non-ophthalmic fva | S |
| G0416 | Prostate biopsy, any mthd | S |

Critical care-packaged

| Code | Description | Separately payable SI |
|-------|----------------------------|-----------------------|
| 71045 | X-ray exam chest 1 view | S |
| 71046 | X-ray exam chest 2 views | S |
| 92953 | Temporary external pacing | S |
| 94002 | Vent mgmt inpat init day | S |
| 94003 | Vent mgmt inpat subq day | S |
| 94662 | Neg press ventilation cnp | S |
| 94762 | Measure blood oxygen level | S |

Partial hospital program services (List A and B)

Note: List A codes are marked with an asterisk.

| | |
|--------|------------------------------|
| 90785 | Psytx complex interactive |
| 90791 | Psych diagnostic evaluation |
| 90792 | Psych diag eval w/med srvc |
| 90832* | Psytx w pt 30 minutes |
| 90833 | Psytx w pt w e/m 30 min |
| 90834* | Psytx w pt 45 minutes |
| 90836 | Psytx w pt w e/m 45 min |
| 90837* | Psytx w pt 60 minutes |
| 90838 | Psytx w pt w e/m 60 min |
| 90845* | Psychoanalysis |
| 90846* | Family psytx w/o pt 50 min |
| 90847* | Family psytx w/pt 50 min |
| 90865* | Narcosynthesis |
| 90880* | Hypnotherapy |
| 96116 | Nubhvl xm phys/qhp 1st hr |
| 96121 | Nubhvl xm phy/qhp ea addl hr |
| 96130 | Psytl tst eval phys/qhp 1st |
| 96131 | Psytl tst eval phys/qhp ea |
| 96132 | Nrpsyc tst eval phys/qhp 1st |
| 96133 | Nrpsyc tst eval phys/qhp ea |
| 96136 | Psytl/nrpsyc tst phy/qhp 1st |
| 96137 | Psytl/nrpsyc tst phy/qhp ea |
| 96138 | Psytl/nrpsyc tech 1st |
| 96139 | Psytl/nrpsyc tst tech ea |
| 96146 | Psytl/nrpsyc tst auto result |
| G0129 | Partial hosp prog service |
| G0176 | Opps/php;activity therapy |
| G0177 | Opps/php; train & educ serv |
| G0410* | Grp psych partial hosp 45-50 |
| G0411* | Inter active grp psych parti |

Mental health services composite list

| | |
|-------|------------------------------|
| 0362T | Bhv id suprt assmt ea 15 min |
| 0373T | Adapt bhv tx ea 15 min |
| 90791 | Psych diagnostic evaluation |
| 90792 | Psych diag eval w/med srvc |
| 90832 | Psytx w pt 30 minutes |
| 90834 | Psytx w pt 45 minutes |
| 90837 | Psytx w pt 60 minutes |
| 90839 | Psytx crisis initial 60 min |
| 90845 | Psychoanalysis |
| 90846 | Family psytx w/o pt 50 min |
| 90847 | Family psytx w/pt 50 min |
| 90849 | Multiple family group psytx |
| 90853 | Group psychotherapy |
| 90865 | Narcosynthesis |
| 90880 | Hypnotherapy |
| 90899 | Psychiatric service/therapy |
| 96112 | Devel tst phys/qhp 1st hr |
| 96116 | Nubhvl xm phys/qhp 1st hr |
| 96130 | Psycl tst eval phys/qhp 1st |
| 96132 | Nrpsyc tst eval phys/qhp 1st |
| 96136 | Psycl/nrpsyc tst phy/qhp 1st |
| 96138 | Psycl/nrpsyc tech 1st |
| 96146 | Psycl/nrpsyc tst auto result |
| 96150 | Assess hlth/behave init |
| 96151 | Assess hlth/behave subseq |
| 96152 | Intervene hlth/behave indiv |
| 96153 | Intervene hlth/behave group |
| 96154 | Interv hlth/behav fam w/pt |
| 97151 | Bhv id assmt by phys/qhp |
| 97152 | Bhv id suprt assmt by 1 tech |
| 97153 | Adaptive behavior tx by tech |
| 97154 | Grp adapt bhv tx by tech |
| 97155 | Adapt behavior tx phys/qhp |
| 97156 | Fam adapt bhv tx gdn phy/qhp |
| 97157 | Mult fam adapt bhv tx gdn |
| 97158 | Grp adapt bhv tx by phy/qhp |
| G0177 | Opps/php; train & educ serv |
| G0451 | Devlopment test interpt&rep |

Comprehensive APC Complexity Adjusted Code Pairs

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 10140 | Drainage of hematoma/fluid | 10140 | Drainage of hematoma/fluid | 5073 |
| 11044 | Deb bone 20 sq cm/< | 11044 | Deb bone 20 sq cm/< | 5073 |
| | | 11422 | Exc h-f-nk-sp b9+marg 1.1-2 | 5073 |
| 11406 | Exc tr-ext b9+marg >4.0 cm | 11404 | Exc tr-ext b9+marg 3.1-4 cm | 5073 |
| | | 11406 | Exc tr-ext b9+marg >4.0 cm | 5073 |
| | | 11422 | Exc h-f-nk-sp b9+marg 1.1-2 | 5073 |
| | | 11423 | Exc h-f-nk-sp b9+marg 2.1-3 | 5073 |
| 11606 | Exc tr-ext mal+marg >4 cm | 11404 | Exc tr-ext b9+marg 3.1-4 cm | 5073 |
| | | 11406 | Exc tr-ext b9+marg >4.0 cm | 5073 |
| | | 11606 | Exc tr-ext mal+marg >4 cm | 5073 |
| | | 11623 | Exc s/n/h/f/g mal+mrg 2.1-3 | 5073 |
| | | 11624 | Exc s/n/h/f/g mal+mrg 3.1-4 | 5073 |
| | | 11643 | Exc f/e/e/n/l mal+mrg 2.1-3 | 5073 |
| | | 11644 | Exc f/e/e/n/l mal+mrg 3.1-4 | 5073 |
| 11624 | Exc s/n/h/f/g mal+mrg 3.1-4 | 11623 | Exc s/n/h/f/g mal+mrg 2.1-3 | 5073 |
| | | 11643 | Exc f/e/e/n/l mal+mrg 2.1-3 | 5073 |
| 11643 | Exc f/e/e/n/l mal+mrg 2.1-3 | 11623 | Exc s/n/h/f/g mal+mrg 2.1-3 | 5073 |
| | | 11643 | Exc f/e/e/n/l mal+mrg 2.1-3 | 5073 |
| 11644 | Exc f/e/e/n/l mal+mrg 3.1-4 | 11624 | Exc s/n/h/f/g mal+mrg 3.1-4 | 5073 |
| | | 11643 | Exc f/e/e/n/l mal+mrg 2.1-3 | 5073 |
| 19081 | Bx breast 1st lesion strtctc | 19081 | Bx breast 1st lesion strtctc | 5073 |
| | | 19083 | Bx breast 1st lesion us imag | 5073 |
| | | 38505 | Needle biopsy lymph nodes | 5073 |
| 19083 | Bx breast 1st lesion us imag | 19083 | Bx breast 1st lesion us imag | 5073 |
| | | 38505 | Needle biopsy lymph nodes | 5073 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 19085 | Bx breast 1st lesion mr imag | 19083 | Bx breast 1st lesion us imag | 5073 |
| | | 19085 | Bx breast 1st lesion mr imag | 5073 |
| 19300 | Removal of breast tissue | 19300 | Removal of breast tissue | 5092 |
| 19301 | Partial mastectomy | 19125 | Excision breast lesion | 5092 |
| | | 19301 | Partial mastectomy | 5092 |
| | | 19499 | Breast surgery procedure | 5092 |
| | | 38500 | Biopsy/removal lymph nodes | 5092 |
| 19304 | Mast subq | 19304 | Mast subq | 5092 |
| 19307 | Mast mod rad | 19340 | Immediate breast prosthesis | 5093 |
| 19340 | Immediate breast prosthesis | 19303 | Mast simple complete | 5093 |
| | | 19340 | Immediate breast prosthesis | 5093 |
| 20225 | Bone biopsy trocar/needle | 20206 | Needle biopsy muscle | 5073 |
| | | 20220 | Bone biopsy trocar/needle | 5073 |
| | | 20225 | Bone biopsy trocar/needle | 5073 |
| | | 32405 | Percut bx lung/mediastinum | 5073 |
| 20690 | Apply bone fixation device | 27818 | Treatment of ankle fracture | 5115 |
| 20982 | Ablate bone tumor(s) perq | 22510 | Perq cervicothoracic inject | 5115 |
| | | 22511 | Perq lumbosacral injection | 5115 |
| 21031 | Remove exostosis mandible | 21031 | Remove exostosis mandible | 5165 |
| 21931 | Exc back les sc 3 cm/> | 21931 | Exc back les sc 3 cm/> | 5073 |
| 22505 | Manipulation of spine | 27275 | Manipulation of hip joint | 5113 |
| 22510 | Perq cervicothoracic inject | 22512 | Vertebroplasty addl inject | 5114 |
| 22511 | Perq lumbosacral injection | 22512 | Vertebroplasty addl inject | 5114 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|-----------------------------|----------------|-----------------------------|-------------------------|
| 22513 | Perq vertebral augmentation | 20225 | Bone biopsy trocar/needle | 5115 |
| | | 20982 | Ablate bone tumor(s) perq | 5115 |
| | | 22510 | Perq cervicothoracic inject | 5115 |
| | | 22511 | Perq lumbosacral injection | 5115 |
| | | 22514 | Perq vertebral augmentation | 5115 |
| | | 22515 | Perq vertebral augmentation | 5115 |
| | | 38221 | Dx bone marrow biopsies | 5115 |
| 22514 | Perq vertebral augmentation | 20225 | Bone biopsy trocar/needle | 5115 |
| | | 20982 | Ablate bone tumor(s) perq | 5115 |
| | | 22511 | Perq lumbosacral injection | 5115 |
| | | 22515 | Perq vertebral augmentation | 5115 |
| | | 63030 | Low back disk surgery | 5115 |
| | | 63047 | Remove spine lamina 1 Imbr | 5115 |
| 22612 | Lumbar spine fusion | 38220 | Dx bone marrow aspirations | 5116 |
| 23655 | Treat shoulder dislocation | 23655 | Treat shoulder dislocation | 5113 |
| 24685 | Treat ulnar fracture | 24665 | Treat radius fracture | 5115 |
| 25071 | Exc forearm les sc 3 cm/> | 25071 | Exc forearm les sc 3 cm/> | 5073 |
| 25447 | Repair wrist joints | 26516 | Fusion of knuckle joint | 5114 |
| | | 26860 | Fusion of finger joint | 5114 |
| | | 64718 | Revise ulnar nerve at elbow | 5114 |
| 25607 | Treat fx rad extra-articul | 25545 | Treat fracture of ulna | 5115 |
| | | 25607 | Treat fx rad extra-articul | 5115 |
| 25609 | Treat fx radial 3+ frag | 25545 | Treat fracture of ulna | 5115 |
| | | 25605 | Treat fracture radius/ulna | 5115 |
| | | 25609 | Treat fx radial 3+ frag | 5115 |
| 26236 | Partial removal finger bone | 26236 | Partial removal finger bone | 5113 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|-----------------------------|----------------|-----------------------------|-------------------------|
| 26410 | Repair hand tendon | 26410 | Repair hand tendon | 5113 |
| 26418 | Repair finger tendon | 26418 | Repair finger tendon | 5113 |
| 26530 | Revise knuckle joint | 26530 | Revise knuckle joint | 5114 |
| 26531 | Revise knuckle with implant | 26531 | Revise knuckle with implant | 5115 |
| 26535 | Revise finger joint | 26535 | Revise finger joint | 5114 |
| 26536 | Revise/implant finger joint | 26536 | Revise/implant finger joint | 5115 |
| 26615 | Treat metacarpal fracture | 26615 | Treat metacarpal fracture | 5114 |
| 26735 | Treat finger fracture each | 26735 | Treat finger fracture each | 5114 |
| 27062 | Remove femur lesion/bursa | 27006 | Incision of hip tendons | 5114 |
| 27266 | Treat hip dislocation | 27266 | Treat hip dislocation | 5113 |
| 27650 | Repair achilles tendon | 27687 | Revision of calf tendon | 5114 |
| | | 28119 | Removal of heel spur | 5114 |
| | | 28120 | Part removal of ankle/heel | 5114 |
| 27687 | Revision of calf tendon | 28285 | Repair of hammertoe | 5114 |
| 27814 | Treatment of ankle fracture | 27810 | Treatment of ankle fracture | 5115 |
| 27822 | Treatment of ankle fracture | 27818 | Treatment of ankle fracture | 5115 |
| 28010 | Incision of toe tendon | 28010 | Incision of toe tendon | 5113 |
| 28080 | Removal of foot lesion | 28080 | Removal of foot lesion | 5113 |
| 28118 | Removal of heel bone | 27650 | Repair achilles tendon | 5114 |
| 28119 | Removal of heel spur | 27687 | Revision of calf tendon | 5114 |
| 28232 | Incision of toe tendon | 28232 | Incision of toe tendon | 5113 |
| 28292 | Correction hallux valgus | 28110 | Part removal of metatarsal | 5114 |
| | | 28112 | Part removal of metatarsal | 5114 |
| 28295 | Correction hallux valgus | 28285 | Repair of hammertoe | 5114 |
| | | 28308 | Incision of metatarsal | 5114 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|--------------------------|----------------|------------------------------|-------------------------|
| 28296 | Correction hallux valgus | 28110 | Part removal of metatarsal | 5114 |
| | | 28285 | Repair of hammertoe | 5114 |
| | | 28288 | Partial removal of foot bone | 5114 |
| | | 28296 | Correction hallux valgus | 5114 |
| | | 28308 | Incision of metatarsal | 5114 |
| | | 28313 | Repair deformity of toe | 5114 |
| | | 28645 | Repair toe dislocation | 5114 |
| 28297 | Correction hallux valgus | 27687 | Revision of calf tendon | 5115 |
| | | 28110 | Part removal of metatarsal | 5115 |
| | | 28298 | Correction hallux valgus | 5115 |
| | | 28300 | Incision of heel bone | 5115 |
| | | 28308 | Incision of metatarsal | 5115 |
| 28299 | Correction hallux valgus | 28110 | Part removal of metatarsal | 5114 |
| | | 28270 | Release of foot contracture | 5114 |
| | | 28285 | Repair of hammertoe | 5114 |
| | | 28288 | Partial removal of foot bone | 5114 |
| | | 28308 | Incision of metatarsal | 5114 |
| | | 28313 | Repair deformity of toe | 5114 |
| 28300 | Incision of heel bone | 27695 | Repair of ankle ligament | 5115 |
| | | 28238 | Revision of foot tendon | 5115 |
| | | 28304 | Incision of midfoot bones | 5115 |
| 28308 | Incision of metatarsal | 27687 | Revision of calf tendon | 5114 |
| | | 28285 | Repair of hammertoe | 5114 |
| | | 28289 | Corrj halux rigdus w/o implt | 5114 |
| | | 28292 | Correction hallux valgus | 5114 |
| | | 28308 | Incision of metatarsal | 5114 |
| 28313 | Repair deformity of toe | 28308 | Incision of metatarsal | 5114 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 28645 | Repair toe dislocation | 28308 | Incision of metatarsal | 5114 |
| | | 28645 | Repair toe dislocation | 5114 |
| 28740 | Fusion of foot bones | 20900 | Removal of bone for graft | 5115 |
| | | 20902 | Removal of bone for graft | 5115 |
| | | 28285 | Repair of hammertoe | 5115 |
| | | 28296 | Correction hallux valgus | 5115 |
| | | 28297 | Correction hallux valgus | 5115 |
| | | 28298 | Correction hallux valgus | 5115 |
| | | 28299 | Correction hallux valgus | 5115 |
| | | 28300 | Incision of heel bone | 5115 |
| | | 28308 | Incision of metatarsal | 5115 |
| | | 28740 | Fusion of foot bones | 5115 |
| | | 28750 | Fusion of big toe joint | 5115 |
| 28750 | Fusion of big toe joint | 20900 | Removal of bone for graft | 5115 |
| | | 20902 | Removal of bone for graft | 5115 |
| | | 27687 | Revision of calf tendon | 5115 |
| | | 27691 | Revise lower leg tendon | 5115 |
| | | 28308 | Incision of metatarsal | 5115 |
| | | 28309 | Incision of metatarsals | 5115 |
| | | 28313 | Repair deformity of toe | 5115 |
| | | 28645 | Repair toe dislocation | 5115 |
| | | 28750 | Fusion of big toe joint | 5115 |
| | | 28755 | Fusion of big toe joint | 5115 |
| | | 38220 | Dx bone marrow aspirations | 5115 |
| 28805 | Amputation thru metatarsal | 27687 | Revision of calf tendon | 5114 |
| 29806 | Shoulder arthroscopy/surgery | 23430 | Repair biceps tendon | 5115 |
| | | 29827 | Arthroscop rotator cuff repr | 5115 |
| 29822 | Shoulder arthroscopy/surgery | 23120 | Partial removal collar bone | 5114 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 29823 | Shoulder arthroscopy/surgery | 29819 | Shoulder arthroscopy/surgery | 5114 |
| | | 29821 | Shoulder arthroscopy/surgery | 5114 |
| | | 29825 | Shoulder arthroscopy/surgery | 5114 |
| 29824 | Shoulder arthroscopy/surgery | 29822 | Shoulder arthroscopy/surgery | 5114 |
| | | 29825 | Shoulder arthroscopy/surgery | 5114 |
| 29825 | Shoulder arthroscopy/surgery | 29822 | Shoulder arthroscopy/surgery | 5114 |
| 29827 | Arthroscop rotator cuff repr | 23412 | Repair rotator cuff chronic | 5115 |
| | | 24340 | Repair of biceps tendon | 5115 |
| 29838 | Elbow arthroscopy/surgery | 29834 | Elbow arthroscopy/surgery | 5114 |
| 29848 | Wrist endoscopy/surgery | 25000 | Incision of tendon sheath | 5113 |
| | | 25111 | Remove wrist tendon lesion | 5113 |
| | | 26055 | Incise finger tendon sheath | 5113 |
| | | 26160 | Remove tendon sheath lesion | 5113 |
| | | 29848 | Wrist endoscopy/surgery | 5113 |
| 29855 | Tibial arthroscopy/surgery | 27509 | Treatment of thigh fracture | 5115 |
| 29882 | Knee arthroscopy/surgery | 29881 | Knee arthroscopy/surgery | 5114 |
| 29888 | Knee arthroscopy/surgery | 29882 | Knee arthroscopy/surgery | 5115 |
| 29891 | Ankle arthroscopy/surgery | 29898 | Ankle arthroscopy/surgery | 5114 |
| 30117 | Removal of intranasal lesion | 31238 | Nasal/sinus endoscopy surg | 5165 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 30520 | Repair of nasal septum | 30130 | Excise inferior turbinate | 5165 |
| | | 30140 | Resect inferior turbinate | 5165 |
| | | 30630 | Repair nasal septum defect | 5165 |
| | | 30802 | Ablate inf turbinate submuc | 5165 |
| | | 31237 | Nasal/sinus endoscopy surg | 5165 |
| | | 31238 | Nasal/sinus endoscopy surg | 5165 |
| | | 31240 | Nasal/sinus endoscopy surg | 5165 |
| 31020 | Exploration maxillary sinus | 31020 | Exploration maxillary sinus | 5165 |
| 31237 | Nasal/sinus endoscopy surg | 69436 | Create eardrum opening | 5154 |
| 31238 | Nasal/sinus endoscopy surg | 31237 | Nasal/sinus endoscopy surg | 5154 |
| | | 31238 | Nasal/sinus endoscopy surg | 5154 |
| 31525 | Dx laryngoscopy excl nb | 31622 | Dx bronchoscope/wash | 5154 |
| 31526 | Dx laryngoscopy w/oper scope | 31622 | Dx bronchoscope/wash | 5154 |
| 31600 | Incision of windpipe | 43246 | Egd place gastrostomy tube | 5165 |
| 31624 | Dx bronchoscope/lavage | 31622 | Dx bronchoscope/wash | 5154 |
| 31624 | Dx bronchoscope/lavage | 31624 | Dx bronchoscope/lavage | 5154 |
| 31625 | Bronchoscopy w/biopsy(s) | 31623 | Dx bronchoscope/brush | 5154 |
| 31625 | Bronchoscopy w/biopsy(s) | 31624 | Dx bronchoscope/lavage | 5154 |
| 31625 | Bronchoscopy w/biopsy(s) | 31645 | Brnchsc w/ther aspir 1st | 5154 |
| 31630 | Bronchoscopy dilate/fx repr | 31641 | Bronchoscopy treat blockage | 5155 |
| 31635 | Bronchoscopy w/fb removal | 31625 | Bronchoscopy w/biopsy(s) | 5154 |
| 31641 | Bronchoscopy treat blockage | 31652 | Bronch ebus samplng 1/2 node | 5155 |
| | | 43191 | Esophagoscopy rigid trnso dx | 5155 |
| 31652 | Bronch ebus samplng 1/2 node | 31640 | Bronchoscopy w/tumor excise | 5155 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 31653 | Bronch ebus samplng 3/> node | 31628 | Bronchoscopy/lung bx each | 5155 |
| | | 31629 | Bronchoscopy/needle bx each | 5155 |
| | | 31641 | Bronchoscopy treat blockage | 5155 |
| 32405 | Percut bx lung/mediastinum | 38505 | Needle biopsy lymph nodes | 5073 |
| 32550 | Insert pleural cath | 36561 | Insert tunneled cv cath | 5331 |
| 32609 | Thoracoscopy w/bx pleura | 32550 | Insert pleural cath | 5362 |
| 33206 | Insert heart pm atrial | 33225 | L ventric pacing lead add-on | 5224 |
| 33207 | Insert heart pm ventricular | 33225 | L ventric pacing lead add-on | 5224 |
| 33208 | Insrt heart pm atrial & vent | 33225 | L ventric pacing lead add-on | 5224 |
| | | 93650 | Ablate heart dysrhythm focus | 5224 |
| | | C9600 | Perc drug-el cor stent sing | 5224 |
| 33214 | Upgrade of pacemaker system | 33225 | L ventric pacing lead add-on | 5224 |
| 33224 | Insert pacing lead & connect | 33216 | Insert 1 electrode pm-defib | 5224 |
| 33228 | Remv&replc pm gen dual lead | 33225 | L ventric pacing lead add-on | 5224 |
| 33285 | Insj subq car rhythm mntr | 93460 | R&I hrt art/ventricle angio | 5223 |
| | | 93620 | Electrophysiology evaluation | 5223 |
| 35903 | Excision graft extremity | 36558 | Insert tunneled cv cath | 5184 |
| 36475 | Endovenous rf 1st vein | 36475 | Endovenous rf 1st vein | 5184 |
| 36558 | Insert tunneled cv cath | 36558 | Insert tunneled cv cath | 5184 |
| | | 36581 | Replace tunneled cv cath | 5184 |
| | | 38221 | Dx bone marrow biopsies | 5184 |
| 36561 | Insert tunneled cv cath | 31652 | Bronch ebus samplng 1/2 node | 5184 |
| | | 36558 | Insert tunneled cv cath | 5184 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|-----------------------------|----------------|------------------------------|-------------------------|
| 36821 | Av fusion direct any site | 36558 | Insert tunneled cv cath | 5184 |
| | | 36561 | Insert tunneled cv cath | 5184 |
| | | 36581 | Replace tunneled cv cath | 5184 |
| | | 36821 | Av fusion direct any site | 5184 |
| 36902 | Intro cath dialysis circuit | 36830 | Artery-vein nonautograft | 5193 |
| | | 36908 | Stent plmt ctr dialysis seg | 5193 |
| 36904 | Thrmc/nfs dialysis circuit | 36908 | Stent plmt ctr dialysis seg | 5193 |
| | | 37248 | Trluml balo angiop 1st vein | 5193 |
| 36905 | Thrmc/nfs dialysis circuit | 36905 | Thrmc/nfs dialysis circuit | 5194 |
| 37184 | Prim art m-thrmc 1st vsi | 37224 | Fem/popl revas w/tla | 5193 |
| 37187 | Venous mech thrombectomy | 37248 | Trluml balo angiop 1st vein | 5193 |
| 37197 | Remove intrvas foreign body | 36561 | Insert tunneled cv cath | 5184 |
| 37220 | Iliac revasc | 37220 | Iliac revasc | 5193 |
| | | 37222 | Iliac revasc add-on | 5193 |
| 37221 | Iliac revasc w/stent | 37184 | Prim art m-thrmc 1st vsi | 5194 |
| | | 37221 | Iliac revasc w/stent | 5194 |
| | | 37228 | Tib/per revasc w/tla | 5194 |
| | | C9600 | Perc drug-el cor stent sing | 5194 |
| 37224 | Fem/popl revas w/tla | 36902 | Intro cath dialysis circuit | 5193 |
| | | 37211 | Thrombolytic art therapy | 5193 |
| | | 37220 | Iliac revasc | 5193 |
| | | 37224 | Fem/popl revas w/tla | 5193 |
| | | 37246 | Trluml balo angiop 1st art | 5193 |
| | | 93458 | L hrt artery/ventricle angio | 5193 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|---------------------------|----------------|-----------------------------|-------------------------|
| 37225 | Fem/popl revas w/ather | 37184 | Prim art m-thrmbsc 1st vsl | 5194 |
| | | 37220 | Iliac revasc | 5194 |
| | | 37221 | Iliac revasc w/stent | 5194 |
| | | 37224 | Fem/popl revas w/tla | 5194 |
| | | 37225 | Fem/popl revas w/ather | 5194 |
| | | 37226 | Fem/popl revasc w/stent | 5194 |
| | | 37228 | Tib/per revasc w/tla | 5194 |
| | | 37236 | Open/perq place stent 1st | 5194 |
| 37226 | Fem/popl revasc w/stent | 37184 | Prim art m-thrmbsc 1st vsl | 5194 |
| | | 37211 | Thrombolytic art therapy | 5194 |
| | | 37220 | Iliac revasc | 5194 |
| | | 37221 | Iliac revasc w/stent | 5194 |
| | | 37224 | Fem/popl revas w/tla | 5194 |
| | | 37226 | Fem/popl revasc w/stent | 5194 |
| | | 37228 | Tib/per revasc w/tla | 5194 |
| | | 37236 | Open/perq place stent 1st | 5194 |
| | | 93454 | Coronary artery angio s&i | 5194 |
| 37228 | Tib/per revasc w/tla | 37184 | Prim art m-thrmbsc 1st vsl | 5194 |
| 37236 | Open/perq place stent 1st | 37221 | Iliac revasc w/stent | 5194 |
| | | 37236 | Open/perq place stent 1st | 5194 |
| | | C9600 | Perc drug-el cor stent sing | 5194 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 37238 | Open/perq place stent same | 37187 | Venous mech thrombectomy | 5194 |
| | | 37193 | Rem endovas vena cava filter | 5194 |
| | | 37238 | Open/perq place stent same | 5194 |
| | | 37239 | Open/perq place stent ea add | 5194 |
| | | 37248 | Trluml balo angiop 1st vein | 5194 |
| | | 93451 | Right heart cath | 5194 |
| 37242 | Vasc embolize/occlude artery | 37221 | Iliac revasc w/stent | 5194 |
| | | 37236 | Open/perq place stent 1st | 5194 |
| | | 37242 | Vasc embolize/occlude artery | 5194 |
| | | 37243 | Vasc embolize/occlude organ | 5194 |
| 37243 | Vasc embolize/occlude organ | 37243 | Vasc embolize/occlude organ | 5194 |
| | | 47000 | Needle biopsy of liver | 5194 |
| | | 47382 | Percut ablate liver rf | 5194 |
| | | 50593 | Perc cryo ablate renal tum | 5194 |
| 37248 | Trluml balo angiop 1st vein | 36830 | Artery-vein nonautograft | 5193 |
| | | 37193 | Rem endovas vena cava filter | 5193 |
| 37607 | Ligation of a-v fistula | 36558 | Insert tunneled cv cath | 5184 |
| | | 36561 | Insert tunneled cv cath | 5184 |
| 37609 | Temporal artery procedure | 37609 | Temporal artery procedure | 5073 |
| 37700 | Revise leg vein | 36475 | Endovenous rf 1st vein | 5184 |
| 37722 | Ligate/strip long leg vein | 36475 | Endovenous rf 1st vein | 5184 |
| | | 37722 | Ligate/strip long leg vein | 5184 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|----------------------------|----------------|-----------------------------|-------------------------|
| 38221 | Dx bone marrow biopsies | 20206 | Needle biopsy muscle | 5073 |
| | | 20225 | Bone biopsy trocar/needle | 5073 |
| | | 32405 | Percut bx lung/mediastinum | 5073 |
| | | 38221 | Dx bone marrow biopsies | 5073 |
| | | 38505 | Needle biopsy lymph nodes | 5073 |
| | | 49180 | Biopsy abdominal mass | 5073 |
| 38500 | Biopsy/removal lymph nodes | 11606 | Exc tr-ext mal+marg >4 cm | 5092 |
| | | 11624 | Exc s/n/h/f/g mal+mrg 3.1-4 | 5092 |
| | | 11626 | Exc s/n/h/f/g mal+mrg >4 cm | 5092 |
| | | 11643 | Exc f/e/e/n/l mal+mrg 2.1-3 | 5092 |
| | | 11646 | Exc f/e/e/n/l mal+mrg >4 cm | 5092 |
| | | 19125 | Excision breast lesion | 5092 |
| | | 28820 | Amputation of toe | 5092 |
| | | 36561 | Insert tunneled cv cath | 5092 |
| | | 38500 | Biopsy/removal lymph nodes | 5092 |
| 38505 | Needle biopsy lymph nodes | 38505 | Needle biopsy lymph nodes | 5073 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|----------------------------|----------------|-----------------------------|-------------------------|
| 38510 | Biopsy/removal lymph nodes | 11623 | Exc s/n/h/f/g mal+mrg 2.1-3 | 5092 |
| | | 11624 | Exc s/n/h/f/g mal+mrg 3.1-4 | 5092 |
| | | 11626 | Exc s/n/h/f/g mal+mrg >4 cm | 5092 |
| | | 11643 | Exc f/e/e/n/l mal+mrg 2.1-3 | 5092 |
| | | 11644 | Exc f/e/e/n/l mal+mrg 3.1-4 | 5092 |
| | | 11646 | Exc f/e/e/n/l mal+mrg >4 cm | 5092 |
| | | 38500 | Biopsy/removal lymph nodes | 5092 |
| | | 38510 | Biopsy/removal lymph nodes | 5092 |
| | | 69110 | Remove external ear partial | 5092 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|-----------------------------|-------------------------|
| 38525 | Biopsy/removal lymph nodes | 11406 | Exc tr-ext b9+marg >4.0 cm | 5092 |
| | | 11606 | Exc tr-ext mal+marg >4 cm | 5092 |
| | | 11626 | Exc s/n/h/f/g mal+mrg >4 cm | 5092 |
| | | 19101 | Biopsy of breast open | 5092 |
| | | 19125 | Excision breast lesion | 5092 |
| | | 19301 | Partial mastectomy | 5092 |
| | | 19304 | Mast subq | 5092 |
| | | 21931 | Exc back les sc 3 cm/> | 5092 |
| | | 24071 | Exc arm/elbow les sc 3 cm/> | 5092 |
| | | 36561 | Insert tunneled cv cath | 5092 |
| | | 38500 | Biopsy/removal lymph nodes | 5092 |
| | | 38510 | Biopsy/removal lymph nodes | 5092 |
| | | 38525 | Biopsy/removal lymph nodes | 5092 |
| 38530 | Biopsy/removal lymph nodes | 19301 | Partial mastectomy | 5092 |
| 41820 | Excision gum each quadrant | 41820 | Excision gum each quadrant | 5165 |
| 41874 | Repair tooth socket | 21031 | Remove exostosis mandible | 5165 |
| | | 41874 | Repair tooth socket | 5165 |
| 43191 | Esophagoscopy rigid trnso dx | 31525 | Dx laryngoscopy excl nb | 5303 |
| | | 31622 | Dx bronchoscope/wash | 5303 |
| 43238 | Egd us fine needle bx/aspir | 43245 | Egd dilate stricture | 5303 |
| | | 43249 | Esoph egd dilation <30 mm | 5303 |
| | | 43251 | Egd remove lesion snare | 5303 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 43242 | Egd us fine needle bx/aspir | 43245 | Egd dilate stricture | 5303 |
| | | 43249 | Esoph egd dilation <30 mm | 5303 |
| | | 43251 | Egd remove lesion snare | 5303 |
| 43246 | Egd place gastrostomy tube | 43246 | Egd place gastrostomy tube | 5303 |
| 43249 | Esoph egd dilation <30 mm | 43249 | Esoph egd dilation <30 mm | 5303 |
| 43254 | Egd endo mucosal resection | 43237 | Endoscopic us exam esoph | 5303 |
| | | 43238 | Egd us fine needle bx/aspir | 5303 |
| | | 43242 | Egd us fine needle bx/aspir | 5303 |
| | | 43249 | Esoph egd dilation <30 mm | 5303 |
| | | 43251 | Egd remove lesion snare | 5303 |
| | | 43255 | Egd control bleeding any | 5303 |
| | | 43259 | Egd us exam duodenum/jejunum | 5303 |
| 43255 | Egd control bleeding any | 43245 | Egd dilate stricture | 5303 |
| | | 43255 | Egd control bleeding any | 5303 |
| 43262 | Endo cholangiopancreatograph | 43238 | Egd us fine needle bx/aspir | 5331 |
| 43270 | Egd lesion ablation | 43237 | Endoscopic us exam esoph | 5303 |
| | | 43254 | Egd endo mucosal resection | 5303 |
| | | 43259 | Egd us exam duodenum/jejunum | 5303 |
| 43277 | Ercp ea duct/ampulla dilate | 43261 | Endo cholangiopancreatograph | 5331 |
| 44970 | Laparoscopy appendectomy | 58661 | Laparoscopy remove adnexa | 5362 |
| | | 58662 | Laparoscopy excise lesions | 5362 |
| 47382 | Percut ablate liver rf | 47000 | Needle biopsy of liver | 5362 |
| 47534 | Plmt biliary drainage cath | 47536 | Exchange biliary drg cath | 5331 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 47562 | Laparoscopic cholecystectomy | 43262 | Endo cholangiopancreatograph | 5362 |
| | | 43264 | Ercp remove duct calculi | 5362 |
| | | 43274 | Ercp duct stent placement | 5362 |
| 47563 | Laparo cholecystectomy/graph | 43262 | Endo cholangiopancreatograph | 5362 |
| | | 43264 | Ercp remove duct calculi | 5362 |
| | | 43274 | Ercp duct stent placement | 5362 |
| 49180 | Biopsy abdominal mass | 32405 | Percut bx lung/mediastinum | 5073 |
| 49406 | Image cath fluid peri/retro | 49180 | Biopsy abdominal mass | 5073 |
| | | 49406 | Image cath fluid peri/retro | 5073 |
| 49421 | Ins tun ip cath for dial opn | 36821 | Av fusion direct any site | 5331 |
| 49423 | Exchange drainage catheter | 49406 | Image cath fluid peri/retro | 5303 |
| | | 49423 | Exchange drainage catheter | 5303 |
| 49440 | Place gastrostomy tube perc | 49446 | Change g-tube to g-j perc | 5303 |
| 49446 | Change g-tube to g-j perc | 43246 | Egd place gastrostomy tube | 5303 |
| 49505 | Prp i/hern init reduc >5 yr | 49505 | Prp i/hern init reduc >5 yr | 5331 |
| | | 49585 | Rpr umbil hern reduc > 5 yr | 5331 |
| | | 49587 | Rpr umbil hern block > 5 yr | 5331 |
| 49507 | Prp i/hern init block >5 yr | 49505 | Prp i/hern init reduc >5 yr | 5331 |
| | | 49507 | Prp i/hern init block >5 yr | 5331 |
| | | 49585 | Rpr umbil hern reduc > 5 yr | 5331 |
| | | 49587 | Rpr umbil hern block > 5 yr | 5331 |
| | | 54520 | Removal of testis | 5331 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|-----------------------------|----------------|-----------------------------|-------------------------|
| 49520 | Rerepair ing hernia reduce | 49505 | Prp i/hern init reduc >5 yr | 5331 |
| | | 49520 | Rerepair ing hernia reduce | 5331 |
| | | 49585 | Rpr umbil hern reduc > 5 yr | 5331 |
| 49525 | Repair ing hernia sliding | 49505 | Prp i/hern init reduc >5 yr | 5331 |
| 49560 | Rpr ventral hern init reduc | 49505 | Prp i/hern init reduc >5 yr | 5331 |
| | | 49520 | Rerepair ing hernia reduce | 5331 |
| | | 49560 | Rpr ventral hern init reduc | 5331 |
| | | 49587 | Rpr umbil hern block > 5 yr | 5331 |
| 49561 | Rpr ventral hern init block | 49505 | Prp i/hern init reduc >5 yr | 5331 |
| | | 49507 | Prp i/hern init block >5 yr | 5331 |
| | | 49561 | Rpr ventral hern init block | 5331 |
| 49590 | Repair spigelian hernia | 49505 | Prp i/hern init reduc >5 yr | 5331 |
| 49650 | Lap ing hernia repair init | 49505 | Prp i/hern init reduc >5 yr | 5362 |
| 49652 | Lap vent/abd hernia repair | 49329 | Laparo proc abdm/per/oment | 5362 |
| | | 49505 | Prp i/hern init reduc >5 yr | 5362 |
| | | 49651 | Lap ing hernia repair recur | 5362 |
| | | 49652 | Lap vent/abd hernia repair | 5362 |
| | | 49659 | Laparo proc hernia repair | 5362 |
| | | 58661 | Laparoscopy remove adnexa | 5362 |
| 49653 | Lap vent/abd hern proc comp | 49329 | Laparo proc abdm/per/oment | 5362 |
| | | 49650 | Lap ing hernia repair init | 5362 |
| | | 49653 | Lap vent/abd hern proc comp | 5362 |
| 50200 | Renal biopsy perq | 32405 | Percut bx lung/mediastinum | 5073 |
| | | 49180 | Biopsy abdominal mass | 5073 |
| | | 50200 | Renal biopsy perq | 5073 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 50382 | Change ureter stent percut | 50435 | Exchange nephrostomy cath | 5374 |
| 50385 | Change stent via transureth | 50385 | Change stent via transureth | 5374 |
| 50432 | Plmt nephrostomy catheter | 50432 | Plmt nephrostomy catheter | 5374 |
| | | 50435 | Exchange nephrostomy cath | 5374 |
| | | 52005 | Cystoscopy & ureter catheter | 5374 |
| 50433 | Plmt nephroureteral catheter | 50432 | Plmt nephrostomy catheter | 5374 |
| | | 50433 | Plmt nephroureteral catheter | 5374 |
| | | 50435 | Exchange nephrostomy cath | 5374 |
| 50693 | Plmt ureteral stent prq | 50435 | Exchange nephrostomy cath | 5374 |
| | | 50693 | Plmt ureteral stent prq | 5374 |
| 51102 | Drain bl w/cath insertion | 52281 | Cystoscopy and treatment | 5374 |
| | | 52310 | Cystoscopy and treatment | 5374 |
| 52005 | Cystoscopy & ureter catheter | 55700 | Biopsy of prostate | 5374 |
| 52204 | Cystoscopy w/biopsy(s) | 54161 | Circum 28 days or older | 5374 |
| | | 55700 | Biopsy of prostate | 5374 |
| | | C9738 | Blue light cysto imag agent | 5374 |
| 52214 | Cystoscopy and treatment | 52204 | Cystoscopy w/biopsy(s) | 5374 |
| | | 52224 | Cystoscopy and treatment | 5374 |
| | | 52276 | Cystoscopy and treatment | 5374 |
| | | 52287 | Cystoscopy chemodenervation | 5374 |
| | | 55700 | Biopsy of prostate | 5374 |
| 52224 | Cystoscopy and treatment | 52276 | Cystoscopy and treatment | 5374 |
| | | 52287 | Cystoscopy chemodenervation | 5374 |
| | | C9738 | Blue light cysto imag agent | 5374 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 52276 | Cystoscopy and treatment | 51102 | Drain bl w/cath insertion | 5374 |
| | | 52005 | Cystoscopy & ureter catheter | 5374 |
| | | 52204 | Cystoscopy w/biopsy(s) | 5374 |
| | | 52283 | Cystoscopy and treatment | 5374 |
| | | 55700 | Biopsy of prostate | 5374 |
| 52287 | Cystoscopy chemodenervation | 51040 | Incise & drain bladder | 5374 |
| | | 51102 | Drain bl w/cath insertion | 5374 |
| | | 52005 | Cystoscopy & ureter catheter | 5374 |
| | | 52204 | Cystoscopy w/biopsy(s) | 5374 |
| | | 52260 | Cystoscopy and treatment | 5374 |
| | | 52276 | Cystoscopy and treatment | 5374 |
| 52332 | Cystoscopy and treatment | 50433 | Plmt nephroureteral catheter | 5375 |
| 52351 | Cystouretero & or pyeloscope | 50432 | Plmt nephrostomy catheter | 5374 |
| | | 52204 | Cystoscopy w/biopsy(s) | 5374 |
| | | 52214 | Cystoscopy and treatment | 5374 |
| | | 52224 | Cystoscopy and treatment | 5374 |
| 52356 | Cysto/uretero w/lithotripsy | 50432 | Plmt nephrostomy catheter | 5376 |
| | | 52648 | Laser surgery of prostate | 5376 |
| 54161 | Circum 28 days or older | 52281 | Cystoscopy and treatment | 5374 |
| 54520 | Removal of testis | 54520 | Removal of testis | 5374 |
| 54840 | Remove epididymis lesion | 54840 | Remove epididymis lesion | 5374 |
| 55500 | Removal of hydrocele | 54840 | Remove epididymis lesion | 5374 |
| | | 55500 | Removal of hydrocele | 5374 |
| 55700 | Biopsy of prostate | 52281 | Cystoscopy and treatment | 5374 |
| 57155 | Insert uteri tandem/ovoids | 57155 | Insert uteri tandem/ovoids | 5415 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 57265 | Cmbn ap colprhy w/ntrcl rpr | 57267 | Insert mesh/pelvic flr addon | 5416 |
| 57410 | Pelvic examination | 92018 | New eye exam & treatment | 5415 |
| 58260 | Vaginal hysterectomy | 57288 | Repair bladder defect | 5416 |
| 58262 | Vag hyst including t/o | 57265 | Cmbn ap colprhy w/ntrcl rpr | 5416 |
| | | 57288 | Repair bladder defect | 5416 |
| 58263 | Vag hyst w/t/o & vag repair | 57260 | Cmbn ant pst colprhy | 5416 |
| | | 57265 | Cmbn ap colprhy w/ntrcl rpr | 5416 |
| | | 57288 | Repair bladder defect | 5416 |
| 58270 | Vag hyst w/enterocele repair | 57265 | Cmbn ap colprhy w/ntrcl rpr | 5416 |
| | | 57288 | Repair bladder defect | 5416 |
| 58661 | Laparoscopy remove adnexa | 57288 | Repair bladder defect | 5362 |
| 61885 | Insrt/redo neurostim 1 array | 64569 | Revise/repl vagus n eltrd | 5464 |
| 63075 | Neck spine disk surgery | 63076 | Neck spine disk surgery | 5115 |
| 64708 | Revise arm/leg nerve | 28035 | Decompression of tibia nerve | 5432 |
| | | 64718 | Revise ulnar nerve at elbow | 5432 |
| 67121 | Remove eye implant material | 66985 | Insert lens prosthesis | 5492 |
| 67314 | Revise eye muscle | 67314 | Revise eye muscle | 5504 |
| 67318 | Revise eye muscle(s) | 67314 | Revise eye muscle | 5504 |
| 67900 | Repair brow defect | 67917 | Repair eyelid defect | 5504 |
| 67912 | Correction eyelid w/implant | 67900 | Repair brow defect | 5504 |
| | | 67917 | Repair eyelid defect | 5504 |
| | | 67950 | Revision of eyelid | 5504 |
| 67950 | Revision of eyelid | 67900 | Repair brow defect | 5504 |
| 92920 | Prq cardiac angioplast 1 art | 92920 | Prq cardiac angioplast 1 art | 5193 |
| | | 92974 | Cath place cardio brachytx | 5193 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 92924 | Prq card angio/athrect 1 art | 92924 | Prq card angio/athrect 1 art | 5194 |
| | | C9600 | Perc drug-el cor stent sing | 5194 |
| 92928 | Prq card stent w/angio 1 vsI | 92928 | Prq card stent w/angio 1 vsI | 5194 |
| 92943 | Prq card revasc chronic 1vsI | 92928 | Prq card stent w/angio 1 vsI | 5194 |
| 92986 | Revision of aortic valve | 93453 | R&I hrt cath w/ventriclgrphy | 5193 |
| | | 93460 | R&I hrt art/ventricle angio | 5193 |
| 93451 | Right heart cath | 93451 | Right heart cath | 5192 |
| 93452 | Left hrt cath w/ventrclgrphy | 93458 | L hrt artery/ventricle angio | 5192 |
| 93454 | Coronary artery angio s&i | 92978 | Endoluminl ivus oct c 1st | 5192 |
| | | 93454 | Coronary artery angio s&i | 5192 |
| | | 93505 | Biopsy of heart lining | 5192 |
| 93455 | Coronary art/grft angio s&i | 92978 | Endoluminl ivus oct c 1st | 5192 |
| | | 93571 | Heart flow reserve measure | 5192 |
| 93456 | R hrt coronary artery angio | 92978 | Endoluminl ivus oct c 1st | 5192 |
| | | 93505 | Biopsy of heart lining | 5192 |
| | | 93571 | Heart flow reserve measure | 5192 |
| 93457 | R hrt art/grft angio | 93571 | Heart flow reserve measure | 5192 |
| 93458 | L hrt artery/ventricle angio | 92978 | Endoluminl ivus oct c 1st | 5192 |
| | | 93451 | Right heart cath | 5192 |
| | | 93454 | Coronary artery angio s&i | 5192 |
| | | 93458 | L hrt artery/ventricle angio | 5192 |
| | | 93505 | Biopsy of heart lining | 5192 |
| | | 93571 | Heart flow reserve measure | 5192 |

| Primary code | Description | Secondary code | Description | Complexity adjusted APC |
|--------------|------------------------------|----------------|------------------------------|-------------------------|
| 93459 | L hrt art/grft angio | 92978 | Endoluminl ivus oct c 1st | 5192 |
| | | 93458 | L hrt artery/ventricle angio | 5192 |
| | | 93459 | L hrt art/grft angio | 5192 |
| | | 93571 | Heart flow reserve measure | 5192 |
| 93460 | R&I hrt art/ventricle angio | 92978 | Endoluminl ivus oct c 1st | 5192 |
| | | 93454 | Coronary artery angio s&i | 5192 |
| | | 93460 | R&I hrt art/ventricle angio | 5192 |
| | | 93505 | Biopsy of heart lining | 5192 |
| | | 93571 | Heart flow reserve measure | 5192 |
| 93461 | R&I hrt art/ventricle angio | 93571 | Heart flow reserve measure | 5192 |
| 93620 | Electrophysiology evaluation | 93613 | Electrophys map 3d add-on | 5213 |
| | | 93650 | Ablate heart dysrhythm focus | 5213 |
| C9600 | Perc drug-el cor stent sing | 33210 | Insert electrd/pm cath singl | 5194 |
| | | 33285 | Insj subq car rhythm mntr | 5194 |
| | | 92937 | Prq revasc byp graft 1 vsl | 5194 |
| | | 92986 | Revision of aortic valve | 5194 |
| | | C9600 | Perc drug-el cor stent sing | 5194 |
| C9604 | Perc d-e cor revasc t cabg s | C9600 | Perc drug-el cor stent sing | 5194 |
| | | C9604 | Perc d-e cor revasc t cabg s | 5194 |

FQHC Encounter/Qualifying Visit Code pairs

| Primary code | Description | Secondary code | Description |
|--------------|------------------------|----------------|------------------------------|
| G0466 | Fqhc visit new patient | 92002 | Eye exam new patient |
| | | 92004 | Eye exam new patient |
| | | 97802 | Medical nutrition indiv in |
| | | 99201 | Office/outpatient visit new |
| | | 99202 | Office/outpatient visit new |
| | | 99203 | Office/outpatient visit new |
| | | 99204 | Office/outpatient visit new |
| | | 99205 | Office/outpatient visit new |
| | | 99304 | Nursing facility care init |
| | | 99305 | Nursing facility care init |
| | | 99306 | Nursing facility care init |
| | | 99324 | Domicil/r-home visit new pat |
| | | 99325 | Domicil/r-home visit new pat |
| | | 99326 | Domicil/r-home visit new pat |
| | | 99327 | Domicil/r-home visit new pat |
| | | 99328 | Domicil/r-home visit new pat |
| | | 99341 | Home visit new patient |
| | | 99342 | Home visit new patient |
| | | 99343 | Home visit new patient |
| | | 99344 | Home visit new patient |
| | | 99345 | Home visit new patient |
| | | 99406 | Behav chng smoking 3-10 min |
| | | 99407 | Behav chng smoking > 10 min |
| | | 99497 | Advncd care plan 30 min |
| | | G0101 | Ca screen;pelvic/breast exam |

| Primary code | Description | Secondary code | Description |
|--------------|----------------------|----------------|------------------------------|
| | | G0102 | Prostate ca screening; dre |
| | | G0108 | Diab manage trn per indiv |
| | | G0117 | Glaucoma scrn hgh risk direc |
| | | G0118 | Glaucoma scrn hgh risk direc |
| | | G0296 | Visit to determ ldct elig |
| | | G0442 | Annual alcohol screen 15 min |
| | | G0443 | Brief alcohol misuse counsel |
| | | G0444 | Depression screen annual |
| | | G0445 | High inten beh couns std 30m |
| | | G0446 | Intens behave ther cardio dx |
| | | G0447 | Behavior counsel obesity 15m |
| | | G0490 | Home visit rn, lpn by rhc/fq |
| | | Q0091 | Obtaining screen pap smear |
| G0467 | Fqhc visit, estab pt | 92012 | Eye exam establish patient |
| | | 92014 | Eye exam&tx estab pt 1/>vst |
| | | 97802 | Medical nutrition indiv in |
| | | 97803 | Med nutrition indiv subseq |
| | | 99212 | Office/outpatient visit est |
| | | 99213 | Office/outpatient visit est |
| | | 99214 | Office/outpatient visit est |
| | | 99215 | Office/outpatient visit est |
| | | 99304 | Nursing facility care init |
| | | 99305 | Nursing facility care init |
| | | 99306 | Nursing facility care init |
| | | 99307 | Nursing fac care subseq |
| | | 99308 | Nursing fac care subseq |
| | | 99309 | Nursing fac care subseq |
| | | 99310 | Nursing fac care subseq |

| Primary code | Description | Secondary code | Description |
|--------------|-------------|----------------|------------------------------|
| | | 99315 | Nursing fac discharge day |
| | | 99316 | Nursing fac discharge day |
| | | 99318 | Annual nursing fac assessmnt |
| | | 99334 | Domicil/r-home visit est pat |
| | | 99335 | Domicil/r-home visit est pat |
| | | 99336 | Domicil/r-home visit est pat |
| | | 99337 | Domicil/r-home visit est pat |
| | | 99347 | Home visit est patient |
| | | 99348 | Home visit est patient |
| | | 99349 | Home visit est patient |
| | | 99350 | Home visit est patient |
| | | 99406 | Behav chng smoking 3-10 min |
| | | 99407 | Behav chng smoking > 10 min |
| | | 99495 | Trans care mgmt 14 day disch |
| | | 99496 | Trans care mgmt 7 day disch |
| | | 99497 | Advncd care plan 30 min |
| | | G0101 | Ca screen;pelvic/breast exam |
| | | G0102 | Prostate ca screening; dre |
| | | G0108 | Diab manage trn per indiv |
| | | G0117 | Glaucoma scrn hgh risk direc |
| | | G0118 | Glaucoma scrn hgh risk direc |
| | | G0270 | Mnt subs tx for change dx |
| | | G0296 | Visit to determ ldct elig |
| | | G0442 | Annual alcohol screen 15 min |
| | | G0443 | Brief alcohol misuse counsel |
| | | G0444 | Depression screen annual |
| | | G0445 | High inten beh couns std 30m |
| | | G0446 | Intens behave ther cardio dx |

| Primary code | Description | Secondary code | Description |
|--------------|-------------------------|----------------|------------------------------|
| | | G0447 | Behavior counsel obesity 15m |
| | | G0490 | Home visit rn, lpn by rhc/fq |
| | | Q0091 | Obtaining screen pap smear |
| G0468 | Fqhc visit, ippe or awv | G0402 | Initial preventive exam |
| | | G0438 | Ppps, initial visit |
| | | G0439 | Ppps, subseq visit |
| G0469 | Fqhc visit, mh new pt | 90791 | Psych diagnostic evaluation |
| | | 90792 | Psych diag eval w/med srvc |
| | | 90832 | Psytx w pt 30 minutes |
| | | 90834 | Psytx w pt 45 minutes |
| | | 90837 | Psytx w pt 60 minutes |
| | | 90839 | Psytx crisis initial 60 min |
| | | 90845 | Psychoanalysis |
| G0470 | Fqhc visit, mh estab pt | 90791 | Psych diagnostic evaluation |
| | | 90792 | Psych diag eval w/med srvc |
| | | 90832 | Psytx w pt 30 minutes |
| | | 90834 | Psytx w pt 45 minutes |
| | | 90837 | Psytx w pt 60 minutes |
| | | 90839 | Psytx crisis initial 60 min |
| | | 90845 | Psychoanalysis |

Pass-through contrast

| Pass-through contrast | Code description | Associated APCs | APC description |
|-----------------------|------------------------------|-----------------|-------------------------------|
| Q9950 | Inj sulf hexa lipid microsph | 5571 | Level 1 Imaging with Contrast |
| | | 5572 | Level 2 Imaging with Contrast |
| | | 5573 | Level 3 Imaging with Contrast |

Pass-through radiopharmaceutical

| Pass-through radiopharmaceutical | Code description | Associated APCs | APC description |
|----------------------------------|------------------------------|-----------------|---|
| A9513 | Lutetium lu 177 dotatat ther | 5591 | Level 1 Nuclear Medicine and Related Services |
| | Lutetium lu 177 dotatat ther | 5592 | Level 2 Nuclear Medicine and Related Services |
| | Lutetium lu 177 dotatat ther | 5593 | Level 3 Nuclear Medicine and Related Services |
| | Lutetium lu 177 dotatat ther | 5594 | Level 4 Nuclear Medicine and Related Services |
| A9586 | Florbetapir f18 | 5591 | Level 1 Nuclear Medicine and Related Services |
| | Florbetapir f18 | 5592 | Level 2 Nuclear Medicine and Related Services |
| | Florbetapir f18 | 5593 | Level 3 Nuclear Medicine and Related Services |
| | Florbetapir f18 | 5594 | Level 4 Nuclear Medicine and Related Services |
| A9587 | Gallium ga-68 | 5591 | Level 1 Nuclear Medicine and Related Services |
| | Gallium ga-68 | 5592 | Level 2 Nuclear Medicine and Related Services |
| | Gallium ga-68 | 5593 | Level 3 Nuclear Medicine and Related Services |
| | Gallium ga-68 | 5594 | Level 4 Nuclear Medicine and Related Services |

| Pass-through radiopharmaceutical | Code description | Associated APCs | APC description |
|---|-----------------------------|------------------------|---|
| A9588 | Fluciclovine f-18 | 5591 | Level 1 Nuclear Medicine and Related Services |
| | Fluciclovine f-18 | 5592 | Level 2 Nuclear Medicine and Related Services |
| | Fluciclovine f-18 | 5593 | Level 3 Nuclear Medicine and Related Services |
| | Fluciclovine f-18 | 5594 | Level 4 Nuclear Medicine and Related Services |
| C9407 | Iodine i-131 iobenguane, dx | 5591 | Level 1 Nuclear Medicine and Related Services |
| | Iodine i-131 iobenguane, dx | 5592 | Level 2 Nuclear Medicine and Related Services |
| | Iodine i-131 iobenguane, dx | 5593 | Level 3 Nuclear Medicine and Related Services |
| | Iodine i-131 iobenguane, dx | 5594 | Level 4 Nuclear Medicine and Related Services |
| C9408 | Iodine i-131 iobenguane, tx | 5591 | Level 1 Nuclear Medicine and Related Services |
| | Iodine i-131 iobenguane, tx | 5592 | Level 2 Nuclear Medicine and Related Services |
| | Iodine i-131 iobenguane, tx | 5593 | Level 3 Nuclear Medicine and Related Services |
| | Iodine i-131 iobenguane, tx | 5594 | Level 4 Nuclear Medicine and Related Services |

Pass-through skin product

| Pass-through skin product | Code description | Associated APCs | APC description |
|---------------------------|--------------------|-----------------|-------------------------|
| Q4195 | Puraply 1 sq cm | 5054 | Level 4 Skin Procedures |
| | | 5055 | Level 5 Skin Procedures |
| Q4196 | Puraply am 1 sq cm | 5054 | Level 4 Skin Procedures |
| | | 5055 | Level 5 Skin Procedures |

Appendix D: List of APCs

This appendix lists all current APCs with their status indicators and descriptions.

| APC | Status | Description |
|-------|--------|------------------------------|
| 00701 | K | Sr89 strontium |
| 00726 | K | Dexrazoxane HCl injection |
| 00731 | K | Sargramostim injection |
| 00736 | K | Amphotericin b liposome inj |
| 00738 | K | Rasburicase |
| 00751 | K | Mechlorethamine hcl inj |
| 00752 | K | Dactinomycin injection |
| 00759 | K | Naltrexone, depot form |
| 00800 | K | Leuprolide acetate |
| 00802 | K | Etoposide oral |
| 00807 | K | Aldesleukin injection |
| 00810 | K | Goserelin acetate implant |
| 00812 | K | Carmustine injection |
| 00820 | K | Daunorubicin injection |
| 00823 | K | Docetaxel injection |
| 00825 | K | Nelarabine injection |
| 00836 | K | Interferon alfa-2b inj |
| 00840 | K | Inj melphalan hydrochl |
| 00843 | K | Pegaspargase injection |
| 00844 | K | Pentostatin injection |
| 00850 | K | Streptozocin injection |
| 00851 | K | Thiotepa injection |
| 00856 | K | Porfimer sodium injection |
| 00858 | K | Inj cladribine |
| 00864 | K | Mitoxantrone hydrochl |
| 00873 | K | Hyalgan supartz visco-3 dose |

| APC | Status | Description |
|-------|--------|------------------------------|
| 00874 | K | Synvisc or synvisc-one |
| 00875 | K | Euflexxa inj per dose |
| 00877 | K | Orthovisc inj per dose |
| 00887 | K | Azathioprine parenteral |
| 00890 | K | Lymphocyte immune globulin |
| 00901 | K | Alpha 1 proteinase inhibitor |
| 00902 | K | Injection,onabotulinumtoxinA |
| 00903 | K | Cytomegalovirus imm IV /vial |
| 00910 | K | Interferon beta-1b / .25 MG |
| 00925 | K | Factor viii |
| 00927 | K | Factor viii recombinant |
| 00928 | K | Factor ix complex |
| 00929 | K | Anti-inhibitor |
| 00931 | K | Factor IX non-recombinant |
| 00932 | K | Factor ix recombinant nos |
| 00943 | K | Octagam injection |
| 00944 | K | Gammagard liquid injection |
| 00946 | K | Hepagam b im injection |
| 00947 | K | Flebogamma injection |
| 00948 | K | Gamunex-C/Gammaked |
| 00961 | K | Albumin (human),5%, 50ml |
| 00963 | K | Albumin (human), 5%, 250 ml |
| 00964 | K | Albumin (human), 25%, 20 ml |
| 00965 | K | Albumin (human), 25%, 50ml |
| 01015 | K | Injection glatiramer acetate |
| 01064 | K | I131 iodide cap, rx |
| 01083 | K | Adalimumab injection |
| 01138 | K | Hepagam b intravenous, inj |
| 01139 | K | Protein c concentrate |

| APC | Status | Description |
|-------|--------|------------------------------|
| 01142 | K | Supprelin LA implant |
| 01150 | K | I131 iodide sol, rx |
| 01166 | K | Cytarabine liposome inj |
| 01168 | K | Inj, temsirolimus |
| 01178 | K | Busulfan injection |
| 01203 | K | Verteporfin injection |
| 01207 | K | Octreotide injection, depot |
| 01213 | K | Antihemophilic viii/vwf comp |
| 01214 | K | Inj IVIG privigen 500 mg |
| 01232 | K | Mitomycin injection |
| 01235 | K | Valrubicin injection |
| 01237 | K | Inj iron dextran |
| 01253 | K | Triamcinolone A inj PRS-free |
| 01263 | K | Antithrombin iii injection |
| 01268 | K | Xyntha inj |
| 01274 | K | Edetate calcium disodium inj |
| 01281 | K | Bevacizumab injection |
| 01289 | K | AbobotulinumtoxinA |
| 01295 | K | Sm 153 lexidronam |
| 01296 | K | Degarelix injection |
| 01297 | K | Ferumoxytol, non-esrd |
| 01311 | K | Canakinumab injection |
| 01312 | K | Hizentra injection |
| 01327 | K | Imiglucerase injection |
| 01340 | K | Collagenase, clost hist inj |
| 01341 | K | Amobarbital 125 MG inj |
| 01352 | K | Wilate injection |
| 01353 | K | Belimumab injection |
| 01408 | K | Cyclophosphamide 100 MG inj |

| APC | Status | Description |
|-------|--------|------------------------------|
| 01413 | K | Lumizyme injection |
| 01415 | K | Glassia injection |
| 01416 | K | Factor xiii anti-hem factor |
| 01417 | K | Gel-one |
| 01420 | K | Aflibercept injection |
| 01421 | K | Imported lipodox inj |
| 01426 | K | Eribulin mesylate injection |
| 01431 | K | Centruroides immune f(ab) |
| 01433 | K | Calcitonin salmon injection |
| 01440 | K | Inj desmopressin acetate |
| 01442 | K | Non-HEU TC-99M add-on/dose |
| 01443 | K | Icatibant injection |
| 01446 | K | Visualization adjunct |
| 01458 | K | Phentolaine mesylate inj |
| 01466 | K | Inj, vincristine sul lip 1mg |
| 01467 | K | Factor ix recombinan rixubis |
| 01468 | K | Inj Aripiprazole Ext Rel 1mg |
| 01469 | K | Inj filgrastim excl biosimil |
| 01471 | K | Injection, Pertuzumab, 1 mg |
| 01472 | K | Inj beta interferon im 1 mcg |
| 01474 | K | Certolizumab pegol inj 1mg |
| 01475 | K | Golimumab for iv use 1mg |
| 01476 | K | Obinutuzumab inj |
| 01478 | K | Inj human fibrinogen con nos |
| 01480 | K | Elosulfase alfa, injection |
| 01482 | K | Darbepoetin alfa, esrd use |
| 01485 | K | Ferumoxytol, esrd use |
| 01486 | K | Factor ix fc fusion recomb |
| 01488 | K | Injection, ramucirumab |

| APC | Status | Description |
|------------|---------------|---|
| 01489 | K | Injection, vedolizumab |
| 01490 | K | Inj pembrolizumab |
| 01491 | S | New Technology - Level 1A (\$0-\$10) |
| 01492 | S | New Technology - Level 1B (\$11-\$20) |
| 01493 | S | New Technology - Level 1C (\$21-\$30) |
| 01494 | S | New Technology - Level 1D (\$31-\$40) |
| 01495 | S | New Technology - Level 1E (\$41-\$50) |
| 01496 | T | New Technology - Level 1A (\$0-\$10) |
| 01497 | T | New Technology - Level 1B (\$11-\$20) |
| 01498 | T | New Technology - Level 1C (\$21-\$30) |
| 01499 | T | New Technology - Level 1D (\$31-\$40) |
| 01500 | T | New Technology - Level 1E (\$41-\$50) |
| 01502 | S | New Technology - Level 2 (\$51 - \$100) |
| 01503 | S | New Technology - Level 3 (\$101 - \$200) |
| 01504 | S | New Technology - Level 4 (\$201 - \$300) |
| 01505 | S | New Technology - Level 5 (\$301 - \$400) |
| 01506 | S | New Technology - Level 6 (\$401 - \$500) |
| 01507 | S | New Technology - Level 7 (\$501 - \$600) |
| 01508 | S | New Technology - Level 8 (\$601 - \$700) |
| 01509 | S | New Technology - Level 9 (\$701 - \$800) |
| 01510 | S | New Technology - Level 10 (\$801 - \$900) |
| 01511 | S | New Technology - Level 11 (\$901 - \$1000) |
| 01512 | S | New Technology - Level 12 (\$1001 - \$1100) |
| 01513 | S | New Technology - Level 13 (\$1101 - \$1200) |
| 01514 | S | New Technology - Level 14 (\$1201- \$1300) |
| 01515 | S | New Technology - Level 15 (\$1301 - \$1400) |
| 01516 | S | New Technology - Level 16 (\$1401 - \$1500) |
| 01517 | S | New Technology - Level 17 (\$1501-\$1600) |
| 01518 | S | New Technology - Level 18 (\$1601-\$1700) |

| APC | Status | Description |
|------------|---------------|--|
| 01519 | S | New Technology - Level 19 (\$1701-\$1800) |
| 01520 | S | New Technology - Level 20 (\$1801-\$1900) |
| 01521 | S | New Technology - Level 21 (\$1901-\$2000) |
| 01522 | S | New Technology - Level 22 (\$2001-\$2500) |
| 01523 | S | New Technology - Level 23 (\$2501-\$3000) |
| 01524 | S | New Technology - Level 24 (\$3001-\$3500) |
| 01525 | S | New Technology - Level 25 (\$3501-\$4000) |
| 01526 | S | New Technology - Level 26 (\$4001-\$4500) |
| 01527 | S | New Technology - Level 27 (\$4501-\$5000) |
| 01528 | S | New Technology - Level 28 (\$5001-\$5500) |
| 01529 | S | New Technology - Level 29 (\$5501-\$6000) |
| 01530 | S | New Technology - Level 30 (\$6001-\$6500) |
| 01531 | S | New Technology - Level 31 (\$6501-\$7000) |
| 01532 | S | New Technology - Level 32 (\$7001-\$7500) |
| 01533 | S | New Technology - Level 33 (\$7501-\$8000) |
| 01534 | S | New Technology - Level 34 (\$8001-\$8500) |
| 01535 | S | New Technology - Level 35 (\$8501-\$9000) |
| 01536 | S | New Technology - Level 36 (\$9001-\$9500) |
| 01537 | S | New Technology - Level 37 (\$9501-\$10000) |
| 01539 | T | New Technology - Level 2 (\$51 - \$100) |
| 01540 | T | New Technology - Level 3 (\$101 - \$200) |
| 01541 | T | New Technology - Level 4 (\$201 - \$300) |
| 01542 | T | New Technology - Level 5 (\$301 - \$400) |
| 01543 | T | New Technology - Level 6 (\$401 - \$500) |
| 01544 | T | New Technology - Level 7 (\$501 - \$600) |
| 01545 | T | New Technology - Level 8 (\$601 - \$700) |
| 01546 | T | New Technology - Level 9 (\$701 - \$800) |
| 01547 | T | New Technology - Level 10 (\$801 - \$900) |
| 01548 | T | New Technology - Level 11 (\$901 - \$1000) |

| APC | Status | Description |
|------------|---------------|---|
| 01549 | T | New Technology - Level 12 (\$1001 - \$1100) |
| 01550 | T | New Technology - Level 13 (\$1101 - \$1200) |
| 01551 | T | New Technology - Level 14 (\$1201- \$1300) |
| 01552 | T | New Technology - Level 15 (\$1301 - \$1400) |
| 01553 | T | New Technology - Level 16 (\$1401 - \$1500) |
| 01554 | T | New Technology - Level 17 (\$1501-\$1600) |
| 01555 | T | New Technology - Level 18 (\$1601-\$1700) |
| 01556 | T | New Technology - Level 19 (\$1701-\$1800) |
| 01557 | T | New Technology - Level 20 (\$1801-\$1900) |
| 01558 | T | New Technology - Level 21 (\$1901-\$2000) |
| 01559 | T | New Technology - Level 22 (\$2001-\$2500) |
| 01560 | T | New Technology - Level 23 (\$2501-\$3000) |
| 01561 | T | New Technology - Level 24 (\$3001-\$3500) |
| 01562 | T | New Technology - Level 25 (\$3501-\$4000) |
| 01563 | T | New Technology - Level 26 (\$4001-\$4500) |
| 01564 | T | New Technology - Level 27 (\$4501-\$5000) |
| 01565 | T | New Technology - Level 28 (\$5001-\$5500) |
| 01566 | T | New Technology - Level 29 (\$5501-\$6000) |
| 01567 | T | New Technology - Level 30 (\$6001-\$6500) |
| 01568 | T | New Technology - Level 31 (\$6501-\$7000) |
| 01569 | T | New Technology - Level 32 (\$7001-\$7500) |
| 01570 | T | New Technology - Level 33 (\$7501-\$8000) |
| 01571 | T | New Technology - Level 34 (\$8001-\$8500) |
| 01572 | T | New Technology - Level 35 (\$8501-\$9000) |
| 01573 | T | New Technology - Level 36 (\$9001-\$9500) |
| 01574 | T | New Technology - Level 37 (\$9501-\$10000) |
| 01575 | S | New Technology - Level 38 (\$10,001-\$15,000) |
| 01576 | S | New Technology - Level 39 (\$15,001-\$20,000) |
| 01577 | S | New Technology - Level 40 (\$20,001-\$25,000) |

| APC | Status | Description |
|-------|--------|--|
| 01578 | S | New Technology - Level 41 (\$25,001-\$30,000) |
| 01579 | S | New Technology - Level 42 (\$30,001-\$40,000) |
| 01580 | S | New Technology - Level 43 (\$40,001-\$50,000) |
| 01581 | S | New Technology - Level 44 (\$50,001-\$60,000) |
| 01582 | S | New Technology - Level 45 (\$60,001-\$70,000) |
| 01583 | S | New Technology - Level 46 (\$70,001-\$80,000) |
| 01584 | S | New Technology - Level 47 (\$80,001-\$90,000) |
| 01585 | S | New Technology - Level 48 (\$90,001-\$100,000) |
| 01589 | T | New Technology - Level 38 (\$10,001-\$15,000) |
| 01590 | T | New Technology - Level 39 (\$15,001-\$20,000) |
| 01591 | T | New Technology - Level 40 (\$20,001-\$25,000) |
| 01592 | T | New Technology - Level 41 (\$25,001-\$30,000) |
| 01593 | T | New Technology - Level 42 (\$30,001-\$40,000) |
| 01594 | T | New Technology - Level 43 (\$40,001-\$50,000) |
| 01595 | T | New Technology - Level 44 (\$50,001-\$60,000) |
| 01596 | T | New Technology - Level 45 (\$60,001-\$70,000) |
| 01597 | T | New Technology - Level 46 (\$70,001-\$80,000) |
| 01598 | T | New Technology - Level 47 (\$80,001-\$90,000) |
| 01599 | T | New Technology - Level 48 (\$90,001-\$100,000) |
| 01607 | K | Eptifibatide injection |
| 01608 | K | Etanercept injection |
| 01609 | K | Rho(D) immune globulin h, sd |
| 01613 | K | Trastuzumab injection |
| 01630 | K | Hep b ig, im |
| 01643 | K | Y90 ibritumomab, rx |
| 01656 | K | Factor viii fc fusion recomb |
| 01658 | K | Injection, belinostat, 10mg |
| 01660 | K | Injection, oritavancin |
| 01662 | K | Inj tedizolid phosphate |

| APC | Status | Description |
|-------|--------|-------------------------------|
| 01669 | K | Erythro lactobionate /500 mg |
| 01670 | K | Tetanus immune globulin inj |
| 01675 | K | P32 Na phosphate |
| 01683 | K | Basiliximab |
| 01684 | K | Corticotropin ovine triflural |
| 01685 | K | Darbepoetin alfa, non-esrd |
| 01686 | K | Epoetin alfa, non-esrd |
| 01687 | K | Digoxin immune fab (ovine) |
| 01688 | K | Ethanolamine oleate |
| 01689 | K | Fomepizole |
| 01690 | K | Hemin |
| 01694 | K | Ziconotide injection |
| 01695 | K | Nesiritide injection |
| 01696 | K | Palifermin injection |
| 01700 | K | Inj secretin synthetic human |
| 01701 | K | Treprostinil injection |
| 01704 | K | Humate-P, inj |
| 01705 | K | Factor viia |
| 01709 | K | Azacitidine injection |
| 01710 | K | Clofarabine injection |
| 01711 | K | Vantas implant |
| 01712 | K | Paclitaxel protein bound |
| 01739 | K | Pegademase bovine, 25 iu |
| 01743 | K | Nandrolone decanoate 50 mg |
| 01745 | K | Radium ra223 dichloride ther |
| 01746 | K | Factor xiii recomb a-subunit |
| 01747 | K | Monovisc inj per dose |
| 01748 | K | Inj tbo filgrastim 1 microg |
| 01761 | K | Rolapitant, oral, 1mg |

| APC | Status | Description |
|-------|--------|---|
| 01809 | K | Injection, alemtuzumab |
| 01822 | K | Injection, zarxio |
| 01823 | K | Injection, dalbavancin |
| 01824 | K | Ceftaroline fosamil inj |
| 01825 | K | Ceftazidime and avibactam |
| 01826 | K | Hyqvia 100mg immunoglobulin |
| 01827 | K | Factor viii recomb obizur |
| 01829 | K | Penicillin g benzathine inj |
| 01832 | K | Dimethyl sulfoxide 50% 50 ml |
| 01844 | K | Factor viii pegylated recomb |
| 01846 | K | Factor viii nuwiq recomb 1iu |
| 01847 | G | Injection, inflectra |
| 01848 | K | Artiss fibrin sealant |
| 01849 | K | Foscarnet sodium injection |
| 01850 | K | Gamma globulin 1 cc inj |
| 01851 | K | Gamma globulin > 10 cc inj |
| 01852 | K | Interferon beta-1a inj |
| 01853 | K | Minocycline hydrochloride |
| 01854 | K | Pentobarbital sodium inj |
| 01856 | K | Factor viii recomb novoeight |
| 01857 | K | Inj, factor x, (human), 1iu |
| 01859 | K | Argatroban nonesrd use 1mg |
| 01861 | G | Inj., bendeka 1 mg |
| 01862 | G | Gelsyn-3 injection 0.1 mg |
| 01901 | S | New Technology - Level 49 (\$100,001-\$115,000) |
| 01902 | T | New Technology - Level 49 (\$100,001-\$115,000) |
| 01903 | S | New Technology - Level 50 (\$115,001-\$130,000) |
| 01904 | T | New Technology - Level 50 (\$115,001-\$130,000) |
| 01905 | S | New Technology - Level 51 (\$130,001-\$145,000) |

| APC | Status | Description |
|-------|--------|---|
| 01906 | T | New Technology - Level 51 (\$130,001-\$145,000) |
| 01907 | S | New Technology - Level 52 (\$145,001-\$160,000) |
| 01908 | T | New Technology - Level 52 (\$145,001-\$160,000) |
| 02616 | U | Brachytx, non-str,Yttrium-90 |
| 02632 | U | Iodine I-125 sodium iodide |
| 02634 | U | Brachytx, non-str, HA, I-125 |
| 02635 | U | Brachytx, non-str, HA, P-103 |
| 02636 | U | Brachy linear, non-str,P-103 |
| 02638 | U | Brachytx, stranded, I-125 |
| 02639 | U | Brachytx, non-stranded,I-125 |
| 02640 | U | Brachytx, stranded, P-103 |
| 02641 | U | Brachytx, non-stranded,P-103 |
| 02642 | U | Brachytx, stranded, C-131 |
| 02643 | U | Brachytx, non-stranded,C-131 |
| 02645 | U | Brachytx, non-str, Gold-198 |
| 02646 | U | Brachytx, non-str, HDR Ir-192 |
| 02647 | U | Brachytx, NS, Non-HDRIr-192 |
| 02648 | U | Brachytx planar, p-103 |
| 02698 | U | Brachytx, stranded, NOS |
| 02699 | U | Brachytx, non-stranded, NOS |
| 02731 | K | Immune globulin, powder |
| 02770 | K | Quinupristin/dalfopristin |
| 02993 | H | Gen, neuro, trans sen/stim |
| 04001 | S | Echo guidance radiotherapy |
| 04002 | S | Stereoscopic x-ray guidance |
| 04003 | S | Radiation treatment delivery, MeV <= 5; simple |
| 04004 | S | Radiation treatment delivery, 6-10 MeV; simple |
| 04005 | S | Radiation treatment delivery, 11-19 MeV; simple |
| 04006 | S | Radiation treatment delivery, MeV>=20; simple |

| APC | Status | Description |
|------------|---------------|---|
| 04007 | S | Radiation treatment delivery, MeV<=5; intermediate |
| 04008 | S | Radiation treatment delivery, 6-10 MeV; intermediate |
| 04009 | S | Radiation treatment delivery, 11-19 MeV; intermediate |
| 04010 | S | Radiation treatment delivery, MeV >=20; intermediate |
| 04011 | S | Radiation treatment delivery, MeV<=5; complex |
| 04012 | S | Radiation treatment delivery, 6-10 MeV; complex |
| 04013 | S | Radiation treatment delivery, 11-19 MeV; complex |
| 04014 | S | Radiation treatment delivery, MeV >=20; complex |
| 04015 | S | Radiation tx delivery imrt |
| 04016 | S | Delivery comp imrt |
| 05012 | V | Clinic Visits and Related Services |
| 05021 | V | Level 1 Type A ED Visits |
| 05022 | V | Level 2 Type A ED Visits |
| 05023 | V | Level 3 Type A ED Visits |
| 05024 | V | Level 4 Type A ED Visits |
| 05025 | V | Level 5 Type A ED Visits |
| 05031 | V | Level 1 Type B ED Visits |
| 05032 | V | Level 2 Type B ED Visits |
| 05033 | V | Level 3 Type B ED Visits |
| 05034 | V | Level 4 Type B ED Visits |
| 05035 | V | Level 5 Type B ED Visits |
| 05041 | S | Critical Care |
| 05045 | S | Trauma Response with Critical Care |
| 05051 | T | Level 1 Skin Procedures |
| 05052 | T | Level 2 Skin Procedures |
| 05053 | T | Level 3 Skin Procedures |
| 05054 | T | Level 4 Skin Procedures |
| 05055 | T | Level 5 Skin Procedures |
| 05061 | S | Hyperbaric Oxygen |

| APC | Status | Description |
|------------|---------------|---|
| 05071 | T | Level 1 Excision/ Biopsy/ Incision and Drainage |
| 05072 | J1 | Level 2 Excision/ Biopsy/ Incision and Drainage |
| 05073 | J1 | Level 3 Excision/ Biopsy/ Incision and Drainage |
| 05091 | J1 | Level 1 Breast/Lymphatic Surgery and Related Procedures |
| 05092 | J1 | Level 2 Breast/Lymphatic Surgery and Related Procedures |
| 05093 | J1 | Level 3 Breast/Lymphatic Surgery and Related Procedures |
| 05094 | J1 | Level 4 Breast/Lymphatic Surgery and Related Procedures |
| 05101 | T | Level 1 Strapping and Cast Application |
| 05102 | T | Level 2 Strapping and Cast Application |
| 05111 | T | Level 1 Musculoskeletal Procedures |
| 05112 | J1 | Level 2 Musculoskeletal Procedures |
| 05113 | J1 | Level 3 Musculoskeletal Procedures |
| 05114 | J1 | Level 4 Musculoskeletal Procedures |
| 05115 | J1 | Level 5 Musculoskeletal Procedures |
| 05116 | J1 | Level 6 Musculoskeletal Procedures |
| 05151 | T | Level 1 Airway Endoscopy |
| 05152 | T | Level 2 Airway Endoscopy |
| 05153 | J1 | Level 3 Airway Endoscopy |
| 05154 | J1 | Level 4 Airway Endoscopy |
| 05155 | J1 | Level 5 Airway Endoscopy |
| 05161 | T | Level 1 ENT Procedures |
| 05162 | T | Level 2 ENT Procedures |
| 05163 | J1 | Level 3 ENT Procedures |
| 05164 | J1 | Level 4 ENT Procedures |
| 05165 | J1 | Level 5 ENT Procedures |
| 05166 | J1 | Cochlear Implant Procedure |
| 05181 | T | Level 1 Vascular Procedures |
| 05182 | T | Level 2 Vascular Procedures |
| 05183 | J1 | Level 3 Vascular Procedures |

| APC | Status | Description |
|------------|---------------|---|
| 05184 | J1 | Level 4 Vascular Procedures |
| 05191 | J1 | Level 1 Endovascular Procedures |
| 05192 | J1 | Level 2 Endovascular Procedures |
| 05193 | J1 | Level 3 Endovascular Procedures |
| 05194 | J1 | Level 4 Endovascular Procedures |
| 05200 | J1 | Implantation Wireless PA Pressure Monitor |
| 05211 | J1 | Level 1 Electrophysiologic Procedures |
| 05212 | J1 | Level 2 Electrophysiologic Procedures |
| 05213 | J1 | Level 3 Electrophysiologic Procedures |
| 05221 | T | Level 1 Pacemaker and Similar Procedures |
| 05222 | J1 | Level 2 Pacemaker and Similar Procedures |
| 05223 | J1 | Level 3 Pacemaker and Similar Procedures |
| 05224 | J1 | Level 4 Pacemaker and Similar Procedures |
| 05231 | J1 | Level 1 ICD and Similar Procedures |
| 05232 | J1 | Level 2 ICD and Similar Procedures |
| 05241 | S | Level 1 Blood Product Exchange and Related Services |
| 05242 | S | Level 2 Blood Product Exchange and Related Services |
| 05243 | S | Level 3 Blood Product Exchange and Related Services |
| 05244 | J1 | Level 4 Blood Product Exchange and Related Services |
| 05301 | T | Level 1 Upper GI Procedures |
| 05302 | J1 | Level 2 Upper GI Procedures |
| 05303 | J1 | Level 3 Upper GI Procedures |
| 05311 | T | Level 1 Lower GI Procedures |
| 05312 | T | Level 2 Lower GI Procedures |
| 05313 | J1 | Level 3 Lower GI Procedures |
| 05331 | J1 | Complex GI Procedures |
| 05341 | J1 | Abdominal/Peritoneal/Biliary and Related Procedures |
| 05361 | J1 | Level 1 Laparoscopy and Related Services |
| 05362 | J1 | Level 2 Laparoscopy and Related Services |

| APC | Status | Description |
|------------|---------------|--|
| 05371 | T | Level 1 Urology and Related Services |
| 05372 | T | Level 2 Urology and Related Services |
| 05373 | J1 | Level 3 Urology and Related Services |
| 05374 | J1 | Level 4 Urology and Related Services |
| 05375 | J1 | Level 5 Urology and Related Services |
| 05376 | J1 | Level 6 Urology and Related Services |
| 05377 | J1 | Level 7 Urology and Related Services |
| 05401 | S | Dialysis |
| 05411 | T | Level 1 Gynecologic Procedures |
| 05412 | T | Level 2 Gynecologic Procedures |
| 05413 | T | Level 3 Gynecologic Procedures |
| 05414 | J1 | Level 4 Gynecologic Procedures |
| 05415 | J1 | Level 5 Gynecologic Procedures |
| 05416 | J1 | Level 6 Gynecologic Procedures |
| 05431 | J1 | Level 1 Nerve Procedures |
| 05432 | J1 | Level 2 Nerve Procedures |
| 05441 | T | Level 1 Nerve Injections |
| 05442 | T | Level 2 Nerve Injections |
| 05443 | T | Level 3 Nerve Injections |
| 05461 | T | Level 1 Neurostimulator and Related Procedures |
| 05462 | J1 | Level 2 Neurostimulator and Related Procedures |
| 05463 | J1 | Level 3 Neurostimulator and Related Procedures |
| 05464 | J1 | Level 4 Neurostimulator and Related Procedures |
| 05471 | J1 | Implantation of Drug Infusion Device |
| 05481 | T | Laser Eye Procedures |
| 05491 | J1 | Level 1 Intraocular Procedures |
| 05492 | J1 | Level 2 Intraocular Procedures |
| 05493 | J1 | Level 3 Intraocular Procedures |
| 05494 | J1 | Level 4 Intraocular Procedures |

| APC | Status | Description |
|------------|---------------|---|
| 05501 | T | Level 1 Extraocular, Repair, and Plastic Eye Procedures |
| 05502 | T | Level 2 Extraocular, Repair, and Plastic Eye Procedures |
| 05503 | J1 | Level 3 Extraocular, Repair, and Plastic Eye Procedures |
| 05504 | J1 | Level 4 Extraocular, Repair, and Plastic Eye Procedures |
| 05521 | S | Level 1 Imaging without Contrast |
| 05522 | S | Level 2 Imaging without Contrast |
| 05523 | S | Level 3 Imaging without Contrast |
| 05524 | S | Level 4 Imaging without Contrast |
| 05571 | S | Level 1 Imaging with Contrast |
| 05572 | S | Level 2 Imaging with Contrast |
| 05573 | S | Level 3 Imaging with Contrast |
| 05591 | S | Level 1 Nuclear Medicine and Related Services |
| 05592 | S | Level 2 Nuclear Medicine and Related Services |
| 05593 | S | Level 3 Nuclear Medicine and Related Services |
| 05594 | S | Level 4 Nuclear Medicine and Related Services |
| 05611 | S | Level 1 Therapeutic Radiation Treatment Preparation |
| 05612 | S | Level 2 Therapeutic Radiation Treatment Preparation |
| 05613 | S | Level 3 Therapeutic Radiation Treatment Preparation |
| 05621 | S | Level 1 Radiation Therapy |
| 05622 | S | Level 2 Radiation Therapy |
| 05623 | S | Level 3 Radiation Therapy |
| 05624 | S | Level 4 Radiation Therapy |
| 05625 | S | Level 5 Radiation Therapy |
| 05626 | S | Level 6 Radiation Therapy |
| 05627 | J1 | Level 7 Radiation Therapy |
| 05661 | S | Therapeutic Nuclear Medicine |
| 05671 | S | Level 1 Pathology |
| 05672 | S | Level 2 Pathology |
| 05673 | S | Level 3 Pathology |

| APC | Status | Description |
|------------|---------------|--|
| 05674 | S | Level 4 Pathology |
| 05691 | S | Level 1 Drug Administration |
| 05692 | S | Level 2 Drug Administration |
| 05693 | S | Level 3 Drug Administration |
| 05694 | S | Level 4 Drug Administration |
| 05721 | S | Level 1 Diagnostic Tests and Related Services |
| 05722 | S | Level 2 Diagnostic Tests and Related Services |
| 05723 | S | Level 3 Diagnostic Tests and Related Services |
| 05724 | S | Level 4 Diagnostic Tests and Related Services |
| 05731 | S | Level 1 Minor Procedures |
| 05732 | S | Level 2 Minor Procedures |
| 05733 | S | Level 3 Minor Procedures |
| 05734 | S | Level 4 Minor Procedures |
| 05735 | S | Level 5 Minor Procedures |
| 05741 | S | Level 1 Electronic Analysis of Devices |
| 05742 | S | Level 2 Electronic Analysis of Devices |
| 05743 | S | Level 3 Electronic Analysis of Devices |
| 05771 | S | Cardiac Rehabilitation |
| 05781 | S | Resuscitation and Cardioversion |
| 05791 | S | Pulmonary Treatment |
| 05801 | S | Ventilation Initiation and Management |
| 05811 | S | Manipulation Therapy |
| 05821 | S | Level 1 Health and Behavior Services |
| 05822 | S | Level 2 Health and Behavior Services |
| 05823 | S | Level 3 Health and Behavior Services |
| 05853 | P | Partial Hospitalization (3 or more services) for CMHCs |
| 05863 | P | Partial Hospitalization (3 or more services) for Hospital-based PHPs |
| 05871 | S | Dental Procedures |

| APC | Status | Description |
|-------|--------|---|
| 05881 | J1 | Ancillary Outpatient Services When Patient Dies |
| 07000 | K | Amifostine |
| 07011 | K | Oprelvekin injection |
| 07035 | K | Teniposide |
| 07041 | K | Tirofiban HCl |
| 07043 | K | Infliximab not biosimil 10mg |
| 07046 | K | Doxorubicin inj 10mg |
| 07048 | K | Alteplase recombinant |
| 07308 | K | Aminolevulinic acid hcl top |
| 08004 | S | Ultrasound Composite |
| 08005 | S | CT and CTA without Contrast Composite |
| 08006 | S | CT and CTA with Contrast Composite |
| 08007 | S | MRI and MRA without Contrast Composite |
| 08008 | S | MRI and MRA with Contrast Composite |
| 08010 | S | Mental Health Services Composite |
| 08011 | J2 | Comprehensive Observation Services |
| 09002 | K | Tenecteplase injection |
| 09003 | K | Palivizumab |
| 09005 | K | Reteplase injection |
| 09006 | K | Tacrolimus injection |
| 09012 | K | Arsenic trioxide injection |
| 09014 | G | Inj., cerliponase alfa 1 mg |
| 09015 | G | Inj., haegarda 10 units |
| 09016 | G | Inj., triptorelin xr 3.75 mg |
| 09018 | K | Inj, rimabotulinumtoxinB |
| 09019 | K | Caspofungin acetate |
| 09024 | K | Amphotericin b lipid complex |
| 09028 | G | Inj inotuzumab ozogam 0.1 mg |
| 09029 | G | Inj., guselkumab, 1 mg |

| APC | Status | Description |
|-------|--------|-------------------------------|
| 09030 | G | Inj., copanlisib, 1 mg |
| 09031 | K | Inj, etelcalcetide, 0.1 mg |
| 09032 | K | Baclofen 10 MG injection |
| 09033 | K | Cidofovir injection |
| 09034 | K | Inj cuvitru, 100 mg |
| 09035 | G | Axicabtagene ciloleucel car+ |
| 09036 | G | Injection, renflexis |
| 09038 | K | Inj estrogen conjugate |
| 09042 | K | Glucagon hydrochloride |
| 09043 | G | Inj, afstyla, 1 i.u. |
| 09044 | K | Ibutilide fumarate injection |
| 09052 | G | Fluciovine F-18 |
| 09056 | G | Gallium Ga-68 |
| 09058 | G | Buprenorphine implant 74.2mg |
| 09059 | G | Vonvendi inj 1 iu vwf:rho |
| 09065 | K | Argatroban esrd dialysis 1mg |
| 09067 | G | Lutetium lu 177 dotatate ther |
| 09070 | G | Inj luxturna 1 billion vec g |
| 09071 | K | Capsaicin 8% patch |
| 09073 | G | Buprenorph xr 100 mg or less |
| 09074 | K | Makena, 10 mg |
| 09075 | K | Inj, kovaltry, 1 i.u. |
| 09078 | K | Testosterone undecanoate 1mg |
| 09079 | K | Genvisc 850, inj, 1mg |
| 09084 | G | Florbetapir f18 |
| 09085 | G | Inj sulf hexa lipid microsph |
| 09086 | K | Hepa vacc ped/adol 3 dose |
| 09087 | K | Inj, clevidipine butyrate |
| 09088 | K | Peng benzathine/procaine inj |

| APC | Status | Description |
|-------|--------|--------------------------------|
| 09089 | K | Oral fludarabine phosphate |
| 09090 | K | Melphalan oral 2 mg |
| 09091 | K | Daunorubicin citrate inj |
| 09092 | K | Interferon alfa-2a inj |
| 09093 | K | Plicamycin (mithramycin) inj |
| 09094 | K | Radiesse injection |
| 09095 | K | Inj, sculptra, 0.5mg |
| 09096 | G | Inj retacrit esrd on dialysi |
| 09097 | G | Inj retacrit non-esrd use |
| 09098 | K | Chorionic gonadotropin/1000u |
| 09099 | G | Inj fosnetupitant, palonoset |
| 09104 | K | Antithymocyte globuln rabbit |
| 09108 | K | Thyrotropin injection |
| 09119 | K | Injection, pegfilgrastim 6mg |
| 09120 | K | Injection, Fulvestrant |
| 09122 | K | Triptorelin pamoate |
| 09124 | K | Daptomycin injection |
| 09125 | K | Inj., risperdal consta, 0.5 mg |
| 09126 | K | Natalizumab injection |
| 09130 | K | Inj, Imm Glob Bivigam, 500mg |
| 09131 | K | Inj, Ado-trastuzumab Emt 1mg |
| 09132 | K | Kcentra, per i.u. |
| 09133 | K | Rabies ig, im/sc |
| 09134 | K | Rabies ig, heat treated |
| 09135 | K | Varicella-zoster ig, im |
| 09139 | K | Rabies vaccine, im |
| 09140 | K | Rabies vaccine, id |
| 09171 | K | Factor ix idelvion inj |
| 09172 | G | Injection, dexamethasone 9% |

| APC | Status | Description |
|-------|--------|--|
| 09173 | G | Injection, fulphila |
| 09174 | G | Inj, durolane 1 mg |
| 09175 | G | Puraply 1 sq cm |
| 09176 | G | Puraply am 1 sq cm |
| 09177 | K | Antithrombin recombinant |
| 09178 | K | Inj., meropenem, vaborbactam |
| 09179 | G | Inj., aristada initio, 1 mg |
| 09180 | G | Inj., patisiran, 0.1 mg |
| 09181 | G | Inj., perseris, 0.5 mg |
| 09182 | G | Inj, mogamulizumab-kpkc, 1 mg |
| 09183 | G | Inj., plazomicin, 5 mg |
| 09184 | G | Iodine i-131 iobenguane, dx |
| 09185 | G | Iodine i-131 iobenguane, tx |
| 09186 | K | Inj., rituximab, 10 mg |
| 09187 | K | Injection, burosumab-twza 1m |
| 09188 | K | Inj crotalidae im f(ab') ₂ eq |
| 09189 | K | Inj., ibalizumab-uiyk, 10 mg |
| 09190 | K | Inj., vestronidase alfa-vjbk |
| 09191 | K | Inj., fibryga, 1 mg |
| 09192 | K | Inj, bortezomib, nos, 0.1 mg |
| 09193 | G | Nivestym |
| 09194 | G | Tisagenlecleucel car-pos t |
| 09195 | G | Injection, udenyca 0.5 mg |
| 09196 | K | Inj, trivisc 1 mg |
| 09197 | G | Inj., fremanezumab-vfrm 1 mg |
| 09198 | G | Inj, coagulation factor Xa |
| 09199 | G | Injection, caplacizumab-yhdp |
| 09207 | K | Inj., velcade 0.1 mg |
| 09208 | K | Agalsidase beta injection |

| APC | Status | Description |
|-------|--------|------------------------------|
| 09209 | K | Laronidase injection |
| 09210 | K | Palonosetron hcl |
| 09213 | K | Pemetrexed injection |
| 09214 | K | Bevacizumab injection |
| 09215 | K | Cetuximab injection |
| 09217 | K | Leuprolide acetate suspnsion |
| 09224 | K | Galsulfase injection |
| 09225 | K | Inj., retisert, 0.01 mg |
| 09228 | K | Tigecycline injection |
| 09229 | K | Ibandronate sodium injection |
| 09230 | K | Abatacept injection |
| 09231 | K | Decitabine injection |
| 09232 | K | Idursulfase injection |
| 09233 | K | Ranibizumab injection |
| 09234 | K | Alglucosidase alfa injection |
| 09235 | K | Panitumumab injection |
| 09236 | K | Eculizumab injection |
| 09237 | K | Inj, lanreotide acetate |
| 09239 | G | Buprenorphine xr over 100 mg |
| 09240 | K | Injection, ixabepilone |
| 09242 | K | Injection, fosaprepitant |
| 09243 | K | Inj., treanda 1 mg |
| 09245 | K | Romiplostim injection |
| 09251 | K | C1 esterase inhibitor inj |
| 09252 | K | Plerixafor injection |
| 09253 | K | Temozolomide injection |
| 09255 | K | Paliperidone palmitate inj |
| 09256 | K | Dexamethasone intra implant |
| 09257 | G | Inj., emicizumab-kxwh 0.5 mg |

| APC | Status | Description |
|-------|--------|------------------------------|
| 09258 | K | Telavancin injection |
| 09259 | K | Pralatrexate injection |
| 09260 | K | Ofatumumab injection |
| 09261 | K | Ustekinumab sub cu inj, 1 mg |
| 09263 | K | Ecallantide injection |
| 09264 | K | Tocilizumab injection |
| 09265 | K | Romidepsin injection |
| 09269 | K | C-1 esterase, berinert |
| 09270 | K | Gammaflex IVIG |
| 09271 | K | Velaglucerase alfa |
| 09272 | K | Inj, denosumab |
| 09273 | K | Sipuleucel-T auto CD54+ |
| 09274 | K | Crotalidae Poly Immune Fab |
| 09276 | K | Cabazitaxel injection |
| 09278 | K | Incobotulinumtoxin A |
| 09281 | K | Injection, pegloticase |
| 09284 | K | Ipilimumab injection |
| 09286 | K | Belatacept injection |
| 09287 | K | Brentuximab vedotin inj |
| 09289 | K | Erwinaze injection |
| 09293 | K | Injection, glucarpidase |
| 09294 | K | Inj, taliglucerase alfa 10 u |
| 09295 | K | Injection, Carfilzomib, 1 mg |
| 09296 | K | Inj, ziv-aflibercept, 1mg |
| 09297 | K | Inj, Omacetaxine Mep, 0.01mg |
| 09298 | K | Inj, Ocriplasmin, 0.125 mg |
| 09299 | G | Inj. jivi 1 iu |
| 09300 | K | Omalizumab injection |
| 09301 | G | Aminolevulinic acid, 10% gel |

| APC | Status | Description |
|------------|---------------|-------------------------------|
| 09302 | G | Inj daunorubicin, cytarabine |
| 09304 | G | Inj., cemiplimab-rwlc, 1 mg |
| 09305 | G | Inj., lumoxiti, 0.01 mg |
| 09306 | G | Inj., tildrakizumab, 1 mg |
| 09307 | G | Cocaine hcl nasal solution |
| 09308 | G | Dexametha opth insert 0.1 mg |
| 09309 | G | Inj. tagraxofusp-erzs 10 mcg |
| 09310 | G | Inj., emapalumab-lzsg, 1 mg |
| 09311 | G | Inj., omadacycline, 1 mg |
| 09312 | G | Inj., ravulizumab-cwvz 10 mg |
| 09313 | G | Inj. belrapzo/bendamustine |
| 09314 | G | Inj. herceptin hylecta, 10mg |
| 09322 | K | Bcg live intravesical 1mg |
| 09323 | G | Inj., levoleucovorin, 0.5 mg |
| 09324 | G | Phenylep ketorolac opth soln |
| 09325 | K | Inj., eravacycline, 1 mg |
| 09326 | K | Inj., lanadelumab-flyo, 1 mg |
| 09327 | G | Inj. romosozumab-aqqg 1 mg |
| 09328 | K | Inj., yutiq, 0.01 mg |
| 09329 | K | Inj mvasi 10 mg |
| 09330 | K | Inj., kanjinti, 10 mg |
| 09441 | K | Inj ferric carboxymaltos 1mg |
| 09445 | K | Injection, ruconest |
| 09448 | K | Oral netupitant, palonosetron |
| 09449 | K | Injection, blinatumomab |
| 09450 | K | Inj., iluvien, 0.01 mg |
| 09451 | K | Injection, peramivir |
| 09452 | K | Inj ceftolozane tazobactam |
| 09453 | K | Injection, nivolumab |

| APC | Status | Description |
|-------|--------|------------------------------|
| 09454 | K | Inj, pasireotide long acting |
| 09455 | K | Injection, siltuximab |
| 09456 | K | Injection, isavuconazonium |
| 09460 | K | Injection, cangrelor |
| 09462 | G | Injection, delafloxacin |
| 09463 | G | Inj., aprepitant, 1 mg |
| 09464 | G | Inj., rolapitant, 0.5 mg |
| 09466 | G | Inj., benralizumab, 1 mg |
| 09467 | G | Inj rituximab, hyaluronidase |
| 09468 | G | Factor ix recomb gly rebiny |
| 09469 | G | Inj triamcinolone ace xr 1mg |
| 09470 | K | Aripirazole lauroxil 1 mg |
| 09471 | K | Hymovis injection 1 mg |
| 09472 | K | Inj talimogene laherparepvec |
| 09473 | K | Injection, mepolizumab, 1mg |
| 09474 | K | Inj irinotecan liposome 1 mg |
| 09475 | K | Injection, necitumumab, 1 mg |
| 09476 | K | Injection, daratumumab 10 mg |
| 09477 | K | Injection, elotuzumab, 1mg |
| 09478 | K | Inj sebelipase alfa 1 mg |
| 09479 | K | Instill, ciprofloxacin otic |
| 09480 | K | Injection trabectedin 0.1mg |
| 09481 | K | Injection, reslizumab |
| 09482 | K | Sotalol hydrochloride IV |
| 09483 | K | Inj, atezolizumab,10 mg |
| 09484 | G | Inj, eteplirsen, 10 mg |
| 09485 | G | Inj, olaratumab, 10 mg |
| 09486 | G | Inj, granisetron, xr, 0.1 mg |
| 09487 | G | Ustekinumab, iv inject,1 mg |

| APC | Status | Description |
|-------|--------|-------------------------------|
| 09488 | G | Conivaptan hcl |
| 09489 | G | Inj, nusinersen, 0.1mg |
| 09490 | G | Inj, bezlotoxumab, 10 mg |
| 09491 | G | Injection, avelumab, 10 mg |
| 09492 | G | Inj., durvalumab, 10 mg |
| 09493 | G | Injection, edaravone, 1 mg |
| 09494 | G | Injection, ocrelizumab |
| 09495 | G | Gemtuzumab ozogamicin inj |
| 09497 | K | Loxapine for inhalation 1 mg |
| 09500 | R | Platelets, irradiated |
| 09501 | R | Platelet pheres leukoreduced |
| 09502 | R | Platelet pheresis irradiated |
| 09503 | R | Fr frz plasma donor retested |
| 09504 | R | RBC deglycerolized |
| 09505 | R | RBC irradiated |
| 09507 | R | Platelets, pheresis |
| 09508 | R | Plasma 1 donor frz w/in 8 hr |
| 09509 | R | Frozen plasma, pooled, sd |
| 09510 | R | Whole blood for transfusion |
| 09511 | R | Cryoprecipitate each unit |
| 09512 | R | RBC leukocytes reduced |
| 09513 | R | Plasma, frz between 8-24hour |
| 09514 | R | Plasma protein fract,5%,50ml |
| 09515 | R | Platelets, each unit |
| 09516 | R | Platelet rich plasma unit |
| 09517 | R | Red blood cells unit |
| 09518 | R | Washed red blood cells unit |
| 09519 | R | Plasma protein fract,5%,250ml |
| 09520 | R | Blood split unit |

| APC | Status | Description |
|------------|---------------|------------------------------|
| 09521 | R | Platelets leukoreduced irrad |
| 09522 | R | RBC leukoreduced irradiated |
| 09523 | R | Cryoprecipitatereducedplasma |
| 09524 | R | Blood, l/r, cmv-neg |
| 09525 | R | Platelets, hla-m, l/r, unit |
| 09526 | R | Platelets leukocytes reduced |
| 09527 | R | Blood, l/r, froz/degly/wash |
| 09528 | R | Plt, aph/pher, l/r, cmv-neg |
| 09529 | R | Blood, l/r, irradiated |
| 09530 | R | Plate pheres leukoredu irrad |
| 09531 | R | Plt, pher, l/r cmv-neg, irr |
| 09532 | R | RBC, frz/deg/wsh, l/r, irrad |
| 09533 | R | RBC, l/r, cmv-neg, irrad |
| 09534 | R | Pathogen reduced plasma pool |
| 09535 | R | Pathogen reduced plasma sing |
| 09536 | R | Platelets pheresis path redu |

Appendix E: Summary of changes

Modifications made to the current release of the Integrated Outpatient Code Editor (IOCE) are summarized in the following sections.

Software

- Basic changes to accommodate table and date range modifications.
- IOCE will maintain only seven years of programs and codes. The earliest supported version in this release is 14.0.x and the earliest version date is 01/01/13.
- Updated the size of the ClaimPtr buffer from 401 to 403 bytes, due to the addition of the Claim return code.
- Implemented logic to bypass edit 92 when a device procedure is reported with modifier CG. The edit is bypassed only if the device procedure reported with modifier CG is on the “Edit 92 Modifier Bypass” list.
- Updated logic to Return Payer Value Code QW and the applicable Value Code amount on an adjusted PHP interim claim, if Condition Code MW is supplied on input.

Edits

- Modifier CB removed from the list of Valid Modifiers retroactively to July 1, 2019, associated with Edit 22.
- Updated the code first list for mental health diagnosis reporting, based on the FY 2020 ICD-10-CM code revisions, associated with Edit 109.
- Updated diagnosis code editing for validity, gender, and external cause of morbidity, based on the FY 2020 ICD-10-CM code revisions to the Medicare Code Editor (MCE).
- Updated the age range for Maternity diagnoses to a low age of 9 and a high age of 64. If outside this range, an age conflict exists and edit 2 is returned. This change is based on the FY 2020 ICD-10-CM code revisions to the Medicare Code Editor (MCE).
- Applied mid-quarter edit 110 (Service provided prior to initial marketing date to HCPCS Q5107, if reported before 07/18/2019).

Files

- The code description file was updated; diagnosis and/or procedure codes have been updated with current additions, revisions, and deletions.

Tables

- Updated the Claim Return Buffer Table to add the new Return Code field.

Documentation

The following changes were made to the IOCE Software User's Manual:

- The following code lists were updated in Appendix A (Diagnosis edit code lists):
 - Adult diagnoses (ICD-10 CM codes)
 - Diagnoses for females only (ICD-10 CM codes)
- The following code lists were updated in Appendix B (Procedure edit code lists):
 - Non-covered under any Medicare outpatient benefit (based on other than statute)
 - Non-implantable DME
 - Service not billable to MAC
 - Skin substitute procedures and products - low cost
 - Skin substitute procedures and products - high cost
 - Device procedures
- The following code lists were updated in Appendix C (Other code lists):
 - STV-packaged services
- Appendix D List of APCs has been updated.

Index

A

A status indicator 127
add code button 34, 102
add PDX button..... 34, 102
add RVDX button 34, 102
adult diagnoses code list 178
ancillary APC 16
APC/ASC return buffer flag..... 127
APCs
 background..... 11
 general information 16
 major types..... 16

B

batch input 120
batch output 126
batch output file 126
batch processing 119
 command 119
 error messages 144
 input file 121
 input record types..... 121
 log file..... 142
 output file 127
 output record types 126
blood and blood products 16

C

C record type layout..... 121
C status indicator 121
changes
 file 602
 table 602
changes in the software since OPPS 14
claim data input record layout 121
claim denial..... 44, 110, 168
claim disposition 45, 110, 169
claim edits
 part 1 output record layout..... 127
 part 2 output record layout..... 127

claim processed flag 127
claim rejection..... 44, 110, 168
claim return to provider (RTP) .. 44, 110, 168
claim suspension 44, 110, 168
code lists 177, 405, 507
 special logic..... 507
coding for APCs 14
command buttons 34, 102, 167
command for batch processing..... 119
composite APC logic 69
copy text 33, 43, 101, 152, 167
critical care-packaging logic 68
cut text 33, 43, 101, 152, 167

D

D record type layout..... 121
data elements for program input..... 15
data entry window 147
date ranges 95
dates that span date ranges..... 16
delete row menu option 33, 101, 152
device pass-through and therapeutic
 radiopharmaceuticals APC..... 16
diagnosis codes input record layout..... 121
diagnosis edits, output record layout..... 127
direct referral from physician's office 79
discounting..... 18
 formulas..... 127
dispositions 15, 44, 168
 claim 45, 110, 169
 edit..... 44, 110, 168
drug administration logic..... 82
drug-biological pass-through APC..... 16

E

E status indicator 127
edit code lists 177, 405, 507
edit disposition 15
 defined..... 44, 110, 168
 summary 45, 111, 169
edit menu
 input window 33, 101
 output window..... 43
edits 16
 code lists for 177, 405, 507

special logic 64, 118
 emergency room claims 16
 error messages, batch input 35, 103, 154
 batch input 144

F

F status indicator 127
 fee schedule 20
 file changes in this release 602
 file menu
 input window 33, 101
 output window 43
 flag
 APC/ASC return buffer 127
 claim processed 127
 line item action 121, 127
 line item denial or rejection 127
 OPPS/non-OPPS 120, 121, 127
 packaging 127
 payment adjustment 127
 payment method 127
 formulas for discounting 127
 functions of software 13

G

G status indicator 127

H

H status indicator 127
 HCPCS codes 11
 hospice claims logic 87

I

included versions 13
 information on APCs 16
 inpatient procedure logic 66
 input file, batch processing 120
 input record layouts 121
 input record types, batch processing 121
 input window
 command buttons 34, 102
 menu items 33, 101, 152
 installation procedure

pre-install notes 24
 screen resolution required 23
 interactive data entry 95, 147

J

J status indicator 127

K

K status indicator 127

L

L record type layout 121
 L status indicator 127
 line item action flag 121, 127
 line item data input record layout 121
 line item denial 44, 110, 168
 line item denial or rejection flag 127
 line item edits, output record layout 127
 line item rejection 44, 110, 168
 log file 142

M

M record type layout 127
 M status indicator 127
 managed care beneficiaries logic 83
 medical APC 16
 menu items
 input window 33, 101, 152
 output window 43, 167
 minimum system requirements 23
 modifiers 20
 multiple day claims 16

N

N record type layout 127
 N status indicator 127
 new window 33, 101, 152
 non pass-through drug or device APC 16
 nuclear medicine procedures and
 radiopharmaceutical logic 83
 number of line items allowed 14

O

| | |
|---|---------------|
| O record type layout | 127 |
| observation claims | 16 |
| observation logic..... | 79 |
| OCE with APC Software window..... | 96, 147 |
| OPPS, background..... | 11 |
| OPPS/non-OPPS flag..... | 120, 121, 127 |
| output file, batch processing | 126 |
| output record layouts | 127 |
| output record types, batch processing ... | 126 |
| output report..... | 36, 105 |
| claim dispositions..... | 45, 110, 169 |
| edit dispositions..... | 44, 110, 168 |
| printing..... | 43, 167 |
| saving as a text file..... | 43, 167 |
| output report window | |
| menu items..... | 43, 167 |

P

| | |
|-------------------------------------|--------------|
| P record type layout..... | 127 |
| P status indicator | 127 |
| packaging..... | 17 |
| logic..... | 66 |
| partial hospitalization APC | 16 |
| partial hospitalization logic | 70 |
| paste text..... | 33, 101, 152 |
| payment information | 17 |
| pre-installation notes | 24 |
| print the output report | 43, 167 |
| product background..... | 11 |
| program input..... | 15 |
| error messages | 35, 103 |
| program output | 36, 105, 155 |
| claim dispositions..... | 45, 110, 169 |
| edit dispositions..... | 44, 110, 168 |
| program versions | 95 |
| purpose of the software..... | 13 |

Q

| | |
|---------------------------------------|-----|
| Q record type layout..... | 127 |
| Q, Q1, Q2, Q3 status indicators | 127 |

R

| | |
|-------------------------------------|---------|
| R record type layout | 127 |
| R status indicator..... | 127 |
| reason for visit code | 121 |
| reason for visit diagnosis | 121 |
| record types, batch processing | |
| input | 120 |
| output | 126 |
| remove the product..... | 26 |
| report button | 34, 102 |
| requirements for installation | 23 |

S

| | |
|--|---------|
| S record type layout | 127 |
| S status indicator | 127 |
| same day medical and procedure APC | 20 |
| save the output report as a text file .. | 43, 167 |
| screen resolution..... | 24 |
| secondary diagnoses | 121 |
| significant procedure APC..... | 16 |
| special logic code lists..... | 507 |
| special logic information | |
| composite APC | 69 |
| critical care packaging | 68 |
| drug administration..... | 82 |
| hospice claims..... | 87 |
| inpatient procedures | 66 |
| managed care beneficiaries..... | 83 |
| nuclear medicine procedures and | |
| radiopharmaceuticals..... | 83 |
| observation | 79 |
| packaging..... | 66 |
| partial hospitaliza | 70 |
| skin substitute products | 85 |
| wound care | 67 |
| status indicators | 20 |
| values..... | 127 |
| system requirements..... | 23 |

T

| | |
|------------------------------------|-----|
| T status indicator | 127 |
| table changes in this release..... | 602 |
| types of records, batch processing | |
| input | 120 |

| | |
|--------------------------------|--------|
| output | 126 |
| U | |
| U status indicator..... | 127 |
| uninstalling the software..... | 26 |
| V | |
| V status indicator | 127 |
| versions | 13, 95 |
| W | |
| W status indicator..... | 127 |
| what the software does | 13 |
| wound care logic..... | 67 |
| wound care services..... | 67 |
| X | |
| X-status indicator | 127 |
| Y | |
| Y status indicator | 127 |
| Z | |
| Z status indicator | 127 |