

January 2023

Integrated Outpatient Code Editor Software

Installation and User Manual for PC

v24.0

3M Health Information Systems
400 Research Parkway
Meriden, CT 06450

CPT © 2022 American Medical Association. All rights reserved.
CPT is a registered trademark of the American Medical Association.

This product includes CPT and/or CPT Assistant which is commercial technical data and/or computer databases and/or commercial computer software and/or commercial computer software documentation, as applicable which were developed exclusively at private expense by the American Medical Association, 300 N. Wabash, Suite 39300, Chicago, IL 60611-5885.

The responsibility for the content of any "National Correct Coding Policy" included in this product is with the Centers for Medicare and Medicaid Services and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable to or related to any use, nonuse or interpretation of information contained in this product.

This manual was written, designed, and produced by the Technical Writing Department of 3M Health Information Systems.

3M is a trademark of 3M Company.

Microsoft and Windows are registered trademarks of Microsoft Corporation in the United States and/or other countries.

PLB-021
January 2023

Table of Contents

About this document.....	vii
--------------------------	-----

Chapter 1: Introduction to the Integrated OCE software	9
---	----------

Product background	9
Versions of the program.....	10
Included versions.....	11
Purpose of the OPPS functionality	11
Purpose of the non-OPPS functionality.....	12
Changes since OPPS.....	12
Coding for Outpatient services.....	12
Program input.....	12
Dispositions	13
Multiple day claims.....	14
Edits	14
Information on APCs for OPPS.....	14
Payment information	15
Packaging	15
Discounting	15
NCCI.....	16
Add-on code editing.....	17
Critical Access Hospitals Add-on Code Editing.....	17
Drug administration add-on code editing.....	17
Software as a service (SAAS) add-on code editing.....	18
COVID-19 lab add-on code editing.....	18
Revenue code validation.....	18
Fee schedule	19
Status indicators.....	19
Modifiers	20
Same day medical and procedure APC	21
Contractor (MAC) actions impacting IOCE processing.....	21

Chapter 2: Installing and testing the interactive module for the PC platform.....	23
--	-----------

System requirements for accessibility.....	23
--	----

Chapter 3: OPPS data entry	25
---	-----------

OPPS data entry fields	25
OPPS Menu items	31
OPPS command buttons.....	32
OPPS error messages.....	32

Chapter 4: OPPS data output.....35

Viewing an output report	35
Output report fields.....	36
Menu items from the output report window	41
Dispositions	42
Edit disposition.....	42
Claim disposition.....	43
Edit disposition summary	43

Chapter 5: OPPS program edits53

Edit summary for OPPS.....	53
Edits by bill type for OPPS	73
Special logic information	76
Medical visit processing	76
<i>Medical visits and procedure processing on the same day</i>	76
<i>Multiple medical visit conditions</i>	77
<i>Medical visit processing and COVID-19 related services</i>	77
Computation of discounting fraction.....	78
<i>Type “T” multiple and terminated procedure discounting</i>	78
<i>Non-type T procedure discounting</i>	79
Conditional APC processing	80
<i>Processing procedures with status indicators of Q1 and Q2</i>	80
Sometimes therapy processing for wound care services	81
Critical care processing	81
Advance care planning	81
Conditional processing for laboratory procedures	82
Composite APC processing.....	82
Partial hospitalization and community mental health center processing (v10.0- v17.3).....	83
Partial Hospitalization and CMHC Processing: V18.0- Current	83
Daily mental health processing.....	86
LDR prostate brachytherapy composite APC processing and assignment criteria	87
Multiple imaging composite assignment rules & criteria	87
Comprehensive APC processing.....	88
<i>General comprehensive APC assignment rules and criteria: v16.0 - current</i>	89
Comprehensive APC assignment for high-cost procedures: v16.0 - current.....	89
Inpatient procedure processing under comprehensive APCs.....	90
Observation processing under C-APCs.....	91
<i>Comprehensive observation APC assignment criteria</i>	92
Device-intensive procedure editing and processing.....	92
Device credit conditional processing	93
Pass-through device processing.....	93
Drug administration	94
Blood and blood storage processing.....	94
Nuclear medicine procedure processing	95
Managed care processing	95
Preventive services and deductible/coinsurance waiver processing	95

Opioid treatment program processing	96
Opioid use disorder model processing	96
Special processing for drugs and biologicals.....	96
Skin substitute editing and processing	98
Biosimilar HCPCS processing.....	98
HSCT and donor acquisition services processing	98
Radiological processing.....	99
<i>CT scan equipment not meeting NEMA standards.....</i>	<i>99</i>
<i>Film x-ray HCPCS processing.....</i>	<i>99</i>
<i>Computed radiography technology HCPCS processing</i>	<i>99</i>
Radiation Oncology Model (ROM) Processing Logic.....	100
Hospice processing logic	100
Home health processing logic	100
Non-excepted items or services in off-campus provider-based hospitals.....	101
<i>Criteria for non-excepted services reported with modifier PN</i>	<i>101</i>
<i>Hospital outpatient claims with bill type 13x without condition code 41 reporting</i> <i>modifier PN.....</i>	<i>101</i>
<i>Hospital outpatient claims with bill type 13x with condition code 41 (PHP) reporting</i> <i>modifier PN.....</i>	<i>102</i>
<i>CMHC PHP outpatient claims with bill type 76x reporting modifier PN.....</i>	<i>102</i>
<i>Hospital off-campus provider-based outpatient departments submitting claims with</i> <i>Modifier PO.....</i>	<i>102</i>
FQHC processing under FQHC PPS.....	103
<i>Criteria for FQHC encounters/visit processing logic</i>	<i>103</i>
<i>Additional criteria for FQHC processing</i>	<i>104</i>
<i>FQHC PPS - Preventive services.....</i>	<i>104</i>
<i>FQHC PPS – influenza, pneumococcal pneumonia, and covid-19 vaccine/treatment</i> <i>services</i>	<i>105</i>
<i>FQHC PPS - Non-covered services.....</i>	<i>105</i>
<i>FQHC PPS – Chronic care management services</i>	<i>105</i>
<i>FQHC PPS – telehealth services</i>	<i>105</i>
<i>FQHC PPS - COVID-19 services.....</i>	<i>106</i>
<i>FQHC PPS – Opioid use disorder treatment demonstration</i>	<i>106</i>
Rural health clinic visit processing	106

Chapter 6: Non-OPPS data entry 109

Versions and date ranges	109
Non-OPPS data entry fields	110
Non-OPPS menu items	115
Non-OPPS command buttons.....	116
Non-OPPS error messages.....	116

Chapter 7: Non-OPPS data output 119

Viewing an output report	119
Output report fields.....	120
Menu items from the output report window	122

Payment information	122
Dispositions	122
Edit disposition.....	123
Claim disposition.....	123
Edit disposition summary	124
Chapter 8: Non-OPPS program edits.....	129
Edit summary for non-OPPS	129
Edits by bill type for non-OPPS.....	138
Special logic information	141
Chapter 9: Batch processing	143
Batch input	143
Input record layouts.....	144
Batch output.....	149
Output record formats.....	150
Log file	163
Error messages	164
Appendix A: Summary of changes	167
Software	167
Edits	167
Files.....	168
Tables.....	168
Documentation.....	170
Index.....	171

About this document

This manual contains information needed to install and use version 24.0 of the Integrated Outpatient Code Editor (OCE) software in a Microsoft® Windows® environment on a personal computer. This integrated version of the OCE software is for use in processing both OPPS and non-OPPS hospital claims. The software edits hospital outpatient medical records for possible errors in coding; assigns APCs for Medicare's outpatient prospective payment system (OPPS).

The manual includes an index to help you find specific information in addition to the Contents where general topics are listed. Appendix A summarizes the changes in this release.

Chapter 1: Introduction to the Integrated OCE software

The Integrated Outpatient Code Editor (OCE) program edits patient data to help identify possible errors in coding, and assigns Ambulatory Payment Classification numbers based on Healthcare Common Procedure Coding System (HCPCS) codes for payment under the mandated outpatient prospective payment system (OPPS).

The Integrated OCE program also edits claims for hospitals not subject to OPPS.

Product background

The OPPS OCE (formerly called the Outpatient Code Editor with Ambulatory Payment Classification - OCE/APC) and the Non-OPPS OCE (formerly called the Outpatient Code Editor - OCE) were combined into a single program, the Integrated Outpatient Code Editor (IOCE) effective 7/1/07.

The OPPS functionality of the Integrated Outpatient Code Editor (IOCE) software was developed for the implementation of the Medicare outpatient prospective payment system mandated by the 1997 Balanced Budget Act. CMS released the proposed OPPS rules using the Ambulatory Payment Classification (APC) system in the September 8, 1998 Federal Register. Final regulations were published in the April 7, 2000 Federal Register and the system became effective for Medicare on August 1, 2000.

The APC-based OPPS developed by CMS is the outpatient equivalent of the inpatient, DRG-based PPS. The APC system establishes groups of covered services so that the services within each group are comparable clinically and with respect to the use of resources.

Hospitals are required to use HCPCS when billing for outpatient services. HCPCS incorporates the following types of codes:

- Level I - The American Medical Association's Physicians' Current Procedural Terminology (CPT®)
- Level II - National codes developed by the Centers for Medicare & Medicaid Services (CMS)

Like the inpatient system based on Diagnosis Related Groups (DRGs), each APC has a pre-established prospective payment amount associated with it. However, unlike the inpatient system that assigns a patient to a single DRG, multiple APCs can be assigned to one outpatient record. If a patient has multiple outpatient services during a single visit, the total payment for the visit is computed as the sum of the individual payments for each service.

Certain services (e.g., physical therapy, diagnostic clinical laboratory) are excluded from Medicare's prospective payment system for hospital outpatient departments. These services are exceptions paid under fee schedules and other prospectively determined rates.

Versions of the program

The following table lists the versions and date ranges of the program contained in the current release of IOCE software for OPPTS processing. The third level in the version number (represented by an 'x' in the table) denotes the number of revisions created since the original OPPTS release. For example, 7.1.7 would be the seventh revision of the released version 7.1 product.

Note: Separately installed versions of the non-OPPTS OCE must be maintained for as long as necessary to process claims for all hospital outpatient services provided prior to August 1, 2000 when OPPTS was implemented; and non-OPPTS hospital outpatient services prior to July 1, 2007 when the non-OPPTS program was integrated into the OPPTS program.

Table 1. Program versions

Version	Effective date range
24.0.0	01/01/2023–01/01/2033 ^a
23.3.x	10/01/2022–12/31/2022
23.2.x	07/01/2022–09/30/2022
23.1.x	04/01/2022–06/30/2022
23.0.x	01/01/2022–03/31/2022
22.3.x	10/01/2021–12/31/2021
22.2.x	07/01/2021–09/30/2021
22.1.x	04/01/2021–06/30/2021
22.0.x	01/01/2021–03/31/2021
21.3.x	10/01/2020–12/31/2020
21.2.x	07/01/2020–09/30/2020
21.1.x	04/01/2020–06/30/2020
21.0.x	01/01/2020–03/31/2020
20.3.x	10/01/2019–12/31/2019
20.2.x	07/01/2019–09/30/2019
20.1.x	04/01/2019–06/30/2019
20.0.x	01/01/2019–03/31/2019
19.3.x	10/01/2018–12/31/2018
19.2.x	07/01/2018–09/30/2018
19.1.x	04/01/2018–06/30/2018
19.0.x	01/01/2018–03/31/2018

Version	Effective date range
18.3.x	10/01/2017–12/31/2017
18.2.x	07/01/2017–09/30/2017
18.1.x	04/01/2017–06/30/2017
18.0.x	01/01/2017–03/31/2017
17.3.x	10/01/2016–12/31/2016
17.2.x	07/01/2016–09/30/2016
17.1.x	04/01/2016–06/30/2016

a. The ending date of the current version will be modified to the actual ending date with the next release.

Included versions

To maintain a reasonable size for the program and data files, the IOCE will include only seven years of programs and files in each update. The earliest supported version in the current release is 17.1.x (effective 04/01/16); subsequent updates will drop the version corresponding to the earliest quarter as each new quarter is added. The program version table (page [10](#)) will be updated to reflect the versions of the program contained in the current release.

Purpose of the OPPS functionality

The IOCE software combines editing logic with the new APC assignment program designed to meet the mandated OPPS implementation. The software performs the following functions when processing a claim:

- Edits a claim for accuracy of submitted data
- Assigns APCs
- Assigns CMS-designated status indicators (page [19](#))
- Assigns payment indicators
- Computes discounts, if applicable
- Determines a claim disposition based on generated edits
- Determines if packaging is applicable
- Determines payment adjustment, if applicable

Purpose of the non-OPPS functionality

The IOCE program edits non-OPPS claims primarily for accuracy of submitted data.

Changes since OPPS

Prior to OPPS, the program focused solely on editing claims without specifying any action to take when an edit occurred. It also did not compute any information for payment purposes.

While the program has maintained the editing function of previous versions, assignment of APC numbers for services has been added to meet Medicare's mandated OPPS implementation. The revised program indicates what actions to take when an edit occurs, and the reason(s) why the actions are necessary. For example, an edit can cause a line item to be denied payment while still allowing the claim to be processed for payment. In this case, the line item cannot be resubmitted but can be appealed ([page 42](#)).

A major change is the processing of claims with service dates that span more than one day. Each claim is represented by a collection of data, consisting of all necessary demographic (header) data, plus all services provided (line items).

Note: It is the user's responsibility to organize all applicable services into a single claim record and pass them as a unit to the software.

The IOCE only functions on a single claim and does not have any cross claim capabilities. The software will process up to 99 line items per claim interactively, and up to 450 line items per claim in batch.

Coding for Outpatient services

Diagnoses are coded in ICD-10-CM classification; procedures are coded in HCPCS classification.

Program input

The data elements shown in the following table are entered into the program for claim processing. You are not required to have every element entered for every claim.

Table 2. Data elements

Data element	UB-04 form locator
Type of bill	4

Data element	UB-04 form locator
Period covered by statement, From, and Through dates	6
Birth date	10
Sex	11
Patient status	17
Condition codes	18-28
Occurrence codes	31-34
HCPCS/CPT procedure code(s) and modifier(s)	44
Service date	45
Revenue code	42
Service units	46
Charge	47
National provider identifier	56
CMS Certification Number (CCN); formerly known as OSCAR number	57
ICD-10-CM diagnosis code(s) (principal dx/secondary dx)	67 (PDX) 67A-Q (SDX)
ICD-10-CM diagnosis code (patient's RVDX1, RVDX2, and RVDX3)	70A-C (patient's RVDX)

Dispositions

Occurrence of an edit can result in one of six dispositions that act at either the line or the claim level. For example, an edit can cause a line item rejection or return the claim to the provider (RTP). A single claim can have one or more edits across all types of edit dispositions. Edit dispositions are described in more detail in OPPS data output (page [35](#)) and Non-OPPS data output. (page [119](#))

In addition to individual dispositions, there is a claim disposition to summarize the overall status of the claim. For example, a claim can be paid with a line item denied or rejected, or the entire claim can be denied payment. Claim dispositions are also described in more detail in OPPS data output (page [35](#)) and Non-OPPS data output (page [119](#)).

Multiple day claims

The span of time represented by a claim is determined by the From and Through dates on the UB-04 form. The software subdivides the claim into separate days in order to determine discounting and multiple visits on the same calendar day.

For emergency room and observation claims, all services spanning more than one day are processed as separate days according to the dates of the entered line items.

If the From and Through dates span the effective date ranges for two program versions, the From date will determine which version is used for processing.

Edits

The extensive edits in the software, which are applied to claims as well as individual diagnoses and procedures, are described in more detail in OPPS program edits (page [53](#)) and Non-OPPS program edits (page [129](#)).

Information on APCs for OPPS

To better understand the IOCE product, this section provides general information on the APC system.

- Each HCPCS code that represents a service paid under OPPS is assigned to an APC. Other services are identified by a status indicator representing the method of payment.
 - APCs are applied in the full range of ambulatory settings, including same day surgery, hospital ER, and outpatient clinics.
 - Types of APCs are:
 - Significant procedure - In general, surgical APCs are specified by the T or J1 status indicator; the status indicator for non-surgical significant procedures is S.
 - Drug/Biological pass-through - The status indicator for drug/biological pass-throughs is G.
 - Device pass-through - The status indicator for device pass-throughs is H.
 - Brachytherapy sources - The status indicator for brachytherapy sources is U.
 - Medical visit - HCPCS codes used to assign medical APCs are specified by (SI = V or J2).
 - Ancillary service - HCPCS codes used in assigning ancillary APCs are specified by the X status indicator.
- Note:** SI of X is deactivated as of 1/1/2015 (v16.0).
- Non-pass-through drug or non-implantable biologicals - The status indicator for drug or biological non-pass-throughs, including therapeutic radiopharmaceuticals, is K.

- Blood and blood products - The status indicator for blood and blood products is R.
- Partial hospitalization - The status indicator for partial hospitalization services is P.

Payment information

APC assignment involves codes being examined together as a group, providing payers and providers with a common language and allowing meaningful comparative analyses. The IOCE software facilitates the classification of the coding input. The system used for payment is defined separately.




Figure 1: Logic flow for APC assignment and reimbursement

After APC group assignment, APC reimbursement is calculated using APC weights, a base rate, and payment policies. The APC weights represent the relative effort required to perform the specific procedure. The base rate is a dollar value that converts the relative weight to a reimbursement amount.

To help understand the way OPPS reimbursement is calculated, this section will explain some of the basic rules and policies mandated for OPPS using APCs.

Packaging

Ancillary packaging is the inclusion of certain ancillary services performed as part of a visit into the APC payment rate for a significant procedure or medical visit. APCs include some packaging; in some instances, the payment for services integral to the delivery of the procedure or medical visit will be packaged into the payment for the procedure or medical visit.

In addition to facility charges, other services, such as anesthesia and minor incidental services, are always packaged into the payment. Except in special circumstances ([page 80](#)), a facility will not receive additional reimbursement for packaged services.

Packaged services are specified by the N status indicator. However, OPPS logic sometimes requires packaging of services with a status indicator other than N. In these instances, a specific packaging flag may be used to indicate the packaged status or the SI may be changed to N. For more information, refer to the R record layout ([page 157](#)).

Discounting

When multiple significant procedures are performed, or when the same service is performed multiple times, a discount may be applied. Multiple procedures done during the same operative

session that will be discounted unless certain modifiers are present, are specified by the T status indicator.

The full payment amount is paid for the surgical procedure with the highest weight, and 50% of the payment amount is paid for other surgical procedures performed during the same visit. A T procedure terminated prior to anesthesia (modifier 52 or 73) is reimbursed at a discounted rate. All line items with SI other than T are subject to terminated procedure discounting when modifier 52 or 73 is present. The terminated procedure discount is 50%.

If the status indicator of a code changes during claim processing, the newly assigned indicator is used to compute the discount formula.

NCCI

The IOCE generates NCCI edits for OPPS and Non OPPS Facilities. All applicable NCCI edits are incorporated into the IOCE. Modifiers and coding pairs in the IOCE may differ from those in the NCCI because of differences between facility and professional services.

Effective January 1, 2006, NCCI edits apply to ALL services billed under bill types 12x, 13x, 14x, 22x, 23x, 34x, 72x, 74x, 75x, 76x, and 85x by the following providers: Skilled Nursing Facilities (SNFs), ESRD facilities (ESRDs), Community Mental Health Clinics (CMHCs), Outpatient Physical Therapy and Speech-Language Pathology Providers (ORFs), CORFs, Home Health Agencies (HHAs), and Critical Access Hospitals (CAHs).

The NCCI edits are applied to services submitted on a single claim, and on lines with the same date of service. NCCI edits address unacceptable code combinations based on coding rules, standards of medical practice, two services being mutually exclusive, or a variety of other reasons. In some cases, the edit is set to pay the higher-priced service, in other cases the lesser-priced service.

In some instances, both codes in a NCCI code pair may be allowed if an appropriate modifier is used that describes the circumstances when both services may be allowed. The code pairs that may be allowed with a modifier are identified with a modifier indicator of "1"; code pairs that are never allowed, whether or not a modifier is present, are identified with a modifier indicator of "0". Modifiers that are recognized/used to describe allowable circumstances are: 24, 25, 27, 57, 58, 59, 78, 79, and 91, E1-E4, F1-F9, FA, LC, LD, LM, LT, RI, RC, RT, T1-T9, TA, XE, XP, XS, and XU.

All institutional outpatient claims, regardless of facility type, process through the Integrated Outpatient Code Editor (IOCE); however, not all edits are performed for all sites of service or types of claim. Please see the Edits by Bill Type (OPPS=1) table, which contains IOCE edits that apply for each bill type under OPPS processing; please see the Edits by Bill Type (Non-OPPS=2) table, which contains OCE edits that apply to claims from hospitals not subject to OPPS.

Critical Access Hospitals (bill type 85x) submitting claims containing both facility services and professional services that are reported with revenue codes (096x, 097x, 098x), do not have NCCI editing applied across facility and professional services appearing on the same day; NCCI editing is applied for the professional services separately from facility services.

Add-on code editing

Effective April 1, 2018 (v19.1), claims with certain OPPS and Non-OPPS bill-types are subject to add-on code edits if the primary procedure for the add-on code is not on the same day or day before. Add-on codes describe procedures or services that are always provided “in addition to” other, related services or procedures. These add-on procedure codes cannot be reported stand alone as separately reportable services. One add-on code may have multiple primary procedures with which it can be reported. In addition, there may be circumstances where reporting multiple add-on procedure codes are necessary, and in this instance the primary procedure for both add-ons must be present on the claim. There are three different types of add-on codes defined by CMS for which the IOCE returns an edit(s) if the conditions to satisfy the edit(s) are not met.

Note: Although the source tables include historical add-on code pair editing content, the add-on edits are not applied until 4/1/2018.

1. Type I add-on codes have a defined list of primary procedure codes. If one or multiple Type I add-on codes are reported without their primary procedure edit 106 is returned on the add-on procedure line(s) and line item denied (LID). See Map_Addon_Type1 table to review applicable code pairs.
2. Type II add-on codes do not have a defined list of primary procedures; individual contractors must define the list of primary procedure codes for Type II add-on codes. Type II add-on code editing in the IOCE is applied only to Critical Access Hospitals (bill type 85x) reporting professional services revenue codes (96x, 97x or 98x). Edit 107 is returned on all Type II add-on procedure line(s) for contractor review (LID). See Map_Addon_Type2 table to review applicable code pairs.
3. Type III add-on codes have defined primary procedures but there may be additional contractor defined primary procedures. Type III add-on codes act the same as Type I in how the edit is applied, with edit 108 (LID). See Map_Addon_Type3 table to review applicable code pairs.

Critical Access Hospitals Add-on Code Editing

Critical Access Hospitals (bill type 85x) submitting claims containing both facility services and professional services that are reported with revenue codes (096x, 097x, 098x), do not have add-on code editing applied across facility and professional services; add on code editing is applied for the professional services separately from facility services.

Drug administration add-on code editing

Drug administration add-on procedure codes do have an exception in how add-on code edits are applied. Drug administration add-on procedure codes are not edited by date of service (primary procedure on same day or day before), instead the add-on editing is applied only if the primary drug administration procedure is not present on the same claim. The add-on code edit continues to be returned at the line level for the add-on procedure code missing its primary procedure (LID). All drug administration add-on procedure codes are Type I add-on codes (edit 106) and are

subject to all other editing conditions applicable for Type I add-on codes. See Map_Addon_Type1 table to review applicable code pairs.

Software as a service (SAAS) add-on code editing

Software as a Service, SAAS, are algorithm-driven services that assist practitioners in making clinical assessments and can include clinical decision support software, clinical risk modeling, and computer aided detection (CAD). Effective January 1, 2023 (v24.0), Software as a service add-on codes reported on hospital outpatient claims with bill type 013x are subject to add-on code edit 106 if the primary procedure is not present on the claim. Refer to Map_ADDON_SAAS for the list of impacted code pairs.

Note: Only SAAS add-on editing is applied for hospital outpatient claims with bill type 013x; additional add-on content associated with edit 106 applied to non-OPPS and other OPPS bill types is not included for bill type 013x.

COVID-19 lab add-on code editing

Effective January 1, 2021 (v22.0), claims submitted with add-on code U0005 must also report one of its primary procedure codes U0003 or U0004 on the same date of service, otherwise, edit 115 is applied (LID). HCPCS code U0005 is an add-on code used for providing an additional payment for providers that can complete and release the results of their clinical diagnostic laboratory tests used to detect the virus that causes COVID-19 and that also utilize high throughput technologies, within 2 calendar days. It is expected that if a provider has met the requirements for receiving the add-on payment that they report U0005 on the same day as either of its primaries U0003 or U0004 to receive the appropriate payment.

Revenue code validation

Effective with the July 1, 2021 (v22.2) release, all revenue codes are validated based on the claims processing receipt date. The claims processing receipt date is meant to be utilized by CMS for validation of non-medical code sets. Revenue Codes and their effective dates are maintained by the NUBC and are implemented in the IOCE versioning, per the NUBC's revenue code reporting effective/deactivation dates. Providers are responsible for submitting claims with active revenue codes. If a claim contains a revenue code that is not yet effective as determined by the NUBC, providers must hold claims until that effective date. Edit 41 is applied, if a claim is submitted with a revenue code prior to/ exceeding the NUBC effective/deactivation date. Once a revenue code is effective for reporting, the held claims can be submitted to Medicare and the new revenue code is validated through the IOCE based on the "Claims processing receipt date". By using the claims processing receipt date, it allows these appropriately held claims to process through the IOCE successfully and according to the effective reporting date and timely filing requirements.

If using the IOCE for purposes outside the Medicare claims processing system, the claims processing receipt date can be manually input based on the date in which the claim is projected

to be sent for payment. The claims processing receipt date can also be left blank, if left blank, the IOCE will auto-populate the field with a date that matches the claim "Through date". This allows users that do not know the official claims processing receipt date to continue to process their claims through the IOCE without disruption.

Fee schedule

Certain services currently paid for are not assigned to an APC, but continue to be paid according to a fee schedule. Services paid by fee schedule include, but are not limited to, ambulance, diagnostic clinical laboratory, and occupational therapy.

Status indicators

Medicare has assigned each HCPCS/CPT code a letter that signifies whether they will reimburse the service, how it will be reimbursed, and to whom the claim should be submitted, e.g., MAC (Medicare Administrative Contractor), Carrier, DMERC (durable medical equipment regional carrier), etc. This indicator also helps in determining whether policy rules, such as packaging and discounting, apply.

Table 3. List of status indicators

Value	Description
A	Services not paid under OPPS; paid under fee schedule or other payment system, including unclassified drugs and biologicals reportable under HCPCS code C9399
B	Non-allowed item or service for OPPS
C	Inpatient procedure
E	Non-allowed item or service (discontinued 01/01/2017)
E1	Non-allowed item or service
E2	Items and services for which pricing information and claims data are not available
F	Corneal tissue acquisition; certain CRNA services
G	Drug/Biological pass-through
H	Pass-through device categories
J1	Outpatient department services paid through a comprehensive APC

J2	Hospital Part B services that may be paid through a comprehensive APC
K	Non pass-through drugs and non-implantable biologicals, including therapeutic radiopharmaceuticals
L	Influenza Vaccine; Pneumococcal Pneumonia Vaccine; Hepatitis B Vaccines; Covid-19 Vaccine; Monoclonal Antibody Therapy Product
M	Service not billable to the MAC
N	Items and Services packaged into APC rates
P	Partial hospitalization service
Q1	STV-packaged codes
Q2	T-packaged codes
Q3	Codes that may be paid through a composite APC
Q4	Conditionally packaged laboratory services
R	Blood and blood products
S	Procedure or service, not discounted when multiple
T	Procedure or service, multiple reduction applies
U	Brachytherapy sources
V	Clinic or emergency department visit
W	Invalid HCPCS or Invalid revenue code with blank HCPCS
Y	Non-implantable DME
Z	Valid revenue code with blank HCPCS and no other SI assigned

Modifiers

The significance of modifiers increases in coding under OPPTS. Modifiers add clarification and specificity to procedures and are edited in the software. Failure to use them or use of an incorrect modifier may adversely affect the payment decision for some outpatient services.

Same day medical and procedure APC

Significant procedure visits and medical visits will not usually occur on the same day. However, if a medical visit identified by an E&M (status indicator V) code with modifier 25 occurs on the same date as a significant procedure, an additional payment will be made. Modifier 25 indicates that the medical visit was significant and separately identifiable from the procedure performed. When the E&M code does not have a modifier of 25, the claim will be returned to provider.

Contractor (MAC) actions impacting IOCE processing

The Medicare Administrative Contractor may on occasion require an override or bypass of IOCE grouping or editing results, to apply payment adjustment outside of the IOCE process or for reprocessing OPPS/ Non-OPPS adjusted claims. This may be accomplished by the following actions, which may only be applied by the MAC; these actions are not meant to be input by an end-user or provider.

- **Line item action flag.** A value passed as input to the IOCE to override a line item denial or rejection or to allow the MAC to indicate the line item should be denied or rejected, even if no IOCE edits are present. Note: If a Line item action flag is present on any line item that also contains a contractor bypass, the line item action flag logic takes precedence and no contractor bypass is applied to the line.
- **Contractor Bypass:** Values passed as input to bypass IOCE edits and any payment value which may need adjusted by the MAC for payment determination. The presence of an IOCE edit in the Contractor Bypass edit field allows the bypass to execute, as defined by the contractor. A line level edit bypass for an OPPS claim requires all contractor bypass fields to be provided on input. A claim level edit bypass for an OPPS claim requires only the Contractor Bypass edits field to be populated with an applicable edit(s) in addition to providing an appropriate PMF value of V, W, X, Y, or Z in the CB Payment Method Flag field. A Non-OPPS claim with either a line level or claim level edit only require the edit(s) to be populated in the Contractor Bypass edit field with the appropriate PMF of V, W, X, Y, or Z in the CB Payment Method Flag Field. A line item where a contractor bypass is applied returns a payment method flag of V, W, X, Y, or Z to indicate that the line(s) payment is set by the Contractor. If the contractor does not supply a PMF value of either V, W, X, Y, or Z, by default a Z is supplied on output to identify that a line(s) has a contractor bypass applied.

Chapter 2: Installing and testing the interactive module for the PC platform

The following explains how to install and run the interactive module of the Integrated Outpatient Code Editor (IOCE).

Before you begin

Make sure you have Java® 8 installed on your computer. This version of IOCE will work only with Java 8.

To run the software

1. Unzip the OCE software pack to your computer.
2. At the location where you unzipped the files, browse into the unzipped folder.
3. Double-click IOCE_Interactive.jar.

If a double-click doesn't work, use the runGrouperGUI.bat file.

To uninstall the software

1. Browse to the folder where the OCE software pack was unzipped.
2. Delete this folder.

System requirements for accessibility

The following are system requirements for accessibility:

- Windows-based Assistive Technology software (needs to be running prior to using the IOCE software)
- JAVA Access Bridge

Chapter 3: OPPS data entry

This chapter describes how to interactively enter data into the Integrated Outpatient Code Editor (IOCE) software.

The chapter contains the following information for OPPS data processing: complete definitions for fields, explanations of menus and command buttons, and a list of error messages that can occur.

Note: IOCE software uses one graphical user interface for interactively processing claims from both OPPS and non-OPPS hospitals. Consequently, three new fields that were added specifically for non-OPPS data entry will be grayed-out on the OPPS data entry screen.

For help with data entry:

- Use the OPPS data entry fields table (page [26](#)) for data entry field information.
- Use the OPPS menu items table (page [31](#)) when entering diagnosis and/or procedure codes.
- If you get an error message, refer to the OPPS error messages table (page [32](#)).

OPPS data entry fields

Integrated Outpatient Code Editor

File Import Export Help

Patient Information

Patient Name: Medical Record Number: CCN: From Date: Through Date: Receipt Date:

Patient Status: Bill Type: Birth Date: Age (years): Sex: UNKNOWN Opps/Non-Opps: OPPS

Pay Source: Patient Account Number: Comment:

Condition Codes Occurrence Codes Value Codes & Amounts

Diagnosis Codes

Code: Add As PDX Add As SDX Add As RVDX Delete Selected DX

Principal Diagnosis Secondary Diagnosis Reason For Visit Diagnosis

Code Description Code Description Code Description

No content in table No content in table No content in table

Procedure Codes

Code: Modifiers: Revenue: Units:

Service Date: Charges: Action Flag: Add Procedure Delete Procedure Copy Procedure

Contractor Bypass For Procedure Codes

Edits: APC: Status Indicator: Payment Indicator: Discounting Formula: Line Item Den/Rej. Flag: Packaging Flag:

Payment Adjustment Flag 1: Payment Adjustment Flag 2: Payment Method Flag:

CODE MOD1 MOD2 MOD3 MOD4 MOD5 REV UNITS CHG DATE AF EDIT1 EDIT2 EDIT3 EDIT4 APC SI PI DF DRF PKG PAF1 PAF2 PMF

No content in table

CPT codes copyright 2020 by the American Medical Association. All Rights Reserved. New Claim Generate Report

Figure 2: OPPS input window

OPPS fields on the input window are described in the following table. Refer to the Data elements table for Uniform Billing (UB) locator information for fields.

Note: Grayed-out names indicate fields that have a pre-set value or are not available for data entry.

Table 4. OPPS Data entry fields

Field name	Length	Description
Patient name	31	Name of the patient.
Medical record number	17	Patient's medical record number.
CCN		CMS Certification Number; formerly known as OSCAR number.
From Date	10	Required. Beginning date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . Used for code validation. The date cannot precede the first day of the earliest version included in the current release and determines the version of codes and descriptions used for processing.
Through Date	10	Required. Through date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . The date cannot precede the first day of the earliest version included in the current release.
Receipt date	10	Claims processing receipt date in MM/DD/YY or MM/DD/YYYY format ^a .
Patient status	2	Patient status code
Bill type	3	Code indicating the specific type of bill: inpatient, outpatient, adjustments, voids, etc.
Birth date	10	Patient's birth date in MM/DD/YY or MM/DD/YYYY format ^a . Used for age calculation.
Age in years	3	Patient's age in years. Valid values: 0 - 124. Calculated age (From date minus Birth date) takes precedence over entered age.
Sex	1	Patient's sex. Select a value from the drop-down list of acceptable values.
OPPS flag	1	OPPS/non-OPPS flag. Default value = 1. 1 = OPPS 2 = Non-OPPS

Field name	Length	Description
Pay source		<p>Enter the primary pay source using one of the numbers listed below. The English description displays automatically.</p> <p>01 = Medicare 02 = Medicaid 03 = Title V 04 = Other govt 05 = Work 06 = Blue Cross 07 = Insur co 08 = Self pay 09 = Other 10 = No charge</p>
Patient account number	20	Number of the group insurance policy or other unique patient identifier by which the patient is billed for medical care. The entry can be a combination of letters and numbers.
Comment	20	Available for entry of additional information as specified by the user. The entry can be a combination of letters and numbers.
Condition codes	2	Code(s) used to identify conditions relating to the bill that may affect payer processing. Maximum of 30 condition codes. Lower case letters are automatically converted to upper case by the program.
Occurrence codes	2	Occurrence code. Maximum of 30 occurrence codes.

Field name	Length	Description
Value codes and amounts	11	<p>Value Codes and amounts</p> <p>The combination of the Value Code and its associated Value Code amount is a code structure to relate values to identified data elements necessary to process claims and qualified by the payer organization.</p> <p>The Value Code is a 2 byte alpha-numeric entry. Format is left-justified, blank-filled. The input for each entry must be in contiguous format. The first blank Value Code and Value Code amount pair is assumed to signify the end of the Value Code list and no further processing of the fields shall occur.</p> <p>The Value Code amount is listed in the last 9 bytes. This field is numeric with or without decimal point (dependent upon associated Value Code). Format is right-justified, zero-filled. The input for each entry must be in contiguous format.</p> <p>The following two Value Codes are input value provided to the IOCE by the MAC or Shared System Contractor:</p> <ul style="list-style-type: none"> ▪ QA: Offset for combining partial PHP week on interim PHP claim <p>Note: Payer Value Code QA is provided on input and the Value Code amount provided should zero-fill the first 4 values, the next 5 values represent an IOCE calculated amount for total days and hours of PHP services. One byte for days and 4 bytes to record full and partial hours. For example, 2 days and 8 and ½ hours converts to the following Value Code amount 000020850</p> <ul style="list-style-type: none"> ▪ Z9: CMS determined mid-quarter termination date <p>Note: Payer Value Code Z9 is input by the MAC to identify claims in which CMS has determined there is a mid-quarter termination date. Z9 is reported with a date in the Value Code Amount field as YYYYMMDD. If Z9 is present and the Value Code Amount field is blank or has an invalid date, the From Date of the claim is used.</p>

Field name	Length	Description
Diagnosis codes	8	<p>Enter the diagnosis code without decimal points. Lower case letters are converted to upper case by the program. The English description for the code appears in the text box to the right of this field.</p> <p>Diagnosis codes. PDX is required. Valid entries for diagnoses are 8-character ICD-10-CM codes, to a maximum of 28 diagnoses. The first three listed diagnoses are assumed to be the patient's reasons for visit diagnosis (RVDX) and may be left blank. The fourth listed diagnosis is assumed to be the principal diagnosis and cannot be blank. Additional diagnoses are secondary and must be in contiguous locations. The first blank non-RVDX diagnosis signifies the end of the list.</p> <p>Important: After entering a code, be sure to click the Add code, Add RVDX or Add PDX button to add the code to the record.</p>
Procedure codes	8	<p>Enter the procedure code without decimal points. Lower case letters are converted to upper case by the program. The English description for the code appears in the text box to the right of this field.</p> <p>Procedure codes. Valid entries for procedures are 5-character CPT/HCPCS codes to a maximum of 99 procedures.</p> <p>Important: After entering a code, be sure to click the Add procedure button to add the code to the record.</p>
Modifiers	2	Enter a maximum of five modifiers. Each modifier must be two characters long. Lower case letters are automatically converted to upper case by the program. This field is only enabled when you are entering a procedure.
Revenue	4	Required for line items. Code that identifies a specific accommodation, ancillary service, or billing calculation (UB-04 form locator 42). One revenue code is required for each line item. This field is only enabled when you are entering a procedure.
Units	9	<p>A quantitative measure of services rendered to or for the patient, by procedure code (UB-04 form locator 46). Valid values: 0-999999999</p> <p>This field is only enabled when you are entering a procedure.</p>
Service date	10	Date that the procedure was performed in MM/DD/YY or MM/DD/YYYY format ^a . This field is only enabled when you are entering a procedure.

Field name	Length	Description
Charges	10	Charges related to the revenue or procedure codes for the current billing period as entered in the Statement Covers period (UB-04 form locator 47). Valid values: 0-99999999.99. This field is only enabled when you are entering a procedure.
Action flag		Indicates to a payment program that a line item rejection or denial should be ignored or added. Select a value (0 - 4) from the drop-down list of values: 0 - Line item denial or rejection is not ignored. 1 - Line item denial or rejection is ignored (except when edit 30 is present). 2 - External line item denial. Line item is denied even if no IOCE edits are present. 3 - External line item rejection. Line item is rejected even if no IOCE edits are present. 4 - External line item adjustment. Technical charge rules apply. This field is only enabled when you are entering a procedure.
Contractor bypass edits	12	4, 3-byte alpha-numeric characters allowed per single line item; right-justified, zero-filled, default: 000
Contractor bypass APC	5	Numeric; right-justified, zero-filled, default: 00000
Contractor bypass status indicator	2	Alphanumeric; right-justified, zero-filled, default: 00 Note: If the SI value is one character, it must be reported with a leading blank value instead of 0 (example, " bA" "A")
Contractor bypass payment indicator	2	Alphanumeric; blank-filled, default: b0
Contractor bypass discounting formula	1	Numeric; zero-filled, default: 0
Contractor bypass line item denial or rejection flag	1	Numeric; zero-filled, default: 0
Contractor bypass packaging flag	1	Numeric; zero-filled, default: 0
Contractor bypass payment adjustment flag 1	2	Numeric; right-justified, zero-filled, default: 00
Contractor bypass payment method flag	1	Alphanumeric; zero-filled, default: 0

Field name	Length	Description
Contractor bypass payment adjustment flag 2	2	Numeric; right-justified, zero-filled, default: 00

a. Dates can be entered with or without a separator (/).

OPPS Menu items

Menu items available from the input window are described in the following table.

Table 5. Menu items

Menu	Item	Function
File	New	Displays a new window, cleared of all previously entered information.
File	Exit	Exits the program.
Edit	Cut	Removes the selected text and copies it to the clipboard.
Edit	Copy	Copies the selected text to the clipboard.
Edit	Paste	Inserts the clipboard's contents at the insertion point.
Edit	Delete row	Deletes the diagnosis or procedure (and all information in the row) that was selected.
Import	Single claim	Imports a single batch format (page 143) claim into the GUI fields.
Import	Multiple claims	Imports multiple claims and generates the pre-formatted output report (page 35).
Export	Claim record layout	Exports the current GUI fields into the batch layout (page 143).
Help	About	Displays the About box.

Tip

"Hot keys" in menus are displayed after you press the Alt key.

OPPS command buttons

Command buttons on the input window are described in the following table.

Table 6. Command buttons

Button	Function
Add as PDX	Adds the currently displayed diagnosis code to the PDX field in the Diagnoses list at the bottom of the window.
Add as SDX	Adds the currently displayed diagnosis code to the SDX field in the Diagnoses list at the bottom of the window.
Add as RVDX	Adds the currently displayed diagnosis code to the RVDX field in the Diagnoses list at the bottom of the window.
Delete selected DX	Deletes the currently displayed diagnosis code from the Diagnoses list at the bottom of the window.
Add procedure	Adds the currently displayed procedure code to the Procedures list at the bottom of the window.
Delete procedure	Deletes the currently displayed procedure code to the Procedures list at the bottom of the window.
Copy procedure	Copies the currently displayed procedure code to the Procedures list at the bottom of the window.
New claim	Clears the window and starts a new claim.
Generate Report	Displays a pre-formatted output report that can be printed or saved. Chapter 4 (page 35) contains more output report information.

OPPS error messages

To help ensure the entry of accurate information, the program automatically performs data entry checks, such as for a month entered as 14, or an age entered as -2. When an error is detected, an error message appears in a message box. Click OK to close the message box.

The following table describes the error messages that can occur during data entry.

Table 7. OPPS error messages

Message	Occurs when ...
Birth date cannot be after From date.	Birth date is after the From date.

Message	Occurs when ...
Invalid date. Valid formats are mm/dd/yyyy or mm/dd/yy or mmdyyy or mmdyy.	The value entered for the month, day or year is outside the valid range for mm, dd or yyyy, or the format is incorrect. Note: This error message applies to the "Birth date", "From date", or "Through date" fields.
Charges are invalid. Charges must be between 0 and 99999999.99.	Entry for Charges is outside the field's valid entry range.
From date cannot be after Through date.	From date is after the Through date.
From date cannot be after today's date.	Date entry is after the system (today's) date.
From date cannot precede Birth date.	From date precedes the Birth date.
Invalid age. Age in years must be between 0 and 124.	Entered age or calculated age exceeds 124 years.
Partial hospitalization condition code 41 not approved for type of bill.	Bill type is 12x or 14x with a condition code of 41.
Revenue code is a required field. Please enter a revenue code.	User attempts to add a procedure to the patient record without first entering a revenue code.
Service date is a required field. Please enter a service date.	User attempts to add a procedure to the patient record without first entering a service date.
Service date must be within the range of the From and Through dates.	Service date is not within the range of the From and Through dates.
The maximum number of diagnosis codes is 28.	User attempts to add a 29th diagnosis code.
The maximum number of procedure codes is 99.	User attempts to add a 100th procedure code.
Through date cannot be after today's date.	Through date is after the system (today's) date.
Through date cannot precede Birth date.	Through date is prior to the Birth date.
Through date cannot precede From date.	Through date is prior to the From date.

Chapter 4: OPPS data output

This chapter describes the Integrated Outpatient Code Editor (IOCE) program output, including output report fields, edit information, status indicators, and payment indicators.

Viewing an output report

To view the output report for a claim

1. Complete your data entry using the input window.
2. At the bottom of the input window click Generate Report.

The output report is displayed.

The current version of software installed on your system is noted under “OCE Version Used,” as XX.X.X. The first two digits refer to the version identification number, the third digit specifies the version of software that was used to process the claim based on the date of service, and the fourth digit represents revisions created since the original release and does not affect your use of the product.

The format of a sample output report is shown below. In actual use, the fields will contain real data. Descriptions of output report fields follow the figure.

Integrated Outpatient Code Editor Output Report

Patient Name: Medical Record Number: CCN: Receipt Date: 01/02/2021 OPPS Flag: OPPS
Birth Date: Through Date: 01/02/2021 Age (years): 065 Sex: MALE
Patient Status: 01 Bill Type: 131 OCE Version Used: 22.0.1
Pay Source: Account #: Comment:

Condition Codes:
Occurrence Codes:
Payer Condition Codes:
Value Codes (Input):
Value Codes (Output):

Principal Diagnosis:
F0151 : Vascular dementia with behavioral disturbance
Diagnosis Edits:

Procedures:
99285: Emergency dept visit
Revenue Code: 0350 Date: 01/01/2021
Units In/Out: 0000/0001 Charges: 0000000000
HCPCS APC: 05025 Payment APC: 05025 HCPCS Modifier:
Status Indicator: V Payment Indicator: 1 Discounting Formula: 1
Action Flag In/Out: 0/0 Payment Adjustment Flag 1: 0 Payment Adjustment Flag 2: 0
Composite Flag: 00 Packaging Flag: 0 Payment Method Flag: 0
Denial/Rejection Flag: 0

Grouper Return Code: Claim processed (0)
Overall Claim Disposition: No edits present on claim (0)
Claim Rejection Disposition: Claim not rejected (0)
Claim Denial Disposition: Claim not denied (0)
Claim Return To Provider Disposition: Claim not returned to provider (0)
Claim Suspension Disposition: Claim not suspended (0)
Line Item Rejection Disposition: No line item rejections (0)
Line Item Denial Disposition: No line item denials (0)
APC Buffer Return Flag: 1
Claim Processing Flag: Claim processed (0)

CPT codes, descriptions and material only are copyright 2020 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values or related listings are included in CPT. AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained herein. All rights reserved.

Save Report Close Report

Figure 3: Sample OPPS output report

Output report fields

Fields on the output report are described in the following table.

Table 8. Output report fields

Name	Description
Patient name Medical record number Dates of service: From and Through OPPS flag Birth date Age in years Sex Patient status Type of bill OCE version used Condition codes Occurrence codes Payer condition codes National Provider Identifier (NPI) CMS Certification Number (CCN) Value code and amount Payer Value Code Payer Value Code Amount ICD Code Type Diagnoses Procedures Modifiers Revenue code Units of service Line item charges (Charge) Service date (Date) Line item action flag	Data that was entered on input window. See the Data entry table for descriptions of these fields.

Name	Description
Status indicator	<p>A - Services not paid under OPPS; paid under fee schedule or other payment system, including unclassified drugs and biologicals reportable under HCPCS code C9399</p> <p>B - Non-allowed item or service for OPPS</p> <p>C - Inpatient procedure</p> <p>E - Non-allowed item or service (discontinued 01/01/2017)</p> <p>E1 - Non-allowed item or service</p> <p>E2 - Items and services for which pricing information and claims data are not available</p> <p>F - Corneal tissue acquisition; certain CRNA services</p> <p>G - Drug/Biological pass-through</p> <p>H - Pass-through device categories</p> <p>J1 - Outpatient department services paid through a comprehensive APC</p> <p>J2 - Hospital Part B services that may be paid through a comprehensive APC</p> <p>K - Non pass-through drugs and non-implantable biologicals, including therapeutic radiopharmaceuticals</p> <p>L - Influenza Vaccine; Pneumococcal Pneumonia Vaccine; Hepatitis B Vaccines; Covid-19 Vaccine; Monoclonal Antibody Therapy Product</p> <p>M - Service not billable to the FI/MAC</p> <p>N - Items and Services packaged into APC rates</p> <p>P - Partial hospitalization service</p> <p>Q1 - STVX-packaged codes</p> <p>Q2 - T-packaged codes</p> <p>Q3 - Codes that may be paid through a composite APC</p> <p>Q4 - Conditionally packaged laboratory services</p> <p>R - Blood and blood products</p> <p>S - Significant procedure not subject to multiple procedure discounting</p> <p>T - Significant procedure subject to multiple procedure discounting</p> <p>U - Brachytherapy sources</p> <p>V - Clinic or emergency department visit</p> <p>W - Invalid HCPCS or Invalid revenue code with blank HCPCS</p> <p>Y - Non-implantable DME</p> <p>Z - Valid revenue code with blank HCPCS and no other SI assigned</p>

Name	Description
Payment indicator	<p>Payment indicator. Values are:</p> <p>1 - Paid standard hospital OPPS amount (status indicators J1, J2, R, S, T, U, V)</p> <p>2 - Services not paid by OPPS Pricer; paid under fee schedule or other payment system (status indicators A, G, K)</p> <p>3 - Not paid (status indicators E, M, Q1, Q2, Q3, Q4, W, Y), or not paid under OPPS (status indicators B, C, Z)</p> <p>4 - Paid at reasonable cost (status indicator F, L)</p> <p>5 - Paid standard amount for pass-through drug or biological (status indicator G) (discontinued 10/01/2016)</p> <p>6 - Payment based on charge adjusted to cost (status indicator H)</p> <p>7 - Additional payment for new drug or new biological</p> <p>8 - Paid partial hospitalization per diem (status indicator P)</p> <p>9 - No additional payment; payment included in line items with APCs (status indicator N; or no HCPCS code and certain revenue codes; or HCPCS codes G0176 - activity therapy, G0129 - occupational therapy, or G0177 - patient education and training services)</p> <p>10 - Paid FQHC encounter payment</p> <p>11 - Not paid or not included under FQHC encounter payment</p> <p>12 - No additional payment, included in payment for FQHC encounter</p> <p>13 - Paid FQHC encounter payment for New patient or IPPE/AWV</p> <p>14 - Grandfathered tribal FQHC encounter payment</p>
HCPCS APC	APC assigned to the procedure code.
Payment APC	APC assigned for payment. Except when specified otherwise (e.g., partial hospitalization, mental health, observation logic, codes with SI of 'Q', etc.), the payment APC and the HCPCS APC are the same.

Name	Description
Payment adjustment flag	<p>0 - No payment adjustment</p> <p>1 - Paid standard amount for pass-through drug or biological (status indicator G) (discontinued effective October 2016, v17.3)</p> <p>2 - Payment based on charge adjusted to cost (status indicator H) (discontinued effective October 2016, v17.3)</p> <p>4 - Deductible not applicable (specific list of HCPCS codes) or condition code "MA" is present on the claim</p> <p>5 - Blood/blood product used in blood deductible calculation</p> <p>6 - Blood processing/storage not subject to blood deductible</p> <p>7 - Item provided without cost to provider (deactivated 01/01/2014, v.15.0)</p> <p>8 - Item provided with partial credit to provider (deactivated 01/01/2014, v.15.0)</p> <p>9 - Deductible/co-insurance not applicable</p> <p>10 - Co-insurance not applicable</p> <p>11 - Multiple service units reduced to one by IOCE processing; payment based on single payment rate</p> <p>12 - Offset for device pass-through</p> <p>13 - Offset for additional device pass-through</p> <p>14 - PAMA Section 218 reduction on CT scan</p> <p>15 - Reserved for future use</p> <p>16 - Terminated procedure with pass-through device</p> <p>17 - Condition for device credit present</p> <p>18 - Offset for first pass-through drug or biological</p> <p>19 - Offset for second pass-through drug or biological</p> <p>20 - Offset for third pass-through drug or biological</p> <p>21 - CAA Section 502(b) reduction on film X-ray</p> <p>22 - CAA Section 502(b) reduction on computed radiography technology</p> <p>23 - Co-insurance deductible n/a, as well as subject to a reduction due to film x-ray (CAA Section 502b)</p> <p>24 - Co-insurance deductible n/a, as well as subject to a reduction due to computed radiography technology (CAA Section 502b)</p> <p>25 - Deductible not applicable and Coinsurance reduced</p>

Name	Description
Payment method flag	<p>0 - OPPS pricer determines payment for service</p> <p>1 - Service not paid based on coverage or billing rules</p> <p>2 - Service is not subject to OPPS</p> <p>3 - Service is not subject to OPPS and has an OCE line item denial or rejection</p> <p>4 - Line item is denied or rejected by MAC; OCE not applied to line item</p> <p>5 - Payment for service determined under FQHC PPS</p> <p>6 - CMHC outlier limitation reached</p> <p>7 - Section 603 service with no reduction in OPPS Pricer</p> <p>8 - Section 603 service with PFS reduction applied in OPPS Pricer</p> <p>A - Payment reduction for off-campus clinic visit</p> <p>B - Payer only testing</p> <p>C - Payment made by FQHC PPS and coinsurance is n/a (COVID-19)</p> <p>V - Contractor bypass applied to FQHC PPS service and coinsurance is n/a (COVID-19)</p> <p>W - Contractor bypass applied to off-campus clinic visit for payment reduction</p> <p>X - Contractor bypass applied to Section 603 service with no reduction applied in OPPS Pricer</p> <p>Y - Contractor bypass applied to Section 603 service with reduction applied in OPPS Pricer</p> <p>Z - Contractor bypass determines payment for services</p>
Line Item Denial or Rejection Flag	<p>0 - Line item not denied or rejected</p> <p>1 - Line item denied or rejected (procedure edit return buffer for line item contains a 9, 13, 17, 18, 20, 28, 30, 40, 45, 47, 49, 53, 64-65, 67-69, 76, 83, 91, 93, 103-108, 110-112, 115, 117)</p> <p>2 - The line is not denied or rejected, but occurs on a day that has been denied or rejected (not used as of 4/1/2002 - v3.0)</p> <p>3 - Line item not denied or rejected; identified for informational alert only</p> <p>Note: If LIDR flag is set to 3, it may be overridden by LIDR flag 1 or 2 if other LID or LIR edits are present for the same line.</p>
HCPCS Modifier	Reserved for future use

Name	Description
Edit	Edit number, description, and disposition generated by the diagnosis or procedure. The edit dispositions are abbreviated as follows: RTP - Return to provider LIR - Line item rejection LID - Line item denial CD - Claim denial S - Claim suspension
Claim level edits	Edits that affect the entire claim, rather than an individual diagnosis or procedure.
Overall claim disposition statement	Because it is possible for a claim to have one or more edits in all dispositions, the program assigns an overall disposition to the claim. Values are: 0 - No edits are present on the claim. 1 - The only edits present are for line item denial or rejection. 2 - Claim is for multiple days with one or more days denied or rejected. 3 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only post-payment edits. 4 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only pre-payment edits. 5 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with both post- and pre-payment edits.

Menu items from the output report window

Menu items available from the output report window are described in the following table.

Table 9. Menu items

Menu	Item	Function
File	Print	Prints the output report.
File	Save As...	Opens the Save As dialog box to save the currently displayed output report as a text file.

Menu	Item	Function
File	Exit	Closes the output report window.
Edit	Copy	Copies the selected text and moves it to the clipboard.
Edit	Select All	Selects the entire output report.

Tip

"Hot keys" in menus are displayed after you press the Alt key.

Dispositions

Each edit is associated with a disposition. For example, there can be a rejection of the line item itself or a rejection of the entire claim. In addition to edit dispositions, the program assigns an overall disposition to the claim. Edit and claim dispositions are discussed in the following sections.

Edit disposition

A disposition is assigned based on the presence of any edits on a line. The meaning of each edit disposition is described in the following table. It is possible for a claim to have one or more edits in all dispositions.

Table 10. Edit disposition definitions

Disposition	Definition
Claim rejection	The provider can correct and resubmit the claim but cannot appeal the rejection.
Claim denial	The provider cannot resubmit the claim but can appeal the denial.
Claim return to provider (RTP)	The provider can resubmit the claim once the problems are corrected.
Claim suspension	The claim is not returned to the provider, but it is not processed for payment until the fiscal intermediary/Medicare Administrative Contractor (FI/MAC) makes a determination or obtains further information.

Disposition	Definition
Line item rejection	The claim can be processed for payment with some line items rejected for payment (i.e., the line item can be corrected and resubmitted but cannot be appealed).
Line item denial	There are one or more edits that cause one or more individual line items to be denied. The claim can be processed for payment with some line items denied for payment (i.e., the line item cannot be resubmitted but can be appealed).

Refer to the Edit disposition summary table for a complete list of program edits and edit dispositions.

Claim disposition

Since a claim can have several edit dispositions assigned to line items, the claim is assigned an overall disposition. Claim dispositions are shown in the "Overall claim disposition statement" section of the Output report fields table (page [36](#)).

Edit disposition summary

The following table lists each edit in the program with its disposition. The meaning of each disposition is provided in the Edit disposition definitions table (page [122](#)). Chapter 5 (page [53](#)) contains information on what conditions will generate an edit, as well as relevant important comments for specific edits.

Table 11. Edit disposition summary

Edit	Edit disposition
1. Invalid diagnosis code	Claim returned to provider
2. Diagnosis and age conflict	Claim returned to provider
3. Diagnosis and sex conflict	Claim returned to provider
4. Medicare secondary payer alert (v1.0 and v1.1 only)a	Claim suspension
5. E-diagnosis code can not be used as principal diagnosis	Claim returned to provider
6. Invalid procedure code	Claim returned to provider
7. Procedure and age conflict	Line item rejection (Informational Only, no impact to payment)

Edit	Edit disposition
8. Procedure and sex conflict	Claim returned to provider
9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion	Line item denial
10. Service submitted for denial	Claim denial
11. Service submitted for FI/MAC review (condition code 20)	Claim suspension
12. Questionable covered service	Claim suspension
13. Separate payment for services is not provided by Medicare	Line item rejection
14. Code indicates a site of service not included in OPPS (v1.0–v6.3 only) ^a	Claim returned to provider
15. Service unit out of range for procedure ^a	Claim returned to provider
16. Multiple bilateral procedures without modifier 50 (v1.0–v6.2 only) ^a	Claim returned to provider
17. Inappropriate specification of bilateral procedure	Line item rejection
18. Inpatient procedure	Line item denial
19. Mutually exclusive procedure that is not allowed by NCCI even if appropriate modifier is present (deleted, combined with edit 20 retroactive to earliest included version) ^a	Line item rejection
20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present	Line item rejection
21. Medical visit on same day as a type T or S procedure without modifier 25	Claim returned to provider
22. Invalid modifier	Claim returned to provider
23. Invalid date	Claim returned to provider
24. Date out of OCE range	Claim suspension
25. Invalid age	Claim returned to provider
26. Invalid sex	Claim returned to provider
27. Only incidental services reported	Claim rejection
28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available	Line item rejection
29. Partial hospitalization service for non-mental health diagnosis	Claim returned to provider
30. Insufficient services on day of partial hospitalization	Line item denial
31. Partial hospitalization on same day as ECT or type T procedure (v1.0–v6.3 only) ^a	Claim suspension

Edit	Edit disposition
32. Partial hospitalization claim spans 3 or less days with insufficient services on at least one of the days (v1.0–v9.3)a	Claim suspension
33. Partial hospitalization claim spans more than 3 days with insufficient number of days having mental health services (v1.0–v9.3)a	Claim suspension
34. Partial hospitalization claim spans more than 3 days with insufficient number of days meeting partial hospitalization criteria (v1.0–v9.3)a	Claim suspension
35. Only Mental Health education and training services provided	Claim returned to provider
36. Extensive mental health services provided on day of ECT or type T procedure (v1.0–v6.3 only)a	Claim suspension
37. Terminated bilateral procedure or terminated procedure with units greater than one	Claim returned to provider
38. Inconsistency between implanted device or administered substance and implantation or associated procedure	Claim returned to provider
39. Mutually exclusive procedure that would be allowed by NCCI if appropriate modifier were present (deleted, combined with edit 40 retroactive to earliest included version)a	Line item rejection
40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present	Line item rejection
41. Invalid revenue code	Claim returned to provider
42. Multiple medical visits on same day with same revenue code without condition code G0	Claim returned to provider
43. Transfusion or blood product exchange without specification of blood product	Claim returned to provider
44. Observation revenue code on line item with non-observation HCPCS code	Claim returned to provider
45. Inpatient separate procedures not paid	Line item rejection
46. Partial hospitalization condition code 41 not approved for type of bill	Claim returned to provider
47. Service is not separately payable	Line item rejection
48. Revenue center requires HCPCS	Claim returned to provider
49. Service on same day as inpatient procedure	Line item denial
50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion	Claim returned to provider

Edit	Edit disposition
51. Observation code G0378 not allowed to be reported more than once per claim	Claim returned to provider
52. Observation does not meet minimum hours, qualifying diagnoses, and/or 'T' procedure conditions (v3.0–v6.3 only)a	Claim returned to provider
53. Codes G0378 and G0379 only allowed with bill type 13x or 85x	Line item rejection
54. Multiple codes for the same servicea	Claim returned to provider
55. Non-reportable for site of service	Claim returned to provider
56. E/M condition not met and line item date for obs code G0244 is not 12/31 or 1/1 (v4.0–v6.3 only)a	Claim returned to provider
57. Composite E/M condition not met for observation and line item date for code G0378 is 1/1	Claim suspension
58. G0379 only allowed with G0378	Claim returned to provider
59. Clinical trial requires diagnosis code V707 as other than primary diagnosis (deleted, retroactive to the earliest included version)a	Claim returned to provider
60. Use of modifier CA with more than one procedure not allowed	Claim returned to provider
61. Service can only be billed to the DMERC	Claim returned to provider
62. Code not recognized by OPPS; alternate code for same service may be available	Claim returned to provider
63. This OT code only billed on partial hospitalization claims (v1.0–v13.3)a	Claim returned to provider
64. AT service not payable outside the partial hospitalization program (v1.0–v13.3)a	Line item rejection
65. Revenue code not recognized by Medicare	Line item rejection
66. Code requires manual pricing	Claim suspension
67. Service provided prior to FDA approval	Line item denial
68. Service provided prior to date of National Coverage Determination (NCD) or Demonstration approval	Line item denial
69. Service provided outside approval period	Line item denial
70. CA modifier requires patient discharge status indicating expired or transferred	Claim returned to provider
71. Claim lacks required device code (v6.1–v15.3 only)a	Claim returned to provider
72. Service not billable to the Fiscal Intermediary/Medicare Administrative Contractor	Claim returned to provider
73. Incorrect billing of blood and blood products	Claim returned to provider

Edit	Edit disposition
74. Units greater than one for bilateral procedure billed with modifier 50	Claim returned to provider
75. Incorrect billing of modifier FB or FC (v.8.0–v15.3 only)a	Claim returned to provider
76. Trauma response critical care code without revenue code 068x and CPT 99291	Line item rejection
77. Claim lacks allowed procedure code (v6.1–v15.3 only)a	Claim returned to provider
78. Claim lacks required radiolabeled product (v9.0–v14.3)a	Claim returned to provider
79. Incorrect billing of revenue code with HCPCS code	Claim returned to provider
80. Mental health code not approved for partial hospitalization program	Claim returned to provider
81. Mental health service not payable outside the partial hospitalization program	Claim returned to provider
82. Charge exceeds token charge (\$1.01)	Claim returned to provider
83. Service provided on or after effective date of NCD non-coverage	Line item denial
84. Claim lacks required primary code	Claim returned to provider
85. Claim lacks required device code or required procedure code (v.13.0–v.14.3)a	Claim returned to provider
86. Manifestation code not allowed as principal diagnosis	Claim returned to provider
87. Skin substitute application procedure without appropriate skin substitute product code	Claim returned to provider
88. FQHC payment code not reported for FQHC claim	Claim returned to provider
89. FQHC claim lacks required qualifying visit code	Claim returned to provider
90. Incorrect revenue code reported for FQHC payment code	Claim returned to provider
91. Item or service not covered under FQHC PPS	Line item rejection
92. Device-intensive procedure reported without device code	Claim returned to provider
93. Corneal tissue processing reported without cornea transplant procedure	Line item rejection
94. Biosimilar HCPCS reported without biosimilar modifier (v17.0–v19.0 only)	Claim returned to provider
95. Weekly partial hospitalization services require a minimum of 20 hours of service as evidenced in PHP plan of care (v17.2 only-RTP, v18.3-present, LIR)	Line item rejection (Informational Only, no impact to payment)

Edit	Edit disposition
96. Partial hospitalization interim claim From and Through dates must span more than 4 daysa	Claim returned to provider
97. Partial hospitalization services are required to be billed weekly ^a	Claim returned to provider
98. Claim with pass-through device, drug or biological lacks required procedure	Claim returned to provider
100. Claim for HSCT allogeneic transplantation lacks required revenue code line for donor acquisition services	Claim returned to provider
101. Item or service with modifier PN not allowed under PFS	Claim returned to provider
102. Modifier pairing not allowed on the same line	Claim returned to provider
103. Modifier reported prior to FDA approval date (v19.0 only)	Line item denial
104. Service not eligible for all-inclusive rate	Line item rejection
105. Claim reported with pass-through device prior to FDA approval for procedure	Line item denial
106. Add-on code reported without required primary procedure code	Line item denial
108. Add-on code reported without required primary procedure or without required contractor-defined primary procedure code	Line item denial
109. Code first diagnosis present without mental health diagnosis as the first secondary diagnosis	Claim returned to provider
110. Service provided prior to initial marketing date	Line item rejection
111. Service cost is duplicative; included in cost of associated biological	Line item rejection
112. Information only service(s)	Line item rejection
113. Supplementary or additional code not allowed as principal diagnosis	Claim returned to provider
114. Item or service not allowed with modifier CS	Claim returned to provider
115. COVID-19 lab add-on code reported without required primary procedure	Line item denial
116. Opioid treatment program service not payable outside the opioid treatment program	Claim returned to provider
117. Token charge less than \$1.01 billed by provider	Line item rejection
118. Invalid bill type	Claim returned to provider
119. Invalid claim processing receipt date	Claim returned to provider
120. Incorrect reporting of modifier PT	Claim returned to provider

Edit	Edit disposition
121. Non-covered service reported with inpatient only procedure where patient expired or transferred	Line item denial
122. 340B-acquired drug modifier(s) reported inappropriately	Line item rejection (Information only edit)
123. Modifier used after CMS termination date	Claim returned to provider
124. HCPCS reported after CMS termination date	Claim returned to provider
125. Reserved	Suspend
126. Reserved	Suspend
127. Reserved	Suspend
128. Reserved	Suspend
129. Reserved	Suspend
130. Reserved	Suspend
131. Reserved	Suspend
132. Reserved	Suspend
133. Reserved	Suspend
134. Reserved	Suspend
135. Reserved	Suspend
136. Reserved	Suspend
137. Reserved	Suspend
138. Reserved	Suspend
139. Reserved	Suspend
140. Reserved	Suspend
141. Reserved	Suspend
142. Reserved	Suspend
143. Reserved	Suspend
144. Reserved	Suspend
145. Reserved	Suspend
146. Reserved	Suspend
147. Reserved	Suspend
148. Reserved	Suspend
149. Reserved	Suspend

Edit	Edit disposition
150. Reserved	Suspend
151. Reserved	Suspend
152. Reserved	Suspend
153. Reserved	Suspend
154. Reserved	Suspend
155. Reserved	Suspend
156. Reserved	Suspend
157. Reserved	Suspend
158. Reserved	Suspend
159. Reserved	Suspend
160. Reserved	Suspend
161. Reserved	Suspend
162. Reserved	Suspend
163. Reserved	Suspend
164. Reserved	Suspend
165. Reserved	Suspend
166. Reserved	Suspend
167. Reserved	Suspend
168. Reserved	Suspend
169. Reserved	Suspend
170. Reserved	Suspend
171. Reserved	Suspend
172. Reserved	Suspend
173. Reserved	Suspend
174. Reserved	Suspend
175. Reserved	Suspend
176. Reserved	Suspend
177. Reserved	Suspend
178. Reserved	Suspend
179. Reserved	Suspend
180. Reserved	Suspend

Edit	Edit disposition
181. Reserved	Suspend
182. Reserved	Suspend
183. Reserved	Suspend
184. Reserved	Suspend
185. Reserved	Suspend
186. Reserved	Suspend
187. Reserved	Suspend
188. Reserved	Suspend
189. Reserved	Suspend
190. Reserved	Suspend
191. Reserved	Suspend
192. Reserved	Suspend
193. Reserved	Suspend
194. Reserved	Suspend
195. Reserved	Suspend
196. Reserved	Suspend
197. Reserved	Suspend
198. Reserved	Suspend
199. Reserved	Suspend

a. Edits are active only on claims that are more than 7 years old that are processed with previously archived software.

Chapter 5: OPPS program edits

This chapter contains information on the condition(s) which, when present, will generate an edit in the Integrated Outpatient Code Editor (IOCE) program.

At the end of this chapter is a section that contains additional information about certain cases where the logic in arriving at an edit or APC is not particularly obvious (see "[Special logic information](#)" on page [76](#)).

The following table summarizes when edits are generated and also includes other relevant information. Edit dispositions and overall claim disposition information are located in chapter 4 (page [35](#)).

Edit summary for OPPS

Table 12. Edit summary

Edit	Generated when ...
1. Invalid diagnosis code	The principal diagnosis field is blank, there are no diagnoses entered on the claim, or the entered diagnosis code is not valid. Effective with v22.2, edit 1 is bypassed if a claim with a From-Through date spanning the quarter boundary (e.g., 09/29/-10/01) reports a diagnosis code that is valid in at least one quarter. If the diagnosis code is not valid in either of the quarters edit 1 is applied.
2. Diagnosis and age conflict	The diagnosis code includes an age range, and the age is outside that range.
3. Diagnosis and sex conflict	The diagnosis code includes sex designation, and the sex does not match. This edit is bypassed if condition code 45 is present on the claim.
4. Medicare secondary payer alert ^a	The procedure code has a MSP alert warning indicator. This edit applies to v1.0 and v1.1 only, and is not applicable for reason for visit diagnosis.
5. External cause of morbidity code cannot be used as principal diagnosis	The principal diagnosis code is in the range V00-Y99.
6. Invalid procedure code	The entered HCPCS code is not valid for the selected version of the program.

Edit	Generated when ...
7. Procedure and age conflict	<p>The age of the patient does not fall within the age range(s) designated for the procedure code reported. Note: Ages are based on published CMS/AMA information.</p> <p>This is an information only edit that sets the Line Item Denial Rejection flag = 3.</p>
8. Procedure and sex conflict	<p>The sex of the patient does not match the sex designated for the procedure coded on the record. This edit is bypassed if condition code 45 is present on the claim.</p>
9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion	<p>The procedure code has a Non-covered for reasons other than statute service flag or Revenue code is 099x with SI of E and is submitted without a HCPCS code.</p> <p>This edit is bypassed when code G0428 is present with SI of E.</p>
10. Service submitted for denial	<p>The claim submitted has condition code 21 present.</p> <p>Note: Prior to the implementation of v22.0, edit 10 terminated processing early and returned Claim Processed Flag value 3 (Claim could not be processed (edit 10 condition code 21 is present)), and Return Code 20 (Claim was not processed, condition code 21 exists). Effective with v22.0, edit 10 no longer terminates processing but instead just returns the edit and all other edits if present on the claim.</p>
11. Service submitted for MAC review (condition code 20)	<p>The claim has a condition code 20.</p>
12. Questionable covered service	<p>The procedure code has a Questionable covered service flag.</p>
13. Separate payment for services is not provided by Medicare	<p>The claim is OPPS and the bill type is 12x, 13x, 14x, or 76x and the HCPCS code has status indicator E2.</p>
14. Code indicates a site of service not included in OPPS ^a	<p>The procedure code has a Not included in OPPS indicator. This edit applies to v1.0–v6.3 only.</p>

Edit	Generated when ...
15. Service unit out of range for procedure (inactive) ^a	<p>The maximum units allowed is greater than zero and</p> <p>The sum of the service units for all line items with the same procedure code on the same day exceeds the maximum allowed for this procedure and</p> <p>Modifier 91 is not present or modifier 91 is present but the HCPCS code is not on the list of laboratory/pathology codes which are exempt from this edit.</p> <p>Units for all line items with the same HCPCS code on the same day are added together when applying this edit. If the total units exceed the code's limits, the procedure edit return buffer is set for all line items that have the HCPCS code. If modifier 91 is present on a line item and the HCPCS code is on a list of codes that are exempt, the unit edits are not applied.</p>
16. Multiple bilateral procedures without modifier 50 ^a	<p>The same bilateral procedure code occurs two or more times on the same service date. This edit is applied to all relevant procedure lines for dates of service prior to 10/01/05 only (v1.0–v6.2).</p>
17. Inappropriate specification of bilateral procedure	<p>The same inherent bilateral procedure code occurs two or more times on the same service date. This edit is applied to all relevant bilateral procedure lines, except when modifier 76 or 77 is submitted on the second or subsequent line or units of an inherently bilateral code.</p> <p>Exception: For codes with an SI of V that are also on the Inherent Bilateral list, condition code G0 will take precedence over the bilateral edit; these claims will not receive edit 17.</p> <p>Exception: This edit is bypassed if the bill type is 085x.</p>

Edit	Generated when ...
18. Inpatient procedure	<p>A line has a C status indicator and is not on the 'separate procedure' list.</p> <p>or</p> <p>A line has a C status indicator and is on the 'separate procedure' list, and there are no type T lines on the same day.</p> <p>and</p> <p>Modifier CA is not present.</p> <p>All other line items on the same day as the line with a C status indicator are denied (line item denial/rejection flag = 1, APC return buffer) and edit 49 is assigned. Edit 18 is performed before any other non-fatal edits. No other edits are run on any line(s) with edit 18 or 49.</p>
19. Mutually exclusive procedure that is not allowed by NCCI even if appropriate modifier is present <i>(deleted, combined with edit 20 retroactive to earliest included version)^a</i>	The procedure is one of a pair of mutually exclusive procedures in the NCCI table coded on the same day, where the use of a modifier is not appropriate. Only the code in column 2 of a mutually exclusive pair is rejected; the column 1 code of the pair is not marked as an edit.
20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present	The procedure is identified as part of another procedure on the claim coded on the same day, where the use of a modifier is not appropriate. Only the code in column 2 of a code pair is rejected; the column 1 code of the pair is not marked as an edit.
21. Medical visit on the same day as a type T or S procedure without modifier 25	One or more type T or S procedures occur on the same day as a line item containing an E&M code without modifier 25.
22. Invalid modifier	The modifier is not in the list of valid modifier entries and the revenue code is not 540.

Edit	Generated when ...
23. Invalid date	<p>The service date and/or the from and through dates are invalid (or blank). Or the Service date falls outside the range of the From and Through dates. This edit terminates processing for the claim. Edits 23 and 24 for from/through dates, are IOCE program errors that are applicable to each bill type.</p> <p>Note: Exception: Home Health adjustment claims (032G) do not have edit 23 applied to any line items that report a service date outside the claim From-Through dates.</p> <p>Note: If edit 23 is not applied, the lowest service (or From) date is substituted for invalid dates and processing continues.</p>
24. Date out of OCE range	The From/Through date falls outside the date range of any version of the program. Presence of this edit condition terminates processing for the claim. Edits 23 and 24 for from /through dates, are IOCE program errors that are applicable to each bill type
25. Invalid age	The age is non-numeric or outside the range of 0-124 years.
26. Invalid sex	The sex is non-numeric or outside the range of 0-2.
27. Only incidental services reported	<p>All line items are incidental (status indicator N) and</p> <p>All line items have a line item denial/rejection flag = 0 and</p> <p>All line items have a line item action flag = 0.</p> <p>Edit 27 is run immediately when edit 18 is not triggered; no other edits are performed on a claim with edit 27.</p>
28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available	The procedure code has a 'Not recognized by Medicare' indicator.
29. Partial hospitalization service for non-mental health diagnosis	The principal diagnosis is not related to mental health.
30. Insufficient services on day of partial hospitalization	Three or more services from the partial hospitalization services list are not present, or at least one of the three is not a psychotherapy service.

Edit	Generated when ...
31. Partial hospitalization on same day as ECT or type T procedure ^a	Electroconvulsive therapy or a significant procedure (status indicator T) occurs on the same day as partial hospitalization, and APC 00033 (partial hospitalization) is assigned to a mental health service on the same day. This edit applies to v1.0–v6.3 only.
32. Partial hospitalization claim spans 3 or less days with insufficient services on at least one of the days ^a	A claim suspended for medical review (edit 30) does not span more than three days. This edit applies to v1.0–v9.3 only.
33. Partial hospitalization claim spans more than 3 days with insufficient number of days having mental health services ^a	A claim suspended for medical review (edit 30) spans more than three days. However, partial hospitalization services were not provided on at least 57% (4/7) of the days. This edit applies to v1.0–v9.3 only.
34. Partial hospitalization claim spans more than 3 days with insufficient number of days meeting partial hospitalization criteria ^a	A claim suspended for medical review (edit 30) spans more than three days and partial hospitalization services were provided on at least 57% (4/7) of the days. However, on the days when partial hospitalization services were provided, less than 75% of the days met the partial hospitalization day of service criteria (i.e., edit 30 occurred on the line item). This edit applies to v1.0–v9.3 only.
35. Only Mental Health education and training services provided	<p>Only education and training services are present without other mental health service; the claim fails mental health status. Effective with v21.2, edit 35 logic is revised retroactively to be returned if education and training services are the only service(s) reported on the claim.</p> <p>Note: Edit 27 is suppressed from being returned if conditions for edit 35 are present.</p>
36. Extensive mental health services provided on day of type T procedure ^a	Electroconvulsive therapy or a non mental health type T procedure APC is present on the same day as extensive mental health service. This edit applies to v1.0–v6.3 only.
37. Terminated bilateral procedure or terminated procedure with units greater than one	<p>A modifier 52 or 73 is present, as well as:</p> <p>a) an independent or conditional bilateral procedure with modifier 50</p> <p>or</p> <p>b) a procedure with units greater than 1.</p>

Edit	Generated when ...
38. Inconsistency between implanted device or administered substance and implantation or associated procedure	The status indicator is H, U, or APC 987-997 (Implant) is present, but no type S, T, or non-implant type X procedures are present on the claim (v1.0-15.3 only). There is a code with status indicator H or U present, but no type S, T, or J1 procedures are present on the same claim.
39. Mutually exclusive procedure that would be allowed by NCCI if appropriate modifier were present <i>(deleted, combined with edit 40 retroactive to earliest included version)^a</i>	The procedure is one of a pair of mutually exclusive procedures in the NCCI table coded on the same day, where the modifier was either not coded or is not an NCCI modifier. Only the code in column 2 of a mutually exclusive pair is rejected; the column 1 code of the pair is not marked as an edit.
40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present	The procedure is identified as part of another procedure on the claim coded on the same day, where the modifier was either not coded or is not an NCCI modifier. Only the code in column 2 of a code pair is rejected; the column 1 code of the pair is not marked as an edit.
41. Invalid revenue code	The revenue code is not in the list of valid revenue codes or the revenue code is reported prior to/exceeding its NUBC effective date. Effective with the July 1, 2021 (v22.2) release, revenue codes are validated based on the claims processing receipt date, as revenue codes are considered a non-medical code set and should be validated not based on claim From-through dates but per the date in which CMS received the claim.
42. Multiple medical visits on same day with same revenue code without condition code G0	Multiple medical visits (based on units and/or lines) are present on the same day with the same revenue code, without condition code G0 to indicate that the visits were distinct and independent of each other.
43. Transfusion or blood product exchange without specification of blood product	A blood transfusion or exchange is coded but no blood product is coded.
44. Observation revenue code on line item with non-observation HCPCS code	A 762 (observation) revenue code is used with a HCPCS other than G0378 or G0379.
45. Inpatient separate procedures not paid	On the same day, all lines with status indicator C are on the 'separate procedure' list, and there is at least one type T or J1 line.
46. Partial hospitalization condition code 41 not approved for type of bill	Bill type 12x or 14x is present with condition code 41.

Edit	Generated when ...
47. Service is not separately payable	The claim consists entirely of a combination of lines that: a) are denied or rejected or b) have a status indicator N Edit 47 is assigned to all lines with status indicator N, or that change from Q to N, that are not already denied or rejected and have no other service on the claim.
48. Revenue center requires HCPCS	The HCPCS is blank, and the revenue center status indicator is not N or F. This edit is bypassed if the revenue code is flagged as "Bypass_E48" in the Data_Revenue table.
49. Service on same day as inpatient procedure	Line item occurs on the same day as a C status indicator.
50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion	The HCPCS reported is on 'statutory exclusion' list or the revenue code center reported is on the "statutory exclusion" list with status indicator E/E1 and submitted without a HCPCS code.
51. Observation code G0378 not allowed to be reported more than once per claim	HCPCS code G0378 is reported more than once on a 13x or 85x claim/bill type. The edit is applicable to the subsequent lines of G0378 only. Edit 51 is bypassed if the subsequent G0378 line(s) has a line item action flag of 2, 3, or 4.
52. Observation does not meet minimum hours, qualifying diagnoses, and/or 'T' procedure conditions ^a	The observation period is less than 8 hours or There is no diagnosis of CHF, chest pain or asthma or There is a T procedure (except 90780) on the same or previous day. This edit applies to v3.0–v6.3 only.
53. Codes G0378 and G0379 only allowed with bill type 13x or 85x	Codes G0378 and/or G0379 appear on the claim and the bill type is not 13x or 85x.
54. Multiple codes for the same service ^a	Any of the following three pairs of codes appear on the same claim: C1012 and P9033, C1013 and P9031, or C1014 and P9035. This edit applies to v3.0–v4.1 only.
55. Non-reportable for site of service	The procedures reported are non-reportable for the site of service indicated.

Edit	Generated when ...
56. E/M condition not met and line item date for obs code G0244 is not 12/31 or 1/1 ^a	There is no E/M visit the day of or the day preceding the observation and The date of observation is not 12/31/yyyy or 01/01/yyyy. This edit applies to v4.0–v6.3 only.
57. E/M condition not met for observation and line item date for code G0378 is 1/1	There is no specified E/M or critical care visit the day of or the day preceding the observation and The date of observation is 01/01/yyyy.
58. G0379 only allowed with G0378	Code G0379 is present without code G0378 for the same line item date.
59. Clinical trial requires diagnosis code V707 as other than primary diagnosis (<i>deleted, retroactive to the earliest included version</i>) ^a	Code G0292, G0293 or G0294 is present and Diagnosis code V707 is not present as admit or secondary diagnosis.
60. Use of modifier CA with more than one procedure not allowed	Modifier CA is present on more than one line or Modifier CA is submitted on a line with multiple units.
61. Service can only be billed to the DMERC	The procedure code has a 'DMERC billable only' flag indicator set and SI=Y.
62. Code not recognized by OPPS; alternate code for same service may be available	The procedure code has a 'Not recognized by Medicare for OPPS' indicator. Services with a status indicator of B always return edit 62. Note: Edit 62 is bypassed if the bill type is 022x or 023x with or without condition code 07.
63. This OT code only billed on partial hospitalization claims ^a	Occupational therapy services are present and the bill type is 12x or 13x without condition code 41. This edit applies to v1.0–v13.3 only.
64. AT service not payable outside the partial hospitalization program ^a	Activity therapy services are present and the bill type is 12x or 13x without condition code 41. This edit applies to v1.0–v13.3 only.
65. Revenue code not recognized by Medicare	The revenue code is flagged as "Not_ Recognized" by Medicare in the Data_Revenue table.
66. Code requires manual pricing	The HCPCS code is an unclassified drug code.
67. Service provided prior to FDA approval	The line item date of service of a code is prior to the date of FDA approval.

Edit	Generated when ...
68. Service provided prior to date of National Coverage Determination (NCD) or Demonstration approval	The line item date of service of a code is prior to the code activation date as determined by National Coverage Determination (NCD) or approval of a Demonstration.
69. Service provided outside approval period	The service was provided outside the period approved by CMS.
70. CA modifier requires patient discharge status indicating expired or transferred	CA modifier requires patient discharge status indicating expired or transferred.
71. Claim lacks required device code ^a	A specified procedure is submitted on a claim without the code(s) for the required device(s). (This edit is bypassed if the procedure is terminated - modifier 52, 73, or 74.) This edit applies to v6.1–v15.3 only.
72. Service not billable to the Medicare Administrative Contractor	A code has a status indicator M. This edit is bypassed when the bill type is 85x and revenue code is 096x, 097x, or 098x. This edit is also bypassed on FQHC and RHC bill types if the code reported is flagged as "BYPASS E72 FQHC RHC." Note: The status indicator for the HCPCS code is changed from M to A.
73. Incorrect billing of blood and blood products	Blood product claims lack two identical lines (of HCPCS code, units, and modifier BL), one line with revenue code 38x and the other line with revenue code 39x.
74. Units greater than one for bilateral procedure billed with modifier 50	Any code on the Conditional or Independent bilateral list is submitted with modifier 50 and units of service are greater than one on the same line. If bill type is 085x and revenue code is 096x, 097x, or 098x, the units are summed if multiple lines of the same HCPCS and same revenue code on the same day, if some or all the lines have modifier 50. Note: Exclude any lines that have any other modifier, other than 50, present.
75. Incorrect billing of modifier FB or FC ^a	Modifier FB or FC is present and SI is not S, T, or V. This edit applies to v8.0–v15.3 only.
76. Trauma response critical care code without revenue code 068x and CPT 99291	Trauma response critical care code is present without revenue code 068x and CPT code 99291 on the same date of service.
77. Claim lacks allowed procedure code ^a	A specified device is submitted on a claim without a code for an allowed procedure, and the bill type is not 12x. This edit applies to v6.1–v15.3 only.

Edit	Generated when ...
78. Claim lacks required radiolabeled product ^a	A specified nuclear medicine procedure is submitted on a claim without the code for a required radiopharmaceutical. This edit applies to v9.0–v14.3 only.
79. Incorrect billing of revenue code with HCPCS code	The revenue code is 0381 with a HCPCS code other than packed red cells or the revenue code is 0382 with a HCPCS code other than whole blood.
80. Mental health code not approved for partial hospitalization	Mental health HCPCS codes that are not approved for partial hospitalization program submitted on bill type 13x with condition code 41, or bill type 76x.
81. Mental health service not payable outside the partial hospitalization program	Mental health HCPCS codes that are not payable outside the partial hospital program submitted on bill type 12x or 13x without condition code 41.
82. Charge exceeds token charge (\$1.01)	Code C9898 is billed with charges greater than \$1.01.
83. Service provided on or after effective date of NCD non-coverage	The line item date of service of a code is after the date of non-coverage determination.
84. Claim lacks required primary code	A specified add-on code is submitted without its required primary procedure on the same date of service. PHP add-on codes apply edit 84 until version 18.1. For v15.3 – v16.0 only, FQHC claims reporting psychotherapy add-on codes without a primary service are edited with 84.
85. Claim lacks required device code or required procedure code ^a	Code C9732 and C1840 not submitted together on the same day. (Code for insertion of ocular telescopic lens submitted without the code for the lens, or vice versa). This edit applies to v13.0–v14.3 only.
86. Manifestation code not allowed as principal diagnosis	A diagnosis code considered to be a manifestation code from the Medicare Code Editor (MCE) manifestation diagnosis list is reported as the principal diagnosis code on a hospice (81x, 82x) or home health (032x) bill type.
87. Skin substitute application procedure without appropriate skin substitute product code	A List A skin substitute application procedure is submitted without a list A skin substitute product; or a list B skin substitute application procedure is submitted without a list B skin substitute product on the same date of service.

Edit	Generated when ...
88. FQHC payment code not reported for FQHC claim	<p>FQHC payment code not reported for a FQHC claim (bill type 077x without condition code 65). Note: If the bill type is 0770 (No payment claim), edit 88 is not applicable.</p> <p>Note: Edit 88 is bypassed on FQHC PPS claims that do not report the FQHC payment code for the following: Telehealth originating site services, Chronic Care Management and the Opioid Use Disorder (OUD) Demonstration Model; also edit 88 is bypassed for FQHC when only FQHC non-covered services are present with edit 91.</p>
89. FQHC claim lacks required qualifying visit code	<p>FQHC payment code reported for FQHC claim (bill type is 77x without Condition Code 65) without a qualifying visit HCPCS.</p> <p>Note: Edit 89 is bypassed on FQHC PPS claims that report the FQHC payment code and not the qualifying visit for the following: Telehealth originating site services, Chronic Care Management and the Opioid Use Disorder (OUD) Demonstration Model; also edit 89 is bypassed for FQHC when only FQHC non-covered services are present with edit 91.</p>
90. Incorrect revenue code reported for FQHC payment code	FQHC payment code not reported with revenue code 519, 52X or 900.
91. Item or service not covered under FQHC PPS or for RHC	A service considered to be non-covered under FQHC PPS or for RHC is reported.
92. Device-intensive procedure reported without device code	A device-intensive procedure is reported without a device code.
93. Corneal tissue processing reported without cornea transplant procedure	Corneal tissue processing HCPCS (V2785) is reported and there is no corneal transplant procedure present for the same service date.
94. Biosimilar HCPCS reported without biosimilar modifier	A biosimilar HCPCS code is reported on the claim without its corresponding biosimilar manufacturing modifier. This edit applies to v17.0–v19.0 only.
95. Weekly partial hospitalization services require a minimum of 20 hours of service as evidenced in PHP plan of care	A PHP claim contains weekly PH services that total less than 20 hours per 7-day span. This edit applies to v17.2 only-RTP, and v18.3-present, LIR.
96. Partial hospitalization interim claim from and through dates must span more than 4 days	An interim PHP claim (bill type 763 or 133 with condition code 41) From and Through date spans less than 5 days. This edit applies to v17.2 only.

Edit	Generated when ...
97. Partial hospitalization services are required to be billed weekly	A PHP claim From and Through date spans more than 7 days. This edit applies to v17.2 only.
98. Claim with pass-through device lacks required procedure	A pass-through device is present without an associated, required procedure.
99. Claim with pass-through or non-pass-through drug or biological lacks OPPS payable procedure	There is a pass-through drug or biological HCPCS code present on a claim without an associated OPPS procedure with SI = J1, J2, P, Q1, Q2, Q3, R, S, T, U, V.
100. Claim for HSCT allogeneic transplantation lacks required revenue code line for donor acquisition services	A claim reporting HSCT allogeneic transplantation (procedure code 38240) is reported and there is no additional line on the claim reporting revenue code 815 for donor acquisition services.
101. Item or service with modifier PN not allowed under PFS	Modifier PN is reported for an item or service that is considered to be non-excepted for an off-campus provider-based hospital outpatient department under Section 603.
102. Modifier pairing not allowed on the same line	A line item is reported with a pair of modifiers that have conflicting meaning and should not be reported together. Please reference the data files for a report named Modifier Pairs, which contains an up to date list of modifiers not allowed to be reported on the same line.
103. Modifier reported prior to FDA approval date	A modifier is reported prior to the mid-quarter activation date. This edit applies to v19.0 only.
104. Service not eligible for all-inclusive rate	RHC claim with bill type 71x contains a line reported with modifier CG that is not eligible for the RHC all-inclusive rate.
105. Claim reported with pass-through device prior to FDA approval for procedure	A procedure is reported with a pass-through device prior to the FDA approval date for the procedure paired with the device. The line item denial is returned on the device line.
106. Add-on code reported without required primary procedure code	<p>A claim is submitted with a Type I add-on code(s) without the applicable defined primary procedure(s). The edit is returned on the add-on code line(s) when conditions of the edit are not met.</p> <p>Note: Effective v.24.0 (1/1/23), for 013x bill type, Software as a Service (SAAS) add-on codes are subject to this edit if reported without the primary code.</p>

Edit	Generated when ...
108. Add-on code reported without required primary procedure or required contractor-defined primary procedure code	A claim is submitted with a Type III add-on code(s) without a defined primary(s) or contractor defined primary(s) procedure. This edit is returned on the add-on code line(s) when conditions are not met.
109. Code first diagnosis present without mental health diagnosis as the first secondary diagnosis	A code first diagnosis is submitted on a PHP claim (Bill type 76x or 13x with CC41) without a mental health diagnosis in the Sdx position.
110. Service provided prior to initial marketing date	The line item date of service of a code is prior to the initial marketing date for which it can be reported.
111. Service cost is duplicative; included in cost of associated biological	The reported line item is considered duplicative as the routine costs of all steps in creating a biological are bundled into the covered benefit, the biological. Any procedure identified as being “bundled into biological,” and reported as a line item are rejected. Additionally, this edit is returned if revenue codes 870-873 are submitted as line items with blank HCPCS.
112. Information only service(s)	The reported line item is a non-covered service as it is for informational reporting purposes only. Any HCPCS identified as being an information only service is assigned a non-covered status indicator and is line item rejected and has no impact on payment.
113. Supplementary or additional code not allowed as principal diagnosis	The principal diagnosis code reported is considered supplementary or an additional code and cannot be used as the principal diagnoses. The unacceptable principal diagnosis list is defined by the Medicare Code Editor (MCE), but there are some exclusions to the MCE list due to current OPPS coding requirements and guidelines. Any diagnosis code flagged as being an exclusion to the Unacceptable Principal Diagnosis list does not return edit 113.
114. Item or service not allowed with modifier CS	Modifier CS is reported on an item or service that is not on the coinsurance waiver eligible list. Modifier CS should only be reported on items that are identified by CMS as being eligible for a coinsurance waiver. Refer to the DATA_HCPCS table and column for named coinsurance_waiver_eligible for the list of services that are appropriate to report with modifier CS.

Edit	Generated when ...
115. COVID-19 lab add-on code reported without required primary procedure	<p>HCPCS U0005 is reported on a claim without one of its primary procedures U0003 or U0004 on the same date of service.</p> <p>Note: U0005 may be considered a Type I add-on code but it has been given a separately distinct function than regular add-on code edit 106. This add-on code is only subject to edit 115 in the IOCE.</p>
116. Opioid treatment program service not payable outside the opioid treatment program	Opioid Treatment Program HCPCS codes are reported on a bill type that is not approved for an Opioid Treatment Program provider. Opioid Treatment Program HCPCS codes should only be reported on claims with bill types 87x, 13x with condition code 89, or 85x with condition code 89x.
117. Token charge less than \$1.01 billed by provider	A drug HCPCS with final SI= K or G is reported with charges that are less than \$1.01 and at least \$0.01. The edit is not applied if a line item action flag of 2, 3, or 4 is present on the drug line(s).
118. Invalid bill type	A claim is submitted with a bill type that is not programmed to process in the IOCE. The presence of this edit terminates the processing of the claim, claim processed flag value 1 and return code 18 are provided. Edit 118 is not specified in the Edits by bill type table as this edit can only be applied to bill types that are not programmed in the IOCE.
119. Invalid claim processing receipt date	The claims processing receipt date is invalid (malformed) or the date falls outside the date range of any version of the IOCE program. This edit is an IOCE program error and is applicable to being returned on all programmed bill types. The claim processed flag value 1 and return code 29 are provided if edit 119 is applied.
120. Incorrect reporting of modifier PT	<p>A single day claim or a single date of service on a multiple day claim is submitted with modifier PT present and no Colorectal procedure is reported for the same service date. This edit is returned at the line level. Refer to the DATA_HCPCS table and the column named Colorectal, for a list of procedures that are to be reported in the presence of modifier PT. This edit is also returned for Non-OPPS bill type 085x (Critical Access Hospitals).</p> <p>Note: A line item action flag of 1 overrides this edit when input by the MAC.</p>

Edit	Generated when ...
121. Non-covered service reported with inpatient only procedure where patient expired or transferred	Non-covered services, identified with status indicators B, E1, E2, C or M, should not be paid separately when reported on a claim with an inpatient-only procedure and modifier CA.
122. 340B-acquired drug modifier(s) reported inappropriately	Pass-through drug and biological (SI=G) incorrectly reported with 340B program modifier. This is an information only edit that sets the Line Item Denial Rejection flag = 3.
123. Modifier used after CMS termination date	<p>The reported claim is submitted with a HCPCS and appended with a modifier designated as not reportable after the CMS determined termination date for the modifier (Example modifier(s) includes: CS).</p> <p>Note: A line item action flag of 1 overrides this edit when input by the MAC.</p>
124. HCPCS reported after CMS termination date	<p>The reported claim is submitted with a HCPCS on a date of service after the CMS determined termination date. Refer to the DATA_HCPCS table and the column named "CMS_Mid-Quarter_Termination" for a list of codes applicable.</p> <p>Note: A line item action flag of 1 overrides this edit when input by the MAC.</p>
125. Reserved	Line level reserved edit
126. Reserved	Line level reserved edit
127. Reserved	Line level reserved edit
128. Reserved	Line level reserved edit
129. Reserved	Line level reserved edit
130. Reserved	Line level reserved edit
131. Reserved	Line level reserved edit
132. Reserved	Line level reserved edit
133. Reserved	Line level reserved edit
134. Reserved	Line level reserved edit

Edit	Generated when ...
135. Reserved	Line level reserved edit
136. Reserved	Line level reserved edit
137. Reserved	Line level reserved edit
138. Reserved	Line level reserved edit
139. Reserved	Line level reserved edit
140. Reserved	Line level reserved edit
141. Reserved	Line level reserved edit
142. Reserved	Line level reserved edit
143. Reserved	Line level reserved edit
144. Reserved	Line level reserved edit
145. Reserved	Line level reserved edit
146. Reserved	Line level reserved edit
147. Reserved	Line level reserved edit
148. Reserved	Line level reserved edit
149. Reserved	Line level reserved edit
150. Reserved	Line level reserved edit
151. Reserved	Line level reserved edit
152. Reserved	Line level reserved edit
153. Reserved	Line level reserved edit
154. Reserved	Line level reserved edit
155. Reserved	Line level reserved edit

Edit	Generated when ...
156. Reserved	Line level reserved edit
157. Reserved	Line level reserved edit
158. Reserved	Line level reserved edit
159. Reserved	Line level reserved edit
160. Reserved	Line level reserved edit
161. Reserved	Line level reserved edit
162. Reserved	Line level reserved edit
163. Reserved	Line level reserved edit
164. Reserved	Line level reserved edit
165. Reserved	Line level reserved edit
166. Reserved	Line level reserved edit
167. Reserved	Line level reserved edit
168. Reserved	Line level reserved edit
169. Reserved	Line level reserved edit
170. Reserved	Line level reserved edit
171. Reserved	Line level reserved edit
172. Reserved	Line level reserved edit
173. Reserved	Line level reserved edit
174. Reserved	Line level reserved edit
175. Reserved	Line level reserved edit
176. Reserved	Line level reserved edit

Edit	Generated when ...
177. Reserved	Line level reserved edit
178. Reserved	Line level reserved edit
179. Reserved	Line level reserved edit
180. Reserved	Line level reserved edit
181. Reserved	Line level reserved edit
182. Reserved	Line level reserved edit
183. Reserved	Line level reserved edit
184. Reserved	Line level reserved edit
185. Reserved	Line level reserved edit
186. Reserved	Line level reserved edit
187. Reserved	Line level reserved edit
188. Reserved	Line level reserved edit
189. Reserved	Line level reserved edit
190. Reserved	Claim level reserved edit
191. Reserved	Claim level reserved edit
192. Reserved	Claim level reserved edit
193. Reserved	Claim level reserved edit
194. Reserved	Claim level reserved edit
195. Reserved	Claim level reserved edit
196. Reserved	Claim level reserved edit
197. Reserved	Claim level reserved edit

Edit	Generated when ...
198. Reserved	Claim level reserved edit
199. Reserved	Claim level reserved edit

a. Edits are active only on claims that are more than 7 years old that are processed with previously archived software.

Edits by bill type for OPPS

The bill type is a reference to the UB-04 form locator field 4, which provides information about the type of facility that is reported for claim submission to Medicare. Each Bill Type in the following table is programmed to apply the specified edits if the OPPS flag is set to 1 indicating OPPS processing. If the APC Return Buffer is "Yes," this indicates the Type of Bill if reported has APC payment applied. If the APC Return Buffer is "No," this indicates this Type of Bill does not have APC payment applied.

Table 13. Edits by bill type for OPPS

Bill Type	Provider Type or Logic Condition	Edit(s) Applicable to Bill Type and OPPS Flag (1)	APC Return Buffer Completed
12x	Hospital Inpatient (Medicare Part B Only)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 17, 18, 20, 21, 22, 23, 24, 25, 26, 27, 28, 35, 37, 38, 40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 53, 57, 58, 60, 61, 62, 65, 66, 67, 68, 69, 70, 72, 73, 74, 76, 79, 81, 82, 83, 87, 92, 93, 94, 98, 99, 100, 102, 103, 105, 110, 111, 113, 114, 115, 116, 117, 119, 120, 121, 122, 123, 124	Yes
12x with condition code 41	Hospital Inpatient with Partial Hospitalization (Medicare Part B Only)	10, 23, 24, 46, 119	No
13x	Hospital Outpatient	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 17, 18, 20, 21, 22, 23, 24, 25, 26, 27, 28, 35, 37, 38, 40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 51, 57, 58, 60, 61, 62, 65, 66, 67, 68, 69, 70, 72, 73, 74, 76, 79, 81, 82, 83, 87, 92, 93, 94, 98, 99, 100, 101, 102, 103, 105, 106, 110, 111, 112, 113, 114, 115, 116, 117, 119, 120, 121, 122, 123, 124	Yes
13x with condition code 41	Hospital Outpatient with Partial Hospitalization	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 17, 18, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 35, 37, 38, 40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 57, 58, 60, 61, 62, 65, 66, 67, 68, 69, 70, 72, 73, 74, 76, 79, 80, 82, 83, 84, 87, 92, 93, 94, 95, 98, 99, 100, 101, 102, 103, 105, 109, 110, 111, 112, 113, 114, 115, 116, 117, 119, 120, 121, 122, 123, 124	Yes

Bill Type	Provider Type or Logic Condition	Edit(s) Applicable to Bill Type and OPPS Flag (1)	APC Return Buffer Completed
13x with condition code 89	Hospital Outpatient with Opioid Treatment Program	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 65, 67, 68, 69, 83, 98, 110, 113, 114, 115, 117, 119, 120, 122, 123, 124	Yes
14x	Hospital – Laboratory services Provided to Non-Patients	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 17, 18, 20-21, 22, 23, 24, 25, 26, 27, 28, 35, 37, 38, 40, 41, 42, 43, 44, 45, 47, 48, 49, 50, 53, 55, 57, 58, 60, 61, 62, 65, 66, 67, 68, 69, 70, 72, 73, 74, 76, 79, 82, 83, 87, 92, 93, 94, 98, 99, 100, 102, 103, 105, 110, 111, 113, 114, 115, 116, 117, 119, 120, 122, 123, 124	Yes
14x with condition code 41	Hospital – Laboratory services Provided to Non-Patients with Partial Hospitalization	10, 23, 24, 46, 119	No
22x 23x	Skilled Nursing Inpatient (Medicare Part B Only) Skilled Nursing – Outpatient	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 23, 24, 25, 26, 28, 40, 41, 44, 50, 53, 55, 61, 65, 67, 69, 72, 94, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
32x	Home Health Services under a plan of treatment	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 50, 53, 55, 65, 67, 69, 86, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
34x	Home Health Services not under a plan of treatment with APC covered services on claim (i.e., Vaccine Administration, Antigenes, Splints, Casts, or v18.0 NPWT)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 18, 20, 23, 24, 25, 26, 28, 38, 40, 41, 43, 44, 45, 47, 49, 50, 53, 55, 62, 65, 67, 69, 73, 79, 82, 87, 92, 94, 98, 99, 100, 105, 110, 111, 113, 114, 115, 117, 119, 122, 123, 124	Yes
34x	Home Health Services not under a plan of treatment with no APC covered services on claim	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 23, 24, 25, 26, 40, 41, 44, 50, 53, 55, 65, 67, 69, 94, 110, 111, 113, 114, 115, 119, 123, 124	No

Bill Type	Provider Type or Logic Condition	Edit(s) Applicable to Bill Type and OPPS Flag (1)	APC Return Buffer Completed
43x	Religious Non-Medical Health Care Institutions – Outpatient Services	10, 23, 24, 25, 26, 41, 44, 46, 55, 65, 119	No
71x	Clinic – Rural Health (RHC)	1, 2, 3, 5, 6, 7, 10, 23, 24, 25, 26, 41, 61, 65, 67, 72, 91, 94, 104, 110, 111, 113, 114, 115, 116, 119, 123, 124	No
72x	Clinic – Hospital or Independent Renal Dialysis Center (ESRD)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 50, 53, 55, 61, 65, 67, 69, 72, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
74x	Clinic – Outpatient Rehabilitation Facility (ORF)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 48, 50, 53, 55, 61, 65, 67, 69, 72, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
75x	Clinic – Comprehensive Outpatient Rehabilitation Facility (CORF)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 48, 50, 53, 55, 61, 65, 67, 69, 72, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
76x	Clinic- Community Mental Health Center (CMHC)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 18, 20, 22, 23, 24, 25, 26, 29, 30, 35, 38, 40, 41, 43, 44, 45, 47, 48, 49, 50, 53, 55, 61, 65, 67, 69, 72, 73, 79, 80, 82, 84, 87, 92, 93, 94, 95, 98, 99, 100, 101, 102, 105, 109, 110, 111, 113, 114, 115, 116, 117, 119, 122, 123, 124	Yes
77x	Clinic – Federally Qualified Health Center (FQHC) (v15.3 – Current FQHC-PPS)	1, 2, 3, 5, 6, 7, 8, 10, 23, 24, 25, 26, 41, 65, 67, 72, 84, 88, 89, 90, 91, 94, 110, 111, 113, 114, 115, 116, 119, 123, 124	No
77x	Clinic – Federally Qualified Health Center (FQHC) (Logic prior to v15.3 or CC 65 reported for payment not under the FQHC-PPS, Discontinued 10/1/2020)	1, 2, 3, 5, 6, 10, 23, 24, 25, 26, 41, 61, 65, 67, 72, 94, 110	No

Bill Type	Provider Type or Logic Condition	Edit(s) Applicable to Bill Type and OPPS Flag (1)	APC Return Buffer Completed
81x 82x	Hospice (Non-Hospital Based) Hospice (Hospital Based)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 50, 53, 55, 65, 67, 69, 86, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
87x	Freestanding Non-Residential Opioid Treatment Program	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 67, 68, 69, 83, 110, 113, 114, 115, 119, 123, 124	No
22x, 23x, 32x, 72x, 74x, 75x, 81x, 82x, with condition code 7, and Antigen, Splint, or Cast	Treatment of non-terminal condition for Hospice patient with APC covered services on claim (i.e., Antigens, Splits, or Casts)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 18, 20, 23, 24, 25, 26, 28, 38, 40, 41, 43, 44, 45, 47, 49, 50, 53, 55, 62, 65, 67, 69, 73, 79, 82, 87, 92, 93, 94, 98, 100, 105, 106, 108, 110, 111, 113, 114, 115, 117, 119, 122, 123, 124	Yes

Special logic information

This section describes special conditions that apply to the IOCE software program logic for OPPS.

Medical visit processing

Medical visits and procedure processing on the same day

Under some circumstances, medical visits on the same date as a procedure result in additional payments. Modifier 25 reported with an Evaluation and Management (E&M) code, status indicator V, is used to report a medical visit that takes place on the same date that a procedure with status indicator S or T is performed, but that is significant and separately identifiable from the procedure. However, if any E&M code that occurs on a day with a type "T" or "S" procedure does not have a modifier of 25, then edit 21 applies and the claim is returned to the provider.

Multiple medical visit conditions

If there are multiple E&M codes on the same day, on the same claim, the rules associated with multiple medical visits are shown in the following table.

Table 14. Multiple medical visit conditions

E&M code	Revenue center	Condition code	Action	Edit
2 or more	Revenue center is different for each E&M code, and all E&M codes have units equal to 1	Not G0	Assign medical APC to each line item with E&M code	-
2 or more	Two or more E&M codes have the same revenue center OR One or more E&M codes with units greater than one had same revenue center	Not G0	Assign medical APC to each line item with E&M code and Return Claim to Provider	42
2 or more	Two or more E&M codes have the same revenue center OR one or more E&M codes with units greater than one had same revenue center	G0*	Assign medical APC to each line item with E&M code	-

The condition code G0 specifies that multiple medical visits occurred on the same day with the same revenue center, and that these visits were distinct and constituted independent visits (e.g., two visits to the ER for chest pain, one in the morning and one in the afternoon, and/or two visits to the ER, one in the morning for a fractured arm and one later in the day for chest pain).

Note: For codes with SI of V that are also on the Inherent Bilateral list, condition code 'G0' takes precedence over the bilateral edit to allow multiple medical visits on the same day.

Medical visit processing and COVID-19 related services

Effective 03/18/2020 (v21.2), OPPS claims (bill type 13x w/o CC 41) with (E&M) visit code(s) reported with modifier CS apply a payment adjustment flag (PAF) of 9, if the SI is V or J2. Critical Care visit code 99291 and HOPD specimen collection code C9803 reported with modifier CS and SI= S, are also applicable for a PAF assignment of 9. In the circumstance the visit line with modifier CS is packaged (SI=N), the payment adjustment flag is not set to 9. The reporting of

modifier CS indicates that the line(s) is a COVID-19 visit with testing-related services, deductible and coinsurance is not applicable for the visit. Additionally, modifier CS should only be reported when the item or service is identified by CMS as being eligible for a coinsurance and deductible waiver. If Modifier CS is reported on items or services not eligible for a coinsurance and deductible waiver, edit 114 is returned (RTP). (Refer to the DATA_HCPCS table within the data files for services flagged as coinsurance_deductible_waiver_eligible. Refer to the Observation Processing under C-APCs (page [91](#)) as this logic also applies to Comprehensive Observation C-APCs (SI= J2).

Computation of discounting fraction

There are nine different discount formulas that can be applied to a line item:

D = Discounting Fraction (Currently 0.5)

U = Number of Units

T = Terminated Procedure Discount (Currently 0.5)

1. 1.0
2. $(1.0 + D(U-1))/U$
3. T/U
4. $(1 + D)/U$
5. D
6. TD/U (Discontinued 1/1/2008, v9.0)
7. $D(1 + D)/U$ (Discontinued 1/1/2008, v9.0)
8. 2.0
9. 2D

Note: Formula six and seven are discontinued and replaced with formula 3 and 9.

Type "T" multiple and terminated procedure discounting

Line items with a status indicator of "T" are subject to multiple-procedure discounting unless modifiers 76, 77, 78 and/or 79 are present. The "T" line item with the highest payment amount is not multiple procedure discounted, and all other "T" line items are multiple procedure discounted. All line items that do not have a status indicator of "T" are ignored in determining the multiple procedure discount. A modifier of 52 or 73 indicates that a procedure was terminated prior to anesthesia. A terminated type "T" procedure is also discounted although not necessarily at the same level as the discount for multiple type "T" procedures. Terminated bilateral procedures or terminated procedures with units greater than one should not occur, and have the discounting factor set so as to result in the equivalent of a single procedure. Claims submitted with terminated bilateral procedures or terminated procedure with units greater than one are returned to the provider (edit 37).

Bilateral procedures are identified from the “bilateral” field in the physician fee schedule. Bilateral procedures have the following values in the “bilateral” field:

1. Conditional bilateral (i.e. procedure is considered bilateral if the modifier 50 is present)
2. Inherent bilateral (i.e. procedure in and of itself is bilateral)
3. Independent bilateral (i.e., procedure is considered bilateral if the modifier 50 is present, but full payment should be made for each procedure (e.g., certain radiological procedures))

Inherent bilateral procedures are treated as non-bilateral procedures since the bilateralism of the procedure is encompassed in the code. For bilateral procedures the type “T” procedure discounting rules take precedence over the discounting specified in the physician fee schedule.

All line items for which the line item denial or reject indicator is 1 and the line item action flag is zero, or the line item action flag is 2, 3 or 4, are ignored in determining the discount; packaged line items, (the packaging flag is not zero or 3), is also ignored in determining the discount. The discounting process utilizes an APC payment amount file. The discounting factor for bilateral procedures is the same as the discounting factor for multiple type “T” procedures.

Note: Surgical procedures (SI=S or T and in CPT code range 10000-69999) reported with charges less than \$1.01, but greater than \$0.00, for any line with a packaging flag of 0, then reset the packaging flag for that line to 3 when there are other surgical procedures on the claim with charges greater than \$1.00

Note: There may be some procedure codes that have a SI value assigned that differs from the APC SI (for example, HCPCS SI=T, but APC SI=S). In these circumstances, the discounting formula is assigned based on the HCPCS SI; the APC with the highest payment rate (if multiple ‘T’ procedures are present) although having a different SI, is used to determine the discounted amount for the multiple procedures that may be present.

For the purpose of determining which APC has the highest payment amount, the terminated procedure discount (T) and any applicable offset, is applied prior to selecting the type T procedure with the highest payment amount. If both offset and terminated procedure discount apply, the offset is applied first, before the terminated procedure discount.

If modifier 50 is present on an independent or conditional bilateral line that has a composite APC, or a separately paid STVX/T-packaged procedure, or a comprehensive APC, the modifier is ignored in assigning the discount formula.

Non-type T procedure discounting

All line items with SI other than “T” are subject to terminated procedure discounting when modifier 52 or 73 is present.

For Discount Formulas applied to non-type T procedures: If not terminated, non-type T Conditional bilateral procedures with modifier 50 are assigned discount formula eight; non-type T Independent bilateral procedures with modifier 50 are also assigned to formula eight (*8).

Conditional APC processing

Processing procedures with status indicators of Q1 and Q2

Effective January 1, 2017 (v18.0), conditional APC assignment and packaging discussed in this section for procedures with SI = Q1 or Q2 are executed across the claim if multiple service dates are present, and not by individual date of service. References noted as processed by day are to be considered for claims with From Dates prior to January 1, 2017. Procedure codes with SI of Q1 or Q2 are packaged when they appear with other specified services on the same day or claim; however, they may be assigned to a payable SI and APC and paid separately if there are no other specified services on the same day or claim. Procedures with SI = Q1 are packaged in the presence of any payable procedure code with SI of S, T, or V. Procedures with SI = Q2 are packaged only in the presence of payable codes with SI = T or effective with version 16.0, J1. The SI is changed from Q1 or Q2 to N for packaging if present with other payable services, or to the standard SI and APC specified for the code when separately payable. If there are multiple Q1 or Q2 procedures on a specific date or claim and no service with which the codes would be packaged on the same date or claim, the Q1/Q2 code assigned to the APC with the highest payment rate is paid and all other codes are packaged. If a procedure with SI = Q1 or Q2 has been previously packaged (SI = N) prior to the execution of the conditional APC processing logic, the packaged Q1 or Q2 is ignored from the selection as the service with the highest paying APC payment rate. Additionally, procedures with SI = Q1 or Q2 that are packaged with SI = N under conditional APC processing logic are not evaluated in any subsequent processing (e.g. composite or comprehensive APC processing).

There are several codes with SI = Q2 that may resolve to a final SI of J1 (comprehensive APC procedure) if they are present with no other payable procedures. In the event this occurs, the Q2 procedure is not subject to comprehensive APC procedure ranking or complexity adjustment, but all other comprehensive APC packaging and exclusion processing is applied.

In the execution of conditional APC processing logic, which occurs prior to the composite APC logic, procedure codes with SI of Q3 (composite candidates) that may be present with Q1 or Q2 procedures are evaluated as payable procedures using the standard SI associated with the Q3 procedure's standard APC.

If a Q1 or Q2 procedure is an independent or conditional bilateral code with modifier 50 and resolves to a standard SI and APC assignment (i.e. not packaged), the modifier is ignored in assigning the discount formula.

Procedures with SI = Q1 or Q2 that are denied or rejected are not included in any subsequent conditional packaging logic, and the default SI (Q1, Q2) is retained as the final SI. If codes with SI of Q1 or Q2 that are denied or rejected are present with other non-denied/rejected Q1 or Q2 codes, if no other payable procedure is present, the non-denied/rejected Q1 or Q2 codes are evaluated and processed for separate payment. There is an exception if Line Item Action Flag = 1 is assigned to the line; the denial or rejection is ignored, and the line is included in subsequent conditional packaging logic, from which the final SI is determined.

Service units are reduced to 1 for any line where an SI of Q1 or Q2 is changed to a separately payable SI and APC and Payment Adjustment Flag 11 is assigned. The reduction of units for procedures designated as sometimes therapy that may have default SI assignment of Q1 or Q2

does not occur if the reporting of the sometimes therapy service under a therapy plan of care results in final assignment of SI = A.

Sometimes therapy processing for wound care services

Certain wound care services considered “sometimes therapy” may be paid an APC rate or from the Physician Fee Schedule, depending on the circumstances under which the service was provided. The IOCE changes the status indicator to A and removes the APC assignment when sometimes therapy codes are appended with therapy modifiers (GP for physical therapy, GO for occupational therapy, or GN for speech language pathology) or therapy revenue codes (042x, 043x, 044x). If the SI is changed to A these services are excluded from being packaged in the presence of a comprehensive APC. (See Comprehensive APC processing (page [88](#)).)

Critical care processing

Processing of certain ancillary services with SI of Q1 or Q3 that are reported with critical care code 99291 are packaged when reported on the same service date, or effective with version 18.0, on the same claim, as the critical care code. If procedure code 99291 is present with any of the specified ancillary procedure codes, the IOCE changes the SI of the ancillary procedure code from Q1 or Q3 to N for packaging. An exception applies if code 99291 is present and modifier 59, XE, XP, XS or XU are present on any line with the same date of service or on the same claim, the specified critical care ancillary codes are not packaged; the SI is changed to the standard SI and APC specified for the code. If 99291 is not present on the same date of service or the same claim, the SI for the ancillary procedures is changed to the standard SI and APC specified for the code when separately payable, or packaged under previous conditional APC processing logic for specified ancillary services with SI = Q1, if there are other payable procedures present.

If critical care code 99291 is present and the claim meets the criteria for assignment under the Comprehensive Observation APC (version 17.0), the exception for the presence of modifier 59, XE, XP, XS or XU does not occur; all ancillary, adjunctive services are packaged under the Comprehensive Observation APC.

Critical care-packaged ancillary service code 94762 is not subject to the modifier 59, XE, XP, XS, XU exception, and always packages when present with critical care code 99291. If reported in the absence of 99291, 94762 (SI = Q3) is subject to packaging under comprehensive APC processing, otherwise it is assigned its standard APC and SI for separate payment.

Note: effective with version 18.3, critical care ancillary service code 36600 is no longer subject to the modifier exception.

Advance care planning

Effective January 1, 2016 (v17.0), Advance Care Planning services reported with procedure codes 99497 and 99498, that are also reported on the same date of service with the Medicare annual wellness visit (initial or subsequent), are paid under the Medicare Physician Fee Schedule (SI

changed to A); otherwise, advance care planning is subject to conditional packaging. If advance care planning procedure 99497 is reported with no other payable OPPS service, it is assigned its standard SI and APC values; if reported with other OPPS payable services (SI = S, T, V, J1, J2, Q1, Q2, Q3), on the same claim, it is packaged (SI = N).

Note that procedure code 99498 is an add-on procedure code with standard SI = N. If 99498 is reported with the annual wellness visit but the primary code 99497 is not present, it continues to be packaged with SI = N. If 99498 is not reported with the annual wellness visit, it retains packaging status with SI = N.

Conditional processing for laboratory procedures

Effective January 1, 2016 (v17.0), laboratory codes with SI = Q4 are subject to conditional packaging criteria in determining the final SI assignment, i.e., paid under the clinical lab fee schedule (SI = A), or packaged (SI = N): If a laboratory code with an SI = Q4 results in a final SI assignment of A, it returns a PMF value of 2.

For claims with bill type 13x: if the laboratory code(s) with SI Q4 is reported with modifier L1 (Separately payable lab test) and is present with other payable OPPS services that have SI = J1, J2, S, T, V, Q1, Q2, or Q3 on the same claim, the SI is changed to A; otherwise the laboratory code(s) is packaged with SI=N. If there are only laboratory codes present, all laboratory codes with SI=Q4 are changed to SI=A.

Note: Modifier L1 is deactivated as of January 1, 2017 (v18.0), and the provision to change the SI to A if modifier L1 is present is discontinued. If laboratory codes with SI = Q4 are present with other payable OPPS procedures, the laboratory codes are packaged with SI = N.

- Effective January 1, 2017 (v18.0), special conditions apply to OPPS services that have a final SI of Q1, Q3, S, T, or V and a line item action flag of 2 or 3 present. If the payable OPPS service(s) has the line item action flag (2/3) present, the laboratory codes with SI = Q4, are processed for payment by having the SI changed from SI=Q4 to SI=A.
- For claims with bill type 12x without condition code W2, and for claims with bill type 14x: if a laboratory code(s) is present with SI Q4, the SI is changed to A. Laboratory services on claims with bill type 12x that do contain condition code W2 remain packaged (SI = N).

Note: Some laboratory codes (e.g. molecular pathology codes) are always assigned SI = A, and are not subject to the conditional packaging logic. There are also laboratory codes that are assigned SI = N and are not subject to conditional packaging logic; laboratory codes with SI = N are always packaged.

Composite APC processing

Certain codes may be grouped together for reimbursement as a "composite" APC when they occur together on the same claim with the same date of service (SI = Q3). When the composite criteria for a group are met, the primary code is assigned the composite APC and status indicator for payment; non-primary codes, and additional primary codes from the same composite group,

are assigned status indicator N and packaged into the composite APC. Special composite adjustment flags identify each composite and all the packaged codes on the claim that are related to that composite. Composite adjustment flags are not assigned for composite-packaged lines that are included on a claim containing a comprehensive APC. Multiple composites, from different composite groups, may be assigned to a claim for the same date. Terminated codes (modifier 52 or 73) are not included in the composite criteria. If the composite criteria are not met, each code is assigned an individual SI/APC for standard OPPS processing. Some composites may have additional or different assignment criteria. Lines that are denied or rejected are ignored in the composite criteria.

Partial hospitalization and community mental health center processing (v10.0-v17.3)

Effective 7/1/2016 (v17.2), additional editing is implemented for PH claims to monitor weekly claim submission of at least 20 hours of PH services. PH claims with a From and Through date greater than 7 days are returned to the provider (edit 97). Interim PH claims, identified by bill type 133 with condition code 41 or bill type 763 for CMHC, that have a From and Through date span of less than 5 days are returned to the provider (edit 96). PH claims with less than 20 hours of PH services per week are returned to the provider (edit 95). Hours of service for PH services that result in packaging (SI = N) due to PH APC processing are included in the total count of hours per week. If the PH service indicates a fractional time-based requirement in the procedure code description (e.g. 30 minutes), the fractional amount and the service units are utilized in the calculation of total hours per week.

Note: Edits 95, 96 and 97 are deactivated with the October 2016 (v17.3) release, retroactively to 7/1/2016. Edit 95 is reactivated effective October 1, 2017 as an information only edit with no impact to payment.

Partial Hospitalization and CMHC Processing: V18.0- Current

Effective January 1, 2017 (v18.0), partial hospitalization program (PHP) reimbursement is paid a single level per diem PH APC dependent on the provider type (hospital-based PH program or a CMHC program), condition codes, bill types and HCPCS codes. To obtain the PH APC a minimum of three or more PH_SERVICE(s) must be reported per day, one of which must be from the PH_PRIMARY list. (Please reference the DATA_HCPCS TABLE within the data files for the PH_PRIMARY list as well as the list for PH_SERVICE(s)) The first line item containing the HCPCS code from the PH_PRIMARY list is assigned the PH APC and the final SI = P. All other partial hospitalization services on the same day are packaged, SI is changed to N. A composite adjustment flag identifies the PH APC and all the packaged PH services on the day; a different composite adjustment flag is assigned for each PHP day on the claim. Effective 4/1/2015 through the current version, the payment adjustment flag value of 11 is assigned to the PH payment APC line when the service units are greater than one, indicating the service units are reduced to one by IOCE processing.

If there is an inpatient only procedure (SI = C) on the same claim as PH or Daily Mental Health services, no Partial Hospitalization or Daily Mental Health processing logic is performed.

If less than the minimum amount (number and type) of services required for PHP are reported for any day, the PHP day is denied, i.e., all PH services on the day are denied and no PH APC is assigned (edit30). Note that certain PH services that are add-on codes are not included in the count of number of services for the day (Please reference the DATA_HCPCS table within the data files for list of PH_ADDON services). Any non-PH services on the same day are processed per the usual OPPS rules. Lines that are denied or rejected are ignored in PH processing. If mental health services that are not approved for partial hospitalization are submitted on a PH claim (13x TOB with condition code 41 or TOB 76x), the claim is returned to the provider (edit 80).

Effective October 1, 2017 (v18.3), edit 95 is reactivated for informational purposes only, with no impact on payment. Edit 95 is returned if a PH claim contains weekly services with less than 20 hours of PH services per week. Hours of service for PH services that result in packaging (SI = N) due to PH APC processing are included in the total count of hours per week; however, certain PH services that are add-on codes are not included towards the weekly count of hours. If the PH service indicates a fractional time-based requirement in the procedure code description (e.g. 30 minutes), the fractional amount and the service units are utilized in the calculation of total hours per week. If conditions are present for edit 95, an informational only line item denial or rejection flag value of 3 is returned, indicating that although the conditions for edit 95 exist, payment is not impacted, and the line item rejection disposition flag in the claim return buffer is not set. The IOCE continues to process lines with edit 95 for payment by the OPPS Pricer. The IOCE does not apply edit 95 on the admission week submitted on an admission PH claim (761, 762, 131 w CC 41, or 132 w CC41); instead, if the admission week has less than 20 hours of PH services, Payer Condition Code MP is provided. The IOCE also does not apply edit 95 on the discharge week when submitted on a PH discharge claim (761, 764, 131 w CC 41, or 134 w CC41); instead, Payer Condition Code MQ is provided if the discharge week contains less than 20 hours of PH services. Effective July 1, 2019 (v20.2), the discharge week is identified as the last full (7 days) week on the claim and is never edited with 95 nor any partial days that follow; instead, MQ is returned if the last full week contains less than 20 hours of PH services.

Effective July 1, 2019 (v20.2), the IOCE returns Payer Value Code and Value Code Amount QW on Interim PH claims that have a partial last week present. The last 5 values of the Value Code Amount provided with QW represents the count of days and hours in which PH services are provided for the partial week (first portion of week). For example, if the last week on an interim PH claim is not 7 days but instead only 3 days, and in those 3 days 15 ½ hours of PH services are provided, the last 5 values in the Value Code Amount is 000031550. Note that the partial week represented by the QW output is not edited with 95. The IOCE receives the next claim with Value Code QA and the associated Value Code amount from the QW output which was on the previous claim (first portion). Note that the Shared System Maintainer (SSM) may only supply this information on input. The IOCE then combines the partial week information from the previous claim and the claim being processed into one full week (7 days), if the full week does not contain up to 20 hours of PH services, the lines on the second portion used in calculating the full week are edited with 95 and Payer Value Code MV is output. The output of MV requires the SSM to adjust the claim containing the first portion of the partial week, as the partial weeks after combining is not 20 hours. The SSM submits Condition Code MW on input for the PH adjustment claim, indicating that the IOCE needs to edit the partial (last) week present on the claim. The IOCE edits with 95 on the line items associated with the partial week and outputs QW with the Value Code amount applicable.

Effective January 1, 2017 (v18.0), CMHC providers may be subject to outlier payment limitations. If condition code 66 (Provider does not wish outlier payment) is present for a CMHC claim with bill type 76x, payment method flag value of 6 is provided on each OPPS payable line (OPPS paid lines are those that would have previously had payment method flag 0). If condition code MY (Outlier cap bypass) is passed to the IOCE by the MAC, with or without condition code 66, payment method flag value of 9 is returned and the outlier payment limitation is bypassed.

Effective October 1, 2018 (v19.3), PH claims submitting a claim with a code first diagnosis in the principal diagnosis position without a mental health diagnosis in the first secondary diagnosis position, return edit 109. Please reference the DATA_DX10 table within the data files for diagnoses flagged as CODE_FIRST and/or MENTAL_HEALTH. PH claims submitted without a MENTAL_HEALTH diagnosis reported as the principal diagnosis are RTP, except in the instance of a CODE_FIRST diagnosis condition present.

The program logic determining level I or level II APCs is no longer required effective January 1, 2017. Effective 1/1/2011 (v12.0-v17.3), different PH APCs, Level I and Level II, are assigned for hospital-based and Community Mental Health Center (CMHC) partial hospitalization programs according to the number of services provided. In obtaining the level II PH APC a minimum of 4 or more services is provided, with at least one of those services being from the PH_PRIMARY list. To obtain the level I PH APC a minimum of 3 or more services is provided, with at least one of those services also being from the PH_PRIMARY list. As mentioned above the line item that obtains the PH APC is the first reported PH_PRIMARY HCPCS reported (SI=P), and all other services on the claim are packaged with an SI of N.

Effective January 1, 2023 (v24.0), Remote Mental Health (RMH) services are non-PHP services provided for the purposes of diagnosis, evaluation, or treatment of a mental health disorder and furnished to beneficiaries in their homes by clinical staff of the hospital using communications technology. Although these services are not recognized or counted as partial hospitalization services, they are available to those in a partial hospitalization program and are allowable for reporting on PHP claims (013x w/ CC 41). When reported, RMH services are packaged in the presence of a PHP APC. Note: Community Mental Health Centers (CMHCs), which are sole providers of services for PHP by statute, are not permitted to bill Medicare for remote mental health services furnished by clinical staff of the CMHC in an individual's home. In the instance that remote mental health services are reported on a CMHC claim (076x), edit 55 (RTP) is returned. See the REMOTE_MENTAL_HEALTH column in Data_HCPCS for applicable codes.

Table 15. Partial Hospitalization and Daily Mental Health APC Table

APC	Version Implemented	Dates Effective	Description
05851	63	1/1/2016-12/31/2016	Level 1 Partial Hospitalization (3 services) for CMHCs
05852	63	1/1/2016-12/31/2016	Level 2 Partial Hospitalization (4 or more services) for CMHCs
05853	66	1/1/2017-present	Partial Hospitalization (3 or more services) for CMHCs

APC	Version Implemented	Dates Effective	Description
05861	63	1/1/2016-12/31/2016	Level 1 Partial Hospitalization (3 services) for Hospital-based PHPs
05862	63	1/1/2016-12/31/2016	Level 2 Partial Hospitalization (4 or more services) for Hospital-based PHPs
05863	66	1/1/2017-present	Partial Hospitalization (3 or more services) for Hospital-based PHPs
08010	63	1/1/2016-present	Mental Health Services Composite

Daily mental health processing

Effective January 1, 2017 (v18.0), the comparison for summing the payment of the individual MH services to the level II partial hospital-based per diem APC payment rate is changed to compare the sum to the single level PHP hospital-based per diem APC payment rate. All other processing logic listed below occurs as indicated in the flowchart that follows.

Reimbursement for a day of outpatient mental health services in a non-PH program is capped at the amount of the level II hospital-based partial hospital per diem. On a non-PH claim, the IOCE totals the payments for all the designated MH services with the same date of service; if the sum of the payments for the individual MH services exceeds the level II hospital-based partial hospital per-diem, the IOCE assigns a special “Mental Health Service” composite payment APC to one of the line items that represent MH services. All other MH services for that day are packaged; SI changed from Q3 to N. A composite adjustment flag identifies the Mental Health Service composite APC and all the packaged MH services on the day that are related to that composite. The payment rate for the Mental Health Services composite APC is the same as that for the level II hospital-based partial hospitalization APC. Lines that are denied or rejected are ignored in the Daily Mental Health logic. Some mental health services are specific to partial hospitalization and are not payable outside of a PH program; if any of these codes is submitted on a 12x, or 13x TOB without condition code 41, the claim is returned to the provider (edit 81).

Effective 4/1/2015 (v16.1), payment adjustment flag value 11 is assigned to the Mental Health payment APC line when the service units are greater than one, indicating the service units are reduced to one by IOCE processing.

The use of code G0177 (Education and Training) is allowed on MH claims that are not billed as Partial Hospitalization. If Education and Training is the only service(s) submitted on a day or on the claim, the claim is returned to the provider (edit 35).

Effective 1/1/2023 (v24.0) Remote Mental Health services reported on Daily Mental Health claims are permitted, but are not counted towards the daily mental health service cap. In the presence of a DMH APC, these services are packaged. See the REMOTE_MENTAL_HEALTH column in Data_HCPCS for applicable codes.

LDR prostate brachytherapy composite APC processing and assignment criteria

Note: The LDR composite APC is effective only for versions 9.0 – 18.3; LDR claims with From Dates on or after 1/1/2018 (v19.0) are included in the comprehensive APC processing logic.

- If a "prime" code is present with at least one non-prime code from the same composite on the same date of service, assign the composite APC and related status indicator to the prime code; assign status indicator N to the non-primary code(s) present.
- Assign units of service = 1 to the line with the composite APC.
- Effective 4/1/2015 (v16.1), if the units of service are greater than one for the line with the composite APC, assign units of service = 1 and payment adjustment flag = 11.
- If there is more than one prime code present, assign the composite APC to the prime code with the lowest numerical value and assign status indicator N to the additional prime code(s) on the same day.
- Assign the indicated composite adjustment flag to the composite and all component codes present.
- If the composite APC assignment criterion is not met, assign the standard APC and related SI to any/all component codes present.
- Terminated codes (modifier 52 or 73 present) are ignored in composite APC assignment.
- Procedures that are packaged (SI changed to 'N' in an earlier processing step) are not included in the composite assignment logic.
- Effective 1/1/2017 (v18.0), prime code 55875 may be subject to comprehensive APC processing when reported without non-prime code 77778.

Multiple imaging composite assignment rules & criteria

- Multiple imaging composite APCs are assigned for three "families" of imaging procedures – ultrasound, computed tomography and computed tomographic angiography (CT/CTA), and magnetic resonance imaging and magnetic resonance angiography (MRI/MRA).
- Within two of the imaging families (i.e. CT/CTA and MRI/MRA), imaging composite APCs are further assigned based on procedures performed with contrast and procedures performed without contrast. There is currently a total of five multiple imaging composite APCs (8004, 8005, 8006, 8007, and 8008). For a list of procedures eligible for the composite assignment, refer to the report within the data files labeled, Multiple Imaging Composite APC's.
- If multiple imaging procedures from the same family are performed on the same DOS, a multiple imaging composite APC is assigned to the first eligible code encountered; all other eligible imaging procedures from the same family on the same day are packaged (the status indicator is changed to N).
- Multiple lines or multiple units of the same imaging procedure count to assign the composite APC; independent or conditional bilateral imaging procedures with modifier 50 count as 2 units.

- If multiple imaging procedures within the CT/CTA family, or the MRI/MRA family are performed with contrast and without contrast during the same session (same DOS), the 'with contrast' composite APC is assigned.
- Imaging procedures that are terminated (modifier 52 or 73 present), are not included in the multiple imaging composite assignment logic; standard imaging APC is assigned to the line(s) with modifier 52 or 73 (SI changed from Q3 to separately payable SI and APC).
- Imaging procedures that are packaged (SI changed from Q# to N in an earlier processing step) are not included in the multiple imaging composite assignment logic.
- If the imaging composite APC is assigned to an independent or conditional bilateral code with modifier 50, the modifier is ignored in assigning the discount formula.
- Effective 4/1/2015 (v16.1), if the units of service are greater than one for the line with the composite APC, the OCE re-assigns units of service = 1 and returns a payment adjustment flag = 11.
- Effective 1/1/2016 (v17.0), certain CT scan codes performed on equipment not meeting NEMA standards are reported with modifier CT. If multiple CT scan codes reported with modifier CT are present, and contribute to the assignment of a composite APC, the first eligible line assigned to the composite APC receives payment adjustment flag 14, whether or not modifier CT is reported on the line. All other CT scan codes reported with modifier CT that are included for composite APC assignment are packaged (SI = N), and do not have payment adjustment flag 14 assigned.
- Lines that are candidates for composite APC assignment that are present on a comprehensive APC claim do not have the composite adjustment flag applied; composite candidates are packaged with SI = N under comprehensive APCs.
- Special consideration is given to code 75635, which is a current composite candidate under ultrasound with SI = Q2 which makes it eligible for conditional APC processing. If 75635 is present, consideration of separate payment under conditional APC processing is evaluated prior to composite candidate consideration. If composite conditions are not present, then 75635 is processed for separate payment or packaging under conditional APC processing.

Comprehensive APC processing

Effective 1/1/2015 (v16.0), certain high cost procedures which have an SI=J1 are paid an all-inclusive rate to include all services submitted on the claim, except, for services excluded by statute. All allowed, adjunctive services submitted on the claim are packaged into the "comprehensive" APC payment rate (i.e., the status indicator is changed to N). Multiple comprehensive procedures, if present on the claim in specified combinations, may be assigned to a higher-paying comprehensive APC representing a complexity adjustment. Services that are excluded from the all-inclusive payment retain their standard APC and SI for standard processing.

Effective v17.0, if SRS planning and preparation codes are present on the same claim with the SRS C-APC, the planning and preparation codes are excluded from the C-APC packaging logic.

General comprehensive APC assignment rules and criteria: v16.0 - current

- Comprehensive APC processing is performed only for OPPS claims with bill type 13x, or claims with bill type 12x with condition code W2.
- Comprehensive APCs are assigned using the following hierarchy:
 - Inpatient-Only Patient Expired (SI = J1)
 - High-Cost Procedures (SI = J1)
 - Comprehensive Observation (SI = J2)
- If there are multiple comprehensive APC procedures existing on the same claim from the different categories listed above, the comprehensive APC procedures are packaged (SI = N) according to the hierarchy of services present; the procedure or service highest in the hierarchy is assigned the comprehensive APC for the claim. Additional processing conditions for each of the different categories is listed separately below.
- Multiple service units reported on a comprehensive APC line are reduced to one for processing payment based on a single comprehensive APC payment rate; payment adjustment flag 11 is assigned.
- Services that are excluded by statute from packaging include; ambulance, brachytherapy (SI=U), mammography, pass-through drugs, biologicals and devices (SI= G or H), preventive care including influenza and pneumococcal vaccines (SI=L), corneal tissue acquisition, certain CRNA services, Hepatitis B vaccines (SI = F) monoclonal antibody administration for COVID-19 through the duration of the Public Health Emergency (PHE), and procedure codes in New Technology APCs (1491-1599 and 1901-1908) with SI = S or T. Additionally, certain blood products (i.e. packed red cells or whole blood) reported with the appropriate revenue code are also excluded from packaging under comprehensive APCs. Effective 1/1/2023, an additional service excluded from packaging includes C9399 (SI=A). Edit 66 is still applied at the line level.
- Certain wound care services identified as “sometimes therapy” when appended with a therapy modifier (GP for physical therapy, GO for occupational therapy, or GN for speech language pathology) or a therapy revenue code (042x, 043x, 044x), change the SI of the service to A, and are excluded from comprehensive APC packaging.
- Procedures that are not allowed on OPPS claims (SI = B, C, E, E1, E2 or M) are edited as usual and retain the standard SI, with the exception of procedure codes representing DME services with SI = Y (Billable only to DMERC); DME codes with SI = Y are packaged into the comprehensive APC payment; edit 61 is not returned.
- Comprehensive APC claims containing lines that may be composite APC candidates do not have the composite adjustment flag applied.

Comprehensive APC assignment for high-cost procedures: v16.0 - current

- If a single comprehensive procedure (SI = J1) is present on a claim, assign the standard comprehensive APC for all-inclusive claim payment.

- If multiple comprehensive APC procedures are present, select the highest ranked comprehensive procedure for standard comprehensive APC assignment.
- Once the highest ranked comprehensive procedure is determined, if there are multiple comprehensive procedures present with SI = J1 or there are qualifying add-on procedure codes present (SI = N), determine if there are any pairings that may qualify for a complexity adjustment. Multiple occurrences or service units of the same comprehensive procedure, or the reporting of modifier 50, may qualify for complexity adjustment. If there is a qualifying pair present associated with the highest ranked comprehensive procedure, assign the complexity-adjusted comprehensive APC.
- If the highest ranked comprehensive procedure has service units greater than one, reduce the service units to one and assign payment adjustment flag 11.
- If a comprehensive APC procedure is terminated by the reporting of modifier 52, 73 or 74, no complexity adjustment is performed for the claim; the standard comprehensive APC is assigned to the comprehensive procedure with the highest rank. Usual terminated procedure discounting is applied if modifiers 52 or 73 are reported (modifier 74 does not apply the terminated procedure discount).
- If the comprehensive APC is assigned to an independent or conditional bilateral code with modifier 50, the modifier is ignored in assigning the discount formula.
- Effective 1/1/2016 (v17.0), when SRS (stereotactic radiosurgery) planning and preparation codes are reported on the same claim as the comprehensive APC for SRS (APC 5627), the planning and preparation codes are excluded from packaging; the standard SI and APC, or the composite APC and SI (if criteria is met for multiple CT scan imaging procedures) are assigned. If the SRS planning and preparation codes are reported on a claim with any other comprehensive APC procedure, the codes are packaged under the comprehensive APC packaging criteria.
- Effective 1/1/2016 (v17.0), if conditions are present for pass-through device offset, a single device offset is provided for comprehensive APC claims only if the comprehensive APC procedure is paired with the pass-through device. Otherwise, no device offset is provided for device offset conditions that may be present for procedures that are packaged (SI = N) as a result of comprehensive APC processing.
- Effective 1/1/2019 (v20.0), procedure codes assigned to New Technology APC's are excluded from packaging under comprehensive APC processing logic for J1 or J2 services; standard SI and APC are assigned. Note: Procedure codes assigned to New Technology APC's which have a standard SI = T, prevent a J2 comprehensive observation APC from being assigned, due to standard Observation C-APC assignment criteria.

Inpatient procedure processing under comprehensive APCs

Effective January 1, 2016 (v17.0), if an inpatient-only procedure is present with modifier CA for a patient who expires or transfers to another hospital (patient status code is 2, 5, 20, 62, 63, 65, 66, 82, 85, 90, 91, 93 or 94), the inpatient procedure is assigned under a comprehensive APC (SI = J1), and all other services reported on the claim are packaged (SI = N), except for those items excluded under comprehensive APC processing. Excluded items with non-covered SI = B, E, C or

M return line item denial edit 121 (Non-covered service reported with an inpatient only procedure in which the patient expired or transferred) in addition to the payment indicator 3 and payment method flag 1. If modifier CA is reported for an inpatient-only procedure and the discharge status does not indicate the patient expired or transferred, the claim is returned to the provider (edit 70). Additional comprehensive APC procedures (SI = J1 or J2) reported on the same claim as the inpatient-only procedure where the patient expired or transferred are packaged (SI = N). If multiple lines, or one line with multiple units, have SI = C and modifier CA, generate edit 60 for all lines with SI = C and modifier CA.

Inpatient-only procedures that are on the s procedure list are bypassed when performed incidental to a surgical procedure with Status Indicator T, or effective 1/1/2015, if reported on a claim with a comprehensive APC procedure (SI = J1). The line(s) with the inpatient-separate procedure is rejected (edit 45) and the claim is processed per usual OPPS rules.

Effective January 1, 2018 if procedure code 01402 (Anesthesia for TKA) is reported on the same day as procedure code 27447 (Total Knee Arthroplasty) the SI of 01402 changes from C to N and will always package. If code 01402 is reported with any other procedure without 27447 reported on the same claim, the SI remains its standard SI = C and processes as usual.

Observation processing under C-APCs

Effective January 1, 2016 (v17.0), claims for observation services (SI = J2) meeting specified criteria are paid under a single Comprehensive Observation C-APC payment rate, to include all services submitted on the claim. The same exception criteria for excluded services under high cost procedure comprehensive APCs (SI = J1) apply to the Comprehensive Observation APC, and all allowed adjunctive services submitted on the claim with the Comprehensive Observation APC are packaged (SI is changed to N). If multiple visits are present for qualified Comprehensive Observation C-APC assignment, the visit code with the highest standard APC payment rate is assigned the Comprehensive Observation APC; all other visits are packaged.

Effective 03/18/2020 (v21.2), OPPS claims (bill type 13x w/o CC 41) with E&M visit code(s) reported with modifier CS that meet the criteria for Observation C-APC assignment (SI = J2) or are assigned standard SI=V, return a payment adjustment flag of 9. Critical care code 99291 reported with modifier CS with an SI = S instead of SI=J2, is also applicable for a PAF assignment of 9. If the final status indicator for a visit line(s) with modifier CS is packaged (SI=N), the payment adjustment flag is not set to 9. The reporting of modifier CS indicates that the line(s) is a COVID-19 visit with testing-related services, deductible and coinsurance is not applicable for the visit. Additionally, modifier CS should only be reported when the item or service is identified by CMS as being eligible for a coinsurance and deductible waiver. If Modifier CS is reported on items or services not eligible for a coinsurance and deductible waiver, edit 114 is returned (RTP). (Refer to the DATA_HCPCS table within the data files for services flagged as coinsurance_deductible_waiver_eligible. Refer also to the Medical Visit Processing and COVID-19 Testing-Related Services (page [77](#)) as this logic is applicable to the medical visit processing logic.

Comprehensive observation APC assignment criteria

- The claim does not contain a comprehensive APC procedure with SI = J1.
- There is no procedure with SI = T present for the claim. If a procedure with SI = T is present, no comprehensive observation APC is assigned. If a procedure with SI = T and line item action flag 2, 3, or 4 is present, the line is ignored from processing and is not considered in comprehensive observation logic. If a new technology APC with SI = S is present on a Comprehensive Observation APC claim, it is excluded from packaging and assigned its standard APC.
- HCPCS G0378 is reported once with 8 or more service units. If a period of observation spans more than 1 calendar day, all the hours for the entire period of observation must be included on a single line and the date of service for that line is the date that observation care begins. If subsequent lines of G0378 are reported, edit 51 is applied (RTP) and the units associated with the subsequent G0378 line are not evaluated for C-APC assignment. Note: If a LIAF of 2, 3, or 4 is present, the line is ignored from processing and edit 51 is not applied.
- There is a visit code present from the following list on the same day or one day before HCPCS G0378: Type A/Type B emergency department visits, critical care, outpatient clinic visit, or HCPCS G0379 for direct referral is present on the same day as G0378.
- If multiple visit codes with SI = J2 are present, the visit code with the highest standard APC payment rate is chosen as the comprehensive observation APC; all other visit codes are packaged (SI = N).
- If the claim does not meet the conditions for comprehensive observation APC assignment, the visit code(s) is/are assigned their standard APC and SI.
- If HCPCS G0379 is present and criteria is not met for comprehensive observation APC, and there are other visit codes present (SI = J2 resulting in standard APC and SI = V), G0379 is packaged. Additional reporting (subsequent occurrences) of HCPCS G0379 are packaged (SI = N).

Device-intensive procedure editing and processing

Effective 1/1/2015 (v16.0), the submission of a device-intensive procedure also requires that a device be submitted on the same claim/day. If any device-intensive procedure is submitted without a code for a device on the same claim with the same date of service, the claim is returned to the provider (edit 92). Discontinued procedures (indicated by the presence of modifier 52, 73 or 74 on the line) are not edited for a missing device code. Effective 1/1/2019 (v20.3), certain device-intensive procedures codes are applicable for bypassing edit 92 if an insertion of a device is not completed (e.g., revision only). For the edit to be bypassed a device procedure on the "BYPASS_E92_MODIFIER" list is reported with modifier CG. For a list of applicable device procedures, reference the corresponding bypass column in the DATA_HCPCS table in the quarterly data files.

Effective 1/1/2016 (v17.0), if there is a terminated device-intensive procedure from a specified list reported with modifier 73, the device portion cost of the procedure APC is output by the IOCE with a Payer Value Code of QQ. The device portion amount is used by the OPPS Pricer

program to reduce the APC payment rate prior to application of the terminated procedure discount. A unique payment adjustment flag value of 16 identifies the device-intensive procedure reported with modifier 73. In the event there are multiple terminated device-intensive procedures present with modifier 73, the device portion amounts are summed, and the total device portion is provided; the payment adjustment flag of 16 is assigned for each terminated procedure. Terminated procedure lines present with modifier 73 that may be packaged (SI = N) do not contribute to the device portion amount, and a payment adjustment flag is not returned.

Note: Effective January 1, 2017 (v18.0), the device portion cost for the terminated procedure offset is determined at the individual HCPCS code level, regardless of the APC assignment.

Some implanted devices and some administered substances (SI = H, U), require an implantation or other associated procedure (SI = S, T or J1) to be billed on the same claim. If an associated procedure is not present, the claim is returned to the provider (edit 38).

Device credit conditional processing

Effective 1/1/2016 (v17.0), if conditions exist for full or partial device credit for a device intensive APC represented by the presence of Condition Code 49, 50 or 53, the device credit amount is output by the IOCE with Payer Value Code QU, which is used by the OPPS Pricer program to reduce the device intensive APC payment rate by the device credit amount. A unique payment adjustment flag value of 17 identifies the device intensive procedure for which the device credit applies. In the event there are multiple device intensive APCs present for device credit, the credits are summed and the total is provided in the Value Code Amount field; the payment adjustment flag of 17 is assigned for each device intensive procedure associated with the device credit. Device intensive procedures that are packaged (SI = N) do not contribute to the device credit amount, and a payment adjustment flag is not returned. If the device intensive procedure is a comprehensive APC procedure and is also eligible for complexity-adjusted APC assignment under comprehensive APCs, the device credit amount for the complexity-adjusted comprehensive APC is provided.

Note: Effective January 1, 2017 (v18.0), the full or partial device credit amount is determined at the individual HCPCS code level, regardless of the APC assignment.

Pass-through device processing

Claims with pass-through device HCPCS codes (SI = H) furnished with certain device-intensive procedures require a payment offset to the APC payment rate for the procedure. Effective January 1, 2016 (v17.0), the IOCE shall identify the offset condition for the pass-through device HCPCS and associated device-intensive procedure by providing a unique claim level Payer Value Code (QN), with Value Code amount representing the payment offset in the claim return buffer. A payment adjustment flag is returned to identify the pass-through device HCPCS line(s) associated with the payment offset(s); multiple iterations of the same payment adjustment flag value may be returned in the event there are multiple pass-through device HCPCS lines present that are associated with the same device-intensive procedure, and the total amount is summed

and output with Value Code QN. An additional claim level Payer Value Code (QO) and payment adjustment flag value may be returned if there is an additional condition present for a separate device offset on the same claim (Payment adjustment flag values of 12 and 13 identify the pass-through devices which require offsets). Claims with pass-through devices reported without the associated device-intensive procedure are returned to the provider (edit 98).

Effective April 1, 2018 (v19.1), certain procedure and pass-through device pairings may have a mid-quarter activation date associated with FDA approval. Claims reporting pass-through devices prior to the mid-quarter activation date are line item denied (edit 105). The edit will be returned on the line containing the pass-through device.

Note: Effective January 1, 2017 (v18.0), the pass-through device offset amounts are determined at the HCPCS code level, regardless of the APC assignment.

If there is a comprehensive APC procedure present (SI = J1) and there are conditions present on the claim for pass-through device payment offset, if there is a pass-through device associated (paired) with the primary comprehensive APC procedure, then a single device offset condition is identified for the claim (Payer Value Code QN only with corresponding offset amount). Conditions that may be present for pass-through device offset on a claim with a comprehensive APC that result in packaging of the device intensive procedure (SI = N) paired with the pass-through device do not produce a pass-through device payment offset.

An exception is made for claims containing the comprehensive APC for an inpatient-only procedure reported with modifier CA for a patient who expires that also contain conditions for pass-through device payment offset; the pass-through device payment offset is provided.

Drug administration

When multiple occurrences of any APC that represents drug administration are assigned in a single day, modifier 59 is required on the code(s) to permit payment for multiple units of that APC, up to a specified maximum; additional units above the maximum are packaged. If modifier 59 is not used, only one occurrence of any drug administration APC is allowed, and any additional units are packaged (v6.0–v7.3 only).

Blood and blood storage processing

In order for Medicare to correctly allocate payment for blood processing and storage, providers are required to submit two lines with different revenue codes for the same service when blood products are billed. One line is required with revenue code 39X and an identical line (same HCPCS, modifier and units) with revenue code 38X. Modifier BL, special acquisition of blood and blood products, is required to be present on each line for the specified revenue codes or the claim is returned to the provider (edit 73). Revenue code 381 is reserved for billing packed red cells and revenue code 382 is reserved for billing whole blood; if packed red cells and whole blood are not reported correctly, the claim is returned to the provider (edit 79). If both lines match (same HCPCS, modifier BL and units) edit 73 is not applicable and payment adjustment flag values 5 and 6 are applied (5 to revenue code 38x and 6 to revenue code 39x).

Effective 1/1/2015, packed red cells reported with revenue code 381 and whole blood reported with revenue code 382 that appear on a claim with a comprehensive APC procedure (SI = J1) are excluded from packaging; the standard SI is retained.

Nuclear medicine procedure processing

Please reference a previous specifications document to review Nuclear medicine procedure processing, which is now out of scope of the current IOCE version.

Managed care processing

OPPS claims for Managed Care beneficiaries, as identified by the MAC (Payer only condition code MA – Managed Care enrollee), are not subject to line level deductible. Payment adjustment flag 4 is applied to all line items except for those that are packaged (SI = N) with line item charges = \$0.00 or the line item is subject to a payment adjustment flag of 9 or 10.

Preventive services and deductible/coinsurance waiver processing

Deductible and coinsurance is waived for certain preventive services (see the Data_HCPCS table within the data files for services flagged for Deductible_na, deductible_coins_na, or coins_na). A payment adjustment flag (PAF) value of 4, 9, 10 or 25 is applied to services to specify that either the deductible and coinsurance is not applicable (PAF 9), the deductible is not applicable (PAF 4), or that the coinsurance is not applicable (PAF 10), and effective for January 1, 2022 (v23.0), a deductible is not applicable and there is a reduction in coinsurance when modifier PT is reported on applicable procedure (PAF 25, see below). The payment adjustment flag value 9 is assigned over values 25, 10 and 4, in instances where more than one of these payment adjustment flag values are applicable. In conditions where both payment adjustment flag values 10 and 4 are applicable, a value of 10 is assigned. Services that are packaged with SI=N and line item charges = \$0.00 do not have coinsurance or deductible waived. Additionally, any services submitted with modifier Q3 (Live kidney donor surgery and related services) are waived for deductible and coinsurance (PAF 9).

For claims submitted prior to January 1, 2022, the deductible is waived for colorectal cancer screening services that become diagnostic or therapeutic, and for any other OPPS surgical procedures (SI = J1, T, or Q1, Q2, Q3 that resolve to J1 or T) present for the same service date. The presence of HCPCS modifier PT (Colorectal cancer screening test converted to diagnostic test or other procedure) is used to identify when there is a diagnostic or therapeutic procedure or service reported, that was converted from a colorectal cancer screening. If modifier PT is present for either a single day claim or a single date of service on a multiple day claim, there must also be a Colorectal procedure present for the same service date. In the instance that modifier PT is present and there is no Colorectal procedure reported for the same service date, edit 120 (RTP) is returned at the line level. (See the Data_HCPCS table, within the data files, for procedures identified as Colorectal). The IOCE sets the PAF to 4 on the Colorectal procedure and the OPPS payable procedure line(s) except when any other PAF is already applied to the same

line. Additionally, if a line reporting modifier PT is packaged (SI = N) with charges = \$0.00, PAF 4 is not returned. Note: For Critical Access Hospital Non-OPPS claims with bill type 085x, the logic for setting the PAF is not applicable however, editing for the correct reporting of modifier PT does apply.

Effective January 1, 2022 (v23.0), Section 122 of the Consolidated Appropriations Act (CAA) includes not only a waiver of the deductible, but also requires a gradual reduction to the beneficiary coinsurance payment to be implemented over the next eight years for colorectal cancer screening services that are converted to diagnostic procedures or services. To accommodate the OPPS Pricer in providing the deductible waiver and gradual reduction in coinsurance, the IOCE no longer sets the PAF to 4, the IOCE now returns PAF 25 (Deductible not applicable and coinsurance reduced) on the Colorectal procedure and the OPPS payable procedure line(s) except when any other PAF is already applied to the same line, or when a line reporting modifier PT is packaged (SI=N) with charges = \$0.00, PAF 25 is not returned.

Opioid treatment program processing

Effective January 1, 2021 (v22.0), Opioid Treatment Program (OTP) services are payable under Medicare Part B for claims reporting bill type 87x (Freestanding Non-Residential Opioid Treatment Program). Hospital provider-based claims reporting bill type 13x or 85x (CAH) if submitted with condition code 89 are also approved for reporting Opioid Treatment Program services. The presence of condition code 89 indicates that the claim is for Opioid Treatment Program services provided by a licensed Opioid Treatment Program provider. It is expected that only approved OTP provider types are to report Opioid Treatment Program HCPCS (see Data_HCPCS for a list of HCPCS). If Opioid Treatment Program HCPCS are inappropriately billed on bill types not approved for reporting OTP services, edit 116 is applied.

Opioid use disorder model processing

Effective April 1, 2021 (v22.1), office-based Opioid Use Disorder (OUD) treatment HCPCS (see Data_HCPCS for list of HCPCS) that are reported on claims with Condition Code M5 indicating the claim is included in the CMS Value in Opioid Use Disorder Treatment model under applicable OPPS bill types (013x, 013x w/CC 41, 013x w/CC 89 and 076x), set the Payment Adjustment Flag to 9 to ensure that no coinsurance or deductible is applied. If the OUD office-based HCPCS are packaged, PAF 9 is not applied.

Special processing for drugs and biologicals

Effective April 1, 2016 (v17.1), claims containing specified pass-through drugs or biologicals furnished with an associated procedure require pass-through payment offset. If conditions exist for pass-through drug or biological payment offset, the IOCE shall provide a unique Payer Value Code with Value Code amount representing the amount of the payment offset. A payment adjustment flag will be assigned to the pass-through drug or biological to identify which line(s) is

associated with the corresponding Payer Value Code and Value Code amount; PAF 18, identify the first pass-through drug or biological, while PAFs 19 and 20 identify the second and third pass-through drug or biologicals. Multiple iterations of the same payment adjustment flag value may be returned in the event there are multiple pass-through drugs or biologicals present that are associated with the same offset condition. Claims that may contain multiple conditions eligible for pass-through drug or biological offset return additional Payer Value Codes.

Conditions that may be present for pass-through drug or biological payment offset on a claim with a comprehensive APC that result in packaging of the associated procedure (SI = N) paired with the pass-through drug or biological continue to produce a pass-through drug or biological payment offset. Specific pass-through drugs and biologicals that are not reported with an associated procedure for APC payment offset do not have coinsurance applied. Each PT drug present must be paired with an associated procedure (APC) in order to complete processing (edit 98).

There are four categories of pass-through drug and biological conditions eligible for payment offset: radiopharmaceuticals, skin substitute products, contrast agents and stress agents. Conditions for payment offset for pass-through radiopharmaceuticals reported with an associated nuclear medicine procedure are considered across the claim; otherwise conditions for payment offset for other pass-through drug and biological categories reported with an associated procedure are performed for the same service date.

Effective October 1, 2016 (v17.3), claims containing drugs and biological HCPCS codes with pass-through status (SI =G) or non-pass-through status (SI = K) that are reported without an OPPS payable procedure (SI = J1, J2, P, Q1, Q2, Q3, R, S, T, U, V) are returned to the provider (edit 99). There are exceptions for blood clotting factor HCPCS which may be self-administered, and certain biologic response modifier HCPCS, which do not require that an OPPS procedure is present. Additionally, payment for pass-through and non-pass-through drugs is no longer determined by the OPPS Pricer; the IOCE assigns payment indicator value of 2 for pass-through and non-pass-through drug HCPCS codes, representing drugs HCPCS priced by fee schedule (e.g. ASP drug file), although the final payment APC is provided.

Effective July 1, 2021 (v22.2), drug HCPCS with final SI= G or K that are reported with charges less than \$1.01 and at least \$0.01 are line item rejected (edit 117), unless a LIAF of 2, 3, or 4 is present.

Effective January 1, 2018 (v19.0), any service that is identified as a method used in manufacturing a drug or biological are not paid separately; these services are bundled into the total cost of the drug or biological. Claims submitted using these bundled services (HCPCS) are line item rejected with edit 111, indicating that the service cost is duplicative. If the service identified as being bundled into the cost of the biological has a SI=B, edit 62 is not returned and instead edit 111 is applied. Additionally, if revenue code 870, 871, 872, or 873 (cell/gene therapy) are reported with blank HCPCS, edit 111 is returned (LIR) to identify that the charges associated with the revenue center are bundled into the cost of a drug or biological.

The 340B Drug Pricing Program is a federal program that requires drug manufacturers to provide outpatient drugs to eligible healthcare centers, clinics, and hospitals at a reduced price. Each separately payable, non-pass through (SI=K) 340B-acquired drug should be billed with the appropriate 340B modifier. When a drug or biological is acquired with 340B drug pricing program discount, modifiers TB or JG are applied to the applicable line(s). These modifiers

should be appended to separately payable non-pass through OPPS drugs that are acquired through the 340B program and do not need to be reported with pass through drugs that have SI=G. Effective April 1, 2022 (v23.1), if modifier “JG” is reported with a pass-through drug and biological line (SI=G), edit 122 is returned as an information only edit that has no impact to payment.

Skin substitute editing and processing

Effective 1/1/2014 (v15.0), the submission of certain skin substitute application procedures require the reporting of a skin substitute product for the same day. Certain skin substitute application procedures and skin substitute products are divided into two lists based on high or low cost. Claims containing a high cost skin substitute application procedure without any of the high cost skin substitute product codes, and conversely any low cost skin substitute application procedure without a low cost skin substitute product code for the same day, are returned to the provider (edit 87). (See the DATA_HCPCS table within the data files for skin substitute products flagged as either high or low cost.)

Effective 10/1/2015 (v16.3), if a skin substitute product code is present with line item action flag value of 2 representing an external line item denial, the line is not ignored by the IOCE for the purposes of applying edit 87. If the denied skin substitute product is on the list of skin substitute products and the skin substitute application procedure is also present, edit 87 is not returned.

Biosimilar HCPCS processing

Effective January 1, 2016 (v17.0), OPPS and non-OPPS claims containing biosimilar HCPCS codes without a corresponding modifier representing the biosimilar manufacturer, are returned to the provider (edit 94).

Effective July 1, 2017, certain modifiers used for biosimilar HCPCS reporting may have a mid-quarter activation date associated with the FDA approval. Claims reporting these specific modifiers prior to the mid-quarter activation date are line item denied (edit 103).

Note: Edits 94 and 103 are discontinued effective April 1/2018 (v19.1). These edits are returned on claims submitted within their respective effective dates.

HSCT and donor acquisition services processing

Effective January 1, 2017 (v18.0), claims containing HSCT (hematopoietic stem cell transplantation) allogeneic transplantation procedure 38240 require the reporting of a separate line representing donor acquisition costs with revenue code 815. If the separate line with revenue code 815 is not present, the claim is returned to the provider (edit 100).

Radiological processing

CT scan equipment not meeting NEMA standards

Effective January 1, 2016 (v17.0), if modifier CT is reported for certain imaging codes for CT scans performed on equipment not meeting NEMA standards, a payment adjustment flag value of 14 is passed to the OPPS Pricer indicating the line is subject to payment reduction. Codes from the specified list that are reported with modifier CT and are packaged (SI = N) due to multiple imaging composite APC assignment or comprehensive APC assignment, do not receive payment adjustment. The first code assigned to a multiple imaging composite APC receives the payment adjustment flag if there are CT scan codes reported with modifier CT that are constituents of the composite APC (i.e., the composite APC line may or may not have modifier CT reported).

Note: Modifier CT should not be reported on the same hcpcs line with X-ray Modifiers FX or FY as they are modifier conflicts, edit 102 is returned to the provider.

Film x-ray HCPCS processing

Effective January 1, 2017 (v18.0), if modifier FX (x-ray taken using film) is reported with a film x-ray HCPCS code, a payment adjustment flag value of 21 is passed to the OPPS Pricer program indicating the line is subject to payment reduction. If the film x-ray reported with modifier FX is packaged (SI = N), no payment adjustment flag is assigned. If a film x-ray HCPCS code is reported with modifier FX and is also on the coinsurance deductible n/a procedure list, payment adjustment flag 23 is returned to pricer indicating that the line is subject to a payment reduction as well as the coinsurance/ deductible being not applicable.

Computed radiography technology HCPCS processing

Effective January 1, 2018 (v19.0), if modifier FY (X-ray using computed radiography technology/cassette-based imaging) is reported with an x-ray HCPCS code using computed radiography technology, a payment adjustment flag value of 22 is passed to the OPPS Pricer program indicating the line is subject to payment reduction. If the computed radiography x-ray reported with modifier FY is packaged (SI = N), no payment adjustment flag is assigned. If an x-ray HCPCS code is reported with modifier FY and is also on the coinsurance deductible n/a procedure list, payment adjustment flag 24 is returned to pricer indicating that the line is subject to a payment reduction as well as the coinsurance/ deductible being not applicable.

Note: Effective January 1, 2018 (v19.0), edit 102 is returned if modifiers FX and FY are reported together on the same line as they are identified as a modifier pairing conflicts. To review the list of modifier conflicts subject to edit 102, please reference the MAP_MODIFIER_CONFLICT and table within the data files.

Radiation Oncology Model (ROM) Processing Logic

This section is reserved for the ROM processing logic for which implementation has been postponed.

Hospice processing logic

Effective 10/1/2014, diagnosis codes considered to be manifestation codes (per the Medicare Code Editor [MCE]) are not allowed as the principal diagnosis on hospice claims. Hospice claims submitted with a manifestation code as principal diagnosis are returned to the provider with (edit 86).

Per the Medicare Claims Processing Manual, any covered Medicare services not related to the treatment of the terminal condition for which hospice care was elected, and which are furnished during a hospice election period, may be billed by the rendering provider using institutional claims for non-hospice Medicare payment. On institutional claims, these services are coded with condition code 07 "Treatment of Non-terminal Condition for Hospice." If condition code 07 is submitted on a claim bill type 22x, 23x, 32x, 72x, 74x, 75x, 81x, or 82x (OPPS=1) with an antigen, splint, or cast service, these services are paid by APC under OPPS. Please refer to the Edits by Bill Type Table (OPPS) to reference the editing that is performed if condition code 07 is present on an applicable bill type with antigen, splint or cast.

Services reported for hospice patients (81x, 82x) that are not antigens, splints, or casts are not payable under OPPS and payment method flag 2 is applied.

Home health processing logic

Home health claims (32x) are episode-based with dates of service that can span a maximum of 30 days (January 1, 2020) or 60 days (Claims prior to January 1, 2020). Prior to v22.2, to allow for home health claims to be processed through the IOCE, diagnosis codes reported on a claim with dates of service that span the annual October diagnosis update and the previous quarter, bypass edit 1. Effective with v22.2, all claims (including 32x) that have From and Through dates that span any quarterly boundary (e.g., 09/29-10/29) bypass edit 1 if the diagnosis reported is valid in at least one of the two quarters. If the diagnosis code reported is not valid in either of the two quarters, edit 1 is applied.

Effective 1/1/2015, diagnosis codes considered to be manifestation codes (per the Medicare Code Editor [MCE]) are not allowed as the principal diagnosis for home health claims submitted with bill type 32x. Home Health claims submitted with a manifestation code as principal diagnosis are returned to the provider with (edit 86).

Vaccine administration, antigens, splints, and casts are paid under OPPS for hospitals. When these services are provided to patients by HHAs not under an HHA plan of care or under the Home Health PPS (34x), these services are paid under OPPS. Effective January 1, 2017 (v18.0), Negative Pressure Wound Therapy (NPWT), reported with procedure codes 97607 or 97608, are separately payable OPPS services for HHAs when submitted on claims with bill type 34x, Home Health PPS and not under a HHA plan of care. If the NPWT codes are reported as a therapy

service (therapy modifier and/or therapy revenue code present for the line), the codes are not processed as “sometimes therapy” and changed to SI=A by the IOCE; the standard SI and APC are retained for payment purposes.

Effective with the July 2018 release (v19.2), HHA claims (bill type 32x) are subject to procedure based edits 6 (Invalid Procedure) and 22 (Invalid Modifier); except in the instance of reporting a HIPPS code with revenue code 0023. Effective with the April 2019 release (v20.1), HHA’s (32x) submitting claims with dates of service that span the annual (January) release and the previous quarter do not return edit 6 if the service provided is effective for the reported line item date of service.

Effective with the April 2021 release (v22.1), HHA claims (bill type 32x) reporting a HIPPS code with revenue code 0023 do not have edit 23 applied if the line item date of service is outside the claim From Date and Through Date.

Effective with the October 2021 release (v22.3), home health adjustment claims (bill type 032G) do not have edit 23 applied to any line items that report a service date outside the claim From-Through date.

Non-excepted items or services in off-campus provider-based hospitals

Effective January 1, 2017 (v18.0), certain items and services, when provided in an off-campus provider-based hospital outpatient department, may be considered non-excepted under Section 603 of the Bipartisan Budget Act of 2015. Non-excepted services are reported with modifier PN (Non-excepted off-campus svc), and are subject to special processing in the IOCE for determination of whether or not payment is to be made or reduced under an alternative method (i.e. Physician Fee Schedule (PFS)). Claims containing certain services that are not allowable with modifier PN are returned to the provider (edit 101). Claims that are reported with two of the following modifiers (PO, PN, or ER) on the same line item are returned to the provider, (edit 102).

Criteria for non-excepted services reported with modifier PN

- Special processing occurs only for hospital outpatient claims with bill type 13x with and without condition code 41, and bill type 76x (CMHC).
- Non-excepted processing logic occurs after all other IOCE processing.
- Services reported with modifier PN are identified using the Payment Method Flag for determination of payment method or reduction by the OPPS Pricer (PMF 7 or PMF 8).

Hospital outpatient claims with bill type 13x without condition code 41 reporting modifier PN

- Emergency department visits and critical care encounters that have standard assignment under SI = V or S (critical care) are not allowed with modifier PN. Edit 101 is applied (RTP) and the Payment Method Flag is not set to a value of 7 or 8.
- Payment Method Flag Value 7 is applied for the following:

- Services with SI = F, H, L, R and U that are excepted under Section 603
- Services with SI = J1, J2, Q1, Q2, Q3, Q4, S, T and V that have Payment Adjustment Flag Value 4, 9, 10, or 25 assigned (preventive services)
- Certain HCPCS codes for radiation treatment with SI = B when reported with modifier PN have the SI changed to S and are assigned a special APC (see quarterly data file reports for a list of procedure codes)
- Payment Method Flag Value 8 is applied for the following:
 - Services with SI = J1, J2, Q1, Q2, Q3, Q4, S, T, and V, except for emergency department visits with SI = V and critical care encounters with SI = S.

Note: HCPCS G0463 for clinic visit with SI = J2 (for comprehensive observation APC) or standard SI = V is always assigned Payment Method Flag 8; regardless of the payment adjustment flag value being 4, 9, or 10. HCPCS G0463 is not included in the list of emergency department visit codes or critical care encounters that are subject to edit 101.
 - Effective January 1, 2019, off-campus provider-based outpatient departments submitting clinic visit HCPCS code G0463 with modifier PO also have payment method flag of 8 returned, to apply the physician fee schedule reduction in the OPPS Pricer. Note: Modifiers PO and PN cannot be submitted on the same hcpcs line item, edit 102 is returned to the provider.
 - Services with SI = A, G, K and N have no impact; Payment Method Flag values 7 and 8 are not applicable.

Hospital outpatient claims with bill type 13x with condition code 41 (PHP) reporting modifier PN

- PHP services with SI = P have a change in APC assignment to the CMHC PHP APC, with Payment Method Flag 7 applied.

Note: Non-PHP services reported with modifier PN that may be present on a hospital PHP claim are subject to the logic listed above for claims with bill type 13x without condition code 41.

CMHC PHP outpatient claims with bill type 76x reporting modifier PN

- PHP services with SI = P are not allowed with modifier PN. Edit 101 is applied (RTP) and the Payment Method Flag is not set to a value of 7 or 8.

Hospital off-campus provider-based outpatient departments submitting claims with Modifier PO

- Effective January 1, 2015, modifier PO is added as a valid modifier to voluntarily report items or services furnished in an off-campus provider-based outpatient department of a hospital. Effective January 1, 2016, reporting modifier PO is required to be reported for items or services performed in a hospital off-campus provider-based outpatient department.

- Effective January 1, 2019, off-campus provider-based outpatient departments submitting clinic visit HCPCS code G0463 with modifier PO have payment method flag A returned, to apply a payment reduction in the OPPS Pricer. Note: Modifiers PO, PN, or ER cannot be submitted on the same HCPCS line item, edit 102 is returned to the provider.

FQHC processing under FQHC PPS

Effective for claims with From Dates on or after October 1, 2014, claims submitted through the IOCE with bill type 77x for Federally Qualified Health Centers (FQHC) are processed under FQHC PPS. Effective October 1, 2020, claims submitted through the IOCE for bill type 77x (FQHC) with condition code 65, which indicated the claim was not subject to FQHC PPS, are processed under the FQHC PPS. Processing occurs for each date of service if the claim contains multiple dates. FQHC claims are paid under a per encounter basis for qualified clinic visits. Any supporting ancillary services provided on the day of the FQHC visit are packaged into the encounter payment. If the FQHC claim contains multiple dates of service, each day is processed separately through the IOCE. Special output flag values are assigned during FQHC processing under the IOCE to facilitate identification of FQHC payment processing by the Pricer program.

Criteria for FQHC encounters/visit processing logic

FQHC encounters require the reporting of both a unique FQHC payment HCPCS code indicating the type of visit (New or established medical visit, new or established mental health visit, or Initial Preventive Physical Exam/Annual Wellness Visit), and a qualifying visit HCPCS related to the services performed. FQHC claims that do not contain a required FQHC payment HCPCS code are returned to the provider (edit 88). The FQHC HCPCS payment code must be reported with revenue code 519, 52x or 900. FQHC payment HCPCS codes reporting revenue codes other than those listed are returned to the provider (edit 90). FQHC claims that do not contain both the FQHC payment HCPCS code and a qualifying visit code are also returned to the provider (edit 89). The FQHC payment HCPCS code identifies the line where the Pricer program applies the FQHC encounter payment. (For a list of paired qualifying visit codes, reference the MAP_FQHC_VISIT table within the data files.)

Specific revenue code to FQHC payment code requirements are as follows:

- Medical visit codes require revenue code 52x or 519
- Mental health visit codes require revenue code 900 or 519

FQHC encounters for new patient visits or for the IPPE/AWV are identified by the IOCE for additional payment adjustment by the Pricer program. Only one FQHC payment code per day is identified for the new patient/IPPE/AWV payment adjustment.

Payable FQHC payment code lines are flagged with a Payment Indicator (PI) = 10, unless there is a new patient or IPPE/AWV visit present. If there is a new patient visit or IPPE/AWV reported, PI= 13 is assigned to the FQHC payment code representing the new patient/IPPE/AWV visit. If multiple visits are reported, only one new patient FQHC payment HCPCS is assigned PI=13 per day. Any additional FQHC payment codes present for the same day are assigned PI=10.

Qualifying visit codes that accompany the FQHC payment code are flagged with PI=12 and are packaged with Packaging Flag =5.

If a mental health visit is provided on the same day as a medical clinic visit, both visits are recognized for FQHC encounter payments, providing the claim meets the criteria for payment of each visit, i.e. FQHC payment HCPCS codes are present for each visit, qualifying visit HCPCS codes are present, and appropriate revenue codes are reported.

If there is an additional FQHC payment code for an established medical visit reported on the same day with modifier 59, this indicates that the visit is a subsequent, unrelated illness or injury provided on the same day as another FQHC visit. The subsequent visit may be eligible for FQHC encounter payment, provided the appropriate FQHC visit criteria are met for the established patient FQHC visit reported with modifier 59. Any additional FQHC visits reported on the same day, reported with or without modifier 59, are packaged.

A composite adjustment flag is assigned for lines reporting FQHC payment codes, identifying the type of FQHC visit(s) present for a date of service, whether for: 01) medical visit or IPPE/AWV, 02) mental health visit, or 03) a subsequent visit reported with modifier 59. The composite adjustment flag is used by the Pricer program to identify line item charges associated with each type of FQHC encounter. All FQHC payment codes are assigned a composite adjustment flag by the IOCE; the assignment of the composite adjustment flag has no bearing on whether or not the visit is eligible for separate FQHC encounter payment.

Services with SI = M are not billable to the MAC and are subject to edit 72. Effective 4/1/2018 (v19.1), there is a list of HCPCS codes with SI = M that are reportable for FQHC claims and therefore bypass edit 72 processing. For the list of HCPCS applicable to the edit 72 bypass condition, see the DATA_HCPCS table within the quarterly data files and reference the BYPASS_E72_FQHC_RHC column.

Additional criteria for FQHC processing

Effective January 1, 2016 (v17.0), Grandfathered Tribal FQHC providers are identified by the presence of payer only condition code MG passed to the IOCE on a claim for FQHC PPS services. Claims submitted for Grandfathered Tribal FQHC providers have different encounter requirements than other FQHC PPS providers. Only one visit is payable per day; if multiple visits are present for the same day, the first medical visit (or first mental health visit if no medical visits are reported) is identified to OPPS Pricer for payment with a payment indicator (PI=14); all other visits are packaged.

FQHC PPS - Preventive services

Preventive services under the FQHC PPS shall be packaged into the FQHC encounter payment; however, line items reporting preventive services are subject to a waiver of coinsurance payment. The IOCE shall identify to the Pricer program the FQHC packaged preventive services by way of a specific packaging flag value 6 (FQHC packaged preventive or other reported service not subject to coinsurance payment).

Effective January 1, 2016, Advance Care Planning services reported with code 99497 are considered a preventive service under FQHC PPS when reported with an annual wellness visit (initial or subsequent). If advance care planning is reported with the annual wellness visit it is identified as a packaged preventive service. If advance care planning is reported without the annual wellness visit, it is treated as a qualifying visit code to satisfy the FQHC encounter requirements and is packaged as a qualifying visit code.

FQHC PPS – influenza, pneumococcal pneumonia, and covid-19 vaccine/treatment services

Influenza, pneumococcal pneumonia, and covid-19 vaccines/treatments and associated vaccine administration services continue to be paid under reasonable cost through the cost report and are not packaged into the FQHC encounter payment. If influenza, pneumococcal, or covid-19 vaccine/treatments and vaccine administration is reported on the FQHC claim, the services are identified for the Pricer program as non-packaged services that are excluded from the FQHC encounter payment (PI=11).

FQHC PPS - Non-covered services

Items or services that are not covered under the FQHC are line item rejected PPS (DME, ambulance, laboratory, and other non-covered services). Non-covered lines are assigned line item action flag 5 and PI=3, and although SI is ignored under FQHC, all non-covered lines are assigned to SI=E1. If line items with non-covered charges are passed into the IOCE with Line Item Action flag 5 previously assigned, these lines are not line item rejected. Note: All line items submitted on a claim with bill type 770 (No payment claim) are submitted to the IOCE with Line Item Action Flag 5 assigned; edit 91 is not returned for claims with bill type 770, nor is any other FQHC editing performed.

FQHC non-covered items or services include durable medical equipment submitted with revenue code 29X, ambulance services submitted with revenue code 54X, laboratory services paid under the Clinical Lab Fee Schedule (excluding venipuncture, 36415, which is packaged), hospital-based care, group services and non-face-to-face services.

Effective October 1, 2015 (v16.3), claims containing only FQHC non-covered services reported without a FQHC payment code and qualifying visit code are not returned to the provider.

FQHC PPS – Chronic care management services

Effective 1/1/2016 (v17.0), Chronic Care Management (CCM) services are not packaged under FQHC PPS. If Chronic Care Management is reported, PI = 2 is assigned, indicating that it is paid under the Medicare Physician Fee Schedule. CCM services reported without a FQHC payment code or qualifying visit code bypass edits 88 and 89.

FQHC PPS – telehealth services

Telehealth services (HCPCS Q3014 and G2025) are paid by the Medicare physician fee schedule and are not packaged into the FQHC encounter payment. If applicable FQHC telehealth services

are reported on an FQHC claim, the service is processed through the IOCE and identified as a non-packaged service for the Pricer program in order to be processed for fee schedule payment (packaging flag = 0). Effective July 1, 2015 (v16.2), applicable FQHC Telehealth services reported without an FQHC payment code and qualifying visit code are not returned to the provider (edit 88 and edit 89).

FQHC PPS - COVID-19 services

Effective 3/18/2020 (v21.2), FQHC claims with a HCPCS line item(s) reported with modifier CS return payment method flag (PMF) value C. A PMF of C indicates that payment is made by the FQHC PPS and coinsurance is not applicable as the item is a COVID-19 testing-related service. Additionally, modifier CS should only be reported when the item or service is identified by CMS as being eligible for a coinsurance and deductible waiver. If Modifier CS is reported on items or services not eligible for a coinsurance and deductible waiver, edit 114 is returned (RTP). (Refer to the DATA_HCPCS table within the data files for services flagged as coinsurance_deductible_waiver_eligible. Note: FQHC claims do not have deductible applied.

FQHC PPS – Opioid use disorder treatment demonstration

Effective April 1, 2021 (v22.1), Opioid use disorder (OUD) treatment demonstration code G2172 is paid by the Medicare physician fee schedule (payment indicator =2) and is not packaged into the FQHC encounter payment (packaging flag =0). OUD treatment demonstration code G2172 if reported without an FQHC payment code or qualifying visit code bypasses edits 88 and 89.

Note: If office-based OUD treatment codes are reported with OUD treatment demonstration code, G2172, without an FQHC payment code or qualifying visit code, edits 88 and 89 are not bypassed.

Effective April 1, 2021, office-based Opioid Use Disorder treatment services (see Data_HCPCS, Opioid Use Disorder Model HCPCS) reported on claims containing condition code M5 (indicating reporting under the Value in Opioid Treatment Demonstration model) set the packaging flag to 6 (FQHC packaged preventive or other reported service not subject to coinsurance payment) in order for the Pricer to not calculate coinsurance payment for these HCPCS.

Rural health clinic visit processing

Effective 4/1/2016 (v17.1), the non-covered services list for FQHC is applied to RHC (Rural Health Clinic) claims with bill type 71x. Program logic associated with the execution of edit 91 and the return of line item action flag 5 is included for RHC claims (Note: RHC claims are not subject to any additional FQHC PPS logic.)

Services with SI = M are not billable to the MAC and are subject to edit 72. Effective 4/1/2018 (v19.1), there is a list of HCPCS codes with SI = M that are reportable for RHC claims and therefore bypass edit 72 processing. For the list of HCPCS applicable to the edit 72 bypass condition, see the DATA_HCPCS table within the quarterly data files and reference the BYPASS_E72_FQHC_RHC column.

Effective 4/1/2018 (v19.1), certain services deemed incorrectly reported with modifier CG (Policy criteria applied) for RHC claims are line item rejected (edit 104) as not being included in the RHC all-inclusive rate. Effective April 1, 2021, the list of codes incorrectly reporting modifier CG includes office-based Opioid Use Disorder HCPCS.

Chapter 6: Non-OPPS data entry

This chapter describes how to interactively enter data into the Integrated Outpatient Code Editor (IOCE) software. The chapter contains the following information for non-OPPS data processing: complete definitions for fields, explanations of menus and command buttons, and a list of error messages that can occur.

Note: IOCE software uses one graphical user interface for interactively processing claims from both OPPS and non-OPPS hospitals. Consequently, three new fields (Primary Pay Source, Patient account number, and Comment) were added specifically for non-OPPS data entry.

Versions and date ranges

The following table lists the versions contained in this release of IOCE software for non-OPPS hospital claims processing. The date entered in the program as Date of Service From determines the version used for processing.

Table 16. Program versions

IOCE version	Effective date range
24.0.0	01/01/2023–01-01-2033 ^a
23.3.x	10/01/2022–12/31/2022
23.2.x	07/01/2022–09/30/2022
23.1.x	04/01/2022–06/30/2022
23.0.x	01/01/2022–03/31/2022
22.3.x	10/01/2021–12/31/2021
22.2.x	07/01/2021–09/30/2021
22.1.x	04/01/2021–06/30/2021
22.0.x	01/01/2021–03/31/2021
21.3.x	10/01/2020–12/31/2020
21.2.x	07/01/2020–09/30/2020
21.1.x	04/01/2020–06/30/2020
21.0.x	01/01/2020–03/31/2020
20.3.x	10/01/2019–12/31/2019
20.2.x	07/01/2019–09/30/2019

IOCE version	Effective date range
20.1.x	04/01/2019–06/30/2019
20.0.x	01/01/2019–03/31/2019
19.3.x	10/01/2018–12/31/2018
19.2.x	07/01/2018–09/30/2018
19.1.x	04/01/2018–06/30/2018
19.0.x	01/01/2018–03/31/2018
18.3.x	10/01/2017–12/31/2017
18.2.x	07/01/2017–09/30/2017
18.1.x	04/01/2017–06/30/2017
18.0.x	01/01/2017–03/31/2017
17.3.x	10/01/2016–12/31/2016
17.2.x	07/01/2016–09/30/2016
17.1.x	04/01/2016–06/30/2016
17.0.x	01/01/2016–03/31/2016

a. The ending date of the current version will be modified to the actual ending date with the next release.

Non-OPPS data entry fields

Non-OPPS fields on the input window are described in the following table. Refer to the Data elements table for Uniform Billing (UB) locator information for fields.

Note: Grayed-out names indicate fields that have a pre-set value or are not available for data entry.

Figure 4: Non-OPPs input window

Table 17. Non-OPPS data entry fields

Field name	Length	Description
Patient name	31	Name of the patient.
Medical record number	17	Patient's medical record number.
Date of service: From	10	Required. Beginning date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . Used for code validation. The date cannot precede the first day of the earliest version included in the current release and determines the version of codes and descriptions used for processing.
Date of service: Through	10	Required. Through date of patient's service in MM/DD/YY or MM/DD/YYYY format ^a . The date cannot precede the first day of the earliest version included in the current release.
Patient status	2	Patient status code

Field name	Length	Description
Bill type	3	Code indicating the specific type of bill: inpatient, outpatient, adjustments, voids, etc.
Birth date	10	Patient's birth date in MM/DD/YY or MM/DD/YYYY format ^a . Used for age calculation.
Age in years	3	Patient's age in years. Valid values: 0 - 124. Calculated age (From date minus Birth date) takes precedence over entered age.
Sex	1	Patient's sex. Select a value from the drop-down list of acceptable values.
OPPS flag	1	OPPS/non-OPPS flag. Default value = 1. 1 = OPPS 2 = Non-OPPS
Pay source		Enter the primary pay source using one of the numbers listed below. The English description displays automatically. 01 = Medicare 02 = Medicaid 03 = Title V 04 = Other govt 05 = Work 06 = Blue Cross 07 = Insur co 08 = Self pay 09 = Other 10 = No charge
Patient account number	20	Number of the group insurance policy or other unique patient identifier by which the patient is billed for medical care. The entry can be a combination of letters and numbers.
Comment	20	Available for entry of additional information as specified by the user. The entry can be a combination of letters and numbers.
Condition codes	2	Code(s) used to identify conditions relating to the bill that may affect payer processing. Maximum of 30 condition codes. Lower case letters are automatically converted to upper case by the program.
Occurrence codes	2	Occurrence code. Maximum of 30 occurrence codes.
Value Codes and amounts	11	Value Code and Value Code Amount. Maximum of 36 codes.

Field name	Length	Description
Diagnosis codes	8	<p>Enter the diagnosis code without decimal points. Lower case letters are converted to upper case by the program. The English description for the code appears in the text box to the right of this field.</p> <p>Diagnosis codes. PDX is required. Valid entries for diagnoses are 8-character ICD-10-CM codes, to a maximum of 28 diagnoses. The first three listed diagnoses are assumed to be the patient's reasons for visit diagnosis (RVDX) and may be left blank. The fourth listed diagnosis is assumed to be the principal diagnosis and cannot be blank. Additional diagnoses are secondary and must be in contiguous locations. The first blank non-RVDX diagnosis signifies the end of the list.</p> <p>Important: After entering a code, be sure to click the Add code, Add RVDX or Add PDX button to add the code to the record.</p>
Procedure codes	8	<p>Enter the procedure code without decimal points. Lower case letters are converted to upper case by the program. The English description for the code appears in the text box to the right of this field.</p> <p>Procedure codes. Valid entries for procedures are 5-character CPT/HCPCS codes to a maximum of 99 procedures.</p> <p>Important: After entering a code, be sure to click the Add procedure button to add the code to the record.</p>
Modifiers	2	Enter a maximum of five modifiers. Each modifier must be two characters long. Lower case letters are automatically converted to upper case by the program. This field is only enabled when you are entering a procedure.
Revenue	4	Required for line items. Code that identifies a specific accommodation, ancillary service, or billing calculation (UB-04 form locator 42). One revenue code is required for each line item. This field is only enabled when you are entering a procedure.
Units	9	<p>A quantitative measure of services rendered to or for the patient, by procedure code (UB-04 form locator 46). Valid values: 0-999999999</p> <p>This field is only enabled when you are entering a procedure.</p>
Service date	10	Date that the procedure was performed in MM/DD/YY or MM/DD/YYYY format ^a . This field is only enabled when you are entering a procedure.

Field name	Length	Description
Charges	10	Charges related to the revenue or procedure codes for the current billing period as entered in the Statement Covers period (UB-04 form locator 47). Valid values: 0-99999999.99. This field is only enabled when you are entering a procedure.
Action flag		Indicates to a payment program that a line item rejection or denial should be ignored or added. Select a value (0 - 4) from the drop-down list of values: 0 - Line item denial or rejection is not ignored. 1 - Line item denial or rejection is ignored (except when edit 30 is present). 2 - External line item denial. Line item is denied even if no IOCE edits are present. 3 - External line item rejection. Line item is rejected even if no IOCE edits are present. 4 - External line item adjustment. Technical charge rules apply. This field is only enabled when you are entering a procedure.
Contractor bypass edits	12	4, 3-byte alpha-numeric characters allowed per single line item; right-justified, zero-filled, default: 000
Contractor bypass APC	5	Numeric; right-justified, zero-filled, default: 00000
Contractor bypass status indicator	2	Alphanumeric; right-justified, zero-filled, default: 00 Note: If the SI value is one character, it must be reported with a leading blank value instead of 0 (example, " bA" "A")
Contractor bypass payment indicator	2	Numeric; right-justified, zero-filled, default: 00
Contractor bypass discounting formula	1	Numeric; zero-filled, default: 0
Contractor bypass line item denial or rejection flag	1	Numeric; zero-filled, default: 0
Contractor bypass packaging flag	1	Numeric; zero-filled, default: 0
Contractor bypass payment adjustment flag 1	2	Numeric; right-justified, zero-filled, default: 00
Contractor bypass payment method flag	1	Alphanumeric; zero-filled, default: 0

Field name	Length	Description
Contractor bypass payment adjustment flag 2	2	Numeric; right-justified, zero-filled, default: 00
Diagnoses		A display-only list of the diagnoses entered for the current patient record. You can delete a diagnosis from this list by selecting it and then clicking Delete row on the Edit menu.
CMS Certification Number (CCN)	6	CMS Certification Number (CCN); formerly known as OSCAR number.
Procedures		A display-only list of the procedures (and related information) entered for the current patient record. You can delete a procedure from this list by selecting it and then clicking Delete row on the Edit menu.

a. Dates can be entered with or without a separator (/)

Non-OPPS menu items

Menu items available from the input window are described in the following table.

Table 18. Menu items

Menu	Item	Function
File	New	Displays a new window, cleared of all previously entered information.
File	Exit	Exits the program.
Edit	Cut	Removes the selected text and copies it to the clipboard.
Edit	Copy	Copies the selected text to the clipboard.
Edit	Paste	Inserts the clipboard's contents at the insertion point.
Edit	Delete row	Deletes the diagnosis or procedure (and all information in the row) that was selected.
Help	About	Displays the About box.

Tip

"Hot keys" in menus are displayed after you press the Alt key.

Non-OPPS command buttons

Command buttons on the input window are described in the following table.

Table 19. Command buttons

Button	Function
Add as PDX	Adds the currently displayed diagnosis code to the PDX field in the Diagnoses list at the bottom of the window.
Add as SDX	Adds the currently displayed diagnosis code to the SDX field in the Diagnoses list at the bottom of the window.
Add as RVDX	Adds the currently displayed diagnosis code to the RVDX field in the Diagnoses list at the bottom of the window.
Delete selected DX	Deletes the currently displayed diagnosis code from the Diagnoses list at the bottom of the window.
Add procedure	Adds the currently displayed procedure code to the Procedures list at the bottom of the window.
Delete procedure	Deletes the currently displayed procedure code to the Procedures list at the bottom of the window.
Copy procedure	Copies the currently displayed procedure code to the Procedures list at the bottom of the window.
New claim	Clears the window and starts a new claim.
Generate Report	Displays a pre-formatted output report that can be printed or saved. Chapter 4 (page 35) contains more output report information.

Non-OPPS error messages

To help ensure the entry of accurate information, the program automatically performs data entry checks, such as for a month entered as 14, or an age entered as -2. When an error is detected, an error message appears in a message box. Click OK to close the message box.

Table 20. Non-OPPS error messages

Message	Occurs when ...
Birth date cannot be after From date.	Birth date is after the From date.
Birth date cannot be after today's date.	Date in the date field is after the system (today's) date.

Message	Occurs when ...
Invalid date. Valid formats are mm/dd/yyyy or mm/dd/yy or mmdyyy or mmdyy.	The value entered for the month, day or year is outside the valid range for mm, dd or yyyy, or the format is incorrect. Note: This error message applies to the "Birth date", "From date", or "Through date" fields.
Charges are invalid. Charges must be between 0 and 99999999.99.	Entry for Charges is outside the field's valid entry range.
From date cannot be after Through date.	From date is after the Through date.
From date cannot be after today's date.	Date entry is after the system (today's) date.
From date cannot precede Birth date.	From date precedes the Birth date.
From date cannot precede mm/dd/yyyy.	Date is prior to the first day of the earliest non-OPPS version included in the current release.
Invalid age. Age in years must be between 0 and 124.	Entered age or calculated age exceeds 124 years.
Partial hospitalization condition code 41 not approved for type of bill.	Bill type is 12x or 14x with a condition code of 41.
Revenue code is a required field. Please enter a revenue code.	User attempts to add a procedure to the patient record without first entering a revenue code.
Service date is a required field. Please enter a service date.	User attempts to add a procedure to the patient record without first entering a service date.
Service date must be within the range of the From and Through dates.	Service date is not within the range of the From and Through dates.
The maximum number of diagnosis codes is 28.	User attempts to add a 29th diagnosis code.
The maximum number of procedure codes is 99.	User attempts to add a 100th procedure code.
Through date cannot be after today's date.	Through date is after the system (today's) date.
Through date cannot precede Birth date.	Through date is prior to the Birth date.
Through date cannot precede From date.	Through date is prior to the From date.
Through date cannot precede mm/dd/yyyy.	Through date is prior to the first day of the earliest non-OPPS version included in the current release.

Chapter 7: Non-OPPS data output

This chapter describes the Integrated Outpatient Code Editor (IOCE) program output, including output report fields, edit information, status indicators, and payment indicators.

Viewing an output report

To view the output report for a claim

1. Complete your data entry using the input window.
2. At the bottom of the input window, click Generate Report.

The output report is displayed.

The current version of software installed on your system is noted under “OCE Version Used” as XX.X.X. The first two digits refer to the version identification number, the third digit specifies the version of software that was used to process the claim based on the date of service, and the fourth digit represents revisions created since the original release and does not affect your use of the product

The format of a sample output report is shown below. In actual use, the fields will contain real data. Descriptions of output report fields follow the figure.

Integrated Outpatient Code Editor Output Report

Patient Name: Medical Record Number: CEN: Receipt Date: 01/01/2021 OPPS Flag: NONOPPS
From Date: 01/01/2021 Through Date: 01/01/2021
Birth Date: Age (years): 065 Sex: MALE
Patient Status: 01 Bill Type: 131 OCE Version Used: 22.0.2
Pay Source: 01 Medicare Account #: 12945 Comment: Note
Condition Codes:
Occurrence Codes:
Payer Condition Codes:
Value Codes (Input):
Value Codes (Output):
Principal Diagnosis:
F0151 : Vascular dementia with behavioral disturbance
Diagnosis Edits:
Procedures:
90832: Paytx w pt 30 minutes
Modifiers: Revenue Code: 0350 Date: 01/01/2021
Units In/Out: 0000/0001 Charges: 0000000000
HCPCS APC: 00000 Payment APC: 00000 HCPCS Modifier:
Status Indicator: Payment Indicator:
Action Flag In/Out: 0/ Payment Adjustment Flag 1: Payment Adjustment Flag 2:
Composite Flag: Packaging Flag: Payment Method Flag:
Denial/Rejection Flag:
Grouper Return Code: Claim processed (0)
Overall Claim Disposition: No edits present on claim (0)
Claim Rejection Disposition: Claim not rejected (0)
Claim Denial Disposition: Claim not denied (0)
Claim Return To Provider Disposition: Claim not returned to provider (0)
Claim Suspension Disposition: Claim not suspended (0)
Line Item Rejection Disposition: No line item rejections (0)
Line Item Denial Disposition: No line item denials (0)
APC Buffer Return Flag: 0
Claim Processing Flag: Claim processed (0)
CPT codes, descriptions and material only are copyright 2020 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values or related listings are included in CPT. AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained herein. All rights reserved.

Save Report Close Report

Figure 5: Sample non-OPPs output report

Output report fields

Fields on the output report are described in the following table.

Table 21. Output report fields

Name	Description
Patient name Medical record number Dates of service: From and Through OPPS flag Birth date Age in years Sex Patient status Type of bill OCE version used Condition codes Occurrence codes Payer condition codes Value Code and Amount Payer Value Code Payer Value Code Amount ICD Code Type Diagnoses Procedures Modifiers Revenue code Units of service Line item charges (Charge) Service date (Date) Line item action flag ^a	Data that was entered on input window. See the Non-OPPS data entry fields table (page 111) for descriptions of these fields.
Status indicator ^a	
Payment indicator ^a	
Discounting formula ^a	
Payment adjustment flag ^a	

Name	Description
Line Item Denial or Rejection Flag	<p>0 - Line item not denied or rejected</p> <p>1 - Line item denied or rejected (procedure edit return buffer for line item contains a 9, 13, 18, 20, 28, 30, 40, 45, 47, 49, 53, 64-65, 67-69, 76, 83, 91, 93, 103-108, 110-112, 115, 117)</p> <p>2 - The line is not denied or rejected, but occurs on a day that has been denied or rejected (not used as of 4/1/2002 - v3.0)</p> <p>3 - Line item not denied or rejected; identified for informational alert only</p>
HCPCS Modifier	Reserved for future use
Edit	<p>Edit number, description, and disposition generated by the diagnosis or procedure. The edit dispositions are abbreviated as follows:</p> <p>RTP - Return to provider</p> <p>LIR - Line item rejection</p> <p>LID - Line item denial</p> <p>CD - Claim denial</p> <p>S - Claim suspension</p> <p>See "Edit disposition summary" for more information on individual edits.</p>
Claim level edits	Edits that affect the entire claim, rather than an individual diagnosis or procedure.
Overall claim disposition statement	<p>Because it is possible for a claim to have one or more edits in all dispositions, the program assigns an overall disposition to the claim. Values are:</p> <p>0 - No edits are present on the claim.</p> <p>1 - The only edits present are for line item denial or rejection.</p> <p>2 - Claim is for multiple days with one or more days denied or rejected.</p> <p>3 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only post-payment edits.</p> <p>4 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only pre-payment edits.</p> <p>5 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with both post- and pre-payment edits.</p>

a. No value will be returned on non-OPPS claims.

Menu items from the output report window

Menu items available from the output report window are described in the following table.

Table 22. Menu items

Menu	Item	Function
File	Print	Prints the output report.
File	Save As...	Opens the Save As dialog box to save the currently displayed output report as a text file.
File	Exit	Closes the output report window.
Edit	Copy	Copies the selected text and moves it to the clipboard.
Edit	Select All	Selects the entire output report.

Tip

"Hot keys" in menus are displayed after you press the Alt key.

Payment information

Non-OPPS payment is not directed by the IOCE.

Dispositions

Each edit is associated with a disposition. For example, there can be a rejection of the line item itself or a rejection of the entire claim. In addition to edit dispositions, the program assigns an overall disposition to the claim. Edit and claim dispositions are discussed in the following sections.

Edit disposition

A disposition is assigned based on the presence of any edits on a line. The meaning of each edit disposition is described in the following table. It is possible for a claim to have one or more edits in all dispositions.

Table 23. Edit disposition definitions

Disposition	Definition
Claim rejection	The provider can correct and resubmit the claim but cannot appeal the rejection.
Claim denial	The provider cannot resubmit the claim but can appeal the denial.
Claim return to provider (RTP)	The provider can resubmit the claim once the problems are corrected.
Claim suspension	The claim is not returned to the provider, but it is not processed for payment until the fiscal intermediary/Medicare Administrative Contractor (FI/MAC) makes a determination or obtains further information.
Line item rejection	The claim can be processed for payment with some line items rejected for payment (i.e., the line item can be corrected and resubmitted but cannot be appealed).
Line item denial	There are one or more edits that cause one or more individual line items to be denied. The claim can be processed for payment with some line items denied for payment (i.e., the line item cannot be resubmitted but can be appealed).

Refer to the Edit disposition summary table for a complete list of program edits and edit dispositions.

Claim disposition

Since a claim can have several edit dispositions assigned to line items, the claim is assigned an overall disposition. Claim dispositions are shown in the "Overall claim disposition statement" in the Edit disposition summary.

Edit disposition summary

The table below lists the edits currently applied to non-OPPS hospital outpatient claims with their dispositions. Note that edits are not numbered sequentially; IOCE edits that are not currently applied to non-OPPS hospital claims are not listed. The meaning of each disposition is described in the edit disposition section (page [122](#)). The non-OPPS program edits chapter (page [129](#)) contains information on what conditions will generate an edit, as well as relevant important comments for specific edits.

Table 24. Edit disposition summary

Edit	Edit disposition
1. Invalid diagnosis code	Claim returned to provider
2. Diagnosis and age conflict	Claim returned to provider
3. Diagnosis and sex conflict	Claim returned to provider
5. External cause of morbidity code cannot be used as principal diagnosis	Claim returned to provider
6. Invalid procedure code	Claim returned to provider
7. Procedure and age conflict	Line item rejection (Informational only, no impact to payment)
8. Procedure and sex conflict	Claim returned to provider
9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion	Line item denial
10. Service submitted for denial (condition code 21) Edit 10 also terminates processing early and returns Claim Processed Flag of 3 (Claim could not be processed (edit 10 - condition code 21 is present)), and a Return Code of 20 (Claim was not processed, condition code 21 exists). Edit 10, and edits 23 and 24 for from /through dates, are not dependent on the Edits by Bill Type Tables for OPPS or Non-OPPS.	Claim denial
11. Service submitted for FI/MAC review (condition code 20)	Claim suspension
12. Questionable covered service	Claim suspension
13. Separate payment for services is not provided by Medicare	Line item rejection
15. Service unit out of range for procedure ^a	Claim returned to provider
17. Inappropriate specification of bilateral procedure	Line item rejection
20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present	Line item rejection
22. Invalid modifier	Claim returned to provider

Edit	Edit disposition
23. Invalid date	Claim returned to provider
24. Date out of OCE range	Claim suspension
25. Invalid age	Claim returned to provider
26. Invalid sex	Claim returned to provider
28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available	Line item rejection
40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present	Line item rejection
41. Invalid revenue code	Claim returned to provider
44. Observation revenue code on line item with non-observation HCPCS code	Claim returned to provider
46. Partial hospitalization condition code 41 not approved for type of bill	Claim returned to provider
48. Revenue center requires HCPCS	Claim returned to provider
50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion	Claim returned to provider
51. Observation code G0378 not allowed to be reported more than once per claim	Claim returned to provider
53. Codes G0378 and G0379 only allowed with bill type 13x or 85x	Line item rejection
54. Multiple codes for the same service ^a	Claim returned to provider
55. Non-reportable for site of service	Claim returned to provider
61. Service can only be billed to the DMERC	Claim returned to provider
62. Code not recognized by OPPS; alternate code for same service may be available	Claim returned to provider
65. Revenue code not recognized by Medicare	Line item rejection
67. Service provided prior to FDA approval	Line item denial
68. Service provided prior to date of National Coverage Determination (NCD) approval	Line item denial
69. Service provided outside approval period	Line item denial
72. Service not billable to the Medicare Administrative Contractor	Claim returned to provider
74. Units greater than one for bilateral procedure billed with modifier 50	Claim returned to provider

Edit	Edit disposition
83. Service provided on or after effective date of NCD non-coverage	Line item denial
84. Claim lacks required primary code	Claim returned to provider
86. Manifestation code not allowed as principal diagnosis	Claim returned to provider
88. FQHC payment code not reported for FQHC claim	Claim returned to provider
89. FQHC claim lacks required qualifying visit code	Claim returned to provider
90. Incorrect revenue code reported for FQHC payment code	Claim returned to provider
91. Item or service not covered under FQHC PPS or for RHC	Line item rejection
93. Corneal tissue processing reported without cornea transplant procedure	Line item rejection
94. Biosimilar HCPCS reported without biosimilar modifier (v17.0–v19.0 only)	Claim returned to provider
100. Claim for HSCT allogeneic transplantation lacks required revenue code line for donor acquisition services	Claim returned to provider
102. Modifier pairing not allowed on the same line	Claim returned to provider
103. Modifier reported prior to FDA approval date (v19.0 only)	Line item denial
104. Service not eligible for all-inclusive rate	Line item rejection
106. Add-on code reported without required primary procedure code	Line item denial
107. Add-on code reported without required contractor-defined primary procedure code	Line item denial
108. Add-on code reported without required primary procedure or without required contractor-defined primary procedure code	Line item denial
110. Service provided prior to initial marketing date	Line item rejection
111. Service cost is duplicative; included in cost of associated biological.	Line item rejection
112. Information only service(s)	Line item rejection
113. Supplementary or additional code not allowed as principal diagnosis	Claim returned to provider
114. Item or service not allowed with modifier CS	Claim returned to provider
115. COVID-19 lab add-on code reported without required primary procedure	Line item denial

Edit	Edit disposition
116. Opioid treatment program service not payable outside the opioid treatment program	Claim returned to provider
118. Invalid bill type	Claim returned to provider
119. Invalid claim processing receipt date	Claim returned to provider
120. Incorrect reporting of modifier PT	Claim returned to provider
123. Modifier used after CMS termination date	Claim returned to provider
124. HCPCS reported after CMS termination date	Claim returned to provider

Chapter 8: Non-OPPS program edits

This chapter contains information on the condition(s) which, when present, will generate an edit in the Integrated Outpatient Code Editor (IOCE) program for non-OPPS claims.

At the end of this chapter is a "Special logic information" (page [141](#)) section that contains additional information about specific non-OPPS editing logic in the IOCE.

The following table summarizes when edits are generated and also includes other relevant information. Note that edits are not numbered sequentially; IOCE edits that are not currently applied to non-OPPS hospital claims are not listed. Edit dispositions and overall claim disposition information are located in the non-OPPS data output chapter (page [119](#)).

Edit summary for non-OPPS

Table 25. Edit summary

Edit	Generated when ...
1. Invalid diagnosis code	The principal diagnosis field is blank, there are no diagnoses entered on the claim, or the entered diagnosis code is not valid. Effective with v22.2, edit 1 is bypassed if a claim with a From-Through date spanning the quarter boundary (e.g., 09/29/-10/01) reports a diagnosis code that is valid in at least one quarter. If the diagnosis code is not valid in either of the quarters edit 1 is applied.
2. Diagnosis and age conflict	The diagnosis code includes an age range, and the age is outside that range.
3. Diagnosis and sex conflict	The diagnosis code includes sex designation, and the sex does not match. This edit is bypassed if condition code 45 is present on the claim.
5. External cause of morbidity code cannot be used as principal diagnosis	The principal diagnosis code is in the range V00-Y99.
6. Invalid procedure code	The entered HCPCS code is not valid for the selected version of the program.
7. Procedure and age conflict	The age of the patient does not fall within the age range(s) designated for the procedure code reported. Note: Ages are based on published CMS/AMA information. This is an information only edit that sets the Line Item Denial Rejection flag = 3.

Edit	Generated when ...
8. Procedure and sex conflict	The sex of the patient does not match the sex designated for the procedure coded on the record. This edit is bypassed if condition code 45 is present on the claim.
9. Non-covered under any Medicare outpatient benefit, for reasons other than statutory exclusion	The procedure code has a Non-covered for reasons other than statute service flag. This edit is bypassed when code G0428 is present with SI of E.
10. Service submitted for denial	The claim submitted has condition code 21 present. NOTE: Prior to the implementation of v22.0 edit 10 terminated processing early and returned Claim Processed Flag value 3 (Claim could not be processed (edit 10 condition code 21 is present)), and Return Code 20 (Claim was not processed, condition code 21 exists). Effective with v22.0, edit 10 no longer terminates processing but instead just returns the edit and all other edits if present on the claim.
11. Service submitted for MAC review (condition code 20)	The claim has a condition code 20.
12. Questionable covered service	The procedure code has a Questionable covered service flag.
13. Separate payment for services is not provided by Medicare	The claim is OPPS and the bill type is 12x, 13x, 14x, or 76x and the HCPCS code has status indicator E2.
15. Service unit out of range for procedure (inactive) ^a	The maximum units allowed is greater than zero and The sum of the service units for all line items with the same procedure code on the same day exceeds the maximum allowed for this procedure and Modifier p is not present or modifier 91 is present but the HCPCS code is not on the list of laboratory/pathology codes which are exempt from this edit. Units for all line items with the same HCPCS code on the same day are added together when applying this edit. If the total units exceed the code's limits, the procedure edit return buffer is set for all line items that have the HCPCS code. If modifier 91 is present on a line item and the HCPCS code is on a list of codes that are exempt, the unit edits are not applied.

Edit	Generated when ...
17. Inappropriate specification of bilateral procedure	<p>The same inherent bilateral procedure code occurs two or more times on the same service date. This edit is applied to all relevant bilateral procedure lines, except when modifier 76 or 77 is submitted on the second or subsequent line or units of an inherently bilateral code.</p> <p>Exception: For codes with an SI of V that are also on the Inherent Bilateral list, condition code G0 will take precedence over the bilateral edit; these claims will not receive edit 17.</p> <p>Exception: This edit is bypassed if the bill type is 085x.</p>
20. Code2 of a code pair that is not allowed by NCCI even if appropriate modifier is present	<p>The procedure is identified as part of another procedure on the claim coded on the same day, where the use of a modifier is not appropriate. Only the code in column 2 of a code pair is rejected; the column 1 code of the pair is not marked as an edit.</p>
22. Invalid modifier	<p>The modifier is not in the list of valid modifier entries and the revenue code is not 540.</p>
23. Invalid date	<p>The service date and/or the from and through dates are invalid. Or the Service date falls outside the range of the From and Through dates. This edit terminates processing for the claim. Edit 10, and edits 23 and 24 for from /through dates, are IOCE program errors that are applicable to each bill type.</p> <p>Exception: Home Health claims (32x) reporting a HIPPS code with revenue code 0023 do not have edit 23 applied if the line item date of service is outside the claim From Date and Through Dates. Home Health adjustment claims (032G) do not have edit 23 applied to any line items that report a service date outside the claim From-Through dates.</p> <p>Note: If edit 23 is not applied, the lowest service (or From) date is substituted for invalid dates and processing continues.</p>
24. Date out of OCE range	<p>The From/Through date falls outside the date range of any version of the program. Presence of this edit condition terminates processing for the claim. Edit 10, and edits 23 and 24 for from /through dates, are IOCE program errors that are applicable to each bill type.</p>
25. Invalid age	<p>The age is non-numeric or outside the range of 0-124 years.</p>

Edit	Generated when ...
26. Invalid sex	The sex is non-numeric or outside the range of 0-2.
28. Code not recognized by Medicare for outpatient claims; alternate code for same service may be available	The procedure code has a 'Not recognized by Medicare' indicator.
40. Code2 of a code pair that would be allowed by NCCI if appropriate modifier were present	The procedure is identified as part of another procedure on the claim coded on the same day, where the modifier was either not coded or is not an NCCI modifier. Only the code in column 2 of a code pair is rejected; the column 1 code of the pair is not marked as an edit.
41. Invalid revenue code	The revenue code is not in the list of valid revenue codes or the revenue code is reported prior to/exceeding its NUBC effective date. Effective with the July 1, 2021 (v22.2) release, revenue codes are validated based on the claims processing receipt date, as revenue codes are considered a non-medical code set and should be validated not based on claim From-through dates but per the date in which CMS received the claim.
44. Observation revenue code on line item with non-observation HCPCS code	A 762 (observation) revenue code is used with a HCPCS other than G0378 or G0379.
46. Partial hospitalization condition code 41 not approved for type of bill	Bill type 12x or 14x is present with condition code 41.
48. Revenue center requires HCPCS	The bill type is 13x, 74x, 75x, 76x, or 12x/14x without condition code 41, HCPCS is blank, and the revenue center status indicator is not N or F. This edit is bypassed when the revenue code is 100x, 210x, 310x, 099x, 0905-0907, 0500, 0509, 0583, 0660-0663, 0669, 0931, 0932, 0521, 0522, 0524, 0525, 0527, 0528, 0637, or 0948; see also edit 65.
50. Non-covered under any Medicare outpatient benefit, based on statutory exclusion	Code is on 'statutory exclusion' list or Revenue code is 0637 with SI of E when submitted without a HCPCS code.
51. Observation code G0378 not allowed to be reported more than once per claim	HCPCS code G0378 is reported more than once on a 13x or 85x claim/bill type. The edit is applicable to the subsequent lines of G0378 only. Edit 51 is bypassed if the subsequent G0378 line(s) has a line item action flag of 2, 3, or 4.

Edit	Generated when ...
53. Codes G0378 and G0379 only allowed with bill type 13x or 85x	Codes G0378 and/or G0379 appear on the claim and the bill type is not 13x or 85x.
54. Multiple codes for the same service ^a	Any of the following three pairs of codes appear on the same claim: C1012 and P9033, C1013 and P9031, or C1014 and P9035.
55. Non-reportable for site of service	The procedures reported are non-reportable for the site of service indicated.
61. Service can only be billed to the DMERC	The procedure code has a 'DMERC billable only' flag indicator set and SI=Y.
62. Code not recognized by OPPS; alternate code for same service may be available	The procedure code has a 'Not recognized by Medicare for OPPS' indicator. Services with a status indicator of B always return edit 62.
65. Revenue code not recognized by Medicare	The revenue code is 100x, 210x, 310x, 0500, 0509, 0583, 0660-0663, 0669, 0905-0907, 0931, or 0932.
67. Service provided prior to FDA approval	The line item date of service of a code is prior to the date of FDA approval.
68. Service provided prior to date of National Coverage Determination (NCD) or Demonstration approval	The line item date of service of a code is prior to the code activation date as determined by National Coverage Determination (NCD) or approval of a Demonstration.
69. Service provided outside approval period	The service was provided outside the period approved by CMS.
72. Service not billable to the Medicare Administrative Contractor	<p>A code has a status indicator M.</p> <p>This edit is bypassed when the bill type is 85x and revenue code is 096x, 097x, or 098x. This edit is also bypassed when the bill type is 81x or 82x and the revenue code is 657.</p> <p>Note: The status indicator for the HCPCS code is changed from M to A.</p>
74. Units greater than one for bilateral procedure billed with modifier 50	Any code on the Conditional or Independent bilateral list is submitted with modifier 50 and units of service are greater than one on the same or multiple lines, and the bill type is 85x with revenue code 96x, 97x, or 98x.
83. Service provided on or after effective date of NCD non-coverage	The line item date of service of a code is after the date of non-coverage determination.

Edit	Generated when ...
84. Claim lacks required primary code	<p>Certain claims are returned to the provider if a specified add-on code is submitted without a code for a required primary procedure on the same date of service (edit 84). Add-on codes 33225, 90785, 90833, 90836 or 90838 are submitted without one of the required primary codes on the same day.</p> <p>Note: PHP add-on codes are editing with 84 until version 18.1 where PHP add-on code editing is terminated; add-on editing for 33225 is active until version 16.0. For v15.3–v16.0, FQHC claims reporting psychotherapy add-on codes without a primary service are edited with 84.</p>
86. Manifestation code not allowed as principal diagnosis	A diagnosis code considered to be a manifestation code from the Medicare Code Editor (MCE) manifestation diagnosis list is reported as the principal diagnosis code on a hospice bill type claim 81X, 82X.
88. FQHC payment code not reported for FQHC claim	<p>FQHC payment code not reported for a claim with bill type 77x and without condition code 65. Note: If the bill type is 770 (No payment claim), edit 88 is not applicable.</p> <p>Note: Edit 88 is bypassed on FQHC PPS claims that do not report the FQHC payment code for the following: Telehealth originating site services, Chronic Care Management and the Opioid Use Disorder (OUD) Demonstration Model; also edit 88 is bypassed for FQHC when only FQHC non-covered services are present with edit 91.</p>
89. FQHC claim lacks required qualifying visit code	<p>FQHC payment code reported for FQHC claim (bill type is 77x without condition code 65) without a qualifying visit HCPCS.</p> <p>Note: Edit 89 is bypassed on FQHC PPS claims that report the FQHC payment code and not the qualifying visit for the following: Telehealth originating site services, Chronic Care Management and the Opioid Use Disorder (OUD) Demonstration Model; also edit 89 is bypassed for FQHC when only FQHC non-covered services are present with edit 91.</p>
90. Incorrect revenue code reported for FQHC payment code	FQHC payment code not reported with revenue code 519, 52X or 900.
91. Item or service not covered under FQHC PPS or for RHC	A service considered to be non-covered under FQHC PPS or for RHC is reported.

Edit	Generated when ...
93. Corneal tissue processing reported without cornea transplant procedure	Corneal tissue processing HCPCS (V2785) is reported and there is no corneal transplant procedure present for the same service date.
94. Biosimilar HCPCS reported without biosimilar modifier	A biosimilar HCPCS code is reported on the claim without its corresponding biosimilar manufacturing modifier. This edit applies to v17.0–v19.0 only.
100. Claim for HSCT allogeneic transplantation lacks required revenue code line for donor acquisition services	A claim reporting HSCT allogeneic transplantation (procedure code 38240) is reported and there is no additional line on the claim reporting revenue code 815 for donor acquisition services.
102. Modifier pairing not allowed on the same line	A line item is reported with a pair of modifiers that have conflicting meaning and should not be reported together. Please reference the data files for a report named Modifier Pairs, which contains an up to date list of modifiers not allowed to be reported on the same line.
103. Modifier reported prior to FDA approval date	A modifier is reported prior to the mid-quarter activation date. This edit applies to v19.0 only.
104. Service not eligible for all-inclusive rate	An RHC claim (71x) is reported with a line containing the CG modifier.
106. Add-on code reported without required primary procedure code	A claim is submitted with a Type I add-on code(s) without the applicable defined primary procedure(s). The edit is returned on the add-on code line(s) when conditions of the edit are not met.
107. Add-on code reported without required contractor-defined primary procedure code	A claim with bill type 85x (CAH) is submitted with a Type II add-on code(s) reported with a professional services revenue code (96x, 97x or 98x), to allow for contractors to review and define the primary procedure on the claim.
108. Add-on code reported without required primary procedure or without required contractor-defined primary procedure code	A claim is submitted with a Type III add-on code(s) without a defined primary(s) or contractor defined primary(s) procedure. This edit is returned on the add-on code line(s) when conditions are not met.
110. Service provided prior to initial marketing date	The reported line item date of service of a code is prior to the initial marketing date, for which it can be reported.
111. Service cost is duplicative; included in cost of associated biological	The reported line item is considered duplicative as the routine costs of all steps in creating a biological are bundled into the covered benefit, the biological. Any procedure identified as being “bundled into biological,” and reported as a line item are rejected. Additionally, this edit is returned if revenue codes 870-873 are submitted as line items with blank HCPCS.

Edit	Generated when ...
112. Information only service(s)	The reported line item is a non-covered service as it is for informational reporting purposes only. Any HCPCS identified as being an information only service is assigned a non-covered status indicator and is line item rejected and has no impact on payment.
113. Supplementary or additional code not allowed as principal diagnosis	The principal diagnosis code reported is considered supplementary or an additional code and cannot be used as the principal diagnoses. The unacceptable principal diagnosis list is defined by the Medicare Code Editor (MCE), but there are some exclusions to the MCE list due to current OPPS coding requirements and guidelines. Any diagnosis code flagged as being an exclusion to the Unacceptable Principal Diagnosis list does not return edit 113.
114. Item or service not allowed with modifier CS	Modifier CS is reported on an item or service that is not on the coinsurance waiver eligible list. Modifier CS should only be reported on items that are identified by CMS as being eligible for a coinsurance waiver. Refer to the DATA_HCPCS table and column for named coinsurance_waiver_eligible for the list of services that are appropriate to report with modifier CS.
115. COVID-19 lab add-on code reported without required primary procedure	<p>HCPCS U0005 is reported on a claim without one of its primary procedures U0003 or U0004 on the same date of service.</p> <p>Note: U0005 may be considered a Type I add-on code but it has been given a separately distinct function than regular add-on code edit 106. This add-on code is only subject to edit 115 in the IOCE.</p>
116. Opioid treatment program service not payable outside the opioid treatment program	Opioid Treatment Program HCPCS codes are reported on a bill type that is not approved for an Opioid Treatment Program provider. Opioid Treatment Program HCPCS codes should only be reported on claims with bill types 87x, 13x with condition code 89, or 85x with condition code 89x.
118. Invalid bill type	A claim is submitted with a bill type that is not programmed to process in the IOCE. The presence of this edit terminates the processing of the claim, claim processed flag value 1 and return code 18 are provided. Edit 118 is not specified in the Edits by bill type table as this edit can only be applied to bill types that are not programmed in the IOCE.

Edit	Generated when ...
119. Invalid claim processing receipt date	The claims processing receipt date is invalid (malformed) or the date falls outside the date range of any version of the IOCE program. This edit is an IOCE program error and is applicable to being returned on all programmed bill types. The claim processed flag value 1 and return code 29 are provided if edit 119 is applied.
120. Incorrect reporting of modifier PT	<p>A single day claim or a single date of service on a multiple day claim is submitted with modifier PT present and no Colorectal procedure is reported for the same service date. This edit is returned at the line level. Refer to the DATA_HCPCS table and the column named Colorectal, for a list of procedures that are to be reported in the presence of modifier PT. This edit is also returned for Non-OPPS bill type 085x (Critical Access Hospitals).</p> <p>Note: A line item action flag of 1 overrides this edit when input by the MAC.</p>
123. Modifier used after CMS termination date	The reported claim is submitted with a HCPCS reporting modifier which is after the CMS termination date.
124. HCPCS reported after CMS termination date	The reported claim is submitted with a HCPCS on a date of service after the CMS termination date. Refer to the DATA_HCPCS table and the column named "CMS_Mid-Quarter_Termination" for a list of codes applicable.

Edits by bill type for non-OPPS

The bill type is a reference to the UB-04 form locator field 4, which provides information about the type of facility that is reported for claim submission to Medicare. Each Bill Type in the following table is programmed to apply the specified edits if the OPPS flag is set to 2 indicating Non-OPPS processing. If the APC Return Buffer is “Yes,” this indicates the Type of Bill if reported has APC payment applied. If the APC Return Buffer is “No,” this indicates this Type of Bill does not have APC payment applied.

Table 26. Edits by bill type for non-OPPS

Bill Type	Provider Type or Logic Condition	Edit(s) Applicable to Bill Type and OPPS Flag (2)	APC Return Buffer Completed
12x	Hospital Inpatient (Medicare Part B only)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 17, 20, 22, 23, 24, 25, 26, 28, 40, 41, 50, 53, 61, 65, 67, 68, 69, 72, 83, 93, 94, 100, 102, 103, 106, 108, 110, 111, 113, 114, 115, 116, 119, 123, 124	No
12x with condition code 41	Hospital Inpatient with Partial Hospitalization (Medicare Part B only)	10, 23, 24, 46, 119	No
13x	Hospital Outpatient	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 17, 20, 22, 23, 24, 25, 26, 28, 40, 41, 50, 61, 65, 67, 68, 69, 72, 83, 93, 94, 100, 102, 103, 106, 108, 110, 111, 112, 113, 114, 115, 116, 119, 123, 124	No
13x with condition code 41	Hospital Outpatient with Partial Hospitalization	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 17, 20, 22, 23, 24, 25, 26, 28, 40, 41, 50, 61, 65, 67, 68, 69, 72, 83, 94, 102, 103, 106, 108, 110, 111, 112, 113, 114, 115, 116, 119, 123, 124	No
13x with condition code 89	Hospital Outpatient with Opioid Treatment Program	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 65, 67, 68, 69, 83, 110, 113, 114, 115, 119, 123, 124	No
14x	Hospital – Laboratory services Provided to Non-Patients	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 17, 20, 22, 23, 24, 25, 26, 28, 40, 41, 50, 53, 55, 61, 65, 67, 68, 69, 72, 83, 94, 102, 103, 106, 108, 110, 111, 113, 114, 115, 116, 119, 123, 124	No

Bill Type	Provider Type or Logic Condition	Edit(s) Applicable to Bill Type and OPPS Flag (2)	APC Return Buffer Completed
14x with condition code 41	Hospital – Laboratory services Provided to Non-Patients with Partial Hospitalization	10, 23, 24, 46, 119	No
22x 23x	Skilled Nursing Inpatient (Medicare Part B Only) Skilled Nursing – Outpatient	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 23, 24, 25, 26, 28, 40, 41, 44, 50, 53, 55, 61, 65, 67, 69, 72, 94, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
32x	Home Health Services under a plan of treatment	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 50, 53, 55, 65, 67, 69, 86, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
34x	Home Health Services not under a plan of treatment with no APC covered services on claim	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 23, 24, 25, 26, 40, 41, 44, 50, 53, 55, 65, 67, 69, 94, 110, 111, 113, 114, 115, 119, 123, 124	No
43x	Religious Non-Medical Health Care Institutions – Outpatient Services	10, 23, 24, 25, 26, 41, 44, 46, 55, 65, 119	No
71x	Clinic – Rural Health (RHC)	1, 2, 3, 5, 6, 7, 10, 23, 24, 25, 26, 41, 61, 65, 67, 72, 91, 94, 104, 110, 111, 113, 114, 115, 116, 119, 123, 124	No
72x	Clinic – Hospital or Independent Renal Dialysis Center (ESRD)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 50, 53, 55, 61, 65, 67, 69, 72, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
73x	Clinic – Freestanding	1, 2, 3, 5, 6, 7, 8, 10, 20, 22, 23, 24, 40, 41, 67, 106, 108, 113, 114, 115, 116, 119, 123, 124	No
74x	Clinic – Outpatient Rehabilitation Facility (ORF)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 48, 50, 53, 55, 61, 65, 67, 69, 72, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
75x	Clinic – Comprehensive Outpatient Rehabilitation Facility (CORF)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 48, 50, 53, 55, 61, 65, 67, 69, 72, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No

Bill Type	Provider Type or Logic Condition	Edit(s) Applicable to Bill Type and OPPS Flag (2)	APC Return Buffer Completed
77x	Clinic – Federally Qualified Health Center (FQHC) (v15.3 – Current, FQHC-PPS)	1, 2, 3, 5, 6, 7, 8, 10, 23, 24, 25, 26, 41, 65, 67, 72, 84, 88, 89, 90, 91, 94, 110, 111, 113, 114, 115, 116, 119, 123, 124	No
77x	Clinic – Federally Qualified Health Center (FQHC) (Logic prior to v15.3 or CC 65 reported for payment not under the FQHC-PPS, Discontinued 10/1/2020)	1, 2, 3, 5, 6, 10, 23, 24, 25, 26, 41, 61, 65, 67, 72, 94, 110	No
78x	Licensed Freestanding Emergency Medical Facility	1, 2, 3, 5, 6, 7, 8, 10, 20, 22, 23, 24, 40, 41, 67, 106, 108, 113, 114, 115, 116, 119, 123, 124	No
81x 82x	Hospice (Non-Hospital Based) Hospice (Hospital Based)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 44, 50, 53, 55, 65, 67, 69, 86, 94, 102, 106, 108, 110, 111, 113, 114, 115, 119, 123, 124	No
83x	Ambulatory Surgery Center (ASC)	1, 2, 3, 5, 6, 7, 8, 10, 20, 22, 23, 24, 40, 41, 67, 106, 108, 113, 114, 119, 123, 124	No
84x	Freestanding Birthing Center (FBC)	1, 2, 3, 5, 6, 7, 8, 10, 20, 22, 23, 24, 40, 41, 67, 106, 108, 113, 114, 115, 119, 123, 124	No
85x	Critical Access Hospital (CAH)	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 28, 40, 41, 50, 51, 61, 65, 67, 68, 69, 72, 74, 83, 93, 94, 100, 102, 103, 106, 107, 108, 110, 111, 112, 113, 114, 115, 116, 119, 120, 123, 124	No
85x with condition code 89	Critical Access Hospital (CAH) with Opioid Treatment Program	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 67, 68, 69, 110, 113, 114, 115, 119, 123, 124	No
87x	Freestanding Non-Residential Opioid Treatment Program	1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 20, 22, 23, 24, 25, 26, 40, 41, 67, 68, 69, 83, 110, 113, 114, 115, 119, 123, 124	No

Bill Type	Provider Type or Logic Condition	Edit(s) Applicable to Bill Type and OPPS Flag (2)	APC Return Buffer Completed
89x	Special Facility - Other	1, 2, 3, 5, 6, 7, 8, 10, 20, 22, 23, 24, 40, 41, 67, 106, 108, 113, 114, 115, 116, 119, 123, 124	No

Special logic information

There is no longer any special logic applied for non-OPPS claims. For a list of applicable non-OPPS edits, please see Edit summary for non-OPPS (page [129](#)).

Chapter 9: Batch processing

The following procedure explains how to install the batch module of the Integrated Outpatient Code Editor (OCE) Software.

Before you begin

Make sure you have Java® 8 or higher installed on your computer.

To run the software

1. Unzip the OCE software pack to your computer.
2. At the location where you unzipped the files, browse into the unzipped folder.
3. Double-click MS-DOS Prompt.
4. At the corresponding prompt, type either of the following commands:
 - runGrouper <input filename> <output filename> where <input filename> is a user-specified file that contains data for each claim to be processed, and <output filename> is a user-specified file where the processed information will be saved
 - or
 - runGrouper <input directory> <output directory> where <input directory> is a user-specified directory that multiple files of claim information to be processed, and <output directory> is a user-specified directory where the processed information will be saved. An output file will be created in <output directory> for each file found in <input directory>

Note: The <output directory> must be created before running this tool.

Batch input

The batch input file is a fixed-format, sequential file that allows 300 characters of data for each record. There are three types of records that comprise one claim in the input file. These records are defined in the following table.

Table 27. Input record types

Code	Name	Description
C	Claim data	This record contains demographic (age, sex, patient status) data, From and Through dates for the claim, OPPS/non-OPPS flag, and a patient ID number.

Code	Name	Description
D	Diagnosis codes	This record contains a list of up to 28 ICD-10-CM diagnosis codes that apply to the entire claim. First three diagnosis codes assumed to be Reason for Visit Diagnoses; Fourth diagnosis code assumed to be Principal Diagnosis.
E	Value Codes (Part 1)	This record contains Value Codes 1-24.
F	Value Codes (Part 2)	This record contains Value Codes 25-36.
L	Line item data	This record contains the line item data for each procedure on the claim. A maximum of 450 L records can be entered for each claim.

Each claim in the input file must contain at least 5 input records (C, D, E, F and L, in that order), and may contain as many as 454 input records (1 C record, 1 D record, 1 E record, 1 F record and 450 L records). The end of each claim is detected when the next C record is read, or when the end of the file is reached.

Note: The batch input mode will abort if new lines or other white space is present at the beginning of the file or in between the claim records.

Input record layouts

The input layout for each of the three types of input records is provided in the following three tables.

Table 28. C record layout (Claim data)

Position	Length	Description
1	1	Uppercase C to indicate the record type.
2	17	Claim identification number. This number should be unique to each claim in the input file.
19	3	Age (right-justified, blank-filled). Maximum age is 124.

Position	Length	Description
22	1	Sex. Valid values: 0 - Unknown 1 - Male 2 - Female
23	8	From date. The opening date of the claim in yyyymmdd format.
31	8	Through date. The closing date of the claim in yyyymmdd format.
39	22	Unused
61	3	Bill type (inpatient, outpatient, void, etc.).
64	13	National Provider Identifier (NPI).
77	6	CMS Certification Number (CCN).
83	2	Patient status code.
85	1	OPPS/non-OPPS flag. Default value = 1. A blank, zero, or other value is defaulted to '1'. 1 = OPPS 2 = Non-OPPS
86	60	List of occurrence codes (Max. 30, 2-byte fields). Note: Each entry must be contiguous: the first blank occurrence code is assumed to signify the end of the occurrence code list.
146	60	List of condition codes (Max. 30, 2-byte fields). Note: Each entry must be contiguous: the first blank condition code is assumed to signify the end of the condition code list.
206	8	Claims Processing Receipt Date (format: YYYYMMDD)
214	87	Room for optional user data. This data is passed directly to output and does not impact processing.

Table 29. D record layout (Diagnosis codes)

Position	Length	Description
1	1	Uppercase D to indicate the record type.
2	17	Claim identification number.
19	224	List of diagnosis codes (left-justified). Accepts a maximum of 28 eight-character codes. The first three codes are assumed to be the reason for visit diagnoses (RVDX) and may be left blank; the fourth code is the principal diagnosis (PDX) and cannot be blank. The remaining diagnoses are secondary. Input must be contiguous; the program interprets the first blank non-RVDX diagnosis field as the end of the listing. DX code is listed in first 7 bytes, left-justified, blank-filled. The eighth byte in each dx input space is reserved for POA indicator (future use).
243	58	Unused, blank-filled.

Table 30. E record layout (Value Codes - Part 1)

Position	Length	Description
1	1	Uppercase E to indicate the record type.
2	17	Claim Identifier (must match C record claim identifier).
19	264	Value Codes and Amounts (Max. 24, 11-byte fields) Note: The field is split into two parts, a 2-byte Value Code part left-aligned, and a 9-byte part, the amount, right-justified, blank-filled. Note: Each entry must be contiguous: the first blank Value Code (first 2 bytes) is assumed to signify the end of the Value Code list. Note: This line must be filled with 24 valid Value Codes before Value Codes are entered on line F.

Position	Length	Description
283	18	Unused, blank-filled.

Table 31. F record layout (Value Codes - Part 2)

Position	Length	Description
1	1	Uppercase F to indicate the record type.
2	17	Claim Identifier (must match C record claim identifier).
19	132	Value Codes and Amounts (Max. 12, 11-byte fields) Note: The field is split into two parts, a 2-byte Value Code part left-aligned, and a 9-byte part, the amount, right-justified, blank-filled. Note: Each entry must be contiguous: the first blank Value Code (first 2 bytes) is assumed to signify the end of the Value Code list. Note: Value Codes on this line are ignored unless line E has 24 valid Value Codes.
151	150	Unused, blank-filled.

Table 32. L record layout (Line item data)

Position	Length	Description
1	1	Uppercase L to indicate the record type.
2	17	Claim identification number.
19	3	Line item ID number. This number should be unique among all line items for this claim.
22	5	HCPCS procedure code.
27	10	List of HCPCS modifiers (left-justified, blank-filled). Accepts a maximum of 5 two-character modifiers. Input must be contiguous; the program interprets the first blank field as the end of the listing.

Position	Length	Description
37	8	Service date in yyyymmdd format, required for all line items.
45	4	Revenue code (right-justified, zero or blank-filled). A code that identifies a specific accommodation, ancillary service, or billing calculation (form locator 42). One revenue code is required for each line item.
49	9	Units of service (right-justified, zero-filled). A quantitative measure of services rendered to or for the patient, by procedure code (form locator 46).
58	10	Line item charge (right-justified, zero-filled). Charges related to the revenue code for the current billing period as entered in the Statement Covers period (form locator 47).
68	1	Line item action flag.
69	12	Contractor bypass edits; 4, 3-byte alpha-numeric characters allowed per single line item; right-justified, zero-filled, default: 000
81	5	Contractor bypass APC; Numeric; right-justified, zero-filled, default: 00000
86	2	Contractor bypass status indicator; Alphanumeric; right-justified, zero-filled, default: 00 Note: If the SI value is one character, it must be reported with a leading blank value instead of 0 (example, " bA" "A")
88	2	Contractor bypass payment indicator; Alphanumeric; blank-filled, default: b0
90	1	Contractor bypass discounting formula; Numeric; zero-filled, default: 0
91	1	Contractor bypass line item denial or rejection flag; Numeric; zero-filled, default: 0
92	1	Contractor bypass packaging flag; Numeric; zero-filled, default: 0

Position	Length	Description
93	2	Contractor bypass payment adjustment flag 1; Numeric; right-justified, zero-filled, default: 00
95	1	Contractor bypass payment method flag; Alphanumeric; zero-filled, default: 0
96	2	Contractor bypass payment adjustment flag 2; Numeric; right-justified, zero-filled, default: 00.
98	203	Unused

Batch output

When claims are batch processed, the output is saved to the user-specified output file that was entered after the -o option on the command line (see the beginning of this chapter for a sample of the command line). The output file is a fixed-format, sequential file that allows 300 characters of data for each record. There are seven types of records that comprise one claim in the output file. These records are defined in the following table.

Table 33. Output record types

Code	Name	Description
M	Claim edits - part 1	Claim edits.
N	Claim edits - part 2	More claim edits.
O	Diagnosis edits - part 1	Edits for diagnoses 1–9.
P	Diagnosis edits - part 2	Edits for diagnoses 10–18. If the claim contained fewer than 6 diagnoses, there will be no P record for the claim.
Q	Diagnosis edits - part 3	Edits for diagnoses 19–28. If the claim contained fewer than 11 diagnoses, there will be no Q record for the claim.
R	Line item edits - part 1	APC and procedure line item edits. For each L record the claim contained, there will be one R record.
S	Line item edits - part 2	Modifier, date, and revenue code line item edits. For each L record the claim contained, there will be one S record.

Each claim in the output file will contain all of the input records for that claim followed by all of the IOCE-created output records. For example, the output file for a claim that contains four diagnoses and three line item records would consist of the following records:

CDLLLMNORSRSRS

Since the claim contains only four diagnoses, neither a P nor a Q record is created. Also, since the claim contains three line item data records, three sets of RS records are created.

Output record formats

The output layout for each type of output record (M,N,O,P,Q,R,S) is provided in the following tables.

Table 34. M record (Claim edits - part 1)

Position	Length	Description
1	1	Uppercase M to indicate the record type.
2	17	Claim identification number (copied from the C record).
19	1	Claim processed flag. Valid values: 0 - Claim processed 1 - Claim not processed: invalid date (edits 23, 24, 119); inappropriate bill type/condition code combination (edit 46); invalid bill type (118) 2 - Claim not processed: no line items present 3 - Claim could not be processed (Reserved) 4 - Fatal error; Contractor bypass issue, claim could not be processed; exit immediately. 9 - A fatal error has been detected during initialization; processing should be terminated immediately.

Position	Length	Description
20	1	Overall claim disposition. Valid values: 0 - No edits are present on the claim 1 - The only edits present are for line item denial or rejection 2 - Claim is for multiple days with one or more days denied or rejected 3 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only post-payment edits 4 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with only pre-payment edits 5 - Claim is denied, rejected, suspended or returned to provider, or single day claim with all line items denied or rejected, with both post- and pre- payment edits
21	1	Claim rejection disposition. The provider can correct and resubmit the claim but cannot appeal the rejection. 0 - Claim not rejected 1 - One or more edits are present that cause the claim to be rejected 2 - One or more edits are present that cause one or more days of a multiple-day claim to be rejected
22	1	Claim denial disposition. The provider cannot resubmit the claim but can appeal the denial. 0 - Claim not denied 1 - One or more edits are present that cause the claim to be denied 2 - One or more edits are present that cause one or more days of a multiple-day claim to be denied, or a single-day claim with all lines denied (edit 18 only)
23	1	Claim returned to provider disposition. The provider can resubmit the claim once the problems are corrected. 0 - Claim is not returned to provider 1 - One or more edits are present that cause the claim to be returned to provider

Position	Length	Description
24	1	Claim suspension disposition. The claim is not returned to the provider, but it is not processed for payment until the fiscal intermediary/Medicare Administrative Contractor makes a determination or obtains further information. 0 - Claim is not suspended 1 - One or more edits are present that cause the entire claim to be suspended
25	1	Line item rejection disposition. The claim can be processed for payment with some line items rejected for payment (i.e., the line item can be corrected and resubmitted but cannot be appealed). 0 - No line items are rejected. 1 - One or more edits are present that cause one or more line items to be rejected.
26	1	Line item denial disposition. There are one or more edits that cause one or more individual line items to be denied. The claim can be processed for payment with some line items rejected for payment (i.e., the line item cannot be resubmitted but can be appealed). 0 - No line items are denied 1 - One or more edits are present that cause one or more line items to be denied
27	12	Claim rejection reasons; 4 three-byte fields that identify the edits that caused the claim to be rejected. Edits are right-justified, zero-filled.
39	24	Claim denial reasons; 8 three-byte fields that identify the edits that caused the claim to be denied. Edits are right-justified, zero-filled.
63	90	Claim return to provider reasons; 30 three-byte fields that identify the edits that could cause the claim to be returned to the provider. Edits are right-justified, zero-filled.

Position	Length	Description
153	110	<p>Payer Value Code and Payer Value Code Amount. 10 eleven-character fields (2-character Value Code (QN-QW) followed by 9-character amount (nnnnnnn.nn*)).</p> <p>Assigned by IOCE based on criteria for APC payment offset.</p> <p>QN–APC device offset</p> <p>QO–Additional APC device offset</p> <p>QP–Placeholder reserved for future use</p> <p>QQ–Terminated procedure with pass-through device OR condition for device credit present</p> <p>QR–First APC pass-through drug or biological offset</p> <p>QS–Second APC pass-through drug or biological offset</p> <p>QT–Third APC pass-through drug or biological offset</p> <p>QU–Condition for device credit present</p> <p>QV–MFN model drug addon service units calculated by IOCE</p> <p>Note: The Value Code Amount following payer Value Code QV is an IOCE calculated amount based on the total service units applicable for the MFN drug addon code. The Value Code amount is represented in whole units, for example 2 units = 2.00 and is displayed in the Value Code Amount field as 000000200. If the units are meant to be set to 0 the IOCE calculated amount is represented as 000000001; this is done to recognize that an offset for QV is present.</p> <p>QW–Partial week present on interim PHP claim</p> <p>Note: The Value Code amount following Payer Value Code QW, zero-fill the first 4 values, the next 5 values represent an IOCE calculated amount for total days and hours of PHP services. One byte for days and 4 bytes to record full and partial hours. For example, 2 days and 8 and ½ hours converts to the following Value Code Amount 000020850. QA is a copy of QW to be supplied on input to the IOCE.</p> <p>Note: If offset conditions do not exist, the Value Code label (QN-QW) is blank; the amount is zero-filled.</p>
263	38	Unused; blank-filled

Table 35. N record (Claim edits - part 2)

Position	Length	Description
1	1	Uppercase N to indicate the record type

Position	Length	Description
2	17	Claim identification number (copied from the C record)
19	48	Claim suspension reasons; 16 three-byte fields that identify the edits that caused the claim to be suspended. Edits are right-justified, zero-filled.
67	36	Line item rejection reasons; 12 three-byte fields that identify the edits that caused the line item to be rejected. Edits are right-justified, zero-filled.
103	18	Line item denial reasons; 6 three-byte fields that identify the edits that caused the line item to be denied. Edits are right-justified, zero-filled.
121	1	APC return buffer flag
122	13	National Provider Identifier (NPI) (from input)
135	6	CMS Certification Number (CCN)
141	3	Number of line items (from input)
144	8	Two-byte ID of the software version used in processing the claim in yy.vv.rr format
152	2	Patient status code, transferred from input
154	1	OPPS/non-OPPS flag, transferred from input
155	1	Non-OPPS Bill Type Flag 0 = N/A 1 = Bill type should be 83x (v8.2 - v8.3) 2 = Bill type should not be 83x
156	20	Payer condition codes (10 codes, 2-byte fields, used for output)
176	125	Unused; blank-filled

Table 36. O record (Diagnosis edits - part 1)

Position	Length	Description
1	1	Uppercase O to indicate the record type
2	17	Claim identification number (copied from the C record)
19	24	Diagnosis 1 (RVDX1) edits ^a (8 three-byte fields). Admit Diagnosis. Edits are right-justified, zero-filled.
43	24	Diagnosis 2 (RVDX2) edits (8 three-byte fields). Principal Diagnosis. Edits are right-justified, zero-filled.

Position	Length	Description
67	24	Diagnosis 3 (RVDX3) edits (8 three-byte fields). Edits are right-justified, zero-filled.
91	24	Diagnosis 4 (PDX) edits (8 three-byte fields). Edits are right-justified, zero-filled.
115	24	Diagnosis 5 edits (8 three-byte fields). Edits are right-justified, zero-filled.
139	24	Diagnosis 6 edits (8 three-byte fields). Edits are right-justified, zero-filled.
163	24	Diagnosis 7 edits (8 three-byte fields). Edits are right-justified, zero-filled.
187	24	Diagnosis 8 edits (8 three-byte fields). Edits are right-justified, zero-filled.
211	24	Diagnosis 9 edits (8 three-byte fields). Edits are right-justified, zero-filled.
235	66	Unused, blank-filled

a. For more information on edits, see the chapters on "OPPS data output" (page [35](#)) and "OPPS program edits" (page [53](#)).

Table 37. P record (Diagnosis edits - part 2)

Position	Length	Description
1	1	Uppercase P to indicate the record type
2	17	Claim identification number (copied from the C record)
19	24	Diagnosis 10 edits ^a (8 three-byte fields). Edits are right-justified, zero-filled.
43	24	Diagnosis 11 edits (8 three-byte fields). Edits are right-justified, zero-filled.
67	24	Diagnosis 12 edits (8 three-byte fields). Edits are right-justified, zero-filled.
91	24	Diagnosis 13 edits (8 three-byte fields). Edits are right-justified, zero-filled.
115	24	Diagnosis 14 edits (8 three-byte fields). Edits are right-justified, zero-filled.
139	24	Diagnosis 15 edits (8 three-byte fields). Edits are right-justified, zero-filled.
163	24	Diagnosis 16 edits (8 three-byte fields). Edits are right-justified, zero-filled.

Position	Length	Description
187	24	Diagnosis 17 edits (8 three-byte fields). Edits are right-justified, zero-filled.
211	24	Diagnosis 18 edits (8 three-byte fields). Edits are right-justified, zero-filled.
235	66	Unused, blank-filled

a. For more information on edits, see the chapters on "OPPS data output" (page [35](#)) and "OPPS program edits" (page [53](#)).

Table 38. Q record (Diagnosis edits - part 3)

Position	Length	Description
1	1	Uppercase Q to indicate the record type
2	17	Claim identification number (copied from the C record)
19	24	Diagnosis 19 edits ^a (8 three-byte fields). Edits are right-justified, zero-filled.
43	24	Diagnosis 20 edits (8 three-byte fields). Edits are right-justified, zero-filled.
67	24	Diagnosis 21 edits (8 three-byte fields). Edits are right-justified, zero-filled.
91	24	Diagnosis 22 edits (8 three-byte fields). Edits are right-justified, zero-filled.
115	24	Diagnosis 23 edits (8 three-byte fields). Edits are right-justified, zero-filled.
139	24	Diagnosis 24 edits (8 three-byte fields). Edits are right-justified, zero-filled.
163	24	Diagnosis 25 edits (8 three-byte fields). Edits are right-justified, zero-filled.
187	24	Diagnosis 26 edits (8 three-byte fields). Edits are right-justified, zero-filled.
211	24	Diagnosis 27 edits (8 three-byte fields). Edits are right-justified, zero-filled.
235	24	Diagnosis 28 edits (8 three-byte fields). Edits are right-justified, zero-filled.
259	42	Unused, blank-filled

a. For more information on edits, see the chapters on "OPPS data output" (page [35](#)) and "OPPS program edits" (page [53](#)).

Table 39. R record (Line item edits - part 1)

Position	Length	Description
1	1	Uppercase R to indicate the record type
2	17	Claim identification number (copied from the C record)
19	3	Line item number (copied from the L record that is associated with these edits)
22	5	APC assigned for payment. Except when specified otherwise (e.g., partial hospitalization, some inpatient-only, and other procedure claims, etc.), the payment APC and the HCPCS APC are the same. Note: The ASC number will be assigned on 83x bill types when applicable (v8.2 and 8.3 only).
27	5	APC assigned to the HCPCS code.
32	2	Status indicator ^a (right-justified, blank-filled). Values are: A - Services not paid under OPPS; paid under fee schedule or other payment system (Effective 1/1/2023- Includes Unclassified drugs and biologicals reportable under HCPCS code C9399) B - Non-allowed item or service for OPPS C - Inpatient procedure E - Non-allowed item or service ^s E1 - Non-allowed item or service E2 - Items and services for which pricing information and claims data are not available F - Corneal tissue acquisition; certain CRNA services G - Drug/Biological pass-through H - Pass-through device categories J1 - Outpatient department services paid through a comprehensive APC J2 - Hospital Part B services that may be paid through a comprehensive AP K - Non pass-through drugs and non-implantable biologicals, including therapeutic radiopharmaceuticals L - Influenza Vaccine; Pneumococcal Pneumonia Vaccine; Hepatitis B Vaccines; Covid-19 Vaccine; Monoclonal Antibody Therapy Product M - Service not billable to the MAC N - Items and Services packaged into APC rates P - Partial hospitalization service Q1 - STV-packaged codes

Position	Length	Description
		Q2 - T-packaged codes Q3 - Codes that may be paid through a composite APC Q4 - Conditionally packaged laboratory services R - Blood and blood products S - Significant procedure not subject to multiple procedure discounting T - Significant procedure subject to multiple procedure discounting U - Brachytherapy sources V - Clinic or emergency department visit W - Invalid HCPCS or Invalid revenue code with blank HCPCS Y - Non-implantable DME Z - Valid revenue code with blank HCPCS and no other SI assigned
34	2	Payment indicator ^{ar} (right-justified, blank-filled). Values are: 1 - Paid standard hospital OPPS amount (status indicators J1, K, R, S, T, U, V) 2 - Services not paid by OPPS Pricer; paid under fee schedule or other payment system (status indicators A, G, K) 3 - Not paid (status indicators E, E1, E2, M, Q, Q1, Q2, Q3, Q4, W, Y), or not paid under OPPS (status indicators B, C, Z) 4 - Paid at reasonable cost (status indicator F, L) 5 - Paid standard amount for pass-through drug or biological (status indicator G) 6 - Payment based on charge adjusted to cost (status indicator H) 7 - Additional payment for new drug or new biological 8 - Paid partial hospitalization per diem (status indicator P) 9 - No additional payment; payment included in line items with APCs (status indicator N; or no HCPCS code and certain revenue codes; or HCPCS codes G0176 - activity therapy, G0129 - occupational therapy, or G0177 - patient education and training services) 10 - Paid FQHC encounter payment 11 - Not paid or not included under FQHC encounter payment 12 - No additional payment, included in payment for FQHC encounter 13 - Paid FQHC encounter payment for New patient or IPPE/AWV 14 - Grandfathered tribal FQHC encounter payment

Position	Length	Description
36	1	<p>Discounting formula^a. One of the following nine discount formulas can be applied to a line item:</p> <p>1 - 1.0 2 - $(1.0 + D(U-1))/U$ 3 - T/U 4 - $(1+D)/U$ 5 - D 6 - TD/U 7 - $D(1+D)/U$ 8 - 2.0 9 - $2D/U$</p> <p>Where: D = discounting fraction (currently 0.5) U = number of units T = terminated procedure discount (currently 0.5)</p> <p>Note: Effective 1/1/08 (v9.0), formula #6 and #7 are discontinued.</p>
37	1	<p>Line item denial or rejection flag^a</p> <p>0 - Line item not denied or rejected 1 - Line item is denied or rejected 2 - The line is not denied or rejected, but occurs on a day that has been denied or rejected (not used as of 04/01/2002) 3 - Line item not denied or rejected; identified for informational alert only</p> <p>Note: If LIDR flag is set to 3, it may be overridden by LIDR flag 1 or 2 if other LID or LIR edits are present for the same line.</p>
38	1	<p>Packaging flag^a</p> <p>0 - Not packaged 1 - Packaged service (status indicator N, or no HCPCS code and certain revenue codes) 2 - Packaged as part of partial hospitalization per diem or daily mental health service per diem (v1.0-9.3 only)^c 3 - Artificial charges for surgical procedures (submitted charges for surgical HCPCS < \$1.01) 4 - Packaged as part of drug administration APC payment (v6.0–v7.3 only) 5 - Packaged as part of FQHC encounter payment 6 - FQHC packaged preventive or other reported service not subject to coinsurance payment</p>

Position	Length	Description
39	2	<p>Payment adjustment flag 1^a (right-justified, blank-filled)</p> <p>0 - No payment adjustment</p> <p>1 - Paid standard amount for pass-through drug or biological (status indicator G)^t</p> <p>2 - Payment based on charge adjusted to cost (status indicator H)^t</p> <p>4 - Deductible not applicable (specific list of HCPCS codes) or condition code "MA" is present on the claim</p> <p>5 - Blood/blood product used in blood deductible calculation</p> <p>6 - Blood processing/storage not subject to blood deductible</p> <p>7 - Item provided without cost to provider^f</p> <p>8 - Item provided with partial credit to provider^f</p> <p>9 - Deductible/co-insurance not applicable^e</p> <p>10 - Co-insurance not applicable^e</p> <p>11 - Multiple units of service present paid at single comprehensive APC payment rate^j</p> <p>12 - Offset for device pass-through^k</p> <p>13 - Offset for additional device pass-through^k</p> <p>14 - PAMA Section 218 reduction on CT scan^l</p> <p>15 – Placeholder reserved for future use</p> <p>16 – Terminated procedure with pass-through device^o</p> <p>17 – Condition for device credit present^p</p> <p>18 – Offset for first pass-through drug or biological^q</p> <p>19 – Offset for second pass-through drug or biological^q</p> <p>20 – Offset for third pass-through drug or biological^q</p> <p>21 - CAA Section 502b reduction on film x-ray</p> <p>22 - CAA Section 502b reduction on computed radiography technology</p> <p>23 – Co-insurance deductible n/a, as well as subject to a reduction due to film x-ray (CAA Section 502b)</p> <p>24 – Co-insurance deductible n/a, as well as subject to a reduction due to computed radiography technology (CAA Section 502b)</p> <p>25 – Deductible not applicable and Coinsurance reduced^u</p>
41	1	<p>Payment method flag^a</p> <p>0 – OPPS pricer determines payment for service</p> <p>1 – Service not paid based on coverage or billing rules</p> <p>2 – Service is not subject to OPPS</p> <p>3 – Service is not subject to OPPS and has an OCE line item denial or rejection</p>

Position	Length	Description
		4 – Line item is denied or rejected by MAC; OCE not applied to line item 5 – Payment for service determined under FQHC PPS 6 – CMHC outlier limitation reached 7 – Section 603 service with no reduction in OPPS Pricer 8 – Section 603 service with PFS reduction applied in OPPS Pricer 9 – CMHC outlier limitation bypassed A – Payment reduction for off-campus clinic visit B – Payer only testing C – Payment made by FQHC PPS and coinsurance is n/a (COVID-19) V – Contractor bypass applied to FQHC PPS service and coinsurance is n/a (COVID-19) W – Contractor bypass applied to off-campus clinic visit for payment reduction X – Contractor bypass applied to Section 603 service with no reduction applied in OPPS Pricer Y – Contractor bypass applied to Section 603 service with reduction applied in OPPS Pricer Z – Contractor bypass determines payment for services
42	9	Service units (from input)
51	90	Procedure edits ^e (30 three-byte fields). Edits are right-justified, zero-filled.
141	5	HCPCS procedure codes (from input)
146	1	Line item action flag (from input)
147	2	Composite Adjustment Flag ^{ah}
149	4	Reserved for future use
153	2	Payment Adjustment Flag 2 ^a ; right-justified, blank-filled
155	146	Unused

a. Not activated for claims with OPPS flag = 2 (blanks are returned in the APC return buffer), unless the contractor edit bypass logic is applied and Payment Method Flag of Y or Z is output to identify that the line(s) payment is determined by the contractor.

b. Status indicator Q was replaced by status indicators Q(#) in January 2009 (v10.0)

c. Packaging flag 2 was replaced by the composite adjustment flag starting in January 2009 (v10.0)

d. Payment adjustment flag values 91-99 discontinued 1/1/09, replaced by the composite adjustment flag (v10.0)

e. Two new payment adjustment flags (9, 10) added for January 2011

f. Payment adjustment flags 7 & 8 deactivated effective January 2014 (v15.0)

- g. Discontinued 04/01/2002 and replaced by status indicator G for all drugs/biologicals.
- h. Values defined for composite adjustment flag that are used only for FQHC PPS processing are output on claims with bill type 77x without condition code 65; no composite APCs are assigned (v15.3).
- i. Status indicator X is deactivated as of January 1, 2015 (v16.0).
- j. Description for payment adjustment flag 11 modified 4/1/2015 (v16.1).
- k. Payment adjustment flags 12 and 13 are associated with conditions present for APC pass-through device offset; multiple conditions for the same claim requiring payment offset due to the presence of multiple device/procedure combinations may require the assignment of both payment adjustment flags 12 and 13.
- l. Payment adjustment flag 14 is applied to a specific list of CT scan procedure codes; if there is a CT scan code from the specified list reported with modifier CT that is packaged with SI = N as a result of composite APC or comprehensive APC processing, payment adjustment flag 14 is not applied.
- m. Status Indicators J2 and Q4 are added effective 1/1/2016 (v17.0).
- n. Effective 1/1/2016, laboratory codes with SI = Q4 that result in a final SI = A are assigned PMF = 2
- o. Payment adjustment flag 16 is assigned to a terminated device intensive procedure reported with modifier 73.
- p. Payment adjustment flag 17 is assigned to a device intensive procedure if condition code 49, 50 or 53 is reported.
- q. Payment adjustment flags 18-20 are assigned for conditions that may be present for pass-through drugs or biologicals requiring payment offset.
- r. Effective 10/1/2016 (v17.3) payment indicator assignments for pass-through drugs (SI = G) and non-pass-through drugs (SI = K) change to a value of 2; payment indicator 5 is discontinued*.
- s. Effective 1/1/2017 (v18.0) SI E is deactivated and replaced with new SI values E1 and E2.
- t. Payment adjustment flag values 1 and 2 are discontinued effective October 2016 (v17.3).
- u. Effective v23.0, payment adjustment flag 25 is assigned when modifier PT is reported on an applicable surgical code (ranges 0000T-9999T and 10000-69999) and overrides value 4 if present; payment adjustment flag 9 continues to be assigned over payment adjustment flag 25, if applicable.

Table 40. S record (Line item edits - part 2)

Position	Length	Description
1	1	Uppercase S to indicate the record type
2	17	Claim identification number (copied from the C record)
19	3	Line item number (copied from L record associated with these edits)
22	12	Modifier 1 edits (4 three-byte fields). Edits are right-justified, zero-filled.
34	12	Modifier 2 edits (4 three-byte fields). Edits are right-justified, zero-filled.
46	12	Modifier 3 edits (4 three-byte fields). Edits are right-justified, zero-filled.

Position	Length	Description
58	12	Modifier 4 edits (4 three-byte fields). Edits are right-justified, zero-filled.
70	12	Modifier 5 edits (4 three-byte fields). Edits are right-justified, zero-filled.
82	12	Date edits (4 three-byte fields). Edits are right-justified, zero-filled.
94	15	Revenue edits (5 three-byte fields). Edits are right-justified, zero-filled.
109	10	Charge (from input)
119	182	Unused, blank-filled

Log file

The software generates a log file for each batch run. The default name for the log file is oce.log. Information that can be found in the log file includes:

- Name and version number of the program
- Copyright statement
- Input file name
- Output file name
- Start time of the batch run
- Claim ID (if no claim ID, patient number) followed by the error message
- End time of the batch run
- Ignored line items (450 is maximum allowed per record)
- A list of records that were ignored (identified by record number)

Below is an example of a log file; during actual use, vx.x and mm/dd/yyyy will be replaced with real data.

Program name	Integrated Outpatient Code Editor Software vx.x
Copyright statement	CPT codes, descriptions and material only are copyright 2011 American Medical Association. All Rights Reserved. No fee schedules, basic units, relative values or related listings are included in CPT. AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained herein. All rights reserved.
Input and output file	Input file: testlog.in Output file: testlog.out
Run start time	Start Time: 10:44:02 mm/dd/yyyy
Errors	Too many L records on this patient. Only the first 450 were processed.
Run end time	End Time: 10:44:02 mm/dd/yyyy
Ignored line items	The following input lines were ignored: 453, 454, 455.

Figure 6: IOCE PC log file

Error messages

Error messages that can occur during batch processing are listed in the following table.

Table 41. Error messages

Message	Reason for occurrence	Where displayed
Claim could not be processed (claim has no line items).	Each claim must have at least one line item (L-record)	Log file
Claim could not be processed (edit 10 - condition code 21 is present).	The claim could not be fully processed due to Edit 10 (Service submitted for denial (condition code 21))	Log file

Message	Reason for occurrence	Where displayed
Claim could not be processed (edits 23, 24, 46, TOB 83x or other invalid bill type)	The claim was not fully processed due to one of the following reasons: Edit 23 (Invalid Date - from, through or service); Edit 24 (Date out of OCE range); Edit 46 (Partial hospitalization condition code 41 not approved for type of bill); Invalid Bill Type; A subsequent message will be provided on from and through reasons related to from and through date editing	Log file
Error opening input file: <filename>.	The file name specified on the command line could not be opened or is missing.	Window & Log file
Error reading input file: <filename>.	The file name specified on the command line could not be read.	Window & Log file
Fatal error; IOCE cannot run - the environment cannot be set up as needed;	Run time environment not established	Log file
From date cannot be after Through date.	The date in the From date field is after the Through date.	Log file
The date is outside the IOCE date range.	The date is outside the range mm/dd/yyyy (first day of the earliest version (page 10)) to 01/01/20xx where 20xx is the end year for the most current version ^a	Log file
Through date is invalid.	The value of either mm, dd or yyyy in the date is not in the valid range for mm, dd or yyyy.	Log file
Too many L records on this patient. Only the first 450 were processed.	The input file contains more than 450 L records for one patient.	Log file
Was not processed as it contains multiple D records	There was more than one D-record within the claim - only one allowed	Log file

a. The IOCE date range for claims from non-OPPS hospitals is 07/01/2007 to 01/01/20xx, where 20xx is the end year for the most current version (page [109](#)).

Appendix A: Summary of changes

Modifications made to the current release of the Integrated Outpatient Code Editor (IOCE) are summarized in the following sections.

Software

- Basic changes to accommodate table and date range modifications.
- IOCE will maintain only seven years of programs and codes. The earliest supported version in this release is 17.1.x and the earliest version date is 04/01/16.
- The IBM z/OS was upgraded from version 2.3 to version 2.5 as of July 2022. It is backward compatible to version 2.3.
- January 2023 IOCE v24.0 is the final Assembler release of the IOCE. From April 2023 IOCE v24.1 onward, only the Java version of the component will be available.
- Implemented new logic for Remote Mental Health services furnished by hospitals when reported on PHP (013x w/CC41) or Daily Mental Health (012x and 013x) claims.
- Implement add-on code editing logic specifically for add-on codes identified as Software as a service (SAAS) on OPPS Outpatient facility claims (013x) to return edit 106 when reported without a primary procedure code.
- New valid modifiers and modifier description updates
 - New-LU: Fraction pay car-t therapy (1/1/2022)
 - New-AB: Aud svcs w/o order evry 12mo
 - New-JZ: Zero drug wasted
 - New-N1: Group 1 oxygen cov crit met
 - New-N2: Group 2 oxygen cov crit met
 - New-N3: Group 3 oxygen cov crit met
 - Update-TB: 340b drug: slct entities
- Updated logic to exclude C9399 from packaging under CAPC processing.

Edits

- Added mid-quarter edit 110 (initial marketing date) to the following HCPCS codes:
 - 91312: 08/31/2022
 - 91313: 08/31/2022
 - 0124A: 08/31/2022

- 0134A: 08/31/2022
- 0144A: 10/12/2022
- 91314: 10/12/2022
- 0154A: 10/12/2022
- 91315: 10/12/2022
- 0044A: 10/19/2022

Files

The code description file was updated; diagnosis and/or procedure codes have been updated with current additions, revisions, and deletions.

Tables

Updates were made to the following lists (please review the Quarterly Data Table Reports for additional detail). Due to the new table and file structure for Jan 2020, the tables that are updated that reference a list are specified below.

Updates were made to the following tables and lists:

- DATA_APC
 - Added new APCs and modified applicable descriptions;
- DATA_CAPC
 - Comprehensive APC list
- DATA_HCPCS
 - Bypass E72 FQHC RHC list (edit 72)
 - Comprehensive APC exclusion list
 - Conditional Bilateral list
 - Coinsurance and Deductible Waiver Eligible list (edit 114)
 - Deductible Coinsurance N/A list
 - Device list
 - Device Procedure list (edit 92 bypass list updates)
 - DMERC Billable list (edit 61)
 - FQHC Flu PPV list
 - FQHC Non-covered list (edit 91)
 - FX Modifier Radiology Payment Adjustment List

- FY Modifier Radiology Payment Adjustment List
- Non-covered Service List (edit 9)
- Non-reportable site of services list (edit 55)
- Non-Standard CT Scan Equipment Procedure list
- Not recognized by Medicare for OPPS list (edit 62)
- Passthrough Radiopharm (edit 99)
- Passthrough Device HCPCS (edit 98)
- Procedure/Age Conflict (edit 7)
- Procedure/Sex Conflict (edit 8)
- Remote Mental Health list
- Separate payment not provided by Medicare (edit 13)
- Skin substitutes list (edit 87)
- Statutory Exclusion list (edit 50)
- Terminated Device Procedure list
- Vaccine (for HH Vaccine administration)
- DATA_MODIFIER
 - Added new and updated descriptions for applicable modifiers (edit 22)
- DATA_STATUS_INDICATOR
 - Updates to status indicator descriptions
- OFFSET_APC
 - APC Payment Offsets
- OFFSET_CODEPAIR
 - Pass-through Device Offset Code Pairs
- OFFSET_HCPCS
 - Terminated device Procedure offsets
- MAP_ADDON
 - Map_Addon_SAAS (edit 106*)
- MAP_CAPC
 - Complexity Adjusted Code Pairs
- MAP_FQHC_VISIT
 - Removal of applicable FQHC Qualifying visit code pairs

The following Data Table Report(s) are updated to include or revise the following fields:

- DATA_HCPCS
 - Remote Mental Health list (new)
 - Addon SAAS (new)
- MAP_ADDON
 - Map Addon SAAS (new)

Documentation

The following changes were made to the IOCE Specifications and Summary of Changes documents, IOCE Software Install, User, and PC Manuals:

- Updated the Edit Descriptions and Reason for Edit Generation table:
 - Updated the description for edit 106 to include Software as a Service (SAAS) processing.
- Updated the Edits Applied by Bill Type table:
 - Added edit 106 to bill type 13x for Software as a Service (SAAS) processing.
- Effective 1/1/2023, updated the APC Return Buffer table for the following Status Indicator descriptions :
 - A: Includes Unclassified drugs and biologicals reportable under HCPCS code C9399
 - F: Corneal Tissue Acquisition; Certain CRNA Services
 - L: Influenza Vaccine; Pneumococcal Pneumonia Vaccine; Hepatitis B Vaccines; Covid-19 Vaccine; Monoclonal Antibody Therapy Product
- Added new table to identify APCs applicable to PHP and DMH logic.
- Added new flowchart for Partial Hospitalization logic with RMH processing.
- Updated Daily Mental Health Logic flowchart to include update for RMH processing.

Index

A

A status indicator	150
add code button.....	32, 116
add PDX button	32, 116
add RVDX button.....	32, 116
ancillary APC.....	14
APC/ASC return buffer flag	150
APCs	
background	9
general information.....	14
major types	14

B

batch input.....	143
batch output	149
batch output file.....	149
batch processing	143
command.....	143
error messages	164
input file.....	144
input record types	144
log file	163
output file	150
output record types.....	149
blood and blood products.....	14

C

C record type layout.....	144
C status indicator	144
changes	
edit.....	167
file	168
software.....	167
table	168
changes in the software since OPPS	12
claim data input record layout.....	144
claim denial	42, 123
claim disposition	43, 123
claim edits	
part 1 output record layout.....	150
part 2 output record layout	150
claim processed flag.....	150

claim rejection.....	42, 123
claim return to provider (RTP)	42, 123
claim suspension	42, 123
coding for APCs	12
command buttons.....	32, 116
composite APC logic.....	82
copy text.....	31, 41, 115
critical care-packaging logic	81
cut text	31, 41, 115

D

D record type layout	144
data elements for program input	12
date ranges	109
dates that span date ranges.....	14
delete row menu option	31, 115
device pass-through and therapeutic	
radiopharmaceuticals APC.....	14
diagnosis codes input record layout	144
diagnosis edits, output record layout	150
direct referral from physician's office.....	91
discounting.....	15
formulas.....	150
dispositions	13, 42
claim.....	43, 123
edit.....	42, 123
drug administration logic	94
drug-biological pass-through APC.....	14

E

E status indicator	150
edit changes in this release.....	167
edit disposition.....	13
defined.....	42, 123
summary	43, 124
edit menu	
input window.....	31, 115
output window	41
edits.....	14
special logic.....	76, 141
emergency room claims.....	14
error messages, batch input	32, 116
batch input.....	164

F

F status indicator.....	150
-------------------------	-----

fee schedule 19
 file changes in this release 168
 file menu
 input window 31, 115
 output window 41
 flag
 APC/ASC return buffer 150
 claim processed 150
 line item action 144, 150
 line item denial or rejection 150
 OPPS/non-OPPS 143, 144, 150
 packaging 150
 payment adjustment 150
 payment method 150
 formulas for discounting 150
 functions of software 11

G

G status indicator 150

H

H status indicator 150
 HCPCS codes 9
 hospice claims logic 100

I

included versions 11
 information on APCs 14
 input file, batch processing 143
 input record layouts 144
 input record types, batch processing 144
 input window
 command buttons 32, 116
 menu items 31, 115
 interactive data entry 109

J

J status indicator 150

K

K status indicator 150

L

L record type layout 144
 L status indicator 150
 line item action flag 144, 150
 line item data input record layout 144
 line item denial 42, 123
 line item denial or rejection flag 150
 line item edits, output record layout 150
 line item rejection 42, 123
 log file 163

M

M record type layout 150
 M status indicator 150
 managed care beneficiaries logic 95
 medical APC 14
 menu items
 input window 31, 115
 output window 41
 modifiers 20
 multiple day claims 14

N

N record type layout 150
 N status indicator 150
 new window 31, 115
 non pass-through drug or device APC 14
 nuclear medicine procedures and
 radiopharmaceutical logic 95
 number of line items allowed 12

O

O record type layout 150
 observation claims 14
 observation logic 91
 OPPS, background 9
 OPPS/non-OPPS flag 143, 144, 150
 output file, batch processing 149
 output record layouts 150
 output record types, batch processing ... 149
 output report 35, 119
 claim dispositions 43, 123
 edit dispositions 42, 123
 printing 41
 saving as a text file 41

output report window		
menu items	41	
P		
P record type layout.....	150	
P status indicator	150	
packaging	15	
logic.....	80	
partial hospitalization APC.....	14	
partial hospitalization logic	83	
paste text	31, 115	
payment information	15	
print the output report	41	
product background.....	9	
program input	12	
error messages	32, 116	
program output.....	35, 119	
claim dispositions	43, 123	
edit dispositions.....	42, 123	
program versions	109	
purpose of the software	11	
Q		
Q record type layout	150	
Q, Q1, Q2, Q3 status indicators	150	
R		
R record type layout.....	150	
R status indicator	150	
reason for visit code.....	144	
reason for visit diagnosis.....	144	
record types, batch processing		
input.....	143	
output	149	
report button	32, 116	
S		
S record type layout.....	150	
S status indicator.....	150	
same day medical and procedure APC	21	
save the output report as a text file	41	
secondary diagnoses.....	144	
significant procedure APC.....	14	
software changes in this release.....	167	
special logic information		
composite APC.....	82	
critical care packaging	81	
drug administration	94	
hospice claims.....	100	
managed care beneficiaries.....	95	
nuclear medicine procedures and		
radiopharmaceuticals.....	95	
observation.....	91	
packaging.....	80	
partial hospitaliza	83	
skin substitute products	98	
wound care	81	
status indicators.....	19	
values	150	
T		
T status indicator.....	150	
table changes in this release.....	168	
types of records, batch processing		
input.....	143	
output	149	
U		
U status indicator	150	
V		
V status indicator	150	
versions	11, 109	
W		
W status indicator	150	
what the software does	11	
wound care logic.....	81	
wound care services.....	81	
X		
X-status indicator	150	
Y		
Y status indicator.....	150	

Z

Z status indicator..... 150