

PRA Disclosure Statement

According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is **0938-1163 (Expiration Date: 10/31/2027)**. The time required to complete this information collection is estimated to average **1 hour and 26 minutes** per response, including the time to review instructions, search existing data resources, gather the data needed, and complete and review the information collection. If you have comments concerning the accuracy of the time estimate(s) or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850. *****CMS

Disclaimer***Please do not send applications, claims, payments, medical records, or any documents containing sensitive information to the PRA Reports Clearance Office. Please note that any correspondence not pertaining to the information collection burden approved under the associated OMB control number listed on this form will not be reviewed, forwarded, or retained. If you have questions or concerns regarding where to submit your documents, please contact Ariel Cress at Ariel.Cress@cms.hhs.gov**

LONG-TERM CARE HOSPITAL (LTCH) CONTINUITY ASSESSMENT RECORD & EVALUATION (CARE) DATA SET - Version 5.3 PATIENT ASSESSMENT FORM - PLANNED DISCHARGE

Section A	Administrative Information
A0050. Type of Record	
Enter Code <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px 0;"></div>	1. Add new assessment/record 2. Modify existing record 3. Inactivate existing record
A0100. Facility Provider Numbers. Enter Code in boxes provided.	
	A. National Provider Identifier (NPI): <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px 0;"></div> B. CMS Certification Number (CCN): <div style="border: 1px solid black; width: 120px; height: 20px; margin: 5px 0;"></div> C. State Medicaid Provider Number: <div style="border: 1px solid black; width: 150px; height: 20px; margin: 5px 0;"></div>
A0200. Type of Provider	
Enter Code <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px 0;"></div>	3. Long-Term Care Hospital
A0210. Assessment Reference Date	
	Observation end date: <div style="display: flex; align-items: center; margin: 5px 0;"> <div style="border: 1px solid black; width: 30px; height: 20px; margin-right: 5px;"></div> - <div style="border: 1px solid black; width: 30px; height: 20px; margin-right: 5px;"></div> - <div style="border: 1px solid black; width: 60px; height: 20px;"></div> </div> <div style="display: flex; justify-content: space-around; width: 100%; font-size: small;"> Month Day Year </div>
A0220. Admission Date	
	<div style="display: flex; align-items: center; margin: 5px 0;"> <div style="border: 1px solid black; width: 30px; height: 20px; margin-right: 5px;"></div> - <div style="border: 1px solid black; width: 30px; height: 20px; margin-right: 5px;"></div> - <div style="border: 1px solid black; width: 60px; height: 20px;"></div> </div> <div style="display: flex; justify-content: space-around; width: 100%; font-size: small;"> Month Day Year </div>
A0250. Reason for Assessment	
Enter Code <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px 0;"></div>	01. Admission 10. Planned discharge 11. Unplanned discharge 12. Expired
A0270. Discharge Date	
	<div style="display: flex; align-items: center; margin: 5px 0;"> <div style="border: 1px solid black; width: 30px; height: 20px; margin-right: 5px;"></div> - <div style="border: 1px solid black; width: 30px; height: 20px; margin-right: 5px;"></div> - <div style="border: 1px solid black; width: 60px; height: 20px;"></div> </div> <div style="display: flex; justify-content: space-around; width: 100%; font-size: small;"> Month Day Year </div>

Section A	Administrative Information
Patient Demographic Information	
A0500. Legal Name of Patient	
	<div>A. First name: <div></div></div> <div>B. Middle initial: <div></div></div> <div>C. Last name: <div></div></div> <div>D. Suffix: <div></div></div>
A0600. Social Security and Medicare Numbers	
	<div>A. Social Security Number: <div></div> - <div></div> - <div></div></div> <div>B. Medicare number (or comparable railroad insurance number): <div></div></div>

Section A	Administrative Information																				
A0700. Medicaid Number - Enter "+" if pending, "N" if not a Medicaid recipient																					
	<table border="1" style="width: 100%; height: 20px; border-collapse: collapse;"> <tr> <td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td><td style="width: 5%;"></td> </tr> </table>																				
A0810. Sex																					
Enter Code <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px;"></div>	1. Male 2. Female																				
A0900. Birth Date																					
	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border: 1px solid black; width: 20px; height: 20px; display: inline-block;"></td> <td style="border: 1px solid black; width: 20px; height: 20px; display: inline-block;"></td> <td style="width: 10px; text-align: center;">-</td> <td style="border: 1px solid black; width: 20px; height: 20px; display: inline-block;"></td> <td style="border: 1px solid black; width: 20px; height: 20px; display: inline-block;"></td> <td style="width: 10px; text-align: center;">-</td> <td style="border: 1px solid black; width: 20px; height: 20px; display: inline-block;"></td> <td style="border: 1px solid black; width: 20px; height: 20px; display: inline-block;"></td> <td style="border: 1px solid black; width: 20px; height: 20px; display: inline-block;"></td> <td style="border: 1px solid black; width: 20px; height: 20px; display: inline-block;"></td> </tr> <tr> <td style="text-align: center; font-size: small;">Month</td> <td style="text-align: center; font-size: small;">Day</td> <td></td> <td style="text-align: center; font-size: small;">Year</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			-			-					Month	Day		Year						
		-			-																
Month	Day		Year																		
A1400. Payer Information																					
↓	Check all that apply																				
<input type="checkbox"/>	A. Medicare (traditional fee-for-service)																				
<input type="checkbox"/>	B. Medicare (managed care/Part C/Medicare Advantage)																				
<input type="checkbox"/>	C. Medicaid (traditional fee-for-service)																				
<input type="checkbox"/>	D. Medicaid (managed care)																				
<input type="checkbox"/>	E. Workers' compensation																				
<input type="checkbox"/>	F. Title programs (e.g., Title III, V, or XX)																				
<input type="checkbox"/>	G. Other government (e.g., TRICARE, VA, etc.)																				
<input type="checkbox"/>	H. Private insurance/Medigap																				
<input type="checkbox"/>	I. Private managed care																				
<input type="checkbox"/>	J. Self-pay																				
<input type="checkbox"/>	K. No payer source																				
<input type="checkbox"/>	X. Unknown																				
<input type="checkbox"/>	Y. Other																				

Section A

Administrative Information

A2105. Discharge Location

Enter Code	<div>1. Home/Community (e.g., private home/apt., board/care, assisted living, group home, transitional living, other residential care arrangements)</div> <div>2. Nursing Home (long-term care facility)</div> <div>3. Skilled Nursing Facility (SNF, swing bed)</div> <div>4. Short-Term General Hospital (acute hospital, IPPS)</div> <div>5. Long-Term Care Hospital (LTCH)</div> <div>6. Inpatient Rehabilitation Facility (IRF, free standing facility or unit)</div> <div>7. Inpatient Psychiatric Facility (psychiatric hospital or unit)</div> <div>8. Intermediate Care Facility (ID/DD facility)</div> <div>9. Hospice (home/non-institutional)</div> <div>10. Hospice (institutional facility)</div> <div>11. Critical Access Hospital (CAH)</div> <div>12. Home under care of organized home health service organization</div> <div>99. Not Listed</div>
------------	---

A2121. Provision of Current Reconciled Medication List to Subsequent Provider at Discharge

At the time of discharge to another provider, did your facility provide the patient’s current reconciled medication list to the subsequent provider?

Enter Code	<div>0. No – Current reconciled medication list not provided to the subsequent provider ➔ <i>Skip to A2123, Provision of Current Reconciled Medication List to Patient at Discharge</i></div> <div>1. Yes – Current reconciled medication list provided to the subsequent provider</div>
------------	--

A2122. Route of Current Reconciled Medication List Transmission to Subsequent Provider

Indicate the route(s) of transmission of the current reconciled medication list to the subsequent provider.

Route of Transmission	Check all that apply ↓
A. Electronic Health Record	<input type="checkbox"/>
B. Health Information Exchange	<input type="checkbox"/>
C. Verbal (e.g., in-person, telephone, video conferencing)	<input type="checkbox"/>
D. Paper-based (e.g., fax, copies, printouts)	<input type="checkbox"/>
E. Other Methods (e.g., texting, email, CDs)	<input type="checkbox"/>

A2123. Provision of Current Reconciled Medication List to Patient at Discharge

At the time of discharge, did your facility provide the patient’s current reconciled medication list to the patient, family and/or caregiver?

Enter Code	<div>0. No – Current reconciled medication list not provided to the patient, family and/or caregiver ➔ <i>Skip to B0100, Comatose</i></div> <div>1. Yes – Current reconciled medication list provided to the patient, family and/or caregiver</div>
------------	---

A2124. Route of Current Reconciled Medication List Transmission to Patient

Indicate the route(s) of transmission of the current reconciled medication list to the patient/family/caregiver.

Route of Transmission	Check all that apply ↓
A. Electronic Health Record (e.g., electronic access to patient portal)	<input type="checkbox"/>
B. Health Information Exchange	<input type="checkbox"/>
C. Verbal (e.g., in-person, telephone, video conferencing)	<input type="checkbox"/>
D. Paper-based (e.g., fax, copies, printouts)	<input type="checkbox"/>
E. Other Methods (e.g., texting, email, CDs)	<input type="checkbox"/>

Section B	Hearing, Speech, and Vision
B0100. Comatose	
Enter Code <input style="width: 40px; height: 20px;" type="text"/>	Persistent vegetative state/no discernible consciousness 0. No → <i>Continue to B1300, Health Literacy</i> 1. Yes → <i>Skip to GG0130, Self-Care</i>
B1300. Health Literacy (from Creative Commons®)	
How often do you need to have someone help you when you read instructions, pamphlets, or other written material from your doctor or pharmacy?	
Enter Code <input style="width: 40px; height: 20px;" type="text"/>	0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 7. Patient declines to respond 8. Patient unable to respond
<i>The Single Item Literacy Screener is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.</i>	
BB0700. Expression of Ideas and Wants	
Enter Code <input style="width: 40px; height: 20px;" type="text"/>	Expression of ideas and wants (consider both verbal and non-verbal expression and excluding language barriers) 4. Expresses complex messages without difficulty and with speech that is clear and easy to understand 3. Exhibits some difficulty with expressing needs and ideas (e.g., some words or finishing thoughts) or speech is not clear 2. Frequently exhibits difficulty with expressing needs and ideas 1. Rarely/Never expresses self or speech is very difficult to understand
BB0800. Understanding Verbal and Non-Verbal Content	
Enter Code <input style="width: 40px; height: 20px;" type="text"/>	Understanding verbal and non-verbal content (with hearing aid or device, if used, and excluding language barriers) 4. Understands: Clear comprehension without cues or repetitions 3. Usually understands: Understands most conversations, but misses some part/intent of message. Requires cues at times to understand 2. Sometimes understands: Understands only basic conversations or simple, direct phrases. Frequently requires cues to understand 1. Rarely/never understands

Section C		Cognitive Patterns
C0100. Should Brief Interview for Mental Status (C0200-C0500) be Conducted?		
Attempt to conduct interview with all patients.		
Enter Code <input type="text"/>	0. No (patient is rarely/never understood) → Skip to C1310, Signs and Symptoms of Delirium (from CAM©) 1. Yes → Continue to C0200, Repetition of Three Words	
Brief Interview for Mental Status (BIMS)		
C0200. Repetition of Three Words		
Enter Code <input type="text"/>	Ask patient: <i>"I am going to say three words for you to remember. Please repeat the words after I have said all three. The words are: sock, blue, and bed. Now tell me the three words."</i> Number of words repeated after first attempt 0. None 1. One 2. Two 3. Three After the patient's first attempt, repeat the words using cues (<i>"sock, something to wear; blue, a color; bed, a piece of furniture"</i>). You may repeat the words up to two more times.	
C0300. Temporal Orientation (orientation to year, month, and day)		
Enter Code <input type="text"/>	Ask patient: <i>"Please tell me what year it is right now."</i> A. Able to report correct year 0. Missed by > 5 years or no answer 1. Missed by 2-5 years 2. Missed by 1 year 3. Correct	
Enter Code <input type="text"/>	Ask patient: <i>"What month are we in right now?"</i> B. Able to report correct month 0. Missed by > 1 month or no answer 1. Missed by 6 days to 1 month 2. Accurate within 5 days	
Enter Code <input type="text"/>	Ask patient: <i>"What day of the week is today?"</i> C. Able to report correct day of the week 0. Incorrect or no answer 1. Correct	
C0400. Recall		
Enter Code <input type="text"/>	Ask patient: <i>"Let's go back to an earlier question. What were those three words that I asked you to repeat?"</i> If unable to remember a word, give cue (something to wear; a color; a piece of furniture) for that word. A. Able to recall "sock" 0. No - could not recall 1. Yes, after cueing ("something to wear") 2. Yes, no cue required	
Enter Code <input type="text"/>	B. Able to recall "blue" 0. No - could not recall 1. Yes, after cueing ("a color") 2. Yes, no cue required	
Enter Code <input type="text"/>	C. Able to recall "bed" 0. No - could not recall 1. Yes, after cueing ("a piece of furniture") 2. Yes, no cue required	
C0500. BIMS Summary Score		
Enter Score <input type="text"/>	Add scores for questions C0200-C0400 and fill in total score (00-15) Enter 99 if the patient was unable to complete the interview	

Section C		Cognitive Patterns	
C1310. Signs and Symptoms of Delirium (from CAM©)			
Code after completing Brief Interview for Mental Status and reviewing medical record.			
A. Acute Onset Mental Status Change			
Enter Code	Is there evidence of an acute change in mental status from the patient's baseline?		
<div></div>	0. No 1. Yes		
Coding: 0. Behavior not present 1. Behavior continuously present, does not fluctuate 2. Behavior present, fluctuates (comes and goes, changes in severity)	↓ Enter Code in Boxes		
	<div></div>	B. Inattention - Did the patient have difficulty focusing attention, for example being easily distractible or having difficulty keeping track of what was being said?	
	<div></div>	C. Disorganized thinking - Was the patient's thinking disorganized or incoherent (rambling or irrelevant conversation, unclear or illogical flow of ideas, or unpredictable switching from subject to subject)?	
	<div></div>	D. Altered level of consciousness - Did the patient have altered level of consciousness as indicated by any of the following criteria? <ul style="list-style-type: none"> vigilant - startled easily to any sound or touch lethargic - repeatedly dozed off when being asked questions, but responded to voice or touch stuporous - very difficult to arouse and keep aroused for the interview comatose - could not be aroused 	
Adapted from: Inouye SK, et al. Ann Intern Med. 1990; 113: 941-948. Confusion Assessment Method. Copyright 2003, Hospital Elder Life Program, LLC. Not to be reproduced without permission.			

Section D		Mood	
D0150. Patient Mood Interview (PHQ-2 to 9) (from Pfizer Inc.©)			
Determine if the patient is rarely/never understood verbally, in writing, or using another method. If rarely/never understood, code D0150A1 and D0150B1 as 9, No response, leave D0150A2 and D0150B2 blank, end the PHQ-2 interview, and leave D0160, Total Severity Score blank. Otherwise, say to patient: "Over the last 2 weeks, have you been bothered by any of the following problems?"			
If symptom is present, enter 1 (yes) in column 1, Symptom Presence. If yes in column 1, then ask the patient: "About how often have you been bothered by this?" Read and show the patient a card with the symptom frequency choices. Indicate response in column 2, Symptom Frequency.			
1. Symptom Presence 0. No (enter 0 in column 2) 1. Yes (enter 0-3 in column 2) 9. No response (leave column 2 blank)		2. Symptom Frequency 0. Never or 1 day 1. 2-6 days (several days) 2. 7-11 days (half or more of the days) 3. 12-14 days (nearly every day)	
		1. Symptom Presence	2. Symptom Frequency
		↓ Enter Scores in Boxes ↓	
A. Little interest or pleasure in doing things			
B. Feeling down, depressed, or hopeless			
If both D0150A1 and D0150B1 are coded 9, OR both D0150A2 and D0150B2 are coded 0 or 1, END the PHQ interview; otherwise, continue.			
C. Trouble falling or staying asleep, or sleeping too much			
D. Feeling tired or having little energy			
E. Poor appetite or overeating			
F. Feeling bad about yourself – or that you are a failure or have let yourself or your family down			
G. Trouble concentrating on things, such as reading the newspaper or watching television			
H. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual			
I. Thoughts that you would be better off dead, or of hurting yourself in some way			
Copyright © Pfizer Inc. All rights reserved. Reproduced with permission.			
D0160. Total Severity Score			
Enter Score	Add scores for all frequency responses in column 2, Symptom Frequency. Total score must be between 00 and 27. Enter 99 if unable to complete interview (i.e., Symptom Frequency is blank for 3 or more required items)		
D0700. Social Isolation			
How often do you feel lonely or isolated from those around you?			
Enter Code	0. Never 1. Rarely 2. Sometimes 3. Often 4. Always 7. Patient declines to respond 8. Patient unable to respond		

Section GG		Functional Abilities	
GG0130. Self-Care			
Code the patient's usual performance at discharge for each activity using the 6-point scale. If an activity was not attempted at discharge, code the reason.			
<p>Coding:</p> <p>Safety and Quality of Performance - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided.</p> <p><i>Activities may be completed with or without assistive devices.</i></p> <p>06. Independent - Patient completes the activity by themself with no assistance from a helper.</p> <p>05. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.</p> <p>04. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.</p> <p>03. Partial/moderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.</p> <p>02. Substantial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.</p> <p>01. Dependent - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.</p> <p>If activity was not attempted, code reason:</p> <p>07. Patient refused</p> <p>09. Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.</p> <p>10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)</p> <p>88. Not attempted due to medical condition or safety concerns</p>			
3. Discharge Performance			
↓ Enter Codes in Boxes			
<div></div>		A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the patient.	
<div></div>		B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.	
<div></div>		C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.	

Section GG	Functional Abilities
GG0170. Mobility	
Code the patient's usual performance at discharge for each activity using the 6-point scale. If an activity was not attempted at discharge, code the reason.	
<p>Coding: Safety and Quality of Performance - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided. <i>Activities may be completed with or without assistive devices.</i></p> <p>06. Independent - Patient completes the activity by themselves with no assistance from a helper.</p> <p>05. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity.</p> <p>04. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently.</p> <p>03. Partial/moderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort.</p> <p>02. Substantial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort.</p> <p>01. Dependent - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity.</p> <p>If activity was not attempted, code reason:</p> <p>07. Patient refused</p> <p>09. Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury.</p> <p>10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints)</p> <p>88. Not attempted due to medical condition or safety concerns</p>	
3. Discharge Performance	
↓ Enter Codes in Boxes	
<input type="text"/>	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.
<input type="text"/>	B. Sit to lying: The ability to move from sitting on side of bed to lying flat on the bed.
<input type="text"/>	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with no back support.
<input type="text"/>	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair, or on the side of the bed.
<input type="text"/>	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).
<input type="text"/>	F. Toilet transfer: The ability to get on and off a toilet or commode. <i>If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170I, Walk 10 feet</i>
<input type="text"/>	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.
<input type="text"/>	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. <i>If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)</i>
<input type="text"/>	J. Walk 50 feet with two turns: Once standing, the ability to walk at least 50 feet and make two turns.
<input type="text"/>	K. Walk 150 feet: Once standing, the ability to walk at least 150 feet in a corridor or similar space.

Section GG		Functional Abilities	
GG0170. Mobility - Continued			
Code the patient's usual performance at discharge for each activity using the 6-point scale. If an activity was not attempted at discharge, code the reason.			
Coding: Safety and Quality of Performance - If helper assistance is required because patient's performance is unsafe or of poor quality, score according to amount of assistance provided. <i>Activities may be completed with or without assistive devices.</i> 06. Independent - Patient completes the activity by themselves with no assistance from a helper. 05. Setup or clean-up assistance - Helper sets up or cleans up; patient completes activity. Helper assists only prior to or following the activity. 04. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as patient completes activity. Assistance may be provided throughout the activity or intermittently. 03. Partial/moderate assistance - Helper does LESS THAN HALF the effort. Helper lifts, holds or supports trunk or limbs, but provides less than half the effort. 02. Substantial/maximal assistance - Helper does MORE THAN HALF the effort. Helper lifts or holds trunk or limbs and provides more than half the effort. 01. Dependent - Helper does ALL of the effort. Patient does none of the effort to complete the activity. Or, the assistance of 2 or more helpers is required for the patient to complete the activity. If activity was not attempted, code reason: 07. Patient refused 09. Not applicable - Not attempted and the patient did not perform this activity prior to the current illness, exacerbation, or injury. 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints) 88. Not attempted due to medical condition or safety concerns			
3. Discharge Performance			
↓ Enter Codes in Boxes			
<input type="text"/>	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.		
<input type="text"/>	M. 1 step (curb): The ability to go up and down a curb or up and down one step. <i>If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object</i>		
<input type="text"/>	N. 4 steps: The ability to go up and down four steps with or without a rail. <i>If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object</i>		
<input type="text"/>	O. 12 steps: The ability to go up and down 12 steps with or without a rail.		
<input type="text"/>	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.		
<input type="text"/>	<input type="text"/>	Q3. Does the patient use a wheelchair and/or scooter? 0. No → Skip to H0350, Bladder Continence 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns	
<input type="text"/>	R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.		
<input type="text"/>	<input type="text"/>	RR3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized	
<input type="text"/>	S. Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.		
<input type="text"/>	<input type="text"/>	SS3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized	

Section H		Bladder and Bowel	
H0350. Bladder Continence			
<div>Enter Code</div> <div></div>		<div>Bladder continence - Select the one category that best describes the patient.</div> <div><div>0. Always continent (no documented incontinence)</div><div>1. Stress incontinence only</div><div>2. Incontinent less than daily (e.g., once or twice during the assessment period)</div><div>3. Incontinent daily (at least once a day)</div><div>4. Always incontinent</div><div>5. No urine output (e.g., renal failure)</div><div>9. Not applicable (e.g., indwelling catheter)</div></div>	

Section J		Health Conditions	
J0510. Pain Effect on Sleep			
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px auto;"></div>	Ask patient: "Over the past 5 days, how much of the time has pain made it hard for you to sleep at night? " <ul style="list-style-type: none"> 0. Does not apply - I have not had any pain or hurting in the past 5 days → <i>Skip to J1800, Any Falls Since Admission</i> 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer 		
J0520. Pain Interference with Therapy Activities			
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px auto;"></div>	Ask patient: "Over the past 5 days, how often have you limited your participation in rehabilitation therapy sessions due to pain? " <ul style="list-style-type: none"> 0. Does not apply - I have not received rehabilitation therapy in the past 5 days 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer 		
J0530. Pain Interference with Day-to-Day Activities			
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px auto;"></div>	Ask patient: "Over the past 5 days, how often have you limited your day-to-day activities (<u>excluding</u> rehabilitation therapy sessions) because of pain? " <ul style="list-style-type: none"> 1. Rarely or not at all 2. Occasionally 3. Frequently 4. Almost constantly 8. Unable to answer 		
J1800. Any Falls Since Admission			
Enter Code <div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px auto;"></div>	Has the patient had any falls since admission? <ul style="list-style-type: none"> 0. No → <i>Skip to K0520, Nutritional Approaches</i> 1. Yes → <i>Continue to J1900, Number of Falls Since Admission</i> 		
J1900. Number of Falls Since Admission			
Coding: 0. None 1. One 2. Two or more	↓ Enter Codes in Boxes		
	<div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px auto;"></div>	A. No injury: No evidence of any injury is noted on physical assessment by the nurse or primary care clinician; no complaints of pain or injury by the patient; no change in the patient's behavior is noted after the fall	
	<div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px auto;"></div>	B. Injury (except major) – as described in the LCDS Manual	
	<div style="border: 1px solid black; width: 40px; height: 20px; margin: 5px auto;"></div>	C. Major injury – as described in the LCDS Manual	

Section K		Swallowing/Nutritional Status	
K0520. Nutritional Approaches			
4. Last 7 Days Check all of the nutritional approaches that were received in the last 7 days	4. Last 7 Days	5. At Discharge	
	Check all that apply ↓	Check all that apply ↓	
5. At Discharge Check all of the nutritional approaches that were being received at discharge			
A. Parenteral/IV feeding	<input type="checkbox"/>	<input type="checkbox"/>	
B. Feeding tube (e.g., nasogastric or abdominal (PEG))	<input type="checkbox"/>	<input type="checkbox"/>	
C. Mechanically altered diet - require change in texture of food or liquids (e.g., pureed food, thickened liquids)	<input type="checkbox"/>	<input type="checkbox"/>	
D. Therapeutic diet (e.g., low salt, diabetic, low cholesterol)	<input type="checkbox"/>	<input type="checkbox"/>	
Z. None of the above	<input type="checkbox"/>	<input type="checkbox"/>	

Section M	Skin Conditions
Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage.	
M0210. Unhealed Pressure Ulcers/Injuries	
Enter Code <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px auto;"></div>	Does this patient have one or more unhealed pressure ulcers/injuries? 0. No → <i>Skip to N0415, High-Risk Drug Classes: Use and Indication</i> 1. Yes → <i>Continue to M0300, Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage</i>
M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	
Enter Number <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px auto;"></div>	A. Stage 1: Intact skin with non-blanchable redness of a localized area usually over a bony prominence. Darkly pigmented skin may not have a visible blanching; in dark skin tones only it may appear with persistent blue or purple hues. 1. Number of Stage 1 pressure injuries
Enter Number <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px auto;"></div>	B. Stage 2: Partial thickness loss of dermis presenting as a shallow open ulcer with a red or pink wound bed, without slough. May also present as an intact or open/ruptured blister. 1. Number of Stage 2 pressure ulcers - If 0 → <i>Skip to M0300C, Stage 3</i> 2. Number of <u>these</u> Stage 2 pressure ulcers that were present upon admission - enter how many were noted at the time of admission
Enter Number <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px auto;"></div>	C. Stage 3: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon or muscle is not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling. 1. Number of Stage 3 pressure ulcers - If 0 → <i>Skip to M0300D, Stage 4</i> 2. Number of <u>these</u> Stage 3 pressure ulcers that were present upon admission - enter how many were noted at the time of admission
Enter Number <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px auto;"></div>	D. Stage 4: Full thickness tissue loss with exposed bone, tendon or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling. 1. Number of Stage 4 pressure ulcers - If 0 → <i>Skip to M0300E, Unstageable - Non-removable dressing/device</i> 2. Number of <u>these</u> Stage 4 pressure ulcers that were present upon admission - enter how many were noted at the time of admission
Enter Number <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px auto;"></div>	E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device 1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → <i>Skip to M0300F, Unstageable - Slough and/or eschar</i> 2. Number of <u>these</u> unstageable pressure ulcers/injuries that were present upon admission - enter how many were noted at the time of admission
Enter Number <div style="border: 1px solid black; width: 30px; height: 20px; margin: 5px auto;"></div>	F. Unstageable - Slough and/or eschar: Known but not stageable due to coverage of wound bed by slough and/or eschar 1. Number of unstageable pressure ulcers due to coverage of wound bed by slough and/or eschar - If 0 → <i>Skip to M0300G, Unstageable - Deep tissue injury</i> 2. Number of <u>these</u> unstageable pressure ulcers that were present upon admission - enter how many were noted at the time of admission
M0300 continued on next page	

M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage - Continued	
<div>Enter Number</div> <div></div>	<div>G. Unstageable-Deeptissueinjury</div> <div><div>1. Number of unstageable pressure injuries presenting as deep tissue injury - If 0 → Skip to N04 I 5, High-Risk Drug Classes: Use and Indication</div><div>2. Number of <u>these</u> unstageable pressure injuries that were present upon admission - enter how many were noted at the time of admission</div></div>

Section N		Medications	
N0415. High-Risk Drug Classes: Use and Indication			
1. Is taking Check if the patient is taking any medications by pharmacological classification, not how it is used, in the following classes 2. Indication noted If column 1 is checked, check if there is an indication noted for all medications in the drug class		1. Is taking	2. Indication noted
		Check all that apply ↓	Check all that apply ↓
A. Antipsychotic		<input type="checkbox"/>	<input type="checkbox"/>
E. Anticoagulant		<input type="checkbox"/>	<input type="checkbox"/>
F. Antibiotic		<input type="checkbox"/>	<input type="checkbox"/>
H. Opioid		<input type="checkbox"/>	<input type="checkbox"/>
I. Antiplatelet		<input type="checkbox"/>	<input type="checkbox"/>
J. Hypoglycemic (including insulin)		<input type="checkbox"/>	<input type="checkbox"/>
Z. None of the above		<input type="checkbox"/>	
N2005. Medication Intervention			
Enter Code <input type="checkbox"/>	Did the facility contact and complete physician(or physician-designee) prescribed/recommended actions by midnight of the next calendar day each time potential clinically significant medication issues were identified since the admission? 0. No 1. Yes 9. Not applicable– There were no potential clinically significant medication issues identified since admission or patient is not taking any medications		

Section O		Special Treatments, Procedures, and Programs	
00110. Special Treatments, Procedures, and Programs			
Check all of the following treatments, procedures, and programs that apply at discharge.			
		c. At Discharge Check all that apply ↓	
Cancer Treatments			
A1. Chemotherapy		<input type="checkbox"/>	
A2. IV		<input type="checkbox"/>	
A3. Oral		<input type="checkbox"/>	
A10. Other		<input type="checkbox"/>	
B1. Radiation		<input type="checkbox"/>	
Respiratory Therapies			
C1. Oxygen Therapy		<input type="checkbox"/>	
C2. Continuous		<input type="checkbox"/>	
C3. Intermittent		<input type="checkbox"/>	
C4. High-concentration		<input type="checkbox"/>	
D1. Suctioning		<input type="checkbox"/>	
D2. Scheduled		<input type="checkbox"/>	
D3. As Needed		<input type="checkbox"/>	
E1. Tracheostomy care		<input type="checkbox"/>	
F1. Invasive Mechanical Ventilator (ventilator or respirator)		<input type="checkbox"/>	
G1. Non-Invasive Mechanical Ventilator		<input type="checkbox"/>	
G2. BiPAP		<input type="checkbox"/>	
G3. CPAP		<input type="checkbox"/>	
Other			
H1. IV Medications		<input type="checkbox"/>	
H2. Vasoactive medications		<input type="checkbox"/>	
H3. Antibiotics		<input type="checkbox"/>	
H4. Anticoagulation		<input type="checkbox"/>	
H10. Other		<input type="checkbox"/>	
I1. Transfusions		<input type="checkbox"/>	
J1. Dialysis		<input type="checkbox"/>	
J2. Hemodialysis		<input type="checkbox"/>	
J3. Peritoneal dialysis		<input type="checkbox"/>	
O1. IV Access		<input type="checkbox"/>	
O2. Peripheral		<input type="checkbox"/>	
O3. Midline		<input type="checkbox"/>	
O4. Central (e.g., PICC, tunneled, port)		<input type="checkbox"/>	
None of the Above			
Z1. None of the above		<input type="checkbox"/>	

Section 0		Special Treatments, Procedures, and Programs	
00200. Ventilator Liberation Rate (Note: 2 calendar days prior to discharge = 2 calendar days + day of discharge)			
<div>Enter Code</div> <div></div>	A. Invasive Mechanical Ventilator: Liberation Status at Discharge <ol style="list-style-type: none"> Not fully liberated at discharge (i.e., patient required partial or full invasive mechanical ventilation support within 2 calendar days prior to discharge) Fully liberated at discharge (i.e., patient did not require any invasive mechanical ventilation support for at least 2 consecutive calendar days immediately prior to discharge) Not applicable (code only if the patient was not on invasive mechanical ventilator support upon <u>admission</u> [O0150A = 0] or the patient was determined to be non-weaning upon <u>admission</u> [O0150A2 = 0]) 		
00350. Patient's COVID-19 vaccination is up to date.			
<div>Enter Code</div> <div></div>	<ol style="list-style-type: none"> No, patient is not up to date Yes, patient is up to date 		

Section Z		Assessment Administration	
Z0400. Signature of Persons Completing the Assessment			
<p>I certify that the accompanying information accurately reflects patient assessment information for this patient and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that submitting false information may subject my organization to a 2% reduction in the Fiscal Year payment determination. I also certify that I am authorized to submit this information by this facility on its behalf.</p>			
Signature		Title	Date Section Completed
A.			
B.			
C.			
D.			
E.			
F.			
G.			
H.			
I.			
J.			
K.			
L.			
Z0500. Signature of Person Verifying Assessment Completion			
A. Signature:		B. LTCH CARE Data Set Completion Date:	
		— — Month Day Year	