

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0210.....	2
Item ID: M0300A .....	4
Item ID: M0300B1 .....	6
Item ID: M0300B2 .....	8
Item ID: M0300C1 .....	10
Item ID: M0300C2 .....	12
Item ID: M0300D1 .....	14
Item ID: M0300D2 .....	16
Item ID: M0300E1.....	18
Item ID: M0300E2.....	20
Item ID: M0300F1.....	22
Item ID: M0300F2.....	24
Item ID: M0300G1 .....	26
Item ID: M0300G2.....	28

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0210

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Patient has 1+ unhealed pressure ulcers/injuries	Asmt		Code	1	661-661

#### Item Subsets

Active: LA,LP,LU  
Inactive: LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1009	Format	Fatal	Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3542	Consistency	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].
-3543	Consistency	Fatal	If M0210=[1], then M0300C1 must not equal [^].
-3544	Consistency	Fatal	If M0210=[1], then M0300D1 must not equal [^].
-3545	Consistency	Fatal	If M0210=[1], then M0300E1 must not equal [^].
-3546	Consistency	Fatal	If M0210=[1], then M0300F1 must not equal [^].
-3547	Consistency	Fatal	If M0210=[1], then M0300G1 must not equal [^].
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

#### Changes for Version 4.00.0

Type	ID	Description
Format	-1009	[V4.00.0] - Removing references to the following fields as these fields deleted: A1000A, A1000B, A1000C, A1000D, A1000E, A1000F, A1100A, A1802, A2110, C1610A, C1610B, C1610C, C1610D, C1610E1, C1610E2, O0100G, O0100H, O0100H2A, O0100J, O0100N, O0100Z. Adding references to newly added fields: A1005A-X, A1010A-X, A1110B, A1805, A2105, A1990, A1250A-X, A2121, A2122, A2123, A2124, B0200, B1000, B1300, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, C0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, D0700, J0510, J0520, J0530, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, N0415Z1, N0415Z2, O0110A1a, O0110A2a, O0110A3a, O0110A10a, O0110B1a, O0110A1c, O0110A2c, O0110A3c, O0110A10c, O0110B1c, O0110C1a, O0110C2a, O0110C3a, O0110C4a, O0110D1a, O0110D2a, O0110D3a, O0110E1a, O0110G1a, O0110G2a, O0110G3a, O0110C1c, O0110C2c, O0110C3c, O0110C4c, O0110D1c, O0110D2c, O0110D3c, O0110E1c, O0110F1c, O0110G1c, O0110G2c, O0110G3c, O0110H1c, O0110H2c, O0110H3c, O0110H4c, O0110H10c, O0110I1c, O0110J1c, O0110J2c, O0110J3c, O0110Z1c, A1990

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 1 pressure injuries: number present	Asmt		Number	1	662-662

#### Item Subsets

Active:	LA,LP,LU
Inactive:	LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3542	Consistency	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Detailed Data Specifications Report**  
**Section: M**

***Changes for Version 4.00.0***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-1012	[V4.00.0] - Adding mapping for C0500

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 2 pressure ulcers: number present	Asmt		Number	1	663-663

#### Item Subsets

Active:	LA,LP,LU
Inactive:	LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3010	Consistency	Fatal	If A0250=[10,11] and M0300B1=[0,^], then M0300B2 must equal [^].
-3011	Consistency	Fatal	If A0250=[10,11] and M0300B1=[-], then M0300B2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3542	Consistency	Fatal	If M0210=[1], then all active items from M0300A through M0300B1 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3548	Consistency	Fatal	If A0250=[10,11] and M0300B1=[1-9], then M0300B2 must not equal [^].
-3662	Consistency	Fatal	If M0300B1=[1-9], then one of the following must be true: a) M0300B2 must be equal to [-] OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].
-3954	Consistency	Warning	Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,
Consistency	-3954	[V4.00.0] - Updating wording

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 2 pressure ulcers: number at admit	Asmt		Number	1	664-664

#### Item Subsets

Active:	LP,LU
Inactive:	LA,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3010	Consistency	Fatal	If A0250=[10,11] and M0300B1=[0,^], then M0300B2 must equal [^].
-3011	Consistency	Fatal	If A0250=[10,11] and M0300B1=[-], then M0300B2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3548	Consistency	Fatal	If A0250=[10,11] and M0300B1=[1-9], then M0300B2 must not equal [^].



# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3662	Consistency	Fatal	If M0300B1=[1-9], then one of the following must be true: a) M0300B2 must be equal to [-] OR b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 pressure ulcers: number present	Asmt		Number	1	673-673

#### Item Subsets

Active: LA,LP,LU  
Inactive: LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3012	Consistency	Fatal	If A0250=[10,11] and M0300C1=[0,^], then M0300C2 must equal [^].
-3013	Consistency	Fatal	If A0250=[10,11] and M0300C1=[-], then M0300C2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3543	Consistency	Fatal	If M0210=[1], then M0300C1 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3549	Consistency	Fatal	If A0250=[10,11] and M0300C1=[1-9], then M0300C2 must not equal [^].
-3663	Consistency	Fatal	If M0300C1=[1-9], then one of the following must be true: a) M0300C2 must be equal to [-] OR b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].
-3954	Consistency	Warning	Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,
Consistency	-3954	[V4.00.0] - Updating wording

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300C2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 3 pressure ulcers: number at admit	Asmt		Number	1	674-674

#### Item Subsets

Active:	LP,LU
Inactive:	LA,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3012	Consistency	Fatal	If A0250=[10,11] and M0300C1=[0,^], then M0300C2 must equal [^].
-3013	Consistency	Fatal	If A0250=[10,11] and M0300C1=[-], then M0300C2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3549	Consistency	Fatal	If A0250=[10,11] and M0300C1=[1-9], then M0300C2 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3663	Consistency	Fatal	If M0300C1=[1-9], then one of the following must be true: a) M0300C2 must be equal to [-] OR b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 4 pressure ulcers: number present	Asmt		Number	1	675-675

#### Item Subsets

Active:	LA,LP,LU
Inactive:	LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3014	Consistency	Fatal	If A0250=[10,11] and M0300D1=[0,^], then M0300D2 must equal [^].
-3015	Consistency	Fatal	If A0250=[10,11] and M0300D1=[-], then M0300D2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3544	Consistency	Fatal	If M0210=[1], then M0300D1 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3550	Consistency	Fatal	If A0250=[10,11] and M0300D1=[1-9], then M0300D2 must not equal [^].
-3664	Consistency	Fatal	If M0300D1=[1-9], then one of the following must be true: a) M0300D2 must be equal to [-] OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].
-3954	Consistency	Warning	Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,
Consistency	-3954	[V4.00.0] - Updating wording

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300D2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Stage 4 pressure ulcers: number at admit	Asmt		Number	1	676-676

#### Item Subsets

Active:	LP,LU
Inactive:	LA,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3014	Consistency	Fatal	If A0250=[10,11] and M0300D1=[0,^], then M0300D2 must equal [^].
-3015	Consistency	Fatal	If A0250=[10,11] and M0300D1=[-], then M0300D2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3550	Consistency	Fatal	If A0250=[10,11] and M0300D1=[1-9], then M0300D2 must not equal [^].



# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3664	Consistency	Fatal	If M0300D1=[1-9], then one of the following must be true: a) M0300D2 must be equal to [-] OR b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable due to dressing/device: number present	Asmt		Number	1	677-677

#### Item Subsets

Active:	LA,LP,LU
Inactive:	LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3016	Consistency	Fatal	If A0250=[10,11] and M0300E1=[0,^], then M0300E2 must equal [^].
-3017	Consistency	Fatal	If A0250=[10,11] and M0300E1=[-], then M0300E2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3545	Consistency	Fatal	If M0210=[1], then M0300E1 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3551	Consistency	Fatal	If A0250=[10,11] and M0300E1=[1-9], then M0300E2 must not equal [^].
-3665	Consistency	Fatal	If M0300E1=[1-9], then one of the following must be true: a) M0300E2 must be equal to [-] OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].
-3954	Consistency	Warning	Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,
Consistency	-3954	[V4.00.0] - Updating wording

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable due to dressing/device: number at adm	Asmt		Number	1	678-678

#### Item Subsets

Active:	LP,LU
Inactive:	LA,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3016	Consistency	Fatal	If A0250=[10,11] and M0300E1=[0,^], then M0300E2 must equal [^].
-3017	Consistency	Fatal	If A0250=[10,11] and M0300E1=[-], then M0300E2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3551	Consistency	Fatal	If A0250=[10,11] and M0300E1=[1-9], then M0300E2 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3665	Consistency	Fatal	If M0300E1=[1-9], then one of the following must be true: a) M0300E2 must be equal to [-] OR b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable slough/eschar: number present	Asmt		Number	1	679-679

#### Item Subsets

Active:	LA,LP,LU
Inactive:	LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3018	Consistency	Fatal	If A0250=[10,11] and M0300F1=[0,^], then M0300F2 must equal [^].
-3019	Consistency	Fatal	If A0250=[10,11] and M0300F1=[-], then M0300F2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3546	Consistency	Fatal	If M0210=[1], then M0300F1 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3552	Consistency	Fatal	If A0250=[10,11] and M0300F1=[1-9], then M0300F2 must not equal [^].
-3666	Consistency	Fatal	If M0300F1=[1-9], then one of the following must be true: a) M0300F2 must be equal to [-] OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].
-3954	Consistency	Warning	Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

### Changes for Version

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,
Consistency	-3954	[V4.00.0] - Updating wording

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable slough/eschar: number at admit	Asmt		Number	1	680-680

#### Item Subsets

Active:	LP,LU
Inactive:	LA,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3018	Consistency	Fatal	If A0250=[10,11] and M0300F1=[0,^], then M0300F2 must equal [^].
-3019	Consistency	Fatal	If A0250=[10,11] and M0300F1=[-], then M0300F2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3552	Consistency	Fatal	If A0250=[10,11] and M0300F1=[1-9], then M0300F2 must not equal [^].



# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3666	Consistency	Fatal	If M0300F1=[1-9], then one of the following must be true: a) M0300F2 must be equal to [-] OR b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300G1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable as deep tissue: num present	Asmt		Number	1	681-681

#### Item Subsets

Active: LA,LP,LU  
Inactive: LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3020	Consistency	Fatal	If A0250=[10,11] and M0300G1=[0,^], then M0300G2 must equal [^].
-3021	Consistency	Fatal	If A0250=[10,11] and M0300G1=[-], then M0300G2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3547	Consistency	Fatal	If M0210=[1], then M0300G1 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3553	Consistency	Fatal	If A0250=[10,11] and M0300G1=[1-9], then M0300G2 must not equal [^].
-3667	Consistency	Fatal	If M0300G1=[1-9], then one of the following must be true: a) M0300G2 must be equal to [-] OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].
-3954	Consistency	Warning	Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,
Consistency	-3954	[V4.00.0] - Updating wording

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

Item ID: M0300G2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Unstageable as deep tissue: num at adm	Asmt		Number	1	682-682

#### Item Subsets

Active: LP,LU  
Inactive: LA,LE,XX

#### Item Values

Value	LOINC Code	Value Text
0		Minimum value
9		Maximum value
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-1012	Format	Fatal	Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].
-3020	Consistency	Fatal	If A0250=[10,11] and M0300G1=[0,^], then M0300G2 must equal [^].
-3021	Consistency	Fatal	If A0250=[10,11] and M0300G1=[-], then M0300G2 must equal [-].
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
-3553	Consistency	Fatal	If A0250=[10,11] and M0300G1=[1-9], then M0300G2 must not equal [^].

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Detailed Data Specifications Report

### Section: M

-3667	Consistency	Fatal	If M0300G1=[1-9], then one of the following must be true: a) M0300G2 must be equal to [-] OR b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.
-3900	Consistency	Warning	A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^].

### Changes for Version 4.00.0

Type	ID	Description
Format	-1012	[V4.00.0] - Adding mapping for C0500
Consistency	-3900	[V4.00.0] - Removing references to C1610A, C1610, C1610C, C1610D, C1610E1, C1610E2 as they were deleted. Updating wording. Unmapping I5101, I5200, I5250, I5300, I5450, I5460 and I5470. Adding A1110A, B0200, B1000, C0100, C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500, C1310A, C1310B, C1310C, C1310D, D0150A1, D0150A2, D0150B1, D0150B2, D0150C1, D0150C2, D0150D1, D0150D2, D0150E1, D0150E2, D0150F1, D0150F2, D0150G1, D0150G2, D0150H1, D0150H2, D0150I1, D0150I2, D0160, GG0170G1, GG0170G3, GG0170L1, GG0170L3, GG0170M1, GG0170M3, GG0170N1, GG0170N3, GG0170O1, GG0170O3, GG0170P1, GG0170P3, K0520A1, K0520A4, K0520A5, K0520B1, K0520B4, K0520B5, K0520C1, K0520C4, K0520C5, K0520D1, K0520D4, K0520D5, K0520Z1, K0520Z4, K0520Z5, M0300B1, M0300C1, M0300D1, M0300E1, M0300F1, M0300G1, N0415A1, N0415A2, N0415E1, N0415E2, N0415F1, N0415F2, N0415H1, N0415H2, N0415I1, N0415I2, N0415J1, N0415J2, O0110A1a, O0110A1c, O0110A2a, O0110A2c, O0110A3a, O0110A3c, O0110A10a, O0110A10c, O0110B1a, O0110B1c, O0110C1a, O0110C1c, O0110C2a, O0110C2c, O0110C3a, O0110C3c, O0110C4a, O0110C4c, O0110D1a, O0110D1c, O0110D2a, O0110D2c, O0110D3a, O0110D3c, O0110E1a, O0110E1c, O0110F1a, O0110F1c, O0110G1a, O0110G1c, O0110G2a, O0110G2c, O0110G3a, O0110G3c, O0110H1a, O0110H1c, O0110H2a, O0110H2c, O0110H3a, O0110H3c, O0110H4a, O0110H4c, O0110H10a, O0110H10c, O0110I1a, O0110I1c, O0110J1a, O0110J1c, O0110J2a, O0110J2c, O0110J3a, O0110J3c, O0110O1a, O0110O1c, O0110O2a, O0110O2c, O0110O3a, O0110O3c, O0110O4a, O0110O4c, O0110Z1a, O0110Z1c, O0150A2,