

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

-1000	Format Fatal .....	6
-1001	Format Fatal .....	6
-1002	Format Fatal .....	6
-1003	Format Fatal .....	6
-1007	Consistency Fatal.....	6
-1008	Consistency Fatal.....	6
-1009	Format Fatal .....	6
-1010	Format Fatal .....	13
-1011	Format Fatal .....	13
-1012	Format Fatal .....	14
-1013	Format Fatal .....	14
-1014	Consistency Fatal.....	14
-1015	Consistency Fatal.....	15
-1016	Format Fatal .....	15
-1017	Format Fatal .....	15
-1018	Format Fatal .....	15
-1019	Format Fatal .....	16
-1020	Format Fatal .....	16
-1021	Consistency Fatal.....	16
-1022	Consistency Warning.....	16
-1025	Consistency Fatal.....	16
-1026	Consistency Fatal.....	16
-1027	Format Fatal .....	16
-1028	Consistency Fatal.....	17
-1029	Consistency Fatal.....	17
-1030	Format Fatal .....	17
-1031	Format Warning .....	18
-1033	Consistency Fatal.....	18
-1034	Consistency Fatal.....	18
-1036	Consistency Fatal.....	18
-1037	Format Fatal .....	18

## Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

### Unduplicated Edits Report by Edit ID

-1038	Format Fatal .....	18
-1039	Format Fatal .....	19
-3010	Consistency Fatal .....	19
-3011	Consistency Fatal .....	19
-3012	Consistency Fatal .....	19
-3013	Consistency Fatal .....	19
-3014	Consistency Fatal .....	19
-3015	Consistency Fatal .....	19
-3016	Consistency Fatal .....	19
-3017	Consistency Fatal .....	20
-3018	Consistency Fatal .....	20
-3019	Consistency Fatal .....	20
-3020	Consistency Fatal .....	20
-3021	Consistency Fatal .....	20
-3025	Consistency Fatal .....	20
-3034	Consistency Fatal .....	20
-3036	Consistency Fatal .....	21
-3039	Consistency Fatal .....	21
-3043	Consistency Fatal .....	21
-3044	Consistency Fatal .....	21
-3049	Consistency Fatal .....	21
-3542	Consistency Fatal .....	22
-3543	Consistency Fatal .....	22
-3544	Consistency Fatal .....	22
-3545	Consistency Fatal .....	22
-3546	Consistency Fatal .....	22
-3547	Consistency Fatal .....	22
-3548	Consistency Fatal .....	22
-3549	Consistency Fatal .....	22
-3550	Consistency Fatal .....	22
-3551	Consistency Fatal .....	22

## Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

### Unduplicated Edits Report by Edit ID

-3552	Consistency Fatal.....	22
-3553	Consistency Fatal.....	23
-3573	Consistency Fatal.....	23
-3662	Consistency Fatal.....	23
-3663	Consistency Fatal.....	23
-3664	Consistency Fatal.....	23
-3665	Consistency Fatal.....	23
-3666	Consistency Fatal.....	23
-3667	Consistency Fatal.....	24
-3745	Consistency Fatal.....	24
-3749	Consistency Warning.....	24
-3790	Consistency Fatal.....	24
-3810	Consistency Warning.....	24
-3852	Format Fatal .....	25
-3863	Consistency Warning.....	25
-3900	Consistency Warning.....	25
-3922	Consistency Fatal.....	30
-3923	Consistency Fatal.....	30
-3924	Format Fatal .....	30
-3932	Consistency Fatal.....	30
-3933	Consistency Warning.....	30
-3936	Consistency Fatal.....	31
-3937	Consistency Fatal.....	31
-3938	Consistency Fatal.....	31
-3940	Consistency Fatal.....	31
-3941	Consistency Fatal.....	31
-3942	Consistency Fatal.....	31
-3943	Consistency Fatal.....	32
-3944	Consistency Fatal.....	33
-3947	Consistency Fatal.....	33
-3948	Consistency Fatal.....	33

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

-3949	Consistency Fatal.....	33
-3957	Skip Fatal .....	35
-3958	Consistency Fatal.....	35
-3959	Consistency Fatal.....	35
-3960	Consistency Fatal.....	35
-3961	Consistency Fatal.....	35
-3962	Consistency Fatal.....	36
-3963	Consistency Fatal.....	36
-3964	Consistency Fatal.....	36
-3965	Consistency Fatal.....	36
-3966	Consistency Fatal.....	36
-3967	Consistency Fatal.....	36
-3969	Skip Fatal .....	37
-3970	Skip Fatal .....	37
-3971	Skip Fatal .....	37
-3972	Skip Fatal .....	38
-3973	Consistency Fatal.....	39
-3974	Consistency Fatal.....	39
-3975	Consistency Fatal.....	39
-3977	Consistency Fatal.....	39
-3978	Consistency Fatal.....	40
-3979	Consistency Fatal.....	40
-3980	Consistency Fatal.....	40
-3981	Consistency Fatal.....	40
-3982	Consistency Fatal.....	40
-3983	Consistency Fatal.....	41
-3984	Consistency Fatal.....	41
-3985	Consistency Fatal.....	42
-3986	Consistency Fatal.....	42
-3987	Skip Fatal .....	42
-3988	Consistency Fatal.....	42

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

-3989	Skip Fatal .....	43
-3990	Skip Fatal .....	43
-3991	Skip Fatal .....	43
-3992	Skip Fatal .....	43
-3993	Skip Fatal .....	43
-3994	Consistency Fatal.....	44
-3995	Consistency Fatal.....	44
-3996	Consistency Fatal.....	44
-3997	Consistency Fatal.....	44
-3998	Consistency Fatal.....	45
-3999	Consistency Fatal.....	45
-4000	Consistency Fatal.....	45
-4001	Consistency Fatal.....	45
-4002	Consistency Fatal.....	46
-4003	Consistency Fatal.....	46
-4004	Consistency Fatal.....	46
-4005	Consistency Fatal.....	46
-4006	Consistency Fatal.....	47
-4007	Consistency Fatal.....	47
-4008	Consistency Fatal.....	47
-4009	Consistency Fatal.....	48
-4011	Skip Fatal .....	48
-4012	Skip Fatal .....	48
-4013	Skip Fatal .....	49
-4014	Consistency Fatal.....	49
-4015	Skip Fatal .....	49
-4016	Skip Fatal .....	50
-4017	Consistency Fatal.....	50
-4018	Consistency Fatal.....	51
-9001	Information None .....	52
-9002	Information None .....	52

## Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1000	Format	Fatal	<p>If the value is not equal to [^], it must be 9 characters long.</p> <p><b>Items:</b> A0600A Social Security Number</p>
-1001	Format	Fatal	<p>If the value is not equal to [^], the first three characters must not be equal to [000].</p> <p><b>Items:</b> A0600A Social Security Number</p>
-1002	Format	Fatal	<p>The value must not be equal to any of the following: [111111111, 333333333, 123456789, 999999999].</p> <p><b>Items:</b> A0600A Social Security Number</p>
-1003	Format	Fatal	<p>If A0100A is not equal to [^], then it must be 10 digits long.</p> <p><b>Items:</b> A0100A Facility National Provider Identifier (NPI)</p>
-1007	Consistency	Fatal	<p>The Item Subset Code (ISC) is a two- or three-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC. The characters of the ISC are defined as follows:</p> <p>Characters 1 and 2 indicate the type of record and are based upon the values of the Type of Provider (A0200) and Reason For Assessment (RFA) (A0250). The "Item Subset Code (ISC) Report" that accompanies the data specifications lists all possible combinations of the RFA items and their associated ISCs.</p> <p>Note: A special ISC is used for inactivations. When the record is an inactivation (A0050=[3]), then the ISC is equal to [XX].</p> <p><b>Items:</b> A0200 Type of provider A0250 Reason for Assessment</p>
-1008	Consistency	Fatal	<p>A0900 (Birth Date) cannot be more than 140 years earlier than the current date.</p> <p><b>Items:</b> A0900 Birth Date</p>
-1009	Format	Fatal	<p>Only the code values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p> <p><b>Items:</b> ASMT_SYS_CD Assessment system code ITM_SBST_CD Item subset code STATE_CD Facility's state postal code A0050 Type of record A0200 Type of provider A0250 Reason for Assessment A0800 Gender A1005A No, not of Hispanic, Latino/a, or Spanish origin A1005B Yes, Mexican, Mexican American, Chicano/ A1005C Yes, Puerto Rican A1005D Yes, Cuban A1005E Yes, another Hispanic, Latino, or Spanish origin A1005X Patient unable to respond A1010A Race: White A1010B Race: Black or African American A1010C Race: American Indian or Alaska Native</p>

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b>
			A1010D Race: Asian Indian
			A1010E Race: Chinese
			A1010F Race: Filipino
			A1010G Race: Japanese
			A1010H Race: Korean
			A1010I Race: Vietnamese
			A1010J Race: Other Asian
			A1010K Race: Native Hawaiian
			A1010L Race: Guamanian or Chamorro
			A1010M Race: Samoan
			A1010N Race: Other Pacific Islander
			A1010X Race: Patient unable to respond
			A1110B Do you need or want an interpreter
			A1200 Marital status
			A1250A Transportation: Yes, medical
			A1250B Transportation: Yes, non-medical
			A1250C Transportation: No
			A1250X Transportation: Patient unable to respond
			A1400A Payer: Medicare (FFS)
			A1400B Payer: Medicare (managed care/Part C/Mcr Advant.)
			A1400C Payer: Medicaid (FFS)
			A1400D Payer: Medicaid (managed care)
			A1400E Payer: Workers' compensation
			A1400F Payer: Title programs
			A1400G Payer: Other Government
			A1400H Payer: Private insurance/Medigap
			A1400I Payer: Private managed care
			A1400J Payer: Self-pay
			A1400K Payer: No payer source
			A1400X Payer: Unknown
			A1400Y Payer: Other
			A1805 Admitted from
			A1990 Discharged against medical advice
			A2105 Discharge location
			A2121 Provision Current Reconciled Medication List
			A2122A Electronic Health Record
			A2122B Health Information Exchange Organization
			A2122C Verbal
			A2122D Paper-based
			A2122E Other Methods
			A2123 Provision Current Reconciled Medication
			A2124A Electronic Health Record

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b>
			A2124B Health Information Exchange
			A2124C Verbal
			A2124D Paper-based
			A2124E Other Methods
			B0100 Comatose
			B0200 Hearing
			B1000 Vision
			B1300 Health Literacy
			BB0700 Expression of Ideas and Wants (3-day asmt period)
			BB0800 Understand Verbal/Non-Verbal Content (3-day asmt)
			C0100 Brief Interview for Mental Status
			C0200 Repetition of three words
			C0300A Able to report correct year
			C0300B Able to report correct month
			C0300C Able to report correct day of the week
			C0400A Able to recall "sock"
			C0400B Able to recall "blue"
			C0400C Able to recall "bed"
			C0500 BIMS Summary Score
			C1310A Acute Onset Mental Status Change
			C1310B Inattention
			C1310C Disorganized thinking
			C1310D Altered level of consciousness
			D0150A1 Little interest or pleasure in doing things: Pres
			D0150A2 Little interest or pleasure in doing things: Freq
			D0150B1 Feeling down, depressed, or hopeless: Pres
			D0150B2 Feeling down, depressed, or hopeless: Freq
			D0150C1 Trouble falling or staying asleep: Pres
			D0150C2 Trouble falling or staying asleep: Freq
			D0150D1 Feeling tired or having little energy: Pres
			D0150D2 Feeling tired or having little energy: Freq
			D0150E1 Poor appetite or overeating: Pres
			D0150E2 Poor appetite or overeating: Freq
			D0150F1 Feeling bad about yourself: Pres
			D0150F2 Feeling bad about yourself: Freq
			D0150G1 Trouble concentrating on things: Pres
			D0150G2 Trouble concentrating on things: Freq
			D0150H1 Moving or speaking so slowly: Pres
			D0150H2 Moving or speaking so slowly: Freq
			D0150I1 Thoughts that you would be better off dead: Pres
			D0150I2 Thoughts that you would be better off dead: Freq
			D0160 Total severity score



**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<div>Items:</div> <div>D0700 Social Isolation</div> <div>GG0100B Indoor Mobility (Ambulation)</div> <div>GG0110A Manual wheelchair</div> <div>GG0110B Motorized wheelchair and/or scooter</div> <div>GG0110C Mechanical lift</div> <div>GG0110Z None of the above</div> <div>GG0130A1 Self-Care (Adm Perf) - Eating</div> <div>GG0130A2 Self-Care (Dschg Goal) - Eating</div> <div>GG0130A3 Self-Care (Dschg Perf) - Eating</div> <div>GG0130B1 Self-Care (Adm Perf) - Oral hygiene</div> <div>GG0130B2 Self-Care (Dschg Goal) - Oral hygiene</div> <div>GG0130B3 Self-Care (Dschg Perf) - Oral hygiene</div> <div>GG0130C1 Self-Care (Adm Perf) - Toileting hygiene</div> <div>GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene</div> <div>GG0130C3 Self-Care (Dschg Perf) - Toileting hygiene</div> <div>GG0130D1 Self-Care (Adm Perf) - Wash upper body</div> <div>GG0130D2 Self-Care (Dschg Goal) - Wash upper body</div> <div>GG0130D3 Self-Care (Dschg Perf) - Wash upper body</div> <div>GG0170A1 Func Mobil (Adm Perf) - Roll left and right</div> <div>GG0170A2 Func Mobil (Dschg Goal) - Roll left and right</div> <div>GG0170A3 Func Mobil (Dschg Perf) - Roll left and right</div> <div>GG0170B1 Func Mobil (Adm Perf) - Sit to lying</div> <div>GG0170B2 Func Mobil (Dschg Goal) - Sit to lying</div> <div>GG0170B3 Func Mobil (Dschg Perf) - Sit to lying</div> <div>GG0170C1 Func Mobil (Adm Perf) - Lying to sitting on side</div> <div>GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side</div> <div>GG0170C3 Func Mobil (Dschg Perf) - Lying to sitting on side</div> <div>GG0170D1 Func Mobil (Adm Perf) - Sit to stand</div> <div>GG0170D2 Func Mobil (Dschg Goal) - Sit to stand</div> <div>GG0170D3 Func Mobil (Dschg Perf) - Sit to stand</div> <div>GG0170E1 Func Mobil (Adm Perf) - Chair/bed-to-chair trans</div> <div>GG0170E2 Func Mobil (Dschg Goal) - Chair/bed-to-chair trans</div> <div>GG0170E3 Func Mobil (Dschg Perf) - Chair/bed-to-chair trans</div> <div>GG0170F1 Func Mobil (Adm Perf) - Toilet transfer</div> <div>GG0170F2 Func Mobil (Dschg Goal) - Toilet transfer</div> <div>GG0170F3 Func Mobil (Dschg Perf) - Toilet transfer</div> <div>GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet</div> <div>GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet</div> <div>GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet</div> <div>GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns</div> <div>GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns</div> <div>GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns</div>

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet
			GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet
			GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
			GG0170Q1 Does the patient use a wheelchair and/or scooter
			GG0170Q3 Does the patient use a wheelchair and/or scooter
			GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
			GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns
			GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns
			GG0170RR1 Indicate the type of wheelchair or scooter used
			GG0170RR3 Indicate the type of wheelchair or scooter used
			GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet
			GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet
			GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet
			GG0170SS1 Indicate the type of wheelchair or scooter used
			GG0170SS3 Indicate the type of wheelchair or scooter used.
			H0350 Bladder continence
			H0400 Bowel continence
			I0050 Patient primary medical condition
			I0103 Metastatic Cancer
			I0104 Severe Cancer
			I0605 Severe Left Systolic/Ventricular Dysfunction
			I0900 Peripheral vascular disease (PVD) or PAD
			I1501 Chronic Kidney Disease, Stage 5
			I1502 Acute Renal Failure
			I2101 Septicemia, Sepsis, Systemic Inflammatory Response
			I2600 CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect
			I2900 Diabetes mellitus (DM)
			I4100 Major Lower Limb Amputation
			I4501 Stroke
			I4801 Dementia
			I4900 Hemiplegia or Hemiparesis
			I5000 Paraplegia
			I5101 Complete Tetraplegia
			I5102 Incomplete Tetraplegia
			I5110 Other Spinal Cord Disorder/Injury
			I5200 Multiple Sclerosis (MS)
			I5250 Huntington's Disease
			I5300 Parkinson's Disease
			I5450 Amyotrophic Lateral Sclerosis
			I5455 Other Progressive Neuromuscular Disease
			I5460 Locked-In State
			I5470 Severe Anoxic Brain Damage, Cerebral Edema

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b>
			I5480 Other Severe Neurological Injury-Disease-Dysfunc
			I5601 Malnutrition
			I5602 At Risk for Malnutrition
			I7100 Lung Transplant
			I7101 Heart Transplant
			I7102 Liver Transplant
			I7103 Kidney Transplant
			I7104 Bone Marrow Transplant
			I7900 None of the Above
			J0510 Pain effect on sleep
			J0520 Pain interference with therapy activities
			J0530 Pain interference with day-to-day activities
			J1800 Any Falls Since Admission
			J1900A Num Falls Since Admission - No injury
			J1900B Num Falls Since Admission - Injury (except major)
			J1900C Num Falls Since Admission - Major injury
			K0520A1 Nutritional approach (Admission): Parenteral
			K0520A4 Nutritional approaches (7 days): Parenteral
			K0520A5 Nutritional approaches (discharge): Parenteral
			K0520B1 Nutritional approaches (admission): Feeding tube
			K0520B4 Nutritional approaches (7 days): Feeding tube
			K0520B5 Nutritional approaches (discharge): Feeding Tube
			K0520C1 Nutritional approaches (admission) : Mechanically
			K0520C4 Nutritional approaches (7 days): mech altered diet
			K0520C5 Nutritional approaches (discharge): mech altered
			K0520D1 Nutritional approaches (admission) : Therapeutic
			K0520D4 Nutritional approaches (7 day): Therapeutic diet
			K0520D5 Nutritional approaches (discharge): Therapeutic
			K0520Z1 Nutritional approaches (admission) : None
			K0520Z4 Nutritional approaches (7 days): None
			K0520Z5 Nutritional approaches (discharge): None
			M0210 Patient has 1+ unhealed pressure ulcers/injuries
			N0415A1 High-Risk Drug (Is Taking): Antipsychotic
			N0415A2 High-Risk Drug (Indication) : Antipsychotic
			N0415E1 High-Risk Drug (Is taking): Anticoagulant
			N0415E2 High-Risk Drug (Indication): Anticoagulant
			N0415F1 High-Risk Drug (Is taking): Antibiotic
			N0415F2 High-Risk Drug (Indication): Antibiotic
			N0415H1 High-Risk Drug (Is taking): Opioid
			N0415H2 High-Drug Risk (Indication): Opioid
			N0415I1 High-Risk Drug (Is taking): Antiplatelet
			N0415I2 High-Risk Drug (Indication): Antiplatelet

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
		Items:	N0415J1 High-Risk Drug (Is taking): Hypoglycemic
			N0415J2 High-Risk Drug (Indication): Hypoglycemic
			N0415Z1 High-Risk Drug (Is taking): None of the above
			N2001 Drug Regimen Review
			N2003 Medication Follow-up
			N2005 Medication Intervention
			O0110A1a Treatment: Chemotherapy (Admission)
			O0110A2a Treatment: IV (Admission)
			O0110A3a Treatment: Oral (Admission)
			O0110A10a Treatment: Other (Admission)
			O0110B1a Treatment: Radiation (Admission)
			O0110C1a Therapies: Oxygen Therapy (Admission)
			O0110C2a Therapies: Continuous (Admission)
			O0110C3a Therapies: Intermittent (Admission)
			O0110C4a Therapies: High-concentration (Admission)
			O0110D1a Therapies: Suctioning (Admission)
			O0110D2a Therapies: Scheduled
			O0110D3a Therapies: As Needed (Admission)
			O0110E1a Therapies: Tracheostomy Care (Admission)
			O0110G1a Therapies: Non-Invas Mechanical Ventilator (Admis)
			O0110G2a Therapies: BiPAP (Admission)
			O0110G3a Therapies: CPAP (Admission)
			O0110A1c Treatment: Chemotherapy (Discharge)
			O0110A2c Treatment: IV (Discharge)
			O0110A3c Treatment: Oral (Discharge)
			O0110A10c Treatment: Other (Discharge)
			O0110B1c Treatment: Radiation (Discharge)
			O0110C1c Therapies: Oxygen Therapy (Discharge)
			O0110C2c Therapies: Continuous (Discharge)
			O0110C3c Therapies: Intermittent (Discharge)
			O0110C4c Therapies: High-concentration (Discharge)
			O0110D1c Therapies: Suctioning (Discharge)
			O0110D2c Therapies: Scheduled (Discharge)
			O0110D3c Therapies: As Needed (Discharge)
			O0110E1c Therapies: Tracheostomy Care (Discharge)
			O0110G1c Therapies: Non-Invas Mechanical Ventilator (Disch)
			O0110G2c Therapies: BiPAP (Discharge)
			O0110G3c Therapies: CPAP (Discharge)
			O0110F1c Therapies: Invasive Mechanical Ventilator (Disch)
			O0110H1c Other: IV Medications (Discharge)
			O0110H2c Other: Vasoactive medications (Discharge)
			O0110H3c Other: Antibiotics (Discharge)

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> O0110H4c      Other: Anticoagulation (Discharge) O0110H10c      Other: Other (Discharge) O0110I1c      Other: Transfusions (Discharge) O0110J1c      Other: Dialysis (Discharge) O0110J2c      Other: Hemodialysis (Discharge) O0110J3c      Other: Peritoneal dialysis (Discharge) O0110Z1c      Other: None of the above (Discharge) O0150A      SBT: Invasive Mechanical Ventilation Support O0150B      SBT: Assessed for readiness by day 2 O0150C      SBT: Deemed medically ready by day 2 O0150D      SBT: Documentation of reason(s) - patient unready O0150E      SBT: Performed by day 2 O0200A      Invasive Mechanical Ventilator - Liberation Status O0250A      Was influenza vaccine received O0250C      If influenza vaccine not received, state reason
-1010	Format	Fatal	<p>This item must contain either (a) a valid date in YYYYMMDD format, or (b) one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 2011 must be submitted as "20110101".</p> <b>Items:</b> A0210      Assessment reference date A0220      Admission date A0270      Discharge date O0250B      Date influenza vaccine received Z0500B      Date assessment signed as complete
-1011	Format	Fatal	<p>This item must contain a valid date in YYYYMMDD, YYYYMM, or YYYY format.</p> <p>Note that if a date in YYYYMMDD format is submitted, it must be 8 characters in length and each of the 8 characters must contain the digits 0 (zero) through 9. YYYY, MM, and DD must be zero filled, where necessary. For example, January 1, 1909 must be submitted as "19090101".</p> <p>If a date is submitted in YYYYMM format, it must be 6 characters in length and each of the 6 characters must contain the digits 0 (zero) through 9. YYYY and MM must be zero filled, where necessary. For example, January, 1909 must be submitted as "190901".</p> <p>If a date is submitted in YYYY format, it must be 4 characters in length and each of the 4 characters must contain the digits 0 (zero) through 9. YYYY must be zero filled, where necessary. For example, 1909 must be submitted as "1909".</p> <b>Items:</b> A0900      Birth Date

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																			
-1012	Format	Fatal	<p>Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) are not accepted.</p> <table><tr><td><b>Items:</b></td><td>A0055</td><td>Correction number</td></tr><tr><td></td><td>C0500</td><td>BIMS Summary Score</td></tr><tr><td></td><td>K0200A</td><td>Height (in inches)</td></tr><tr><td></td><td>K0200B</td><td>Weight (in pounds)</td></tr><tr><td></td><td>M0300A</td><td>Stage 1 pressure injuries: number present</td></tr><tr><td></td><td>M0300B1</td><td>Stage 2 pressure ulcers: number present</td></tr><tr><td></td><td>M0300B2</td><td>Stage 2 pressure ulcers: number at admit</td></tr><tr><td></td><td>M0300C1</td><td>Stage 3 pressure ulcers: number present</td></tr><tr><td></td><td>M0300C2</td><td>Stage 3 pressure ulcers: number at admit</td></tr><tr><td></td><td>M0300D1</td><td>Stage 4 pressure ulcers: number present</td></tr><tr><td></td><td>M0300D2</td><td>Stage 4 pressure ulcers: number at admit</td></tr><tr><td></td><td>M0300E1</td><td>Unstageable due to dressing/device: number present</td></tr><tr><td></td><td>M0300E2</td><td>Unstageable due to dressing/device: number at adm</td></tr><tr><td></td><td>M0300F1</td><td>Unstageable slough/eschar: number present</td></tr><tr><td></td><td>M0300F2</td><td>Unstageable slough/eschar: number at admit</td></tr><tr><td></td><td>M0300G1</td><td>Unstageable as deep tissue: num present</td></tr><tr><td></td><td>M0300G2</td><td>Unstageable as deep tissue: num at adm</td></tr></table>	<b>Items:</b>	A0055	Correction number		C0500	BIMS Summary Score		K0200A	Height (in inches)		K0200B	Weight (in pounds)		M0300A	Stage 1 pressure injuries: number present		M0300B1	Stage 2 pressure ulcers: number present		M0300B2	Stage 2 pressure ulcers: number at admit		M0300C1	Stage 3 pressure ulcers: number present		M0300C2	Stage 3 pressure ulcers: number at admit		M0300D1	Stage 4 pressure ulcers: number present		M0300D2	Stage 4 pressure ulcers: number at admit		M0300E1	Unstageable due to dressing/device: number present		M0300E2	Unstageable due to dressing/device: number at adm		M0300F1	Unstageable slough/eschar: number present		M0300F2	Unstageable slough/eschar: number at admit		M0300G1	Unstageable as deep tissue: num present		M0300G2	Unstageable as deep tissue: num at adm
<b>Items:</b>	A0055	Correction number																																																				
	C0500	BIMS Summary Score																																																				
	K0200A	Height (in inches)																																																				
	K0200B	Weight (in pounds)																																																				
	M0300A	Stage 1 pressure injuries: number present																																																				
	M0300B1	Stage 2 pressure ulcers: number present																																																				
	M0300B2	Stage 2 pressure ulcers: number at admit																																																				
	M0300C1	Stage 3 pressure ulcers: number present																																																				
	M0300C2	Stage 3 pressure ulcers: number at admit																																																				
	M0300D1	Stage 4 pressure ulcers: number present																																																				
	M0300D2	Stage 4 pressure ulcers: number at admit																																																				
	M0300E1	Unstageable due to dressing/device: number present																																																				
	M0300E2	Unstageable due to dressing/device: number at adm																																																				
	M0300F1	Unstageable slough/eschar: number present																																																				
	M0300F2	Unstageable slough/eschar: number at admit																																																				
	M0300G1	Unstageable as deep tissue: num present																																																				
	M0300G2	Unstageable as deep tissue: num at adm																																																				
-1013	Format	Fatal	<p>Formatting of Integer Numeric Items:</p> <p>Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values are not allowed.</p> <p>The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].</p> <table><tr><td><b>Items:</b></td><td>A0055</td><td>Correction number</td></tr><tr><td></td><td>K0200A</td><td>Height (in inches)</td></tr><tr><td></td><td>K0200B</td><td>Weight (in pounds)</td></tr></table>	<b>Items:</b>	A0055	Correction number		K0200A	Height (in inches)		K0200B	Weight (in pounds)																																										
<b>Items:</b>	A0055	Correction number																																																				
	K0200A	Height (in inches)																																																				
	K0200B	Weight (in pounds)																																																				
-1014	Consistency	Fatal	<p>If the SFTWR_VNDR_ID=[^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must equal [^].</p> <table><tr><td><b>Items:</b></td><td>SFTWR_VNDR_ID</td><td>Software vendor federal employer tax ID</td></tr><tr><td></td><td>SFTWR_VNDR_NA</td><td>Software vendor company name</td></tr><tr><td></td><td>ME</td><td></td></tr><tr><td></td><td>SFTWR_VNDR_EM</td><td>Software vendor email address</td></tr><tr><td></td><td>AIL_ADR</td><td></td></tr></table>	<b>Items:</b>	SFTWR_VNDR_ID	Software vendor federal employer tax ID		SFTWR_VNDR_NA	Software vendor company name		ME			SFTWR_VNDR_EM	Software vendor email address		AIL_ADR																																					
<b>Items:</b>	SFTWR_VNDR_ID	Software vendor federal employer tax ID																																																				
	SFTWR_VNDR_NA	Software vendor company name																																																				
	ME																																																					
	SFTWR_VNDR_EM	Software vendor email address																																																				
	AIL_ADR																																																					

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1015	Consistency	Fatal	<p>If the SFTWR_VNDR_ID is not equal to [^], then SFTWR_VNDR_NAME and SFTWR_VNDR_EMAIL_ADR must not equal [^].</p> <p><b>Items:</b> SFTWR_VNDR_ID Software vendor federal employer tax ID  SFTWR_VNDR_NA Software vendor company name  ME  SFTWR_VNDR_EM Software vendor email address  AIL_ADR</p>
-1016	Format	Fatal	<p>Formatting of Numeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].</p> <p><b>Items:</b> SFTWR_VNDR_ID Software vendor federal employer tax ID  A0100A Facility National Provider Identifier (NPI)  A0600A Social Security Number</p>
-1017	Format	Fatal	<p>Formatting of Alphanumeric Text Items:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].  b) The letters [A] through [Z] and [a] through [z].</p> <p><b>Items:</b> A0100B Facility CMS Certification Number (CCN)  A0100C State Medicaid provider number  A0600B Medicare/railroad insurance number  A0700 Medicaid number</p>
-1018	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, and Special Characters:</p> <p>If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].  b) The letters [A] through [Z] and [a] through [z].  c) The character [-].  d) The following special characters:</p> <p style="margin-left: 40px;">[@] (at sign)  ['] (single quote)  [/] (forward slash)  [+] (plus sign)  [,] (comma)  [.] (period)  [_] (underscore)</p> <p>e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.</p> <p><b>Items:</b> SFTWR_PROD_VRS Software product version code  N_CD  A0500A Patient first name  A0500C Patient last name</p>

## Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> A0500D Patient name suffix A1110A Preferred language
-1019	Format	Fatal	<p>Formatting of Alphanumeric Text Items That Can Contain Special Characters:  If this item is not equal to one of the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters:</p> <p>a) The numeric characters: [0] through [9].  b) The letters [A] through [Z] and [a] through [z].  c) The following special characters:  [ @ ] (at sign)  [ ' ] (single quote)  [ / ] (forward slash)  [ + ] (plus sign)  [ , ] (comma)  [ . ] (period)  [ _ ] (underscore)</p>
-1020	Format	Fatal	<p><b>Items:</b> A0500B Patient middle initial</p> <p>Formatting of email address.  Any valid email address is accepted. The text string may contain any printable characters except single-quotes or double-quotes.</p> <p><b>Items:</b> SFTWR_VNDR_EM Software vendor email address  AIL_ADR</p>
-1021	Consistency	Fatal	<p>The value submitted for FAC_ID is inconsistent with the information stored in QIES ASAP system. It must match the FAC_ID in the QIES ASAP System for the provider. The FAC_ID is the provider's submission ID.</p> <p><b>Items:</b> FAC_ID Assigned facility/provider submission ID</p>
-1022	Consistency	Warning	<p>The value submitted for A0100B (provider's CMS Certification Number -- CCN) will be compared with the value that is currently in the ASAP database. If the values do not match, a warning will be issued.</p> <p><b>Items:</b> A0100B Facility CMS Certification Number (CCN)</p>
-1025	Consistency	Fatal	<p>For the first record that is submitted to correct or inactivate an existing record, A0055 (correction number) must equal "01". If that correction/inactivation is accepted and if a subsequent correction/inactivation is required A0055 must equal "02", and so on. If the value submitted in A0055 is incorrect, a fatal error will result and the submitted record will be rejected.</p> <p><b>Items:</b> A0055 Correction number</p>
-1026	Consistency	Fatal	<p>If A0050=[1], then A0055 (correction number) must equal [0].</p> <p><b>Items:</b> A0055 Correction number  A0050 Type of record</p>
-1027	Format	Fatal	<p>The length of the text submitted for a free-form text item must not exceed the maximum length specified for this item.</p> <p><b>Items:</b> SFTWR_VNDR_ID Software vendor federal employer tax ID  SFTWR_VNDR_NA Software vendor company name  ME</p>



# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> SFTWR_VNDR_EM Software vendor email address AIL_ADR SFTWR_PROD_NA ME Software product name SFTWR_PROD_VRS N_CD Software product version code A0100A Facility National Provider Identifier (NPI) A0100C State Medicaid provider number A0500A Patient first name A0500B Patient middle initial A0500C Patient last name A0500D Patient name suffix A0600A Social Security Number A0600B Medicare/railroad insurance number A0700 Medicaid number A1110A Preferred language
-1028	Consistency	Fatal	If SFTWR_PROD_NAME=[^], then SFTWR_PROD_VRSN_CD must be equal to [^]. <b>Items:</b> SFTWR_PROD_NA ME Software product name SFTWR_PROD_VRS N_CD Software product version code
-1029	Consistency	Fatal	If SFTWR_PROD_NAME is not equal to [^], then SFTWR_PROD_VRSN_CD must not be equal to [^]. <b>Items:</b> SFTWR_PROD_NA ME Software product name SFTWR_PROD_VRS N_CD Software product version code
-1030	Format	Fatal	Formatting of Alphanumeric Text Items That Can Contain Dashes, Spaces, Ampersands, and Other Special Characters: If this item is not equal to one of the special values (if any) that are listed in the Item Values table of the Detailed Data Specifications Report, then it must contain a text string. This text string may contain only the following characters: a) The numeric characters: [0] through [9]. b) The letters [A] through [Z] and [a] through [z]. c) The character [-]. d) The following special characters: [&] (ampersand) [@] (at sign) ['] (single quote) [/] (forward slash) [+] (plus sign) [,] (comma) [.] (period) [_] (underscore) e) Embedded spaces (spaces surrounded by any of the characters listed above). For example, [LEGAL TEXT] is allowed.

## Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

### Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> SFTWR_VNDR_NA    Software vendor company name ME SFTWR_PROD_NA    Software product name ME
-1031	Format	Warning	The version code submitted should match one of the values listed in the "Item Values" table of the Detailed Data Specifications Report. For example, do not submit [1.00.], [1.00.0], [1.00.1], or [1.00.2]. A value of [1.00] should be submitted  <b>Items:</b> ITM_SET_VRSN_CD    Item set version code SPEC_VRSN_CD    Specifications version code
-1033	Consistency	Fatal	A user submitting a file for a provider must be authorized to submit for the provider identified by the FAC_ID item in the file.  <b>Items:</b> FAC_ID    Assigned facility/provider submission ID
-1034	Consistency	Fatal	The ASAP system will recalculate the ISC and compare the recalculated value with the value that is submitted in ITM_SBST_CD. If the recalculated value does not match the value submitted in ITM_SBST_CD, a fatal error will result.  <b>Items:</b> ITM_SBST_CD    Item subset code
-1036	Consistency	Fatal	If A0050 = [2,3], then A0055 must not be equal to [0].  <b>Items:</b> A0055    Correction number A0050    Type of record
-1037	Format	Fatal	***THIS EDIT DELETED IN V4.00.0***  <b>Items:</b> A0600B    Medicare/railroad insurance number
-1038	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report are accepted for this item. The maximum length is 1. Leading zeroes, decimal points, and decimal values are not allowed. For example, the only allowed value to be submitted if the value is 1 is [1].  The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.],  <b>Items:</b> M0300A    Stage 1 pressure injuries: number present M0300B1    Stage 2 pressure ulcers: number present M0300B2    Stage 2 pressure ulcers: number at admit M0300C1    Stage 3 pressure ulcers: number present M0300C2    Stage 3 pressure ulcers: number at admit M0300D1    Stage 4 pressure ulcers: number present M0300D2    Stage 4 pressure ulcers: number at admit M0300E1    Unstageable due to dressing/device: number present M0300E2    Unstageable due to dressing/device: number at adm M0300F1    Unstageable slough/eschar: number present M0300F2    Unstageable slough/eschar: number at admit M0300G1    Unstageable as deep tissue: num present M0300G2    Unstageable as deep tissue: num at adm

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-1039	Format	Fatal	<p>Incorrect Medicare Beneficiary Identifier (MBI): This item must conform to the format defined below:</p> <p>The MBI shall be eleven characters in length.</p> <p>The first character must be numeric, excluding zero (0)</p> <p>The second, fifth, eighth and ninth characters must be alphabetic, excluding the following letters: S, L, O, I, B and Z.</p> <p>The fourth, seventh, tenth and eleventh characters must be numeric.</p> <p>The third and sixth characters must be alphabetic (excluding S, L, O, I, B and Z) or numeric.</p>
-3010	Consistency	Fatal	<p><b>Items:</b> A0600B Medicare/railroad insurance number</p> <p>If A0250=[10,11] and M0300B1=[0,^], then M0300B2 must equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit</p>
-3011	Consistency	Fatal	<p>If A0250=[10,11] and M0300B1=[-], then M0300B2 must equal [-].</p> <p><b>Items:</b> A0250 Reason for Assessment M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit</p>
-3012	Consistency	Fatal	<p>If A0250=[10,11] and M0300C1=[0,^], then M0300C2 must equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit</p>
-3013	Consistency	Fatal	<p>If A0250=[10,11] and M0300C1=[-], then M0300C2 must equal [-].</p> <p><b>Items:</b> A0250 Reason for Assessment M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit</p>
-3014	Consistency	Fatal	<p>If A0250=[10,11] and M0300D1=[0,^], then M0300D2 must equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit</p>
-3015	Consistency	Fatal	<p>If A0250=[10,11] and M0300D1=[-], then M0300D2 must equal [-].</p> <p><b>Items:</b> A0250 Reason for Assessment M0300D1 Stage 4 pressure ulcers: number present M0300D2 Stage 4 pressure ulcers: number at admit</p>
-3016	Consistency	Fatal	<p>If A0250=[10,11] and M0300E1=[0,^], then M0300E2 must equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment</p>

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			Items: M0300E1 Unstageable due to dressing/device: number present
			M0300E2 Unstageable due to dressing/device: number at adm
-3017	Consistency	Fatal	If A0250=[10,11] and M0300E1=[-], then M0300E2 must equal [-].
			Items: A0250 Reason for Assessment
			M0300E1 Unstageable due to dressing/device: number present
			M0300E2 Unstageable due to dressing/device: number at adm
-3018	Consistency	Fatal	If A0250=[10,11] and M0300F1=[0,^], then M0300F2 must equal [^].
			Items: A0250 Reason for Assessment
			M0300F1 Unstageable slough/eschar: number present
			M0300F2 Unstageable slough/eschar: number at admit
-3019	Consistency	Fatal	If A0250=[10,11] and M0300F1=[-], then M0300F2 must equal [-].
			Items: A0250 Reason for Assessment
			M0300F1 Unstageable slough/eschar: number present
			M0300F2 Unstageable slough/eschar: number at admit
-3020	Consistency	Fatal	If A0250=[10,11] and M0300G1=[0,^], then M0300G2 must equal [^].
			Items: A0250 Reason for Assessment
			M0300G1 Unstageable as deep tissue: num present
			M0300G2 Unstageable as deep tissue: num at adm
-3021	Consistency	Fatal	If A0250=[10,11] and M0300G1=[-], then M0300G2 must equal [-].
			Items: A0250 Reason for Assessment
			M0300G1 Unstageable as deep tissue: num present
			M0300G2 Unstageable as deep tissue: num at adm
-3025	Consistency	Fatal	If A0250=[01], then A0270 must equal [^].
			Items: A0250 Reason for Assessment
			A0270 Discharge date
-3034	Consistency	Fatal	If M0210=[-], then all active items from M0300A through M0300G2 must equal [-].
			Items: M0210 Patient has 1+ unhealed pressure ulcers/injuries
			M0300A Stage 1 pressure injuries: number present
			M0300B1 Stage 2 pressure ulcers: number present
			M0300B2 Stage 2 pressure ulcers: number at admit
			M0300C1 Stage 3 pressure ulcers: number present
			M0300C2 Stage 3 pressure ulcers: number at admit
			M0300D1 Stage 4 pressure ulcers: number present
			M0300D2 Stage 4 pressure ulcers: number at admit
			M0300E1 Unstageable due to dressing/device: number present
			M0300E2 Unstageable due to dressing/device: number at adm
			M0300F1 Unstageable slough/eschar: number present
			M0300F2 Unstageable slough/eschar: number at admit
			M0300G1 Unstageable as deep tissue: num present

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0300G2                      Unstageable as deep tissue: num at adm ***THIS EDIT DELETED IN V4.00.0***
-3036	Consistency	Fatal	<b>Items:</b> B0100                      Comatose BB0700                      Expression of Ideas and Wants (3-day asmt period) BB0800                      Understand Verbal/Non-Verbal Content (3-day asmt)
-3039	Consistency	Fatal	a) If GG0110Z=[1], then all active items from GG0110A through GG0110C must equal [0].  b) If GG0110Z=[0], then at least one active item from GG0110A through GG0110C must not be equal to [0].  c) If GG0110Z=[-], then all active items from GG0110A through GG0110C must equal [0,-].  <b>Items:</b> GG0110A                      Manual wheelchair GG0110B                      Motorized wheelchair and/or scooter GG0110C                      Mechanical lift GG0110Z                      None of the above
-3043	Consistency	Fatal	a) If GG0170Q1=[0], then items GG0170R1, GG0170R2, G0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be equal to [^]. b) If GG0170Q1=[1], then items GG0170R1, GG0170R2, G0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must not be equal to [^]. c) If GG0170Q1=[-], then items GG0170R1, GG0170R2, G0170RR1, GG0170S1, GG0170S2, and GG0170SS1 must be equal to [-].  <b>Items:</b> GG0170Q1                      Does the patient use a wheelchair and/or scooter GG0170R1                      Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns GG0170R2                      Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns GG0170RR1                      Indicate the type of wheelchair or scooter used GG0170S1                      Func Mobil (Adm Perf) - Wheel 150 feet GG0170S2                      Func Mobil (Dschg Goal) - Wheel 150 feet GG0170SS1                      Indicate the type of wheelchair or scooter used
-3044	Consistency	Fatal	a) If I0050=[5], then I0050A must not be equal to [^].  b) If I0050=[1,2,3,4,-], then I0050A must be equal to [^].  <b>Items:</b> I0050                      Patient primary medical condition I0050A                      Other medical condition - ICD code
-3049	Consistency	Fatal	a) If J1800=[0], then all active items from J1900A through J1900C must be equal to [^]. b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^], and at least one of these items must equal [-,1,2].  <b>Items:</b> J1800                      Any Falls Since Admission J1900A                      Num Falls Since Admission - No injury J1900B                      Num Falls Since Admission - Injury (except major) J1900C                      Num Falls Since Admission - Major injury

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
-3542	Consistency	Fatal	<p>If M0210=[1], then all active items from M0300A through M0300B1 must not equal</p> <p><b>Items:</b> M0210 Patient has 1+ unhealed pressure ulcers/injuries  M0300A Stage 1 pressure injuries: number present  M0300B1 Stage 2 pressure ulcers: number present</p>
-3543	Consistency	Fatal	<p>If M0210=[1], then M0300C1 must not equal [^].</p> <p><b>Items:</b> M0210 Patient has 1+ unhealed pressure ulcers/injuries  M0300C1 Stage 3 pressure ulcers: number present</p>
-3544	Consistency	Fatal	<p>If M0210=[1], then M0300D1 must not equal [^].</p> <p><b>Items:</b> M0210 Patient has 1+ unhealed pressure ulcers/injuries  M0300D1 Stage 4 pressure ulcers: number present</p>
-3545	Consistency	Fatal	<p>If M0210=[1], then M0300E1 must not equal [^].</p> <p><b>Items:</b> M0210 Patient has 1+ unhealed pressure ulcers/injuries  M0300E1 Unstageable due to dressing/device: number present</p>
-3546	Consistency	Fatal	<p>If M0210=[1], then M0300F1 must not equal [^].</p> <p><b>Items:</b> M0210 Patient has 1+ unhealed pressure ulcers/injuries  M0300F1 Unstageable slough/eschar: number present</p>
-3547	Consistency	Fatal	<p>If M0210=[1], then M0300G1 must not equal [^].</p> <p><b>Items:</b> M0210 Patient has 1+ unhealed pressure ulcers/injuries  M0300G1 Unstageable as deep tissue: num present</p>
-3548	Consistency	Fatal	<p>If A0250=[10,11] and M0300B1=[1-9], then M0300B2 must not equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment  M0300B1 Stage 2 pressure ulcers: number present  M0300B2 Stage 2 pressure ulcers: number at admit</p>
-3549	Consistency	Fatal	<p>If A0250=[10,11] and M0300C1=[1-9], then M0300C2 must not equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment  M0300C1 Stage 3 pressure ulcers: number present  M0300C2 Stage 3 pressure ulcers: number at admit</p>
-3550	Consistency	Fatal	<p>If A0250=[10,11] and M0300D1=[1-9], then M0300D2 must not equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment  M0300D1 Stage 4 pressure ulcers: number present  M0300D2 Stage 4 pressure ulcers: number at admit</p>
-3551	Consistency	Fatal	<p>If A0250=[10,11] and M0300E1=[1-9], then M0300E2 must not equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment  M0300E1 Unstageable due to dressing/device: number present  M0300E2 Unstageable due to dressing/device: number at adm</p>
-3552	Consistency	Fatal	<p>If A0250=[10,11] and M0300F1=[1-9], then M0300F2 must not equal [^].</p> <p><b>Items:</b> A0250 Reason for Assessment</p>

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> M0300F1                      Unstageable slough/eschar: number present M0300F2                      Unstageable slough/eschar: number at admit
-3553	Consistency	Fatal	<p>If A0250=[10,11] and M0300G1=[1-9], then M0300G2 must not equal [^].</p> <b>Items:</b> A0250                      Reason for Assessment M0300G1                      Unstageable as deep tissue: num present M0300G2                      Unstageable as deep tissue: num at adm
-3573	Consistency	Fatal	<p>Each active date item in the following list that contains a valid date (not blank or dashes) must be in the specified order:</p> <p>A0900 (birth date) &lt;=  A0220 (admission date) &lt;=  A0210 (assessment reference date) = A0270 (discharge date) &lt;=  Z0500B (date assessment signed as complete) &lt;=  current date</p> <b>Items:</b> A0210                      Assessment reference date A0220                      Admission date A0270                      Discharge date A0900                      Birth Date Z0500B                      Date assessment signed as complete
-3662	Consistency	Fatal	<p>If M0300B1=[1-9], then one of the following must be true:  a) M0300B2 must be equal to [-] OR  b) M0300B2 must be equal to [0-9] and must be less than or equal to M0300B1.</p> <b>Items:</b> M0300B1                      Stage 2 pressure ulcers: number present M0300B2                      Stage 2 pressure ulcers: number at admit
-3663	Consistency	Fatal	<p>If M0300C1=[1-9], then one of the following must be true:  a) M0300C2 must be equal to [-] OR  b) M0300C2 must be equal to [0-9] and must be less than or equal to M0300C1.</p> <b>Items:</b> M0300C1                      Stage 3 pressure ulcers: number present M0300C2                      Stage 3 pressure ulcers: number at admit
-3664	Consistency	Fatal	<p>If M0300D1=[1-9], then one of the following must be true:  a) M0300D2 must be equal to [-] OR  b) M0300D2 must be equal to [0-9] and must be less than or equal to M0300D1.</p> <b>Items:</b> M0300D1                      Stage 4 pressure ulcers: number present M0300D2                      Stage 4 pressure ulcers: number at admit
-3665	Consistency	Fatal	<p>If M0300E1=[1-9], then one of the following must be true:  a) M0300E2 must be equal to [-] OR  b) M0300E2 must be equal to [0-9] and must be less than or equal to M0300E1.</p> <b>Items:</b> M0300E1                      Unstageable due to dressing/device: number present M0300E2                      Unstageable due to dressing/device: number at adm
-3666	Consistency	Fatal	<p>If M0300F1=[1-9], then one of the following must be true:  a) M0300F2 must be equal to [-] OR  b) M0300F2 must be equal to [0-9] and must be less than or equal to M0300F1.</p> <b>Items:</b> M0300F1                      Unstageable slough/eschar: number present

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3667	Consistency	Fatal	<p><b>Items:</b> M0300F2                      Unstageable slough/eschar: number at admit</p> <p>If M0300G1=[1-9], then one of the following must be true:</p> <p>a) M0300G2 must be equal to [-] OR</p> <p>b) M0300G2 must be equal to [0-9] and must be less than or equal to M0300G1.</p>
			<p><b>Items:</b> M0300G1                      Unstageable as deep tissue: num present</p> <p>M0300G2                      Unstageable as deep tissue: num at adm</p>
-3745	Consistency	Fatal	<p>Unable to Match a Previously Accepted Record</p> <p>In order to modify or inactivate a record that was previously accepted by the QIES ASAP system, the system must be able to locate the previous record. The following locator items submitted on the record to be corrected must therefore also be submitted on the modification or inactivation record to allow for record matching:</p> <p>a) A0270 (discharge date) when A0250 = 10, 11, 12</p> <p>b) A0220 (admission date) when A0250 = 01</p> <p>c) A0250 (reason for assessment)</p> <p>d) A0500A (patient first name)</p> <p>e) A0500C (patient last name)</p> <p>f) A0600A (social security number)</p> <p>g) A0800 (gender)</p> <p>h) A0900 (birth date)</p> <p><b>Items:</b> A0220                      Admission date</p> <p>A0250                      Reason for Assessment</p> <p>A0270                      Discharge date</p> <p>A0500A                      Patient first name</p> <p>A0500C                      Patient last name</p> <p>A0600A                      Social Security Number</p> <p>A0800                      Gender</p> <p>A0900                      Birth Date</p>
-3749	Consistency	Warning	<p>Record Completion Timing Rule</p> <p>The following rule describes allowable spans between pairs of dates. The rule applies if both date items in the pair are active and contain valid dates (not dashes or other special values).</p> <p>Z0500B (completion date) - A0210 (assessment reference date) &lt;= 5 days.</p> <p><b>Items:</b> A0210                      Assessment reference date</p> <p>Z0500B                      Date assessment signed as complete</p>
-3790	Consistency	Fatal	<p>If A0250=[10, 11, 12], then A0270 must not equal [^].</p> <p><b>Items:</b> A0250                      Reason for Assessment</p> <p>A0270                      Discharge date</p>
-3810	Consistency	Warning	<p>The record was submitted Late. The submission date is more than 7 days after Z0500B for this new (A0050 equals 1) record.</p> <p><b>Items:</b> A0050                      Type of record</p> <p>Z0500B                      Date assessment signed as complete</p>



# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3852	Format	Fatal	<p>FORMATTING OF ICD-10 DIAGNOSIS CODES</p> <p>ICD-10 diagnosis codes must conform with the following formatting rules:</p> <p>a) Character 1 must be alphabetic [A-Z,a-z].</p> <p>b) Character 2 must be numeric [0-9].</p> <p>c) Character 3 must be numeric [0-9] or alphabetic [A-Z,a-z].</p> <p>d) Character 4 must be a decimal point.</p> <p>e) Characters 5 through 8 must be numeric [0-9], alphabetic [A-Z,a-z], or caret [^].</p> <p>f) If any character 5 through 8 is equal to [^], all subsequent characters must equal [^].</p>
-3863	Consistency	Warning	<p><b>Items:</b> I0050A                      Other medical condition - ICD code</p> <p>If A1400K=[1], then A1400A through A1400J and A1400X and A1400Y must = [0]</p> <p><b>Items:</b> A1400A                      Payer: Medicare (FFS)</p> <p>A1400B                      Payer: Medicare (managed care/Part C/Mcr Advant.)</p> <p>A1400C                      Payer: Medicaid (FFS)</p> <p>A1400D                      Payer: Medicaid (managed care)</p> <p>A1400E                      Payer: Workers' compensation</p> <p>A1400F                      Payer: Title programs</p> <p>A1400G                      Payer: Other Government</p> <p>A1400H                      Payer: Private insurance/Medigap</p> <p>A1400I                      Payer: Private managed care</p> <p>A1400J                      Payer: Self-pay</p> <p>A1400K                      Payer: No payer source</p> <p>A1400X                      Payer: Unknown</p> <p>A1400Y                      Payer: Other</p>
-3900	Consistency	Warning	<p>A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.</p> <p><b>Items:</b> A1110A                      Preferred language</p> <p>B0100                      Comatose</p> <p>B0200                      Hearing</p> <p>B1000                      Vision</p> <p>BB0700                      Expression of Ideas and Wants (3-day asmt period)</p> <p>BB0800                      Understand Verbal/Non-Verbal Content (3-day asmt)</p> <p>C0100                      Brief Interview for Mental Status</p> <p>C0200                      Repetition of three words</p> <p>C0300A                      Able to report correct year</p> <p>C0300B                      Able to report correct month</p> <p>C0300C                      Able to report correct day of the week</p> <p>C0400A                      Able to recall "sock"</p> <p>C0400B                      Able to recall "blue"</p> <p>C0400C                      Able to recall "bed"</p> <p>C0500                      BIMS Summary Score</p> <p>C1310A                      Acute Onset Mental Status Change</p>

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			Items:
			C1310B Inattention
			C1310C Disorganized thinking
			C1310D Altered level of consciousness
			D0150A1 Little interest or pleasure in doing things: Pres
			D0150A2 Little interest or pleasure in doing things: Freq
			D0150B1 Feeling down, depressed, or hopeless: Pres
			D0150B2 Feeling down, depressed, or hopeless: Freq
			D0150C1 Trouble falling or staying asleep: Pres
			D0150C2 Trouble falling or staying asleep: Freq
			D0150D1 Feeling tired or having little energy: Pres
			D0150D2 Feeling tired or having little energy: Freq
			D0150E1 Poor appetite or overeating: Pres
			D0150E2 Poor appetite or overeating: Freq
			D0150F1 Feeling bad about yourself: Pres
			D0150F2 Feeling bad about yourself: Freq
			D0150G1 Trouble concentrating on things: Pres
			D0150G2 Trouble concentrating on things: Freq
			D0150H1 Moving or speaking so slowly: Pres
			D0150H2 Moving or speaking so slowly: Freq
			D0150I1 Thoughts that you would be better off dead: Pres
			D0150I2 Thoughts that you would be better off dead: Freq
			D0160 Total severity score
			GG0130A1 Self-Care (Adm Perf) - Eating
			GG0130A3 Self-Care (Dschg Perf) - Eating
			GG0130B1 Self-Care (Adm Perf) - Oral hygiene
			GG0130B3 Self-Care (Dschg Perf) - Oral hygiene
			GG0130C1 Self-Care (Adm Perf) - Toileting hygiene
			GG0130C3 Self-Care (Dschg Perf) - Toileting hygiene
			GG0130D1 Self-Care (Adm Perf) - Wash upper body
			GG0130D3 Self-Care (Dschg Perf) - Wash upper body
			GG0170A1 Func Mobil (Adm Perf) - Roll left and right
			GG0170A3 Func Mobil (Dschg Perf) - Roll left and right
			GG0170B1 Func Mobil (Adm Perf) - Sit to lying
			GG0170B3 Func Mobil (Dschg Perf) - Sit to lying
			GG0170C1 Func Mobil (Adm Perf) - Lying to sitting on side
			GG0170C3 Func Mobil (Dschg Perf) - Lying to sitting on side
			GG0170D1 Func Mobil (Adm Perf) - Sit to stand
			GG0170D3 Func Mobil (Dschg Perf) - Sit to stand
			GG0170E1 Func Mobil (Adm Perf) - Chair/bed-to-chair trans
			GG0170E3 Func Mobil (Dschg Perf) - Chair/bed-to-chair trans
			GG0170F1 Func Mobil (Adm Perf) - Toilet transfer
			GG0170F3 Func Mobil (Dschg Perf) - Toilet transfer

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
		Items:	GG0170G1 Func Mobil (Adm Perf) - Car Transfer
			GG0170G3 Mobil Perf (Dischrg Perf) - Car Transfer
			GG0170I1 Func Mobil (Adm Perf) - Walk 10 feet
			GG0170I3 Func Mobil (Dschg Perf) - Walk 10 feet
			GG0170J1 Func Mobil (Adm Perf) - Walk 50 feet w/2 turns
			GG0170J3 Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns
			GG0170K1 Func Mobil (Adm Perf) - Walk 150 feet
			GG0170K3 Func Mobil (Dschg Perf) - Walk 150 feet
			GG0170L1 Func Mobil (Adm Perf) - Walking 10ft uneven surf
			GG0170L3 Func Mobil (Dschg Perf) - Walk 10ft uneven surf
			GG0170M1 Func Mobil (Adm Perf) - 1 step (curb)
			GG0170M3 Func Mobil (Dschg Perf) - 1 step (curb)
			GG0170N1 Func Mobil (Adm Perf) - 4 steps
			GG0170N3 Func Mobil (Dschg Perf) - 4 steps
			GG0170O1 Func Mobil (Adm Perf) - 12 steps
			GG0170O3 Func Mobil (Dschg Perf) - 12 steps
			GG0170P1 Func Mobil (Adm Perf) - Picking up an object
			GG0170P3 Func Mobil (Dschg Perf) - Picking up an object
			GG0170Q1 Does the patient use a wheelchair and/or scooter
			GG0170Q3 Does the patient use a wheelchair and/or scooter
			GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns
			GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns
			GG0170RR1 Indicate the type of wheelchair or scooter used
			GG0170RR3 Indicate the type of wheelchair or scooter used
			GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet
			GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet
			GG0170SS1 Indicate the type of wheelchair or scooter used
			GG0170SS3 Indicate the type of wheelchair or scooter used.
			H0350 Bladder continence
			H0400 Bowel continence
			I0900 Peripheral vascular disease (PVD) or PAD
			I2900 Diabetes mellitus (DM)
			J1900C Num Falls Since Admission - Major injury
			K0200A Height (in inches)
			K0200B Weight (in pounds)
			K0520A1 Nutritional approach (Admission): Parenteral
			K0520A4 Nutritional approaches (7 days): Parenteral
			K0520A5 Nutritional approaches (discharge): Parenteral
			K0520B1 Nutritional approaches (admission): Feeding tube
			K0520B4 Nutritional approaches (7 days): Feeding tube
			K0520B5 Nutritional approaches (discharge): Feeding Tube
			K0520C1 Nutritional approaches (admission) : Mechanically

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b>
			K0520C4 Nutritional approaches (7 days): mech altered diet
			K0520C5 Nutritional approaches (discharge): mech altered
			K0520D1 Nutritional approaches (admission) : Therapeutic
			K0520D4 Nutritional approaches (7 day): Therapeutic diet
			K0520D5 Nutritional approaches (discharge): Therapeutic
			K0520Z1 Nutritional approaches (admission) : None
			K0520Z4 Nutritional approaches (7 days): None
			K0520Z5 Nutritional approaches (discharge): None
			M0300B1 Stage 2 pressure ulcers: number present
			M0300B2 Stage 2 pressure ulcers: number at admit
			M0300C1 Stage 3 pressure ulcers: number present
			M0300C2 Stage 3 pressure ulcers: number at admit
			M0300D1 Stage 4 pressure ulcers: number present
			M0300D2 Stage 4 pressure ulcers: number at admit
			M0300E1 Unstageable due to dressing/device: number present
			M0300E2 Unstageable due to dressing/device: number at adm
			M0300F1 Unstageable slough/eschar: number present
			M0300F2 Unstageable slough/eschar: number at admit
			M0300G1 Unstageable as deep tissue: num present
			M0300G2 Unstageable as deep tissue: num at adm
			N0415A1 High-Risk Drug (Is Taking): Antipsychotic
			N0415A2 High-Risk Drug (Indication) : Antipsychotic
			N0415E1 High-Risk Drug (Is taking): Anticoagulant
			N0415E2 High-Risk Drug (Indication): Anticoagulant
			N0415F1 High-Risk Drug (Is taking): Antibiotic
			N0415F2 High-Risk Drug (Indication): Antibiotic
			N0415H1 High-Risk Drug (Is taking): Opioid
			N0415H2 High-Drug Risk (Indication): Opioid
			N0415I1 High-Risk Drug (Is taking): Antiplatelet
			N0415I2 High-Risk Drug (Indication): Antiplatelet
			N0415J1 High-Risk Drug (Is taking): Hypoglycemic
			N0415J2 High-Risk Drug (Indication): Hypoglycemic
			N2001 Drug Regimen Review
			N2003 Medication Follow-up
			N2005 Medication Intervention
			O0110A1a Treatment: Chemotherapy (Admission)
			O0110A2a Treatment: IV (Admission)
			O0110A3a Treatment: Oral (Admission)
			O0110A10a Treatment: Other (Admission)
			O0110B1a Treatment: Radiation (Admission)
			O0110C1a Therapies: Oxygen Therapy (Admission)
			O0110C2a Therapies: Continuous (Admission)

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b>
			O0110C3a Therapies: Intermittent (Admission)
			O0110C4a Therapies: High-concentration (Admission)
			O0110D1a Therapies: Suctioning (Admission)
			O0110D2a Therapies: Scheduled
			O0110D3a Therapies: As Needed (Admission)
			O0110E1a Therapies: Tracheostomy Care (Admission)
			O0110G1a Therapies: Non-Invas Mechanical Ventilator (Admis)
			O0110G2a Therapies: BiPAP (Admission)
			O0110G3a Therapies: CPAP (Admission)
			O0110H1a Other: IV Medications (Admission)
			O0110H2a Other: Vasoactive medications (Admission)
			O0110H3a Other: Antibiotics (Admission)
			O0110H4a Other: Anticoagulation (Admission)
			O0110H10a Other: Other (Admission)
			O0110I1a Other: Transfusions (Admission)
			O0110J1a Other: Dialysis (Admission)
			O0110J2a Other: Hemodialysis (Admission)
			O0110J3a Other: Peritoneal dialysis (Admission)
			O0110O1a Other: IV Access (Admission)
			O0110O2a Other: Peripheral (Admission)
			O0110O3a Other: Midline (Admission)
			O0110O4a Other: Central (Admission)
			O0110Z1a Other: None of the above (Admission)
			O0110A1c Treatment: Chemotherapy (Discharge)
			O0110A2c Treatment: IV (Discharge)
			O0110A3c Treatment: Oral (Discharge)
			O0110A10c Treatment: Other (Discharge)
			O0110B1c Treatment: Radiation (Discharge)
			O0110C1c Therapies: Oxygen Therapy (Discharge)
			O0110C2c Therapies: Continuous (Discharge)
			O0110C3c Therapies: Intermittent (Discharge)
			O0110C4c Therapies: High-concentration (Discharge)
			O0110D1c Therapies: Suctioning (Discharge)
			O0110D2c Therapies: Scheduled (Discharge)
			O0110D3c Therapies: As Needed (Discharge)
			O0110E1c Therapies: Tracheostomy Care (Discharge)
			O0110G1c Therapies: Non-Invas Mechanical Ventilator (Disch)
			O0110G2c Therapies: BiPAP (Discharge)
			O0110G3c Therapies: CPAP (Discharge)
			O0110H1c Other: IV Medications (Discharge)
			O0110H2c Other: Vasoactive medications (Discharge)
			O0110H3c Other: Antibiotics (Discharge)

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items	
			Items:	
			O0110H4c	Other: Anticoagulation (Discharge)
			O0110H10c	Other: Other (Discharge)
			O0110I1c	Other: Transfusions (Discharge)
			O0110J1c	Other: Dialysis (Discharge)
			O0110J2c	Other: Hemodialysis (Discharge)
			O0110J3c	Other: Peritoneal dialysis (Discharge)
			O0110O1c	Other: IV Access (Discharge)
			O0110O2c	Other: Peripheral (Discharge)
			O0110O3c	Other: Midline (Discharge)
			O0110O4c	Other: Central (Discharge)
			O0110Z1c	Other: None of the above (Discharge)
			O0150A	SBT: Invasive Mechanical Ventilation Support
			O0150A2	SBT: Ventilator Weaning Status
			O0150B	SBT: Assessed for readiness by day 2
			O0150C	SBT: Deemed medically ready by day 2
			O0150D	SBT: Documentation of reason(s) - patient unready
			O0150E	SBT: Performed by day 2
			O0200A	Invasive Mechanical Ventilator - Liberation Status
-3922	Consistency	Fatal	***THIS EDIT DELETED IN V4.00.0***	
			Items: O0250A	Was influenza vaccine received
			O0250B	Date influenza vaccine received
-3923	Consistency	Fatal	***THIS EDIT DELETED IN V4.00.0***	
			Items: O0250A	Was influenza vaccine received
			O0250C	If influenza vaccine not received, state reason
-3924	Format	Fatal	The CMS Certification Number (CCN) must be exactly 6 characters in length.	
			Items: A0100B	Facility CMS Certification Number (CCN)
-3932	Consistency	Fatal	***THIS EDIT DELETED IN V4.00.0***	
			Items: B0100	Comatose
-3933	Consistency	Warning	***THIS EDIT DELETED IN V4.00.0***	
			Items: GG0130A2	Self-Care (Dschg Goal) - Eating
			GG0130B2	Self-Care (Dschg Goal) - Oral hygiene
			GG0130C2	Self-Care (Dschg Goal) - Toileting hygiene
			GG0130D2	Self-Care (Dschg Goal) - Wash upper body
			GG0170A2	Func Mobil (Dschg Goal) - Roll left and right
			GG0170B2	Func Mobil (Dschg Goal) - Sit to lying
			GG0170C2	Func Mobil (Dschg Goal) - Lying to sitting on side
			GG0170D2	Func Mobil (Dschg Goal) - Sit to stand
			GG0170E2	Func Mobil (Dschg Goal) - Chair/bed-to-chair trans
			GG0170F2	Func Mobil (Dschg Goal) - Toilet transfer
			GG0170G2	Func Mobil (Dschg Goal) - Car Transfer

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> GG0170I2      Func Mobil (Dschg Goal) - Walk 10 feet GG0170J2      Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns GG0170K2      Func Mobil (Dschg Goal) - Walk 150 feet GG0170L2      Func Mobil (Dschg Goal) - Walk 10ft uneven surf GG0170M2      Func Mobil (Dschg Goal) - 1 step (crub) GG0170N2      Func Mobil (Dschg Goal) - 4 steps GG0170O2      Func Mobil (Dschg Goal) - 12 steps GG0170P2      Func Mobil (Dschg Goal) - Picking up an object GG0170R2      Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns GG0170S2      Func Mobil (Dschg Goal) - Wheel 150 feet
-3936	Consistency	Fatal	<p>If GG0170Q1=[-], then all active items from GG0170R1 through GG0170SS1 must be equal to [-].</p> <b>Items:</b> GG0170Q1      Does the patient use a wheelchair and/or scooter GG0170R1      Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns GG0170RR1      Indicate the type of wheelchair or scooter used GG0170S1      Func Mobil (Adm Perf) - Wheel 150 feet GG0170SS1      Indicate the type of wheelchair or scooter used
-3937	Consistency	Fatal	<p>a) If GG0170Q3=[0], then all active items from GG0170R3 through GG0170SS3 must be equal to [^].</p> <p>b) If GG0170Q3=[1], then all active items from GG0170R3 through GG0170SS3 must not be equal to [^].</p> <p>c) If GG0170Q3=[-], then all active items from GG0170R3 through GG0170SS3 must be equal to [-].</p> <b>Items:</b> GG0170Q3      Does the patient use a wheelchair and/or scooter GG0170R3      Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns GG0170RR3      Indicate the type of wheelchair or scooter used GG0170S3      Func Mobil (Dschg Perf) - Wheel 150 feet GG0170SS3      Indicate the type of wheelchair or scooter used.
-3938	Consistency	Fatal	<p>***THIS EDIT WAS DELETED IN V4.00.0***</p> <b>Items:</b> A0250      Reason for Assessment
-3940	Consistency	Fatal	<p>***THIS EDIT DELETED IN V4.00.0***</p> <b>Items:</b> GG0170I1      Func Mobil (Adm Perf) - Walk 10 feet GG0170J1      Func Mobil (Adm Perf) - Walk 50 feet w/2 turns GG0170K1      Func Mobil (Adm Perf) - Walk 150 feet
-3941	Consistency	Fatal	<p>***THIS EDIT DELETED IN V4.00.0***</p> <b>Items:</b> GG0170I3      Func Mobil (Dschg Perf) - Walk 10 feet GG0170J3      Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns GG0170K3      Func Mobil (Dschg Perf) - Walk 150 feet
-3942	Consistency	Fatal	<p>***THIS EDIT DELETED IN V4.00.0***</p>

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> I0103 Metastatic Cancer I0104 Severe Cancer I0605 Severe Left Systolic/Ventricular Dysfunction I0900 Peripheral vascular disease (PVD) or PAD I1501 Chronic Kidney Disease, Stage 5 I1502 Acute Renal Failure I2101 Septicemia, Sepsis, Systemic Inflammatory Response I2600 CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect I2900 Diabetes mellitus (DM) I4100 Major Lower Limb Amputation I4501 Stroke I4801 Dementia I4900 Hemiplegia or Hemiparesis I5000 Paraplegia I5101 Complete Tetraplegia I5102 Incomplete Tetraplegia I5110 Other Spinal Cord Disorder/Injury I5200 Multiple Sclerosis (MS) I5250 Huntington's Disease I5300 Parkinson's Disease I5450 Amyotrophic Lateral Sclerosis I5455 Other Progressive Neuromuscular Disease I5460 Locked-In State I5470 Severe Anoxic Brain Damage, Cerebral Edema I5480 Other Severe Neurological Injury-Disease-Dysfunc I5601 Malnutrition I5602 At Risk for Malnutrition I5602 At Risk for Malnutrition I7100 Lung Transplant I7101 Heart Transplant I7102 Liver Transplant I7103 Kidney Transplant I7104 Bone Marrow Transplant I7900 None of the Above
-3943	Consistency	Fatal	If M0210=[0], then all active items from M0300A through M0300G2 must equal [^]. <b>Items:</b> M0210 Patient has 1+ unhealed pressure ulcers/injuries M0300A Stage 1 pressure injuries: number present M0300B1 Stage 2 pressure ulcers: number present M0300B2 Stage 2 pressure ulcers: number at admit M0300C1 Stage 3 pressure ulcers: number present M0300C2 Stage 3 pressure ulcers: number at admit



**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> M0300D1      Stage 4 pressure ulcers: number present M0300D2      Stage 4 pressure ulcers: number at admit M0300E1      Unstageable due to dressing/device: number present M0300E2      Unstageable due to dressing/device: number at adm M0300F1      Unstageable slough/eschar: number present M0300F2      Unstageable slough/eschar: number at admit M0300G1      Unstageable as deep tissue: num present M0300G2      Unstageable as deep tissue: num at adm
-3944	Consistency	Fatal	a) If N2001=[0,9], then N2003 must be equal to [^].  b) If N2001=[1], then N2003 must not be equal to [^].  c) If N2001=[-], then N2003 must be equal to [-].  <b>Items:</b> N2001      Drug Regimen Review N2003      Medication Follow-up
-3947	Consistency	Fatal	***THIS EDIT IS DELETED IN V4.00.0***  <b>Items:</b> O0150A      SBT: Invasive Mechanical Ventilation Support O0150B      SBT: Assessed for readiness by day 2 O0150C      SBT: Deemed medically ready by day 2 O0150D      SBT: Documentation of reason(s) - patient unready O0150E      SBT: Performed by day 2
-3948	Consistency	Fatal	(a) If O0150B=[0], then all active items from O0150C through O0150E must equal [^].  (b) If O0150B=[1], then O0150C must not equal [^].  (c) If O0150B=[-], then all active items from O0150C through O0150E must equal [-].  <b>Items:</b> O0150B      SBT: Assessed for readiness by day 2 O0150C      SBT: Deemed medically ready by day 2 O0150D      SBT: Documentation of reason(s) - patient unready O0150E      SBT: Performed by day 2
-3949	Consistency	Fatal	(a) If O0150C=[0], then O0150D must not equal [^].  (b) If O0150C=[1], then O0150D must equal [^].  (c) If O0150C=[-], then O0150D must equal [-].  <b>Items:</b> O0150C      SBT: Deemed medically ready by day 2 O0150D      SBT: Documentation of reason(s) - patient unready
-3950	Consistency	Fatal	(a) If O0150D=[0,1], then O0150E must equal [^].  (b) If O0150D=[-], then O0150E must equal [-].  <b>Items:</b> O0150D      SBT: Documentation of reason(s) - patient unready O0150E      SBT: Performed by day 2

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3952	Format	Warning	The height value submitted in K0200A is less than 10 inches. Please confirm that the submitted value for K0200A is correct.  <b>Items:</b> K0200A Height (in inches)
-3953	Format	Warning	The weight value submitted in K0200B is less than 10 pounds. Please confirm that the submitted value for K0200B is correct.  <b>Items:</b> K0200B Weight (in pounds)
-3954	Consistency	Warning	Payment Reduction Warning: If A0250=[10,11], then a dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination.  <b>Items:</b> A0250 Reason for Assessment M0300B1 Stage 2 pressure ulcers: number present M0300C1 Stage 3 pressure ulcers: number present M0300D1 Stage 4 pressure ulcers: number present M0300E1 Unstageable due to dressing/device: number present M0300F1 Unstageable slough/eschar: number present M0300G1 Unstageable as deep tissue: num present
-3955	Consistency	Fatal	(a) If C0100 = [0], then all active items from C0200 through C0500 must equal [^]  (b) If C0100 = [1], then all active items from C0200 through C0500 must not equal [^]  (c) If C0100 = [-], then all active items from C0200 through C0500 must equal [-]  <b>Items:</b> C0100 Brief Interview for Mental Status C0200 Repetition of three words C0300A Able to report correct year C0300B Able to report correct month C0300C Able to report correct day of the week C0400A Able to recall "sock" C0400B Able to recall "blue" C0400C Able to recall "bed" C0500 BIMS Summary Score
-3956	Consistency	Fatal	(a) If O0110H1a = [0], then all active items from O0110H2a through O0110H10a must equal [0]  (b) If O0110H1a = [1], then at least one active item from O0110H2a through O0110H10a must not equal [0]  (c) If O0110H1a = [-], then all active items from O0110H2a through O0110H10a must equal [-]  <b>Items:</b> O0110H1a Other: IV Medications (Admission) O0110H2a Other: Vasoactive medications (Admission) O0110H3a Other: Antibiotics (Admission) O0110H4a Other: Anticoagulation (Admission) O0110H10a Other: Other (Admission)

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-3957</b>	<b>Skip</b>	<b>Fatal</b>	<p>(a) If GG0170F1= [07,09,10,88] then GG0170G1 must equal [^].</p> <p>(b) If GG0170F1= [01,02,03,04, 05,06] then GG0170G1 must not equal [^].</p> <p>(c) If GG0170F1 = [-] then GG0170G1 must equal [-]</p> <p><b>Items:</b> GG0170F1                      Func Mobil (Adm Perf) - Toilet transfer  GG0170G1                      Func Mobil (Adm Perf) - Car Transfer</p>
<b>-3958</b>	<b>Consistency</b>	<b>Fatal</b>	<p>(a) If GG0170I1=[07,09,10,88], then the following items GG0170J1, GG0170K1, and GG0170L1 must equal [^]</p> <p>(b) If GG0170I1=[01,02,03,04,05,06], then the following items GG0170J1, GG0170K1, and GG0170L1 must not equal [^]</p> <p>(c) If GG0170I1=[-], then the following items GG0170J1, GG0170K1, and GG0170L1 must equal [-]</p> <p><b>Items:</b> GG0170I1                      Func Mobil (Adm Perf) - Walk 10 feet  GG0170J1                      Func Mobil (Adm Perf) - Walk 50 feet w/2 turns  GG0170K1                      Func Mobil (Adm Perf) - Walk 150 feet  GG0170L1                      Func Mobil (Adm Perf) - Walking 10ft uneven surf</p>
<b>-3959</b>	<b>Consistency</b>	<b>Fatal</b>	<p>(a) If GG0170I3=[07,09,10,88], then the following items GG0170J3, GG0170K3, and GG0170L3 must equal [^]</p> <p>(b) If GG0170I3=[01,02,03,04,05,06], then the following items GG0170J3, GG0170K3, and GG0170L3 must not equal [^]</p> <p>(c) If GG0170I3=[-], then the following items GG0170J3, GG0170K3, and GG0170L3 must equal [-]</p> <p><b>Items:</b> GG0170I3                      Func Mobil (Dschg Perf) - Walk 10 feet  GG0170J3                      Func Mobil (Dschg Perf) - Walk 50 feet w/2 turns  GG0170K3                      Func Mobil (Dschg Perf) - Walk 150 feet  GG0170L3                      Func Mobil (Dschg Perf) - Walk 10ft uneven surf</p>
<b>-3960</b>	<b>Consistency</b>	<b>Fatal</b>	<p>(a) If GG0170M1=[07,09,10,88], then GG0170N1 must equal [^]</p> <p>(b) If GG0170M1=[01,02,03,04,05,06], then the following items GG0170N1 must not equal [^]</p> <p>(c) If GG0170M1=[-], then the following items GG0170N1 must equal [-]</p> <p><b>Items:</b> GG0170M1                      Func Mobil (Adm Perf) - 1 step (curb)  GG0170N1                      Func Mobil (Adm Perf) - 4 steps</p>
<b>-3961</b>	<b>Consistency</b>	<b>Fatal</b>	<p>(a) If GG0170M3=[07,09,10,88], then the following GG0170N3 must equal [^]</p> <p>(b) If GG0170M3=[01,02,03,04,05,06], then GG0170N3 must not equal [^]</p> <p>(c) If GG0170M3=[-], then GG0170N3 must equal [-]</p> <p><b>Items:</b> GG0170M3                      Func Mobil (Dschg Perf) - 1 step (curb)  GG0170N3                      Func Mobil (Dschg Perf) - 4 steps</p>

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-3962</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If GG0170N1=[07, 09, 10, or 88], then GG0170O1 must equal [^]
			(b) If GG0170N1=[01, 02, 03, 04, 05, or 06], then GG0170O1 must not equal [^]
			(c) If GG0170N1=[-] then GG0170O1 must equal [-]
			<b>Items:</b> GG0170N1              Func Mobil (Adm Perf) - 4 steps GG0170O1              Func Mobil (Adm Perf) - 12 steps
<b>-3963</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If GG0170N3=[07,09,10,88], then GG0170O3 must equal [^]
			(b) If GG0170N3=[01, ,02,03,04,05,06], then GG0170O3 must not equal [^]
			(c) If GG0170N3=[-], then GG0170O3 must equal [-]
			<b>Items:</b> GG0170N3              Func Mobil (Dschg Perf) - 4 steps GG0170O3              Func Mobil (Dschg Perf) - 12 steps
<b>-3964</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If J0510=[0], then the following items J0520 and J0530 must equal [^]
			(b) If J0510=[1, 2, 3, 4, or 8], then the following items J0520 and J0530 must not equal [^]
			<b>Items:</b> J0510                      Pain effect on sleep J0520                      Pain interference with therapy activities J0530                      Pain interference with day-to-day activities
<b>-3965</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If A1005A = [1] , then all active items from A1005B through A1005E must equal [0]
			b) If any item A1005B through A1005E is equal to [1], then A1005A must equal [0]
			<b>Items:</b> A1005A                      No, not of Hispanic, Latino/a, or Spanish origin A1005B                      Yes, Mexican, Mexican American, Chicano/ A1005C                      Yes, Puerto Rican A1005D                      Yes, Cuban A1005E                      Yes, another Hispanic, Latino, or Spanish origin A1005X                      Patient unable to respond
<b>-3966</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If A1250C = [1], then the following items, A1250A and A1250B must equal [0]
			(b) If A1250C = [0], then at least one of the following items A1250A and A1250B must not equal [0]
			<b>Items:</b> A1250A                      Transportation: Yes, medical A1250B                      Transportation: Yes, non-medical A1250C                      Transportation: No A1250X                      Transportation: Patient unable to respond
<b>-3967</b>	<b>Consistency</b>	<b>Fatal</b>	At least one active item from A1010A through A1010X must equal [1].
			<b>Items:</b> A1010A                      Race: White A1010B                      Race: Black or African American A1010C                      Race: American Indian or Alaska Native A1010D                      Race: Asian Indian

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> A1010E Race: Chinese A1010F Race: Filipino A1010G Race: Japanese A1010H Race: Korean A1010I Race: Vietnamese A1010J Race: Other Asian A1010K Race: Native Hawaiian A1010L Race: Guamanian or Chamorro A1010M Race: Samoan A1010N Race: Other Pacific Islander A1010X Race: Patient unable to respond
-3969	Skip	Fatal	(a) If A2121 = [0], then all active items from A2122A through A2122E must equal [^]  (b) If A2121 = [1], then all active items from A2122A through A2122E must not equal [^]  (c) If A2121 = [1], then at least one active item from A2122A through A2122E must equal [1]  <b>Items:</b> A2121 Provision Current Reconciled Medication List A2122A Electronic Health Record A2122B Health Information Exchange Organization A2122C Verbal A2122D Paper-based A2122E Other Methods
-3970	Skip	Fatal	(a) If A2123 = [0], then all active items from A2124A through A2124E must equal [^]  (b) If A2123 = [1], then all active items from A2124A through A2124E must not equal [^]  (c) If A2123 = [1], then at least one active item from A2124A through A2124E must  <b>Items:</b> A2123 Provision Current Reconciled Medication A2124A Electronic Health Record A2124B Health Information Exchange A2124C Verbal A2124D Paper-based A2124E Other Methods
-3971	Skip	Fatal	If A0250=[11], then all active items from C1310A through C1310D must not be equal to [^]  <b>Items:</b> A0250 Reason for Assessment C1310A Acute Onset Mental Status Change C1310B Inattention C1310C Disorganized thinking C1310D Altered level of consciousness

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																																										
-3972	Skip	Fatal	<p>(a) If B0100=[1], then all active fields from B0200 through D0700 must equal [^]</p> <p>(b) If B0100=[0], then all active fields from B0200 through D0700 cannot equal [^]</p> <p>(c) If B0100=[-], then all active fields from B0200 through D0700 must equal [-]</p> <p><b>Items:</b></p> <table><tr><td>B0100</td><td>Comatose</td></tr><tr><td>B0200</td><td>Hearing</td></tr><tr><td>B1000</td><td>Vision</td></tr><tr><td>B1300</td><td>Health Literacy</td></tr><tr><td>BB0700</td><td>Expression of Ideas and Wants (3-day asmt period)</td></tr><tr><td>BB0800</td><td>Understand Verbal/Non-Verbal Content (3-day asmt)</td></tr><tr><td>C0100</td><td>Brief Interview for Mental Status</td></tr><tr><td>C0200</td><td>Repetition of three words</td></tr><tr><td>C0300A</td><td>Able to report correct year</td></tr><tr><td>C0300B</td><td>Able to report correct month</td></tr><tr><td>C0300C</td><td>Able to report correct day of the week</td></tr><tr><td>C0400A</td><td>Able to recall "sock"</td></tr><tr><td>C0400B</td><td>Able to recall "blue"</td></tr><tr><td>C0400C</td><td>Able to recall "bed"</td></tr><tr><td>C0500</td><td>BIMS Summary Score</td></tr><tr><td>C1310A</td><td>Acute Onset Mental Status Change</td></tr><tr><td>C1310B</td><td>Inattention</td></tr><tr><td>C1310C</td><td>Disorganized thinking</td></tr><tr><td>C1310D</td><td>Altered level of consciousness</td></tr><tr><td>D0150A1</td><td>Little interest or pleasure in doing things: Pres</td></tr><tr><td>D0150A2</td><td>Little interest or pleasure in doing things: Freq</td></tr><tr><td>D0150B1</td><td>Feeling down, depressed, or hopeless: Pres</td></tr><tr><td>D0150B2</td><td>Feeling down, depressed, or hopeless: Freq</td></tr><tr><td>D0150C1</td><td>Trouble falling or staying asleep: Pres</td></tr><tr><td>D0150C2</td><td>Trouble falling or staying asleep: Freq</td></tr><tr><td>D0150D1</td><td>Feeling tired or having little energy: Pres</td></tr><tr><td>D0150D2</td><td>Feeling tired or having little energy: Freq</td></tr><tr><td>D0150E1</td><td>Poor appetite or overeating: Pres</td></tr><tr><td>D0150E2</td><td>Poor appetite or overeating: Freq</td></tr><tr><td>D0150F1</td><td>Feeling bad about yourself: Pres</td></tr><tr><td>D0150F2</td><td>Feeling bad about yourself: Freq</td></tr><tr><td>D0150G1</td><td>Trouble concentrating on things: Pres</td></tr><tr><td>D0150G2</td><td>Trouble concentrating on things: Freq</td></tr><tr><td>D0150H1</td><td>Moving or speaking so slowly: Pres</td></tr><tr><td>D0150H2</td><td>Moving or speaking so slowly: Freq</td></tr><tr><td>D0150I1</td><td>Thoughts that you would be better off dead: Pres</td></tr><tr><td>D0150I2</td><td>Thoughts that you would be better off dead: Freq</td></tr></table>	B0100	Comatose	B0200	Hearing	B1000	Vision	B1300	Health Literacy	BB0700	Expression of Ideas and Wants (3-day asmt period)	BB0800	Understand Verbal/Non-Verbal Content (3-day asmt)	C0100	Brief Interview for Mental Status	C0200	Repetition of three words	C0300A	Able to report correct year	C0300B	Able to report correct month	C0300C	Able to report correct day of the week	C0400A	Able to recall "sock"	C0400B	Able to recall "blue"	C0400C	Able to recall "bed"	C0500	BIMS Summary Score	C1310A	Acute Onset Mental Status Change	C1310B	Inattention	C1310C	Disorganized thinking	C1310D	Altered level of consciousness	D0150A1	Little interest or pleasure in doing things: Pres	D0150A2	Little interest or pleasure in doing things: Freq	D0150B1	Feeling down, depressed, or hopeless: Pres	D0150B2	Feeling down, depressed, or hopeless: Freq	D0150C1	Trouble falling or staying asleep: Pres	D0150C2	Trouble falling or staying asleep: Freq	D0150D1	Feeling tired or having little energy: Pres	D0150D2	Feeling tired or having little energy: Freq	D0150E1	Poor appetite or overeating: Pres	D0150E2	Poor appetite or overeating: Freq	D0150F1	Feeling bad about yourself: Pres	D0150F2	Feeling bad about yourself: Freq	D0150G1	Trouble concentrating on things: Pres	D0150G2	Trouble concentrating on things: Freq	D0150H1	Moving or speaking so slowly: Pres	D0150H2	Moving or speaking so slowly: Freq	D0150I1	Thoughts that you would be better off dead: Pres	D0150I2	Thoughts that you would be better off dead: Freq
B0100	Comatose																																																																												
B0200	Hearing																																																																												
B1000	Vision																																																																												
B1300	Health Literacy																																																																												
BB0700	Expression of Ideas and Wants (3-day asmt period)																																																																												
BB0800	Understand Verbal/Non-Verbal Content (3-day asmt)																																																																												
C0100	Brief Interview for Mental Status																																																																												
C0200	Repetition of three words																																																																												
C0300A	Able to report correct year																																																																												
C0300B	Able to report correct month																																																																												
C0300C	Able to report correct day of the week																																																																												
C0400A	Able to recall "sock"																																																																												
C0400B	Able to recall "blue"																																																																												
C0400C	Able to recall "bed"																																																																												
C0500	BIMS Summary Score																																																																												
C1310A	Acute Onset Mental Status Change																																																																												
C1310B	Inattention																																																																												
C1310C	Disorganized thinking																																																																												
C1310D	Altered level of consciousness																																																																												
D0150A1	Little interest or pleasure in doing things: Pres																																																																												
D0150A2	Little interest or pleasure in doing things: Freq																																																																												
D0150B1	Feeling down, depressed, or hopeless: Pres																																																																												
D0150B2	Feeling down, depressed, or hopeless: Freq																																																																												
D0150C1	Trouble falling or staying asleep: Pres																																																																												
D0150C2	Trouble falling or staying asleep: Freq																																																																												
D0150D1	Feeling tired or having little energy: Pres																																																																												
D0150D2	Feeling tired or having little energy: Freq																																																																												
D0150E1	Poor appetite or overeating: Pres																																																																												
D0150E2	Poor appetite or overeating: Freq																																																																												
D0150F1	Feeling bad about yourself: Pres																																																																												
D0150F2	Feeling bad about yourself: Freq																																																																												
D0150G1	Trouble concentrating on things: Pres																																																																												
D0150G2	Trouble concentrating on things: Freq																																																																												
D0150H1	Moving or speaking so slowly: Pres																																																																												
D0150H2	Moving or speaking so slowly: Freq																																																																												
D0150I1	Thoughts that you would be better off dead: Pres																																																																												
D0150I2	Thoughts that you would be better off dead: Freq																																																																												

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> D0700 Social Isolation
-3973	Consistency	Fatal	(a) If D0150A1 = [0], then D0150A2 must equal [0]  (b) If D0150A1 = [1], then D0150A2 must equal [0,1,2,3]  (c) If D0150A1 = [9], then D0150A2 must equal [^]  (d) If D0150A1 = [-], then D0150A2 must equal [-]
			<b>Items:</b> D0150A1 Little interest or pleasure in doing things: Pres D0150A2 Little interest or pleasure in doing things: Freq
-3974	Consistency	Fatal	(a) If D0150B1 = [0], then D0150B2 must equal [0]  (b) If D0150B1 = [1], then D0150B2 must equal [0,1,2,3]  (c) If D0150B1 = [9], then D0150B2 must equal [^]  (d) If D0150B1 = [-], then D0150B2 must equal [-]
			<b>Items:</b> D0150B1 Feeling down, depressed, or hopeless: Pres D0150B2 Feeling down, depressed, or hopeless: Freq
-3975	Consistency	Fatal	(a) If D0150C1 = [0], then D0150C2 must equal [0]  (b) If D0150C1 = [1], then D0150C2 must equal [0,1,2,3]  (c) If D0150C1 = [9], then D0150C2 must equal [^]  (d) If D0150C1 = [-], then D0150C2 must equal [-]
			<b>Items:</b> D0150C1 Trouble falling or staying asleep: Pres D0150C2 Trouble falling or staying asleep: Freq
-3976	Consistency	Fatal	(a) If D0150D1 = [0], then D0150D2 must equal [0]  (b) If D0150D1 = [1], then D0150D2 must equal [0,1,2,3]  (c) If D0150D1 = [9], then D0150D2 must equal [^]  (d) If D0150D1 = [-], then D0150D2 must equal [-]
			<b>Items:</b> D0150D1 Feeling tired or having little energy: Pres D0150D2 Feeling tired or having little energy: Freq
-3977	Consistency	Fatal	(a) If D0150E1 = [0], then D0150E2 must equal [0]  (b) If D0150E1 = [1], then D0150E2 must equal [0,1,2,3]  (c) If D0150E1 = [9], then D0150E2 must equal [^]  (d) If D0150E1 = [-], then D0150E2 must equal [-]
			<b>Items:</b> D0150E1 Poor appetite or overeating: Pres D0150E2 Poor appetite or overeating: Freq

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-3978</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If D0150F1 = [0], then D0150F2 must equal [0]
			(b) If D0150F1 = [1], then D0150F2 must equal [0,1,2,3]
			(c) If D0150F1 = [9], then D0150F2 must equal [^]
			(d) If D0150F1 = [-], then D0150F2 must equal [-]
			<b>Items:</b> D0150F1                      Feeling bad about yourself: Pres D0150F2                      Feeling bad about yourself: Freq
<b>-3979</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If D0150G1 = [0], then D0150G2 must equal [0]
			(b) If D0150G1 = [1], then D0150G2 must equal [0,1,2,3]
			(c) If D0150G1 = [9], then D0150G2 must equal [^]
			(d) If D0150G1 = [-], then D0150G2 must equal [-]
			<b>Items:</b> D0150G1                      Trouble concentrating on things: Pres D0150G2                      Trouble concentrating on things: Freq
<b>-3980</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If D0150H1 = [0], then D0150H2 must equal [0]
			(b) If D0150H1 = [1], then D0150H2 must equal [0,1,2,3]
			(c) If D0150H1 = [9], then D0150H2 must equal [^]
			(d) If D0150H1 = [-], then D0150H2 must equal [-]
			<b>Items:</b> D0150H1                      Moving or speaking so slowly: Pres D0150H2                      Moving or speaking so slowly: Freq
<b>-3981</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If D0150I1 = [0], then D0150I2 must equal [0]
			(b) If D0150I1 = [1], then D0150I2 must equal [0,1,2,3]
			(c) If D0150I1 = [9], then D0150I2 must equal [^]
			(d) If D0150I1 = [-], then D0150I2 must equal [-]
			<b>Items:</b> D0150I1                      Thoughts that you would be better off dead: Pres D0150I2                      Thoughts that you would be better off dead: Freq
<b>-3982</b>	<b>Consistency</b>	<b>Fatal</b>	(a) If D0150A2 and D0150B2 = [0,1,^], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must equal [^]
			(b) If D0150A2 or D0150B2 = [2,3], then all active items D0150C1, D0150D1, D0150E1, D0150F1, D0150G1, D0150H1 and D0150I1 must not equal [^]
			<b>Items:</b> D0150A2                      Little interest or pleasure in doing things: Freq D0150B2                      Feeling down, depressed, or hopeless: Freq D0150C1                      Trouble falling or staying asleep: Pres D0150D1                      Feeling tired or having little energy: Pres D0150E1                      Poor appetite or overeating: Pres



# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
			<b>Items:</b> D0150F1                      Feeling bad about yourself: Pres D0150G1                      Trouble concentrating on things: Pres D0150H1                      Moving or speaking so slowly: Pres D0150I1                      Thoughts that you would be better off dead: Pres
-3983	Consistency	Fatal	<p>Total Severity Score Calculation:</p> <p>D0160 must equal the sum of the values of the following nine items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I and Format Integer Items to nearest integer. These are referred to as the "items in Column 2", below.</p> <p>The following rules explain how to compute the score that is placed in item D0160. These rules consider the "number of missing items in Column 2" which is the number of items in Column 2 that are either skipped or are equal to dash. An item in Column 2 could be skipped if the corresponding item in Column 1 was equal to 9 (no response). An item in Column 2 could be equal to dash if the item could not be assessed for some other reason (e.g., if the Patient was unexpectedly discharged before the assessment could be completed).</p> <p>a) If the following items D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 equal [0,1,2,3], then D0160 must equal the sum of these items.</p> <p>b) If one of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/8(1.125).</p> <p>c) If two of the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2 = [^,-], then D0160 must equal the sum of the remaining items times 9/7(1.286).</p> <p>d) If three or more items between D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2 and D0150I2 = [^,-], then D0160 must equal [99]</p> <p><b>Items:</b> D0150A2                      Little interest or pleasure in doing things: Freq  D0150B2                      Feeling down, depressed, or hopeless: Freq  D0150C2                      Trouble falling or staying asleep: Freq  D0150D2                      Feeling tired or having little energy: Freq  D0150E2                      Poor appetite or overeating: Freq  D0150F2                      Feeling bad about yourself: Freq  D0150G2                      Trouble concentrating on things: Freq  D0150H2                      Moving or speaking so slowly: Freq  D0150I2                      Thoughts that you would be better off dead: Freq  D0160                      Total severity score</p>
-3984	Consistency	Fatal	<p>(a) If K0520Z1 = [1], then all active items from K0520A1 1through K0520D1 must equal [0]</p> <p>(b) If K0520Z1 = [0], then at least one active item from K0520A1 through K0520D1 must not equal [0]</p> <p>(c) If K0520Z1 = [-], then at least one active item from K0520A1 through K0520D1 must equal [-] and all remaining active items must equal [0,-]</p> <p><b>Items:</b> K0520A1                      Nutritional approach (Admission): Parenteral  K0520B1                      Nutritional approaches (admission): Feeding tube  K0520C1                      Nutritional approaches (admission) : Mechanically</p>

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> K0520D1                      Nutritional approaches (admission) : Therapeutic K0520Z1                      Nutritional approaches (admission) : None
-3985	Consistency	Fatal	(a) If K0520Z4 = [1], then all active items from K0520A4 through K0520D4 must equal [0]  (b) If K0520Z4 = [0], then at least one of the following items from K0520A4 through K0520D4 must not equal [0]  (c) If K0520Z4 = [-], then at least one item from K0520A4 through K0520D4 must equal [-] and all remaining active items must equal [0,-]  <b>Items:</b> K0520A4                      Nutritional approaches (7 days): Parenteral K0520B4                      Nutritional approaches (7 days): Feeding tube K0520C4                      Nutritional approaches (7 days): mech altered diet K0520D4                      Nutritional approaches (7 day): Therapeutic diet K0520Z4                      Nutritional approaches (7 days): None
-3986	Consistency	Fatal	(a) If K0520Z5 = [1], then all active items from K0520A5 through K0520D5 must equal [0]  (b) If K0520Z5 = [0], then at least one active item from K0520A5 through K0520D5 must not equal [0]  (c) If K0520Z5 = [-], then at least one active item must equal [-], and all remaining active items must equal [0,-]  <b>Items:</b> K0520A5                      Nutritional approaches (discharge): Parenteral K0520B5                      Nutritional approaches (discharge): Feeding Tube K0520C5                      Nutritional approaches (discharge): mech altered K0520D5                      Nutritional approaches (discharge): Therapeutic K0520Z5                      Nutritional approaches (discharge): None
-3987	Skip	Fatal	(a) If N0415A1 = [0], then N0415A2 must equal [^]  (b) If N0415A1 = [1], then N0415A2 must not equal [^]  (c) If N0415A1 = [-], then N0415A2 must equal [-]  <b>Items:</b> N0415A1                      High-Risk Drug (Is Taking): Antipsychotic N0415A2                      High-Risk Drug (Indication) : Antipsychotic
-3988	Consistency	Fatal	(a) If N0415E1 = [0], then N0415E2 must equal [^]  (b) If N0415E1 = [1], then N0415E2 must not equal [^]  (c) If N0415E1 = [-], then N0415E2 must equal [-]  <b>Items:</b> N0415E1                      High-Risk Drug (Is taking): Anticoagulant N0415E2                      High-Risk Drug (Indication): Anticoagulant

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
-3989	Skip	Fatal	<p>(a) If N0415F1 = [0], then N0415F2 must equal [^]</p> <p>(b) If N0415F1 = [1], then N0415F2 must not equal [^]</p> <p>(c) If N0415F1 = [-], then N0415F2 must equal [-]</p> <p><b>Items:</b> N0415F1 High-Risk Drug (Is taking): Antibiotic  N0415F2 High-Risk Drug (Indication): Antibiotic</p>
-3990	Skip	Fatal	<p>(a) If N0415H1 = [0], then N0415H2 must equal [^]</p> <p>(b) If N0415H1 = [1], then N0415H2 must not equal [^]</p> <p>(c) If N0415H1 = [-], then N0415H2 must equal [-]</p> <p><b>Items:</b> N0415H1 High-Risk Drug (Is taking): Opioid  N0415H2 High-Risk Drug (Indication): Opioid</p>
-3991	Skip	Fatal	<p>(a) If N0415I1 = [0], then N0415I2 must equal [^]</p> <p>(b) If N0415I1 = [1], then N0415I2 must not equal [^]</p> <p>(c) If N0415I1 = [-], then N0415I2 must equal [-]</p> <p><b>Items:</b> N0415I1 High-Risk Drug (Is taking): Antiplatelet  N0415I2 High-Risk Drug (Indication): Antiplatelet</p>
-3992	Skip	Fatal	<p>(a) If N0415J1 = [0], then N0415J2 must equal [^]</p> <p>(b) If N0415J1 = [1], then N0415J2 must not equal [^]</p> <p>(c) If N0415J1 = [-], then N0415J2 must equal [-]</p> <p><b>Items:</b> N0415J1 High-Risk Drug (Is taking): Hypoglycemic  N0415J2 High-Risk Drug (Indication): Hypoglycemic</p>
-3993	Skip	Fatal	<p>(a) If N0415Z1 = [1], then the following items N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1 must equal [0]</p> <p>(b) If N0415Z1 = [0], then at least one of the following active items N0415A1, N0415E1, N0415F1, N0415H1, N0415I1 and N0415J1 must not equal [0]</p> <p>(c) If N0415Z1 = [-], then the following items N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, and N0415J1 must equal [-]</p> <p><b>Items:</b> N0415A1 High-Risk Drug (Is Taking): Antipsychotic  N0415E1 High-Risk Drug (Is taking): Anticoagulant  N0415F1 High-Risk Drug (Is taking): Antibiotic  N0415H1 High-Risk Drug (Is taking): Opioid  N0415I1 High-Risk Drug (Is taking): Antiplatelet  N0415J1 High-Risk Drug (Is taking): Hypoglycemic  N0415Z1 High-Risk Drug (Is taking): None of the above</p>

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3994	Consistency	Fatal	<p>(a) If O0110A1a = [0], then all active items from O0110A2a through O0110A10a must equal [0]</p> <p>(b) if O0110A1a = [1], then at least one active item from O0110A2a through O0110A10a must not equal [0]</p> <p>(c) If O0110A1a = [-], then all active items from O0110A2a through O0110A10a must equal [-]</p> <p><b>Items:</b> O0110A1a Treatment: Chemotherapy (Admission)  O0110A2a Treatment: IV (Admission)  O0110A3a Treatment: Oral (Admission)  O0110A10a Treatment: Other (Admission)</p>
-3995	Consistency	Fatal	<p>(a) If O0110C1a = [0], then all active items from O0110C2a through O0110C4a must equal [0]</p> <p>(b) If O0110C1a = [1], then at least one active item from O0110C2a through O0110C4a must not equal [0]</p> <p>(c) If O0110C1a = [-], then all active items from O0110C2a through O0110C4a must equal [-]</p> <p><b>Items:</b> O0110C1a Therapies: Oxygen Therapy (Admission)  O0110C2a Therapies: Continuous (Admission)  O0110C3a Therapies: Intermittent (Admission)  O0110C4a Therapies: High-concentration (Admission)</p>
-3996	Consistency	Fatal	<p>(a) If O0110D1a = [0], then the following items O0110D2a and O0110D3a must equal [0]</p> <p>(b) If O0110D1a = [1], then at least one of the following items O0110D2a and O0110D3a must not equal [0]</p> <p>(c) If O0110D1a = [-], then the following items O0110D2a and O0110D3a must equal</p> <p><b>Items:</b> O0110D1a Therapies: Suctioning (Admission)  O0110D2a Therapies: Scheduled  O0110D3a Therapies: As Needed (Admission)</p>
-3997	Consistency	Fatal	<p>(a) If O0110G1a = [0], then O0110G2a and O0110G3a must equal [0]</p> <p>(b) If O0110G1a = [1], then at least one of the following items O0110G2a and O0110G3a must not equal [0]</p> <p>(c) If O0110G1a = [-], then O0110G2a and O0110G3a must equal [-]</p> <p><b>Items:</b> O0110G1a Therapies: Non-Invas Mechanical Ventilator (Admis)  O0110G2a Therapies: BiPAP (Admission)  O0110G3a Therapies: CPAP (Admission)</p>

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-3998	Consistency	Fatal	(a) If O0110A1c = [0], then all active items from O0110A2c through O0110A10c must equal [0]
			(b) If O0110A1c = [1], then at least one active item from O0110A2c through O0110A10c must not equal [0]
			(c) If O0110A1c = [-], then all active items from O0110A2c through O0110A10c must equal [-]
			<b>Items:</b> O0110A1c                      Treatment: Chemotherapy (Discharge) O0110A2c                      Treatment: IV (Discharge)
-3999	Consistency	Fatal	(a) if O0110C1c = [0], then all active items from O0110C2c through O0110C4c must equal [0]
			(b) If O0110C1c = [1], then at least one active item from O0110C2c through O0110C4c must not equal [0]
			(c) If O0110C1c = [-], then all active items from O0110C2c through O0110C4c must equal [-]
			<b>Items:</b> O0110C1c                      Therapies: Oxygen Therapy (Discharge) O0110C2c                      Therapies: Continuous (Discharge) O0110C3c                      Therapies: Intermittent (Discharge) O0110C4c                      Therapies: High-concentration (Discharge)
-4000	Consistency	Fatal	(a) If O0110D1c = [0], then all active items from O0110D2c through O0110D3c must equal [0]
			(b) If O0110D1c = [1], then at least one active item from O0110D2c through O0110D3c must not equal [0]
			(c) If O0110D1c = [-], then all active items from O0110D2c through O0110D3c must equal [-]
			<b>Items:</b> O0110D1c                      Therapies: Suctioning (Discharge) O0110D2c                      Therapies: Scheduled (Discharge) O0110D3c                      Therapies: As Needed (Discharge)
-4001	Consistency	Fatal	(a) If O0110G1c = [0], then all active items from O0110G2c through O0110G3c must equal [0]
			(b) If O0110G1c = [1], then at least one active item from O0110G2c through O0110G3c must not equal [0]
			(c) If O0110G1c = [-], then all active items from O0110G2c through O0110G3c must equal [-]
			<b>Items:</b> O0110G1c                      Therapies: Non-Invas Mechanical Ventilator (Disch) O0110G2c                      Therapies: BiPAP (Discharge) O0110G3c                      Therapies: CPAP (Discharge)

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items												
-4002	Consistency	Fatal	(a) if O0110J1c = [0], then when active, items O0110J2c and O0110J3c must equal [0]												
			(b) If O0110J1c = [1], then at least one of the following O0110J2c and O0110J3c must not equal [0]												
			(c) If O0110J1c = [-], then when active, items O0110J2c and O0110J3c must equal [-]												
			<table><tr><td>Items:</td><td>O0110J1c</td><td>Other: Dialysis (Discharge)</td></tr><tr><td></td><td>O0110J2c</td><td>Other: Hemodialysis (Discharge)</td></tr><tr><td></td><td>O0110J3c</td><td>Other: Peritoneal dialysis (Discharge)</td></tr></table>	Items:	O0110J1c	Other: Dialysis (Discharge)		O0110J2c	Other: Hemodialysis (Discharge)		O0110J3c	Other: Peritoneal dialysis (Discharge)			
Items:	O0110J1c	Other: Dialysis (Discharge)													
	O0110J2c	Other: Hemodialysis (Discharge)													
	O0110J3c	Other: Peritoneal dialysis (Discharge)													
-4003	Consistency	Fatal	(a) If O0110H1c = [0], then all active items from O0110H2c through O0110H10c must equal [0]												
			(b) If O0110H1c = [1], then at least one active item from O0110H2c through O0110H10c must not equal [0]												
			(c) If O0110H1c = [-], then all active items from O0110H2c through O0110H10c must equal [-]												
			<table><tr><td>Items:</td><td>O0110H1c</td><td>Other: IV Medications (Discharge)</td></tr><tr><td></td><td>O0110H2c</td><td>Other: Vasoactive medications (Discharge)</td></tr><tr><td></td><td>O0110H3c</td><td>Other: Antibiotics (Discharge)</td></tr><tr><td></td><td>O0110H4c</td><td>Other: Anticoagulation (Discharge)</td></tr><tr><td></td><td>O0110H10c</td><td>Other: Other (Discharge)</td></tr></table>	Items:	O0110H1c	Other: IV Medications (Discharge)		O0110H2c	Other: Vasoactive medications (Discharge)		O0110H3c	Other: Antibiotics (Discharge)		O0110H4c	Other: Anticoagulation (Discharge)
Items:	O0110H1c	Other: IV Medications (Discharge)													
	O0110H2c	Other: Vasoactive medications (Discharge)													
	O0110H3c	Other: Antibiotics (Discharge)													
	O0110H4c	Other: Anticoagulation (Discharge)													
	O0110H10c	Other: Other (Discharge)													
-4004	Consistency	Fatal	(a) if O0110J1a = [0], then O0110J2a and O0110J3a must equal [0]												
			(b) If O0110J1a = [1], then at least one of the following items O0110J2a and O0110J3a must not equal [0]												
			(c) If O0110J1a = [-], then O0110J2a and O0110J3a must equal [-]												
			<table><tr><td>Items:</td><td>O0110J1a</td><td>Other: Dialysis (Admission)</td></tr><tr><td></td><td>O0110J2a</td><td>Other: Hemodialysis (Admission)</td></tr><tr><td></td><td>O0110J3a</td><td>Other: Peritoneal dialysis (Admission)</td></tr></table>	Items:	O0110J1a	Other: Dialysis (Admission)		O0110J2a	Other: Hemodialysis (Admission)		O0110J3a	Other: Peritoneal dialysis (Admission)			
Items:	O0110J1a	Other: Dialysis (Admission)													
	O0110J2a	Other: Hemodialysis (Admission)													
	O0110J3a	Other: Peritoneal dialysis (Admission)													
-4005	Consistency	Fatal	(a) If O0110O1a = [0], then all active items from O0110O2a through O0110O4a must equal [0]												
			(b) If O0110O1a = [1], then at least one active item from O0110O2a through O0110O4a must not equal [0]												
			(c) If O0110O1a = [-], then all active items from O0110O2a through O0110O4a must equal [-]												
			<table><tr><td>Items:</td><td>O0110O1a</td><td>Other: IV Access (Admission)</td></tr><tr><td></td><td>O0110O2a</td><td>Other: Peripheral (Admission)</td></tr><tr><td></td><td>O0110O3a</td><td>Other: Midline (Admission)</td></tr><tr><td></td><td>O0110O4a</td><td>Other: Central (Admission)</td></tr></table>	Items:	O0110O1a	Other: IV Access (Admission)		O0110O2a	Other: Peripheral (Admission)		O0110O3a	Other: Midline (Admission)		O0110O4a	Other: Central (Admission)
Items:	O0110O1a	Other: IV Access (Admission)													
	O0110O2a	Other: Peripheral (Admission)													
	O0110O3a	Other: Midline (Admission)													
	O0110O4a	Other: Central (Admission)													

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4006	Consistency	Fatal	(a) If O0110O1c = [0], then all active items from O0110O2c through O0110O4c must equal [0]
			(b) If O0110O1c = [1], then at least one active item from O0110O2c through O0110O4c must not equal [0]
			(c) If O0110O1c = [-], then all active items from O0110O2c through O0110O4c must equal [-]
			<b>Items:</b> O0110O1c      Other: IV Access (Discharge) O0110O2c      Other: Peripheral (Discharge) O0110O3c      Other: Midline (Discharge) O0110O4c      Other: Central (Discharge)
-4007	Consistency	Fatal	(a) If O0110Z1a = [1], then the following items O0110A1a, O0110B1a, O0110C1a, O0110D1a, O0110E1a, O0110F1a, O0110G1a, O0110H1a, O0110I1a, O0110J1a and O0110O1a must equal [0]
			(b) if O0110Z1a = [0], then at least one item of the following items O0110A1a, O0110B1a, O0110C1a, O0110D1a, O0110G1a, O0110H1a, O0110I1a, O0110J1a and O0110O1a must not equal [0]
			(c) If O0110Z1a = [-], then the following items O0110A1a, O0110B1a, O0110C1a, O0110D1a, O0110E1a, O0110G1a, O0110H1a, O0110I1a, O0110J1a and O0110O1a must equal [-]
			<b>Items:</b> O0110A1a      Treatment: Chemotherapy (Admission) O0110B1a      Treatment: Radiation (Admission) O0110C1a      Therapies: Oxygen Therapy (Admission) O0110D1a      Therapies: Suctioning (Admission) O0110E1a      Therapies: Tracheostomy Care (Admission) O0110G1a      Therapies: Non-Invas Mechanical Ventilator (Admis) O0110H1a      Other: IV Medications (Admission) O0110J1a      Other: Dialysis (Admission) O0110O1a      Other: IV Access (Admission) O0110Z1a      Other: None of the above (Admission)
-4008	Consistency	Fatal	(a) If O0110Z1c = [1], then the following items O0110A1c, O0110B1c, O0110C1c, O0110D1c, O0110E1c, O0110F1c, O0110G1c, O0110H1c, O0110I1c, O0110J1c and O0110O1c must equal [0]
			(b) if O0110Z1c = [0], then at least one of the following items, O0110A1c, O0110B1c, O0110C1c, O0110D1c, O0110E1c, O0110F1c, O0110G1c, O0110H1c, O0110I1c, O0110J1c, O0110O1c must not equal [0]
			(c) If O0110Z1c = [-], then the following items O0110A1c, O0110B1c, O0110C1c, O0110D1c, O0110E1c, O0110F1c, O0110G1c, O0110H1c, O0110I1c, O0110J1c, O0110O1c must equal [-]
			<b>Items:</b> O0110A1c      Treatment: Chemotherapy (Discharge) O0110B1c      Treatment: Radiation (Discharge) O0110C1c      Therapies: Oxygen Therapy (Discharge)

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> O0110D1c Therapies: Suctioning (Discharge) O0110E1c Therapies: Tracheostomy Care (Discharge) O0110G1c Therapies: Non-Invas Mechanical Ventilator (Disch) O0110F1c Therapies: Invasive Mechanical Ventilator (Disch) O0110H1c Other: IV Medications (Discharge) O0110I1c Other: Transfusions (Discharge) O0110J1c Other: Dialysis (Discharge) O0110O1c Other: IV Access (Discharge) O0110Z1c Other: None of the above (Discharge)
-4009	Consistency	Fatal	(a) If O0150A = [0], then all active items from O0150A2 through O0150E must equal [^]  (b) If O0150A= [1], then O0150A2 must not equal [^]  <b>Items:</b> O0150A SBT: Invasive Mechanical Ventilation Support O0150A2 SBT: Ventilator Weaning Status O0150B SBT: Assessed for readiness by day 2 O0150C SBT: Deemed medically ready by day 2 O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2
-4011	Skip	Fatal	(a) If GG0170Q1 = [0], then the following items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS2 must equal [^]  (b) If GG0170Q1 = [1], then the following items from GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS2 must not equal [^]  (c) If GG0170Q1 = [-], then the following items GG0170R1, GG0170R2, GG0170RR1, GG0170S1, GG0170S2 and GG0170SS2 must equal [-]  <b>Items:</b> GG0170Q1 Does the patient use a wheelchair and/or scooter GG0170R1 Func Mobil (Adm Perf) - Wheel 50 feet w/2 turns GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns GG0170RR1 Indicate the type of wheelchair or scooter used GG0170S1 Func Mobil (Adm Perf) - Wheel 150 feet GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet GG0170SS1 Indicate the type of wheelchair or scooter used
-4012	Skip	Fatal	(a) If GG0170F3=[07, 09, 10, or 88], then GG0170G3 must equal [^]  (b) If GG0170F3=[01, 02, 03, 04, 05, or 06], then GG0170G3 must not equal [^]  (c) If GG0170F3 = [-], then GG0170G3 must equal [-]  <b>Items:</b> GG0170F3 Func Mobil (Dschg Perf) - Toilet transfer GG0170G3 Mobil Perf (Dischrg Perf) - Car Transfer



# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items
-4013	Skip	Fatal	<p>(a) If GG0170Q3 = [0], then all active items from GG0170R3 through GG0170SS3 must equal [^]</p> <p>(b) If GG0170Q3 = [1], then all active items from GG0170R3 through GG0170SS3 must not equal [^]</p> <p>(c) If GG0170Q3 = [-], then all active items from GG0170R3 through GG0170SS3 must equal [-]</p> <p><b>Items:</b> GG0170Q3 Does the patient use a wheelchair and/or scooter  GG0170R3 Func Mobil (Dschg Perf) - Wheel 50 feet w/2 turns  GG0170RR3 Indicate the type of wheelchair or scooter used  GG0170S3 Func Mobil (Dschg Perf) - Wheel 150 feet  GG0170SS3 Indicate the type of wheelchair or scooter used.</p>
-4014	Consistency	Fatal	<p>Self-Care and Mobility Discharge Goals: At least one of the following Discharge Goal items (GG0130A2, GG0130B2, GG0130C2, GG0130D2, GG0170A2, GG0170B2, GG0170C2, GG0170D2, GG0170E2, GG0170F2, GG0170G2, GG0170I2, GG0170J2, GG0170K2, GG0170L2, GG0170M2, GG0170N2, GG0170O2, GG0170P2, GG0170R2, GG0170S2) should be equal to [01,02,03,04,05,06,07,09,10,88]. Entering the dash [-] as the response to all of the Discharge Goal items may result in a payment reduction for your facility of two percentage points for the affected payment</p> <p><b>Items:</b> GG0130A2 Self-Care (Dschg Goal) - Eating  GG0130B2 Self-Care (Dschg Goal) - Oral hygiene  GG0130C2 Self-Care (Dschg Goal) - Toileting hygiene  GG0130D2 Self-Care (Dschg Goal) - Wash upper body  GG0170A2 Func Mobil (Dschg Goal) - Roll left and right  GG0170B2 Func Mobil (Dschg Goal) - Sit to lying  GG0170C2 Func Mobil (Dschg Goal) - Lying to sitting on side  GG0170D2 Func Mobil (Dschg Goal) - Sit to stand  GG0170E2 Func Mobil (Dschg Goal) - Chair/bed-to-chair trans  GG0170F2 Func Mobil (Dschg Goal) - Toilet transfer  GG0170I2 Func Mobil (Dschg Goal) - Walk 10 feet  GG0170J2 Func Mobil (Dschg Goal) - Walk 50 feet w/2 turns  GG0170K2 Func Mobil (Dschg Goal) - Walk 150 feet  GG0170R2 Func Mobil (Dschg Goal) - Wheel 50 feet w/2 turns  GG0170S2 Func Mobil (Dschg Goal) - Wheel 150 feet</p>
-4015	Skip	Fatal	<p>(a) If A2105 = [01], then all active items from A2121 through A2122E must equal [^]</p> <p>(b) If A2105 = [02,03,04,05,06,07,08,09,10,11,12,99], then all active items from A2121 through A2122E must not equal [^]</p> <p>(c) If A2105 = [02,03,04,05,06,07,08,10,11], then all active items from A2123 through A2124E must equal [^]</p> <p>(d) If A2105 = [12,99], then all active items from A2123 through A2124E must not equal [^]</p> <p><b>Items:</b> A2105 Discharge location</p>

**Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**  
**Unduplicated Edits Report by Edit ID**

ID	Type	Severity	Text/Items
			<b>Items:</b> A2121 Provision Current Reconciled Medication List A2122A Electronic Health Record A2122B Health Information Exchange Organization A2122C Verbal A2122D Paper-based A2122E Other Methods A2123 Provision Current Reconciled Medication A2124A Electronic Health Record A2124B Health Information Exchange A2124C Verbal A2124D Paper-based A2124E Other Methods
-4016	Skip	Fatal	(a) If O0150A2 = [0], then all active items from O0150B through O0150E must equal [^]  (b) If O0150A2 = [1], then O0150B must not equal [^]  <b>Items:</b> O0150A2 SBT: Ventilator Weaning Status O0150B SBT: Assessed for readiness by day 2 O0150C SBT: Deemed medically ready by day 2 O0150D SBT: Documentation of reason(s) - patient unready O0150E SBT: Performed by day 2
-4017	Consistency	Fatal	BIMS Interview Summary Score: The following rules refer to the "BIMS component items" which are C0200, C0300A, C0300B, C0300C, C0400A, C0400B, and C0400C. a) If all of the BIMS component items have numeric values (not dash) and if three or fewer of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items. B) If all of the BIMS component items have numeric values (not dash) and if four or more of the BIMS component items are equal to [0], then C0500 must equal the sum of the values of the component items OR it must equal [99] c) If some, but not all, of the BIMS component items have a value of [-], then C0500 must equal [99]. d) If all of the BIMS component items have a value of [-], then C0500 must equal [-].  <b>Items:</b> C0200 Repetition of three words C0300A Able to report correct year C0300B Able to report correct month C0300C Able to report correct day of the week C0400A Able to recall "sock" C0400B Able to recall "blue" C0400C Able to recall "bed" C0500 BIMS Summary Score

# Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)

## Unduplicated Edits Report by Edit ID

ID	Type	Severity	Text/Items																																																																				
-4018	Consistency	Fatal	<p>a) If I7900=[1], then all active items from I0103 through I7104 must be equal to [0].</p> <p>b) If I7900=[0], then at least one active item from I0103 through I7104 must not be equal to [0].</p> <p>c) If I7900=[-], then at least one active item from I0103 through I7104 must equal [-] and all remaining active items must equal [0,1].</p> <p><b>Items:</b></p> <table><tr><td>I0103</td><td>Metastatic Cancer</td></tr><tr><td>I0104</td><td>Severe Cancer</td></tr><tr><td>I0605</td><td>Severe Left Systolic/Ventricular Dysfunction</td></tr><tr><td>I0900</td><td>Peripheral vascular disease (PVD) or PAD</td></tr><tr><td>I1501</td><td>Chronic Kidney Disease, Stage 5</td></tr><tr><td>I1502</td><td>Acute Renal Failure</td></tr><tr><td>I2101</td><td>Septicemia, Sepsis, Systemic Inflammatory Response</td></tr><tr><td>I2600</td><td>CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect</td></tr><tr><td>I2900</td><td>Diabetes mellitus (DM)</td></tr><tr><td>I4100</td><td>Major Lower Limb Amputation</td></tr><tr><td>I4501</td><td>Stroke</td></tr><tr><td>I4801</td><td>Dementia</td></tr><tr><td>I4900</td><td>Hemiplegia or Hemiparesis</td></tr><tr><td>I5000</td><td>Paraplegia</td></tr><tr><td>I5101</td><td>Complete Tetraplegia</td></tr><tr><td>I5102</td><td>Incomplete Tetraplegia</td></tr><tr><td>I5110</td><td>Other Spinal Cord Disorder/Injury</td></tr><tr><td>I5200</td><td>Multiple Sclerosis (MS)</td></tr><tr><td>I5250</td><td>Huntington's Disease</td></tr><tr><td>I5300</td><td>Parkinson's Disease</td></tr><tr><td>I5450</td><td>Amyotrophic Lateral Sclerosis</td></tr><tr><td>I5455</td><td>Other Progressive Neuromuscular Disease</td></tr><tr><td>I5460</td><td>Locked-In State</td></tr><tr><td>I5470</td><td>Severe Anoxic Brain Damage, Cerebral Edema</td></tr><tr><td>I5480</td><td>Other Severe Neurological Injury-Disease-Dysfunc</td></tr><tr><td>I5601</td><td>Malnutrition</td></tr><tr><td>I5602</td><td>At Risk for Malnutrition</td></tr><tr><td>I5602</td><td>At Risk for Malnutrition</td></tr><tr><td>I7100</td><td>Lung Transplant</td></tr><tr><td>I7101</td><td>Heart Transplant</td></tr><tr><td>I7102</td><td>Liver Transplant</td></tr><tr><td>I7103</td><td>Kidney Transplant</td></tr><tr><td>I7104</td><td>Bone Marrow Transplant</td></tr><tr><td>I7900</td><td>None of the Above</td></tr></table>	I0103	Metastatic Cancer	I0104	Severe Cancer	I0605	Severe Left Systolic/Ventricular Dysfunction	I0900	Peripheral vascular disease (PVD) or PAD	I1501	Chronic Kidney Disease, Stage 5	I1502	Acute Renal Failure	I2101	Septicemia, Sepsis, Systemic Inflammatory Response	I2600	CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect	I2900	Diabetes mellitus (DM)	I4100	Major Lower Limb Amputation	I4501	Stroke	I4801	Dementia	I4900	Hemiplegia or Hemiparesis	I5000	Paraplegia	I5101	Complete Tetraplegia	I5102	Incomplete Tetraplegia	I5110	Other Spinal Cord Disorder/Injury	I5200	Multiple Sclerosis (MS)	I5250	Huntington's Disease	I5300	Parkinson's Disease	I5450	Amyotrophic Lateral Sclerosis	I5455	Other Progressive Neuromuscular Disease	I5460	Locked-In State	I5470	Severe Anoxic Brain Damage, Cerebral Edema	I5480	Other Severe Neurological Injury-Disease-Dysfunc	I5601	Malnutrition	I5602	At Risk for Malnutrition	I5602	At Risk for Malnutrition	I7100	Lung Transplant	I7101	Heart Transplant	I7102	Liver Transplant	I7103	Kidney Transplant	I7104	Bone Marrow Transplant	I7900	None of the Above
I0103	Metastatic Cancer																																																																						
I0104	Severe Cancer																																																																						
I0605	Severe Left Systolic/Ventricular Dysfunction																																																																						
I0900	Peripheral vascular disease (PVD) or PAD																																																																						
I1501	Chronic Kidney Disease, Stage 5																																																																						
I1502	Acute Renal Failure																																																																						
I2101	Septicemia, Sepsis, Systemic Inflammatory Response																																																																						
I2600	CNS Infect, Oppor Infect, Bone/Joint/Muscle Infect																																																																						
I2900	Diabetes mellitus (DM)																																																																						
I4100	Major Lower Limb Amputation																																																																						
I4501	Stroke																																																																						
I4801	Dementia																																																																						
I4900	Hemiplegia or Hemiparesis																																																																						
I5000	Paraplegia																																																																						
I5101	Complete Tetraplegia																																																																						
I5102	Incomplete Tetraplegia																																																																						
I5110	Other Spinal Cord Disorder/Injury																																																																						
I5200	Multiple Sclerosis (MS)																																																																						
I5250	Huntington's Disease																																																																						
I5300	Parkinson's Disease																																																																						
I5450	Amyotrophic Lateral Sclerosis																																																																						
I5455	Other Progressive Neuromuscular Disease																																																																						
I5460	Locked-In State																																																																						
I5470	Severe Anoxic Brain Damage, Cerebral Edema																																																																						
I5480	Other Severe Neurological Injury-Disease-Dysfunc																																																																						
I5601	Malnutrition																																																																						
I5602	At Risk for Malnutrition																																																																						
I5602	At Risk for Malnutrition																																																																						
I7100	Lung Transplant																																																																						
I7101	Heart Transplant																																																																						
I7102	Liver Transplant																																																																						
I7103	Kidney Transplant																																																																						
I7104	Bone Marrow Transplant																																																																						
I7900	None of the Above																																																																						

# **Data Submission Specifications for the LTCH - CARE Data Set (V4.00.0 DRAFT)**

## **Unduplicated Edits Report by Edit ID**

<b>ID</b>	<b>Type</b>	<b>Severity</b>	<b>Text/Items</b>
<b>-9001</b>	<b>Information</b>	<b>None</b>	<p>The target date is defined as follows:</p> <p>a) If A0250=[01], then the target date is equal to A0220 (admission date)</p> <p>b) If A0250=[10,11,12], then the target date is equal to A0270 (discharge date)</p> <p><b>Items:</b>    TARGET_DATE            Target date</p>
<b>-9002</b>	<b>Information</b>	<b>None</b>	<p>The Item Subset Code (ISC) is a two-character code that indicates the type of record that is being submitted. The set of active items is controlled by the ISC.</p> <p>The ISC is defined as follows:</p> <p>If A0050 = [1,2] and A0250 = [01] then ITM_SBST_CD = [LA]</p> <p>If A0050 = [1,2] and A0250 = [10] then ITM_SBST_CD = [LP]</p> <p>If A0050 = [1,2] and A0250 = [11] then ITM_SBST_CD = [LU]</p> <p>If A0050 = [1,2] and A0250 = [12] then ITM_SBST_CD = [LE]</p> <p>If A0050 = [3] and A0250 = [01,10,11,12] then ITM_SBST_CD = [XX]</p> <p>For a more complete explanation of the meaning and use of the ISC codes, please refer to the documentation that accompanies these data specifications.</p> <p><b>Items:</b>    ITM_SBST_CD            Item subset code</p> <p>                 A0050                    Type of record</p> <p>                 A0250                    Reason for Assessment</p>