

Item ID: K0100A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: loss liquids/solids from mouth	Asmt		Checklist	1	867-867

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0100B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: holds food in mouth/cheeks	Asmt		Checklist	1	868-868

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0100C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: cough/choke with meals/meds	Asmt		Checklist	1	869-869

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0100D

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: difficulty or pain swallowing	Asmt		Checklist	1	870-870

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0100Z

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Swallow disorder: none of the above	Asmt		Checklist	1	871-871

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3511	None of above	Fatal	If K0100A through K0100D and K0100Z are all active, then the following rules apply: a) If K0100Z=[0], then at least one item from K0100A through K0100D must equal [1]. b) If K0100Z=[1], then all items from K0100A through K0100D must equal [0]. c) If K0100Z=[-], then at least one item from K0100A through K0100D must equal [-] and all remaining items must equal [0,-].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0200A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Height (in inches)	Asmt		Number	2	872-873

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
00		Minimum value
99		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3909	Format	Warning	The height value submitted in K0200A is less than 10 inches. Please confirm that the submitted value for K0200A is correct.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

Supplemental Information

Info ID	Type	Text
-9013	Information	<p>Rounding of Integer Items:</p> <p>This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p>

Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1 O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.

Item ID: K0200B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Weight (in pounds)	Asmt		Number	3	874-876

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
000		Minimum value
999		Maximum value
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3679	Format	Fatal	Values of Numeric Items: Only the values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item. The submitted value must be greater than or equal to the minimum value listed in the table and less than or equal to the maximum value listed in the table, or it must match one of the remaining special values (if any) that are listed in the table. The length of the submitted value must not exceed the allowed maximum length for the item. Signed numbers (with a leading plus or minus sign) will
-3680	Format	Fatal	Formatting of Integer Numeric Items: Only integer values and the special values (if any) that are listed in the "Item Values" table of the Detailed Data Specifications Report will be accepted for this item. Leading zeroes may be included or omitted from the submitted value as long as the resulting length of the string does not exceed the allowed maximum length for the item. A decimal point and decimal values may not be included. The following examples are allowable if the value to be submitted is equal to [1] and the maximum length is equal to 2: [1], [01]. The following values are NOT allowed and will lead to a fatal error: [1.], [1.0], [01.], [01.0], [1.1], [01.1], [1.01].
-3910	Format	Warning	The weight value submitted in K0200B is less than 10 pounds. Please confirm that the submitted value for K0200B is correct.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.

Supplemental Information

Info ID	Type	Text
-9013	Information	<p>Rounding of Integer Items:</p> <p>This item should be rounded to the nearest integer. If the value in the tenths decimal place is equal to 0 through 4, round the value down to the nearest integer (i.e., discard the fractional portion of the number). If the value in the tenths decimal place is equal to 5 through 9, round the value up to the next largest integer.</p>

Version Changes

Type	ID	Description
Format	-3679	[V3.10.0]-Mappings were removed from the following deleted items: O0400A1, O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Format	-3680	[V3.10.0]-Mappings were removed to the following deleted items: O0400A1 O0400A2, O0400A3, O0400A3A, O0400A4, O0400B1, O0400B2, O0400B3, O0400B3A, O0400B4, O0400C1, O0400C2, O0400C3, O0400C3A, O0400C4, O0400D1, O0400E1, O0400E2, O0400F1, O0400F2, O0420.
Consistency	-3897	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340. [V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.

Item ID: K0300

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Weight loss	Asmt		Code	1	877-877

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP,SD
Inactive: NT,NPE,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		No or unknown
1		Yes, on physician-prescribed weight-loss regimen
2		Yes, not on physician-prescribed weight-loss regimen
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0310

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Weight Gain	Asmt		Code	1	1443-1443

Item Subsets

Active: NC,NQ,NP,ND,SP,SD

Inactive: NT,NPE,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		No or unknown
1		Yes, on physician-prescribed weight-gain regimen
2		Yes, not on physician-prescribed weight-gain regimen
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0520A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Admission): Parenteral	Asmt		Checklist	1	3322-3322

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4060	Skip pattern	Fatal	K0520 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1. (b) If A0310B=[99], then the following items, if active, must equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1.
-4039	None of above	Fatal	(a) If K0520Z1=[1], then the following items, if active, must equal [0]: K0520A1, K0520B1, K0520C1, K0520D1. (b) If K0520Z1=[0], then at least one of the following items, if active, must equal [1]: K0520A1, K0520B1, K0520C1, K0520D1. (c) If K0520Z1=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A1, K0520B1, K0520C1, K0520D1.

Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>

Item ID: K0520A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Non-res): Parenteral	Asmt		Checklist	1	3323-3323

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4055	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 2 must be equal to [^]: K0520A2, K0520B2, K0520Z2. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following items in Column 2 must not equal [^]: K0520A2, K0520B2 and K0520Z2.
-4043	Skip pattern	Fatal	(a) If K0520A2=[1] OR K0520B2=[1] OR K0520A3=[1] OR K0520B3=[1] then K0710A2 through K0710B3 must not equal [^]. (b) If K0520A2=[0,-,^] AND K0520B2=[0,-,^] AND K0520A3=[0,-] AND K0520B3=[0,-] then K0710A2 through K0710B3 must equal [^].
-4042	None of above	Fatal	(a) If K0520Z2=[1], then the following items, if active, must equal [0]: K0520A2, K0520B2. (b) If K0520Z2=[0], then at least one of the following items, if active, must equal [1]: K0520A2, K0520B2. (c) If K0520Z2=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A2, K0520B2.

Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.</p>

Item ID: K0520A3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (7 days): Parenteral	Asmt		Checklist	1	3324-3324

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP

Inactive: NT,NPE,SD,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4043	Skip pattern	Fatal	(a) If K0520A2=[1] OR K0520B2=[1] OR K0520A3=[1] OR K0520B3=[1] then K0710A2 through K0710B3 must not equal [^]. (b) If K0520A2=[0,-,^] AND K0520B2=[0,-,^] AND K0520A3=[0,-] AND K0520B3=[0,-] then K0710A2 through K0710B3 must equal [^].
-4041	None of above	Fatal	(a) If K0520Z3=[1], then the following items, if active, must equal [0]: K0520A3, K0520B3, K0520C3, K0520D3. (b) If K0520Z3=[0], then at least one of the following items, if active, must equal [1]: K0520A3, K0520B3, K0520C3, K0520D3. (c) If K0520Z3=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A3, K0520B3, K0520C3, K0520D3.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0520A4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Discharge): Parenteral	Asmt		Checklist	1	3325-3325

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4061	Skip pattern	Fatal	K0520 Column 4 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4. (b) If A0310H=[0], then the following items, if active, must equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4.
-4040	None of above	Fatal	(a) If K0520Z4=[1], then the following items, if active, must equal [0]: K0520A4, K0520B4, K0520C4, K0520D4. (b) If K0520Z4=[0], then at least one of the following items, if active, must equal [1]: K0520A4, K0520B4, K0520C4, K0520D4. (c) If K0520Z4=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A4, K0520B4, K0520C4, K0520D4.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: K0520B1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Admission): Feeding tube	Asmt		Checklist	1	3326-3326

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4060	Skip pattern	Fatal	K0520 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1. (b) If A0310B=[99], then the following items, if active, must equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1.
-4039	None of above	Fatal	(a) If K0520Z1=[1], then the following items, if active, must equal [0]: K0520A1, K0520B1, K0520C1, K0520D1. (b) If K0520Z1=[0], then at least one of the following items, if active, must equal [1]: K0520A1, K0520B1, K0520C1, K0520D1. (c) If K0520Z1=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A1, K0520B1, K0520C1, K0520D1.

Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>

Item ID: K0520B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Non-res): Feeding tube	Asmt		Checklist	1	3327-3327

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4055	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 2 must be equal to [^]: K0520A2, K0520B2, K0520Z2. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following items in Column 2 must not equal [^]: K0520A2, K0520B2 and K0520Z2.
-4043	Skip pattern	Fatal	(a) If K0520A2=[1] OR K0520B2=[1] OR K0520A3=[1] OR K0520B3=[1] then K0710A2 through K0710B3 must not equal [^]. (b) If K0520A2=[0,-,^] AND K0520B2=[0,-,^] AND K0520A3=[0,-] AND K0520B3=[0,-] then K0710A2 through K0710B3 must equal [^].
-4042	None of above	Fatal	(a) If K0520Z2=[1], then the following items, if active, must equal [0]: K0520A2, K0520B2. (b) If K0520Z2=[0], then at least one of the following items, if active, must equal [1]: K0520A2, K0520B2. (c) If K0520Z2=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A2, K0520B2.

Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.</p>

Item ID: K0520B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (7 days): Feeding tube	Asmt		Checklist	1	3328-3328

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP

Inactive: NT,NPE,SD,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4043	Skip pattern	Fatal	(a) If K0520A2=[1] OR K0520B2=[1] OR K0520A3=[1] OR K0520B3=[1] then K0710A2 through K0710B3 must not equal [^]. (b) If K0520A2=[0,-,^] AND K0520B2=[0,-,^] AND K0520A3=[0,-] AND K0520B3=[0,-] then K0710A2 through K0710B3 must equal [^].
-4041	None of above	Fatal	(a) If K0520Z3=[1], then the following items, if active, must equal [0]: K0520A3, K0520B3, K0520C3, K0520D3. (b) If K0520Z3=[0], then at least one of the following items, if active, must equal [1]: K0520A3, K0520B3, K0520C3, K0520D3. (c) If K0520Z3=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A3, K0520B3, K0520C3, K0520D3.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0520B4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Discharge): Feeding tube	Asmt		Checklist	1	3329-3329

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4061	Skip pattern	Fatal	K0520 Column 4 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4. (b) If A0310H=[0], then the following items, if active, must equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4.
-4040	None of above	Fatal	(a) If K0520Z4=[1], then the following items, if active, must equal [0]: K0520A4, K0520B4, K0520C4, K0520D4. (b) If K0520Z4=[0], then at least one of the following items, if active, must equal [1]: K0520A4, K0520B4, K0520C4, K0520D4. (c) If K0520Z4=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A4, K0520B4, K0520C4, K0520D4.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: K0520C1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Admission): Mech Alt Diet	Asmt		Checklist	1	3330-3330

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4060	Skip pattern	Fatal	K0520 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1. (b) If A0310B=[99], then the following items, if active, must equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1.
-4039	None of above	Fatal	(a) If K0520Z1=[1], then the following items, if active, must equal [0]: K0520A1, K0520B1, K0520C1, K0520D1. (b) If K0520Z1=[0], then at least one of the following items, if active, must equal [1]: K0520A1, K0520B1, K0520C1, K0520D1. (c) If K0520Z1=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A1, K0520B1, K0520C1, K0520D1.

Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>

Item ID: K0520C3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (7-day): Mech Alt Diet	Asmt		Checklist	1	3331-3331

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP

Inactive: NT,NPE,SD,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4041	None of above	Fatal	(a) If K0520Z3=[1], then the following items, if active, must equal [0]: K0520A3, K0520B3, K0520C3, K0520D3. (b) If K0520Z3=[0], then at least one of the following items, if active, must equal [1]: K0520A3, K0520B3, K0520C3, K0520D3. (c) If K0520Z3=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A3, K0520B3, K0520C3, K0520D3.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0520C4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Discharge): Mech Alt Diet	Asmt		Checklist	1	3332-3332

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4061	Skip pattern	Fatal	K0520 Column 4 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4. (b) If A0310H=[0], then the following items, if active, must equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4.
-4040	None of above	Fatal	(a) If K0520Z4=[1], then the following items, if active, must equal [0]: K0520A4, K0520B4, K0520C4, K0520D4. (b) If K0520Z4=[0], then at least one of the following items, if active, must equal [1]: K0520A4, K0520B4, K0520C4, K0520D4. (c) If K0520Z4=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A4, K0520B4, K0520C4, K0520D4.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: K0520D1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Admission): Therapeutic	Asmt		Checklist	1	3333-3333

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4060	Skip pattern	Fatal	K0520 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1. (b) If A0310B=[99], then the following items, if active, must equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1.
-4039	None of above	Fatal	(a) If K0520Z1=[1], then the following items, if active, must equal [0]: K0520A1, K0520B1, K0520C1, K0520D1. (b) If K0520Z1=[0], then at least one of the following items, if active, must equal [1]: K0520A1, K0520B1, K0520C1, K0520D1. (c) If K0520Z1=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A1, K0520B1, K0520C1, K0520D1.

Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>

Item ID: K0520D3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (7-day): Therapeutic	Asmt		Checklist	1	3334-3334

Item Subsets

Active: NC,NQ,NP,ND
Inactive: NT,NPE,IPA,SP,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4041	None of above	Fatal	(a) If K0520Z3=[1], then the following items, if active, must equal [0]: K0520A3, K0520B3, K0520C3, K0520D3. (b) If K0520Z3=[0], then at least one of the following items, if active, must equal [1]: K0520A3, K0520B3, K0520C3, K0520D3. (c) If K0520Z3=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A3, K0520B3, K0520C3, K0520D3.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0520D4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Discharge): Therapeutic	Asmt		Checklist	1	3335-3335

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4061	Skip pattern	Fatal	K0520 Column 4 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4. (b) If A0310H=[0], then the following items, if active, must equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4.
-4040	None of above	Fatal	(a) If K0520Z4=[1], then the following items, if active, must equal [0]: K0520A4, K0520B4, K0520C4, K0520D4. (b) If K0520Z4=[0], then at least one of the following items, if active, must equal [1]: K0520A4, K0520B4, K0520C4, K0520D4. (c) If K0520Z4=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A4, K0520B4, K0520C4, K0520D4.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: K0520Z1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Admission): None	Asmt		Checklist	1	3336-3336

Item Subsets

Active: NC,NQ,NP,SP
Inactive: ND,NT,NPE,IPA,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3897	Consistency	Warning	If A0310B=[01], then the following warning message will apply if a dash is submitted for this item: Payment Reduction Warning: A dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4060	Skip pattern	Fatal	K0520 Column 1 skip patterns: (a) If A0310B=[01], then the following items, if active, must not equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1. (b) If A0310B=[99], then the following items, if active, must equal [^]: K0520A1, K0520B1, K0520C1, K0520D1 and K0520Z1.
-4039	None of above	Fatal	(a) If K0520Z1=[1], then the following items, if active, must equal [0]: K0520A1, K0520B1, K0520C1, K0520D1. (b) If K0520Z1=[0], then at least one of the following items, if active, must equal [1]: K0520A1, K0520B1, K0520C1, K0520D1. (c) If K0520Z1=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A1, K0520B1, K0520C1, K0520D1.

Version Changes

Type	ID	Description
Format	-3676	<p>[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y.</p> <p>[V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.</p>
Consistency	-3897	<p>[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2, D0160, R0310, R0320A, R0320B, R0330, R0340.</p> <p>[V3.10.1]-Mappings were removed from the following deleted items: R0310, R0320A, R0320B, R0330, R0340. A mapping was added to the following item: A1255.</p>

Item ID: K0520Z2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Non-res): None	Asmt		Checklist	1	3337-3337

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4055	Consistency	Fatal	a) If A2300 (assessment reference date) minus A1600 (entry date) is greater than or equal to 7 days, then the following items in Column 2 must be equal to [^]: K0520A2, K0520B2, K0520Z2. b) If A2300 (assessment reference date) minus A1600 (entry date) is less than or equal to 6 days, then the following items in Column 2 must not equal [^]: K0520A2, K0520B2 and K0520Z2.
-4042	None of above	Fatal	(a) If K0520Z2=[1], then the following items, if active, must equal [0]: K0520A2, K0520B2. (b) If K0520Z2=[0], then at least one of the following items, if active, must equal [1]: K0520A2, K0520B2. (c) If K0520Z2=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A2, K0520B2.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0520Z3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (7-day): None	Asmt		Checklist	1	3338-3338

Item Subsets

Active: NC,NQ,NP,ND,IPA,SP
Inactive: NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4041	None of above	Fatal	(a) If K0520Z3=[1], then the following items, if active, must equal [0]: K0520A3, K0520B3, K0520C3, K0520D3. (b) If K0520Z3=[0], then at least one of the following items, if active, must equal [1]: K0520A3, K0520B3, K0520C3, K0520D3. (c) If K0520Z3=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A3, K0520B3, K0520C3, K0520D3.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0520Z4

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Nutritional Approaches (Discharge): None	Asmt		Checklist	1	3339-3339

Item Subsets

Active: NC,NQ,NP,ND,NPE,SP,SD

Inactive: NT,IPA,ST,XX

State optional:

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-3908	Consistency	Warning	Payment Reduction Warning: If A0310H=[1], then a dash (-) submitted in this quality measure assessment item may result in a payment reduction for your facility of two percentage points for the affected payment determination.
-4061	Skip pattern	Fatal	K0520 Column 4 skip patterns: (a) If A0310H=[1], then the following items, if active, must not equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4. (b) If A0310H=[0], then the following items, if active, must equal [^]: K0520A4, K0520B4, K0520C4, K0520D4 and K0520Z4.
-4040	None of above	Fatal	(a) If K0520Z4=[1], then the following items, if active, must equal [0]: K0520A4, K0520B4, K0520C4, K0520D4. (b) If K0520Z4=[0], then at least one of the following items, if active, must equal [1]: K0520A4, K0520B4, K0520C4, K0520D4. (c) If K0520Z4=[-], then at least one of the following items, if active, must equal [-], and all remaining active items must equal [0,-]: K0520A4, K0520B4, K0520C4, K0520D4.

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.
Consistency	-3908	[V3.10.0]-Mappings were removed from the following deleted items: A1250A-Y. Mappings were added to the following items: D0150A2, D0150B2, D0150C2, D0150D2, D0150E2, D0150F2, D0150G2, D0150H2, D0150I2,

Item ID: K0710A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prop calories parenteral/tube feed: while resident	Asmt		Code	1	1467-1467

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
1		25% or less
2		26-50%
3		51% or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4043	Skip pattern	Fatal	(a) If K0520A2=[1] OR K0520B2=[1] OR K0520A3=[1] OR K0520B3=[1] then K0710A2 through K0710B3 must not equal [^]. (b) If K0520A2=[0,-,^] AND K0520B2=[0,-,^] AND K0520A3=[0,-] AND K0520B3=[0,-] then K0710A2 through K0710B3 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0710A3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Prop calories parenteral/tube feed: 7 days	Asmt		Code	1	1468-1468

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
1		25% or less
2		26-50%
3		51% or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4043	Skip pattern	Fatal	(a) If K0520A2=[1] OR K0520B2=[1] OR K0520A3=[1] OR K0520B3=[1] then K0710A2 through K0710B3 must not equal [^]. (b) If K0520A2=[0,-,^] AND K0520B2=[0,-,^] AND K0520A3=[0,-] AND K0520B3=[0,-] then K0710A2 through K0710B3 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0710B2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Avg fluid intake per day IV/ tube: while resident	Asmt		Code	1	1470-1470

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
1		500 cc/day or less
2		501 cc/day or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4043	Skip pattern	Fatal	(a) If K0520A2=[1] OR K0520B2=[1] OR K0520A3=[1] OR K0520B3=[1] then K0710A2 through K0710B3 must not equal [^]. (b) If K0520A2=[0,-,^] AND K0520B2=[0,-,^] AND K0520A3=[0,-] AND K0520B3=[0,-] then K0710A2 through K0710B3 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.

Item ID: K0710B3

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Avg fluid intake per day IV/tube: 7 days	Asmt		Code	1	1471-1471

Item Subsets

Active: NC,NQ,NP,IPA,SP
Inactive: ND,NT,NPE,SD,ST,XX
State optional:

Item Values

Value	LOINC Code	Value Text
1		500 cc/day or less
2		501 cc/day or more
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3676	Format	Fatal	Values of Code and Checklist Items: Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4043	Skip pattern	Fatal	(a) If K0520A2=[1] OR K0520B2=[1] OR K0520A3=[1] OR K0520B3=[1] then K0710A2 through K0710B3 must not equal [^]. (b) If K0520A2=[0,-,^] AND K0520B2=[0,-,^] AND K0520A3=[0,-] AND K0520B3=[0,-] then K0710A2 through K0710B3 must equal [^].

Version Changes

Type	ID	Description
Format	-3676	[V3.10.0]-Mappings were added to the following new items: O0390A-E, O0390Z, R0310, R0320A, R0320B, R0330, R0340. Mappings were removed from the following deleted items: A1250A-Y. [V3.10.1]-Mappings were added to the following new items: A0810, X0310, A1255 (formerly R0340).. Mappings were removed from the following deleted items: A0800, X0300, R0310, R0320A, R0320B, R0330.